

Computer algebra independent integration tests

1-Algebraic-functions/1.2-Trinomial-products/1.2.2-Quartic/1.2.2.3-d+e-x²-^m-a+b-x²+c-x⁴-^p

Nasser M. Abbasi

June 29, 2021

Compiled on June 29, 2021 at 9:31am

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 21 |
| 1.1 | Listing of CAS systems tested | 21 |
| 1.2 | Results | 22 |
| 1.3 | Performance | 26 |
| 1.4 | list of integrals that has no closed form antiderivative | 27 |
| 1.5 | list of integrals solved by CAS but has no known antiderivative | 28 |
| 1.6 | list of integrals solved by CAS but failed verification | 28 |
| 1.7 | Timing | 29 |
| 1.8 | Verification | 29 |
| 1.9 | Important notes about some of the results | 29 |
| 1.9.1 | Important note about Maxima results | 29 |
| 1.9.2 | Important note about FriCAS and Giac/XCAS results | 30 |
| 1.9.3 | Important note about finding leaf size of antiderivative | 30 |
| 1.9.4 | Important note about Mupad results | 31 |
| 1.10 | Design of the test system | 32 |
| 2 | detailed summary tables of results | 33 |
| 2.1 | List of integrals sorted by grade for each CAS | 33 |
| 2.1.1 | Rubi | 33 |
| 2.1.2 | Mathematica | 34 |
| 2.1.3 | Maple | 34 |

| | | |
|----------|---|------------|
| 2.1.4 | Maxima | 35 |
| 2.1.5 | FriCAS | 35 |
| 2.1.6 | Sympy | 36 |
| 2.1.7 | Giac | 37 |
| 2.1.8 | Mupad | 37 |
| 2.2 | Detailed conclusion table per each integral for all CAS systems | 39 |
| 2.3 | Detailed conclusion table specific for Rubi results | 122 |
| 3 | Listing of integrals | 139 |
| 3.1 | $\int \frac{c+dx^2}{a+bx^4} dx$ | 139 |
| 3.2 | $\int \frac{c-dx^2}{a+bx^4} dx$ | 145 |
| 3.3 | $\int \frac{c+dx^2}{a-bx^4} dx$ | 151 |
| 3.4 | $\int \frac{c-dx^2}{a-bx^4} dx$ | 155 |
| 3.5 | $\int \frac{2+3x^2}{4+9x^4} dx$ | 159 |
| 3.6 | $\int \frac{2-3x^2}{4+9x^4} dx$ | 163 |
| 3.7 | $\int \frac{2+3x^2}{4-9x^4} dx$ | 166 |
| 3.8 | $\int \frac{2-3x^2}{4-9x^4} dx$ | 169 |
| 3.9 | $\int \frac{\sqrt{a} \sqrt{b+bx^2}}{a+bx^4} dx$ | 172 |
| 3.10 | $\int \frac{\sqrt{a} \sqrt{b-bx^2}}{a+bx^4} dx$ | 176 |
| 3.11 | $\int \frac{d+ex^2}{d^2+e^2x^4} dx$ | 180 |
| 3.12 | $\int \frac{d-ex^2}{d^2+e^2x^4} dx$ | 184 |
| 3.13 | $\int \frac{5+2x^2}{-1+x^4} dx$ | 188 |
| 3.14 | $\int \frac{1+bx^2}{\sqrt{1-b^2x^4}} dx$ | 191 |
| 3.15 | $\int \frac{1-bx^2}{\sqrt{1-b^2x^4}} dx$ | 194 |
| 3.16 | $\int \frac{1+bx^2}{\sqrt{-1+b^2x^4}} dx$ | 198 |
| 3.17 | $\int \frac{1-bx^2}{\sqrt{-1+b^2x^4}} dx$ | 202 |
| 3.18 | $\int \frac{1-bx^2}{\sqrt{1+b^2x^4}} dx$ | 206 |
| 3.19 | $\int \frac{1+bx^2}{\sqrt{1+b^2x^4}} dx$ | 209 |
| 3.20 | $\int \frac{1-bx^2}{\sqrt{-1-b^2x^4}} dx$ | 213 |
| 3.21 | $\int \frac{1+bx^2}{\sqrt{-1-b^2x^4}} dx$ | 216 |
| 3.22 | $\int \frac{\sqrt{1+c^2x^2}}{\sqrt{1-c^2x^2}} dx$ | 220 |

| | | |
|------|---|-----|
| 3.23 | $\int \frac{1+c^2x^2}{\sqrt{1-c^4x^4}} dx$ | 223 |
| 3.24 | $\int \frac{\sqrt{1-c^2x^2}}{\sqrt{1+c^2x^2}} dx$ | 226 |
| 3.25 | $\int \frac{1-c^2x^2}{\sqrt{1-c^4x^4}} dx$ | 229 |
| 3.26 | $\int \frac{d+ex^2}{d^2+bx^2+e^2x^4} dx$ | 233 |
| 3.27 | $\int \frac{d+ex^2}{d^2+fx^2+e^2x^4} dx$ | 238 |
| 3.28 | $\int \frac{d+ex^2}{d^2-bx^2+e^2x^4} dx$ | 243 |
| 3.29 | $\int \frac{d+ex^2}{d^2-fx^2+e^2x^4} dx$ | 248 |
| 3.30 | $\int \frac{d-ex^2}{d^2+bx^2+e^2x^4} dx$ | 253 |
| 3.31 | $\int \frac{d-ex^2}{d^2+fx^2+e^2x^4} dx$ | 258 |
| 3.32 | $\int \frac{d-ex^2}{d^2-bx^2+e^2x^4} dx$ | 262 |
| 3.33 | $\int \frac{d-ex^2}{d^2-fx^2+e^2x^4} dx$ | 266 |
| 3.34 | $\int \frac{d-ex^2}{\frac{cd^2}{e^2}+bx^2+cx^4} dx$ | 270 |
| 3.35 | $\int \frac{d+ex^2}{\frac{cd^2}{e^2}+bx^2+cx^4} dx$ | 275 |
| 3.36 | $\int \frac{d+ex^2}{bx^2+c\left(\frac{d^2}{e^2}+x^4\right)} dx$ | 281 |
| 3.37 | $\int \frac{a-bx^2}{a^2+(-1+2ab)x^2+b^2x^4} dx$ | 287 |
| 3.38 | $\int \frac{a+bx^2}{a^2+(-1+2ab)x^2+b^2x^4} dx$ | 290 |
| 3.39 | $\int \frac{1+2x^2}{1+bx^2+4x^4} dx$ | 294 |
| 3.40 | $\int \frac{1+2x^2}{1-bx^2+4x^4} dx$ | 298 |
| 3.41 | $\int \frac{1+2x^2}{1+6x^2+4x^4} dx$ | 302 |
| 3.42 | $\int \frac{1+2x^2}{1+5x^2+4x^4} dx$ | 305 |
| 3.43 | $\int \frac{1+2x^2}{1+4x^2+4x^4} dx$ | 308 |
| 3.44 | $\int \frac{1+2x^2}{1+3x^2+4x^4} dx$ | 311 |
| 3.45 | $\int \frac{1+2x^2}{1+2x^2+4x^4} dx$ | 315 |
| 3.46 | $\int \frac{1+2x^2}{1+x^2+4x^4} dx$ | 319 |
| 3.47 | $\int \frac{1+2x^2}{1+4x^4} dx$ | 323 |
| 3.48 | $\int \frac{1+2x^2}{1-x^2+4x^4} dx$ | 326 |

| | | |
|------|--------------------------------------|-----|
| 3.49 | $\int \frac{1+2x^2}{1-2x^2+4x^4} dx$ | 330 |
| 3.50 | $\int \frac{1+2x^2}{1-3x^2+4x^4} dx$ | 333 |
| 3.51 | $\int \frac{1+2x^2}{1-4x^2+4x^4} dx$ | 336 |
| 3.52 | $\int \frac{1+2x^2}{1-5x^2+4x^4} dx$ | 339 |
| 3.53 | $\int \frac{1+2x^2}{1-6x^2+4x^4} dx$ | 342 |
| 3.54 | $\int \frac{1-2x^2}{1+bx^2+4x^4} dx$ | 346 |
| 3.55 | $\int \frac{1-2x^2}{1+6x^2+4x^4} dx$ | 350 |
| 3.56 | $\int \frac{1-2x^2}{1+5x^2+4x^4} dx$ | 353 |
| 3.57 | $\int \frac{1-2x^2}{1+4x^2+4x^4} dx$ | 356 |
| 3.58 | $\int \frac{1-2x^2}{1+3x^2+4x^4} dx$ | 359 |
| 3.59 | $\int \frac{1-2x^2}{1+2x^2+4x^4} dx$ | 362 |
| 3.60 | $\int \frac{1-2x^2}{1+x^2+4x^4} dx$ | 365 |
| 3.61 | $\int \frac{1-2x^2}{1+4x^4} dx$ | 368 |
| 3.62 | $\int \frac{1-2x^2}{1-x^2+4x^4} dx$ | 371 |
| 3.63 | $\int \frac{1-2x^2}{1-2x^2+4x^4} dx$ | 374 |
| 3.64 | $\int \frac{1-2x^2}{1-3x^2+4x^4} dx$ | 377 |
| 3.65 | $\int \frac{1-2x^2}{1-4x^2+4x^4} dx$ | 380 |
| 3.66 | $\int \frac{1-2x^2}{1-5x^2+4x^4} dx$ | 383 |
| 3.67 | $\int \frac{1-2x^2}{1-6x^2+4x^4} dx$ | 386 |
| 3.68 | $\int \frac{1+x^2}{1+bx^2+x^4} dx$ | 390 |
| 3.69 | $\int \frac{1+x^2}{1+5x^2+x^4} dx$ | 394 |
| 3.70 | $\int \frac{1+x^2}{1+4x^2+x^4} dx$ | 397 |
| 3.71 | $\int \frac{1+x^2}{1+3x^2+x^4} dx$ | 400 |
| 3.72 | $\int \frac{1+x^2}{1+2x^2+x^4} dx$ | 403 |
| 3.73 | $\int \frac{1+x^2}{1+x^2+x^4} dx$ | 406 |
| 3.74 | $\int \frac{1+x^2}{1+x^4} dx$ | 409 |
| 3.75 | $\int \frac{1+x^2}{1-x^2+x^4} dx$ | 412 |
| 3.76 | $\int \frac{1+x^2}{1-2x^2+x^4} dx$ | 415 |
| 3.77 | $\int \frac{1+x^2}{1-3x^2+x^4} dx$ | 418 |

| | | |
|-------|--|-----|
| 3.78 | $\int \frac{1+x^2}{1-4x^2+x^4} dx$ | 421 |
| 3.79 | $\int \frac{1+x^2}{1-5x^2+x^4} dx$ | 424 |
| 3.80 | $\int \frac{1-x^2}{1+bx^2+x^4} dx$ | 427 |
| 3.81 | $\int \frac{1-x^2}{1+5x^2+x^4} dx$ | 431 |
| 3.82 | $\int \frac{1-x^2}{1+4x^2+x^4} dx$ | 434 |
| 3.83 | $\int \frac{1-x^2}{1+3x^2+x^4} dx$ | 437 |
| 3.84 | $\int \frac{1-x^2}{1+2x^2+x^4} dx$ | 440 |
| 3.85 | $\int \frac{1-x^2}{1+x^2+x^4} dx$ | 443 |
| 3.86 | $\int \frac{1-x^2}{1+x^4} dx$ | 446 |
| 3.87 | $\int \frac{1-x^2}{1-x^2+x^4} dx$ | 449 |
| 3.88 | $\int \frac{1-x^2}{1-2x^2+x^4} dx$ | 452 |
| 3.89 | $\int \frac{1-x^2}{1-3x^2+x^4} dx$ | 455 |
| 3.90 | $\int \frac{1-x^2}{1-4x^2+x^4} dx$ | 458 |
| 3.91 | $\int \frac{1-x^2}{1-5x^2+x^4} dx$ | 461 |
| 3.92 | $\int \frac{-1-3x^2}{1+2x^2+9x^4} dx$ | 464 |
| 3.93 | $\int \frac{1+3x^2}{-1-2x^2-9x^4} dx$ | 468 |
| 3.94 | $\int \frac{3+2x^2}{1-2x^2+x^4} dx$ | 472 |
| 3.95 | $\int \frac{2+3x^2}{5-8x^2+3x^4} dx$ | 475 |
| 3.96 | $\int \frac{d+ex^2}{5-8x^2+3x^4} dx$ | 478 |
| 3.97 | $\int \frac{3+x^2}{1+3x^2+x^4} dx$ | 482 |
| 3.98 | $\int \frac{a+bx^2}{1+x^2+x^4} dx$ | 486 |
| 3.99 | $\int \frac{a+bx^2}{(1+x^2+x^4)^2} dx$ | 491 |
| 3.100 | $\int \frac{a+bx^2}{2+x^2+x^4} dx$ | 497 |
| 3.101 | $\int \frac{a+bx^2}{(2+x^2+x^4)^2} dx$ | 505 |
| 3.102 | $\int \frac{\sqrt{2}-x^2}{1-\sqrt{2}x^2+x^4} dx$ | 515 |
| 3.103 | $\int \frac{\sqrt{2}+x^2}{1+\sqrt{2}x^2+x^4} dx$ | 519 |
| 3.104 | $\int \frac{\sqrt{2}-x^2}{1+bx^2+x^4} dx$ | 523 |
| 3.105 | $\int \frac{\sqrt{2}+x^2}{1+bx^2+x^4} dx$ | 530 |

| | | |
|-------|---|-----|
| 3.106 | $\int \frac{2a-x^2}{a^2-ax^2+x^4} dx$ | 537 |
| 3.107 | $\int \frac{2\sqrt{a-x^2}}{a-\sqrt{a}x^2+x^4} dx$ | 545 |
| 3.108 | $\int \frac{2b^{2/3}+x^2}{b^{4/3}+b^{2/3}x^2+x^4} dx$ | 549 |
| 3.109 | $\int \frac{A+Bx^2}{a^2-ax^2+x^4} dx$ | 554 |
| 3.110 | $\int \frac{A+Bx^2}{a-\sqrt{a}x^2+x^4} dx$ | 565 |
| 3.111 | $\int \frac{A+Bx^2}{a-\sqrt{ac}x^2+cx^4} dx$ | 570 |
| 3.112 | $\int \frac{A+Bx^2}{a-\sqrt{a}\sqrt{c}x^2+cx^4} dx$ | 577 |
| 3.113 | $\int \frac{3-x^2}{\sqrt{3+x^2-x^4}} dx$ | 583 |
| 3.114 | $\int \frac{3-x^2}{\sqrt{3+2x^2-x^4}} dx$ | 587 |
| 3.115 | $\int \frac{3-x^2}{\sqrt{3+3x^2-x^4}} dx$ | 591 |
| 3.116 | $\int \frac{3-x^2}{\sqrt{3-x^2-x^4}} dx$ | 595 |
| 3.117 | $\int \frac{3-x^2}{\sqrt{3-2x^2-x^4}} dx$ | 599 |
| 3.118 | $\int \frac{3-x^2}{\sqrt{3-3x^2-x^4}} dx$ | 603 |
| 3.119 | $\int \frac{b-\sqrt{b^2-4ac}+2cx^2}{\sqrt{a+bx^2+cx^4}} dx$ | 607 |
| 3.120 | $\int (d+ex^2)^4 (a+cx^4) dx$ | 611 |
| 3.121 | $\int (d+ex^2)^3 (a+cx^4) dx$ | 614 |
| 3.122 | $\int (d+ex^2)^2 (a+cx^4) dx$ | 617 |
| 3.123 | $\int (d+ex^2) (a+cx^4) dx$ | 620 |
| 3.124 | $\int \frac{a+cx^4}{d+ex^2} dx$ | 623 |
| 3.125 | $\int \frac{a+cx^4}{(d+ex^2)^2} dx$ | 627 |
| 3.126 | $\int \frac{a+cx^4}{(d+ex^2)^3} dx$ | 631 |
| 3.127 | $\int \frac{a+cx^4}{(d+ex^2)^4} dx$ | 635 |
| 3.128 | $\int (d+ex^2)^3 (a+cx^4)^2 dx$ | 639 |
| 3.129 | $\int (d+ex^2)^2 (a+cx^4)^2 dx$ | 642 |
| 3.130 | $\int (d+ex^2) (a+cx^4)^2 dx$ | 645 |
| 3.131 | $\int (a+cx^4)^2 dx$ | 648 |

| | | |
|-------|--|-----|
| 3.132 | $\int \frac{(a+cx^4)^2}{d+ex^2} dx$ | 651 |
| 3.133 | $\int \frac{(a+cx^4)^2}{(d+ex^2)^2} dx$ | 655 |
| 3.134 | $\int \frac{(a+cx^4)^2}{(d+ex^2)^3} dx$ | 659 |
| 3.135 | $\int \frac{(a+cx^4)^2}{(d+ex^2)^4} dx$ | 664 |
| 3.136 | $\int \frac{(a+cx^4)^2}{(d+ex^2)^5} dx$ | 670 |
| 3.137 | $\int \frac{(d+ex^2)^4}{a+cx^4} dx$ | 676 |
| 3.138 | $\int \frac{(d+ex^2)^3}{a+cx^4} dx$ | 685 |
| 3.139 | $\int \frac{(d+ex^2)^2}{a+cx^4} dx$ | 693 |
| 3.140 | $\int \frac{d+ex^2}{a+cx^4} dx$ | 700 |
| 3.141 | $\int \frac{1}{a+cx^4} dx$ | 706 |
| 3.142 | $\int \frac{1}{(d+ex^2)(a+cx^4)} dx$ | 711 |
| 3.143 | $\int \frac{1}{(d+ex^2)^2(a+cx^4)} dx$ | 720 |
| 3.144 | $\int \frac{(d+ex^2)^3}{(a+cx^4)^2} dx$ | 737 |
| 3.145 | $\int \frac{(d+ex^2)^2}{(a+cx^4)^2} dx$ | 746 |
| 3.146 | $\int \frac{d+ex^2}{(a+cx^4)^2} dx$ | 753 |
| 3.147 | $\int \frac{1}{(a+cx^4)^2} dx$ | 759 |
| 3.148 | $\int \frac{1}{(d+ex^2)(a+cx^4)^2} dx$ | 764 |
| 3.149 | $\int \frac{1}{(d+ex^2)^2(a+cx^4)^2} dx$ | 784 |
| 3.150 | $\int \frac{(d+ex^2)^4}{\sqrt{a+cx^4}} dx$ | 806 |
| 3.151 | $\int \frac{(d+ex^2)^3}{\sqrt{a+cx^4}} dx$ | 811 |
| 3.152 | $\int \frac{(d+ex^2)^2}{\sqrt{a+cx^4}} dx$ | 816 |

| | | |
|-------|---|-----|
| 3.153 | $\int \frac{d+ex^2}{\sqrt{a+cx^4}} dx$ | 820 |
| 3.154 | $\int \frac{1}{(d+ex^2)\sqrt{a+cx^4}} dx$ | 824 |
| 3.155 | $\int \frac{1}{(d+ex^2)^2\sqrt{a+cx^4}} dx$ | 828 |
| 3.156 | $\int \frac{1}{(d+ex^2)^3\sqrt{a+cx^4}} dx$ | 834 |
| 3.157 | $\int \frac{(d+ex^2)^3}{\sqrt{a-cx^4}} dx$ | 840 |
| 3.158 | $\int \frac{(d+ex^2)^2}{\sqrt{a-cx^4}} dx$ | 845 |
| 3.159 | $\int \frac{d+ex^2}{\sqrt{a-cx^4}} dx$ | 850 |
| 3.160 | $\int \frac{1}{(d+ex^2)\sqrt{a-cx^4}} dx$ | 854 |
| 3.161 | $\int \frac{1}{(d+ex^2)^2\sqrt{a-cx^4}} dx$ | 858 |
| 3.162 | $\int \frac{1}{(d+ex^2)^3\sqrt{a-cx^4}} dx$ | 864 |
| 3.163 | $\int \frac{1}{(d+ex^2)^4\sqrt{a-cx^4}} dx$ | 871 |
| 3.164 | $\int \frac{d+ex^2}{\sqrt{-a+cx^4}} dx$ | 878 |
| 3.165 | $\int \frac{1}{(d+ex^2)\sqrt{-a+cx^4}} dx$ | 882 |
| 3.166 | $\int \frac{\sqrt{a} + \sqrt{c} x^2}{\sqrt{-a+cx^4}} dx$ | 886 |
| 3.167 | $\int \frac{1 + \sqrt{\frac{c}{a}} x^2}{\sqrt{-a+cx^4}} dx$ | 890 |
| 3.168 | $\int \frac{d+ex^2}{\sqrt{-a-cx^4}} dx$ | 894 |
| 3.169 | $\int \frac{1}{(d+ex^2)\sqrt{-a-cx^4}} dx$ | 898 |
| 3.170 | $\int \frac{1}{(a+bx^2)\sqrt{4-5x^4}} dx$ | 902 |
| 3.171 | $\int \frac{1}{(a+bx^2)\sqrt{4+5x^4}} dx$ | 905 |
| 3.172 | $\int \frac{1}{(a+bx^2)\sqrt{4-dx^4}} dx$ | 909 |
| 3.173 | $\int \frac{1}{(a+bx^2)\sqrt{4+dx^4}} dx$ | 912 |
| 3.174 | $\int \frac{\sqrt{a+bx^2}}{\sqrt{1-x^4}} dx$ | 916 |
| 3.175 | $\int (c+ex^2)^q (a+bx^4)^p dx$ | 919 |
| 3.176 | $\int (c+ex^2)^3 (a+bx^4)^p dx$ | 921 |

| | | |
|-------|--|------|
| 3.177 | $\int (c + ex^2)^2 (a + bx^4)^p dx$ | 925 |
| 3.178 | $\int (c + ex^2) (a + bx^4)^p dx$ | 929 |
| 3.179 | $\int (a + bx^4)^p dx$ | 933 |
| 3.180 | $\int \frac{(a+bx^4)^p}{c+ex^2} dx$ | 936 |
| 3.181 | $\int \frac{(a+bx^4)^p}{(c+ex^2)^2} dx$ | 940 |
| 3.182 | $\int (1 - x^2)^3 (1 + bx^4)^p dx$ | 944 |
| 3.183 | $\int (1 - x^2)^2 (1 + bx^4)^p dx$ | 948 |
| 3.184 | $\int (1 - x^2) (1 + bx^4)^p dx$ | 952 |
| 3.185 | $\int (1 + bx^4)^p dx$ | 955 |
| 3.186 | $\int \frac{(1+bx^4)^p}{1-x^2} dx$ | 958 |
| 3.187 | $\int \frac{(1+bx^4)^p}{(1-x^2)^2} dx$ | 961 |
| 3.188 | $\int \frac{(1+bx^4)^p}{(1-x^2)^3} dx$ | 964 |
| 3.189 | $\int \frac{(d+ex^2)^4}{d^2-e^2x^4} dx$ | 967 |
| 3.190 | $\int \frac{(d+ex^2)^3}{d^2-e^2x^4} dx$ | 971 |
| 3.191 | $\int \frac{(d+ex^2)^2}{d^2-e^2x^4} dx$ | 975 |
| 3.192 | $\int \frac{d+ex^2}{d^2-e^2x^4} dx$ | 978 |
| 3.193 | $\int \frac{1}{(d+ex^2)(d^2-e^2x^4)} dx$ | 981 |
| 3.194 | $\int \frac{1}{(d+ex^2)^2(d^2-e^2x^4)} dx$ | 985 |
| 3.195 | $\int \frac{(d+ex^2)^{3/2}}{d^2-e^2x^4} dx$ | 990 |
| 3.196 | $\int \frac{\sqrt{d+ex^2}}{d^2-e^2x^4} dx$ | 995 |
| 3.197 | $\int \frac{1}{\sqrt{d+ex^2}(d^2-e^2x^4)} dx$ | 999 |
| 3.198 | $\int \frac{1}{(d+ex^2)^{3/2}(d^2-e^2x^4)} dx$ | 1003 |
| 3.199 | $\int \frac{(a+bx^2)^{5/2}}{\sqrt{a^2-b^2x^4}} dx$ | 1009 |
| 3.200 | $\int \frac{(a+bx^2)^{3/2}}{\sqrt{a^2-b^2x^4}} dx$ | 1014 |

| | | | |
|-------|---|-----------|-------|
| 3.201 | $\int \frac{\sqrt{a+bx^2}}{\sqrt{a^2-b^2x^4}} dx$ | | .1018 |
| 3.202 | $\int \frac{1}{\sqrt{a+bx^2} \sqrt{a^2-b^2x^4}} dx$ | | .1022 |
| 3.203 | $\int \frac{1}{(a+bx^2)^{3/2} \sqrt{a^2-b^2x^4}} dx$ | | .1026 |
| 3.204 | $\int \frac{1}{(a+bx^2)^{5/2} \sqrt{a^2-b^2x^4}} dx$ | | .1030 |
| 3.205 | $\int \frac{(a-bx^2)^{5/2}}{\sqrt{a^2-b^2x^4}} dx$ | | .1035 |
| 3.206 | $\int \frac{(a-bx^2)^{3/2}}{\sqrt{a^2-b^2x^4}} dx$ | | .1039 |
| 3.207 | $\int \frac{\sqrt{a-bx^2}}{\sqrt{a^2-b^2x^4}} dx$ | | .1043 |
| 3.208 | $\int \frac{1}{\sqrt{a-bx^2} \sqrt{a^2-b^2x^4}} dx$ | | .1047 |
| 3.209 | $\int \frac{1}{(a-bx^2)^{3/2} \sqrt{a^2-b^2x^4}} dx$ | | .1051 |
| 3.210 | $\int \frac{1}{(a-bx^2)^{5/2} \sqrt{a^2-b^2x^4}} dx$ | | .1055 |
| 3.211 | $\int \frac{\sqrt{-1+x^2}}{\sqrt{-1+x^4}} dx$ | | .1060 |
| 3.212 | $\int \frac{\sqrt{1+x^2}}{\sqrt{-1+x^4}} dx$ | | .1063 |
| 3.213 | $\int \frac{-\sqrt{-1+x^2} + \sqrt{1+x^2}}{\sqrt{-1+x^4}} dx$ | | .1066 |
| 3.214 | $\int \frac{(d+ex^2)^4}{-cd^2+bde+be^2x^2+ce^2x^4} dx$ | | .1070 |
| 3.215 | $\int \frac{(d+ex^2)^3}{-cd^2+bde+be^2x^2+ce^2x^4} dx$ | | .1080 |
| 3.216 | $\int \frac{(d+ex^2)^2}{-cd^2+bde+be^2x^2+ce^2x^4} dx$ | | .1088 |
| 3.217 | $\int \frac{d+ex^2}{-cd^2+bde+be^2x^2+ce^2x^4} dx$ | | .1095 |
| 3.218 | $\int \frac{1}{(d+ex^2)(-cd^2+bde+be^2x^2+ce^2x^4)} dx$ | | .1100 |
| 3.219 | $\int \frac{1}{(d+ex^2)^2(-cd^2+bde+be^2x^2+ce^2x^4)} dx$ | | .1107 |
| 3.220 | $\int \frac{(d+ex^2)^{5/2}}{-cd^2+bde+be^2x^2+ce^2x^4} dx$ | | .1122 |
| 3.221 | $\int \frac{(d+ex^2)^{3/2}}{-cd^2+bde+be^2x^2+ce^2x^4} dx$ | | .1127 |
| 3.222 | $\int \frac{\sqrt{d+ex^2}}{-cd^2+bde+be^2x^2+ce^2x^4} dx$ | | .1134 |
| 3.223 | $\int \frac{1}{\sqrt{d+ex^2}(-cd^2+bde+be^2x^2+ce^2x^4)} dx$ | | .1139 |
| 3.224 | $\int \frac{1}{(d+ex^2)^{3/2}(-cd^2+bde+be^2x^2+ce^2x^4)} dx$ | | .1144 |

| | | |
|-------|---|-------|
| 3.225 | $\int (1+x^2)^3 \sqrt{1+x^2+x^4} dx$ | .1151 |
| 3.226 | $\int (1+x^2)^2 \sqrt{1+x^2+x^4} dx$ | .1156 |
| 3.227 | $\int (1+x^2) \sqrt{1+x^2+x^4} dx$ | .1161 |
| 3.228 | $\int \frac{\sqrt{1+x^2+x^4}}{1+x^2} dx$ | .1165 |
| 3.229 | $\int \frac{\sqrt{1+x^2+x^4}}{(1+x^2)^2} dx$ | .1170 |
| 3.230 | $\int \frac{\sqrt{1+x^2+x^4}}{(1+x^2)^3} dx$ | .1173 |
| 3.231 | $\int \frac{\sqrt{1+x^2+x^4}}{(1+x^2)^4} dx$ | .1179 |
| 3.232 | $\int \frac{(1+x^2)^3}{\sqrt{1+x^2+x^4}} dx$ | .1186 |
| 3.233 | $\int \frac{(1+x^2)^2}{\sqrt{1+x^2+x^4}} dx$ | .1191 |
| 3.234 | $\int \frac{1+x^2}{\sqrt{1+x^2+x^4}} dx$ | .1195 |
| 3.235 | $\int \frac{1}{(1+x^2)\sqrt{1+x^2+x^4}} dx$ | .1199 |
| 3.236 | $\int \frac{1}{(1+x^2)^2 \sqrt{1+x^2+x^4}} dx$ | .1203 |
| 3.237 | $\int \frac{1}{(1+x^2)^3 \sqrt{1+x^2+x^4}} dx$ | .1208 |
| 3.238 | $\int \frac{(1+x^2)^3}{(1+x^2+x^4)^{3/2}} dx$ | .1214 |
| 3.239 | $\int \frac{(1+x^2)^2}{(1+x^2+x^4)^{3/2}} dx$ | .1218 |
| 3.240 | $\int \frac{1+x^2}{(1+x^2+x^4)^{3/2}} dx$ | .1222 |
| 3.241 | $\int \frac{1}{(1+x^2)(1+x^2+x^4)^{3/2}} dx$ | .1226 |
| 3.242 | $\int \frac{1}{(1+x^2)^2 (1+x^2+x^4)^{3/2}} dx$ | .1231 |
| 3.243 | $\int \frac{1}{(1+x^2)^3 (1+x^2+x^4)^{3/2}} dx$ | .1237 |
| 3.244 | $\int (d+ex^2)^4 (a+bx^2+cx^4) dx$ | .1244 |
| 3.245 | $\int (d+ex^2)^3 (a+bx^2+cx^4) dx$ | .1247 |
| 3.246 | $\int (d+ex^2)^2 (a+bx^2+cx^4) dx$ | .1250 |
| 3.247 | $\int (d+ex^2) (a+bx^2+cx^4) dx$ | .1253 |
| 3.248 | $\int \frac{a+bx^2+cx^4}{d+ex^2} dx$ | .1256 |

| | | |
|-------|--|-------|
| 3.249 | $\int \frac{a+bx^2+cx^4}{(d+ex^2)^2} dx$ | .1260 |
| 3.250 | $\int \frac{a+bx^2+cx^4}{(d+ex^2)^3} dx$ | .1264 |
| 3.251 | $\int \frac{a+bx^2+cx^4}{(d+ex^2)^4} dx$ | .1268 |
| 3.252 | $\int (d+ex^2)^3 (a+bx^2+cx^4)^2 dx$ | .1273 |
| 3.253 | $\int (d+ex^2)^2 (a+bx^2+cx^4)^2 dx$ | .1277 |
| 3.254 | $\int (d+ex^2) (a+bx^2+cx^4)^2 dx$ | .1280 |
| 3.255 | $\int (a+bx^2+cx^4)^2 dx$ | .1283 |
| 3.256 | $\int \frac{(a+bx^2+cx^4)^2}{d+ex^2} dx$ | .1286 |
| 3.257 | $\int \frac{(a+bx^2+cx^4)^2}{(d+ex^2)^2} dx$ | .1290 |
| 3.258 | $\int \frac{(a+bx^2+cx^4)^2}{(d+ex^2)^3} dx$ | .1295 |
| 3.259 | $\int \frac{(a+bx^2+cx^4)^2}{(d+ex^2)^4} dx$ | .1300 |
| 3.260 | $\int \frac{(a+bx^2+cx^4)^2}{(d+ex^2)^5} dx$ | .1306 |
| 3.261 | $\int \frac{a+bx^2+cx^4}{(d+ex^2)^2} dx$ | .1312 |
| 3.262 | $\int \frac{a+x^2(b+cx^2)}{(d+ex^2)^2} dx$ | .1316 |
| 3.263 | $\int \frac{(d+ex^2)^4}{a+bx^2+cx^4} dx$ | .1320 |
| 3.264 | $\int \frac{(d+ex^2)^3}{a+bx^2+cx^4} dx$ | .1344 |
| 3.265 | $\int \frac{(d+ex^2)^2}{a+bx^2+cx^4} dx$ | .1364 |
| 3.266 | $\int \frac{d+ex^2}{a+bx^2+cx^4} dx$ | .1377 |
| 3.267 | $\int \frac{1}{a+bx^2+cx^4} dx$ | .1384 |
| 3.268 | $\int \frac{1}{(d+ex^2)(a+bx^2+cx^4)} dx$ | .1389 |
| 3.269 | $\int \frac{1}{(d+ex^2)^2(a+bx^2+cx^4)} dx$ | .1408 |
| 3.270 | $\int \frac{(d+ex^2)^3}{(a+bx^2+cx^4)^2} dx$ | .1463 |

| | | |
|-------|--|-------|
| 3.271 | $\int \frac{(d+ex^2)^2}{(a+bx^2+cx^4)^2} dx$ | .1492 |
| 3.272 | $\int \frac{d+ex^2}{(a+bx^2+cx^4)^2} dx$ | .1512 |
| 3.273 | $\int \frac{1}{(a+bx^2+cx^4)^2} dx$ | .1527 |
| 3.274 | $\int \frac{1}{(d+ex^2)(a+bx^2+cx^4)^2} dx$ | .1537 |
| 3.275 | $\int \frac{1}{(d+ex^2)^2(a+bx^2+cx^4)^2} dx$ | .1662 |
| 3.276 | $\int (d+ex^2)^{5/2} (a+bx^2+cx^4) dx$ | .1722 |
| 3.277 | $\int (d+ex^2)^{3/2} (a+bx^2+cx^4) dx$ | .1728 |
| 3.278 | $\int \sqrt{d+ex^2} (a+bx^2+cx^4) dx$ | .1733 |
| 3.279 | $\int \frac{a+bx^2+cx^4}{\sqrt{d+ex^2}} dx$ | .1737 |
| 3.280 | $\int \frac{a+bx^2+cx^4}{(d+ex^2)^{3/2}} dx$ | .1741 |
| 3.281 | $\int \frac{a+bx^2+cx^4}{(d+ex^2)^{5/2}} dx$ | .1745 |
| 3.282 | $\int \frac{a+bx^2+cx^4}{(d+ex^2)^{7/2}} dx$ | .1749 |
| 3.283 | $\int \frac{a+bx^2+cx^4}{(d+ex^2)^{9/2}} dx$ | .1753 |
| 3.284 | $\int \frac{a+bx^2+cx^4}{(d+ex^2)^{11/2}} dx$ | .1759 |
| 3.285 | $\int \frac{a+bx^2+cx^4}{(d+ex^2)^{13/2}} dx$ | .1764 |
| 3.286 | $\int (7+5x^2)^3 \sqrt{2+3x^2+x^4} dx$ | .1769 |
| 3.287 | $\int (7+5x^2)^2 \sqrt{2+3x^2+x^4} dx$ | .1773 |
| 3.288 | $\int (7+5x^2) \sqrt{2+3x^2+x^4} dx$ | .1777 |
| 3.289 | $\int \sqrt{2+3x^2+x^4} dx$ | .1781 |
| 3.290 | $\int \frac{\sqrt{2+3x^2+x^4}}{7+5x^2} dx$ | .1785 |
| 3.291 | $\int \frac{\sqrt{2+3x^2+x^4}}{(7+5x^2)^2} dx$ | .1790 |
| 3.292 | $\int \frac{\sqrt{2+3x^2+x^4}}{(7+5x^2)^3} dx$ | .1795 |
| 3.293 | $\int (7+5x^2)^3 (2+3x^2+x^4)^{3/2} dx$ | .1801 |
| 3.294 | $\int (7+5x^2)^2 (2+3x^2+x^4)^{3/2} dx$ | .1806 |

| | | |
|-------|--|-------|
| 3.295 | $\int (7 + 5x^2) (2 + 3x^2 + x^4)^{3/2} dx$ | .1810 |
| 3.296 | $\int (2 + 3x^2 + x^4)^{3/2} dx$ | .1814 |
| 3.297 | $\int \frac{(2+3x^2+x^4)^{3/2}}{7+5x^2} dx$ | .1818 |
| 3.298 | $\int \frac{(2+3x^2+x^4)^{3/2}}{(7+5x^2)^2} dx$ | .1823 |
| 3.299 | $\int \frac{(2+3x^2+x^4)^{3/2}}{(7+5x^2)^3} dx$ | .1829 |
| 3.300 | $\int \frac{(7+5x^2)^3}{\sqrt{2+3x^2+x^4}} dx$ | .1835 |
| 3.301 | $\int \frac{(7+5x^2)^2}{\sqrt{2+3x^2+x^4}} dx$ | .1840 |
| 3.302 | $\int \frac{7+5x^2}{\sqrt{2+3x^2+x^4}} dx$ | .1844 |
| 3.303 | $\int \frac{1}{\sqrt{2+3x^2+x^4}} dx$ | .1848 |
| 3.304 | $\int \frac{1}{(7+5x^2)\sqrt{2+3x^2+x^4}} dx$ | .1851 |
| 3.305 | $\int \frac{1}{(7+5x^2)^2\sqrt{2+3x^2+x^4}} dx$ | .1855 |
| 3.306 | $\int \frac{1}{(7+5x^2)^3\sqrt{2+3x^2+x^4}} dx$ | .1860 |
| 3.307 | $\int \frac{(7+5x^2)^5}{(2+3x^2+x^4)^{3/2}} dx$ | .1866 |
| 3.308 | $\int \frac{(7+5x^2)^4}{(2+3x^2+x^4)^{3/2}} dx$ | .1871 |
| 3.309 | $\int \frac{(7+5x^2)^3}{(2+3x^2+x^4)^{3/2}} dx$ | .1876 |
| 3.310 | $\int \frac{(7+5x^2)^2}{(2+3x^2+x^4)^{3/2}} dx$ | .1880 |
| 3.311 | $\int \frac{7+5x^2}{(2+3x^2+x^4)^{3/2}} dx$ | .1884 |
| 3.312 | $\int \frac{1}{(2+3x^2+x^4)^{3/2}} dx$ | .1888 |
| 3.313 | $\int \frac{1}{(7+5x^2)(2+3x^2+x^4)^{3/2}} dx$ | .1892 |
| 3.314 | $\int \frac{1}{(7+5x^2)^2(2+3x^2+x^4)^{3/2}} dx$ | .1897 |
| 3.315 | $\int \frac{1}{(7+5x^2)^3(2+3x^2+x^4)^{3/2}} dx$ | .1903 |
| 3.316 | $\int (7 + 5x^2)^4 \sqrt{2 + x^2 - x^4} dx$ | .1910 |

| | | |
|-------|---|-------|
| 3.317 | $\int (7 + 5x^2)^3 \sqrt{2 + x^2 - x^4} dx$ | .1915 |
| 3.318 | $\int (7 + 5x^2)^2 \sqrt{2 + x^2 - x^4} dx$ | .1920 |
| 3.319 | $\int (7 + 5x^2) \sqrt{2 + x^2 - x^4} dx$ | .1924 |
| 3.320 | $\int \sqrt{2 + x^2 - x^4} dx$ | .1928 |
| 3.321 | $\int \frac{\sqrt{2+x^2-x^4}}{7+5x^2} dx$ | .1932 |
| 3.322 | $\int \frac{\sqrt{2+x^2-x^4}}{(7+5x^2)^2} dx$ | .1936 |
| 3.323 | $\int \frac{\sqrt{2+x^2-x^4}}{(7+5x^2)^3} dx$ | .1941 |
| 3.324 | $\int (7 + 5x^2)^4 (2 + x^2 - x^4)^{3/2} dx$ | .1947 |
| 3.325 | $\int (7 + 5x^2)^3 (2 + x^2 - x^4)^{3/2} dx$ | .1952 |
| 3.326 | $\int (7 + 5x^2)^2 (2 + x^2 - x^4)^{3/2} dx$ | .1957 |
| 3.327 | $\int (7 + 5x^2) (2 + x^2 - x^4)^{3/2} dx$ | .1962 |
| 3.328 | $\int (2 + x^2 - x^4)^{3/2} dx$ | .1966 |
| 3.329 | $\int \frac{(2+x^2-x^4)^{3/2}}{7+5x^2} dx$ | .1970 |
| 3.330 | $\int \frac{(2+x^2-x^4)^{3/2}}{(7+5x^2)^2} dx$ | .1975 |
| 3.331 | $\int \frac{(2+x^2-x^4)^{3/2}}{(7+5x^2)^3} dx$ | .1981 |
| 3.332 | $\int \frac{(7+5x^2)^3}{\sqrt{2+x^2-x^4}} dx$ | .1987 |
| 3.333 | $\int \frac{(7+5x^2)^2}{\sqrt{2+x^2-x^4}} dx$ | .1992 |
| 3.334 | $\int \frac{7+5x^2}{\sqrt{2+x^2-x^4}} dx$ | .1996 |
| 3.335 | $\int \frac{1}{\sqrt{2+x^2-x^4}} dx$ | .2000 |
| 3.336 | $\int \frac{1}{(7+5x^2)\sqrt{2+x^2-x^4}} dx$ | .2003 |
| 3.337 | $\int \frac{1}{(7+5x^2)^2 \sqrt{2+x^2-x^4}} dx$ | .2006 |
| 3.338 | $\int \frac{1}{(7+5x^2)^3 \sqrt{2+x^2-x^4}} dx$ | .2011 |
| 3.339 | $\int \frac{(7+5x^2)^5}{(2+x^2-x^4)^{3/2}} dx$ | .2016 |
| 3.340 | $\int \frac{(7+5x^2)^4}{(2+x^2-x^4)^{3/2}} dx$ | .2021 |

| | | |
|-------|---|-------|
| 3.341 | $\int \frac{(7+5x^2)^3}{(2+x^2-x^4)^{3/2}} dx$ | .2026 |
| 3.342 | $\int \frac{(7+5x^2)^2}{(2+x^2-x^4)^{3/2}} dx$ | .2030 |
| 3.343 | $\int \frac{7+5x^2}{(2+x^2-x^4)^{3/2}} dx$ | .2034 |
| 3.344 | $\int \frac{1}{(2+x^2-x^4)^{3/2}} dx$ | .2038 |
| 3.345 | $\int \frac{1}{(7+5x^2)(2+x^2-x^4)^{3/2}} dx$ | .2042 |
| 3.346 | $\int \frac{1}{(7+5x^2)^2(2+x^2-x^4)^{3/2}} dx$ | .2047 |
| 3.347 | $\int \frac{1}{(7+5x^2)^3(2+x^2-x^4)^{3/2}} dx$ | .2053 |
| 3.348 | $\int (7+5x^2)^4 \sqrt{4+3x^2+x^4} dx$ | .2059 |
| 3.349 | $\int (7+5x^2)^3 \sqrt{4+3x^2+x^4} dx$ | .2064 |
| 3.350 | $\int (7+5x^2)^2 \sqrt{4+3x^2+x^4} dx$ | .2069 |
| 3.351 | $\int (7+5x^2) \sqrt{4+3x^2+x^4} dx$ | .2074 |
| 3.352 | $\int \sqrt{4+3x^2+x^4} dx$ | .2078 |
| 3.353 | $\int \frac{\sqrt{4+3x^2+x^4}}{7+5x^2} dx$ | .2082 |
| 3.354 | $\int \frac{\sqrt{4+3x^2+x^4}}{(7+5x^2)^2} dx$ | .2087 |
| 3.355 | $\int \frac{\sqrt{4+3x^2+x^4}}{(7+5x^2)^3} dx$ | .2092 |
| 3.356 | $\int (7+5x^2)^4 (4+3x^2+x^4)^{3/2} dx$ | .2098 |
| 3.357 | $\int (7+5x^2)^3 (4+3x^2+x^4)^{3/2} dx$ | .2103 |
| 3.358 | $\int (7+5x^2)^2 (4+3x^2+x^4)^{3/2} dx$ | .2108 |
| 3.359 | $\int (7+5x^2) (4+3x^2+x^4)^{3/2} dx$ | .2113 |
| 3.360 | $\int (4+3x^2+x^4)^{3/2} dx$ | .2117 |
| 3.361 | $\int \frac{(4+3x^2+x^4)^{3/2}}{7+5x^2} dx$ | .2122 |
| 3.362 | $\int \frac{(4+3x^2+x^4)^{3/2}}{(7+5x^2)^2} dx$ | .2127 |
| 3.363 | $\int \frac{(4+3x^2+x^4)^{3/2}}{(7+5x^2)^3} dx$ | .2134 |
| 3.364 | $\int \frac{(7+5x^2)^3}{\sqrt{4+3x^2+x^4}} dx$ | .2141 |

| | | |
|-------|--|-------|
| 3.365 | $\int \frac{(7+5x^2)^2}{\sqrt{4+3x^2+x^4}} dx$ | .2146 |
| 3.366 | $\int \frac{7+5x^2}{\sqrt{4+3x^2+x^4}} dx$ | .2150 |
| 3.367 | $\int \frac{1}{\sqrt{4+3x^2+x^4}} dx$ | .2154 |
| 3.368 | $\int \frac{1}{(7+5x^2)\sqrt{4+3x^2+x^4}} dx$ | .2157 |
| 3.369 | $\int \frac{1}{(7+5x^2)^2\sqrt{4+3x^2+x^4}} dx$ | .2161 |
| 3.370 | $\int \frac{1}{(7+5x^2)^3\sqrt{4+3x^2+x^4}} dx$ | .2166 |
| 3.371 | $\int \frac{(7+5x^2)^5}{(4+3x^2+x^4)^{3/2}} dx$ | .2172 |
| 3.372 | $\int \frac{(7+5x^2)^4}{(4+3x^2+x^4)^{3/2}} dx$ | .2177 |
| 3.373 | $\int \frac{(7+5x^2)^3}{(4+3x^2+x^4)^{3/2}} dx$ | .2182 |
| 3.374 | $\int \frac{(7+5x^2)^2}{(4+3x^2+x^4)^{3/2}} dx$ | .2186 |
| 3.375 | $\int \frac{7+5x^2}{(4+3x^2+x^4)^{3/2}} dx$ | .2190 |
| 3.376 | $\int \frac{1}{(4+3x^2+x^4)^{3/2}} dx$ | .2194 |
| 3.377 | $\int \frac{1}{(7+5x^2)(4+3x^2+x^4)^{3/2}} dx$ | .2198 |
| 3.378 | $\int \frac{1}{(7+5x^2)^2(4+3x^2+x^4)^{3/2}} dx$ | .2204 |
| 3.379 | $\int \frac{1}{(7+5x^2)^3(4+3x^2+x^4)^{3/2}} dx$ | .2210 |
| 3.380 | $\int \frac{(d+ex^2)^3}{\sqrt{a+bx^2+cx^4}} dx$ | .2217 |
| 3.381 | $\int \frac{(d+ex^2)^2}{\sqrt{a+bx^2+cx^4}} dx$ | .2223 |
| 3.382 | $\int \frac{d+ex^2}{\sqrt{a+bx^2+cx^4}} dx$ | .2228 |
| 3.383 | $\int \frac{1}{(d+ex^2)\sqrt{a+bx^2+cx^4}} dx$ | .2232 |
| 3.384 | $\int \frac{1}{(d+ex^2)^2\sqrt{a+bx^2+cx^4}} dx$ | .2236 |
| 3.385 | $\int \frac{(d+ex^2)^3}{\sqrt{a+bx^2-cx^4}} dx$ | .2243 |

| | | |
|-------|---|-------|
| 3.386 | $\int \frac{(d+ex^2)^2}{\sqrt{a+bx^2-cx^4}} dx$ | .2249 |
| 3.387 | $\int \frac{d+ex^2}{\sqrt{a+bx^2-cx^4}} dx$ | .2254 |
| 3.388 | $\int \frac{1}{(d+ex^2)\sqrt{a+bx^2-cx^4}} dx$ | .2258 |
| 3.389 | $\int \frac{1}{(d+ex^2)^2\sqrt{a+bx^2-cx^4}} dx$ | .2262 |
| 3.390 | $\int \frac{d+ex^2}{\sqrt{-a+bx^2+cx^4}} dx$ | .2268 |
| 3.391 | $\int \frac{1}{(d+ex^2)\sqrt{-a+bx^2+cx^4}} dx$ | .2273 |
| 3.392 | $\int \frac{d+ex^2}{\sqrt{-a+bx^2-cx^4}} dx$ | .2277 |
| 3.393 | $\int \frac{1}{(d+ex^2)\sqrt{-a+bx^2-cx^4}} dx$ | .2281 |
| 3.394 | $\int \frac{(d+ex^2)^3}{\sqrt{2+3x^2+x^4}} dx$ | .2285 |
| 3.395 | $\int \frac{(d+ex^2)^2}{\sqrt{2+3x^2+x^4}} dx$ | .2290 |
| 3.396 | $\int \frac{d+ex^2}{\sqrt{2+3x^2+x^4}} dx$ | .2294 |
| 3.397 | $\int \frac{1}{(d+ex^2)\sqrt{2+3x^2+x^4}} dx$ | .2298 |
| 3.398 | $\int \frac{1}{(d+ex^2)^2\sqrt{2+3x^2+x^4}} dx$ | .2302 |
| 3.399 | $\int (c+ex^2)^q (a+cx^2+bx^4)^p dx$ | .2308 |
| 3.400 | $\int (c+ex^2)^3 (a+cx^2+bx^4)^p dx$ | .2310 |
| 3.401 | $\int (c+ex^2)^2 (a+cx^2+bx^4)^p dx$ | .2315 |
| 3.402 | $\int (c+ex^2) (a+cx^2+bx^4)^p dx$ | .2319 |
| 3.403 | $\int (a+cx^2+bx^4)^p dx$ | .2323 |
| 3.404 | $\int \frac{(a+cx^2+bx^4)^p}{c+ex^2} dx$ | .2326 |
| 3.405 | $\int \frac{(a+cx^2+bx^4)^p}{(c+ex^2)^2} dx$ | .2329 |
| 3.406 | $\int \frac{f+gx}{(d+ex)\sqrt{a+cx^4}} dx$ | .2332 |
| 3.407 | $\int \frac{f+gx}{(d+ex)\sqrt{-a+cx^4}} dx$ | .2337 |
| 3.408 | $\int \frac{1-\sqrt{3}+x}{(1+\sqrt{3}+x)\sqrt{-4+4\sqrt{3}x^2+x^4}} dx$ | .2342 |
| 3.409 | $\int \frac{1+\sqrt{3}+x}{(1-\sqrt{3}+x)\sqrt{-4-4\sqrt{3}x^2+x^4}} dx$ | .2346 |

| | | | |
|----------|--|-----------|-------------|
| 3.410 | $\int \frac{1-\sqrt{3}+2x}{(1+\sqrt{3}+2x)\sqrt{-1+4\sqrt{3}x^2+4x^4}} dx$ | | .2350 |
| 3.411 | $\int \frac{1+\sqrt{3}+2x}{(1-\sqrt{3}+2x)\sqrt{-1-4\sqrt{3}x^2+4x^4}} dx$ | | .2354 |
| 3.412 | $\int \frac{f+gx}{(d+ex)\sqrt{a+bx^2+cx^4}} dx$ | | .2358 |
| 3.413 | $\int \frac{f+gx}{(d+ex)\sqrt{-a+bx^2+cx^4}} dx$ | | .2365 |
| 4 | Listing of Grading functions | | 2373 |
| 4.0.1 | Mathematica and Rubi grading function | | .2373 |
| 4.0.2 | Maple grading function | | .2375 |
| 4.0.3 | Sympy grading function | | .2380 |
| 4.0.4 | SageMath grading function | | .2383 |

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [413]. This is test number [40].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

| System | solved | Failed |
|-------------|-----------------|-----------------|
| Rubi | % 99.76 (412) | % 0.24 (1) |
| Mathematica | % 91.53 (378) | % 8.47 (35) |
| Maple | % 96.61 (399) | % 3.39 (14) |
| Maxima | % 27.36 (113) | % 72.64 (300) |
| Fricas | % 50.85 (210) | % 49.15 (203) |
| Sympy | % 45.52 (188) | % 54.48 (225) |
| Giac | % 42.86 (177) | % 57.14 (236) |
| Mupad | % 44.55 (184) | % 55.45 (229) |

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

| grade | description |
|-------|---|
| A | Integral was solved and antiderivative is optimal in quality and leaf size. |
| B | Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size. |
| C | Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not. |
| F | Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised. |


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


| System | % A grade | % B grade | % C grade | % F grade |
|-------------|-----------|-----------|-----------|-----------|
| Rubi | 99.76 | 0.00 | 0.00 | 0.24 |
| Mathematica | 45.04 | 3.39 | 43.10 | 8.47 |
| Maple | 41.89 | 28.57 | 26.15 | 3.39 |
| Maxima | 25.91 | 1.45 | 0.00 | 72.64 |
| Fricas | 36.56 | 13.80 | 0.48 | 49.15 |
| Sympy | 31.48 | 9.20 | 4.84 | 54.48 |
| Giac | 31.23 | 11.62 | 0.00 | 57.14 |
| Mupad | 0.97 | 43.58 | 0.00 | 55.45 |

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure F .

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned F(-1).

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

| System | Number failed | Percentage normal failure | Percentage time-out failure | Percentage exception failure |
|-------------|---------------|---------------------------|-----------------------------|------------------------------|
| Rubi | 1 | 100.00 % | 0.00 % | 0.00 % |
| Mathematica | 35 | 17.14 % | 82.86 % | 0.00 % |
| Maple | 14 | 100.00 % | 0.00 % | 0.00 % |
| Maxima | 300 | 97.67 % | 0.00 % | 2.33 % |
| Fricas | 203 | 90.64 % | 9.36 % | 0.00 % |
| Sympy | 225 | 83.56 % | 13.78 % | 2.67 % |
| Giac | 236 | 91.53 % | 1.69 % | 6.78 % |
| Mupad | 229 | 100.00 % | 0.00 % | 0.00 % |

Table 1.4: Time and leaf size performance for each CAS



1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

| System | Mean time (sec) | Mean size | Normalized mean | Median size | Normalized median |
|-------------|-----------------|-----------|-----------------|-------------|-------------------|
| Rubi | 0.21 | 154.91 | 1.00 | 112.50 | 1.00 |
| Mathematica | 0.35 | 182.53 | 1.33 | 111.00 | 1.00 |
| Maple | 0.02 | 303.91 | 2.16 | 169.00 | 1.35 |
| Maxima | 1.84 | 117.20 | 1.03 | 74.00 | 0.97 |
| Fricas | 1.42 | 625.39 | 3.18 | 148.00 | 1.84 |
| Sympy | 6.72 | 151.93 | 1.64 | 82.50 | 1.09 |
| Giac | 0.50 | 762.54 | 5.45 | 79.00 | 0.99 |
| Mupad | 3.18 | 3780.42 | 8.35 | 67.00 | 0.93 |

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.



1.4 list of integrals that has no closed form antiderivative

{175, 399, 404, 405}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {98, 99, 113, 114, 115, 116, 118, 198, 223, 224, 400, 401, 402, 403, 408, 409, 410, 411}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at <https://>

ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
 2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
 3. integer. Leaf size of result.
 4. integer. Leaf size of the optimal antiderivative.
 5. number. CPU time used to solve this integral. 0 if failed.
 6. string. The integral in Latex format
 7. string. The input used in CAS own syntax.
 8. string. The result (antiderivative) produced by CAS in Latex format
 9. string. The optimal antiderivative in Latex format.
 10. integer. 0 or 1. Indicates if problem has known antiderivative or not
 11. String. The result (antiderivative) in CAS own syntax.
 12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
 15. integer. Integrand leaf size.
 16. real number. Ratio of field 14 over field 15
 17. integer. 1 if result was verified or 0 if not verified.
 18. String of form "{n,n,...}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Nassier M. Abbasi
May 11, 2021

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413 }

B grade: { }

C grade: { }

F grade: { 174 }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 22, 24, 34, 35, 36, 37, 41, 42, 43, 47, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 66, 67, 68, 69, 70, 71, 72, 74, 75, 76, 77, 78, 79, 81, 82, 83, 84, 85, 86, 87, 89, 90, 91, 94, 95, 96, 97, 104, 105, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 170, 175, 176, 177, 178, 179, 182, 183, 184, 185, 189, 190, 191, 192, 193, 194, 195, 196, 197, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 399, 400, 401, 402, 403, 404, 405 }

B grade: { 26, 27, 28, 29, 30, 31, 32, 33, 38, 39, 40, 65, 80, 88 }

C grade: { 14, 15, 16, 17, 18, 19, 20, 21, 23, 25, 44, 45, 46, 48, 49, 73, 92, 93, 98, 99, 100, 101, 102, 103, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 171, 172, 173, 198, 199, 200, 201, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 241, 242, 243, 286, 287, 288, 289, 290, 291, 292, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 406, 407, 408, 409, 410, 411, 412, 413 }

F grade: { 174, 180, 181, 186, 187, 188, 238, 239, 240, 293, 294, 295, 307, 308, 309, 310, 311, 324, 325, 326, 327, 339, 340, 341, 342, 343, 344, 356, 357, 358, 359, 372, 373, 374, 375 }

2.1.3 Maple

A grade: { 1, 2, 7, 8, 13, 17, 26, 27, 28, 29, 30, 31, 32, 33, 37, 38, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 72, 73, 75, 76, 77, 84, 85, 86, 87, 88, 89, 90, 92, 93, 94, 95, 98, 99, 102, 103, 106, 107, 108, 109, 110, 111, 112, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 138, 139, 140, 141, 142, 143, 145, 146, 147, 148, 149, 158, 159, 160, 164, 165, 175, 182, 183, 184, 185, 189, 190, 191, 192, 193, 194, 199, 200, 201, 205, 206, 207, 211, 212, 213, 215, 216, 217, 218, 219, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 260, 261, 262, 267, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 316, 323, 324, 325, 331, 338, 347, 382, 383, 384, 386, 387, 388, 390, 391, 392, 393, 399, 404, 405, 407, 412, 413 }

B grade: { 3, 4, 5, 6, 9, 10, 11, 12, 14, 15, 16, 23, 25, 34, 35, 36, 39, 40, 41, 53, 54, 55, 67, 68, 69, 70, 71, 74, 78, 79, 80, 81, 82, 83, 91, 96, 97, 100, 101, 104, 105, 113, 114, 115, 116, 117, 118, 137, 144, 157, 161, 162, 163, 166, 167, 170, 172, 195, 196, 197, 198, 202, 203, 204, 208, 209, 210, 214, 220, 221, 222, 223, 224, 256, 257, 258, 259, 263, 264, 265, 266, 268, 269, 270, 271, 272, 273, 274, 275, 317, 318, 319, 320, 321, 322, 326, 327, 328, 329, 330, 332, 333, 334, 335, 336, 337, 339, 340, 341, 342, 343, 344, 345, 346, 380, 381, 385, 389 }

C grade: { 18, 19, 20, 21, 22, 24, 150, 151, 152, 153, 154, 155, 156, 168, 169, 171, 173, 225, 226,

227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 394, 395, 396, 397, 398, 406, 408, 409, 410, 411 }

F grade: { 174, 176, 177, 178, 179, 180, 181, 186, 187, 188, 400, 401, 402, 403 }

2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 37, 42, 43, 44, 47, 51, 52, 56, 57, 58, 61, 66, 72, 73, 74, 76, 77, 84, 85, 86, 89, 92, 93, 94, 96, 98, 99, 108, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 175, 189, 190, 191, 192, 193, 194, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 276, 277, 278, 279, 280, 281, 284, 285, 399, 404, 405 }

B grade: { 7, 65, 88, 95, 282, 283 }

C grade: { }

F grade: { 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 38, 39, 40, 41, 45, 46, 48, 49, 50, 53, 54, 55, 59, 60, 62, 63, 64, 67, 68, 69, 70, 71, 75, 78, 79, 80, 81, 82, 83, 87, 90, 91, 97, 100, 101, 102, 103, 104, 105, 106, 107, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 400, 401, 402, 403, 406, 407, 408, 409, 410, 411, 412, 413 }

2.1.5 FriCAS

A grade: { 5, 6, 8, 9, 10, 11, 12, 13, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 89, 90, 91, 92, 93, 98, 99, 108, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 141, 147, 175, 189, 190, 191, 192, 193, 195, 196, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 215, 216, 217, 218, 220, 221, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 261, 262, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 399, 404, 405 }

B grade: { 1, 2, 3, 4, 7, 65, 88, 94, 95, 96, 97, 100, 101, 104, 105, 106, 107, 109, 110, 111, 112, 137, }

138, 139, 140, 142, 143, 144, 145, 146, 148, 194, 197, 198, 211, 212, 213, 214, 219, 222, 223, 224, 258, 259, 260, 264, 265, 266, 267, 270, 271, 272, 273, 408, 409, 410, 411 }

C grade: { 102, 103 }

F grade: { 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 113, 114, 115, 116, 117, 118, 119, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 263, 268, 269, 274, 275, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 400, 401, 402, 403, 406, 407, 412, 413 }

2.1.6 Sympy

A grade: { 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 16, 17, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 41, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 89, 90, 91, 92, 93, 94, 97, 100, 101, 106, 109, 120, 121, 122, 123, 127, 128, 129, 130, 131, 134, 135, 136, 137, 138, 139, 140, 141, 144, 145, 146, 147, 157, 158, 159, 164, 166, 189, 190, 191, 244, 245, 246, 247, 250, 251, 252, 253, 254, 255, 258, 259, 266, 267, 273, 279, 280 }

B grade: { 7, 14, 15, 23, 25, 38, 42, 65, 88, 95, 96, 104, 105, 124, 125, 126, 132, 133, 167, 192, 193, 194, 214, 215, 216, 217, 248, 249, 256, 257, 261, 262, 276, 277, 278, 281, 282, 283 }

C grade: { 18, 19, 20, 21, 98, 99, 108, 150, 151, 152, 153, 168, 176, 177, 178, 179, 182, 183, 184, 185 }

F grade: { 22, 24, 102, 103, 107, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 142, 143, 148, 149, 154, 155, 156, 160, 161, 162, 163, 165, 169, 170, 171, 172, 173, 174, 175, 180, 181, 186, 187, 188, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 260, 263, 264, 265, 268, 269, 270, 271, 272, 274, 275, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413 }

2.1.7 Giac

A grade: { 1, 2, 5, 6, 8, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 48, 49, 51, 52, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 66, 67, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 81, 82, 83, 84, 85, 86, 87, 89, 90, 91, 92, 93, 94, 97, 98, 99, 102, 103, 108, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 175, 195, 197, 220, 221, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 399, 404, 405 }

B grade: { 3, 4, 7, 11, 12, 13, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 47, 50, 53, 65, 88, 95, 96, 100, 101, 104, 105, 189, 190, 191, 192, 196, 214, 215, 216, 217, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273 }

C grade: { }

F grade: { 9, 10, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 68, 80, 106, 107, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 193, 194, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 218, 219, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 274, 275, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 400, 401, 402, 403, 406, 407, 408, 409, 410, 411, 412, 413 }

2.1.8 Mupad

A grade: { 175, 399, 404, 405 }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 179, 185, 189, 190, 191, 192, 193, 194, 214, 215, 216, 217, 218, 219, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 282, 283, 284, 285 }

C grade: { }

F grade: { 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 113, 114, 115, 116, 117, 118, 119, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 176, 177, 178, 180, 181, 182, 183, 184, 186, 187, 188, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229,

230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 276, 277, 278, 279, 280, 281, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 400, 401, 402, 403, 406, 407, 408, 409, 410, 411, 412, 413 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

| Problem 1 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | B | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 247 | 247 | 183 | 260 | 221 | 767 | 109 | 241 | 599 |
| normalized size | 1 | 1.00 | 0.74 | 1.05 | 0.89 | 3.11 | 0.44 | 0.98 | 2.43 |
| time (sec) | N/A | 0.151 | 0.078 | 0.009 | 2.395 | 0.659 | 0.691 | 0.188 | 0.377 |
| Problem 2 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
| grade | A | A | A | A | A | B | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 247 | 247 | 184 | 260 | 221 | 767 | 110 | 241 | 603 |
| normalized size | 1 | 1.00 | 0.74 | 1.05 | 0.89 | 3.11 | 0.45 | 0.98 | 2.44 |
| time (sec) | N/A | 0.138 | 0.045 | 0.003 | 2.342 | 0.940 | 0.680 | 0.172 | 0.257 |
| Problem 3 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
| grade | A | A | A | B | A | B | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 86 | 86 | 95 | 122 | 109 | 755 | 110 | 230 | 579 |
| normalized size | 1 | 1.00 | 1.10 | 1.42 | 1.27 | 8.78 | 1.28 | 2.67 | 6.73 |
| time (sec) | N/A | 0.045 | 0.030 | 0.005 | 2.288 | 0.624 | 0.726 | 0.182 | 4.643 |

| Problem 4 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | B | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 86 | 86 | 95 | 122 | 109 | 755 | 110 | 228 | 579 |
| normalized size | 1 | 1.00 | 1.10 | 1.42 | 1.27 | 8.78 | 1.28 | 2.65 | 6.73 |
| time (sec) | N/A | 0.040 | 0.023 | 0.003 | 2.339 | 0.768 | 0.943 | 0.325 | 4.578 |

| Problem 5 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 40 | 40 | 33 | 122 | 39 | 33 | 41 | 52 | 29 |
| normalized size | 1 | 1.00 | 0.82 | 3.05 | 0.98 | 0.82 | 1.02 | 1.30 | 0.72 |
| time (sec) | N/A | 0.020 | 0.014 | 0.006 | 2.388 | 0.516 | 0.124 | 0.201 | 0.090 |

| Problem 6 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 51 | 51 | 44 | 82 | 39 | 42 | 49 | 40 | 21 |
| normalized size | 1 | 1.00 | 0.86 | 1.61 | 0.76 | 0.82 | 0.96 | 0.78 | 0.41 |
| time (sec) | N/A | 0.021 | 0.014 | 0.003 | 2.417 | 0.693 | 0.125 | 0.170 | 4.433 |

| Problem 7 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | B | B | B | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 16 | 16 | 32 | 13 | 25 | 29 | 32 | 29 | 12 |
| normalized size | 1 | 1.00 | 2.00 | 0.81 | 1.56 | 1.81 | 2.00 | 1.81 | 0.75 |
| time (sec) | N/A | 0.003 | 0.015 | 0.002 | 2.393 | 0.670 | 0.115 | 0.159 | 0.092 |

| Problem 8 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 16 | 16 | 16 | 13 | 12 | 12 | 15 | 12 | 12 |
| normalized size | 1 | 1.00 | 1.00 | 0.81 | 0.75 | 0.75 | 0.94 | 0.75 | 0.75 |
| time (sec) | N/A | 0.003 | 0.005 | 0.003 | 2.310 | 0.663 | 0.113 | 0.159 | 0.027 |

| Problem 9 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | F(-2) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 75 | 75 | 60 | 254 | 100 | 148 | 138 | 0 | 57 |
| normalized size | 1 | 1.00 | 0.80 | 3.39 | 1.33 | 1.97 | 1.84 | 0.00 | 0.76 |
| time (sec) | N/A | 0.037 | 0.021 | 0.005 | 2.305 | 0.639 | 0.394 | 0.000 | 4.793 |

| Problem 10 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | F(-2) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 106 | 106 | 91 | 254 | 70 | 151 | 131 | 0 | 43 |
| normalized size | 1 | 1.00 | 0.86 | 2.40 | 0.66 | 1.42 | 1.24 | 0.00 | 0.41 |
| time (sec) | N/A | 0.047 | 0.022 | 0.004 | 2.369 | 0.464 | 0.457 | 0.000 | 4.757 |

| Problem 11 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 75 | 75 | 60 | 290 | 74 | 137 | 87 | 222 | 57 |
| normalized size | 1 | 1.00 | 0.80 | 3.87 | 0.99 | 1.83 | 1.16 | 2.96 | 0.76 |
| time (sec) | N/A | 0.050 | 0.035 | 0.010 | 2.476 | 0.409 | 0.223 | 0.171 | 4.406 |

| Problem 12 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 90 | 90 | 75 | 290 | 62 | 140 | 80 | 222 | 41 |
| normalized size | 1 | 1.00 | 0.83 | 3.22 | 0.69 | 1.56 | 0.89 | 2.47 | 0.46 |
| time (sec) | N/A | 0.047 | 0.023 | 0.004 | 2.412 | 0.409 | 0.234 | 0.224 | 0.086 |

| Problem 13 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 13 | 13 | 25 | 18 | 17 | 17 | 22 | 19 | 9 |
| normalized size | 1 | 1.00 | 1.92 | 1.38 | 1.31 | 1.31 | 1.69 | 1.46 | 0.69 |
| time (sec) | N/A | 0.006 | 0.006 | 0.006 | 2.350 | 0.405 | 0.197 | 0.159 | 0.040 |

| Problem 14 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | B | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 16 | 16 | 45 | 100 | 0 | 0 | 70 | 0 | -1 |
| normalized size | 1 | 1.00 | 2.81 | 6.25 | 0.00 | 0.00 | 4.38 | 0.00 | -0.06 |
| time (sec) | N/A | 0.016 | 0.012 | 0.017 | 0.000 | 0.418 | 2.552 | 0.000 | 0.000 |

| Problem 15 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | B | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 35 | 35 | 45 | 99 | 0 | 0 | 70 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.29 | 2.83 | 0.00 | 0.00 | 2.00 | 0.00 | -0.03 |
| time (sec) | N/A | 0.033 | 0.012 | 0.007 | 0.000 | 0.438 | 2.927 | 0.000 | 0.000 |

| Problem 16 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | A | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 43 | 43 | 74 | 107 | 0 | 0 | 61 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.72 | 2.49 | 0.00 | 0.00 | 1.42 | 0.00 | -0.02 |
| time (sec) | N/A | 0.025 | 0.023 | 0.013 | 0.000 | 0.418 | 2.317 | 0.000 | 0.000 |

| Problem 17 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | A | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 89 | 89 | 74 | 108 | 0 | 0 | 60 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.83 | 1.21 | 0.00 | 0.00 | 0.67 | 0.00 | -0.01 |
| time (sec) | N/A | 0.046 | 0.020 | 0.006 | 0.000 | 0.419 | 2.190 | 0.000 | 0.000 |

| Problem 18 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 89 | 89 | 47 | 120 | 0 | 0 | 66 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.53 | 1.35 | 0.00 | 0.00 | 0.74 | 0.00 | -0.01 |
| time (sec) | N/A | 0.014 | 0.012 | 0.013 | 0.000 | 0.412 | 2.200 | 0.000 | 0.000 |

| Problem 19 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 152 | 152 | 47 | 120 | 0 | 0 | 66 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.31 | 0.79 | 0.00 | 0.00 | 0.43 | 0.00 | -0.01 |
| time (sec) | N/A | 0.031 | 0.010 | 0.004 | 0.000 | 0.453 | 2.603 | 0.000 | 0.000 |

| Problem 20 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 90 | 90 | 76 | 122 | 0 | 0 | 70 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.84 | 1.36 | 0.00 | 0.00 | 0.78 | 0.00 | -0.01 |
| time (sec) | N/A | 0.015 | 0.027 | 0.012 | 0.000 | 0.445 | 2.098 | 0.000 | 0.000 |

| Problem 21 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 156 | 156 | 76 | 122 | 0 | 0 | 71 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.49 | 0.78 | 0.00 | 0.00 | 0.46 | 0.00 | -0.01 |
| time (sec) | N/A | 0.032 | 0.018 | 0.004 | 0.000 | 0.418 | 2.057 | 0.000 | 0.000 |

| Problem 22 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 10 | 10 | 10 | 15 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.00 | 1.50 | 0.00 | 0.00 | 0.00 | 0.00 | -0.10 |
| time (sec) | N/A | 0.009 | 0.006 | 0.031 | 0.000 | 0.434 | 0.000 | 0.000 | 0.000 |

| Problem 23 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | B | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 10 | 10 | 47 | 118 | 0 | 0 | 71 | 0 | -1 |
| normalized size | 1 | 1.00 | 4.70 | 11.80 | 0.00 | 0.00 | 7.10 | 0.00 | -0.10 |
| time (sec) | N/A | 0.016 | 0.012 | 0.014 | 0.000 | 0.424 | 2.048 | 0.000 | 0.000 |

| Problem 24 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 23 | 23 | 24 | 28 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.04 | 1.22 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.026 | 0.008 | 0.015 | 0.000 | 0.418 | 0.000 | 0.000 | 0.000 |

| Problem 25 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | B | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 23 | 23 | 47 | 117 | 0 | 0 | 71 | 0 | -1 |
| normalized size | 1 | 1.00 | 2.04 | 5.09 | 0.00 | 0.00 | 3.09 | 0.00 | -0.04 |
| time (sec) | N/A | 0.033 | 0.012 | 0.008 | 0.000 | 0.448 | 2.031 | 0.000 | 0.000 |

| Problem 26 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | A | F | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 82 | 82 | 181 | 71 | 0 | 162 | 122 | 1642 | 94 |
| normalized size | 1 | 1.00 | 2.21 | 0.87 | 0.00 | 1.98 | 1.49 | 20.02 | 1.15 |
| time (sec) | N/A | 0.100 | 0.110 | 0.039 | 0.000 | 0.430 | 0.538 | 1.119 | 4.433 |

| Problem 27 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | A | F | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 82 | 82 | 181 | 71 | 0 | 162 | 122 | 1642 | 98 |
| normalized size | 1 | 1.00 | 2.21 | 0.87 | 0.00 | 1.98 | 1.49 | 20.02 | 1.20 |
| time (sec) | N/A | 0.110 | 0.111 | 0.037 | 0.000 | 0.419 | 0.561 | 1.087 | 4.515 |

| Problem 28 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | A | F | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 78 | 78 | 189 | 75 | 0 | 176 | 110 | 1676 | 30 |
| normalized size | 1 | 1.00 | 2.42 | 0.96 | 0.00 | 2.26 | 1.41 | 21.49 | 0.38 |
| time (sec) | N/A | 0.098 | 0.105 | 0.034 | 0.000 | 0.415 | 0.572 | 1.122 | 0.128 |

| Problem 29 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | A | F | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 86 | 86 | 189 | 75 | 0 | 179 | 121 | 1676 | 88 |
| normalized size | 1 | 1.00 | 2.20 | 0.87 | 0.00 | 2.08 | 1.41 | 19.49 | 1.02 |
| time (sec) | N/A | 0.104 | 0.107 | 0.032 | 0.000 | 0.425 | 0.550 | 1.139 | 4.394 |

| Problem 30 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | A | F | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 78 | 78 | 182 | 88 | 0 | 172 | 121 | 1642 | 99 |
| normalized size | 1 | 1.00 | 2.33 | 1.13 | 0.00 | 2.21 | 1.55 | 21.05 | 1.27 |
| time (sec) | N/A | 0.052 | 0.121 | 0.023 | 0.000 | 0.399 | 0.583 | 1.163 | 0.087 |

| Problem 31 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | A | F | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 78 | 78 | 182 | 69 | 0 | 173 | 110 | 1642 | 57 |
| normalized size | 1 | 1.00 | 2.33 | 0.88 | 0.00 | 2.22 | 1.41 | 21.05 | 0.73 |
| time (sec) | N/A | 0.048 | 0.125 | 0.025 | 0.000 | 0.417 | 0.568 | 1.254 | 4.436 |

| Problem 32 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | A | F | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 70 | 70 | 190 | 61 | 0 | 168 | 112 | 1676 | 29 |
| normalized size | 1 | 1.00 | 2.71 | 0.87 | 0.00 | 2.40 | 1.60 | 23.94 | 0.41 |
| time (sec) | N/A | 0.044 | 0.130 | 0.023 | 0.000 | 0.424 | 0.598 | 1.127 | 4.442 |

| Problem 33 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | A | F | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 70 | 70 | 190 | 61 | 0 | 168 | 112 | 1676 | 29 |
| normalized size | 1 | 1.00 | 2.71 | 0.87 | 0.00 | 2.40 | 1.60 | 23.94 | 0.41 |
| time (sec) | N/A | 0.047 | 0.128 | 0.024 | 0.000 | 0.444 | 0.609 | 1.081 | 0.110 |

| Problem 34 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 134 | 134 | 250 | 582 | 0 | 244 | 158 | 2202 | 129 |
| normalized size | 1 | 1.00 | 1.87 | 4.34 | 0.00 | 1.82 | 1.18 | 16.43 | 0.96 |
| time (sec) | N/A | 0.101 | 0.161 | 0.081 | 0.000 | 0.420 | 0.862 | 1.372 | 0.181 |

| Problem 35 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 130 | 130 | 248 | 582 | 0 | 232 | 160 | 2202 | 232 |
| normalized size | 1 | 1.00 | 1.91 | 4.48 | 0.00 | 1.78 | 1.23 | 16.94 | 1.78 |
| time (sec) | N/A | 0.166 | 0.120 | 0.027 | 0.000 | 0.427 | 0.772 | 1.402 | 4.522 |

| Problem 36 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 130 | 130 | 248 | 582 | 0 | 232 | 160 | 2202 | 232 |
| normalized size | 1 | 1.00 | 1.91 | 4.48 | 0.00 | 1.78 | 1.23 | 16.94 | 1.78 |
| time (sec) | N/A | 0.131 | 0.044 | 0.013 | 0.000 | 0.421 | 0.794 | 1.350 | 0.129 |

| Problem 37 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 29 | 29 | 29 | 26 | 25 | 25 | 26 | 25 | 12 |
| normalized size | 1 | 1.00 | 1.00 | 0.90 | 0.86 | 0.86 | 0.90 | 0.86 | 0.41 |
| time (sec) | N/A | 0.026 | 0.019 | 0.012 | 1.043 | 0.399 | 0.470 | 0.245 | 4.410 |

| Problem 38 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | A | F(-2) | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 60 | 60 | 138 | 52 | 0 | 164 | 117 | 51 | 55 |
| normalized size | 1 | 1.00 | 2.30 | 0.87 | 0.00 | 2.73 | 1.95 | 0.85 | 0.92 |
| time (sec) | N/A | 0.069 | 0.202 | 0.007 | 0.000 | 0.456 | 0.464 | 0.176 | 0.075 |

| Problem 39 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 62 | 62 | 126 | 277 | 0 | 110 | 95 | 77 | 66 |
| normalized size | 1 | 1.00 | 2.03 | 4.47 | 0.00 | 1.77 | 1.53 | 1.24 | 1.06 |
| time (sec) | N/A | 0.058 | 0.060 | 0.045 | 0.000 | 0.419 | 0.378 | 0.308 | 4.385 |

| Problem 40 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 66 | 66 | 134 | 277 | 0 | 120 | 83 | 80 | 24 |
| normalized size | 1 | 1.00 | 2.03 | 4.20 | 0.00 | 1.82 | 1.26 | 1.21 | 0.36 |
| time (sec) | N/A | 0.058 | 0.059 | 0.032 | 0.000 | 0.427 | 0.385 | 0.312 | 4.407 |

| Problem 41 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 45 | 45 | 83 | 136 | 0 | 31 | 42 | 39 | 29 |
| normalized size | 1 | 1.00 | 1.84 | 3.02 | 0.00 | 0.69 | 0.93 | 0.87 | 0.64 |
| time (sec) | N/A | 0.059 | 0.077 | 0.052 | 0.000 | 0.399 | 0.147 | 0.170 | 0.087 |

| Problem 42 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 15 | 15 | 17 | 12 | 11 | 19 | 22 | 11 | 19 |
| normalized size | 1 | 1.00 | 1.13 | 0.80 | 0.73 | 1.27 | 1.47 | 0.73 | 1.27 |
| time (sec) | N/A | 0.009 | 0.007 | 0.009 | 2.495 | 0.393 | 0.122 | 0.151 | 0.066 |

| Problem 43 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 14 | 14 | 14 | 12 | 11 | 11 | 14 | 11 | 11 |
| normalized size | 1 | 1.00 | 1.00 | 0.86 | 0.79 | 0.79 | 1.00 | 0.79 | 0.79 |
| time (sec) | N/A | 0.007 | 0.005 | 0.002 | 2.299 | 0.402 | 0.118 | 0.162 | 0.026 |

| Problem 44 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 38 | 38 | 97 | 34 | 33 | 33 | 44 | 33 | 29 |
| normalized size | 1 | 1.00 | 2.55 | 0.89 | 0.87 | 0.87 | 1.16 | 0.87 | 0.76 |
| time (sec) | N/A | 0.035 | 0.184 | 0.008 | 2.392 | 0.402 | 0.135 | 0.174 | 0.086 |

| Problem 45 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 48 | 48 | 99 | 40 | 0 | 29 | 42 | 45 | 29 |
| normalized size | 1 | 1.00 | 2.06 | 0.83 | 0.00 | 0.60 | 0.88 | 0.94 | 0.60 |
| time (sec) | N/A | 0.040 | 0.104 | 0.033 | 0.000 | 0.389 | 0.129 | 0.190 | 4.391 |

| Problem 46 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 46 | 46 | 97 | 40 | 0 | 33 | 44 | 52 | 29 |
| normalized size | 1 | 1.00 | 2.11 | 0.87 | 0.00 | 0.72 | 0.96 | 1.13 | 0.63 |
| time (sec) | N/A | 0.043 | 0.224 | 0.032 | 0.000 | 0.408 | 0.131 | 0.257 | 4.355 |

| Problem 47 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 21 | 21 | 17 | 18 | 17 | 15 | 14 | 46 | 15 |
| normalized size | 1 | 1.00 | 0.81 | 0.86 | 0.81 | 0.71 | 0.67 | 2.19 | 0.71 |
| time (sec) | N/A | 0.013 | 0.006 | 0.006 | 2.240 | 0.421 | 0.113 | 0.158 | 4.288 |

| Problem 48 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 46 | 46 | 101 | 40 | 0 | 31 | 42 | 52 | 29 |
| normalized size | 1 | 1.00 | 2.20 | 0.87 | 0.00 | 0.67 | 0.91 | 1.13 | 0.63 |
| time (sec) | N/A | 0.041 | 0.275 | 0.033 | 0.000 | 0.384 | 0.144 | 0.242 | 4.372 |

| Problem 49 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 44 | 44 | 99 | 40 | 0 | 26 | 29 | 46 | 21 |
| normalized size | 1 | 1.00 | 2.25 | 0.91 | 0.00 | 0.59 | 0.66 | 1.05 | 0.48 |
| time (sec) | N/A | 0.034 | 0.101 | 0.036 | 0.000 | 0.400 | 0.135 | 0.175 | 0.057 |

| Problem 50 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 23 | 23 | 14 | 20 | 0 | 15 | 12 | 42 | 15 |
| normalized size | 1 | 1.00 | 0.61 | 0.87 | 0.00 | 0.65 | 0.52 | 1.83 | 0.65 |
| time (sec) | N/A | 0.026 | 0.007 | 0.035 | 0.000 | 0.381 | 0.115 | 0.193 | 4.347 |

| Problem 51 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 11 | 11 | 12 | 11 | 12 | 12 | 8 | 12 | 12 |
| normalized size | 1 | 1.00 | 1.09 | 1.00 | 1.09 | 1.09 | 0.73 | 1.09 | 1.09 |
| time (sec) | N/A | 0.005 | 0.005 | 0.006 | 0.929 | 0.405 | 0.091 | 0.158 | 4.298 |

| Problem 52 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 39 | 39 | 29 | 30 | 29 | 25 | 26 | 33 | 14 |
| normalized size | 1 | 1.00 | 0.74 | 0.77 | 0.74 | 0.64 | 0.67 | 0.85 | 0.36 |
| time (sec) | N/A | 0.018 | 0.006 | 0.009 | 1.045 | 0.386 | 0.126 | 0.171 | 0.297 |

| Problem 53 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 44 | 44 | 42 | 82 | 0 | 47 | 46 | 77 | 20 |
| normalized size | 1 | 1.00 | 0.95 | 1.86 | 0.00 | 1.07 | 1.05 | 1.75 | 0.45 |
| time (sec) | N/A | 0.035 | 0.015 | 0.043 | 0.000 | 0.385 | 0.123 | 0.340 | 0.224 |

| Problem 54 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 66 | 66 | 127 | 279 | 0 | 109 | 94 | 73 | 63 |
| normalized size | 1 | 1.00 | 1.92 | 4.23 | 0.00 | 1.65 | 1.42 | 1.11 | 0.95 |
| time (sec) | N/A | 0.029 | 0.073 | 0.019 | 0.000 | 0.398 | 0.378 | 0.314 | 0.068 |

| Problem 55 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 46 | 46 | 84 | 136 | 0 | 28 | 39 | 39 | 30 |
| normalized size | 1 | 1.00 | 1.83 | 2.96 | 0.00 | 0.61 | 0.85 | 0.85 | 0.65 |
| time (sec) | N/A | 0.031 | 0.073 | 0.017 | 0.000 | 0.387 | 0.132 | 0.176 | 4.380 |

| Problem 56 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 9 | 9 | 12 | 10 | 9 | 17 | 14 | 9 | 17 |
| normalized size | 1 | 1.00 | 1.33 | 1.11 | 1.00 | 1.89 | 1.56 | 1.00 | 1.89 |
| time (sec) | N/A | 0.009 | 0.007 | 0.007 | 2.356 | 0.409 | 0.118 | 0.174 | 4.363 |

| Problem 57 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 11 | 11 | 11 | 11 | 11 | 11 | 7 | 11 | 11 |
| normalized size | 1 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 0.64 | 1.00 | 1.00 |
| time (sec) | N/A | 0.005 | 0.004 | 0.008 | 1.079 | 0.381 | 0.090 | 0.157 | 4.299 |

| Problem 58 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 29 | 29 | 29 | 26 | 25 | 25 | 26 | 25 | 12 |
| normalized size | 1 | 1.00 | 1.00 | 0.90 | 0.86 | 0.86 | 0.90 | 0.86 | 0.41 |
| time (sec) | N/A | 0.016 | 0.006 | 0.004 | 1.002 | 0.390 | 0.114 | 0.154 | 0.063 |

| Problem 59 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 50 | 50 | 42 | 39 | 0 | 45 | 46 | 34 | 20 |
| normalized size | 1 | 1.00 | 0.84 | 0.78 | 0.00 | 0.90 | 0.92 | 0.68 | 0.40 |
| time (sec) | N/A | 0.023 | 0.014 | 0.010 | 0.000 | 0.395 | 0.114 | 0.172 | 4.369 |

| Problem 60 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 50 | 50 | 42 | 39 | 0 | 43 | 46 | 41 | 20 |
| normalized size | 1 | 1.00 | 0.84 | 0.78 | 0.00 | 0.86 | 0.92 | 0.82 | 0.40 |
| time (sec) | N/A | 0.023 | 0.015 | 0.011 | 0.000 | 0.394 | 0.120 | 0.262 | 0.074 |

| Problem 61 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 31 | 31 | 31 | 28 | 27 | 27 | 22 | 34 | 15 |
| normalized size | 1 | 1.00 | 1.00 | 0.90 | 0.87 | 0.87 | 0.71 | 1.10 | 0.48 |
| time (sec) | N/A | 0.015 | 0.005 | 0.004 | 1.061 | 0.396 | 0.112 | 0.157 | 0.068 |

| Problem 62 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 50 | 50 | 42 | 39 | 0 | 45 | 46 | 41 | 20 |
| normalized size | 1 | 1.00 | 0.84 | 0.78 | 0.00 | 0.90 | 0.92 | 0.82 | 0.40 |
| time (sec) | N/A | 0.023 | 0.014 | 0.011 | 0.000 | 0.401 | 0.116 | 0.242 | 4.350 |

| Problem 63 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 50 | 50 | 42 | 39 | 0 | 45 | 46 | 40 | 20 |
| normalized size | 1 | 1.00 | 0.84 | 0.78 | 0.00 | 0.90 | 0.92 | 0.80 | 0.40 |
| time (sec) | N/A | 0.024 | 0.020 | 0.010 | 0.000 | 0.394 | 0.119 | 0.178 | 0.068 |

| Problem 64 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 50 | 50 | 42 | 39 | 0 | 45 | 46 | 41 | 20 |
| normalized size | 1 | 1.00 | 0.84 | 0.78 | 0.00 | 0.90 | 0.92 | 0.82 | 0.40 |
| time (sec) | N/A | 0.022 | 0.016 | 0.010 | 0.000 | 0.417 | 0.130 | 0.206 | 4.390 |

| Problem 65 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | A | B | B | B | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 14 | 14 | 32 | 12 | 25 | 29 | 32 | 29 | 11 |
| normalized size | 1 | 1.00 | 2.29 | 0.86 | 1.79 | 2.07 | 2.29 | 2.07 | 0.79 |
| time (sec) | N/A | 0.006 | 0.009 | 0.002 | 2.355 | 0.403 | 0.107 | 0.158 | 4.328 |

| Problem 66 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 39 | 39 | 31 | 30 | 29 | 27 | 29 | 33 | 15 |
| normalized size | 1 | 1.00 | 0.79 | 0.77 | 0.74 | 0.69 | 0.74 | 0.85 | 0.38 |
| time (sec) | N/A | 0.017 | 0.006 | 0.009 | 0.957 | 0.399 | 0.122 | 0.153 | 0.101 |

| Problem 67 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 48 | 48 | 42 | 82 | 0 | 45 | 46 | 77 | 20 |
| normalized size | 1 | 1.00 | 0.88 | 1.71 | 0.00 | 0.94 | 0.96 | 1.60 | 0.42 |
| time (sec) | N/A | 0.039 | 0.019 | 0.017 | 0.000 | 0.420 | 0.118 | 0.322 | 0.127 |

| Problem 68 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | F(-2) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 62 | 62 | 124 | 277 | 0 | 101 | 88 | 0 | 73 |
| normalized size | 1 | 1.00 | 2.00 | 4.47 | 0.00 | 1.63 | 1.42 | 0.00 | 1.18 |
| time (sec) | N/A | 0.056 | 0.058 | 0.043 | 0.000 | 0.412 | 0.376 | 0.000 | 0.065 |

| Problem 69 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 49 | 49 | 83 | 136 | 0 | 31 | 41 | 26 | 29 |
| normalized size | 1 | 1.00 | 1.69 | 2.78 | 0.00 | 0.63 | 0.84 | 0.53 | 0.59 |
| time (sec) | N/A | 0.088 | 0.139 | 0.050 | 0.000 | 0.419 | 0.124 | 0.177 | 0.083 |

| Problem 70 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 43 | 43 | 81 | 110 | 0 | 31 | 41 | 26 | 29 |
| normalized size | 1 | 1.00 | 1.88 | 2.56 | 0.00 | 0.72 | 0.95 | 0.60 | 0.67 |
| time (sec) | N/A | 0.050 | 0.070 | 0.048 | 0.000 | 0.396 | 0.141 | 0.186 | 0.085 |

| Problem 71 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 49 | 49 | 83 | 104 | 0 | 31 | 41 | 26 | 29 |
| normalized size | 1 | 1.00 | 1.69 | 2.12 | 0.00 | 0.63 | 0.84 | 0.53 | 0.59 |
| time (sec) | N/A | 0.062 | 0.104 | 0.043 | 0.000 | 0.398 | 0.127 | 0.163 | 4.391 |

| Problem 72 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 |
| normalized size | 1 | 1.00 | 1.00 | 1.50 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 |
| time (sec) | N/A | 0.002 | 0.003 | 0.002 | 2.419 | 0.395 | 0.100 | 0.155 | 4.332 |

| Problem 73 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 38 | 38 | 99 | 34 | 33 | 31 | 41 | 26 | 29 |
| normalized size | 1 | 1.00 | 2.61 | 0.89 | 0.87 | 0.82 | 1.08 | 0.68 | 0.76 |
| time (sec) | N/A | 0.027 | 0.195 | 0.006 | 2.403 | 0.417 | 0.123 | 0.162 | 0.077 |

| Problem 74 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 35 | 35 | 30 | 88 | 39 | 29 | 39 | 39 | 29 |
| normalized size | 1 | 1.00 | 0.86 | 2.51 | 1.11 | 0.83 | 1.11 | 1.11 | 0.83 |
| time (sec) | N/A | 0.018 | 0.015 | 0.004 | 2.418 | 0.404 | 0.123 | 0.192 | 4.368 |

| Problem 75 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 23 | 23 | 12 | 20 | 0 | 7 | 7 | 30 | 7 |
| normalized size | 1 | 1.00 | 0.52 | 0.87 | 0.00 | 0.30 | 0.30 | 1.30 | 0.30 |
| time (sec) | N/A | 0.020 | 0.007 | 0.019 | 0.000 | 0.451 | 0.110 | 0.168 | 4.315 |

| Problem 76 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 11 | 11 | 10 | 16 | 10 | 10 | 7 | 11 | 10 |
| normalized size | 1 | 1.00 | 0.91 | 1.45 | 0.91 | 0.91 | 0.64 | 1.00 | 0.91 |
| time (sec) | N/A | 0.003 | 0.004 | 0.005 | 1.063 | 0.603 | 0.087 | 0.152 | 4.341 |

| Problem 77 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 65 | 65 | 29 | 22 | 21 | 21 | 19 | 43 | 12 |
| normalized size | 1 | 1.00 | 0.45 | 0.34 | 0.32 | 0.32 | 0.29 | 0.66 | 0.18 |
| time (sec) | N/A | 0.032 | 0.006 | 0.006 | 0.992 | 0.713 | 0.113 | 0.165 | 0.256 |

| Problem 78 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 43 | 43 | 40 | 70 | 0 | 36 | 39 | 39 | 18 |
| normalized size | 1 | 1.00 | 0.93 | 1.63 | 0.00 | 0.84 | 0.91 | 0.91 | 0.42 |
| time (sec) | N/A | 0.033 | 0.014 | 0.040 | 0.000 | 0.619 | 0.114 | 0.215 | 4.395 |

| Problem 79 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 46 | 46 | 40 | 82 | 0 | 39 | 39 | 39 | 18 |
| normalized size | 1 | 1.00 | 0.87 | 1.78 | 0.00 | 0.85 | 0.85 | 0.85 | 0.39 |
| time (sec) | N/A | 0.036 | 0.014 | 0.036 | 0.000 | 0.595 | 0.119 | 0.244 | 4.474 |

| Problem 80 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | B | F | A | A | F(-2) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 62 | 62 | 125 | 279 | 0 | 100 | 87 | 0 | 76 |
| normalized size | 1 | 1.00 | 2.02 | 4.50 | 0.00 | 1.61 | 1.40 | 0.00 | 1.23 |
| time (sec) | N/A | 0.029 | 0.073 | 0.018 | 0.000 | 0.647 | 0.348 | 0.000 | 4.338 |

| Problem 81 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 50 | 50 | 87 | 136 | 0 | 31 | 42 | 26 | 31 |
| normalized size | 1 | 1.00 | 1.74 | 2.72 | 0.00 | 0.62 | 0.84 | 0.52 | 0.62 |
| time (sec) | N/A | 0.040 | 0.135 | 0.017 | 0.000 | 0.646 | 0.130 | 0.167 | 0.079 |

| Problem 82 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 44 | 44 | 82 | 111 | 0 | 31 | 42 | 26 | 31 |
| normalized size | 1 | 1.00 | 1.86 | 2.52 | 0.00 | 0.70 | 0.95 | 0.59 | 0.70 |
| time (sec) | N/A | 0.029 | 0.071 | 0.017 | 0.000 | 0.648 | 0.131 | 0.162 | 0.079 |

| Problem 83 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 39 | 39 | 10 | 104 | 0 | 13 | 10 | 26 | 13 |
| normalized size | 1 | 1.00 | 0.26 | 2.67 | 0.00 | 0.33 | 0.26 | 0.67 | 0.33 |
| time (sec) | N/A | 0.033 | 0.007 | 0.018 | 0.000 | 0.437 | 0.119 | 0.183 | 4.308 |

| Problem 84 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 9 | 9 | 9 | 10 | 9 | 9 | 5 | 7 | 9 |
| normalized size | 1 | 1.00 | 1.00 | 1.11 | 1.00 | 1.00 | 0.56 | 0.78 | 1.00 |
| time (sec) | N/A | 0.004 | 0.004 | 0.007 | 0.998 | 0.383 | 0.095 | 0.181 | 0.030 |

| Problem 85 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 25 | 25 | 25 | 22 | 21 | 21 | 19 | 35 | 10 |
| normalized size | 1 | 1.00 | 1.00 | 0.88 | 0.84 | 0.84 | 0.76 | 1.40 | 0.40 |
| time (sec) | N/A | 0.013 | 0.006 | 0.004 | 1.038 | 0.392 | 0.116 | 0.149 | 0.060 |

| Problem 86 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 46 | 46 | 40 | 62 | 34 | 34 | 39 | 34 | 18 |
| normalized size | 1 | 1.00 | 0.87 | 1.35 | 0.74 | 0.74 | 0.85 | 0.74 | 0.39 |
| time (sec) | N/A | 0.019 | 0.013 | 0.003 | 2.263 | 0.406 | 0.113 | 0.150 | 0.060 |

| Problem 87 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 46 | 46 | 40 | 35 | 0 | 39 | 39 | 39 | 18 |
| normalized size | 1 | 1.00 | 0.87 | 0.76 | 0.00 | 0.85 | 0.85 | 0.85 | 0.39 |
| time (sec) | N/A | 0.021 | 0.013 | 0.012 | 0.000 | 0.408 | 0.121 | 0.179 | 4.305 |

| Problem 88 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | B | A | B | B | B | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 2 | 2 | 19 | 3 | 13 | 13 | 12 | 15 | 2 |
| normalized size | 1 | 1.00 | 9.50 | 1.50 | 6.50 | 6.50 | 6.00 | 7.50 | 1.00 |
| time (sec) | N/A | 0.002 | 0.002 | 0.001 | 1.072 | 0.403 | 0.109 | 0.148 | 4.305 |

| Problem 89 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 38 | 38 | 40 | 34 | 55 | 39 | 39 | 39 | 18 |
| normalized size | 1 | 1.00 | 1.05 | 0.89 | 1.45 | 1.03 | 1.03 | 1.03 | 0.47 |
| time (sec) | N/A | 0.029 | 0.014 | 0.004 | 2.458 | 0.389 | 0.116 | 0.182 | 0.112 |

| Problem 90 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 47 | 47 | 40 | 70 | 0 | 39 | 39 | 39 | 18 |
| normalized size | 1 | 1.00 | 0.85 | 1.49 | 0.00 | 0.83 | 0.83 | 0.83 | 0.38 |
| time (sec) | N/A | 0.036 | 0.018 | 0.018 | 0.000 | 0.394 | 0.118 | 0.322 | 4.323 |

| Problem 91 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 46 | 46 | 40 | 82 | 0 | 39 | 39 | 39 | 18 |
| normalized size | 1 | 1.00 | 0.87 | 1.78 | 0.00 | 0.85 | 0.85 | 0.85 | 0.39 |
| time (sec) | N/A | 0.035 | 0.016 | 0.018 | 0.000 | 0.395 | 0.142 | 0.225 | 4.388 |

| Problem 92 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 43 | 43 | 99 | 34 | 33 | 33 | 46 | 33 | 29 |
| normalized size | 1 | 1.00 | 2.30 | 0.79 | 0.77 | 0.77 | 1.07 | 0.77 | 0.67 |
| time (sec) | N/A | 0.035 | 0.102 | 0.008 | 2.354 | 0.390 | 0.142 | 0.160 | 4.378 |

| Problem 93 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 43 | 43 | 99 | 34 | 33 | 33 | 46 | 33 | 29 |
| normalized size | 1 | 1.00 | 2.30 | 0.79 | 0.77 | 0.77 | 1.07 | 0.77 | 0.67 |
| time (sec) | N/A | 0.032 | 0.033 | 0.004 | 2.487 | 0.402 | 0.150 | 0.177 | 0.002 |

| Problem 94 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | B | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 21 | 21 | 27 | 28 | 23 | 34 | 22 | 25 | 17 |
| normalized size | 1 | 1.00 | 1.29 | 1.33 | 1.10 | 1.62 | 1.05 | 1.19 | 0.81 |
| time (sec) | N/A | 0.005 | 0.010 | 0.009 | 1.104 | 0.392 | 0.129 | 0.173 | 0.033 |

| Problem 95 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | B | B | B | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 28 | 28 | 53 | 26 | 38 | 49 | 53 | 44 | 17 |
| normalized size | 1 | 1.00 | 1.89 | 0.93 | 1.36 | 1.75 | 1.89 | 1.57 | 0.61 |
| time (sec) | N/A | 0.013 | 0.019 | 0.006 | 2.356 | 0.405 | 0.606 | 0.174 | 4.385 |

| Problem 96 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | B | B | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 36 | 36 | 72 | 56 | 51 | 55 | 474 | 60 | 290 |
| normalized size | 1 | 1.00 | 2.00 | 1.56 | 1.42 | 1.53 | 13.17 | 1.67 | 8.06 |
| time (sec) | N/A | 0.040 | 0.041 | 0.008 | 2.407 | 0.454 | 1.502 | 0.155 | 4.389 |

| Problem 97 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | B | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 74 | 74 | 73 | 104 | 0 | 137 | 46 | 41 | 117 |
| normalized size | 1 | 1.00 | 0.99 | 1.41 | 0.00 | 1.85 | 0.62 | 0.55 | 1.58 |
| time (sec) | N/A | 0.045 | 0.098 | 0.025 | 0.000 | 0.439 | 0.209 | 0.158 | 0.108 |

| Problem 98 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | A | A | C | A | B |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 83 | 83 | 97 | 114 | 69 | 69 | 740 | 69 | 827 |
| normalized size | 1 | 1.00 | 1.17 | 1.37 | 0.83 | 0.83 | 8.92 | 0.83 | 9.96 |
| time (sec) | N/A | 0.055 | 0.127 | 0.005 | 2.427 | 0.432 | 1.264 | 0.154 | 4.496 |

| Problem 99 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | A | A | C | A | B |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 119 | 119 | 147 | 168 | 105 | 185 | 874 | 109 | 897 |
| normalized size | 1 | 1.00 | 1.24 | 1.41 | 0.88 | 1.55 | 7.34 | 0.92 | 7.54 |
| time (sec) | N/A | 0.091 | 0.249 | 0.014 | 2.349 | 0.413 | 1.895 | 0.157 | 4.495 |

| Problem 100 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | B | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 234 | 234 | 111 | 710 | 0 | 3406 | 122 | 544 | 771 |
| normalized size | 1 | 1.00 | 0.47 | 3.03 | 0.00 | 14.56 | 0.52 | 2.32 | 3.29 |
| time (sec) | N/A | 0.230 | 0.116 | 0.099 | 0.000 | 0.554 | 1.322 | 0.878 | 4.490 |

| Problem 101 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | B | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 316 | 316 | 165 | 756 | 0 | 4346 | 165 | 988 | 1491 |
| normalized size | 1 | 1.00 | 0.52 | 2.39 | 0.00 | 13.75 | 0.52 | 3.13 | 4.72 |
| time (sec) | N/A | 0.289 | 0.216 | 0.313 | 0.000 | 0.614 | 1.801 | 0.946 | 4.499 |

| Problem 102 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | C | F(-2) | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 160 | 160 | 53 | 199 | 0 | 97 | 0 | 122 | 121 |
| normalized size | 1 | 1.00 | 0.33 | 1.24 | 0.00 | 0.61 | 0.00 | 0.76 | 0.76 |
| time (sec) | N/A | 0.146 | 0.045 | 0.089 | 0.000 | 0.423 | 0.000 | 0.378 | 4.956 |

| Problem 103 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | C | F(-2) | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 172 | 172 | 53 | 199 | 0 | 97 | 0 | 126 | 121 |
| normalized size | 1 | 1.00 | 0.31 | 1.16 | 0.00 | 0.56 | 0.00 | 0.73 | 0.70 |
| time (sec) | N/A | 0.137 | 0.035 | 0.088 | 0.000 | 0.446 | 0.000 | 0.328 | 4.953 |

| Problem 104 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | B | B | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 160 | 160 | 137 | 285 | 0 | 451 | 1469 | 1501 | 1227 |
| normalized size | 1 | 1.00 | 0.86 | 1.78 | 0.00 | 2.82 | 9.18 | 9.38 | 7.67 |
| time (sec) | N/A | 0.119 | 0.090 | 0.023 | 0.000 | 0.487 | 2.862 | 0.322 | 1.067 |

| Problem 105 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | B | B | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 160 | 160 | 136 | 283 | 0 | 455 | 1467 | 1501 | 1227 |
| normalized size | 1 | 1.00 | 0.85 | 1.77 | 0.00 | 2.84 | 9.17 | 9.38 | 7.67 |
| time (sec) | N/A | 0.103 | 0.057 | 0.019 | 0.000 | 0.488 | 2.729 | 0.353 | 5.246 |

| Problem 106 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | B | A | F(-2) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 114 | 114 | 115 | 92 | 0 | 517 | 27 | 0 | 133 |
| normalized size | 1 | 1.00 | 1.01 | 0.81 | 0.00 | 4.54 | 0.24 | 0.00 | 1.17 |
| time (sec) | N/A | 0.076 | 0.172 | 0.037 | 0.000 | 0.431 | 0.253 | 0.000 | 4.484 |

| Problem 107 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | B | F(-2) | F(-2) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 122 | 122 | 115 | 96 | 0 | 251 | 0 | 0 | 159 |
| normalized size | 1 | 1.00 | 0.94 | 0.79 | 0.00 | 2.06 | 0.00 | 0.00 | 1.30 |
| time (sec) | N/A | 0.080 | 0.153 | 0.048 | 0.000 | 0.418 | 0.000 | 0.000 | 5.060 |

| Problem 108 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | A | A | C | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 124 | 124 | 115 | 89 | 88 | 264 | 143 | 92 | 133 |
| normalized size | 1 | 1.00 | 0.93 | 0.72 | 0.71 | 2.13 | 1.15 | 0.74 | 1.07 |
| time (sec) | N/A | 0.077 | 0.131 | 0.026 | 2.287 | 0.457 | 0.313 | 0.177 | 0.237 |

| Problem 109 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | B | A | F(-2) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 136 | 136 | 130 | 190 | 0 | 4551 | 172 | 0 | 1007 |
| normalized size | 1 | 1.00 | 0.96 | 1.40 | 0.00 | 33.46 | 1.26 | 0.00 | 7.40 |
| time (sec) | N/A | 0.104 | 0.150 | 0.026 | 0.000 | 1.094 | 1.907 | 0.000 | 4.587 |

| Problem 110 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | B | F(-2) | F(-2) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 160 | 160 | 138 | 198 | 0 | 1141 | 0 | 0 | 1155 |
| normalized size | 1 | 1.00 | 0.86 | 1.24 | 0.00 | 7.13 | 0.00 | 0.00 | 7.22 |
| time (sec) | N/A | 0.116 | 0.135 | 0.041 | 0.000 | 0.539 | 0.000 | 0.000 | 4.986 |

| Problem 111 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | B | F(-2) | F(-2) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 414 | 414 | 247 | 404 | 0 | 1457 | 0 | 0 | 3285 |
| normalized size | 1 | 1.00 | 0.60 | 0.98 | 0.00 | 3.52 | 0.00 | 0.00 | 7.93 |
| time (sec) | N/A | 0.453 | 0.202 | 0.064 | 0.000 | 0.657 | 0.000 | 0.000 | 5.219 |

| Problem 112 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | B | F(-2) | F(-2) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 234 | 234 | 163 | 320 | 0 | 1469 | 0 | 0 | 1575 |
| normalized size | 1 | 1.00 | 0.70 | 1.37 | 0.00 | 6.28 | 0.00 | 0.00 | 6.73 |
| time (sec) | N/A | 0.172 | 0.186 | 0.071 | 0.000 | 1.169 | 0.000 | 0.000 | 5.290 |

| Problem 113 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 96 | 96 | 103 | 200 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.07 | 2.08 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.123 | 0.135 | 0.110 | 0.000 | 0.422 | 0.000 | 0.000 | 0.000 |

| Problem 114 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 25 | 25 | 19 | 113 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.76 | 4.52 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.032 | 0.055 | 0.016 | 0.000 | 0.446 | 0.000 | 0.000 | 0.000 |

| Problem 115 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 96 | 96 | 103 | 204 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.07 | 2.12 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.178 | 0.168 | 0.099 | 0.000 | 0.420 | 0.000 | 0.000 | 0.000 |

| Problem 116 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 92 | 92 | 107 | 204 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.16 | 2.22 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.120 | 0.134 | 0.100 | 0.000 | 0.411 | 0.000 | 0.000 | 0.000 |

| Problem 117 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 27 | 27 | 35 | 95 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.30 | 3.52 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.039 | 0.063 | 0.010 | 0.000 | 0.441 | 0.000 | 0.000 | 0.000 |

| Problem 118 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 92 | 92 | 107 | 204 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.16 | 2.22 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.165 | 0.167 | 0.094 | 0.000 | 0.420 | 0.000 | 0.000 | 0.000 |

| Problem 119 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 296 | 296 | 187 | 515 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.63 | 1.74 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.119 | 0.301 | 0.050 | 0.000 | 0.443 | 0.000 | 0.000 | 0.000 |

| Problem 120 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 106 | 106 | 106 | 97 | 94 | 98 | 110 | 94 | 95 |
| normalized size | 1 | 1.00 | 1.00 | 0.92 | 0.89 | 0.92 | 1.04 | 0.89 | 0.90 |
| time (sec) | N/A | 0.083 | 0.020 | 0.002 | 1.051 | 0.355 | 0.093 | 0.153 | 4.350 |

| Problem 121 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 79 | 79 | 79 | 72 | 71 | 73 | 78 | 71 | 71 |
| normalized size | 1 | 1.00 | 1.00 | 0.91 | 0.90 | 0.92 | 0.99 | 0.90 | 0.90 |
| time (sec) | N/A | 0.056 | 0.016 | 0.002 | 1.037 | 0.351 | 0.088 | 0.149 | 0.030 |

| Problem 122 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 56 | 56 | 56 | 49 | 48 | 50 | 56 | 50 | 49 |
| normalized size | 1 | 1.00 | 1.00 | 0.88 | 0.86 | 0.89 | 1.00 | 0.89 | 0.88 |
| time (sec) | N/A | 0.032 | 0.011 | 0.000 | 0.967 | 0.351 | 0.077 | 0.199 | 0.024 |

| Problem 123 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 32 | 32 | 32 | 27 | 26 | 26 | 29 | 28 | 26 |
| normalized size | 1 | 1.00 | 1.00 | 0.84 | 0.81 | 0.81 | 0.91 | 0.88 | 0.81 |
| time (sec) | N/A | 0.014 | 0.002 | 0.001 | 1.061 | 0.350 | 0.076 | 0.178 | 0.042 |

| Problem 124 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 55 | 55 | 55 | 57 | 47 | 131 | 104 | 44 | 45 |
| normalized size | 1 | 1.00 | 1.00 | 1.04 | 0.85 | 2.38 | 1.89 | 0.80 | 0.82 |
| time (sec) | N/A | 0.035 | 0.036 | 0.008 | 2.546 | 0.396 | 0.324 | 0.169 | 0.069 |

| Problem 125 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 74 | 74 | 78 | 82 | 74 | 222 | 138 | 62 | 68 |
| normalized size | 1 | 1.00 | 1.05 | 1.11 | 1.00 | 3.00 | 1.86 | 0.84 | 0.92 |
| time (sec) | N/A | 0.052 | 0.051 | 0.011 | 2.238 | 0.427 | 0.510 | 0.157 | 4.442 |

| Problem 126 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 93 | 93 | 92 | 99 | 102 | 306 | 219 | 77 | 97 |
| normalized size | 1 | 1.00 | 0.99 | 1.06 | 1.10 | 3.29 | 2.35 | 0.83 | 1.04 |
| time (sec) | N/A | 0.067 | 0.064 | 0.009 | 2.559 | 0.431 | 0.755 | 0.160 | 4.481 |

| Problem 127 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 123 | 123 | 113 | 122 | 137 | 424 | 204 | 100 | 129 |
| normalized size | 1 | 1.00 | 0.92 | 0.99 | 1.11 | 3.45 | 1.66 | 0.81 | 1.05 |
| time (sec) | N/A | 0.114 | 0.081 | 0.009 | 2.355 | 0.421 | 0.952 | 0.154 | 4.483 |

| Problem 128 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 133 | 133 | 133 | 130 | 129 | 131 | 144 | 128 | 127 |
| normalized size | 1 | 1.00 | 1.00 | 0.98 | 0.97 | 0.98 | 1.08 | 0.96 | 0.95 |
| time (sec) | N/A | 0.107 | 0.022 | 0.002 | 1.066 | 0.353 | 0.095 | 0.159 | 0.058 |

| Problem 129 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 97 | 97 | 97 | 90 | 89 | 91 | 104 | 91 | 89 |
| normalized size | 1 | 1.00 | 1.00 | 0.93 | 0.92 | 0.94 | 1.07 | 0.94 | 0.92 |
| time (sec) | N/A | 0.068 | 0.018 | 0.002 | 1.027 | 0.350 | 0.088 | 0.149 | 0.048 |

| Problem 130 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 60 | 60 | 60 | 51 | 50 | 50 | 60 | 53 | 50 |
| normalized size | 1 | 1.00 | 1.00 | 0.85 | 0.83 | 0.83 | 1.00 | 0.88 | 0.83 |
| time (sec) | N/A | 0.030 | 0.003 | 0.002 | 1.037 | 0.348 | 0.076 | 0.152 | 0.026 |

| Problem 131 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 25 | 25 | 25 | 22 | 21 | 21 | 22 | 21 | 21 |
| normalized size | 1 | 1.00 | 1.00 | 0.88 | 0.84 | 0.84 | 0.88 | 0.84 | 0.84 |
| time (sec) | N/A | 0.008 | 0.001 | 0.000 | 1.004 | 0.344 | 0.065 | 0.166 | 0.028 |

| Problem 132 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 108 | 108 | 97 | 136 | 113 | 268 | 236 | 105 | 141 |
| normalized size | 1 | 1.00 | 0.90 | 1.26 | 1.05 | 2.48 | 2.19 | 0.97 | 1.31 |
| time (sec) | N/A | 0.077 | 0.079 | 0.005 | 2.453 | 0.400 | 0.498 | 0.156 | 4.394 |

| Problem 133 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 131 | 131 | 134 | 170 | 142 | 394 | 314 | 128 | 183 |
| normalized size | 1 | 1.00 | 1.02 | 1.30 | 1.08 | 3.01 | 2.40 | 0.98 | 1.40 |
| time (sec) | N/A | 0.188 | 0.108 | 0.011 | 2.283 | 0.404 | 0.932 | 0.171 | 4.399 |

| Problem 134 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 155 | 155 | 154 | 211 | 167 | 516 | 257 | 145 | 164 |
| normalized size | 1 | 1.00 | 0.99 | 1.36 | 1.08 | 3.33 | 1.66 | 0.94 | 1.06 |
| time (sec) | N/A | 0.252 | 0.110 | 0.011 | 2.313 | 0.408 | 1.713 | 0.172 | 4.410 |

| Problem 135 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 184 | 184 | 174 | 262 | 205 | 662 | 292 | 167 | 199 |
| normalized size | 1 | 1.00 | 0.95 | 1.42 | 1.11 | 3.60 | 1.59 | 0.91 | 1.08 |
| time (sec) | N/A | 0.297 | 0.138 | 0.014 | 2.392 | 0.448 | 2.612 | 0.164 | 4.486 |

| Problem 136 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 223 | 223 | 200 | 231 | 244 | 806 | 335 | 198 | 240 |
| normalized size | 1 | 1.00 | 0.90 | 1.04 | 1.09 | 3.61 | 1.50 | 0.89 | 1.08 |
| time (sec) | N/A | 0.339 | 0.189 | 0.012 | 2.413 | 0.453 | 4.114 | 0.252 | 4.492 |

| Problem 137 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | B | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 437 | 437 | 444 | 741 | 432 | 2878 | 500 | 498 | 4022 |
| normalized size | 1 | 1.00 | 1.02 | 1.70 | 0.99 | 6.59 | 1.14 | 1.14 | 9.20 |
| time (sec) | N/A | 0.453 | 0.339 | 0.011 | 2.453 | 4.262 | 3.752 | 0.185 | 5.081 |

| Problem 138 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | B | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 370 | 370 | 360 | 572 | 342 | 2133 | 350 | 405 | 2712 |
| normalized size | 1 | 1.00 | 0.97 | 1.55 | 0.92 | 5.76 | 0.95 | 1.09 | 7.33 |
| time (sec) | N/A | 0.501 | 0.277 | 0.004 | 2.484 | 1.267 | 2.273 | 0.205 | 4.877 |

| Problem 139 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | B | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 297 | 297 | 269 | 412 | 288 | 1480 | 238 | 318 | 1479 |
| normalized size | 1 | 1.00 | 0.91 | 1.39 | 0.97 | 4.98 | 0.80 | 1.07 | 4.98 |
| time (sec) | N/A | 0.293 | 0.257 | 0.004 | 2.361 | 0.609 | 1.478 | 0.179 | 4.794 |

| Problem 140 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | B | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 247 | 247 | 183 | 260 | 221 | 767 | 109 | 245 | 599 |
| normalized size | 1 | 1.00 | 0.74 | 1.05 | 0.89 | 3.11 | 0.44 | 0.99 | 2.43 |
| time (sec) | N/A | 0.152 | 0.054 | 0.003 | 2.533 | 0.427 | 0.680 | 0.176 | 4.682 |

| Problem 141 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 185 | 185 | 134 | 128 | 169 | 121 | 20 | 179 | 33 |
| normalized size | 1 | 1.00 | 0.72 | 0.69 | 0.91 | 0.65 | 0.11 | 0.97 | 0.18 |
| time (sec) | N/A | 0.111 | 0.018 | 0.003 | 2.439 | 0.407 | 0.174 | 0.181 | 4.409 |

| Problem 142 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | B | F(-1) | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 336 | 336 | 234 | 363 | 268 | 4084 | 0 | 339 | 4802 |
| normalized size | 1 | 1.00 | 0.70 | 1.08 | 0.80 | 12.15 | 0.00 | 1.01 | 14.29 |
| time (sec) | N/A | 0.270 | 0.154 | 0.007 | 2.385 | 1.049 | 0.000 | 0.207 | 5.706 |

| Problem 143 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | B | F(-1) | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 453 | 453 | 362 | 650 | 403 | 8409 | 0 | 517 | 16369 |
| normalized size | 1 | 1.00 | 0.80 | 1.43 | 0.89 | 18.56 | 0.00 | 1.14 | 36.13 |
| time (sec) | N/A | 0.384 | 0.468 | 0.012 | 2.445 | 16.306 | 0.000 | 0.253 | 6.548 |

| Problem 144 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | B | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 363 | 363 | 371 | 624 | 292 | 2116 | 352 | 425 | 2560 |
| normalized size | 1 | 1.00 | 1.02 | 1.72 | 0.80 | 5.83 | 0.97 | 1.17 | 7.05 |
| time (sec) | N/A | 0.410 | 0.260 | 0.011 | 2.364 | 0.554 | 3.371 | 0.188 | 4.940 |

| Problem 145 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | B | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 349 | 349 | 295 | 464 | 324 | 1596 | 275 | 350 | 1565 |
| normalized size | 1 | 1.00 | 0.85 | 1.33 | 0.93 | 4.57 | 0.79 | 1.00 | 4.48 |
| time (sec) | N/A | 0.313 | 0.167 | 0.009 | 2.589 | 0.627 | 2.069 | 0.190 | 4.786 |

| Problem 146 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | B | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 275 | 275 | 267 | 303 | 253 | 873 | 136 | 273 | 637 |
| normalized size | 1 | 1.00 | 0.97 | 1.10 | 0.92 | 3.17 | 0.49 | 0.99 | 2.32 |
| time (sec) | N/A | 0.203 | 0.273 | 0.006 | 2.267 | 0.425 | 1.032 | 0.440 | 0.396 |

| Problem 147 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 202 | 202 | 183 | 143 | 189 | 173 | 39 | 194 | 58 |
| normalized size | 1 | 1.00 | 0.91 | 0.71 | 0.94 | 0.86 | 0.19 | 0.96 | 0.29 |
| time (sec) | N/A | 0.133 | 0.115 | 0.005 | 2.430 | 0.409 | 0.348 | 0.182 | 0.084 |

| Problem 148 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | B | F(-1) | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 689 | 689 | 429 | 873 | 506 | 9892 | 0 | 603 | 17945 |
| normalized size | 1 | 1.00 | 0.62 | 1.27 | 0.73 | 14.36 | 0.00 | 0.88 | 26.04 |
| time (sec) | N/A | 0.623 | 0.295 | 0.017 | 2.449 | 19.109 | 0.000 | 0.209 | 6.781 |

| Problem 149 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | F(-1) | F(-1) | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 864 | 864 | 540 | 1169 | 732 | 0 | 0 | 855 | 28923 |
| normalized size | 1 | 1.00 | 0.62 | 1.35 | 0.85 | 0.00 | 0.00 | 0.99 | 33.48 |
| time (sec) | N/A | 0.906 | 0.584 | 0.020 | 2.607 | 0.000 | 0.000 | 0.247 | 8.330 |

| Problem 150 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 388 | 386 | 203 | 506 | 0 | 0 | 214 | 0 | -1 |
| normalized size | 1 | 0.99 | 0.52 | 1.30 | 0.00 | 0.00 | 0.55 | 0.00 | -0.00 |
| time (sec) | N/A | 0.415 | 0.212 | 0.017 | 0.000 | 0.610 | 6.167 | 0.000 | 0.000 |

| Problem 151 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 326 | 326 | 140 | 388 | 0 | 0 | 173 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.43 | 1.19 | 0.00 | 0.00 | 0.53 | 0.00 | -0.00 |
| time (sec) | N/A | 0.287 | 0.138 | 0.010 | 0.000 | 0.917 | 4.730 | 0.000 | 0.000 |

| Problem 152 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 264 | 264 | 120 | 266 | 0 | 0 | 124 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.45 | 1.01 | 0.00 | 0.00 | 0.47 | 0.00 | -0.00 |
| time (sec) | N/A | 0.129 | 0.089 | 0.007 | 0.000 | 0.486 | 3.574 | 0.000 | 0.000 |

| Problem 153 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 226 | 226 | 77 | 169 | 0 | 0 | 78 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.34 | 0.75 | 0.00 | 0.00 | 0.35 | 0.00 | -0.00 |
| time (sec) | N/A | 0.069 | 0.032 | 0.004 | 0.000 | 0.653 | 2.061 | 0.000 | 0.000 |

| Problem 154 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 334 | 334 | 95 | 107 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.28 | 0.32 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.266 | 0.150 | 0.038 | 0.000 | 11.319 | 0.000 | 0.000 | 0.000 |

| Problem 155 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 581 | 581 | 522 | 556 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.90 | 0.96 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.762 | 0.764 | 0.031 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 156 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 729 | 729 | 332 | 1018 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.46 | 1.40 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.250 | 1.097 | 0.031 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 157 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | A | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 213 | 213 | 141 | 360 | 0 | 0 | 180 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.66 | 1.69 | 0.00 | 0.00 | 0.85 | 0.00 | -0.00 |
| time (sec) | N/A | 0.282 | 0.160 | 0.031 | 0.000 | 0.916 | 4.890 | 0.000 | 0.000 |

| Problem 158 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | A | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 162 | 162 | 121 | 246 | 0 | 0 | 129 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.75 | 1.52 | 0.00 | 0.00 | 0.80 | 0.00 | -0.01 |
| time (sec) | N/A | 0.145 | 0.102 | 0.009 | 0.000 | 0.667 | 3.774 | 0.000 | 0.000 |

| Problem 159 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | A | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 124 | 124 | 77 | 154 | 0 | 0 | 82 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.62 | 1.24 | 0.00 | 0.00 | 0.66 | 0.00 | -0.01 |
| time (sec) | N/A | 0.089 | 0.031 | 0.005 | 0.000 | 0.851 | 2.236 | 0.000 | 0.000 |

| Problem 160 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 72 | 72 | 91 | 97 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.26 | 1.35 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.041 | 0.149 | 0.029 | 0.000 | 10.029 | 0.000 | 0.000 | 0.000 |

| Problem 161 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 299 | 299 | 508 | 523 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.70 | 1.75 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.356 | 0.958 | 0.030 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 162 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 425 | 425 | 321 | 961 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.76 | 2.26 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.751 | 1.236 | 0.032 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 163 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 563 | 563 | 458 | 1420 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.81 | 2.52 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.206 | 1.927 | 0.035 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 164 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | A | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 126 | 126 | 78 | 160 | 0 | 0 | 73 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.62 | 1.27 | 0.00 | 0.00 | 0.58 | 0.00 | -0.01 |
| time (sec) | N/A | 0.083 | 0.035 | 0.010 | 0.000 | 1.054 | 2.182 | 0.000 | 0.000 |

| Problem 165 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 73 | 73 | 92 | 99 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.26 | 1.36 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.042 | 0.146 | 0.022 | 0.000 | 13.112 | 0.000 | 0.000 | 0.000 |

| Problem 166 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | A | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 54 | 54 | 86 | 158 | 0 | 0 | 70 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.59 | 2.93 | 0.00 | 0.00 | 1.30 | 0.00 | -0.02 |
| time (sec) | N/A | 0.049 | 0.037 | 0.053 | 0.000 | 0.700 | 2.414 | 0.000 | 0.000 |

| Problem 167 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | B | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 52 | 52 | 85 | 165 | 0 | 0 | 76 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.63 | 3.17 | 0.00 | 0.00 | 1.46 | 0.00 | -0.02 |
| time (sec) | N/A | 0.046 | 0.030 | 0.044 | 0.000 | 0.669 | 2.296 | 0.000 | 0.000 |

| Problem 168 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 236 | 236 | 80 | 175 | 0 | 0 | 83 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.34 | 0.74 | 0.00 | 0.00 | 0.35 | 0.00 | -0.00 |
| time (sec) | N/A | 0.069 | 0.036 | 0.011 | 0.000 | 0.624 | 2.098 | 0.000 | 0.000 |

| Problem 169 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 347 | 347 | 98 | 110 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.28 | 0.32 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.295 | 0.149 | 0.022 | 0.000 | 10.931 | 0.000 | 0.000 | 0.000 |

| Problem 170 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 40 | 40 | 40 | 79 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.00 | 1.98 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.063 | 0.126 | 0.065 | 0.000 | 7.828 | 0.000 | 0.000 | 0.000 |

| Problem 171 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 310 | 310 | 50 | 86 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.16 | 0.28 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.273 | 0.102 | 0.084 | 0.000 | 7.289 | 0.000 | 0.000 | 0.000 |

| Problem 172 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|---------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 40 | 40 | 59 | 78 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.48 | 1.95 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.018 | 0.124 | 0.034 | 0.000 | 177.333 | 0.000 | 0.000 | 0.000 |

| Problem 173 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 300 | 300 | 65 | 86 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.22 | 0.29 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.223 | 0.111 | 0.033 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 174 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | F | F | F | F | F | F | F | F |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 112 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.009 | 0.060 | 0.101 | 0.000 | 0.948 | 0.000 | 0.000 | 0.000 |

| Problem 175 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | F(-1) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.05 |
| time (sec) | N/A | 0.008 | 0.076 | 0.097 | 0.000 | 1.067 | 0.000 | 0.000 | 0.000 |

| Problem 176 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|---------|-------|-------|
| grade | A | A | A | F | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 204 | 196 | 136 | 0 | 0 | 0 | 167 | 0 | -1 |
| normalized size | 1 | 0.96 | 0.67 | 0.00 | 0.00 | 0.00 | 0.82 | 0.00 | -0.00 |
| time (sec) | N/A | 0.230 | 0.074 | 0.087 | 0.000 | 0.678 | 139.104 | 0.000 | 0.000 |

| Problem 177 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | F | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 150 | 142 | 106 | 0 | 0 | 0 | 119 | 0 | -1 |
| normalized size | 1 | 0.95 | 0.71 | 0.00 | 0.00 | 0.00 | 0.79 | 0.00 | -0.01 |
| time (sec) | N/A | 0.132 | 0.043 | 0.086 | 0.000 | 0.900 | 79.159 | 0.000 | 0.000 |

| Problem 178 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | F | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 96 | 96 | 75 | 0 | 0 | 0 | 75 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.78 | 0.00 | 0.00 | 0.00 | 0.78 | 0.00 | -0.01 |
| time (sec) | N/A | 0.051 | 0.023 | 0.082 | 0.000 | 0.947 | 42.838 | 0.000 | 0.000 |

| Problem 179 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | F | C | F | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 44 | 44 | 44 | 0 | 0 | 0 | 34 | 0 | 41 |
| normalized size | 1 | 1.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.77 | 0.00 | 0.93 |
| time (sec) | N/A | 0.010 | 0.003 | 0.082 | 0.000 | 0.765 | 9.182 | 0.000 | 4.364 |

| Problem 180 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F | F | F | F | F(-1) | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 123 | 123 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.127 | 0.127 | 0.091 | 0.000 | 0.559 | 0.000 | 0.000 | 0.000 |

| Problem 181 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F | F | F | F | F(-1) | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 189 | 189 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.194 | 0.243 | 0.090 | 0.000 | 0.537 | 0.000 | 0.000 | 0.000 |

| Problem 182 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|---------|-------|-------|
| grade | A | A | A | A | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 108 | 103 | 86 | 75 | 0 | 0 | 129 | 0 | -1 |
| normalized size | 1 | 0.95 | 0.80 | 0.69 | 0.00 | 0.00 | 1.19 | 0.00 | -0.01 |
| time (sec) | N/A | 0.115 | 0.017 | 0.150 | 0.000 | 0.823 | 120.366 | 0.000 | 0.000 |

| Problem 183 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | A | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 86 | 79 | 65 | 56 | 0 | 0 | 94 | 0 | -1 |
| normalized size | 1 | 0.92 | 0.76 | 0.65 | 0.00 | 0.00 | 1.09 | 0.00 | -0.01 |
| time (sec) | N/A | 0.068 | 0.011 | 0.093 | 0.000 | 0.665 | 69.116 | 0.000 | 0.000 |

| Problem 184 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | A | F | F | C | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 42 | 42 | 42 | 37 | 0 | 0 | 61 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.00 | 0.88 | 0.00 | 0.00 | 1.45 | 0.00 | -0.02 |
| time (sec) | N/A | 0.021 | 0.007 | 0.084 | 0.000 | 0.614 | 35.982 | 0.000 | 0.000 |

| Problem 185 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | F | C | F | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 18 | 18 | 18 | 17 | 0 | 0 | 29 | 0 | 15 |
| normalized size | 1 | 1.00 | 1.00 | 0.94 | 0.00 | 0.00 | 1.61 | 0.00 | 0.83 |
| time (sec) | N/A | 0.004 | 0.002 | 0.084 | 0.000 | 0.680 | 7.707 | 0.000 | 0.070 |

| Problem 186 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F | F | F | F | F(-1) | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 50 | 50 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.054 | 0.081 | 0.113 | 0.000 | 0.636 | 0.000 | 0.000 | 0.000 |

| Problem 187 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F | F | F | F | F(-1) | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 77 | 77 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.082 | 0.143 | 0.095 | 0.000 | 0.725 | 0.000 | 0.000 | 0.000 |

| Problem 188 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F | F | F | F | F(-1) | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 101 | 101 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.114 | 0.257 | 0.093 | 0.000 | 0.640 | 0.000 | 0.000 | 0.000 |

| Problem 189 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 51 | 51 | 51 | 42 | 56 | 116 | 75 | 144 | 42 |
| normalized size | 1 | 1.00 | 1.00 | 0.82 | 1.10 | 2.27 | 1.47 | 2.82 | 0.82 |
| time (sec) | N/A | 0.041 | 0.023 | 0.003 | 2.248 | 0.819 | 0.241 | 0.213 | 0.091 |

| Problem 190 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 38 | 38 | 38 | 31 | 45 | 90 | 58 | 123 | 28 |
| normalized size | 1 | 1.00 | 1.00 | 0.82 | 1.18 | 2.37 | 1.53 | 3.24 | 0.74 |
| time (sec) | N/A | 0.034 | 0.018 | 0.003 | 2.453 | 0.647 | 0.201 | 0.232 | 0.055 |

| Problem 191 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 29 | 29 | 29 | 22 | 36 | 73 | 34 | 118 | 21 |
| normalized size | 1 | 1.00 | 1.00 | 0.76 | 1.24 | 2.52 | 1.17 | 4.07 | 0.72 |
| time (sec) | N/A | 0.023 | 0.009 | 0.002 | 2.451 | 0.805 | 0.183 | 0.206 | 4.432 |

| Problem 192 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | B | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 24 | 24 | 24 | 16 | 31 | 68 | 46 | 116 | 16 |
| normalized size | 1 | 1.00 | 1.00 | 0.67 | 1.29 | 2.83 | 1.92 | 4.83 | 0.67 |
| time (sec) | N/A | 0.012 | 0.005 | 0.002 | 2.351 | 0.539 | 0.155 | 0.290 | 0.058 |

| Problem 193 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | B | F(-2) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 72 | 72 | 65 | 55 | 71 | 189 | 226 | 0 | 74 |
| normalized size | 1 | 1.00 | 0.90 | 0.76 | 0.99 | 2.62 | 3.14 | 0.00 | 1.03 |
| time (sec) | N/A | 0.057 | 0.037 | 0.011 | 2.445 | 0.687 | 0.452 | 0.000 | 0.159 |

| Problem 194 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | B | B | F(-2) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 89 | 89 | 76 | 73 | 92 | 278 | 257 | 0 | 96 |
| normalized size | 1 | 1.00 | 0.85 | 0.82 | 1.03 | 3.12 | 2.89 | 0.00 | 1.08 |
| time (sec) | N/A | 0.083 | 0.059 | 0.011 | 2.493 | 0.857 | 0.715 | 0.000 | 0.163 |

| Problem 195 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | F | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 62 | 62 | 61 | 1442 | 0 | 199 | 0 | 24 | -1 |
| normalized size | 1 | 1.00 | 0.98 | 23.26 | 0.00 | 3.21 | 0.00 | 0.39 | -0.02 |
| time (sec) | N/A | 0.044 | 0.029 | 0.059 | 0.000 | 0.737 | 0.000 | 0.246 | 0.000 |

| Problem 196 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | F | B | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 38 | 38 | 38 | 986 | 0 | 138 | 0 | 131 | -1 |
| normalized size | 1 | 1.00 | 1.00 | 25.95 | 0.00 | 3.63 | 0.00 | 3.45 | -0.03 |
| time (sec) | N/A | 0.026 | 0.155 | 0.024 | 0.000 | 0.622 | 0.000 | 0.528 | 0.000 |

| Problem 197 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | B | F | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 61 | 61 | 108 | 441 | 0 | 209 | 0 | 1 | -1 |
| normalized size | 1 | 1.00 | 1.77 | 7.23 | 0.00 | 3.43 | 0.00 | 0.02 | -0.02 |
| time (sec) | N/A | 0.039 | 0.126 | 0.022 | 0.000 | 0.609 | 0.000 | 0.328 | 0.000 |

| Problem 198 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | B | F | F(-2) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 80 | 80 | 345 | 911 | 0 | 279 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 4.31 | 11.39 | 0.00 | 3.49 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.069 | 3.343 | 0.028 | 0.000 | 0.772 | 0.000 | 0.000 | 0.000 |

| Problem 199 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 153 | 153 | 98 | 132 | 0 | 251 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.64 | 0.86 | 0.00 | 1.64 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.055 | 0.165 | 0.073 | 0.000 | 0.728 | 0.000 | 0.000 | 0.000 |

| Problem 200 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 110 | 110 | 86 | 107 | 0 | 223 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.78 | 0.97 | 0.00 | 2.03 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.035 | 0.072 | 0.022 | 0.000 | 0.716 | 0.000 | 0.000 | 0.000 |

| Problem 201 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 65 | 65 | 50 | 69 | 0 | 121 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.77 | 1.06 | 0.00 | 1.86 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.022 | 0.043 | 0.024 | 0.000 | 0.851 | 0.000 | 0.000 | 0.000 |

| Problem 202 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 78 | 78 | 78 | 249 | 0 | 152 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.00 | 3.19 | 0.00 | 1.95 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.036 | 0.052 | 0.055 | 0.000 | 0.990 | 0.000 | 0.000 | 0.000 |

| Problem 203 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 125 | 125 | 111 | 488 | 0 | 297 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.89 | 3.90 | 0.00 | 2.38 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.051 | 0.085 | 0.056 | 0.000 | 0.907 | 0.000 | 0.000 | 0.000 |

| Problem 204 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 168 | 168 | 123 | 711 | 0 | 365 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.73 | 4.23 | 0.00 | 2.17 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.086 | 0.107 | 0.059 | 0.000 | 0.931 | 0.000 | 0.000 | 0.000 |

| Problem 205 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 152 | 152 | 123 | 105 | 0 | 265 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.81 | 0.69 | 0.00 | 1.74 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.055 | 0.200 | 0.020 | 0.000 | 0.954 | 0.000 | 0.000 | 0.000 |

| Problem 206 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 109 | 109 | 110 | 85 | 0 | 236 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.01 | 0.78 | 0.00 | 2.17 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.035 | 0.110 | 0.014 | 0.000 | 1.009 | 0.000 | 0.000 | 0.000 |

| Problem 207 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 64 | 64 | 67 | 54 | 0 | 125 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.05 | 0.84 | 0.00 | 1.95 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.025 | 0.040 | 0.014 | 0.000 | 0.938 | 0.000 | 0.000 | 0.000 |

| Problem 208 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 77 | 77 | 77 | 267 | 0 | 155 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.00 | 3.47 | 0.00 | 2.01 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.036 | 0.050 | 0.063 | 0.000 | 0.735 | 0.000 | 0.000 | 0.000 |

| Problem 209 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 124 | 124 | 110 | 510 | 0 | 302 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.89 | 4.11 | 0.00 | 2.44 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.054 | 0.082 | 0.042 | 0.000 | 0.648 | 0.000 | 0.000 | 0.000 |

| Problem 210 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 167 | 167 | 122 | 739 | 0 | 376 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.73 | 4.43 | 0.00 | 2.25 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.087 | 0.106 | 0.053 | 0.000 | 0.960 | 0.000 | 0.000 | 0.000 |

| Problem 211 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | B | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 30 | 30 | 38 | 25 | 0 | 73 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.27 | 0.83 | 0.00 | 2.43 | 0.00 | 0.00 | -0.03 |
| time (sec) | N/A | 0.010 | 0.023 | 0.013 | 0.000 | 0.952 | 0.000 | 0.000 | 0.000 |

| Problem 212 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | B | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 24 | 40 | 34 | 33 | 0 | 65 | 0 | 0 | -1 |
| normalized size | 1 | 1.67 | 1.42 | 1.38 | 0.00 | 2.71 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.011 | 0.020 | 0.011 | 0.000 | 0.882 | 0.000 | 0.000 | 0.000 |

| Problem 213 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | B | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 73 | 72 | 71 | 59 | 0 | 137 | 0 | 0 | -1 |
| normalized size | 1 | 0.99 | 0.97 | 0.81 | 0.00 | 1.88 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.118 | 0.056 | 0.002 | 0.000 | 1.376 | 0.000 | 0.000 | 0.000 |

| Problem 214 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F(-2) | B | B | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 121 | 121 | 121 | 226 | 0 | 446 | 345 | 10312 | 182 |
| normalized size | 1 | 1.00 | 1.00 | 1.87 | 0.00 | 3.69 | 2.85 | 85.22 | 1.50 |
| time (sec) | N/A | 0.160 | 0.075 | 0.010 | 0.000 | 0.754 | 0.996 | 5.854 | 4.532 |

| Problem 215 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|--------|-------|
| grade | A | A | A | A | F(-2) | A | B | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 86 | 86 | 84 | 142 | 0 | 311 | 275 | 8680 | 113 |
| normalized size | 1 | 1.00 | 0.98 | 1.65 | 0.00 | 3.62 | 3.20 | 100.93 | 1.31 |
| time (sec) | N/A | 0.107 | 0.046 | 0.005 | 0.000 | 0.948 | 0.720 | 5.304 | 4.522 |

| Problem 216 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|--------|-------|
| grade | A | A | A | A | F(-2) | A | B | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 64 | 64 | 63 | 79 | 0 | 210 | 212 | 7051 | 52 |
| normalized size | 1 | 1.00 | 0.98 | 1.23 | 0.00 | 3.28 | 3.31 | 110.17 | 0.81 |
| time (sec) | N/A | 0.078 | 0.055 | 0.004 | 0.000 | 1.011 | 0.485 | 4.818 | 0.069 |

| Problem 217 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F(-2) | A | B | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 49 | 49 | 48 | 33 | 0 | 134 | 124 | 3276 | 38 |
| normalized size | 1 | 1.00 | 0.98 | 0.67 | 0.00 | 2.73 | 2.53 | 66.86 | 0.78 |
| time (sec) | N/A | 0.029 | 0.012 | 0.002 | 0.000 | 0.900 | 0.325 | 6.095 | 4.491 |

| Problem 218 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F(-2) | A | F(-1) | F(-2) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 136 | 136 | 133 | 155 | 0 | 895 | 0 | 0 | 3901 |
| normalized size | 1 | 1.00 | 0.98 | 1.14 | 0.00 | 6.58 | 0.00 | 0.00 | 28.68 |
| time (sec) | N/A | 0.178 | 0.201 | 0.013 | 0.000 | 1.534 | 0.000 | 0.000 | 5.403 |

| Problem 219 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F(-2) | B | F(-1) | F(-2) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 187 | 187 | 177 | 319 | 0 | 1765 | 0 | 0 | 6267 |
| normalized size | 1 | 1.00 | 0.95 | 1.71 | 0.00 | 9.44 | 0.00 | 0.00 | 33.51 |
| time (sec) | N/A | 0.278 | 0.411 | 0.013 | 0.000 | 2.909 | 0.000 | 0.000 | 6.453 |

| Problem 220 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | F | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 139 | 139 | 134 | 7043 | 0 | 1079 | 0 | 54 | -1 |
| normalized size | 1 | 1.00 | 0.96 | 50.67 | 0.00 | 7.76 | 0.00 | 0.39 | -0.01 |
| time (sec) | N/A | 0.276 | 0.257 | 0.063 | 0.000 | 1.971 | 0.000 | 2.394 | 0.000 |

| Problem 221 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | A | F | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 108 | 108 | 103 | 4308 | 0 | 940 | 0 | 27 | -1 |
| normalized size | 1 | 1.00 | 0.95 | 39.89 | 0.00 | 8.70 | 0.00 | 0.25 | -0.01 |
| time (sec) | N/A | 0.126 | 0.086 | 0.023 | 0.000 | 1.218 | 0.000 | 2.385 | 0.000 |

| Problem 222 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | B | F | F(-1) | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 76 | 76 | 76 | 2252 | 0 | 432 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.00 | 29.63 | 0.00 | 5.68 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.070 | 0.065 | 0.023 | 0.000 | 0.796 | 0.000 | 0.000 | 0.000 |

| Problem 223 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | B | F | F(-1) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 106 | 106 | 418 | 771 | 0 | 701 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 3.94 | 7.27 | 0.00 | 6.61 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.117 | 1.049 | 0.021 | 0.000 | 1.174 | 0.000 | 0.000 | 0.000 |

| Problem 224 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | B | F | F(-2) | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 149 | 149 | 1058 | 1637 | 0 | 1063 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 7.10 | 10.99 | 0.00 | 7.13 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.269 | 4.136 | 0.021 | 0.000 | 2.638 | 0.000 | 0.000 | 0.000 |

| Problem 225 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 183 | 183 | 169 | 263 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.92 | 1.44 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.088 | 0.316 | 0.155 | 0.000 | 0.861 | 0.000 | 0.000 | 0.000 |

| Problem 226 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 164 | 164 | 162 | 248 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.99 | 1.51 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.061 | 0.155 | 0.009 | 0.000 | 0.938 | 0.000 | 0.000 | 0.000 |

| Problem 227 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 145 | 145 | 168 | 233 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.16 | 1.61 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.043 | 0.182 | 0.005 | 0.000 | 0.826 | 0.000 | 0.000 | 0.000 |

| Problem 228 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 137 | 137 | 117 | 293 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.85 | 2.14 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.086 | 0.095 | 0.107 | 0.000 | 0.966 | 0.000 | 0.000 | 0.000 |

| Problem 229 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 49 | 49 | 164 | 224 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 3.35 | 4.57 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.011 | 0.347 | 0.020 | 0.000 | 0.942 | 0.000 | 0.000 | 0.000 |

| Problem 230 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 93 | 93 | 176 | 333 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.89 | 3.58 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.508 | 0.304 | 0.025 | 0.000 | 0.839 | 0.000 | 0.000 | 0.000 |

| Problem 231 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 166 | 166 | 240 | 438 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.45 | 2.64 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.615 | 0.408 | 0.026 | 0.000 | 0.564 | 0.000 | 0.000 | 0.000 |

| Problem 232 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 159 | 159 | 157 | 233 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.99 | 1.47 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.071 | 0.170 | 0.031 | 0.000 | 0.660 | 0.000 | 0.000 | 0.000 |

| Problem 233 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 137 | 137 | 143 | 218 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.04 | 1.59 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.045 | 0.140 | 0.009 | 0.000 | 0.689 | 0.000 | 0.000 | 0.000 |

| Problem 234 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 115 | 115 | 94 | 205 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.82 | 1.78 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.022 | 0.071 | 0.007 | 0.000 | 0.796 | 0.000 | 0.000 | 0.000 |

| Problem 235 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 69 | 69 | 72 | 104 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.04 | 1.51 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.059 | 0.065 | 0.020 | 0.000 | 0.807 | 0.000 | 0.000 | 0.000 |

| Problem 236 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 118 | 118 | 226 | 397 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.92 | 3.36 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.135 | 0.405 | 0.024 | 0.000 | 0.783 | 0.000 | 0.000 | 0.000 |

| Problem 237 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 142 | 142 | 235 | 418 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.65 | 2.94 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.277 | 0.343 | 0.024 | 0.000 | 0.918 | 0.000 | 0.000 | 0.000 |

| Problem 238 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 144 | 144 | 0 | 268 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.86 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.045 | 0.000 | 0.037 | 0.000 | 0.689 | 0.000 | 0.000 | 0.000 |

| Problem 239 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 98 | 98 | 0 | 268 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 2.73 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.025 | 0.000 | 0.008 | 0.000 | 0.729 | 0.000 | 0.000 | 0.000 |

| Problem 240 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 96 | 96 | 0 | 247 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 2.57 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.021 | 0.000 | 0.009 | 0.000 | 0.650 | 0.000 | 0.000 | 0.000 |

| Problem 241 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 166 | 166 | 204 | 398 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.23 | 2.40 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.104 | 0.205 | 0.022 | 0.000 | 0.569 | 0.000 | 0.000 | 0.000 |

| Problem 242 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 111 | 111 | 168 | 419 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.51 | 3.77 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.278 | 0.385 | 0.026 | 0.000 | 0.773 | 0.000 | 0.000 | 0.000 |

| Problem 243 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 190 | 190 | 192 | 439 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.01 | 2.31 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.571 | 0.337 | 0.028 | 0.000 | 0.657 | 0.000 | 0.000 | 0.000 |

| Problem 244 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 135 | 135 | 135 | 136 | 135 | 148 | 156 | 142 | 131 |
| normalized size | 1 | 1.00 | 1.00 | 1.01 | 1.00 | 1.10 | 1.16 | 1.05 | 0.97 |
| time (sec) | N/A | 0.126 | 0.037 | 0.001 | 0.962 | 0.683 | 0.113 | 0.154 | 0.063 |

| Problem 245 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 103 | 103 | 104 | 103 | 102 | 111 | 112 | 108 | 101 |
| normalized size | 1 | 1.00 | 1.01 | 1.00 | 0.99 | 1.08 | 1.09 | 1.05 | 0.98 |
| time (sec) | N/A | 0.095 | 0.028 | 0.001 | 1.034 | 0.587 | 0.291 | 0.155 | 4.628 |

| Problem 246 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 73 | 73 | 73 | 70 | 69 | 76 | 78 | 76 | 70 |
| normalized size | 1 | 1.00 | 1.00 | 0.96 | 0.95 | 1.04 | 1.07 | 1.04 | 0.96 |
| time (sec) | N/A | 0.060 | 0.020 | 0.001 | 1.074 | 0.492 | 0.108 | 0.149 | 4.587 |

| Problem 247 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 42 | 42 | 42 | 37 | 36 | 40 | 39 | 43 | 38 |
| normalized size | 1 | 1.00 | 1.00 | 0.88 | 0.86 | 0.95 | 0.93 | 1.02 | 0.90 |
| time (sec) | N/A | 0.027 | 0.009 | 0.001 | 0.904 | 0.480 | 0.101 | 0.148 | 0.044 |

| Problem 248 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 66 | 66 | 65 | 84 | 58 | 159 | 117 | 56 | 57 |
| normalized size | 1 | 1.00 | 0.98 | 1.27 | 0.88 | 2.41 | 1.77 | 0.85 | 0.86 |
| time (sec) | N/A | 0.045 | 0.052 | 0.004 | 2.409 | 0.609 | 0.729 | 0.151 | 0.085 |

| Problem 249 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 83 | 83 | 88 | 118 | 84 | 268 | 153 | 75 | 77 |
| normalized size | 1 | 1.00 | 1.06 | 1.42 | 1.01 | 3.23 | 1.84 | 0.90 | 0.93 |
| time (sec) | N/A | 0.093 | 0.056 | 0.009 | 2.245 | 0.745 | 1.233 | 0.170 | 4.670 |

| Problem 250 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 115 | 115 | 110 | 131 | 121 | 391 | 196 | 101 | 112 |
| normalized size | 1 | 1.00 | 0.96 | 1.14 | 1.05 | 3.40 | 1.70 | 0.88 | 0.97 |
| time (sec) | N/A | 0.107 | 0.097 | 0.008 | 2.253 | 0.595 | 2.266 | 0.232 | 4.847 |

| Problem 251 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 150 | 150 | 142 | 158 | 162 | 530 | 241 | 134 | 144 |
| normalized size | 1 | 1.00 | 0.95 | 1.05 | 1.08 | 3.53 | 1.61 | 0.89 | 0.96 |
| time (sec) | N/A | 0.205 | 0.133 | 0.009 | 2.507 | 0.572 | 4.409 | 0.159 | 4.509 |

| Problem 252 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 223 | 223 | 223 | 219 | 218 | 261 | 272 | 255 | 220 |
| normalized size | 1 | 1.00 | 1.00 | 0.98 | 0.98 | 1.17 | 1.22 | 1.14 | 0.99 |
| time (sec) | N/A | 0.199 | 0.087 | 0.001 | 1.044 | 0.437 | 0.220 | 0.157 | 4.484 |

| Problem 253 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 155 | 155 | 156 | 155 | 147 | 181 | 192 | 181 | 148 |
| normalized size | 1 | 1.00 | 1.01 | 1.00 | 0.95 | 1.17 | 1.24 | 1.17 | 0.95 |
| time (sec) | N/A | 0.141 | 0.054 | 0.000 | 1.136 | 0.496 | 0.155 | 0.169 | 4.516 |

| Problem 254 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 96 | 96 | 96 | 91 | 90 | 100 | 107 | 106 | 90 |
| normalized size | 1 | 1.00 | 1.00 | 0.95 | 0.94 | 1.04 | 1.11 | 1.10 | 0.94 |
| time (sec) | N/A | 0.068 | 0.024 | 0.000 | 1.009 | 0.527 | 0.247 | 0.170 | 0.038 |

| Problem 255 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 49 | 49 | 49 | 42 | 45 | 43 | 48 | 43 | 42 |
| normalized size | 1 | 1.00 | 1.00 | 0.86 | 0.92 | 0.88 | 0.98 | 0.88 | 0.86 |
| time (sec) | N/A | 0.025 | 0.006 | 0.001 | 1.103 | 0.471 | 0.154 | 0.144 | 0.022 |

| Problem 256 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 143 | 143 | 144 | 267 | 176 | 406 | 371 | 185 | 229 |
| normalized size | 1 | 1.00 | 1.01 | 1.87 | 1.23 | 2.84 | 2.59 | 1.29 | 1.60 |
| time (sec) | N/A | 0.140 | 0.066 | 0.005 | 2.377 | 0.691 | 1.530 | 0.162 | 4.469 |

| Problem 257 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | A | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 166 | 166 | 183 | 320 | 205 | 600 | 484 | 207 | 293 |
| normalized size | 1 | 1.00 | 1.10 | 1.93 | 1.23 | 3.61 | 2.92 | 1.25 | 1.77 |
| time (sec) | N/A | 0.298 | 0.101 | 0.011 | 2.416 | 0.795 | 3.786 | 0.180 | 4.563 |

| Problem 258 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | B | A | B | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 201 | 201 | 217 | 402 | 245 | 794 | 398 | 244 | 257 |
| normalized size | 1 | 1.00 | 1.08 | 2.00 | 1.22 | 3.95 | 1.98 | 1.21 | 1.28 |
| time (sec) | N/A | 0.419 | 0.113 | 0.013 | 2.363 | 0.649 | 17.717 | 0.182 | 0.118 |

| Problem 259 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | B | A | B | A | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 250 | 250 | 267 | 506 | 300 | 1016 | 457 | 296 | 308 |
| normalized size | 1 | 1.00 | 1.07 | 2.02 | 1.20 | 4.06 | 1.83 | 1.18 | 1.23 |
| time (sec) | N/A | 0.543 | 0.148 | 0.014 | 2.390 | 0.585 | 94.000 | 0.182 | 4.599 |

| Problem 260 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | B | F(-1) | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 317 | 317 | 345 | 412 | 366 | 1266 | 0 | 364 | 375 |
| normalized size | 1 | 1.00 | 1.09 | 1.30 | 1.15 | 3.99 | 0.00 | 1.15 | 1.18 |
| time (sec) | N/A | 0.650 | 0.225 | 0.013 | 2.519 | 0.738 | 0.000 | 0.195 | 4.574 |

| Problem 261 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 83 | 83 | 88 | 118 | 84 | 268 | 153 | 75 | 77 |
| normalized size | 1 | 1.00 | 1.06 | 1.42 | 1.01 | 3.23 | 1.84 | 0.90 | 0.93 |
| time (sec) | N/A | 0.093 | 0.017 | 0.000 | 2.342 | 0.675 | 0.820 | 0.162 | 0.002 |

| Problem 262 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 83 | 83 | 88 | 118 | 84 | 268 | 153 | 75 | 77 |
| normalized size | 1 | 1.00 | 1.06 | 1.42 | 1.01 | 3.23 | 1.84 | 0.90 | 0.93 |
| time (sec) | N/A | 0.084 | 0.017 | 0.009 | 2.369 | 0.613 | 0.862 | 0.154 | 0.115 |

| Problem 263 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | F(-1) | F(-1) | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 459 | 459 | 570 | 1888 | 0 | 0 | 0 | 9285 | 29551 |
| normalized size | 1 | 1.00 | 1.24 | 4.11 | 0.00 | 0.00 | 0.00 | 20.23 | 64.38 |
| time (sec) | N/A | 1.537 | 0.687 | 0.049 | 0.000 | 0.000 | 0.000 | 1.628 | 9.313 |

| Problem 264 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | B | F(-1) | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 316 | 316 | 402 | 1211 | 0 | 9584 | 0 | 6407 | 17954 |
| normalized size | 1 | 1.00 | 1.27 | 3.83 | 0.00 | 30.33 | 0.00 | 20.28 | 56.82 |
| time (sec) | N/A | 0.786 | 0.550 | 0.037 | 0.000 | 29.064 | 0.000 | 1.355 | 7.290 |

| Problem 265 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | B | F(-1) | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 238 | 238 | 269 | 695 | 0 | 4690 | 0 | 4107 | 9600 |
| normalized size | 1 | 1.00 | 1.13 | 2.92 | 0.00 | 19.71 | 0.00 | 17.26 | 40.34 |
| time (sec) | N/A | 0.635 | 0.322 | 0.028 | 0.000 | 3.331 | 0.000 | 1.136 | 6.484 |

| Problem 266 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | B | F | B | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 174 | 174 | 172 | 328 | 0 | 1525 | 314 | 1402 | 4109 |
| normalized size | 1 | 1.00 | 0.99 | 1.89 | 0.00 | 8.76 | 1.80 | 8.06 | 23.61 |
| time (sec) | N/A | 0.202 | 0.139 | 0.020 | 0.000 | 0.906 | 20.947 | 0.872 | 5.382 |

| Problem 267 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | F | B | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 150 | 150 | 129 | 116 | 0 | 613 | 87 | 1024 | 763 |
| normalized size | 1 | 1.00 | 0.86 | 0.77 | 0.00 | 4.09 | 0.58 | 6.83 | 5.09 |
| time (sec) | N/A | 0.098 | 0.085 | 0.014 | 0.000 | 0.740 | 1.272 | 0.599 | 0.514 |

| Problem 268 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | F(-1) | F(-1) | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 254 | 254 | 274 | 480 | 0 | 0 | 0 | 7650 | 23640 |
| normalized size | 1 | 1.00 | 1.08 | 1.89 | 0.00 | 0.00 | 0.00 | 30.12 | 93.07 |
| time (sec) | N/A | 0.586 | 0.272 | 0.022 | 0.000 | 0.000 | 0.000 | 2.535 | 9.446 |

| Problem 269 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|--------|
| grade | A | A | A | B | F | F(-1) | F(-1) | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 429 | 429 | 354 | 1141 | 0 | 0 | 0 | 13225 | 91169 |
| normalized size | 1 | 1.00 | 0.83 | 2.66 | 0.00 | 0.00 | 0.00 | 30.83 | 212.52 |
| time (sec) | N/A | 1.415 | 0.753 | 0.029 | 0.000 | 0.000 | 0.000 | 2.510 | 10.280 |

| Problem 270 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | B | F(-1) | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 563 | 563 | 540 | 1846 | 0 | 12117 | 0 | 8983 | 29030 |
| normalized size | 1 | 1.00 | 0.96 | 3.28 | 0.00 | 21.52 | 0.00 | 15.96 | 51.56 |
| time (sec) | N/A | 3.519 | 1.630 | 0.050 | 0.000 | 84.432 | 0.000 | 2.459 | 8.793 |

| Problem 271 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | B | F(-1) | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 386 | 386 | 415 | 1223 | 0 | 7338 | 0 | 6390 | 18785 |
| normalized size | 1 | 1.00 | 1.08 | 3.17 | 0.00 | 19.01 | 0.00 | 16.55 | 48.67 |
| time (sec) | N/A | 2.079 | 1.111 | 0.042 | 0.000 | 11.077 | 0.000 | 1.846 | 9.845 |

| Problem 272 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | B | F | B | F(-1) | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 293 | 293 | 310 | 1761 | 0 | 4573 | 0 | 4433 | 12350 |
| normalized size | 1 | 1.00 | 1.06 | 6.01 | 0.00 | 15.61 | 0.00 | 15.13 | 42.15 |
| time (sec) | N/A | 0.789 | 0.749 | 0.085 | 0.000 | 2.832 | 0.000 | 1.764 | 9.387 |

| Problem 273 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|---------|-------|-------|
| grade | A | A | A | B | F | B | A | B | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 252 | 252 | 243 | 733 | 0 | 2309 | 394 | 2682 | 6404 |
| normalized size | 1 | 1.00 | 0.96 | 2.91 | 0.00 | 9.16 | 1.56 | 10.64 | 25.41 |
| time (sec) | N/A | 0.517 | 0.425 | 0.060 | 0.000 | 1.099 | 170.284 | 0.602 | 6.257 |

| Problem 274 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|--------|
| grade | A | A | A | B | F | F(-1) | F(-1) | F(-1) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 660 | 660 | 708 | 3841 | 0 | 0 | 0 | 0 | 237586 |
| normalized size | 1 | 1.00 | 1.07 | 5.82 | 0.00 | 0.00 | 0.00 | 0.00 | 359.98 |
| time (sec) | N/A | 2.873 | 2.789 | 0.064 | 0.000 | 0.000 | 0.000 | 0.000 | 16.455 |

| Problem 275 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|--------|-------------|-------|--------|--------|-------|-------|--------|
| grade | A | A | A | B | F | F(-1) | F(-1) | F(-1) | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 1077 | 1077 | 1020 | 5709 | 0 | 0 | 0 | 0 | 97073 |
| normalized size | 1 | 1.00 | 0.95 | 5.30 | 0.00 | 0.00 | 0.00 | 0.00 | 90.13 |
| time (sec) | N/A | 12.639 | 5.843 | 0.084 | 0.000 | 0.000 | 0.000 | 0.000 | 17.810 |

| Problem 276 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | B | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 215 | 215 | 190 | 283 | 261 | 370 | 505 | 180 | -1 |
| normalized size | 1 | 1.00 | 0.88 | 1.32 | 1.21 | 1.72 | 2.35 | 0.84 | -0.00 |
| time (sec) | N/A | 0.161 | 0.388 | 0.010 | 1.123 | 1.131 | 63.830 | 0.226 | 0.000 |

| Problem 277 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | B | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 175 | 175 | 157 | 229 | 207 | 304 | 413 | 145 | -1 |
| normalized size | 1 | 1.00 | 0.90 | 1.31 | 1.18 | 1.74 | 2.36 | 0.83 | -0.01 |
| time (sec) | N/A | 0.122 | 0.320 | 0.010 | 1.018 | 1.131 | 31.095 | 0.222 | 0.000 |

| Problem 278 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | B | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 132 | 132 | 121 | 175 | 153 | 232 | 272 | 106 | -1 |
| normalized size | 1 | 1.00 | 0.92 | 1.33 | 1.16 | 1.76 | 2.06 | 0.80 | -0.01 |
| time (sec) | N/A | 0.109 | 0.234 | 0.010 | 0.984 | 0.989 | 12.265 | 0.219 | 0.000 |

| Problem 279 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 97 | 97 | 82 | 122 | 100 | 174 | 230 | 79 | -1 |
| normalized size | 1 | 1.00 | 0.85 | 1.26 | 1.03 | 1.79 | 2.37 | 0.81 | -0.01 |
| time (sec) | N/A | 0.061 | 0.064 | 0.009 | 1.066 | 1.071 | 7.045 | 0.193 | 0.000 |

| Problem 280 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | A | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 89 | 89 | 98 | 112 | 97 | 249 | 134 | 80 | -1 |
| normalized size | 1 | 1.00 | 1.10 | 1.26 | 1.09 | 2.80 | 1.51 | 0.90 | -0.01 |
| time (sec) | N/A | 0.073 | 0.105 | 0.009 | 1.130 | 0.883 | 9.984 | 0.205 | 0.000 |

| Problem 281 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | A | A | A | B | A | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 101 | 101 | 112 | 124 | 135 | 289 | 450 | 88 | -1 |
| normalized size | 1 | 1.00 | 1.11 | 1.23 | 1.34 | 2.86 | 4.46 | 0.87 | -0.01 |
| time (sec) | N/A | 0.071 | 0.190 | 0.008 | 1.007 | 0.753 | 18.951 | 0.225 | 0.000 |

| Problem 282 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| grade | A | A | A | A | B | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 86 | 86 | 67 | 66 | 173 | 93 | 639 | 75 | 133 |
| normalized size | 1 | 1.00 | 0.78 | 0.77 | 2.01 | 1.08 | 7.43 | 0.87 | 1.55 |
| time (sec) | N/A | 0.107 | 0.052 | 0.005 | 1.156 | 0.667 | 45.985 | 0.211 | 4.704 |

| Problem 283 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|---------|-------|-------|
| grade | A | A | A | A | B | A | B | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 126 | 126 | 101 | 100 | 227 | 136 | 1989 | 113 | 154 |
| normalized size | 1 | 1.00 | 0.80 | 0.79 | 1.80 | 1.08 | 15.79 | 0.90 | 1.22 |
| time (sec) | N/A | 0.146 | 0.093 | 0.004 | 1.199 | 0.895 | 119.187 | 0.270 | 4.667 |

| Problem 284 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | F(-1) | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 165 | 164 | 132 | 136 | 281 | 177 | 0 | 148 | 189 |
| normalized size | 1 | 0.99 | 0.80 | 0.82 | 1.70 | 1.07 | 0.00 | 0.90 | 1.15 |
| time (sec) | N/A | 0.210 | 0.117 | 0.006 | 1.202 | 0.732 | 0.000 | 0.228 | 4.752 |

| Problem 285 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | A | A | A | F(-1) | A | B |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 210 | 210 | 167 | 172 | 335 | 224 | 0 | 189 | 226 |
| normalized size | 1 | 1.00 | 0.80 | 0.82 | 1.60 | 1.07 | 0.00 | 0.90 | 1.08 |
| time (sec) | N/A | 0.222 | 0.142 | 0.008 | 1.111 | 1.096 | 0.000 | 0.235 | 4.760 |

| Problem 286 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 193 | 193 | 119 | 172 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.62 | 0.89 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.099 | 0.102 | 0.025 | 0.000 | 0.725 | 0.000 | 0.000 | 0.000 |

| Problem 287 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 168 | 168 | 114 | 155 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.68 | 0.92 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.068 | 0.079 | 0.007 | 0.000 | 0.508 | 0.000 | 0.000 | 0.000 |

| Problem 288 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 149 | 149 | 109 | 137 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.73 | 0.92 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.048 | 0.063 | 0.008 | 0.000 | 0.841 | 0.000 | 0.000 | 0.000 |

| Problem 289 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 141 | 141 | 102 | 121 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.72 | 0.86 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.042 | 0.036 | 0.004 | 0.000 | 0.782 | 0.000 | 0.000 | 0.000 |

| Problem 290 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 178 | 232 | 90 | 138 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.30 | 0.51 | 0.78 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.124 | 0.145 | 0.035 | 0.000 | 0.877 | 0.000 | 0.000 | 0.000 |

| Problem 291 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 209 | 209 | 208 | 162 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.00 | 0.78 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.123 | 0.275 | 0.021 | 0.000 | 0.738 | 0.000 | 0.000 | 0.000 |

| Problem 292 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 237 | 237 | 174 | 186 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.73 | 0.78 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.595 | 0.355 | 0.023 | 0.000 | 0.484 | 0.000 | 0.000 | 0.000 |

| Problem 293 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 219 | 219 | 0 | 206 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 0.94 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.124 | 0.000 | 0.020 | 0.000 | 0.468 | 0.000 | 0.000 | 0.000 |

| Problem 294 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 198 | 198 | 0 | 189 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 0.95 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.086 | 0.000 | 0.009 | 0.000 | 0.423 | 0.000 | 0.000 | 0.000 |

| Problem 295 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 179 | 179 | 0 | 172 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 0.96 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.064 | 0.000 | 0.005 | 0.000 | 0.409 | 0.000 | 0.000 | 0.000 |

| Problem 296 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 172 | 172 | 114 | 155 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.66 | 0.90 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.058 | 0.043 | 0.005 | 0.000 | 0.423 | 0.000 | 0.000 | 0.000 |

| Problem 297 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 207 | 207 | 148 | 170 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.71 | 0.82 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.199 | 0.177 | 0.016 | 0.000 | 0.476 | 0.000 | 0.000 | 0.000 |

| Problem 298 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 222 | 333 | 213 | 177 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.50 | 0.96 | 0.80 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.444 | 0.293 | 0.022 | 0.000 | 0.478 | 0.000 | 0.000 | 0.000 |

| Problem 299 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 231 | 288 | 174 | 186 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.25 | 0.75 | 0.81 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.668 | 0.379 | 0.022 | 0.000 | 0.510 | 0.000 | 0.000 | 0.000 |

| Problem 300 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 157 | 157 | 106 | 138 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.68 | 0.88 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.084 | 0.103 | 0.018 | 0.000 | 0.414 | 0.000 | 0.000 | 0.000 |

| Problem 301 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 142 | 142 | 104 | 121 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.73 | 0.85 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.054 | 0.088 | 0.007 | 0.000 | 0.417 | 0.000 | 0.000 | 0.000 |

| Problem 302 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 121 | 121 | 69 | 106 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.57 | 0.88 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.032 | 0.060 | 0.004 | 0.000 | 0.429 | 0.000 | 0.000 | 0.000 |

| Problem 303 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 48 | 48 | 50 | 46 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.04 | 0.96 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.006 | 0.015 | 0.004 | 0.000 | 0.426 | 0.000 | 0.000 | 0.000 |

| Problem 304 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 106 | 106 | 55 | 47 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.52 | 0.44 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.072 | 0.096 | 0.014 | 0.000 | 0.477 | 0.000 | 0.000 | 0.000 |

| Problem 305 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 209 | 209 | 208 | 162 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.00 | 0.78 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.188 | 0.257 | 0.020 | 0.000 | 0.469 | 0.000 | 0.000 | 0.000 |

| Problem 306 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 237 | 237 | 186 | 186 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.78 | 0.78 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.250 | 0.343 | 0.021 | 0.000 | 0.494 | 0.000 | 0.000 | 0.000 |

| Problem 307 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 189 | 189 | 0 | 274 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.45 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.113 | 0.000 | 0.036 | 0.000 | 0.418 | 0.000 | 0.000 | 0.000 |

| Problem 308 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 170 | 170 | 0 | 234 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.38 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.083 | 0.000 | 0.009 | 0.000 | 0.417 | 0.000 | 0.000 | 0.000 |

| Problem 309 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 149 | 149 | 0 | 196 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.32 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.052 | 0.000 | 0.008 | 0.000 | 0.411 | 0.000 | 0.000 | 0.000 |

| Problem 310 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 149 | 149 | 0 | 173 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.16 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.051 | 0.000 | 0.008 | 0.000 | 0.423 | 0.000 | 0.000 | 0.000 |

| Problem 311 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 145 | 145 | 0 | 150 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.03 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.041 | 0.000 | 0.006 | 0.000 | 0.430 | 0.000 | 0.000 | 0.000 |

| Problem 312 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 149 | 149 | 99 | 129 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.66 | 0.87 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.042 | 0.041 | 0.005 | 0.000 | 0.440 | 0.000 | 0.000 | 0.000 |

| Problem 313 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 173 | 207 | 138 | 161 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.20 | 0.80 | 0.93 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.141 | 0.169 | 0.019 | 0.000 | 0.470 | 0.000 | 0.000 | 0.000 |

| Problem 314 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 235 | 235 | 208 | 185 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.89 | 0.79 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.429 | 0.281 | 0.024 | 0.000 | 0.475 | 0.000 | 0.000 | 0.000 |

| Problem 315 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 263 | 263 | 159 | 209 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.60 | 0.79 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.760 | 0.501 | 0.025 | 0.000 | 0.465 | 0.000 | 0.000 | 0.000 |

| Problem 316 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 116 | 116 | 112 | 193 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.97 | 1.66 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.112 | 0.132 | 0.025 | 0.000 | 0.420 | 0.000 | 0.000 | 0.000 |

| Problem 317 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 95 | 95 | 107 | 176 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.13 | 1.85 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.087 | 0.104 | 0.009 | 0.000 | 0.422 | 0.000 | 0.000 | 0.000 |

| Problem 318 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 74 | 74 | 102 | 159 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.38 | 2.15 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.061 | 0.089 | 0.008 | 0.000 | 0.420 | 0.000 | 0.000 | 0.000 |

| Problem 319 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 46 | 46 | 94 | 141 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 2.04 | 3.07 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.046 | 0.081 | 0.006 | 0.000 | 0.418 | 0.000 | 0.000 | 0.000 |

| Problem 320 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 44 | 44 | 90 | 125 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 2.05 | 2.84 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.040 | 0.045 | 0.004 | 0.000 | 0.416 | 0.000 | 0.000 | 0.000 |

| Problem 321 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 46 | 46 | 51 | 141 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.11 | 3.07 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.079 | 0.131 | 0.019 | 0.000 | 0.491 | 0.000 | 0.000 | 0.000 |

| Problem 322 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 74 | 74 | 196 | 165 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 2.65 | 2.23 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.080 | 0.283 | 0.022 | 0.000 | 0.478 | 0.000 | 0.000 | 0.000 |

| Problem 323 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 102 | 102 | 244 | 189 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 2.39 | 1.85 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.414 | 0.357 | 0.020 | 0.000 | 0.471 | 0.000 | 0.000 | 0.000 |

| Problem 324 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | A | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 142 | 142 | 0 | 227 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.60 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.132 | 0.000 | 0.023 | 0.000 | 0.408 | 0.000 | 0.000 | 0.000 |

| Problem 325 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | A | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 121 | 121 | 0 | 210 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.74 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.101 | 0.000 | 0.007 | 0.000 | 0.435 | 0.000 | 0.000 | 0.000 |

| Problem 326 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | B | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 100 | 100 | 0 | 193 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.93 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.074 | 0.000 | 0.009 | 0.000 | 0.429 | 0.000 | 0.000 | 0.000 |

| Problem 327 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | B | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 81 | 81 | 0 | 176 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 2.17 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.055 | 0.000 | 0.007 | 0.000 | 0.416 | 0.000 | 0.000 | 0.000 |

| Problem 328 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 74 | 74 | 102 | 159 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.38 | 2.15 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.052 | 0.055 | 0.004 | 0.000 | 0.415 | 0.000 | 0.000 | 0.000 |

| Problem 329 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 72 | 72 | 130 | 173 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.81 | 2.40 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.136 | 0.196 | 0.017 | 0.000 | 0.484 | 0.000 | 0.000 | 0.000 |

| Problem 330 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 93 | 93 | 201 | 180 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 2.16 | 1.94 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.320 | 0.314 | 0.020 | 0.000 | 0.478 | 0.000 | 0.000 | 0.000 |

| Problem 331 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 102 | 102 | 244 | 189 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 2.39 | 1.85 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.497 | 0.407 | 0.022 | 0.000 | 0.477 | 0.000 | 0.000 | 0.000 |

| Problem 332 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 65 | 65 | 97 | 142 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.49 | 2.18 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.076 | 0.114 | 0.018 | 0.000 | 0.402 | 0.000 | 0.000 | 0.000 |

| Problem 333 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 46 | 46 | 92 | 125 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 2.00 | 2.72 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.051 | 0.097 | 0.009 | 0.000 | 0.436 | 0.000 | 0.000 | 0.000 |

| Problem 334 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 25 | 25 | 34 | 110 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.36 | 4.40 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.038 | 0.059 | 0.005 | 0.000 | 0.439 | 0.000 | 0.000 | 0.000 |

| Problem 335 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 10 | 10 | 19 | 47 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.90 | 4.70 | 0.00 | 0.00 | 0.00 | 0.00 | -0.10 |
| time (sec) | N/A | 0.011 | 0.016 | 0.004 | 0.000 | 0.410 | 0.000 | 0.000 | 0.000 |

| Problem 336 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 17 | 17 | 24 | 48 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.41 | 2.82 | 0.00 | 0.00 | 0.00 | 0.00 | -0.06 |
| time (sec) | N/A | 0.033 | 0.098 | 0.015 | 0.000 | 0.479 | 0.000 | 0.000 | 0.000 |

| Problem 337 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 74 | 74 | 196 | 165 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 2.65 | 2.23 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.134 | 0.285 | 0.020 | 0.000 | 0.482 | 0.000 | 0.000 | 0.000 |

| Problem 338 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 102 | 102 | 108 | 189 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.06 | 1.85 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.192 | 0.416 | 0.021 | 0.000 | 0.486 | 0.000 | 0.000 | 0.000 |

| Problem 339 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | B | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 93 | 93 | 0 | 280 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 3.01 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.101 | 0.000 | 0.037 | 0.000 | 0.452 | 0.000 | 0.000 | 0.000 |

| Problem 340 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | B | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 74 | 74 | 0 | 240 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 3.24 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.076 | 0.000 | 0.008 | 0.000 | 0.433 | 0.000 | 0.000 | 0.000 |

| Problem 341 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | B | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 55 | 55 | 0 | 202 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 3.67 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.051 | 0.000 | 0.008 | 0.000 | 0.424 | 0.000 | 0.000 | 0.000 |

| Problem 342 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | B | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 55 | 55 | 0 | 179 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 3.25 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.051 | 0.000 | 0.008 | 0.000 | 0.433 | 0.000 | 0.000 | 0.000 |

| Problem 343 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | B | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 55 | 55 | 0 | 156 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 2.84 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.045 | 0.000 | 0.007 | 0.000 | 0.413 | 0.000 | 0.000 | 0.000 |

| Problem 344 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | B | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 55 | 55 | 0 | 133 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 2.42 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.041 | 0.000 | 0.005 | 0.000 | 0.435 | 0.000 | 0.000 | 0.000 |

| Problem 345 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 72 | 72 | 101 | 164 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.40 | 2.28 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.090 | 0.218 | 0.015 | 0.000 | 0.487 | 0.000 | 0.000 | 0.000 |

| Problem 346 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 100 | 100 | 196 | 188 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.96 | 1.88 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.297 | 0.329 | 0.023 | 0.000 | 0.496 | 0.000 | 0.000 | 0.000 |

| Problem 347 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 128 | 128 | 244 | 212 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.91 | 1.66 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.570 | 0.397 | 0.025 | 0.000 | 0.487 | 0.000 | 0.000 | 0.000 |

| Problem 348 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 242 | 242 | 354 | 292 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.46 | 1.21 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.150 | 0.585 | 0.167 | 0.000 | 0.418 | 0.000 | 0.000 | 0.000 |

| Problem 349 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 221 | 221 | 349 | 275 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.58 | 1.24 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.112 | 0.505 | 0.010 | 0.000 | 0.418 | 0.000 | 0.000 | 0.000 |

| Problem 350 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 198 | 198 | 343 | 258 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.73 | 1.30 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.077 | 0.470 | 0.009 | 0.000 | 0.409 | 0.000 | 0.000 | 0.000 |

| Problem 351 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 177 | 177 | 338 | 240 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.91 | 1.36 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.054 | 0.431 | 0.006 | 0.000 | 0.407 | 0.000 | 0.000 | 0.000 |

| Problem 352 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 169 | 169 | 331 | 224 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.96 | 1.33 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.051 | 0.352 | 0.004 | 0.000 | 0.412 | 0.000 | 0.000 | 0.000 |

| Problem 353 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 322 | 322 | 283 | 386 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.88 | 1.20 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.152 | 0.251 | 0.118 | 0.000 | 0.494 | 0.000 | 0.000 | 0.000 |

| Problem 354 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 284 | 284 | 481 | 410 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.69 | 1.44 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.151 | 0.768 | 0.025 | 0.000 | 0.503 | 0.000 | 0.000 | 0.000 |

| Problem 355 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 312 | 312 | 308 | 434 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.99 | 1.39 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.711 | 0.680 | 0.029 | 0.000 | 0.496 | 0.000 | 0.000 | 0.000 |

| Problem 356 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 268 | 268 | 0 | 326 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.22 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.174 | 0.000 | 0.041 | 0.000 | 0.418 | 0.000 | 0.000 | 0.000 |

| Problem 357 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 247 | 247 | 0 | 309 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.25 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.130 | 0.000 | 0.008 | 0.000 | 0.425 | 0.000 | 0.000 | 0.000 |

| Problem 358 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 226 | 226 | 0 | 292 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.29 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.098 | 0.000 | 0.009 | 0.000 | 0.421 | 0.000 | 0.000 | 0.000 |

| Problem 359 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 207 | 207 | 0 | 275 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.33 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.071 | 0.000 | 0.008 | 0.000 | 0.444 | 0.000 | 0.000 | 0.000 |

| Problem 360 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 198 | 198 | 343 | 258 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.73 | 1.30 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.069 | 0.420 | 0.004 | 0.000 | 0.414 | 0.000 | 0.000 | 0.000 |

| Problem 361 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 284 | 284 | 477 | 418 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.68 | 1.47 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.236 | 0.724 | 0.021 | 0.000 | 0.494 | 0.000 | 0.000 | 0.000 |

| Problem 362 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 305 | 372 | 309 | 425 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.22 | 1.01 | 1.39 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.534 | 0.569 | 0.028 | 0.000 | 0.479 | 0.000 | 0.000 | 0.000 |

| Problem 363 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 440 | 440 | 309 | 434 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.70 | 0.99 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.800 | 0.688 | 0.027 | 0.000 | 0.522 | 0.000 | 0.000 | 0.000 |

| Problem 364 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 187 | 187 | 337 | 241 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.80 | 1.29 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.093 | 0.479 | 0.031 | 0.000 | 0.414 | 0.000 | 0.000 | 0.000 |

| Problem 365 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 170 | 170 | 331 | 224 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.95 | 1.32 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.059 | 0.427 | 0.008 | 0.000 | 0.447 | 0.000 | 0.000 | 0.000 |

| Problem 366 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 151 | 151 | 214 | 209 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.42 | 1.38 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.036 | 0.176 | 0.005 | 0.000 | 0.414 | 0.000 | 0.000 | 0.000 |

| Problem 367 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 64 | 64 | 142 | 85 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 2.22 | 1.33 | 0.00 | 0.00 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.007 | 0.055 | 0.003 | 0.000 | 0.412 | 0.000 | 0.000 | 0.000 |

| Problem 368 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 168 | 168 | 159 | 107 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.95 | 0.64 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.082 | 0.139 | 0.018 | 0.000 | 0.483 | 0.000 | 0.000 | 0.000 |

| Problem 369 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 286 | 286 | 481 | 410 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.68 | 1.43 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.225 | 0.779 | 0.024 | 0.000 | 0.494 | 0.000 | 0.000 | 0.000 |

| Problem 370 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 314 | 314 | 308 | 434 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.98 | 1.38 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.290 | 0.891 | 0.025 | 0.000 | 0.490 | 0.000 | 0.000 | 0.000 |

| Problem 371 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 219 | 219 | 339 | 379 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.55 | 1.73 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.121 | 0.518 | 0.054 | 0.000 | 0.418 | 0.000 | 0.000 | 0.000 |

| Problem 372 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 200 | 200 | 0 | 339 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.70 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.089 | 0.000 | 0.009 | 0.000 | 0.416 | 0.000 | 0.000 | 0.000 |

| Problem 373 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 181 | 181 | 0 | 301 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.66 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.059 | 0.000 | 0.008 | 0.000 | 0.416 | 0.000 | 0.000 | 0.000 |

| Problem 374 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 181 | 181 | 0 | 278 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.54 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.059 | 0.000 | 0.008 | 0.000 | 0.417 | 0.000 | 0.000 | 0.000 |

| Problem 375 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | F(-1) | C | F | F | F | F | F |
| verified | N/A | Yes | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 181 | 181 | 0 | 255 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.00 | 1.41 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.052 | 0.000 | 0.007 | 0.000 | 0.418 | 0.000 | 0.000 | 0.000 |

| Problem 376 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 181 | 181 | 328 | 232 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.81 | 1.28 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.050 | 0.354 | 0.005 | 0.000 | 0.413 | 0.000 | 0.000 | 0.000 |

| Problem 377 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 284 | 284 | 483 | 409 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.70 | 1.44 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.163 | 0.550 | 0.023 | 0.000 | 0.497 | 0.000 | 0.000 | 0.000 |

| Problem 378 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 312 | 312 | 311 | 433 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.00 | 1.39 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.505 | 0.600 | 0.029 | 0.000 | 0.493 | 0.000 | 0.000 | 0.000 |

| Problem 379 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 340 | 340 | 320 | 457 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.94 | 1.34 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.872 | 0.750 | 0.030 | 0.000 | 0.498 | 0.000 | 0.000 | 0.000 |

| Problem 380 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 467 | 467 | 584 | 1186 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.25 | 2.54 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.425 | 2.871 | 0.022 | 0.000 | 0.449 | 0.000 | 0.000 | 0.000 |

| Problem 381 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 356 | 356 | 488 | 756 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.37 | 2.12 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.191 | 1.615 | 0.008 | 0.000 | 0.414 | 0.000 | 0.000 | 0.000 |

| Problem 382 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 283 | 283 | 302 | 362 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.07 | 1.28 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.083 | 0.257 | 0.005 | 0.000 | 0.409 | 0.000 | 0.000 | 0.000 |

| Problem 383 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 401 | 401 | 214 | 200 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.53 | 0.50 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.346 | 0.220 | 0.036 | 0.000 | 45.979 | 0.000 | 0.000 | 0.000 |

| Problem 384 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|---------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 718 | 718 | 1069 | 1279 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.49 | 1.78 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.081 | 1.863 | 0.036 | 0.000 | 125.492 | 0.000 | 0.000 | 0.000 |

| Problem 385 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 553 | 553 | 596 | 1195 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.08 | 2.16 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.280 | 2.470 | 0.023 | 0.000 | 0.528 | 0.000 | 0.000 | 0.000 |

| Problem 386 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 454 | 454 | 503 | 761 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.11 | 1.68 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.794 | 1.390 | 0.009 | 0.000 | 0.657 | 0.000 | 0.000 | 0.000 |

| Problem 387 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 385 | 385 | 293 | 364 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.76 | 0.95 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.337 | 0.259 | 0.006 | 0.000 | 0.721 | 0.000 | 0.000 | 0.000 |

| Problem 388 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 197 | 197 | 205 | 201 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.04 | 1.02 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.157 | 0.227 | 0.038 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 389 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | B | F | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 718 | 718 | 464 | 1293 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.65 | 1.80 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 1.015 | 5.530 | 0.036 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 390 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 479 | 479 | 304 | 355 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.63 | 0.74 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.475 | 0.302 | 0.033 | 0.000 | 1.105 | 0.000 | 0.000 | 0.000 |

| Problem 391 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 204 | 204 | 216 | 198 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.06 | 0.97 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.192 | 0.223 | 0.033 | 0.000 | 76.165 | 0.000 | 0.000 | 0.000 |

| Problem 392 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 293 | 293 | 295 | 357 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.01 | 1.22 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.090 | 0.306 | 0.035 | 0.000 | 0.634 | 0.000 | 0.000 | 0.000 |

| Problem 393 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 412 | 412 | 207 | 199 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.50 | 0.48 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.363 | 0.221 | 0.033 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 394 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 229 | 229 | 154 | 380 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.67 | 1.66 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.154 | 0.230 | 0.011 | 0.000 | 0.550 | 0.000 | 0.000 | 0.000 |

| Problem 395 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 168 | 168 | 127 | 235 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.76 | 1.40 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.074 | 0.157 | 0.010 | 0.000 | 0.549 | 0.000 | 0.000 | 0.000 |

| Problem 396 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 122 | 122 | 73 | 108 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.60 | 0.89 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.034 | 0.074 | 0.005 | 0.000 | 0.831 | 0.000 | 0.000 | 0.000 |

| Problem 397 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 124 | 124 | 59 | 55 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.48 | 0.44 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.091 | 0.110 | 0.025 | 0.000 | 1.120 | 0.000 | 0.000 | 0.000 |

| Problem 398 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 316 | 399 | 175 | 443 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.26 | 0.55 | 1.40 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.327 | 0.599 | 0.031 | 0.000 | 1.926 | 0.000 | 0.000 | 0.000 |

| Problem 399 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | F(-1) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.011 | 0.098 | 0.096 | 0.000 | 1.215 | 0.000 | 0.000 | 0.000 |

| Problem 400 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | F | F(-1) | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 498 | 498 | 373 | 0 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.814 | 0.509 | 0.088 | 0.000 | 0.629 | 0.000 | 0.000 | 0.000 |

| Problem 401 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | F | F(-1) | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 358 | 345 | 303 | 0 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 0.96 | 0.85 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.356 | 0.370 | 0.086 | 0.000 | 0.593 | 0.000 | 0.000 | 0.000 |

| Problem 402 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | F | F(-1) | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 274 | 274 | 232 | 0 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.85 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.222 | 0.255 | 0.027 | 0.000 | 0.611 | 0.000 | 0.000 | 0.000 |

| Problem 403 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | A | F | F | F | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 133 | 133 | 161 | 0 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 1.21 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.058 | 0.156 | 0.015 | 0.000 | 0.427 | 0.000 | 0.000 | 0.000 |

| Problem 404 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | F(-1) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.011 | 0.129 | 0.093 | 0.000 | 0.454 | 0.000 | 0.000 | 0.000 |

| Problem 405 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | N/A | A | A | A | A | A | F(-1) | A | A |
| verified | N/A | N/A | N/A | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | -0.04 |
| time (sec) | N/A | 0.011 | 0.260 | 0.115 | 0.000 | 0.457 | 0.000 | 0.000 | 0.000 |

| Problem 406 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 446 | 446 | 258 | 251 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 0.58 | 0.56 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.497 | 0.684 | 0.021 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 407 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 218 | 218 | 719 | 247 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 3.30 | 1.13 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.295 | 1.260 | 0.020 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 408 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | B | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 65 | 65 | 685 | 327 | 0 | 323 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 10.54 | 5.03 | 0.00 | 4.97 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.145 | 3.068 | 0.166 | 0.000 | 1.583 | 0.000 | 0.000 | 0.000 |

| Problem 409 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | B | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 63 | 63 | 876 | 311 | 0 | 112 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 13.90 | 4.94 | 0.00 | 1.78 | 0.00 | 0.00 | -0.02 |
| time (sec) | N/A | 0.141 | 7.827 | 0.161 | 0.000 | 1.267 | 0.000 | 0.000 | 0.000 |

| Problem 410 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | B | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 72 | 72 | 623 | 336 | 0 | 328 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 8.65 | 4.67 | 0.00 | 4.56 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.133 | 1.732 | 0.161 | 0.000 | 1.551 | 0.000 | 0.000 | 0.000 |

| Problem 411 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | C | F | B | F | F | F |
| verified | N/A | Yes | NO | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 70 | 70 | 881 | 337 | 0 | 114 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 12.59 | 4.81 | 0.00 | 1.63 | 0.00 | 0.00 | -0.01 |
| time (sec) | N/A | 0.129 | 6.386 | 0.154 | 0.000 | 1.411 | 0.000 | 0.000 | 0.000 |

| Problem 412 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 560 | 560 | 3652 | 437 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 6.52 | 0.78 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.617 | 7.869 | 0.025 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

| Problem 413 | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade | A | A | C | A | F | F(-1) | F | F | F |
| verified | N/A | Yes | Yes | TBD | TBD | TBD | TBD | TBD | TBD |
| size | 527 | 527 | 3658 | 439 | 0 | 0 | 0 | 0 | -1 |
| normalized size | 1 | 1.00 | 6.94 | 0.83 | 0.00 | 0.00 | 0.00 | 0.00 | -0.00 |
| time (sec) | N/A | 0.717 | 7.866 | 0.024 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [147] had the largest ratio of [.7778]

Table 2.1: Rubi specific breakdown of results for each integral

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 1 | A | 9 | 6 | 1.00 | 17 | 0.353 |
| 2 | A | 9 | 6 | 1.00 | 18 | 0.333 |
| 3 | A | 3 | 3 | 1.00 | 18 | 0.167 |
| 4 | A | 3 | 3 | 1.00 | 19 | 0.158 |
| 5 | A | 5 | 3 | 1.00 | 17 | 0.176 |
| 6 | A | 3 | 2 | 1.00 | 17 | 0.118 |
| 7 | A | 2 | 2 | 1.00 | 17 | 0.118 |
| 8 | A | 2 | 2 | 1.00 | 17 | 0.118 |
| 9 | A | 5 | 3 | 1.00 | 27 | 0.111 |
| 10 | A | 3 | 2 | 1.00 | 28 | 0.071 |
| 11 | A | 5 | 3 | 1.00 | 21 | 0.143 |
| 12 | A | 3 | 2 | 1.00 | 22 | 0.091 |
| 13 | A | 3 | 3 | 1.00 | 15 | 0.200 |
| 14 | A | 2 | 2 | 1.00 | 22 | 0.091 |
| 15 | A | 5 | 5 | 1.00 | 23 | 0.217 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 16 | A | 3 | 3 | 1.00 | 21 | 0.143 |
| 17 | A | 6 | 6 | 1.00 | 22 | 0.273 |
| 18 | A | 1 | 1 | 1.00 | 22 | 0.045 |
| 19 | A | 3 | 3 | 1.00 | 21 | 0.143 |
| 20 | A | 1 | 1 | 1.00 | 23 | 0.043 |
| 21 | A | 3 | 3 | 1.00 | 22 | 0.136 |
| 22 | A | 1 | 1 | 1.00 | 28 | 0.036 |
| 23 | A | 2 | 2 | 1.00 | 24 | 0.083 |
| 24 | A | 4 | 4 | 1.00 | 28 | 0.143 |
| 25 | A | 5 | 5 | 1.00 | 25 | 0.200 |
| 26 | A | 5 | 3 | 1.00 | 26 | 0.115 |
| 27 | A | 5 | 3 | 1.00 | 26 | 0.115 |
| 28 | A | 5 | 3 | 1.00 | 27 | 0.111 |
| 29 | A | 5 | 3 | 1.00 | 27 | 0.111 |
| 30 | A | 3 | 2 | 1.00 | 27 | 0.074 |
| 31 | A | 3 | 2 | 1.00 | 27 | 0.074 |
| 32 | A | 3 | 2 | 1.00 | 28 | 0.071 |
| 33 | A | 3 | 2 | 1.00 | 28 | 0.071 |
| 34 | A | 3 | 2 | 1.00 | 30 | 0.067 |
| 35 | A | 5 | 3 | 1.00 | 29 | 0.103 |
| 36 | A | 6 | 4 | 1.00 | 29 | 0.138 |
| 37 | A | 3 | 2 | 1.00 | 32 | 0.062 |
| 38 | A | 5 | 3 | 1.00 | 31 | 0.097 |
| 39 | A | 5 | 3 | 1.00 | 22 | 0.136 |
| 40 | A | 5 | 3 | 1.00 | 23 | 0.130 |
| 41 | A | 3 | 2 | 1.00 | 22 | 0.091 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 42 | A | 3 | 2 | 1.00 | 22 | 0.091 |
| 43 | A | 3 | 3 | 1.00 | 22 | 0.136 |
| 44 | A | 5 | 3 | 1.00 | 22 | 0.136 |
| 45 | A | 5 | 3 | 1.00 | 22 | 0.136 |
| 46 | A | 5 | 3 | 1.00 | 20 | 0.150 |
| 47 | A | 5 | 3 | 1.00 | 17 | 0.176 |
| 48 | A | 5 | 3 | 1.00 | 22 | 0.136 |
| 49 | A | 5 | 3 | 1.00 | 22 | 0.136 |
| 50 | A | 5 | 3 | 1.00 | 22 | 0.136 |
| 51 | A | 2 | 2 | 1.00 | 22 | 0.091 |
| 52 | A | 7 | 3 | 1.00 | 22 | 0.136 |
| 53 | A | 5 | 3 | 1.00 | 22 | 0.136 |
| 54 | A | 3 | 2 | 1.00 | 22 | 0.091 |
| 55 | A | 3 | 2 | 1.00 | 22 | 0.091 |
| 56 | A | 3 | 2 | 1.00 | 22 | 0.091 |
| 57 | A | 2 | 2 | 1.00 | 22 | 0.091 |
| 58 | A | 3 | 2 | 1.00 | 22 | 0.091 |
| 59 | A | 3 | 2 | 1.00 | 22 | 0.091 |
| 60 | A | 3 | 2 | 1.00 | 20 | 0.100 |
| 61 | A | 3 | 2 | 1.00 | 17 | 0.118 |
| 62 | A | 3 | 2 | 1.00 | 22 | 0.091 |
| 63 | A | 3 | 2 | 1.00 | 22 | 0.091 |
| 64 | A | 3 | 2 | 1.00 | 22 | 0.091 |
| 65 | A | 3 | 3 | 1.00 | 22 | 0.136 |
| 66 | A | 7 | 3 | 1.00 | 22 | 0.136 |
| 67 | A | 5 | 3 | 1.00 | 22 | 0.136 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 68 | A | 5 | 3 | 1.00 | 18 | 0.167 |
| 69 | A | 3 | 2 | 1.00 | 18 | 0.111 |
| 70 | A | 3 | 2 | 1.00 | 18 | 0.111 |
| 71 | A | 3 | 2 | 1.00 | 18 | 0.111 |
| 72 | A | 2 | 2 | 1.00 | 18 | 0.111 |
| 73 | A | 5 | 3 | 1.00 | 16 | 0.188 |
| 74 | A | 5 | 3 | 1.00 | 13 | 0.231 |
| 75 | A | 5 | 3 | 1.00 | 18 | 0.167 |
| 76 | A | 2 | 2 | 1.00 | 18 | 0.111 |
| 77 | A | 7 | 3 | 1.00 | 18 | 0.167 |
| 78 | A | 5 | 3 | 1.00 | 18 | 0.167 |
| 79 | A | 5 | 3 | 1.00 | 18 | 0.167 |
| 80 | A | 3 | 2 | 1.00 | 20 | 0.100 |
| 81 | A | 3 | 2 | 1.00 | 20 | 0.100 |
| 82 | A | 3 | 2 | 1.00 | 20 | 0.100 |
| 83 | A | 3 | 2 | 1.00 | 20 | 0.100 |
| 84 | A | 2 | 2 | 1.00 | 20 | 0.100 |
| 85 | A | 3 | 2 | 1.00 | 18 | 0.111 |
| 86 | A | 3 | 2 | 1.00 | 15 | 0.133 |
| 87 | A | 3 | 2 | 1.00 | 20 | 0.100 |
| 88 | A | 3 | 3 | 1.00 | 20 | 0.150 |
| 89 | A | 5 | 3 | 1.00 | 20 | 0.150 |
| 90 | A | 5 | 3 | 1.00 | 20 | 0.150 |
| 91 | A | 5 | 3 | 1.00 | 20 | 0.150 |
| 92 | A | 5 | 3 | 1.00 | 23 | 0.130 |
| 93 | A | 5 | 3 | 1.00 | 22 | 0.136 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 94 | A | 3 | 3 | 1.00 | 20 | 0.150 |
| 95 | A | 3 | 2 | 1.00 | 22 | 0.091 |
| 96 | A | 3 | 2 | 1.00 | 22 | 0.091 |
| 97 | A | 3 | 2 | 1.00 | 18 | 0.111 |
| 98 | A | 9 | 5 | 1.00 | 18 | 0.278 |
| 99 | A | 10 | 6 | 1.00 | 18 | 0.333 |
| 100 | A | 9 | 5 | 1.00 | 18 | 0.278 |
| 101 | A | 10 | 6 | 1.00 | 18 | 0.333 |
| 102 | A | 9 | 5 | 1.00 | 29 | 0.172 |
| 103 | A | 9 | 5 | 1.00 | 26 | 0.192 |
| 104 | A | 9 | 5 | 1.00 | 24 | 0.208 |
| 105 | A | 9 | 5 | 1.00 | 22 | 0.227 |
| 106 | A | 9 | 5 | 1.00 | 25 | 0.200 |
| 107 | A | 9 | 5 | 1.00 | 31 | 0.161 |
| 108 | A | 9 | 5 | 1.00 | 32 | 0.156 |
| 109 | A | 9 | 5 | 1.00 | 23 | 0.217 |
| 110 | A | 9 | 5 | 1.00 | 25 | 0.200 |
| 111 | A | 9 | 5 | 1.00 | 29 | 0.172 |
| 112 | A | 9 | 5 | 1.00 | 32 | 0.156 |
| 113 | A | 4 | 4 | 1.00 | 22 | 0.182 |
| 114 | A | 5 | 5 | 1.00 | 24 | 0.208 |
| 115 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 116 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 117 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 118 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 119 | A | 3 | 3 | 1.00 | 39 | 0.077 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 120 | A | 2 | 1 | 1.00 | 17 | 0.059 |
| 121 | A | 2 | 1 | 1.00 | 17 | 0.059 |
| 122 | A | 2 | 1 | 1.00 | 17 | 0.059 |
| 123 | A | 2 | 1 | 1.00 | 15 | 0.067 |
| 124 | A | 3 | 2 | 1.00 | 17 | 0.118 |
| 125 | A | 3 | 3 | 1.00 | 17 | 0.176 |
| 126 | A | 3 | 3 | 1.00 | 17 | 0.176 |
| 127 | A | 4 | 4 | 1.00 | 17 | 0.235 |
| 128 | A | 2 | 1 | 1.00 | 19 | 0.053 |
| 129 | A | 2 | 1 | 1.00 | 19 | 0.053 |
| 130 | A | 2 | 1 | 1.00 | 17 | 0.059 |
| 131 | A | 2 | 1 | 1.00 | 9 | 0.111 |
| 132 | A | 3 | 2 | 1.00 | 19 | 0.105 |
| 133 | A | 4 | 3 | 1.00 | 19 | 0.158 |
| 134 | A | 5 | 4 | 1.00 | 19 | 0.210 |
| 135 | A | 5 | 5 | 1.00 | 19 | 0.263 |
| 136 | A | 5 | 5 | 1.00 | 19 | 0.263 |
| 137 | A | 11 | 7 | 1.00 | 19 | 0.368 |
| 138 | A | 11 | 7 | 1.00 | 19 | 0.368 |
| 139 | A | 11 | 7 | 1.00 | 19 | 0.368 |
| 140 | A | 9 | 6 | 1.00 | 17 | 0.353 |
| 141 | A | 9 | 6 | 1.00 | 9 | 0.667 |
| 142 | A | 12 | 8 | 1.00 | 19 | 0.421 |
| 143 | A | 14 | 9 | 1.00 | 19 | 0.474 |
| 144 | A | 11 | 8 | 1.00 | 19 | 0.421 |
| 145 | A | 11 | 8 | 1.00 | 19 | 0.421 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 146 | A | 10 | 7 | 1.00 | 17 | 0.412 |
| 147 | A | 10 | 7 | 1.00 | 9 | 0.778 |
| 148 | A | 22 | 9 | 1.00 | 19 | 0.474 |
| 149 | A | 24 | 10 | 1.00 | 19 | 0.526 |
| 150 | A | 6 | 5 | 0.99 | 21 | 0.238 |
| 151 | A | 5 | 5 | 1.00 | 21 | 0.238 |
| 152 | A | 4 | 4 | 1.00 | 21 | 0.190 |
| 153 | A | 3 | 3 | 1.00 | 19 | 0.158 |
| 154 | A | 3 | 3 | 1.00 | 21 | 0.143 |
| 155 | A | 6 | 6 | 1.00 | 21 | 0.286 |
| 156 | A | 7 | 7 | 1.00 | 21 | 0.333 |
| 157 | A | 8 | 8 | 1.00 | 22 | 0.364 |
| 158 | A | 7 | 7 | 1.00 | 22 | 0.318 |
| 159 | A | 6 | 6 | 1.00 | 20 | 0.300 |
| 160 | A | 2 | 2 | 1.00 | 22 | 0.091 |
| 161 | A | 10 | 10 | 1.00 | 22 | 0.454 |
| 162 | A | 11 | 11 | 1.00 | 22 | 0.500 |
| 163 | A | 12 | 11 | 1.00 | 22 | 0.500 |
| 164 | A | 6 | 6 | 1.00 | 21 | 0.286 |
| 165 | A | 2 | 2 | 1.00 | 23 | 0.087 |
| 166 | A | 3 | 3 | 1.00 | 29 | 0.103 |
| 167 | A | 3 | 3 | 1.00 | 29 | 0.103 |
| 168 | A | 3 | 3 | 1.00 | 22 | 0.136 |
| 169 | A | 3 | 3 | 1.00 | 24 | 0.125 |
| 170 | A | 2 | 2 | 1.00 | 21 | 0.095 |
| 171 | A | 3 | 3 | 1.00 | 21 | 0.143 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 172 | A | 1 | 1 | 1.00 | 22 | 0.045 |
| 173 | A | 3 | 3 | 1.00 | 21 | 0.143 |
| 174 | F | 0 | 0 | N/A | 0 | N/A |
| 175 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 176 | A | 9 | 6 | 0.96 | 19 | 0.316 |
| 177 | A | 7 | 6 | 0.95 | 19 | 0.316 |
| 178 | A | 6 | 5 | 1.00 | 17 | 0.294 |
| 179 | A | 2 | 2 | 1.00 | 9 | 0.222 |
| 180 | A | 6 | 5 | 1.00 | 19 | 0.263 |
| 181 | A | 8 | 5 | 1.00 | 19 | 0.263 |
| 182 | A | 6 | 4 | 0.95 | 19 | 0.210 |
| 183 | A | 5 | 4 | 0.92 | 19 | 0.210 |
| 184 | A | 4 | 3 | 1.00 | 17 | 0.176 |
| 185 | A | 1 | 1 | 1.00 | 9 | 0.111 |
| 186 | A | 4 | 3 | 1.00 | 19 | 0.158 |
| 187 | A | 5 | 3 | 1.00 | 19 | 0.158 |
| 188 | A | 6 | 3 | 1.00 | 19 | 0.158 |
| 189 | A | 4 | 3 | 1.00 | 24 | 0.125 |
| 190 | A | 4 | 3 | 1.00 | 24 | 0.125 |
| 191 | A | 3 | 3 | 1.00 | 24 | 0.125 |
| 192 | A | 2 | 2 | 1.00 | 22 | 0.091 |
| 193 | A | 5 | 5 | 1.00 | 24 | 0.208 |
| 194 | A | 6 | 6 | 1.00 | 24 | 0.250 |
| 195 | A | 6 | 6 | 1.00 | 26 | 0.231 |
| 196 | A | 3 | 3 | 1.00 | 26 | 0.115 |
| 197 | A | 4 | 4 | 1.00 | 26 | 0.154 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 198 | A | 6 | 6 | 1.00 | 26 | 0.231 |
| 199 | A | 5 | 5 | 1.00 | 28 | 0.179 |
| 200 | A | 4 | 4 | 1.00 | 28 | 0.143 |
| 201 | A | 3 | 3 | 1.00 | 28 | 0.107 |
| 202 | A | 3 | 3 | 1.00 | 28 | 0.107 |
| 203 | A | 4 | 4 | 1.00 | 28 | 0.143 |
| 204 | A | 6 | 6 | 1.00 | 28 | 0.214 |
| 205 | A | 5 | 5 | 1.00 | 29 | 0.172 |
| 206 | A | 4 | 4 | 1.00 | 29 | 0.138 |
| 207 | A | 3 | 3 | 1.00 | 29 | 0.103 |
| 208 | A | 3 | 3 | 1.00 | 29 | 0.103 |
| 209 | A | 4 | 4 | 1.00 | 29 | 0.138 |
| 210 | A | 6 | 6 | 1.00 | 29 | 0.207 |
| 211 | A | 2 | 2 | 1.00 | 19 | 0.105 |
| 212 | A | 3 | 3 | 1.67 | 19 | 0.158 |
| 213 | A | 7 | 5 | 0.99 | 31 | 0.161 |
| 214 | A | 4 | 3 | 1.00 | 39 | 0.077 |
| 215 | A | 4 | 3 | 1.00 | 39 | 0.077 |
| 216 | A | 3 | 3 | 1.00 | 39 | 0.077 |
| 217 | A | 2 | 2 | 1.00 | 37 | 0.054 |
| 218 | A | 5 | 5 | 1.00 | 39 | 0.128 |
| 219 | A | 6 | 6 | 1.00 | 39 | 0.154 |
| 220 | A | 7 | 7 | 1.00 | 41 | 0.171 |
| 221 | A | 6 | 6 | 1.00 | 41 | 0.146 |
| 222 | A | 3 | 3 | 1.00 | 41 | 0.073 |
| 223 | A | 4 | 4 | 1.00 | 41 | 0.098 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 224 | A | 6 | 6 | 1.00 | 41 | 0.146 |
| 225 | A | 6 | 6 | 1.00 | 20 | 0.300 |
| 226 | A | 5 | 5 | 1.00 | 20 | 0.250 |
| 227 | A | 4 | 4 | 1.00 | 18 | 0.222 |
| 228 | A | 8 | 7 | 1.00 | 20 | 0.350 |
| 229 | A | 1 | 1 | 1.00 | 20 | 0.050 |
| 230 | A | 23 | 13 | 1.00 | 20 | 0.650 |
| 231 | A | 26 | 14 | 1.00 | 20 | 0.700 |
| 232 | A | 5 | 5 | 1.00 | 20 | 0.250 |
| 233 | A | 4 | 4 | 1.00 | 20 | 0.200 |
| 234 | A | 3 | 3 | 1.00 | 18 | 0.167 |
| 235 | A | 4 | 4 | 1.00 | 20 | 0.200 |
| 236 | A | 8 | 8 | 1.00 | 20 | 0.400 |
| 237 | A | 9 | 9 | 1.00 | 20 | 0.450 |
| 238 | A | 4 | 4 | 1.00 | 20 | 0.200 |
| 239 | A | 2 | 2 | 1.00 | 20 | 0.100 |
| 240 | A | 2 | 2 | 1.00 | 18 | 0.111 |
| 241 | A | 9 | 8 | 1.00 | 20 | 0.400 |
| 242 | A | 16 | 11 | 1.00 | 20 | 0.550 |
| 243 | A | 23 | 14 | 1.00 | 20 | 0.700 |
| 244 | A | 2 | 1 | 1.00 | 22 | 0.045 |
| 245 | A | 2 | 1 | 1.00 | 22 | 0.045 |
| 246 | A | 2 | 1 | 1.00 | 22 | 0.045 |
| 247 | A | 2 | 1 | 1.00 | 20 | 0.050 |
| 248 | A | 3 | 2 | 1.00 | 22 | 0.091 |
| 249 | A | 3 | 3 | 1.00 | 22 | 0.136 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 250 | A | 3 | 3 | 1.00 | 22 | 0.136 |
| 251 | A | 4 | 4 | 1.00 | 22 | 0.182 |
| 252 | A | 2 | 1 | 1.00 | 24 | 0.042 |
| 253 | A | 2 | 1 | 1.00 | 24 | 0.042 |
| 254 | A | 2 | 1 | 1.00 | 22 | 0.045 |
| 255 | A | 2 | 1 | 1.00 | 14 | 0.071 |
| 256 | A | 3 | 2 | 1.00 | 24 | 0.083 |
| 257 | A | 4 | 3 | 1.00 | 24 | 0.125 |
| 258 | A | 5 | 4 | 1.00 | 24 | 0.167 |
| 259 | A | 5 | 4 | 1.00 | 24 | 0.167 |
| 260 | A | 5 | 4 | 1.00 | 24 | 0.167 |
| 261 | A | 3 | 3 | 1.00 | 22 | 0.136 |
| 262 | A | 3 | 3 | 1.00 | 23 | 0.130 |
| 263 | A | 5 | 3 | 1.00 | 24 | 0.125 |
| 264 | A | 5 | 3 | 1.00 | 24 | 0.125 |
| 265 | A | 5 | 3 | 1.00 | 24 | 0.125 |
| 266 | A | 3 | 2 | 1.00 | 22 | 0.091 |
| 267 | A | 3 | 2 | 1.00 | 14 | 0.143 |
| 268 | A | 6 | 3 | 1.00 | 24 | 0.125 |
| 269 | A | 8 | 4 | 1.00 | 24 | 0.167 |
| 270 | A | 4 | 3 | 1.00 | 24 | 0.125 |
| 271 | A | 4 | 3 | 1.00 | 24 | 0.125 |
| 272 | A | 4 | 3 | 1.00 | 22 | 0.136 |
| 273 | A | 4 | 3 | 1.00 | 14 | 0.214 |
| 274 | A | 10 | 4 | 1.00 | 24 | 0.167 |
| 275 | A | 12 | 5 | 1.00 | 24 | 0.208 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 276 | A | 7 | 5 | 1.00 | 24 | 0.208 |
| 277 | A | 6 | 5 | 1.00 | 24 | 0.208 |
| 278 | A | 5 | 5 | 1.00 | 24 | 0.208 |
| 279 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 280 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 281 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 282 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 283 | A | 5 | 5 | 1.00 | 24 | 0.208 |
| 284 | A | 6 | 5 | 0.99 | 24 | 0.208 |
| 285 | A | 7 | 5 | 1.00 | 24 | 0.208 |
| 286 | A | 6 | 6 | 1.00 | 24 | 0.250 |
| 287 | A | 5 | 5 | 1.00 | 24 | 0.208 |
| 288 | A | 4 | 4 | 1.00 | 22 | 0.182 |
| 289 | A | 4 | 4 | 1.00 | 14 | 0.286 |
| 290 | A | 8 | 7 | 1.30 | 24 | 0.292 |
| 291 | A | 8 | 7 | 1.00 | 24 | 0.292 |
| 292 | A | 25 | 10 | 1.00 | 24 | 0.417 |
| 293 | A | 7 | 6 | 1.00 | 24 | 0.250 |
| 294 | A | 6 | 5 | 1.00 | 24 | 0.208 |
| 295 | A | 5 | 4 | 1.00 | 22 | 0.182 |
| 296 | A | 5 | 5 | 1.00 | 14 | 0.357 |
| 297 | A | 13 | 8 | 1.00 | 24 | 0.333 |
| 298 | A | 21 | 10 | 1.50 | 24 | 0.417 |
| 299 | A | 27 | 10 | 1.25 | 24 | 0.417 |
| 300 | A | 5 | 5 | 1.00 | 24 | 0.208 |
| 301 | A | 4 | 4 | 1.00 | 24 | 0.167 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 302 | A | 3 | 3 | 1.00 | 22 | 0.136 |
| 303 | A | 1 | 1 | 1.00 | 14 | 0.071 |
| 304 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 305 | A | 9 | 8 | 1.00 | 24 | 0.333 |
| 306 | A | 10 | 9 | 1.00 | 24 | 0.375 |
| 307 | A | 6 | 5 | 1.00 | 24 | 0.208 |
| 308 | A | 5 | 5 | 1.00 | 24 | 0.208 |
| 309 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 310 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 311 | A | 4 | 4 | 1.00 | 22 | 0.182 |
| 312 | A | 4 | 4 | 1.00 | 14 | 0.286 |
| 313 | A | 9 | 8 | 1.20 | 24 | 0.333 |
| 314 | A | 19 | 10 | 1.00 | 24 | 0.417 |
| 315 | A | 29 | 11 | 1.00 | 24 | 0.458 |
| 316 | A | 8 | 7 | 1.00 | 24 | 0.292 |
| 317 | A | 7 | 7 | 1.00 | 24 | 0.292 |
| 318 | A | 6 | 6 | 1.00 | 24 | 0.250 |
| 319 | A | 5 | 5 | 1.00 | 22 | 0.227 |
| 320 | A | 5 | 5 | 1.00 | 14 | 0.357 |
| 321 | A | 7 | 7 | 1.00 | 24 | 0.292 |
| 322 | A | 7 | 7 | 1.00 | 24 | 0.292 |
| 323 | A | 21 | 10 | 1.00 | 24 | 0.417 |
| 324 | A | 9 | 7 | 1.00 | 24 | 0.292 |
| 325 | A | 8 | 7 | 1.00 | 24 | 0.292 |
| 326 | A | 7 | 6 | 1.00 | 24 | 0.250 |
| 327 | A | 6 | 5 | 1.00 | 22 | 0.227 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 328 | A | 6 | 6 | 1.00 | 14 | 0.429 |
| 329 | A | 13 | 8 | 1.00 | 24 | 0.333 |
| 330 | A | 21 | 13 | 1.00 | 24 | 0.542 |
| 331 | A | 27 | 13 | 1.00 | 24 | 0.542 |
| 332 | A | 6 | 6 | 1.00 | 24 | 0.250 |
| 333 | A | 5 | 5 | 1.00 | 24 | 0.208 |
| 334 | A | 4 | 4 | 1.00 | 22 | 0.182 |
| 335 | A | 2 | 2 | 1.00 | 14 | 0.143 |
| 336 | A | 2 | 2 | 1.00 | 24 | 0.083 |
| 337 | A | 8 | 8 | 1.00 | 24 | 0.333 |
| 338 | A | 9 | 9 | 1.00 | 24 | 0.375 |
| 339 | A | 7 | 6 | 1.00 | 24 | 0.250 |
| 340 | A | 6 | 6 | 1.00 | 24 | 0.250 |
| 341 | A | 5 | 5 | 1.00 | 24 | 0.208 |
| 342 | A | 5 | 5 | 1.00 | 24 | 0.208 |
| 343 | A | 5 | 5 | 1.00 | 22 | 0.227 |
| 344 | A | 5 | 5 | 1.00 | 14 | 0.357 |
| 345 | A | 8 | 8 | 1.00 | 24 | 0.333 |
| 346 | A | 17 | 10 | 1.00 | 24 | 0.417 |
| 347 | A | 26 | 11 | 1.00 | 24 | 0.458 |
| 348 | A | 7 | 6 | 1.00 | 24 | 0.250 |
| 349 | A | 6 | 6 | 1.00 | 24 | 0.250 |
| 350 | A | 5 | 5 | 1.00 | 24 | 0.208 |
| 351 | A | 4 | 4 | 1.00 | 22 | 0.182 |
| 352 | A | 4 | 4 | 1.00 | 14 | 0.286 |
| 353 | A | 7 | 6 | 1.00 | 24 | 0.250 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 354 | A | 7 | 6 | 1.00 | 24 | 0.250 |
| 355 | A | 18 | 9 | 1.00 | 24 | 0.375 |
| 356 | A | 8 | 6 | 1.00 | 24 | 0.250 |
| 357 | A | 7 | 6 | 1.00 | 24 | 0.250 |
| 358 | A | 6 | 5 | 1.00 | 24 | 0.208 |
| 359 | A | 5 | 4 | 1.00 | 22 | 0.182 |
| 360 | A | 5 | 5 | 1.00 | 14 | 0.357 |
| 361 | A | 12 | 7 | 1.00 | 24 | 0.292 |
| 362 | A | 19 | 11 | 1.22 | 24 | 0.458 |
| 363 | A | 22 | 10 | 1.00 | 24 | 0.417 |
| 364 | A | 5 | 5 | 1.00 | 24 | 0.208 |
| 365 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 366 | A | 3 | 3 | 1.00 | 22 | 0.136 |
| 367 | A | 1 | 1 | 1.00 | 14 | 0.071 |
| 368 | A | 3 | 3 | 1.00 | 24 | 0.125 |
| 369 | A | 6 | 6 | 1.00 | 24 | 0.250 |
| 370 | A | 7 | 7 | 1.00 | 24 | 0.292 |
| 371 | A | 6 | 5 | 1.00 | 24 | 0.208 |
| 372 | A | 5 | 5 | 1.00 | 24 | 0.208 |
| 373 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 374 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 375 | A | 4 | 4 | 1.00 | 22 | 0.182 |
| 376 | A | 4 | 4 | 1.00 | 14 | 0.286 |
| 377 | A | 8 | 7 | 1.00 | 24 | 0.292 |
| 378 | A | 15 | 10 | 1.00 | 24 | 0.417 |
| 379 | A | 22 | 11 | 1.00 | 24 | 0.458 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 380 | A | 5 | 5 | 1.00 | 26 | 0.192 |
| 381 | A | 4 | 4 | 1.00 | 26 | 0.154 |
| 382 | A | 3 | 3 | 1.00 | 24 | 0.125 |
| 383 | A | 3 | 3 | 1.00 | 26 | 0.115 |
| 384 | A | 6 | 6 | 1.00 | 26 | 0.231 |
| 385 | A | 6 | 6 | 1.00 | 27 | 0.222 |
| 386 | A | 5 | 5 | 1.00 | 27 | 0.185 |
| 387 | A | 4 | 4 | 1.00 | 25 | 0.160 |
| 388 | A | 2 | 2 | 1.00 | 27 | 0.074 |
| 389 | A | 8 | 8 | 1.00 | 27 | 0.296 |
| 390 | A | 5 | 5 | 1.00 | 26 | 0.192 |
| 391 | A | 2 | 2 | 1.00 | 28 | 0.071 |
| 392 | A | 3 | 3 | 1.00 | 27 | 0.111 |
| 393 | A | 3 | 3 | 1.00 | 29 | 0.103 |
| 394 | A | 5 | 5 | 1.00 | 24 | 0.208 |
| 395 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 396 | A | 3 | 3 | 1.00 | 22 | 0.136 |
| 397 | A | 4 | 4 | 1.00 | 24 | 0.167 |
| 398 | A | 9 | 8 | 1.26 | 24 | 0.333 |
| 399 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 400 | A | 8 | 7 | 1.00 | 24 | 0.292 |
| 401 | A | 7 | 6 | 0.96 | 24 | 0.250 |
| 402 | A | 6 | 5 | 1.00 | 22 | 0.227 |
| 403 | A | 2 | 2 | 1.00 | 14 | 0.143 |
| 404 | A | 0 | 0 | 0.00 | 0 | 0.000 |
| 405 | A | 0 | 0 | 0.00 | 0 | 0.000 |

Continued on next page

Table 2.1 – continued from previous page

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 406 | A | 8 | 8 | 1.00 | 24 | 0.333 |
| 407 | A | 10 | 10 | 1.00 | 26 | 0.385 |
| 408 | A | 2 | 2 | 1.00 | 40 | 0.050 |
| 409 | A | 2 | 2 | 1.00 | 40 | 0.050 |
| 410 | A | 2 | 2 | 1.00 | 46 | 0.043 |
| 411 | A | 2 | 2 | 1.00 | 46 | 0.043 |
| 412 | A | 8 | 8 | 1.00 | 29 | 0.276 |
| 413 | A | 10 | 10 | 1.00 | 31 | 0.323 |

Chapter 3

Listing of integrals

3.1 $\int \frac{c+dx^2}{a+bx^4} dx$

Optimal. Leaf size=247

$$\frac{(\sqrt{bc} - \sqrt{ad}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{ad}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{ad} + \sqrt{bc}) \arctan\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{a} + \sqrt{b} x^2}\right)}{4\sqrt{2} a^{3/4} b^{3/4}}$$

[Out] $-1/8*\ln(-a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(-d*a^{(1/2)}+c*b^{(1/2)})/a^{(3/4)}/b^{(3/4)}*2^{(1/2)}+1/8*\ln(a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})*(-d*a^{(1/2)}+c*b^{(1/2)})/a^{(3/4)}/b^{(3/4)}*2^{(1/2)}+1/4*\arctan(-1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(d*a^{(1/2)}+c*b^{(1/2)})/a^{(3/4)}/b^{(3/4)}*2^{(1/2)}+1/4*\arctan(1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(d*a^{(1/2)}+c*b^{(1/2)})/a^{(3/4)}/b^{(3/4)}*2^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{bc} - \sqrt{ad}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{ad}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{ad} + \sqrt{bc}) \arctan\left(\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{a} + \sqrt{b} x^2}\right)}{4\sqrt{2} a^{3/4} b^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x^2)/(a + b*x^4), x]

[Out] $-((\text{Sqrt}[b]*c + \text{Sqrt}[a]*d)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*a^{(3/4)}*b^{(3/4)}) + ((\text{Sqrt}[b]*c + \text{Sqrt}[a]*d)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*a^{(3/4)}*b^{(3/4)}) - (\text{Sqrt}[a]*d + \text{Sqrt}[b]*c)*\text{ArcTan}\left[\frac{\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2}{\sqrt{a} + \sqrt{b} x^2}\right]/(4*\text{Sqrt}[2]*a^{(3/4)}*b^{(3/4)})$

$$\frac{x/a^{1/4}}{(2\sqrt{2}a^{3/4}b^{3/4})} - \frac{(\sqrt{b}c - \sqrt{a}d)\text{Log}[\sqrt{a} - \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2]}{(4\sqrt{2}a^{3/4}b^{3/4})} + \frac{(\sqrt{b}c - \sqrt{a}d)\text{Log}[\sqrt{a} + \sqrt{2}a^{1/4}b^{1/4}x + \sqrt{b}x^2]}{(4\sqrt{2}a^{3/4}b^{3/4})}$$
Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rubi steps

$$\begin{aligned}
\int \frac{c + dx^2}{a + bx^4} dx &= \frac{\left(\frac{\sqrt{b}c}{\sqrt{a}} - d\right) \int \frac{\sqrt{a}\sqrt{b-bx^2}}{a+bx^4} dx + \left(\frac{\sqrt{b}c}{\sqrt{a}} + d\right) \int \frac{\sqrt{a}\sqrt{b+bx^2}}{a+bx^4} dx}{2b} \\
&= \frac{\left(\frac{\sqrt{b}c}{\sqrt{a}} + d\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx + \left(\frac{\sqrt{b}c}{\sqrt{a}} + d\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx - \left(\sqrt{b}c - \sqrt{a}d\right) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}} + 2x}{-\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}{4b} \\
&= -\frac{\left(\sqrt{b}c - \sqrt{a}d\right) \log\left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2\right)}{4\sqrt{2}a^{3/4}b^{3/4}} + \frac{\left(\sqrt{b}c - \sqrt{a}d\right) \log\left(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2\right)}{4\sqrt{2}a^{3/4}b^{3/4}} \\
&= -\frac{\left(\sqrt{b}c + \sqrt{a}d\right) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{3/4}} + \frac{\left(\sqrt{b}c + \sqrt{a}d\right) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{3/4}} - \frac{\left(\sqrt{b}c - \sqrt{a}d\right) \log\left(\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}} + 2x\right)}{4\sqrt{2}a^{3/4}b^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 183, normalized size = 0.74

$$-\frac{\left(\sqrt{b}c - \sqrt{a}d\right) \left(\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2\right) - \log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2\right)\right) - 2\left(\sqrt{a}d + \sqrt{b}c\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{4\sqrt{2}a^{3/4}b^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^2)/(a + b*x^4), x]

[Out] $(-2*(\text{Sqrt}[b]*c + \text{Sqrt}[a]*d)*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}] + 2*(\text{Sqrt}[b]*c + \text{Sqrt}[a]*d)*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}] - (\text{Sqrt}[b]*c - \text{Sqrt}[a]*d)*(\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2] - \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2]))/(4*\text{Sqrt}[2]*a^{(3/4)}*b^{(3/4)})$

fricas [B] time = 0.66, size = 767, normalized size = 3.11

$$-\frac{1}{4} \sqrt{-\frac{ab\sqrt{-\frac{b^2c^4 - 2abc^2d^2 + a^2d^4}{a^3b^3}} + 2cd}{ab}} \log\left(-\left(b^2c^4 - a^2d^4\right)x + \left(a^3b^2d\sqrt{-\frac{b^2c^4 - 2abc^2d^2 + a^2d^4}{a^3b^3}} + ab^2c^3 - a^2bcd\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)/(b*x^4+a),x, algorithm="fricas")

[Out]
$$-1/4*\sqrt{-\left(a*b*\sqrt{-\left(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4\right)}\right)/\left(a^3*b^3\right)} + 2*c*d/\left(a*b\right)*\log\left(-\left(b^2*c^4 - a^2*d^4\right)*x + \left(a^3*b^2*d*\sqrt{-\left(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4\right)}\right)/\left(a^3*b^3\right) + a*b^2*c^3 - a^2*b*c*d^2\right)*\sqrt{-\left(a*b*\sqrt{-\left(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4\right)}\right)/\left(a^3*b^3\right)} + 2*c*d/\left(a*b\right)} + 1/4*\sqrt{-\left(a*b*\sqrt{-\left(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4\right)}\right)/\left(a^3*b^3\right)} + 2*c*d/\left(a*b\right)*\log\left(-\left(b^2*c^4 - a^2*d^4\right)*x - \left(a^3*b^2*d*\sqrt{-\left(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4\right)}\right)/\left(a^3*b^3\right) + a*b^2*c^3 - a^2*b*c*d^2\right)*\sqrt{-\left(a*b*\sqrt{-\left(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4\right)}\right)/\left(a^3*b^3\right)} + 2*c*d/\left(a*b\right)} + 1/4*\sqrt{\left(a*b*\sqrt{-\left(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4\right)}\right)/\left(a^3*b^3\right)} - 2*c*d/\left(a*b\right)*\log\left(-\left(b^2*c^4 - a^2*d^4\right)*x + \left(a^3*b^2*d*\sqrt{-\left(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4\right)}\right)/\left(a^3*b^3\right) - a*b^2*c^3 + a^2*b*c*d^2\right)*\sqrt{\left(a*b*\sqrt{-\left(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4\right)}\right)/\left(a^3*b^3\right)} - 2*c*d/\left(a*b\right)} - 1/4*\sqrt{\left(a*b*\sqrt{-\left(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4\right)}\right)/\left(a^3*b^3\right)} - 2*c*d/\left(a*b\right)*\log\left(-\left(b^2*c^4 - a^2*d^4\right)*x - \left(a^3*b^2*d*\sqrt{-\left(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4\right)}\right)/\left(a^3*b^3\right) - a*b^2*c^3 + a^2*b*c*d^2\right)*\sqrt{\left(a*b*\sqrt{-\left(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4\right)}\right)/\left(a^3*b^3\right)} - 2*c*d/\left(a*b\right)}$$

giac [A] time = 0.19, size = 241, normalized size = 0.98

$$\frac{\sqrt{2} \left((ab^3)^{\frac{1}{4}} b^2 c + (ab^3)^{\frac{3}{4}} d \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 ab^3} + \frac{\sqrt{2} \left((ab^3)^{\frac{1}{4}} b^2 c + (ab^3)^{\frac{3}{4}} d \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 ab^3} + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} c \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right) + \frac{\sqrt{2} d \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} + 1 \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b} + \frac{\sqrt{2} c \ln \left(\frac{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)/(b*x^4+a),x, algorithm="giac")

[Out]
$$1/4*\sqrt{2}*\left(\left(a*b^3\right)^{\left(1/4\right)}*b^2*c + \left(a*b^3\right)^{\left(3/4\right)}*d\right)*\arctan\left(1/2*\sqrt{2}*\left(2*x + \sqrt{2}*\left(a/b\right)^{\left(1/4\right)}\right)/\left(a/b\right)^{\left(1/4\right)}\right)/\left(a*b^3\right) + 1/4*\sqrt{2}*\left(\left(a*b^3\right)^{\left(1/4\right)}*b^2*c + \left(a*b^3\right)^{\left(3/4\right)}*d\right)*\arctan\left(1/2*\sqrt{2}*\left(2*x - \sqrt{2}*\left(a/b\right)^{\left(1/4\right)}\right)/\left(a/b\right)^{\left(1/4\right)}\right)/\left(a*b^3\right) + 1/8*\sqrt{2}*\left(\left(a*b^3\right)^{\left(1/4\right)}*b^2*c - \left(a*b^3\right)^{\left(3/4\right)}*d\right)*\log\left(x^2 + \sqrt{2}*x*\left(a/b\right)^{\left(1/4\right)} + \sqrt{2}*\left(a/b\right)^{\left(1/4\right)}\right)/\left(a*b^3\right) - 1/8*\sqrt{2}*\left(\left(a*b^3\right)^{\left(1/4\right)}*b^2*c - \left(a*b^3\right)^{\left(3/4\right)}*d\right)*\log\left(x^2 - \sqrt{2}*x*\left(a/b\right)^{\left(1/4\right)} + \sqrt{2}*\left(a/b\right)^{\left(1/4\right)}\right)/\left(a*b^3\right)$$

maple [A] time = 0.01, size = 260, normalized size = 1.05

$$\frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} - 1 \right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1 \right)}{4a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} c \ln \left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{8a} + \frac{\sqrt{2} d \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}} + 1 \right)}{4 \left(\frac{a}{b}\right)^{\frac{1}{4}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x^2+c)/(b*x^4+a),x)`

[Out] $\frac{1}{8}c*(a/b)^{(1/4)}/a*2^{(1/2)}*\ln((x^2+(a/b)^{(1/4)}*x*2^{(1/2)}+(a/b)^{(1/2)})/(x^2-(a/b)^{(1/4)}*x*2^{(1/2)}+(a/b)^{(1/2)}))+1/4*c*(a/b)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/4*c*(a/b)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)+1/8*d/b/(a/b)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/b)^{(1/4)}*x*2^{(1/2)}+(a/b)^{(1/2)})/(x^2+(a/b)^{(1/4)}*x*2^{(1/2)}+(a/b)^{(1/2)}))+1/4*d/b/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x+1)+1/4*d/b/(a/b)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/b)^{(1/4)}*x-1)$

maxima [A] time = 2.40, size = 221, normalized size = 0.89

$$\frac{\sqrt{2}(\sqrt{b}c + \sqrt{a}d) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}\right)}{2\sqrt{a}\sqrt{b}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} + \frac{\sqrt{2}(\sqrt{b}c + \sqrt{a}d) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}\right)}{2\sqrt{a}\sqrt{b}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} + \frac{\sqrt{2}(\sqrt{b}c - \sqrt{a}d)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^2+c)/(b*x^4+a),x, algorithm="maxima")`

[Out] $\frac{1}{4}*\sqrt{2}*(\sqrt{b}*c + \sqrt{a}*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x + \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}})*\sqrt{b} + 1/4*\sqrt{2}*(\sqrt{b}*c + \sqrt{a}*d)*\arctan(1/2*\sqrt{2}*(2*\sqrt{b}*x - \sqrt{2}*a^{(1/4)}*b^{(1/4)})/\sqrt{\sqrt{a}*\sqrt{b}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{b}})*\sqrt{b} + 1/8*\sqrt{2}*(\sqrt{b}*c - \sqrt{a}*d)*\log(\sqrt{b}*x^2 + \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*b^{(3/4)}) - 1/8*\sqrt{2}*(\sqrt{b}*c - \sqrt{a}*d)*\log(\sqrt{b}*x^2 - \sqrt{2}*a^{(1/4)}*b^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*b^{(3/4)})$

mupad [B] time = 0.38, size = 599, normalized size = 2.43

$$-2 \operatorname{atanh}\left(\frac{8b^3c^2x\sqrt{\frac{d^2\sqrt{-a^3b^3}}{16a^2b^3} - \frac{c^2\sqrt{-a^3b^3}}{16a^3b^2} - \frac{cd}{8ab}}}{2b^2c^2d - 2abd^3 + \frac{2bc^3\sqrt{-a^3b^3}}{a^2} - \frac{2cd^2\sqrt{-a^3b^3}}{a}} - \frac{8ab^2d^2x\sqrt{\frac{d^2\sqrt{-a^3b^3}}{16a^2b^3} - \frac{c^2\sqrt{-a^3b^3}}{16a^3b^2} - \frac{cd}{8ab}}}{2b^2c^2d - 2abd^3 + \frac{2bc^3\sqrt{-a^3b^3}}{a^2} - \frac{2cd^2\sqrt{-a^3b^3}}{a}}\right)\sqrt{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^2)/(a + b*x^4),x)`

[Out] $-2*\operatorname{atanh}((8*b^3*c^2*x*((d^2*(-a^3*b^3)^{(1/2)})/(16*a^2*b^3) - (c^2*(-a^3*b^3)^{(1/2)})/(16*a^3*b^2) - (c*d)/(8*a*b))^{(1/2)})/(2*b^2*c^2*d - 2*a*b*d^3 + ($

$$\begin{aligned}
& 2*b*c^3*(-a^3*b^3)^{(1/2)}/a^2 - (2*c*d^2*(-a^3*b^3)^{(1/2)})/a - (8*a*b^2*d^2*x*((d^2*(-a^3*b^3)^{(1/2)})/(16*a^2*b^3) - (c^2*(-a^3*b^3)^{(1/2)})/(16*a^3*b^2) - (c*d)/(8*a*b))^{(1/2)})/(2*b^2*c^2*d - 2*a*b*d^3 + (2*b*c^3*(-a^3*b^3)^{(1/2)})/a^2 - (2*c*d^2*(-a^3*b^3)^{(1/2)})/a))*(-(b*c^2*(-a^3*b^3)^{(1/2)} - a*d^2*(-a^3*b^3)^{(1/2)} + 2*a^2*b^2*c*d)/(16*a^3*b^3))^{(1/2)} - 2*atanh((8*b^3*c^2*x*((c^2*(-a^3*b^3)^{(1/2)})/(16*a^3*b^2) - (c*d)/(8*a*b) - (d^2*(-a^3*b^3)^{(1/2)})/(16*a^2*b^3))^{(1/2)})/(2*b^2*c^2*d - 2*a*b*d^3 - (2*b*c^3*(-a^3*b^3)^{(1/2)})/a^2 + (2*c*d^2*(-a^3*b^3)^{(1/2)})/a) - (8*a*b^2*d^2*x*((c^2*(-a^3*b^3)^{(1/2)})/(16*a^3*b^2) - (c*d)/(8*a*b) - (d^2*(-a^3*b^3)^{(1/2)})/(16*a^2*b^3))^{(1/2)})/(2*b^2*c^2*d - 2*a*b*d^3 - (2*b*c^3*(-a^3*b^3)^{(1/2)})/a^2 + (2*c*d^2*(-a^3*b^3)^{(1/2)})/a))*(-(a*d^2*(-a^3*b^3)^{(1/2)} - b*c^2*(-a^3*b^3)^{(1/2)} + 2*a^2*b^2*c*d)/(16*a^3*b^3))^{(1/2)}
\end{aligned}$$

sympy [A] time = 0.69, size = 109, normalized size = 0.44

$$\text{RootSum}\left(256t^4a^3b^3 + 64t^2a^2b^2cd + a^2d^4 + 2abc^2d^2 + b^2c^4, \left(t \mapsto t \log\left(x + \frac{64t^3a^3b^2d + 12ta^2bcd^2 - 4tab^2c^3}{a^2d^4 - b^2c^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**2+c)/(b*x**4+a),x)

[Out] RootSum(256*_t**4*a**3*b**3 + 64*_t**2*a**2*b**2*c*d + a**2*d**4 + 2*a*b*c**2*d**2 + b**2*c**4, Lambda(_t, _t*log(x + (64*_t**3*a**3*b**2*d + 12*_t*a**2*b*c*d**2 - 4*_t*a*b**2*c**3)/(a**2*d**4 - b**2*c**4))))

3.2 $\int \frac{c-dx^2}{a+bx^4} dx$

Optimal. Leaf size=247

$$\frac{(\sqrt{a}d + \sqrt{b}c) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{a}d + \sqrt{b}c) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{b}c - \sqrt{a}d)}{4\sqrt{2} a^{3/4} b^{3/4}}$$

[Out] $\frac{1}{4} \arctan(-1 + b^{1/4} x^2 / a^{1/4}) * (-d a^{1/2} + c b^{1/2}) / a^{3/4} / b^{3/4} + \frac{1}{4} \arctan(1 + b^{1/4} x^2 / a^{1/4}) * (-d a^{1/2} + c b^{1/2}) / a^{3/4} / b^{3/4} - \frac{1}{8} \ln(-a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (d a^{1/2} + c b^{1/2}) / a^{3/4} / b^{3/4} + \frac{1}{8} \ln(a^{1/4} b^{1/4} x^2 + a^{1/2} + x^2 b^{1/2}) * (d a^{1/2} + c b^{1/2}) / a^{3/4} / b^{3/4}$

Rubi [A] time = 0.14, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{a}d + \sqrt{b}c) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{a}d + \sqrt{b}c) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2)}{4\sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{b}c - \sqrt{a}d)}{4\sqrt{2} a^{3/4} b^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(c - d*x^2)/(a + b*x^4), x]

[Out] $-\frac{(\sqrt{b}c - \sqrt{a}d) \operatorname{ArcTan}\left[\frac{\sqrt{2} b^{1/4} x}{a^{1/4}}\right]}{2 \sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{b}c - \sqrt{a}d) \operatorname{ArcTan}\left[\frac{\sqrt{2} b^{1/4} x}{a^{1/4}}\right]}{2 \sqrt{2} a^{3/4} b^{3/4}} - \frac{(\sqrt{b}c + \sqrt{a}d) \operatorname{Log}\left[\sqrt{a} - \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2\right]}{4 \sqrt{2} a^{3/4} b^{3/4}} + \frac{(\sqrt{b}c + \sqrt{a}d) \operatorname{Log}\left[\sqrt{a} + \sqrt{2} a^{1/4} b^{1/4} x + \sqrt{b} x^2\right]}{4 \sqrt{2} a^{3/4} b^{3/4}}$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \ :> \ \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]])/b, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - b^2e, 0]$

Rule 1162

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \ :> \ \text{With}[\{q = \text{Rt}[(2d)/e, 2]\}, \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e + qx + x^2, x], x] + \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e - qx + x^2, x], x], x]] \ /; \ \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2d^2 - a^2e^2, 0] \ \&\& \ \text{PosQ}[d^2e]$

Rule 1165

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \ :> \ \text{With}[\{q = \text{Rt}[-(2d)/e, 2]\}, \text{Dist}[e/(2cq), \text{Int}[(q - 2x)/\text{Simp}[d/e + qx - x^2, x], x], x] + \text{Dist}[e/(2cq), \text{Int}[(q + 2x)/\text{Simp}[d/e - qx - x^2, x], x], x]] \ /; \ \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2d^2 - a^2e^2, 0] \ \&\& \ \text{NegQ}[d^2e]$

Rule 1168

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \ :> \ \text{With}[\{q = \text{Rt}[ac, 2]\}, \text{Dist}[(dq + ae)/(2ac), \text{Int}[(q + cx^2)/(a + cx^4), x], x] + \text{Dist}[(dq - ae)/(2ac), \text{Int}[(q - cx^2)/(a + cx^4), x], x]] \ /; \ \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c^2d^2 + a^2e^2, 0] \ \&\& \ \text{NeQ}[c^2d^2 - a^2e^2, 0] \ \&\& \ \text{NegQ}[-(ac)]$

Rubi steps

$$\begin{aligned}
\int \frac{c - dx^2}{a + bx^4} dx &= \frac{\left(\frac{\sqrt{b}c}{\sqrt{a}} - d\right) \int \frac{\sqrt{a}\sqrt{b+bx^2}}{a+bx^4} dx + \left(\frac{\sqrt{b}c}{\sqrt{a}} + d\right) \int \frac{\sqrt{a}\sqrt{b-bx^2}}{a+bx^4} dx}{2b} \\
&= \frac{\left(\frac{\sqrt{b}c}{\sqrt{a}} - d\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx + \left(\frac{\sqrt{b}c}{\sqrt{a}} + d\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx - \frac{(\sqrt{b}c + \sqrt{a}d) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}} + 2x}{-\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}}{4b} \\
&= -\frac{(\sqrt{b}c + \sqrt{a}d) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{3/4}} + \frac{(\sqrt{b}c + \sqrt{a}d) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{4\sqrt{2}a^{3/4}b^{3/4}} \\
&= -\frac{(\sqrt{b}c - \sqrt{a}d) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{3/4}} + \frac{(\sqrt{b}c - \sqrt{a}d) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}b^{3/4}} - \frac{(\sqrt{b}c + \sqrt{a}d) \log(\dots)}{4\sqrt{2}a^{3/4}b^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 184, normalized size = 0.74

$$\frac{-(\sqrt{a}d + \sqrt{b}c) \left(\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2) - \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2) \right) + (2\sqrt{a}d - 2\sqrt{b}c) \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{4\sqrt{2}a^{3/4}b^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c - d*x^2)/(a + b*x^4), x]

[Out] ((-2*Sqrt[b]*c + 2*Sqrt[a]*d)*ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + 2*(Sqrt[b]*c - Sqrt[a]*d)*ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)] - (Sqrt[b]*c + Sqrt[a]*d)*(Log[Sqrt[a] - Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2] - Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2]))/(4*Sqrt[2]*a^(3/4)*b^(3/4))

fricas [B] time = 0.94, size = 767, normalized size = 3.11

$$-\frac{1}{4} \sqrt{\frac{ab\sqrt{-\frac{b^2c^4 - 2abc^2d^2 + a^2d^4}{a^3b^3}} + 2cd}{ab}} \log \left(-(b^2c^4 - a^2d^4)x + \left(a^3b^2d\sqrt{-\frac{b^2c^4 - 2abc^2d^2 + a^2d^4}{a^3b^3}} + ab^2c^3 - a^2bcd^2 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x^2+c)/(b*x^4+a), x, algorithm="fricas")

```
[Out] -1/4*sqrt((a*b*sqrt(-(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + 2*c*d)/(a*b))*log(-(b^2*c^4 - a^2*d^4)*x + (a^3*b^2*d*sqrt(-(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + a*b^2*c^3 - a^2*b*c*d^2)*sqrt((a*b*sqrt(-(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + 2*c*d)/(a*b))) + 1/4*sqrt((a*b*sqrt(-(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + 2*c*d)/(a*b))*log(-(b^2*c^4 - a^2*d^4)*x - (a^3*b^2*d*sqrt(-(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + a*b^2*c^3 - a^2*b*c*d^2)*sqrt((a*b*sqrt(-(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + 2*c*d)/(a*b))) + 1/4*sqrt(-(a*b*sqrt(-(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - 2*c*d)/(a*b))*log(-(b^2*c^4 - a^2*d^4)*x + (a^3*b^2*d*sqrt(-(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - a*b^2*c^3 + a^2*b*c*d^2)*sqrt(-(a*b*sqrt(-(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - 2*c*d)/(a*b))) - 1/4*sqrt(-(a*b*sqrt(-(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - 2*c*d)/(a*b))*log(-(b^2*c^4 - a^2*d^4)*x - (a^3*b^2*d*sqrt(-(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - a*b^2*c^3 + a^2*b*c*d^2)*sqrt(-(a*b*sqrt(-(b^2*c^4 - 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - 2*c*d)/(a*b)))
```

giac [A] time = 0.17, size = 241, normalized size = 0.98

$$\frac{\sqrt{2} \left((ab^3)^{\frac{1}{4}} b^2 c - (ab^3)^{\frac{3}{4}} d \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4ab^3} + \frac{\sqrt{2} \left((ab^3)^{\frac{1}{4}} b^2 c - (ab^3)^{\frac{3}{4}} d \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4ab^3} + \sqrt{2} \left(\frac{a}{b} \right)^{\frac{1}{4}} c \ln \left(\frac{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right) - \sqrt{2} d \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-d*x^2+c)/(b*x^4+a),x, algorithm="giac")
```

```
[Out] 1/4*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(3/4)*d)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/4*sqrt(2)*((a*b^3)^(1/4)*b^2*c - (a*b^3)^(3/4)*d)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/b)^(1/4))/(a/b)^(1/4))/(a*b^3) + 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c + (a*b^3)^(3/4)*d)*log(x^2 + sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3) - 1/8*sqrt(2)*((a*b^3)^(1/4)*b^2*c + (a*b^3)^(3/4)*d)*log(x^2 - sqrt(2)*x*(a/b)^(1/4) + sqrt(a/b))/(a*b^3)
```

maple [A] time = 0.00, size = 260, normalized size = 1.05

$$\frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} - 1 \right)}{4a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} + 1 \right)}{4a} + \frac{\left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} c \ln \left(\frac{x^2 + \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}}{x^2 - \left(\frac{a}{b} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{b}}} \right)}{8a} - \frac{\sqrt{2} d \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{b} \right)^{\frac{1}{4}}} \right)}{4 \left(\frac{a}{b} \right)^{\frac{1}{4}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-d*x^2+c)/(b*x^4+a),x)`

[Out] $\frac{1}{8} \cdot \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} / a \cdot c \cdot \ln\left(\frac{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \left(\frac{a}{b}\right)^{\frac{1}{2}}}{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \left(\frac{a}{b}\right)^{\frac{1}{2}}}\right) + \frac{1}{4} \cdot \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} / a \cdot c \cdot \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot x + 1}\right) + \frac{1}{4} \cdot \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} / a \cdot c \cdot \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot x - 1}\right) - \frac{1}{8} \cdot \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} / b \cdot d \cdot \ln\left(\frac{x^2 - \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \left(\frac{a}{b}\right)^{\frac{1}{2}}}{x^2 + \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + \left(\frac{a}{b}\right)^{\frac{1}{2}}}\right) - \frac{1}{4} \cdot \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} / b \cdot d \cdot \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot x + 1}\right) - \frac{1}{4} \cdot \left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} / b \cdot d \cdot \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{b}\right)^{\frac{1}{4}} \cdot x - 1}\right)$

maxima [A] time = 2.34, size = 221, normalized size = 0.89

$$\frac{\sqrt{2}(\sqrt{b}c - \sqrt{a}d) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x + \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{b}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}\sqrt{b}}} + \frac{\sqrt{2}(\sqrt{b}c - \sqrt{a}d) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x - \sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{b}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}\sqrt{b}}} + \frac{\sqrt{2}(\sqrt{b}c + \sqrt{a}d)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}\sqrt{b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-d*x^2+c)/(b*x^4+a),x, algorithm="maxima")`

[Out] $\frac{1}{4} \cdot \sqrt{2} \cdot (\sqrt{b} \cdot c - \sqrt{a} \cdot d) \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot (2 \cdot \sqrt{b} \cdot x + \sqrt{2} \cdot a^{\frac{1}{4}} \cdot b^{\frac{1}{4}}) / \sqrt{\sqrt{a} \cdot \sqrt{b}}\right) / (\sqrt{a} \cdot \sqrt{\sqrt{a} \cdot \sqrt{b}}) \cdot \sqrt{b} + \frac{1}{4} \cdot \sqrt{2} \cdot (\sqrt{b} \cdot c - \sqrt{a} \cdot d) \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot (2 \cdot \sqrt{b} \cdot x - \sqrt{2} \cdot a^{\frac{1}{4}} \cdot b^{\frac{1}{4}}) / \sqrt{\sqrt{a} \cdot \sqrt{b}}\right) / (\sqrt{a} \cdot \sqrt{\sqrt{a} \cdot \sqrt{b}}) \cdot \sqrt{b} + \frac{1}{8} \cdot \sqrt{2} \cdot (\sqrt{b} \cdot c + \sqrt{a} \cdot d) \cdot \log(\sqrt{b} \cdot x^2 + \sqrt{2} \cdot a^{\frac{1}{4}} \cdot b^{\frac{1}{4}} \cdot x + \sqrt{a}) / (a^{\frac{3}{4}} \cdot b^{\frac{3}{4}}) - \frac{1}{8} \cdot \sqrt{2} \cdot (\sqrt{b} \cdot c + \sqrt{a} \cdot d) \cdot \log(\sqrt{b} \cdot x^2 - \sqrt{2} \cdot a^{\frac{1}{4}} \cdot b^{\frac{1}{4}} \cdot x + \sqrt{a}) / (a^{\frac{3}{4}} \cdot b^{\frac{3}{4}})$

mupad [B] time = 0.26, size = 603, normalized size = 2.44

$$2 \operatorname{atanh}\left(\frac{8b^3c^2x\sqrt{\frac{cd}{8ab} - \frac{c^2\sqrt{-a^3b^3}}{16a^3b^2} + \frac{d^2\sqrt{-a^3b^3}}{16a^2b^3}}}{2b^2c^2d - 2abd^3 - \frac{2bc^3\sqrt{-a^3b^3}}{a^2} + \frac{2cd^2\sqrt{-a^3b^3}}{a}} - \frac{8ab^2d^2x\sqrt{\frac{cd}{8ab} - \frac{c^2\sqrt{-a^3b^3}}{16a^3b^2} + \frac{d^2\sqrt{-a^3b^3}}{16a^2b^3}}}{2b^2c^2d - 2abd^3 - \frac{2bc^3\sqrt{-a^3b^3}}{a^2} + \frac{2cd^2\sqrt{-a^3b^3}}{a}}\right) \sqrt{\frac{a}{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c - d*x^2)/(a + b*x^4),x)`

[Out] $2 \cdot \operatorname{atanh}\left(\frac{8 \cdot b^3 \cdot c^2 \cdot x \cdot \left(\frac{c \cdot d}{8 \cdot a \cdot b} - \frac{c^2 \cdot \sqrt{-a^3 \cdot b^3}}{16 \cdot a^3 \cdot b^2} + \frac{d^2 \cdot \sqrt{-a^3 \cdot b^3}}{16 \cdot a^2 \cdot b^3}\right)}{2 \cdot b^2 \cdot c^2 \cdot d - 2 \cdot a \cdot b \cdot d^3 - \frac{2 \cdot b \cdot c^3 \cdot \sqrt{-a^3 \cdot b^3}}{a^2} + \frac{2 \cdot c \cdot d^2 \cdot \sqrt{-a^3 \cdot b^3}}{a}} - \frac{8 \cdot a \cdot b^2 \cdot d^2 \cdot x \cdot \left(\frac{c \cdot d}{8 \cdot a \cdot b} - \frac{c^2 \cdot \sqrt{-a^3 \cdot b^3}}{16 \cdot a^3 \cdot b^2} + \frac{d^2 \cdot \sqrt{-a^3 \cdot b^3}}{16 \cdot a^2 \cdot b^3}\right)}{2 \cdot b^2 \cdot c^2 \cdot d - 2 \cdot a \cdot b \cdot d^3 - \frac{2 \cdot b \cdot c^3 \cdot \sqrt{-a^3 \cdot b^3}}{a^2} + \frac{2 \cdot c \cdot d^2 \cdot \sqrt{-a^3 \cdot b^3}}{a}}\right) + \frac{d^2 \cdot (-a^3 \cdot b^3)^{\frac{1}{2}}}{(16 \cdot a^2 \cdot b^3)^{\frac{1}{2}}} / (2 \cdot b^2 \cdot c^2 \cdot d - 2 \cdot a \cdot b \cdot d^3 - (2 \cdot b \cdot c^3 \cdot (-a^3 \cdot b^3)^{\frac{1}{2}}) / a^2 + (2 \cdot c \cdot d^2 \cdot (-a^3 \cdot b^3)^{\frac{1}{2}}) / a) - (8 \cdot a \cdot b^2 \cdot d^2 \cdot x \cdot \left(\frac{c \cdot d}{8 \cdot a \cdot b} - \frac{c^2 \cdot \sqrt{-a^3 \cdot b^3}}{16 \cdot a^3 \cdot b^2} + \frac{d^2 \cdot \sqrt{-a^3 \cdot b^3}}{16 \cdot a^2 \cdot b^3}\right) + \frac{d^2 \cdot (-a^3 \cdot b^3)^{\frac{1}{2}}}{(16 \cdot a^3 \cdot b^2)^{\frac{1}{2}}}) / (16 \cdot a^3 \cdot b^2) + \frac{d^2 \cdot (-a^3 \cdot b^3)^{\frac{1}{2}}}{(16 \cdot a^3 \cdot b^2)^{\frac{1}{2}}}$

$$\begin{aligned} & /2)) / (16*a^2*b^3)^{(1/2)} / (2*b^2*c^2*d - 2*a*b*d^3 - (2*b*c^3*(-a^3*b^3)^{(1/2)}) / a^2 + (2*c*d^2*(-a^3*b^3)^{(1/2)}) / a) * ((a*d^2*(-a^3*b^3)^{(1/2)} - b*c^2*(-a^3*b^3)^{(1/2)} + 2*a^2*b^2*c*d) / (16*a^3*b^3)^{(1/2)} + 2*atanh((8*b^3*c^2*x*((c*d)/(8*a*b) + (c^2*(-a^3*b^3)^{(1/2)}) / (16*a^3*b^2) - (d^2*(-a^3*b^3)^{(1/2)}) / (16*a^2*b^3))^{(1/2)}) / (2*b^2*c^2*d - 2*a*b*d^3 + (2*b*c^3*(-a^3*b^3)^{(1/2)}) / a^2 - (2*c*d^2*(-a^3*b^3)^{(1/2)}) / a) - (8*a*b^2*d^2*x*((c*d)/(8*a*b) + (c^2*(-a^3*b^3)^{(1/2)}) / (16*a^3*b^2) - (d^2*(-a^3*b^3)^{(1/2)}) / (16*a^2*b^3))^{(1/2)}) / (2*b^2*c^2*d - 2*a*b*d^3 + (2*b*c^3*(-a^3*b^3)^{(1/2)}) / a^2 - (2*c*d^2*(-a^3*b^3)^{(1/2)}) / a) * ((b*c^2*(-a^3*b^3)^{(1/2)} - a*d^2*(-a^3*b^3)^{(1/2)} + 2*a^2*b^2*c*d) / (16*a^3*b^3))^{(1/2)} \end{aligned}$$

sympy [A] time = 0.68, size = 110, normalized size = 0.45

$$-\text{RootSum}\left(256t^4a^3b^3 - 64t^2a^2b^2cd + a^2d^4 + 2abc^2d^2 + b^2c^4, \left(t \mapsto t \log\left(x + \frac{64t^3a^3b^2d - 12ta^2bcd^2 + 4tab^2c^3}{a^2d^4 - b^2c^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x**2+c)/(b*x**4+a),x)

[Out] -RootSum(256*_t**4*a**3*b**3 - 64*_t**2*a**2*b**2*c*d + a**2*d**4 + 2*a*b*c**2*d**2 + b**2*c**4, Lambda(_t, _t*log(x + (64*_t**3*a**3*b**2*d - 12*_t*a**2*b*c*d**2 + 4*_t*a*b**2*c**3)/(a**2*d**4 - b**2*c**4))))

3.3 $\int \frac{c+dx^2}{a-bx^4} dx$

Optimal. Leaf size=86

$$\frac{(\sqrt{b}c - \sqrt{a}d) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}d + \sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}}$$

[Out] $1/2*\arctan(b^{(1/4)}*x/a^{(1/4)})*(-d*a^{(1/2)}+c*b^{(1/2)})/a^{(3/4)}/b^{(3/4)}+1/2*\arctanh(b^{(1/4)}*x/a^{(1/4)})*(d*a^{(1/2)}+c*b^{(1/2)})/a^{(3/4)}/b^{(3/4)}$

Rubi [A] time = 0.04, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1167, 205, 208}

$$\frac{(\sqrt{b}c - \sqrt{a}d) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{a}d + \sqrt{b}c) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x^2)/(a - b*x^4), x]$

[Out] $((\text{Sqrt}[b]*c - \text{Sqrt}[a]*d)*\text{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(2*a^{(3/4)}*b^{(3/4)}) + ((\text{Sqrt}[b]*c + \text{Sqrt}[a]*d)*\text{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(2*a^{(3/4)}*b^{(3/4)})$

Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 208

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

Rule 1167

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-(a*c), 2]\}, \text{Dist}[e/2 + (c*d)/(2*q), \text{Int}[1/(-q + c*x^2), x], x] + \text{Dist}[e/2 - (c*d)/(2*q), \text{Int}[1/(q + c*x^2), x], x]] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[-(a*c)]$

Rubi steps

$$\int \frac{c + dx^2}{a - bx^4} dx = \frac{1}{2} \left(-\frac{\sqrt{bc}}{\sqrt{a}} + d \right) \int \frac{1}{-\sqrt{a}\sqrt{b} - bx^2} dx + \frac{1}{2} \left(\frac{\sqrt{bc}}{\sqrt{a}} + d \right) \int \frac{1}{\sqrt{a}\sqrt{b} - bx^2} dx$$

$$= \frac{(\sqrt{bc} - \sqrt{a}d) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{bc} + \sqrt{a}d) \tanh^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}}$$

Mathematica [A] time = 0.03, size = 95, normalized size = 1.10

$$\frac{2(\sqrt{bc} - \sqrt{a}d) \tan^{-1} \left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}} \right) - (\sqrt{a}d + \sqrt{bc}) (\log(\sqrt[4]{a} - \sqrt[4]{b}x) - \log(\sqrt[4]{a} + \sqrt[4]{b}x))}{4a^{3/4}b^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x^2)/(a - b*x^4), x]

[Out] (2*(Sqrt[b]*c - Sqrt[a]*d)*ArcTan[(b^(1/4)*x)/a^(1/4)] - (Sqrt[b]*c + Sqrt[a]*d)*(Log[a^(1/4) - b^(1/4)*x] - Log[a^(1/4) + b^(1/4)*x]))/(4*a^(3/4)*b^(3/4))

fricas [B] time = 0.62, size = 755, normalized size = 8.78

$$\frac{1}{4} \sqrt{\frac{ab \sqrt{\frac{b^2c^4 + 2abc^2d^2 + a^2d^4}{a^3b^3}} + 2cd}{ab}} \log \left(-(b^2c^4 - a^2d^4)x + \left(a^3b^2d \sqrt{\frac{b^2c^4 + 2abc^2d^2 + a^2d^4}{a^3b^3}} - ab^2c^3 - a^2bcd^2 \right) \sqrt{\frac{ab \sqrt{\frac{b^2c^4 + 2abc^2d^2 + a^2d^4}{a^3b^3}} + 2cd}{ab}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)/(-b*x^4+a), x, algorithm="fricas")

[Out] 1/4*sqrt((a*b*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + 2*c*d)/(a*b))*log(-(b^2*c^4 - a^2*d^4)*x + (a^3*b^2*d*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - a*b^2*c^3 - a^2*b*c*d^2)*sqrt((a*b*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + 2*c*d)/(a*b))) - 1/4*sqrt((a*b*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + 2*c*d)/(a*b))*log(-(b^2*c^4 - a^2*d^4)*x - (a^3*b^2*d*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - a*b^2*c^3 - a^2*b*c*d^2)*sqrt((a*b*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + 2*c*d)/(a*b))) - 1/4*sqrt(-(a*b*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - 2*c*d)/(a*b))*log(-(b^2*c^4 - a^2*d^4)*x + (a^3*b^2*d*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + a*b^2*c^3 + a^2*b*c*d^2)*sqrt(-(a*b*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - 2*c*d)/(a*b)))

3)) - 2*c*d)/(a*b))) + 1/4*sqrt(-(a*b*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - 2*c*d)/(a*b))*log(-(b^2*c^4 - a^2*d^4)*x - (a^3*b^2*d*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + a*b^2*c^3 + a^2*b*c*d^2)*sqrt(-(a*b*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - 2*c*d)/(a*b)))

giac [B] time = 0.18, size = 230, normalized size = 2.67

$$\frac{\sqrt{2}(b^2c + \sqrt{-ab}bd) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4(-ab^3)^{\frac{3}{4}}} - \frac{\sqrt{2}(b^2c - \sqrt{-ab}bd) \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4(-ab^3)^{\frac{3}{4}}} + \sqrt{2}(b^2c - \sqrt{-ab}bd)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)/(-b*x^4+a),x, algorithm="giac")

[Out] -1/4*sqrt(2)*(b^2*c + sqrt(-a*b)*b*d)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/4*sqrt(2)*(b^2*c - sqrt(-a*b)*b*d)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(-a/b)^(1/4))/(-a/b)^(1/4))/(-a*b^3)^(3/4) - 1/8*sqrt(2)*(b^2*c - sqrt(-a*b)*b*d)*log(x^2 + sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4) + 1/8*sqrt(2)*(b^2*c - sqrt(-a*b)*b*d)*log(x^2 - sqrt(2)*x*(-a/b)^(1/4) + sqrt(-a/b))/(-a*b^3)^(3/4)

maple [B] time = 0.00, size = 122, normalized size = 1.42

$$\frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} c \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a} - \frac{d \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}} b} + \frac{d \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^2+c)/(-b*x^4+a),x)

[Out] 1/4*c*(a/b)^(1/4)/a*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))+1/2*c*(a/b)^(1/4)/a*arctan(x/(a/b)^(1/4))-1/2*d/b/(a/b)^(1/4)*arctan(x/(a/b)^(1/4))+1/4*d/b/(a/b)^(1/4)*ln((x+(a/b)^(1/4))/(x-(a/b)^(1/4)))

maxima [A] time = 2.29, size = 109, normalized size = 1.27

$$\frac{(\sqrt{b}c - \sqrt{a}d) \arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{2\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} - \frac{(\sqrt{b}c + \sqrt{a}d) \log\left(\frac{\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}}}{\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)/(-b*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{2} * (\sqrt{b} * c - \sqrt{a} * d) * \arctan(\sqrt{b} * x / \sqrt{\sqrt{a} * \sqrt{b}}) / (\sqrt{a} * \sqrt{\sqrt{a} * \sqrt{b}} * \sqrt{b}) - \frac{1}{4} * (\sqrt{b} * c + \sqrt{a} * d) * \log((\sqrt{b} * x - \sqrt{\sqrt{a} * \sqrt{b}}) / (\sqrt{b} * x + \sqrt{\sqrt{a} * \sqrt{b}})) / (\sqrt{a} * \sqrt{\sqrt{a} * \sqrt{b}} * \sqrt{b})$

mupad [B] time = 4.64, size = 579, normalized size = 6.73

$$2 \operatorname{atanh} \left(\frac{8 b^3 c^2 x \sqrt{\frac{c d}{8 a b} - \frac{c^2 \sqrt{a^3 b^3}}{16 a^3 b^2} - \frac{d^2 \sqrt{a^3 b^3}}{16 a^2 b^3}}}{2 b^2 c^2 d + 2 a b d^3 - \frac{2 b c^3 \sqrt{a^3 b^3}}{a^2} - \frac{2 c d^2 \sqrt{a^3 b^3}}{a}} + \frac{8 a b^2 d^2 x \sqrt{\frac{c d}{8 a b} - \frac{c^2 \sqrt{a^3 b^3}}{16 a^3 b^2} - \frac{d^2 \sqrt{a^3 b^3}}{16 a^2 b^3}}}{2 b^2 c^2 d + 2 a b d^3 - \frac{2 b c^3 \sqrt{a^3 b^3}}{a^2} - \frac{2 c d^2 \sqrt{a^3 b^3}}{a}} \right) \sqrt{-\frac{a d^2 \sqrt{a^3 b^3}}{a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x^2)/(a - b*x^4),x)

[Out] $2 * \operatorname{atanh} \left(\frac{(8 * b^3 * c^2 * x * ((c * d) / (8 * a * b)) - (c^2 * (a^3 * b^3)^{(1/2)}) / (16 * a^3 * b^2)) - (d^2 * (a^3 * b^3)^{(1/2)}) / (16 * a^2 * b^3))^{(1/2)}}{(2 * b^2 * c^2 * d + 2 * a * b * d^3 - (2 * b * c^3 * (a^3 * b^3)^{(1/2)}) / a^2 - (2 * c * d^2 * (a^3 * b^3)^{(1/2)}) / a) + (8 * a * b^2 * d^2 * x * ((c * d) / (8 * a * b)) - (c^2 * (a^3 * b^3)^{(1/2)}) / (16 * a^3 * b^2)) - (d^2 * (a^3 * b^3)^{(1/2)}) / (16 * a^2 * b^3))^{(1/2)}}{(2 * b^2 * c^2 * d + 2 * a * b * d^3 - (2 * b * c^3 * (a^3 * b^3)^{(1/2)}) / a^2 - (2 * c * d^2 * (a^3 * b^3)^{(1/2)}) / a) * (- (a * d^2 * (a^3 * b^3)^{(1/2)}) + b * c^2 * (a^3 * b^3)^{(1/2)}) - 2 * a^2 * b^2 * c * d} / (16 * a^3 * b^3))^{(1/2)} + 2 * \operatorname{atanh} \left(\frac{(8 * b^3 * c^2 * x * ((c * d) / (8 * a * b)) + (c^2 * (a^3 * b^3)^{(1/2)}) / (16 * a^3 * b^2)) + (d^2 * (a^3 * b^3)^{(1/2)}) / (16 * a^2 * b^3))^{(1/2)}}{(2 * b^2 * c^2 * d + 2 * a * b * d^3 + (2 * b * c^3 * (a^3 * b^3)^{(1/2)}) / a^2 + (2 * c * d^2 * (a^3 * b^3)^{(1/2)}) / a) + (8 * a * b^2 * d^2 * x * ((c * d) / (8 * a * b)) + (c^2 * (a^3 * b^3)^{(1/2)}) / (16 * a^3 * b^2)) + (d^2 * (a^3 * b^3)^{(1/2)}) / (16 * a^2 * b^3))^{(1/2)}}{(2 * b^2 * c^2 * d + 2 * a * b * d^3 + (2 * b * c^3 * (a^3 * b^3)^{(1/2)}) / a^2 + (2 * c * d^2 * (a^3 * b^3)^{(1/2)}) / a) * ((a * d^2 * (a^3 * b^3)^{(1/2)}) + b * c^2 * (a^3 * b^3)^{(1/2)}) + 2 * a^2 * b^2 * c * d} / (16 * a^3 * b^3))^{(1/2)} \right)$

sympy [A] time = 0.73, size = 110, normalized size = 1.28

$$-\operatorname{RootSum} \left(256 t^4 a^3 b^3 - 64 t^2 a^2 b^2 c d - a^2 d^4 + 2 a b c^2 d^2 - b^2 c^4, \left(t \mapsto t \log \left(x + \frac{-64 t^3 a^3 b^2 d + 12 t a^2 b c d^2 + 4 t a b^2 c^3}{a^2 d^4 - b^2 c^4} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**2+c)/(-b*x**4+a),x)

[Out] $-\operatorname{RootSum}(256 * t^{**4} * a^{**3} * b^{**3} - 64 * t^{**2} * a^{**2} * b^{**2} * c * d - a^{**2} * d^{**4} + 2 * a * b * c^{**2} * d^{**2} - b^{**2} * c^{**4}, \operatorname{Lambda}(t, t * \log(x + (-64 * t^{**3} * a^{**3} * b^{**2} * d + 12 * t * a^{**2} * b * c * d^{**2} + 4 * t * a * b^{**2} * c^{**3}) / (a^{**2} * d^{**4} - b^{**2} * c^{**4}))))$

3.4 $\int \frac{c-dx^2}{a-bx^4} dx$

Optimal. Leaf size=86

$$\frac{(\sqrt{a}d + \sqrt{b}c) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{b}c - \sqrt{a}d) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}}$$

[Out] $1/2*\operatorname{arctanh}(b^{(1/4)}*x/a^{(1/4)})*(-d*a^{(1/2)}+c*b^{(1/2)})/a^{(3/4)}/b^{(3/4)}+1/2*a$
 $\operatorname{rctan}(b^{(1/4)}*x/a^{(1/4)})*(d*a^{(1/2)}+c*b^{(1/2)})/a^{(3/4)}/b^{(3/4)}$

Rubi [A] time = 0.04, antiderivative size = 86, normalized size of antiderivative = 1.00,
 number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} =$
 0.158, Rules used = {1167, 205, 208}

$$\frac{(\sqrt{a}d + \sqrt{b}c) \tan^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{b}c - \sqrt{a}d) \tanh^{-1}\left(\frac{\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{2a^{3/4}b^{3/4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c - d*x^2)/(a - b*x^4), x]$

[Out] $((\operatorname{Sqrt}[b]*c + \operatorname{Sqrt}[a]*d)*\operatorname{ArcTan}[(b^{(1/4)}*x)/a^{(1/4)}])/(2*a^{(3/4)}*b^{(3/4)}) +$
 $((\operatorname{Sqrt}[b]*c - \operatorname{Sqrt}[a]*d)*\operatorname{ArcTanh}[(b^{(1/4)}*x)/a^{(1/4)}])/(2*a^{(3/4)}*b^{(3/4)})$

Rule 205

$\operatorname{Int}(((a_) + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{PosQ}[a/b]$

Rule 208

$\operatorname{Int}(((a_) + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{NegQ}[a/b]$

Rule 1167

$\operatorname{Int}(((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] \rightarrow \operatorname{With}\{q = \operatorname{Rt}[-(a*c), 2]\}, \operatorname{Dist}[e/2 + (c*d)/(2*q), \operatorname{Int}[1/(-q + c*x^2), x], x] + \operatorname{Dist}[e/2 - (c*d)/(2*q), \operatorname{Int}[1/(q + c*x^2), x], x]] /; \operatorname{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \operatorname{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \operatorname{PosQ}[-(a*c)]$

Rubi steps

$$\int \frac{c - dx^2}{a - bx^4} dx = \frac{1}{2} \left(-\frac{\sqrt{bc}}{\sqrt{a}} - d \right) \int \frac{1}{-\sqrt{a}\sqrt{b} - bx^2} dx + \frac{1}{2} \left(\frac{\sqrt{bc}}{\sqrt{a}} - d \right) \int \frac{1}{\sqrt{a}\sqrt{b} - bx^2} dx$$

$$= \frac{(\sqrt{bc} + \sqrt{a}d) \tan^{-1} \left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}} + \frac{(\sqrt{bc} - \sqrt{a}d) \tanh^{-1} \left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}} \right)}{2a^{3/4}b^{3/4}}$$

Mathematica [A] time = 0.02, size = 95, normalized size = 1.10

$$\frac{2(\sqrt{a}d + \sqrt{b}c) \tan^{-1} \left(\frac{\sqrt[4]{bx}}{\sqrt[4]{a}} \right) - (\sqrt{bc} - \sqrt{a}d) (\log(\sqrt[4]{a} - \sqrt[4]{bx}) - \log(\sqrt[4]{a} + \sqrt[4]{bx}))}{4a^{3/4}b^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(c - d*x^2)/(a - b*x^4), x]

[Out] (2*(Sqrt[b]*c + Sqrt[a]*d)*ArcTan[(b^(1/4)*x)/a^(1/4)] - (Sqrt[b]*c - Sqrt[a]*d)*(Log[a^(1/4) - b^(1/4)*x] - Log[a^(1/4) + b^(1/4)*x]))/(4*a^(3/4)*b^(3/4))

fricas [B] time = 0.77, size = 755, normalized size = 8.78

$$\frac{1}{4} \sqrt{-\frac{ab\sqrt{\frac{b^2c^4+2abc^2d^2+a^2d^4}{a^3b^3}} + 2cd}{ab}} \log \left(-(b^2c^4 - a^2d^4)x + \left(a^3b^2d\sqrt{\frac{b^2c^4 + 2abc^2d^2 + a^2d^4}{a^3b^3}} - ab^2c^3 - a^2bcd^2 \right) \sqrt{-\frac{ab\sqrt{\frac{b^2c^4+2abc^2d^2+a^2d^4}{a^3b^3}} + 2cd}{ab}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x^2+c)/(-b*x^4+a), x, algorithm="fricas")

[Out] 1/4*sqrt(-(a*b*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + 2*c*d)/(a*b))*log(-(b^2*c^4 - a^2*d^4)*x + (a^3*b^2*d*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - a*b^2*c^3 - a^2*b*c*d^2)*sqrt(-(a*b*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + 2*c*d)/(a*b))) - 1/4*sqrt(-(a*b*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + 2*c*d)/(a*b))*log(-(b^2*c^4 - a^2*d^4)*x - (a^3*b^2*d*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - a*b^2*c^3 - a^2*b*c*d^2)*sqrt(-(a*b*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + 2*c*d)/(a*b))) - 1/4*sqrt((a*b*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - 2*c*d)/(a*b))*log(-(b^2*c^4 - a^2*d^4)*x + (a^3*b^2*d*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + a*b^2*c^3 + a^2*b*c*d^2)*sqrt((a*b*sqrt((b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + 2*c*d)/(a*b)))

$b^3)) - 2*c*d)/(a*b))) + 1/4*\sqrt{((a*b*\sqrt{(b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - 2*c*d)/(a*b))}*\log(-(b^2*c^4 - a^2*d^4)*x - (a^3*b^2*d*\sqrt{(b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) + a*b^2*c^3 + a^2*b*c*d^2)*\sqrt{((a*b*\sqrt{(b^2*c^4 + 2*a*b*c^2*d^2 + a^2*d^4)/(a^3*b^3)) - 2*c*d)/(a*b))})$

giac [B] time = 0.32, size = 228, normalized size = 2.65

$$\frac{\sqrt{2}(b^2c - \sqrt{-ab}bd) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4(-ab^3)^{\frac{3}{4}}} - \frac{\sqrt{2}(b^2c + \sqrt{-ab}bd) \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(-\frac{a}{b}\right)^{\frac{1}{4}}\right)}{2\left(-\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4(-ab^3)^{\frac{3}{4}}} + \sqrt{2}(b^2c + \sqrt{-ab}bd)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x^2+c)/(-b*x^4+a),x, algorithm="giac")

[Out] $-1/4*\sqrt{2}*(b^2*c - \sqrt{-a*b}*b*d)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(-a*b^3)^{(3/4)} - 1/4*\sqrt{2}*(b^2*c + \sqrt{-a*b}*b*d)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(-a/b)^{(1/4)})/(-a/b)^{(1/4)})/(-a*b^3)^{(3/4)} - 1/8*\sqrt{2}*(b^2*c + \sqrt{-a*b}*b*d)*\log(x^2 + \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(-a*b^3)^{(3/4)} + 1/8*\sqrt{2}*(b^2*c + \sqrt{-a*b}*b*d)*\log(x^2 - \sqrt{2}*x*(-a/b)^{(1/4)} + \sqrt{-a/b})/(-a*b^3)^{(3/4)}$

maple [B] time = 0.00, size = 122, normalized size = 1.42

$$\frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} c \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2a} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} c \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4a} + \frac{d \arctan\left(\frac{x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{2\left(\frac{a}{b}\right)^{\frac{1}{4}} b} - \frac{d \ln\left(\frac{x + \left(\frac{a}{b}\right)^{\frac{1}{4}}}{x - \left(\frac{a}{b}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{b}\right)^{\frac{1}{4}} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-d*x^2+c)/(-b*x^4+a),x)

[Out] $1/4*(a/b)^{(1/4)}/a*c*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))+1/2*(a/b)^{(1/4)}/a*c*\arctan(1/(a/b)^{(1/4)}*x)+1/2/(a/b)^{(1/4)}/b*d*\arctan(1/(a/b)^{(1/4)}*x)-1/4/(a/b)^{(1/4)}/b*d*\ln((x+(a/b)^{(1/4)})/(x-(a/b)^{(1/4)}))$

maxima [A] time = 2.34, size = 109, normalized size = 1.27

$$\frac{(\sqrt{b}c + \sqrt{a}d) \arctan\left(\frac{\sqrt{b}x}{\sqrt{\sqrt{a}\sqrt{b}}}\right)}{2\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}} - \frac{(\sqrt{b}c - \sqrt{a}d) \log\left(\frac{\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}}}{\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{b}}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x^2+c)/(-b*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{2}(\sqrt{b}c + \sqrt{a}d)\arctan(\sqrt{b}x/\sqrt{\sqrt{a}\sqrt{b}})/(\sqrt{a}\sqrt{b}) - \frac{1}{4}(\sqrt{b}c - \sqrt{a}d)\log((\sqrt{b}x - \sqrt{\sqrt{a}\sqrt{b}})/(\sqrt{b}x + \sqrt{\sqrt{a}\sqrt{b}}))/(\sqrt{a}\sqrt{b})$

mupad [B] time = 4.58, size = 579, normalized size = 6.73

$$-2 \operatorname{atanh} \left(\frac{8b^3c^2x \sqrt{\frac{cd}{8ab} - \frac{c^2\sqrt{a^3b^3}}{16a^3b^2} - \frac{d^2\sqrt{a^3b^3}}{16a^2b^3}}}{2b^2c^2d + 2abd^3 + \frac{2bc^3\sqrt{a^3b^3}}{a^2} + \frac{2cd^2\sqrt{a^3b^3}}{a}} + \frac{8ab^2d^2x \sqrt{\frac{cd}{8ab} - \frac{c^2\sqrt{a^3b^3}}{16a^3b^2} - \frac{d^2\sqrt{a^3b^3}}{16a^2b^3}}}{2b^2c^2d + 2abd^3 + \frac{2bc^3\sqrt{a^3b^3}}{a^2} + \frac{2cd^2\sqrt{a^3b^3}}{a}} \right) \sqrt{-\frac{ad^2}{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c - d*x^2)/(a - b*x^4),x)

[Out] $-2\operatorname{atanh}\left(\frac{(8b^3c^2x - (cd)/(8ab) - (c^2(a^3b^3)^{1/2})/(16a^3b^2) - (d^2(a^3b^3)^{1/2})/(16a^2b^3))}{(2b^2c^2d + 2abd^3 + (2bc^3\sqrt{a^3b^3})/a^2 + (2cd^2\sqrt{a^3b^3})/a)} - \frac{(c^2(a^3b^3)^{1/2})/(16a^3b^2) - (cd)/(8ab) + (d^2(a^3b^3)^{1/2})/(16a^2b^3)}{(2b^2c^2d + 2abd^3 + (2bc^3\sqrt{a^3b^3})/a^2 + (2cd^2\sqrt{a^3b^3})/a)}\right) - \frac{(8ab^2d^2x - (cd)/(8ab) - (c^2(a^3b^3)^{1/2})/(16a^3b^2) - (d^2(a^3b^3)^{1/2})/(16a^2b^3))}{(2b^2c^2d + 2abd^3 + (2bc^3\sqrt{a^3b^3})/a^2 + (2cd^2\sqrt{a^3b^3})/a)} \sqrt{-\frac{ad^2}{a}}$

sympy [A] time = 0.94, size = 110, normalized size = 1.28

$$\operatorname{RootSum}\left(256t^4a^3b^3 + 64t^2a^2b^2cd - a^2d^4 + 2abc^2d^2 - b^2c^4, \left(t \mapsto t \log\left(x + \frac{-64t^3a^3b^2d - 12ta^2bcd^2 - 4tab^2c^3}{a^2d^4 - b^2c^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-d*x**2+c)/(-b*x**4+a),x)

[Out] $\operatorname{RootSum}(256*_t**4*a**3*b**3 + 64*_t**2*a**2*b**2*c*d - a**2*d**4 + 2*a*b*c**2*d**2 - b**2*c**4, \operatorname{Lambda}(_t, _t*\log(x + (-64*_t**3*a**3*b**2*d - 12*_t*a**2*b*c*d**2 - 4*_t*a*b**2*c**3)/(a**2*d**4 - b**2*c**4))))$

3.5 $\int \frac{2+3x^2}{4+9x^4} dx$

Optimal. Leaf size=40

$$\frac{\tan^{-1}(\sqrt{3}x+1)}{2\sqrt{3}} - \frac{\tan^{-1}(1-\sqrt{3}x)}{2\sqrt{3}}$$

[Out] 1/6*arctan(-1+x*3^(1/2))*3^(1/2)+1/6*arctan(1+x*3^(1/2))*3^(1/2)

Rubi [A] time = 0.02, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1162, 617, 204}

$$\frac{\tan^{-1}(\sqrt{3}x+1)}{2\sqrt{3}} - \frac{\tan^{-1}(1-\sqrt{3}x)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(4 + 9*x^4), x]

[Out] -ArcTan[1 - Sqrt[3]*x]/(2*Sqrt[3]) + ArcTan[1 + Sqrt[3]*x]/(2*Sqrt[3])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rubi steps

$$\begin{aligned}
\int \frac{2+3x^2}{4+9x^4} dx &= \frac{1}{6} \int \frac{1}{\frac{2}{3} - \frac{2x}{\sqrt{3}} + x^2} dx + \frac{1}{6} \int \frac{1}{\frac{2}{3} + \frac{2x}{\sqrt{3}} + x^2} dx \\
&= \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1 - \sqrt{3}x\right)}{2\sqrt{3}} - \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1 + \sqrt{3}x\right)}{2\sqrt{3}} \\
&= -\frac{\tan^{-1}(1 - \sqrt{3}x)}{2\sqrt{3}} + \frac{\tan^{-1}(1 + \sqrt{3}x)}{2\sqrt{3}}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 33, normalized size = 0.82

$$\frac{\tan^{-1}(\sqrt{3}x + 1) - \tan^{-1}(1 - \sqrt{3}x)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(4 + 9*x^4), x]

[Out] (-ArcTan[1 - Sqrt[3]*x] + ArcTan[1 + Sqrt[3]*x])/(2*Sqrt[3])

fricas [A] time = 0.52, size = 33, normalized size = 0.82

$$\frac{1}{6} \sqrt{3} \arctan\left(\frac{1}{4} \sqrt{3} (3x^3 + 2x)\right) + \frac{1}{6} \sqrt{3} \arctan\left(\frac{1}{2} \sqrt{3} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(9*x^4+4), x, algorithm="fricas")

[Out] 1/6*sqrt(3)*arctan(1/4*sqrt(3)*(3*x^3 + 2*x)) + 1/6*sqrt(3)*arctan(1/2*sqrt(3)*x)

giac [A] time = 0.20, size = 52, normalized size = 1.30

$$\frac{1}{6} \sqrt{3} \arctan\left(\frac{9}{8} \sqrt{2} \left(\frac{4}{9}\right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{4}{9}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{6} \sqrt{3} \arctan\left(\frac{9}{8} \sqrt{2} \left(\frac{4}{9}\right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{4}{9}\right)^{\frac{1}{4}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(9*x^4+4), x, algorithm="giac")

[Out] $\frac{1}{6}\sqrt{3}\arctan\left(\frac{9}{8}\sqrt{2}\left(\frac{4}{9}\right)^{3/4}(2x + \sqrt{2}\left(\frac{4}{9}\right)^{1/4})\right) + \frac{1}{6}\sqrt{3}\arctan\left(\frac{9}{8}\sqrt{2}\left(\frac{4}{9}\right)^{3/4}(2x - \sqrt{2}\left(\frac{4}{9}\right)^{1/4})\right)$

maple [B] time = 0.01, size = 122, normalized size = 3.05

$$\frac{\sqrt{6}\sqrt{2}\arctan\left(\frac{\sqrt{6}\sqrt{2}x}{2}-1\right)}{12} + \frac{\sqrt{6}\sqrt{2}\arctan\left(\frac{\sqrt{6}\sqrt{2}x}{2}+1\right)}{12} + \frac{\sqrt{6}\sqrt{2}\ln\left(\frac{x^2-\frac{\sqrt{6}\sqrt{2}x+\frac{2}{3}}{3}}{x^2+\frac{\sqrt{6}\sqrt{2}x+\frac{2}{3}}{3}}\right)}{48} + \frac{\sqrt{6}\sqrt{2}\ln\left(\frac{x^2+\frac{\sqrt{6}\sqrt{2}x+\frac{2}{3}}{3}}{x^2-\frac{\sqrt{6}\sqrt{2}x+\frac{2}{3}}{3}}\right)}{48}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2+2)/(9*x^4+4),x)`

[Out] $\frac{1}{12}6^{1/2}2^{1/2}\arctan\left(\frac{1}{2}6^{1/2}x2^{1/2}-1\right)+\frac{1}{48}6^{1/2}2^{1/2}1$
 $n\left(\frac{x^2+1/36^{1/2}x2^{1/2}+2/3}{x^2-1/36^{1/2}x2^{1/2}+2/3}\right)+\frac{1}{12}6^{1/2}$
 $\left(\frac{1}{2}6^{1/2}2^{1/2}\arctan\left(\frac{1}{2}6^{1/2}x2^{1/2}+1\right)+\frac{1}{48}6^{1/2}2^{1/2}1$
 $\ln\left(\frac{x^2-1}{36^{1/2}x2^{1/2}+2/3}\right)/\left(x^2+1/36^{1/2}x2^{1/2}+2/3}\right)$

maxima [A] time = 2.39, size = 39, normalized size = 0.98

$$\frac{1}{6}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(3x+\sqrt{3})\right) + \frac{1}{6}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(3x-\sqrt{3})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)/(9*x^4+4),x, algorithm="maxima")`

[Out] $\frac{1}{6}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(3x+\sqrt{3})\right) + \frac{1}{6}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(3x-\sqrt{3})\right)$

mupad [B] time = 0.09, size = 29, normalized size = 0.72

$$\frac{\sqrt{3}\left(\operatorname{atan}\left(\frac{3\sqrt{3}x^3}{4}+\frac{\sqrt{3}x}{2}\right)+\operatorname{atan}\left(\frac{\sqrt{3}x}{2}\right)\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + 2)/(9*x^4 + 4),x)`

[Out] $\frac{3^{1/2}\left(\operatorname{atan}\left(\frac{3^{1/2}x}{2}\right)+\operatorname{atan}\left(\frac{3\sqrt{3}x^3}{4}+\frac{\sqrt{3}x}{2}\right)\right)}{6}$

sympy [A] time = 0.12, size = 41, normalized size = 1.02

$$\frac{\sqrt{3}\left(2\operatorname{atan}\left(\frac{\sqrt{3}x}{2}\right)+2\operatorname{atan}\left(\frac{3\sqrt{3}x^3}{4}+\frac{\sqrt{3}x}{2}\right)\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((3*x**2+2)/(9*x**4+4),x)
```

```
[Out] sqrt(3)*(2*atan(sqrt(3)*x/2) + 2*atan(3*sqrt(3)*x**3/4 + sqrt(3)*x/2))/12
```

$$3.6 \quad \int \frac{2-3x^2}{4+9x^4} dx$$

Optimal. Leaf size=51

$$\frac{\log(3x^2 + 2\sqrt{3}x + 2)}{4\sqrt{3}} - \frac{\log(3x^2 - 2\sqrt{3}x + 2)}{4\sqrt{3}}$$

[Out] $-1/12*\ln(2+3*x^2-2*x*3^(1/2))*3^(1/2)+1/12*\ln(2+3*x^2+2*x*3^(1/2))*3^(1/2)$

Rubi [A] time = 0.02, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {1165, 628}

$$\frac{\log(3x^2 + 2\sqrt{3}x + 2)}{4\sqrt{3}} - \frac{\log(3x^2 - 2\sqrt{3}x + 2)}{4\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(2 - 3*x^2)/(4 + 9*x^4), x]

[Out] $-\text{Log}[2 - 2*\text{Sqrt}[3]*x + 3*x^2]/(4*\text{Sqrt}[3]) + \text{Log}[2 + 2*\text{Sqrt}[3]*x + 3*x^2]/(4*\text{Sqrt}[3])$

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rubi steps

$$\int \frac{2-3x^2}{4+9x^4} dx = -\frac{\int \frac{\frac{2}{\sqrt{3}}+2x}{-\frac{2}{3}-\frac{2x}{\sqrt{3}}-x^2} dx}{4\sqrt{3}} - \frac{\int \frac{\frac{2}{\sqrt{3}}-2x}{-\frac{2}{3}+\frac{2x}{\sqrt{3}}-x^2} dx}{4\sqrt{3}}$$

$$= -\frac{\log(2-2\sqrt{3}x+3x^2)}{4\sqrt{3}} + \frac{\log(2+2\sqrt{3}x+3x^2)}{4\sqrt{3}}$$

Mathematica [A] time = 0.01, size = 44, normalized size = 0.86

$$\frac{\log(3x^2 + 2\sqrt{3}x + 2) - \log(-3x^2 + 2\sqrt{3}x - 2)}{4\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 - 3*x^2)/(4 + 9*x^4), x]

[Out] (-Log[-2 + 2*Sqrt[3]*x - 3*x^2] + Log[2 + 2*Sqrt[3]*x + 3*x^2])/(4*Sqrt[3])

fricas [A] time = 0.69, size = 42, normalized size = 0.82

$$\frac{1}{12} \sqrt{3} \log\left(\frac{9x^4 + 24x^2 + 4\sqrt{3}(3x^3 + 2x) + 4}{9x^4 + 4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-3*x^2+2)/(9*x^4+4), x, algorithm="fricas")

[Out] 1/12*sqrt(3)*log((9*x^4 + 24*x^2 + 4*sqrt(3)*(3*x^3 + 2*x) + 4)/(9*x^4 + 4))

giac [A] time = 0.17, size = 40, normalized size = 0.78

$$\frac{1}{12} \sqrt{3} \log\left(x^2 + \sqrt{2} \left(\frac{4}{9}\right)^{\frac{1}{4}} x + \frac{2}{3}\right) - \frac{1}{12} \sqrt{3} \log\left(x^2 - \sqrt{2} \left(\frac{4}{9}\right)^{\frac{1}{4}} x + \frac{2}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-3*x^2+2)/(9*x^4+4), x, algorithm="giac")

[Out] 1/12*sqrt(3)*log(x^2 + sqrt(2)*(4/9)^(1/4)*x + 2/3) - 1/12*sqrt(3)*log(x^2 - sqrt(2)*(4/9)^(1/4)*x + 2/3)

maple [B] time = 0.00, size = 82, normalized size = 1.61

$$-\frac{\sqrt{6} \sqrt{2} \ln\left(\frac{x^2 - \frac{\sqrt{6} \sqrt{2} x + 2}{3}}{x^2 + \frac{\sqrt{6} \sqrt{2} x + 2}{3}}\right)}{48} + \frac{\sqrt{6} \sqrt{2} \ln\left(\frac{x^2 + \frac{\sqrt{6} \sqrt{2} x + 2}{3}}{x^2 - \frac{\sqrt{6} \sqrt{2} x + 2}{3}}\right)}{48}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-3*x^2+2)/(9*x^4+4), x)

[Out] 1/48*6^(1/2)*2^(1/2)*ln((x^2+1/3*6^(1/2)*2^(1/2)*x+2/3)/(x^2-1/3*6^(1/2)*2^(1/2)*x+2/3))-1/48*6^(1/2)*2^(1/2)*ln((x^2-1/3*6^(1/2)*2^(1/2)*x+2/3)/(x^2+1/3*6^(1/2)*2^(1/2)*x+2/3))

maxima [A] time = 2.42, size = 39, normalized size = 0.76

$$\frac{1}{12} \sqrt{3} \log(3x^2 + 2\sqrt{3}x + 2) - \frac{1}{12} \sqrt{3} \log(3x^2 - 2\sqrt{3}x + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-3*x^2+2)/(9*x^4+4), x, algorithm="maxima")

[Out] 1/12*sqrt(3)*log(3*x^2 + 2*sqrt(3)*x + 2) - 1/12*sqrt(3)*log(3*x^2 - 2*sqrt(3)*x + 2)

mupad [B] time = 4.43, size = 21, normalized size = 0.41

$$\frac{\sqrt{3} \operatorname{atanh}\left(\frac{2\sqrt{3}x}{3x^2+2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(3*x^2 - 2)/(9*x^4 + 4), x)

[Out] (3^(1/2)*atanh((2*3^(1/2)*x)/(3*x^2 + 2)))/6

sympy [A] time = 0.12, size = 49, normalized size = 0.96

$$-\frac{\sqrt{3} \log\left(x^2 - \frac{2\sqrt{3}x}{3} + \frac{2}{3}\right)}{12} + \frac{\sqrt{3} \log\left(x^2 + \frac{2\sqrt{3}x}{3} + \frac{2}{3}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-3*x**2+2)/(9*x**4+4), x)

[Out] -sqrt(3)*log(x**2 - 2*sqrt(3)*x/3 + 2/3)/12 + sqrt(3)*log(x**2 + 2*sqrt(3)*x/3 + 2/3)/12

$$3.7 \quad \int \frac{2+3x^2}{4-9x^4} dx$$

Optimal. Leaf size=16

$$\frac{\tanh^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{\sqrt{6}}$$

[Out] 1/6*arctanh(1/2*x*6^(1/2))*6^(1/2)

Rubi [A] time = 0.00, antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {26, 206}

$$\frac{\tanh^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(4 - 9*x^4), x]

[Out] ArcTanh[Sqrt[3/2]*x]/Sqrt[6]

Rule 26

Int[(u_.)*((a_) + (b_.)*(x_)^(n_.))^(m_.)*((c_) + (d_.)*(x_)^(j_.))^(p_.), x_Symbol] :> Dist[(-b^2/d)^m, Int[u/(a - b*x^n)^m, x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[j, 2*n] && EqQ[p, -m] && EqQ[b^2*c + a^2*d, 0] && GtQ[a, 0] && LtQ[d, 0]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{2+3x^2}{4-9x^4} dx &= \int \frac{1}{2-3x^2} dx \\ &= \frac{\tanh^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{\sqrt{6}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 32, normalized size = 2.00

$$\frac{\log(3x + \sqrt{6}) - \log(\sqrt{6} - 3x)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(4 - 9*x^4), x]

[Out] (-Log[Sqrt[6] - 3*x] + Log[Sqrt[6] + 3*x])/(2*Sqrt[6])

fricas [B] time = 0.67, size = 29, normalized size = 1.81

$$\frac{1}{12} \sqrt{6} \log\left(\frac{3x^2 + 2\sqrt{6}x + 2}{3x^2 - 2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(-9*x^4+4), x, algorithm="fricas")

[Out] 1/12*sqrt(6)*log((3*x^2 + 2*sqrt(6)*x + 2)/(3*x^2 - 2))

giac [B] time = 0.16, size = 29, normalized size = 1.81

$$\frac{1}{12} \sqrt{6} \log\left(\left|x + \frac{1}{3} \sqrt{6}\right|\right) - \frac{1}{12} \sqrt{6} \log\left(\left|x - \frac{1}{3} \sqrt{6}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(-9*x^4+4), x, algorithm="giac")

[Out] 1/12*sqrt(6)*log(abs(x + 1/3*sqrt(6))) - 1/12*sqrt(6)*log(abs(x - 1/3*sqrt(6)))

maple [A] time = 0.00, size = 13, normalized size = 0.81

$$\frac{\sqrt{6} \operatorname{arctanh}\left(\frac{\sqrt{6}x}{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/(-9*x^4+4), x)

[Out] 1/6*arctanh(1/2*6^(1/2)*x)*6^(1/2)

maxima [B] time = 2.39, size = 25, normalized size = 1.56

$$-\frac{1}{12} \sqrt{6} \log\left(\frac{3x - \sqrt{6}}{3x + \sqrt{6}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(-9*x^4+4),x, algorithm="maxima")

[Out] -1/12*sqrt(6)*log((3*x - sqrt(6))/(3*x + sqrt(6)))

mupad [B] time = 0.09, size = 12, normalized size = 0.75

$$\frac{\sqrt{6} \operatorname{atanh}\left(\frac{\sqrt{6}x}{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(3*x^2 + 2)/(9*x^4 - 4),x)

[Out] (6^(1/2)*atanh((6^(1/2)*x)/2))/6

sympy [B] time = 0.11, size = 32, normalized size = 2.00

$$-\frac{\sqrt{6} \log\left(x - \frac{\sqrt{6}}{3}\right)}{12} + \frac{\sqrt{6} \log\left(x + \frac{\sqrt{6}}{3}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)/(-9*x**4+4),x)

[Out] -sqrt(6)*log(x - sqrt(6)/3)/12 + sqrt(6)*log(x + sqrt(6)/3)/12

$$3.8 \quad \int \frac{2-3x^2}{4-9x^4} dx$$

Optimal. Leaf size=16

$$\frac{\tan^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{\sqrt{6}}$$

[Out] 1/6*arctan(1/2*x*6^(1/2))*6^(1/2)

Rubi [A] time = 0.00, antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {26, 203}

$$\frac{\tan^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(2 - 3*x^2)/(4 - 9*x^4),x]

[Out] ArcTan[Sqrt[3/2]*x]/Sqrt[6]

Rule 26

Int[(u_)*((a_) + (b_)*(x_)^(n_))^(m_)*((c_) + (d_)*(x_)^(j_))^(p_), x_Symbol] :> Dist[(-b^2/d)^m, Int[u/(a - b*x^n)^m, x], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[j, 2*n] && EqQ[p, -m] && EqQ[b^2*c + a^2*d, 0] && GtQ[a, 0] && LtQ[d, 0]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{2-3x^2}{4-9x^4} dx &= \int \frac{1}{2+3x^2} dx \\ &= \frac{\tan^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{\sqrt{6}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 16, normalized size = 1.00

$$\frac{\tan^{-1}\left(\sqrt{\frac{3}{2}}x\right)}{\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 - 3*x^2)/(4 - 9*x^4), x]

[Out] ArcTan[Sqrt[3/2]*x]/Sqrt[6]

fricas [A] time = 0.66, size = 12, normalized size = 0.75

$$\frac{1}{6}\sqrt{6}\arctan\left(\frac{1}{2}\sqrt{6}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-3*x^2+2)/(-9*x^4+4), x, algorithm="fricas")

[Out] 1/6*sqrt(6)*arctan(1/2*sqrt(6)*x)

giac [A] time = 0.16, size = 12, normalized size = 0.75

$$\frac{1}{6}\sqrt{6}\arctan\left(\frac{1}{2}\sqrt{6}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-3*x^2+2)/(-9*x^4+4), x, algorithm="giac")

[Out] 1/6*sqrt(6)*arctan(1/2*sqrt(6)*x)

maple [A] time = 0.00, size = 13, normalized size = 0.81

$$\frac{\sqrt{6}\arctan\left(\frac{\sqrt{6}x}{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-3*x^2+2)/(-9*x^4+4), x)

[Out] 1/6*arctan(1/2*6^(1/2)*x)*6^(1/2)

maxima [A] time = 2.31, size = 12, normalized size = 0.75

$$\frac{1}{6}\sqrt{6}\arctan\left(\frac{1}{2}\sqrt{6}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-3*x^2+2)/(-9*x^4+4),x, algorithm="maxima")

[Out] 1/6*sqrt(6)*arctan(1/2*sqrt(6)*x)

mupad [B] time = 0.03, size = 12, normalized size = 0.75

$$\frac{\sqrt{6} \operatorname{atan}\left(\frac{\sqrt{6}x}{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 - 2)/(9*x^4 - 4),x)

[Out] (6^(1/2)*atan((6^(1/2)*x)/2))/6

sympy [A] time = 0.11, size = 15, normalized size = 0.94

$$\frac{\sqrt{6} \operatorname{atan}\left(\frac{\sqrt{6}x}{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-3*x**2+2)/(-9*x**4+4),x)

[Out] sqrt(6)*atan(sqrt(6)*x/2)/6

$$3.9 \quad \int \frac{\sqrt{a} \sqrt{b+bx^2}}{a+bx^4} dx$$

Optimal. Leaf size=75

$$\frac{\sqrt[4]{b} \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{\sqrt{2} \sqrt[4]{a}} - \frac{\sqrt[4]{b} \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{\sqrt{2} \sqrt[4]{a}}$$

[Out] $1/2*b^{(1/4)}*\arctan(-1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})/a^{(1/4)}*2^{(1/2)}+1/2*b^{(1/4)}*\arctan(1+b^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})/a^{(1/4)}*2^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1162, 617, 204}

$$\frac{\sqrt[4]{b} \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}} + 1\right)}{\sqrt{2} \sqrt[4]{a}} - \frac{\sqrt[4]{b} \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{b} x}{\sqrt[4]{a}}\right)}{\sqrt{2} \sqrt[4]{a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a]*Sqrt[b] + b*x^2)/(a + b*x^4), x]

[Out] $-((b^{(1/4)}*\text{ArcTan}[1 - (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(\text{Sqrt}[2]*a^{(1/4)})) + (b^{(1/4)}*\text{ArcTan}[1 + (\text{Sqrt}[2]*b^{(1/4)}*x)/a^{(1/4)}])/(\text{Sqrt}[2]*a^{(1/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &

& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a}\sqrt{b} + bx^2}{a + bx^4} dx &= \frac{1}{2} \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx + \frac{1}{2} \int \frac{1}{\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} + x^2} dx \\ &= \frac{\sqrt[4]{b} \operatorname{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt{2}\sqrt[4]{a}} - \frac{\sqrt[4]{b} \operatorname{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt{2}\sqrt[4]{a}} \\ &= -\frac{\sqrt[4]{b} \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt{2}\sqrt[4]{a}} + \frac{\sqrt[4]{b} \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right)}{\sqrt{2}\sqrt[4]{a}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 60, normalized size = 0.80

$$\frac{\sqrt[4]{b} \left(\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}} + 1\right) - \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{b}x}{\sqrt[4]{a}}\right) \right)}{\sqrt{2}\sqrt[4]{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a]*Sqrt[b] + b*x^2)/(a + b*x^4), x]

[Out] (b^(1/4)*(-ArcTan[1 - (Sqrt[2]*b^(1/4)*x)/a^(1/4)] + ArcTan[1 + (Sqrt[2]*b^(1/4)*x)/a^(1/4)]))/(Sqrt[2]*a^(1/4))

fricas [A] time = 0.64, size = 148, normalized size = 1.97

$$\left[\frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\frac{\sqrt{b}}{\sqrt{a}}} \log\left(\frac{bx^4 - 4\sqrt{a}\sqrt{b}x^2 + 4\sqrt{\frac{1}{2}}(\sqrt{a}\sqrt{b}x^3 - ax)\sqrt{-\frac{\sqrt{b}}{\sqrt{a}} + a}}{bx^4 + a}\right), \sqrt{\frac{1}{2}} \sqrt{\frac{\sqrt{b}}{\sqrt{a}}} \arctan\left(\sqrt{\frac{1}{2}}x\sqrt{\frac{\sqrt{b}}{\sqrt{a}}}\right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a^(1/2)*b^(1/2))/(b*x^4+a), x, algorithm="fricas")

[Out] [1/2*sqrt(1/2)*sqrt(-sqrt(b)/sqrt(a))*log((b*x^4 - 4*sqrt(a)*sqrt(b)*x^2 + 4*sqrt(1/2)*(sqrt(a)*sqrt(b)*x^3 - a*x)*sqrt(-sqrt(b)/sqrt(a)) + a)/(b*x^4 + a)), sqrt(1/2)*sqrt(sqrt(b)/sqrt(a))*arctan(sqrt(1/2)*x*sqrt(sqrt(b)/sqrt(a))]

(a))) + sqrt(1/2)*sqrt(sqrt(b)/sqrt(a))*arctan(sqrt(1/2)*(sqrt(a)*sqrt(b)*x^3 + a*x)*sqrt(sqrt(b)/sqrt(a))/a]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a^(1/2)*b^(1/2))/(b*x^4+a),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vecteur & l) Error: Bad Argument Value

maple [B] time = 0.00, size = 254, normalized size = 3.39

$$\frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} \sqrt{b} \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}-1\right)}{4\sqrt{a}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} \sqrt{b} \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}+1\right)}{4\sqrt{a}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} \sqrt{b} \ln\left(\frac{x^2+\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{b}}}{x^2-\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{b}}}\right)}{8\sqrt{a}} + \frac{\sqrt{2} \arctan\left(\frac{x}{\sqrt{a}}\right)}{4\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a^(1/2)*b^(1/2))/(b*x^4+a),x)

[Out] 1/8/a^(1/2)*b^(1/2)*(a/b)^(1/4)*2^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/4/a^(1/2)*b^(1/2)*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4/a^(1/2)*b^(1/2)*(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)+1/8/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/4/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 2.31, size = 100, normalized size = 1.33

$$\frac{\sqrt{2} \sqrt{b} \arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x+\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{b}}}\right)}{2\sqrt{\sqrt{a}\sqrt{b}}} + \frac{\sqrt{2} \sqrt{b} \arctan\left(\frac{\sqrt{2}\left(2\sqrt{b}x-\sqrt{2}a^{\frac{1}{4}}b^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{b}}}\right)}{2\sqrt{\sqrt{a}\sqrt{b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a^(1/2)*b^(1/2))/(b*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{2}\sqrt{2}\sqrt{b}\arctan\left(\frac{1}{2}\sqrt{2}\sqrt{b}x + \sqrt{2}a^{1/4}b^{1/4}\right)/\sqrt{\sqrt{a}\sqrt{b}} + \frac{1}{2}\sqrt{2}\sqrt{b}\arctan\left(\frac{1}{2}\sqrt{2}\sqrt{b}x - \sqrt{2}a^{1/4}b^{1/4}\right)/\sqrt{\sqrt{a}\sqrt{b}}$

mupad [B] time = 4.79, size = 57, normalized size = 0.76

$$\frac{\sqrt{2} b^{1/4} \left(2 \operatorname{atan} \left(\frac{\sqrt{2} b^{1/4} x}{2 a^{1/4}} \right) + 2 \operatorname{atan} \left(\frac{\sqrt{2} b^{3/4} x^3}{2 a^{3/4}} + \frac{\sqrt{2} b^{1/4} x}{2 a^{1/4}} \right) \right)}{4 a^{1/4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^2 + a^(1/2)*b^(1/2))/(a + b*x^4), x)`

[Out] $(2^{1/2}b^{1/4}(2\operatorname{atan}((2^{1/2}b^{1/4}x)/(2a^{1/4}))) + 2\operatorname{atan}((2^{1/2}b^{3/4}x^3)/(2a^{3/4}) + (2^{1/2}b^{1/4}x)/(2a^{1/4}))))/(4a^{1/4})$

sympy [A] time = 0.39, size = 138, normalized size = 1.84

$$-\frac{\sqrt{2}\sqrt{-\frac{\sqrt{b}}{\sqrt{a}}}\log\left(-\frac{\sqrt{2}\sqrt{a}x\sqrt{-\frac{\sqrt{b}}{\sqrt{a}}}}{\sqrt{b}} - \frac{\sqrt{a}}{\sqrt{b}} + x^2\right)}{4} + \frac{\sqrt{2}\sqrt{-\frac{\sqrt{b}}{\sqrt{a}}}\log\left(\frac{\sqrt{2}\sqrt{a}x\sqrt{-\frac{\sqrt{b}}{\sqrt{a}}}}{\sqrt{b}} - \frac{\sqrt{a}}{\sqrt{b}} + x^2\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**2+a**(1/2)*b**(1/2))/(b*x**4+a), x)`

[Out] $-\sqrt{2}\sqrt{-\sqrt{b}/\sqrt{a}}\log(-\sqrt{2}\sqrt{a}x\sqrt{-\sqrt{b}/\sqrt{a}}/\sqrt{b} - \sqrt{a}/\sqrt{b} + x^2)/4 + \sqrt{2}\sqrt{-\sqrt{b}/\sqrt{a}}\log(\sqrt{2}\sqrt{a}x\sqrt{-\sqrt{b}/\sqrt{a}}/\sqrt{b} - \sqrt{a}/\sqrt{b} + x^2)/4$

$$3.10 \quad \int \frac{\sqrt{a} \sqrt{b} - bx^2}{a + bx^4} dx$$

Optimal. Leaf size=106

$$\frac{\sqrt[4]{b} \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{2\sqrt{2} \sqrt[4]{a}} - \frac{\sqrt[4]{b} \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{2\sqrt{2} \sqrt[4]{a}}$$

[Out] $-1/4*b^{(1/4)}*\ln(-a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})/a^{(1/4)}*2^{(1/2)}+1/4*b^{(1/4)}*\ln(a^{(1/4)}*b^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*b^{(1/2)})/a^{(1/4)}*2^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1165, 628}

$$\frac{\sqrt[4]{b} \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{2\sqrt{2} \sqrt[4]{a}} - \frac{\sqrt[4]{b} \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{b} x + \sqrt{a} + \sqrt{b} x^2)}{2\sqrt{2} \sqrt[4]{a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a]*Sqrt[b] - b*x^2)/(a + b*x^4), x]

[Out] $-(b^{(1/4)}*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(2*\text{Sqrt}[2]*a^{(1/4)}) + (b^{(1/4)}*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*b^{(1/4)}*x + \text{Sqrt}[b]*x^2])/(2*\text{Sqrt}[2]*a^{(1/4)})$

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rubi steps

$$\int \frac{\sqrt{a}\sqrt{b} - bx^2}{a + bx^4} dx = -\frac{\sqrt[4]{b} \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}} + 2x}{-\frac{\sqrt{a}}{\sqrt{b}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}{2\sqrt{2}\sqrt[4]{a}} - \frac{\sqrt[4]{b} \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{b}} - 2x}{-\frac{\sqrt{a}}{\sqrt{b}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{b}} - x^2} dx}{2\sqrt{2}\sqrt[4]{a}}$$

$$= -\frac{\sqrt[4]{b} \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{2\sqrt{2}\sqrt[4]{a}} + \frac{\sqrt[4]{b} \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{b}x^2)}{2\sqrt{2}\sqrt[4]{a}}$$

Mathematica [A] time = 0.02, size = 91, normalized size = 0.86

$$\frac{\sqrt[4]{b} (\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x + \sqrt{a} + \sqrt{b}x^2) - \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{b}x - \sqrt{a} - \sqrt{b}x^2))}{2\sqrt{2}\sqrt[4]{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a]*Sqrt[b] - b*x^2)/(a + b*x^4), x]

[Out] (b^(1/4)*(-Log[-Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x - Sqrt[b]*x^2] + Log[Sqrt[a] + Sqrt[2]*a^(1/4)*b^(1/4)*x + Sqrt[b]*x^2])/(2*Sqrt[2]*a^(1/4))

fricas [A] time = 0.46, size = 151, normalized size = 1.42

$$\left[\frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\frac{\sqrt{b}}{\sqrt{a}}} \log \left(\frac{bx^4 + 4\sqrt{a}\sqrt{b}x^2 + 4\sqrt{\frac{1}{2}}(\sqrt{a}\sqrt{b}x^3 + ax)\sqrt{\frac{\sqrt{b}}{\sqrt{a}}} + a}{bx^4 + a} \right), -\sqrt{\frac{1}{2}} \sqrt{-\frac{\sqrt{b}}{\sqrt{a}}} \arctan \left(\sqrt{\frac{1}{2}} x \sqrt{-\frac{\sqrt{b}}{\sqrt{a}}} \right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+a^(1/2)*b^(1/2))/(b*x^4+a), x, algorithm="fricas")

[Out] [1/2*sqrt(1/2)*sqrt(sqrt(b)/sqrt(a))*log((b*x^4 + 4*sqrt(a)*sqrt(b)*x^2 + 4*sqrt(1/2)*(sqrt(a)*sqrt(b)*x^3 + a*x)*sqrt(sqrt(b)/sqrt(a)) + a)/(b*x^4 + a)), -sqrt(1/2)*sqrt(-sqrt(b)/sqrt(a))*arctan(sqrt(1/2)*x*sqrt(-sqrt(b)/sqrt(a))) + sqrt(1/2)*sqrt(-sqrt(b)/sqrt(a))*arctan(sqrt(1/2)*(sqrt(a)*sqrt(b)*x^3 - a*x)*sqrt(-sqrt(b)/sqrt(a))/a)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+a^(1/2)*b^(1/2))/(b*x^4+a),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
 i,const vecteur & l) Error: Bad Argument Value

maple [B] time = 0.00, size = 254, normalized size = 2.40

$$\frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} \sqrt{b} \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}-1\right)}{4\sqrt{a}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} \sqrt{b} \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{b}\right)^{\frac{1}{4}}}+1\right)}{4\sqrt{a}} + \frac{\left(\frac{a}{b}\right)^{\frac{1}{4}} \sqrt{2} \sqrt{b} \ln\left(\frac{x^2+\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{b}}}{x^2-\left(\frac{a}{b}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{b}}}\right)}{8\sqrt{a}} - \sqrt{2} \arctan\left(\frac{x}{\sqrt{a}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^2+a^(1/2)*b^(1/2))/(b*x^4+a),x)

[Out] 1/8*(a/b)^(1/4)*2^(1/2)/a^(1/2)*b^(1/2)*ln((x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))+1/4*(a/b)^(1/4)*2^(1/2)/a^(1/2)*b^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)+1/4*(a/b)^(1/4)*2^(1/2)/a^(1/2)*b^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)-1/8/(a/b)^(1/4)*2^(1/2)*ln((x^2-(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2))/(x^2+(a/b)^(1/4)*2^(1/2)*x+(a/b)^(1/2)))-1/4/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x+1)-1/4/(a/b)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/b)^(1/4)*x-1)

maxima [A] time = 2.37, size = 70, normalized size = 0.66

$$\frac{\sqrt{2} b^{\frac{1}{4}} \log\left(\sqrt{b} x^2 + \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}\right)}{4 a^{\frac{1}{4}}} - \frac{\sqrt{2} b^{\frac{1}{4}} \log\left(\sqrt{b} x^2 - \sqrt{2} a^{\frac{1}{4}} b^{\frac{1}{4}} x + \sqrt{a}\right)}{4 a^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+a^(1/2)*b^(1/2))/(b*x^4+a),x, algorithm="maxima")

[Out] 1/4*sqrt(2)*b^(1/4)*log(sqrt(b)*x^2 + sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/a^(1/4) - 1/4*sqrt(2)*b^(1/4)*log(sqrt(b)*x^2 - sqrt(2)*a^(1/4)*b^(1/4)*x + sqrt(a))/a^(1/4)

mupad [B] time = 4.76, size = 43, normalized size = 0.41

$$\frac{\sqrt{2} b^{1/4} \operatorname{atanh}\left(\frac{2\sqrt{2} a^{1/4} b^{11/4} x}{2\sqrt{a} b^{5/2} + 2b^3 x^2}\right)}{2 a^{1/4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(b*x^2 - a^(1/2)*b^(1/2))/(a + b*x^4), x)`

[Out] $(2^{1/2} b^{1/4} \operatorname{atanh}((2 \cdot 2^{1/2}) a^{1/4} b^{11/4} x) / (2 a^{1/2} b^{5/2} + 2 b^3 x^2)) / (2 a^{1/4})$

sympy [A] time = 0.46, size = 131, normalized size = 1.24

$$-\frac{\sqrt{2} \sqrt{\frac{\sqrt{b}}{\sqrt{a}}} \log\left(-\frac{\sqrt{2} \sqrt{a} x \sqrt{\frac{\sqrt{b}}{\sqrt{a}}}}{\sqrt{b}} + \frac{\sqrt{a}}{\sqrt{b}} + x^2\right)}{4} + \frac{\sqrt{2} \sqrt{\frac{\sqrt{b}}{\sqrt{a}}} \log\left(\frac{\sqrt{2} \sqrt{a} x \sqrt{\frac{\sqrt{b}}{\sqrt{a}}}}{\sqrt{b}} + \frac{\sqrt{a}}{\sqrt{b}} + x^2\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x**2+a**(1/2)*b**(1/2))/(b*x**4+a), x)`

[Out] $-\sqrt{2} \sqrt{\frac{\sqrt{b}}{\sqrt{a}}} \log(-\sqrt{2} \sqrt{a} x \sqrt{\frac{\sqrt{b}}{\sqrt{a}}}) / \sqrt{b} + \sqrt{a} / \sqrt{b} + x^2) / 4 + \sqrt{2} \sqrt{\frac{\sqrt{b}}{\sqrt{a}}} \log(\sqrt{2} \sqrt{a} x \sqrt{\frac{\sqrt{b}}{\sqrt{a}}}) / \sqrt{b} + \sqrt{a} / \sqrt{b} + x^2) / 4$

3.11 $\int \frac{d+ex^2}{d^2+e^2x^4} dx$

Optimal. Leaf size=75

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d}}+1\right)}{\sqrt{2}\sqrt{d}\sqrt{e}} - \frac{\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{2}\sqrt{d}\sqrt{e}}$$

[Out] $1/2*\arctan(-1+x*2^{(1/2)}*e^{(1/2)}/d^{(1/2)})*2^{(1/2)}/d^{(1/2)}/e^{(1/2)}+1/2*\arctan(1+x*2^{(1/2)}*e^{(1/2)}/d^{(1/2)})*2^{(1/2)}/d^{(1/2)}/e^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1162, 617, 204}

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d}}+1\right)}{\sqrt{2}\sqrt{d}\sqrt{e}} - \frac{\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{2}\sqrt{d}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(d^2 + e^2*x^4), x]

[Out] $-(\text{ArcTan}[1 - (\text{Sqrt}[2]*\text{Sqrt}[e]*x)/\text{Sqrt}[d]]/(\text{Sqrt}[2]*\text{Sqrt}[d]*\text{Sqrt}[e])) + \text{ArcTan}[1 + (\text{Sqrt}[2]*\text{Sqrt}[e]*x)/\text{Sqrt}[d]]/(\text{Sqrt}[2]*\text{Sqrt}[d]*\text{Sqrt}[e])$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2}{d^2 + e^2x^4} dx &= \frac{\int \frac{1}{\frac{d}{e} - \frac{\sqrt{2}\sqrt{d}x}{\sqrt{e}} + x^2} dx}{2e} + \frac{\int \frac{1}{\frac{d}{e} + \frac{\sqrt{2}\sqrt{d}x}{\sqrt{e}} + x^2} dx}{2e} \\
&= \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1 - \frac{\sqrt{2}\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{2}\sqrt{d}\sqrt{e}} - \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1 + \frac{\sqrt{2}\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{2}\sqrt{d}\sqrt{e}} \\
&= -\frac{\tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{2}\sqrt{d}\sqrt{e}} + \frac{\tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{2}\sqrt{d}\sqrt{e}}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 60, normalized size = 0.80

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{e}x}{\sqrt{d}} + 1\right) - \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{2}\sqrt{d}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/(d^2 + e^2*x^4), x]

[Out] (-ArcTan[1 - (Sqrt[2]*Sqrt[e]*x)/Sqrt[d]] + ArcTan[1 + (Sqrt[2]*Sqrt[e]*x)/Sqrt[d]])/(Sqrt[2]*Sqrt[d]*Sqrt[e])

fricas [A] time = 0.41, size = 137, normalized size = 1.83

$$\left[\frac{\sqrt{2}\sqrt{-de} \log\left(\frac{e^2x^4 - 4dex^2 - 2\sqrt{2}(ex^3 - dx)\sqrt{-de} + d^2}{e^2x^4 + d^2}\right)}{4de}, \frac{\sqrt{2}\sqrt{de} \arctan\left(\frac{\sqrt{2}\sqrt{de}x}{2d}\right) + \sqrt{2}\sqrt{de} \arctan\left(\frac{\sqrt{2}(ex^3 + dx)\sqrt{de}}{2d^2}\right)}{2de} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(e^2*x^4+d^2), x, algorithm="fricas")

[Out] [-1/4*sqrt(2)*sqrt(-d*e)*log((e^2*x^4 - 4*d*e*x^2 - 2*sqrt(2)*(e*x^3 - d*x)*sqrt(-d*e) + d^2)/(e^2*x^4 + d^2))/(d*e), 1/2*(sqrt(2)*sqrt(d*e)*arctan(1/2*sqrt(2)*sqrt(d*e)*x/d) + sqrt(2)*sqrt(d*e)*arctan(1/2*sqrt(2)*(e*x^3 + d*x)*sqrt(d*e)/d^2))/(d*e)]

giac [B] time = 0.17, size = 222, normalized size = 2.96

$$\frac{\sqrt{2} \left((d^2)^{\frac{1}{4}} d e^{\frac{11}{2}} + (d^2)^{\frac{3}{4}} e^{\frac{11}{2}} \right) \arctan \left(\frac{\sqrt{2} \left(\sqrt{2} (d^2)^{\frac{1}{4}} e^{\left(-\frac{1}{2}\right) + 2x} \right) e^{\frac{1}{2}}}{2 (d^2)^{\frac{1}{4}}} \right) e^{(-6)}}{4 d^2} + \frac{\sqrt{2} \left((d^2)^{\frac{1}{4}} d e^{\frac{11}{2}} + (d^2)^{\frac{3}{4}} e^{\frac{11}{2}} \right) \arctan \left(-\frac{\sqrt{2} \left(\sqrt{2} (d^2)^{\frac{1}{4}} \right)}{2} \right)}{4 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(e^2*x^4+d^2),x, algorithm="giac")

[Out] 1/4*sqrt(2)*((d^2)^(1/4)*d*e^(11/2) + (d^2)^(3/4)*e^(11/2))*arctan(1/2*sqrt(2)*(sqrt(2)*(d^2)^(1/4)*e^(-1/2) + 2*x)*e^(1/2)/(d^2)^(1/4))*e^(-6)/d^2 + 1/4*sqrt(2)*((d^2)^(1/4)*d*e^(11/2) + (d^2)^(3/4)*e^(11/2))*arctan(-1/2*sqrt(2)*(sqrt(2)*(d^2)^(1/4)*e^(-1/2) - 2*x)*e^(1/2)/(d^2)^(1/4))*e^(-6)/d^2 + 1/8*sqrt(2)*((d^2)^(1/4)*d*e^(11/2) - (d^2)^(3/4)*e^(11/2))*e^(-6)*log(sqrt(2)*(d^2)^(1/4)*x*e^(-1/2) + x^2 + sqrt(d^2)*e^(-1))/d^2 - 1/8*sqrt(2)*((d^2)^(1/4)*d*e^(11/2) - (d^2)^(3/4)*e^(11/2))*e^(-6)*log(-sqrt(2)*(d^2)^(1/4)*x*e^(-1/2) + x^2 + sqrt(d^2)*e^(-1))/d^2

maple [B] time = 0.01, size = 290, normalized size = 3.87

$$\frac{\left(\frac{d^2}{e^2}\right)^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{\left(\frac{d^2}{e^2}\right)^{\frac{1}{4}}} - 1\right)}{4d} + \frac{\left(\frac{d^2}{e^2}\right)^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2} x}{\left(\frac{d^2}{e^2}\right)^{\frac{1}{4}}} + 1\right)}{4d} + \frac{\left(\frac{d^2}{e^2}\right)^{\frac{1}{4}} \sqrt{2} \ln\left(\frac{x^2 + \left(\frac{d^2}{e^2}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{d^2}{e^2}}}{x^2 - \left(\frac{d^2}{e^2}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{d^2}{e^2}}}\right)}{8d} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2} x}{\left(\frac{d^2}{e^2}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{d^2}{e^2}\right)^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(e^2*x^4+d^2),x)

[Out] 1/8/d*(d^2/e^2)^(1/4)*2^(1/2)*ln((x^2+(d^2/e^2)^(1/4)*x*2^(1/2)+(d^2/e^2)^(1/2))/(x^2-(d^2/e^2)^(1/4)*x*2^(1/2)+(d^2/e^2)^(1/2)))+1/4/d*(d^2/e^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(d^2/e^2)^(1/4)*x+1)+1/4/d*(d^2/e^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(d^2/e^2)^(1/4)*x-1)+1/8/e/(d^2/e^2)^(1/4)*2^(1/2)*ln((x^2-(d^2/e^2)^(1/4)*x*2^(1/2)+(d^2/e^2)^(1/2))/(x^2+(d^2/e^2)^(1/4)*x*2^(1/2)+(d^2/e^2)^(1/2)))+1/4/e/(d^2/e^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(d^2/e^2)^(1/4)*x+1)+1/4/e/(d^2/e^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(d^2/e^2)^(1/4)*x-1)

maxima [A] time = 2.48, size = 74, normalized size = 0.99

$$\frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}(2ex + \sqrt{2}\sqrt{d}\sqrt{e})}{2\sqrt{de}}\right)}{2\sqrt{de}} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}(2ex - \sqrt{2}\sqrt{d}\sqrt{e})}{2\sqrt{de}}\right)}{2\sqrt{de}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(e^2*x^4+d^2),x, algorithm="maxima")

[Out] 1/2*sqrt(2)*arctan(1/2*sqrt(2)*(2*e*x + sqrt(2)*sqrt(d)*sqrt(e))/sqrt(d*e))
/sqrt(d*e) + 1/2*sqrt(2)*arctan(1/2*sqrt(2)*(2*e*x - sqrt(2)*sqrt(d)*sqrt(e))
)/sqrt(d*e))/sqrt(d*e)

mupad [B] time = 4.41, size = 57, normalized size = 0.76

$$\frac{\sqrt{2} \left(2 \operatorname{atan} \left(\frac{\sqrt{2} \sqrt{e} x}{2 \sqrt{d}} \right) + 2 \operatorname{atan} \left(\frac{\sqrt{2} e^{3/2} x^3}{2 d^{3/2}} + \frac{\sqrt{2} \sqrt{e} x}{2 \sqrt{d}} \right) \right)}{4 \sqrt{d} \sqrt{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(d^2 + e^2*x^4),x)

[Out] (2^(1/2)*(2*atan((2^(1/2)*e^(1/2)*x)/(2*d^(1/2))) + 2*atan((2^(1/2)*e^(3/2)*x^3)/(2*d^(3/2)) + (2^(1/2)*e^(1/2)*x)/(2*d^(1/2))))/(4*d^(1/2)*e^(1/2))

sympy [A] time = 0.22, size = 87, normalized size = 1.16

$$-\frac{\sqrt{2} \sqrt{-\frac{1}{de}} \log \left(-\sqrt{2} dx \sqrt{-\frac{1}{de}} - \frac{d}{e} + x^2 \right)}{4} + \frac{\sqrt{2} \sqrt{-\frac{1}{de}} \log \left(\sqrt{2} dx \sqrt{-\frac{1}{de}} - \frac{d}{e} + x^2 \right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(e**2*x**4+d**2),x)

[Out] -sqrt(2)*sqrt(-1/(d*e))*log(-sqrt(2)*d*x*sqrt(-1/(d*e)) - d/e + x**2)/4 + s
qrt(2)*sqrt(-1/(d*e))*log(sqrt(2)*d*x*sqrt(-1/(d*e)) - d/e + x**2)/4

$$3.12 \quad \int \frac{d-ex^2}{d^2+e^2x^4} dx$$

Optimal. Leaf size=90

$$\frac{\log(\sqrt{2}\sqrt{d}\sqrt{e}x+d+ex^2)}{2\sqrt{2}\sqrt{d}\sqrt{e}} - \frac{\log(-\sqrt{2}\sqrt{d}\sqrt{e}x+d+ex^2)}{2\sqrt{2}\sqrt{d}\sqrt{e}}$$

[Out] $-1/4*\ln(d+e*x^2-x*2^{(1/2)}*d^{(1/2)}*e^{(1/2)})*2^{(1/2)}/d^{(1/2)}/e^{(1/2)}+1/4*\ln(d+e*x^2+x*2^{(1/2)}*d^{(1/2)}*e^{(1/2)})*2^{(1/2)}/d^{(1/2)}/e^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1165, 628}

$$\frac{\log(\sqrt{2}\sqrt{d}\sqrt{e}x+d+ex^2)}{2\sqrt{2}\sqrt{d}\sqrt{e}} - \frac{\log(-\sqrt{2}\sqrt{d}\sqrt{e}x+d+ex^2)}{2\sqrt{2}\sqrt{d}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[(d - e*x^2)/(d^2 + e^2*x^4), x]

[Out] $-\text{Log}[d - \text{Sqrt}[2]*\text{Sqrt}[d]*\text{Sqrt}[e]*x + e*x^2]/(2*\text{Sqrt}[2]*\text{Sqrt}[d]*\text{Sqrt}[e]) + \text{Log}[d + \text{Sqrt}[2]*\text{Sqrt}[d]*\text{Sqrt}[e]*x + e*x^2]/(2*\text{Sqrt}[2]*\text{Sqrt}[d]*\text{Sqrt}[e])$

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rubi steps

$$\int \frac{d - ex^2}{d^2 + e^2x^4} dx = -\frac{\int \frac{\frac{\sqrt{2}\sqrt{d}}{\sqrt{e}} + 2x}{-\frac{d}{e} - \frac{\sqrt{2}\sqrt{d}x}{\sqrt{e}} - x^2} dx}{2\sqrt{2}\sqrt{d}\sqrt{e}} - \frac{\int \frac{\frac{\sqrt{2}\sqrt{d}}{\sqrt{e}} - 2x}{-\frac{d}{e} + \frac{\sqrt{2}\sqrt{d}x}{\sqrt{e}} - x^2} dx}{2\sqrt{2}\sqrt{d}\sqrt{e}}$$

$$= -\frac{\log(d - \sqrt{2}\sqrt{d}\sqrt{e}x + ex^2)}{2\sqrt{2}\sqrt{d}\sqrt{e}} + \frac{\log(d + \sqrt{2}\sqrt{d}\sqrt{e}x + ex^2)}{2\sqrt{2}\sqrt{d}\sqrt{e}}$$

Mathematica [A] time = 0.02, size = 75, normalized size = 0.83

$$\frac{\log(\sqrt{2}\sqrt{d}\sqrt{e}x + d + ex^2) - \log(\sqrt{2}\sqrt{d}\sqrt{e}x - d - ex^2)}{2\sqrt{2}\sqrt{d}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Integrate[(d - e*x^2)/(d^2 + e^2*x^4), x]

[Out] (-Log[-d + Sqrt[2]*Sqrt[d]*Sqrt[e]*x - e*x^2] + Log[d + Sqrt[2]*Sqrt[d]*Sqrt[e]*x + e*x^2])/(2*Sqrt[2]*Sqrt[d]*Sqrt[e])

fricas [A] time = 0.41, size = 140, normalized size = 1.56

$$\left[\frac{\sqrt{2}\sqrt{de} \log\left(\frac{e^2x^4 + 4dex^2 + 2\sqrt{2}(ex^3 + dx)\sqrt{de} + d^2}{e^2x^4 + d^2}\right)}{4de}, -\frac{\sqrt{2}\sqrt{-de} \arctan\left(\frac{\sqrt{2}\sqrt{-de}x}{2d}\right) - \sqrt{2}\sqrt{-de} \arctan\left(\frac{\sqrt{2}(ex^3 - dx)\sqrt{-de}}{2d^2}\right)}{2de} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(e^2*x^4+d^2), x, algorithm="fricas")

[Out] [1/4*sqrt(2)*sqrt(d*e)*log((e^2*x^4 + 4*d*e*x^2 + 2*sqrt(2)*(e*x^3 + d*x)*sqrt(d*e) + d^2)/(e^2*x^4 + d^2))/(d*e), -1/2*(sqrt(2)*sqrt(-d*e)*arctan(1/2*sqrt(2)*sqrt(-d*e)*x/d) - sqrt(2)*sqrt(-d*e)*arctan(1/2*sqrt(2)*(e*x^3 - d*x)*sqrt(-d*e)/d^2))/(d*e)]

giac [B] time = 0.22, size = 222, normalized size = 2.47

$$\frac{\sqrt{2}\left((d^2)^{\frac{1}{4}}de^{\frac{11}{2}} - (d^2)^{\frac{3}{4}}e^{\frac{11}{2}}\right)\arctan\left(\frac{\sqrt{2}\left(\sqrt{2}(d^2)^{\frac{1}{4}}e^{\frac{(-1)}{2}}\right) + 2x}{2(d^2)^{\frac{1}{4}}}\right)e^{(-6)}}{4d^2} + \frac{\sqrt{2}\left((d^2)^{\frac{1}{4}}de^{\frac{11}{2}} - (d^2)^{\frac{3}{4}}e^{\frac{11}{2}}\right)\arctan\left(-\frac{\sqrt{2}\left(\sqrt{2}(d^2)^{\frac{1}{4}}e^{\frac{(-1)}{2}}\right) - 2x}{2(d^2)^{\frac{1}{4}}}\right)e^{(-6)}}{4d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(e^2*x^4+d^2),x, algorithm="giac")

[Out] $\frac{1}{4}\sqrt{2}*((d^2)^{(1/4)}*d*e^{(11/2)} - (d^2)^{(3/4)}*e^{(11/2)})*\arctan(1/2*\sqrt{2}*(\sqrt{2}*(d^2)^{(1/4)}*e^{(-1/2)} + 2*x)*e^{(1/2)}/(d^2)^{(1/4)})*e^{(-6)}/d^2 + 1/4*\sqrt{2}*((d^2)^{(1/4)}*d*e^{(11/2)} - (d^2)^{(3/4)}*e^{(11/2)})*\arctan(-1/2*\sqrt{2}*(\sqrt{2}*(d^2)^{(1/4)}*e^{(-1/2)} - 2*x)*e^{(1/2)}/(d^2)^{(1/4)})*e^{(-6)}/d^2 + 1/8*\sqrt{2}*((d^2)^{(1/4)}*d*e^{(11/2)} + (d^2)^{(3/4)}*e^{(11/2)})*e^{(-6)}*\log(\sqrt{2}*(d^2)^{(1/4)}*x*e^{(-1/2)} + x^2 + \sqrt{d^2}*e^{(-1)})/d^2 - 1/8*\sqrt{2}*((d^2)^{(1/4)}*d*e^{(11/2)} + (d^2)^{(3/4)}*e^{(11/2)})*e^{(-6)}*\log(-\sqrt{2}*(d^2)^{(1/4)}*x*e^{(-1/2)} + x^2 + \sqrt{d^2}*e^{(-1)})/d^2$

maple [B] time = 0.00, size = 290, normalized size = 3.22

$$\frac{\left(\frac{d^2}{e^2}\right)^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\left(\frac{d^2}{e^2}\right)^{\frac{1}{4}}} - 1\right)}{4d} + \frac{\left(\frac{d^2}{e^2}\right)^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\left(\frac{d^2}{e^2}\right)^{\frac{1}{4}}} + 1\right)}{4d} + \frac{\left(\frac{d^2}{e^2}\right)^{\frac{1}{4}} \sqrt{2} \ln\left(\frac{x^2 + \left(\frac{d^2}{e^2}\right)^{\frac{1}{4}} \sqrt{2}x + \sqrt{\frac{d^2}{e^2}}}{x^2 - \left(\frac{d^2}{e^2}\right)^{\frac{1}{4}} \sqrt{2}x + \sqrt{\frac{d^2}{e^2}}}\right)}{8d} - \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\left(\frac{d^2}{e^2}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{d^2}{e^2}\right)^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e*x^2+d)/(e^2*x^4+d^2),x)

[Out] $\frac{1}{8}*(d^2/e^2)^{(1/4)}*2^{(1/2)}/d*\ln((x^2+(d^2/e^2)^{(1/4)}*2^{(1/2)}*x+(d^2/e^2)^{(1/2)})/(x^2-(d^2/e^2)^{(1/4)}*2^{(1/2)}*x+(d^2/e^2)^{(1/2)}))+1/4*(d^2/e^2)^{(1/4)}*2^{(1/2)}/d*\arctan(2^{(1/2)}/(d^2/e^2)^{(1/4)}*x+1)+1/4*(d^2/e^2)^{(1/4)}*2^{(1/2)}/d*\arctan(2^{(1/2)}/(d^2/e^2)^{(1/4)}*x-1)-1/8/(d^2/e^2)^{(1/4)}*2^{(1/2)}/e*\ln((x^2-(d^2/e^2)^{(1/4)}*2^{(1/2)}*x+(d^2/e^2)^{(1/2)})/(x^2+(d^2/e^2)^{(1/4)}*2^{(1/2)}*x+(d^2/e^2)^{(1/2)}))-1/4/(d^2/e^2)^{(1/4)}*2^{(1/2)}/e*\arctan(2^{(1/2)}/(d^2/e^2)^{(1/4)}*x+1)-1/4/(d^2/e^2)^{(1/4)}*2^{(1/2)}/e*\arctan(2^{(1/2)}/(d^2/e^2)^{(1/4)}*x-1)$

maxima [A] time = 2.41, size = 62, normalized size = 0.69

$$\frac{\sqrt{2} \log\left(ex^2 + \sqrt{2} \sqrt{d} \sqrt{e} x + d\right)}{4 \sqrt{d} \sqrt{e}} - \frac{\sqrt{2} \log\left(ex^2 - \sqrt{2} \sqrt{d} \sqrt{e} x + d\right)}{4 \sqrt{d} \sqrt{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(e^2*x^4+d^2),x, algorithm="maxima")

[Out] $\frac{1}{4}\sqrt{2}*\log(e*x^2 + \sqrt{2}*\sqrt{d}*\sqrt{e}*x + d)/(\sqrt{d}*\sqrt{e}) - 1/4*\sqrt{2}*\log(e*x^2 - \sqrt{2}*\sqrt{d}*\sqrt{e}*x + d)/(\sqrt{d}*\sqrt{e})$

mupad [B] time = 0.09, size = 41, normalized size = 0.46

$$\frac{\sqrt{2} \operatorname{atanh}\left(\frac{2\sqrt{2}\sqrt{d}e^{7/2}x}{2e^4x^2+2de^3}\right)}{2\sqrt{d}\sqrt{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d - e*x^2)/(d^2 + e^2*x^4), x)`

[Out] $(2^{1/2}*\operatorname{atanh}((2*2^{1/2}*d^{1/2}*e^{7/2}*x)/(2*d*e^3 + 2*e^4*x^2)))/(2*d^{1/2}*e^{1/2})$

sympy [A] time = 0.23, size = 80, normalized size = 0.89

$$-\frac{\sqrt{2}\sqrt{\frac{1}{de}}\log\left(-\sqrt{2}dx\sqrt{\frac{1}{de}} + \frac{d}{e} + x^2\right)}{4} + \frac{\sqrt{2}\sqrt{\frac{1}{de}}\log\left(\sqrt{2}dx\sqrt{\frac{1}{de}} + \frac{d}{e} + x^2\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e*x**2+d)/(e**2*x**4+d**2), x)`

[Out] $-\operatorname{sqrt}(2)*\operatorname{sqrt}(1/(d*e))*\log(-\operatorname{sqrt}(2)*d*x*\operatorname{sqrt}(1/(d*e)) + d/e + x**2)/4 + \operatorname{sqrt}(2)*\operatorname{sqrt}(1/(d*e))*\log(\operatorname{sqrt}(2)*d*x*\operatorname{sqrt}(1/(d*e)) + d/e + x**2)/4$

3.13 $\int \frac{5+2x^2}{-1+x^4} dx$

Optimal. Leaf size=13

$$-\frac{3}{2} \tan^{-1}(x) - \frac{7}{2} \tanh^{-1}(x)$$

[Out] -3/2*arctan(x)-7/2*arctanh(x)

Rubi [A] time = 0.01, antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1167, 207, 203}

$$-\frac{3}{2} \tan^{-1}(x) - \frac{7}{2} \tanh^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(5 + 2*x^2)/(-1 + x^4), x]

[Out] (-3*ArcTan[x])/2 - (7*ArcTanh[x])/2

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1167

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x^2), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x^2), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 - a*e^2, 0] && PosQ[-(a*c)]

Rubi steps

$$\int \frac{5+2x^2}{-1+x^4} dx = -\left(\frac{3}{2} \int \frac{1}{1+x^2} dx\right) + \frac{7}{2} \int \frac{1}{-1+x^2} dx$$

$$= -\frac{3}{2} \tan^{-1}(x) - \frac{7}{2} \tanh^{-1}(x)$$

Mathematica [A] time = 0.01, size = 25, normalized size = 1.92

$$\frac{7}{4} \log(1-x) - \frac{7}{4} \log(x+1) - \frac{3}{2} \tan^{-1}(x)$$

Antiderivative was successfully verified.

[In] Integrate[(5 + 2*x^2)/(-1 + x^4), x]

[Out] (-3*ArcTan[x])/2 + (7*Log[1 - x])/4 - (7*Log[1 + x])/4

fricas [A] time = 0.40, size = 17, normalized size = 1.31

$$-\frac{3}{2} \arctan(x) - \frac{7}{4} \log(x+1) + \frac{7}{4} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+5)/(x^4-1), x, algorithm="fricas")

[Out] -3/2*arctan(x) - 7/4*log(x + 1) + 7/4*log(x - 1)

giac [B] time = 0.16, size = 19, normalized size = 1.46

$$-\frac{3}{2} \arctan(x) - \frac{7}{4} \log(|x+1|) + \frac{7}{4} \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+5)/(x^4-1), x, algorithm="giac")

[Out] -3/2*arctan(x) - 7/4*log(abs(x + 1)) + 7/4*log(abs(x - 1))

maple [A] time = 0.01, size = 18, normalized size = 1.38

$$-\frac{3 \arctan(x)}{2} - \frac{7 \ln(x+1)}{4} + \frac{7 \ln(x-1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2+5)/(x^4-1),x)`

[Out] `7/4*ln(x-1)-7/4*ln(x+1)-3/2*arctan(x)`

maxima [A] time = 2.35, size = 17, normalized size = 1.31

$$-\frac{3}{2} \arctan(x) - \frac{7}{4} \log(x+1) + \frac{7}{4} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x^2+5)/(x^4-1),x, algorithm="maxima")`

[Out] `-3/2*arctan(x) - 7/4*log(x + 1) + 7/4*log(x - 1)`

mupad [B] time = 0.04, size = 9, normalized size = 0.69

$$-\frac{3 \operatorname{atan}(x)}{2} - \frac{7 \operatorname{atanh}(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2 + 5)/(x^4 - 1),x)`

[Out] `-(3*atan(x))/2 - (7*atanh(x))/2`

sympy [A] time = 0.20, size = 22, normalized size = 1.69

$$\frac{7 \log(x-1)}{4} - \frac{7 \log(x+1)}{4} - \frac{3 \operatorname{atan}(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x**2+5)/(x**4-1),x)`

[Out] `7*log(x - 1)/4 - 7*log(x + 1)/4 - 3*atan(x)/2`

$$3.14 \quad \int \frac{1+bx^2}{\sqrt{1-b^2x^4}} dx$$

Optimal. Leaf size=16

$$\frac{E\left(\sin^{-1}(\sqrt{b}x)\right) - 1}{\sqrt{b}}$$

[Out] EllipticE(x*b^(1/2),1)/b^(1/2)

Rubi [A] time = 0.02, antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1199, 424}

$$\frac{E\left(\sin^{-1}(\sqrt{b}x)\right) - 1}{\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(1 + b*x^2)/Sqrt[1 - b^2*x^4],x]

[Out] EllipticE[ArcSin[Sqrt[b]*x], -1]/Sqrt[b]

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 1199

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> Dist[d/Sqrt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]

Rubi steps

$$\begin{aligned} \int \frac{1+bx^2}{\sqrt{1-b^2x^4}} dx &= \int \frac{\sqrt{1+bx^2}}{\sqrt{1-bx^2}} dx \\ &= \frac{E\left(\sin^{-1}(\sqrt{b}x)\right) - 1}{\sqrt{b}} \end{aligned}$$

Mathematica [C] time = 0.01, size = 45, normalized size = 2.81

$$x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; b^2 x^4\right) + \frac{1}{3} b x^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; b^2 x^4\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + b*x^2)/Sqrt[1 - b^2*x^4], x]

[Out] x*Hypergeometric2F1[1/4, 1/2, 5/4, b^2*x^4] + (b*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, b^2*x^4])/3

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-b^2 x^4 + 1}}{b x^2 - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+1)/(-b^2*x^4+1)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-b^2*x^4 + 1)/(b*x^2 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b x^2 + 1}{\sqrt{-b^2 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+1)/(-b^2*x^4+1)^(1/2), x, algorithm="giac")

[Out] integrate((b*x^2 + 1)/sqrt(-b^2*x^4 + 1), x)

maple [B] time = 0.02, size = 100, normalized size = 6.25

$$\frac{\sqrt{-b x^2 + 1} \sqrt{b x^2 + 1} \text{EllipticF}\left(\sqrt{b} x, i\right)}{\sqrt{-b^2 x^4 + 1} \sqrt{b}} - \frac{\sqrt{-b x^2 + 1} \sqrt{b x^2 + 1} \left(-\text{EllipticE}\left(\sqrt{b} x, i\right) + \text{EllipticF}\left(\sqrt{b} x, i\right)\right)}{\sqrt{-b^2 x^4 + 1} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+1)/(-b^2*x^4+1)^(1/2), x)

[Out] -1/b^(1/2)*(-b*x^2+1)^(1/2)*(b*x^2+1)^(1/2)/(-b^2*x^4+1)^(1/2)*(EllipticF(b^(1/2)*x, I)-EllipticE(b^(1/2)*x, I))+1/b^(1/2)*(-b*x^2+1)^(1/2)*(b*x^2+1)^(1/2)/(-b^2*x^4+1)^(1/2)*EllipticF(b^(1/2)*x, I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bx^2 + 1}{\sqrt{-b^2x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+1)/(-b^2*x^4+1)^(1/2),x, algorithm="maxima")

[Out] integrate((b*x^2 + 1)/sqrt(-b^2*x^4 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{bx^2 + 1}{\sqrt{1 - b^2x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2 + 1)/(1 - b^2*x^4)^(1/2),x)

[Out] int((b*x^2 + 1)/(1 - b^2*x^4)^(1/2), x)

sympy [B] time = 2.55, size = 70, normalized size = 4.38

$$\frac{bx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{7}{4}, b^2x^4e^{2i\pi}\right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{x\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{5}{4}, b^2x^4e^{2i\pi}\right)}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+1)/(-b**2*x**4+1)**(1/2),x)

[Out] b*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b**2*x**4*exp_polar(2*I*pi))/(4*gamma(7/4)) + x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b**2*x**4*exp_polar(2*I*pi))/(4*gamma(5/4))

$$3.15 \quad \int \frac{1-bx^2}{\sqrt{1-b^2x^4}} dx$$

Optimal. Leaf size=35

$$\frac{2F\left(\sin^{-1}(\sqrt{b}x)\middle| -1\right)}{\sqrt{b}} - \frac{E\left(\sin^{-1}(\sqrt{b}x)\middle| -1\right)}{\sqrt{b}}$$

[Out] -EllipticE(x*b^(1/2),I)/b^(1/2)+2*EllipticF(x*b^(1/2),I)/b^(1/2)

Rubi [A] time = 0.03, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {1199, 423, 424, 248, 221}

$$\frac{2F\left(\sin^{-1}(\sqrt{b}x)\middle| -1\right)}{\sqrt{b}} - \frac{E\left(\sin^{-1}(\sqrt{b}x)\middle| -1\right)}{\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(1 - b*x^2)/Sqrt[1 - b^2*x^4], x]

[Out] -(EllipticE[ArcSin[Sqrt[b]*x], -1]/Sqrt[b]) + (2*EllipticF[ArcSin[Sqrt[b]*x], -1])/Sqrt[b]

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 248

Int[((a1_.) + (b1_.)*(x_)^(n_))^(p_.)*((a2_.) + (b2_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[(a1*a2 + b1*b2*x^(2*n))^p, x] /; FreeQ[{a1, b1, a2, b2, n, p}, x] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[p] || (GtQ[a1, 0] && GtQ[a2, 0]))

Rule 423

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[d/c] && NegQ[b/a]

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c)
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 1199

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := Dist[d/Sq
rt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c,
d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1 - bx^2}{\sqrt{1 - b^2x^4}} dx &= \int \frac{\sqrt{1 - bx^2}}{\sqrt{1 + bx^2}} dx \\ &= 2 \int \frac{1}{\sqrt{1 - bx^2} \sqrt{1 + bx^2}} dx - \int \frac{\sqrt{1 + bx^2}}{\sqrt{1 - bx^2}} dx \\ &= -\frac{E(\sin^{-1}(\sqrt{b}x) | -1)}{\sqrt{b}} + 2 \int \frac{1}{\sqrt{1 - b^2x^4}} dx \\ &= -\frac{E(\sin^{-1}(\sqrt{b}x) | -1)}{\sqrt{b}} + \frac{2F(\sin^{-1}(\sqrt{b}x) | -1)}{\sqrt{b}} \end{aligned}$$

Mathematica [C] time = 0.01, size = 45, normalized size = 1.29

$$x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; b^2x^4\right) - \frac{1}{3}bx^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; b^2x^4\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 - b*x^2)/Sqrt[1 - b^2*x^4], x]
```

```
[Out] x*Hypergeometric2F1[1/4, 1/2, 5/4, b^2*x^4] - (b*x^3*Hypergeometric2F1[1/2,
3/4, 7/4, b^2*x^4])/3
```

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-b^2x^4 + 1}}{bx^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+1)/(-b^2*x^4+1)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-b^2*x^4 + 1)/(b*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{bx^2 - 1}{\sqrt{-b^2x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+1)/(-b^2*x^4+1)^(1/2),x, algorithm="giac")

[Out] integrate(-(b*x^2 - 1)/sqrt(-b^2*x^4 + 1), x)

maple [B] time = 0.01, size = 99, normalized size = 2.83

$$\frac{\sqrt{-bx^2 + 1} \sqrt{bx^2 + 1} \operatorname{EllipticF}(\sqrt{b} x, i)}{\sqrt{-b^2x^4 + 1} \sqrt{b}} + \frac{\sqrt{-bx^2 + 1} \sqrt{bx^2 + 1} (-\operatorname{EllipticE}(\sqrt{b} x, i) + \operatorname{EllipticF}(\sqrt{b} x, i))}{\sqrt{-b^2x^4 + 1} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^2+1)/(-b^2*x^4+1)^(1/2),x)

[Out] 1/b^(1/2)*(-b*x^2+1)^(1/2)*(b*x^2+1)^(1/2)/(-b^2*x^4+1)^(1/2)*(EllipticF(b^(1/2)*x,I)-EllipticE(b^(1/2)*x,I))+1/b^(1/2)*(-b*x^2+1)^(1/2)*(b*x^2+1)^(1/2)/(-b^2*x^4+1)^(1/2)*EllipticF(b^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{bx^2 - 1}{\sqrt{-b^2x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+1)/(-b^2*x^4+1)^(1/2),x, algorithm="maxima")

[Out] -integrate((b*x^2 - 1)/sqrt(-b^2*x^4 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$-\int \frac{bx^2 - 1}{\sqrt{1 - b^2x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(b*x^2 - 1)/(1 - b^2*x^4)^(1/2),x)

[Out] `-int((b*x^2 - 1)/(1 - b^2*x^4)^(1/2), x)`

sympy [B] time = 2.93, size = 70, normalized size = 2.00

$$-\frac{bx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{7}{4} \right) b^2x^4e^{2i\pi}}{4\Gamma\left(\frac{7}{4}\right)} + \frac{x\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{5}{4} \right) b^2x^4e^{2i\pi}}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x**2+1)/(-b**2*x**4+1)**(1/2), x)`

[Out] `-b*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b**2*x**4*exp_polar(2*I*pi))/(4*gamma(7/4)) + x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b**2*x**4*exp_polar(2*I*pi))/(4*gamma(5/4))`

$$3.16 \quad \int \frac{1+bx^2}{\sqrt{-1+b^2x^4}} dx$$

Optimal. Leaf size=43

$$\frac{\sqrt{1-b^2x^4} E\left(\sin^{-1}(\sqrt{b}x)\right) - 1}{\sqrt{b}\sqrt{b^2x^4-1}}$$

[Out] EllipticE(x*b^(1/2), I)*(-b^2*x^4+1)^(1/2)/b^(1/2)/(b^2*x^4-1)^(1/2)

Rubi [A] time = 0.03, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1200, 1199, 424}

$$\frac{\sqrt{1-b^2x^4} E\left(\sin^{-1}(\sqrt{b}x)\right) - 1}{\sqrt{b}\sqrt{b^2x^4-1}}$$

Antiderivative was successfully verified.

[In] Int[(1 + b*x^2)/Sqrt[-1 + b^2*x^4], x]

[Out] (Sqrt[1 - b^2*x^4]*EllipticE[ArcSin[Sqrt[b]*x], -1])/(Sqrt[b]*Sqrt[-1 + b^2*x^4])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 1199

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> Dist[d/Sqrt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]

Rule 1200

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> Dist[Sqrt[1 + (c*x^4)/a]/Sqrt[a + c*x^4], Int[(d + e*x^2)/Sqrt[1 + (c*x^4)/a], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1+bx^2}{\sqrt{-1+b^2x^4}} dx &= \frac{\sqrt{1-b^2x^4} \int \frac{1+bx^2}{\sqrt{1-b^2x^4}} dx}{\sqrt{-1+b^2x^4}} \\
&= \frac{\sqrt{1-b^2x^4} \int \frac{\sqrt{1+bx^2}}{\sqrt{1-bx^2}} dx}{\sqrt{-1+b^2x^4}} \\
&= \frac{\sqrt{1-b^2x^4} E(\sin^{-1}(\sqrt{b}x) | -1)}{\sqrt{b} \sqrt{-1+b^2x^4}}
\end{aligned}$$

Mathematica [C] time = 0.02, size = 74, normalized size = 1.72

$$\frac{\sqrt{1-b^2x^4} \left(3x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; b^2x^4\right) + bx^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; b^2x^4\right) \right)}{3\sqrt{b^2x^4-1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + b*x^2)/Sqrt[-1 + b^2*x^4], x]

[Out] (Sqrt[1 - b^2*x^4]*(3*x*Hypergeometric2F1[1/4, 1/2, 5/4, b^2*x^4] + b*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, b^2*x^4]))/(3*Sqrt[-1 + b^2*x^4])

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b^2x^4-1}}{bx^2-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+1)/(b^2*x^4-1)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b^2*x^4 - 1)/(b*x^2 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bx^2+1}{\sqrt{b^2x^4-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+1)/(b^2*x^4-1)^(1/2), x, algorithm="giac")

[Out] integrate((b*x^2 + 1)/sqrt(b^2*x^4 - 1), x)

maple [B] time = 0.01, size = 107, normalized size = 2.49

$$\frac{\sqrt{bx^2+1} \sqrt{-bx^2+1} \operatorname{EllipticF}(\sqrt{-b}x, i)}{\sqrt{-b} \sqrt{b^2x^4-1}} + \frac{\sqrt{bx^2+1} \sqrt{-bx^2+1} (-\operatorname{EllipticE}(\sqrt{-b}x, i) + \operatorname{EllipticF}(\sqrt{-b}x, i))}{\sqrt{-b} \sqrt{b^2x^4-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+1)/(b^2*x^4-1)^(1/2), x)

[Out] 1/(-b)^(1/2)*(b*x^2+1)^(1/2)*(-b*x^2+1)^(1/2)/(b^2*x^4-1)^(1/2)*(EllipticF(x*(-b)^(1/2), I)-EllipticE(x*(-b)^(1/2), I))+1/(-b)^(1/2)*(b*x^2+1)^(1/2)*(-b*x^2+1)^(1/2)/(b^2*x^4-1)^(1/2)*EllipticF(x*(-b)^(1/2), I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bx^2 + 1}{\sqrt{b^2x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+1)/(b^2*x^4-1)^(1/2), x, algorithm="maxima")

[Out] integrate((b*x^2 + 1)/sqrt(b^2*x^4 - 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{bx^2 + 1}{\sqrt{b^2x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2 + 1)/(b^2*x^4 - 1)^(1/2), x)

[Out] int((b*x^2 + 1)/(b^2*x^4 - 1)^(1/2), x)

sympy [A] time = 2.32, size = 61, normalized size = 1.42

$$\frac{ibx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{7}{4} \middle| b^2x^4\right)}{4\Gamma\left(\frac{7}{4}\right)} - \frac{ix\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{5}{4} \middle| b^2x^4\right)}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((b*x**2+1)/(b**2*x**4-1)**(1/2),x)
```

```
[Out] -I*b*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b**2*x**4)/(4*gamma(7/4)) -  
I*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b**2*x**4)/(4*gamma(5/4))
```

$$3.17 \quad \int \frac{1-bx^2}{\sqrt{-1+b^2x^4}} dx$$

Optimal. Leaf size=89

$$\frac{2\sqrt{1-b^2x^4}F(\sin^{-1}(\sqrt{b}x)|-1)}{\sqrt{b}\sqrt{b^2x^4-1}} - \frac{\sqrt{1-b^2x^4}E(\sin^{-1}(\sqrt{b}x)|-1)}{\sqrt{b}\sqrt{b^2x^4-1}}$$

[Out] -EllipticE(x*b^(1/2),I)*(-b^2*x^4+1)^(1/2)/b^(1/2)/(b^2*x^4-1)^(1/2)+2*EllipticF(x*b^(1/2),I)*(-b^2*x^4+1)^(1/2)/b^(1/2)/(b^2*x^4-1)^(1/2)

Rubi [A] time = 0.05, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {1200, 1199, 423, 424, 248, 221}

$$\frac{2\sqrt{1-b^2x^4}F(\sin^{-1}(\sqrt{b}x)|-1)}{\sqrt{b}\sqrt{b^2x^4-1}} - \frac{\sqrt{1-b^2x^4}E(\sin^{-1}(\sqrt{b}x)|-1)}{\sqrt{b}\sqrt{b^2x^4-1}}$$

Antiderivative was successfully verified.

[In] Int[(1 - b*x^2)/Sqrt[-1 + b^2*x^4], x]

[Out] -((Sqrt[1 - b^2*x^4]*EllipticE[ArcSin[Sqrt[b]*x], -1])/(Sqrt[b]*Sqrt[-1 + b^2*x^4])) + (2*Sqrt[1 - b^2*x^4]*EllipticF[ArcSin[Sqrt[b]*x], -1])/(Sqrt[b]*Sqrt[-1 + b^2*x^4])

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 248

Int[((a1_.) + (b1_.)*(x_)^(n_))^(p_.)*((a2_.) + (b2_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[(a1*a2 + b1*b2*x^(2*n))^p, x] /; FreeQ[{a1, b1, a2, b2, n, p}, x] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[p] || (GtQ[a1, 0] && GtQ[a2, 0]))

Rule 423

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && Po

sQ[d/c] && NegQ[b/a]

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 1199

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := Dist[d/Sqrt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]

Rule 1200

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := Dist[Sqrt[1 + (c*x^4)/a]/Sqrt[a + c*x^4], Int[(d + e*x^2)/Sqrt[1 + (c*x^4)/a], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{1 - bx^2}{\sqrt{-1 + b^2x^4}} dx &= \frac{\sqrt{1 - b^2x^4} \int \frac{1 - bx^2}{\sqrt{1 - b^2x^4}} dx}{\sqrt{-1 + b^2x^4}} \\
 &= \frac{\sqrt{1 - b^2x^4} \int \frac{\sqrt{1 - bx^2}}{\sqrt{1 + bx^2}} dx}{\sqrt{-1 + b^2x^4}} \\
 &= -\frac{\sqrt{1 - b^2x^4} \int \frac{\sqrt{1 + bx^2}}{\sqrt{1 - bx^2}} dx}{\sqrt{-1 + b^2x^4}} + \frac{(2\sqrt{1 - b^2x^4}) \int \frac{1}{\sqrt{1 - bx^2} \sqrt{1 + bx^2}} dx}{\sqrt{-1 + b^2x^4}} \\
 &= -\frac{\sqrt{1 - b^2x^4} E(\sin^{-1}(\sqrt{b}x) | -1)}{\sqrt{b} \sqrt{-1 + b^2x^4}} + \frac{(2\sqrt{1 - b^2x^4}) \int \frac{1}{\sqrt{1 - b^2x^4}} dx}{\sqrt{-1 + b^2x^4}} \\
 &= -\frac{\sqrt{1 - b^2x^4} E(\sin^{-1}(\sqrt{b}x) | -1)}{\sqrt{b} \sqrt{-1 + b^2x^4}} + \frac{2\sqrt{1 - b^2x^4} F(\sin^{-1}(\sqrt{b}x) | -1)}{\sqrt{b} \sqrt{-1 + b^2x^4}}
 \end{aligned}$$

Mathematica [C] time = 0.02, size = 74, normalized size = 0.83

$$\frac{\sqrt{1-b^2x^4} \left(bx^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; b^2x^4\right) - 3x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; b^2x^4\right) \right)}{3\sqrt{b^2x^4-1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - b*x^2)/Sqrt[-1 + b^2*x^4], x]

[Out] -1/3*(Sqrt[1 - b^2*x^4]*(-3*x*Hypergeometric2F1[1/4, 1/2, 5/4, b^2*x^4] + b*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, b^2*x^4]))/Sqrt[-1 + b^2*x^4]

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{b^2x^4-1}}{bx^2+1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+1)/(b^2*x^4-1)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(b^2*x^4 - 1)/(b*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{bx^2-1}{\sqrt{b^2x^4-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+1)/(b^2*x^4-1)^(1/2), x, algorithm="giac")

[Out] integrate(-(b*x^2 - 1)/sqrt(b^2*x^4 - 1), x)

maple [A] time = 0.01, size = 108, normalized size = 1.21

$$\frac{\sqrt{bx^2+1} \sqrt{-bx^2+1} \text{EllipticF}(\sqrt{-b}x, i)}{\sqrt{-b} \sqrt{b^2x^4-1}} - \frac{\sqrt{bx^2+1} \sqrt{-bx^2+1} (-\text{EllipticE}(\sqrt{-b}x, i) + \text{EllipticF}(\sqrt{-b}x, i))}{\sqrt{-b} \sqrt{b^2x^4-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^2+1)/(b^2*x^4-1)^(1/2), x)

[Out] -1/(-b)^(1/2)*(b*x^2+1)^(1/2)*(-b*x^2+1)^(1/2)/(b^2*x^4-1)^(1/2)*(EllipticF((-b)^(1/2)*x, I)-EllipticE((-b)^(1/2)*x, I))+1/(-b)^(1/2)*(b*x^2+1)^(1/2)*(-b*x^2+1)^(1/2)/(b^2*x^4-1)^(1/2)*EllipticF((-b)^(1/2)*x, I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{bx^2 - 1}{\sqrt{b^2x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+1)/(b^2*x^4-1)^(1/2),x, algorithm="maxima")

[Out] -integrate((b*x^2 - 1)/sqrt(b^2*x^4 - 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$-\int \frac{bx^2 - 1}{\sqrt{b^2x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(b*x^2 - 1)/(b^2*x^4 - 1)^(1/2),x)

[Out] -int((b*x^2 - 1)/(b^2*x^4 - 1)^(1/2), x)

sympy [A] time = 2.19, size = 60, normalized size = 0.67

$$\frac{ibx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{7}{4} \right) b^2x^4}{4\Gamma\left(\frac{7}{4}\right)} - \frac{ix\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{5}{4} \right) b^2x^4}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x**2+1)/(b**2*x**4-1)**(1/2),x)

[Out] I*b*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b**2*x**4)/(4*gamma(7/4)) - I*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b**2*x**4)/(4*gamma(5/4))

$$3.18 \quad \int \frac{1-bx^2}{\sqrt{1+b^2x^4}} dx$$

Optimal. Leaf size=89

$$\frac{(bx^2 + 1) \sqrt{\frac{b^2x^4+1}{(bx^2+1)^2}} E\left(2 \tan^{-1}(\sqrt{b}x) \middle| \frac{1}{2}\right)}{\sqrt{b} \sqrt{b^2x^4 + 1}} - \frac{x\sqrt{b^2x^4 + 1}}{bx^2 + 1}$$

[Out] $-x*(b^2*x^4+1)^{(1/2)}/(b*x^2+1)+(b*x^2+1)*(\cos(2*\arctan(x*b^{(1/2)})))^2)^{(1/2)}/\cos(2*\arctan(x*b^{(1/2)}))*\text{EllipticE}(\sin(2*\arctan(x*b^{(1/2)})),1/2*2^{(1/2)})*(b^2*x^4+1)/(b*x^2+1)^2)^{(1/2)}/b^{(1/2)}/(b^2*x^4+1)^{(1/2)}$

Rubi [A] time = 0.01, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {1196}

$$\frac{(bx^2 + 1) \sqrt{\frac{b^2x^4+1}{(bx^2+1)^2}} E\left(2 \tan^{-1}(\sqrt{b}x) \middle| \frac{1}{2}\right)}{\sqrt{b} \sqrt{b^2x^4 + 1}} - \frac{x\sqrt{b^2x^4 + 1}}{bx^2 + 1}$$

Antiderivative was successfully verified.

[In] Int[(1 - b*x^2)/Sqrt[1 + b^2*x^4], x]

[Out] $-((x*\text{Sqrt}[1 + b^2*x^4])/(1 + b*x^2)) + ((1 + b*x^2)*\text{Sqrt}[(1 + b^2*x^4)/(1 + b*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[\text{Sqrt}[b]*x], 1/2])/(\text{Sqrt}[b]*\text{Sqrt}[1 + b^2*x^4])$

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rubi steps

$$\int \frac{1-bx^2}{\sqrt{1+b^2x^4}} dx = -\frac{x\sqrt{1+b^2x^4}}{1+bx^2} + \frac{(1+bx^2) \sqrt{\frac{1+b^2x^4}{(1+bx^2)^2}} E\left(2 \tan^{-1}(\sqrt{b}x) \middle| \frac{1}{2}\right)}{\sqrt{b} \sqrt{1+b^2x^4}}$$

Mathematica [C] time = 0.01, size = 47, normalized size = 0.53

$$x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -b^2x^4\right) - \frac{1}{3}bx^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -b^2x^4\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - b*x^2)/Sqrt[1 + b^2*x^4], x]

[Out] x*Hypergeometric2F1[1/4, 1/2, 5/4, -(b^2*x^4)] - (b*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, -(b^2*x^4)])/3

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{bx^2 - 1}{\sqrt{b^2x^4 + 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+1)/(b^2*x^4+1)^(1/2), x, algorithm="fricas")

[Out] integral(-(b*x^2 - 1)/sqrt(b^2*x^4 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{bx^2 - 1}{\sqrt{b^2x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+1)/(b^2*x^4+1)^(1/2), x, algorithm="giac")

[Out] integrate(-(b*x^2 - 1)/sqrt(b^2*x^4 + 1), x)

maple [C] time = 0.01, size = 120, normalized size = 1.35

$$\frac{\sqrt{-ibx^2 + 1} \sqrt{ibx^2 + 1} \text{EllipticF}\left(\sqrt{ib} x, i\right)}{\sqrt{ib} \sqrt{b^2x^4 + 1}} - \frac{i\sqrt{-ibx^2 + 1} \sqrt{ibx^2 + 1} \left(-\text{EllipticE}\left(\sqrt{ib} x, i\right) + \text{EllipticF}\left(\sqrt{ib} x, i\right)\right)}{\sqrt{ib} \sqrt{b^2x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^2+1)/(b^2*x^4+1)^(1/2), x)

[Out] -I/(I*b)^(1/2)*(1-I*b*x^2)^(1/2)*(1+I*b*x^2)^(1/2)/(b^2*x^4+1)^(1/2)*(EllipticF(x*(I*b)^(1/2), I)-EllipticE(x*(I*b)^(1/2), I))+1/(I*b)^(1/2)*(1-I*b*x^2)^(1/2)*(1+I*b*x^2)^(1/2)/(b^2*x^4+1)^(1/2)*EllipticF(x*(I*b)^(1/2), I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{bx^2 - 1}{\sqrt{b^2x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+1)/(b^2*x^4+1)^(1/2),x, algorithm="maxima")

[Out] -integrate((b*x^2 - 1)/sqrt(b^2*x^4 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$-\int \frac{bx^2 - 1}{\sqrt{b^2x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(b*x^2 - 1)/(b^2*x^4 + 1)^(1/2),x)

[Out] -int((b*x^2 - 1)/(b^2*x^4 + 1)^(1/2), x)

sympy [C] time = 2.20, size = 66, normalized size = 0.74

$$-\frac{bx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{7}{4} \middle| b^2x^4e^{i\pi}\right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{x\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{5}{4} \middle| b^2x^4e^{i\pi}\right)}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x**2+1)/(b**2*x**4+1)**(1/2),x)

[Out] -b*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b**2*x**4*exp_polar(I*pi))/(4*gamma(7/4)) + x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b**2*x**4*exp_polar(I*pi))/(4*gamma(5/4))

$$3.19 \quad \int \frac{1+bx^2}{\sqrt{1+b^2x^4}} dx$$

Optimal. Leaf size=152

$$\frac{x\sqrt{b^2x^4+1}}{bx^2+1} + \frac{(bx^2+1)\sqrt{\frac{b^2x^4+1}{(bx^2+1)^2}} F\left(2 \tan^{-1}(\sqrt{b}x) \middle| \frac{1}{2}\right)}{\sqrt{b}\sqrt{b^2x^4+1}} - \frac{(bx^2+1)\sqrt{\frac{b^2x^4+1}{(bx^2+1)^2}} E\left(2 \tan^{-1}(\sqrt{b}x) \middle| \frac{1}{2}\right)}{\sqrt{b}\sqrt{b^2x^4+1}}$$

[Out] $x*(b^2*x^4+1)^{(1/2)}/(b*x^2+1)-(b*x^2+1)*(\cos(2*\arctan(x*b^{(1/2)})))^2)^{(1/2)}/\cos(2*\arctan(x*b^{(1/2)}))*\text{EllipticE}(\sin(2*\arctan(x*b^{(1/2)})),1/2*2^{(1/2)})*((b^2*x^4+1)/(b*x^2+1)^2)^{(1/2)}/b^{(1/2)}/(b^2*x^4+1)^{(1/2)}+(b*x^2+1)*(\cos(2*\arctan(x*b^{(1/2)})))^2)^{(1/2)}/\cos(2*\arctan(x*b^{(1/2)}))*\text{EllipticF}(\sin(2*\arctan(x*b^{(1/2)})),1/2*2^{(1/2)})*((b^2*x^4+1)/(b*x^2+1)^2)^{(1/2)}/b^{(1/2)}/(b^2*x^4+1)^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1198, 220, 1196}

$$\frac{x\sqrt{b^2x^4+1}}{bx^2+1} + \frac{(bx^2+1)\sqrt{\frac{b^2x^4+1}{(bx^2+1)^2}} F\left(2 \tan^{-1}(\sqrt{b}x) \middle| \frac{1}{2}\right)}{\sqrt{b}\sqrt{b^2x^4+1}} - \frac{(bx^2+1)\sqrt{\frac{b^2x^4+1}{(bx^2+1)^2}} E\left(2 \tan^{-1}(\sqrt{b}x) \middle| \frac{1}{2}\right)}{\sqrt{b}\sqrt{b^2x^4+1}}$$

Antiderivative was successfully verified.

[In] Int[(1 + b*x^2)/Sqrt[1 + b^2*x^4], x]

[Out] $(x*\text{Sqrt}[1 + b^2*x^4])/(1 + b*x^2) - ((1 + b*x^2)*\text{Sqrt}[(1 + b^2*x^4)/(1 + b*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[\text{Sqrt}[b]*x], 1/2])/(\text{Sqrt}[b]*\text{Sqrt}[1 + b^2*x^4]) + ((1 + b*x^2)*\text{Sqrt}[(1 + b^2*x^4)/(1 + b*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[\text{Sqrt}[b]*x], 1/2])/(\text{Sqrt}[b]*\text{Sqrt}[1 + b^2*x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2])*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2])*EllipticE[2*ArcTan[q*x],

$1/2)) / (q \sqrt{a + c x^4}), x] /; \text{EqQ}[e + d q^2, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ + (e_ \cdot x^2) / \sqrt{a_ + (c_ \cdot x^4)}, x_Symbol] :> \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d q) / q, \text{Int}[1 / \sqrt{a + c x^4}, x], x] - \text{Dist}[e / q, \text{Int}[(1 - q x^2) / \sqrt{a + c x^4}, x], x] /; \text{NeQ}[e + d q, 0] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rubi steps

$$\int \frac{1 + bx^2}{\sqrt{1 + b^2 x^4}} dx = 2 \int \frac{1}{\sqrt{1 + b^2 x^4}} dx - \int \frac{1 - bx^2}{\sqrt{1 + b^2 x^4}} dx$$

$$= \frac{x \sqrt{1 + b^2 x^4}}{1 + bx^2} - \frac{(1 + bx^2) \sqrt{\frac{1 + b^2 x^4}{(1 + bx^2)^2}} E\left(2 \tan^{-1}(\sqrt{b} x) \middle| \frac{1}{2}\right)}{\sqrt{b} \sqrt{1 + b^2 x^4}} + \frac{(1 + bx^2) \sqrt{\frac{1 + b^2 x^4}{(1 + bx^2)^2}} F\left(2 \tan^{-1}(\sqrt{b} x) \middle| \frac{1}{2}\right)}{\sqrt{b} \sqrt{1 + b^2 x^4}}$$

Mathematica [C] time = 0.01, size = 47, normalized size = 0.31

$$x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -b^2 x^4\right) + \frac{1}{3} b x^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -b^2 x^4\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + b*x^2)/Sqrt[1 + b^2*x^4],x]

[Out] x*Hypergeometric2F1[1/4, 1/2, 5/4, -(b^2*x^4)] + (b*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, -(b^2*x^4)])/3

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{bx^2 + 1}{\sqrt{b^2 x^4 + 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+1)/(b^2*x^4+1)^(1/2),x, algorithm="fricas")

[Out] integral((b*x^2 + 1)/sqrt(b^2*x^4 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bx^2 + 1}{\sqrt{b^2x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+1)/(b^2*x^4+1)^(1/2),x, algorithm="giac")

[Out] integrate((b*x^2 + 1)/sqrt(b^2*x^4 + 1), x)

maple [C] time = 0.00, size = 120, normalized size = 0.79

$$\frac{\sqrt{-ibx^2 + 1} \sqrt{ibx^2 + 1} \operatorname{EllipticF}(\sqrt{ib} x, i)}{\sqrt{ib} \sqrt{b^2x^4 + 1}} + \frac{i\sqrt{-ibx^2 + 1} \sqrt{ibx^2 + 1} (-\operatorname{EllipticE}(\sqrt{ib} x, i) + \operatorname{EllipticF}(\sqrt{ib} x, i))}{\sqrt{ib} \sqrt{b^2x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+1)/(b^2*x^4+1)^(1/2),x)

[Out] I/(I*b)^(1/2)*(-I*b*x^2+1)^(1/2)*(I*b*x^2+1)^(1/2)/(b^2*x^4+1)^(1/2)*(EllipticF((I*b)^(1/2)*x,I)-EllipticE((I*b)^(1/2)*x,I))+1/(I*b)^(1/2)*(-I*b*x^2+1)^(1/2)*(I*b*x^2+1)^(1/2)/(b^2*x^4+1)^(1/2)*EllipticF((I*b)^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bx^2 + 1}{\sqrt{b^2x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+1)/(b^2*x^4+1)^(1/2),x, algorithm="maxima")

[Out] integrate((b*x^2 + 1)/sqrt(b^2*x^4 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{bx^2 + 1}{\sqrt{b^2x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2 + 1)/(b^2*x^4 + 1)^(1/2),x)

[Out] int((b*x^2 + 1)/(b^2*x^4 + 1)^(1/2), x)

sympy [C] time = 2.60, size = 66, normalized size = 0.43

$$\frac{bx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{7}{4} \right) b^2x^4e^{i\pi}}{4\Gamma\left(\frac{7}{4}\right)} + \frac{x\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{5}{4} \right) b^2x^4e^{i\pi}}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+1)/(b**2*x**4+1)**(1/2),x)

[Out] b*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b**2*x**4*exp_polar(I*pi))/(4*gamma(7/4)) + x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b**2*x**4*exp_polar(I*pi))/(4*gamma(5/4))

$$3.20 \quad \int \frac{1-bx^2}{\sqrt{-1-b^2x^4}} dx$$

Optimal. Leaf size=90

$$\frac{x\sqrt{-b^2x^4-1}}{bx^2+1} + \frac{(bx^2+1)\sqrt{\frac{b^2x^4+1}{(bx^2+1)^2}} E\left(2\tan^{-1}(\sqrt{b}x)\middle|\frac{1}{2}\right)}{\sqrt{b}\sqrt{-b^2x^4-1}}$$

[Out] $x*(-b^2*x^4-1)^{(1/2)}/(b*x^2+1)+(b*x^2+1)*(\cos(2*\arctan(x*b^{(1/2)})))^2)^{(1/2)}/\cos(2*\arctan(x*b^{(1/2)}))*\text{EllipticE}(\sin(2*\arctan(x*b^{(1/2)})),1/2*2^{(1/2)})*(b^2*x^4+1)/(b*x^2+1)^2)^{(1/2)}/b^{(1/2)}/(-b^2*x^4-1)^{(1/2)}$

Rubi [A] time = 0.01, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1196}

$$\frac{x\sqrt{-b^2x^4-1}}{bx^2+1} + \frac{(bx^2+1)\sqrt{\frac{b^2x^4+1}{(bx^2+1)^2}} E\left(2\tan^{-1}(\sqrt{b}x)\middle|\frac{1}{2}\right)}{\sqrt{b}\sqrt{-b^2x^4-1}}$$

Antiderivative was successfully verified.

[In] Int[(1 - b*x^2)/Sqrt[-1 - b^2*x^4], x]

[Out] $(x*\text{Sqrt}[-1 - b^2*x^4])/(1 + b*x^2) + ((1 + b*x^2)*\text{Sqrt}[(1 + b^2*x^4)/(1 + b*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[\text{Sqrt}[b]*x], 1/2])/(\text{Sqrt}[b]*\text{Sqrt}[-1 - b^2*x^4])$

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2])*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rubi steps

$$\int \frac{1-bx^2}{\sqrt{-1-b^2x^4}} dx = \frac{x\sqrt{-1-b^2x^4}}{1+bx^2} + \frac{(1+bx^2)\sqrt{\frac{1+b^2x^4}{(1+bx^2)^2}} E\left(2\tan^{-1}(\sqrt{b}x)\middle|\frac{1}{2}\right)}{\sqrt{b}\sqrt{-1-b^2x^4}}$$

Mathematica [C] time = 0.03, size = 76, normalized size = 0.84

$$\frac{\sqrt{b^2x^4+1} \left(bx^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -b^2x^4\right) - 3x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -b^2x^4\right) \right)}{3\sqrt{-b^2x^4-1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - b*x^2)/Sqrt[-1 - b^2*x^4], x]

[Out] -1/3*(Sqrt[1 + b^2*x^4]*(-3*x*Hypergeometric2F1[1/4, 1/2, 5/4, -(b^2*x^4)] + b*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, -(b^2*x^4)]))/Sqrt[-1 - b^2*x^4]

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\frac{bx \operatorname{integral}\left(-\frac{\sqrt{-b^2x^4-1}(bx^2-1)}{b^3x^6+bx^2}, x\right) + \sqrt{-b^2x^4-1}}{bx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+1)/(-b^2*x^4-1)^(1/2), x, algorithm="fricas")

[Out] (b*x*integral(-sqrt(-b^2*x^4 - 1)*(b*x^2 - 1)/(b^3*x^6 + b*x^2), x) + sqrt(-b^2*x^4 - 1))/(b*x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{bx^2-1}{\sqrt{-b^2x^4-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+1)/(-b^2*x^4-1)^(1/2), x, algorithm="giac")

[Out] integrate(-(b*x^2 - 1)/sqrt(-b^2*x^4 - 1), x)

maple [C] time = 0.01, size = 122, normalized size = 1.36

$$\frac{\sqrt{ibx^2+1} \sqrt{-ibx^2+1} \operatorname{EllipticF}\left(\sqrt{-ib} x, i\right)}{\sqrt{-ib} \sqrt{-b^2x^4-1}} + \frac{i\sqrt{ibx^2+1} \sqrt{-ibx^2+1} \left(-\operatorname{EllipticE}\left(\sqrt{-ib} x, i\right) + \operatorname{EllipticF}\left(\sqrt{-ib} x, i\right)\right)}{\sqrt{-ib} \sqrt{-b^2x^4-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^2+1)/(-b^2*x^4-1)^(1/2), x)

[Out] I/(-I*b)^(1/2)*(I*b*x^2+1)^(1/2)*(-I*b*x^2+1)^(1/2)/(-b^2*x^4-1)^(1/2)*(EllipticF(x*(-I*b)^(1/2), I)-EllipticE(x*(-I*b)^(1/2), I))+1/(-I*b)^(1/2)*(I*b*x

$(-b^2x^4-1)^{1/2} \text{EllipticF}(x(-Ib)^{1/2}, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{bx^2 - 1}{\sqrt{-b^2x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+1)/(-b^2*x^4-1)^(1/2),x, algorithm="maxima")

[Out] -integrate((b*x^2 - 1)/sqrt(-b^2*x^4 - 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$-\int \frac{bx^2 - 1}{\sqrt{-b^2x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(b*x^2 - 1)/(- b^2*x^4 - 1)^(1/2),x)

[Out] -int((b*x^2 - 1)/(- b^2*x^4 - 1)^(1/2), x)

sympy [C] time = 2.10, size = 70, normalized size = 0.78

$$\frac{ibx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{7}{4}, b^2x^4e^{i\pi}\right)}{4\Gamma\left(\frac{7}{4}\right)} - \frac{ix\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{5}{4}, b^2x^4e^{i\pi}\right)}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x**2+1)/(-b**2*x**4-1)**(1/2),x)

[Out] I*b*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b**2*x**4*exp_polar(I*pi))/(4*gamma(7/4)) - I*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b**2*x**4*exp_polar(I*pi))/(4*gamma(5/4))

$$3.21 \quad \int \frac{1+bx^2}{\sqrt{-1-b^2x^4}} dx$$

Optimal. Leaf size=156

$$\frac{x\sqrt{-b^2x^4-1}}{bx^2+1} + \frac{(bx^2+1)\sqrt{\frac{b^2x^4+1}{(bx^2+1)^2}} F\left(2 \tan^{-1}(\sqrt{b}x) \middle| \frac{1}{2}\right)}{\sqrt{b}\sqrt{-b^2x^4-1}} - \frac{(bx^2+1)\sqrt{\frac{b^2x^4+1}{(bx^2+1)^2}} E\left(2 \tan^{-1}(\sqrt{b}x) \middle| \frac{1}{2}\right)}{\sqrt{b}\sqrt{-b^2x^4-1}}$$

[Out] $-x*(-b^2*x^4-1)^{(1/2)}/(b*x^2+1)-(b*x^2+1)*(\cos(2*\arctan(x*b^{(1/2)}))^2)^{(1/2)}/\cos(2*\arctan(x*b^{(1/2)}))*\text{EllipticE}(\sin(2*\arctan(x*b^{(1/2)})),1/2*2^{(1/2)})*((b^2*x^4+1)/(b*x^2+1)^2)^{(1/2)}/b^{(1/2)}/(-b^2*x^4-1)^{(1/2)}+(b*x^2+1)*(\cos(2*\arctan(x*b^{(1/2)}))^2)^{(1/2)}/\cos(2*\arctan(x*b^{(1/2)}))*\text{EllipticF}(\sin(2*\arctan(x*b^{(1/2)})),1/2*2^{(1/2)})*((b^2*x^4+1)/(b*x^2+1)^2)^{(1/2)}/b^{(1/2)}/(-b^2*x^4-1)^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1198, 220, 1196}

$$\frac{x\sqrt{-b^2x^4-1}}{bx^2+1} + \frac{(bx^2+1)\sqrt{\frac{b^2x^4+1}{(bx^2+1)^2}} F\left(2 \tan^{-1}(\sqrt{b}x) \middle| \frac{1}{2}\right)}{\sqrt{b}\sqrt{-b^2x^4-1}} - \frac{(bx^2+1)\sqrt{\frac{b^2x^4+1}{(bx^2+1)^2}} E\left(2 \tan^{-1}(\sqrt{b}x) \middle| \frac{1}{2}\right)}{\sqrt{b}\sqrt{-b^2x^4-1}}$$

Antiderivative was successfully verified.

[In] Int[(1 + b*x^2)/Sqrt[-1 - b^2*x^4], x]

[Out] $-(x*\text{Sqrt}[-1 - b^2*x^4])/(1 + b*x^2) - ((1 + b*x^2)*\text{Sqrt}[(1 + b^2*x^4)/(1 + b*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[\text{Sqrt}[b]*x], 1/2])/(\text{Sqrt}[b]*\text{Sqrt}[-1 - b^2*x^4]) + ((1 + b*x^2)*\text{Sqrt}[(1 + b^2*x^4)/(1 + b*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[\text{Sqrt}[b]*x], 1/2])/(\text{Sqrt}[b]*\text{Sqrt}[-1 - b^2*x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],

$1/2)) / (q \sqrt{a + c x^4}), x] /; \text{EqQ}[e + d q^2, 0] /; \text{FreeQ}\{a, c, d, e, x\} \&\& \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d + (e \cdot x^2) / \sqrt{a + c x^4}), x_Symbol] := \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d q) / q, \text{Int}[1 / \sqrt{a + c x^4}, x], x] - \text{Dist}[e / q, \text{Int}[(1 - q x^2) / \sqrt{a + c x^4}, x], x] /; \text{NeQ}[e + d q, 0] /; \text{FreeQ}\{a, c, d, e, x\} \&\& \text{PosQ}[c/a]$

Rubi steps

$$\int \frac{1 + b x^2}{\sqrt{-1 - b^2 x^4}} dx = 2 \int \frac{1}{\sqrt{-1 - b^2 x^4}} dx - \int \frac{1 - b x^2}{\sqrt{-1 - b^2 x^4}} dx$$

$$= -\frac{x \sqrt{-1 - b^2 x^4}}{1 + b x^2} - \frac{(1 + b x^2) \sqrt{\frac{1 + b^2 x^4}{(1 + b x^2)^2}} E\left(2 \tan^{-1}(\sqrt{b} x) \middle| \frac{1}{2}\right)}{\sqrt{b} \sqrt{-1 - b^2 x^4}} + \frac{(1 + b x^2) \sqrt{\frac{1 + b^2 x^4}{(1 + b x^2)^2}} F\left(2 \tan^{-1}(\sqrt{b} x) \middle| \frac{1}{2}\right)}{\sqrt{b} \sqrt{-1 - b^2 x^4}}$$

Mathematica [C] time = 0.02, size = 76, normalized size = 0.49

$$\frac{\sqrt{b^2 x^4 + 1} \left(3x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -b^2 x^4\right) + b x^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -b^2 x^4\right) \right)}{3 \sqrt{-b^2 x^4 - 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + b*x^2)/Sqrt[-1 - b^2*x^4], x]

[Out] (Sqrt[1 + b^2*x^4]*(3*x*Hypergeometric2F1[1/4, 1/2, 5/4, -(b^2*x^4)] + b*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, -(b^2*x^4)]))/(3*Sqrt[-1 - b^2*x^4])

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\frac{b x \text{integral} \left(-\frac{\sqrt{-b^2 x^4 - 1} (b x^2 + 1)}{b^3 x^6 + b x^2}, x \right) - \sqrt{-b^2 x^4 - 1}}{b x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+1)/(-b^2*x^4-1)^(1/2), x, algorithm="fricas")

[Out] $(b*x*\text{integral}(-\text{sqrt}(-b^2*x^4 - 1)*(b*x^2 + 1)/(b^3*x^6 + b*x^2), x) - \text{sqrt}(-b^2*x^4 - 1))/(b*x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bx^2 + 1}{\sqrt{-b^2x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^2+1)/(-b^2*x^4-1)^(1/2),x, algorithm="giac")`

[Out] `integrate((b*x^2 + 1)/sqrt(-b^2*x^4 - 1), x)`

maple [C] time = 0.00, size = 122, normalized size = 0.78

$$\frac{\sqrt{ibx^2 + 1} \sqrt{-ibx^2 + 1} \text{EllipticF}(\sqrt{-ib} x, i)}{\sqrt{-ib} \sqrt{-b^2x^4 - 1}} - \frac{i\sqrt{ibx^2 + 1} \sqrt{-ibx^2 + 1} (-\text{EllipticE}(\sqrt{-ib} x, i) + \text{EllipticF}(\sqrt{-ib} x, i))}{\sqrt{-ib} \sqrt{-b^2x^4 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^2+1)/(-b^2*x^4-1)^(1/2),x)`

[Out] `-I/(-I*b)^(1/2)*(I*b*x^2+1)^(1/2)*(-I*b*x^2+1)^(1/2)/(-b^2*x^4-1)^(1/2)*(EllipticF((-I*b)^(1/2)*x,I)-EllipticE((-I*b)^(1/2)*x,I))+1/(-I*b)^(1/2)*(I*b*x^2+1)^(1/2)*(-I*b*x^2+1)^(1/2)/(-b^2*x^4-1)^(1/2)*EllipticF((-I*b)^(1/2)*x,I)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bx^2 + 1}{\sqrt{-b^2x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^2+1)/(-b^2*x^4-1)^(1/2),x, algorithm="maxima")`

[Out] `integrate((b*x^2 + 1)/sqrt(-b^2*x^4 - 1), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{bx^2 + 1}{\sqrt{-b^2x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^2 + 1)/(- b^2*x^4 - 1)^(1/2),x)`

[Out] `int((b*x^2 + 1)/(- b^2*x^4 - 1)^(1/2), x)`

sympy [C] time = 2.06, size = 71, normalized size = 0.46

$$\frac{ibx^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{7}{4} \right) b^2x^4 e^{i\pi}}{4\Gamma\left(\frac{7}{4}\right)} - \frac{ix\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{5}{4} \right) b^2x^4 e^{i\pi}}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**2+1)/(-b**2*x**4-1)**(1/2), x)`

[Out] `-I*b*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), b**2*x**4*exp_polar(I*pi))/(4*gamma(7/4)) - I*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), b**2*x**4*exp_polar(I*pi))/(4*gamma(5/4))`

$$3.22 \quad \int \frac{\sqrt{1+c^2x^2}}{\sqrt{1-c^2x^2}} dx$$

Optimal. Leaf size=10

$$\frac{E\left(\sin^{-1}(cx) \mid -1\right)}{c}$$

[Out] EllipticE(c*x,I)/c

Rubi [A] time = 0.01, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$, Rules used = {424}

$$\frac{E\left(\sin^{-1}(cx) \mid -1\right)}{c}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + c^2*x^2]/Sqrt[1 - c^2*x^2],x]

[Out] EllipticE[ArcSin[c*x], -1]/c

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rubi steps

$$\int \frac{\sqrt{1+c^2x^2}}{\sqrt{1-c^2x^2}} dx = \frac{E\left(\sin^{-1}(cx) \mid -1\right)}{c}$$

Mathematica [A] time = 0.01, size = 10, normalized size = 1.00

$$\frac{E\left(\sin^{-1}(cx) \mid -1\right)}{c}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + c^2*x^2]/Sqrt[1 - c^2*x^2],x]

[Out] EllipticE[ArcSin[c*x], -1]/c

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{c^2x^2+1}\sqrt{-c^2x^2+1}}{c^2x^2-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c^2*x^2+1)^(1/2)/(-c^2*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(c^2*x^2 + 1)*sqrt(-c^2*x^2 + 1)/(c^2*x^2 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c^2x^2+1}}{\sqrt{-c^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c^2*x^2+1)^(1/2)/(-c^2*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(c^2*x^2 + 1)/sqrt(-c^2*x^2 + 1), x)

maple [C] time = 0.03, size = 15, normalized size = 1.50

$$\frac{\text{EllipticE}(cx \text{csgn}(c), i) \text{csgn}(c)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c^2*x^2+1)^(1/2)/(-c^2*x^2+1)^(1/2), x)

[Out] EllipticE(x*csgn(c)*c,I)*csgn(c)/c

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c^2x^2+1}}{\sqrt{-c^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c^2*x^2+1)^(1/2)/(-c^2*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(c^2*x^2 + 1)/sqrt(-c^2*x^2 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.10

$$\int \frac{\sqrt{c^2x^2+1}}{\sqrt{1-c^2x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c^2*x^2 + 1)^(1/2)/(1 - c^2*x^2)^(1/2), x)`

[Out] `int((c^2*x^2 + 1)^(1/2)/(1 - c^2*x^2)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c^2x^2 + 1}}{\sqrt{-(cx - 1)(cx + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c**2*x**2+1)**(1/2)/(-c**2*x**2+1)**(1/2), x)`

[Out] `Integral(sqrt(c**2*x**2 + 1)/sqrt(-(c*x - 1)*(c*x + 1)), x)`

$$3.23 \quad \int \frac{1+c^2x^2}{\sqrt{1-c^4x^4}} dx$$

Optimal. Leaf size=10

$$\frac{E\left(\sin^{-1}(cx)\middle| -1\right)}{c}$$

[Out] EllipticE(c*x,I)/c

Rubi [A] time = 0.02, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {1199, 424}

$$\frac{E\left(\sin^{-1}(cx)\middle| -1\right)}{c}$$

Antiderivative was successfully verified.

[In] Int[(1 + c^2*x^2)/Sqrt[1 - c^4*x^4], x]

[Out] EllipticE[ArcSin[c*x], -1]/c

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 1199

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := Dist[d/Sqrt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]

Rubi steps

$$\begin{aligned} \int \frac{1+c^2x^2}{\sqrt{1-c^4x^4}} dx &= \int \frac{\sqrt{1+c^2x^2}}{\sqrt{1-c^2x^2}} dx \\ &= \frac{E\left(\sin^{-1}(cx)\middle| -1\right)}{c} \end{aligned}$$

Mathematica [C] time = 0.01, size = 47, normalized size = 4.70

$$x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; c^4 x^4\right) + \frac{1}{3} c^2 x^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; c^4 x^4\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + c^2*x^2)/Sqrt[1 - c^4*x^4], x]

[Out] x*Hypergeometric2F1[1/4, 1/2, 5/4, c^4*x^4] + (c^2*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, c^4*x^4])/3

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-c^4 x^4 + 1}}{c^2 x^2 - 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c^2*x^2+1)/(-c^4*x^4+1)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-c^4*x^4 + 1)/(c^2*x^2 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c^2 x^2 + 1}{\sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c^2*x^2+1)/(-c^4*x^4+1)^(1/2), x, algorithm="giac")

[Out] integrate((c^2*x^2 + 1)/sqrt(-c^4*x^4 + 1), x)

maple [B] time = 0.01, size = 118, normalized size = 11.80

$$\frac{\sqrt{-c^2 x^2 + 1} \sqrt{c^2 x^2 + 1} \text{EllipticF}\left(\sqrt{c^2} x, i\right)}{\sqrt{c^2} \sqrt{-c^4 x^4 + 1}} - \frac{\sqrt{-c^2 x^2 + 1} \sqrt{c^2 x^2 + 1} \left(-\text{EllipticE}\left(\sqrt{c^2} x, i\right) + \text{EllipticF}\left(\sqrt{c^2} x, i\right)\right)}{\sqrt{c^2} \sqrt{-c^4 x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c^2*x^2+1)/(-c^4*x^4+1)^(1/2), x)

[Out] 1/(c^2)^(1/2)*(-c^2*x^2+1)^(1/2)*(c^2*x^2+1)^(1/2)/(-c^4*x^4+1)^(1/2)*EllipticF(x*(c^2)^(1/2), I)-1/(c^2)^(1/2)*(-c^2*x^2+1)^(1/2)*(c^2*x^2+1)^(1/2)/(-c^4*x^4+1)^(1/2)*(EllipticF(x*(c^2)^(1/2), I)-EllipticE(x*(c^2)^(1/2), I))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{c^2 x^2 + 1}{\sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c^2*x^2+1)/(-c^4*x^4+1)^(1/2),x, algorithm="maxima")

[Out] integrate((c^2*x^2 + 1)/sqrt(-c^4*x^4 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.10

$$\int \frac{c^2 x^2 + 1}{\sqrt{1 - c^4 x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c^2*x^2 + 1)/(1 - c^4*x^4)^(1/2),x)

[Out] int((c^2*x^2 + 1)/(1 - c^4*x^4)^(1/2), x)

sympy [B] time = 2.05, size = 71, normalized size = 7.10

$$\frac{c^2 x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{7}{4} \right) c^4 x^4 e^{2i\pi}}{4\Gamma\left(\frac{7}{4}\right)} + \frac{x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{5}{4} \right) c^4 x^4 e^{2i\pi}}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c**2*x**2+1)/(-c**4*x**4+1)**(1/2),x)

[Out] c**2*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), c**4*x**4*exp_polar(2*I*pi))/(4*gamma(7/4)) + x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), c**4*x**4*exp_polar(2*I*pi))/(4*gamma(5/4))

$$3.24 \quad \int \frac{\sqrt{1-c^2x^2}}{\sqrt{1+c^2x^2}} dx$$

Optimal. Leaf size=23

$$\frac{2F(\sin^{-1}(cx)|-1)}{c} - \frac{E(\sin^{-1}(cx)|-1)}{c}$$

[Out] -EllipticE(c*x,I)/c+2*EllipticF(c*x,I)/c

Rubi [A] time = 0.03, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {423, 424, 248, 221}

$$\frac{2F(\sin^{-1}(cx)|-1)}{c} - \frac{E(\sin^{-1}(cx)|-1)}{c}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - c^2*x^2]/Sqrt[1 + c^2*x^2],x]

[Out] -(EllipticE[ArcSin[c*x], -1]/c) + (2*EllipticF[ArcSin[c*x], -1])/c

Rule 221

Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 248

Int[((a1_.) + (b1_)*(x_)^(n_))^(p_)*((a2_.) + (b2_)*(x_)^(n_))^(p_.), x_Symbol] := Int[(a1*a2 + b1*b2*x^(2*n))^p, x] /; FreeQ[{a1, b1, a2, b2, n, p}, x] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[p] || (GtQ[a1, 0] && GtQ[a2, 0]))

Rule 423

Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] := Dist[b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[d/c] && NegQ[b/a]

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{1-c^2x^2}}{\sqrt{1+c^2x^2}} dx &= 2 \int \frac{1}{\sqrt{1-c^2x^2}\sqrt{1+c^2x^2}} dx - \int \frac{\sqrt{1+c^2x^2}}{\sqrt{1-c^2x^2}} dx \\ &= -\frac{E(\sin^{-1}(cx)|-1)}{c} + 2 \int \frac{1}{\sqrt{1-c^4x^4}} dx \\ &= -\frac{E(\sin^{-1}(cx)|-1)}{c} + \frac{2F(\sin^{-1}(cx)|-1)}{c} \end{aligned}$$

Mathematica [A] time = 0.01, size = 24, normalized size = 1.04

$$\frac{E\left(\sin^{-1}\left(\sqrt{-c^2}x\right)\middle|-1\right)}{\sqrt{-c^2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - c^2*x^2]/Sqrt[1 + c^2*x^2], x]

[Out] EllipticE[ArcSin[Sqrt[-c^2]*x], -1]/Sqrt[-c^2]

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-c^2x^2+1}}{\sqrt{c^2x^2+1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2*x^2+1)^(1/2)/(c^2*x^2+1)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(-c^2*x^2 + 1)/sqrt(c^2*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-c^2x^2+1}}{\sqrt{c^2x^2+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2*x^2+1)^(1/2)/(c^2*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-c^2*x^2 + 1)/sqrt(c^2*x^2 + 1), x)

maple [C] time = 0.02, size = 28, normalized size = 1.22

$$\frac{(-\text{EllipticE}(cx \operatorname{csgn}(c), i) + 2 \text{EllipticF}(cx \operatorname{csgn}(c), i)) \operatorname{csgn}(c)}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2*x^2+1)^(1/2)/(c^2*x^2+1)^(1/2),x)

[Out] (2*EllipticF(c*x*csgn(c),I)-EllipticE(c*x*csgn(c),I))*csgn(c)/c

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-c^2x^2 + 1}}{\sqrt{c^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2*x^2+1)^(1/2)/(c^2*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-c^2*x^2 + 1)/sqrt(c^2*x^2 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sqrt{1 - c^2 x^2}}{\sqrt{c^2 x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1 - c^2*x^2)^(1/2)/(c^2*x^2 + 1)^(1/2),x)

[Out] int((1 - c^2*x^2)^(1/2)/(c^2*x^2 + 1)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(cx - 1)(cx + 1)}}{\sqrt{c^2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c**2*x**2+1)**(1/2)/(c**2*x**2+1)**(1/2),x)

[Out] Integral(sqrt(-(c*x - 1)*(c*x + 1))/sqrt(c**2*x**2 + 1), x)

$$3.25 \quad \int \frac{1-c^2x^2}{\sqrt{1-c^4x^4}} dx$$

Optimal. Leaf size=23

$$\frac{2F(\sin^{-1}(cx)|-1)}{c} - \frac{E(\sin^{-1}(cx)|-1)}{c}$$

[Out] -EllipticE(c*x,I)/c+2*EllipticF(c*x,I)/c

Rubi [A] time = 0.03, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1199, 423, 424, 248, 221}

$$\frac{2F(\sin^{-1}(cx)|-1)}{c} - \frac{E(\sin^{-1}(cx)|-1)}{c}$$

Antiderivative was successfully verified.

[In] Int[(1 - c^2*x^2)/Sqrt[1 - c^4*x^4],x]

[Out] -(EllipticE[ArcSin[c*x], -1]/c) + (2*EllipticF[ArcSin[c*x], -1])/c

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 248

Int[((a1_.) + (b1_.)*(x_)^(n_))^(p_.)*((a2_.) + (b2_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[(a1*a2 + b1*b2*x^(2*n))^p, x] /; FreeQ[{a1, b1, a2, b2, n, p}, x] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[p] || (GtQ[a1, 0] && GtQ[a2, 0]))

Rule 423

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && PosQ[d/c] && NegQ[b/a]

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 1199

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := Dist[d/Sq
rt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c,
d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1 - c^2 x^2}{\sqrt{1 - c^4 x^4}} dx &= \int \frac{\sqrt{1 - c^2 x^2}}{\sqrt{1 + c^2 x^2}} dx \\ &= 2 \int \frac{1}{\sqrt{1 - c^2 x^2} \sqrt{1 + c^2 x^2}} dx - \int \frac{\sqrt{1 + c^2 x^2}}{\sqrt{1 - c^2 x^2}} dx \\ &= -\frac{E(\sin^{-1}(cx) | -1)}{c} + 2 \int \frac{1}{\sqrt{1 - c^4 x^4}} dx \\ &= -\frac{E(\sin^{-1}(cx) | -1)}{c} + \frac{2F(\sin^{-1}(cx) | -1)}{c} \end{aligned}$$

Mathematica [C] time = 0.01, size = 47, normalized size = 2.04

$$x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; c^4 x^4\right) - \frac{1}{3} c^2 x^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; c^4 x^4\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 - c^2*x^2)/Sqrt[1 - c^4*x^4], x]
```

```
[Out] x*Hypergeometric2F1[1/4, 1/2, 5/4, c^4*x^4] - (c^2*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, c^4*x^4])/3
```

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-c^4 x^4 + 1}}{c^2 x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2*x^2+1)/(-c^4*x^4+1)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-c^4*x^4 + 1)/(c^2*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{c^2x^2 - 1}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2*x^2+1)/(-c^4*x^4+1)^(1/2),x, algorithm="giac")

[Out] integrate(-(c^2*x^2 - 1)/sqrt(-c^4*x^4 + 1), x)

maple [B] time = 0.01, size = 117, normalized size = 5.09

$$\frac{\sqrt{-c^2x^2 + 1} \sqrt{c^2x^2 + 1} \operatorname{EllipticF}\left(\sqrt{c^2} x, i\right)}{\sqrt{c^2} \sqrt{-c^4x^4 + 1}} + \frac{\sqrt{-c^2x^2 + 1} \sqrt{c^2x^2 + 1} \left(-\operatorname{EllipticE}\left(\sqrt{c^2} x, i\right) + \operatorname{EllipticF}\left(\sqrt{c^2} x, i\right)\right)}{\sqrt{c^2} \sqrt{-c^4x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-c^2*x^2+1)/(-c^4*x^4+1)^(1/2),x)

[Out] 1/(c^2)^(1/2)*(-c^2*x^2+1)^(1/2)*(c^2*x^2+1)^(1/2)/(-c^4*x^4+1)^(1/2)*EllipticF((c^2)^(1/2)*x,I)+1/(c^2)^(1/2)*(-c^2*x^2+1)^(1/2)*(c^2*x^2+1)^(1/2)/(-c^4*x^4+1)^(1/2)*(EllipticF((c^2)^(1/2)*x,I)-EllipticE((c^2)^(1/2)*x,I))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{c^2x^2 - 1}{\sqrt{-c^4x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-c^2*x^2+1)/(-c^4*x^4+1)^(1/2),x, algorithm="maxima")

[Out] -integrate((c^2*x^2 - 1)/sqrt(-c^4*x^4 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.04

$$-\int \frac{c^2x^2 - 1}{\sqrt{1 - c^4x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(c^2*x^2 - 1)/(1 - c^4*x^4)^(1/2),x)

[Out] `-int((c^2*x^2 - 1)/(1 - c^4*x^4)^(1/2), x)`

sympy [B] time = 2.03, size = 71, normalized size = 3.09

$$-\frac{c^2 x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{7}{4}; c^4 x^4 e^{2i\pi}\right)}{4 \Gamma\left(\frac{7}{4}\right)} + \frac{x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{5}{4}; c^4 x^4 e^{2i\pi}\right)}{4 \Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-c**2*x**2+1)/(-c**4*x**4+1)**(1/2), x)`

[Out] `-c**2*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), c**4*x**4*exp_polar(2*I*pi))/(4*gamma(7/4)) + x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), c**4*x**4*exp_polar(2*I*pi))/(4*gamma(5/4))`

$$3.26 \quad \int \frac{d+ex^2}{d^2+bx^2+e^2x^4} dx$$

Optimal. Leaf size=82

$$\frac{\tan^{-1}\left(\frac{\sqrt{2de-b+2ex}}{\sqrt{b+2de}}\right)}{\sqrt{b+2de}} - \frac{\tan^{-1}\left(\frac{\sqrt{2de-b-2ex}}{\sqrt{b+2de}}\right)}{\sqrt{b+2de}}$$

[Out] $-\arctan((-2*ex+(2*d*e-b)^{(1/2)})/(2*d*e+b)^{(1/2)})/(2*d*e+b)^{(1/2)}+\arctan((2*ex+(2*d*e-b)^{(1/2)})/(2*d*e+b)^{(1/2)})/(2*d*e+b)^{(1/2)}$

Rubi [A] time = 0.10, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {1161, 618, 204}

$$\frac{\tan^{-1}\left(\frac{\sqrt{2de-b+2ex}}{\sqrt{b+2de}}\right)}{\sqrt{b+2de}} - \frac{\tan^{-1}\left(\frac{\sqrt{2de-b-2ex}}{\sqrt{b+2de}}\right)}{\sqrt{b+2de}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(d^2 + b*x^2 + e^2*x^4), x]

[Out] $-(\text{ArcTan}[(\text{Sqrt}[-b + 2*d*e] - 2*e*x)/\text{Sqrt}[b + 2*d*e])/\text{Sqrt}[b + 2*d*e]) + \text{ArcTan}[(\text{Sqrt}[-b + 2*d*e] + 2*e*x)/\text{Sqrt}[b + 2*d*e])/\text{Sqrt}[b + 2*d*e]$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := > With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2],

0)))

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2}{d^2 + bx^2 + e^2x^4} dx &= \frac{\int \frac{1}{\frac{d}{e} - \frac{\sqrt{-b+2de}x}{e} + x^2} dx}{2e} + \frac{\int \frac{1}{\frac{d}{e} + \frac{\sqrt{-b+2de}x}{e} + x^2} dx}{2e} \\
&= \frac{\text{Subst}\left(\int \frac{1}{-\frac{b+2de}{e^2} - x^2} dx, x, -\frac{\sqrt{-b+2de}}{e} + 2x\right)}{e} - \frac{\text{Subst}\left(\int \frac{1}{-\frac{b+2de}{e^2} - x^2} dx, x, \frac{\sqrt{-b+2de}}{e} + 2x\right)}{e} \\
&= -\frac{\tan^{-1}\left(\frac{\sqrt{-b+2de}-2ex}{\sqrt{b+2de}}\right)}{\sqrt{b+2de}} + \frac{\tan^{-1}\left(\frac{\sqrt{-b+2de}+2ex}{\sqrt{b+2de}}\right)}{\sqrt{b+2de}}
\end{aligned}$$

Mathematica [B] time = 0.11, size = 181, normalized size = 2.21

$$\frac{\left(\sqrt{b^2-4d^2e^2}-b+2de\right)\tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{b-\sqrt{b^2-4d^2e^2}}}\right) + \left(\sqrt{b^2-4d^2e^2}+b-2de\right)\tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{\sqrt{b^2-4d^2e^2}+b}}\right)}{\sqrt{b-\sqrt{b^2-4d^2e^2}}\sqrt{\sqrt{b^2-4d^2e^2}+b}}$$

Antiderivative was successfully verified.

`[In] Integrate[(d + e*x^2)/(d^2 + b*x^2 + e^2*x^4), x]`

```
[Out] (((-b + 2*d*e + Sqrt[b^2 - 4*d^2*e^2])*ArcTan[(Sqrt[2]*e*x)/Sqrt[b - Sqrt[b^2 - 4*d^2*e^2]]])/Sqrt[b - Sqrt[b^2 - 4*d^2*e^2]] + ((b - 2*d*e + Sqrt[b^2 - 4*d^2*e^2])*ArcTan[(Sqrt[2]*e*x)/Sqrt[b + Sqrt[b^2 - 4*d^2*e^2]]])/Sqrt[b + Sqrt[b^2 - 4*d^2*e^2]]/(Sqrt[2]*Sqrt[b^2 - 4*d^2*e^2])
```

fricas [A] time = 0.43, size = 162, normalized size = 1.98

$$\left[\frac{\sqrt{-2de-b} \log\left(\frac{e^2x^4 - (4de+b)x^2 + d^2 - 2(ex^3 - dx)\sqrt{-2de-b}}{e^2x^4 + bx^2 + d^2}\right)}{2(2de+b)}, \frac{\sqrt{2de+b} \arctan\left(\frac{ex}{\sqrt{2de+b}}\right) + \sqrt{2de+b} \arctan\left(\frac{e^2x^3 + (de+b)x}{2d^2}\right)}{2de+b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((e*x^2+d)/(e^2*x^4+b*x^2+d^2), x, algorithm="fricas")`

```
[Out] [-1/2*sqrt(-2*d*e - b)*log((e^2*x^4 - (4*d*e + b)*x^2 + d^2 - 2*(e*x^3 - d*x)*sqrt(-2*d*e - b))/(e^2*x^4 + b*x^2 + d^2))/(2*d*e + b), (sqrt(2*d*e + b)*arctan(e*x/sqrt(2*d*e + b)) + sqrt(2*d*e + b)*arctan((e^2*x^3 + (d*e + b)*x)*sqrt(2*d*e + b)/(2*d^2*e + b*d)))/(2*d*e + b)]
```

giac [B] time = 1.12, size = 1642, normalized size = 20.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(e^2*x^4+b*x^2+d^2),x, algorithm="giac")
```

```
[Out] 1/4*(16*sqrt(2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*d^4*e^4 - 8*sqrt(2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b^2*d^2*e^2 + 4*sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b*d^2*e^2 + sqrt(2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b^4 - 32*d^4*e^6 + 8*sqrt(2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b*d^2*e^4 + 16*b^2*d^2*e^4 - 2*sqrt(2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b^3*e^2 - 2*b^4*e^2 - sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b^3 + 2*sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b^2*e^2 - 4*sqrt(2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*d^2*e^6 - 8*b*d^2*e^6 + sqrt(2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b^2*e^4 + 2*b^3*e^4 + 8*(4*d^2*e^2 - b^2)*d^2*e^4 - 2*(4*d^2*e^2 - b^2)*b^2*e^2 - sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b*e^4 + 2*(4*d^2*e^2 - b^2)*b*e^4 - 2*(4*sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*d^3*e^2 - sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b^2*d + 2*sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b*d*e^2 - 8*d^3*e^6 + 2*b^2*d*e^4 - sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*d*e^4 + 2*(4*d^2*e^2 - b^2)*d*e^4)*e)*arctan(2*sqrt(1/2)*x*e/sqrt(b + sqrt(-4*d^2*e^2 + b^2)))/(16*d^5*e^6 - 8*b^2*d^3*e^4 + b^4*d*e^2 + 8*b*d^3*e^6 - 2*b^3*d*e^4 - 4*d^3*e^8 + b^2*d*e^6) + 1/4*(16*sqrt(2)*sqrt(b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*d^4*e^4 - 8*sqrt(2)*sqrt(b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b^2*d^2*e^2 - 4*sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b*d^2*e^2 + sqrt(2)*sqrt(b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b^4 + 32*d^4*e^6 + 8*sqrt(2)*sqrt(b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b*d^2*e^4 - 16*b^2*d^2*e^4 - 2*sqrt(2)*sqrt(b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b^3*e^2 + 2*b^4*e^2 + sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b^3 - 2*sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b^2*e^2 - 4*sqrt(2)*sqrt(b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*d^2*e^6 + 8*b*d^2*e^6 + sqrt(2)*sqrt(b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b^2*e^4 - 2*b^3*e^4 - 8*(4*d^2*e^2 - b^2)*d^2*e^4 + 2*(4*d^2*e^2 - b^2)*b^2*e^2 + sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b*e^4 - 2*(4*d^2*e^2 - b^2)*b*e^4 + 2*(4*sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*d^3*e^2 - sqrt(2)*sqrt(-4*d^2
```

$*e^2 + b^2)*\sqrt{b*e^2 - \sqrt{-4*d^2*e^2 + b^2}*e^2}*b^2*d + 2*\sqrt{2}*\sqrt{-4*d^2*e^2 + b^2}*\sqrt{b*e^2 - \sqrt{-4*d^2*e^2 + b^2}*e^2}*b*d*e^2 - 8*d^3*e^6 + 2*b^2*d*e^4 - \sqrt{2}*\sqrt{-4*d^2*e^2 + b^2}*\sqrt{b*e^2 - \sqrt{-4*d^2*e^2 + b^2}*e^2}*d*e^4 + 2*(4*d^2*e^2 - b^2)*d*e^4)*e)*\arctan(2*\sqrt{1/2}*x*e/\sqrt{b - \sqrt{-4*d^2*e^2 + b^2}})/(16*d^5*e^6 - 8*b^2*d^3*e^4 + b^4*d*e^2 + 8*b*d^3*e^6 - 2*b^3*d*e^4 - 4*d^3*e^8 + b^2*d*e^6)$

maple [A] time = 0.04, size = 71, normalized size = 0.87

$$-\frac{\arctan\left(\frac{-2ex+\sqrt{2de-b}}{\sqrt{2de+b}}\right)}{\sqrt{2de+b}} + \frac{\arctan\left(\frac{2ex+\sqrt{2de-b}}{\sqrt{2de+b}}\right)}{\sqrt{2de+b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)/(e^2*x^4+b*x^2+d^2),x)`

[Out] `-arctan((-2*e*x+(2*d*e-b)^(1/2))/(2*d*e+b)^(1/2))/(2*d*e+b)^(1/2)+arctan((2*e*x+(2*d*e-b)^(1/2))/(2*d*e+b)^(1/2))/(2*d*e+b)^(1/2)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{e^2x^4 + bx^2 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/(e^2*x^4+b*x^2+d^2),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d)/(e^2*x^4 + b*x^2 + d^2), x)`

mupad [B] time = 4.43, size = 94, normalized size = 1.15

$$\frac{\operatorname{atan}\left(\frac{ex}{\sqrt{b+2de}}\right) + \operatorname{atan}\left(\frac{b^2x - \frac{x(b+2de)^2}{2} + \frac{bx(b+2de)}{2} + 2be^2x^3 - e^2x^3(b+2de)}{(bd-2d^2e)\sqrt{b+2de}}\right)}{\sqrt{b+2de}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)/(b*x^2 + d^2 + e^2*x^4),x)`

[Out] `(atan((e*x)/(b + 2*d*e)^(1/2)) + atan((b^2*x - (x*(b + 2*d*e)^2)/2 + (b*x*(b + 2*d*e))/2 + 2*b*e^2*x^3 - e^2*x^3*(b + 2*d*e))/((b*d - 2*d^2*e)*(b + 2*d*e)^(1/2))))/(b + 2*d*e)^(1/2)`

sympy [A] time = 0.54, size = 122, normalized size = 1.49

$$\frac{\sqrt{-\frac{1}{b+2de}} \log\left(-\frac{d}{e} + x^2 + \frac{x\left(-b\sqrt{-\frac{1}{b+2de}} - 2de\sqrt{-\frac{1}{b+2de}}\right)}{e}\right)}{2} + \frac{\sqrt{-\frac{1}{b+2de}} \log\left(-\frac{d}{e} + x^2 + \frac{x\left(b\sqrt{-\frac{1}{b+2de}} + 2de\sqrt{-\frac{1}{b+2de}}\right)}{e}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(e**2*x**4+b*x**2+d**2),x)

[Out] -sqrt(-1/(b + 2*d*e))*log(-d/e + x**2 + x*(-b*sqrt(-1/(b + 2*d*e)) - 2*d*e*sqrt(-1/(b + 2*d*e)))/e)/2 + sqrt(-1/(b + 2*d*e))*log(-d/e + x**2 + x*(b*sqrt(-1/(b + 2*d*e)) + 2*d*e*sqrt(-1/(b + 2*d*e)))/e)/2

$$3.27 \quad \int \frac{d+ex^2}{d^2+fx^2+e^2x^4} dx$$

Optimal. Leaf size=82

$$\frac{\tan^{-1}\left(\frac{\sqrt{2de-f}+2ex}{\sqrt{2de+f}}\right)}{\sqrt{2de+f}} - \frac{\tan^{-1}\left(\frac{\sqrt{2de-f}-2ex}{\sqrt{2de+f}}\right)}{\sqrt{2de+f}}$$

[Out] $-\arctan((-2*e*x+(2*d*e-f)^{(1/2)})/(2*d*e+f)^{(1/2)))/(2*d*e+f)^{(1/2)}+\arctan((2*e*x+(2*d*e-f)^{(1/2)})/(2*d*e+f)^{(1/2)))/(2*d*e+f)^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {1161, 618, 204}

$$\frac{\tan^{-1}\left(\frac{\sqrt{2de-f}+2ex}{\sqrt{2de+f}}\right)}{\sqrt{2de+f}} - \frac{\tan^{-1}\left(\frac{\sqrt{2de-f}-2ex}{\sqrt{2de+f}}\right)}{\sqrt{2de+f}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(d^2 + f*x^2 + e^2*x^4), x]

[Out] $-(\text{ArcTan}[(\text{Sqrt}[2*d*e - f] - 2*e*x)/\text{Sqrt}[2*d*e + f]]/\text{Sqrt}[2*d*e + f]) + \text{ArcTan}[(\text{Sqrt}[2*d*e - f] + 2*e*x)/\text{Sqrt}[2*d*e + f]]/\text{Sqrt}[2*d*e + f]$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2],

0)))

Rubi steps

$$\int \frac{d + ex^2}{d^2 + fx^2 + e^2x^4} dx = \frac{\int \frac{1}{\frac{d}{e} - \frac{\sqrt{2de-f}x}{e} + x^2} dx}{2e} + \frac{\int \frac{1}{\frac{d}{e} + \frac{\sqrt{2de-f}x}{e} + x^2} dx}{2e}$$

$$= \frac{\text{Subst}\left(\int \frac{1}{-\frac{2de+f}{e^2} - x^2} dx, x, -\frac{\sqrt{2de-f}}{e} + 2x\right)}{e} - \frac{\text{Subst}\left(\int \frac{1}{-\frac{2de+f}{e^2} - x^2} dx, x, \frac{\sqrt{2de-f}}{e} + 2x\right)}{e}$$

$$= -\frac{\tan^{-1}\left(\frac{\sqrt{2de-f}-2ex}{\sqrt{2de+f}}\right)}{\sqrt{2de+f}} + \frac{\tan^{-1}\left(\frac{\sqrt{2de-f}+2ex}{\sqrt{2de+f}}\right)}{\sqrt{2de+f}}$$

Mathematica [B] time = 0.11, size = 181, normalized size = 2.21

$$\frac{(\sqrt{f^2-4d^2e^2}+2de-f) \tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{f-\sqrt{f^2-4d^2e^2}}}\right)}{\sqrt{f-\sqrt{f^2-4d^2e^2}}} + \frac{(\sqrt{f^2-4d^2e^2}-2de+f) \tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{\sqrt{f^2-4d^2e^2}+f}}\right)}{\sqrt{\sqrt{f^2-4d^2e^2}+f}}$$

$$\frac{\hspace{10em}}{\sqrt{2}\sqrt{f^2-4d^2e^2}}$$

Antiderivative was successfully verified.

`[In] Integrate[(d + e*x^2)/(d^2 + f*x^2 + e^2*x^4), x]`

```
[Out] (((2*d*e - f + Sqrt[-4*d^2*e^2 + f^2])*ArcTan[(Sqrt[2]*e*x)/Sqrt[f - Sqrt[-4*d^2*e^2 + f^2]])/Sqrt[f - Sqrt[-4*d^2*e^2 + f^2]] + ((-2*d*e + f + Sqrt[-4*d^2*e^2 + f^2])*ArcTan[(Sqrt[2]*e*x)/Sqrt[f + Sqrt[-4*d^2*e^2 + f^2]])/Sqrt[f + Sqrt[-4*d^2*e^2 + f^2]])/(Sqrt[2]*Sqrt[-4*d^2*e^2 + f^2])
```

fricas [A] time = 0.42, size = 162, normalized size = 1.98

$$\left[\frac{\sqrt{-2de-f} \log\left(\frac{e^2x^4 - (4de+f)x^2 + d^2 - 2(ex^3 - dx)\sqrt{-2de-f}}{e^2x^4 + fx^2 + d^2}\right)}{2(2de+f)}, \frac{\sqrt{2de+f} \arctan\left(\frac{ex}{\sqrt{2de+f}}\right) + \sqrt{2de+f} \arctan\left(\frac{e^2x^3 + \dots}{\dots}\right)}{2de+f} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((e*x^2+d)/(e^2*x^4+f*x^2+d^2), x, algorithm="fricas")`

```
[Out] [-1/2*sqrt(-2*d*e - f)*log((e^2*x^4 - (4*d*e + f)*x^2 + d^2 - 2*(e*x^3 - d*x)*sqrt(-2*d*e - f))/(e^2*x^4 + f*x^2 + d^2))/(2*d*e + f), (sqrt(2*d*e + f)*arctan(e*x/sqrt(2*d*e + f)) + sqrt(2*d*e + f)*arctan((e^2*x^3 + (d*e + f)*x)*sqrt(2*d*e + f)/(2*d^2*e + d*f)))/(2*d*e + f)]
```

giac [B] time = 1.09, size = 1642, normalized size = 20.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(e^2*x^4+f*x^2+d^2),x, algorithm="giac")
```

```
[Out] 1/4*(16*sqrt(2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*d^4*e^4 - 8*sqrt(2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*f^2*e^2 + 4*sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*f*e^2 + sqrt(2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*f^4 - 32*d^4*e^6 + 8*sqrt(2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*f*e^4 + 16*d^2*f^2*e^4 - 2*sqrt(2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*f^3*e^2 - 2*f^4*e^2 - sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*f^3 + 2*sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*f^2*e^2 - 4*sqrt(2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*e^6 - 8*d^2*f*e^6 + 8*(4*d^2*e^2 - f^2)*d^2*e^4 + sqrt(2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*f^2*e^4 + 2*f^3*e^4 - 2*(4*d^2*e^2 - f^2)*f^2*e^2 - sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*f*e^4 + 2*(4*d^2*e^2 - f^2)*f*e^4 - 2*(4*sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*d^3*e^2 - sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*d*f^2 + 2*sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*d*f*e^2 - 8*d^3*e^6 + 2*d*f^2*e^4 - sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*d*e^4 + 2*(4*d^2*e^2 - f^2)*d*e^4)*e)*arctan(2*sqrt(1/2)*x*e/sqrt(f + sqrt(-4*d^2*e^2 + f^2)))/(16*d^5*e^6 - 8*d^3*f^2*e^4 + d*f^4*e^2 + 8*d^3*f*e^6 - 2*d*f^3*e^4 - 4*d^3*e^8 + d*f^2*e^6) + 1/4*(16*sqrt(2)*sqrt(f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d^4*e^4 - 8*sqrt(2)*sqrt(f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*f^2*e^2 - 4*sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*f*e^2 + sqrt(2)*sqrt(f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*f^4 + 32*d^4*e^6 + 8*sqrt(2)*sqrt(f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*f*e^4 - 16*d^2*f^2*e^4 - 2*sqrt(2)*sqrt(f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*f^3*e^2 + 2*f^4*e^2 + sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*f^3 - 2*sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*f^2*e^2 - 4*sqrt(2)*sqrt(f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*e^6 + 8*d^2*f*e^6 - 8*(4*d^2*e^2 - f^2)*d^2*e^4 + sqrt(2)*sqrt(f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*f^2*e^4 - 2*f^3*e^4 + 2*(4*d^2*e^2 - f^2)*f^2*e^2 + sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*f*e^4 - 2*(4*d^2*e^2 - f^2)*f*e^4 + 2*(4*sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d^3*e^2 - sqrt(2)*sqrt(-4*d^2
```


$*e^2 + f^2)*\sqrt{f*e^2 - \sqrt{-4*d^2*e^2 + f^2}*e^2}*d*f^2 + 2*\sqrt{2}*\sqrt{-4*d^2*e^2 + f^2}*\sqrt{f*e^2 - \sqrt{-4*d^2*e^2 + f^2}*e^2}*d*f*e^2 - 8*d^3*e^6 + 2*d*f^2*e^4 - \sqrt{2}*\sqrt{-4*d^2*e^2 + f^2}*\sqrt{f*e^2 - \sqrt{-4*d^2*e^2 + f^2}*e^2}*d*e^4 + 2*(4*d^2*e^2 - f^2)*d*e^4)*e)*\arctan(2*\sqrt{1/2}*x*e/\sqrt{f - \sqrt{-4*d^2*e^2 + f^2}})/(16*d^5*e^6 - 8*d^3*f^2*e^4 + d*f^4*e^2 + 8*d^3*f*e^6 - 2*d*f^3*e^4 - 4*d^3*e^8 + d*f^2*e^6)$

maple [A] time = 0.04, size = 71, normalized size = 0.87

$$-\frac{\arctan\left(\frac{-2ex+\sqrt{2de-f}}{\sqrt{2de+f}}\right)}{\sqrt{2de+f}} + \frac{\arctan\left(\frac{2ex+\sqrt{2de-f}}{\sqrt{2de+f}}\right)}{\sqrt{2de+f}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(e^2*x^4+f*x^2+d^2),x)

[Out] $-\arctan((-2ex+(2de-f)^{1/2})/(2de+f)^{1/2})/(2de+f)^{1/2} + \arctan((2ex+(2de-f)^{1/2})/(2de+f)^{1/2})/(2de+f)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{e^2x^4 + fx^2 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(e^2*x^4+f*x^2+d^2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)/(e^2*x^4 + f*x^2 + d^2), x)

mupad [B] time = 4.52, size = 98, normalized size = 1.20

$$\frac{\operatorname{atan}\left(\frac{f^2x - \frac{x(f+2de)^2}{2} + \frac{fx(f+2de)}{2} + 2e^2fx^3 - e^2x^3(f+2de)}{(2df-d(f+2de))\sqrt{f+2de}}\right) + \operatorname{atan}\left(\frac{ex}{\sqrt{f+2de}}\right)}{\sqrt{f+2de}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(f*x^2 + d^2 + e^2*x^4),x)

[Out] $(\operatorname{atan}((f^2*x - (x*(f + 2*d*e))^2)/2 + (f*x*(f + 2*d*e))/2 + 2*e^2*f*x^3 - e^2*x^3*(f + 2*d*e))/((2*d*f - d*(f + 2*d*e))*(f + 2*d*e)^{1/2})) + \operatorname{atan}((e*x)/(f + 2*d*e)^{1/2}))/((f + 2*d*e)^{1/2})$

sympy [A] time = 0.56, size = 122, normalized size = 1.49

$$\frac{\sqrt{-\frac{1}{2de+f}} \log\left(-\frac{d}{e} + x^2 + \frac{x\left(-2de\sqrt{-\frac{1}{2de+f}} - f\sqrt{-\frac{1}{2de+f}}\right)}{e}\right)}{2} + \frac{\sqrt{-\frac{1}{2de+f}} \log\left(-\frac{d}{e} + x^2 + \frac{x\left(2de\sqrt{-\frac{1}{2de+f}} + f\sqrt{-\frac{1}{2de+f}}\right)}{e}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(e**2*x**4+f*x**2+d**2),x)

[Out] -sqrt(-1/(2*d*e + f))*log(-d/e + x**2 + x*(-2*d*e*sqrt(-1/(2*d*e + f)) - f*sqrt(-1/(2*d*e + f)))/e)/2 + sqrt(-1/(2*d*e + f))*log(-d/e + x**2 + x*(2*d*e*sqrt(-1/(2*d*e + f)) + f*sqrt(-1/(2*d*e + f)))/e)/2

$$3.28 \quad \int \frac{d+ex^2}{d^2-bx^2+e^2x^4} dx$$

Optimal. Leaf size=78

$$\frac{\tanh^{-1}\left(\frac{\sqrt{b+2de}-2ex}{\sqrt{b-2de}}\right)}{\sqrt{b-2de}} - \frac{\tanh^{-1}\left(\frac{\sqrt{b+2de}+2ex}{\sqrt{b-2de}}\right)}{\sqrt{b-2de}}$$

[Out] arctanh((-2*e*x+(2*d*e+b)^(1/2))/(-2*d*e+b)^(1/2))/(-2*d*e+b)^(1/2)-arctanh((2*e*x+(2*d*e+b)^(1/2))/(-2*d*e+b)^(1/2))/(-2*d*e+b)^(1/2)

Rubi [A] time = 0.10, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1161, 618, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{b+2de}-2ex}{\sqrt{b-2de}}\right)}{\sqrt{b-2de}} - \frac{\tanh^{-1}\left(\frac{\sqrt{b+2de}+2ex}{\sqrt{b-2de}}\right)}{\sqrt{b-2de}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(d^2 - b*x^2 + e^2*x^4), x]

[Out] ArcTanh[(Sqrt[b + 2*d*e] - 2*e*x)/Sqrt[b - 2*d*e]]/Sqrt[b - 2*d*e] - ArcTanh[(Sqrt[b + 2*d*e] + 2*e*x)/Sqrt[b - 2*d*e]]/Sqrt[b - 2*d*e]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := > With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2],

0)))

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2}{d^2 - bx^2 + e^2x^4} dx &= \frac{\int \frac{1}{\frac{d}{e} - \frac{\sqrt{b+2de}x}{e} + x^2} dx}{2e} + \frac{\int \frac{1}{\frac{d}{e} + \frac{\sqrt{b+2de}x}{e} + x^2} dx}{2e} \\
&= \frac{\text{Subst}\left(\int \frac{1}{\frac{b-2de}{e^2} - x^2} dx, x, -\frac{\sqrt{b+2de}}{e} + 2x\right)}{e} - \frac{\text{Subst}\left(\int \frac{1}{\frac{b-2de}{e^2} - x^2} dx, x, \frac{\sqrt{b+2de}}{e} + 2x\right)}{e} \\
&= \frac{\tanh^{-1}\left(\frac{\sqrt{b+2de}-2ex}{\sqrt{b-2de}}\right)}{\sqrt{b-2de}} - \frac{\tanh^{-1}\left(\frac{\sqrt{b+2de}+2ex}{\sqrt{b-2de}}\right)}{\sqrt{b-2de}}
\end{aligned}$$

Mathematica [B] time = 0.11, size = 189, normalized size = 2.42

$$\frac{\left(\sqrt{b^2-4d^2e^2}+b+2de\right)\tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{-\sqrt{b^2-4d^2e^2}-b}}\right)}{\sqrt{-\sqrt{b^2-4d^2e^2}-b}} + \frac{\left(\sqrt{b^2-4d^2e^2}-b-2de\right)\tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{\sqrt{b^2-4d^2e^2}-b}}\right)}{\sqrt{\sqrt{b^2-4d^2e^2}-b}}}{\sqrt{2}\sqrt{b^2-4d^2e^2}}$$

Antiderivative was successfully verified.

`[In] Integrate[(d + e*x^2)/(d^2 - b*x^2 + e^2*x^4), x]`

```
[Out] (((b + 2*d*e + Sqrt[b^2 - 4*d^2*e^2])*ArcTan[(Sqrt[2]*e*x)/Sqrt[-b - Sqrt[b^2 - 4*d^2*e^2]]])/Sqrt[-b - Sqrt[b^2 - 4*d^2*e^2]] + ((-b - 2*d*e + Sqrt[b^2 - 4*d^2*e^2])*ArcTan[(Sqrt[2]*e*x)/Sqrt[-b + Sqrt[b^2 - 4*d^2*e^2]]])/Sqrt[-b + Sqrt[b^2 - 4*d^2*e^2]])/(Sqrt[2]*Sqrt[b^2 - 4*d^2*e^2])
```

fricas [A] time = 0.42, size = 176, normalized size = 2.26

$$\left[\frac{\sqrt{-2de+b} \log\left(\frac{e^2x^4 - (4de-b)x^2 + d^2 - 2(ex^3 - dx)\sqrt{-2de+b}}{e^2x^4 - bx^2 + d^2}\right)}{2(2de-b)}, \frac{\sqrt{2de-b} \arctan\left(\frac{ex}{\sqrt{2de-b}}\right) + \sqrt{2de-b} \arctan\left(\frac{(e^2x^3 + (de-b)x^2 + d^2 - 2ex^2)\sqrt{2de-b}}{2d^2e}\right)}{2de-b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((e*x^2+d)/(e^2*x^4-b*x^2+d^2), x, algorithm="fricas")`

```
[Out] [-1/2*sqrt(-2*d*e + b)*log((e^2*x^4 - (4*d*e - b)*x^2 + d^2 - 2*(e*x^3 - d*x)*sqrt(-2*d*e + b))/(e^2*x^4 - b*x^2 + d^2))/(2*d*e - b), (sqrt(2*d*e - b)*arctan(e*x/sqrt(2*d*e - b)) + sqrt(2*d*e - b)*arctan((e^2*x^3 + (d*e - b)*x)*sqrt(2*d*e - b)/(2*d^2*e - b*d)))/(2*d*e - b)]
```

giac [B] time = 1.12, size = 1676, normalized size = 21.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(e^2*x^4-b*x^2+d^2),x, algorithm="giac")
```

```
[Out] 1/4*(16*sqrt(2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*d^4*e^4 - 8*sqrt(2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b^2*d^2*e^2 + 4*sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b*d^2*e^2 + sqrt(2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b^4 + 32*d^4*e^6 - 8*sqrt(2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b*d^2*e^4 - 16*b^2*d^2*e^4 + 2*sqrt(2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b^3*e^2 + 2*b^4*e^2 - sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b^3 - 2*sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b^2*e^2 - 4*sqrt(2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*d^2*e^6 - 8*b*d^2*e^6 + sqrt(2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b^2*e^4 + 2*b^3*e^4 - 8*(4*d^2*e^2 - b^2)*d^2*e^4 + 2*(4*d^2*e^2 - b^2)*b^2*e^2 - sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b*e^4 + 2*(4*d^2*e^2 - b^2)*b*e^4 + 2*(4*sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*d^3*e^2 - sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b^2*d - 2*sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*b*d*e^2 - 8*d^3*e^6 + 2*b^2*d*e^4 - sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(-b*e^2 - sqrt(-4*d^2*e^2 + b^2)*e^2)*d*e^4 + 2*(4*d^2*e^2 - b^2)*d*e^4)*e)*arctan(2*sqrt(1/2)*x/sqrt(-(b + sqrt(-4*d^2*e^2 + b^2))*e^(-2)))/(16*d^5*e^6 - 8*b^2*d^3*e^4 + b^4*d*e^2 - 8*b*d^3*e^6 + 2*b^3*d*e^4 - 4*d^3*e^8 + b^2*d*e^6) + 1/4*(16*sqrt(2)*sqrt(-b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*d^4*e^4 - 8*sqrt(2)*sqrt(-b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b^2*d^2*e^2 - 4*sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(-b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b*d^2*e^2 + sqrt(2)*sqrt(-b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b^4 - 32*d^4*e^6 - 8*sqrt(2)*sqrt(-b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b*d^2*e^4 + 16*b^2*d^2*e^4 + 2*sqrt(2)*sqrt(-b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b^3*e^2 - 2*b^4*e^2 + sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(-b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b^3 + 2*sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(-b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b^2*e^2 - 4*sqrt(2)*sqrt(-b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*d^2*e^6 + 8*b*d^2*e^6 + sqrt(2)*sqrt(-b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b^2*e^4 - 2*b^3*e^4 + 8*(4*d^2*e^2 - b^2)*d^2*e^4 - 2*(4*d^2*e^2 - b^2)*b^2*e^2 + sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(-b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)*b*e^4 - 2*(4*d^2*e^2 - b^2)*b*e^4 - 2*(4*sqrt(2)*sqrt(-4*d^2*e^2 + b^2)*sqrt(-b*e^2 + sqrt(-4*d^2*e^2 + b^2)*e^2)
```

$*e^2)*d^3*e^2 - \sqrt{2}*\sqrt{-4*d^2*e^2 + b^2}*\sqrt{-b*e^2 + \sqrt{-4*d^2*e^2 + b^2}}*e^2)*b^2*d - 2*\sqrt{2}*\sqrt{-4*d^2*e^2 + b^2}*\sqrt{-b*e^2 + \sqrt{-4*d^2*e^2 + b^2}}*e^2)*b*d*e^2 - 8*d^3*e^6 + 2*b^2*d*e^4 - \sqrt{2}*\sqrt{-4*d^2*e^2 + b^2}*\sqrt{-b*e^2 + \sqrt{-4*d^2*e^2 + b^2}}*e^2)*d*e^4 + 2*(4*d^2*e^2 - b^2)*d*e^4)*e)*\arctan(2*\sqrt{1/2}*x/\sqrt{-(b - \sqrt{-4*d^2*e^2 + b^2})*e^{-2}}))/(16*d^5*e^6 - 8*b^2*d^3*e^4 + b^4*d*e^2 - 8*b*d^3*e^6 + 2*b^3*d*e^4 - 4*d^3*e^8 + b^2*d*e^6)$

maple [A] time = 0.03, size = 75, normalized size = 0.96

$$-\frac{\arctan\left(\frac{-2ex+\sqrt{2de+b}}{\sqrt{2de-b}}\right)}{\sqrt{2de-b}} + \frac{\arctan\left(\frac{2ex+\sqrt{2de+b}}{\sqrt{2de-b}}\right)}{\sqrt{2de-b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)/(e^2*x^4-b*x^2+d^2),x)`

[Out] $-1/(2*d*e-b)^{(1/2)}*\arctan((-2*e*x+(2*d*e+b)^{(1/2)})/(2*d*e-b)^{(1/2)})+1/(2*d*e-b)^{(1/2)}*\arctan((2*e*x+(2*d*e+b)^{(1/2)})/(2*d*e-b)^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{e^2x^4 - bx^2 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/(e^2*x^4-b*x^2+d^2),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d)/(e^2*x^4 - b*x^2 + d^2), x)`

mupad [B] time = 0.13, size = 30, normalized size = 0.38

$$\frac{\operatorname{atanh}\left(\frac{x\sqrt{b-2de}}{d-ex^2}\right)}{\sqrt{b-2de}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)/(d^2 - b*x^2 + e^2*x^4),x)`

[Out] $\operatorname{atanh}((x*(b - 2*d*e)^{(1/2)})/(d - e*x^2))/(b - 2*d*e)^{(1/2)}$

sympy [A] time = 0.57, size = 110, normalized size = 1.41

$$\frac{\sqrt{\frac{1}{b-2de}} \log\left(-\frac{d}{e} + x^2 + \frac{x\left(-b\sqrt{\frac{1}{b-2de}} + 2de\sqrt{\frac{1}{b-2de}}\right)}{e}\right)}{2} - \frac{\sqrt{\frac{1}{b-2de}} \log\left(-\frac{d}{e} + x^2 + \frac{x\left(b\sqrt{\frac{1}{b-2de}} - 2de\sqrt{\frac{1}{b-2de}}\right)}{e}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)/(e**2*x**4-b*x**2+d**2),x)
```

```
[Out] sqrt(1/(b - 2*d*e))*log(-d/e + x**2 + x*(-b*sqrt(1/(b - 2*d*e)) + 2*d*e*sqrt(1/(b - 2*d*e))))/e)/2 - sqrt(1/(b - 2*d*e))*log(-d/e + x**2 + x*(b*sqrt(1/(b - 2*d*e)) - 2*d*e*sqrt(1/(b - 2*d*e))))/e)/2
```

$$3.29 \quad \int \frac{d+ex^2}{d^2-fx^2+e^2x^4} dx$$

Optimal. Leaf size=86

$$\frac{\tan^{-1}\left(\frac{\sqrt{2de+f}+2ex}{\sqrt{2de-f}}\right)}{\sqrt{2de-f}} - \frac{\tan^{-1}\left(\frac{\sqrt{2de+f}-2ex}{\sqrt{2de-f}}\right)}{\sqrt{2de-f}}$$

[Out] $-\arctan((-2*e*x+(2*d*e+f)^{(1/2)})/(2*d*e-f)^{(1/2)))/(2*d*e-f)^{(1/2)}+\arctan((2*e*x+(2*d*e+f)^{(1/2)})/(2*d*e-f)^{(1/2)))/(2*d*e-f)^{(1/2)}$

Rubi [A] time = 0.10, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1161, 618, 204}

$$\frac{\tan^{-1}\left(\frac{\sqrt{2de+f}+2ex}{\sqrt{2de-f}}\right)}{\sqrt{2de-f}} - \frac{\tan^{-1}\left(\frac{\sqrt{2de+f}-2ex}{\sqrt{2de-f}}\right)}{\sqrt{2de-f}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(d^2 - f*x^2 + e^2*x^4), x]

[Out] $-(\text{ArcTan}[(\text{Sqrt}[2*d*e + f] - 2*e*x)/\text{Sqrt}[2*d*e - f]]/\text{Sqrt}[2*d*e - f]) + \text{ArcTan}[(\text{Sqrt}[2*d*e + f] + 2*e*x)/\text{Sqrt}[2*d*e - f]]/\text{Sqrt}[2*d*e - f]$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2],

0)))

Rubi steps

$$\int \frac{d + ex^2}{d^2 - fx^2 + e^2x^4} dx = \frac{\int \frac{1}{\frac{d}{e} - \frac{\sqrt{2de+f}x}{e} + x^2} dx}{2e} + \frac{\int \frac{1}{\frac{d}{e} + \frac{\sqrt{2de+f}x}{e} + x^2} dx}{2e}$$

$$= \frac{\text{Subst}\left(\int \frac{1}{-\frac{2de-f}{e^2} - x^2} dx, x, -\frac{\sqrt{2de+f}}{e} + 2x\right)}{e} - \frac{\text{Subst}\left(\int \frac{1}{-\frac{2de-f}{e^2} - x^2} dx, x, \frac{\sqrt{2de+f}}{e} + 2x\right)}{e}$$

$$= -\frac{\tan^{-1}\left(\frac{\sqrt{2de+f}-2ex}{\sqrt{2de-f}}\right)}{\sqrt{2de-f}} + \frac{\tan^{-1}\left(\frac{\sqrt{2de+f}+2ex}{\sqrt{2de-f}}\right)}{\sqrt{2de-f}}$$

Mathematica [B] time = 0.11, size = 189, normalized size = 2.20

$$\frac{(\sqrt{f^2-4d^2e^2}+2de+f) \tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{-\sqrt{f^2-4d^2e^2}-f}}\right) + (\sqrt{f^2-4d^2e^2}-2de-f) \tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{\sqrt{f^2-4d^2e^2}-f}}\right)}{\sqrt{2}\sqrt{f^2-4d^2e^2}}$$

Antiderivative was successfully verified.

`[In] Integrate[(d + e*x^2)/(d^2 - f*x^2 + e^2*x^4), x]`

```
[Out] (((2*d*e + f + Sqrt[-4*d^2*e^2 + f^2])*ArcTan[(Sqrt[2]*e*x)/Sqrt[-f - Sqrt[-4*d^2*e^2 + f^2]]])/Sqrt[-f - Sqrt[-4*d^2*e^2 + f^2]] + ((-2*d*e - f + Sqrt[-4*d^2*e^2 + f^2])*ArcTan[(Sqrt[2]*e*x)/Sqrt[-f + Sqrt[-4*d^2*e^2 + f^2]]])/Sqrt[-f + Sqrt[-4*d^2*e^2 + f^2]])/(Sqrt[2]*Sqrt[-4*d^2*e^2 + f^2])
```

fricas [A] time = 0.42, size = 179, normalized size = 2.08

$$\left[\frac{\sqrt{-2de+f} \log\left(\frac{e^2x^4 - (4de-f)x^2 + d^2 - 2(ex^3 - dx)\sqrt{-2de+f}}{e^2x^4 - fx^2 + d^2}\right)}{2(2de-f)}, \frac{\sqrt{2de-f} \arctan\left(-\frac{ex}{\sqrt{2de-f}}\right) + \sqrt{2de-f} \arctan\left(-\frac{e^2x^3 - dx}{\sqrt{2de-f}}\right)}{2de-f} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((e*x^2+d)/(e^2*x^4-f*x^2+d^2), x, algorithm="fricas")`

```
[Out] [-1/2*sqrt(-2*d*e + f)*log((e^2*x^4 - (4*d*e - f)*x^2 + d^2 - 2*(e*x^3 - d*x)*sqrt(-2*d*e + f))/(e^2*x^4 - f*x^2 + d^2))/(2*d*e - f), -(sqrt(2*d*e - f)*arctan(-e*x/sqrt(2*d*e - f)) + sqrt(2*d*e - f)*arctan(-(e^2*x^3 + (d*e - f)*x)*sqrt(2*d*e - f)/(2*d^2*e - d*f)))/(2*d*e - f)]
```

giac [B] time = 1.14, size = 1676, normalized size = 19.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(e^2*x^4-f*x^2+d^2),x, algorithm="giac")
```

```
[Out] 1/4*(16*sqrt(2)*sqrt(-f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d^4*e^4 - 8*sqrt(2)*sqrt(-f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*f^2*e^2 + 4*sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(-f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*f*e^2 + sqrt(2)*sqrt(-f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*f^4 + 32*d^4*e^6 - 8*sqrt(2)*sqrt(-f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*f*e^4 - 16*d^2*f^2*e^4 + 2*sqrt(2)*sqrt(-f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*f^3*e^2 + 2*f^4*e^2 - sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(-f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*f^3 - 2*sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(-f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*f^2*e^2 - 4*sqrt(2)*sqrt(-f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*e^6 - 8*d^2*f*e^6 - 8*(4*d^2*e^2 - f^2)*d^2*e^4 + sqrt(2)*sqrt(-f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*f^2*e^4 + 2*(4*d^2*e^2 - f^2)*f*e^4 + 2*(4*sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(-f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d^3*e^2 - sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(-f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d*f^2 - 2*sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(-f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d*f*e^2 - 8*d^3*e^6 + 2*d*f^2*e^4 - sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(-f*e^2 - sqrt(-4*d^2*e^2 + f^2)*e^2)*d*e^4 + 2*(4*d^2*e^2 - f^2)*d*e^4)*e)*arctan(2*sqrt(1/2)*x/sqrt(-(f + sqrt(-4*d^2*e^2 + f^2))*e^(-2)))/(16*d^5*e^6 - 8*d^3*f^2*e^4 + d*f^4*e^2 - 8*d^3*f*e^6 + 2*d*f^3*e^4 - 4*d^3*e^8 + d*f^2*e^6) + 1/4*(16*sqrt(2)*sqrt(-f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*d^4*e^4 - 8*sqrt(2)*sqrt(-f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*f^2*e^2 - 4*sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(-f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*f*e^2 + sqrt(2)*sqrt(-f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*f^4 - 32*d^4*e^6 - 8*sqrt(2)*sqrt(-f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*f*e^4 + 16*d^2*f^2*e^4 + 2*sqrt(2)*sqrt(-f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*f^3*e^2 - 2*f^4*e^2 + sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(-f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*f^3 + 2*sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(-f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*f^2*e^2 - 4*sqrt(2)*sqrt(-f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*d^2*e^6 + 8*d^2*f*e^6 + 8*(4*d^2*e^2 - f^2)*d^2*e^4 + sqrt(2)*sqrt(-f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*f^2*e^4 - 2*f^3*e^4 - 2*(4*d^2*e^2 - f^2)*f^2*e^2 + sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(-f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)*f*e^4 - 2*(4*d^2*e^2 - f^2)*f*e^4 - 2*(4*sqrt(2)*sqrt(-4*d^2*e^2 + f^2)*sqrt(-f*e^2 + sqrt(-4*d^2*e^2 + f^2)*e^2)
```

$e^2 * d^3 * e^2 - \sqrt{2} * \sqrt{-4 * d^2 * e^2 + f^2} * \sqrt{-f * e^2 + \sqrt{-4 * d^2 * e^2 + f^2} * e^2} * d * f^2 - 2 * \sqrt{2} * \sqrt{-4 * d^2 * e^2 + f^2} * \sqrt{-f * e^2 + \sqrt{-4 * d^2 * e^2 + f^2} * e^2} * d * f * e^2 - 8 * d^3 * e^6 + 2 * d * f^2 * e^4 - \sqrt{2} * \sqrt{-4 * d^2 * e^2 + f^2} * \sqrt{-f * e^2 + \sqrt{-4 * d^2 * e^2 + f^2} * e^2} * d * e^4 + 2 * (4 * d^2 * e^2 - f^2) * d * e^4 * e) * \arctan(2 * \sqrt{1/2} * x / \sqrt{-(f - \sqrt{-4 * d^2 * e^2 + f^2}) * e^{-2}}) / (16 * d^5 * e^6 - 8 * d^3 * f^2 * e^4 + d * f^4 * e^2 - 8 * d^3 * f * e^6 + 2 * d * f^3 * e^4 - 4 * d^3 * e^8 + d * f^2 * e^6)$

maple [A] time = 0.03, size = 75, normalized size = 0.87

$$-\frac{\arctan\left(\frac{-2ex + \sqrt{2de+f}}{\sqrt{2de-f}}\right)}{\sqrt{2de-f}} + \frac{\arctan\left(\frac{2ex + \sqrt{2de+f}}{\sqrt{2de-f}}\right)}{\sqrt{2de-f}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(e^2*x^4-f*x^2+d^2),x)

[Out] $-\arctan\left(\frac{-2 * e * x + (2 * d * e + f)^{1/2}}{(2 * d * e - f)^{1/2}}\right) / (2 * d * e - f)^{1/2} + \arctan\left(\frac{2 * e * x + (2 * d * e + f)^{1/2}}{(2 * d * e - f)^{1/2}}\right) / (2 * d * e - f)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{e^2x^4 - fx^2 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(e^2*x^4-f*x^2+d^2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)/(e^2*x^4 - f*x^2 + d^2), x)

mupad [B] time = 4.39, size = 88, normalized size = 1.02

$$-\frac{\operatorname{atan}\left(\frac{e^2 x^3 \sqrt{2de-f} - f x \sqrt{2de-f} + d e x \sqrt{2de-f}}{d(f-2de)}\right) - \operatorname{atan}\left(\frac{ex}{\sqrt{2de-f}}\right)}{\sqrt{2de-f}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(d^2 - f*x^2 + e^2*x^4),x)

[Out] $-(\operatorname{atan}\left(\frac{e^2 * x^3 * (2 * d * e - f)^{1/2} - f * x * (2 * d * e - f)^{1/2} + d * e * x * (2 * d * e - f)^{1/2}}{d * (f - 2 * d * e)}\right) - \operatorname{atan}\left(\frac{e * x}{(2 * d * e - f)^{1/2}}\right)) / (2 * d * e - f)^{1/2}$

sympy [A] time = 0.55, size = 121, normalized size = 1.41

$$\frac{\sqrt{-\frac{1}{2de-f}} \log\left(-\frac{d}{e} + x^2 + \frac{x\left(-2de\sqrt{-\frac{1}{2de-f}} + f\sqrt{-\frac{1}{2de-f}}\right)}{e}\right)}{2} + \frac{\sqrt{-\frac{1}{2de-f}} \log\left(-\frac{d}{e} + x^2 + \frac{x\left(2de\sqrt{-\frac{1}{2de-f}} - f\sqrt{-\frac{1}{2de-f}}\right)}{e}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(e**2*x**4-f*x**2+d**2),x)

[Out] -sqrt(-1/(2*d*e - f))*log(-d/e + x**2 + x*(-2*d*e*sqrt(-1/(2*d*e - f)) + f*sqrt(-1/(2*d*e - f)))/e)/2 + sqrt(-1/(2*d*e - f))*log(-d/e + x**2 + x*(2*d*e*sqrt(-1/(2*d*e - f)) - f*sqrt(-1/(2*d*e - f)))/e)/2

$$3.30 \quad \int \frac{d-ex^2}{d^2+bx^2+e^2x^4} dx$$

Optimal. Leaf size=78

$$\frac{\log\left(x\sqrt{2de-b} + d + ex^2\right)}{2\sqrt{2de-b}} - \frac{\log\left(-x\sqrt{2de-b} + d + ex^2\right)}{2\sqrt{2de-b}}$$

[Out] $-1/2*\ln(d+e*x^2-x*(2*d*e-b)^{(1/2)})/(2*d*e-b)^{(1/2)}+1/2*\ln(d+e*x^2+x*(2*d*e-b)^{(1/2)})/(2*d*e-b)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$, Rules used = {1164, 628}

$$\frac{\log\left(x\sqrt{2de-b} + d + ex^2\right)}{2\sqrt{2de-b}} - \frac{\log\left(-x\sqrt{2de-b} + d + ex^2\right)}{2\sqrt{2de-b}}$$

Antiderivative was successfully verified.

[In] Int[(d - e*x^2)/(d^2 + b*x^2 + e^2*x^4), x]

[Out] $-\text{Log}[d - \text{Sqrt}[-b + 2*d*e]*x + e*x^2]/(2*\text{Sqrt}[-b + 2*d*e]) + \text{Log}[d + \text{Sqrt}[-b + 2*d*e]*x + e*x^2]/(2*\text{Sqrt}[-b + 2*d*e])$

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1164

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{d - ex^2}{d^2 + bx^2 + e^2x^4} dx = -\frac{\int \frac{\frac{\sqrt{-b+2de}+2x}{e}}{\frac{d-\sqrt{-b+2de}x}{e}-x^2} dx}{2\sqrt{-b+2de}} - \frac{\int \frac{\frac{\sqrt{-b+2de}-2x}{e}}{\frac{d+\sqrt{-b+2de}x}{e}-x^2} dx}{2\sqrt{-b+2de}}$$

$$= -\frac{\log(d - \sqrt{-b+2de}x + ex^2)}{2\sqrt{-b+2de}} + \frac{\log(d + \sqrt{-b+2de}x + ex^2)}{2\sqrt{-b+2de}}$$

Mathematica [B] time = 0.12, size = 182, normalized size = 2.33

$$\frac{(-\sqrt{b^2-4d^2e^2}+b+2de) \tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{b-\sqrt{b^2-4d^2e^2}}}\right) - (\sqrt{b^2-4d^2e^2}+b+2de) \tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{\sqrt{b^2-4d^2e^2}+b}}\right)}{\sqrt{2}\sqrt{b^2-4d^2e^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d - e*x^2)/(d^2 + b*x^2 + e^2*x^4), x]

[Out] (((b + 2*d*e - Sqrt[b^2 - 4*d^2*e^2])*ArcTan[(Sqrt[2]*e*x)/Sqrt[b - Sqrt[b^2 - 4*d^2*e^2]]])/Sqrt[b - Sqrt[b^2 - 4*d^2*e^2]] - ((b + 2*d*e + Sqrt[b^2 - 4*d^2*e^2])*ArcTan[(Sqrt[2]*e*x)/Sqrt[b + Sqrt[b^2 - 4*d^2*e^2]]])/Sqrt[b + Sqrt[b^2 - 4*d^2*e^2]]/(Sqrt[2]*Sqrt[b^2 - 4*d^2*e^2])

fricas [A] time = 0.40, size = 172, normalized size = 2.21

$$\left[\frac{\log\left(\frac{e^2x^4+(4de-b)x^2+d^2+2(ex^3+dx)\sqrt{2de-b}}{e^2x^4+bx^2+d^2}\right)}{2\sqrt{2de-b}}, -\frac{\sqrt{-2de+b} \arctan\left(\frac{\sqrt{-2de+b}ex}{2de-b}\right) - \sqrt{-2de+b} \arctan\left(\frac{(e^2x^3-(de-b)x)\sqrt{-2de-b}}{2d^2e-bd}\right)}{2de-b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(e^2*x^4+b*x^2+d^2), x, algorithm="fricas")

[Out] [1/2*log((e^2*x^4 + (4*d*e - b)*x^2 + d^2 + 2*(e*x^3 + d*x)*sqrt(2*d*e - b))/(e^2*x^4 + b*x^2 + d^2))/sqrt(2*d*e - b), -(sqrt(-2*d*e + b)*arctan(sqrt(-2*d*e + b)*e*x/(2*d*e - b)) - sqrt(-2*d*e + b)*arctan((e^2*x^3 - (d*e - b)*x)*sqrt(-2*d*e + b)/(2*d^2*e - b*d)))/(2*d*e - b)]

giac [B] time = 1.16, size = 1642, normalized size = 21.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(e^2*x^4+b*x^2+d^2),x, algorithm="giac")

[Out] $\frac{1}{4} \cdot (16 \sqrt{2}) \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} d^4 e^4 - 8 \sqrt{2} \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 d^2 e^2 + 4 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b d^2 e^2 + \sqrt{2} \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b^4 - 32 d^4 e^6 + 8 \sqrt{2} \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b d^2 e^4 + 16 b^2 d^2 e^4 - 2 \sqrt{2} \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b^3 e^2 - 2 b^4 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b^3 + 2 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 e^2 - 4 \sqrt{2} \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} d^2 e^6 - 8 b d^2 e^6 + \sqrt{2} \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 e^4 + 2 b^3 e^4 + 8 (4 d^2 e^2 - b^2) d^2 e^4 - 2 (4 d^2 e^2 - b^2) b^2 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b e^4 + 2 (4 d^2 e^2 - b^2) b e^4 + 2 (4 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} d^3 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 d + 2 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b d e^2 - 8 d^3 e^6 + 2 b^2 d e^4 - \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} d e^4 + 2 (4 d^2 e^2 - b^2) d e^4) e \arctan(2 \sqrt{1/2} x e / \sqrt{b + \sqrt{-4 d^2 e^2 + b^2}}) / (16 d^5 e^6 - 8 b^2 d^3 e^4 + b^4 d e^2 + 8 b d^3 e^6 - 2 b^3 d e^4 - 4 d^3 e^8 + b^2 d e^6) + \frac{1}{4} \cdot (16 \sqrt{2}) \sqrt{b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} d^4 e^4 - 8 \sqrt{2} \sqrt{b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 d^2 e^2 - 4 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b d^2 e^2 + \sqrt{2} \sqrt{b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b^4 + 32 d^4 e^6 + 8 \sqrt{2} \sqrt{b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b d^2 e^4 - 16 b^2 d^2 e^4 - 2 \sqrt{2} \sqrt{b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b^3 e^2 + 2 b^4 e^2 + \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b^3 - 2 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 e^2 - 4 \sqrt{2} \sqrt{b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} d^2 e^6 + 8 b d^2 e^6 + \sqrt{2} \sqrt{b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 e^4 - 2 b^3 e^4 - 8 (4 d^2 e^2 - b^2) d^2 e^4 + 2 (4 d^2 e^2 - b^2) b^2 e^2 + \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} d^3 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 d + 2 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b d e^2 - 8 d^3 e^6 + 2 b^2 d e^4 - \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} d e^4 + 2 (4 d^2 e^2 - b^2) d e^4) e \arctan(2 \sqrt{1/2} x e / \sqrt{b - \sqrt{-4 d^2 e^2 + b^2}}) / (16 d^5 e^6 - 8 b^2 d^3 e^4 + b^4 d e^2 + 8 b d^3 e^6 - 2 b^3 d e^4 - 4 d^3 e^8 + b^2 d e^6)$

maple [A] time = 0.02, size = 88, normalized size = 1.13

$$-\frac{\sqrt{2de-b} \ln\left(ex^2 + d + \sqrt{2de-b} x\right)}{-4de + 2b} + \frac{\sqrt{2de-b} \ln\left(-ex^2 - d + \sqrt{2de-b} x\right)}{-4de + 2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e*x^2+d)/(e^2*x^4+b*x^2+d^2), x)

[Out] 1/(-4*d*e+2*b)*(2*d*e-b)^(1/2)*ln(-e*x^2+x*(2*d*e-b)^(1/2)-d)-1/(-4*d*e+2*b)*(2*d*e-b)^(1/2)*ln(d+e*x^2+x*(2*d*e-b)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{ex^2 - d}{e^2x^4 + bx^2 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(e^2*x^4+b*x^2+d^2), x, algorithm="maxima")

[Out] -integrate((e*x^2 - d)/(e^2*x^4 + b*x^2 + d^2), x)

mupad [B] time = 0.09, size = 99, normalized size = 1.27

$$\frac{\operatorname{atan}\left(\frac{bx(b-2de)+2be^2x^3+4d^2e^2x-e^2x^3(b-2de)+3dex(b-2de)}{(2ed^2+bd)\sqrt{b-2de}}\right) - \operatorname{atan}\left(\frac{ex}{\sqrt{b-2de}}\right)}{\sqrt{b-2de}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d - e*x^2)/(b*x^2 + d^2 + e^2*x^4), x)

[Out] (atan((b*x*(b - 2*d*e) + 2*b*e^2*x^3 + 4*d^2*e^2*x - e^2*x^3*(b - 2*d*e) + 3*d*e*x*(b - 2*d*e))/((b*d + 2*d^2*e)*(b - 2*d*e)^(1/2)))) - atan((e*x)/(b - 2*d*e)^(1/2)))/(b - 2*d*e)^(1/2)

sympy [A] time = 0.58, size = 121, normalized size = 1.55

$$\frac{\sqrt{-\frac{1}{b-2de}} \log\left(\frac{d}{e} + x^2 + \frac{x\left(-b\sqrt{-\frac{1}{b-2de}} + 2de\sqrt{-\frac{1}{b-2de}}\right)}{e}\right)}{2} - \frac{\sqrt{-\frac{1}{b-2de}} \log\left(\frac{d}{e} + x^2 + \frac{x\left(b\sqrt{-\frac{1}{b-2de}} - 2de\sqrt{-\frac{1}{b-2de}}\right)}{e}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x**2+d)/(e**2*x**4+b*x**2+d**2), x)


```
[Out] sqrt(-1/(b - 2*d*e))*log(d/e + x**2 + x*(-b*sqrt(-1/(b - 2*d*e)) + 2*d*e*sqrt(-1/(b - 2*d*e))))/e)/2 - sqrt(-1/(b - 2*d*e))*log(d/e + x**2 + x*(b*sqrt(-1/(b - 2*d*e)) - 2*d*e*sqrt(-1/(b - 2*d*e))))/e)/2
```

$$3.31 \quad \int \frac{d-ex^2}{d^2+fx^2+e^2x^4} dx$$

Optimal. Leaf size=78

$$\frac{\log(x\sqrt{2de-f} + d + ex^2)}{2\sqrt{2de-f}} - \frac{\log(-x\sqrt{2de-f} + d + ex^2)}{2\sqrt{2de-f}}$$

[Out] $-1/2*\ln(d+e*x^2-x*(2*d*e-f)^{(1/2)})/(2*d*e-f)^{(1/2)}+1/2*\ln(d+e*x^2+x*(2*d*e-f)^{(1/2)})/(2*d*e-f)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$, Rules used = {1164, 628}

$$\frac{\log(x\sqrt{2de-f} + d + ex^2)}{2\sqrt{2de-f}} - \frac{\log(-x\sqrt{2de-f} + d + ex^2)}{2\sqrt{2de-f}}$$

Antiderivative was successfully verified.

[In] Int[(d - e*x^2)/(d^2 + f*x^2 + e^2*x^4), x]

[Out] $-\text{Log}[d - \text{Sqrt}[2*d*e - f]*x + e*x^2]/(2*\text{Sqrt}[2*d*e - f]) + \text{Log}[d + \text{Sqrt}[2*d*e - f]*x + e*x^2]/(2*\text{Sqrt}[2*d*e - f])$

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1164

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{d - ex^2}{d^2 + fx^2 + e^2x^4} dx = -\frac{\int \frac{\frac{\sqrt{2de-f} + 2x}{e}}{\frac{d}{e} - \frac{\sqrt{2de-f}x}{e} - x^2} dx}{2\sqrt{2de-f}} - \frac{\int \frac{\frac{\sqrt{2de-f} - 2x}{e}}{\frac{d}{e} + \frac{\sqrt{2de-f}x}{e} - x^2} dx}{2\sqrt{2de-f}}$$

$$= -\frac{\log(d - \sqrt{2de-f}x + ex^2)}{2\sqrt{2de-f}} + \frac{\log(d + \sqrt{2de-f}x + ex^2)}{2\sqrt{2de-f}}$$

Mathematica [B] time = 0.12, size = 182, normalized size = 2.33

$$\frac{(-\sqrt{f^2 - 4d^2e^2} + 2de + f) \tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{f - \sqrt{f^2 - 4d^2e^2}}}\right) - (\sqrt{f^2 - 4d^2e^2} + 2de + f) \tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{\sqrt{f^2 - 4d^2e^2} + f}}\right)}{\sqrt{f - \sqrt{f^2 - 4d^2e^2}} - \sqrt{\sqrt{f^2 - 4d^2e^2} + f}}$$

$$\sqrt{2} \sqrt{f^2 - 4d^2e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d - e*x^2)/(d^2 + f*x^2 + e^2*x^4), x]

[Out] (((2*d*e + f - Sqrt[-4*d^2*e^2 + f^2])*ArcTan[(Sqrt[2]*e*x)/Sqrt[f - Sqrt[-4*d^2*e^2 + f^2]]])/Sqrt[f - Sqrt[-4*d^2*e^2 + f^2]] - ((2*d*e + f + Sqrt[-4*d^2*e^2 + f^2])*ArcTan[(Sqrt[2]*e*x)/Sqrt[f + Sqrt[-4*d^2*e^2 + f^2]]])/Sqrt[f + Sqrt[-4*d^2*e^2 + f^2]])/(Sqrt[2]*Sqrt[-4*d^2*e^2 + f^2])

fricas [A] time = 0.42, size = 173, normalized size = 2.22

$$\left[\frac{\log\left(\frac{e^2x^4 + (4de-f)x^2 + d^2 + 2(ex^3 + dx)\sqrt{2de-f}}{e^2x^4 + fx^2 + d^2}\right)}{2\sqrt{2de-f}}, \frac{\sqrt{-2de+f} \arctan\left(-\frac{\sqrt{-2de+f}ex}{2de-f}\right) - \sqrt{-2de+f} \arctan\left(-\frac{(e^2x^3 - (de-f)x)}{2d^2e-f}\right)}{2de-f} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(e^2*x^4+f*x^2+d^2), x, algorithm="fricas")

[Out] [1/2*log((e^2*x^4 + (4*d*e - f)*x^2 + d^2 + 2*(e*x^3 + d*x)*sqrt(2*d*e - f))/(e^2*x^4 + f*x^2 + d^2))/sqrt(2*d*e - f), (sqrt(-2*d*e + f)*arctan(-sqrt(-2*d*e + f)*e*x/(2*d*e - f)) - sqrt(-2*d*e + f)*arctan(-(e^2*x^3 - (d*e - f)*x)*sqrt(-2*d*e + f)/(2*d^2*e - d*f)))/(2*d*e - f)]

giac [B] time = 1.25, size = 1642, normalized size = 21.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(e^2*x^4+f*x^2+d^2),x, algorithm="giac")

[Out]
$$\frac{1}{4} \cdot (16 \sqrt{2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d^4 e^4 - 8 \sqrt{2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 f^2 e^2 + 4 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 f e^2 + \sqrt{2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 f^4 - 32 d^4 e^6 + 8 \sqrt{2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 f e^4 + 16 d^2 f^2 e^4 - 2 \sqrt{2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 f^3 e^2 - 2 f^4 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 f^3 + 2 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 f^2 e^2 - 4 \sqrt{2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 e^6 - 8 d^2 f e^6 + 8 (4 d^2 e^2 - f^2) d^2 e^4 + \sqrt{2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 f^2 e^4 + 2 f^3 e^4 - 2 (4 d^2 e^2 - f^2) f^2 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 f e^4 + 2 (4 d^2 e^2 - f^2) f e^4 + 2 (4 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 + f^2) e^2 d^3 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d f^2 + 2 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d f e^2 - 8 d^3 e^6 + 2 d f^2 e^4 - \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d e^4 + 2 (4 d^2 e^2 - f^2) d e^4) e \arctan(2 \sqrt{1/2} x e / \sqrt{f + \sqrt{-4 d^2 e^2 + f^2}}) / (16 d^5 e^6 - 8 d^3 f^2 e^4 + d f^4 e^2 + 8 d^3 f e^6 - 2 d f^3 e^4 - 4 d^3 e^8 + d f^2 e^6) + \frac{1}{4} \cdot (16 \sqrt{2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d^4 e^4 - 8 \sqrt{2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 f^2 e^2 - 4 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 f e^2 + \sqrt{2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 f^4 + 32 d^4 e^6 + 8 \sqrt{2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 f e^4 - 16 d^2 f^2 e^4 - 2 \sqrt{2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 f^3 e^2 + 2 f^4 e^2 + \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 f^3 - 2 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 f^2 e^2 - 4 \sqrt{2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 e^6 + 8 d^2 f e^6 - 8 (4 d^2 e^2 - f^2) d^2 e^4 + \sqrt{2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 f^2 e^4 - 2 f^3 e^4 + 2 (4 d^2 e^2 - f^2) f^2 e^2 + \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 f e^4 - 2 (4 d^2 e^2 - f^2) f e^4 - 2 (4 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 + f^2) e^2 d^3 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d f^2 + 2 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d f e^2 - 8 d^3 e^6 + 2 d f^2 e^4 - \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d e^4 + 2 (4 d^2 e^2 - f^2) d e^4) e \arctan(2 \sqrt{1/2} x e / \sqrt{f - \sqrt{-4 d^2 e^2 + f^2}}) / (16 d^5 e^6 - 8 d^3 f^2 e^4 + d f^4 e^2 + 8 d^3 f e^6 - 2 d f^3 e^4 - 4 d^3 e^8 + d f^2 e^6)$$

maple [A] time = 0.02, size = 69, normalized size = 0.88

$$\frac{\ln\left(\frac{ex^2 + d + \sqrt{2de - f}x}{2\sqrt{2de - f}}\right)}{2\sqrt{2de - f}} - \frac{\ln\left(\frac{-ex^2 - d + \sqrt{2de - f}x}{2\sqrt{2de - f}}\right)}{2\sqrt{2de - f}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e*x^2+d)/(e^2*x^4+f*x^2+d^2),x)

[Out] 1/2*ln(d+e*x^2+x*(2*d*e-f)^(1/2))/(2*d*e-f)^(1/2)-1/2/(2*d*e-f)^(1/2)*ln(-e*x^2+x*(2*d*e-f)^(1/2)-d)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{ex^2 - d}{e^2x^4 + fx^2 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(e^2*x^4+f*x^2+d^2),x, algorithm="maxima")

[Out] -integrate((e*x^2 - d)/(e^2*x^4 + f*x^2 + d^2), x)

mupad [B] time = 4.44, size = 57, normalized size = 0.73

$$\frac{\operatorname{atan}\left(\frac{fx^{1i-dex^{2i}}}{d\sqrt{2de-f}+ex^2\sqrt{2de-f}}\right)1i}{\sqrt{2de-f}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d - e*x^2)/(f*x^2 + d^2 + e^2*x^4),x)

[Out] (atan((f*x*1i - d*e*x*2i)/(d*(2*d*e - f)^(1/2) + e*x^2*(2*d*e - f)^(1/2)))*1i)/(2*d*e - f)^(1/2)

sympy [A] time = 0.57, size = 110, normalized size = 1.41

$$\frac{\sqrt{\frac{1}{2de-f}} \log\left(\frac{d}{e} + x^2 + \frac{x\left(-2de\sqrt{\frac{1}{2de-f}} + f\sqrt{\frac{1}{2de-f}}\right)}{e}\right)}{2} + \frac{\sqrt{\frac{1}{2de-f}} \log\left(\frac{d}{e} + x^2 + \frac{x\left(2de\sqrt{\frac{1}{2de-f}} - f\sqrt{\frac{1}{2de-f}}\right)}{e}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x**2+d)/(e**2*x**4+f*x**2+d**2),x)

[Out] -sqrt(1/(2*d*e - f))*log(d/e + x**2 + x*(-2*d*e*sqrt(1/(2*d*e - f)) + f*sqrt(1/(2*d*e - f)))/e)/2 + sqrt(1/(2*d*e - f))*log(d/e + x**2 + x*(2*d*e*sqrt(1/(2*d*e - f)) - f*sqrt(1/(2*d*e - f)))/e)/2

$$3.32 \quad \int \frac{d-ex^2}{d^2-bx^2+e^2x^4} dx$$

Optimal. Leaf size=70

$$\frac{\log(x\sqrt{b+2de} + d + ex^2)}{2\sqrt{b+2de}} - \frac{\log(-x\sqrt{b+2de} + d + ex^2)}{2\sqrt{b+2de}}$$

[Out] $-1/2*\ln(d+e*x^2-x*(2*d*e+b)^{(1/2)})/(2*d*e+b)^{(1/2)}+1/2*\ln(d+e*x^2+x*(2*d*e+b)^{(1/2)})/(2*d*e+b)^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1164, 628}

$$\frac{\log(x\sqrt{b+2de} + d + ex^2)}{2\sqrt{b+2de}} - \frac{\log(-x\sqrt{b+2de} + d + ex^2)}{2\sqrt{b+2de}}$$

Antiderivative was successfully verified.

[In] Int[(d - e*x^2)/(d^2 - b*x^2 + e^2*x^4), x]

[Out] $-\text{Log}[d - \text{Sqrt}[b + 2*d*e]*x + e*x^2]/(2*\text{Sqrt}[b + 2*d*e]) + \text{Log}[d + \text{Sqrt}[b + 2*d*e]*x + e*x^2]/(2*\text{Sqrt}[b + 2*d*e])$

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1164

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{d - ex^2}{d^2 - bx^2 + e^2x^4} dx = -\frac{\int \frac{\frac{\sqrt{b+2de}+2x}{e}}{-\frac{d}{e}-\frac{\sqrt{b+2de}x}{e}-x^2} dx}{2\sqrt{b+2de}} - \frac{\int \frac{\frac{\sqrt{b+2de}-2x}{e}}{-\frac{d}{e}+\frac{\sqrt{b+2de}x}{e}-x^2} dx}{2\sqrt{b+2de}}$$

$$= -\frac{\log(d - \sqrt{b+2de}x + ex^2)}{2\sqrt{b+2de}} + \frac{\log(d + \sqrt{b+2de}x + ex^2)}{2\sqrt{b+2de}}$$

Mathematica [B] time = 0.13, size = 190, normalized size = 2.71

$$\frac{\left(-\sqrt{b^2-4d^2e^2}+b-2de\right)\tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{b^2-4d^2e^2}-b}\right)}{\sqrt{b^2-4d^2e^2}-b} - \frac{\left(\sqrt{b^2-4d^2e^2}+b-2de\right)\tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{b^2-4d^2e^2}-b}\right)}{\sqrt{b^2-4d^2e^2}-b}}{\sqrt{2}\sqrt{b^2-4d^2e^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d - e*x^2)/(d^2 - b*x^2 + e^2*x^4), x]

[Out] $\frac{-\left(\left(b - 2de + \sqrt{b^2 - 4d^2e^2}\right)\text{ArcTan}\left[\frac{\sqrt{2}ex}{\sqrt{b^2 - 4d^2e^2} - b}\right]\right)}{\sqrt{b^2 - 4d^2e^2} - b} + \left(\left(b - 2de - \sqrt{b^2 - 4d^2e^2}\right)\text{ArcTan}\left[\frac{\sqrt{2}ex}{\sqrt{b^2 - 4d^2e^2} - b}\right]\right)}{\sqrt{b^2 - 4d^2e^2} - b} + \frac{\left(\left(b - 2de + \sqrt{b^2 - 4d^2e^2}\right)\text{ArcTan}\left[\frac{\sqrt{2}ex}{\sqrt{b^2 - 4d^2e^2} + b}\right]\right)}{\sqrt{b^2 - 4d^2e^2} + b} - \frac{\left(\left(b - 2de - \sqrt{b^2 - 4d^2e^2}\right)\text{ArcTan}\left[\frac{\sqrt{2}ex}{\sqrt{b^2 - 4d^2e^2} + b}\right]\right)}{\sqrt{b^2 - 4d^2e^2} + b}}{2\sqrt{2}\sqrt{b^2 - 4d^2e^2}}$

fricas [A] time = 0.42, size = 168, normalized size = 2.40

$$\left[\frac{\log\left(\frac{e^2x^4 + (4de+b)x^2 + d^2 + 2(ex^3+dx)\sqrt{2de+b}}{e^2x^4 - bx^2 + d^2}\right)}{2\sqrt{2de+b}}, -\frac{\sqrt{-2de-b}\arctan\left(\frac{\sqrt{-2de-b}ex}{2de+b}\right) - \sqrt{-2de-b}\arctan\left(\frac{(e^2x^3 - (de+b)x)\sqrt{-2de-b}}{2d^2e+bd}\right)}{2de+b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(e^2*x^4-b*x^2+d^2), x, algorithm="fricas")

[Out] $\frac{1}{2}\log\left(\frac{e^2x^4 + (4de+b)x^2 + d^2 + 2(ex^3+dx)\sqrt{2de+b}}{e^2x^4 - bx^2 + d^2}\right) + \frac{\sqrt{-2de-b}\arctan\left(\frac{\sqrt{-2de-b}ex}{2de+b}\right) - \sqrt{-2de-b}\arctan\left(\frac{(e^2x^3 - (de+b)x)\sqrt{-2de-b}}{2d^2e+bd}\right)}{2de+b}$

giac [B] time = 1.13, size = 1676, normalized size = 23.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(e^2*x^4-b*x^2+d^2),x, algorithm="giac")

[Out] $\frac{1}{4} \cdot (16 \sqrt{2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} d^4 e^4 - 8 \sqrt{2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 d^2 e^2 + 4 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b d^2 e^2 + \sqrt{2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b^4 + 32 d^4 e^6 - 8 \sqrt{2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b d^2 e^4 - 16 b^2 d^2 e^4 + 2 \sqrt{2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b^3 e^2 + 2 b^4 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b^3 - 2 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 e^2 - 4 \sqrt{2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} d^2 e^6 - 8 b d^2 e^6 + \sqrt{2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 e^4 + 2 b^3 e^4 - 8 (4 d^2 e^2 - b^2) d^2 e^4 + 2 (4 d^2 e^2 - b^2) b^2 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b e^4 + 2 (4 d^2 e^2 - b^2) b e^4 - 2 (4 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} d^3 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 d - 2 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} b d e^2 - 8 d^3 e^6 + 2 b^2 d e^4 - \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 - \sqrt{-4 d^2 e^2 + b^2} e^2} d e^4 + 2 (4 d^2 e^2 - b^2) d e^4) e) \arctan(2 \sqrt{1/2} x / \sqrt{-(b + \sqrt{-4 d^2 e^2 + b^2}) e^{-2}}) / (16 d^5 e^6 - 8 b^2 d^3 e^4 + b^4 d e^2 - 8 b d^3 e^6 + 2 b^3 d e^4 - 4 d^3 e^8 + b^2 d e^6) + \frac{1}{4} \cdot (16 \sqrt{2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} d^4 e^4 - 8 \sqrt{2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 d^2 e^2 - 4 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b d^2 e^2 + \sqrt{2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b^4 - 32 d^4 e^6 - 8 \sqrt{2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b d^2 e^4 + 16 b^2 d^2 e^4 + 2 \sqrt{2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b^3 e^2 - 2 b^4 e^2 + \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b^3 + 2 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 e^2 - 4 \sqrt{2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} d^2 e^6 + 8 b d^2 e^6 + \sqrt{2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 e^4 - 2 b^3 e^4 + 8 (4 d^2 e^2 - b^2) d^2 e^4 - 2 (4 d^2 e^2 - b^2) b^2 e^2 + \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b e^4 - 2 (4 d^2 e^2 - b^2) b e^4 + 2 (4 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} d^3 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b^2 d - 2 \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} b d e^2 - 8 d^3 e^6 + 2 b^2 d e^4 - \sqrt{2} \sqrt{-4 d^2 e^2 + b^2} \sqrt{-b e^2 + \sqrt{-4 d^2 e^2 + b^2} e^2} d e^4 + 2 (4 d^2 e^2 - b^2) d e^4) e) \arctan(2 \sqrt{1/2} x / \sqrt{-(b - \sqrt{-4 d^2 e^2 + b^2}) e^{-2}}) / (16 d^5 e^6 - 8 b^2 d^3 e^4 + b^4 d e^2 - 8 b d^3 e^6 + 2 b^3 d e^4 - 4 d^3 e^8 + b^2 d e^6)$

maple [A] time = 0.02, size = 61, normalized size = 0.87

$$\frac{\ln\left(\frac{ex^2 + d + \sqrt{2de + b}}{2\sqrt{2de + b}}\right)}{2\sqrt{2de + b}} - \frac{\ln\left(\frac{-ex^2 - d + \sqrt{2de + b}}{2\sqrt{2de + b}}\right)}{2\sqrt{2de + b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-e*x^2+d)/(e^2*x^4-b*x^2+d^2),x)`

[Out] $-1/2/(2*d*e+b)^{(1/2)}*\ln(-e*x^2+x*(2*d*e+b)^{(1/2)}-d)+1/2*\ln(d+e*x^2+x*(2*d*e+b)^{(1/2)})/(2*d*e+b)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{ex^2 - d}{e^2x^4 - bx^2 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e*x^2+d)/(e^2*x^4-b*x^2+d^2),x, algorithm="maxima")`

[Out] `-integrate((e*x^2 - d)/(e^2*x^4 - b*x^2 + d^2), x)`

mupad [B] time = 4.44, size = 29, normalized size = 0.41

$$\frac{\operatorname{atanh}\left(\frac{x\sqrt{b+2de}}{ex^2+d}\right)}{\sqrt{b+2de}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d - e*x^2)/(d^2 - b*x^2 + e^2*x^4),x)`

[Out] `atanh((x*(b + 2*d*e)^(1/2))/(d + e*x^2))/(b + 2*d*e)^(1/2)`

sympy [A] time = 0.60, size = 112, normalized size = 1.60

$$\frac{\sqrt{\frac{1}{b+2de}} \log\left(\frac{d}{e} + x^2 + \frac{x\left(-b\sqrt{\frac{1}{b+2de}} - 2de\sqrt{\frac{1}{b+2de}}\right)}{e}\right)}{2} + \frac{\sqrt{\frac{1}{b+2de}} \log\left(\frac{d}{e} + x^2 + \frac{x\left(b\sqrt{\frac{1}{b+2de}} + 2de\sqrt{\frac{1}{b+2de}}\right)}{e}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-e*x**2+d)/(e**2*x**4-b*x**2+d**2),x)`

[Out] $-\sqrt{1/(b + 2*d*e)}*\log(d/e + x**2 + x*(-b*\sqrt{1/(b + 2*d*e)} - 2*d*e*\sqrt{1/(b + 2*d*e)}))/e)/2 + \sqrt{1/(b + 2*d*e)}*\log(d/e + x**2 + x*(b*\sqrt{1/(b + 2*d*e)} + 2*d*e*\sqrt{1/(b + 2*d*e)}))/e)/2$

$$3.33 \quad \int \frac{d-ex^2}{d^2-fx^2+e^2x^4} dx$$

Optimal. Leaf size=70

$$\frac{\log(x\sqrt{2de+f} + d + ex^2)}{2\sqrt{2de+f}} - \frac{\log(-x\sqrt{2de+f} + d + ex^2)}{2\sqrt{2de+f}}$$

[Out] $-1/2*\ln(d+e*x^2-x*(2*d*e+f)^{(1/2)})/(2*d*e+f)^{(1/2)}+1/2*\ln(d+e*x^2+x*(2*d*e+f)^{(1/2)})/(2*d*e+f)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1164, 628}

$$\frac{\log(x\sqrt{2de+f} + d + ex^2)}{2\sqrt{2de+f}} - \frac{\log(-x\sqrt{2de+f} + d + ex^2)}{2\sqrt{2de+f}}$$

Antiderivative was successfully verified.

[In] Int[(d - e*x^2)/(d^2 - f*x^2 + e^2*x^4), x]

[Out] $-\text{Log}[d - \text{Sqrt}[2*d*e + f]*x + e*x^2]/(2*\text{Sqrt}[2*d*e + f]) + \text{Log}[d + \text{Sqrt}[2*d*e + f]*x + e*x^2]/(2*\text{Sqrt}[2*d*e + f])$

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1164

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{d - ex^2}{d^2 - fx^2 + e^2x^4} dx = -\frac{\int \frac{\frac{\sqrt{2de+f}+2x}{e}}{\frac{d}{e}-\frac{\sqrt{2de+f}x}{e}-x^2} dx}{2\sqrt{2de+f}} - \frac{\int \frac{\frac{\sqrt{2de+f}-2x}{e}}{\frac{d}{e}+\frac{\sqrt{2de+f}x}{e}-x^2} dx}{2\sqrt{2de+f}}$$

$$= -\frac{\log(d - \sqrt{2de+f}x + ex^2)}{2\sqrt{2de+f}} + \frac{\log(d + \sqrt{2de+f}x + ex^2)}{2\sqrt{2de+f}}$$

Mathematica [B] time = 0.13, size = 190, normalized size = 2.71

$$\frac{(-\sqrt{f^2-4d^2e^2}-2de+f) \tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{\sqrt{f^2-4d^2e^2}-f}}\right) - (\sqrt{f^2-4d^2e^2}-2de+f) \tan^{-1}\left(\frac{\sqrt{2}ex}{\sqrt{-\sqrt{f^2-4d^2e^2}-f}}\right)}{\sqrt{2}\sqrt{f^2-4d^2e^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d - e*x^2)/(d^2 - f*x^2 + e^2*x^4), x]

[Out] $(-(((-2*d*e + f + \text{Sqrt}[-4*d^2*e^2 + f^2]) * \text{ArcTan}[(\text{Sqrt}[2]*e*x)/\text{Sqrt}[-f - \text{Sqrt}[-4*d^2*e^2 + f^2]]]) / \text{Sqrt}[-f - \text{Sqrt}[-4*d^2*e^2 + f^2]]) + ((-2*d*e + f - \text{Sqrt}[-4*d^2*e^2 + f^2]) * \text{ArcTan}[(\text{Sqrt}[2]*e*x)/\text{Sqrt}[-f + \text{Sqrt}[-4*d^2*e^2 + f^2]]]) / \text{Sqrt}[-f + \text{Sqrt}[-4*d^2*e^2 + f^2]]) / (\text{Sqrt}[2]*\text{Sqrt}[-4*d^2*e^2 + f^2])$

fricas [A] time = 0.44, size = 168, normalized size = 2.40

$$\left[\frac{\log\left(\frac{e^2x^4 + (4de+f)x^2 + d^2 + 2(ex^3+dx)\sqrt{2de+f}}{e^2x^4 - fx^2 + d^2}\right)}{2\sqrt{2de+f}}, -\frac{\sqrt{-2de-f} \arctan\left(\frac{\sqrt{-2de-f}ex}{2de+f}\right) - \sqrt{-2de-f} \arctan\left(\frac{(e^2x^3 - (de+f)x)\sqrt{2de+f}}{2d^2e+df}\right)}{2de+f} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(e^2*x^4-f*x^2+d^2), x, algorithm="fricas")

[Out] $[1/2*\log((e^2*x^4 + (4*d*e + f)*x^2 + d^2 + 2*(e*x^3 + d*x)*\text{sqrt}(2*d*e + f)) / (e^2*x^4 - f*x^2 + d^2)) / \text{sqrt}(2*d*e + f), -(\text{sqrt}(-2*d*e - f)*\arctan(\text{sqrt}(-2*d*e - f)*e*x / (2*d*e + f)) - \text{sqrt}(-2*d*e - f)*\arctan((e^2*x^3 - (d*e + f)*x) * \text{sqrt}(-2*d*e - f) / (2*d^2*e + d*f))) / (2*d*e + f)]$

giac [B] time = 1.08, size = 1676, normalized size = 23.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(e^2*x^4-f*x^2+d^2),x, algorithm="giac")

[Out] $\frac{1}{4} \cdot (16 \sqrt{2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d^4 e^4 - 8 \sqrt{2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 f^2 e^2 + 4 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 f e^2 + \sqrt{2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 f^4 + 32 d^4 e^6 - 8 \sqrt{2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 f^2 e^4 + 2 \sqrt{2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 f^3 e^2 + 2 f^4 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 f^3 - 2 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 f^2 e^2 - 4 \sqrt{2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 e^6 - 8 d^2 f e^6 - 8 (4 d^2 e^2 - f^2) d^2 e^4 + \sqrt{2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 f^2 e^4 + 2 f^3 e^4 + 2 (4 d^2 e^2 - f^2) f^2 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 f e^4 + 2 (4 d^2 e^2 - f^2) f e^4 - 2 (4 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d^3 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2) d f^2 - 2 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d f e^2 - 8 d^3 e^6 + 2 d f^2 e^4 - \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 - \sqrt{-4 d^2 e^2 + f^2}} e^2 d e^4 + 2 (4 d^2 e^2 - f^2) d e^4) e \arctan(2 \sqrt{1/2} x / \sqrt{-(f + \sqrt{-4 d^2 e^2 + f^2})} e^{-2})) / (16 d^5 e^6 - 8 d^3 f^2 e^4 + d f^4 e^2 - 8 d^3 f e^6 + 2 d f^3 e^4 - 4 d^3 e^8 + d f^2 e^6) + \frac{1}{4} \cdot (16 \sqrt{2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d^4 e^4 - 8 \sqrt{2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 f^2 e^2 - 4 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 f e^2 + \sqrt{2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 f^4 - 32 d^4 e^6 - 8 \sqrt{2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 f^2 e^4 + 16 d^2 f^2 e^4 + 2 \sqrt{2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 f^3 e^2 - 2 f^4 e^2 + \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 f^3 + 2 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 f^2 e^2 - 4 \sqrt{2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d^2 e^6 + 8 d^2 f e^6 + 8 (4 d^2 e^2 - f^2) d^2 e^4 + \sqrt{2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 f^2 e^4 - 2 f^3 e^4 - 2 (4 d^2 e^2 - f^2) f^2 e^2 + \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 f e^4 - 2 (4 d^2 e^2 - f^2) f e^4 + 2 (4 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d^3 e^2 - \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2) d f^2 - 2 \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d f e^2 - 8 d^3 e^6 + 2 d f^2 e^4 - \sqrt{2} \sqrt{-4 d^2 e^2 + f^2} \sqrt{-f e^2 + \sqrt{-4 d^2 e^2 + f^2}} e^2 d e^4 + 2 (4 d^2 e^2 - f^2) d e^4) e \arctan(2 \sqrt{1/2} x / \sqrt{-(f - \sqrt{-4 d^2 e^2 + f^2})} e^{-2})) / (16 d^5 e^6 - 8 d^3 f^2 e^4 + d f^4 e^2 - 8 d^3 f e^6 + 2 d f^3 e^4 - 4 d^3 e^8 + d f^2 e^6)$

maple [A] time = 0.02, size = 61, normalized size = 0.87

$$\frac{\ln\left(e x^2 + d + \sqrt{2de + f} x\right)}{2\sqrt{2de + f}} - \frac{\ln\left(-e x^2 - d + \sqrt{2de + f} x\right)}{2\sqrt{2de + f}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-e*x^2+d)/(e^2*x^4-f*x^2+d^2),x)

[Out] 1/2*ln(d+e*x^2+x*(2*d*e+f)^(1/2))/(2*d*e+f)^(1/2)-1/2/(2*d*e+f)^(1/2)*ln(-e*x^2+x*(2*d*e+f)^(1/2)-d)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{ex^2 - d}{e^2x^4 - fx^2 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(e^2*x^4-f*x^2+d^2),x, algorithm="maxima")

[Out] -integrate((e*x^2 - d)/(e^2*x^4 - f*x^2 + d^2), x)

mupad [B] time = 0.11, size = 29, normalized size = 0.41

$$\frac{\operatorname{atanh}\left(\frac{x\sqrt{f+2de}}{ex^2+d}\right)}{\sqrt{f+2de}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d - e*x^2)/(d^2 - f*x^2 + e^2*x^4),x)

[Out] atanh((x*(f + 2*d*e)^(1/2))/(d + e*x^2))/(f + 2*d*e)^(1/2)

sympy [A] time = 0.61, size = 112, normalized size = 1.60

$$\frac{\sqrt{\frac{1}{2de+f}} \log\left(\frac{d}{e} + x^2 + \frac{x\left(-2de\sqrt{\frac{1}{2de+f}} - f\sqrt{\frac{1}{2de+f}}\right)}{e}\right)}{2} + \frac{\sqrt{\frac{1}{2de+f}} \log\left(\frac{d}{e} + x^2 + \frac{x\left(2de\sqrt{\frac{1}{2de+f}} + f\sqrt{\frac{1}{2de+f}}\right)}{e}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x**2+d)/(e**2*x**4-f*x**2+d**2),x)

[Out] -sqrt(1/(2*d*e + f))*log(d/e + x**2 + x*(-2*d*e*sqrt(1/(2*d*e + f)) - f*sqrt(1/(2*d*e + f)))/e)/2 + sqrt(1/(2*d*e + f))*log(d/e + x**2 + x*(2*d*e*sqrt(1/(2*d*e + f)) + f*sqrt(1/(2*d*e + f)))/e)/2

$$3.34 \quad \int \frac{d-ex^2}{\frac{cd^2}{e^2}+bx^2+cx^4} dx$$

Optimal. Leaf size=134

$$\frac{e^{3/2} \log(\sqrt{e}x\sqrt{2cd-be} + \sqrt{c}d + \sqrt{c}ex^2)}{2\sqrt{c}\sqrt{2cd-be}} - \frac{e^{3/2} \log(-\sqrt{e}x\sqrt{2cd-be} + \sqrt{c}d + \sqrt{c}ex^2)}{2\sqrt{c}\sqrt{2cd-be}}$$

[Out] $-1/2*e^{(3/2)}*\ln(d*c^{(1/2)}+e*x^2*c^{(1/2)}-x*e^{(1/2)}*(-b*e+2*c*d)^{(1/2)})/c^{(1/2)}/(-b*e+2*c*d)^{(1/2)}+1/2*e^{(3/2)}*\ln(d*c^{(1/2)}+e*x^2*c^{(1/2)}+x*e^{(1/2)}*(-b*e+2*c*d)^{(1/2)})/c^{(1/2)}/(-b*e+2*c*d)^{(1/2)}$

Rubi [A] time = 0.10, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1164, 628}

$$\frac{e^{3/2} \log(\sqrt{e}x\sqrt{2cd-be} + \sqrt{c}d + \sqrt{c}ex^2)}{2\sqrt{c}\sqrt{2cd-be}} - \frac{e^{3/2} \log(-\sqrt{e}x\sqrt{2cd-be} + \sqrt{c}d + \sqrt{c}ex^2)}{2\sqrt{c}\sqrt{2cd-be}}$$

Antiderivative was successfully verified.

[In] Int[(d - e*x^2)/((c*d^2)/e^2 + b*x^2 + c*x^4), x]

[Out] $-(e^{(3/2)}*\text{Log}[\text{Sqrt}[c]*d - \text{Sqrt}[e]*\text{Sqrt}[2*c*d - b*e]*x + \text{Sqrt}[c]*e*x^2])/(2*\text{Sqrt}[c]*\text{Sqrt}[2*c*d - b*e]) + (e^{(3/2)}*\text{Log}[\text{Sqrt}[c]*d + \text{Sqrt}[e]*\text{Sqrt}[2*c*d - b*e]*x + \text{Sqrt}[c]*e*x^2])/(2*\text{Sqrt}[c]*\text{Sqrt}[2*c*d - b*e])$

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1164

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{d - ex^2}{\frac{cd^2}{e^2} + bx^2 + cx^4} dx = \frac{e^{3/2} \int \frac{\frac{\sqrt{2cd-be}}{\sqrt{c}\sqrt{e}} + 2x}{-\frac{d}{e} - \frac{\sqrt{2cd-be}x}{\sqrt{c}\sqrt{e}} - x^2} dx}{2\sqrt{c}\sqrt{2cd-be}} - \frac{e^{3/2} \int \frac{\frac{\sqrt{2cd-be}}{\sqrt{c}\sqrt{e}} - 2x}{-\frac{d}{e} + \frac{\sqrt{2cd-be}x}{\sqrt{c}\sqrt{e}} - x^2} dx}{2\sqrt{c}\sqrt{2cd-be}}$$

$$= -\frac{e^{3/2} \log(\sqrt{c}d - \sqrt{e}\sqrt{2cd-be}x + \sqrt{c}ex^2)}{2\sqrt{c}\sqrt{2cd-be}} + \frac{e^{3/2} \log(\sqrt{c}d + \sqrt{e}\sqrt{2cd-be}x + \sqrt{c}ex^2)}{2\sqrt{c}\sqrt{2cd-be}}$$

Mathematica [A] time = 0.16, size = 250, normalized size = 1.87

$$\frac{e^{3/2} \left(\frac{\left(\sqrt{b^2e^2 - 4c^2d^2} - be - 2cd \right) \tan^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{e}x}{\sqrt{be - \sqrt{b^2e^2 - 4c^2d^2}}} \right)}{\sqrt{be - \sqrt{b^2e^2 - 4c^2d^2}}} - \frac{\left(\sqrt{b^2e^2 - 4c^2d^2} + be + 2cd \right) \tan^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{e}x}{\sqrt{\sqrt{b^2e^2 - 4c^2d^2} + be}} \right)}{\sqrt{\sqrt{b^2e^2 - 4c^2d^2} + be}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2e^2 - 4c^2d^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d - e*x^2)/((c*d^2)/e^2 + b*x^2 + c*x^4), x]

[Out] (e^(3/2)*(-(((-2*c*d - b*e + Sqrt[-4*c^2*d^2 + b^2*e^2])*ArcTan[(Sqrt[2]*Sqrt[c]*Sqrt[e]*x)/Sqrt[b*e - Sqrt[-4*c^2*d^2 + b^2*e^2]]])/Sqrt[b*e - Sqrt[-4*c^2*d^2 + b^2*e^2]] - ((2*c*d + b*e + Sqrt[-4*c^2*d^2 + b^2*e^2])*ArcTan[(Sqrt[2]*Sqrt[c]*Sqrt[e]*x)/Sqrt[b*e + Sqrt[-4*c^2*d^2 + b^2*e^2]]])/Sqrt[b*e + Sqrt[-4*c^2*d^2 + b^2*e^2]]))/(Sqrt[2]*Sqrt[c]*Sqrt[-4*c^2*d^2 + b^2*e^2]))

fricas [A] time = 0.42, size = 244, normalized size = 1.82

$$\left[\frac{1}{2} e \sqrt{\frac{e}{2c^2d - bce}} \log \left(\frac{ce^2x^4 + cd^2 + (4cde - be^2)x^2 + 2((2c^2de - bce^2)x^3 + (2c^2d^2 - bcde)x) \sqrt{\frac{e}{2c^2d - bce}}}{ce^2x^4 + be^2x^2 + cd^2} \right), -e \sqrt{\frac{e}{2c^2d - bce}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(c*d^2/e^2+b*x^2+c*x^4), x, algorithm="fricas")

[Out] [1/2*e*sqrt(e/(2*c^2*d - b*c*e))*log((c*e^2*x^4 + c*d^2 + (4*c*d*e - b*e^2)*x^2 + 2*((2*c^2*d*e - b*c*e^2)*x^3 + (2*c^2*d^2 - b*c*d*e)*x)*sqrt(e/(2*c^2*d - b*c*e)))/(c*e^2*x^4 + b*e^2*x^2 + c*d^2)), -e*sqrt(-e/(2*c^2*d - b*c*e))*arctan(c*x*sqrt(-e/(2*c^2*d - b*c*e))) + e*sqrt(-e/(2*c^2*d - b*c*e))*arctan((c*e*x^3 - (c*d - b*e)*x)*sqrt(-e/(2*c^2*d - b*c*e))/d)]

giac [B] time = 1.37, size = 2202, normalized size = 16.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(c*d^2/e^2+b*x^2+c*x^4),x, algorithm="giac")

[Out]
$$-1/4*(32*c^5*d^4*e^4 - 16*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*c^4*d^4*e^2 - 16*b^2*c^3*d^2*e^6 + 8*b*c^4*d^2*e^6 + 8*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b^2*c^2*d^2*e^4 - 8*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b*c^3*d^2*e^4 + 4*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*c^4*d^2*e^4 - 4*\sqrt{2}*\sqrt{-4*c^2*d^2*e^2 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b*c^2*d^2*e^2 - 8*(4*c^2*d^2*e^2 - b^2*e^4)*c^3*d^2*e^2 + 2*b^4*c*e^8 - 2*b^3*c^2*e^8 - \sqrt{2}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b^4*e^6 + 2*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b^3*c*e^6 - \sqrt{2}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b^2*c^2*e^6 + \sqrt{2}*\sqrt{-4*c^2*d^2*e^2 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b^3*e^4 - 2*\sqrt{2}*\sqrt{-4*c^2*d^2*e^2 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b^2*c*d*e^2 - 2*\sqrt{2}*\sqrt{-4*c^2*d^2*e^2 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b*c^2*e^4 + 2*(4*c^2*d^2*e^2 - b^2*e^4)*b^2*c*e^4 - 2*(4*c^2*d^2*e^2 - b^2*e^4)*b*c^2*e^4 + 2*(8*c^5*d^3*e^4 - 4*\sqrt{2}*\sqrt{-4*c^2*d^2*e^2 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*c^3*d^3 - 2*b^2*c^3*d*e^6 + \sqrt{2}*\sqrt{-4*c^2*d^2*e^2 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b^2*c*d*e^2 - 2*\sqrt{2}*\sqrt{-4*c^2*d^2*e^2 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b*c^2*d*e^2 + \sqrt{2}*\sqrt{-4*c^2*d^2*e^2 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*c^3*d*e^2 - 2*(4*c^2*d^2*e^2 - b^2*e^4)*c^3*d*e^2)*e)*\arctan(2*\sqrt{1/2}*x/\sqrt{(b + \sqrt{-4*c^2*d^2*e^2 + b^2*e^4})/c})/((16*c^5*d^5*e^2 - 8*b^2*c^3*d^3*e^4 + 8*b*c^4*d^3*e^4 - 4*c^5*d^3*e^4 + b^4*c*d*e^6 - 2*b^3*c^2*d*e^6 + b^2*c^3*d*e^6)*\text{abs}(c)) + 1/4*(32*c^5*d^4*e^4 + 16*\sqrt{2}*\sqrt{b*c*e^4 - \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*c^4*d^4*e^2 - 16*b^2*c^3*d^2*e^6 + 8*b*c^4*d^2*e^6 - 8*\sqrt{2}*\sqrt{b*c*e^4 - \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b^2*c^2*d^2*e^4 + 8*\sqrt{2}*\sqrt{b*c*e^4 - \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b*c^3*d^2*e^4 - 4*\sqrt{2}*\sqrt{b*c*e^4 - \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*c^4*d^2*e^4 - 4*\sqrt{2}*\sqrt{-4*c^2*d^2*e^2 + b^2*e^4}*\sqrt{b*c*e^4 - \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b*c^2*d^2*e^2 - 8*(4*c^2*d^2*e^2 - b^2*e^4)*c^3*d^2*e^2 + 2*b^4*c*e^8 - 2*b^3*c^2*e^8 + \sqrt{2}*\sqrt{b*c*e^4 - \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b^4*e^6 - 2*\sqrt{2}*\sqrt{b*c*e^4 - \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b^3*c*e^6 + \sqrt{2}*\sqrt{b*c*e^4 - \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b^2*c^2*e^6 + \sqrt{2}*\sqrt{-4*c^2*d^2*e^2 + b^2*e^4}*\sqrt{b*c*e^4 - \sqrt{-4*c^2*d^2*e^2 + b^2*e^4}}*c*e^2)*b^3*e^4 - 2*\sqrt{2}*\sqrt{-4*c^2*d^2$$

$e^2 + b^2 e^4) \sqrt{b c e^4 - \sqrt{-4 c^2 d^2 e^2 + b^2 e^4} c e^2} b^2 c e^4 + \sqrt{2} \sqrt{-4 c^2 d^2 e^2 + b^2 e^4} \sqrt{b c e^4 - \sqrt{-4 c^2 d^2 e^2 + b^2 e^4} c e^2} b^2 c^2 e^4 + 2 (4 c^2 d^2 e^2 - b^2 e^4) b^2 c^2 e^4 - 2 (4 c^2 d^2 e^2 - b^2 e^4) b^2 c^2 e^4 + 2 (8 c^5 d^3 e^4 - 4 \sqrt{2} \sqrt{-4 c^2 d^2 e^2 + b^2 e^4} \sqrt{b c e^4 - \sqrt{-4 c^2 d^2 e^2 + b^2 e^4} c e^2}) c^3 d^3 - 2 b^2 c^3 d e^6 + \sqrt{2} \sqrt{-4 c^2 d^2 e^2 + b^2 e^4} \sqrt{b c e^4 - \sqrt{-4 c^2 d^2 e^2 + b^2 e^4} c e^2} b^2 c d e^2 - 2 \sqrt{2} \sqrt{-4 c^2 d^2 e^2 + b^2 e^4} \sqrt{b c e^4 - \sqrt{-4 c^2 d^2 e^2 + b^2 e^4} c e^2} b^2 c^2 d e^2 + \sqrt{2} \sqrt{-4 c^2 d^2 e^2 + b^2 e^4} \sqrt{b c e^4 - \sqrt{-4 c^2 d^2 e^2 + b^2 e^4} c e^2} c^3 d e^2 - 2 (4 c^2 d^2 e^2 - b^2 e^4) c^3 d e^2) e \arctan(2 \sqrt{1/2} x / \sqrt{(b - \sqrt{-4 c^2 d^2 e^2 (-2) + b^2}) / c}) / ((16 c^5 d^5 e^2 - 8 b^2 c^3 d^3 e^4 + 8 b^2 c^4 d^3 e^4 - 4 c^5 d^3 e^4 + b^4 c d e^6 - 2 b^3 c^2 d e^6 + b^2 c^3 d e^6) \text{abs}(c)))$

maple [B] time = 0.08, size = 582, normalized size = 4.34

$$\frac{\sqrt{2} b e^4 \operatorname{arctanh}\left(\frac{\sqrt{2} c e x}{\sqrt{(-b e^2 + \sqrt{(b e - 2 c d)(b e + 2 c d) e^2})} c}\right)}{2 \sqrt{(b e - 2 c d)(b e + 2 c d) e^2} \sqrt{(-b e^2 + \sqrt{(b e - 2 c d)(b e + 2 c d) e^2})} c} - \frac{\sqrt{2} b e^4 \operatorname{arctan}\left(\frac{\sqrt{2} c e x}{\sqrt{(b e^2 + \sqrt{(b e - 2 c d)(b e + 2 c d) e^2})} c}\right)}{2 \sqrt{(b e - 2 c d)(b e + 2 c d) e^2} \sqrt{(b e^2 + \sqrt{(b e - 2 c d)(b e + 2 c d) e^2})} c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}((-e x^2 + d) / (c d^2 / e^2 + b x^2 + c x^4), x)$

[Out] $-1/2 e^4 / (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2} 2^{1/2} / ((-e^2 b + (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2}) c)^{1/2} \operatorname{arctanh}(c e x^2 / ((-e^2 b + (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2}) c)^{1/2}) - b e^3 c / (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2} 2^{1/2} / ((-e^2 b + (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2}) c)^{1/2} \operatorname{arctanh}(c e x^2 / ((-e^2 b + (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2}) c)^{1/2}) + d + 1/2 e^2 2^{1/2} / ((-e^2 b + (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2}) c)^{1/2} \operatorname{arctan}(c e x^2 / ((-e^2 b + (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2}) c)^{1/2}) - 1/2 e^4 / (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2} 2^{1/2} / ((e^2 b + (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2}) c)^{1/2} \operatorname{arctan}(c e x^2 / ((e^2 b + (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2}) c)^{1/2}) - b e^3 c / (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2} 2^{1/2} / ((e^2 b + (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2}) c)^{1/2} \operatorname{arctan}(c e x^2 / ((e^2 b + (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2}) c)^{1/2}) + d - 1/2 e^2 2^{1/2} / ((e^2 b + (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2}) c)^{1/2} \operatorname{arctan}(c e x^2 / ((e^2 b + (e^2 (b e - 2 c d) (b e + 2 c d))^{1/2}) c)^{1/2})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{e x^2 - d}{c x^4 + b x^2 + \frac{c d^2}{e^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x^2+d)/(c*d^2/e^2+b*x^2+c*x^4),x, algorithm="maxima")

[Out] -integrate((e*x^2 - d)/(c*x^4 + b*x^2 + c*d^2/e^2), x)

mupad [B] time = 0.18, size = 129, normalized size = 0.96

$$\frac{e^{3/2} \left(\operatorname{atan} \left(\frac{\sqrt{e} x \sqrt{bce-2c^2d}}{be-2cd} \right) + \operatorname{atan} \left(\frac{ce^{3/2}x^3\sqrt{bce-2c^2d}+be^{3/2}x\sqrt{bce-2c^2d}-cd\sqrt{e}x\sqrt{bce-2c^2d}}{d(2c^2d-bce)} \right) \right)}{\sqrt{bce-2c^2d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d - e*x^2)/(b*x^2 + c*x^4 + (c*d^2)/e^2),x)

[Out] -(e^(3/2)*(atan((e^(1/2)*x*(b*c*e - 2*c^2*d)^(1/2))/(b*e - 2*c*d)) + atan((c*e^(3/2)*x^3*(b*c*e - 2*c^2*d)^(1/2) + b*e^(3/2)*x*(b*c*e - 2*c^2*d)^(1/2) - c*d*e^(1/2)*x*(b*c*e - 2*c^2*d)^(1/2))/(d*(2*c^2*d - b*c*e))))/(b*c*e - 2*c^2*d)^(1/2)

sympy [A] time = 0.86, size = 158, normalized size = 1.18

$$\frac{\sqrt{-\frac{e^3}{c(be-2cd)}} \log \left(\frac{d}{e} + x^2 + \frac{x \left(-be \sqrt{-\frac{e^3}{c(be-2cd)}} + 2cd \sqrt{-\frac{e^3}{c(be-2cd)}} \right)}{e^2} \right)}{2} - \frac{\sqrt{-\frac{e^3}{c(be-2cd)}} \log \left(\frac{d}{e} + x^2 + \frac{x \left(be \sqrt{-\frac{e^3}{c(be-2cd)}} - 2cd \sqrt{-\frac{e^3}{c(be-2cd)}} \right)}{e^2} \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-e*x**2+d)/(c*d**2/e**2+b*x**2+c*x**4),x)

[Out] sqrt(-e**3/(c*(b*e - 2*c*d)))*log(d/e + x**2 + x*(-b*e*sqrt(-e**3/(c*(b*e - 2*c*d))) + 2*c*d*sqrt(-e**3/(c*(b*e - 2*c*d))))/e**2)/2 - sqrt(-e**3/(c*(b*e - 2*c*d)))*log(d/e + x**2 + x*(b*e*sqrt(-e**3/(c*(b*e - 2*c*d))) - 2*c*d*sqrt(-e**3/(c*(b*e - 2*c*d))))/e**2)/2

$$3.35 \quad \int \frac{d+ex^2}{\frac{cd^2}{e^2}+bx^2+cx^4} dx$$

Optimal. Leaf size=130

$$\frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{2cd-be}+2\sqrt{c}\sqrt{ex}}{\sqrt{be+2cd}}\right)}{\sqrt{c}\sqrt{be+2cd}} - \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{2cd-be}-2\sqrt{c}\sqrt{ex}}{\sqrt{be+2cd}}\right)}{\sqrt{c}\sqrt{be+2cd}}$$

[Out] $-e^{3/2} \arctan((-2*x*c^{1/2}*e^{1/2}+(-b*e+2*c*d)^{1/2})/(b*e+2*c*d)^{1/2})/c^{1/2}/(b*e+2*c*d)^{1/2}+e^{3/2} \arctan((2*x*c^{1/2}*e^{1/2}+(-b*e+2*c*d)^{1/2})/(b*e+2*c*d)^{1/2})/c^{1/2}/(b*e+2*c*d)^{1/2}$

Rubi [A] time = 0.17, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {1161, 618, 204}

$$\frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{2cd-be}+2\sqrt{c}\sqrt{ex}}{\sqrt{be+2cd}}\right)}{\sqrt{c}\sqrt{be+2cd}} - \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{2cd-be}-2\sqrt{c}\sqrt{ex}}{\sqrt{be+2cd}}\right)}{\sqrt{c}\sqrt{be+2cd}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/((c*d^2)/e^2 + b*x^2 + c*x^4), x]

[Out] $-((e^{3/2} \text{ArcTan}[(\text{Sqrt}[2*c*d - b*e] - 2*\text{Sqrt}[c]*\text{Sqrt}[e]*x)/\text{Sqrt}[2*c*d + b*e]])/(\text{Sqrt}[c]*\text{Sqrt}[2*c*d + b*e])) + (e^{3/2} \text{ArcTan}[(\text{Sqrt}[2*c*d - b*e] + 2*\text{Sqrt}[c]*\text{Sqrt}[e]*x)/\text{Sqrt}[2*c*d + b*e]])/(\text{Sqrt}[c]*\text{Sqrt}[2*c*d + b*e])$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2

, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned} \int \frac{d + ex^2}{\frac{cd^2}{e^2} + bx^2 + cx^4} dx &= \frac{e \int \frac{1}{\frac{d}{e} - \frac{\sqrt{2cd-be}x}{\sqrt{c}\sqrt{e}} + x^2} dx}{2c} + \frac{e \int \frac{1}{\frac{d}{e} + \frac{\sqrt{2cd-be}x}{\sqrt{c}\sqrt{e}} + x^2} dx}{2c} \\ &= \frac{e \operatorname{Subst}\left(\int \frac{1}{-\frac{b}{c} - \frac{2d}{e} - x^2} dx, x, -\frac{\sqrt{2cd-be}}{\sqrt{c}\sqrt{e}} + 2x\right)}{c} - \frac{e \operatorname{Subst}\left(\int \frac{1}{-\frac{b}{c} - \frac{2d}{e} - x^2} dx, x, \frac{\sqrt{2cd-be}}{\sqrt{c}\sqrt{e}} + 2x\right)}{c} \\ &= -\frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{2cd-be}-2\sqrt{c}\sqrt{ex}}{\sqrt{2cd+be}}\right)}{\sqrt{c}\sqrt{2cd+be}} + \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{2cd-be}+2\sqrt{c}\sqrt{ex}}{\sqrt{2cd+be}}\right)}{\sqrt{c}\sqrt{2cd+be}} \end{aligned}$$

Mathematica [A] time = 0.12, size = 248, normalized size = 1.91

$$\frac{e^{3/2} \left(\frac{\left(\sqrt{b^2e^2-4c^2d^2}-be+2cd\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{ex}}{\sqrt{be-\sqrt{b^2e^2-4c^2d^2}}}\right)}{\sqrt{be-\sqrt{b^2e^2-4c^2d^2}}} + \frac{\left(\sqrt{b^2e^2-4c^2d^2}+be-2cd\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{ex}}{\sqrt{\sqrt{b^2e^2-4c^2d^2}+be}}\right)}{\sqrt{\sqrt{b^2e^2-4c^2d^2}+be}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2e^2-4c^2d^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/((c*d^2)/e^2 + b*x^2 + c*x^4), x]

[Out] (e^(3/2)*(((2*c*d - b*e + Sqrt[-4*c^2*d^2 + b^2*e^2])*ArcTan[(Sqrt[2]*Sqrt[c]*Sqrt[e]*x)/Sqrt[b*e - Sqrt[-4*c^2*d^2 + b^2*e^2]]])/Sqrt[b*e - Sqrt[-4*c^2*d^2 + b^2*e^2]] + ((-2*c*d + b*e + Sqrt[-4*c^2*d^2 + b^2*e^2])*ArcTan[(Sqrt[2]*Sqrt[c]*Sqrt[e]*x)/Sqrt[b*e + Sqrt[-4*c^2*d^2 + b^2*e^2]]])/Sqrt[b*e + Sqrt[-4*c^2*d^2 + b^2*e^2]])/(Sqrt[2]*Sqrt[c]*Sqrt[-4*c^2*d^2 + b^2*e^2])

fricas [A] time = 0.43, size = 232, normalized size = 1.78

$$\left[\frac{1}{2} e \sqrt{-\frac{e}{2c^2d + bce}} \log \left(\frac{ce^2x^4 + cd^2 - (4cde + be^2)x^2 + 2((2c^2de + bce^2)x^3 - (2c^2d^2 + bcde)x) \sqrt{-\frac{e}{2c^2d + bce}}}{ce^2x^4 + be^2x^2 + cd^2} \right), e \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(c*d^2/e^2+b*x^2+c*x^4),x, algorithm="fricas")
```

```
[Out] [1/2*e*sqrt(-e/(2*c^2*d + b*c*e))*log((c*e^2*x^4 + c*d^2 - (4*c*d*e + b*e^2)
)*x^2 + 2*((2*c^2*d*e + b*c*e^2)*x^3 - (2*c^2*d^2 + b*c*d*e)*x)*sqrt(-e/(2*
c^2*d + b*c*e)))/(c*e^2*x^4 + b*e^2*x^2 + c*d^2), e*sqrt(e/(2*c^2*d + b*c*
e))*arctan(c*x*sqrt(e/(2*c^2*d + b*c*e))) + e*sqrt(e/(2*c^2*d + b*c*e))*arc
tan((c*e*x^3 + (c*d + b*e)*x)*sqrt(e/(2*c^2*d + b*c*e))/d)]
```

```
giac [B] time = 1.40, size = 2202, normalized size = 16.94
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(c*d^2/e^2+b*x^2+c*x^4),x, algorithm="giac")
```

```
[Out] -1/4*(32*c^5*d^4*e^4 - 16*sqrt(2)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*
e^4)*c*e^2)*c^4*d^4*e^2 - 16*b^2*c^3*d^2*e^6 + 8*b*c^4*d^2*e^6 + 8*sqrt(2)*
sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^2*c^2*d^2*e^4 - 8*sq
rt(2)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b*c^3*d^2*e^4 +
4*sqrt(2)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*c^4*d^2*e^4
- 4*sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e
^2 + b^2*e^4)*c*e^2)*b*c^2*d^2*e^2 - 8*(4*c^2*d^2*e^2 - b^2*e^4)*c^3*d^2*e
^2 + 2*b^4*c*e^8 - 2*b^3*c^2*e^8 - sqrt(2)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e
^2 + b^2*e^4)*c*e^2)*b^4*e^6 + 2*sqrt(2)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2
+ b^2*e^4)*c*e^2)*b^3*c*e^6 - sqrt(2)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 +
b^2*e^4)*c*e^2)*b^2*c^2*e^6 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b
*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^3*e^4 - 2*sqrt(2)*sqrt(-4*
c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)
*b^2*c*e^4 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(-4*
c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b*c^2*e^4 + 2*(4*c^2*d^2*e^2 - b^2*e^4)*b^2*c
*e^4 - 2*(4*c^2*d^2*e^2 - b^2*e^4)*b*c^2*e^4 - 2*(8*c^5*d^3*e^4 - 4*sqrt(2)
)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e
^4)*c*e^2)*c^3*d^3 - 2*b^2*c^3*d*e^6 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4
)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^2*c*d*e^2 - 2*sqrt
(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2
*e^4)*c*e^2)*b*c^2*d*e^2 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*
e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*c^3*d*e^2 - 2*(4*c^2*d^2*e^2 -
b^2*e^4)*c^3*d*e^2)*e)*arctan(2*sqrt(1/2)*x/sqrt((b + sqrt(-4*c^2*d^2*e^(-2)
) + b^2))/c))/((16*c^5*d^5*e^2 - 8*b^2*c^3*d^3*e^4 + 8*b*c^4*d^3*e^4 - 4*c^
5*d^3*e^4 + b^4*c*d*e^6 - 2*b^3*c^2*d*e^6 + b^2*c^3*d*e^6)*abs(c)) + 1/4*(3
2*c^5*d^4*e^4 + 16*sqrt(2)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*
e^2)*c^4*d^4*e^2 - 16*b^2*c^3*d^2*e^6 + 8*b*c^4*d^2*e^6 - 8*sqrt(2)*sqrt(b*
c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^2*c^2*d^2*e^4 + 8*sqrt(2)*s
```

```

qrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b*c^3*d^2*e^4 - 4*sqrt(
2)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*c^4*d^2*e^4 - 4*sqrt(
2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^
2*e^4)*c*e^2)*b*c^2*d^2*e^2 - 8*(4*c^2*d^2*e^2 - b^2*e^4)*c^3*d^2*e^2 + 2*b
^4*c*e^8 - 2*b^3*c^2*e^8 + sqrt(2)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2
*e^4)*c*e^2)*b^4*e^6 - 2*sqrt(2)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e
^4)*c*e^2)*b^3*c*e^6 + sqrt(2)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4
)*c*e^2)*b^2*c^2*e^6 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4
- sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^3*e^4 - 2*sqrt(2)*sqrt(-4*c^2*d^2
*e^2 + b^2*e^4)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^2*c*
e^4 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2
*e^2 + b^2*e^4)*c*e^2)*b*c^2*e^4 + 2*(4*c^2*d^2*e^2 - b^2*e^4)*b^2*c*e^4 -
2*(4*c^2*d^2*e^2 - b^2*e^4)*b*c^2*e^4 - 2*(8*c^5*d^3*e^4 - 4*sqrt(2)*sqrt(-
4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^
2)*c^3*d^3 - 2*b^2*c^3*d*e^6 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(
b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^2*c*d*e^2 - 2*sqrt(2)*sqrt(
-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c
*e^2)*b*c^2*d*e^2 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 - s
qrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*c^3*d*e^2 - 2*(4*c^2*d^2*e^2 - b^2*e^4
)*c^3*d*e^2)*e)*arctan(2*sqrt(1/2)*x/sqrt((b - sqrt(-4*c^2*d^2*e^(-2) + b^2
))/c))/((16*c^5*d^5*e^2 - 8*b^2*c^3*d^3*e^4 + 8*b*c^4*d^3*e^4 - 4*c^5*d^3*e
^4 + b^4*c*d*e^6 - 2*b^3*c^2*d*e^6 + b^2*c^3*d*e^6)*abs(c))

```

maple [B] time = 0.03, size = 582, normalized size = 4.48

$$\frac{\sqrt{2} b e^4 \operatorname{arctanh}\left(\frac{\sqrt{2} c e x}{\sqrt{\left(-b e^2 + \sqrt{(b e - 2 c d)(b e + 2 c d)} e^2\right) c}}\right)}{2 \sqrt{(b e - 2 c d)(b e + 2 c d)} e^2 \sqrt{\left(-b e^2 + \sqrt{(b e - 2 c d)(b e + 2 c d)} e^2\right) c}} + \frac{\sqrt{2} b e^4 \operatorname{arctan}\left(\frac{\sqrt{2} c e x}{\sqrt{\left(b e^2 + \sqrt{(b e - 2 c d)(b e + 2 c d)} e^2\right) c}}\right)}{2 \sqrt{(b e - 2 c d)(b e + 2 c d)} e^2 \sqrt{\left(b e^2 + \sqrt{(b e - 2 c d)(b e + 2 c d)} e^2\right) c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(c*d^2/e^2+b*x^2+c*x^4),x)

```

[Out] 1/2*e^4/((b*e-2*c*d)*(b*e+2*c*d)*e^2)^(1/2)*2^(1/2)/((-b*e^2+((b*e-2*c*d)*
(b*e+2*c*d)*e^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b*e^2+((b*e-2*c*d)*(b*e+
2*c*d)*e^2)^(1/2))*c)^(1/2)*c*e*x)*b-e^3*c/((b*e-2*c*d)*(b*e+2*c*d)*e^2)^(1
/2)*2^(1/2)/((-b*e^2+((b*e-2*c*d)*(b*e+2*c*d)*e^2)^(1/2))*c)^(1/2)*arctanh(
2^(1/2)/((-b*e^2+((b*e-2*c*d)*(b*e+2*c*d)*e^2)^(1/2))*c)^(1/2)*c*e*x)*d-1/2
*e^2*2^(1/2)/((-b*e^2+((b*e-2*c*d)*(b*e+2*c*d)*e^2)^(1/2))*c)^(1/2)*arctanh
(2^(1/2)/((-b*e^2+((b*e-2*c*d)*(b*e+2*c*d)*e^2)^(1/2))*c)^(1/2)*c*e*x)+1/2/
((b*e-2*c*d)*(b*e+2*c*d)*e^2)^(1/2)*2^(1/2)/((b*e^2+((b*e-2*c*d)*(b*e+2*c*d
)*e^2)^(1/2))*c)^(1/2)*b*e^4*arctan(2^(1/2)/((b*e^2+((b*e-2*c*d)*(b*e+2*c*d
)*e^2)^(1/2))*c)^(1/2)*c*e*x)-1/((b*e-2*c*d)*(b*e+2*c*d)*e^2)^(1/2)*2^(1/2)

```

$$\frac{1}{\left(\sqrt{b^2 e^2 + (b^2 e - 2 c^2 d)(b^2 e + 2 c^2 d) e^2}\right)^{1/2}} \cdot c^{1/2} \cdot c d e^3 \arctan\left(\frac{2^{1/2}}{2}\right) \frac{1}{\left(\sqrt{b^2 e^2 + (b^2 e - 2 c^2 d)(b^2 e + 2 c^2 d) e^2}\right)^{1/2}} \cdot c^{1/2} \cdot c e^* x + \frac{1}{2} \cdot 2^{1/2} \frac{1}{\left(\sqrt{b^2 e^2 + (b^2 e - 2 c^2 d)(b^2 e + 2 c^2 d) e^2}\right)^{1/2}} \cdot c^{1/2} \cdot e^2 \arctan\left(\frac{2^{1/2}}{2}\right) \frac{1}{\left(\sqrt{b^2 e^2 + (b^2 e - 2 c^2 d)(b^2 e + 2 c^2 d) e^2}\right)^{1/2}} \cdot c^{1/2} \cdot c e^* x$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{e x^2 + d}{c x^4 + b x^2 + \frac{c d^2}{e^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*d^2/e^2+b*x^2+c*x^4),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)/(c*x^4 + b*x^2 + c*d^2/e^2), x)

mupad [B] time = 4.52, size = 232, normalized size = 1.78

$$\frac{e^{3/2} \left(\operatorname{atan}\left(\frac{c \sqrt{e} x}{\sqrt{c(b e + 2 c d)}}\right) - \operatorname{atan}\left(\frac{(2 d c^2 + b e c) \left(x \left(\frac{\sqrt{e} (c d e^7 - 4 c^3 d^2 e^7)}{d \sqrt{c(b e + 2 c d)(b e - 2 c d)}} + \frac{e^{3/2} (2 c^2 d e^6 - b c e^7)}{c d \sqrt{2 d c^2 + b e c} (b e - 2 c d)} \right) + \frac{\sqrt{e} x^3 (c e^8 - \frac{2 b c^2 e^9}{2 d c^2 + b e c})}{d \sqrt{c(b e + 2 c d)(b e - 2 c d)}} \right)}{c e^7} \right)}{\sqrt{2 d c^2 + b e c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(b*x^2 + c*x^4 + (c*d^2)/e^2),x)

[Out] $(e^{3/2}) \cdot (\operatorname{atan}((c \cdot e^{1/2}) \cdot x) / (c \cdot (b \cdot e + 2 \cdot c \cdot d))^{1/2}) - \operatorname{atan}(((2 \cdot c^2 \cdot d + b \cdot c \cdot e) \cdot (x \cdot ((e^{1/2}) \cdot (c \cdot d \cdot e^7 - (4 \cdot c^3 \cdot d^2 \cdot e^7) / (2 \cdot c^2 \cdot d + b \cdot c \cdot e))) / (d \cdot (c \cdot (b \cdot e + 2 \cdot c \cdot d))^{1/2} \cdot (b \cdot e - 2 \cdot c \cdot d)) + (e^{3/2}) \cdot (2 \cdot c^2 \cdot d \cdot e^6 - b \cdot c \cdot e^7)) / (c \cdot d \cdot (2 \cdot c^2 \cdot d + b \cdot c \cdot e)^{1/2} \cdot (b \cdot e - 2 \cdot c \cdot d))) + (e^{1/2}) \cdot x^3 \cdot (c \cdot e^8 - (2 \cdot b \cdot c^2 \cdot e^9) / (2 \cdot c^2 \cdot d + b \cdot c \cdot e))) / (d \cdot (c \cdot (b \cdot e + 2 \cdot c \cdot d))^{1/2} \cdot (b \cdot e - 2 \cdot c \cdot d))) / (c \cdot e^7))) / (2 \cdot c^2 \cdot d + b \cdot c \cdot e)^{1/2}$

sympy [A] time = 0.77, size = 160, normalized size = 1.23

$$\frac{\sqrt{-\frac{e^3}{c(b e + 2 c d)}} \log\left(-\frac{d}{e} + x^2 + \frac{x\left(-b e \sqrt{-\frac{e^3}{c(b e + 2 c d)}} - 2 c d \sqrt{-\frac{e^3}{c(b e + 2 c d)}}\right)}{e^2}\right)}{2} + \frac{\sqrt{-\frac{e^3}{c(b e + 2 c d)}} \log\left(-\frac{d}{e} + x^2 + \frac{x\left(b e \sqrt{-\frac{e^3}{c(b e + 2 c d)}} + 2 c d \sqrt{-\frac{e^3}{c(b e + 2 c d)}}\right)}{e^2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)/(c*d**2/e**2+b*x**2+c*x**4),x)
```

```
[Out] -sqrt(-e**3/(c*(b*e + 2*c*d)))*log(-d/e + x**2 + x*(-b*e*sqrt(-e**3/(c*(b*e + 2*c*d))) - 2*c*d*sqrt(-e**3/(c*(b*e + 2*c*d))))/e**2)/2 + sqrt(-e**3/(c*(b*e + 2*c*d)))*log(-d/e + x**2 + x*(b*e*sqrt(-e**3/(c*(b*e + 2*c*d))) + 2*c*d*sqrt(-e**3/(c*(b*e + 2*c*d))))/e**2)/2
```


$$3.36 \quad \int \frac{d+ex^2}{bx^2+c\left(\frac{d^2}{e^2}+x^4\right)} dx$$

Optimal. Leaf size=130

$$\frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{2cd-be}+2\sqrt{c}\sqrt{e}x}{\sqrt{be+2cd}}\right)}{\sqrt{c}\sqrt{be+2cd}} - \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{2cd-be}-2\sqrt{c}\sqrt{e}x}{\sqrt{be+2cd}}\right)}{\sqrt{c}\sqrt{be+2cd}}$$

[Out] $-e^{3/2} \arctan\left(\frac{-2\sqrt{c}e^{1/2}x + \sqrt{be+2cd}}{\sqrt{be+2cd}}\right) / \sqrt{be+2cd} + e^{3/2} \arctan\left(\frac{2\sqrt{c}e^{1/2}x - \sqrt{be+2cd}}{\sqrt{be+2cd}}\right) / \sqrt{be+2cd}$

Rubi [A] time = 0.13, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1990, 1161, 618, 204}

$$\frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{2cd-be}+2\sqrt{c}\sqrt{e}x}{\sqrt{be+2cd}}\right)}{\sqrt{c}\sqrt{be+2cd}} - \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{2cd-be}-2\sqrt{c}\sqrt{e}x}{\sqrt{be+2cd}}\right)}{\sqrt{c}\sqrt{be+2cd}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(b*x^2 + c*(d^2/e^2 + x^4)), x]

[Out] $-\left(\frac{e^{3/2} \operatorname{ArcTan}\left[\frac{\sqrt{2cd-be}-2\sqrt{c}\sqrt{e}x}{\sqrt{be+2cd}}\right]}{\sqrt{c}\sqrt{be+2cd}}\right) + \left(\frac{e^{3/2} \operatorname{ArcTan}\left[\frac{\sqrt{2cd-be}+2\sqrt{c}\sqrt{e}x}{\sqrt{be+2cd}}\right]}{\sqrt{c}\sqrt{be+2cd}}\right)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[Rt[-b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2

```
, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))
```

Rule 1990

```
Int[(u_)^(q_.)*(v_)^(p_.), x_Symbol] := Int[ExpandToSum[u, x]^q*ExpandToSum[v, x]^p, x] /; FreeQ[{p, q}, x] && BinomialQ[u, x] && TrinomialQ[v, x] && !(BinomialMatchQ[u, x] && TrinomialMatchQ[v, x])
```

Rubi steps

$$\begin{aligned} \int \frac{d + ex^2}{bx^2 + c \left(\frac{d^2}{e^2} + x^4 \right)} dx &= \int \frac{d + ex^2}{\frac{cd^2}{e^2} + bx^2 + cx^4} dx \\ &= \frac{e \int \frac{1}{\frac{d}{e} - \frac{\sqrt{2cd-be}x}{\sqrt{c}\sqrt{e}} + x^2} dx}{2c} + \frac{e \int \frac{1}{\frac{d}{e} + \frac{\sqrt{2cd-be}x}{\sqrt{c}\sqrt{e}} + x^2} dx}{2c} \\ &= -\frac{e \operatorname{Subst} \left(\int \frac{1}{-\frac{b}{c} - \frac{2d}{e} - x^2} dx, x, -\frac{\sqrt{2cd-be}}{\sqrt{c}\sqrt{e}} + 2x \right)}{c} - \frac{e \operatorname{Subst} \left(\int \frac{1}{-\frac{b}{c} - \frac{2d}{e} - x^2} dx, x, \frac{\sqrt{2cd-be}}{\sqrt{c}\sqrt{e}} + 2x \right)}{c} \\ &= -\frac{e^{3/2} \tan^{-1} \left(\frac{\sqrt{2cd-be} - 2\sqrt{c}\sqrt{e}x}{\sqrt{2cd+be}} \right)}{\sqrt{c}\sqrt{2cd+be}} + \frac{e^{3/2} \tan^{-1} \left(\frac{\sqrt{2cd-be} + 2\sqrt{c}\sqrt{e}x}{\sqrt{2cd+be}} \right)}{\sqrt{c}\sqrt{2cd+be}} \end{aligned}$$

Mathematica [A] time = 0.04, size = 248, normalized size = 1.91

$$\frac{e^{3/2} \left(\frac{\left(\sqrt{b^2e^2 - 4c^2d^2} - be + 2cd \right) \tan^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{e}x}{\sqrt{be - \sqrt{b^2e^2 - 4c^2d^2}}} \right)}{\sqrt{be - \sqrt{b^2e^2 - 4c^2d^2}}} + \frac{\left(\sqrt{b^2e^2 - 4c^2d^2} + be - 2cd \right) \tan^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{e}x}{\sqrt{\sqrt{b^2e^2 - 4c^2d^2} + be}} \right)}{\sqrt{\sqrt{b^2e^2 - 4c^2d^2} + be}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2e^2 - 4c^2d^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^2)/(b*x^2 + c*(d^2/e^2 + x^4)), x]
```

```
[Out] (e^(3/2)*(((2*c*d - b*e + Sqrt[-4*c^2*d^2 + b^2*e^2])*ArcTan[(Sqrt[2]*Sqrt[c]*Sqrt[e]*x)/Sqrt[b*e - Sqrt[-4*c^2*d^2 + b^2*e^2]]))/Sqrt[b*e - Sqrt[-4*c
```

$$\sqrt{2d^2 + b^2e^2}] + ((-2cd + be + \sqrt{-4c^2d^2 + b^2e^2}) \operatorname{ArcTan}[\frac{\sqrt{2}\sqrt{c}\sqrt{e}x}{\sqrt{be + \sqrt{-4c^2d^2 + b^2e^2}}}] / \sqrt{be + \sqrt{-4c^2d^2 + b^2e^2}}]) / (\sqrt{2}\sqrt{c}\sqrt{e})$$

fricas [A] time = 0.42, size = 232, normalized size = 1.78

$$\left[\frac{1}{2} e \sqrt{-\frac{e}{2c^2d + bce}} \log \left(\frac{ce^2x^4 + cd^2 - (4cde + be^2)x^2 + 2((2c^2de + bce^2)x^3 - (2c^2d^2 + bcde)x) \sqrt{-\frac{e}{2c^2d + bce}}}{ce^2x^4 + be^2x^2 + cd^2} \right) \right],$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(b*x^2+c*(d^2/e^2+x^4)),x, algorithm="fricas")

[Out] [1/2*e*sqrt(-e/(2*c^2*d + b*c*e))*log((c*e^2*x^4 + c*d^2 - (4*c*d*e + b*e^2)*x^2 + 2*((2*c^2*d*e + b*c*e^2)*x^3 - (2*c^2*d^2 + b*c*d*e)*x)*sqrt(-e/(2*c^2*d + b*c*e)))/(c*e^2*x^4 + b*e^2*x^2 + c*d^2), e*sqrt(e/(2*c^2*d + b*c*e))*arctan(c*x*sqrt(e/(2*c^2*d + b*c*e))) + e*sqrt(e/(2*c^2*d + b*c*e))*arctan((c*e*x^3 + (c*d + b*e)*x)*sqrt(e/(2*c^2*d + b*c*e))/d)]

giac [B] time = 1.35, size = 2202, normalized size = 16.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(b*x^2+c*(d^2/e^2+x^4)),x, algorithm="giac")

[Out] -1/4*(32*c^5*d^4*e^4 - 16*sqrt(2)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*c^4*d^4*e^2 - 16*b^2*c^3*d^2*e^6 + 8*b*c^4*d^2*e^6 + 8*sqrt(2)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^2*c^2*d^2*e^4 - 8*sqrt(2)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b*c^3*d^2*e^4 + 4*sqrt(2)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*c^4*d^2*e^4 - 4*sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b*c^2*d^2*e^2 - 8*(4*c^2*d^2*e^2 - b^2*e^4)*c^3*d^2*e^2 + 2*b^4*c*e^8 - 2*b^3*c^2*e^8 - sqrt(2)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^4*e^6 + 2*sqrt(2)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^3*c*e^6 - sqrt(2)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^2*c^2*e^6 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^3*e^4 - 2*sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^2*c*e^4 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^2*c*e^4 + 2*(4*c^2*d^2*e^2 - b^2*e^4)*b^2*c*e^4 - 2*(4*c^2*d^2*e^2 - b^2*e^4)*b*c^2*e^4 - 2*(8*c^5*d^3*e^4 - 4*sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2))

```

4)*c*e^2)*c^3*d^3 - 2*b^2*c^3*d*e^6 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4
)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^2*c*d*e^2 - 2*sqrt
(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(-4*c^2*d^2*e^2 + b^2
*e^4)*c*e^2)*b*c^2*d*e^2 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*
e^4 + sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*c^3*d*e^2 - 2*(4*c^2*d^2*e^2 -
b^2*e^4)*c^3*d*e^2)*e)*arctan(2*sqrt(1/2)*x/sqrt((b + sqrt(-4*c^2*d^2*e^(-2)
) + b^2))/c))/((16*c^5*d^5*e^2 - 8*b^2*c^3*d^3*e^4 + 8*b*c^4*d^3*e^4 - 4*c^
5*d^3*e^4 + b^4*c*d*e^6 - 2*b^3*c^2*d*e^6 + b^2*c^3*d*e^6)*abs(c)) + 1/4*(3
2*c^5*d^4*e^4 + 16*sqrt(2)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*
e^2)*c^4*d^4*e^2 - 16*b^2*c^3*d^2*e^6 + 8*b*c^4*d^2*e^6 - 8*sqrt(2)*sqrt(b*
c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^2*c^2*d^2*e^4 + 8*sqrt(2)*s
qrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b*c^3*d^2*e^4 - 4*sqrt(
2)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*c^4*d^2*e^4 - 4*sqrt
(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^
2*e^4)*c*e^2)*b*c^2*d^2*e^2 - 8*(4*c^2*d^2*e^2 - b^2*e^4)*c^3*d^2*e^2 + 2*b
^4*c*e^8 - 2*b^3*c^2*e^8 + sqrt(2)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2
*e^4)*c*e^2)*b^4*e^6 - 2*sqrt(2)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e
^4)*c*e^2)*b^3*c*e^6 + sqrt(2)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4
))*c*e^2)*b^2*c^2*e^6 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4
- sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^3*e^4 - 2*sqrt(2)*sqrt(-4*c^2*d^2
*e^2 + b^2*e^4)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^2*c*
e^4 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2
*e^2 + b^2*e^4)*c*e^2)*b*c^2*e^4 + 2*(4*c^2*d^2*e^2 - b^2*e^4)*b^2*c*e^4 -
2*(4*c^2*d^2*e^2 - b^2*e^4)*b*c^2*e^4 - 2*(8*c^5*d^3*e^4 - 4*sqrt(2)*sqrt(-
4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^
2)*c^3*d^3 - 2*b^2*c^3*d*e^6 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(
b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*b^2*c*d*e^2 - 2*sqrt(2)*sqrt
(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 - sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*c
*e^2)*b*c^2*d*e^2 + sqrt(2)*sqrt(-4*c^2*d^2*e^2 + b^2*e^4)*sqrt(b*c*e^4 - s
qrt(-4*c^2*d^2*e^2 + b^2*e^4)*c*e^2)*c^3*d*e^2 - 2*(4*c^2*d^2*e^2 - b^2*e^4
)*c^3*d*e^2)*e)*arctan(2*sqrt(1/2)*x/sqrt((b - sqrt(-4*c^2*d^2*e^(-2) + b^2
))/c))/((16*c^5*d^5*e^2 - 8*b^2*c^3*d^3*e^4 + 8*b*c^4*d^3*e^4 - 4*c^5*d^3*e
^4 + b^4*c*d*e^6 - 2*b^3*c^2*d*e^6 + b^2*c^3*d*e^6)*abs(c))

```

maple [B] time = 0.01, size = 582, normalized size = 4.48

$$\frac{\sqrt{2} b e^4 \operatorname{arctanh}\left(\frac{\sqrt{2} c e x}{\sqrt{(-b e^2 + \sqrt{(b e - 2 c d)(b e + 2 c d) e^2})} c}\right)}{2 \sqrt{(b e - 2 c d)(b e + 2 c d) e^2} \sqrt{(-b e^2 + \sqrt{(b e - 2 c d)(b e + 2 c d) e^2})} c} + \frac{\sqrt{2} b e^4 \operatorname{arctan}\left(\frac{\sqrt{2} c e x}{\sqrt{(b e^2 + \sqrt{(b e - 2 c d)(b e + 2 c d) e^2})} c}\right)}{2 \sqrt{(b e - 2 c d)(b e + 2 c d) e^2} \sqrt{(b e^2 + \sqrt{(b e - 2 c d)(b e + 2 c d) e^2})} c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(b*x^2+c*(d^2/e^2+x^4)),x)

[Out] $\frac{1}{2}e^4/((b^2e-2cd)(b^2e+2cd)e^2)^{1/2} \cdot 2^{1/2}/((-b^2e^2+(b^2e-2cd)(b^2e+2cd)e^2)^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctanh}(2^{1/2}/((-b^2e^2+(b^2e-2cd)(b^2e+2cd)e^2)^{1/2})) \cdot c^{1/2} \cdot c^2 \cdot e^x \cdot b - e^3 c^2 / ((b^2e-2cd)(b^2e+2cd)e^2)^{1/2} \cdot 2^{1/2} / (-b^2e^2+(b^2e-2cd)(b^2e+2cd)e^2)^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctanh}(2^{1/2}/((-b^2e^2+(b^2e-2cd)(b^2e+2cd)e^2)^{1/2})) \cdot c^{1/2} \cdot c^2 \cdot e^x \cdot d - 1/2 \cdot e^2 \cdot 2^{1/2} / (-b^2e^2+(b^2e-2cd)(b^2e+2cd)e^2)^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctanh}(2^{1/2}/((-b^2e^2+(b^2e-2cd)(b^2e+2cd)e^2)^{1/2})) \cdot c^{1/2} \cdot c^2 \cdot e^x + 1/2 / ((b^2e-2cd)(b^2e+2cd)e^2)^{1/2} \cdot 2^{1/2} / ((b^2e^2+(b^2e-2cd)(b^2e+2cd)e^2)^{1/2}) \cdot c^{1/2} \cdot b \cdot e^4 \cdot \operatorname{arctan}(2^{1/2}/((b^2e^2+(b^2e-2cd)(b^2e+2cd)e^2)^{1/2})) \cdot c^{1/2} \cdot c^2 \cdot e^x - 1 / ((b^2e-2cd)(b^2e+2cd)e^2)^{1/2} \cdot 2^{1/2} / ((b^2e^2+(b^2e-2cd)(b^2e+2cd)e^2)^{1/2}) \cdot c^{1/2} \cdot c^2 \cdot d \cdot e^3 \cdot \operatorname{arctan}(2^{1/2}/((b^2e^2+(b^2e-2cd)(b^2e+2cd)e^2)^{1/2})) \cdot c^{1/2} \cdot c^2 \cdot e^x + 1/2 \cdot 2^{1/2} / ((b^2e^2+(b^2e-2cd)(b^2e+2cd)e^2)^{1/2}) \cdot c^{1/2} \cdot e^2 \cdot \operatorname{arctan}(2^{1/2}/((b^2e^2+(b^2e-2cd)(b^2e+2cd)e^2)^{1/2})) \cdot c^{1/2} \cdot c^2 \cdot e^x$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{bx^2 + \left(x^4 + \frac{d^2}{e^2}\right)c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/(b*x^2+c*(d^2/e^2+x^4)),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d)/(b*x^2 + (x^4 + d^2/e^2)*c), x)`

mupad [B] time = 0.13, size = 232, normalized size = 1.78

$$\frac{e^{3/2} \left(\operatorname{atan} \left(\frac{c \sqrt{e} x}{\sqrt{c(b^2e+2cd)}} \right) - \operatorname{atan} \left(\frac{(2dc^2+bec) \left(x \left(\frac{\sqrt{e} (cde^7 - 4c^3d^2e^7)}{d \sqrt{c(b^2e+2cd)} (be-2cd)} + \frac{e^{3/2} (2c^2de^6 - bce^7)}{cd \sqrt{2dc^2+bec} (be-2cd)} \right) + \frac{\sqrt{e} x^3 (ce^8 - \frac{2bc^2e^9}{2dc^2+bec})}{d \sqrt{c(b^2e+2cd)} (be-2cd)} \right)}{ce^7} \right)}{\sqrt{2dc^2+bec}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)/(b*x^2 + c*(x^4 + d^2/e^2)),x)`

[Out] $(e^{3/2}) \cdot (\operatorname{atan}((c^2e^{1/2})x)/((c^2(b^2e+2cd))^{1/2})) - \operatorname{atan}(((2c^2d + b^2c^2e) \cdot (x \cdot ((e^{1/2}) \cdot (c^2d \cdot e^7 - (4c^3d^2e^7)/(2c^2d + b^2c^2e))) / (d \cdot (c^2(b^2e + 2cd))^{1/2} \cdot (b^2e - 2cd)) + (e^{3/2}) \cdot (2c^2d \cdot e^6 - b^2c^2e^7)) / (c^2d \cdot (2c^2d + b^2c^2e)^{1/2} \cdot (b^2e - 2cd))) + (e^{1/2}) \cdot x^3 \cdot (c^2e^8 - (2b^2c^2e^9)/(2c^2d + b^2c^2e))) / (d \cdot (c^2(b^2e + 2cd))^{1/2} \cdot (b^2e - 2cd))) / (c^2e^7))) / (2c^2d + b^2c^2e)^{1/2}$

sympy [A] time = 0.79, size = 160, normalized size = 1.23

$$\frac{\sqrt{-\frac{e^3}{c(be+2cd)}} \log\left(-\frac{d}{e} + x^2 + \frac{x\left(-be\sqrt{-\frac{e^3}{c(be+2cd)}} - 2cd\sqrt{-\frac{e^3}{c(be+2cd)}}\right)}{e^2}\right)}{2} + \frac{\sqrt{-\frac{e^3}{c(be+2cd)}} \log\left(-\frac{d}{e} + x^2 + \frac{x\left(be\sqrt{-\frac{e^3}{c(be+2cd)}} + 2cd\sqrt{-\frac{e^3}{c(be+2cd)}}\right)}{e^2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(b*x**2+c*(d**2/e**2+x**4)),x)

[Out] $-\sqrt{-e^3/(c*(b*e + 2*c*d))}*\log(-d/e + x^2 + x*(-b*e*\sqrt{-e^3/(c*(b*e + 2*c*d))} - 2*c*d*\sqrt{-e^3/(c*(b*e + 2*c*d))})/e^2)/2 + \sqrt{-e^3/(c*(b*e + 2*c*d))}*\log(-d/e + x^2 + x*(b*e*\sqrt{-e^3/(c*(b*e + 2*c*d))} + 2*c*d*\sqrt{-e^3/(c*(b*e + 2*c*d))})/e^2)/2$

$$3.37 \quad \int \frac{a-bx^2}{a^2+(-1+2ab)x^2+b^2x^4} dx$$

Optimal. Leaf size=29

$$\frac{1}{2} \log(a+bx^2+x) - \frac{1}{2} \log(a+bx^2-x)$$

[Out] $-1/2*\ln(b*x^2+a-x)+1/2*\ln(b*x^2+a+x)$

Rubi [A] time = 0.03, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$, Rules used = {1164, 628}

$$\frac{1}{2} \log(a+bx^2+x) - \frac{1}{2} \log(a+bx^2-x)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a - b*x^2)/(a^2 + (-1 + 2*a*b)*x^2 + b^2*x^4), x]$

[Out] $-\text{Log}[a - x + b*x^2]/2 + \text{Log}[a + x + b*x^2]/2$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 1164

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> \text{With}[\{q = \text{Rt}[(-2*d)/e - b/c, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ !\text{GtQ}[b^2 - 4*a*c, 0]$

Rubi steps

$$\begin{aligned} \int \frac{a-bx^2}{a^2+(-1+2ab)x^2+b^2x^4} dx &= -\left(\frac{1}{2} \int \frac{\frac{1}{b} + 2x}{-\frac{a}{b} - \frac{x}{b} - x^2} dx\right) - \frac{1}{2} \int \frac{\frac{1}{b} - 2x}{-\frac{a}{b} + \frac{x}{b} - x^2} dx \\ &= -\frac{1}{2} \log(a-x+bx^2) + \frac{1}{2} \log(a+x+bx^2) \end{aligned}$$

Mathematica [A] time = 0.02, size = 29, normalized size = 1.00

$$\frac{1}{2} \log(a + bx^2 + x) - \frac{1}{2} \log(a + bx^2 - x)$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^2)/(a^2 + (-1 + 2*a*b)*x^2 + b^2*x^4), x]

[Out] -1/2*Log[a - x + b*x^2] + Log[a + x + b*x^2]/2

fricas [A] time = 0.40, size = 25, normalized size = 0.86

$$\frac{1}{2} \log(bx^2 + a + x) - \frac{1}{2} \log(bx^2 + a - x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+a)/(a^2+(2*a*b-1)*x^2+b^2*x^4), x, algorithm="fricas")

[Out] 1/2*log(b*x^2 + a + x) - 1/2*log(b*x^2 + a - x)

giac [A] time = 0.24, size = 25, normalized size = 0.86

$$\frac{1}{2} \log(bx^2 + a + x) - \frac{1}{2} \log(bx^2 + a - x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+a)/(a^2+(2*a*b-1)*x^2+b^2*x^4), x, algorithm="giac")

[Out] 1/2*log(b*x^2 + a + x) - 1/2*log(b*x^2 + a - x)

maple [A] time = 0.01, size = 26, normalized size = 0.90

$$-\frac{\ln(bx^2 + a - x)}{2} + \frac{\ln(bx^2 + a + x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^2+a)/(a^2+(2*a*b-1)*x^2+b^2*x^4), x)

[Out] -1/2*ln(b*x^2+a-x)+1/2*ln(b*x^2+a+x)

maxima [A] time = 1.04, size = 25, normalized size = 0.86

$$\frac{1}{2} \log(bx^2 + a + x) - \frac{1}{2} \log(bx^2 + a - x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x^2+a)/(a^2+(2*a*b-1)*x^2+b^2*x^4),x, algorithm="maxima")`

[Out] $1/2*\log(b*x^2 + a + x) - 1/2*\log(b*x^2 + a - x)$

mupad [B] time = 4.41, size = 12, normalized size = 0.41

$$\operatorname{atanh}\left(\frac{x}{bx^2 + a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a - b*x^2)/(x^2*(2*a*b - 1) + a^2 + b^2*x^4),x)`

[Out] $\operatorname{atanh}(x/(a + b*x^2))$

sympy [A] time = 0.47, size = 26, normalized size = 0.90

$$-\frac{\log\left(\frac{a}{b} + x^2 - \frac{x}{b}\right)}{2} + \frac{\log\left(\frac{a}{b} + x^2 + \frac{x}{b}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x**2+a)/(a**2+(2*a*b-1)*x**2+b**2*x**4),x)`

[Out] $-\log(a/b + x**2 - x/b)/2 + \log(a/b + x**2 + x/b)/2$

$$3.38 \quad \int \frac{a+bx^2}{a^2+(-1+2ab)x^2+b^2x^4} dx$$

Optimal. Leaf size=60

$$\frac{\tanh^{-1}\left(\frac{1-2bx}{\sqrt{1-4ab}}\right)}{\sqrt{1-4ab}} - \frac{\tanh^{-1}\left(\frac{2bx+1}{\sqrt{1-4ab}}\right)}{\sqrt{1-4ab}}$$

[Out] arctanh((-2*b*x+1)/(-4*a*b+1)^(1/2))/(-4*a*b+1)^(1/2)-arctanh((2*b*x+1)/(-4*a*b+1)^(1/2))/(-4*a*b+1)^(1/2)

Rubi [A] time = 0.07, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1161, 618, 206}

$$\frac{\tanh^{-1}\left(\frac{1-2bx}{\sqrt{1-4ab}}\right)}{\sqrt{1-4ab}} - \frac{\tanh^{-1}\left(\frac{2bx+1}{\sqrt{1-4ab}}\right)}{\sqrt{1-4ab}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(a^2 + (-1 + 2*a*b)*x^2 + b^2*x^4), x]

[Out] ArcTanh[(1 - 2*b*x)/Sqrt[1 - 4*a*b]]/Sqrt[1 - 4*a*b] - ArcTanh[(1 + 2*b*x)/Sqrt[1 - 4*a*b]]/Sqrt[1 - 4*a*b]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2],

0)))

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2}{a^2 + (-1 + 2ab)x^2 + b^2x^4} dx &= \frac{\int \frac{1}{\frac{a}{b} - \frac{x}{b} + x^2} dx}{2b} + \frac{\int \frac{1}{\frac{a}{b} + \frac{x}{b} + x^2} dx}{2b} \\ &= \frac{\text{Subst}\left(\int \frac{1}{\frac{1-4ab}{b^2} - x^2} dx, x, -\frac{1}{b} + 2x\right)}{b} - \frac{\text{Subst}\left(\int \frac{1}{\frac{1-4ab}{b^2} - x^2} dx, x, \frac{1}{b} + 2x\right)}{b} \\ &= \frac{\tanh^{-1}\left(\frac{1-2bx}{\sqrt{1-4ab}}\right)}{\sqrt{1-4ab}} - \frac{\tanh^{-1}\left(\frac{1+2bx}{\sqrt{1-4ab}}\right)}{\sqrt{1-4ab}} \end{aligned}$$

Mathematica [B] time = 0.20, size = 138, normalized size = 2.30

$$\frac{(\sqrt{1-4ab}+1) \tan^{-1}\left(\frac{bx}{\sqrt{ab-\frac{1}{2}}\sqrt{1-4ab}-\frac{1}{2}}\right) + (\sqrt{1-4ab}-1) \tan^{-1}\left(\frac{\sqrt{2}bx}{\sqrt{2ab+\sqrt{1-4ab}-1}}\right)}{\frac{\sqrt{2ab-\sqrt{1-4ab}-1}}{\sqrt{2-8ab}} + \frac{\sqrt{2ab+\sqrt{1-4ab}-1}}{\sqrt{2-8ab}}}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*x^2)/(a^2 + (-1 + 2*a*b)*x^2 + b^2*x^4), x]`

```
[Out] (((1 + Sqrt[1 - 4*a*b])*ArcTan[(b*x)/Sqrt[-1/2 + a*b - Sqrt[1 - 4*a*b]/2]])/Sqrt[-1 + 2*a*b - Sqrt[1 - 4*a*b]] + ((-1 + Sqrt[1 - 4*a*b])*ArcTan[(Sqrt[2]*b*x)/Sqrt[-1 + 2*a*b + Sqrt[1 - 4*a*b]])/Sqrt[-1 + 2*a*b + Sqrt[1 - 4*a*b]])/Sqrt[2 - 8*a*b]
```

fricas [A] time = 0.46, size = 164, normalized size = 2.73

$$\left[\frac{\sqrt{-4ab+1} \log\left(\frac{b^2x^4 - (6ab-1)x^2 + a^2 - 2(bx^3 - ax)\sqrt{-4ab+1}}{b^2x^4 + (2ab-1)x^2 + a^2}\right)}{2(4ab-1)}, \frac{\sqrt{4ab-1} \arctan\left(\frac{bx}{\sqrt{4ab-1}}\right) + \sqrt{4ab-1} \arctan\left(\frac{(b^2x^3 + 3bx^2 + 3bx - a)\sqrt{4ab-1}}{b^2x^4 + (2ab-1)x^2 + a^2}\right)}{4ab-1} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((b*x^2+a)/(a^2+(2*a*b-1)*x^2+b^2*x^4), x, algorithm="fricas")`

[Out] $[-1/2\sqrt{-4ab+1}\log((b^2x^4 - (6ab-1)x^2 + a^2 - 2(bx^3 - ax)\sqrt{-4ab+1}))/((b^2x^4 + (2ab-1)x^2 + a^2))/(4ab-1), (\sqrt{4ab-1}\arctan(bx/\sqrt{4ab-1}) + \sqrt{4ab-1}\arctan((b^2x^3 + (3ab-1)x)\sqrt{4ab-1}))/((4a^2b-a)))/(4ab-1)]$

giac [A] time = 0.18, size = 51, normalized size = 0.85

$$\frac{\arctan\left(\frac{2bx+1}{\sqrt{4ab-1}}\right)}{\sqrt{4ab-1}} + \frac{\arctan\left(\frac{2bx-1}{\sqrt{4ab-1}}\right)}{\sqrt{4ab-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^2+a)/(a^2+(2*a*b-1)*x^2+b^2*x^4),x, algorithm="giac")`

[Out] $\arctan((2bx+1)/\sqrt{4ab-1})/\sqrt{4ab-1} + \arctan((2bx-1)/\sqrt{4ab-1})/\sqrt{4ab-1}$

maple [A] time = 0.01, size = 52, normalized size = 0.87

$$\frac{\arctan\left(\frac{2bx-1}{\sqrt{4ab-1}}\right)}{\sqrt{4ab-1}} + \frac{\arctan\left(\frac{2bx+1}{\sqrt{4ab-1}}\right)}{\sqrt{4ab-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^2+a)/(a^2+(2*a*b-1)*x^2+b^2*x^4),x)`

[Out] $1/(4ab-1)^{1/2}\arctan((2bx-1)/(4ab-1)^{1/2})+1/(4ab-1)^{1/2}\arctan((2bx+1)/(4ab-1)^{1/2})$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^2+a)/(a^2+(2*a*b-1)*x^2+b^2*x^4),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a*b-0.25>0)', see `assume?` for more details)Is a*b-0.25 positive or negative?

mupad [B] time = 0.07, size = 55, normalized size = 0.92

$$\frac{\operatorname{atan}\left(\frac{bx}{\sqrt{4ab-1}}\right) + \operatorname{atan}\left(\frac{\frac{3x(4ab-1)}{4} - \frac{x}{4} + b^2x^3}{a\sqrt{4ab-1}}\right)}{\sqrt{4ab-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2)/(x^2*(2*a*b - 1) + a^2 + b^2*x^4), x)`

[Out] `(atan((b*x)/(4*a*b - 1)^(1/2)) + atan(((3*x*(4*a*b - 1))/4 - x/4 + b^2*x^3)/(a*(4*a*b - 1)^(1/2))))/(4*a*b - 1)^(1/2)`

sympy [B] time = 0.46, size = 117, normalized size = 1.95

$$\frac{\sqrt{-\frac{1}{4ab-1}} \log\left(-\frac{a}{b} + x^2 + \frac{x\left(-4ab\sqrt{-\frac{1}{4ab-1}} + \sqrt{-\frac{1}{4ab-1}}\right)}{b}\right)}{2} + \frac{\sqrt{-\frac{1}{4ab-1}} \log\left(-\frac{a}{b} + x^2 + \frac{x\left(4ab\sqrt{-\frac{1}{4ab-1}} - \sqrt{-\frac{1}{4ab-1}}\right)}{b}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**2+a)/(a**2+(2*a*b-1)*x**2+b**2*x**4), x)`

[Out] `-sqrt(-1/(4*a*b - 1))*log(-a/b + x**2 + x*(-4*a*b*sqrt(-1/(4*a*b - 1)) + sqrt(-1/(4*a*b - 1)))/b)/2 + sqrt(-1/(4*a*b - 1))*log(-a/b + x**2 + x*(4*a*b*sqrt(-1/(4*a*b - 1)) - sqrt(-1/(4*a*b - 1)))/b)/2`

$$3.39 \quad \int \frac{1+2x^2}{1+bx^2+4x^4} dx$$

Optimal. Leaf size=62

$$\frac{\tan^{-1}\left(\frac{\sqrt{4-b}+4x}{\sqrt{b+4}}\right)}{\sqrt{b+4}} - \frac{\tan^{-1}\left(\frac{\sqrt{4-b}-4x}{\sqrt{b+4}}\right)}{\sqrt{b+4}}$$

[Out] $-\arctan((-4*x+(4-b)^{(1/2)})/(4+b)^{(1/2)))/(4+b)^{(1/2)}+\arctan((4*x+(4-b)^{(1/2)})/(4+b)^{(1/2)))/(4+b)^{(1/2))}$

Rubi [A] time = 0.06, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1161, 618, 204}

$$\frac{\tan^{-1}\left(\frac{\sqrt{4-b}+4x}{\sqrt{b+4}}\right)}{\sqrt{b+4}} - \frac{\tan^{-1}\left(\frac{\sqrt{4-b}-4x}{\sqrt{b+4}}\right)}{\sqrt{b+4}}$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2)/(1 + b*x^2 + 4*x^4), x]

[Out] $-(\text{ArcTan}[(\text{Sqrt}[4 - b] - 4*x)/\text{Sqrt}[4 + b]]/\text{Sqrt}[4 + b]) + \text{ArcTan}[(\text{Sqrt}[4 - b] + 4*x)/\text{Sqrt}[4 + b]]/\text{Sqrt}[4 + b]$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1+2x^2}{1+bx^2+4x^4} dx &= \frac{1}{4} \int \frac{1}{\frac{1}{2} - \frac{1}{2}\sqrt{4-b}x + x^2} dx + \frac{1}{4} \int \frac{1}{\frac{1}{2} + \frac{1}{2}\sqrt{4-b}x + x^2} dx \\
&= -\left(\frac{1}{2} \text{Subst}\left(\int \frac{1}{\frac{1}{4}(-4-b) - x^2} dx, x, -\frac{\sqrt{4-b}}{2} + 2x\right)\right) - \frac{1}{2} \text{Subst}\left(\int \frac{1}{\frac{1}{4}(-4-b) - x^2} dx, x, \frac{\sqrt{4-b}}{2} + 2x\right) \\
&= -\frac{\tan^{-1}\left(\frac{\sqrt{4-b}-4x}{\sqrt{4+b}}\right)}{\sqrt{4+b}} + \frac{\tan^{-1}\left(\frac{\sqrt{4-b}+4x}{\sqrt{4+b}}\right)}{\sqrt{4+b}}
\end{aligned}$$

Mathematica [B] time = 0.06, size = 126, normalized size = 2.03

$$\frac{\left(\sqrt{b^2-16}-b+4\right)\tan^{-1}\left(\frac{2\sqrt{2}x}{\sqrt{b-\sqrt{b^2-16}}}\right)}{\sqrt{b-\sqrt{b^2-16}}} + \frac{\left(\sqrt{b^2-16}+b-4\right)\tan^{-1}\left(\frac{2\sqrt{2}x}{\sqrt{\sqrt{b^2-16}+b}}\right)}{\sqrt{\sqrt{b^2-16}+b}}}{\sqrt{2}\sqrt{b^2-16}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 + b*x^2 + 4*x^4), x]

[Out] (((4 - b + Sqrt[-16 + b^2])*ArcTan[(2*Sqrt[2]*x)/Sqrt[b - Sqrt[-16 + b^2]]])/Sqrt[b - Sqrt[-16 + b^2]] + ((-4 + b + Sqrt[-16 + b^2])*ArcTan[(2*Sqrt[2]*x)/Sqrt[b + Sqrt[-16 + b^2]]])/Sqrt[b + Sqrt[-16 + b^2]])/(Sqrt[2]*Sqrt[-16 + b^2])

fricas [A] time = 0.42, size = 110, normalized size = 1.77

$$\left[\frac{\sqrt{-b-4} \log\left(\frac{4x^4-(b+8)x^2-2(2x^3-x)\sqrt{-b-4}+1}{4x^4+bx^2+1}\right)}{2(b+4)}, \frac{\sqrt{b+4} \arctan\left(\frac{4x^3+(b+2)x}{\sqrt{b+4}}\right) + \sqrt{b+4} \arctan\left(\frac{2x}{\sqrt{b+4}}\right)}{b+4} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+b*x^2+1), x, algorithm="fricas")

[Out] [-1/2*sqrt(-b - 4)*log((4*x^4 - (b + 8)*x^2 - 2*(2*x^3 - x)*sqrt(-b - 4) + 1)/(4*x^4 + b*x^2 + 1))/(b + 4), (sqrt(b + 4)*arctan((4*x^3 + (b + 2)*x)/sqrt(b + 4)) + sqrt(b + 4)*arctan(2*x/sqrt(b + 4)))/(b + 4)]

giac [A] time = 0.31, size = 77, normalized size = 1.24

$$\frac{\sqrt{b+4}(b-8)\arctan\left(\frac{4\sqrt{\frac{1}{2}}x}{\sqrt{b+\sqrt{b^2-16}}}\right)}{b^2-4b-32} + \frac{\sqrt{b+4}(b-8)\arctan\left(\frac{4\sqrt{\frac{1}{2}}x}{\sqrt{b-\sqrt{b^2-16}}}\right)}{b^2-4b-32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+b*x^2+1),x, algorithm="giac")

[Out] sqrt(b + 4)*(b - 8)*arctan(4*sqrt(1/2)*x/sqrt(b + sqrt(b^2 - 16)))/(b^2 - 4*b - 32) + sqrt(b + 4)*(b - 8)*arctan(4*sqrt(1/2)*x/sqrt(b - sqrt(b^2 - 16)))/(b^2 - 4*b - 32)

maple [B] time = 0.04, size = 277, normalized size = 4.47

$$\frac{b \arctan\left(\frac{4x}{\sqrt{2b-2\sqrt{(b-4)(b+4)}}}\right)}{\sqrt{(b-4)(b+4)}\sqrt{2b-2\sqrt{(b-4)(b+4)}}} + \frac{b \arctan\left(\frac{4x}{\sqrt{2b+2\sqrt{(b-4)(b+4)}}}\right)}{\sqrt{(b-4)(b+4)}\sqrt{2b+2\sqrt{(b-4)(b+4)}}} + \frac{4 \arctan\left(\frac{4x}{\sqrt{2b-2\sqrt{(b-4)(b+4)}}}\right)}{\sqrt{(b-4)(b+4)}\sqrt{2b-2\sqrt{(b-4)(b+4)}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2+1)/(4*x^4+b*x^2+1),x)

[Out] 4/((b-4)*(4+b))^(1/2)/(-2*((b-4)*(4+b))^(1/2)+2*b)^(1/2)*arctan(4*x/(-2*((b-4)*(4+b))^(1/2)+2*b)^(1/2))+1/(-2*((b-4)*(4+b))^(1/2)+2*b)^(1/2)*arctan(4*x/(-2*((b-4)*(4+b))^(1/2)+2*b)^(1/2))-1/((b-4)*(4+b))^(1/2)/(-2*((b-4)*(4+b))^(1/2)+2*b)^(1/2)*arctan(4*x/(-2*((b-4)*(4+b))^(1/2)+2*b)^(1/2))*b-4/((b-4)*(4+b))^(1/2)/(2*((b-4)*(4+b))^(1/2)+2*b)^(1/2)*arctan(4*x/(2*((b-4)*(4+b))^(1/2)+2*b)^(1/2))+1/(2*((b-4)*(4+b))^(1/2)+2*b)^(1/2)*arctan(4*x/(2*((b-4)*(4+b))^(1/2)+2*b)^(1/2))+1/((b-4)*(4+b))^(1/2)/(2*((b-4)*(4+b))^(1/2)+2*b)^(1/2)*arctan(4*x/(2*((b-4)*(4+b))^(1/2)+2*b)^(1/2))*b

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x^2 + 1}{4x^4 + bx^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+b*x^2+1),x, algorithm="maxima")

[Out] integrate((2*x^2 + 1)/(4*x^4 + b*x^2 + 1), x)

mupad [B] time = 4.39, size = 66, normalized size = 1.06

$$\frac{\operatorname{atan}\left(\frac{-b^3x-4b^2x^3-2b^2x+16bx+64x^3+32x}{(b^2-16)\sqrt{b+4}}\right) - \operatorname{atan}\left(\frac{2x}{\sqrt{b+4}}\right)}{\sqrt{b+4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2 + 1)/(b*x^2 + 4*x^4 + 1), x)`

[Out] `-(atan((32*x + 16*b*x - 2*b^2*x - b^3*x + 64*x^3 - 4*b^2*x^3)/((b^2 - 16)*(b + 4)^(1/2)))) - atan((2*x)/(b + 4)^(1/2)))/(b + 4)^(1/2)`

sympy [A] time = 0.38, size = 95, normalized size = 1.53

$$\frac{\sqrt{-\frac{1}{b+4}} \log\left(x^2 + x\left(-\frac{b\sqrt{-\frac{1}{b+4}}}{2} - 2\sqrt{-\frac{1}{b+4}}\right) - \frac{1}{2}\right)}{2} + \frac{\sqrt{-\frac{1}{b+4}} \log\left(x^2 + x\left(\frac{b\sqrt{-\frac{1}{b+4}}}{2} + 2\sqrt{-\frac{1}{b+4}}\right) - \frac{1}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x**2+1)/(4*x**4+b*x**2+1), x)`

[Out] `-sqrt(-1/(b + 4))*log(x**2 + x*(-b*sqrt(-1/(b + 4)))/2 - 2*sqrt(-1/(b + 4))) - 1/2)/2 + sqrt(-1/(b + 4))*log(x**2 + x*(b*sqrt(-1/(b + 4)))/2 + 2*sqrt(-1/(b + 4))) - 1/2)/2`

$$3.40 \quad \int \frac{1+2x^2}{1-bx^2+4x^4} dx$$

Optimal. Leaf size=66

$$\frac{\tan^{-1}\left(\frac{\sqrt{b+4}+4x}{\sqrt{4-b}}\right)}{\sqrt{4-b}} - \frac{\tan^{-1}\left(\frac{\sqrt{b+4}-4x}{\sqrt{4-b}}\right)}{\sqrt{4-b}}$$

[Out] $-\arctan((-4*x+(4+b)^(1/2))/(4-b)^(1/2))/(4-b)^(1/2)+\arctan((4*x+(4+b)^(1/2))/(4-b)^(1/2))/(4-b)^(1/2)$

Rubi [A] time = 0.06, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$, Rules used = {1161, 618, 204}

$$\frac{\tan^{-1}\left(\frac{\sqrt{b+4}+4x}{\sqrt{4-b}}\right)}{\sqrt{4-b}} - \frac{\tan^{-1}\left(\frac{\sqrt{b+4}-4x}{\sqrt{4-b}}\right)}{\sqrt{4-b}}$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2)/(1 - b*x^2 + 4*x^4), x]

[Out] $-(\text{ArcTan}[(\text{Sqrt}[4 + b] - 4*x)/\text{Sqrt}[4 - b]]/\text{Sqrt}[4 - b]) + \text{ArcTan}[(\text{Sqrt}[4 + b] + 4*x)/\text{Sqrt}[4 - b]]/\text{Sqrt}[4 - b]$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1+2x^2}{1-bx^2+4x^4} dx &= \frac{1}{4} \int \frac{1}{\frac{1}{2} - \frac{1}{2}\sqrt{4+b}x + x^2} dx + \frac{1}{4} \int \frac{1}{\frac{1}{2} + \frac{1}{2}\sqrt{4+b}x + x^2} dx \\
&= -\left(\frac{1}{2} \text{Subst}\left(\int \frac{1}{\frac{1}{4}(-4+b) - x^2} dx, x, -\frac{\sqrt{4+b}}{2} + 2x\right)\right) - \frac{1}{2} \text{Subst}\left(\int \frac{1}{\frac{1}{4}(-4+b) - x^2} dx, x, \frac{\sqrt{4+b}}{2} + 2x\right) \\
&= -\frac{\tan^{-1}\left(\frac{\sqrt{4+b}-4x}{\sqrt{4-b}}\right)}{\sqrt{4-b}} + \frac{\tan^{-1}\left(\frac{\sqrt{4+b}+4x}{\sqrt{4-b}}\right)}{\sqrt{4-b}}
\end{aligned}$$

Mathematica [B] time = 0.06, size = 134, normalized size = 2.03

$$\frac{\left(\sqrt{b^2-16}+b+4\right)\tan^{-1}\left(\frac{2\sqrt{2}x}{\sqrt{-\sqrt{b^2-16}-b}}\right)}{\sqrt{-\sqrt{b^2-16}-b}} + \frac{\left(\sqrt{b^2-16}-b-4\right)\tan^{-1}\left(\frac{2\sqrt{2}x}{\sqrt{\sqrt{b^2-16}-b}}\right)}{\sqrt{\sqrt{b^2-16}-b}}}{\sqrt{2}\sqrt{b^2-16}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 - b*x^2 + 4*x^4), x]

[Out] (((4 + b + Sqrt[-16 + b^2])*ArcTan[(2*Sqrt[2]*x)/Sqrt[-b - Sqrt[-16 + b^2]]])/Sqrt[-b - Sqrt[-16 + b^2]] + ((-4 - b + Sqrt[-16 + b^2])*ArcTan[(2*Sqrt[2]*x)/Sqrt[-b + Sqrt[-16 + b^2]]])/Sqrt[-b + Sqrt[-16 + b^2]])/(Sqrt[2]*Sqrt[-16 + b^2])

fricas [A] time = 0.43, size = 120, normalized size = 1.82

$$\left[\frac{\log\left(\frac{4x^4+(b-8)x^2-2(2x^3-x)\sqrt{b-4}+1}{4x^4-bx^2+1}\right)}{2\sqrt{b-4}}, \frac{\sqrt{-b+4}\arctan\left(\frac{(4x^3-(b-2)x)\sqrt{-b+4}}{b-4}\right) + \sqrt{-b+4}\arctan\left(\frac{2\sqrt{-b+4}x}{b-4}\right)}{b-4} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-b*x^2+1), x, algorithm="fricas")

[Out] [1/2*log((4*x^4 + (b - 8)*x^2 - 2*(2*x^3 - x)*sqrt(b - 4) + 1)/(4*x^4 - b*x^2 + 1))/sqrt(b - 4), (sqrt(-b + 4)*arctan((4*x^3 - (b - 2)*x)*sqrt(-b + 4)/(b - 4)) + sqrt(-b + 4)*arctan(2*sqrt(-b + 4)*x/(b - 4)))/(b - 4)]

giac [A] time = 0.31, size = 80, normalized size = 1.21

$$\frac{(b+8)\sqrt{-b+4} \arctan\left(\frac{x}{\sqrt{-\frac{1}{8}b + \frac{1}{8}\sqrt{b^2-16}}}\right)}{b^2+4b-32} - \frac{(b+8)\sqrt{-b+4} \arctan\left(\frac{x}{\sqrt{-\frac{1}{8}b - \frac{1}{8}\sqrt{b^2-16}}}\right)}{b^2+4b-32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-b*x^2+1),x, algorithm="giac")

[Out] (b+8)*sqrt(-b+4)*arctan(x/sqrt(-1/8*b+1/8*sqrt(b^2-16)))/(b^2+4*b-32) - (b+8)*sqrt(-b+4)*arctan(x/sqrt(-1/8*b-1/8*sqrt(b^2-16)))/(b^2+4*b-32)

maple [B] time = 0.03, size = 277, normalized size = 4.20

$$\frac{b \arctan\left(\frac{4x}{\sqrt{-2b-2\sqrt{(b-4)(b+4)}}}\right)}{\sqrt{(b-4)(b+4)} \sqrt{-2b-2\sqrt{(b-4)(b+4)}}} - \frac{b \arctan\left(\frac{4x}{\sqrt{-2b+2\sqrt{(b-4)(b+4)}}}\right)}{\sqrt{(b-4)(b+4)} \sqrt{-2b+2\sqrt{(b-4)(b+4)}}} + \frac{4 \arctan\left(\frac{x}{\sqrt{-2b-2\sqrt{(b-4)(b+4)}}}\right)}{\sqrt{(b-4)(b+4)} \sqrt{-2b-2\sqrt{(b-4)(b+4)}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2+1)/(4*x^4-b*x^2+1),x)

[Out] -4/((b-4)*(b+4))^(1/2)/(2*((b-4)*(b+4))^(1/2)-2*b)^(1/2)*arctan(4*x/(2*((b-4)*(b+4))^(1/2)-2*b)^(1/2))+1/(2*((b-4)*(b+4))^(1/2)-2*b)^(1/2)*arctan(4*x/(2*((b-4)*(b+4))^(1/2)-2*b)^(1/2))-1/((b-4)*(b+4))^(1/2)/(2*((b-4)*(b+4))^(1/2)-2*b)^(1/2)*arctan(4*x/(2*((b-4)*(b+4))^(1/2)-2*b)^(1/2))*b+4/((b-4)*(b+4))^(1/2)/(-2*((b-4)*(b+4))^(1/2)-2*b)^(1/2)*arctan(4*x/(-2*((b-4)*(b+4))^(1/2)-2*b)^(1/2))+1/(-2*((b-4)*(b+4))^(1/2)-2*b)^(1/2)*arctan(4*x/(-2*((b-4)*(b+4))^(1/2)-2*b)^(1/2))+1/((b-4)*(b+4))^(1/2)/(-2*((b-4)*(b+4))^(1/2)-2*b)^(1/2)*arctan(4*x/(-2*((b-4)*(b+4))^(1/2)-2*b)^(1/2))*b

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x^2+1}{4x^4-bx^2+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-b*x^2+1),x, algorithm="maxima")

[Out] integrate((2*x^2+1)/(4*x^4-b*x^2+1),x)

mupad [B] time = 4.41, size = 24, normalized size = 0.36

$$-\frac{\operatorname{atanh}\left(\frac{x\sqrt{b-4}}{2x^2-1}\right)}{\sqrt{b-4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2 + 1)/(4*x^4 - b*x^2 + 1), x)`

[Out] `-atanh((x*(b - 4)^(1/2))/(2*x^2 - 1))/(b - 4)^(1/2)`

sympy [A] time = 0.39, size = 83, normalized size = 1.26

$$\frac{\sqrt{\frac{1}{b-4}} \log\left(x^2 + x\left(-\frac{b\sqrt{\frac{1}{b-4}}}{2} + 2\sqrt{\frac{1}{b-4}}\right) - \frac{1}{2}\right)}{2} - \frac{\sqrt{\frac{1}{b-4}} \log\left(x^2 + x\left(\frac{b\sqrt{\frac{1}{b-4}}}{2} - 2\sqrt{\frac{1}{b-4}}\right) - \frac{1}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x**2+1)/(4*x**4-b*x**2+1), x)`

[Out] `sqrt(1/(b - 4))*log(x**2 + x*(-b*sqrt(1/(b - 4)))/2 + 2*sqrt(1/(b - 4))) - 1/2)/2 - sqrt(1/(b - 4))*log(x**2 + x*(b*sqrt(1/(b - 4)))/2 - 2*sqrt(1/(b - 4))) - 1/2)/2`

$$3.41 \quad \int \frac{1+2x^2}{1+6x^2+4x^4} dx$$

Optimal. Leaf size=45

$$\frac{\tan^{-1}\left(\frac{2x}{\sqrt{3-\sqrt{5}}}\right)}{\sqrt{10}} + \frac{\tan^{-1}\left(\frac{2x}{\sqrt{3+\sqrt{5}}}\right)}{\sqrt{10}}$$

[Out] 1/10*arctan(2*x/(1/2*10^(1/2)-1/2*2^(1/2)))*10^(1/2)+1/10*arctan(2*x/(1/2*10^(1/2)+1/2*2^(1/2)))*10^(1/2)

Rubi [A] time = 0.06, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1163, 203}

$$\frac{\tan^{-1}\left(\frac{2x}{\sqrt{3-\sqrt{5}}}\right)}{\sqrt{10}} + \frac{\tan^{-1}\left(\frac{2x}{\sqrt{3+\sqrt{5}}}\right)}{\sqrt{10}}$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2)/(1 + 6*x^2 + 4*x^4), x]

[Out] ArcTan[(2*x)/Sqrt[3 - Sqrt[5]]]/Sqrt[10] + ArcTan[(2*x)/Sqrt[3 + Sqrt[5]]]/Sqrt[10]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1163

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1+2x^2}{1+6x^2+4x^4} dx = \frac{1}{5}(5-\sqrt{5}) \int \frac{1}{3-\sqrt{5}+4x^2} dx + \frac{1}{5}(5+\sqrt{5}) \int \frac{1}{3+\sqrt{5}+4x^2} dx$$

$$= \frac{\tan^{-1}\left(\frac{2x}{\sqrt{3-\sqrt{5}}}\right)}{\sqrt{10}} + \frac{\tan^{-1}\left(\frac{2x}{\sqrt{3+\sqrt{5}}}\right)}{\sqrt{10}}$$

Mathematica [A] time = 0.08, size = 83, normalized size = 1.84

$$\frac{(\sqrt{5}-1) \tan^{-1}\left(\frac{2x}{\sqrt{3-\sqrt{5}}}\right)}{2\sqrt{5}(3-\sqrt{5})} + \frac{(1+\sqrt{5}) \tan^{-1}\left(\frac{2x}{\sqrt{3+\sqrt{5}}}\right)}{2\sqrt{5}(3+\sqrt{5})}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 + 6*x^2 + 4*x^4), x]

[Out] ((-1 + Sqrt[5])*ArcTan[(2*x)/Sqrt[3 - Sqrt[5]]])/(2*Sqrt[5*(3 - Sqrt[5])]) + ((1 + Sqrt[5])*ArcTan[(2*x)/Sqrt[3 + Sqrt[5]]])/(2*Sqrt[5*(3 + Sqrt[5])])

fricas [A] time = 0.40, size = 31, normalized size = 0.69

$$\frac{1}{10} \sqrt{10} \arctan\left(\frac{2}{5} \sqrt{10} (x^3 + 2x)\right) + \frac{1}{10} \sqrt{10} \arctan\left(\frac{1}{5} \sqrt{10} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+6*x^2+1), x, algorithm="fricas")

[Out] 1/10*sqrt(10)*arctan(2/5*sqrt(10)*(x^3 + 2*x)) + 1/10*sqrt(10)*arctan(1/5*sqrt(10)*x)

giac [A] time = 0.17, size = 39, normalized size = 0.87

$$\frac{1}{10} \sqrt{10} \arctan\left(\frac{4x}{\sqrt{10} + \sqrt{2}}\right) + \frac{1}{10} \sqrt{10} \arctan\left(\frac{4x}{\sqrt{10} - \sqrt{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+6*x^2+1), x, algorithm="giac")

[Out] 1/10*sqrt(10)*arctan(4*x/(sqrt(10) + sqrt(2))) + 1/10*sqrt(10)*arctan(4*x/(sqrt(10) - sqrt(2)))

maple [B] time = 0.05, size = 136, normalized size = 3.02

$$-\frac{2\sqrt{5} \arctan\left(\frac{8x}{2\sqrt{10}-2\sqrt{2}}\right)}{5(2\sqrt{10}-2\sqrt{2})} + \frac{2 \arctan\left(\frac{8x}{2\sqrt{10}-2\sqrt{2}}\right)}{2\sqrt{10}-2\sqrt{2}} + \frac{2\sqrt{5} \arctan\left(\frac{8x}{2\sqrt{10}+2\sqrt{2}}\right)}{5(2\sqrt{10}+2\sqrt{2})} + \frac{2 \arctan\left(\frac{8x}{2\sqrt{10}+2\sqrt{2}}\right)}{2\sqrt{10}+2\sqrt{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2+1)/(4*x^4+6*x^2+1),x)

[Out] 2/5*5^(1/2)/(2*10^(1/2)+2*2^(1/2))*arctan(8*x/(2*10^(1/2)+2*2^(1/2)))+2/(2*10^(1/2)+2*2^(1/2))*arctan(8*x/(2*10^(1/2)+2*2^(1/2)))-2/5*5^(1/2)/(2*10^(1/2)-2*2^(1/2))*arctan(8*x/(2*10^(1/2)-2*2^(1/2)))+2/(2*10^(1/2)-2*2^(1/2))*arctan(8*x/(2*10^(1/2)-2*2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x^2 + 1}{4x^4 + 6x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+6*x^2+1),x, algorithm="maxima")

[Out] integrate((2*x^2 + 1)/(4*x^4 + 6*x^2 + 1), x)

mupad [B] time = 0.09, size = 29, normalized size = 0.64

$$\frac{\sqrt{10} \left(\operatorname{atan}\left(\frac{2\sqrt{10}x^3}{5} + \frac{4\sqrt{10}x}{5}\right) + \operatorname{atan}\left(\frac{\sqrt{10}x}{5}\right) \right)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2 + 1)/(6*x^2 + 4*x^4 + 1),x)

[Out] (10^(1/2)*(atan((4*10^(1/2)*x)/5 + (2*10^(1/2)*x^3)/5) + atan((10^(1/2)*x)/5))/10

sympy [A] time = 0.15, size = 42, normalized size = 0.93

$$\frac{\sqrt{10} \left(2 \operatorname{atan}\left(\frac{\sqrt{10}x}{5}\right) + 2 \operatorname{atan}\left(\frac{2\sqrt{10}x^3}{5} + \frac{4\sqrt{10}x}{5}\right) \right)}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x**2+1)/(4*x**4+6*x**2+1),x)

[Out] sqrt(10)*(2*atan(sqrt(10)*x/5) + 2*atan(2*sqrt(10)*x**3/5 + 4*sqrt(10)*x/5))/20

$$3.42 \quad \int \frac{1+2x^2}{1+5x^2+4x^4} dx$$

Optimal. Leaf size=15

$$\frac{1}{3} \tan^{-1}(x) + \frac{1}{3} \tan^{-1}(2x)$$

[Out] 1/3*arctan(x)+1/3*arctan(2*x)

Rubi [A] time = 0.01, antiderivative size = 15, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1163, 203}

$$\frac{1}{3} \tan^{-1}(x) + \frac{1}{3} \tan^{-1}(2x)$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2)/(1 + 5*x^2 + 4*x^4), x]

[Out] ArcTan[x]/3 + ArcTan[2*x]/3

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1163

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\begin{aligned} \int \frac{1+2x^2}{1+5x^2+4x^4} dx &= \frac{2}{3} \int \frac{1}{1+4x^2} dx + \frac{4}{3} \int \frac{1}{4+4x^2} dx \\ &= \frac{1}{3} \tan^{-1}(x) + \frac{1}{3} \tan^{-1}(2x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 17, normalized size = 1.13

$$-\frac{1}{3} \tan^{-1} \left(\frac{3x}{2x^2 - 1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 + 5*x^2 + 4*x^4), x]

[Out] -1/3*ArcTan[(3*x)/(-1 + 2*x^2)]

fricas [A] time = 0.39, size = 19, normalized size = 1.27

$$\frac{1}{3} \arctan \left(\frac{4}{3} x^3 + \frac{7}{3} x \right) + \frac{1}{3} \arctan \left(\frac{2}{3} x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+5*x^2+1), x, algorithm="fricas")

[Out] 1/3*arctan(4/3*x^3 + 7/3*x) + 1/3*arctan(2/3*x)

giac [A] time = 0.15, size = 11, normalized size = 0.73

$$\frac{1}{3} \arctan(2x) + \frac{1}{3} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+5*x^2+1), x, algorithm="giac")

[Out] 1/3*arctan(2*x) + 1/3*arctan(x)

maple [A] time = 0.01, size = 12, normalized size = 0.80

$$\frac{\arctan(x)}{3} + \frac{\arctan(2x)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2+1)/(4*x^4+5*x^2+1), x)

[Out] 1/3*arctan(x)+1/3*arctan(2*x)

maxima [A] time = 2.49, size = 11, normalized size = 0.73

$$\frac{1}{3} \arctan(2x) + \frac{1}{3} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+5*x^2+1),x, algorithm="maxima")

[Out] 1/3*arctan(2*x) + 1/3*arctan(x)

mupad [B] time = 0.07, size = 19, normalized size = 1.27

$$\frac{\operatorname{atan}\left(\frac{2x}{3}\right)}{3} + \frac{\operatorname{atan}\left(\frac{4x^3}{3} + \frac{7x}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2 + 1)/(5*x^2 + 4*x^4 + 1),x)

[Out] atan((2*x)/3)/3 + atan((7*x)/3 + (4*x^3)/3)/3

sympy [B] time = 0.12, size = 22, normalized size = 1.47

$$\frac{\operatorname{atan}\left(\frac{2x}{3}\right)}{3} + \frac{\operatorname{atan}\left(\frac{4x^3}{3} + \frac{7x}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x**2+1)/(4*x**4+5*x**2+1),x)

[Out] atan(2*x/3)/3 + atan(4*x**3/3 + 7*x/3)/3

$$3.43 \quad \int \frac{1+2x^2}{1+4x^2+4x^4} dx$$

Optimal. Leaf size=14

$$\frac{\tan^{-1}(\sqrt{2}x)}{\sqrt{2}}$$

[Out] 1/2*arctan(x*2^(1/2))*2^(1/2)

Rubi [A] time = 0.01, antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {28, 21, 203}

$$\frac{\tan^{-1}(\sqrt{2}x)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2)/(1 + 4*x^2 + 4*x^4), x]

[Out] ArcTan[Sqrt[2]*x]/Sqrt[2]

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :=
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

Rule 28

```
Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :=
  Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] &&
  EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{1+2x^2}{1+4x^2+4x^4} dx &= 4 \int \frac{1+2x^2}{(2+4x^2)^2} dx \\ &= \int \frac{1}{1+2x^2} dx \\ &= \frac{\tan^{-1}(\sqrt{2}x)}{\sqrt{2}} \end{aligned}$$

Mathematica [A] time = 0.00, size = 14, normalized size = 1.00

$$\frac{\tan^{-1}(\sqrt{2}x)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 + 4*x^2 + 4*x^4), x]

[Out] ArcTan[Sqrt[2]*x]/Sqrt[2]

fricas [A] time = 0.40, size = 11, normalized size = 0.79

$$\frac{1}{2} \sqrt{2} \arctan(\sqrt{2}x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+4*x^2+1), x, algorithm="fricas")

[Out] 1/2*sqrt(2)*arctan(sqrt(2)*x)

giac [A] time = 0.16, size = 11, normalized size = 0.79

$$\frac{1}{2} \sqrt{2} \arctan(\sqrt{2}x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+4*x^2+1), x, algorithm="giac")

[Out] 1/2*sqrt(2)*arctan(sqrt(2)*x)

maple [A] time = 0.00, size = 12, normalized size = 0.86

$$\frac{\sqrt{2} \arctan(\sqrt{2}x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2+1)/(4*x^4+4*x^2+1),x)`

[Out] `1/2*arctan(2^(1/2)*x)*2^(1/2)`

maxima [A] time = 2.30, size = 11, normalized size = 0.79

$$\frac{1}{2} \sqrt{2} \arctan(\sqrt{2} x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x^2+1)/(4*x^4+4*x^2+1),x, algorithm="maxima")`

[Out] `1/2*sqrt(2)*arctan(sqrt(2)*x)`

mupad [B] time = 0.03, size = 11, normalized size = 0.79

$$\frac{\sqrt{2} \operatorname{atan}(\sqrt{2} x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2 + 1)/(4*x^2 + 4*x^4 + 1),x)`

[Out] `(2^(1/2)*atan(2^(1/2)*x))/2`

sympy [A] time = 0.12, size = 14, normalized size = 1.00

$$\frac{\sqrt{2} \operatorname{atan}(\sqrt{2} x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x**2+1)/(4*x**4+4*x**2+1),x)`

[Out] `sqrt(2)*atan(sqrt(2)*x)/2`

$$3.44 \quad \int \frac{1+2x^2}{1+3x^2+4x^4} dx$$

Optimal. Leaf size=38

$$\frac{\tan^{-1}\left(\frac{4x+1}{\sqrt{7}}\right)}{\sqrt{7}} - \frac{\tan^{-1}\left(\frac{1-4x}{\sqrt{7}}\right)}{\sqrt{7}}$$

[Out] $-1/7*\arctan(1/7*(1-4*x)*7^{(1/2)})*7^{(1/2)}+1/7*\arctan(1/7*(1+4*x)*7^{(1/2)})*7^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1161, 618, 204}

$$\frac{\tan^{-1}\left(\frac{4x+1}{\sqrt{7}}\right)}{\sqrt{7}} - \frac{\tan^{-1}\left(\frac{1-4x}{\sqrt{7}}\right)}{\sqrt{7}}$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2)/(1 + 3*x^2 + 4*x^4), x]

[Out] $-(\text{ArcTan}[(1 - 4*x)/\text{Sqrt}[7]]/\text{Sqrt}[7]) + \text{ArcTan}[(1 + 4*x)/\text{Sqrt}[7]]/\text{Sqrt}[7]$

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1+2x^2}{1+3x^2+4x^4} dx &= \frac{1}{4} \int \frac{1}{\frac{1}{2} - \frac{x}{2} + x^2} dx + \frac{1}{4} \int \frac{1}{\frac{1}{2} + \frac{x}{2} + x^2} dx \\
&= -\left(\frac{1}{2} \text{Subst}\left(\int \frac{1}{-\frac{7}{4} - x^2} dx, x, -\frac{1}{2} + 2x\right)\right) - \frac{1}{2} \text{Subst}\left(\int \frac{1}{-\frac{7}{4} - x^2} dx, x, \frac{1}{2} + 2x\right) \\
&= -\frac{\tan^{-1}\left(\frac{1-4x}{\sqrt{7}}\right)}{\sqrt{7}} + \frac{\tan^{-1}\left(\frac{1+4x}{\sqrt{7}}\right)}{\sqrt{7}}
\end{aligned}$$

Mathematica [C] time = 0.18, size = 97, normalized size = 2.55

$$\frac{(\sqrt{7}-i)\tan^{-1}\left(\frac{2x}{\sqrt{\frac{1}{2}(3-i\sqrt{7})}}\right)}{\sqrt{42-14i\sqrt{7}}} + \frac{(\sqrt{7}+i)\tan^{-1}\left(\frac{2x}{\sqrt{\frac{1}{2}(3+i\sqrt{7})}}\right)}{\sqrt{42+14i\sqrt{7}}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 + 3*x^2 + 4*x^4), x]

[Out] ((-I + Sqrt[7])*ArcTan[(2*x)/Sqrt[(3 - I*Sqrt[7])/2]])/Sqrt[42 - (14*I)*Sqrt[7]] + ((I + Sqrt[7])*ArcTan[(2*x)/Sqrt[(3 + I*Sqrt[7])/2]])/Sqrt[42 + (14*I)*Sqrt[7]]

fricas [A] time = 0.40, size = 33, normalized size = 0.87

$$\frac{1}{7} \sqrt{7} \arctan\left(\frac{1}{7} \sqrt{7} (4x^3 + 5x)\right) + \frac{1}{7} \sqrt{7} \arctan\left(\frac{2}{7} \sqrt{7} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+3*x^2+1), x, algorithm="fricas")

[Out] 1/7*sqrt(7)*arctan(1/7*sqrt(7)*(4*x^3 + 5*x)) + 1/7*sqrt(7)*arctan(2/7*sqrt(7)*x)

giac [A] time = 0.17, size = 33, normalized size = 0.87

$$\frac{1}{7} \sqrt{7} \arctan\left(\frac{1}{7} \sqrt{7} (4x + 1)\right) + \frac{1}{7} \sqrt{7} \arctan\left(\frac{1}{7} \sqrt{7} (4x - 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+3*x^2+1),x, algorithm="giac")

[Out] 1/7*sqrt(7)*arctan(1/7*sqrt(7)*(4*x + 1)) + 1/7*sqrt(7)*arctan(1/7*sqrt(7)*(4*x - 1))

maple [A] time = 0.01, size = 34, normalized size = 0.89

$$\frac{\sqrt{7} \arctan\left(\frac{(4x+1)\sqrt{7}}{7}\right)}{7} + \frac{\sqrt{7} \arctan\left(\frac{(4x-1)\sqrt{7}}{7}\right)}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2+1)/(4*x^4+3*x^2+1),x)

[Out] 1/7*7^(1/2)*arctan(1/7*(4*x-1)*7^(1/2))+1/7*arctan(1/7*(1+4*x)*7^(1/2))*7^(1/2)

maxima [A] time = 2.39, size = 33, normalized size = 0.87

$$\frac{1}{7} \sqrt{7} \arctan\left(\frac{1}{7} \sqrt{7} (4x + 1)\right) + \frac{1}{7} \sqrt{7} \arctan\left(\frac{1}{7} \sqrt{7} (4x - 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+3*x^2+1),x, algorithm="maxima")

[Out] 1/7*sqrt(7)*arctan(1/7*sqrt(7)*(4*x + 1)) + 1/7*sqrt(7)*arctan(1/7*sqrt(7)*(4*x - 1))

mupad [B] time = 0.09, size = 29, normalized size = 0.76

$$\frac{\sqrt{7} \left(\operatorname{atan}\left(\frac{4\sqrt{7}x^3}{7} + \frac{5\sqrt{7}x}{7}\right) + \operatorname{atan}\left(\frac{2\sqrt{7}x}{7}\right) \right)}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2 + 1)/(3*x^2 + 4*x^4 + 1),x)

[Out] (7^(1/2)*(atan((5*7^(1/2)*x)/7 + (4*7^(1/2)*x^3)/7) + atan((2*7^(1/2)*x)/7))/7

sympy [A] time = 0.14, size = 44, normalized size = 1.16

$$\frac{\sqrt{7} \left(2 \operatorname{atan}\left(\frac{2\sqrt{7}x}{7}\right) + 2 \operatorname{atan}\left(\frac{4\sqrt{7}x^3}{7} + \frac{5\sqrt{7}x}{7}\right) \right)}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*x**2+1)/(4*x**4+3*x**2+1),x)
```

```
[Out] sqrt(7)*(2*atan(2*sqrt(7)*x/7) + 2*atan(4*sqrt(7)*x**3/7 + 5*sqrt(7)*x/7))/  
14
```

$$3.45 \quad \int \frac{1+2x^2}{1+2x^2+4x^4} dx$$

Optimal. Leaf size=48

$$\frac{\tan^{-1}\left(\frac{2\sqrt{2}x+1}{\sqrt{3}}\right)}{\sqrt{6}} - \frac{\tan^{-1}\left(\frac{1-2\sqrt{2}x}{\sqrt{3}}\right)}{\sqrt{6}}$$

[Out] $-1/6*\arctan(1/3*(1-2*x*2^{(1/2)})*3^{(1/2)})*6^{(1/2)}+1/6*\arctan(1/3*(1+2*x*2^{(1/2)})*3^{(1/2)})*6^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1161, 618, 204}

$$\frac{\tan^{-1}\left(\frac{2\sqrt{2}x+1}{\sqrt{3}}\right)}{\sqrt{6}} - \frac{\tan^{-1}\left(\frac{1-2\sqrt{2}x}{\sqrt{3}}\right)}{\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2)/(1 + 2*x^2 + 4*x^4), x]

[Out] $-(\text{ArcTan}[(1 - 2*\text{Sqrt}[2]*x)/\text{Sqrt}[3]]/\text{Sqrt}[6]) + \text{ArcTan}[(1 + 2*\text{Sqrt}[2]*x)/\text{Sqrt}[3]]/\text{Sqrt}[6]$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1+2x^2}{1+2x^2+4x^4} dx &= \frac{1}{4} \int \frac{1}{\frac{1}{2} - \frac{x}{\sqrt{2}} + x^2} dx + \frac{1}{4} \int \frac{1}{\frac{1}{2} + \frac{x}{\sqrt{2}} + x^2} dx \\
&= -\left(\frac{1}{2} \text{Subst}\left(\int \frac{1}{-\frac{3}{2} - x^2} dx, x, -\frac{1}{\sqrt{2}} + 2x\right)\right) - \frac{1}{2} \text{Subst}\left(\int \frac{1}{-\frac{3}{2} - x^2} dx, x, \frac{1}{\sqrt{2}} + 2x\right) \\
&= -\frac{\tan^{-1}\left(\frac{1-2\sqrt{2}x}{\sqrt{3}}\right)}{\sqrt{6}} + \frac{\tan^{-1}\left(\frac{1+2\sqrt{2}x}{\sqrt{3}}\right)}{\sqrt{6}}
\end{aligned}$$

Mathematica [C] time = 0.10, size = 99, normalized size = 2.06

$$\frac{(\sqrt{3}-i)\tan^{-1}\left(\frac{2x}{\sqrt{1-i\sqrt{3}}}\right)}{2\sqrt{3}(1-i\sqrt{3})} + \frac{(\sqrt{3}+i)\tan^{-1}\left(\frac{2x}{\sqrt{1+i\sqrt{3}}}\right)}{2\sqrt{3}(1+i\sqrt{3})}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 + 2*x^2 + 4*x^4), x]

[Out] ((-I + Sqrt[3])*ArcTan[(2*x)/Sqrt[1 - I*Sqrt[3]]])/(2*Sqrt[3*(1 - I*Sqrt[3])]) + ((I + Sqrt[3])*ArcTan[(2*x)/Sqrt[1 + I*Sqrt[3]]])/(2*Sqrt[3*(1 + I*Sqrt[3])])

fricas [A] time = 0.39, size = 29, normalized size = 0.60

$$\frac{1}{6} \sqrt{6} \arctan\left(\frac{2}{3} \sqrt{6} (x^3 + x)\right) + \frac{1}{6} \sqrt{6} \arctan\left(\frac{1}{3} \sqrt{6} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+2*x^2+1), x, algorithm="fricas")

[Out] 1/6*sqrt(6)*arctan(2/3*sqrt(6)*(x^3 + x)) + 1/6*sqrt(6)*arctan(1/3*sqrt(6)*x)

giac [A] time = 0.19, size = 45, normalized size = 0.94

$$\frac{1}{6} \sqrt{6} \arctan\left(\frac{4}{3} \sqrt{3} \left(\frac{1}{4}\right)^{\frac{3}{4}} \left(2x + \left(\frac{1}{4}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{6} \sqrt{6} \arctan\left(\frac{4}{3} \sqrt{3} \left(\frac{1}{4}\right)^{\frac{3}{4}} \left(2x - \left(\frac{1}{4}\right)^{\frac{1}{4}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+2*x^2+1),x, algorithm="giac")

[Out] 1/6*sqrt(6)*arctan(4/3*sqrt(3)*(1/4)^(3/4)*(2*x + (1/4)^(1/4))) + 1/6*sqrt(6)*arctan(4/3*sqrt(3)*(1/4)^(3/4)*(2*x - (1/4)^(1/4)))

maple [A] time = 0.03, size = 40, normalized size = 0.83

$$\frac{\sqrt{6} \arctan\left(\frac{(4x-\sqrt{2})\sqrt{6}}{6}\right)}{6} + \frac{\sqrt{6} \arctan\left(\frac{(4x+\sqrt{2})\sqrt{6}}{6}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2+1)/(4*x^4+2*x^2+1),x)

[Out] 1/6*6^(1/2)*arctan(1/6*(4*x+2^(1/2))*6^(1/2))+1/6*6^(1/2)*arctan(1/6*(4*x-2^(1/2))*6^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x^2 + 1}{4x^4 + 2x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+2*x^2+1),x, algorithm="maxima")

[Out] integrate((2*x^2 + 1)/(4*x^4 + 2*x^2 + 1), x)

mupad [B] time = 4.39, size = 29, normalized size = 0.60

$$\frac{\sqrt{6} \left(\operatorname{atan}\left(\frac{2\sqrt{6}x^3}{3} + \frac{2\sqrt{6}x}{3}\right) + \operatorname{atan}\left(\frac{\sqrt{6}x}{3}\right) \right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2 + 1)/(2*x^2 + 4*x^4 + 1),x)

[Out] (6^(1/2)*(atan((2*6^(1/2)*x)/3 + (2*6^(1/2)*x^3)/3) + atan((6^(1/2)*x)/3)) /6

sympy [A] time = 0.13, size = 42, normalized size = 0.88

$$\frac{\sqrt{6} \left(2 \operatorname{atan}\left(\frac{\sqrt{6}x}{3}\right) + 2 \operatorname{atan}\left(\frac{2\sqrt{6}x^3}{3} + \frac{2\sqrt{6}x}{3}\right) \right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*x**2+1)/(4*x**4+2*x**2+1),x)
```

```
[Out] sqrt(6)*(2*atan(sqrt(6)*x/3) + 2*atan(2*sqrt(6)*x**3/3 + 2*sqrt(6)*x/3))/12
```

$$3.46 \quad \int \frac{1+2x^2}{1+x^2+4x^4} dx$$

Optimal. Leaf size=46

$$\frac{\tan^{-1}\left(\frac{4x+\sqrt{3}}{\sqrt{5}}\right)}{\sqrt{5}} - \frac{\tan^{-1}\left(\frac{\sqrt{3}-4x}{\sqrt{5}}\right)}{\sqrt{5}}$$

[Out] $-1/5*\arctan(1/5*(-4*x+3^{(1/2)})*5^{(1/2)})*5^{(1/2)}+1/5*\arctan(1/5*(4*x+3^{(1/2)})*5^{(1/2)})*5^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {1161, 618, 204}

$$\frac{\tan^{-1}\left(\frac{4x+\sqrt{3}}{\sqrt{5}}\right)}{\sqrt{5}} - \frac{\tan^{-1}\left(\frac{\sqrt{3}-4x}{\sqrt{5}}\right)}{\sqrt{5}}$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2)/(1 + x^2 + 4*x^4), x]

[Out] $-(\text{ArcTan}[(\text{Sqrt}[3] - 4*x)/\text{Sqrt}[5]]/\text{Sqrt}[5]) + \text{ArcTan}[(\text{Sqrt}[3] + 4*x)/\text{Sqrt}[5]]/\text{Sqrt}[5]$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := > With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1+2x^2}{1+x^2+4x^4} dx &= \frac{1}{4} \int \frac{1}{\frac{1}{2} - \frac{\sqrt{3}x}{2} + x^2} dx + \frac{1}{4} \int \frac{1}{\frac{1}{2} + \frac{\sqrt{3}x}{2} + x^2} dx \\
&= -\left(\frac{1}{2} \text{Subst}\left(\int \frac{1}{-\frac{5}{4} - x^2} dx, x, -\frac{\sqrt{3}}{2} + 2x\right)\right) - \frac{1}{2} \text{Subst}\left(\int \frac{1}{-\frac{5}{4} - x^2} dx, x, \frac{\sqrt{3}}{2} + 2x\right) \\
&= -\frac{\tan^{-1}\left(\frac{\sqrt{3}-4x}{\sqrt{5}}\right)}{\sqrt{5}} + \frac{\tan^{-1}\left(\frac{\sqrt{3}+4x}{\sqrt{5}}\right)}{\sqrt{5}}
\end{aligned}$$

Mathematica [C] time = 0.22, size = 97, normalized size = 2.11

$$\frac{(\sqrt{15} - 3i) \tan^{-1}\left(\frac{2x}{\sqrt{\frac{1}{2}(1-i\sqrt{15})}}\right)}{\sqrt{30 - 30i\sqrt{15}}} + \frac{(\sqrt{15} + 3i) \tan^{-1}\left(\frac{2x}{\sqrt{\frac{1}{2}(1+i\sqrt{15})}}\right)}{\sqrt{30 + 30i\sqrt{15}}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 + x^2 + 4*x^4), x]

[Out] ((-3*I + Sqrt[15])*ArcTan[(2*x)/Sqrt[(1 - I*Sqrt[15])/2]])/Sqrt[30 - (30*I)*Sqrt[15]] + ((3*I + Sqrt[15])*ArcTan[(2*x)/Sqrt[(1 + I*Sqrt[15])/2]])/Sqrt[30 + (30*I)*Sqrt[15]]

fricas [A] time = 0.41, size = 33, normalized size = 0.72

$$\frac{1}{5} \sqrt{5} \arctan\left(\frac{1}{5} \sqrt{5} (4x^3 + 3x)\right) + \frac{1}{5} \sqrt{5} \arctan\left(\frac{2}{5} \sqrt{5} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+x^2+1), x, algorithm="fricas")

[Out] 1/5*sqrt(5)*arctan(1/5*sqrt(5)*(4*x^3 + 3*x)) + 1/5*sqrt(5)*arctan(2/5*sqrt(5)*x)

giac [A] time = 0.26, size = 52, normalized size = 1.13

$$\frac{1}{5} \sqrt{5} \arctan\left(\frac{2}{5} \sqrt{10} \left(\frac{1}{4}\right)^{\frac{3}{4}} \left(4x + \sqrt{6} \left(\frac{1}{4}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{5} \sqrt{5} \arctan\left(\frac{2}{5} \sqrt{10} \left(\frac{1}{4}\right)^{\frac{3}{4}} \left(4x - \sqrt{6} \left(\frac{1}{4}\right)^{\frac{1}{4}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+x^2+1),x, algorithm="giac")

[Out] 1/5*sqrt(5)*arctan(2/5*sqrt(10)*(1/4)^(3/4)*(4*x + sqrt(6)*(1/4)^(1/4))) + 1/5*sqrt(5)*arctan(2/5*sqrt(10)*(1/4)^(3/4)*(4*x - sqrt(6)*(1/4)^(1/4)))

maple [A] time = 0.03, size = 40, normalized size = 0.87

$$\frac{\sqrt{5} \arctan\left(\frac{(4x-\sqrt{3})\sqrt{5}}{5}\right)}{5} + \frac{\sqrt{5} \arctan\left(\frac{(4x+\sqrt{3})\sqrt{5}}{5}\right)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2+1)/(4*x^4+x^2+1),x)

[Out] 1/5*arctan(1/5*(4*x+3^(1/2))*5^(1/2))*5^(1/2)+1/5*5^(1/2)*arctan(1/5*(4*x-3^(1/2))*5^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x^2 + 1}{4x^4 + x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+x^2+1),x, algorithm="maxima")

[Out] integrate((2*x^2 + 1)/(4*x^4 + x^2 + 1), x)

mupad [B] time = 4.36, size = 29, normalized size = 0.63

$$\frac{\sqrt{5} \left(\operatorname{atan}\left(\frac{4\sqrt{5}x^3}{5} + \frac{3\sqrt{5}x}{5}\right) + \operatorname{atan}\left(\frac{2\sqrt{5}x}{5}\right) \right)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2 + 1)/(x^2 + 4*x^4 + 1),x)

[Out] (5^(1/2)*(atan((3*5^(1/2)*x)/5 + (4*5^(1/2)*x^3)/5) + atan((2*5^(1/2)*x)/5))/5

sympy [A] time = 0.13, size = 44, normalized size = 0.96

$$\frac{\sqrt{5} \left(2 \operatorname{atan}\left(\frac{2\sqrt{5}x}{5}\right) + 2 \operatorname{atan}\left(\frac{4\sqrt{5}x^3}{5} + \frac{3\sqrt{5}x}{5}\right) \right)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*x**2+1)/(4*x**4+x**2+1),x)
```

```
[Out] sqrt(5)*(2*atan(2*sqrt(5)*x/5) + 2*atan(4*sqrt(5)*x**3/5 + 3*sqrt(5)*x/5))/  
10
```

$$3.47 \quad \int \frac{1+2x^2}{1+4x^4} dx$$

Optimal. Leaf size=21

$$\frac{1}{2} \tan^{-1}(2x+1) - \frac{1}{2} \tan^{-1}(1-2x)$$

[Out] 1/2*arctan(-1+2*x)+1/2*arctan(1+2*x)

Rubi [A] time = 0.01, antiderivative size = 21, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1162, 617, 204}

$$\frac{1}{2} \tan^{-1}(2x+1) - \frac{1}{2} \tan^{-1}(1-2x)$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2)/(1 + 4*x^4), x]

[Out] -ArcTan[1 - 2*x]/2 + ArcTan[1 + 2*x]/2

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rubi steps

$$\begin{aligned}
\int \frac{1+2x^2}{1+4x^4} dx &= \frac{1}{4} \int \frac{1}{\frac{1}{2}-x+x^2} dx + \frac{1}{4} \int \frac{1}{\frac{1}{2}+x+x^2} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{-1-x^2} dx, x, 1-2x \right) - \frac{1}{2} \text{Subst} \left(\int \frac{1}{-1-x^2} dx, x, 1+2x \right) \\
&= -\frac{1}{2} \tan^{-1}(1-2x) + \frac{1}{2} \tan^{-1}(1+2x)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 17, normalized size = 0.81

$$-\frac{1}{2} \tan^{-1} \left(\frac{2x}{2x^2-1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 + 4*x^4), x]

[Out] -1/2*ArcTan[(2*x)/(-1 + 2*x^2)]

fricas [A] time = 0.42, size = 15, normalized size = 0.71

$$\frac{1}{2} \arctan(2x^3 + x) + \frac{1}{2} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+1), x, algorithm="fricas")

[Out] 1/2*arctan(2*x^3 + x) + 1/2*arctan(x)

giac [B] time = 0.16, size = 46, normalized size = 2.19

$$\frac{1}{2} \arctan \left(2\sqrt{2} \left(\frac{1}{4} \right)^{\frac{3}{4}} \left(2x + \sqrt{2} \left(\frac{1}{4} \right)^{\frac{1}{4}} \right) \right) + \frac{1}{2} \arctan \left(2\sqrt{2} \left(\frac{1}{4} \right)^{\frac{3}{4}} \left(2x - \sqrt{2} \left(\frac{1}{4} \right)^{\frac{1}{4}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+1), x, algorithm="giac")

[Out] 1/2*arctan(2*sqrt(2)*(1/4)^(3/4)*(2*x + sqrt(2)*(1/4)^(1/4))) + 1/2*arctan(2*sqrt(2)*(1/4)^(3/4)*(2*x - sqrt(2)*(1/4)^(1/4)))

maple [A] time = 0.01, size = 18, normalized size = 0.86

$$\frac{\arctan(2x+1)}{2} + \frac{\arctan(2x-1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2+1)/(4*x^4+1),x)

[Out] 1/2*arctan(2*x-1)+1/2*arctan(2*x+1)

maxima [A] time = 2.24, size = 17, normalized size = 0.81

$$\frac{1}{2} \arctan(2x+1) + \frac{1}{2} \arctan(2x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4+1),x, algorithm="maxima")

[Out] 1/2*arctan(2*x + 1) + 1/2*arctan(2*x - 1)

mupad [B] time = 4.29, size = 15, normalized size = 0.71

$$\frac{\operatorname{atan}(2x^3+x)}{2} + \frac{\operatorname{atan}(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2 + 1)/(4*x^4 + 1),x)

[Out] atan(x + 2*x^3)/2 + atan(x)/2

sympy [A] time = 0.11, size = 14, normalized size = 0.67

$$\frac{\operatorname{atan}(x)}{2} + \frac{\operatorname{atan}(2x^3+x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x**2+1)/(4*x**4+1),x)

[Out] atan(x)/2 + atan(2*x**3 + x)/2

$$3.48 \quad \int \frac{1+2x^2}{1-x^2+4x^4} dx$$

Optimal. Leaf size=46

$$\frac{\tan^{-1}\left(\frac{4x+\sqrt{5}}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{\tan^{-1}\left(\frac{\sqrt{5}-4x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $-1/3*\arctan(1/3*(-4*x+5^{(1/2)})*3^{(1/2)})*3^{(1/2)}+1/3*\arctan(1/3*(4*x+5^{(1/2)})*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1161, 618, 204}

$$\frac{\tan^{-1}\left(\frac{4x+\sqrt{5}}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{\tan^{-1}\left(\frac{\sqrt{5}-4x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2)/(1 - x^2 + 4*x^4), x]

[Out] $-(\text{ArcTan}[(\text{Sqrt}[5] - 4*x)/\text{Sqrt}[3]]/\text{Sqrt}[3]) + \text{ArcTan}[(\text{Sqrt}[5] + 4*x)/\text{Sqrt}[3]]/\text{Sqrt}[3]$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1+2x^2}{1-x^2+4x^4} dx &= \frac{1}{4} \int \frac{1}{\frac{1}{2} - \frac{\sqrt{5}x}{2} + x^2} dx + \frac{1}{4} \int \frac{1}{\frac{1}{2} + \frac{\sqrt{5}x}{2} + x^2} dx \\
&= -\left(\frac{1}{2} \text{Subst}\left(\int \frac{1}{-\frac{3}{4} - x^2} dx, x, -\frac{\sqrt{5}}{2} + 2x\right)\right) - \frac{1}{2} \text{Subst}\left(\int \frac{1}{-\frac{3}{4} - x^2} dx, x, \frac{\sqrt{5}}{2} + 2x\right) \\
&= -\frac{\tan^{-1}\left(\frac{\sqrt{5}-4x}{\sqrt{3}}\right)}{\sqrt{3}} + \frac{\tan^{-1}\left(\frac{\sqrt{5}+4x}{\sqrt{3}}\right)}{\sqrt{3}}
\end{aligned}$$

Mathematica [C] time = 0.27, size = 101, normalized size = 2.20

$$\frac{(\sqrt{15} - 5i) \tan^{-1}\left(\frac{2x}{\sqrt{\frac{1}{2}(-1-i\sqrt{15})}}\right)}{\sqrt{30}(-1-i\sqrt{15})} + \frac{(\sqrt{15} + 5i) \tan^{-1}\left(\frac{2x}{\sqrt{\frac{1}{2}(-1+i\sqrt{15})}}\right)}{\sqrt{30}(-1+i\sqrt{15})}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 - x^2 + 4*x^4), x]

[Out] ((-5*I + Sqrt[15])*ArcTan[(2*x)/Sqrt[(-1 - I*Sqrt[15])/2]])/Sqrt[30*(-1 - I*Sqrt[15])] + ((5*I + Sqrt[15])*ArcTan[(2*x)/Sqrt[(-1 + I*Sqrt[15])/2]])/Sqrt[30*(-1 + I*Sqrt[15])]

fricas [A] time = 0.38, size = 31, normalized size = 0.67

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (4x^3 + x)\right) + \frac{1}{3} \sqrt{3} \arctan\left(\frac{2}{3} \sqrt{3} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-x^2+1), x, algorithm="fricas")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(4*x^3 + x)) + 1/3*sqrt(3)*arctan(2/3*sqrt(3)*x)

giac [A] time = 0.24, size = 52, normalized size = 1.13

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{2}{3} \sqrt{6} \left(\frac{1}{4}\right)^{\frac{3}{4}} \left(4x + \sqrt{10} \left(\frac{1}{4}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{3} \sqrt{3} \arctan\left(\frac{2}{3} \sqrt{6} \left(\frac{1}{4}\right)^{\frac{3}{4}} \left(4x - \sqrt{10} \left(\frac{1}{4}\right)^{\frac{1}{4}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-x^2+1),x, algorithm="giac")

[Out] $\frac{1}{3}\sqrt{3}\arctan\left(\frac{2}{3}\sqrt{6}\left(\frac{1}{4}\right)^{\frac{3}{4}}(4x + \sqrt{10}\left(\frac{1}{4}\right)^{\frac{1}{4}})\right) + \frac{1}{3}\sqrt{3}\arctan\left(\frac{2}{3}\sqrt{6}\left(\frac{1}{4}\right)^{\frac{3}{4}}(4x - \sqrt{10}\left(\frac{1}{4}\right)^{\frac{1}{4}})\right)$

maple [A] time = 0.03, size = 40, normalized size = 0.87

$$\frac{\sqrt{3} \arctan\left(\frac{(4x-\sqrt{5})\sqrt{3}}{3}\right)}{3} + \frac{\sqrt{3} \arctan\left(\frac{(4x+\sqrt{5})\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2+1)/(4*x^4-x^2+1),x)

[Out] $\frac{1}{3}\arctan\left(\frac{1}{3}(4x+5^{\frac{1}{2}})3^{\frac{1}{2}}\right)3^{\frac{1}{2}} + \frac{1}{3}3^{\frac{1}{2}}\arctan\left(\frac{1}{3}(4x-5^{\frac{1}{2}})3^{\frac{1}{2}}\right)3^{\frac{1}{2}}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x^2 + 1}{4x^4 - x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-x^2+1),x, algorithm="maxima")

[Out] integrate((2*x^2 + 1)/(4*x^4 - x^2 + 1), x)

mupad [B] time = 4.37, size = 29, normalized size = 0.63

$$\frac{\sqrt{3} \left(\operatorname{atan}\left(\frac{4\sqrt{3}x^3}{3} + \frac{\sqrt{3}x}{3}\right) + \operatorname{atan}\left(\frac{2\sqrt{3}x}{3}\right) \right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2 + 1)/(4*x^4 - x^2 + 1),x)

[Out] $\frac{(3^{\frac{1}{2}})(\operatorname{atan}((3^{\frac{1}{2}}x)/3) + (4*3^{\frac{1}{2}}x^3)/3) + \operatorname{atan}((2*3^{\frac{1}{2}}x)/3))}{3}$

sympy [A] time = 0.14, size = 42, normalized size = 0.91

$$\frac{\sqrt{3} \left(2 \operatorname{atan}\left(\frac{2\sqrt{3}x}{3}\right) + 2 \operatorname{atan}\left(\frac{4\sqrt{3}x^3}{3} + \frac{\sqrt{3}x}{3}\right) \right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((2*x**2+1)/(4*x**4-x**2+1),x)
```

```
[Out] sqrt(3)*(2*atan(2*sqrt(3)*x/3) + 2*atan(4*sqrt(3)*x**3/3 + sqrt(3)*x/3))/6
```

$$3.49 \quad \int \frac{1+2x^2}{1-2x^2+4x^4} dx$$

Optimal. Leaf size=44

$$\frac{\tan^{-1}(2\sqrt{2}x + \sqrt{3})}{\sqrt{2}} - \frac{\tan^{-1}(\sqrt{3} - 2\sqrt{2}x)}{\sqrt{2}}$$

[Out] 1/2*arctan(2*x*2^(1/2)-3^(1/2))*2^(1/2)+1/2*arctan(2*x*2^(1/2)+3^(1/2))*2^(1/2)

Rubi [A] time = 0.03, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1161, 618, 204}

$$\frac{\tan^{-1}(2\sqrt{2}x + \sqrt{3})}{\sqrt{2}} - \frac{\tan^{-1}(\sqrt{3} - 2\sqrt{2}x)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2)/(1 - 2*x^2 + 4*x^4), x]

[Out] -(ArcTan[Sqrt[3] - 2*Sqrt[2]*x]/Sqrt[2]) + ArcTan[Sqrt[3] + 2*Sqrt[2]*x]/Sqrt[2]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1+2x^2}{1-2x^2+4x^4} dx &= \frac{1}{4} \int \frac{1}{\frac{1}{2} - \sqrt{\frac{3}{2}}x + x^2} dx + \frac{1}{4} \int \frac{1}{\frac{1}{2} + \sqrt{\frac{3}{2}}x + x^2} dx \\
&= -\left(\frac{1}{2} \text{Subst}\left(\int \frac{1}{-\frac{1}{2} - x^2} dx, x, -\sqrt{\frac{3}{2}} + 2x\right)\right) - \frac{1}{2} \text{Subst}\left(\int \frac{1}{-\frac{1}{2} - x^2} dx, x, \sqrt{\frac{3}{2}} + 2x\right) \\
&= -\frac{\tan^{-1}(\sqrt{3} - 2\sqrt{2}x)}{\sqrt{2}} + \frac{\tan^{-1}(\sqrt{3} + 2\sqrt{2}x)}{\sqrt{2}}
\end{aligned}$$

Mathematica [C] time = 0.10, size = 99, normalized size = 2.25

$$\frac{(\sqrt{3} - 3i) \tan^{-1}\left(\frac{2x}{\sqrt{-1-i\sqrt{3}}}\right)}{2\sqrt{3}(-1-i\sqrt{3})} + \frac{(\sqrt{3} + 3i) \tan^{-1}\left(\frac{2x}{\sqrt{-1+i\sqrt{3}}}\right)}{2\sqrt{3}(-1+i\sqrt{3})}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 - 2*x^2 + 4*x^4), x]

[Out] ((-3*I + Sqrt[3])*ArcTan[(2*x)/Sqrt[-1 - I*Sqrt[3]]])/(2*Sqrt[3*(-1 - I*Sqrt[3])]) + ((3*I + Sqrt[3])*ArcTan[(2*x)/Sqrt[-1 + I*Sqrt[3]]])/(2*Sqrt[3*(-1 + I*Sqrt[3])])

fricas [A] time = 0.40, size = 26, normalized size = 0.59

$$\frac{1}{2} \sqrt{2} \arctan\left(2\sqrt{2}x^3\right) + \frac{1}{2} \sqrt{2} \arctan\left(\sqrt{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-2*x^2+1), x, algorithm="fricas")

[Out] 1/2*sqrt(2)*arctan(2*sqrt(2)*x^3) + 1/2*sqrt(2)*arctan(sqrt(2)*x)

giac [A] time = 0.17, size = 46, normalized size = 1.05

$$\frac{1}{2} \sqrt{2} \arctan\left(4\left(\frac{1}{4}\right)^{\frac{3}{4}}\left(2x + \sqrt{3}\left(\frac{1}{4}\right)^{\frac{1}{4}}\right)\right) + \frac{1}{2} \sqrt{2} \arctan\left(4\left(\frac{1}{4}\right)^{\frac{3}{4}}\left(2x - \sqrt{3}\left(\frac{1}{4}\right)^{\frac{1}{4}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-2*x^2+1),x, algorithm="giac")

[Out] $\frac{1}{2}\sqrt{2}\arctan\left(4\left(\frac{1}{4}\right)^{3/4}\left(2x + \sqrt{3}\left(\frac{1}{4}\right)^{1/4}\right)\right) + \frac{1}{2}\sqrt{2}\arctan\left(4\left(\frac{1}{4}\right)^{3/4}\left(2x - \sqrt{3}\left(\frac{1}{4}\right)^{1/4}\right)\right)$

maple [A] time = 0.04, size = 40, normalized size = 0.91

$$\frac{\sqrt{2} \arctan\left(\frac{(4x-\sqrt{6})\sqrt{2}}{2}\right)}{2} + \frac{\sqrt{2} \arctan\left(\frac{(4x+\sqrt{6})\sqrt{2}}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2+1)/(4*x^4-2*x^2+1),x)

[Out] $\frac{1}{2}2^{1/2}\arctan\left(\frac{1}{2}(4x+6^{1/2})2^{1/2}\right) + \frac{1}{2}2^{1/2}\arctan\left(\frac{1}{2}(4x-6^{1/2})2^{1/2}\right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x^2 + 1}{4x^4 - 2x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-2*x^2+1),x, algorithm="maxima")

[Out] integrate((2*x^2 + 1)/(4*x^4 - 2*x^2 + 1), x)

mupad [B] time = 0.06, size = 21, normalized size = 0.48

$$\frac{\sqrt{2} \left(\operatorname{atan}\left(\sqrt{2}x\right) + \operatorname{atan}\left(2\sqrt{2}x^3\right) \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2 + 1)/(4*x^4 - 2*x^2 + 1),x)

[Out] $\frac{2^{1/2}\left(\operatorname{atan}\left(2^{1/2}x\right) + \operatorname{atan}\left(2\cdot 2^{1/2}x^3\right)\right)}{2}$

sympy [A] time = 0.13, size = 29, normalized size = 0.66

$$\frac{\sqrt{2} \left(2 \operatorname{atan}\left(\sqrt{2}x\right) + 2 \operatorname{atan}\left(2\sqrt{2}x^3\right) \right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x**2+1)/(4*x**4-2*x**2+1),x)

[Out] $\frac{\sqrt{2}\left(2\operatorname{atan}\left(\sqrt{2}x\right) + 2\operatorname{atan}\left(2\sqrt{2}x^3\right)\right)}{4}$

$$3.50 \quad \int \frac{1+2x^2}{1-3x^2+4x^4} dx$$

Optimal. Leaf size=23

$$\tan^{-1}(4x + \sqrt{7}) - \tan^{-1}(\sqrt{7} - 4x)$$

[Out] arctan(4*x-7^(1/2))+arctan(4*x+7^(1/2))

Rubi [A] time = 0.03, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1161, 618, 204}

$$\tan^{-1}(4x + \sqrt{7}) - \tan^{-1}(\sqrt{7} - 4x)$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2)/(1 - 3*x^2 + 4*x^4), x]

[Out] -ArcTan[Sqrt[7] - 4*x] + ArcTan[Sqrt[7] + 4*x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := > With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1+2x^2}{1-3x^2+4x^4} dx &= \frac{1}{4} \int \frac{1}{\frac{1}{2} - \frac{\sqrt{7}x}{2} + x^2} dx + \frac{1}{4} \int \frac{1}{\frac{1}{2} + \frac{\sqrt{7}x}{2} + x^2} dx \\
&= -\left(\frac{1}{2} \text{Subst}\left(\int \frac{1}{-\frac{1}{4} - x^2} dx, x, -\frac{\sqrt{7}}{2} + 2x\right)\right) - \frac{1}{2} \text{Subst}\left(\int \frac{1}{-\frac{1}{4} - x^2} dx, x, \frac{\sqrt{7}}{2} + 2x\right) \\
&= -\tan^{-1}\left(\sqrt{7} - 4x\right) + \tan^{-1}\left(\sqrt{7} + 4x\right)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 14, normalized size = 0.61

$$-\tan^{-1}\left(\frac{x}{2x^2-1}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 - 3*x^2 + 4*x^4), x]

[Out] -ArcTan[x/(-1 + 2*x^2)]

fricas [A] time = 0.38, size = 15, normalized size = 0.65

$$\arctan(4x^3 - x) + \arctan(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-3*x^2+1), x, algorithm="fricas")

[Out] arctan(4*x^3 - x) + arctan(2*x)

giac [B] time = 0.19, size = 42, normalized size = 1.83

$$\arctan\left(2\sqrt{2}\left(\frac{1}{4}\right)^{\frac{3}{4}}\left(4x + \sqrt{14}\left(\frac{1}{4}\right)^{\frac{1}{4}}\right)\right) + \arctan\left(2\sqrt{2}\left(\frac{1}{4}\right)^{\frac{3}{4}}\left(4x - \sqrt{14}\left(\frac{1}{4}\right)^{\frac{1}{4}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-3*x^2+1), x, algorithm="giac")

[Out] arctan(2*sqrt(2)*(1/4)^(3/4)*(4*x + sqrt(14)*(1/4)^(1/4))) + arctan(2*sqrt(2)*(1/4)^(3/4)*(4*x - sqrt(14)*(1/4)^(1/4)))

maple [A] time = 0.04, size = 20, normalized size = 0.87

$$\arctan(4x - \sqrt{7}) + \arctan(4x + \sqrt{7})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2+1)/(4*x^4-3*x^2+1),x)`

[Out] `arctan(4*x-7^(1/2))+arctan(4*x+7^(1/2))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x^2 + 1}{4x^4 - 3x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x^2+1)/(4*x^4-3*x^2+1),x, algorithm="maxima")`

[Out] `integrate((2*x^2 + 1)/(4*x^4 - 3*x^2 + 1), x)`

mupad [B] time = 4.35, size = 15, normalized size = 0.65

$$\operatorname{atan}(2x) - \operatorname{atan}(x - 4x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2 + 1)/(4*x^4 - 3*x^2 + 1),x)`

[Out] `atan(2*x) - atan(x - 4*x^3)`

sympy [A] time = 0.11, size = 12, normalized size = 0.52

$$\operatorname{atan}(2x) + \operatorname{atan}(4x^3 - x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x**2+1)/(4*x**4-3*x**2+1),x)`

[Out] `atan(2*x) + atan(4*x**3 - x)`

$$3.51 \quad \int \frac{1+2x^2}{1-4x^2+4x^4} dx$$

Optimal. Leaf size=11

$$\frac{x}{1-2x^2}$$

[Out] x/(-2*x^2+1)

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {28, 383}

$$\frac{x}{1-2x^2}$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2)/(1 - 4*x^2 + 4*x^4), x]

[Out] x/(1 - 2*x^2)

Rule 28

Int[(u_.)*((a_.) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^ (p_.), x_Symbol] :> Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 383

Int[((a_.) + (b_.)*(x_)^(n_.))^ (p_.)*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> Simp[(c*x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[a*d - b*c*(n*(p + 1) + 1), 0]

Rubi steps

$$\begin{aligned} \int \frac{1+2x^2}{1-4x^2+4x^4} dx &= 4 \int \frac{1+2x^2}{(-2+4x^2)^2} dx \\ &= \frac{x}{1-2x^2} \end{aligned}$$

Mathematica [A] time = 0.01, size = 12, normalized size = 1.09

$$-\frac{x}{2x^2-1}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 - 4*x^2 + 4*x^4), x]

[Out] -(x/(-1 + 2*x^2))

fricas [A] time = 0.41, size = 12, normalized size = 1.09

$$-\frac{x}{2x^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-4*x^2+1), x, algorithm="fricas")

[Out] -x/(2*x^2 - 1)

giac [A] time = 0.16, size = 12, normalized size = 1.09

$$-\frac{x}{2x^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-4*x^2+1), x, algorithm="giac")

[Out] -x/(2*x^2 - 1)

maple [A] time = 0.01, size = 11, normalized size = 1.00

$$-\frac{x}{2\left(x^2 - \frac{1}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2+1)/(4*x^4-4*x^2+1), x)

[Out] -1/2*x/(x^2-1/2)

maxima [A] time = 0.93, size = 12, normalized size = 1.09

$$-\frac{x}{2x^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-4*x^2+1), x, algorithm="maxima")

[Out] -x/(2*x^2 - 1)

mupad [B] time = 4.30, size = 12, normalized size = 1.09

$$-\frac{x}{2\left(x^2 - \frac{1}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2 + 1)/(4*x^4 - 4*x^2 + 1), x)`

[Out] `-x/(2*(x^2 - 1/2))`

sympy [A] time = 0.09, size = 8, normalized size = 0.73

$$-\frac{x}{2x^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x**2+1)/(4*x**4-4*x**2+1), x)`

[Out] `-x/(2*x**2 - 1)`

$$3.52 \quad \int \frac{1+2x^2}{1-5x^2+4x^4} dx$$

Optimal. Leaf size=39

$$-\frac{1}{2} \log(1-2x) + \frac{1}{2} \log(1-x) - \frac{1}{2} \log(x+1) + \frac{1}{2} \log(2x+1)$$

[Out] $-1/2*\ln(1-2*x)+1/2*\ln(1-x)-1/2*\ln(1+x)+1/2*\ln(1+2*x)$

Rubi [A] time = 0.02, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1161, 616, 31}

$$-\frac{1}{2} \log(1-2x) + \frac{1}{2} \log(1-x) - \frac{1}{2} \log(x+1) + \frac{1}{2} \log(2x+1)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 + 2*x^2)/(1 - 5*x^2 + 4*x^4), x]$

[Out] $-\text{Log}[1 - 2*x]/2 + \text{Log}[1 - x]/2 - \text{Log}[1 + x]/2 + \text{Log}[1 + 2*x]/2$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 616

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2))^{(-1)}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[c/q, \text{Int}[1/\text{Simp}[b/2 - q/2 + c*x, x], x], x] - \text{Dist}[c/q, \text{Int}[1/\text{Simp}[b/2 + q/2 + c*x, x], x], x] /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{PosQ}[b^2 - 4*a*c] \ \&\& \ \text{PerfectSquareQ}[b^2 - 4*a*c]$

Rule 1161

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2*d)/e - b/c, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ (\text{GtQ}[(2*d)/e - b/c, 0] \ || \ (\text{!LtQ}[(2*d)/e - b/c, 0] \ \&\& \ \text{EqQ}[d - e*\text{Rt}[a/c, 2], 0]))$

Rubi steps

$$\begin{aligned}
\int \frac{1+2x^2}{1-5x^2+4x^4} dx &= \frac{1}{4} \int \frac{1}{\frac{1}{2} - \frac{3x}{2} + x^2} dx + \frac{1}{4} \int \frac{1}{\frac{1}{2} + \frac{3x}{2} + x^2} dx \\
&= \frac{1}{2} \int \frac{1}{-1+x} dx - \frac{1}{2} \int \frac{1}{-\frac{1}{2}+x} dx + \frac{1}{2} \int \frac{1}{\frac{1}{2}+x} dx - \frac{1}{2} \int \frac{1}{1+x} dx \\
&= -\frac{1}{2} \log(1-2x) + \frac{1}{2} \log(1-x) - \frac{1}{2} \log(1+x) + \frac{1}{2} \log(1+2x)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 29, normalized size = 0.74

$$\frac{1}{2} \log(-2x^2 + x + 1) - \frac{1}{2} \log(-2x^2 - x + 1)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 - 5*x^2 + 4*x^4), x]

[Out] -1/2*Log[1 - x - 2*x^2] + Log[1 + x - 2*x^2]/2

fricas [A] time = 0.39, size = 25, normalized size = 0.64

$$-\frac{1}{2} \log(2x^2 + x - 1) + \frac{1}{2} \log(2x^2 - x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-5*x^2+1),x, algorithm="fricas")

[Out] -1/2*log(2*x^2 + x - 1) + 1/2*log(2*x^2 - x - 1)

giac [A] time = 0.17, size = 33, normalized size = 0.85

$$\frac{1}{2} \log(|2x+1|) - \frac{1}{2} \log(|2x-1|) - \frac{1}{2} \log(|x+1|) + \frac{1}{2} \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-5*x^2+1),x, algorithm="giac")

[Out] 1/2*log(abs(2*x + 1)) - 1/2*log(abs(2*x - 1)) - 1/2*log(abs(x + 1)) + 1/2*log(abs(x - 1))

maple [A] time = 0.01, size = 30, normalized size = 0.77

$$-\frac{\ln(x+1)}{2} + \frac{\ln(2x+1)}{2} + \frac{\ln(x-1)}{2} - \frac{\ln(2x-1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2+1)/(4*x^4-5*x^2+1),x)`

[Out] $-1/2*\ln(2*x-1)+1/2*\ln(2*x+1)-1/2*\ln(x+1)+1/2*\ln(x-1)$

maxima [A] time = 1.04, size = 29, normalized size = 0.74

$$\frac{1}{2} \log(2x+1) - \frac{1}{2} \log(2x-1) - \frac{1}{2} \log(x+1) + \frac{1}{2} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x^2+1)/(4*x^4-5*x^2+1),x, algorithm="maxima")`

[Out] $1/2*\log(2*x + 1) - 1/2*\log(2*x - 1) - 1/2*\log(x + 1) + 1/2*\log(x - 1)$

mupad [B] time = 0.30, size = 14, normalized size = 0.36

$$-\operatorname{atanh}\left(\frac{x}{2x^2-1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2 + 1)/(4*x^4 - 5*x^2 + 1),x)`

[Out] $-\operatorname{atanh}(x/(2*x^2 - 1))$

sympy [A] time = 0.13, size = 26, normalized size = 0.67

$$\frac{\log\left(x^2 - \frac{x}{2} - \frac{1}{2}\right)}{2} - \frac{\log\left(x^2 + \frac{x}{2} - \frac{1}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x**2+1)/(4*x**4-5*x**2+1),x)`

[Out] $\log(x**2 - x/2 - 1/2)/2 - \log(x**2 + x/2 - 1/2)/2$

$$3.53 \quad \int \frac{1+2x^2}{1-6x^2+4x^4} dx$$

Optimal. Leaf size=44

$$\frac{\tanh^{-1}(\sqrt{5} - 2\sqrt{2}x)}{\sqrt{2}} - \frac{\tanh^{-1}(2\sqrt{2}x + \sqrt{5})}{\sqrt{2}}$$

[Out] $-1/2*\operatorname{arctanh}(2*x*2^{(1/2)}-5^{(1/2)})*2^{(1/2)}-1/2*\operatorname{arctanh}(2*x*2^{(1/2)}+5^{(1/2)})*2^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1161, 618, 206}

$$\frac{\tanh^{-1}(\sqrt{5} - 2\sqrt{2}x)}{\sqrt{2}} - \frac{\tanh^{-1}(2\sqrt{2}x + \sqrt{5})}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2)/(1 - 6*x^2 + 4*x^4), x]

[Out] ArcTanh[Sqrt[5] - 2*Sqrt[2]*x]/Sqrt[2] - ArcTanh[Sqrt[5] + 2*Sqrt[2]*x]/Sqrt[2]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1+2x^2}{1-6x^2+4x^4} dx &= \frac{1}{4} \int \frac{1}{\frac{1}{2} - \sqrt{\frac{5}{2}}x + x^2} dx + \frac{1}{4} \int \frac{1}{\frac{1}{2} + \sqrt{\frac{5}{2}}x + x^2} dx \\
&= -\left(\frac{1}{2} \text{Subst}\left(\int \frac{1}{\frac{1}{2} - x^2} dx, x, -\sqrt{\frac{5}{2}} + 2x\right)\right) - \frac{1}{2} \text{Subst}\left(\int \frac{1}{\frac{1}{2} - x^2} dx, x, \sqrt{\frac{5}{2}} + 2x\right) \\
&= \frac{\tanh^{-1}(\sqrt{5} - 2\sqrt{2}x)}{\sqrt{2}} - \frac{\tanh^{-1}(\sqrt{5} + 2\sqrt{2}x)}{\sqrt{2}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 42, normalized size = 0.95

$$\frac{\log(-2x^2 + \sqrt{2}x + 1) - \log(2x^2 + \sqrt{2}x - 1)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2)/(1 - 6*x^2 + 4*x^4), x]

[Out] (Log[1 + Sqrt[2]*x - 2*x^2] - Log[-1 + Sqrt[2]*x + 2*x^2])/(2*Sqrt[2])

fricas [A] time = 0.38, size = 47, normalized size = 1.07

$$\frac{1}{4} \sqrt{2} \log\left(\frac{4x^4 - 2x^2 - 2\sqrt{2}(2x^3 - x) + 1}{4x^4 - 6x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-6*x^2+1),x, algorithm="fricas")

[Out] 1/4*sqrt(2)*log((4*x^4 - 2*x^2 - 2*sqrt(2)*(2*x^3 - x) + 1)/(4*x^4 - 6*x^2 + 1))

giac [B] time = 0.34, size = 77, normalized size = 1.75

$$-\frac{1}{4} \sqrt{2} \log\left(\left|x + \frac{1}{4} \sqrt{10} + \frac{1}{4} \sqrt{2}\right|\right) + \frac{1}{4} \sqrt{2} \log\left(\left|x + \frac{1}{4} \sqrt{10} - \frac{1}{4} \sqrt{2}\right|\right) - \frac{1}{4} \sqrt{2} \log\left(\left|x - \frac{1}{4} \sqrt{10} + \frac{1}{4} \sqrt{2}\right|\right) + \frac{1}{4} \sqrt{2} \log\left(\left|x - \frac{1}{4} \sqrt{10} - \frac{1}{4} \sqrt{2}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+1)/(4*x^4-6*x^2+1),x, algorithm="giac")

[Out] $-1/4*\sqrt{2}*\log(\text{abs}(x + 1/4*\sqrt{10} + 1/4*\sqrt{2})) + 1/4*\sqrt{2}*\log(\text{abs}(x + 1/4*\sqrt{10} - 1/4*\sqrt{2})) - 1/4*\sqrt{2}*\log(\text{abs}(x - 1/4*\sqrt{10} + 1/4*\sqrt{2})) + 1/4*\sqrt{2}*\log(\text{abs}(x - 1/4*\sqrt{10} - 1/4*\sqrt{2}))$

maple [B] time = 0.04, size = 82, normalized size = 1.86

$$\frac{2(-5 + \sqrt{5})\sqrt{5} \operatorname{arctanh}\left(\frac{8x}{2\sqrt{10}-2\sqrt{2}}\right)}{5(2\sqrt{10} - 2\sqrt{2})} - \frac{2(5 + \sqrt{5})\sqrt{5} \operatorname{arctanh}\left(\frac{8x}{2\sqrt{10}+2\sqrt{2}}\right)}{5(2\sqrt{10} + 2\sqrt{2})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2+1)/(4*x^4-6*x^2+1),x)`

[Out] $-2/5*(-5+5^{(1/2)})*5^{(1/2)}/(2*10^{(1/2)}-2*2^{(1/2)})*\operatorname{arctanh}(8/(2*10^{(1/2)}-2*2^{(1/2)})*x)-2/5*(5+5^{(1/2)})*5^{(1/2)}/(2*10^{(1/2)}+2*2^{(1/2)})*\operatorname{arctanh}(8/(2*10^{(1/2)}+2*2^{(1/2)})*x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x^2 + 1}{4x^4 - 6x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x^2+1)/(4*x^4-6*x^2+1),x, algorithm="maxima")`

[Out] `integrate((2*x^2 + 1)/(4*x^4 - 6*x^2 + 1), x)`

mupad [B] time = 0.22, size = 20, normalized size = 0.45

$$\frac{\sqrt{2} \operatorname{atanh}\left(\frac{\sqrt{2}x}{2x^2-1}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2 + 1)/(4*x^4 - 6*x^2 + 1),x)`

[Out] $-(2^{(1/2)}*\operatorname{atanh}((2^{(1/2)}*x)/(2*x^2 - 1)))/2$

sympy [A] time = 0.12, size = 46, normalized size = 1.05

$$\frac{\sqrt{2} \log\left(x^2 - \frac{\sqrt{2}x}{2} - \frac{1}{2}\right)}{4} - \frac{\sqrt{2} \log\left(x^2 + \frac{\sqrt{2}x}{2} - \frac{1}{2}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((2*x**2+1)/(4*x**4-6*x**2+1),x)
```

```
[Out] sqrt(2)*log(x**2 - sqrt(2)*x/2 - 1/2)/4 - sqrt(2)*log(x**2 + sqrt(2)*x/2 - 1/2)/4
```

$$3.54 \quad \int \frac{1-2x^2}{1+bx^2+4x^4} dx$$

Optimal. Leaf size=66

$$\frac{\log(\sqrt{4-b}x + 2x^2 + 1)}{2\sqrt{4-b}} - \frac{\log(-\sqrt{4-b}x + 2x^2 + 1)}{2\sqrt{4-b}}$$

[Out] $-1/2*\ln(1+2*x^2-x*(4-b)^{(1/2)})/(4-b)^{(1/2)}+1/2*\ln(1+2*x^2+x*(4-b)^{(1/2)})/(4-b)^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1164, 628}

$$\frac{\log(\sqrt{4-b}x + 2x^2 + 1)}{2\sqrt{4-b}} - \frac{\log(-\sqrt{4-b}x + 2x^2 + 1)}{2\sqrt{4-b}}$$

Antiderivative was successfully verified.

[In] Int[(1 - 2*x^2)/(1 + b*x^2 + 4*x^4),x]

[Out] $-\text{Log}[1 - \text{Sqrt}[4 - b]*x + 2*x^2]/(2*\text{Sqrt}[4 - b]) + \text{Log}[1 + \text{Sqrt}[4 - b]*x + 2*x^2]/(2*\text{Sqrt}[4 - b])$

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1164

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1-2x^2}{1+bx^2+4x^4} dx = -\frac{\int \frac{\frac{\sqrt{4-b}}{2}+2x}{-\frac{1}{2}-\frac{1}{2}\sqrt{4-b}x-x^2} dx}{2\sqrt{4-b}} - \frac{\int \frac{\frac{\sqrt{4-b}}{2}-2x}{-\frac{1}{2}+\frac{1}{2}\sqrt{4-b}x-x^2} dx}{2\sqrt{4-b}}$$

$$= -\frac{\log(1-\sqrt{4-b}x+2x^2)}{2\sqrt{4-b}} + \frac{\log(1+\sqrt{4-b}x+2x^2)}{2\sqrt{4-b}}$$

Mathematica [A] time = 0.07, size = 127, normalized size = 1.92

$$\frac{\left(-\sqrt{b^2-16}+b+4\right)\tan^{-1}\left(\frac{2\sqrt{2}x}{\sqrt{b-\sqrt{b^2-16}}}\right) - \left(\sqrt{b^2-16}+b+4\right)\tan^{-1}\left(\frac{2\sqrt{2}x}{\sqrt{\sqrt{b^2-16}+b}}\right)}{\sqrt{b-\sqrt{b^2-16}}\sqrt{\sqrt{b^2-16}+b}}$$

$$\sqrt{2}\sqrt{b^2-16}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 2*x^2)/(1 + b*x^2 + 4*x^4), x]

[Out] (((4 + b - Sqrt[-16 + b^2])*ArcTan[(2*Sqrt[2]*x)/Sqrt[b - Sqrt[-16 + b^2]])/Sqrt[b - Sqrt[-16 + b^2]] - ((4 + b + Sqrt[-16 + b^2])*ArcTan[(2*Sqrt[2]*x)/Sqrt[b + Sqrt[-16 + b^2]])/Sqrt[b + Sqrt[-16 + b^2]])/(Sqrt[2]*Sqrt[-16 + b^2])

fricas [A] time = 0.40, size = 109, normalized size = 1.65

$$\left[\frac{\sqrt{-b+4} \log\left(\frac{4x^4-(b-8)x^2+2(2x^3+x)\sqrt{-b+4}+1}{4x^4+bx^2+1}\right)}{2(b-4)}, \frac{\sqrt{b-4} \arctan\left(\frac{4x^3+(b-2)x}{\sqrt{b-4}}\right) - \sqrt{b-4} \arctan\left(\frac{2x}{\sqrt{b-4}}\right)}{b-4} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+b*x^2+1), x, algorithm="fricas")

[Out] [-1/2*sqrt(-b + 4)*log((4*x^4 - (b - 8)*x^2 + 2*(2*x^3 + x)*sqrt(-b + 4) + 1)/(4*x^4 + b*x^2 + 1))/(b - 4), (sqrt(b - 4)*arctan((4*x^3 + (b - 2)*x)/sqrt(b - 4)) - sqrt(b - 4)*arctan(2*x/sqrt(b - 4)))/(b - 4)]

giac [A] time = 0.31, size = 73, normalized size = 1.11

$$\frac{\sqrt{b-4} b \arctan\left(\frac{4\sqrt{\frac{1}{2}}x}{\sqrt{b+\sqrt{b^2-16}}}\right)}{b^2-4b} - \frac{\sqrt{b-4} b \arctan\left(\frac{4\sqrt{\frac{1}{2}}x}{\sqrt{b-\sqrt{b^2-16}}}\right)}{b^2-4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+b*x^2+1),x, algorithm="giac")

[Out] -sqrt(b - 4)*b*arctan(4*sqrt(1/2)*x/sqrt(b + sqrt(b^2 - 16)))/(b^2 - 4*b) -
sqrt(b - 4)*b*arctan(4*sqrt(1/2)*x/sqrt(b - sqrt(b^2 - 16)))/(b^2 - 4*b)

maple [B] time = 0.02, size = 279, normalized size = 4.23

$$\frac{b \arctan\left(\frac{4x}{\sqrt{2b-2\sqrt{(b-4)(b+4)}}}\right)}{\sqrt{(b-4)(b+4)}\sqrt{2b-2\sqrt{(b-4)(b+4)}}} - \frac{b \arctan\left(\frac{4x}{\sqrt{2b+2\sqrt{(b-4)(b+4)}}}\right)}{\sqrt{(b-4)(b+4)}\sqrt{2b+2\sqrt{(b-4)(b+4)}}} + \frac{4 \arctan\left(\frac{4x}{\sqrt{2b-2\sqrt{(b-4)(b+4)}}}\right)}{\sqrt{(b-4)(b+4)}\sqrt{2b-2\sqrt{(b-4)(b+4)}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-2*x^2+1)/(4*x^4+b*x^2+1),x)

[Out] 4/((b-4)*(b+4))^(1/2)/(2*b-2*((b-4)*(b+4))^(1/2))^(1/2)*arctan(4/(2*b-2*((b-4)*(b+4))^(1/2))^(1/2)*x)-1/(2*b-2*((b-4)*(b+4))^(1/2))^(1/2)*arctan(4/(2*b-2*((b-4)*(b+4))^(1/2))^(1/2)*x)+1/((b-4)*(b+4))^(1/2)/(2*b-2*((b-4)*(b+4))^(1/2))^(1/2)*b*arctan(4/(2*b-2*((b-4)*(b+4))^(1/2))^(1/2)*x)-4/((b-4)*(b+4))^(1/2)/(2*b+2*((b-4)*(b+4))^(1/2))^(1/2)*arctan(4/(2*b+2*((b-4)*(b+4))^(1/2))^(1/2)*x)-1/(2*b+2*((b-4)*(b+4))^(1/2))^(1/2)*arctan(4/(2*b+2*((b-4)*(b+4))^(1/2))^(1/2)*x)-1/((b-4)*(b+4))^(1/2)/(2*b+2*((b-4)*(b+4))^(1/2))^(1/2)*b*arctan(4/(2*b+2*((b-4)*(b+4))^(1/2))^(1/2)*x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{2x^2 - 1}{4x^4 + bx^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+b*x^2+1),x, algorithm="maxima")

[Out] -integrate((2*x^2 - 1)/(4*x^4 + b*x^2 + 1), x)

mupad [B] time = 0.07, size = 63, normalized size = 0.95

$$\frac{\operatorname{atan}\left(\frac{2x}{\sqrt{b-4}}\right) - \operatorname{atan}\left(\frac{b^3x+4b^2x^3-2b^2x-16bx-64x^3+32x}{(b-4)^{3/2}(b+4)}\right)}{\sqrt{b-4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x^2 - 1)/(b*x^2 + 4*x^4 + 1),x)

[Out] $-(\operatorname{atan}((2*x)/(b-4)^{(1/2)}) - \operatorname{atan}((32*x - 16*b*x - 2*b^2*x + b^3*x - 64*x^3 + 4*b^2*x^3)/((b-4)^{(3/2)}*(b+4))))/(b-4)^{(1/2)}$

sympy [A] time = 0.38, size = 94, normalized size = 1.42

$$\frac{\sqrt{-\frac{1}{b-4}} \log\left(x^2 + x\left(-\frac{b\sqrt{-\frac{1}{b-4}}}{2} + 2\sqrt{-\frac{1}{b-4}}\right) + \frac{1}{2}\right)}{2} - \frac{\sqrt{-\frac{1}{b-4}} \log\left(x^2 + x\left(\frac{b\sqrt{-\frac{1}{b-4}}}{2} - 2\sqrt{-\frac{1}{b-4}}\right) + \frac{1}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-2*x**2+1)/(4*x**4+b*x**2+1), x)`

[Out] $\sqrt{-1/(b-4)}*\log(x**2 + x*(-b*\sqrt{-1/(b-4)}/2 + 2*\sqrt{-1/(b-4)}) + 1/2)/2 - \sqrt{-1/(b-4)}*\log(x**2 + x*(b*\sqrt{-1/(b-4)}/2 - 2*\sqrt{-1/(b-4)}) + 1/2)/2$

$$3.55 \quad \int \frac{1-2x^2}{1+6x^2+4x^4} dx$$

Optimal. Leaf size=46

$$\frac{\tan^{-1}\left(\frac{2x}{\sqrt{3-\sqrt{5}}}\right)}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{2x}{\sqrt{3+\sqrt{5}}}\right)}{\sqrt{2}}$$

[Out] 1/2*arctan(2*x/(1/2*10^(1/2)-1/2*2^(1/2)))*2^(1/2)-1/2*arctan(2*x/(1/2*10^(1/2)+1/2*2^(1/2)))*2^(1/2)

Rubi [A] time = 0.03, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1163, 203}

$$\frac{\tan^{-1}\left(\frac{2x}{\sqrt{3-\sqrt{5}}}\right)}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{2x}{\sqrt{3+\sqrt{5}}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 - 2*x^2)/(1 + 6*x^2 + 4*x^4), x]

[Out] ArcTan[(2*x)/Sqrt[3 - Sqrt[5]]]/Sqrt[2] - ArcTan[(2*x)/Sqrt[3 + Sqrt[5]]]/Sqrt[2]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1163

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1-2x^2}{1+6x^2+4x^4} dx = (-1-\sqrt{5}) \int \frac{1}{3+\sqrt{5}+4x^2} dx + (-1+\sqrt{5}) \int \frac{1}{3-\sqrt{5}+4x^2} dx$$

$$= \frac{\tan^{-1}\left(\frac{2x}{\sqrt{3-\sqrt{5}}}\right)}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{2x}{\sqrt{3+\sqrt{5}}}\right)}{\sqrt{2}}$$

Mathematica [A] time = 0.07, size = 84, normalized size = 1.83

$$\frac{-\left((\sqrt{5}-5)\sqrt{3+\sqrt{5}}\tan^{-1}\left(\frac{2x}{\sqrt{3-\sqrt{5}}}\right)\right) - \sqrt{3-\sqrt{5}}(5+\sqrt{5})\tan^{-1}\left(\frac{2x}{\sqrt{3+\sqrt{5}}}\right)}{4\sqrt{5}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 2*x^2)/(1 + 6*x^2 + 4*x^4), x]

[Out] (-((-5 + Sqrt[5])*Sqrt[3 + Sqrt[5]]*ArcTan[(2*x)/Sqrt[3 - Sqrt[5]]]) - Sqrt[3 - Sqrt[5]]*(5 + Sqrt[5])*ArcTan[(2*x)/Sqrt[3 + Sqrt[5]]])/(4*Sqrt[5])

fricas [A] time = 0.39, size = 28, normalized size = 0.61

$$\frac{1}{2}\sqrt{2}\arctan\left(2\sqrt{2}(x^3+x)\right) - \frac{1}{2}\sqrt{2}\arctan\left(\sqrt{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+6*x^2+1), x, algorithm="fricas")

[Out] 1/2*sqrt(2)*arctan(2*sqrt(2)*(x^3 + x)) - 1/2*sqrt(2)*arctan(sqrt(2)*x)

giac [A] time = 0.18, size = 39, normalized size = 0.85

$$-\frac{1}{2}\sqrt{2}\arctan\left(\frac{4x}{\sqrt{10}+\sqrt{2}}\right) + \frac{1}{2}\sqrt{2}\arctan\left(\frac{4x}{\sqrt{10}-\sqrt{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+6*x^2+1), x, algorithm="giac")

[Out] -1/2*sqrt(2)*arctan(4*x/(sqrt(10) + sqrt(2))) + 1/2*sqrt(2)*arctan(4*x/(sqrt(10) - sqrt(2)))

maple [B] time = 0.02, size = 136, normalized size = 2.96

$$\frac{2\sqrt{5} \arctan\left(\frac{8x}{2\sqrt{10}-2\sqrt{2}}\right)}{2\sqrt{10}-2\sqrt{2}} - \frac{2 \arctan\left(\frac{8x}{2\sqrt{10}-2\sqrt{2}}\right)}{2\sqrt{10}-2\sqrt{2}} - \frac{2\sqrt{5} \arctan\left(\frac{8x}{2\sqrt{10}+2\sqrt{2}}\right)}{2\sqrt{10}+2\sqrt{2}} - \frac{2 \arctan\left(\frac{8x}{2\sqrt{10}+2\sqrt{2}}\right)}{2\sqrt{10}+2\sqrt{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-2*x^2+1)/(4*x^4+6*x^2+1),x)

[Out] $-2*5^{(1/2)}/(2*10^{(1/2)}+2*2^{(1/2)})*\arctan(8/(2*10^{(1/2)}+2*2^{(1/2)})*x)-2/(2*10^{(1/2)}+2*2^{(1/2)})*\arctan(8/(2*10^{(1/2)}+2*2^{(1/2)})*x)+2*5^{(1/2)}/(2*10^{(1/2)}-2*2^{(1/2)})*\arctan(8/(2*10^{(1/2)}-2*2^{(1/2)})*x)-2/(2*10^{(1/2)}-2*2^{(1/2)})*\arctan(8/(2*10^{(1/2)}-2*2^{(1/2)})*x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{2x^2 - 1}{4x^4 + 6x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+6*x^2+1),x, algorithm="maxima")

[Out] -integrate((2*x^2 - 1)/(4*x^4 + 6*x^2 + 1), x)

mupad [B] time = 4.38, size = 30, normalized size = 0.65

$$\frac{\sqrt{2} \left(\operatorname{atan}\left(2\sqrt{2}x^3 + 2\sqrt{2}x\right) - \operatorname{atan}\left(\sqrt{2}x\right) \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x^2 - 1)/(6*x^2 + 4*x^4 + 1),x)

[Out] $(2^{(1/2)}*(\operatorname{atan}(2*2^{(1/2)}*x + 2*2^{(1/2)}*x^3) - \operatorname{atan}(2^{(1/2)}*x)))/2$

sympy [A] time = 0.13, size = 39, normalized size = 0.85

$$-\frac{\sqrt{2} \left(2 \operatorname{atan}\left(\sqrt{2}x\right) - 2 \operatorname{atan}\left(2\sqrt{2}x^3 + 2\sqrt{2}x\right) \right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x**2+1)/(4*x**4+6*x**2+1),x)

[Out] $-\operatorname{sqrt}(2)*(2*\operatorname{atan}(\operatorname{sqrt}(2)*x) - 2*\operatorname{atan}(2*\operatorname{sqrt}(2)*x**3 + 2*\operatorname{sqrt}(2)*x))/4$

$$3.56 \quad \int \frac{1-2x^2}{1+5x^2+4x^4} dx$$

Optimal. Leaf size=9

$$\tan^{-1}(2x) - \tan^{-1}(x)$$

[Out] -arctan(x)+arctan(2*x)

Rubi [A] time = 0.01, antiderivative size = 9, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1163, 203}

$$\tan^{-1}(2x) - \tan^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(1 - 2*x^2)/(1 + 5*x^2 + 4*x^4), x]

[Out] -ArcTan[x] + ArcTan[2*x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1163

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\begin{aligned} \int \frac{1-2x^2}{1+5x^2+4x^4} dx &= 2 \int \frac{1}{1+4x^2} dx - 4 \int \frac{1}{4+4x^2} dx \\ &= -\tan^{-1}(x) + \tan^{-1}(2x) \end{aligned}$$

Mathematica [A] time = 0.01, size = 12, normalized size = 1.33

$$\tan^{-1}\left(\frac{x}{2x^2+1}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 2*x^2)/(1 + 5*x^2 + 4*x^4),x]

[Out] ArcTan[x/(1 + 2*x^2)]

fricas [A] time = 0.41, size = 17, normalized size = 1.89

$$\arctan(4x^3 + 3x) - \arctan(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+5*x^2+1),x, algorithm="fricas")

[Out] arctan(4*x^3 + 3*x) - arctan(2*x)

giac [A] time = 0.17, size = 9, normalized size = 1.00

$$\arctan(2x) - \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+5*x^2+1),x, algorithm="giac")

[Out] arctan(2*x) - arctan(x)

maple [A] time = 0.01, size = 10, normalized size = 1.11

$$-\arctan(x) + \arctan(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-2*x^2+1)/(4*x^4+5*x^2+1),x)

[Out] -arctan(x)+arctan(2*x)

maxima [A] time = 2.36, size = 9, normalized size = 1.00

$$\arctan(2x) - \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+5*x^2+1),x, algorithm="maxima")

[Out] arctan(2*x) - arctan(x)

mupad [B] time = 4.36, size = 17, normalized size = 1.89

$$\operatorname{atan}(4x^3 + 3x) - \operatorname{atan}(2x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(-(2*x^2 - 1)/(5*x^2 + 4*x^4 + 1), x)
```

```
[Out] atan(3*x + 4*x^3) - atan(2*x)
```

```
sympy [A] time = 0.12, size = 14, normalized size = 1.56
```

$$- \operatorname{atan}(2x) + \operatorname{atan}(4x^3 + 3x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-2*x**2+1)/(4*x**4+5*x**2+1), x)
```

```
[Out] -atan(2*x) + atan(4*x**3 + 3*x)
```

$$3.57 \quad \int \frac{1-2x^2}{1+4x^2+4x^4} dx$$

Optimal. Leaf size=11

$$\frac{x}{2x^2 + 1}$$

[Out] x/(2*x^2+1)

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {28, 383}

$$\frac{x}{2x^2 + 1}$$

Antiderivative was successfully verified.

[In] Int[(1 - 2*x^2)/(1 + 4*x^2 + 4*x^4), x]

[Out] x/(1 + 2*x^2)

Rule 28

Int[(u_.)*((a_.) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^ (p_.), x_Symbol] :> Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 383

Int[((a_.) + (b_.)*(x_)^(n_.))^ (p_.)*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> Simp[(c*x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[a*d - b*c*(n*(p + 1) + 1), 0]

Rubi steps

$$\int \frac{1-2x^2}{1+4x^2+4x^4} dx = 4 \int \frac{1-2x^2}{(2+4x^2)^2} dx$$

$$= \frac{x}{1+2x^2}$$

Mathematica [A] time = 0.00, size = 11, normalized size = 1.00

$$\frac{x}{2x^2 + 1}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 2*x^2)/(1 + 4*x^2 + 4*x^4), x]

[Out] x/(1 + 2*x^2)

fricas [A] time = 0.38, size = 11, normalized size = 1.00

$$\frac{x}{2x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+4*x^2+1), x, algorithm="fricas")

[Out] x/(2*x^2 + 1)

giac [A] time = 0.16, size = 11, normalized size = 1.00

$$\frac{x}{2x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+4*x^2+1), x, algorithm="giac")

[Out] x/(2*x^2 + 1)

maple [A] time = 0.01, size = 11, normalized size = 1.00

$$\frac{x}{2x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-2*x^2+1)/(4*x^4+4*x^2+1), x)

[Out] 1/2*x/(x^2+1/2)

maxima [A] time = 1.08, size = 11, normalized size = 1.00

$$\frac{x}{2x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+4*x^2+1), x, algorithm="maxima")

[Out] x/(2*x^2 + 1)

mupad [B] time = 4.30, size = 11, normalized size = 1.00

$$\frac{x}{2\left(x^2 + \frac{1}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(2*x^2 - 1)/(4*x^2 + 4*x^4 + 1),x)`

[Out] `x/(2*(x^2 + 1/2))`

sympy [A] time = 0.09, size = 7, normalized size = 0.64

$$\frac{x}{2x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-2*x**2+1)/(4*x**4+4*x**2+1),x)`

[Out] `x/(2*x**2 + 1)`

$$3.58 \quad \int \frac{1-2x^2}{1+3x^2+4x^4} dx$$

Optimal. Leaf size=29

$$\frac{1}{2} \log(2x^2 + x + 1) - \frac{1}{2} \log(2x^2 - x + 1)$$

[Out] -1/2*ln(2*x^2-x+1)+1/2*ln(2*x^2+x+1)

Rubi [A] time = 0.02, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1164, 628}

$$\frac{1}{2} \log(2x^2 + x + 1) - \frac{1}{2} \log(2x^2 - x + 1)$$

Antiderivative was successfully verified.

[In] Int[(1 - 2*x^2)/(1 + 3*x^2 + 4*x^4), x]

[Out] -Log[1 - x + 2*x^2]/2 + Log[1 + x + 2*x^2]/2

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1164

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\begin{aligned} \int \frac{1-2x^2}{1+3x^2+4x^4} dx &= -\left(\frac{1}{2} \int \frac{\frac{1}{2} + 2x}{-\frac{1}{2} - \frac{x}{2} - x^2} dx\right) - \frac{1}{2} \int \frac{\frac{1}{2} - 2x}{-\frac{1}{2} + \frac{x}{2} - x^2} dx \\ &= -\frac{1}{2} \log(1 - x + 2x^2) + \frac{1}{2} \log(1 + x + 2x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 29, normalized size = 1.00

$$\frac{1}{2} \log(2x^2 + x + 1) - \frac{1}{2} \log(2x^2 - x + 1)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 2*x^2)/(1 + 3*x^2 + 4*x^4), x]

[Out] -1/2*Log[1 - x + 2*x^2] + Log[1 + x + 2*x^2]/2

fricas [A] time = 0.39, size = 25, normalized size = 0.86

$$\frac{1}{2} \log(2x^2 + x + 1) - \frac{1}{2} \log(2x^2 - x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+3*x^2+1), x, algorithm="fricas")

[Out] 1/2*log(2*x^2 + x + 1) - 1/2*log(2*x^2 - x + 1)

giac [A] time = 0.15, size = 25, normalized size = 0.86

$$\frac{1}{2} \log(2x^2 + x + 1) - \frac{1}{2} \log(2x^2 - x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+3*x^2+1), x, algorithm="giac")

[Out] 1/2*log(2*x^2 + x + 1) - 1/2*log(2*x^2 - x + 1)

maple [A] time = 0.00, size = 26, normalized size = 0.90

$$-\frac{\ln(2x^2 - x + 1)}{2} + \frac{\ln(2x^2 + x + 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-2*x^2+1)/(4*x^4+3*x^2+1), x)

[Out] -1/2*ln(2*x^2-x+1)+1/2*ln(2*x^2+x+1)

maxima [A] time = 1.00, size = 25, normalized size = 0.86

$$\frac{1}{2} \log(2x^2 + x + 1) - \frac{1}{2} \log(2x^2 - x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-2*x^2+1)/(4*x^4+3*x^2+1),x, algorithm="maxima")`

[Out] `1/2*log(2*x^2 + x + 1) - 1/2*log(2*x^2 - x + 1)`

mupad [B] time = 0.06, size = 12, normalized size = 0.41

$$\operatorname{atanh}\left(\frac{x}{2x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(2*x^2 - 1)/(3*x^2 + 4*x^4 + 1),x)`

[Out] `atanh(x/(2*x^2 + 1))`

sympy [A] time = 0.11, size = 26, normalized size = 0.90

$$-\frac{\log\left(x^2 - \frac{x}{2} + \frac{1}{2}\right)}{2} + \frac{\log\left(x^2 + \frac{x}{2} + \frac{1}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-2*x**2+1)/(4*x**4+3*x**2+1),x)`

[Out] `-log(x**2 - x/2 + 1/2)/2 + log(x**2 + x/2 + 1/2)/2`

$$3.59 \quad \int \frac{1-2x^2}{1+2x^2+4x^4} dx$$

Optimal. Leaf size=50

$$\frac{\log(2x^2 + \sqrt{2}x + 1)}{2\sqrt{2}} - \frac{\log(2x^2 - \sqrt{2}x + 1)}{2\sqrt{2}}$$

[Out] $-1/4*\ln(1+2*x^2-x*2^{(1/2)})*2^{(1/2)}+1/4*\ln(1+2*x^2+x*2^{(1/2)})*2^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1164, 628}

$$\frac{\log(2x^2 + \sqrt{2}x + 1)}{2\sqrt{2}} - \frac{\log(2x^2 - \sqrt{2}x + 1)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 - 2*x^2)/(1 + 2*x^2 + 4*x^4), x]

[Out] -Log[1 - Sqrt[2]*x + 2*x^2]/(2*Sqrt[2]) + Log[1 + Sqrt[2]*x + 2*x^2]/(2*Sqrt[2])

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1164

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1-2x^2}{1+2x^2+4x^4} dx = -\frac{\int \frac{\frac{1}{\sqrt{2}}+2x}{-\frac{1}{2}-\frac{x}{\sqrt{2}}-x^2} dx}{2\sqrt{2}} - \frac{\int \frac{\frac{1}{\sqrt{2}}-2x}{-\frac{1}{2}+\frac{x}{\sqrt{2}}-x^2} dx}{2\sqrt{2}}$$

$$= -\frac{\log(1-\sqrt{2}x+2x^2)}{2\sqrt{2}} + \frac{\log(1+\sqrt{2}x+2x^2)}{2\sqrt{2}}$$

Mathematica [A] time = 0.01, size = 42, normalized size = 0.84

$$\frac{\log(2x^2 + \sqrt{2}x + 1) - \log(-2x^2 + \sqrt{2}x - 1)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 2*x^2)/(1 + 2*x^2 + 4*x^4), x]

[Out] (-Log[-1 + Sqrt[2]*x - 2*x^2] + Log[1 + Sqrt[2]*x + 2*x^2])/(2*Sqrt[2])

fricas [A] time = 0.40, size = 45, normalized size = 0.90

$$\frac{1}{4} \sqrt{2} \log\left(\frac{4x^4 + 6x^2 + 2\sqrt{2}(2x^3 + x) + 1}{4x^4 + 2x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+2*x^2+1), x, algorithm="fricas")

[Out] 1/4*sqrt(2)*log((4*x^4 + 6*x^2 + 2*sqrt(2)*(2*x^3 + x) + 1)/(4*x^4 + 2*x^2 + 1))

giac [A] time = 0.17, size = 34, normalized size = 0.68

$$\frac{1}{4} \sqrt{2} \log\left(x^2 + \left(\frac{1}{4}\right)^{\frac{1}{4}} x + \frac{1}{2}\right) - \frac{1}{4} \sqrt{2} \log\left(x^2 - \left(\frac{1}{4}\right)^{\frac{1}{4}} x + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+2*x^2+1), x, algorithm="giac")

[Out] 1/4*sqrt(2)*log(x^2 + (1/4)^(1/4)*x + 1/2) - 1/4*sqrt(2)*log(x^2 - (1/4)^(1/4)*x + 1/2)

maple [A] time = 0.01, size = 39, normalized size = 0.78

$$-\frac{\sqrt{2} \ln(2x^2 - \sqrt{2}x + 1)}{4} + \frac{\sqrt{2} \ln(2x^2 + \sqrt{2}x + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-2*x^2+1)/(4*x^4+2*x^2+1),x)

[Out] -1/4*ln(1+2*x^2-2^(1/2)*x)*2^(1/2)+1/4*ln(1+2*x^2+2^(1/2)*x)*2^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{2x^2 - 1}{4x^4 + 2x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+2*x^2+1),x, algorithm="maxima")

[Out] -integrate((2*x^2 - 1)/(4*x^4 + 2*x^2 + 1), x)

mupad [B] time = 4.37, size = 20, normalized size = 0.40

$$\frac{\sqrt{2} \operatorname{atanh}\left(\frac{\sqrt{2}x}{2x^2+1}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x^2 - 1)/(2*x^2 + 4*x^4 + 1),x)

[Out] (2^(1/2)*atanh((2^(1/2)*x)/(2*x^2 + 1)))/2

sympy [A] time = 0.11, size = 46, normalized size = 0.92

$$-\frac{\sqrt{2} \log\left(x^2 - \frac{\sqrt{2}x}{2} + \frac{1}{2}\right)}{4} + \frac{\sqrt{2} \log\left(x^2 + \frac{\sqrt{2}x}{2} + \frac{1}{2}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x**2+1)/(4*x**4+2*x**2+1),x)

[Out] -sqrt(2)*log(x**2 - sqrt(2)*x/2 + 1/2)/4 + sqrt(2)*log(x**2 + sqrt(2)*x/2 + 1/2)/4

$$3.60 \quad \int \frac{1-2x^2}{1+x^2+4x^4} dx$$

Optimal. Leaf size=50

$$\frac{\log(2x^2 + \sqrt{3}x + 1)}{2\sqrt{3}} - \frac{\log(2x^2 - \sqrt{3}x + 1)}{2\sqrt{3}}$$

[Out] $-1/6*\ln(1+2*x^2-x*3^{(1/2)})*3^{(1/2)}+1/6*\ln(1+2*x^2+x*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1164, 628}

$$\frac{\log(2x^2 + \sqrt{3}x + 1)}{2\sqrt{3}} - \frac{\log(2x^2 - \sqrt{3}x + 1)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - 2*x^2)/(1 + x^2 + 4*x^4), x]

[Out] $-\text{Log}[1 - \text{Sqrt}[3]*x + 2*x^2]/(2*\text{Sqrt}[3]) + \text{Log}[1 + \text{Sqrt}[3]*x + 2*x^2]/(2*\text{Sqrt}[3])$

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1164

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1-2x^2}{1+x^2+4x^4} dx = -\frac{\int \frac{\frac{\sqrt{3}}{2}+2x}{-\frac{1}{2}-\frac{\sqrt{3}x}{2}-x^2} dx}{2\sqrt{3}} - \frac{\int \frac{\frac{\sqrt{3}}{2}-2x}{-\frac{1}{2}+\frac{\sqrt{3}x}{2}-x^2} dx}{2\sqrt{3}}$$

$$= -\frac{\log(1-\sqrt{3}x+2x^2)}{2\sqrt{3}} + \frac{\log(1+\sqrt{3}x+2x^2)}{2\sqrt{3}}$$

Mathematica [A] time = 0.01, size = 42, normalized size = 0.84

$$\frac{\log(2x^2 + \sqrt{3}x + 1) - \log(-2x^2 + \sqrt{3}x - 1)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 2*x^2)/(1 + x^2 + 4*x^4), x]

[Out] (-Log[-1 + Sqrt[3]*x - 2*x^2] + Log[1 + Sqrt[3]*x + 2*x^2])/(2*Sqrt[3])

fricas [A] time = 0.39, size = 43, normalized size = 0.86

$$\frac{1}{6} \sqrt{3} \log\left(\frac{4x^4 + 7x^2 + 2\sqrt{3}(2x^3 + x) + 1}{4x^4 + x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+x^2+1), x, algorithm="fricas")

[Out] 1/6*sqrt(3)*log((4*x^4 + 7*x^2 + 2*sqrt(3)*(2*x^3 + x) + 1)/(4*x^4 + x^2 + 1))

giac [A] time = 0.26, size = 41, normalized size = 0.82

$$\frac{1}{6} \sqrt{3} \log\left(x^2 + \frac{1}{2} \sqrt{6} \left(\frac{1}{4}\right)^{\frac{1}{4}} x + \frac{1}{2}\right) - \frac{1}{6} \sqrt{3} \log\left(x^2 - \frac{1}{2} \sqrt{6} \left(\frac{1}{4}\right)^{\frac{1}{4}} x + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+x^2+1), x, algorithm="giac")

[Out] 1/6*sqrt(3)*log(x^2 + 1/2*sqrt(6)*(1/4)^(1/4)*x + 1/2) - 1/6*sqrt(3)*log(x^2 - 1/2*sqrt(6)*(1/4)^(1/4)*x + 1/2)

maple [A] time = 0.01, size = 39, normalized size = 0.78

$$-\frac{\sqrt{3} \ln(2x^2 - \sqrt{3}x + 1)}{6} + \frac{\sqrt{3} \ln(2x^2 + \sqrt{3}x + 1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-2*x^2+1)/(4*x^4+x^2+1),x)

[Out] -1/6*ln(1+2*x^2-3^(1/2)*x)*3^(1/2)+1/6*ln(1+2*x^2+3^(1/2)*x)*3^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{2x^2 - 1}{4x^4 + x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+x^2+1),x, algorithm="maxima")

[Out] -integrate((2*x^2 - 1)/(4*x^4 + x^2 + 1), x)

mupad [B] time = 0.07, size = 20, normalized size = 0.40

$$\frac{\sqrt{3} \operatorname{atanh}\left(\frac{\sqrt{3}x}{2x^2+1}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x^2 - 1)/(x^2 + 4*x^4 + 1),x)

[Out] (3^(1/2)*atanh((3^(1/2)*x)/(2*x^2 + 1)))/3

sympy [A] time = 0.12, size = 46, normalized size = 0.92

$$-\frac{\sqrt{3} \log\left(x^2 - \frac{\sqrt{3}x}{2} + \frac{1}{2}\right)}{6} + \frac{\sqrt{3} \log\left(x^2 + \frac{\sqrt{3}x}{2} + \frac{1}{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x**2+1)/(4*x**4+x**2+1),x)

[Out] -sqrt(3)*log(x**2 - sqrt(3)*x/2 + 1/2)/6 + sqrt(3)*log(x**2 + sqrt(3)*x/2 + 1/2)/6

$$3.61 \quad \int \frac{1-2x^2}{1+4x^4} dx$$

Optimal. Leaf size=31

$$\frac{1}{4} \log(2x^2 + 2x + 1) - \frac{1}{4} \log(2x^2 - 2x + 1)$$

[Out] $-1/4*\ln(2*x^2-2*x+1)+1/4*\ln(2*x^2+2*x+1)$

Rubi [A] time = 0.01, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {1165, 628}

$$\frac{1}{4} \log(2x^2 + 2x + 1) - \frac{1}{4} \log(2x^2 - 2x + 1)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 - 2*x^2)/(1 + 4*x^4), x]$

[Out] $-\text{Log}[1 - 2*x + 2*x^2]/4 + \text{Log}[1 + 2*x + 2*x^2]/4$

Rule 628

$\text{Int}[(d + (e_*)*(x_))/((a_*) + (b_*)*(x_*) + (c_*)*(x_*)^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 1165

$\text{Int}[(d + (e_*)*(x_*)^2)/((a_*) + (c_*)*(x_*)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[d*e]$

Rubi steps

$$\begin{aligned} \int \frac{1-2x^2}{1+4x^4} dx &= -\left(\frac{1}{4} \int \frac{1+2x}{-\frac{1}{2}-x-x^2} dx\right) - \frac{1}{4} \int \frac{1-2x}{-\frac{1}{2}+x-x^2} dx \\ &= -\frac{1}{4} \log(1-2x+2x^2) + \frac{1}{4} \log(1+2x+2x^2) \end{aligned}$$

Mathematica [A] time = 0.00, size = 31, normalized size = 1.00

$$\frac{1}{4} \log(2x^2 + 2x + 1) - \frac{1}{4} \log(2x^2 - 2x + 1)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 2*x^2)/(1 + 4*x^4), x]

[Out] -1/4*Log[1 - 2*x + 2*x^2] + Log[1 + 2*x + 2*x^2]/4

fricas [A] time = 0.40, size = 27, normalized size = 0.87

$$\frac{1}{4} \log(2x^2 + 2x + 1) - \frac{1}{4} \log(2x^2 - 2x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+1), x, algorithm="fricas")

[Out] 1/4*log(2*x^2 + 2*x + 1) - 1/4*log(2*x^2 - 2*x + 1)

giac [A] time = 0.16, size = 34, normalized size = 1.10

$$\frac{1}{4} \log \left(x^2 + \sqrt{2} \left(\frac{1}{4} \right)^{\frac{1}{4}} x + \frac{1}{2} \right) - \frac{1}{4} \log \left(x^2 - \sqrt{2} \left(\frac{1}{4} \right)^{\frac{1}{4}} x + \frac{1}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+1), x, algorithm="giac")

[Out] 1/4*log(x^2 + sqrt(2)*(1/4)^(1/4)*x + 1/2) - 1/4*log(x^2 - sqrt(2)*(1/4)^(1/4)*x + 1/2)

maple [A] time = 0.00, size = 28, normalized size = 0.90

$$-\frac{\ln(2x^2 - 2x + 1)}{4} + \frac{\ln(2x^2 + 2x + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-2*x^2+1)/(4*x^4+1), x)

[Out] -1/4*ln(2*x^2-2*x+1)+1/4*ln(2*x^2+2*x+1)

maxima [A] time = 1.06, size = 27, normalized size = 0.87

$$\frac{1}{4} \log(2x^2 + 2x + 1) - \frac{1}{4} \log(2x^2 - 2x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4+1),x, algorithm="maxima")

[Out] 1/4*log(2*x^2 + 2*x + 1) - 1/4*log(2*x^2 - 2*x + 1)

mupad [B] time = 0.07, size = 15, normalized size = 0.48

$$\frac{\operatorname{atanh}\left(\frac{2x}{2x^2+1}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x^2 - 1)/(4*x^4 + 1),x)

[Out] atanh((2*x)/(2*x^2 + 1))/2

sympy [A] time = 0.11, size = 22, normalized size = 0.71

$$-\frac{\log\left(x^2 - x + \frac{1}{2}\right)}{4} + \frac{\log\left(x^2 + x + \frac{1}{2}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x**2+1)/(4*x**4+1),x)

[Out] -log(x**2 - x + 1/2)/4 + log(x**2 + x + 1/2)/4

$$3.62 \quad \int \frac{1-2x^2}{1-x^2+4x^4} dx$$

Optimal. Leaf size=50

$$\frac{\log(2x^2 + \sqrt{5}x + 1)}{2\sqrt{5}} - \frac{\log(2x^2 - \sqrt{5}x + 1)}{2\sqrt{5}}$$

[Out] $-1/10*\ln(1+2*x^2-x*5^{(1/2)})*5^{(1/2)}+1/10*\ln(1+2*x^2+x*5^{(1/2)})*5^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1164, 628}

$$\frac{\log(2x^2 + \sqrt{5}x + 1)}{2\sqrt{5}} - \frac{\log(2x^2 - \sqrt{5}x + 1)}{2\sqrt{5}}$$

Antiderivative was successfully verified.

[In] Int[(1 - 2*x^2)/(1 - x^2 + 4*x^4), x]

[Out] $-\text{Log}[1 - \text{Sqrt}[5]*x + 2*x^2]/(2*\text{Sqrt}[5]) + \text{Log}[1 + \text{Sqrt}[5]*x + 2*x^2]/(2*\text{Sqrt}[5])$

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1164

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1-2x^2}{1-x^2+4x^4} dx = -\frac{\int \frac{\frac{\sqrt{5}}{2}+2x}{-\frac{1}{2}-\frac{\sqrt{5}x}{2}-x^2} dx}{2\sqrt{5}} - \frac{\int \frac{\frac{\sqrt{5}}{2}-2x}{-\frac{1}{2}+\frac{\sqrt{5}x}{2}-x^2} dx}{2\sqrt{5}}$$

$$= -\frac{\log(1-\sqrt{5}x+2x^2)}{2\sqrt{5}} + \frac{\log(1+\sqrt{5}x+2x^2)}{2\sqrt{5}}$$

Mathematica [A] time = 0.01, size = 42, normalized size = 0.84

$$\frac{\log(2x^2 + \sqrt{5}x + 1) - \log(-2x^2 + \sqrt{5}x - 1)}{2\sqrt{5}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 2*x^2)/(1 - x^2 + 4*x^4), x]

[Out] (-Log[-1 + Sqrt[5]*x - 2*x^2] + Log[1 + Sqrt[5]*x + 2*x^2])/(2*Sqrt[5])

fricas [A] time = 0.40, size = 45, normalized size = 0.90

$$\frac{1}{10} \sqrt{5} \log\left(\frac{4x^4 + 9x^2 + 2\sqrt{5}(2x^3 + x) + 1}{4x^4 - x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4-x^2+1), x, algorithm="fricas")

[Out] 1/10*sqrt(5)*log((4*x^4 + 9*x^2 + 2*sqrt(5)*(2*x^3 + x) + 1)/(4*x^4 - x^2 + 1))

giac [A] time = 0.24, size = 41, normalized size = 0.82

$$\frac{1}{10} \sqrt{5} \log\left(x^2 + \frac{1}{2} \sqrt{10} \left(\frac{1}{4}\right)^{\frac{1}{4}} x + \frac{1}{2}\right) - \frac{1}{10} \sqrt{5} \log\left(x^2 - \frac{1}{2} \sqrt{10} \left(\frac{1}{4}\right)^{\frac{1}{4}} x + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4-x^2+1), x, algorithm="giac")

[Out] 1/10*sqrt(5)*log(x^2 + 1/2*sqrt(10)*(1/4)^(1/4)*x + 1/2) - 1/10*sqrt(5)*log(x^2 - 1/2*sqrt(10)*(1/4)^(1/4)*x + 1/2)

maple [A] time = 0.01, size = 39, normalized size = 0.78

$$-\frac{\sqrt{5} \ln(2x^2 - \sqrt{5}x + 1)}{10} + \frac{\sqrt{5} \ln(2x^2 + \sqrt{5}x + 1)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-2*x^2+1)/(4*x^4-x^2+1),x)

[Out] -1/10*ln(1+2*x^2-5^(1/2)*x)*5^(1/2)+1/10*ln(1+2*x^2+5^(1/2)*x)*5^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{2x^2 - 1}{4x^4 - x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4-x^2+1),x, algorithm="maxima")

[Out] -integrate((2*x^2 - 1)/(4*x^4 - x^2 + 1), x)

mupad [B] time = 4.35, size = 20, normalized size = 0.40

$$\frac{\sqrt{5} \operatorname{atanh}\left(\frac{\sqrt{5}x}{2x^2+1}\right)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x^2 - 1)/(4*x^4 - x^2 + 1),x)

[Out] (5^(1/2)*atanh((5^(1/2)*x)/(2*x^2 + 1)))/5

sympy [A] time = 0.12, size = 46, normalized size = 0.92

$$-\frac{\sqrt{5} \log\left(x^2 - \frac{\sqrt{5}x}{2} + \frac{1}{2}\right)}{10} + \frac{\sqrt{5} \log\left(x^2 + \frac{\sqrt{5}x}{2} + \frac{1}{2}\right)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x**2+1)/(4*x**4-x**2+1),x)

[Out] -sqrt(5)*log(x**2 - sqrt(5)*x/2 + 1/2)/10 + sqrt(5)*log(x**2 + sqrt(5)*x/2 + 1/2)/10

$$3.63 \quad \int \frac{1-2x^2}{1-2x^2+4x^4} dx$$

Optimal. Leaf size=50

$$\frac{\log(2x^2 + \sqrt{6}x + 1)}{2\sqrt{6}} - \frac{\log(2x^2 - \sqrt{6}x + 1)}{2\sqrt{6}}$$

[Out] $-1/12*\ln(1+2*x^2-x*\sqrt{6})*\sqrt{6}+1/12*\ln(1+2*x^2+x*\sqrt{6})*\sqrt{6}$

Rubi [A] time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1164, 628}

$$\frac{\log(2x^2 + \sqrt{6}x + 1)}{2\sqrt{6}} - \frac{\log(2x^2 - \sqrt{6}x + 1)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(1 - 2*x^2)/(1 - 2*x^2 + 4*x^4), x]

[Out] -Log[1 - Sqrt[6]*x + 2*x^2]/(2*Sqrt[6]) + Log[1 + Sqrt[6]*x + 2*x^2]/(2*Sqrt[6])

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1164

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1-2x^2}{1-2x^2+4x^4} dx = -\frac{\int \frac{\sqrt{\frac{3}{2}}+2x}{-\frac{1}{2}-\sqrt{\frac{3}{2}}x-x^2} dx}{2\sqrt{6}} - \frac{\int \frac{\sqrt{\frac{3}{2}}-2x}{-\frac{1}{2}+\sqrt{\frac{3}{2}}x-x^2} dx}{2\sqrt{6}}$$

$$= -\frac{\log(1-\sqrt{6}x+2x^2)}{2\sqrt{6}} + \frac{\log(1+\sqrt{6}x+2x^2)}{2\sqrt{6}}$$

Mathematica [A] time = 0.02, size = 42, normalized size = 0.84

$$\frac{\log(2x^2 + \sqrt{6}x + 1) - \log(-2x^2 + \sqrt{6}x - 1)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 2*x^2)/(1 - 2*x^2 + 4*x^4), x]

[Out] (-Log[-1 + Sqrt[6]*x - 2*x^2] + Log[1 + Sqrt[6]*x + 2*x^2])/(2*Sqrt[6])

fricas [A] time = 0.39, size = 45, normalized size = 0.90

$$\frac{1}{12} \sqrt{6} \log\left(\frac{4x^4 + 10x^2 + 2\sqrt{6}(2x^3 + x) + 1}{4x^4 - 2x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4-2*x^2+1), x, algorithm="fricas")

[Out] 1/12*sqrt(6)*log((4*x^4 + 10*x^2 + 2*sqrt(6)*(2*x^3 + x) + 1)/(4*x^4 - 2*x^2 + 1))

giac [A] time = 0.18, size = 40, normalized size = 0.80

$$\frac{1}{12} \sqrt{6} \log\left(x^2 + \sqrt{3} \left(\frac{1}{4}\right)^{\frac{1}{4}} x + \frac{1}{2}\right) - \frac{1}{12} \sqrt{6} \log\left(x^2 - \sqrt{3} \left(\frac{1}{4}\right)^{\frac{1}{4}} x + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4-2*x^2+1), x, algorithm="giac")

[Out] 1/12*sqrt(6)*log(x^2 + sqrt(3)*(1/4)^(1/4)*x + 1/2) - 1/12*sqrt(6)*log(x^2 - sqrt(3)*(1/4)^(1/4)*x + 1/2)

maple [A] time = 0.01, size = 39, normalized size = 0.78

$$-\frac{\sqrt{6} \ln(2x^2 - \sqrt{6}x + 1)}{12} + \frac{\sqrt{6} \ln(2x^2 + \sqrt{6}x + 1)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-2*x^2+1)/(4*x^4-2*x^2+1),x)`

[Out] `-1/12*ln(1+2*x^2-6^(1/2)*x)*6^(1/2)+1/12*ln(1+2*x^2+6^(1/2)*x)*6^(1/2)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{2x^2 - 1}{4x^4 - 2x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-2*x^2+1)/(4*x^4-2*x^2+1),x, algorithm="maxima")`

[Out] `-integrate((2*x^2 - 1)/(4*x^4 - 2*x^2 + 1), x)`

mupad [B] time = 0.07, size = 20, normalized size = 0.40

$$\frac{\sqrt{6} \operatorname{atanh}\left(\frac{\sqrt{6}x}{2x^2+1}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(2*x^2 - 1)/(4*x^4 - 2*x^2 + 1),x)`

[Out] `(6^(1/2)*atanh((6^(1/2)*x)/(2*x^2 + 1)))/6`

sympy [A] time = 0.12, size = 46, normalized size = 0.92

$$-\frac{\sqrt{6} \log\left(x^2 - \frac{\sqrt{6}x}{2} + \frac{1}{2}\right)}{12} + \frac{\sqrt{6} \log\left(x^2 + \frac{\sqrt{6}x}{2} + \frac{1}{2}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-2*x**2+1)/(4*x**4-2*x**2+1),x)`

[Out] `-sqrt(6)*log(x**2 - sqrt(6)*x/2 + 1/2)/12 + sqrt(6)*log(x**2 + sqrt(6)*x/2 + 1/2)/12`

$$3.64 \quad \int \frac{1-2x^2}{1-3x^2+4x^4} dx$$

Optimal. Leaf size=50

$$\frac{\log(2x^2 + \sqrt{7}x + 1)}{2\sqrt{7}} - \frac{\log(2x^2 - \sqrt{7}x + 1)}{2\sqrt{7}}$$

[Out] $-1/14*\ln(1+2*x^2-x*7^{(1/2)})*7^{(1/2)}+1/14*\ln(1+2*x^2+x*7^{(1/2)})*7^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1164, 628}

$$\frac{\log(2x^2 + \sqrt{7}x + 1)}{2\sqrt{7}} - \frac{\log(2x^2 - \sqrt{7}x + 1)}{2\sqrt{7}}$$

Antiderivative was successfully verified.

[In] Int[(1 - 2*x^2)/(1 - 3*x^2 + 4*x^4), x]

[Out] $-\text{Log}[1 - \text{Sqrt}[7]*x + 2*x^2]/(2*\text{Sqrt}[7]) + \text{Log}[1 + \text{Sqrt}[7]*x + 2*x^2]/(2*\text{Sqrt}[7])$

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1164

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1-2x^2}{1-3x^2+4x^4} dx = -\frac{\int \frac{\frac{\sqrt{7}}{2}+2x}{-\frac{1}{2}-\frac{\sqrt{7}x}{2}-x^2} dx}{2\sqrt{7}} - \frac{\int \frac{\frac{\sqrt{7}}{2}-2x}{-\frac{1}{2}+\frac{\sqrt{7}x}{2}-x^2} dx}{2\sqrt{7}}$$

$$= -\frac{\log(1-\sqrt{7}x+2x^2)}{2\sqrt{7}} + \frac{\log(1+\sqrt{7}x+2x^2)}{2\sqrt{7}}$$

Mathematica [A] time = 0.02, size = 42, normalized size = 0.84

$$\frac{\log(2x^2 + \sqrt{7}x + 1) - \log(-2x^2 + \sqrt{7}x - 1)}{2\sqrt{7}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 2*x^2)/(1 - 3*x^2 + 4*x^4), x]

[Out] (-Log[-1 + Sqrt[7]*x - 2*x^2] + Log[1 + Sqrt[7]*x + 2*x^2])/(2*Sqrt[7])

fricas [A] time = 0.42, size = 45, normalized size = 0.90

$$\frac{1}{14} \sqrt{7} \log\left(\frac{4x^4 + 11x^2 + 2\sqrt{7}(2x^3 + x) + 1}{4x^4 - 3x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4-3*x^2+1),x, algorithm="fricas")

[Out] 1/14*sqrt(7)*log((4*x^4 + 11*x^2 + 2*sqrt(7)*(2*x^3 + x) + 1)/(4*x^4 - 3*x^2 + 1))

giac [A] time = 0.21, size = 41, normalized size = 0.82

$$\frac{1}{14} \sqrt{7} \log\left(x^2 + \frac{1}{2} \sqrt{14} \left(\frac{1}{4}\right)^{\frac{1}{4}} x + \frac{1}{2}\right) - \frac{1}{14} \sqrt{7} \log\left(x^2 - \frac{1}{2} \sqrt{14} \left(\frac{1}{4}\right)^{\frac{1}{4}} x + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4-3*x^2+1),x, algorithm="giac")

[Out] 1/14*sqrt(7)*log(x^2 + 1/2*sqrt(14)*(1/4)^(1/4)*x + 1/2) - 1/14*sqrt(7)*log(x^2 - 1/2*sqrt(14)*(1/4)^(1/4)*x + 1/2)

maple [A] time = 0.01, size = 39, normalized size = 0.78

$$-\frac{\sqrt{7} \ln(2x^2 - \sqrt{7}x + 1)}{14} + \frac{\sqrt{7} \ln(2x^2 + \sqrt{7}x + 1)}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-2*x^2+1)/(4*x^4-3*x^2+1),x)

[Out] -1/14*ln(1+2*x^2-x*7^(1/2))*7^(1/2)+1/14*ln(1+2*x^2+x*7^(1/2))*7^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{2x^2 - 1}{4x^4 - 3x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4-3*x^2+1),x, algorithm="maxima")

[Out] -integrate((2*x^2 - 1)/(4*x^4 - 3*x^2 + 1), x)

mupad [B] time = 4.39, size = 20, normalized size = 0.40

$$\frac{\sqrt{7} \operatorname{atanh}\left(\frac{\sqrt{7}x}{2x^2+1}\right)}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x^2 - 1)/(4*x^4 - 3*x^2 + 1),x)

[Out] (7^(1/2)*atanh((7^(1/2)*x)/(2*x^2 + 1)))/7

sympy [A] time = 0.13, size = 46, normalized size = 0.92

$$-\frac{\sqrt{7} \log\left(x^2 - \frac{\sqrt{7}x}{2} + \frac{1}{2}\right)}{14} + \frac{\sqrt{7} \log\left(x^2 + \frac{\sqrt{7}x}{2} + \frac{1}{2}\right)}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x**2+1)/(4*x**4-3*x**2+1),x)

[Out] -sqrt(7)*log(x**2 - sqrt(7)*x/2 + 1/2)/14 + sqrt(7)*log(x**2 + sqrt(7)*x/2 + 1/2)/14

$$3.65 \quad \int \frac{1-2x^2}{1-4x^2+4x^4} dx$$

Optimal. Leaf size=14

$$\frac{\tanh^{-1}(\sqrt{2}x)}{\sqrt{2}}$$

[Out] 1/2*arctanh(x*2^(1/2))*2^(1/2)

Rubi [A] time = 0.01, antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {28, 21, 206}

$$\frac{\tanh^{-1}(\sqrt{2}x)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 - 2*x^2)/(1 - 4*x^2 + 4*x^4), x]

[Out] ArcTanh[Sqrt[2]*x]/Sqrt[2]

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :>
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])
```

Rule 28

```
Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :>
Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] &&
EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{1-2x^2}{1-4x^2+4x^4} dx &= 4 \int \frac{1-2x^2}{(-2+4x^2)^2} dx \\ &= \int \frac{1}{1-2x^2} dx \\ &= \frac{\tanh^{-1}(\sqrt{2}x)}{\sqrt{2}} \end{aligned}$$

Mathematica [B] time = 0.01, size = 32, normalized size = 2.29

$$\frac{\log(2x + \sqrt{2}) - \log(\sqrt{2} - 2x)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 2*x^2)/(1 - 4*x^2 + 4*x^4), x]

[Out] (-Log[Sqrt[2] - 2*x] + Log[Sqrt[2] + 2*x])/(2*Sqrt[2])

fricas [B] time = 0.40, size = 29, normalized size = 2.07

$$\frac{1}{4} \sqrt{2} \log\left(\frac{2x^2 + 2\sqrt{2}x + 1}{2x^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4-4*x^2+1), x, algorithm="fricas")

[Out] 1/4*sqrt(2)*log((2*x^2 + 2*sqrt(2)*x + 1)/(2*x^2 - 1))

giac [B] time = 0.16, size = 29, normalized size = 2.07

$$\frac{1}{4} \sqrt{2} \log\left(\left|x + \frac{1}{2} \sqrt{2}\right|\right) - \frac{1}{4} \sqrt{2} \log\left(\left|x - \frac{1}{2} \sqrt{2}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4-4*x^2+1), x, algorithm="giac")

[Out] 1/4*sqrt(2)*log(abs(x + 1/2*sqrt(2))) - 1/4*sqrt(2)*log(abs(x - 1/2*sqrt(2)))

maple [A] time = 0.00, size = 12, normalized size = 0.86

$$\frac{\sqrt{2} \operatorname{arctanh}(\sqrt{2} x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-2*x^2+1)/(4*x^4-4*x^2+1),x)`

[Out] `1/2*arctanh(2^(1/2)*x)*2^(1/2)`

maxima [B] time = 2.35, size = 25, normalized size = 1.79

$$-\frac{1}{4} \sqrt{2} \log\left(\frac{2x - \sqrt{2}}{2x + \sqrt{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-2*x^2+1)/(4*x^4-4*x^2+1),x, algorithm="maxima")`

[Out] `-1/4*sqrt(2)*log((2*x - sqrt(2))/(2*x + sqrt(2)))`

mupad [B] time = 4.33, size = 11, normalized size = 0.79

$$\frac{\sqrt{2} \operatorname{atanh}(\sqrt{2} x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(2*x^2 - 1)/(4*x^4 - 4*x^2 + 1),x)`

[Out] `(2^(1/2)*atanh(2^(1/2)*x))/2`

sympy [B] time = 0.11, size = 32, normalized size = 2.29

$$-\frac{\sqrt{2} \log\left(x - \frac{\sqrt{2}}{2}\right)}{4} + \frac{\sqrt{2} \log\left(x + \frac{\sqrt{2}}{2}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-2*x**2+1)/(4*x**4-4*x**2+1),x)`

[Out] `-sqrt(2)*log(x - sqrt(2)/2)/4 + sqrt(2)*log(x + sqrt(2)/2)/4`

$$3.66 \quad \int \frac{1-2x^2}{1-5x^2+4x^4} dx$$

Optimal. Leaf size=39

$$-\frac{1}{6} \log(1-2x) - \frac{1}{6} \log(1-x) + \frac{1}{6} \log(x+1) + \frac{1}{6} \log(2x+1)$$

[Out] $-1/6*\ln(1-2*x)-1/6*\ln(1-x)+1/6*\ln(1+x)+1/6*\ln(1+2*x)$

Rubi [A] time = 0.02, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1161, 616, 31}

$$-\frac{1}{6} \log(1-2x) - \frac{1}{6} \log(1-x) + \frac{1}{6} \log(x+1) + \frac{1}{6} \log(2x+1)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 - 2*x^2)/(1 - 5*x^2 + 4*x^4), x]$

[Out] $-\text{Log}[1 - 2*x]/6 - \text{Log}[1 - x]/6 + \text{Log}[1 + x]/6 + \text{Log}[1 + 2*x]/6$

Rule 31

$\text{Int}[(a_ + (b_)*(x_))^{(-1)}, x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 616

$\text{Int}[(a_ + (b_)*(x_ + (c_)*(x_)^2))^{(-1)}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[c/q, \text{Int}[1/\text{Simp}[b/2 - q/2 + c*x, x], x], x] - \text{Dist}[c/q, \text{Int}[1/\text{Simp}[b/2 + q/2 + c*x, x], x], x] /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{PosQ}[b^2 - 4*a*c] \ \&\& \ \text{PerfectSquareQ}[b^2 - 4*a*c]$

Rule 1161

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2*d)/e - b/c, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ (\text{GtQ}[(2*d)/e - b/c, 0] \ || \ (\text{!LtQ}[(2*d)/e - b/c, 0] \ \&\& \ \text{EqQ}[d - e*\text{Rt}[a/c, 2], 0]))$

Rubi steps

$$\begin{aligned}
\int \frac{1-2x^2}{1-5x^2+4x^4} dx &= -\left(\frac{1}{4} \int \frac{1}{-\frac{1}{2}-\frac{x}{2}+x^2} dx\right) - \frac{1}{4} \int \frac{1}{-\frac{1}{2}+\frac{x}{2}+x^2} dx \\
&= -\left(\frac{1}{6} \int \frac{1}{-1+x} dx\right) - \frac{1}{6} \int \frac{1}{-\frac{1}{2}+x} dx + \frac{1}{6} \int \frac{1}{\frac{1}{2}+x} dx + \frac{1}{6} \int \frac{1}{1+x} dx \\
&= -\frac{1}{6} \log(1-2x) - \frac{1}{6} \log(1-x) + \frac{1}{6} \log(1+x) + \frac{1}{6} \log(1+2x)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 31, normalized size = 0.79

$$\frac{1}{6} \log(2x^2 + 3x + 1) - \frac{1}{6} \log(2x^2 - 3x + 1)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - 2*x^2)/(1 - 5*x^2 + 4*x^4), x]

[Out] -1/6*Log[1 - 3*x + 2*x^2] + Log[1 + 3*x + 2*x^2]/6

fricas [A] time = 0.40, size = 27, normalized size = 0.69

$$\frac{1}{6} \log(2x^2 + 3x + 1) - \frac{1}{6} \log(2x^2 - 3x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4-5*x^2+1), x, algorithm="fricas")

[Out] 1/6*log(2*x^2 + 3*x + 1) - 1/6*log(2*x^2 - 3*x + 1)

giac [A] time = 0.15, size = 33, normalized size = 0.85

$$\frac{1}{6} \log(|2x + 1|) - \frac{1}{6} \log(|2x - 1|) + \frac{1}{6} \log(|x + 1|) - \frac{1}{6} \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4-5*x^2+1), x, algorithm="giac")

[Out] 1/6*log(abs(2*x + 1)) - 1/6*log(abs(2*x - 1)) + 1/6*log(abs(x + 1)) - 1/6*log(abs(x - 1))

maple [A] time = 0.01, size = 30, normalized size = 0.77

$$\frac{\ln(x+1)}{6} + \frac{\ln(2x+1)}{6} - \frac{\ln(x-1)}{6} - \frac{\ln(2x-1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-2*x^2+1)/(4*x^4-5*x^2+1),x)`

[Out] $-1/6*\ln(2*x-1)+1/6*\ln(2*x+1)+1/6*\ln(x+1)-1/6*\ln(x-1)$

maxima [A] time = 0.96, size = 29, normalized size = 0.74

$$\frac{1}{6} \log(2x+1) - \frac{1}{6} \log(2x-1) + \frac{1}{6} \log(x+1) - \frac{1}{6} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-2*x^2+1)/(4*x^4-5*x^2+1),x, algorithm="maxima")`

[Out] $1/6*\log(2*x + 1) - 1/6*\log(2*x - 1) + 1/6*\log(x + 1) - 1/6*\log(x - 1)$

mupad [B] time = 0.10, size = 15, normalized size = 0.38

$$\frac{\operatorname{atanh}\left(\frac{3x}{2x^2+1}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(2*x^2 - 1)/(4*x^4 - 5*x^2 + 1),x)`

[Out] $\operatorname{atanh}((3*x)/(2*x^2 + 1))/3$

sympy [A] time = 0.12, size = 29, normalized size = 0.74

$$-\frac{\log\left(x^2 - \frac{3x}{2} + \frac{1}{2}\right)}{6} + \frac{\log\left(x^2 + \frac{3x}{2} + \frac{1}{2}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-2*x**2+1)/(4*x**4-5*x**2+1),x)`

[Out] $-\log(x**2 - 3*x/2 + 1/2)/6 + \log(x**2 + 3*x/2 + 1/2)/6$

$$3.67 \quad \int \frac{1-2x^2}{1-6x^2+4x^4} dx$$

Optimal. Leaf size=48

$$\frac{\tanh^{-1}\left(\frac{2\sqrt{2}x+1}{\sqrt{5}}\right)}{\sqrt{10}} - \frac{\tanh^{-1}\left(\frac{1-2\sqrt{2}x}{\sqrt{5}}\right)}{\sqrt{10}}$$

[Out] $-1/10*\operatorname{arctanh}(1/5*(1-2*x*2^{(1/2)})*5^{(1/2)})*10^{(1/2)}+1/10*\operatorname{arctanh}(1/5*(1+2*x*2^{(1/2)})*5^{(1/2)})*10^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1161, 618, 206}

$$\frac{\tanh^{-1}\left(\frac{2\sqrt{2}x+1}{\sqrt{5}}\right)}{\sqrt{10}} - \frac{\tanh^{-1}\left(\frac{1-2\sqrt{2}x}{\sqrt{5}}\right)}{\sqrt{10}}$$

Antiderivative was successfully verified.

[In] `Int[(1 - 2*x^2)/(1 - 6*x^2 + 4*x^4), x]`

[Out] `-(ArcTanh[(1 - 2*Sqrt[2]*x)/Sqrt[5]]/Sqrt[10]) + ArcTanh[(1 + 2*Sqrt[2]*x)/Sqrt[5]]/Sqrt[10]`

Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 618

`Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 1161

`Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2],`

0)))

Rubi steps

$$\begin{aligned}
\int \frac{1-2x^2}{1-6x^2+4x^4} dx &= -\left(\frac{1}{4} \int \frac{1}{-\frac{1}{2}-\frac{x}{\sqrt{2}}+x^2} dx\right) - \frac{1}{4} \int \frac{1}{-\frac{1}{2}+\frac{x}{\sqrt{2}}+x^2} dx \\
&= \frac{1}{2} \text{Subst}\left(\int \frac{1}{\frac{5}{2}-x^2} dx, x, -\frac{1}{\sqrt{2}}+2x\right) + \frac{1}{2} \text{Subst}\left(\int \frac{1}{\frac{5}{2}-x^2} dx, x, \frac{1}{\sqrt{2}}+2x\right) \\
&= -\frac{\tanh^{-1}\left(\frac{1-2\sqrt{2}x}{\sqrt{5}}\right)}{\sqrt{10}} + \frac{\tanh^{-1}\left(\frac{1+2\sqrt{2}x}{\sqrt{5}}\right)}{\sqrt{10}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 42, normalized size = 0.88

$$\frac{\log(2x^2 + \sqrt{10}x + 1) - \log(-2x^2 + \sqrt{10}x - 1)}{2\sqrt{10}}$$

Antiderivative was successfully verified.

`[In] Integrate[(1 - 2*x^2)/(1 - 6*x^2 + 4*x^4), x]``[Out] (-Log[-1 + Sqrt[10]*x - 2*x^2] + Log[1 + Sqrt[10]*x + 2*x^2])/(2*Sqrt[10])`**fricas [A]** time = 0.42, size = 45, normalized size = 0.94

$$\frac{1}{20} \sqrt{10} \log\left(\frac{4x^4 + 14x^2 + 2\sqrt{10}(2x^3 + x) + 1}{4x^4 - 6x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((-2*x^2+1)/(4*x^4-6*x^2+1), x, algorithm="fricas")``[Out] 1/20*sqrt(10)*log((4*x^4 + 14*x^2 + 2*sqrt(10)*(2*x^3 + x) + 1)/(4*x^4 - 6*x^2 + 1))`**giac [A]** time = 0.32, size = 77, normalized size = 1.60

$$\frac{1}{20} \sqrt{10} \log\left(\left|x + \frac{1}{4} \sqrt{10} + \frac{1}{4} \sqrt{2}\right|\right) + \frac{1}{20} \sqrt{10} \log\left(\left|x + \frac{1}{4} \sqrt{10} - \frac{1}{4} \sqrt{2}\right|\right) - \frac{1}{20} \sqrt{10} \log\left(\left|x - \frac{1}{4} \sqrt{10} + \frac{1}{4} \sqrt{2}\right|\right) - \frac{1}{20} \sqrt{10} \log\left(\left|x - \frac{1}{4} \sqrt{10} - \frac{1}{4} \sqrt{2}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4-6*x^2+1),x, algorithm="giac")

[Out] 1/20*sqrt(10)*log(abs(x + 1/4*sqrt(10) + 1/4*sqrt(2))) + 1/20*sqrt(10)*log(abs(x + 1/4*sqrt(10) - 1/4*sqrt(2))) - 1/20*sqrt(10)*log(abs(x - 1/4*sqrt(10) + 1/4*sqrt(2))) - 1/20*sqrt(10)*log(abs(x - 1/4*sqrt(10) - 1/4*sqrt(2)))

maple [B] time = 0.02, size = 82, normalized size = 1.71

$$\frac{2(\sqrt{5}-1)\sqrt{5}\operatorname{arctanh}\left(\frac{8x}{2\sqrt{10}-2\sqrt{2}}\right)}{5(2\sqrt{10}-2\sqrt{2})} + \frac{2(\sqrt{5}+1)\sqrt{5}\operatorname{arctanh}\left(\frac{8x}{2\sqrt{10}+2\sqrt{2}}\right)}{5(2\sqrt{10}+2\sqrt{2})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-2*x^2+1)/(4*x^4-6*x^2+1),x)

[Out] 2/5*(5^(1/2)-1)*5^(1/2)/(2*10^(1/2)-2*2^(1/2))*arctanh(8/(2*10^(1/2)-2*2^(1/2))*x)+2/5*(5^(1/2)+1)*5^(1/2)/(2*10^(1/2)+2*2^(1/2))*arctanh(8/(2*10^(1/2)+2*2^(1/2))*x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{2x^2-1}{4x^4-6x^2+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-2*x^2+1)/(4*x^4-6*x^2+1),x, algorithm="maxima")

[Out] -integrate((2*x^2 - 1)/(4*x^4 - 6*x^2 + 1), x)

mupad [B] time = 0.13, size = 20, normalized size = 0.42

$$\frac{\sqrt{10}\operatorname{atanh}\left(\frac{\sqrt{10}x}{2x^2+1}\right)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x^2 - 1)/(4*x^4 - 6*x^2 + 1),x)

[Out] (10^(1/2)*atanh((10^(1/2)*x)/(2*x^2 + 1)))/10

sympy [A] time = 0.12, size = 46, normalized size = 0.96

$$-\frac{\sqrt{10}\log\left(x^2 - \frac{\sqrt{10}x}{2} + \frac{1}{2}\right)}{20} + \frac{\sqrt{10}\log\left(x^2 + \frac{\sqrt{10}x}{2} + \frac{1}{2}\right)}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-2*x**2+1)/(4*x**4-6*x**2+1),x)
```

```
[Out] -sqrt(10)*log(x**2 - sqrt(10)*x/2 + 1/2)/20 + sqrt(10)*log(x**2 + sqrt(10)*  
x/2 + 1/2)/20
```

$$3.68 \quad \int \frac{1+x^2}{1+bx^2+x^4} dx$$

Optimal. Leaf size=62

$$\frac{\tan^{-1}\left(\frac{\sqrt{2-b}+2x}{\sqrt{b+2}}\right)}{\sqrt{b+2}} - \frac{\tan^{-1}\left(\frac{\sqrt{2-b}-2x}{\sqrt{b+2}}\right)}{\sqrt{b+2}}$$

[Out] $-\arctan((-2*x+(2-b)^{(1/2)})/(2+b)^{(1/2)))/(2+b)^{(1/2)}+\arctan((2*x+(2-b)^{(1/2)})/(2+b)^{(1/2)))/(2+b)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1161, 618, 204}

$$\frac{\tan^{-1}\left(\frac{\sqrt{2-b}+2x}{\sqrt{b+2}}\right)}{\sqrt{b+2}} - \frac{\tan^{-1}\left(\frac{\sqrt{2-b}-2x}{\sqrt{b+2}}\right)}{\sqrt{b+2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)/(1 + b*x^2 + x^4), x]

[Out] $-(\text{ArcTan}[(\text{Sqrt}[2 - b] - 2*x)/\text{Sqrt}[2 + b]]/\text{Sqrt}[2 + b]) + \text{ArcTan}[(\text{Sqrt}[2 - b] + 2*x)/\text{Sqrt}[2 + b]]/\text{Sqrt}[2 + b]$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned} \int \frac{1+x^2}{1+bx^2+x^4} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{2-b}x+x^2} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{2-b}x+x^2} dx \\ &= -\text{Subst}\left(\int \frac{1}{-2-b-x^2} dx, x, -\sqrt{2-b}+2x\right) - \text{Subst}\left(\int \frac{1}{-2-b-x^2} dx, x, \sqrt{2-b}+2x\right) \\ &= \frac{\tan^{-1}\left(\frac{-\sqrt{2-b}+2x}{\sqrt{2+b}}\right)}{\sqrt{2+b}} + \frac{\tan^{-1}\left(\frac{\sqrt{2-b}+2x}{\sqrt{2+b}}\right)}{\sqrt{2+b}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 124, normalized size = 2.00

$$\frac{\left(\sqrt{b^2-4}-b+2\right) \tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{b-\sqrt{b^2-4}}}\right) + \left(\sqrt{b^2-4}+b-2\right) \tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{\sqrt{b^2-4}+b}}\right)}{\sqrt{2}\sqrt{b^2-4}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)/(1 + b*x^2 + x^4), x]

[Out] (((2 - b + Sqrt[-4 + b^2])*ArcTan[(Sqrt[2]*x)/Sqrt[b - Sqrt[-4 + b^2]]])/Sqrt[b - Sqrt[-4 + b^2]] + ((-2 + b + Sqrt[-4 + b^2])*ArcTan[(Sqrt[2]*x)/Sqrt[b + Sqrt[-4 + b^2]]])/Sqrt[b + Sqrt[-4 + b^2]])/(Sqrt[2]*Sqrt[-4 + b^2])

fricas [A] time = 0.41, size = 101, normalized size = 1.63

$$\left[\frac{\sqrt{-b-2} \log\left(\frac{x^4-(b+4)x^2-2(x^3-x)\sqrt{-b-2}+1}{x^4+bx^2+1}\right)}{2(b+2)}, \frac{\sqrt{b+2} \arctan\left(\frac{x^3+(b+1)x}{\sqrt{b+2}}\right) + \sqrt{b+2} \arctan\left(\frac{x}{\sqrt{b+2}}\right)}{b+2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+b*x^2+1), x, algorithm="fricas")

[Out] [-1/2*sqrt(-b-2)*log((x^4-(b+4)*x^2-2*(x^3-x)*sqrt(-b-2)+1)/(x^4+b*x^2+1))/(b+2), (sqrt(b+2)*arctan((x^3+(b+1)*x)/sqrt(b+2))+sqrt(b+2)*arctan(x/sqrt(b+2)))/(b+2)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+b*x^2+1),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x);OUTPUT:Warning, need to choose a branch for the root
 of a polynomial with parameters. This might be wrong.The choice was done
 assuming [b]=[0]Precision problem choosing root in common_EXT, current prec
 ision 14Warning, need to choose a branch for the root of a polynomial with
 parameters. This might be wrong.The choice was done assuming [b]=[0]Precisi
 on problem choosing root in common_EXT, current precision 14Undef/Unsigned
 Inf encountered in limitLimit: Max order reached or unable to make series e
 xpansion Error: Bad Argument Value

maple [B] time = 0.04, size = 277, normalized size = 4.47

$$-\frac{b \arctan\left(\frac{2x}{\sqrt{2b-2}\sqrt{(b-2)(b+2)}}\right)}{\sqrt{(b-2)(b+2)}\sqrt{2b-2}\sqrt{(b-2)(b+2)}} + \frac{b \arctan\left(\frac{2x}{\sqrt{2b+2}\sqrt{(b-2)(b+2)}}\right)}{\sqrt{(b-2)(b+2)}\sqrt{2b+2}\sqrt{(b-2)(b+2)}} + \frac{2 \arctan\left(\frac{2x}{\sqrt{2b-2}\sqrt{(b-2)(b+2)}}\right)}{\sqrt{(b-2)(b+2)}\sqrt{2b-2}\sqrt{(b-2)(b+2)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)/(x^4+b*x^2+1),x)

[Out]
$$-2/((b-2)*(2+b))^{(1/2)}/(2*((b-2)*(2+b))^{(1/2)}+2*b)^{(1/2)}*\arctan(2*x/(2*((b-2)*(2+b))^{(1/2)}+2*b)^{(1/2)})+1/(2*((b-2)*(2+b))^{(1/2)}+2*b)^{(1/2)}*\arctan(2*x/(2*((b-2)*(2+b))^{(1/2)}+2*b)^{(1/2)})+1/((b-2)*(2+b))^{(1/2)}/(2*((b-2)*(2+b))^{(1/2)}+2*b)^{(1/2)}*\arctan(2*x/(2*((b-2)*(2+b))^{(1/2)}+2*b)^{(1/2)})*b+2/((b-2)*(2+b))^{(1/2)}/(-2*((b-2)*(2+b))^{(1/2)}+2*b)^{(1/2)}*\arctan(2*x/(-2*((b-2)*(2+b))^{(1/2)}+2*b)^{(1/2)})+1/(-2*((b-2)*(2+b))^{(1/2)}+2*b)^{(1/2)}*\arctan(2*x/(-2*((b-2)*(2+b))^{(1/2)}+2*b)^{(1/2)})-1/((b-2)*(2+b))^{(1/2)}/(-2*((b-2)*(2+b))^{(1/2)}+2*b)^{(1/2)}*\arctan(2*x/(-2*((b-2)*(2+b))^{(1/2)}+2*b)^{(1/2)})*b$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + 1}{x^4 + bx^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+b*x^2+1),x, algorithm="maxima")

[Out] integrate((x^2 + 1)/(x^4 + b*x^2 + 1), x)

mupad [B] time = 0.06, size = 73, normalized size = 1.18

$$\frac{\operatorname{atan}\left(\frac{x}{\sqrt{b+2}}\right) + \operatorname{atan}\left((b+2)\left(x\left(\frac{1}{\sqrt{b+2}} + \frac{\frac{4}{b+2}-1}{(b-2)\sqrt{b+2}}\right) + \frac{x^3\left(\frac{2b}{b+2}-1\right)}{(b-2)\sqrt{b+2}}\right)\right)}{\sqrt{b+2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2 + 1)/(b*x^2 + x^4 + 1), x)`

[Out] `(atan(x/(b + 2)^(1/2)) + atan((b + 2)*(x*(1/(b + 2)^(1/2) + (4/(b + 2) - 1)/((b - 2)*(b + 2)^(1/2)))) + (x^3*((2*b)/(b + 2) - 1))/((b - 2)*(b + 2)^(1/2))))/(b + 2)^(1/2)`

sympy [A] time = 0.38, size = 88, normalized size = 1.42

$$\frac{\sqrt{-\frac{1}{b+2}} \log\left(x^2 + x\left(-b\sqrt{-\frac{1}{b+2}} - 2\sqrt{-\frac{1}{b+2}}\right) - 1\right)}{2} + \frac{\sqrt{-\frac{1}{b+2}} \log\left(x^2 + x\left(b\sqrt{-\frac{1}{b+2}} + 2\sqrt{-\frac{1}{b+2}}\right) - 1\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**2+1)/(x**4+b*x**2+1), x)`

[Out] `-sqrt(-1/(b + 2))*log(x**2 + x*(-b*sqrt(-1/(b + 2)) - 2*sqrt(-1/(b + 2)))) - 1)/2 + sqrt(-1/(b + 2))*log(x**2 + x*(b*sqrt(-1/(b + 2)) + 2*sqrt(-1/(b + 2)))) - 1)/2`

$$3.69 \quad \int \frac{1+x^2}{1+5x^2+x^4} dx$$

Optimal. Leaf size=49

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{5+\sqrt{21}}}x\right)}{\sqrt{7}} + \frac{\tan^{-1}\left(\sqrt{\frac{1}{2}(5+\sqrt{21})}x\right)}{\sqrt{7}}$$

[Out] 1/7*arctan(x*2^(1/2)/(5+21^(1/2))^(1/2))*7^(1/2)+1/7*arctan(x*(1/2*7^(1/2)+1/2*3^(1/2)))*7^(1/2)

Rubi [A] time = 0.09, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1163, 203}

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{5+\sqrt{21}}}x\right)}{\sqrt{7}} + \frac{\tan^{-1}\left(\sqrt{\frac{1}{2}(5+\sqrt{21})}x\right)}{\sqrt{7}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)/(1 + 5*x^2 + x^4),x]

[Out] ArcTan[Sqrt[2/(5 + Sqrt[21])]*x]/Sqrt[7] + ArcTan[Sqrt[(5 + Sqrt[21])/2]*x]/Sqrt[7]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1163

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1+x^2}{1+5x^2+x^4} dx = \frac{1}{14} (7-\sqrt{21}) \int \frac{1}{\frac{5}{2}-\frac{\sqrt{21}}{2}+x^2} dx + \frac{1}{14} (7+\sqrt{21}) \int \frac{1}{\frac{5}{2}+\frac{\sqrt{21}}{2}+x^2} dx$$

$$= \frac{\tan^{-1}\left(\sqrt{\frac{2}{5+\sqrt{21}}} x\right)}{\sqrt{7}} + \frac{\tan^{-1}\left(\sqrt{\frac{1}{2}(5+\sqrt{21})} x\right)}{\sqrt{7}}$$

Mathematica [A] time = 0.14, size = 83, normalized size = 1.69

$$\frac{(\sqrt{21}-3) \tan^{-1}\left(\sqrt{\frac{2}{5-\sqrt{21}}} x\right)}{\sqrt{42}(5-\sqrt{21})} + \frac{(3+\sqrt{21}) \tan^{-1}\left(\sqrt{\frac{2}{5+\sqrt{21}}} x\right)}{\sqrt{42}(5+\sqrt{21})}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)/(1 + 5*x^2 + x^4), x]

[Out] ((-3 + Sqrt[21])*ArcTan[Sqrt[2/(5 - Sqrt[21])]*x])/Sqrt[42*(5 - Sqrt[21])] + ((3 + Sqrt[21])*ArcTan[Sqrt[2/(5 + Sqrt[21])]*x])/Sqrt[42*(5 + Sqrt[21])]

fricas [A] time = 0.42, size = 31, normalized size = 0.63

$$\frac{1}{7} \sqrt{7} \arctan\left(\frac{1}{7} \sqrt{7} (x^3 + 6x)\right) + \frac{1}{7} \sqrt{7} \arctan\left(\frac{1}{7} \sqrt{7} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+5*x^2+1), x, algorithm="fricas")

[Out] 1/7*sqrt(7)*arctan(1/7*sqrt(7)*(x^3 + 6*x)) + 1/7*sqrt(7)*arctan(1/7*sqrt(7)*x)

giac [A] time = 0.18, size = 26, normalized size = 0.53

$$\frac{1}{14} \sqrt{7} \left(\pi \operatorname{sgn}(x) + 2 \arctan\left(\frac{\sqrt{7}(x^2-1)}{7x}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+5*x^2+1), x, algorithm="giac")

[Out] 1/14*sqrt(7)*(pi*sgn(x) + 2*arctan(1/7*sqrt(7)*(x^2 - 1)/x))

maple [B] time = 0.05, size = 136, normalized size = 2.78

$$-\frac{2\sqrt{21} \arctan\left(\frac{4x}{2\sqrt{7}-2\sqrt{3}}\right)}{7(2\sqrt{7}-2\sqrt{3})} + \frac{2 \arctan\left(\frac{4x}{2\sqrt{7}-2\sqrt{3}}\right)}{2\sqrt{7}-2\sqrt{3}} + \frac{2\sqrt{21} \arctan\left(\frac{4x}{2\sqrt{7}+2\sqrt{3}}\right)}{7(2\sqrt{7}+2\sqrt{3})} + \frac{2 \arctan\left(\frac{4x}{2\sqrt{7}+2\sqrt{3}}\right)}{2\sqrt{7}+2\sqrt{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)/(x^4+5*x^2+1), x)

[Out] $-2/7*21^{(1/2)}/(2*7^{(1/2)}-2*3^{(1/2)})*\arctan(4*x/(2*7^{(1/2)}-2*3^{(1/2)}))+2/(2*7^{(1/2)}-2*3^{(1/2)})*\arctan(4*x/(2*7^{(1/2)}-2*3^{(1/2)}))+2/7*21^{(1/2)}/(2*7^{(1/2)}+2*3^{(1/2)})*\arctan(4*x/(2*7^{(1/2)}+2*3^{(1/2)}))+2/(2*7^{(1/2)}+2*3^{(1/2)})*\arctan(4*x/(2*7^{(1/2)}+2*3^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + 1}{x^4 + 5x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+5*x^2+1), x, algorithm="maxima")

[Out] integrate((x^2 + 1)/(x^4 + 5*x^2 + 1), x)

mupad [B] time = 0.08, size = 29, normalized size = 0.59

$$\frac{\sqrt{7} \left(\operatorname{atan}\left(\frac{\sqrt{7}x^3}{7} + \frac{6\sqrt{7}x}{7}\right) + \operatorname{atan}\left(\frac{\sqrt{7}x}{7}\right) \right)}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)/(5*x^2 + x^4 + 1), x)

[Out] $(7^{(1/2)}*(\operatorname{atan}((6*7^{(1/2)}*x)/7 + (7^{(1/2)}*x^3)/7) + \operatorname{atan}((7^{(1/2)}*x)/7)))/7$

sympy [A] time = 0.12, size = 41, normalized size = 0.84

$$\frac{\sqrt{7} \left(2 \operatorname{atan}\left(\frac{\sqrt{7}x}{7}\right) + 2 \operatorname{atan}\left(\frac{\sqrt{7}x^3}{7} + \frac{6\sqrt{7}x}{7}\right) \right)}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)/(x**4+5*x**2+1), x)

[Out] $\operatorname{sqrt}(7)*(2*\operatorname{atan}(\operatorname{sqrt}(7)*x/7) + 2*\operatorname{atan}(\operatorname{sqrt}(7)*x**3/7 + 6*\operatorname{sqrt}(7)*x/7))/14$

$$3.70 \quad \int \frac{1+x^2}{1+4x^2+x^4} dx$$

Optimal. Leaf size=43

$$\frac{\tan^{-1}\left(\frac{x}{\sqrt{2-\sqrt{3}}}\right)}{\sqrt{6}} + \frac{\tan^{-1}\left(\frac{x}{\sqrt{2+\sqrt{3}}}\right)}{\sqrt{6}}$$

[Out] 1/6*arctan(x/(1/2*6^(1/2)-1/2*2^(1/2)))*6^(1/2)+1/6*arctan(x/(1/2*6^(1/2)+1/2*2^(1/2)))*6^(1/2)

Rubi [A] time = 0.05, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1163, 203}

$$\frac{\tan^{-1}\left(\frac{x}{\sqrt{2-\sqrt{3}}}\right)}{\sqrt{6}} + \frac{\tan^{-1}\left(\frac{x}{\sqrt{2+\sqrt{3}}}\right)}{\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)/(1 + 4*x^2 + x^4), x]

[Out] ArcTan[x/Sqrt[2 - Sqrt[3]]]/Sqrt[6] + ArcTan[x/Sqrt[2 + Sqrt[3]]]/Sqrt[6]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1163

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1+x^2}{1+4x^2+x^4} dx = \frac{1}{6}(3-\sqrt{3}) \int \frac{1}{2-\sqrt{3}+x^2} dx + \frac{1}{6}(3+\sqrt{3}) \int \frac{1}{2+\sqrt{3}+x^2} dx$$

$$= \frac{\tan^{-1}\left(\frac{x}{\sqrt{2-\sqrt{3}}}\right)}{\sqrt{6}} + \frac{\tan^{-1}\left(\frac{x}{\sqrt{2+\sqrt{3}}}\right)}{\sqrt{6}}$$

Mathematica [A] time = 0.07, size = 81, normalized size = 1.88

$$\frac{(\sqrt{3}-1) \tan^{-1}\left(\frac{x}{\sqrt{2-\sqrt{3}}}\right)}{2\sqrt{3}(2-\sqrt{3})} + \frac{(1+\sqrt{3}) \tan^{-1}\left(\frac{x}{\sqrt{2+\sqrt{3}}}\right)}{2\sqrt{3}(2+\sqrt{3})}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)/(1 + 4*x^2 + x^4),x]

[Out] ((-1 + Sqrt[3])*ArcTan[x/Sqrt[2 - Sqrt[3]]])/(2*Sqrt[3*(2 - Sqrt[3])]) + ((1 + Sqrt[3])*ArcTan[x/Sqrt[2 + Sqrt[3]]])/(2*Sqrt[3*(2 + Sqrt[3])])

fricas [A] time = 0.40, size = 31, normalized size = 0.72

$$\frac{1}{6} \sqrt{6} \arctan\left(\frac{1}{6} \sqrt{6} (x^3 + 5x)\right) + \frac{1}{6} \sqrt{6} \arctan\left(\frac{1}{6} \sqrt{6} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+4*x^2+1),x, algorithm="fricas")

[Out] 1/6*sqrt(6)*arctan(1/6*sqrt(6)*(x^3 + 5*x)) + 1/6*sqrt(6)*arctan(1/6*sqrt(6)*x)

giac [A] time = 0.19, size = 26, normalized size = 0.60

$$\frac{1}{12} \sqrt{6} \left(\pi \operatorname{sgn}(x) + 2 \arctan\left(\frac{\sqrt{6}(x^2-1)}{6x}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+4*x^2+1),x, algorithm="giac")

[Out] 1/12*sqrt(6)*(pi*sgn(x) + 2*arctan(1/6*sqrt(6)*(x^2 - 1)/x))

maple [B] time = 0.05, size = 110, normalized size = 2.56

$$-\frac{\sqrt{3} \arctan\left(\frac{2x}{\sqrt{6}-\sqrt{2}}\right)}{3(\sqrt{6}-\sqrt{2})} + \frac{\arctan\left(\frac{2x}{\sqrt{6}-\sqrt{2}}\right)}{\sqrt{6}-\sqrt{2}} + \frac{\sqrt{3} \arctan\left(\frac{2x}{\sqrt{6}+\sqrt{2}}\right)}{3\sqrt{6}+3\sqrt{2}} + \frac{\arctan\left(\frac{2x}{\sqrt{6}+\sqrt{2}}\right)}{\sqrt{6}+\sqrt{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)/(x^4+4*x^2+1), x)

[Out] 1/3*3^(1/2)/(6^(1/2)+2^(1/2))*arctan(2*x/(6^(1/2)+2^(1/2)))+1/(6^(1/2)+2^(1/2))*arctan(2*x/(6^(1/2)+2^(1/2)))-1/3*3^(1/2)/(6^(1/2)-2^(1/2))*arctan(2*x/(6^(1/2)-2^(1/2)))+1/(6^(1/2)-2^(1/2))*arctan(2*x/(6^(1/2)-2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + 1}{x^4 + 4x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+4*x^2+1), x, algorithm="maxima")

[Out] integrate((x^2 + 1)/(x^4 + 4*x^2 + 1), x)

mupad [B] time = 0.08, size = 29, normalized size = 0.67

$$\frac{\sqrt{6} \left(\operatorname{atan}\left(\frac{\sqrt{6}x^3}{6} + \frac{5\sqrt{6}x}{6}\right) + \operatorname{atan}\left(\frac{\sqrt{6}x}{6}\right) \right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)/(4*x^2 + x^4 + 1), x)

[Out] (6^(1/2)*(atan((5*6^(1/2)*x)/6 + (6^(1/2)*x^3)/6) + atan((6^(1/2)*x)/6)))/6

sympy [A] time = 0.14, size = 41, normalized size = 0.95

$$\frac{\sqrt{6} \left(2 \operatorname{atan}\left(\frac{\sqrt{6}x}{6}\right) + 2 \operatorname{atan}\left(\frac{\sqrt{6}x^3}{6} + \frac{5\sqrt{6}x}{6}\right) \right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)/(x**4+4*x**2+1), x)

[Out] sqrt(6)*(2*atan(sqrt(6)*x/6) + 2*atan(sqrt(6)*x**3/6 + 5*sqrt(6)*x/6))/12

$$3.71 \quad \int \frac{1+x^2}{1+3x^2+x^4} dx$$

Optimal. Leaf size=49

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{3+\sqrt{5}}}x\right)}{\sqrt{5}} + \frac{\tan^{-1}\left(\sqrt{\frac{1}{2}(3+\sqrt{5})}x\right)}{\sqrt{5}}$$

[Out] 1/5*arctan(x*2^(1/2)/(3+5^(1/2))^(1/2))*5^(1/2)+1/5*arctan(x*(1/2+1/2*5^(1/2)))^5^(1/2)

Rubi [A] time = 0.06, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1163, 203}

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{3+\sqrt{5}}}x\right)}{\sqrt{5}} + \frac{\tan^{-1}\left(\sqrt{\frac{1}{2}(3+\sqrt{5})}x\right)}{\sqrt{5}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)/(1 + 3*x^2 + x^4),x]

[Out] ArcTan[Sqrt[2/(3 + Sqrt[5])]*x]/Sqrt[5] + ArcTan[Sqrt[(3 + Sqrt[5])/2]*x]/Sqrt[5]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1163

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1+x^2}{1+3x^2+x^4} dx = \frac{1}{10} (5-\sqrt{5}) \int \frac{1}{\frac{3}{2} - \frac{\sqrt{5}}{2} + x^2} dx + \frac{1}{10} (5+\sqrt{5}) \int \frac{1}{\frac{3}{2} + \frac{\sqrt{5}}{2} + x^2} dx$$

$$= \frac{\tan^{-1}\left(\sqrt{\frac{2}{3+\sqrt{5}}} x\right)}{\sqrt{5}} + \frac{\tan^{-1}\left(\sqrt{\frac{1}{2}(3+\sqrt{5})} x\right)}{\sqrt{5}}$$

Mathematica [A] time = 0.10, size = 83, normalized size = 1.69

$$\frac{(\sqrt{5}-1) \tan^{-1}\left(\sqrt{\frac{2}{3-\sqrt{5}}} x\right)}{\sqrt{10}(3-\sqrt{5})} + \frac{(1+\sqrt{5}) \tan^{-1}\left(\sqrt{\frac{2}{3+\sqrt{5}}} x\right)}{\sqrt{10}(3+\sqrt{5})}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)/(1 + 3*x^2 + x^4), x]

[Out] ((-1 + Sqrt[5])*ArcTan[Sqrt[2/(3 - Sqrt[5])]*x])/Sqrt[10*(3 - Sqrt[5])] + ((1 + Sqrt[5])*ArcTan[Sqrt[2/(3 + Sqrt[5])]*x])/Sqrt[10*(3 + Sqrt[5])]

fricas [A] time = 0.40, size = 31, normalized size = 0.63

$$\frac{1}{5} \sqrt{5} \arctan\left(\frac{1}{5} \sqrt{5} (x^3 + 4x)\right) + \frac{1}{5} \sqrt{5} \arctan\left(\frac{1}{5} \sqrt{5} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+3*x^2+1), x, algorithm="fricas")

[Out] 1/5*sqrt(5)*arctan(1/5*sqrt(5)*(x^3 + 4*x)) + 1/5*sqrt(5)*arctan(1/5*sqrt(5)*x)

giac [A] time = 0.16, size = 26, normalized size = 0.53

$$\frac{1}{10} \sqrt{5} \left(\pi \operatorname{sgn}(x) + 2 \arctan\left(\frac{\sqrt{5}(x^2-1)}{5x}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+3*x^2+1), x, algorithm="giac")

[Out] 1/10*sqrt(5)*(pi*sgn(x) + 2*arctan(1/5*sqrt(5)*(x^2 - 1)/x))

maple [B] time = 0.04, size = 104, normalized size = 2.12

$$-\frac{2\sqrt{5} \arctan\left(\frac{4x}{2\sqrt{5}-2}\right)}{5(2\sqrt{5}-2)} + \frac{2 \arctan\left(\frac{4x}{2\sqrt{5}-2}\right)}{2\sqrt{5}-2} + \frac{2\sqrt{5} \arctan\left(\frac{4x}{2\sqrt{5}+2}\right)}{5(2\sqrt{5}+2)} + \frac{2 \arctan\left(\frac{4x}{2\sqrt{5}+2}\right)}{2\sqrt{5}+2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)/(x^4+3*x^2+1), x)

[Out] 2/5*5^(1/2)/(2*5^(1/2)+2)*arctan(4*x/(2*5^(1/2)+2))+2/(2*5^(1/2)+2)*arctan(4*x/(2*5^(1/2)+2))-2/5*5^(1/2)/(2*5^(1/2)-2)*arctan(4*x/(2*5^(1/2)-2))+2/(2*5^(1/2)-2)*arctan(4*x/(2*5^(1/2)-2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + 1}{x^4 + 3x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+3*x^2+1), x, algorithm="maxima")

[Out] integrate((x^2 + 1)/(x^4 + 3*x^2 + 1), x)

mupad [B] time = 4.39, size = 29, normalized size = 0.59

$$\frac{\sqrt{5} \left(\operatorname{atan}\left(\frac{\sqrt{5}x^3}{5} + \frac{4\sqrt{5}x}{5}\right) + \operatorname{atan}\left(\frac{\sqrt{5}x}{5}\right) \right)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)/(3*x^2 + x^4 + 1), x)

[Out] (5^(1/2)*(atan((4*5^(1/2)*x)/5 + (5^(1/2)*x^3)/5) + atan((5^(1/2)*x)/5))/5

sympy [A] time = 0.13, size = 41, normalized size = 0.84

$$\frac{\sqrt{5} \left(2 \operatorname{atan}\left(\frac{\sqrt{5}x}{5}\right) + 2 \operatorname{atan}\left(\frac{\sqrt{5}x^3}{5} + \frac{4\sqrt{5}x}{5}\right) \right)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)/(x**4+3*x**2+1), x)

[Out] sqrt(5)*(2*atan(sqrt(5)*x/5) + 2*atan(sqrt(5)*x**3/5 + 4*sqrt(5)*x/5))/10

$$3.72 \quad \int \frac{1+x^2}{1+2x^2+x^4} dx$$

Optimal. Leaf size=2

$$\tan^{-1}(x)$$

[Out] arctan(x)

Rubi [A] time = 0.00, antiderivative size = 2, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {28, 203}

$$\tan^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)/(1 + 2*x^2 + x^4), x]

[Out] ArcTan[x]

Rule 28

Int[(u_.)*((a_.) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^p_.], x_Symbol] :>
Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] &&
EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 203

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\int \frac{1+x^2}{1+2x^2+x^4} dx = \int \frac{1}{1+x^2} dx = \tan^{-1}(x)$$

Mathematica [A] time = 0.00, size = 2, normalized size = 1.00

$$\tan^{-1}(x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)/(1 + 2*x^2 + x^4),x]

[Out] ArcTan[x]

fricas [A] time = 0.40, size = 2, normalized size = 1.00

arctan(x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+2*x^2+1),x, algorithm="fricas")

[Out] arctan(x)

giac [A] time = 0.16, size = 2, normalized size = 1.00

arctan(x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+2*x^2+1),x, algorithm="giac")

[Out] arctan(x)

maple [A] time = 0.00, size = 3, normalized size = 1.50

arctan(x)

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)/(x^4+2*x^2+1),x)

[Out] arctan(x)

maxima [A] time = 2.42, size = 2, normalized size = 1.00

arctan(x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+2*x^2+1),x, algorithm="maxima")

[Out] arctan(x)

mupad [B] time = 4.33, size = 2, normalized size = 1.00

atan(x)

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^2 + 1)/(2*x^2 + x^4 + 1),x)
```

```
[Out] atan(x)
```

```
sympy [A] time = 0.10, size = 2, normalized size = 1.00
```

$\operatorname{atan}(x)$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**2+1)/(x**4+2*x**2+1),x)
```

```
[Out] atan(x)
```

$$3.73 \quad \int \frac{1+x^2}{1+x^2+x^4} dx$$

Optimal. Leaf size=38

$$\frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] $-1/3*\arctan(1/3*(1-2*x)*3^{(1/2)})*3^{(1/2)}+1/3*\arctan(1/3*(1+2*x)*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {1161, 618, 204}

$$\frac{\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)/(1 + x^2 + x^4), x]

[Out] $-(\text{ArcTan}[(1 - 2*x)/\text{Sqrt}[3]]/\text{Sqrt}[3]) + \text{ArcTan}[(1 + 2*x)/\text{Sqrt}[3]]/\text{Sqrt}[3]$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1+x^2}{1+x^2+x^4} dx &= \frac{1}{2} \int \frac{1}{1-x+x^2} dx + \frac{1}{2} \int \frac{1}{1+x+x^2} dx \\
&= -\text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, -1+2x\right) - \text{Subst}\left(\int \frac{1}{-3-x^2} dx, x, 1+2x\right) \\
&= \frac{\tan^{-1}\left(\frac{-1+2x}{\sqrt{3}}\right)}{\sqrt{3}} + \frac{\tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{\sqrt{3}}
\end{aligned}$$

Mathematica [C] time = 0.19, size = 99, normalized size = 2.61

$$\frac{(\sqrt{3}-i) \tan^{-1}\left(\frac{x}{\sqrt{\frac{1}{2}(1-i\sqrt{3})}}\right)}{\sqrt{6}(1-i\sqrt{3})} + \frac{(\sqrt{3}+i) \tan^{-1}\left(\frac{x}{\sqrt{\frac{1}{2}(1+i\sqrt{3})}}\right)}{\sqrt{6}(1+i\sqrt{3})}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)/(1 + x^2 + x^4), x]

[Out] ((-I + Sqrt[3])*ArcTan[x/Sqrt[(1 - I*Sqrt[3])/2]])/Sqrt[6*(1 - I*Sqrt[3])] + ((I + Sqrt[3])*ArcTan[x/Sqrt[(1 + I*Sqrt[3])/2]])/Sqrt[6*(1 + I*Sqrt[3])]

fricas [A] time = 0.42, size = 31, normalized size = 0.82

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (x^3 + 2x)\right) + \frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+x^2+1), x, algorithm="fricas")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(x^3 + 2*x)) + 1/3*sqrt(3)*arctan(1/3*sqrt(3)*x)

giac [A] time = 0.16, size = 26, normalized size = 0.68

$$\frac{1}{6} \sqrt{3} \left(\pi \operatorname{sgn}(x) + 2 \arctan\left(\frac{\sqrt{3}(x^2-1)}{3x}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+x^2+1),x, algorithm="giac")

[Out] 1/6*sqrt(3)*(pi*sgn(x) + 2*arctan(1/3*sqrt(3)*(x^2 - 1)/x))

maple [A] time = 0.01, size = 34, normalized size = 0.89

$$\frac{\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{3} + \frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)/(x^4+x^2+1),x)

[Out] 1/3*arctan(1/3*(2*x+1)*3^(1/2))*3^(1/2)+1/3*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [A] time = 2.40, size = 33, normalized size = 0.87

$$\frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x+1)\right) + \frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x-1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+x^2+1),x, algorithm="maxima")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1))

mupad [B] time = 0.08, size = 29, normalized size = 0.76

$$\frac{\sqrt{3} \left(\operatorname{atan}\left(\frac{\sqrt{3}x^3}{3} + \frac{2\sqrt{3}x}{3}\right) + \operatorname{atan}\left(\frac{\sqrt{3}x}{3}\right) \right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)/(x^2 + x^4 + 1),x)

[Out] (3^(1/2)*(atan((2*3^(1/2)*x)/3 + (3^(1/2)*x^3)/3) + atan((3^(1/2)*x)/3))/3

sympy [A] time = 0.12, size = 41, normalized size = 1.08

$$\frac{\sqrt{3} \left(2 \operatorname{atan}\left(\frac{\sqrt{3}x}{3}\right) + 2 \operatorname{atan}\left(\frac{\sqrt{3}x^3}{3} + \frac{2\sqrt{3}x}{3}\right) \right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)/(x**4+x**2+1),x)

[Out] sqrt(3)*(2*atan(sqrt(3)*x/3) + 2*atan(sqrt(3)*x**3/3 + 2*sqrt(3)*x/3))/6

$$3.74 \quad \int \frac{1+x^2}{1+x^4} dx$$

Optimal. Leaf size=35

$$\frac{\tan^{-1}(\sqrt{2}x+1)}{\sqrt{2}} - \frac{\tan^{-1}(1-\sqrt{2}x)}{\sqrt{2}}$$

[Out] 1/2*arctan(-1+x*2^(1/2))*2^(1/2)+1/2*arctan(1+x*2^(1/2))*2^(1/2)

Rubi [A] time = 0.02, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1162, 617, 204}

$$\frac{\tan^{-1}(\sqrt{2}x+1)}{\sqrt{2}} - \frac{\tan^{-1}(1-\sqrt{2}x)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)/(1 + x^4), x]

[Out] -(ArcTan[1 - Sqrt[2]*x]/Sqrt[2]) + ArcTan[1 + Sqrt[2]*x]/Sqrt[2]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rubi steps

$$\begin{aligned}
\int \frac{1+x^2}{1+x^4} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{2}x+x^2} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{2}x+x^2} dx \\
&= \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1-\sqrt{2}x\right)}{\sqrt{2}} - \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1+\sqrt{2}x\right)}{\sqrt{2}} \\
&= -\frac{\tan^{-1}(1-\sqrt{2}x)}{\sqrt{2}} + \frac{\tan^{-1}(1+\sqrt{2}x)}{\sqrt{2}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 30, normalized size = 0.86

$$\frac{\tan^{-1}(\sqrt{2}x+1) - \tan^{-1}(1-\sqrt{2}x)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)/(1 + x^4), x]

[Out] (-ArcTan[1 - Sqrt[2]*x] + ArcTan[1 + Sqrt[2]*x])/Sqrt[2]

fricas [A] time = 0.40, size = 29, normalized size = 0.83

$$\frac{1}{2} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (x^3 + x)\right) + \frac{1}{2} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+1), x, algorithm="fricas")

[Out] 1/2*sqrt(2)*arctan(1/2*sqrt(2)*(x^3 + x)) + 1/2*sqrt(2)*arctan(1/2*sqrt(2)*x)

giac [A] time = 0.19, size = 39, normalized size = 1.11

$$\frac{1}{2} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2})\right) + \frac{1}{2} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+1), x, algorithm="giac")

[Out] 1/2*sqrt(2)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))) + 1/2*sqrt(2)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)))

maple [B] time = 0.00, size = 88, normalized size = 2.51

$$\frac{\sqrt{2} \arctan(\sqrt{2} x - 1)}{2} + \frac{\sqrt{2} \arctan(\sqrt{2} x + 1)}{2} + \frac{\sqrt{2} \ln\left(\frac{x^2 - \sqrt{2} x + 1}{x^2 + \sqrt{2} x + 1}\right)}{8} + \frac{\sqrt{2} \ln\left(\frac{x^2 + \sqrt{2} x + 1}{x^2 - \sqrt{2} x + 1}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)/(x^4+1),x)

[Out] 1/2*arctan(-1+2^(1/2)*x)*2^(1/2)+1/8*2^(1/2)*ln((1+x^2+2^(1/2)*x)/(1+x^2-2^(1/2)*x))+1/2*arctan(1+2^(1/2)*x)*2^(1/2)+1/8*2^(1/2)*ln((1+x^2-2^(1/2)*x)/(1+x^2+2^(1/2)*x))

maxima [A] time = 2.42, size = 39, normalized size = 1.11

$$\frac{1}{2} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2})\right) + \frac{1}{2} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+1),x, algorithm="maxima")

[Out] 1/2*sqrt(2)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))) + 1/2*sqrt(2)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)))

mupad [B] time = 4.37, size = 29, normalized size = 0.83

$$\frac{\sqrt{2} \left(\operatorname{atan}\left(\frac{\sqrt{2} x^3}{2} + \frac{\sqrt{2} x}{2}\right) + \operatorname{atan}\left(\frac{\sqrt{2} x}{2}\right) \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)/(x^4 + 1),x)

[Out] (2^(1/2)*(atan((2^(1/2)*x)/2 + (2^(1/2)*x^3)/2) + atan((2^(1/2)*x)/2)))/2

sympy [A] time = 0.12, size = 39, normalized size = 1.11

$$\frac{\sqrt{2} \left(2 \operatorname{atan}\left(\frac{\sqrt{2} x}{2}\right) + 2 \operatorname{atan}\left(\frac{\sqrt{2} x^3}{2} + \frac{\sqrt{2} x}{2}\right) \right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)/(x**4+1),x)

[Out] sqrt(2)*(2*atan(sqrt(2)*x/2) + 2*atan(sqrt(2)*x**3/2 + sqrt(2)*x/2))/4

$$3.75 \quad \int \frac{1+x^2}{1-x^2+x^4} dx$$

Optimal. Leaf size=23

$$\tan^{-1}(2x + \sqrt{3}) - \tan^{-1}(\sqrt{3} - 2x)$$

[Out] arctan(2*x-3^(1/2))+arctan(2*x+3^(1/2))

Rubi [A] time = 0.02, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1161, 618, 204}

$$\tan^{-1}(2x + \sqrt{3}) - \tan^{-1}(\sqrt{3} - 2x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)/(1 - x^2 + x^4), x]

[Out] -ArcTan[Sqrt[3] - 2*x] + ArcTan[Sqrt[3] + 2*x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1+x^2}{1-x^2+x^4} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{3}x+x^2} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{3}x+x^2} dx \\
&= -\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, -\sqrt{3}+2x\right) - \text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, \sqrt{3}+2x\right) \\
&= -\tan^{-1}(\sqrt{3}-2x) + \tan^{-1}(\sqrt{3}+2x)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 12, normalized size = 0.52

$$-\tan^{-1}\left(\frac{x}{x^2-1}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)/(1 - x^2 + x^4), x]

[Out] -ArcTan[x/(-1 + x^2)]

fricas [A] time = 0.45, size = 7, normalized size = 0.30

$$\arctan(x^3) + \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4-x^2+1), x, algorithm="fricas")

[Out] arctan(x^3) + arctan(x)

giac [A] time = 0.17, size = 30, normalized size = 1.30

$$\frac{1}{4} \pi \text{sgn}(x) + \frac{1}{2} \arctan\left(\frac{x^4 - 3x^2 + 1}{2(x^3 - x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4-x^2+1), x, algorithm="giac")

[Out] 1/4*pi*sgn(x) + 1/2*arctan(1/2*(x^4 - 3*x^2 + 1)/(x^3 - x))

maple [A] time = 0.02, size = 20, normalized size = 0.87

$$\arctan(2x - \sqrt{3}) + \arctan(2x + \sqrt{3})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2+1)/(x^4-x^2+1),x)`

[Out] `arctan(2*x-3^(1/2))+arctan(2*x+3^(1/2))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + 1}{x^4 - x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^2+1)/(x^4-x^2+1),x, algorithm="maxima")`

[Out] `integrate((x^2 + 1)/(x^4 - x^2 + 1), x)`

mupad [B] time = 4.31, size = 7, normalized size = 0.30

$$\operatorname{atan}(x^3) + \operatorname{atan}(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2 + 1)/(x^4 - x^2 + 1),x)`

[Out] `atan(x^3) + atan(x)`

sympy [A] time = 0.11, size = 7, normalized size = 0.30

$$\operatorname{atan}(x) + \operatorname{atan}(x^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**2+1)/(x**4-x**2+1),x)`

[Out] `atan(x) + atan(x**3)`

$$3.76 \quad \int \frac{1+x^2}{1-2x^2+x^4} dx$$

Optimal. Leaf size=11

$$\frac{x}{1-x^2}$$

[Out] x/(-x^2+1)

Rubi [A] time = 0.00, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {28, 383}

$$\frac{x}{1-x^2}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)/(1 - 2*x^2 + x^4), x]

[Out] x/(1 - x^2)

Rule 28

Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 383

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(c*x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[a*d - b*c*(n*(p + 1) + 1), 0]

Rubi steps

$$\begin{aligned} \int \frac{1+x^2}{1-2x^2+x^4} dx &= \int \frac{1+x^2}{(-1+x^2)^2} dx \\ &= \frac{x}{1-x^2} \end{aligned}$$

Mathematica [A] time = 0.00, size = 10, normalized size = 0.91

$$-\frac{x}{x^2-1}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)/(1 - 2*x^2 + x^4),x]

[Out] -(x/(-1 + x^2))

fricas [A] time = 0.60, size = 10, normalized size = 0.91

$$-\frac{x}{x^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4-2*x^2+1),x, algorithm="fricas")

[Out] -x/(x^2 - 1)

giac [A] time = 0.15, size = 11, normalized size = 1.00

$$-\frac{1}{x - \frac{1}{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4-2*x^2+1),x, algorithm="giac")

[Out] -1/(x - 1/x)

maple [A] time = 0.00, size = 16, normalized size = 1.45

$$-\frac{1}{2(x+1)} - \frac{1}{2(x-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)/(x^4-2*x^2+1),x)

[Out] -1/2/(x+1)-1/2/(x-1)

maxima [A] time = 1.06, size = 10, normalized size = 0.91

$$-\frac{x}{x^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4-2*x^2+1),x, algorithm="maxima")

[Out] -x/(x^2 - 1)

mupad [B] time = 4.34, size = 10, normalized size = 0.91

$$-\frac{x}{x^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2 + 1)/(x^4 - 2*x^2 + 1), x)`

[Out] `-x/(x^2 - 1)`

sympy [A] time = 0.09, size = 7, normalized size = 0.64

$$-\frac{x}{x^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**2+1)/(x**4-2*x**2+1), x)`

[Out] `-x/(x**2 - 1)`

$$3.77 \quad \int \frac{1+x^2}{1-3x^2+x^4} dx$$

Optimal. Leaf size=65

$$\frac{1}{2} \log(-2x - \sqrt{5} + 1) + \frac{1}{2} \log(-2x + \sqrt{5} + 1) - \frac{1}{2} \log(2x - \sqrt{5} + 1) - \frac{1}{2} \log(2x + \sqrt{5} + 1)$$

[Out] 1/2*ln(1-2*x-5^(1/2))-1/2*ln(1+2*x-5^(1/2))+1/2*ln(1-2*x+5^(1/2))-1/2*ln(1+2*x+5^(1/2))

Rubi [A] time = 0.03, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1161, 616, 31}

$$\frac{1}{2} \log(-2x - \sqrt{5} + 1) + \frac{1}{2} \log(-2x + \sqrt{5} + 1) - \frac{1}{2} \log(2x - \sqrt{5} + 1) - \frac{1}{2} \log(2x + \sqrt{5} + 1)$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)/(1 - 3*x^2 + x^4), x]

[Out] Log[1 - Sqrt[5] - 2*x]/2 + Log[1 + Sqrt[5] - 2*x]/2 - Log[1 - Sqrt[5] + 2*x]/2 - Log[1 + Sqrt[5] + 2*x]/2

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 616

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/Simp[b/2 - q/2 + c*x, x], x], x] - Dist[c/q, Int[1/Simp[b/2 + q/2 + c*x, x], x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c] && PerfectSquareQ[b^2 - 4*a*c]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1+x^2}{1-3x^2+x^4} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{5}x+x^2} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{5}x+x^2} dx \\
&= \frac{1}{2} \int \frac{1}{\frac{1}{2}(-1-\sqrt{5})+x} dx - \frac{1}{2} \int \frac{1}{\frac{1}{2}(1-\sqrt{5})+x} dx + \frac{1}{2} \int \frac{1}{\frac{1}{2}(-1+\sqrt{5})+x} dx - \frac{1}{2} \int \frac{1}{\frac{1}{2}(1+\sqrt{5})+x} dx \\
&= \frac{1}{2} \log(1-\sqrt{5}-2x) + \frac{1}{2} \log(1+\sqrt{5}-2x) - \frac{1}{2} \log(1-\sqrt{5}+2x) - \frac{1}{2} \log(1+\sqrt{5}+2x)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 29, normalized size = 0.45

$$\frac{1}{2} \log(-x^2+x+1) - \frac{1}{2} \log(-x^2-x+1)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)/(1 - 3*x^2 + x^4), x]

[Out] -1/2*Log[1 - x - x^2] + Log[1 + x - x^2]/2

fricas [A] time = 0.71, size = 21, normalized size = 0.32

$$-\frac{1}{2} \log(x^2+x-1) + \frac{1}{2} \log(x^2-x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4-3*x^2+1),x, algorithm="fricas")

[Out] -1/2*log(x^2 + x - 1) + 1/2*log(x^2 - x - 1)

giac [A] time = 0.17, size = 43, normalized size = 0.66

$$-\frac{1}{4} \log\left(x + \frac{1}{x-\frac{1}{x}} - \frac{1}{x} + 2\right) + \frac{1}{4} \log\left(x + \frac{1}{x-\frac{1}{x}} - \frac{1}{x} - 2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4-3*x^2+1),x, algorithm="giac")

[Out] -1/4*log(abs(x + 1/(x - 1/x) - 1/x + 2)) + 1/4*log(abs(x + 1/(x - 1/x) - 1/x - 2))

maple [A] time = 0.01, size = 22, normalized size = 0.34

$$\frac{\ln(x^2 - x - 1)}{2} - \frac{\ln(x^2 + x - 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)/(x^4-3*x^2+1),x)

[Out] -1/2*ln(x^2+x-1)+1/2*ln(x^2-x-1)

maxima [A] time = 0.99, size = 21, normalized size = 0.32

$$-\frac{1}{2} \log(x^2 + x - 1) + \frac{1}{2} \log(x^2 - x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4-3*x^2+1),x, algorithm="maxima")

[Out] -1/2*log(x^2 + x - 1) + 1/2*log(x^2 - x - 1)

mupad [B] time = 0.26, size = 12, normalized size = 0.18

$$-\operatorname{atanh}\left(\frac{x}{x^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)/(x^4 - 3*x^2 + 1),x)

[Out] -atanh(x/(x^2 - 1))

sympy [A] time = 0.11, size = 19, normalized size = 0.29

$$\frac{\log(x^2 - x - 1)}{2} - \frac{\log(x^2 + x - 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)/(x**4-3*x**2+1),x)

[Out] log(x**2 - x - 1)/2 - log(x**2 + x - 1)/2

$$3.78 \quad \int \frac{1+x^2}{1-4x^2+x^4} dx$$

Optimal. Leaf size=43

$$\frac{\tanh^{-1}(\sqrt{3} - \sqrt{2}x)}{\sqrt{2}} - \frac{\tanh^{-1}(\sqrt{2}x + \sqrt{3})}{\sqrt{2}}$$

[Out] $-1/2*\operatorname{arctanh}(x*2^{(1/2)}-3^{(1/2)})*2^{(1/2)}-1/2*\operatorname{arctanh}(x*2^{(1/2)}+3^{(1/2)})*2^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1161, 618, 206}

$$\frac{\tanh^{-1}(\sqrt{3} - \sqrt{2}x)}{\sqrt{2}} - \frac{\tanh^{-1}(\sqrt{2}x + \sqrt{3})}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)/(1 - 4*x^2 + x^4),x]

[Out] ArcTanh[Sqrt[3] - Sqrt[2]*x]/Sqrt[2] - ArcTanh[Sqrt[3] + Sqrt[2]*x]/Sqrt[2]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned} \int \frac{1+x^2}{1-4x^2+x^4} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{6}x+x^2} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{6}x+x^2} dx \\ &= -\text{Subst}\left(\int \frac{1}{2-x^2} dx, x, -\sqrt{6}+2x\right) - \text{Subst}\left(\int \frac{1}{2-x^2} dx, x, \sqrt{6}+2x\right) \\ &= \frac{\tanh^{-1}(\sqrt{3}-\sqrt{2}x)}{\sqrt{2}} - \frac{\tanh^{-1}(\sqrt{3}+\sqrt{2}x)}{\sqrt{2}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 40, normalized size = 0.93

$$\frac{\log(-x^2 + \sqrt{2}x + 1) - \log(x^2 + \sqrt{2}x - 1)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)/(1 - 4*x^2 + x^4), x]

[Out] (Log[1 + Sqrt[2]*x - x^2] - Log[-1 + Sqrt[2]*x + x^2])/(2*Sqrt[2])

fricas [A] time = 0.62, size = 36, normalized size = 0.84

$$\frac{1}{4} \sqrt{2} \log\left(\frac{x^4 - 2\sqrt{2}(x^3 - x) + 1}{x^4 - 4x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4-4*x^2+1), x, algorithm="fricas")

[Out] 1/4*sqrt(2)*log((x^4 - 2*sqrt(2)*(x^3 - x) + 1)/(x^4 - 4*x^2 + 1))

giac [A] time = 0.21, size = 39, normalized size = 0.91

$$\frac{1}{4} \sqrt{2} \log\left(\frac{\left|2x - 2\sqrt{2} - \frac{2}{x}\right|}{\left|2x + 2\sqrt{2} - \frac{2}{x}\right|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4-4*x^2+1), x, algorithm="giac")

[Out] 1/4*sqrt(2)*log(abs(2*x - 2*sqrt(2) - 2/x)/abs(2*x + 2*sqrt(2) - 2/x))

maple [B] time = 0.04, size = 70, normalized size = 1.63

$$\frac{(-3 + \sqrt{3})\sqrt{3} \operatorname{arctanh}\left(\frac{2x}{\sqrt{6}-\sqrt{2}}\right)}{3(\sqrt{6}-\sqrt{2})} - \frac{(\sqrt{3}+3)\sqrt{3} \operatorname{arctanh}\left(\frac{2x}{\sqrt{6}+\sqrt{2}}\right)}{3(\sqrt{6}+\sqrt{2})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)/(x^4-4*x^2+1),x)

[Out] -1/3*(-3+3^(1/2))*3^(1/2)/(6^(1/2)-2^(1/2))*arctanh(2/(6^(1/2)-2^(1/2))*x)-1/3*(3^(1/2)+3)*3^(1/2)/(6^(1/2)+2^(1/2))*arctanh(2/(6^(1/2)+2^(1/2))*x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + 1}{x^4 - 4x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4-4*x^2+1),x, algorithm="maxima")

[Out] integrate((x^2 + 1)/(x^4 - 4*x^2 + 1), x)

mupad [B] time = 4.40, size = 18, normalized size = 0.42

$$\frac{\sqrt{2} \operatorname{atanh}\left(\frac{\sqrt{2}x}{x^2-1}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)/(x^4 - 4*x^2 + 1),x)

[Out] -(2^(1/2)*atanh((2^(1/2)*x)/(x^2 - 1)))/2

sympy [A] time = 0.11, size = 39, normalized size = 0.91

$$\frac{\sqrt{2} \log(x^2 - \sqrt{2}x - 1)}{4} - \frac{\sqrt{2} \log(x^2 + \sqrt{2}x - 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)/(x**4-4*x**2+1),x)

[Out] sqrt(2)*log(x**2 - sqrt(2)*x - 1)/4 - sqrt(2)*log(x**2 + sqrt(2)*x - 1)/4

$$3.79 \quad \int \frac{1+x^2}{1-5x^2+x^4} dx$$

Optimal. Leaf size=46

$$\frac{\tanh^{-1}\left(\frac{\sqrt{7}-2x}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{\tanh^{-1}\left(\frac{2x+\sqrt{7}}{\sqrt{3}}\right)}{\sqrt{3}}$$

[Out] 1/3*arctanh(1/3*(-2*x+7^(1/2))*3^(1/2))*3^(1/2)-1/3*arctanh(1/3*(2*x+7^(1/2))*3^(1/2))*3^(1/2)

Rubi [A] time = 0.04, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1161, 618, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{7}-2x}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{\tanh^{-1}\left(\frac{2x+\sqrt{7}}{\sqrt{3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)/(1 - 5*x^2 + x^4), x]

[Out] ArcTanh[(Sqrt[7] - 2*x)/Sqrt[3]]/Sqrt[3] - ArcTanh[(Sqrt[7] + 2*x)/Sqrt[3]]/Sqrt[3]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned} \int \frac{1+x^2}{1-5x^2+x^4} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{7}x+x^2} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{7}x+x^2} dx \\ &= -\text{Subst}\left(\int \frac{1}{3-x^2} dx, x, -\sqrt{7}+2x\right) - \text{Subst}\left(\int \frac{1}{3-x^2} dx, x, \sqrt{7}+2x\right) \\ &= \frac{\tanh^{-1}\left(\frac{\sqrt{7}-2x}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{\tanh^{-1}\left(\frac{\sqrt{7}+2x}{\sqrt{3}}\right)}{\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 40, normalized size = 0.87

$$\frac{\log(-x^2 + \sqrt{3}x + 1) - \log(x^2 + \sqrt{3}x - 1)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)/(1 - 5*x^2 + x^4), x]

[Out] (Log[1 + Sqrt[3]*x - x^2] - Log[-1 + Sqrt[3]*x + x^2])/(2*Sqrt[3])

fricas [A] time = 0.59, size = 39, normalized size = 0.85

$$\frac{1}{6} \sqrt{3} \log\left(\frac{x^4 + x^2 - 2\sqrt{3}(x^3 - x) + 1}{x^4 - 5x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4-5*x^2+1), x, algorithm="fricas")

[Out] 1/6*sqrt(3)*log((x^4 + x^2 - 2*sqrt(3)*(x^3 - x) + 1)/(x^4 - 5*x^2 + 1))

giac [A] time = 0.24, size = 39, normalized size = 0.85

$$\frac{1}{6} \sqrt{3} \log\left(\frac{\left|2x - 2\sqrt{3} - \frac{2}{x}\right|}{\left|2x + 2\sqrt{3} - \frac{2}{x}\right|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4-5*x^2+1), x, algorithm="giac")

[Out] 1/6*sqrt(3)*log(abs(2*x - 2*sqrt(3) - 2/x)/abs(2*x + 2*sqrt(3) - 2/x))

maple [B] time = 0.04, size = 82, normalized size = 1.78

$$-\frac{2\sqrt{21}(-7 + \sqrt{21}) \operatorname{arctanh}\left(\frac{4x}{2\sqrt{7}-2\sqrt{3}}\right)}{21(2\sqrt{7}-2\sqrt{3})} - \frac{2(7 + \sqrt{21})\sqrt{21} \operatorname{arctanh}\left(\frac{4x}{2\sqrt{7}+2\sqrt{3}}\right)}{21(2\sqrt{7}+2\sqrt{3})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2+1)/(x^4-5*x^2+1),x)`

[Out] `-2/21*(7+21^(1/2))*21^(1/2)/(2*7^(1/2)+2*3^(1/2))*arctanh(4/(2*7^(1/2)+2*3^(1/2))*x)-2/21*21^(1/2)*(-7+21^(1/2))/(2*7^(1/2)-2*3^(1/2))*arctanh(4/(2*7^(1/2)-2*3^(1/2))*x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + 1}{x^4 - 5x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^2+1)/(x^4-5*x^2+1),x, algorithm="maxima")`

[Out] `integrate((x^2 + 1)/(x^4 - 5*x^2 + 1), x)`

mupad [B] time = 4.47, size = 18, normalized size = 0.39

$$-\frac{\sqrt{3} \operatorname{atanh}\left(\frac{\sqrt{3}x}{x^2-1}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2 + 1)/(x^4 - 5*x^2 + 1),x)`

[Out] `-(3^(1/2)*atanh((3^(1/2)*x)/(x^2 - 1)))/3`

sympy [A] time = 0.12, size = 39, normalized size = 0.85

$$\frac{\sqrt{3} \log(x^2 - \sqrt{3}x - 1)}{6} - \frac{\sqrt{3} \log(x^2 + \sqrt{3}x - 1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**2+1)/(x**4-5*x**2+1),x)`

[Out] `sqrt(3)*log(x**2 - sqrt(3)*x - 1)/6 - sqrt(3)*log(x**2 + sqrt(3)*x - 1)/6`

$$3.80 \quad \int \frac{1-x^2}{1+bx^2+x^4} dx$$

Optimal. Leaf size=62

$$\frac{\log(\sqrt{2-b}x + x^2 + 1)}{2\sqrt{2-b}} - \frac{\log(-\sqrt{2-b}x + x^2 + 1)}{2\sqrt{2-b}}$$

[Out] $-1/2*\ln(1+x^2-x*(2-b)^{(1/2)})/(2-b)^{(1/2)}+1/2*\ln(1+x^2+x*(2-b)^{(1/2)})/(2-b)^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1164, 628}

$$\frac{\log(\sqrt{2-b}x + x^2 + 1)}{2\sqrt{2-b}} - \frac{\log(-\sqrt{2-b}x + x^2 + 1)}{2\sqrt{2-b}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^2)/(1 + b*x^2 + x^4), x]

[Out] $-\text{Log}[1 - \text{Sqrt}[2 - b]*x + x^2]/(2*\text{Sqrt}[2 - b]) + \text{Log}[1 + \text{Sqrt}[2 - b]*x + x^2]/(2*\text{Sqrt}[2 - b])$

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1164

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1-x^2}{1+bx^2+x^4} dx = -\frac{\int \frac{\sqrt{2-b}+2x}{-1-\sqrt{2-b}x-x^2} dx}{2\sqrt{2-b}} - \frac{\int \frac{\sqrt{2-b}-2x}{-1+\sqrt{2-b}x-x^2} dx}{2\sqrt{2-b}}$$

$$= -\frac{\log(1-\sqrt{2-b}x+x^2)}{2\sqrt{2-b}} + \frac{\log(1+\sqrt{2-b}x+x^2)}{2\sqrt{2-b}}$$

Mathematica [B] time = 0.07, size = 125, normalized size = 2.02

$$\frac{\left(-\sqrt{b^2-4}+b+2\right) \tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{b-\sqrt{b^2-4}}}\right) - \left(\sqrt{b^2-4}+b+2\right) \tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{\sqrt{b^2-4}+b}}\right)}{\sqrt{b-\sqrt{b^2-4}} \sqrt{\sqrt{b^2-4}+b}}$$

$$\frac{\quad}{\sqrt{2} \sqrt{b^2-4}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^2)/(1 + b*x^2 + x^4), x]

[Out] (((2 + b - Sqrt[-4 + b^2])*ArcTan[(Sqrt[2]*x)/Sqrt[b - Sqrt[-4 + b^2]]])/Sqrt[b - Sqrt[-4 + b^2]] - ((2 + b + Sqrt[-4 + b^2])*ArcTan[(Sqrt[2]*x)/Sqrt[b + Sqrt[-4 + b^2]]])/Sqrt[b + Sqrt[-4 + b^2]])/(Sqrt[2]*Sqrt[-4 + b^2])

fricas [A] time = 0.65, size = 100, normalized size = 1.61

$$\left[\frac{\sqrt{-b+2} \log\left(\frac{x^4-(b-4)x^2+2(x^3+x)\sqrt{-b+2}+1}{x^4+bx^2+1}\right)}{2(b-2)}, \frac{\sqrt{b-2} \arctan\left(\frac{x^3+(b-1)x}{\sqrt{b-2}}\right) - \sqrt{b-2} \arctan\left(\frac{x}{\sqrt{b-2}}\right)}{b-2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+b*x^2+1), x, algorithm="fricas")

[Out] [-1/2*sqrt(-b + 2)*log((x^4 - (b - 4)*x^2 + 2*(x^3 + x)*sqrt(-b + 2) + 1)/(x^4 + b*x^2 + 1))/(b - 2), (sqrt(b - 2)*arctan((x^3 + (b - 1)*x)/sqrt(b - 2)) - sqrt(b - 2)*arctan(x/sqrt(b - 2)))/(b - 2)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+b*x^2+1),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x);OUTPUT:Warning, need to choose a branch for the root
 of a polynomial with parameters. This might be wrong.The choice was done
 assuming [b]=[0]Precision problem choosing root in common_EXT, current prec
 ision 14Warning, need to choose a branch for the root of a polynomial with
 parameters. This might be wrong.The choice was done assuming [b]=[0]Precisi
 on problem choosing root in common_EXT, current precision 14Undef/Unsigned
 Inf encountered in limitLimit: Max order reached or unable to make series e
 xpansion Error: Bad Argument Value

maple [B] time = 0.02, size = 279, normalized size = 4.50

$$\frac{b \arctan\left(\frac{2x}{\sqrt{2b-2}\sqrt{(b-2)(b+2)}}\right)}{\sqrt{(b-2)(b+2)}\sqrt{2b-2}\sqrt{(b-2)(b+2)}} - \frac{b \arctan\left(\frac{2x}{\sqrt{2b+2}\sqrt{(b-2)(b+2)}}\right)}{\sqrt{(b-2)(b+2)}\sqrt{2b+2}\sqrt{(b-2)(b+2)}} + \frac{2 \arctan\left(\frac{x}{\sqrt{2b-2}}\right)}{\sqrt{(b-2)(b+2)}\sqrt{2b-2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+1)/(x^4+b*x^2+1),x)

[Out] $-2/((b-2)*(b+2))^{(1/2)}/(2*b+2*((b-2)*(b+2))^{(1/2)})^{(1/2)}*\arctan(2/(2*b+2*((b-2)*(b+2))^{(1/2)})^{(1/2)}*x)-1/(2*b+2*((b-2)*(b+2))^{(1/2)})^{(1/2)}*\arctan(2/(2*b+2*((b-2)*(b+2))^{(1/2)})^{(1/2)}*x)-1/((b-2)*(b+2))^{(1/2)}/(2*b+2*((b-2)*(b+2))^{(1/2)})^{(1/2)}*b*\arctan(2/(2*b+2*((b-2)*(b+2))^{(1/2)})^{(1/2)}*x)+2/((b-2)*(b+2))^{(1/2)}/(2*b-2*((b-2)*(b+2))^{(1/2)})^{(1/2)}*\arctan(2/(2*b-2*((b-2)*(b+2))^{(1/2)})^{(1/2)}*x)-1/(2*b-2*((b-2)*(b+2))^{(1/2)})^{(1/2)}*\arctan(2/(2*b-2*((b-2)*(b+2))^{(1/2)})^{(1/2)}*x)+1/((b-2)*(b+2))^{(1/2)}/(2*b-2*((b-2)*(b+2))^{(1/2)})^{(1/2)}*b*\arctan(2/(2*b-2*((b-2)*(b+2))^{(1/2)})^{(1/2)}*x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 - 1}{x^4 + bx^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+b*x^2+1),x, algorithm="maxima")

[Out] -integrate((x^2 - 1)/(x^4 + b*x^2 + 1), x)

mupad [B] time = 4.34, size = 76, normalized size = 1.23

$$\frac{\operatorname{atan}\left(\frac{x}{\sqrt{b-2}}\right) - \operatorname{atan}\left((b-2)\left(x\left(\frac{1}{\sqrt{b-2}} + \frac{\frac{4}{b-2}+1}{\sqrt{b-2}(b+2)}\right) + \frac{x^3\left(\frac{2b}{b-2}-1\right)}{\sqrt{b-2}(b+2)}\right)\right)}{\sqrt{b-2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2 - 1)/(b*x^2 + x^4 + 1),x)`

[Out] $-(\operatorname{atan}(x/(b-2)^{1/2}) - \operatorname{atan}((b-2)*(x*(1/(b-2)^{1/2}) + (4/(b-2) + 1)/((b-2)^{1/2}*(b+2)))) + (x^3*((2*b)/(b-2) - 1))/((b-2)^{1/2}*(b+2))))/(b-2)^{1/2}$

sympy [A] time = 0.35, size = 87, normalized size = 1.40

$$\frac{\sqrt{-\frac{1}{b-2}} \log\left(x^2 + x\left(-b\sqrt{-\frac{1}{b-2}} + 2\sqrt{-\frac{1}{b-2}}\right) + 1\right)}{2} - \frac{\sqrt{-\frac{1}{b-2}} \log\left(x^2 + x\left(b\sqrt{-\frac{1}{b-2}} - 2\sqrt{-\frac{1}{b-2}}\right) + 1\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+1)/(x**4+b*x**2+1),x)`

[Out] $\sqrt{-1/(b-2)}*\log(x**2 + x*(-b*\sqrt{-1/(b-2)} + 2*\sqrt{-1/(b-2)})) + 1)/2 - \sqrt{-1/(b-2)}*\log(x**2 + x*(b*\sqrt{-1/(b-2)} - 2*\sqrt{-1/(b-2)})) + 1)/2$

$$3.81 \quad \int \frac{1-x^2}{1+5x^2+x^4} dx$$

Optimal. Leaf size=50

$$\frac{\tan^{-1}\left(\sqrt{\frac{1}{2}(5+\sqrt{21})}x\right)}{\sqrt{3}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{5+\sqrt{21}}}x\right)}{\sqrt{3}}$$

[Out] $-1/3*\arctan(x*2^{(1/2)}/(5+21^{(1/2)})^{(1/2)})*3^{(1/2)}+1/3*\arctan(x*(1/2*7^{(1/2)}+1/2*3^{(1/2)}))*3^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1163, 203}

$$\frac{\tan^{-1}\left(\sqrt{\frac{1}{2}(5+\sqrt{21})}x\right)}{\sqrt{3}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{5+\sqrt{21}}}x\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^2)/(1 + 5*x^2 + x^4), x]

[Out] $-(\text{ArcTan}[\text{Sqrt}[2/(5 + \text{Sqrt}[21])]]*x)/\text{Sqrt}[3]) + \text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[21])/2]*x)/\text{Sqrt}[3]$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1163

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1-x^2}{1+5x^2+x^4} dx = \frac{1}{6}(-3+\sqrt{21}) \int \frac{1}{\frac{5}{2}-\frac{\sqrt{21}}{2}+x^2} dx - \frac{1}{6}(3+\sqrt{21}) \int \frac{1}{\frac{5}{2}+\frac{\sqrt{21}}{2}+x^2} dx$$

$$= -\frac{\tan^{-1}\left(\sqrt{\frac{2}{5+\sqrt{21}}}x\right)}{\sqrt{3}} + \frac{\tan^{-1}\left(\sqrt{\frac{1}{2}(5+\sqrt{21})}x\right)}{\sqrt{3}}$$

Mathematica [A] time = 0.14, size = 87, normalized size = 1.74

$$\frac{(7-\sqrt{21})\tan^{-1}\left(\sqrt{\frac{2}{5-\sqrt{21}}}x\right)}{\sqrt{42}(5-\sqrt{21})} + \frac{(-7-\sqrt{21})\tan^{-1}\left(\sqrt{\frac{2}{5+\sqrt{21}}}x\right)}{\sqrt{42}(5+\sqrt{21})}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^2)/(1 + 5*x^2 + x^4),x]

[Out] ((7 - Sqrt[21])*ArcTan[Sqrt[2/(5 - Sqrt[21])]*x])/Sqrt[42*(5 - Sqrt[21])] + ((-7 - Sqrt[21])*ArcTan[Sqrt[2/(5 + Sqrt[21])]*x])/Sqrt[42*(5 + Sqrt[21])]

fricas [A] time = 0.65, size = 31, normalized size = 0.62

$$\frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(x^3+4x)\right) - \frac{1}{3}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+5*x^2+1),x, algorithm="fricas")

[Out] 1/3*sqrt(3)*arctan(1/3*sqrt(3)*(x^3 + 4*x)) - 1/3*sqrt(3)*arctan(1/3*sqrt(3)*x)

giac [A] time = 0.17, size = 26, normalized size = 0.52

$$\frac{1}{6}\sqrt{3}\left(\pi\operatorname{sgn}(x) - 2\arctan\left(\frac{\sqrt{3}(x^2+1)}{3x}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+5*x^2+1),x, algorithm="giac")

[Out] 1/6*sqrt(3)*(pi*sgn(x) - 2*arctan(1/3*sqrt(3)*(x^2 + 1)/x))

maple [B] time = 0.02, size = 136, normalized size = 2.72

$$\frac{2\sqrt{21} \arctan\left(\frac{4x}{2\sqrt{7}-2\sqrt{3}}\right)}{3(2\sqrt{7}-2\sqrt{3})} - \frac{2 \arctan\left(\frac{4x}{2\sqrt{7}-2\sqrt{3}}\right)}{2\sqrt{7}-2\sqrt{3}} - \frac{2\sqrt{21} \arctan\left(\frac{4x}{2\sqrt{7}+2\sqrt{3}}\right)}{3(2\sqrt{7}+2\sqrt{3})} - \frac{2 \arctan\left(\frac{4x}{2\sqrt{7}+2\sqrt{3}}\right)}{2\sqrt{7}+2\sqrt{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+1)/(x^4+5*x^2+1),x)

[Out] $\frac{2}{3} \cdot 21^{1/2} / (2 \cdot 7^{1/2} - 2 \cdot 3^{1/2}) \cdot \arctan(4 / (2 \cdot 7^{1/2} - 2 \cdot 3^{1/2}) \cdot x) - 2 / (2 \cdot 7^{1/2} - 2 \cdot 3^{1/2}) \cdot \arctan(4 / (2 \cdot 7^{1/2} - 2 \cdot 3^{1/2}) \cdot x) - \frac{2}{3} \cdot 21^{1/2} / (2 \cdot 7^{1/2} + 2 \cdot 3^{1/2}) \cdot \arctan(4 / (2 \cdot 7^{1/2} + 2 \cdot 3^{1/2}) \cdot x) - 2 / (2 \cdot 7^{1/2} + 2 \cdot 3^{1/2}) \cdot \arctan(4 / (2 \cdot 7^{1/2} + 2 \cdot 3^{1/2}) \cdot x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{x^2 - 1}{x^4 + 5x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+5*x^2+1),x, algorithm="maxima")

[Out] -integrate((x^2 - 1)/(x^4 + 5*x^2 + 1), x)

mupad [B] time = 0.08, size = 31, normalized size = 0.62

$$\frac{\sqrt{3} \left(\operatorname{atan}\left(\frac{\sqrt{3}x^3}{3} + \frac{4\sqrt{3}x}{3}\right) - \operatorname{atan}\left(\frac{\sqrt{3}x}{3}\right) \right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^2 - 1)/(5*x^2 + x^4 + 1),x)

[Out] $(3^{1/2}) \cdot (\operatorname{atan}((4 \cdot 3^{1/2}) \cdot x) / 3 + (3^{1/2}) \cdot x^3 / 3) - \operatorname{atan}((3^{1/2}) \cdot x / 3)) / 3$

sympy [A] time = 0.13, size = 42, normalized size = 0.84

$$\frac{\sqrt{3} \left(2 \operatorname{atan}\left(\frac{\sqrt{3}x}{3}\right) - 2 \operatorname{atan}\left(\frac{\sqrt{3}x^3}{3} + \frac{4\sqrt{3}x}{3}\right) \right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**2+1)/(x**4+5*x**2+1),x)

[Out] $-\operatorname{sqrt}(3) \cdot (2 \cdot \operatorname{atan}(\operatorname{sqrt}(3) \cdot x / 3) - 2 \cdot \operatorname{atan}(\operatorname{sqrt}(3) \cdot x**3 / 3 + 4 \cdot \operatorname{sqrt}(3) \cdot x / 3)) / 6$

$$3.82 \quad \int \frac{1-x^2}{1+4x^2+x^4} dx$$

Optimal. Leaf size=44

$$\frac{\tan^{-1}\left(\frac{x}{\sqrt{2-\sqrt{3}}}\right)}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{x}{\sqrt{2+\sqrt{3}}}\right)}{\sqrt{2}}$$

[Out] 1/2*arctan(x/(1/2*6^(1/2)-1/2*2^(1/2)))*2^(1/2)-1/2*arctan(x/(1/2*6^(1/2)+1/2*2^(1/2)))*2^(1/2)

Rubi [A] time = 0.03, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1163, 203}

$$\frac{\tan^{-1}\left(\frac{x}{\sqrt{2-\sqrt{3}}}\right)}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{x}{\sqrt{2+\sqrt{3}}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^2)/(1 + 4*x^2 + x^4), x]

[Out] ArcTan[x/Sqrt[2 - Sqrt[3]]]/Sqrt[2] - ArcTan[x/Sqrt[2 + Sqrt[3]]]/Sqrt[2]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1163

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1-x^2}{1+4x^2+x^4} dx = \frac{1}{2}(-1-\sqrt{3}) \int \frac{1}{2+\sqrt{3}+x^2} dx + \frac{1}{2}(-1+\sqrt{3}) \int \frac{1}{2-\sqrt{3}+x^2} dx$$

$$= \frac{\tan^{-1}\left(\frac{x}{\sqrt{2-\sqrt{3}}}\right)}{\sqrt{2}} - \frac{\tan^{-1}\left(\frac{x}{\sqrt{2+\sqrt{3}}}\right)}{\sqrt{2}}$$

Mathematica [A] time = 0.07, size = 82, normalized size = 1.86

$$\frac{-\left((\sqrt{3}-3)\sqrt{2+\sqrt{3}}\tan^{-1}\left(\frac{x}{\sqrt{2-\sqrt{3}}}\right)\right) - \sqrt{2-\sqrt{3}}(3+\sqrt{3})\tan^{-1}\left(\frac{x}{\sqrt{2+\sqrt{3}}}\right)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^2)/(1 + 4*x^2 + x^4), x]

[Out] (-((-3 + Sqrt[3])*Sqrt[2 + Sqrt[3]]*ArcTan[x/Sqrt[2 - Sqrt[3]]]) - Sqrt[2 - Sqrt[3]]*(3 + Sqrt[3])*ArcTan[x/Sqrt[2 + Sqrt[3]]])/(2*Sqrt[3])

fricas [A] time = 0.65, size = 31, normalized size = 0.70

$$\frac{1}{2}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^3+3x)\right) - \frac{1}{2}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+4*x^2+1), x, algorithm="fricas")

[Out] 1/2*sqrt(2)*arctan(1/2*sqrt(2)*(x^3 + 3*x)) - 1/2*sqrt(2)*arctan(1/2*sqrt(2)*x)

giac [A] time = 0.16, size = 26, normalized size = 0.59

$$\frac{1}{4}\sqrt{2}\left(\pi\operatorname{sgn}(x) - 2\arctan\left(\frac{\sqrt{2}(x^2+1)}{2x}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+4*x^2+1), x, algorithm="giac")

[Out] 1/4*sqrt(2)*(pi*sgn(x) - 2*arctan(1/2*sqrt(2)*(x^2 + 1)/x))

maple [B] time = 0.02, size = 111, normalized size = 2.52

$$\frac{\sqrt{3} \arctan\left(\frac{2x}{\sqrt{6}-\sqrt{2}}\right)}{\sqrt{6}-\sqrt{2}} - \frac{\arctan\left(\frac{2x}{\sqrt{6}-\sqrt{2}}\right)}{\sqrt{6}-\sqrt{2}} - \frac{\sqrt{3} \arctan\left(\frac{2x}{\sqrt{6}+\sqrt{2}}\right)}{\sqrt{6}+\sqrt{2}} - \frac{\arctan\left(\frac{2x}{\sqrt{6}+\sqrt{2}}\right)}{\sqrt{6}+\sqrt{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+1)/(x^4+4*x^2+1), x)

[Out] -3^(1/2)/(6^(1/2)+2^(1/2))*arctan(2/(6^(1/2)+2^(1/2))*x)-1/(6^(1/2)+2^(1/2))*arctan(2/(6^(1/2)+2^(1/2))*x)+3^(1/2)/(6^(1/2)-2^(1/2))*arctan(2/(6^(1/2)-2^(1/2))*x)-1/(6^(1/2)-2^(1/2))*arctan(2/(6^(1/2)-2^(1/2))*x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 - 1}{x^4 + 4x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+4*x^2+1), x, algorithm="maxima")

[Out] -integrate((x^2 - 1)/(x^4 + 4*x^2 + 1), x)

mupad [B] time = 0.08, size = 31, normalized size = 0.70

$$\frac{\sqrt{2} \left(\operatorname{atan}\left(\frac{\sqrt{2}x^3}{2} + \frac{3\sqrt{2}x}{2}\right) - \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right) \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^2 - 1)/(4*x^2 + x^4 + 1), x)

[Out] (2^(1/2)*(atan((3*2^(1/2)*x)/2 + (2^(1/2)*x^3)/2) - atan((2^(1/2)*x)/2))/2

sympy [A] time = 0.13, size = 42, normalized size = 0.95

$$\frac{\sqrt{2} \left(2 \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right) - 2 \operatorname{atan}\left(\frac{\sqrt{2}x^3}{2} + \frac{3\sqrt{2}x}{2}\right) \right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**2+1)/(x**4+4*x**2+1), x)

[Out] -sqrt(2)*(2*atan(sqrt(2)*x/2) - 2*atan(sqrt(2)*x**3/2 + 3*sqrt(2)*x/2))/4

$$3.83 \quad \int \frac{1-x^2}{1+3x^2+x^4} dx$$

Optimal. Leaf size=39

$$\tan^{-1}\left(\sqrt{\frac{1}{2}(3+\sqrt{5})}x\right) - \tan^{-1}\left(\sqrt{\frac{2}{3+\sqrt{5}}}x\right)$$

[Out] $-\arctan(x\sqrt{2}/(3+\sqrt{5})^{1/2}) + \arctan(x\sqrt{1/2+1/2\sqrt{5}})$

Rubi [A] time = 0.03, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1163, 203}

$$\tan^{-1}\left(\sqrt{\frac{1}{2}(3+\sqrt{5})}x\right) - \tan^{-1}\left(\sqrt{\frac{2}{3+\sqrt{5}}}x\right)$$

Antiderivative was successfully verified.

[In] Int[(1 - x^2)/(1 + 3*x^2 + x^4), x]

[Out] -ArcTan[Sqrt[2/(3 + Sqrt[5])]]*x + ArcTan[Sqrt[(3 + Sqrt[5])/2]]*x

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1163

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1-x^2}{1+3x^2+x^4} dx = \frac{1}{2}(-1-\sqrt{5}) \int \frac{1}{\frac{3}{2} + \frac{\sqrt{5}}{2} + x^2} dx + \frac{1}{2}(-1+\sqrt{5}) \int \frac{1}{\frac{3}{2} - \frac{\sqrt{5}}{2} + x^2} dx$$

$$= -\tan^{-1}\left(\sqrt{\frac{2}{3+\sqrt{5}}}x\right) + \tan^{-1}\left(\sqrt{\frac{1}{2}(3+\sqrt{5})}x\right)$$

Mathematica [A] time = 0.01, size = 10, normalized size = 0.26

$$\tan^{-1}\left(\frac{x}{x^2+1}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^2)/(1 + 3*x^2 + x^4), x]

[Out] ArcTan[x/(1 + x^2)]

fricas [A] time = 0.44, size = 13, normalized size = 0.33

$$\arctan(x^3 + 2x) - \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+3*x^2+1), x, algorithm="fricas")

[Out] arctan(x^3 + 2*x) - arctan(x)

giac [A] time = 0.18, size = 26, normalized size = 0.67

$$\frac{1}{4} \pi \operatorname{sgn}(x) - \frac{1}{2} \arctan\left(\frac{x^4 + x^2 + 1}{2(x^3 + x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+3*x^2+1), x, algorithm="giac")

[Out] 1/4*pi*sgn(x) - 1/2*arctan(1/2*(x^4 + x^2 + 1)/(x^3 + x))

maple [B] time = 0.02, size = 104, normalized size = 2.67

$$\frac{2\sqrt{5} \arctan\left(\frac{4x}{2\sqrt{5}-2}\right)}{2\sqrt{5}-2} - \frac{2 \arctan\left(\frac{4x}{2\sqrt{5}-2}\right)}{2\sqrt{5}-2} - \frac{2\sqrt{5} \arctan\left(\frac{4x}{2\sqrt{5}+2}\right)}{2\sqrt{5}+2} - \frac{2 \arctan\left(\frac{4x}{2\sqrt{5}+2}\right)}{2\sqrt{5}+2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^2+1)/(x^4+3*x^2+1),x)`

[Out] $-2 \cdot 5^{1/2} / (2 \cdot 5^{1/2} + 2) \cdot \arctan(4 / (2 \cdot 5^{1/2} + 2) \cdot x) - 2 / (2 \cdot 5^{1/2} + 2) \cdot \arctan(4 / (2 \cdot 5^{1/2} + 2) \cdot x) + 2 \cdot 5^{1/2} / (2 \cdot 5^{1/2} - 2) \cdot \arctan(4 / (2 \cdot 5^{1/2} - 2) \cdot x) - 2 / (2 \cdot 5^{1/2} - 2) \cdot \arctan(4 / (2 \cdot 5^{1/2} - 2) \cdot x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 - 1}{x^4 + 3x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^2+1)/(x^4+3*x^2+1),x, algorithm="maxima")`

[Out] `-integrate((x^2 - 1)/(x^4 + 3*x^2 + 1), x)`

mupad [B] time = 4.31, size = 13, normalized size = 0.33

$$\operatorname{atan}(x^3 + 2x) - \operatorname{atan}(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2 - 1)/(3*x^2 + x^4 + 1),x)`

[Out] `atan(2*x + x^3) - atan(x)`

sympy [A] time = 0.12, size = 10, normalized size = 0.26

$$-\operatorname{atan}(x) + \operatorname{atan}(x^3 + 2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+1)/(x**4+3*x**2+1),x)`

[Out] `-atan(x) + atan(x**3 + 2*x)`

$$3.84 \quad \int \frac{1-x^2}{1+2x^2+x^4} dx$$

Optimal. Leaf size=9

$$\frac{x}{x^2+1}$$

[Out] x/(x^2+1)

Rubi [A] time = 0.00, antiderivative size = 9, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {28, 383}

$$\frac{x}{x^2+1}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^2)/(1 + 2*x^2 + x^4), x]

[Out] x/(1 + x^2)

Rule 28

Int[(u_.)*((a_.) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 383

Int[((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> Simp[(c*x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[a*d - b*c*(n*(p + 1) + 1), 0]

Rubi steps

$$\int \frac{1-x^2}{1+2x^2+x^4} dx = \int \frac{1-x^2}{(1+x^2)^2} dx = \frac{x}{1+x^2}$$

Mathematica [A] time = 0.00, size = 9, normalized size = 1.00

$$\frac{x}{x^2+1}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^2)/(1 + 2*x^2 + x^4),x]

[Out] x/(1 + x^2)

fricas [A] time = 0.38, size = 9, normalized size = 1.00

$$\frac{x}{x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+2*x^2+1),x, algorithm="fricas")

[Out] x/(x^2 + 1)

giac [A] time = 0.18, size = 7, normalized size = 0.78

$$\frac{1}{x + \frac{1}{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+2*x^2+1),x, algorithm="giac")

[Out] 1/(x + 1/x)

maple [A] time = 0.01, size = 10, normalized size = 1.11

$$\frac{x}{x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+1)/(x^4+2*x^2+1),x)

[Out] 1/(x^2+1)*x

maxima [A] time = 1.00, size = 9, normalized size = 1.00

$$\frac{x}{x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+2*x^2+1),x, algorithm="maxima")

[Out] x/(x^2 + 1)

mupad [B] time = 0.03, size = 9, normalized size = 1.00

$$\frac{x}{x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2 - 1)/(2*x^2 + x^4 + 1), x)`

[Out] `x/(x^2 + 1)`

sympy [A] time = 0.09, size = 5, normalized size = 0.56

$$\frac{x}{x^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+1)/(x**4+2*x**2+1), x)`

[Out] `x/(x**2 + 1)`

$$3.85 \quad \int \frac{1-x^2}{1+x^2+x^4} dx$$

Optimal. Leaf size=25

$$\frac{1}{2} \log(x^2 + x + 1) - \frac{1}{2} \log(x^2 - x + 1)$$

[Out] $-1/2*\ln(x^2-x+1)+1/2*\ln(x^2+x+1)$

Rubi [A] time = 0.01, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1164, 628}

$$\frac{1}{2} \log(x^2 + x + 1) - \frac{1}{2} \log(x^2 - x + 1)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 - x^2)/(1 + x^2 + x^4), x]$

[Out] $-\text{Log}[1 - x + x^2]/2 + \text{Log}[1 + x + x^2]/2$

Rule 628

$\text{Int}[(d + (e \cdot x))/(a + (b \cdot x) + (c \cdot x)^2), x_Symbol] \rightarrow \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]])/b, x] /;$ $\text{FreeQ}\{a, b, c, d, e\}, x$ && $\text{EqQ}[2 \cdot c \cdot d - b \cdot e, 0]$

Rule 1164

$\text{Int}[(d + (e \cdot x)^2)/(a + (b \cdot x)^2 + (c \cdot x)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(-2 \cdot d)/e - b/c, 2]\}, \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q - 2 \cdot x)/\text{Simp}[d/e + q \cdot x - x^2, x], x], x] + \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q + 2 \cdot x)/\text{Simp}[d/e - q \cdot x - x^2, x], x], x] /;$ $\text{FreeQ}\{a, b, c, d, e\}, x$ && $\text{NeQ}[b^2 - 4 \cdot a \cdot c, 0]$ && $\text{EqQ}[c \cdot d^2 - a \cdot e^2, 0]$ && $! \text{GtQ}[b^2 - 4 \cdot a \cdot c, 0]$

Rubi steps

$$\begin{aligned} \int \frac{1-x^2}{1+x^2+x^4} dx &= -\left(\frac{1}{2} \int \frac{1+2x}{-1-x-x^2} dx\right) - \frac{1}{2} \int \frac{1-2x}{-1+x-x^2} dx \\ &= -\frac{1}{2} \log(1-x+x^2) + \frac{1}{2} \log(1+x+x^2) \end{aligned}$$

Mathematica [A] time = 0.01, size = 25, normalized size = 1.00

$$\frac{1}{2} \log(x^2 + x + 1) - \frac{1}{2} \log(x^2 - x + 1)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^2)/(1 + x^2 + x^4), x]

[Out] -1/2*Log[1 - x + x^2] + Log[1 + x + x^2]/2

fricas [A] time = 0.39, size = 21, normalized size = 0.84

$$\frac{1}{2} \log(x^2 + x + 1) - \frac{1}{2} \log(x^2 - x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+x^2+1),x, algorithm="fricas")

[Out] 1/2*log(x^2 + x + 1) - 1/2*log(x^2 - x + 1)

giac [A] time = 0.15, size = 35, normalized size = 1.40

$$\frac{1}{4} \log \left(\left| x + \frac{1}{x + \frac{1}{x}} + \frac{1}{x} + 2 \right| \right) - \frac{1}{4} \log \left(\left| x + \frac{1}{x + \frac{1}{x}} + \frac{1}{x} - 2 \right| \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+x^2+1),x, algorithm="giac")

[Out] 1/4*log(abs(x + 1/(x + 1/x) + 1/x + 2)) - 1/4*log(abs(x + 1/(x + 1/x) + 1/x - 2))

maple [A] time = 0.00, size = 22, normalized size = 0.88

$$-\frac{\ln(x^2 - x + 1)}{2} + \frac{\ln(x^2 + x + 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+1)/(x^4+x^2+1),x)

[Out] -1/2*ln(x^2-x+1)+1/2*ln(x^2+x+1)

maxima [A] time = 1.04, size = 21, normalized size = 0.84

$$\frac{1}{2} \log(x^2 + x + 1) - \frac{1}{2} \log(x^2 - x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+x^2+1),x, algorithm="maxima")

[Out] 1/2*log(x^2 + x + 1) - 1/2*log(x^2 - x + 1)

mupad [B] time = 0.06, size = 10, normalized size = 0.40

$$\operatorname{atanh}\left(\frac{x}{x^2+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^2 - 1)/(x^2 + x^4 + 1),x)

[Out] atanh(x/(x^2 + 1))

sympy [A] time = 0.12, size = 19, normalized size = 0.76

$$-\frac{\log(x^2 - x + 1)}{2} + \frac{\log(x^2 + x + 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**2+1)/(x**4+x**2+1),x)

[Out] -log(x**2 - x + 1)/2 + log(x**2 + x + 1)/2

$$3.86 \quad \int \frac{1-x^2}{1+x^4} dx$$

Optimal. Leaf size=46

$$\frac{\log(x^2 + \sqrt{2}x + 1)}{2\sqrt{2}} - \frac{\log(x^2 - \sqrt{2}x + 1)}{2\sqrt{2}}$$

[Out] $-1/4*\ln(1+x^2-x*2^{(1/2)})*2^{(1/2)}+1/4*\ln(1+x^2+x*2^{(1/2)})*2^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {1165, 628}

$$\frac{\log(x^2 + \sqrt{2}x + 1)}{2\sqrt{2}} - \frac{\log(x^2 - \sqrt{2}x + 1)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^2)/(1 + x^4), x]

[Out] -Log[1 - Sqrt[2]*x + x^2]/(2*Sqrt[2]) + Log[1 + Sqrt[2]*x + x^2]/(2*Sqrt[2])

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rubi steps

$$\int \frac{1-x^2}{1+x^4} dx = -\frac{\int \frac{\sqrt{2}+2x}{-1-\sqrt{2}x-x^2} dx}{2\sqrt{2}} - \frac{\int \frac{\sqrt{2}-2x}{-1+\sqrt{2}x-x^2} dx}{2\sqrt{2}}$$

$$= -\frac{\log(1-\sqrt{2}x+x^2)}{2\sqrt{2}} + \frac{\log(1+\sqrt{2}x+x^2)}{2\sqrt{2}}$$

Mathematica [A] time = 0.01, size = 40, normalized size = 0.87

$$\frac{\log(x^2 + \sqrt{2}x + 1) - \log(-x^2 + \sqrt{2}x - 1)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^2)/(1 + x^4),x]

[Out] (-Log[-1 + Sqrt[2]*x - x^2] + Log[1 + Sqrt[2]*x + x^2])/(2*Sqrt[2])

fricas [A] time = 0.41, size = 34, normalized size = 0.74

$$\frac{1}{4} \sqrt{2} \log\left(\frac{x^4 + 4x^2 + 2\sqrt{2}(x^3 + x) + 1}{x^4 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+1),x, algorithm="fricas")

[Out] 1/4*sqrt(2)*log((x^4 + 4*x^2 + 2*sqrt(2)*(x^3 + x) + 1)/(x^4 + 1))

giac [A] time = 0.15, size = 34, normalized size = 0.74

$$\frac{1}{4} \sqrt{2} \log(x^2 + \sqrt{2}x + 1) - \frac{1}{4} \sqrt{2} \log(x^2 - \sqrt{2}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4+1),x, algorithm="giac")

[Out] 1/4*sqrt(2)*log(x^2 + sqrt(2)*x + 1) - 1/4*sqrt(2)*log(x^2 - sqrt(2)*x + 1)

maple [A] time = 0.00, size = 62, normalized size = 1.35

$$-\frac{\sqrt{2} \ln\left(\frac{x^2 - \sqrt{2}x + 1}{x^2 + \sqrt{2}x + 1}\right)}{8} + \frac{\sqrt{2} \ln\left(\frac{x^2 + \sqrt{2}x + 1}{x^2 - \sqrt{2}x + 1}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^2+1)/(x^4+1),x)`

[Out] $1/8*2^{(1/2)}*\ln((x^2+2^{(1/2)}*x+1)/(x^2-2^{(1/2)}*x+1))-1/8*2^{(1/2)}*\ln((x^2-2^{(1/2)}*x+1)/(x^2+2^{(1/2)}*x+1))$

maxima [A] time = 2.26, size = 34, normalized size = 0.74

$$\frac{1}{4}\sqrt{2}\log(x^2 + \sqrt{2}x + 1) - \frac{1}{4}\sqrt{2}\log(x^2 - \sqrt{2}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^2+1)/(x^4+1),x, algorithm="maxima")`

[Out] $1/4*\sqrt{2}*\log(x^2 + \sqrt{2}*x + 1) - 1/4*\sqrt{2}*\log(x^2 - \sqrt{2}*x + 1)$

mupad [B] time = 0.06, size = 18, normalized size = 0.39

$$\frac{\sqrt{2}\operatorname{atanh}\left(\frac{\sqrt{2}x}{x^2+1}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2 - 1)/(x^4 + 1),x)`

[Out] $(2^{(1/2)}*\operatorname{atanh}((2^{(1/2)}*x)/(x^2 + 1)))/2$

sympy [A] time = 0.11, size = 39, normalized size = 0.85

$$-\frac{\sqrt{2}\log(x^2 - \sqrt{2}x + 1)}{4} + \frac{\sqrt{2}\log(x^2 + \sqrt{2}x + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+1)/(x**4+1),x)`

[Out] $-\sqrt{2}*\log(x**2 - \sqrt{2}*x + 1)/4 + \sqrt{2}*\log(x**2 + \sqrt{2}*x + 1)/4$

$$3.87 \quad \int \frac{1-x^2}{1-x^2+x^4} dx$$

Optimal. Leaf size=46

$$\frac{\log(x^2 + \sqrt{3}x + 1)}{2\sqrt{3}} - \frac{\log(x^2 - \sqrt{3}x + 1)}{2\sqrt{3}}$$

[Out] $-1/6*\ln(1+x^2-x*\sqrt{3})*\sqrt{3}+1/6*\ln(1+x^2+x*\sqrt{3})*\sqrt{3}$

Rubi [A] time = 0.02, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1164, 628}

$$\frac{\log(x^2 + \sqrt{3}x + 1)}{2\sqrt{3}} - \frac{\log(x^2 - \sqrt{3}x + 1)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^2)/(1 - x^2 + x^4), x]

[Out] -Log[1 - Sqrt[3]*x + x^2]/(2*Sqrt[3]) + Log[1 + Sqrt[3]*x + x^2]/(2*Sqrt[3])

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1164

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1-x^2}{1-x^2+x^4} dx = -\frac{\int \frac{\sqrt{3}+2x}{-1-\sqrt{3}x-x^2} dx}{2\sqrt{3}} - \frac{\int \frac{\sqrt{3}-2x}{-1+\sqrt{3}x-x^2} dx}{2\sqrt{3}}$$

$$= -\frac{\log(1-\sqrt{3}x+x^2)}{2\sqrt{3}} + \frac{\log(1+\sqrt{3}x+x^2)}{2\sqrt{3}}$$

Mathematica [A] time = 0.01, size = 40, normalized size = 0.87

$$\frac{\log(x^2 + \sqrt{3}x + 1) - \log(-x^2 + \sqrt{3}x - 1)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^2)/(1 - x^2 + x^4), x]

[Out] (-Log[-1 + Sqrt[3]*x - x^2] + Log[1 + Sqrt[3]*x + x^2])/(2*Sqrt[3])

fricas [A] time = 0.41, size = 39, normalized size = 0.85

$$\frac{1}{6} \sqrt{3} \log\left(\frac{x^4 + 5x^2 + 2\sqrt{3}(x^3 + x) + 1}{x^4 - x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4-x^2+1), x, algorithm="fricas")

[Out] 1/6*sqrt(3)*log((x^4 + 5*x^2 + 2*sqrt(3)*(x^3 + x) + 1)/(x^4 - x^2 + 1))

giac [A] time = 0.18, size = 39, normalized size = 0.85

$$-\frac{1}{6} \sqrt{3} \log\left(\frac{\left|2x - 2\sqrt{3} + \frac{2}{x}\right|}{\left|2x + 2\sqrt{3} + \frac{2}{x}\right|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4-x^2+1), x, algorithm="giac")

[Out] -1/6*sqrt(3)*log(abs(2*x - 2*sqrt(3) + 2/x)/abs(2*x + 2*sqrt(3) + 2/x))

maple [A] time = 0.01, size = 35, normalized size = 0.76

$$-\frac{\sqrt{3} \ln(x^2 - \sqrt{3}x + 1)}{6} + \frac{\sqrt{3} \ln(x^2 + \sqrt{3}x + 1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^2+1)/(x^4-x^2+1),x)`

[Out] $-1/6*3^{(1/2)}*\ln(x^2-3^{(1/2)}*x+1)+1/6*3^{(1/2)}*\ln(x^2+3^{(1/2)}*x+1)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 - 1}{x^4 - x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^2+1)/(x^4-x^2+1),x, algorithm="maxima")`

[Out] $-\text{integrate}((x^2 - 1)/(x^4 - x^2 + 1), x)$

mupad [B] time = 4.31, size = 18, normalized size = 0.39

$$\frac{\sqrt{3} \operatorname{atanh}\left(\frac{\sqrt{3}x}{x^2+1}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2 - 1)/(x^4 - x^2 + 1),x)`

[Out] $(3^{(1/2)}*\operatorname{atanh}((3^{(1/2)}*x)/(x^2 + 1)))/3$

sympy [A] time = 0.12, size = 39, normalized size = 0.85

$$-\frac{\sqrt{3} \log(x^2 - \sqrt{3}x + 1)}{6} + \frac{\sqrt{3} \log(x^2 + \sqrt{3}x + 1)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+1)/(x**4-x**2+1),x)`

[Out] $-\sqrt{3}*\log(x**2 - \sqrt{3}*x + 1)/6 + \sqrt{3}*\log(x**2 + \sqrt{3}*x + 1)/6$

$$3.88 \quad \int \frac{1-x^2}{1-2x^2+x^4} dx$$

Optimal. Leaf size=2

$$\tanh^{-1}(x)$$

[Out] arctanh(x)

Rubi [A] time = 0.00, antiderivative size = 2, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {28, 21, 207}

$$\tanh^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(1 - x^2)/(1 - 2*x^2 + x^4), x]

[Out] ArcTanh[x]

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :>
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

Rule 28

```
Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :>
  Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] &&
  EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]
```

Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}\int \frac{1-x^2}{1-2x^2+x^4} dx &= \int \frac{1-x^2}{(-1+x^2)^2} dx \\ &= -\int \frac{1}{-1+x^2} dx \\ &= \tanh^{-1}(x)\end{aligned}$$

Mathematica [B] time = 0.00, size = 19, normalized size = 9.50

$$\frac{1}{2} \log(x+1) - \frac{1}{2} \log(1-x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^2)/(1 - 2*x^2 + x^4), x]

[Out] -1/2*Log[1 - x] + Log[1 + x]/2

fricas [B] time = 0.40, size = 13, normalized size = 6.50

$$\frac{1}{2} \log(x+1) - \frac{1}{2} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4-2*x^2+1), x, algorithm="fricas")

[Out] 1/2*log(x + 1) - 1/2*log(x - 1)

giac [B] time = 0.15, size = 15, normalized size = 7.50

$$\frac{1}{2} \log(|x+1|) - \frac{1}{2} \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4-2*x^2+1), x, algorithm="giac")

[Out] 1/2*log(abs(x + 1)) - 1/2*log(abs(x - 1))

maple [A] time = 0.00, size = 3, normalized size = 1.50

$$\operatorname{arctanh}(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^2+1)/(x^4-2*x^2+1),x)`

[Out] `arctanh(x)`

maxima [B] time = 1.07, size = 13, normalized size = 6.50

$$\frac{1}{2} \log(x+1) - \frac{1}{2} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^2+1)/(x^4-2*x^2+1),x, algorithm="maxima")`

[Out] `1/2*log(x + 1) - 1/2*log(x - 1)`

mupad [B] time = 4.30, size = 2, normalized size = 1.00

$$\operatorname{atanh}(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2 - 1)/(x^4 - 2*x^2 + 1),x)`

[Out] `atanh(x)`

sympy [B] time = 0.11, size = 12, normalized size = 6.00

$$-\frac{\log(x-1)}{2} + \frac{\log(x+1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+1)/(x**4-2*x**2+1),x)`

[Out] `-log(x - 1)/2 + log(x + 1)/2`

$$3.89 \quad \int \frac{1-x^2}{1-3x^2+x^4} dx$$

Optimal. Leaf size=38

$$\frac{\tanh^{-1}\left(\frac{2x+1}{\sqrt{5}}\right)}{\sqrt{5}} - \frac{\tanh^{-1}\left(\frac{1-2x}{\sqrt{5}}\right)}{\sqrt{5}}$$

[Out] $-1/5*\operatorname{arctanh}(1/5*(1-2*x)*5^{(1/2)})*5^{(1/2)}+1/5*\operatorname{arctanh}(1/5*(1+2*x)*5^{(1/2)})*5^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {1161, 618, 206}

$$\frac{\tanh^{-1}\left(\frac{2x+1}{\sqrt{5}}\right)}{\sqrt{5}} - \frac{\tanh^{-1}\left(\frac{1-2x}{\sqrt{5}}\right)}{\sqrt{5}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(1 - x^2)/(1 - 3*x^2 + x^4), x]$

[Out] $-(\operatorname{ArcTanh}[(1 - 2*x)/\operatorname{Sqrt}[5]]/\operatorname{Sqrt}[5]) + \operatorname{ArcTanh}[(1 + 2*x)/\operatorname{Sqrt}[5]]/\operatorname{Sqrt}[5]$

Rule 206

$\operatorname{Int}[(a + b*x)(x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /;$ $\operatorname{FreeQ}\{a, b, x\} \ \&\& \ \operatorname{NegQ}[a/b] \ \&\& \ (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 618

$\operatorname{Int}[(a + b*x + c*x^2)(x)^{-1}, x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/\operatorname{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /;$ $\operatorname{FreeQ}\{a, b, c, x\} \ \&\& \ \operatorname{NeQ}[b^2 - 4*a*c, 0]$

Rule 1161

$\operatorname{Int}[(d + e*x^2)/(a + b*x^2 + c*x^4), x_Symbol] \rightarrow \operatorname{With}\{q = \operatorname{Rt}[(2*d)/e - b/c, 2]\}, \operatorname{Dist}[e/(2*c), \operatorname{Int}[1/\operatorname{Simp}[d/e + q*x + x^2, x], x], x] + \operatorname{Dist}[e/(2*c), \operatorname{Int}[1/\operatorname{Simp}[d/e - q*x + x^2, x], x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \operatorname{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \operatorname{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ (\operatorname{GtQ}[(2*d)/e - b/c, 0] \ || \ (\operatorname{!LtQ}[(2*d)/e - b/c, 0] \ \&\& \ \operatorname{EqQ}[d - e*\operatorname{Rt}[a/c, 2], 0]))$

Rubi steps

$$\begin{aligned}
\int \frac{1-x^2}{1-3x^2+x^4} dx &= -\left(\frac{1}{2} \int \frac{1}{-1-x+x^2} dx\right) - \frac{1}{2} \int \frac{1}{-1+x+x^2} dx \\
&= \text{Subst}\left(\int \frac{1}{5-x^2} dx, x, -1+2x\right) + \text{Subst}\left(\int \frac{1}{5-x^2} dx, x, 1+2x\right) \\
&= \frac{\tanh^{-1}\left(\frac{-1+2x}{\sqrt{5}}\right)}{\sqrt{5}} + \frac{\tanh^{-1}\left(\frac{1+2x}{\sqrt{5}}\right)}{\sqrt{5}}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 40, normalized size = 1.05

$$\frac{\log(x^2 + \sqrt{5}x + 1) - \log(-x^2 + \sqrt{5}x - 1)}{2\sqrt{5}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^2)/(1 - 3*x^2 + x^4), x]

[Out] (-Log[-1 + Sqrt[5]*x - x^2] + Log[1 + Sqrt[5]*x + x^2])/(2*Sqrt[5])

fricas [A] time = 0.39, size = 39, normalized size = 1.03

$$\frac{1}{10} \sqrt{5} \log\left(\frac{x^4 + 7x^2 + 2\sqrt{5}(x^3 + x) + 1}{x^4 - 3x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4-3*x^2+1), x, algorithm="fricas")

[Out] 1/10*sqrt(5)*log((x^4 + 7*x^2 + 2*sqrt(5)*(x^3 + x) + 1)/(x^4 - 3*x^2 + 1))

giac [A] time = 0.18, size = 39, normalized size = 1.03

$$-\frac{1}{10} \sqrt{5} \log\left(\frac{\left|2x - 2\sqrt{5} + \frac{2}{x}\right|}{\left|2x + 2\sqrt{5} + \frac{2}{x}\right|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4-3*x^2+1), x, algorithm="giac")

[Out] -1/10*sqrt(5)*log(abs(2*x - 2*sqrt(5) + 2/x)/abs(2*x + 2*sqrt(5) + 2/x))

maple [A] time = 0.00, size = 34, normalized size = 0.89

$$\frac{\sqrt{5} \operatorname{arctanh}\left(\frac{(2x+1)\sqrt{5}}{5}\right)}{5} + \frac{\sqrt{5} \operatorname{arctanh}\left(\frac{(2x-1)\sqrt{5}}{5}\right)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+1)/(x^4-3*x^2+1),x)

[Out] 1/5*arctanh(1/5*(2*x+1)*5^(1/2))*5^(1/2)+1/5*5^(1/2)*arctanh(1/5*(2*x-1)*5^(1/2))

maxima [A] time = 2.46, size = 55, normalized size = 1.45

$$-\frac{1}{10} \sqrt{5} \log\left(\frac{2x - \sqrt{5} + 1}{2x + \sqrt{5} + 1}\right) - \frac{1}{10} \sqrt{5} \log\left(\frac{2x - \sqrt{5} - 1}{2x + \sqrt{5} - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4-3*x^2+1),x, algorithm="maxima")

[Out] -1/10*sqrt(5)*log((2*x - sqrt(5) + 1)/(2*x + sqrt(5) + 1)) - 1/10*sqrt(5)*log((2*x - sqrt(5) - 1)/(2*x + sqrt(5) - 1))

mupad [B] time = 0.11, size = 18, normalized size = 0.47

$$\frac{\sqrt{5} \operatorname{atanh}\left(\frac{\sqrt{5}x}{x^2+1}\right)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^2 - 1)/(x^4 - 3*x^2 + 1),x)

[Out] (5^(1/2)*atanh((5^(1/2)*x)/(x^2 + 1)))/5

sympy [A] time = 0.12, size = 39, normalized size = 1.03

$$-\frac{\sqrt{5} \log(x^2 - \sqrt{5}x + 1)}{10} + \frac{\sqrt{5} \log(x^2 + \sqrt{5}x + 1)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**2+1)/(x**4-3*x**2+1),x)

[Out] -sqrt(5)*log(x**2 - sqrt(5)*x + 1)/10 + sqrt(5)*log(x**2 + sqrt(5)*x + 1)/10

$$3.90 \quad \int \frac{1-x^2}{1-4x^2+x^4} dx$$

Optimal. Leaf size=47

$$\frac{\tanh^{-1}\left(\frac{\sqrt{2}x+1}{\sqrt{3}}\right)}{\sqrt{6}} - \frac{\tanh^{-1}\left(\frac{1-\sqrt{2}x}{\sqrt{3}}\right)}{\sqrt{6}}$$

[Out] $-1/6*\operatorname{arctanh}(1/3*(1-x*2^{(1/2)})*3^{(1/2)})*6^{(1/2)}+1/6*\operatorname{arctanh}(1/3*(1+x*2^{(1/2)})*3^{(1/2)})*6^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {1161, 618, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{2}x+1}{\sqrt{3}}\right)}{\sqrt{6}} - \frac{\tanh^{-1}\left(\frac{1-\sqrt{2}x}{\sqrt{3}}\right)}{\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^2)/(1 - 4*x^2 + x^4), x]

[Out] $-(\operatorname{ArcTanh}[(1 - \operatorname{Sqrt}[2]*x)/\operatorname{Sqrt}[3]]/\operatorname{Sqrt}[6]) + \operatorname{ArcTanh}[(1 + \operatorname{Sqrt}[2]*x)/\operatorname{Sqrt}[3]]/\operatorname{Sqrt}[6]$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1-x^2}{1-4x^2+x^4} dx &= -\left(\frac{1}{2} \int \frac{1}{-1-\sqrt{2}x+x^2} dx\right) - \frac{1}{2} \int \frac{1}{-1+\sqrt{2}x+x^2} dx \\
&= \text{Subst}\left(\int \frac{1}{6-x^2} dx, x, -\sqrt{2}+2x\right) + \text{Subst}\left(\int \frac{1}{6-x^2} dx, x, \sqrt{2}+2x\right) \\
&= \frac{\tanh^{-1}\left(\frac{-1+\sqrt{2}x}{\sqrt{3}}\right)}{\sqrt{6}} + \frac{\tanh^{-1}\left(\frac{1+\sqrt{2}x}{\sqrt{3}}\right)}{\sqrt{6}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 40, normalized size = 0.85

$$\frac{\log(x^2 + \sqrt{6}x + 1) - \log(-x^2 + \sqrt{6}x - 1)}{2\sqrt{6}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^2)/(1 - 4*x^2 + x^4), x]

[Out] (-Log[-1 + Sqrt[6]*x - x^2] + Log[1 + Sqrt[6]*x + x^2])/(2*Sqrt[6])

fricas [A] time = 0.39, size = 39, normalized size = 0.83

$$\frac{1}{12} \sqrt{6} \log\left(\frac{x^4 + 8x^2 + 2\sqrt{6}(x^3 + x) + 1}{x^4 - 4x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4-4*x^2+1), x, algorithm="fricas")

[Out] 1/12*sqrt(6)*log((x^4 + 8*x^2 + 2*sqrt(6)*(x^3 + x) + 1)/(x^4 - 4*x^2 + 1))

giac [A] time = 0.32, size = 39, normalized size = 0.83

$$-\frac{1}{12} \sqrt{6} \log\left(\frac{\left|2x - 2\sqrt{6} + \frac{2}{x}\right|}{\left|2x + 2\sqrt{6} + \frac{2}{x}\right|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4-4*x^2+1), x, algorithm="giac")

[Out] -1/12*sqrt(6)*log(abs(2*x - 2*sqrt(6) + 2/x)/abs(2*x + 2*sqrt(6) + 2/x))

maple [A] time = 0.02, size = 70, normalized size = 1.49

$$\frac{(\sqrt{3}-1)\sqrt{3}\operatorname{arctanh}\left(\frac{2x}{\sqrt{6}-\sqrt{2}}\right)}{3\sqrt{6}-3\sqrt{2}} + \frac{(1+\sqrt{3})\sqrt{3}\operatorname{arctanh}\left(\frac{2x}{\sqrt{6}+\sqrt{2}}\right)}{3\sqrt{6}+3\sqrt{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^2+1)/(x^4-4*x^2+1),x)`

[Out] `1/3*(3^(1/2)-1)*3^(1/2)/(6^(1/2)-2^(1/2))*arctanh(2/(6^(1/2)-2^(1/2))*x)+1/3*(1+3^(1/2))*3^(1/2)/(6^(1/2)+2^(1/2))*arctanh(2/(6^(1/2)+2^(1/2))*x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2-1}{x^4-4x^2+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^2+1)/(x^4-4*x^2+1),x, algorithm="maxima")`

[Out] `-integrate((x^2 - 1)/(x^4 - 4*x^2 + 1), x)`

mupad [B] time = 4.32, size = 18, normalized size = 0.38

$$\frac{\sqrt{6}\operatorname{atanh}\left(\frac{\sqrt{6}x}{x^2+1}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2 - 1)/(x^4 - 4*x^2 + 1),x)`

[Out] `(6^(1/2)*atanh((6^(1/2)*x)/(x^2 + 1)))/6`

sympy [A] time = 0.12, size = 39, normalized size = 0.83

$$-\frac{\sqrt{6}\log(x^2-\sqrt{6}x+1)}{12} + \frac{\sqrt{6}\log(x^2+\sqrt{6}x+1)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+1)/(x**4-4*x**2+1),x)`

[Out] `-sqrt(6)*log(x**2 - sqrt(6)*x + 1)/12 + sqrt(6)*log(x**2 + sqrt(6)*x + 1)/12`

$$3.91 \quad \int \frac{1-x^2}{1-5x^2+x^4} dx$$

Optimal. Leaf size=46

$$\frac{\tanh^{-1}\left(\frac{2x+\sqrt{3}}{\sqrt{7}}\right)}{\sqrt{7}} - \frac{\tanh^{-1}\left(\frac{\sqrt{3}-2x}{\sqrt{7}}\right)}{\sqrt{7}}$$

[Out] $-1/7*\operatorname{arctanh}(1/7*(-2*x+3^{(1/2)})*7^{(1/2)})*7^{(1/2)}+1/7*\operatorname{arctanh}(1/7*(2*x+3^{(1/2)})*7^{(1/2)})*7^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {1161, 618, 206}

$$\frac{\tanh^{-1}\left(\frac{2x+\sqrt{3}}{\sqrt{7}}\right)}{\sqrt{7}} - \frac{\tanh^{-1}\left(\frac{\sqrt{3}-2x}{\sqrt{7}}\right)}{\sqrt{7}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^2)/(1 - 5*x^2 + x^4), x]

[Out] $-(\operatorname{ArcTanh}[(\operatorname{Sqrt}[3] - 2*x)/\operatorname{Sqrt}[7]]/\operatorname{Sqrt}[7]) + \operatorname{ArcTanh}[(\operatorname{Sqrt}[3] + 2*x)/\operatorname{Sqrt}[7]]/\operatorname{Sqrt}[7]$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1-x^2}{1-5x^2+x^4} dx &= -\left(\frac{1}{2} \int \frac{1}{-1-\sqrt{3}x+x^2} dx\right) - \frac{1}{2} \int \frac{1}{-1+\sqrt{3}x+x^2} dx \\
&= \text{Subst}\left(\int \frac{1}{7-x^2} dx, x, -\sqrt{3}+2x\right) + \text{Subst}\left(\int \frac{1}{7-x^2} dx, x, \sqrt{3}+2x\right) \\
&= -\frac{\tanh^{-1}\left(\frac{\sqrt{3}-2x}{\sqrt{7}}\right)}{\sqrt{7}} + \frac{\tanh^{-1}\left(\frac{\sqrt{3}+2x}{\sqrt{7}}\right)}{\sqrt{7}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 40, normalized size = 0.87

$$\frac{\log(x^2 + \sqrt{7}x + 1) - \log(-x^2 + \sqrt{7}x - 1)}{2\sqrt{7}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^2)/(1 - 5*x^2 + x^4), x]

[Out] (-Log[-1 + Sqrt[7]*x - x^2] + Log[1 + Sqrt[7]*x + x^2])/(2*Sqrt[7])

fricas [A] time = 0.40, size = 39, normalized size = 0.85

$$\frac{1}{14} \sqrt{7} \log\left(\frac{x^4 + 9x^2 + 2\sqrt{7}(x^3 + x) + 1}{x^4 - 5x^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4-5*x^2+1), x, algorithm="fricas")

[Out] 1/14*sqrt(7)*log((x^4 + 9*x^2 + 2*sqrt(7)*(x^3 + x) + 1)/(x^4 - 5*x^2 + 1))

giac [A] time = 0.22, size = 39, normalized size = 0.85

$$-\frac{1}{14} \sqrt{7} \log\left(\frac{\left|2x - 2\sqrt{7} + \frac{2}{x}\right|}{\left|2x + 2\sqrt{7} + \frac{2}{x}\right|}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)/(x^4-5*x^2+1), x, algorithm="giac")

[Out] -1/14*sqrt(7)*log(abs(2*x - 2*sqrt(7) + 2/x)/abs(2*x + 2*sqrt(7) + 2/x))

maple [B] time = 0.02, size = 82, normalized size = 1.78

$$\frac{2(-3 + \sqrt{21})\sqrt{21} \operatorname{arctanh}\left(\frac{4x}{2\sqrt{7}-2\sqrt{3}}\right)}{21(2\sqrt{7}-2\sqrt{3})} + \frac{2(3 + \sqrt{21})\sqrt{21} \operatorname{arctanh}\left(\frac{4x}{2\sqrt{7}+2\sqrt{3}}\right)}{21(2\sqrt{7}+2\sqrt{3})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^2+1)/(x^4-5*x^2+1),x)`

[Out] `2/21*(3+21^(1/2))*21^(1/2)/(2*7^(1/2)+2*3^(1/2))*arctanh(4/(2*7^(1/2)+2*3^(1/2))*x)+2/21*(-3+21^(1/2))*21^(1/2)/(2*7^(1/2)-2*3^(1/2))*arctanh(4/(2*7^(1/2)-2*3^(1/2))*x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 - 1}{x^4 - 5x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^2+1)/(x^4-5*x^2+1),x, algorithm="maxima")`

[Out] `-integrate((x^2 - 1)/(x^4 - 5*x^2 + 1), x)`

mupad [B] time = 4.39, size = 18, normalized size = 0.39

$$\frac{\sqrt{7} \operatorname{atanh}\left(\frac{\sqrt{7}x}{x^2+1}\right)}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2 - 1)/(x^4 - 5*x^2 + 1),x)`

[Out] `(7^(1/2)*atanh((7^(1/2)*x)/(x^2 + 1)))/7`

sympy [A] time = 0.14, size = 39, normalized size = 0.85

$$-\frac{\sqrt{7} \log(x^2 - \sqrt{7}x + 1)}{14} + \frac{\sqrt{7} \log(x^2 + \sqrt{7}x + 1)}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+1)/(x**4-5*x**2+1),x)`

[Out] `-sqrt(7)*log(x**2 - sqrt(7)*x + 1)/14 + sqrt(7)*log(x**2 + sqrt(7)*x + 1)/14`

$$3.92 \quad \int \frac{-1-3x^2}{1+2x^2+9x^4} dx$$

Optimal. Leaf size=43

$$\frac{\tan^{-1}\left(\frac{1-3x}{\sqrt{2}}\right)}{2\sqrt{2}} - \frac{\tan^{-1}\left(\frac{3x+1}{\sqrt{2}}\right)}{2\sqrt{2}}$$

[Out] 1/4*arctan(1/2*(1-3*x)*2^(1/2))*2^(1/2)-1/4*arctan(1/2*(1+3*x)*2^(1/2))*2^(1/2)

Rubi [A] time = 0.03, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$, Rules used = {1161, 618, 204}

$$\frac{\tan^{-1}\left(\frac{1-3x}{\sqrt{2}}\right)}{2\sqrt{2}} - \frac{\tan^{-1}\left(\frac{3x+1}{\sqrt{2}}\right)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[-((1 + 3*x^2)/(1 + 2*x^2 + 9*x^4)),x]

[Out] ArcTan[(1 - 3*x)/Sqrt[2]]/(2*Sqrt[2]) - ArcTan[(1 + 3*x)/Sqrt[2]]/(2*Sqrt[2])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int -\frac{1+3x^2}{1+2x^2+9x^4} dx &= -\left(\frac{1}{6} \int \frac{1}{\frac{1}{3}-\frac{2x}{3}+x^2} dx\right) - \frac{1}{6} \int \frac{1}{\frac{1}{3}+\frac{2x}{3}+x^2} dx \\
&= \frac{1}{3} \text{Subst}\left(\int \frac{1}{-\frac{8}{9}-x^2} dx, x, -\frac{2}{3}+2x\right) + \frac{1}{3} \text{Subst}\left(\int \frac{1}{-\frac{8}{9}-x^2} dx, x, \frac{2}{3}+2x\right) \\
&= \frac{\tan^{-1}\left(\frac{1-3x}{\sqrt{2}}\right)}{2\sqrt{2}} - \frac{\tan^{-1}\left(\frac{1+3x}{\sqrt{2}}\right)}{2\sqrt{2}}
\end{aligned}$$

Mathematica [C] time = 0.10, size = 99, normalized size = 2.30

$$-\frac{(\sqrt{2}-i)\tan^{-1}\left(\frac{3x}{\sqrt{1-2i\sqrt{2}}}\right)}{2\sqrt{2}(1-2i\sqrt{2})} - \frac{(\sqrt{2}+i)\tan^{-1}\left(\frac{3x}{\sqrt{1+2i\sqrt{2}}}\right)}{2\sqrt{2}(1+2i\sqrt{2})}$$

Antiderivative was successfully verified.

[In] Integrate[(-1 - 3*x^2)/(1 + 2*x^2 + 9*x^4), x]

[Out] -1/2*((-I + Sqrt[2])*ArcTan[(3*x)/Sqrt[1 - (2*I)*Sqrt[2]]])/Sqrt[2*(1 - (2*I)*Sqrt[2])] - ((I + Sqrt[2])*ArcTan[(3*x)/Sqrt[1 + (2*I)*Sqrt[2]]])/(2*Sqrt[2*(1 + (2*I)*Sqrt[2])])

fricas [A] time = 0.39, size = 33, normalized size = 0.77

$$-\frac{1}{4}\sqrt{2}\arctan\left(\frac{1}{4}\sqrt{2}(9x^3+5x)\right) - \frac{1}{4}\sqrt{2}\arctan\left(\frac{3}{4}\sqrt{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-3*x^2-1)/(9*x^4+2*x^2+1), x, algorithm="fricas")

[Out] -1/4*sqrt(2)*arctan(1/4*sqrt(2)*(9*x^3+5*x)) - 1/4*sqrt(2)*arctan(3/4*sqrt(2)*x)

giac [A] time = 0.16, size = 33, normalized size = 0.77

$$-\frac{1}{4}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(3x+1)\right) - \frac{1}{4}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(3x-1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-3*x^2-1)/(9*x^4+2*x^2+1),x, algorithm="giac")

[Out] $-1/4*\sqrt{2}*\arctan(1/2*\sqrt{2}*(3*x + 1)) - 1/4*\sqrt{2}*\arctan(1/2*\sqrt{2}*(3*x - 1))$

maple [A] time = 0.01, size = 34, normalized size = 0.79

$$-\frac{\sqrt{2} \arctan\left(\frac{(6x-2)\sqrt{2}}{4}\right)}{4} - \frac{\sqrt{2} \arctan\left(\frac{(6x+2)\sqrt{2}}{4}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-3*x^2-1)/(9*x^4+2*x^2+1),x)

[Out] $-1/4*2^{(1/2)}*\arctan(1/4*(6*x+2)*2^{(1/2)})-1/4*2^{(1/2)}*\arctan(1/4*(6*x-2)*2^{(1/2)})$

maxima [A] time = 2.35, size = 33, normalized size = 0.77

$$-\frac{1}{4}\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}(3x+1)\right) - \frac{1}{4}\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}(3x-1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-3*x^2-1)/(9*x^4+2*x^2+1),x, algorithm="maxima")

[Out] $-1/4*\sqrt{2}*\arctan(1/2*\sqrt{2}*(3*x + 1)) - 1/4*\sqrt{2}*\arctan(1/2*\sqrt{2}*(3*x - 1))$

mupad [B] time = 4.38, size = 29, normalized size = 0.67

$$-\frac{\sqrt{2} \left(\operatorname{atan}\left(\frac{9\sqrt{2}x^3}{4} + \frac{5\sqrt{2}x}{4}\right) + \operatorname{atan}\left(\frac{3\sqrt{2}x}{4}\right) \right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(3*x^2 + 1)/(2*x^2 + 9*x^4 + 1),x)

[Out] $-(2^{(1/2)}*(\operatorname{atan}((5*2^{(1/2)}*x)/4 + (9*2^{(1/2)}*x^3)/4) + \operatorname{atan}((3*2^{(1/2)}*x)/4)))/4$

sympy [A] time = 0.14, size = 46, normalized size = 1.07

$$-\frac{\sqrt{2} \left(2 \operatorname{atan}\left(\frac{3\sqrt{2}x}{4}\right) + 2 \operatorname{atan}\left(\frac{9\sqrt{2}x^3}{4} + \frac{5\sqrt{2}x}{4}\right) \right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-3*x**2-1)/(9*x**4+2*x**2+1),x)
```

```
[Out] -sqrt(2)*(2*atan(3*sqrt(2)*x/4) + 2*atan(9*sqrt(2)*x**3/4 + 5*sqrt(2)*x/4))  
/8
```

$$3.93 \quad \int \frac{1+3x^2}{-1-2x^2-9x^4} dx$$

Optimal. Leaf size=43

$$\frac{\tan^{-1}\left(\frac{1-3x}{\sqrt{2}}\right)}{2\sqrt{2}} - \frac{\tan^{-1}\left(\frac{3x+1}{\sqrt{2}}\right)}{2\sqrt{2}}$$

[Out] 1/4*arctan(1/2*(1-3*x)*2^(1/2))*2^(1/2)-1/4*arctan(1/2*(1+3*x)*2^(1/2))*2^(1/2)

Rubi [A] time = 0.03, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1161, 618, 204}

$$\frac{\tan^{-1}\left(\frac{1-3x}{\sqrt{2}}\right)}{2\sqrt{2}} - \frac{\tan^{-1}\left(\frac{3x+1}{\sqrt{2}}\right)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + 3*x^2)/(-1 - 2*x^2 - 9*x^4), x]

[Out] ArcTan[(1 - 3*x)/Sqrt[2]]/(2*Sqrt[2]) - ArcTan[(1 + 3*x)/Sqrt[2]]/(2*Sqrt[2])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{1+3x^2}{-1-2x^2-9x^4} dx &= -\left(\frac{1}{6} \int \frac{1}{\frac{1}{3}-\frac{2x}{3}+x^2} dx\right) - \frac{1}{6} \int \frac{1}{\frac{1}{3}+\frac{2x}{3}+x^2} dx \\
&= \frac{1}{3} \text{Subst}\left(\int \frac{1}{-\frac{8}{9}-x^2} dx, x, -\frac{2}{3}+2x\right) + \frac{1}{3} \text{Subst}\left(\int \frac{1}{-\frac{8}{9}-x^2} dx, x, \frac{2}{3}+2x\right) \\
&= \frac{\tan^{-1}\left(\frac{1-3x}{\sqrt{2}}\right)}{2\sqrt{2}} - \frac{\tan^{-1}\left(\frac{1+3x}{\sqrt{2}}\right)}{2\sqrt{2}}
\end{aligned}$$

Mathematica [C] time = 0.03, size = 99, normalized size = 2.30

$$-\frac{(\sqrt{2}-i)\tan^{-1}\left(\frac{3x}{\sqrt{1-2i\sqrt{2}}}\right)}{2\sqrt{2}(1-2i\sqrt{2})} - \frac{(\sqrt{2}+i)\tan^{-1}\left(\frac{3x}{\sqrt{1+2i\sqrt{2}}}\right)}{2\sqrt{2}(1+2i\sqrt{2})}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 3*x^2)/(-1 - 2*x^2 - 9*x^4), x]

[Out] -1/2*((-I + Sqrt[2])*ArcTan[(3*x)/Sqrt[1 - (2*I)*Sqrt[2]]])/Sqrt[2*(1 - (2*I)*Sqrt[2])] - ((I + Sqrt[2])*ArcTan[(3*x)/Sqrt[1 + (2*I)*Sqrt[2]]])/(2*Sqrt[2*(1 + (2*I)*Sqrt[2])])

fricas [A] time = 0.40, size = 33, normalized size = 0.77

$$-\frac{1}{4}\sqrt{2}\arctan\left(\frac{1}{4}\sqrt{2}(9x^3+5x)\right) - \frac{1}{4}\sqrt{2}\arctan\left(\frac{3}{4}\sqrt{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+1)/(-9*x^4-2*x^2-1), x, algorithm="fricas")

[Out] -1/4*sqrt(2)*arctan(1/4*sqrt(2)*(9*x^3 + 5*x)) - 1/4*sqrt(2)*arctan(3/4*sqrt(2)*x)

giac [A] time = 0.18, size = 33, normalized size = 0.77

$$-\frac{1}{4}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(3x+1)\right) - \frac{1}{4}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(3x-1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+1)/(-9*x^4-2*x^2-1),x, algorithm="giac")

[Out] $-1/4*\sqrt{2}*\arctan(1/2*\sqrt{2}*(3*x + 1)) - 1/4*\sqrt{2}*\arctan(1/2*\sqrt{2}*(3*x - 1))$

maple [A] time = 0.00, size = 34, normalized size = 0.79

$$-\frac{\sqrt{2} \arctan\left(\frac{(6x-2)\sqrt{2}}{4}\right)}{4} - \frac{\sqrt{2} \arctan\left(\frac{(6x+2)\sqrt{2}}{4}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+1)/(-9*x^4-2*x^2-1),x)

[Out] $-1/4*2^{(1/2)}*\arctan(1/4*(6*x-2)*2^{(1/2)})-1/4*2^{(1/2)}*\arctan(1/4*(6*x+2)*2^{(1/2)})$

maxima [A] time = 2.49, size = 33, normalized size = 0.77

$$-\frac{1}{4}\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}(3x+1)\right) - \frac{1}{4}\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}(3x-1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+1)/(-9*x^4-2*x^2-1),x, algorithm="maxima")

[Out] $-1/4*\sqrt{2}*\arctan(1/2*\sqrt{2}*(3*x + 1)) - 1/4*\sqrt{2}*\arctan(1/2*\sqrt{2}*(3*x - 1))$

mupad [B] time = 0.00, size = 29, normalized size = 0.67

$$-\frac{\sqrt{2} \left(\operatorname{atan}\left(\frac{9\sqrt{2}x^3}{4} + \frac{5\sqrt{2}x}{4}\right) + \operatorname{atan}\left(\frac{3\sqrt{2}x}{4}\right) \right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(3*x^2 + 1)/(2*x^2 + 9*x^4 + 1),x)

[Out] $-(2^{(1/2)}*(\operatorname{atan}((5*2^{(1/2)}*x)/4 + (9*2^{(1/2)}*x^3)/4) + \operatorname{atan}((3*2^{(1/2)}*x)/4)))/4$

sympy [A] time = 0.15, size = 46, normalized size = 1.07

$$-\frac{\sqrt{2} \left(2 \operatorname{atan}\left(\frac{3\sqrt{2}x}{4}\right) + 2 \operatorname{atan}\left(\frac{9\sqrt{2}x^3}{4} + \frac{5\sqrt{2}x}{4}\right) \right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((3*x**2+1)/(-9*x**4-2*x**2-1),x)
```

```
[Out] -sqrt(2)*(2*atan(3*sqrt(2)*x/4) + 2*atan(9*sqrt(2)*x**3/4 + 5*sqrt(2)*x/4))  
/8
```

3.94

$$\int \frac{3+2x^2}{1-2x^2+x^4} dx$$

Optimal. Leaf size=21

$$\frac{5x}{2(1-x^2)} + \frac{1}{2} \tanh^{-1}(x)$$

[Out] 5/2*x/(-x^2+1)+1/2*arctanh(x)

Rubi [A] time = 0.01, antiderivative size = 21, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {28, 385, 207}

$$\frac{5x}{2(1-x^2)} + \frac{1}{2} \tanh^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(3 + 2*x^2)/(1 - 2*x^2 + x^4), x]

[Out] (5*x)/(2*(1 - x^2)) + ArcTanh[x]/2

Rule 28

```
Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :>
Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] &&
EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]
```

Rule 207

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])
```

Rubi steps

$$\begin{aligned}
 \int \frac{3+2x^2}{1-2x^2+x^4} dx &= \int \frac{3+2x^2}{(-1+x^2)^2} dx \\
 &= \frac{5x}{2(1-x^2)} - \frac{1}{2} \int \frac{1}{-1+x^2} dx \\
 &= \frac{5x}{2(1-x^2)} + \frac{1}{2} \tanh^{-1}(x)
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 27, normalized size = 1.29

$$\frac{1}{4} \left(-\frac{10x}{x^2-1} - \log(1-x) + \log(x+1) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(3 + 2*x^2)/(1 - 2*x^2 + x^4), x]

[Out] ((-10*x)/(-1 + x^2) - Log[1 - x] + Log[1 + x])/4

fricas [B] time = 0.39, size = 34, normalized size = 1.62

$$\frac{(x^2-1)\log(x+1) - (x^2-1)\log(x-1) - 10x}{4(x^2-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+3)/(x^4-2*x^2+1), x, algorithm="fricas")

[Out] 1/4*((x^2 - 1)*log(x + 1) - (x^2 - 1)*log(x - 1) - 10*x)/(x^2 - 1)

giac [A] time = 0.17, size = 25, normalized size = 1.19

$$-\frac{5x}{2(x^2-1)} + \frac{1}{4} \log(|x+1|) - \frac{1}{4} \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+3)/(x^4-2*x^2+1), x, algorithm="giac")

[Out] -5/2*x/(x^2 - 1) + 1/4*log(abs(x + 1)) - 1/4*log(abs(x - 1))

maple [A] time = 0.01, size = 28, normalized size = 1.33

$$\frac{\ln(x+1)}{4} - \frac{\ln(x-1)}{4} - \frac{5}{4(x+1)} - \frac{5}{4(x-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2+3)/(x^4-2*x^2+1),x)

[Out] -5/4/(x+1)+1/4*ln(x+1)-5/4/(x-1)-1/4*ln(x-1)

maxima [A] time = 1.10, size = 23, normalized size = 1.10

$$-\frac{5x}{2(x^2-1)} + \frac{1}{4} \log(x+1) - \frac{1}{4} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^2+3)/(x^4-2*x^2+1),x, algorithm="maxima")

[Out] -5/2*x/(x^2 - 1) + 1/4*log(x + 1) - 1/4*log(x - 1)

mupad [B] time = 0.03, size = 17, normalized size = 0.81

$$\frac{\operatorname{atanh}(x)}{2} - \frac{5x}{2(x^2-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2 + 3)/(x^4 - 2*x^2 + 1),x)

[Out] atanh(x)/2 - (5*x)/(2*(x^2 - 1))

sympy [A] time = 0.13, size = 22, normalized size = 1.05

$$-\frac{5x}{2x^2-2} - \frac{\log(x-1)}{4} + \frac{\log(x+1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x**2+3)/(x**4-2*x**2+1),x)

[Out] -5*x/(2*x**2 - 2) - log(x - 1)/4 + log(x + 1)/4

$$3.95 \quad \int \frac{2+3x^2}{5-8x^2+3x^4} dx$$

Optimal. Leaf size=28

$$\frac{5}{2} \tanh^{-1}(x) - \frac{7}{2} \sqrt{\frac{3}{5}} \tanh^{-1}\left(\sqrt{\frac{3}{5}} x\right)$$

[Out] 5/2*arctanh(x)-7/10*arctanh(1/5*x*15^(1/2))*15^(1/2)

Rubi [A] time = 0.01, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1166, 207}

$$\frac{5}{2} \tanh^{-1}(x) - \frac{7}{2} \sqrt{\frac{3}{5}} \tanh^{-1}\left(\sqrt{\frac{3}{5}} x\right)$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(5 - 8*x^2 + 3*x^4), x]

[Out] (5*ArcTanh[x])/2 - (7*Sqrt[3/5]*ArcTanh[Sqrt[3/5]*x])/2

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :-> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rubi steps

$$\begin{aligned} \int \frac{2+3x^2}{5-8x^2+3x^4} dx &= -\left(\frac{15}{2} \int \frac{1}{-3+3x^2} dx\right) + \frac{21}{2} \int \frac{1}{-5+3x^2} dx \\ &= \frac{5}{2} \tanh^{-1}(x) - \frac{7}{2} \sqrt{\frac{3}{5}} \tanh^{-1}\left(\sqrt{\frac{3}{5}} x\right) \end{aligned}$$

Mathematica [A] time = 0.02, size = 53, normalized size = 1.89

$$\frac{1}{20} \left(7\sqrt{15} \log(\sqrt{15} - 3x) - 25 \log(1 - x) + 25 \log(x + 1) - 7\sqrt{15} \log(3x + \sqrt{15}) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(5 - 8*x^2 + 3*x^4), x]

[Out] (7*Sqrt[15]*Log[Sqrt[15] - 3*x] - 25*Log[1 - x] + 25*Log[1 + x] - 7*Sqrt[15]*Log[Sqrt[15] + 3*x])/20

fricas [B] time = 0.40, size = 49, normalized size = 1.75

$$\frac{7}{20} \sqrt{5} \sqrt{3} \log\left(-\frac{2\sqrt{5}\sqrt{3}x - 3x^2 - 5}{3x^2 - 5}\right) + \frac{5}{4} \log(x + 1) - \frac{5}{4} \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(3*x^4-8*x^2+5), x, algorithm="fricas")

[Out] 7/20*sqrt(5)*sqrt(3)*log(-(2*sqrt(5)*sqrt(3)*x - 3*x^2 - 5)/(3*x^2 - 5)) + 5/4*log(x + 1) - 5/4*log(x - 1)

giac [B] time = 0.17, size = 44, normalized size = 1.57

$$\frac{7}{20} \sqrt{15} \log\left(\frac{|6x - 2\sqrt{15}|}{|6x + 2\sqrt{15}|}\right) + \frac{5}{4} \log(|x + 1|) - \frac{5}{4} \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(3*x^4-8*x^2+5), x, algorithm="giac")

[Out] 7/20*sqrt(15)*log(abs(6*x - 2*sqrt(15))/abs(6*x + 2*sqrt(15))) + 5/4*log(abs(x + 1)) - 5/4*log(abs(x - 1))

maple [A] time = 0.01, size = 26, normalized size = 0.93

$$-\frac{7\sqrt{15} \operatorname{arctanh}\left(\frac{\sqrt{15}x}{5}\right)}{10} + \frac{5 \ln(x + 1)}{4} - \frac{5 \ln(x - 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/(3*x^4-8*x^2+5), x)

[Out] -7/10*arctanh(1/5*x*15^(1/2))*15^(1/2)+5/4*ln(x+1)-5/4*ln(x-1)

maxima [B] time = 2.36, size = 38, normalized size = 1.36

$$\frac{7}{20} \sqrt{15} \log\left(\frac{3x - \sqrt{15}}{3x + \sqrt{15}}\right) + \frac{5}{4} \log(x + 1) - \frac{5}{4} \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(3*x^4-8*x^2+5),x, algorithm="maxima")

[Out] 7/20*sqrt(15)*log((3*x - sqrt(15))/(3*x + sqrt(15))) + 5/4*log(x + 1) - 5/4*log(x - 1)

mupad [B] time = 4.39, size = 17, normalized size = 0.61

$$\frac{5 \operatorname{atanh}(x)}{2} - \frac{7\sqrt{15} \operatorname{atanh}\left(\frac{\sqrt{15}x}{5}\right)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + 2)/(3*x^4 - 8*x^2 + 5),x)

[Out] (5*atanh(x))/2 - (7*15^(1/2)*atanh((15^(1/2)*x)/5))/10

sympy [B] time = 0.61, size = 53, normalized size = 1.89

$$-\frac{5 \log(x - 1)}{4} + \frac{5 \log(x + 1)}{4} + \frac{7\sqrt{15} \log\left(x - \frac{\sqrt{15}}{3}\right)}{20} - \frac{7\sqrt{15} \log\left(x + \frac{\sqrt{15}}{3}\right)}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)/(3*x**4-8*x**2+5),x)

[Out] -5*log(x - 1)/4 + 5*log(x + 1)/4 + 7*sqrt(15)*log(x - sqrt(15)/3)/20 - 7*sqrt(15)*log(x + sqrt(15)/3)/20

$$3.96 \quad \int \frac{d+ex^2}{5-8x^2+3x^4} dx$$

Optimal. Leaf size=36

$$\frac{1}{2}(d+e) \tanh^{-1}(x) - \frac{(3d+5e) \tanh^{-1}\left(\sqrt{\frac{3}{5}}x\right)}{2\sqrt{15}}$$

[Out] 1/2*(d+e)*arctanh(x)-1/30*(3*d+5*e)*arctanh(1/5*x*15^(1/2))*15^(1/2)

Rubi [A] time = 0.04, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1166, 207}

$$\frac{1}{2}(d+e) \tanh^{-1}(x) - \frac{(3d+5e) \tanh^{-1}\left(\sqrt{\frac{3}{5}}x\right)}{2\sqrt{15}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(5 - 8*x^2 + 3*x^4), x]

[Out] ((d + e)*ArcTanh[x])/2 - ((3*d + 5*e)*ArcTanh[Sqrt[3/5]*x])/(2*Sqrt[15])

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rubi steps

$$\int \frac{d + ex^2}{5 - 8x^2 + 3x^4} dx = -\left(\frac{1}{2}(3(d + e)) \int \frac{1}{-3 + 3x^2} dx\right) + \frac{1}{2}(3d + 5e) \int \frac{1}{-5 + 3x^2} dx$$

$$= \frac{1}{2}(d + e) \tanh^{-1}(x) - \frac{(3d + 5e) \tanh^{-1}\left(\sqrt{\frac{3}{5}}x\right)}{2\sqrt{15}}$$

Mathematica [A] time = 0.04, size = 72, normalized size = 2.00

$$\frac{1}{60} \left(\sqrt{15} (3d + 5e) \log(\sqrt{15} - 3x) - 15(d + e) \log(1 - x) + 15(d + e) \log(x + 1) - \sqrt{15} (3d + 5e) \log(3x + \sqrt{15}) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/(5 - 8*x^2 + 3*x^4), x]

[Out] (Sqrt[15]*(3*d + 5*e)*Log[Sqrt[15] - 3*x] - 15*(d + e)*Log[1 - x] + 15*(d + e)*Log[1 + x] - Sqrt[15]*(3*d + 5*e)*Log[Sqrt[15] + 3*x])/60

fricas [B] time = 0.45, size = 55, normalized size = 1.53

$$\frac{1}{60} \sqrt{15} (3d + 5e) \log\left(\frac{3x^2 - 2\sqrt{15}x + 5}{3x^2 - 5}\right) + \frac{1}{4} (d + e) \log(x + 1) - \frac{1}{4} (d + e) \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(3*x^4-8*x^2+5), x, algorithm="fricas")

[Out] 1/60*sqrt(15)*(3*d + 5*e)*log((3*x^2 - 2*sqrt(15)*x + 5)/(3*x^2 - 5)) + 1/4*(d + e)*log(x + 1) - 1/4*(d + e)*log(x - 1)

giac [B] time = 0.16, size = 60, normalized size = 1.67

$$\frac{1}{60} \sqrt{15} (3d + 5e) \log\left(\frac{|6x - 2\sqrt{15}|}{|6x + 2\sqrt{15}|}\right) + \frac{1}{4} (d + e) \log(|x + 1|) - \frac{1}{4} (d + e) \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(3*x^4-8*x^2+5), x, algorithm="giac")

[Out] 1/60*sqrt(15)*(3*d + 5*e)*log(abs(6*x - 2*sqrt(15))/abs(6*x + 2*sqrt(15))) + 1/4*(d + e)*log(abs(x + 1)) - 1/4*(d + e)*log(abs(x - 1))

maple [B] time = 0.01, size = 56, normalized size = 1.56

$$\frac{\sqrt{15} d \operatorname{arctanh}\left(\frac{\sqrt{15} x}{5}\right)}{10} + \frac{d \ln(x+1)}{4} - \frac{d \ln(x-1)}{4} - \frac{\sqrt{15} e \operatorname{arctanh}\left(\frac{\sqrt{15} x}{5}\right)}{6} + \frac{e \ln(x+1)}{4} - \frac{e \ln(x-1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)/(3*x^4-8*x^2+5),x)`

[Out] $-1/10*15^{(1/2)}*\operatorname{arctanh}(1/5*15^{(1/2)}*x)*d-1/6*15^{(1/2)}*\operatorname{arctanh}(1/5*15^{(1/2)}*x)*e+1/4*\ln(x+1)*d+1/4*\ln(x+1)*e-1/4*\ln(x-1)*d-1/4*\ln(x-1)*e$

maxima [A] time = 2.41, size = 51, normalized size = 1.42

$$\frac{1}{60} \sqrt{15} (3d + 5e) \log\left(\frac{3x - \sqrt{15}}{3x + \sqrt{15}}\right) + \frac{1}{4} (d + e) \log(x + 1) - \frac{1}{4} (d + e) \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/(3*x^4-8*x^2+5),x, algorithm="maxima")`

[Out] $1/60*\sqrt{15}*(3*d + 5*e)*\log((3*x - \sqrt{15})/(3*x + \sqrt{15})) + 1/4*(d + e)*\log(x + 1) - 1/4*(d + e)*\log(x - 1)$

mupad [B] time = 4.39, size = 290, normalized size = 8.06

$$\frac{\sqrt{15} \operatorname{atanh}\left(\frac{54 \sqrt{15} d^3 x}{25 \left(-\frac{54 d^3}{5} - 18 d^2 e + 18 d e^2 + 30 e^3\right)} - \frac{6 \sqrt{15} e^3 x}{-\frac{54 d^3}{5} - 18 d^2 e + 18 d e^2 + 30 e^3} - \frac{18 \sqrt{15} d e^2 x}{5 \left(-\frac{54 d^3}{5} - 18 d^2 e + 18 d e^2 + 30 e^3\right)} + \frac{18 \sqrt{15} d^2 e x}{5 \left(-\frac{54 d^3}{5} - 18 d^2 e + 18 d e^2 + 30 e^3\right)}\right)}{30}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)/(3*x^4 - 8*x^2 + 5),x)`

[Out] $(15^{(1/2)}*\operatorname{atanh}((54*15^{(1/2)}*d^3*x)/(25*(18*d*e^2 - 18*d^2*e - (54*d^3)/5 + 30*e^3))) - (6*15^{(1/2)}*e^3*x)/(18*d*e^2 - 18*d^2*e - (54*d^3)/5 + 30*e^3) - (18*15^{(1/2)}*d*e^2*x)/(5*(18*d*e^2 - 18*d^2*e - (54*d^3)/5 + 30*e^3)) + (18*15^{(1/2)}*d^2*e*x)/(5*(18*d*e^2 - 18*d^2*e - (54*d^3)/5 + 30*e^3)))*(3*d + 5*e)/30 - \operatorname{atanh}((18*d^3*x)/(30*d*e^2 - 18*d^2*e - 18*d^3 + 30*e^3) - (30*e^3*x)/(30*d*e^2 - 18*d^2*e - 18*d^3 + 30*e^3) - (30*d*e^2*x)/(30*d*e^2 - 18*d^2*e - 18*d^3 + 30*e^3) + (18*d^2*e*x)/(30*d*e^2 - 18*d^2*e - 18*d^3 + 30*e^3))*(d/2 + e/2)$

sympy [B] time = 1.50, size = 474, normalized size = 13.17

$$\frac{(d + e) \log\left(x + \frac{-51d^3(d+e) - 180d^2e(d+e) - 225de^2(d+e) + 60d(d+e)^3 - 100e^3(d+e) + 75e(d+e)^3}{9d^4 + 24d^3e - 40de^3 - 25e^4}\right)}{4} \frac{(d + e) \log\left(x + \frac{51d^3(d+e) + 180d^2e(d+e) + 225de^2(d+e) - 60d(d+e)^3 + 100e^3(d+e) - 75e(d+e)^3}{9d^4 + 24d^3e - 40de^3 - 25e^4}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(3*x**4-8*x**2+5),x)

[Out] (d + e)*log(x + (-51*d**3*(d + e) - 180*d**2*e*(d + e) - 225*d*e**2*(d + e) + 60*d*(d + e)**3 - 100*e**3*(d + e) + 75*e*(d + e)**3)/(9*d**4 + 24*d**3*e - 40*d*e**3 - 25*e**4))/4 - (d + e)*log(x + (51*d**3*(d + e) + 180*d**2*e*(d + e) + 225*d*e**2*(d + e) - 60*d*(d + e)**3 + 100*e**3*(d + e) - 75*e*(d + e)**3)/(9*d**4 + 24*d**3*e - 40*d*e**3 - 25*e**4))/4 + sqrt(15)*(3*d + 5*e)*log(x + (-17*sqrt(15)*d**3*(3*d + 5*e)/5 - 12*sqrt(15)*d**2*e*(3*d + 5*e) - 15*sqrt(15)*d*e**2*(3*d + 5*e) + 4*sqrt(15)*d*(3*d + 5*e)**3/15 - 20*sqrt(15)*e**3*(3*d + 5*e)/3 + sqrt(15)*e*(3*d + 5*e)**3/3)/(9*d**4 + 24*d**3*e - 40*d*e**3 - 25*e**4))/60 - sqrt(15)*(3*d + 5*e)*log(x + (17*sqrt(15)*d**3*(3*d + 5*e)/5 + 12*sqrt(15)*d**2*e*(3*d + 5*e) + 15*sqrt(15)*d*e**2*(3*d + 5*e) - 4*sqrt(15)*d*(3*d + 5*e)**3/15 + 20*sqrt(15)*e**3*(3*d + 5*e)/3 - sqrt(15)*e*(3*d + 5*e)**3/3)/(9*d**4 + 24*d**3*e - 40*d*e**3 - 25*e**4))/60

$$3.97 \quad \int \frac{3+x^2}{1+3x^2+x^4} dx$$

Optimal. Leaf size=74

$$\frac{(3 + \sqrt{5})^{3/2} \tan^{-1}\left(\sqrt{\frac{1}{2}}(3 + \sqrt{5})x\right)}{2\sqrt{10}} - \frac{1}{10}\sqrt{180 - 80\sqrt{5}} \tan^{-1}\left(\sqrt{\frac{2}{3 + \sqrt{5}}}x\right)$$

[Out] 1/20*arctan(x*(1/2+1/2*5^(1/2)))*(3+5^(1/2))^(3/2)*10^(1/2)-1/10*arctan(x*2^(1/2)/(3+5^(1/2))^(1/2))*(10-4*5^(1/2))

Rubi [A] time = 0.05, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1166, 203}

$$\frac{(3 + \sqrt{5})^{3/2} \tan^{-1}\left(\sqrt{\frac{1}{2}}(3 + \sqrt{5})x\right)}{2\sqrt{10}} - \frac{1}{10}\sqrt{180 - 80\sqrt{5}} \tan^{-1}\left(\sqrt{\frac{2}{3 + \sqrt{5}}}x\right)$$

Antiderivative was successfully verified.

[In] Int[(3 + x^2)/(1 + 3*x^2 + x^4), x]

[Out] -(Sqrt[180 - 80*Sqrt[5]]*ArcTan[Sqrt[2/(3 + Sqrt[5])]*x])/10 + ((3 + Sqrt[5])^(3/2)*ArcTan[Sqrt[(3 + Sqrt[5])/2]*x])/(2*Sqrt[10])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rubi steps

$$\int \frac{3+x^2}{1+3x^2+x^4} dx = \frac{1}{10} (5-3\sqrt{5}) \int \frac{1}{\frac{3}{2} + \frac{\sqrt{5}}{2} + x^2} dx + \frac{1}{10} (5+3\sqrt{5}) \int \frac{1}{\frac{3}{2} - \frac{\sqrt{5}}{2} + x^2} dx$$

$$= -\frac{1}{5} \sqrt{45-20\sqrt{5}} \tan^{-1} \left(\sqrt{\frac{2}{3+\sqrt{5}}} x \right) + \frac{(3+\sqrt{5})^{3/2} \tan^{-1} \left(\sqrt{\frac{1}{2}(3+\sqrt{5})} x \right)}{2\sqrt{10}}$$

Mathematica [A] time = 0.10, size = 73, normalized size = 0.99

$$\frac{(3+\sqrt{5})^{3/2} \tan^{-1} \left(\sqrt{\frac{1}{2}(3+\sqrt{5})} x \right) - (3-\sqrt{5})^{3/2} \tan^{-1} \left(\sqrt{\frac{2}{3+\sqrt{5}}} x \right)}{2\sqrt{10}}$$

Antiderivative was successfully verified.

[In] Integrate[(3 + x^2)/(1 + 3*x^2 + x^4), x]

[Out] (-((3 - Sqrt[5])^(3/2)*ArcTan[Sqrt[2/(3 + Sqrt[5])]]*x)) + (3 + Sqrt[5])^(3/2)*ArcTan[Sqrt[(3 + Sqrt[5])/2]*x])/(2*Sqrt[10])

fricas [B] time = 0.44, size = 137, normalized size = 1.85

$$\frac{2}{5} \sqrt{5} \sqrt{-4\sqrt{5} + 9} \arctan \left(\frac{1}{4} \sqrt{2x^2 + \sqrt{5} + 3} (\sqrt{5}\sqrt{2} + 3\sqrt{2}) \sqrt{-4\sqrt{5} + 9} - \frac{1}{2} (\sqrt{5}x + 3x) \sqrt{-4\sqrt{5} + 9} \right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+3)/(x^4+3*x^2+1), x, algorithm="fricas")

[Out] 2/5*sqrt(5)*sqrt(-4*sqrt(5) + 9)*arctan(1/4*sqrt(2*x^2 + sqrt(5) + 3)*(sqrt(5)*sqrt(2) + 3*sqrt(2))*sqrt(-4*sqrt(5) + 9) - 1/2*(sqrt(5)*x + 3*x)*sqrt(-4*sqrt(5) + 9)) + 2/5*sqrt(5)*sqrt(4*sqrt(5) + 9)*arctan(1/4*(sqrt(2*x^2 - sqrt(5) + 3)*(sqrt(5)*sqrt(2) - 3*sqrt(2)) - 2*sqrt(5)*x + 6*x)*sqrt(4*sqrt(5) + 9))

giac [A] time = 0.16, size = 41, normalized size = 0.55

$$\frac{1}{5} (2\sqrt{5} - 5) \arctan \left(\frac{2x}{\sqrt{5} + 1} \right) + \frac{1}{5} (2\sqrt{5} + 5) \arctan \left(\frac{2x}{\sqrt{5} - 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+3)/(x^4+3*x^2+1), x, algorithm="giac")

[Out] $\frac{1}{5}(2\sqrt{5} - 5)\arctan\left(\frac{2x}{\sqrt{5} + 1}\right) + \frac{1}{5}(2\sqrt{5} + 5)\arctan\left(\frac{2x}{\sqrt{5} - 1}\right)$

maple [B] time = 0.02, size = 104, normalized size = 1.41

$$\frac{2 \arctan\left(\frac{4x}{2\sqrt{5}-2}\right)}{2\sqrt{5}-2} + \frac{6\sqrt{5} \arctan\left(\frac{4x}{2\sqrt{5}-2}\right)}{5(2\sqrt{5}-2)} + \frac{2 \arctan\left(\frac{4x}{2\sqrt{5}+2}\right)}{2\sqrt{5}+2} - \frac{6\sqrt{5} \arctan\left(\frac{4x}{2\sqrt{5}+2}\right)}{5(2\sqrt{5}+2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2+3)/(x^4+3*x^2+1),x)`

[Out] $\frac{2}{(2\sqrt{5}+2)\arctan(4/(2\sqrt{5}+2)x)} - \frac{6}{5}\sqrt{5}/(2\sqrt{5}+2)\arctan(4/(2\sqrt{5}+2)x) + \frac{2}{(2\sqrt{5}-2)\arctan(4/(2\sqrt{5}-2)x)} + \frac{6}{5}\sqrt{5}/(2\sqrt{5}-2)\arctan(4/(2\sqrt{5}-2)x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + 3}{x^4 + 3x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^2+3)/(x^4+3*x^2+1),x, algorithm="maxima")`

[Out] `integrate((x^2 + 3)/(x^4 + 3*x^2 + 1), x)`

mupad [B] time = 0.11, size = 117, normalized size = 1.58

$$2 \operatorname{atanh}\left(\frac{80x\sqrt{\frac{\sqrt{5}}{5} - \frac{9}{20}}}{24\sqrt{5} - 56} - \frac{48\sqrt{5}x\sqrt{\frac{\sqrt{5}}{5} - \frac{9}{20}}}{24\sqrt{5} - 56}\right) \sqrt{\frac{\sqrt{5}}{5} - \frac{9}{20}} - 2 \operatorname{atanh}\left(\frac{80x\sqrt{-\frac{\sqrt{5}}{5} - \frac{9}{20}}}{24\sqrt{5} + 56} + \frac{48\sqrt{5}x\sqrt{-\frac{\sqrt{5}}{5} - \frac{9}{20}}}{24\sqrt{5} + 56}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2 + 3)/(3*x^2 + x^4 + 1),x)`

[Out] $2\operatorname{atanh}\left(\frac{(80x(5^{1/2}/5 - 9/20)^{1/2})/(24\sqrt{5} - 56) - (48\sqrt{5}x(5^{1/2}/5 - 9/20)^{1/2})/(24\sqrt{5} - 56)}{(5^{1/2}/5 - 9/20)^{1/2}}\right) - 2\operatorname{atanh}\left(\frac{(80x(-5^{1/2}/5 - 9/20)^{1/2})/(24\sqrt{5} + 56) + (48\sqrt{5}x(-5^{1/2}/5 - 9/20)^{1/2})/(24\sqrt{5} + 56)}{(-5^{1/2}/5 - 9/20)^{1/2}}\right)$

sympy [A] time = 0.21, size = 46, normalized size = 0.62

$$2\left(\frac{\sqrt{5}}{5} + \frac{1}{2}\right)\operatorname{atan}\left(\frac{2x}{-1 + \sqrt{5}}\right) - 2\left(\frac{1}{2} - \frac{\sqrt{5}}{5}\right)\operatorname{atan}\left(\frac{2x}{1 + \sqrt{5}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**2+3)/(x**4+3*x**2+1),x)
```

```
[Out] 2*(sqrt(5)/5 + 1/2)*atan(2*x/(-1 + sqrt(5))) - 2*(1/2 - sqrt(5)/5)*atan(2*x/(1 + sqrt(5)))
```

$$3.98 \quad \int \frac{a+bx^2}{1+x^2+x^4} dx$$

Optimal. Leaf size=83

$$-\frac{1}{4}(a-b)\log(x^2-x+1)+\frac{1}{4}(a-b)\log(x^2+x+1)-\frac{(a+b)\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{2\sqrt{3}}+\frac{(a+b)\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{2\sqrt{3}}$$

[Out] $-1/4*(a-b)*\ln(x^2-x+1)+1/4*(a-b)*\ln(x^2+x+1)-1/6*(a+b)*\arctan(1/3*(1-2*x)*3^{(1/2)})+1/6*(a+b)*\arctan(1/3*(1+2*x)*3^{(1/2)})$

Rubi [A] time = 0.05, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {1169, 634, 618, 204, 628}

$$-\frac{1}{4}(a-b)\log(x^2-x+1)+\frac{1}{4}(a-b)\log(x^2+x+1)-\frac{(a+b)\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{2\sqrt{3}}+\frac{(a+b)\tan^{-1}\left(\frac{2x+1}{\sqrt{3}}\right)}{2\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(1 + x^2 + x^4), x]

[Out] $-((a+b)*\text{ArcTan}[(1-2*x)/\text{Sqrt}[3]])/(2*\text{Sqrt}[3]) + ((a+b)*\text{ArcTan}[(1+2*x)/\text{Sqrt}[3]])/(2*\text{Sqrt}[3]) - ((a-b)*\text{Log}[1-x+x^2])/4 + ((a-b)*\text{Log}[1+x+x^2])/4$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1169

```
Int[((d_.) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2}{1 + x^2 + x^4} dx &= \frac{1}{2} \int \frac{a - (a - b)x}{1 - x + x^2} dx + \frac{1}{2} \int \frac{a + (a - b)x}{1 + x + x^2} dx \\ &= \frac{1}{4}(a - b) \int \frac{1 + 2x}{1 + x + x^2} dx + \frac{1}{4}(-a + b) \int \frac{-1 + 2x}{1 - x + x^2} dx + \frac{1}{4}(a + b) \int \frac{1}{1 - x + x^2} dx + \frac{1}{4}(a - b) \int \frac{1}{1 + x + x^2} dx \\ &= -\frac{1}{4}(a - b) \log(1 - x + x^2) + \frac{1}{4}(a - b) \log(1 + x + x^2) + \frac{1}{2}(-a - b) \text{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, \sqrt{3}\right) \\ &= -\frac{(a + b) \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{2\sqrt{3}} + \frac{(a + b) \tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{2\sqrt{3}} - \frac{1}{4}(a - b) \log(1 - x + x^2) + \frac{1}{4}(a - b) \log(1 + x + x^2) \end{aligned}$$

Mathematica [C] time = 0.13, size = 97, normalized size = 1.17

$$\frac{(2ia + (\sqrt{3} - i)b) \tan^{-1}\left(\frac{1}{2}(\sqrt{3} - i)x\right)}{\sqrt{6 + 6i\sqrt{3}}} + \frac{((\sqrt{3} + i)b - 2ia) \tan^{-1}\left(\frac{1}{2}(\sqrt{3} + i)x\right)}{\sqrt{6 - 6i\sqrt{3}}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^2)/(1 + x^2 + x^4), x]

[Out] (((2*I)*a + (-I + Sqrt[3])*b)*ArcTan[(-I + Sqrt[3])*x/2])/Sqrt[6 + (6*I)*Sqrt[3]] + (((-2*I)*a + (I + Sqrt[3])*b)*ArcTan[(I + Sqrt[3])*x/2])/Sqrt[6 - (6*I)*Sqrt[3]]

fricas [A] time = 0.43, size = 69, normalized size = 0.83

$$\frac{1}{6} \sqrt{3} (a + b) \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right) + \frac{1}{6} \sqrt{3} (a + b) \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + \frac{1}{4} (a - b) \log(x^2 + x + 1) - \frac{1}{4} (a - b) \log(x^2 - x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(x^4+x^2+1),x, algorithm="fricas")

[Out] 1/6*sqrt(3)*(a + b)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/6*sqrt(3)*(a + b)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/4*(a - b)*log(x^2 + x + 1) - 1/4*(a - b)*log(x^2 - x + 1)

giac [A] time = 0.15, size = 69, normalized size = 0.83

$$\frac{1}{6} \sqrt{3} (a + b) \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right) + \frac{1}{6} \sqrt{3} (a + b) \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + \frac{1}{4} (a - b) \log(x^2 + x + 1) - \frac{1}{4} (a - b) \log(x^2 - x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(x^4+x^2+1),x, algorithm="giac")

[Out] 1/6*sqrt(3)*(a + b)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/6*sqrt(3)*(a + b)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/4*(a - b)*log(x^2 + x + 1) - 1/4*(a - b)*log(x^2 - x + 1)

maple [A] time = 0.00, size = 114, normalized size = 1.37

$$\frac{\sqrt{3} a \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{6} + \frac{\sqrt{3} a \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{6} - \frac{a \ln(x^2 - x + 1)}{4} + \frac{a \ln(x^2 + x + 1)}{4} + \frac{\sqrt{3} b \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{6} + \frac{\sqrt{3} b \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{6} - \frac{b \ln(x^2 - x + 1)}{4} + \frac{b \ln(x^2 + x + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/(x^4+x^2+1),x)

[Out] 1/4*ln(x^2+x+1)*a-1/4*ln(x^2+x+1)*b+1/6*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))*a+1/6*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))*b-1/4*ln(x^2-x+1)*a+1/4*ln(x^2-x+1)*b+1/6*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))*a+1/6*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))*b

maxima [A] time = 2.43, size = 69, normalized size = 0.83

$$\frac{1}{6} \sqrt{3} (a + b) \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right) + \frac{1}{6} \sqrt{3} (a + b) \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + \frac{1}{4} (a - b) \log(x^2 + x + 1) - \frac{1}{4} (a - b) \log(x^2 - x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(x^4+x^2+1),x, algorithm="maxima")

[Out] 1/6*sqrt(3)*(a + b)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/6*sqrt(3)*(a + b)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/4*(a - b)*log(x^2 + x + 1) - 1/4*(a - b)*log(x^2 - x + 1)

mupad [B] time = 4.50, size = 827, normalized size = 9.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)/(x^2 + x^4 + 1),x)

[Out] - atan(((x*(4*a*b - 4*a^2 + 2*b^2) + (12*a + 24*x*(b/4 - a/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(b/4 - a/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(b/4 - a/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12)*1i + (x*(4*a*b - 4*a^2 + 2*b^2) - (12*a - 24*x*(b/4 - a/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(b/4 - a/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*1i)/((x*(4*a*b - 4*a^2 + 2*b^2) + (12*a + 24*x*(b/4 - a/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(b/4 - a/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(b/4 - a/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12) - (x*(4*a*b - 4*a^2 + 2*b^2) - (12*a - 24*x*(b/4 - a/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(b/4 - a/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*1i)/((x*(4*a*b - 4*a^2 + 2*b^2) + (12*a + 24*x*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*1i + (x*(4*a*b - 4*a^2 + 2*b^2) - (12*a - 24*x*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*1i)/((x*(4*a*b - 4*a^2 + 2*b^2) + (12*a + 24*x*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12) - (x*(4*a*b - 4*a^2 + 2*b^2) - (12*a - 24*x*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*1i)/((x*(4*a*b - 4*a^2 + 2*b^2) + (12*a + 24*x*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12) - 2*a*b^2 + 2*a^2*b + 2*b^3))*((a*1i)/2 - (b*1i)/2 + (3^(1/2)*a)/6 + (3^(1/2)*b)/6) - atan(((x*(4*a*b - 4*a^2 + 2*b^2) + (12*a + 24*x*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*1i + (x*(4*a*b - 4*a^2 + 2*b^2) - (12*a - 24*x*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*1i)/((x*(4*a*b - 4*a^2 + 2*b^2) + (12*a + 24*x*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12))*(a/4 - b/4 + (3^(1/2)*a*1i)/12 + (3^(1/2)*b*1i)/12) - 2*a*b^2 + 2*a^2*b + 2*b^3))*((b*1i)/2 - (a*1i)/2 + (3^(1/2)*a)/6 + (3^(1/2)*b)/6)

sympy [C] time = 1.26, size = 740, normalized size = 8.92

$$\left(-\frac{a}{4} + \frac{b}{4} - \frac{\sqrt{3}i(a+b)}{12}\right) \log \left(x + \frac{2a^3 \left(-\frac{a}{4} + \frac{b}{4} - \frac{\sqrt{3}i(a+b)}{12}\right) + 6a^2b \left(-\frac{a}{4} + \frac{b}{4} - \frac{\sqrt{3}i(a+b)}{12}\right) - 12ab^2 \left(-\frac{a}{4} + \frac{b}{4} - \frac{\sqrt{3}i(a+b)}{12}\right)}{a^4 - a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)/(x**4+x**2+1),x)

[Out] $(-a/4 + b/4 - \sqrt{3}I(a + b)/12) \log(x + (2a^{**3}(-a/4 + b/4 - \sqrt{3}I(a + b)/12) + 6a^{**2}b(-a/4 + b/4 - \sqrt{3}I(a + b)/12) - 12ab^{**2}(-a/4 + b/4 - \sqrt{3}I(a + b)/12) + 24a(-a/4 + b/4 - \sqrt{3}I(a + b)/12)^{**3} + 2b^{**3}(-a/4 + b/4 - \sqrt{3}I(a + b)/12) - 48b(-a/4 + b/4 - \sqrt{3}I(a + b)/12)^{**3}) / (a^{**4} - a^{**3}b + ab^{**3} - b^{**4}) + (-a/4 + b/4 + \sqrt{3}I(a + b)/12) \log(x + (2a^{**3}(-a/4 + b/4 + \sqrt{3}I(a + b)/12) + 6a^{**2}b(-a/4 + b/4 + \sqrt{3}I(a + b)/12) - 12ab^{**2}(-a/4 + b/4 + \sqrt{3}I(a + b)/12) + 24a(-a/4 + b/4 + \sqrt{3}I(a + b)/12)^{**3} + 2b^{**3}(-a/4 + b/4 + \sqrt{3}I(a + b)/12) - 48b(-a/4 + b/4 + \sqrt{3}I(a + b)/12)^{**3}) / (a^{**4} - a^{**3}b + ab^{**3} - b^{**4}) + (a/4 - b/4 - \sqrt{3}I(a + b)/12) \log(x + (2a^{**3}(a/4 - b/4 - \sqrt{3}I(a + b)/12) + 6a^{**2}b(a/4 - b/4 - \sqrt{3}I(a + b)/12) - 12ab^{**2}(a/4 - b/4 - \sqrt{3}I(a + b)/12) + 24a(a/4 - b/4 - \sqrt{3}I(a + b)/12)^{**3} + 2b^{**3}(a/4 - b/4 - \sqrt{3}I(a + b)/12) - 48b(a/4 - b/4 - \sqrt{3}I(a + b)/12)^{**3}) / (a^{**4} - a^{**3}b + ab^{**3} - b^{**4}) + (a/4 - b/4 + \sqrt{3}I(a + b)/12) \log(x + (2a^{**3}(a/4 - b/4 + \sqrt{3}I(a + b)/12) + 6a^{**2}b(a/4 - b/4 + \sqrt{3}I(a + b)/12) - 12ab^{**2}(a/4 - b/4 + \sqrt{3}I(a + b)/12) + 24a(a/4 - b/4 + \sqrt{3}I(a + b)/12)^{**3} + 2b^{**3}(a/4 - b/4 + \sqrt{3}I(a + b)/12) - 48b(a/4 - b/4 + \sqrt{3}I(a + b)/12)^{**3}) / (a^{**4} - a^{**3}b + ab^{**3} - b^{**4})$

$$3.99 \quad \int \frac{a+bx^2}{(1+x^2+x^4)^2} dx$$

Optimal. Leaf size=119

$$-\frac{1}{8}(2a-b) \log(x^2-x+1) + \frac{1}{8}(2a-b) \log(x^2+x+1) + \frac{x(-x^2(a-2b)+a+b)}{6(x^4+x^2+1)} - \frac{(4a+b) \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{12\sqrt{3}} + \frac{(4a+b)}{12\sqrt{3}}$$

[Out] 1/6*x*(a+b-(a-2*b)*x^2)/(x^4+x^2+1)-1/8*(2*a-b)*ln(x^2-x+1)+1/8*(2*a-b)*ln(x^2+x+1)-1/36*(4*a+b)*arctan(1/3*(1-2*x)*3^(1/2))*3^(1/2)+1/36*(4*a+b)*arctan(1/3*(1+2*x)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.09, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1178, 1169, 634, 618, 204, 628}

$$\frac{x(x^2-(a-2b)+a+b)}{6(x^4+x^2+1)} - \frac{1}{8}(2a-b) \log(x^2-x+1) + \frac{1}{8}(2a-b) \log(x^2+x+1) - \frac{(4a+b) \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{12\sqrt{3}} + \frac{(4a+b)}{12\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(1 + x^2 + x^4)^2, x]

[Out] (x*(a + b - (a - 2*b)*x^2))/(6*(1 + x^2 + x^4)) - ((4*a + b)*ArcTan[(1 - 2*x)/Sqrt[3]])/(12*Sqrt[3]) + ((4*a + b)*ArcTan[(1 + 2*x)/Sqrt[3]])/(12*Sqrt[3]) - ((2*a - b)*Log[1 - x + x^2])/8 + ((2*a - b)*Log[1 + x + x^2])/8

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1169

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]

Rule 1178

Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2}{(1 + x^2 + x^4)^2} dx &= \frac{x(a + b - (a - 2b)x^2)}{6(1 + x^2 + x^4)} + \frac{1}{6} \int \frac{5a - b + (-a + 2b)x^2}{1 + x^2 + x^4} dx \\
&= \frac{x(a + b - (a - 2b)x^2)}{6(1 + x^2 + x^4)} + \frac{1}{12} \int \frac{5a - b - (6a - 3b)x}{1 - x + x^2} dx + \frac{1}{12} \int \frac{5a - b + (6a - 3b)x}{1 + x + x^2} dx \\
&= \frac{x(a + b - (a - 2b)x^2)}{6(1 + x^2 + x^4)} + \frac{1}{8}(2a - b) \int \frac{1 + 2x}{1 + x + x^2} dx + \frac{1}{8}(-2a + b) \int \frac{-1 + 2x}{1 - x + x^2} dx + \frac{1}{24}(-2a + b) \int \frac{1 + 2x}{1 + x + x^2} dx \\
&= \frac{x(a + b - (a - 2b)x^2)}{6(1 + x^2 + x^4)} - \frac{1}{8}(2a - b) \log(1 - x + x^2) + \frac{1}{8}(2a - b) \log(1 + x + x^2) + \frac{1}{12}(-2a + b) \log(1 + x + x^2) \\
&= \frac{x(a + b - (a - 2b)x^2)}{6(1 + x^2 + x^4)} - \frac{(4a + b) \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{12\sqrt{3}} + \frac{(4a + b) \tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{12\sqrt{3}} - \frac{1}{8}(2a - b) \log(1 + x + x^2)
\end{aligned}$$

Mathematica [C] time = 0.25, size = 147, normalized size = 1.24

$$\frac{x(-ax^2 + a + 2bx^2 + b)}{6(x^4 + x^2 + 1)} - \frac{((\sqrt{3} - 11i)a - 2(\sqrt{3} - 2i)b) \tan^{-1}\left(\frac{1}{2}(\sqrt{3} - i)x\right)}{6\sqrt{6 + 6i\sqrt{3}}} - \frac{((\sqrt{3} + 11i)a - 2(\sqrt{3} + 2i)b) \tan^{-1}\left(\frac{1}{2}(\sqrt{3} + i)x\right)}{6\sqrt{6 - 6i\sqrt{3}}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*x^2)/(1 + x^2 + x^4)^2, x]

[Out] (x*(a + b - a*x^2 + 2*b*x^2))/(6*(1 + x^2 + x^4)) - (((-11*I + Sqrt[3])*a - 2*(-2*I + Sqrt[3])*b)*ArcTan[(-I + Sqrt[3])*x/2])/(6*Sqrt[6 + (6*I)*Sqrt[3]]) - (((11*I + Sqrt[3])*a - 2*(2*I + Sqrt[3])*b)*ArcTan[(I + Sqrt[3])*x/2])/(6*Sqrt[6 - (6*I)*Sqrt[3]])

fricas [A] time = 0.41, size = 185, normalized size = 1.55

$$\frac{12(a - 2b)x^3 - 2\sqrt{3}((4a + b)x^4 + (4a + b)x^2 + 4a + b) \arctan\left(\frac{1}{3}\sqrt{3}(2x + 1)\right) - 2\sqrt{3}((4a + b)x^4 + (4a + b)x^2 + 4a + b) \arctan\left(\frac{1}{3}\sqrt{3}(2x + 1)\right)}{6(x^4 + x^2 + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(x^4+x^2+1)^2,x, algorithm="fricas")

[Out] -1/72*(12*(a - 2*b)*x^3 - 2*sqrt(3)*((4*a + b)*x^4 + (4*a + b)*x^2 + 4*a + b)*arctan(1/3*sqrt(3)*(2*x + 1)) - 2*sqrt(3)*((4*a + b)*x^4 + (4*a + b)*x^2 + 4*a + b)*arctan(1/3*sqrt(3)*(2*x + 1))

$$+ 4*a + b)*\arctan(1/3*\sqrt{3}*(2*x - 1)) - 12*(a + b)*x - 9*((2*a - b)*x^4 + (2*a - b)*x^2 + 2*a - b)*\log(x^2 + x + 1) + 9*((2*a - b)*x^4 + (2*a - b)*x^2 + 2*a - b)*\log(x^2 - x + 1))/(x^4 + x^2 + 1)$$

giac [A] time = 0.16, size = 109, normalized size = 0.92

$$\frac{1}{36} \sqrt{3} (4a + b) \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right) + \frac{1}{36} \sqrt{3} (4a + b) \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + \frac{1}{8} (2a - b) \log(x^2 + x + 1) - \frac{1}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(x^4+x^2+1)^2,x, algorithm="giac")

[Out] 1/36*sqrt(3)*(4*a + b)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/36*sqrt(3)*(4*a + b)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/8*(2*a - b)*log(x^2 + x + 1) - 1/8*(2*a - b)*log(x^2 - x + 1) - 1/6*(a*x^3 - 2*b*x^3 - a*x - b*x)/(x^4 + x^2 + 1)

maple [A] time = 0.01, size = 168, normalized size = 1.41

$$\frac{\sqrt{3} a \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{9} + \frac{\sqrt{3} a \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{9} - \frac{a \ln(x^2 - x + 1)}{4} + \frac{a \ln(x^2 + x + 1)}{4} + \frac{\sqrt{3} b \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{36} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/(x^4+x^2+1)^2,x)

[Out] 1/4*((-1/3*a+2/3*b)*x-2/3*a+1/3*b)/(x^2+x+1)+1/4*a*ln(x^2+x+1)-1/8*b*ln(x^2+x+1)+1/9*3^(1/2)*a*arctan(1/3*(2*x+1)*3^(1/2))+1/36*3^(1/2)*b*arctan(1/3*(2*x+1)*3^(1/2))-1/4*((1/3*a-2/3*b)*x-2/3*a+1/3*b)/(x^2-x+1)-1/4*a*ln(x^2-x+1)+1/8*b*ln(x^2-x+1)+1/9*3^(1/2)*a*arctan(1/3*(2*x-1)*3^(1/2))+1/36*3^(1/2)*b*arctan(1/3*(2*x-1)*3^(1/2))

maxima [A] time = 2.35, size = 105, normalized size = 0.88

$$\frac{1}{36} \sqrt{3} (4a + b) \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right) + \frac{1}{36} \sqrt{3} (4a + b) \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + \frac{1}{8} (2a - b) \log(x^2 + x + 1) - \frac{1}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(x^4+x^2+1)^2,x, algorithm="maxima")

[Out] 1/36*sqrt(3)*(4*a + b)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/36*sqrt(3)*(4*a + b)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/8*(2*a - b)*log(x^2 + x + 1) - 1/8*(2*a - b)*log(x^2 - x + 1) - 1/6*((a - 2*b)*x^3 - (a + b)*x)/(x^4 + x^2 + 1)

mupad [B] time = 4.49, size = 897, normalized size = 7.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + b*x^2)/(x^2 + x^4 + 1)^2, x)$

[Out]
$$\text{atan}\left(\frac{(2b - 10a + 24x(b/8 - a/4 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72)) \cdot (b/8 - a/4 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) - x((59a^2)/18 - (19ab)/9 + b^2/9)}{(10a - 2b + 24x(b/8 - a/4 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72)) \cdot (b/8 - a/4 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) - x((59a^2)/18 - (19ab)/9 + b^2/9)}\right) \cdot (b/8 - a/4 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) \cdot 1i + ((10a - 2b + 24x(b/8 - a/4 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72)) \cdot (b/8 - a/4 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) - x((59a^2)/18 - (19ab)/9 + b^2/9)) \cdot (b/8 - a/4 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) \cdot 1i) / ((19a^2b^2)/36 - (29a^2b)/36 + (31a^3)/108 - (7b^3)/54 + ((2b - 10a + 24x(b/8 - a/4 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72)) \cdot (b/8 - a/4 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) - x((59a^2)/18 - (19ab)/9 + b^2/9)) \cdot (b/8 - a/4 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) - ((10a - 2b + 24x(b/8 - a/4 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72)) \cdot (b/8 - a/4 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) - x((59a^2)/18 - (19ab)/9 + b^2/9)) \cdot (b/8 - a/4 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72)) \cdot ((a^{1i})/2 - (b^{1i})/4 + (3^{1/2}a)/9 + (3^{1/2}b)/36) + \text{atan}\left(\frac{(2b - 10a + 24x(a/4 - b/8 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72)) \cdot (a/4 - b/8 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) - x((59a^2)/18 - (19ab)/9 + b^2/9)}{(10a - 2b + 24x(a/4 - b/8 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72)) \cdot (a/4 - b/8 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) - x((59a^2)/18 - (19ab)/9 + b^2/9)}\right) \cdot (a/4 - b/8 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) \cdot 1i + ((10a - 2b + 24x(a/4 - b/8 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72)) \cdot (a/4 - b/8 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) - x((59a^2)/18 - (19ab)/9 + b^2/9)) \cdot (a/4 - b/8 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) \cdot 1i) / ((19a^2b^2)/36 - (29a^2b)/36 + (31a^3)/108 - (7b^3)/54 + ((2b - 10a + 24x(a/4 - b/8 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72)) \cdot (a/4 - b/8 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) - x((59a^2)/18 - (19ab)/9 + b^2/9)) \cdot (a/4 - b/8 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) - ((10a - 2b + 24x(a/4 - b/8 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72)) \cdot (a/4 - b/8 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72) - x((59a^2)/18 - (19ab)/9 + b^2/9)) \cdot (a/4 - b/8 + (3^{1/2}a^{1i})/18 + (3^{1/2}b^{1i})/72)) \cdot ((b^{1i})/4 - (a^{1i})/2 + (3^{1/2}a)/9 + (3^{1/2}b)/36) - (x^3(a/6 - b/3) - x(a/6 + b/6)) / (x^2 + x^4 + 1)$$

sympy [C] time = 1.89, size = 874, normalized size = 7.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((b*x**2+a)/(x**4+x**2+1)**2, x)$

[Out]
$$(x^3(-a + 2b) + x(a + b)) / (6x^4 + 6x^2 + 6) + (-a/4 + b/8 - \sqrt{3}) \cdot I \cdot (4a + b) / 72 \cdot \log(x + (76a^3(-a/4 + b/8 - \sqrt{3}) \cdot I \cdot (4a + b) / 72) + 9$$

$$\begin{aligned}
& 48a^{2b}(-a/4 + b/8 - \sqrt{3}I(4a + b)/72) - 816ab^{2}(-a/4 + b/8 - \\
& \sqrt{3}I(4a + b)/72) + 12096a(-a/4 + b/8 - \sqrt{3}I(4a + b)/72)^{3} \\
& + 148b^{3}(-a/4 + b/8 - \sqrt{3}I(4a + b)/72) - 8640b(-a/4 + b/8 - \sqrt{3}I(4a + b)/72)^{3} \\
& / (248a^{4} - 262a^{3}b + 75a^{2}b^{2} + 11ab^{3} - 7b^{4}) + (-a/4 + b/8 + \sqrt{3}I(4a + b)/72) \log(x + (76a^{3}(-a/4 + \\
& b/8 + \sqrt{3}I(4a + b)/72) + 948a^{2}b(-a/4 + b/8 + \sqrt{3}I(4a + b)/72) - 816ab^{2}(-a/4 + b/8 + \sqrt{3}I(4a + b)/72) + 12096a(-a/4 + \\
& b/8 + \sqrt{3}I(4a + b)/72)^{3} + 148b^{3}(-a/4 + b/8 + \sqrt{3}I(4a + b)/72) - 8640b(-a/4 + b/8 + \sqrt{3}I(4a + b)/72)^{3}) / (248a^{4} - 262a^{3}b + 75a^{2}b^{2} + 11ab^{3} - 7b^{4}) + (a/4 - b/8 - \sqrt{3}I(4a + b)/72) \log(x + (76a^{3}(a/4 - b/8 - \sqrt{3}I(4a + b)/72) + 948a^{2}b(a/4 - b/8 - \sqrt{3}I(4a + b)/72) - 816ab^{2}(a/4 - b/8 - \sqrt{3}I(4a + b)/72) + 12096a(a/4 - b/8 - \sqrt{3}I(4a + b)/72)^{3} + 148b^{3}(a/4 - b/8 - \sqrt{3}I(4a + b)/72) - 8640b(a/4 - b/8 - \sqrt{3}I(4a + b)/72)^{3}) / (248a^{4} - 262a^{3}b + 75a^{2}b^{2} + 11ab^{3} - 7b^{4}) + (a/4 - b/8 + \sqrt{3}I(4a + b)/72) \log(x + (76a^{3}(a/4 - b/8 + \sqrt{3}I(4a + b)/72) + 948a^{2}b(a/4 - b/8 + \sqrt{3}I(4a + b)/72) - 816ab^{2}(a/4 - b/8 + \sqrt{3}I(4a + b)/72) + 12096a(a/4 - b/8 + \sqrt{3}I(4a + b)/72)^{3} + 148b^{3}(a/4 - b/8 + \sqrt{3}I(4a + b)/72) - 8640b(a/4 - b/8 + \sqrt{3}I(4a + b)/72)^{3}) / (248a^{4} - 262a^{3}b + 75a^{2}b^{2} + 11ab^{3} - 7b^{4})
\end{aligned}$$

$$3.100 \quad \int \frac{a+bx^2}{2+x^2+x^4} dx$$

Optimal. Leaf size=234

$$\frac{(a - \sqrt{2}b) \log\left(x^2 - \sqrt{2\sqrt{2} - 1}x + \sqrt{2}\right)}{4\sqrt{2}(2\sqrt{2} - 1)} + \frac{(a - \sqrt{2}b) \log\left(x^2 + \sqrt{2\sqrt{2} - 1}x + \sqrt{2}\right)}{4\sqrt{2}(2\sqrt{2} - 1)} - \frac{1}{2}\sqrt{\frac{1}{14}(2\sqrt{2} - 1)} \left(a + \right.$$

[Out] $-1/28*\arctan((-2*x+(-1+2*2^{(1/2)})^{(1/2)})/(1+2*2^{(1/2)})^{(1/2)})*(a+b*2^{(1/2)})$
 $*(-14+28*2^{(1/2)})^{(1/2)}+1/28*\arctan((2*x+(-1+2*2^{(1/2)})^{(1/2)})/(1+2*2^{(1/2)})^{(1/2)})*(a+b*2^{(1/2)})$
 $*(-14+28*2^{(1/2)})^{(1/2)}-1/4*\ln(x^2+2^{(1/2)}-x*(-1+2*2^{(1/2)})^{(1/2)})*(a-b*2^{(1/2)})/(-2+4*2^{(1/2)})^{(1/2)}+1/4*\ln(x^2+2^{(1/2)}+x*(-1+2$
 $*2^{(1/2)})^{(1/2)})*(a-b*2^{(1/2)})/(-2+4*2^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.23, antiderivative size = 234, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.278, Rules used = {1169, 634, 618, 204, 628}

$$\frac{(a - \sqrt{2}b) \log\left(x^2 - \sqrt{2\sqrt{2} - 1}x + \sqrt{2}\right)}{4\sqrt{2}(2\sqrt{2} - 1)} + \frac{(a - \sqrt{2}b) \log\left(x^2 + \sqrt{2\sqrt{2} - 1}x + \sqrt{2}\right)}{4\sqrt{2}(2\sqrt{2} - 1)} - \frac{1}{2}\sqrt{\frac{1}{14}(2\sqrt{2} - 1)} \left(a + \right.$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(2 + x^2 + x^4), x]

[Out] $-(\text{Sqrt}[(-1 + 2*\text{Sqrt}[2])/14]*(a + \text{Sqrt}[2]*b)*\text{ArcTan}[(\text{Sqrt}[-1 + 2*\text{Sqrt}[2]] - 2*x)/\text{Sqrt}[1 + 2*\text{Sqrt}[2]])/2 + (\text{Sqrt}[(-1 + 2*\text{Sqrt}[2])/14]*(a + \text{Sqrt}[2]*b)*\text{ArcTan}[(\text{Sqrt}[-1 + 2*\text{Sqrt}[2]] + 2*x)/\text{Sqrt}[1 + 2*\text{Sqrt}[2]])/2 - ((a - \text{Sqrt}[2]*b)*\text{Log}[\text{Sqrt}[2] - \text{Sqrt}[-1 + 2*\text{Sqrt}[2]]*x + x^2])/(4*\text{Sqrt}[2*(-1 + 2*\text{Sqrt}[2])]) + ((a - \text{Sqrt}[2]*b)*\text{Log}[\text{Sqrt}[2] + \text{Sqrt}[-1 + 2*\text{Sqrt}[2]]*x + x^2])/(4*\text{Sqrt}[2*(-1 + 2*\text{Sqrt}[2])])$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},

$x]$ && NeQ[$b^2 - 4ac$, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1169

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2}{2 + x^2 + x^4} dx &= \frac{\int \frac{\sqrt{-1+2\sqrt{2}} a - (a-\sqrt{2}b)x}{\sqrt{2} - \sqrt{-1+2\sqrt{2}} x + x^2} dx}{2\sqrt{2}(-1+2\sqrt{2})} + \frac{\int \frac{\sqrt{-1+2\sqrt{2}} a + (a-\sqrt{2}b)x}{\sqrt{2} + \sqrt{-1+2\sqrt{2}} x + x^2} dx}{2\sqrt{2}(-1+2\sqrt{2})} \\
&= \frac{1}{8}(\sqrt{2}a + 2b) \int \frac{1}{\sqrt{2} - \sqrt{-1+2\sqrt{2}} x + x^2} dx + \frac{1}{8}(\sqrt{2}a + 2b) \int \frac{1}{\sqrt{2} + \sqrt{-1+2\sqrt{2}} x + x^2} dx \\
&= -\frac{(a - \sqrt{2}b) \log\left(\sqrt{2} - \sqrt{-1+2\sqrt{2}} x + x^2\right)}{4\sqrt{2}(-1+2\sqrt{2})} + \frac{(a - \sqrt{2}b) \log\left(\sqrt{2} + \sqrt{-1+2\sqrt{2}} x + x^2\right)}{4\sqrt{2}(-1+2\sqrt{2})} \\
&= -\frac{(a + \sqrt{2}b) \tan^{-1}\left(\frac{\sqrt{-1+2\sqrt{2}} - 2x}{\sqrt{1+2\sqrt{2}}}\right)}{2\sqrt{2}(1+2\sqrt{2})} + \frac{(a + \sqrt{2}b) \tan^{-1}\left(\frac{\sqrt{-1+2\sqrt{2}} + 2x}{\sqrt{1+2\sqrt{2}}}\right)}{2\sqrt{2}(1+2\sqrt{2})} - \frac{(a - \sqrt{2}b) \log\left(\sqrt{2} - \sqrt{-1+2\sqrt{2}} x + x^2\right)}{4\sqrt{2}(-1+2\sqrt{2})}
\end{aligned}$$

Mathematica [C] time = 0.12, size = 111, normalized size = 0.47

$$\frac{((\sqrt{7} + i)b - 2ia) \tan^{-1}\left(\frac{x}{\sqrt{\frac{1}{2}(1-i\sqrt{7})}}\right)}{\sqrt{14 - 14i\sqrt{7}}} + \frac{(2ia + (\sqrt{7} - i)b) \tan^{-1}\left(\frac{x}{\sqrt{\frac{1}{2}(1+i\sqrt{7})}}\right)}{\sqrt{14 + 14i\sqrt{7}}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(2 + x^2 + x^4), x]

[Out] (((-2*I)*a + (I + Sqrt[7])*b)*ArcTan[x/Sqrt[(1 - I*Sqrt[7])/2]])/Sqrt[14 - (14*I)*Sqrt[7]] + (((2*I)*a + (-I + Sqrt[7])*b)*ArcTan[x/Sqrt[(1 + I*Sqrt[7])/2]])/Sqrt[14 + (14*I)*Sqrt[7]]

fricas [B] time = 0.55, size = 3406, normalized size = 14.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(x^4+x^2+2), x, algorithm="fricas")

```
[Out] 1/112*(28*sqrt(2)*sqrt(1/7)*(8*a^4 - 16*a^3*b + 40*a^2*b^2 - 32*a*b^3 + 32*
b^4)^(1/4)*sqrt(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)*sqrt(a^4 - 4*a
^2*b^2 + 4*b^4)*sqrt((4*a^4 - 8*a^3*b + 20*a^2*b^2 - 16*a*b^3 + 16*b^4 - sq
rt(2)*sqrt(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)*(a^2 - 8*a*b + 2*b^
2)))/(a^4 - 4*a^2*b^2 + 4*b^4))*arctan(-1/28*(7*sqrt(1/2)*sqrt(1/7)*(8*a^4 -
16*a^3*b + 40*a^2*b^2 - 32*a*b^3 + 32*b^4)^(3/4)*(sqrt(2)*sqrt(a^4 - 2*a^3
*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)*sqrt(a^4 - 4*a^2*b^2 + 4*b^4)*a - 2*sqrt(
a^4 - 4*a^2*b^2 + 4*b^4)*(a^2*b - a*b^2 + 2*b^3))*sqrt((4*a^4 - 8*a^3*b + 2
0*a^2*b^2 - 16*a*b^3 + 16*b^4 - sqrt(2)*sqrt(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*
a*b^3 + 4*b^4)*(a^2 - 8*a*b + 2*b^2)))/(a^4 - 4*a^2*b^2 + 4*b^4))*sqrt((2*(a
^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)*x^2 + sqrt(1/7)*(8*a^4 - 16*a^3
*b + 40*a^2*b^2 - 32*a*b^3 + 32*b^4)^(1/4)*(sqrt(7)*sqrt(2)*sqrt(a^4 - 2*a^
3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)*b*x - sqrt(7)*(a^3 - a^2*b + 2*a*b^2)*x)
*sqrt((4*a^4 - 8*a^3*b + 20*a^2*b^2 - 16*a*b^3 + 16*b^4 - sqrt(2)*sqrt(a^4
- 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)*(a^2 - 8*a*b + 2*b^2)))/(a^4 - 4*a^
2*b^2 + 4*b^4)) + 2*sqrt(2)*sqrt(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^
4)*(a^2 - a*b + 2*b^2))/(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)) + 8*
sqrt(7)*sqrt(2)*(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)^(3/2)*sqrt(a^
4 - 4*a^2*b^2 + 4*b^4) - 7*sqrt(1/7)*(8*a^4 - 16*a^3*b + 40*a^2*b^2 - 32*a*
b^3 + 32*b^4)^(3/4)*(sqrt(2)*sqrt(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b
^4)*sqrt(a^4 - 4*a^2*b^2 + 4*b^4)*a*x - 2*sqrt(a^4 - 4*a^2*b^2 + 4*b^4)*(a^
2*b - a*b^2 + 2*b^3)*x)*sqrt((4*a^4 - 8*a^3*b + 20*a^2*b^2 - 16*a*b^3 + 16*
b^4 - sqrt(2)*sqrt(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)*(a^2 - 8*a*
b + 2*b^2)))/(a^4 - 4*a^2*b^2 + 4*b^4)) - 4*sqrt(7)*(a^6 - 3*a^5*b + 9*a^4*b
^2 - 13*a^3*b^3 + 18*a^2*b^4 - 12*a*b^5 + 8*b^6)*sqrt(a^4 - 4*a^2*b^2 + 4*b
^4))/(a^8 - 3*a^7*b + 7*a^6*b^2 - 7*a^5*b^3 + 14*a^3*b^5 - 28*a^2*b^6 + 24*
a*b^7 - 16*b^8)) + 28*sqrt(2)*sqrt(1/7)*(8*a^4 - 16*a^3*b + 40*a^2*b^2 - 32
*a*b^3 + 32*b^4)^(1/4)*sqrt(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)*sq
rt(a^4 - 4*a^2*b^2 + 4*b^4)*sqrt((4*a^4 - 8*a^3*b + 20*a^2*b^2 - 16*a*b^3 +
16*b^4 - sqrt(2)*sqrt(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)*(a^2 -
8*a*b + 2*b^2)))/(a^4 - 4*a^2*b^2 + 4*b^4))*arctan(-1/28*(7*sqrt(1/2)*sqrt(1
/7)*(8*a^4 - 16*a^3*b + 40*a^2*b^2 - 32*a*b^3 + 32*b^4)^(3/4)*(sqrt(2)*sqrt
(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)*sqrt(a^4 - 4*a^2*b^2 + 4*b^4)
*a - 2*sqrt(a^4 - 4*a^2*b^2 + 4*b^4)*(a^2*b - a*b^2 + 2*b^3))*sqrt((4*a^4 -
8*a^3*b + 20*a^2*b^2 - 16*a*b^3 + 16*b^4 - sqrt(2)*sqrt(a^4 - 2*a^3*b + 5*
a^2*b^2 - 4*a*b^3 + 4*b^4)*(a^2 - 8*a*b + 2*b^2)))/(a^4 - 4*a^2*b^2 + 4*b^4)
)*sqrt((2*(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)*x^2 - sqrt(1/7)*(8*
a^4 - 16*a^3*b + 40*a^2*b^2 - 32*a*b^3 + 32*b^4)^(1/4)*(sqrt(7)*sqrt(2)*sq
rt(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)*b*x - sqrt(7)*(a^3 - a^2*b +
2*a*b^2)*x)*sqrt((4*a^4 - 8*a^3*b + 20*a^2*b^2 - 16*a*b^3 + 16*b^4 - sqrt(
2)*sqrt(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)*(a^2 - 8*a*b + 2*b^2))
)/(a^4 - 4*a^2*b^2 + 4*b^4)) + 2*sqrt(2)*sqrt(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*
a*b^3 + 4*b^4)*(a^2 - a*b + 2*b^2))/(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 +
4*b^4)) - 8*sqrt(7)*sqrt(2)*(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4)^(
3/2)*sqrt(a^4 - 4*a^2*b^2 + 4*b^4) - 7*sqrt(1/7)*(8*a^4 - 16*a^3*b + 40*a^2
```

$$\begin{aligned}
& *b^2 - 32*a*b^3 + 32*b^4)^{(3/4)} * (\text{sqrt}(2) * \text{sqrt}(a^4 - 2*a^3*b + 5*a^2*b^2 - 4 \\
& *a*b^3 + 4*b^4) * \text{sqrt}(a^4 - 4*a^2*b^2 + 4*b^4) * a*x - 2 * \text{sqrt}(a^4 - 4*a^2*b^2 \\
& + 4*b^4) * (a^2*b - a*b^2 + 2*b^3) * x) * \text{sqrt}((4*a^4 - 8*a^3*b + 20*a^2*b^2 - 16 \\
& *a*b^3 + 16*b^4 - \text{sqrt}(2) * \text{sqrt}(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4) \\
& * (a^2 - 8*a*b + 2*b^2)) / (a^4 - 4*a^2*b^2 + 4*b^4)) + 4 * \text{sqrt}(7) * (a^6 - 3*a^5 \\
& *b + 9*a^4*b^2 - 13*a^3*b^3 + 18*a^2*b^4 - 12*a*b^5 + 8*b^6) * \text{sqrt}(a^4 - 4*a \\
& ^2*b^2 + 4*b^4) / (a^8 - 3*a^7*b + 7*a^6*b^2 - 7*a^5*b^3 + 14*a^3*b^5 - 28*a \\
& ^2*b^6 + 24*a*b^7 - 16*b^8)) - \text{sqrt}(1/7) * (8*a^4 - 16*a^3*b + 40*a^2*b^2 - 3 \\
& 2*a*b^3 + 32*b^4)^{(1/4)} * (\text{sqrt}(7) * \text{sqrt}(2) * \text{sqrt}(a^4 - 2*a^3*b + 5*a^2*b^2 - 4 \\
& *a*b^3 + 4*b^4) * (a^2 - 8*a*b + 2*b^2) + 4 * \text{sqrt}(7) * (a^4 - 2*a^3*b + 5*a^2*b^ \\
& 2 - 4*a*b^3 + 4*b^4) * \text{sqrt}((4*a^4 - 8*a^3*b + 20*a^2*b^2 - 16*a*b^3 + 16*b^ \\
& 4 - \text{sqrt}(2) * \text{sqrt}(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4) * (a^2 - 8*a*b \\
& + 2*b^2)) / (a^4 - 4*a^2*b^2 + 4*b^4)) * \log(8 * (a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a \\
& *b^3 + 4*b^4) * x^2 + 4 * \text{sqrt}(1/7) * (8*a^4 - 16*a^3*b + 40*a^2*b^2 - 32*a*b^3 + \\
& 32*b^4)^{(1/4)} * (\text{sqrt}(7) * \text{sqrt}(2) * \text{sqrt}(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + \\
& 4*b^4) * b * x - \text{sqrt}(7) * (a^3 - a^2*b + 2*a*b^2) * x) * \text{sqrt}((4*a^4 - 8*a^3*b + 20* \\
& a^2*b^2 - 16*a*b^3 + 16*b^4 - \text{sqrt}(2) * \text{sqrt}(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a* \\
& b^3 + 4*b^4) * (a^2 - 8*a*b + 2*b^2)) / (a^4 - 4*a^2*b^2 + 4*b^4)) + 8 * \text{sqrt}(2) * \\
& \text{sqrt}(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4) * (a^2 - a*b + 2*b^2)) + \text{sq} \\
& \text{rt}(1/7) * (8*a^4 - 16*a^3*b + 40*a^2*b^2 - 32*a*b^3 + 32*b^4)^{(1/4)} * (\text{sqrt}(7) * \\
& \text{sqrt}(2) * \text{sqrt}(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4) * (a^2 - 8*a*b + 2* \\
& b^2) + 4 * \text{sqrt}(7) * (a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4) * \text{sqrt}((4*a^4 \\
& - 8*a^3*b + 20*a^2*b^2 - 16*a*b^3 + 16*b^4 - \text{sqrt}(2) * \text{sqrt}(a^4 - 2*a^3*b + \\
& 5*a^2*b^2 - 4*a*b^3 + 4*b^4) * (a^2 - 8*a*b + 2*b^2)) / (a^4 - 4*a^2*b^2 + 4*b^ \\
& 4)) * \log(8 * (a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4) * x^2 - 4 * \text{sqrt}(1/7) * (\\
& 8*a^4 - 16*a^3*b + 40*a^2*b^2 - 32*a*b^3 + 32*b^4)^{(1/4)} * (\text{sqrt}(7) * \text{sqrt}(2) * \text{s} \\
& \text{qrt}(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4) * b * x - \text{sqrt}(7) * (a^3 - a^2*b \\
& + 2*a*b^2) * x) * \text{sqrt}((4*a^4 - 8*a^3*b + 20*a^2*b^2 - 16*a*b^3 + 16*b^4 - \text{sqr} \\
& \text{t}(2) * \text{sqrt}(a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 + 4*b^4) * (a^2 - 8*a*b + 2*b^2) \\
&)) / (a^4 - 4*a^2*b^2 + 4*b^4)) + 8 * \text{sqrt}(2) * \text{sqrt}(a^4 - 2*a^3*b + 5*a^2*b^2 - \\
& 4*a*b^3 + 4*b^4) * (a^2 - a*b + 2*b^2)) / (a^4 - 2*a^3*b + 5*a^2*b^2 - 4*a*b^3 \\
& + 4*b^4)
\end{aligned}$$

giac [B] time = 0.88, size = 544, normalized size = 2.32

$$-\frac{1}{14336} \sqrt{7} \left(32 \sqrt{7} 2^{\frac{1}{4}} b (\sqrt{2} + 4)^{\frac{3}{2}} + 96 \sqrt{7} 2^{\frac{1}{4}} b \sqrt{\sqrt{2} + 4} (\sqrt{2} - 4) - 24 \cdot 2^{\frac{3}{4}} b (\sqrt{2} + 4) \sqrt{-8\sqrt{2} + 32} + 2^{\frac{3}{4}} b (- \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(x^4+x^2+2),x, algorithm="giac")

[Out] -1/14336*sqrt(7)*(32*sqrt(7)*2^(1/4)*b*(sqrt(2) + 4)^(3/2) + 96*sqrt(7)*2^(1/4)*b*sqrt(sqrt(2) + 4)*(sqrt(2) - 4) - 24*2^(3/4)*b*(sqrt(2) + 4)*sqrt(-8

```

*sqrt(2) + 32) + 2^(3/4)*b*(-8*sqrt(2) + 32)^(3/2) - 128*sqrt(7)*2^(3/4)*a*
sqrt(sqrt(2) + 4) + 64*2^(1/4)*a*sqrt(-8*sqrt(2) + 32))*arctan(2*2^(3/4)*sq
rt(1/2)*(x + 2^(1/4)*sqrt(-1/8*sqrt(2) + 1/2))/sqrt(sqrt(2) + 4)) - 1/14336
*sqrt(7)*(32*sqrt(7)*2^(1/4)*b*(sqrt(2) + 4)^(3/2) + 96*sqrt(7)*2^(1/4)*b*s
qrt(sqrt(2) + 4)*(sqrt(2) - 4) - 24*2^(3/4)*b*(sqrt(2) + 4)*sqrt(-8*sqrt(2)
+ 32) + 2^(3/4)*b*(-8*sqrt(2) + 32)^(3/2) - 128*sqrt(7)*2^(3/4)*a*sqrt(sq
rt(2) + 4) + 64*2^(1/4)*a*sqrt(-8*sqrt(2) + 32))*arctan(2*2^(3/4)*sqrt(1/2)*
(x - 2^(1/4)*sqrt(-1/8*sqrt(2) + 1/2))/sqrt(sqrt(2) + 4)) - 1/28672*sqrt(7)
*(24*sqrt(7)*2^(3/4)*b*(sqrt(2) + 4)*sqrt(-8*sqrt(2) + 32) - sqrt(7)*2^(3/4)
)*b*(-8*sqrt(2) + 32)^(3/2) + 32*2^(1/4)*b*(sqrt(2) + 4)^(3/2) + 96*2^(1/4)
*b*sqrt(sqrt(2) + 4)*(sqrt(2) - 4) - 128*2^(3/4)*a*sqrt(sqrt(2) + 4) - 64*s
qrt(7)*2^(1/4)*a*sqrt(-8*sqrt(2) + 32))*log(x^2 + 2*2^(1/4)*x*sqrt(-1/8*sq
rt(2) + 1/2) + sqrt(2)) + 1/28672*sqrt(7)*(24*sqrt(7)*2^(3/4)*b*(sqrt(2) + 4)
)*sqrt(-8*sqrt(2) + 32) - sqrt(7)*2^(3/4)*b*(-8*sqrt(2) + 32)^(3/2) + 32*2^(
1/4)*b*(sqrt(2) + 4)^(3/2) + 96*2^(1/4)*b*sqrt(sqrt(2) + 4)*(sqrt(2) - 4)
- 128*2^(3/4)*a*sqrt(sqrt(2) + 4) - 64*sqrt(7)*2^(1/4)*a*sqrt(-8*sqrt(2) +
32))*log(x^2 - 2*2^(1/4)*x*sqrt(-1/8*sqrt(2) + 1/2) + sqrt(2))

```

maple [B] time = 0.10, size = 710, normalized size = 3.03

$$\frac{(-1 + 2\sqrt{2})\sqrt{2} a \arctan\left(\frac{2x - \sqrt{-1+2\sqrt{2}}}{\sqrt{1+2\sqrt{2}}}\right)}{28\sqrt{1+2\sqrt{2}}} - \frac{(-1 + 2\sqrt{2}) a \arctan\left(\frac{2x - \sqrt{-1+2\sqrt{2}}}{\sqrt{1+2\sqrt{2}}}\right)}{7\sqrt{1+2\sqrt{2}}} + \frac{\sqrt{2} a \arctan\left(\frac{2x - \sqrt{-1+2\sqrt{2}}}{\sqrt{1+2\sqrt{2}}}\right)}{2\sqrt{1+2\sqrt{2}}} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/(x^4+x^2+2), x)

```

[Out] 1/56*ln(x^2+2^(1/2)+x*(-1+2*2^(1/2))^(1/2))*(-1+2*2^(1/2))^(1/2)*2^(1/2)*a-
1/14*ln(x^2+2^(1/2)+x*(-1+2*2^(1/2))^(1/2))*(-1+2*2^(1/2))^(1/2)*2^(1/2)*b+
1/14*ln(x^2+2^(1/2)+x*(-1+2*2^(1/2))^(1/2))*(-1+2*2^(1/2))^(1/2)*a-1/28*ln(
x^2+2^(1/2)+x*(-1+2*2^(1/2))^(1/2))*(-1+2*2^(1/2))^(1/2)*b-1/28/(1+2*2^(1/2)
)^(1/2)*arctan((2*x+(-1+2*2^(1/2))^(1/2))/(1+2*2^(1/2))^(1/2))*(-1+2*2^(1/
2))*2^(1/2)*a+1/7/(1+2*2^(1/2))^(1/2)*arctan((2*x+(-1+2*2^(1/2))^(1/2))/(1+
2*2^(1/2))^(1/2))*(-1+2*2^(1/2))*2^(1/2)*b-1/7/(1+2*2^(1/2))^(1/2)*arctan((
2*x+(-1+2*2^(1/2))^(1/2))/(1+2*2^(1/2))^(1/2))*(-1+2*2^(1/2))*a+1/14/(1+2*2
^(1/2))^(1/2)*arctan((2*x+(-1+2*2^(1/2))^(1/2))/(1+2*2^(1/2))^(1/2))*(-1+2*
2^(1/2))*b+1/2/(1+2*2^(1/2))^(1/2)*arctan((2*x+(-1+2*2^(1/2))^(1/2))/(1+2*2
^(1/2))^(1/2))*2^(1/2)*a-1/56*ln(x^2+2^(1/2)-x*(-1+2*2^(1/2))^(1/2))*(-1+2*
2^(1/2))^(1/2)*2^(1/2)*a+1/14*ln(x^2+2^(1/2)-x*(-1+2*2^(1/2))^(1/2))*(-1+2*
2^(1/2))^(1/2)*b-1/14*ln(x^2+2^(1/2)-x*(-1+2*2^(1/2))^(1/2))*(-1+2*2^(1/2)
)^(1/2)*a+1/28*ln(x^2+2^(1/2)-x*(-1+2*2^(1/2))^(1/2))*(-1+2*2^(1/2))
^(1/2)*b-1/28/(1+2*2^(1/2))^(1/2)*arctan((2*x-(-1+2*2^(1/2))^(1/2))/(1+2*2^(
1/2))^(1/2))*(-1+2*2^(1/2))*2^(1/2)*a+1/7/(1+2*2^(1/2))^(1/2)*arctan((2*x-

```

$$\frac{(-1+2\sqrt{2})^{1/2}}{(1+2\sqrt{2})^{1/2}} * \frac{(-1+2\sqrt{2})^{1/2}}{(1+2\sqrt{2})^{1/2}} * 2^{1/2} * b - 1/7 / (1+2\sqrt{2})^{1/2} * \arctan\left(\frac{2x - (-1+2\sqrt{2})^{1/2}}{(1+2\sqrt{2})^{1/2}}\right) * (-1+2\sqrt{2})^{1/2} * a + 1/14 / (1+2\sqrt{2})^{1/2} * \arctan\left(\frac{2x - (-1+2\sqrt{2})^{1/2}}{(1+2\sqrt{2})^{1/2}}\right) / (1+2\sqrt{2})^{1/2} * (-1+2\sqrt{2})^{1/2} * b + 1/2 / (1+2\sqrt{2})^{1/2} * \arctan\left(\frac{2x - (-1+2\sqrt{2})^{1/2}}{(1+2\sqrt{2})^{1/2}}\right) * 2^{1/2} * a$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{bx^2 + a}{x^4 + x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(x^4+x^2+2),x, algorithm="maxima")

[Out] integrate((b*x^2 + a)/(x^4 + x^2 + 2), x)

mupad [B] time = 4.49, size = 771, normalized size = 3.29

$$-\operatorname{atan} \left(\frac{a^2 x \sqrt{\frac{a^2}{112} - \frac{ab}{14} + \frac{b^2}{56} + \frac{\sqrt{7} a^2 1i}{112} - \frac{\sqrt{7} b^2 1i}{56}}}{\frac{\sqrt{7} a^3 1i}{2} - ab^2 - 2a^2 b + \frac{a^3}{2} + 4b^3 - \sqrt{7} a b^2 1i} - \frac{b^2 x \sqrt{\frac{a^2}{112} - \frac{ab}{14} + \frac{b^2}{56} + \frac{\sqrt{7} a^2 1i}{112} - \frac{\sqrt{7} b^2 1i}{56}}}{\frac{\sqrt{7} a^3 1i}{2} - ab^2 - 2a^2 b + \frac{a^3}{2} + 4b^3 - \sqrt{7} a b^2 1i} + \frac{\sqrt{7} a}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)/(x^2 + x^4 + 2),x)

[Out] - atan((a^2*x*((7^(1/2)*a^2*1i)/112 - (a*b)/14 - (7^(1/2)*b^2*1i)/56 + a^2/112 + b^2/56)^(1/2)*7i)/((7^(1/2)*a^3*1i)/2 - a*b^2 - 2*a^2*b + a^3/2 + 4*b^3 - 7^(1/2)*a*b^2*1i) - (b^2*x*((7^(1/2)*a^2*1i)/112 - (a*b)/14 - (7^(1/2)*b^2*1i)/56 + a^2/112 + b^2/56)^(1/2)*14i)/((7^(1/2)*a^3*1i)/2 - a*b^2 - 2*a^2*b + a^3/2 + 4*b^3 - 7^(1/2)*a*b^2*1i) + (7^(1/2)*a^2*x*((7^(1/2)*a^2*1i)/112 - (a*b)/14 - (7^(1/2)*b^2*1i)/56 + a^2/112 + b^2/56)^(1/2))/((7^(1/2)*a^3*1i)/2 - a*b^2 - 2*a^2*b + a^3/2 + 4*b^3 - 7^(1/2)*a*b^2*1i) - (2*7^(1/2)*b^2*x*((7^(1/2)*a^2*1i)/112 - (a*b)/14 - (7^(1/2)*b^2*1i)/56 + a^2/112 + b^2/56)^(1/2))/((7^(1/2)*a^3*1i)/2 - a*b^2 - 2*a^2*b + a^3/2 + 4*b^3 - 7^(1/2)*a*b^2*1i))*((7^(1/2)*a^2*1i)/112 - (a*b)/14 - (7^(1/2)*b^2*1i)/56 + a^2/112 + b^2/56)^(1/2)*2i - 2*atanh((7*a^2*x*((7^(1/2)*b^2*1i)/56 - (7^(1/2)*a^2*1i)/112 - (a*b)/14 + a^2/112 + b^2/56)^(1/2))/((7^(1/2)*a^3*1i)/2 + a*b^2 + 2*a^2*b - a^3/2 - 4*b^3 - 7^(1/2)*a*b^2*1i) - (14*b^2*x*((7^(1/2)*b^2*1i)/56 - (7^(1/2)*a^2*1i)/112 - (a*b)/14 + a^2/112 + b^2/56)^(1/2))/((7^(1/2)*a^3*1i)/2 + a*b^2 + 2*a^2*b - a^3/2 - 4*b^3 - 7^(1/2)*a*b^2*1i) + (7^(1/2)*a^2*x*((7^(1/2)*b^2*1i)/56 - (7^(1/2)*a^2*1i)/112 - (a*b)/14 + a^2/112 + b^2/56)^(1/2)*1i)/((7^(1/2)*a^3*1i)/2 + a*b^2 + 2*a^2*b - a^3/2 - 4*b^3 - 7^(1/2)*a*b^2*1i) - (7^(1/2)*b^2*x*((7^(1/2)*b^2*1i)/56 - (7^(1/2)*a^2*1i)

$$\frac{1}{112} - \frac{(a*b)}{14} + \frac{a^2}{112} + \frac{b^2}{56} \sqrt{2i} / \left(\left(7^{1/2} * a^3 * 1i \right) / 2 + a*b^2 + 2*a^2*b - a^3/2 - 4*b^3 - 7^{1/2} * a*b^2 * 1i \right) * \left(\left(7^{1/2} * b^2 * 1i \right) / 56 - \left(7^{1/2} * a^2 * 1i \right) / 112 - \frac{(a*b)}{14} + \frac{a^2}{112} + \frac{b^2}{56} \sqrt{2i} \right)$$

sympy [A] time = 1.32, size = 122, normalized size = 0.52

$$\text{RootSum}\left(1568t^4 + t^2(-28a^2 + 224ab - 56b^2) + a^4 - 2a^3b + 5a^2b^2 - 4ab^3 + 4b^4, \left(t \mapsto t \log\left(x + \frac{112t^3a - 448t^2b}{a^4 - a^3b + 2a^2b^2 - 4ab^3 + 4b^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)/(x**4+x**2+2),x)

[Out] RootSum(1568*_t**4 + _t**2*(-28*a**2 + 224*a*b - 56*b**2) + a**4 - 2*a**3*b + 5*a**2*b**2 - 4*a*b**3 + 4*b**4, Lambda(_t, _t*log(x + (112*_t**3*a - 448*_t**2*b + 6*_t*a**3 + 12*_t*a**2*b - 48*_t*a*b**2 + 8*_t*b**3)/(a**4 - a**3*b + 2*a*b**3 - 4*b**4))))

$$3.101 \quad \int \frac{a+bx^2}{(2+x^2+x^4)^2} dx$$

Optimal. Leaf size=316

$$\frac{(\sqrt{2}(a-4b)+11a-2b)\log\left(x^2-\sqrt{2\sqrt{2}-1}x+\sqrt{2}\right)}{112\sqrt{2}(2\sqrt{2}-1)} + \frac{((11+\sqrt{2})a-2(2\sqrt{2}b+b))\log\left(x^2+\sqrt{2\sqrt{2}-1}x\right)}{112\sqrt{2}(2\sqrt{2}-1)}$$

[Out] 1/28*x*(3*a+2*b-(a-4*b)*x^2)/(x^4+x^2+2)-1/784*arctan((-2*x+(-1+2*2^(1/2))^(1/2))/(1+2*2^(1/2))^(1/2))*(-b*(2-4*2^(1/2))+a*(11-2^(1/2)))*(-14+28*2^(1/2))^(1/2)+1/784*arctan((2*x+(-1+2*2^(1/2))^(1/2))/(1+2*2^(1/2))^(1/2))*(-b*(2-4*2^(1/2))+a*(11-2^(1/2)))*(-14+28*2^(1/2))^(1/2)-1/112*ln(x^2+2^(1/2)-x*(-1+2*2^(1/2))^(1/2))*(11*a-2*b+(a-4*b)*2^(1/2))/(-2+4*2^(1/2))^(1/2)+1/112*ln(x^2+2^(1/2)+x*(-1+2*2^(1/2))^(1/2))*(a*(11+2^(1/2))-2*b-4*b*2^(1/2))/(-2+4*2^(1/2))^(1/2)

Rubi [A] time = 0.29, antiderivative size = 316, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1178, 1169, 634, 618, 204, 628}

$$\frac{x(x^2-(a-4b)+3a+2b)}{28(x^4+x^2+2)} - \frac{(\sqrt{2}(a-4b)+11a-2b)\log\left(x^2-\sqrt{2\sqrt{2}-1}x+\sqrt{2}\right)}{112\sqrt{2}(2\sqrt{2}-1)} + \frac{((11+\sqrt{2})a-2(2\sqrt{2}b+b))\log\left(x^2+\sqrt{2\sqrt{2}-1}x\right)}{112\sqrt{2}(2\sqrt{2}-1)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)/(2 + x^2 + x^4)^2,x]

[Out] (x*(3*a + 2*b - (a - 4*b)*x^2))/(28*(2 + x^2 + x^4)) - (Sqrt[(-1 + 2*Sqrt[2])/14]*((11 - Sqrt[2])*a - (2 - 4*Sqrt[2])*b)*ArcTan[(Sqrt[-1 + 2*Sqrt[2]] - 2*x)/Sqrt[1 + 2*Sqrt[2]])]/56 + (Sqrt[(-1 + 2*Sqrt[2])/14]*((11 - Sqrt[2])*a - (2 - 4*Sqrt[2])*b)*ArcTan[(Sqrt[-1 + 2*Sqrt[2]] + 2*x)/Sqrt[1 + 2*Sqrt[2]])]/56 - ((11*a + Sqrt[2]*(a - 4*b) - 2*b)*Log[Sqrt[2] - Sqrt[-1 + 2*Sqrt[2]]*x + x^2])/(112*Sqrt[2*(-1 + 2*Sqrt[2])]) + (((11 + Sqrt[2])*a - 2*(b + 2*Sqrt[2]*b))*Log[Sqrt[2] + Sqrt[-1 + 2*Sqrt[2]]*x + x^2])/(112*Sqrt[2*(-1 + 2*Sqrt[2])])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1169

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rule 1178

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2}{(2 + x^2 + x^4)^2} dx &= \frac{x(3a + 2b - (a - 4b)x^2)}{28(2 + x^2 + x^4)} + \frac{1}{28} \int \frac{11a - 2b + (-a + 4b)x^2}{2 + x^2 + x^4} dx \\
&= \frac{x(3a + 2b - (a - 4b)x^2)}{28(2 + x^2 + x^4)} + \frac{\int \frac{\sqrt{-1+2\sqrt{2}}(11a-2b) - (11a-2b-\sqrt{2}(-a+4b))x}{\sqrt{2}-\sqrt{-1+2\sqrt{2}}x+x^2} dx}{56\sqrt{2}(-1+2\sqrt{2})} + \frac{\int \frac{\sqrt{-1+2\sqrt{2}}(11a-2b) - (11a-2b-\sqrt{2}(-a+4b))x}{\sqrt{2}+\sqrt{-1+2\sqrt{2}}x+x^2} dx}{56\sqrt{2}(1+2\sqrt{2})} \\
&= \frac{x(3a + 2b - (a - 4b)x^2)}{28(2 + x^2 + x^4)} - \frac{(11a + \sqrt{2}(a - 4b) - 2b) \int \frac{-\sqrt{-1+2\sqrt{2}}+2x}{\sqrt{2}-\sqrt{-1+2\sqrt{2}}x+x^2} dx}{112\sqrt{2}(-1+2\sqrt{2})} + \frac{((11 - \sqrt{2})a - (2 - 4\sqrt{2})b) \int \frac{\sqrt{-1+2\sqrt{2}}-2x}{\sqrt{2}+\sqrt{-1+2\sqrt{2}}x+x^2} dx}{112\sqrt{2}(1+2\sqrt{2})} \\
&= \frac{x(3a + 2b - (a - 4b)x^2)}{28(2 + x^2 + x^4)} - \frac{(11a + \sqrt{2}(a - 4b) - 2b) \log\left(\sqrt{2} - \sqrt{-1+2\sqrt{2}}x + x^2\right)}{112\sqrt{2}(-1+2\sqrt{2})} + \frac{((11 - \sqrt{2})a - (2 - 4\sqrt{2})b) \log\left(\sqrt{2} + \sqrt{-1+2\sqrt{2}}x + x^2\right)}{112\sqrt{2}(1+2\sqrt{2})} \\
&= \frac{x(3a + 2b - (a - 4b)x^2)}{28(2 + x^2 + x^4)} - \frac{((11 - \sqrt{2})a - (2 - 4\sqrt{2})b) \tan^{-1}\left(\frac{\sqrt{-1+2\sqrt{2}}-2x}{\sqrt{1+2\sqrt{2}}}\right)}{56\sqrt{2}(1+2\sqrt{2})} + \frac{((11 + \sqrt{2})a - (2 + 4\sqrt{2})b) \tan^{-1}\left(\frac{\sqrt{-1+2\sqrt{2}}+2x}{\sqrt{1+2\sqrt{2}}}\right)}{56\sqrt{2}(-1+2\sqrt{2})}
\end{aligned}$$

Mathematica [C] time = 0.22, size = 165, normalized size = 0.52

$$\frac{2b(2x^3 + x) - ax(x^2 - 3)}{28(x^4 + x^2 + 2)} - \frac{((\sqrt{7} + 23i)a - 4(\sqrt{7} + 2i)b) \tan^{-1}\left(\frac{x}{\sqrt{\frac{1}{2}(1-i\sqrt{7})}}\right)}{28\sqrt{14 - 14i\sqrt{7}}} - \frac{((\sqrt{7} - 23i)a - 4(\sqrt{7} - 2i)b) \tan^{-1}\left(\frac{x}{\sqrt{\frac{1}{2}(1+i\sqrt{7})}}\right)}{28\sqrt{14 + 14i\sqrt{7}}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)/(2 + x^2 + x^4)^2,x]

[Out]
$$\frac{-(a*x*(-3 + x^2)) + 2*b*(x + 2*x^3)}{(28*(2 + x^2 + x^4))} - \frac{((23*I + \text{Sqrt}[7])*a - 4*(2*I + \text{Sqrt}[7])*b)*\text{ArcTan}[x/\text{Sqrt}[(1 - I*\text{Sqrt}[7])/2]]}{(28*\text{Sqrt}[14 - (14*I)*\text{Sqrt}[7]])} - \frac{((-23*I + \text{Sqrt}[7])*a - 4*(-2*I + \text{Sqrt}[7])*b)*\text{ArcTan}[x/\text{Sqrt}[(1 + I*\text{Sqrt}[7])/2]]}{(28*\text{Sqrt}[14 + (14*I)*\text{Sqrt}[7]])}$$

fricas [B] time = 0.61, size = 4346, normalized size = 13.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(x^4+x^2+2)^2,x, algorithm="fricas")

[Out]
$$-1/21952*(196*2^{(3/4)}*\sqrt{2/7}*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)^{(3/4)}*\sqrt{289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4}*(x^4 + x^2 + 2)*\sqrt{(35912*a^4 - 56816*a^3*b + 46056*a^2*b^2 - 18656*a*b^3 + 3872*b^4 - \sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4}*(211*a^2 - 428*a*b + 100*b^2)))/(289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4)*\arctan(1/14*(2^{(3/4)}*\sqrt{2/7}*\sqrt{1/14}*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)^{(3/4)}*(\sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4}*\sqrt{289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4}*(11*a - 2*b) + 2*\sqrt{289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4}*(67*a^3 - 321*a^2*b + 234*a*b^2 - 88*b^3)))*\sqrt{(35912*a^4 - 56816*a^3*b + 46056*a^2*b^2 - 18656*a*b^3 + 3872*b^4 - \sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4}*(211*a^2 - 428*a*b + 100*b^2)))/(289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4))*\sqrt{(14*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)*x^2 + 2^{(1/4)}*\sqrt{2/7}*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)^{(1/4)}*(\sqrt{7}*\sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4}*(a - 4*b)*x + \sqrt{7}*(737*a^3 - 717*a^2*b + 348*a*b^2 - 44*b^3)*x))*\sqrt{(35912*a^4 - 56816*a^3*b + 46056*a^2*b^2 - 18656*a*b^3 + 3872*b^4 - \sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4}*(211*a^2 - 428*a*b + 100*b^2)))/(289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4)) + 14*\sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4}*(67*a^2 - 53*a*b + 22*b^2))/(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4) - 2^{(3/4)}*\sqrt{2/7}*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)^{(3/4)}*(\sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4}*\sqrt{289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4}*(11*a - 2*b)*x + 2*\sqrt{289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4}*(67*a^3 - 321*a^2*b + 234*a*b^2 - 88*b^3)*x))*\sqrt{(35912*a^4 - 56816*a^3*b + 46056*a^2*b^2 - 18656*a*b^3 + 3872*b^4 - \sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4}*(211*a^2 - 428*a*b + 100*b^2)))/(289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4)) - 4*\sqrt{7}*\sqrt{2}*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)^{(3/2)}*\sqrt{289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4} + 2*\sqrt{7}*(300763*a^6 - 713751*a^5*b + 860883*a^4*b^2 - 617609*a^3*b^3 + 282678*a^2*b^4 - 76956*a*b^5 + 10648*b^6)*\sqrt{289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4}))/((5112971*a^8 - 13336819*a^7*b + 16286963*a^6*b^2 - 11087881*a^5*b^3 + 3832430*a^4*b^4 + 31472*a^3*b^5 - 641872*a^2*b^6 + 265232*a*b^7 - 42592*b^8)) + 196*2^{(3/4)}*\sqrt{2/7}*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)^{(3/4)}*\sqrt{289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4}*(x^4 + x^2 + 2)*\sqrt{(35912*a^4 - 56816*a^3*b + 46056*a^2*b^2 - 18656*a*b^3 + 3872*b^4 - \sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4}*(211*a^2 - 428*a*b + 100*b^2)))/(289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4))$$

$$\begin{aligned}
& 2 - 2332*a*b^3 + 484*b^4)*(211*a^2 - 428*a*b + 100*b^2))/(289*a^4 - 136*a^3 \\
& *b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4))*\arctan(1/14*(2^{(3/4)}*\sqrt{2/7}*\sqrt{ \\
& 1/14)*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)^{(3/4)}*(\\
& \sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4})*\sqrt{ \\
& \sqrt{289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4})*(11*a - 2*b) + 2 \\
& *\sqrt{289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4})*(67*a^3 - 321* \\
& a^2*b + 234*a*b^2 - 88*b^3))*\sqrt{((35912*a^4 - 56816*a^3*b + 46056*a^2*b^2 \\
& - 18656*a*b^3 + 3872*b^4 - \sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 \\
& 2 - 2332*a*b^3 + 484*b^4)*(211*a^2 - 428*a*b + 100*b^2))/(289*a^4 - 136*a^3 \\
& *b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4))*\sqrt{((14*(4489*a^4 - 7102*a^3*b + 57 \\
& 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)*x^2 - 2^{(1/4)}*\sqrt{2/7}*(4489*a^4 - 7102 \\
& *a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)^{(1/4)}*(\sqrt{7}*\sqrt{2}*\sqrt{4 \\
& 489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4})*(a - 4*b)*x + \sqrt{ \\
& \sqrt{7}*(737*a^3 - 717*a^2*b + 348*a*b^2 - 44*b^3)*x)*\sqrt{((35912*a^4 - 5681 \\
& 6*a^3*b + 46056*a^2*b^2 - 18656*a*b^3 + 3872*b^4 - \sqrt{2}*\sqrt{4489*a^4 - \\
& 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4})*(211*a^2 - 428*a*b + 100* \\
& b^2))/(289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4)) + 14*\sqrt{2} \\
& *\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4})*(67*a^2 \\
& - 53*a*b + 22*b^2))/(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 48 \\
& 4*b^4)) - 2^{(3/4)}*\sqrt{2/7}*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a* \\
& b^3 + 484*b^4)^{(3/4)}*(\sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2 \\
& 332*a*b^3 + 484*b^4}*\sqrt{289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16 \\
& *b^4})*(11*a - 2*b)*x + 2*\sqrt{289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 \\
& + 16*b^4})*(67*a^3 - 321*a^2*b + 234*a*b^2 - 88*b^3)*x)*\sqrt{((35912*a^4 - 56 \\
& 816*a^3*b + 46056*a^2*b^2 - 18656*a*b^3 + 3872*b^4 - \sqrt{2}*\sqrt{4489*a^4 \\
& - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4})*(211*a^2 - 428*a*b + 10 \\
& 0*b^2))/(289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4)) + 4*\sqrt{7} \\
&)*\sqrt{2}*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)^{(3/ \\
& 2)}*\sqrt{289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4} - 2*\sqrt{7}* \\
& (300763*a^6 - 713751*a^5*b + 860883*a^4*b^2 - 617609*a^3*b^3 + 282678*a^2*b \\
& ^4 - 76956*a*b^5 + 10648*b^6)*\sqrt{289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a \\
& *b^3 + 16*b^4))/(5112971*a^8 - 13336819*a^7*b + 16286963*a^6*b^2 - 11087881 \\
& *a^5*b^3 + 3832430*a^4*b^4 + 31472*a^3*b^5 - 641872*a^2*b^6 + 265232*a*b^7 \\
& - 42592*b^8)) + 784*(4489*a^5 - 25058*a^4*b + 34165*a^3*b^2 - 25360*a^2*b^3 \\
& + 9812*a*b^4 - 1936*b^5)*x^3 - 2^{(1/4)}*\sqrt{2/7}*(4489*a^4 - 7102*a^3*b + \\
& 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)^{(1/4)}*(\sqrt{7}*\sqrt{2}*((211*a^2 - 428 \\
& *a*b + 100*b^2)*x^4 + (211*a^2 - 428*a*b + 100*b^2)*x^2 + 422*a^2 - 856*a*b \\
& + 200*b^2))*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^ \\
& 4} + 8*\sqrt{7}*((4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^ \\
& 4)*x^4 + 8978*a^4 - 14204*a^3*b + 11514*a^2*b^2 - 4664*a*b^3 + 968*b^4 + (4 \\
& 489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)*x^2))*\sqrt{((359 \\
& 12*a^4 - 56816*a^3*b + 46056*a^2*b^2 - 18656*a*b^3 + 3872*b^4 - \sqrt{2}*\sqrt{ \\
& \sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4})*(211*a^2 - 4 \\
& 28*a*b + 100*b^2))/(289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4)) \\
& *\log(32*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)*x^2 +
\end{aligned}$$

$$\begin{aligned}
& 16/7*2^{(1/4)}*\sqrt{2/7}*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 \\
& + 484*b^4)^{(1/4)}*(\sqrt{7}*\sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4} \\
& - 2332*a*b^3 + 484*b^4)*(a - 4*b)*x + \sqrt{7}*(737*a^3 - 717*a^2*b + 348*a \\
& *b^2 - 44*b^3)*x)*\sqrt{(35912*a^4 - 56816*a^3*b + 46056*a^2*b^2 - 18656*a*b^3 + 3872*b^4 - \sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4} \\
& *(211*a^2 - 428*a*b + 100*b^2)))/(289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4) + 32*\sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4} \\
& *(67*a^2 - 53*a*b + 22*b^2)) + 2^{(1/4)}*\sqrt{2/7}*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)^{(1/4)}*(\sqrt{7}*\sqrt{2}*(211*a^2 - 428*a*b + 100*b^2) \\
& *x^4 + (211*a^2 - 428*a*b + 100*b^2)*x^2 + 422*a^2 - 856*a*b + 200*b^2)*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4} + 8*\sqrt{7}*((4489*a^4 - 7102*a^3*b + 5757 \\
& *a^2*b^2 - 2332*a*b^3 + 484*b^4)*x^4 + 8978*a^4 - 14204*a^3*b + 11514*a^2*b^2 - 4664*a*b^3 + 968*b^4 + (4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4) \\
& *x^2))*\sqrt{(35912*a^4 - 56816*a^3*b + 46056*a^2*b^2 - 18656*a*b^3 + 3872*b^4 - \sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4} \\
& *(211*a^2 - 428*a*b + 100*b^2)))/(289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4))*\log(32*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4) \\
& *x^2 - 16/7*2^{(1/4)}*\sqrt{2/7}*(4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)^{(1/4)}*(\sqrt{7}*\sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4} \\
& *(a - 4*b)*x + \sqrt{7}*(737*a^3 - 717*a^2*b + 348*a*b^2 - 44*b^3)*x)*\sqrt{(35912*a^4 - 56816*a^3*b + 46056*a^2*b^2 - 18656*a*b^3 + 3872*b^4 - \sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4} \\
& *(211*a^2 - 428*a*b + 100*b^2)))/(289*a^4 - 136*a^3*b - 120*a^2*b^2 + 32*a*b^3 + 16*b^4) + 32*\sqrt{2}*\sqrt{4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4} \\
& *(67*a^2 - 53*a*b + 22*b^2)) - 784*(13467*a^5 - 12328*a^4*b + 3067*a^3*b^2 + 4518*a^2*b^3 - 3212*a*b^4 + 968*b^5)*x)/((4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4) \\
& *x^4 + 8978*a^4 - 14204*a^3*b + 11514*a^2*b^2 - 4664*a*b^3 + 968*b^4 + (4489*a^4 - 7102*a^3*b + 5757*a^2*b^2 - 2332*a*b^3 + 484*b^4)*x^2)
\end{aligned}$$

giac [B] time = 0.95, size = 988, normalized size = 3.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(x^4+x^2+2)^2,x, algorithm="giac")

[Out] $1/401408*\sqrt{7}*(32*\sqrt{7}*2^{(1/4)}*a*(\sqrt{2} + 4)^{(3/2)} - 128*\sqrt{7}*2^{(1/4)}*b*(\sqrt{2} + 4)^{(3/2)} + 96*\sqrt{7}*2^{(1/4)}*a*\sqrt{\sqrt{2} + 4}*(\sqrt{2} - 4) - 384*\sqrt{7}*2^{(1/4)}*b*\sqrt{\sqrt{2} + 4}*(\sqrt{2} - 4) - 24*2^{(3/4)}*a*(\sqrt{2} + 4)*\sqrt{-8*\sqrt{2} + 32} + 96*2^{(3/4)}*b*(\sqrt{2} + 4)*\sqrt{-8*\sqrt{2} + 32} + 2^{(3/4)}*a*(-8*\sqrt{2} + 32)^{(3/2)} - 4*2^{(3/4)}*b*(-8*\sqrt{2} + 32)^{(3/2)} + 1408*\sqrt{7}*2^{(3/4)}*a*\sqrt{\sqrt{2} + 4} - 256*\sqrt{7}*2^{(3/4)}*b*\sqrt{\sqrt{2} + 4})$

$\frac{3}{4} * b * \sqrt{\sqrt{2} + 4} - 704 * 2^{(1/4)} * a * \sqrt{-8 * \sqrt{2} + 32} + 128 * 2^{(1/4)} * b * \sqrt{-8 * \sqrt{2} + 32} * \arctan(2 * 2^{(3/4)} * \sqrt{1/2} * (x + 2^{(1/4)} * \sqrt{-1/8 * \sqrt{2} + 1/2})) / \sqrt{\sqrt{2} + 4}) + 1/401408 * \sqrt{7} * (32 * \sqrt{7} * 2^{(1/4)} * a * (\sqrt{2} + 4)^{(3/2)} - 128 * \sqrt{7} * 2^{(1/4)} * b * (\sqrt{2} + 4)^{(3/2)} + 96 * \sqrt{7} * 2^{(1/4)} * a * \sqrt{\sqrt{2} + 4} * (\sqrt{2} - 4) - 384 * \sqrt{7} * 2^{(1/4)} * b * \sqrt{\sqrt{2} + 4} * (\sqrt{2} - 4) - 24 * 2^{(3/4)} * a * (\sqrt{2} + 4) * \sqrt{-8 * \sqrt{2} + 32} + 96 * 2^{(3/4)} * b * (\sqrt{2} + 4) * \sqrt{-8 * \sqrt{2} + 32} + 2^{(3/4)} * a * (-8 * \sqrt{2} + 32)^{(3/2)} - 4 * 2^{(3/4)} * b * (-8 * \sqrt{2} + 32)^{(3/2)} + 1408 * \sqrt{7} * 2^{(3/4)} * a * \sqrt{\sqrt{2} + 4} - 256 * \sqrt{7} * 2^{(3/4)} * b * \sqrt{\sqrt{2} + 4} - 704 * 2^{(1/4)} * a * \sqrt{-8 * \sqrt{2} + 32} + 128 * 2^{(1/4)} * b * \sqrt{-8 * \sqrt{2} + 32} * \arctan(2 * 2^{(3/4)} * \sqrt{1/2} * (x - 2^{(1/4)} * \sqrt{-1/8 * \sqrt{2} + 1/2})) / \sqrt{\sqrt{2} + 4}) + 1/802816 * \sqrt{7} * (24 * \sqrt{7} * 2^{(3/4)} * a * (\sqrt{2} + 4) * \sqrt{-8 * \sqrt{2} + 32} - 96 * \sqrt{7} * 2^{(3/4)} * b * (\sqrt{2} + 4) * \sqrt{-8 * \sqrt{2} + 32} - \sqrt{7} * 2^{(3/4)} * a * (-8 * \sqrt{2} + 32)^{(3/2)} + 4 * \sqrt{7} * 2^{(3/4)} * b * (-8 * \sqrt{2} + 32)^{(3/2)} + 32 * 2^{(1/4)} * a * (\sqrt{2} + 4)^{(3/2)} - 128 * 2^{(1/4)} * b * (\sqrt{2} + 4)^{(3/2)} + 96 * 2^{(1/4)} * a * \sqrt{\sqrt{2} + 4} * (\sqrt{2} - 4) - 384 * 2^{(1/4)} * b * \sqrt{\sqrt{2} + 4} * (\sqrt{2} - 4) + 1408 * 2^{(3/4)} * a * \sqrt{\sqrt{2} + 4} - 256 * 2^{(3/4)} * b * \sqrt{\sqrt{2} + 4} + 704 * \sqrt{7} * 2^{(1/4)} * a * \sqrt{-8 * \sqrt{2} + 32} - 128 * \sqrt{7} * 2^{(1/4)} * b * \sqrt{-8 * \sqrt{2} + 32}) * \log(x^2 + 2 * 2^{(1/4)} * x * \sqrt{-1/8 * \sqrt{2} + 1/2} + \sqrt{2}) - 1/802816 * \sqrt{7} * (24 * \sqrt{7} * 2^{(3/4)} * a * (\sqrt{2} + 4) * \sqrt{-8 * \sqrt{2} + 32} - 96 * \sqrt{7} * 2^{(3/4)} * b * (\sqrt{2} + 4) * \sqrt{-8 * \sqrt{2} + 32} - \sqrt{7} * 2^{(3/4)} * a * (-8 * \sqrt{2} + 32)^{(3/2)} + 4 * \sqrt{7} * 2^{(3/4)} * b * (-8 * \sqrt{2} + 32)^{(3/2)} + 32 * 2^{(1/4)} * a * (\sqrt{2} + 4)^{(3/2)} - 128 * 2^{(1/4)} * b * (\sqrt{2} + 4)^{(3/2)} + 96 * 2^{(1/4)} * a * \sqrt{\sqrt{2} + 4} * (\sqrt{2} - 4) - 384 * 2^{(1/4)} * b * \sqrt{\sqrt{2} + 4} * (\sqrt{2} - 4) + 1408 * 2^{(3/4)} * a * \sqrt{\sqrt{2} + 4} - 256 * 2^{(3/4)} * b * \sqrt{\sqrt{2} + 4} + 704 * \sqrt{7} * 2^{(1/4)} * a * \sqrt{-8 * \sqrt{2} + 32} - 128 * \sqrt{7} * 2^{(1/4)} * b * \sqrt{-8 * \sqrt{2} + 32}) * \log(x^2 - 2 * 2^{(1/4)} * x * \sqrt{-1/8 * \sqrt{2} + 1/2} + \sqrt{2}) - 1/28 * (a * x^3 - 4 * b * x^3 - 3 * a * x - 2 * b * x) / (x^4 + x^2 + 2)$

maple [B] time = 0.31, size = 756, normalized size = 2.39

$$\frac{\sqrt{2} a \arctan\left(\frac{2x - \sqrt{-1+2\sqrt{2}}}{\sqrt{1+2\sqrt{2}}}\right)}{16(1+2\sqrt{2})^{\frac{3}{2}}} + \frac{3a \arctan\left(\frac{2x - \sqrt{-1+2\sqrt{2}}}{\sqrt{1+2\sqrt{2}}}\right)}{8(1+2\sqrt{2})^{\frac{3}{2}}} + \frac{\sqrt{2} a \arctan\left(\frac{2x + \sqrt{-1+2\sqrt{2}}}{\sqrt{1+2\sqrt{2}}}\right)}{16(1+2\sqrt{2})^{\frac{3}{2}}} + \frac{3a \arctan\left(\frac{2x + \sqrt{-1+2\sqrt{2}}}{\sqrt{1+2\sqrt{2}}}\right)}{8(1+2\sqrt{2})^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)/(x^4+x^2+2)^2,x)

[Out] $\frac{1}{784} * ((-14 * a - 28 * 2^{(1/2)} * a + 112 * b * 2^{(1/2)} + 56 * b) / (1 + 2 * 2^{(1/2)}) * x + 1 / (1 + 2 * 2^{(1/2)}) * (-1 + 2 * 2^{(1/2)})^{(1/2)} * (-70 * a - 42 * 2^{(1/2)} * a + 56 * b * 2^{(1/2)} + 28 * b) / (x^2 + (-1 + 2 * 2^{(1/2)})^{(1/2)} * x + 2^{(1/2)}) + 107 / 1568 / (1 + 2 * 2^{(1/2)}) * \ln(x^2 + (-1 + 2 * 2^{(1/2)})^{(1/2)} * x + 2^{(1/2)}) * (-1 + 2 * 2^{(1/2)})^{(1/2)} * 2^{(1/2)} * a - 25 / 784 / (1 + 2 * 2^{(1/2)}) * \ln(x^2 + (-$

$$\begin{aligned}
& (1+2\sqrt{2})^{1/2} * x + 2^{1/2} * (-1+2\sqrt{2})^{1/2} * 2^{1/2} * b + 53/784 / (1+2\sqrt{2})^{1/2} \\
& * \ln(x^2 + (-1+2\sqrt{2})^{1/2} * x + 2^{1/2} * (-1+2\sqrt{2})^{1/2} * a - 11/196 \\
& / (1+2\sqrt{2})^{1/2} * \ln(x^2 + (-1+2\sqrt{2})^{1/2} * x + 2^{1/2} * (-1+2\sqrt{2})^{1/2} * \\
& b + 1/16 / (1+2\sqrt{2})^{3/2} * \arctan((2*x + (-1+2\sqrt{2})^{1/2}) / (1+2\sqrt{2})^{1/2}) \\
& * 2^{1/2} * a + 3/8 / (1+2\sqrt{2})^{3/2} * \arctan((2*x + (-1+2\sqrt{2})^{1/2}) / \\
& (1+2\sqrt{2})^{1/2}) * a + 1/8 / (1+2\sqrt{2})^{3/2} * \arctan((2*x + (-1+2\sqrt{2})^{1/2}) / \\
& (1+2\sqrt{2})^{1/2}) * b * 2^{1/2} - 1/784 * (-(-14*a - 28*2^{1/2}) * a + 112*b * 2^{1/2} \\
& + 56*b) / (1+2\sqrt{2}) * x + 1 / (1+2\sqrt{2}) * (-1+2\sqrt{2})^{1/2} * (-70*a - 42*2^{1/2} \\
& * a + 56*b * 2^{1/2} + 28*b) / (x^2 - (-1+2\sqrt{2})^{1/2} * x + 2^{1/2}) - 107/1568 / (\\
& 1+2\sqrt{2})^{1/2} * \ln(x^2 - (-1+2\sqrt{2})^{1/2} * x + 2^{1/2}) * (-1+2\sqrt{2})^{1/2} * 2^{1/2} \\
& * a + 25/784 / (1+2\sqrt{2})^{1/2} * \ln(x^2 - (-1+2\sqrt{2})^{1/2} * x + 2^{1/2}) * (-1+2\sqrt{2})^{1/2} \\
& * 2^{1/2} * b - 53/784 / (1+2\sqrt{2})^{1/2} * \ln(x^2 - (-1+2\sqrt{2})^{1/2} * x + \\
& 2^{1/2}) * (-1+2\sqrt{2})^{1/2} * a + 11/196 / (1+2\sqrt{2})^{1/2} * \ln(x^2 - (-1+2\sqrt{2})^{1/2} \\
& * x + 2^{1/2}) * (-1+2\sqrt{2})^{1/2} * b + 1/16 / (1+2\sqrt{2})^{3/2} * \arctan((2*x \\
& - (-1+2\sqrt{2})^{1/2}) / (1+2\sqrt{2})^{1/2}) * 2^{1/2} * a + 3/8 / (1+2\sqrt{2})^{3/2} \\
& * \arctan((2*x - (-1+2\sqrt{2})^{1/2}) / (1+2\sqrt{2})^{1/2}) * a + 1/8 / (1+2\sqrt{2})^{3/2} \\
& * \arctan((2*x - (-1+2\sqrt{2})^{1/2}) / (1+2\sqrt{2})^{1/2}) * b * 2^{1/2}
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{(a-4b)x^3 - (3a+2b)x}{28(x^4+x^2+2)} + \frac{1}{28} \int -\frac{(a-4b)x^2 - 11a + 2b}{x^4+x^2+2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)/(x^4+x^2+2)^2,x, algorithm="maxima")

[Out] -1/28*((a - 4*b)*x^3 - (3*a + 2*b)*x)/(x^4 + x^2 + 2) + 1/28*integrate(-((a - 4*b)*x^2 - 11*a + 2*b)/(x^4 + x^2 + 2), x)

mupad [B] time = 4.50, size = 1491, normalized size = 4.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)/(x^2 + x^4 + 2)^2,x)

[Out] atan((b^2*x*((7^(1/2)*a^2*17i)/12544 - (107*a*b)/21952 - (7^(1/2)*b^2*1i)/3136 + (211*a^2)/87808 + (25*b^2)/21952 - (7^(1/2)*a*b*1i)/3136)^(1/2)*1i)/(4*((7^(1/2)*a^3*187i)/6272 + (7^(1/2)*b^3*1i)/784 + (3*a*b^2)/1568 - (183*a^2*b)/3136 + (255*a^3)/6272 + (9*b^3)/784 - (7^(1/2)*a*b^2*9i)/1568 - (7^(1/2)*a^2*b*39i)/3136)) - (a^2*x*((7^(1/2)*a^2*17i)/12544 - (107*a*b)/21952 - (7^(1/2)*b^2*1i)/3136 + (211*a^2)/87808 + (25*b^2)/21952 - (7^(1/2)*a*b*1i)/3136)^(1/2)*17i)/(16*((7^(1/2)*a^3*187i)/6272 + (7^(1/2)*b^3*1i)/784 + (3*a*b^2)/1568 - (183*a^2*b)/3136 + (255*a^3)/6272 + (9*b^3)/784 - (7^(1/2)*a

) $\cdot a \cdot b^2 \cdot 9i$)/1568 + (7^(1/2) $\cdot a^2 \cdot b \cdot 39i$)/3136)) \cdot ((7^(1/2) $\cdot b^2 \cdot 1i$)/3136 - (7^(1/2) $\cdot a^2 \cdot 17i$)/12544 - (107 $\cdot a \cdot b$)/21952 + (211 $\cdot a^2$)/87808 + (25 $\cdot b^2$)/21952 + (7^(1/2) $\cdot a \cdot b \cdot 1i$)/3136)^(1/2) $\cdot 2i$ - (x³ $\cdot (a/28 - b/7)$ - x $\cdot ((3 \cdot a)/28 + b/14)$)/(x² + x⁴ + 2)

sympy [A] time = 1.80, size = 165, normalized size = 0.52

$$\frac{x^3(-a + 4b) + x(3a + 2b)}{28x^4 + 28x^2 + 56} + \text{RootSum}\left(240945152t^4 + t^2(-1157968a^2 + 2348864ab - 548800b^2) + 4489a^4 - 7102a^3b + 5757a^2b^2 - 2332ab^3 + 484b^4, \text{Lambda}(t, t \cdot \log(x + (2634240t^3a - 3161088t^3b + 11996ta^3 + 12792t^2a^2b - 21936tab^2 + 4384tb^3)/(1139a^4 - 1169a^3b + 318a^2b^2 + 124ab^3 - 88b^4)))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)/(x**4+x**2+2)**2,x)

[Out] (x**3*(-a + 4*b) + x*(3*a + 2*b))/(28*x**4 + 28*x**2 + 56) + RootSum(240945152*_t**4 + _t**2*(-1157968*a**2 + 2348864*a*b - 548800*b**2) + 4489*a**4 - 7102*a**3*b + 5757*a**2*b**2 - 2332*a*b**3 + 484*b**4, Lambda(_t, _t*log(x + (2634240*_t**3*a - 3161088*_t**3*b + 11996*_t*a**3 + 12792*_t*a**2*b - 21936*_t*a*b**2 + 4384*_t*b**3)/(1139*a**4 - 1169*a**3*b + 318*a**2*b**2 + 124*a*b**3 - 88*b**4))))

$$3.102 \quad \int \frac{\sqrt{2-x^2}}{1-\sqrt{2}x^2+x^4} dx$$

Optimal. Leaf size=160

$$-\frac{1}{4}\sqrt{1+\frac{1}{\sqrt{2}}}\log\left(x^2-\sqrt{2+\sqrt{2}}x+1\right)+\frac{1}{4}\sqrt{1+\frac{1}{\sqrt{2}}}\log\left(x^2+\sqrt{2+\sqrt{2}}x+1\right)-\frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}}-2x}{\sqrt{2-\sqrt{2}}}\right)}{2\sqrt{2+\sqrt{2}}}+\frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}}+2x}{\sqrt{2-\sqrt{2}}}\right)}{2\sqrt{2+\sqrt{2}}}$$

[Out] $-1/8*\ln(1+x^2-x*(2+2^{(1/2)})^{(1/2)})*(4+2*2^{(1/2)})^{(1/2)}+1/8*\ln(1+x^2+x*(2+2^{(1/2)})^{(1/2)})*(4+2*2^{(1/2)})^{(1/2)}-1/2*\arctan((-2*x+(2+2^{(1/2)})^{(1/2)})/(2-2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)}+1/2*\arctan((2*x+(2+2^{(1/2)})^{(1/2)})/(2-2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1169, 634, 618, 204, 628}

$$-\frac{1}{4}\sqrt{1+\frac{1}{\sqrt{2}}}\log\left(x^2-\sqrt{2+\sqrt{2}}x+1\right)+\frac{1}{4}\sqrt{1+\frac{1}{\sqrt{2}}}\log\left(x^2+\sqrt{2+\sqrt{2}}x+1\right)-\frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}}-2x}{\sqrt{2-\sqrt{2}}}\right)}{2\sqrt{2+\sqrt{2}}}+\frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}}+2x}{\sqrt{2-\sqrt{2}}}\right)}{2\sqrt{2+\sqrt{2}}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[2] - x^2)/(1 - Sqrt[2]*x^2 + x^4), x]

[Out] $-\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[2]] - 2*x)/\text{Sqrt}[2 - \text{Sqrt}[2]]]/(2*\text{Sqrt}[2 + \text{Sqrt}[2]]) + \text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[2]] + 2*x)/\text{Sqrt}[2 - \text{Sqrt}[2]]]/(2*\text{Sqrt}[2 + \text{Sqrt}[2]]) - (\text{Sqrt}[1 + 1/\text{Sqrt}[2]]*\text{Log}[1 - \text{Sqrt}[2 + \text{Sqrt}[2]]*x + x^2])/4 + (\text{Sqrt}[1 + 1/\text{Sqrt}[2]]*\text{Log}[1 + \text{Sqrt}[2 + \text{Sqrt}[2]]*x + x^2])/4$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rubi steps

$$\int \frac{\sqrt{2} - x^2}{1 - \sqrt{2}x^2 + x^4} dx = \frac{\int \frac{\sqrt{2(2+\sqrt{2})} - (1+\sqrt{2})x}{1 - \sqrt{2+\sqrt{2}}x + x^2} dx}{2\sqrt{2+\sqrt{2}}} + \frac{\int \frac{\sqrt{2(2+\sqrt{2})} + (1+\sqrt{2})x}{1 + \sqrt{2+\sqrt{2}}x + x^2} dx}{2\sqrt{2+\sqrt{2}}}$$

$$= \frac{1}{4}\sqrt{3-2\sqrt{2}} \int \frac{1}{1 - \sqrt{2+\sqrt{2}}x + x^2} dx + \frac{1}{4}\sqrt{3-2\sqrt{2}} \int \frac{1}{1 + \sqrt{2+\sqrt{2}}x + x^2} dx + \dots$$

$$= -\frac{1}{4}\sqrt{1 + \frac{1}{\sqrt{2}}} \log\left(1 - \sqrt{2+\sqrt{2}}x + x^2\right) + \frac{1}{4}\sqrt{1 + \frac{1}{\sqrt{2}}} \log\left(1 + \sqrt{2+\sqrt{2}}x + x^2\right) - \frac{1}{2}\sqrt{\dots}$$

$$= -\frac{1}{2}\sqrt{\frac{1}{2}(2-\sqrt{2})} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}} - 2x}{\sqrt{2-\sqrt{2}}}\right) + \frac{1}{2}\sqrt{\frac{1}{2}(2-\sqrt{2})} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}} + 2x}{\sqrt{2-\sqrt{2}}}\right) - \dots$$

Mathematica [C] time = 0.04, size = 53, normalized size = 0.33

$$\frac{\sqrt{-1-i} \tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{-1-i}}\right) + \sqrt{-1+i} \tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{-1+i}}\right)}{2^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[2] - x^2)/(1 - Sqrt[2]*x^2 + x^4), x]

[Out] (Sqrt[-1 - I]*ArcTan[(2^(1/4)*x)/Sqrt[-1 - I]] + Sqrt[-1 + I]*ArcTan[(2^(1/4)*x)/Sqrt[-1 + I]])/2^(3/4)

fricas [C] time = 0.42, size = 97, normalized size = 0.61

$$\frac{1}{4} \sqrt{(i+1)\sqrt{2}} \log\left(x + \frac{1}{2} \sqrt{2} \sqrt{(i+1)\sqrt{2}}\right) - \frac{1}{4} \sqrt{(i+1)\sqrt{2}} \log\left(x - \frac{1}{2} \sqrt{2} \sqrt{(i+1)\sqrt{2}}\right) + \frac{1}{4} \sqrt{-(i-1)\sqrt{2}} \log\left(x + \frac{1}{2} \sqrt{2} \sqrt{-(i-1)\sqrt{2}}\right) - \frac{1}{4} \sqrt{-(i-1)\sqrt{2}} \log\left(x - \frac{1}{2} \sqrt{2} \sqrt{-(i-1)\sqrt{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+2^(1/2))/(1+x^4-x^2*2^(1/2)), x, algorithm="fricas")

[Out] 1/4*sqrt((I + 1)*sqrt(2))*log(x + 1/2*sqrt(2)*sqrt((I + 1)*sqrt(2))) - 1/4*sqrt((I + 1)*sqrt(2))*log(x - 1/2*sqrt(2)*sqrt((I + 1)*sqrt(2))) + 1/4*sqrt(-(I - 1)*sqrt(2))*log(x + 1/2*sqrt(2)*sqrt(-(I - 1)*sqrt(2))) - 1/4*sqrt(-(I - 1)*sqrt(2))*log(x - 1/2*sqrt(2)*sqrt(-(I - 1)*sqrt(2)))

giac [A] time = 0.38, size = 122, normalized size = 0.76

$$\frac{1}{4} \sqrt{-2\sqrt{2} + 4} \arctan\left(\frac{2x + \sqrt{\sqrt{2} + 2}}{\sqrt{-\sqrt{2} + 2}}\right) + \frac{1}{4} \sqrt{-2\sqrt{2} + 4} \arctan\left(\frac{2x - \sqrt{\sqrt{2} + 2}}{\sqrt{-\sqrt{2} + 2}}\right) + \frac{1}{8} \sqrt{2\sqrt{2} + 4} \log\left(x^2 + x\sqrt{2\sqrt{2} + 4} + 1\right) - \frac{1}{8} \sqrt{2\sqrt{2} + 4} \log\left(x^2 - x\sqrt{2\sqrt{2} + 4} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+2^(1/2))/(1+x^4-x^2*2^(1/2)), x, algorithm="giac")

[Out] 1/4*sqrt(-2*sqrt(2) + 4)*arctan((2*x + sqrt(sqrt(2) + 2))/sqrt(-sqrt(2) + 2)) + 1/4*sqrt(-2*sqrt(2) + 4)*arctan((2*x - sqrt(sqrt(2) + 2))/sqrt(-sqrt(2) + 2)) + 1/8*sqrt(2*sqrt(2) + 4)*log(x^2 + x*sqrt(sqrt(2) + 2) + 1) - 1/8*sqrt(2*sqrt(2) + 4)*log(x^2 - x*sqrt(sqrt(2) + 2) + 1)

maple [A] time = 0.09, size = 199, normalized size = 1.24

$$\frac{\sqrt{2} \arctan\left(\frac{2x - \sqrt{2 + \sqrt{2}}}{\sqrt{2 - \sqrt{2}}}\right) \arctan\left(\frac{2x - \sqrt{2 + \sqrt{2}}}{\sqrt{2 - \sqrt{2}}}\right) + \sqrt{2} \arctan\left(\frac{2x + \sqrt{2 + \sqrt{2}}}{\sqrt{2 - \sqrt{2}}}\right) \arctan\left(\frac{2x + \sqrt{2 + \sqrt{2}}}{\sqrt{2 - \sqrt{2}}}\right) \sqrt{2} \sqrt{2 + \sqrt{2}}}{2\sqrt{2 - \sqrt{2}} - 2\sqrt{2 - \sqrt{2}} + 2\sqrt{2 - \sqrt{2}} - 2\sqrt{2 - \sqrt{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^2+2^(1/2))/(1+x^4-x^2*2^(1/2)),x)`

[Out] $1/8*2^{1/2}*(2+2^{1/2})^{1/2}*\ln(1+x^2+x*(2+2^{1/2})^{1/2})+1/2/(2-2^{1/2})^{1/2}*\arctan((2*x+(2+2^{1/2})^{1/2})/(2-2^{1/2})^{1/2})*2^{1/2}-1/2/(2-2^{1/2})^{1/2}*\arctan((2*x+(2+2^{1/2})^{1/2})/(2-2^{1/2})^{1/2})-1/8*2^{1/2}*(2+2^{1/2})^{1/2}*\ln(1+x^2-x*(2+2^{1/2})^{1/2})+1/2/(2-2^{1/2})^{1/2}*\arctan((2*x-(2+2^{1/2})^{1/2})/(2-2^{1/2})^{1/2})*2^{1/2}-1/2/(2-2^{1/2})^{1/2}*\arctan((2*x-(2+2^{1/2})^{1/2})/(2-2^{1/2})^{1/2})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 - \sqrt{2}}{x^4 - \sqrt{2}x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^2+2^(1/2))/(1+x^4-x^2*2^(1/2)),x, algorithm="maxima")`

[Out] `-integrate((x^2 - sqrt(2))/(x^4 - sqrt(2)*x^2 + 1), x)`

mupad [B] time = 4.96, size = 121, normalized size = 0.76

$$-\operatorname{atan}\left(x\sqrt{\frac{\sqrt{2}}{16}-\frac{\sqrt{8}i}{32}}2i-\frac{\sqrt{2}\sqrt{8}x\sqrt{\frac{\sqrt{2}}{16}-\frac{\sqrt{8}i}{32}}}{2}\right)\sqrt{\frac{\sqrt{2}}{16}-\frac{\sqrt{8}i}{32}}2i-\operatorname{atan}\left(x\sqrt{\frac{\sqrt{2}}{16}+\frac{\sqrt{8}i}{32}}2i+\frac{\sqrt{2}\sqrt{8}}{32}\right)\sqrt{\frac{\sqrt{2}}{16}+\frac{\sqrt{8}i}{32}}2i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2^(1/2) - x^2)/(x^4 - 2^(1/2)*x^2 + 1),x)`

[Out] $-\operatorname{atan}(x*(2^{1/2}/16 - (8^{1/2}*1i)/32)^{1/2}*2i - (2^{1/2}*8^{1/2}*x*(2^{1/2}/16 - (8^{1/2}*1i)/32)^{1/2})/2*(2^{1/2}/16 - (8^{1/2}*1i)/32)^{1/2}*2i - \operatorname{atan}(x*(2^{1/2}/16 + (8^{1/2}*1i)/32)^{1/2}*2i + (2^{1/2}*8^{1/2}*x*(2^{1/2}/16 + (8^{1/2}*1i)/32)^{1/2})/2*(2^{1/2}/16 + (8^{1/2}*1i)/32)^{1/2}*2i$

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: PolynomialError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+2**(1/2))/(1+x**4-x**2*2**(1/2)),x)`

[Out] Exception raised: PolynomialError

$$3.103 \quad \int \frac{\sqrt{2+x^2}}{1+\sqrt{2}x^2+x^4} dx$$

Optimal. Leaf size=172

$$-\frac{1}{4}\sqrt{1-\frac{1}{\sqrt{2}}}\log\left(x^2-\sqrt{2-\sqrt{2}}x+1\right)+\frac{1}{4}\sqrt{1-\frac{1}{\sqrt{2}}}\log\left(x^2+\sqrt{2-\sqrt{2}}x+1\right)-\frac{\tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}-2x}{\sqrt{2+\sqrt{2}}}\right)}{2\sqrt{2-\sqrt{2}}}+\frac{\tan^{-1}\left(\frac{2-\sqrt{2-\sqrt{2}}}{\sqrt{2+\sqrt{2}}}\right)}{2\sqrt{2}}$$

[Out] $-1/8*\ln(1+x^2-x*(2-2^{(1/2)})^{(1/2)})*(4-2*2^{(1/2)})^{(1/2)}+1/8*\ln(1+x^2+x*(2-2^{(1/2)})^{(1/2)})*(4-2*2^{(1/2)})^{(1/2)}-1/2*\arctan((-2*x+(2-2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)})/(2-2^{(1/2)})^{(1/2)}+1/2*\arctan((2*x+(2-2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)})/(2-2^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.14, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {1169, 634, 618, 204, 628}

$$-\frac{1}{4}\sqrt{1-\frac{1}{\sqrt{2}}}\log\left(x^2-\sqrt{2-\sqrt{2}}x+1\right)+\frac{1}{4}\sqrt{1-\frac{1}{\sqrt{2}}}\log\left(x^2+\sqrt{2-\sqrt{2}}x+1\right)-\frac{\tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}-2x}{\sqrt{2+\sqrt{2}}}\right)}{2\sqrt{2-\sqrt{2}}}+\frac{\tan^{-1}\left(\frac{2-\sqrt{2-\sqrt{2}}}{\sqrt{2+\sqrt{2}}}\right)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[2] + x^2)/(1 + Sqrt[2]*x^2 + x^4), x]

[Out] $-\text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[2]] - 2*x)/\text{Sqrt}[2 + \text{Sqrt}[2]]]/(2*\text{Sqrt}[2 - \text{Sqrt}[2]]) + \text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[2]] + 2*x)/\text{Sqrt}[2 + \text{Sqrt}[2]]]/(2*\text{Sqrt}[2 - \text{Sqrt}[2]]) - (\text{Sqrt}[1 - 1/\text{Sqrt}[2]]*\text{Log}[1 - \text{Sqrt}[2 - \text{Sqrt}[2]]*x + x^2])/4 + (\text{Sqrt}[1 - 1/\text{Sqrt}[2]]*\text{Log}[1 + \text{Sqrt}[2 - \text{Sqrt}[2]]*x + x^2])/4$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{2} + x^2}{1 + \sqrt{2}x^2 + x^4} dx &= \frac{\int \frac{\sqrt{2(2-\sqrt{2})} - (-1+\sqrt{2})x}{1-\sqrt{2-\sqrt{2}}x+x^2} dx}{2\sqrt{2-\sqrt{2}}} + \frac{\int \frac{\sqrt{2(2-\sqrt{2})} + (-1+\sqrt{2})x}{1+\sqrt{2-\sqrt{2}}x+x^2} dx}{2\sqrt{2-\sqrt{2}}} \\
&= \frac{(1-\sqrt{2}) \int \frac{-\sqrt{2-\sqrt{2}}+2x}{1-\sqrt{2-\sqrt{2}}x+x^2} dx}{4\sqrt{2-\sqrt{2}}} + \frac{(-1+\sqrt{2}) \int \frac{\sqrt{2-\sqrt{2}}+2x}{1+\sqrt{2-\sqrt{2}}x+x^2} dx}{4\sqrt{2-\sqrt{2}}} + \frac{1}{4}\sqrt{3+2\sqrt{2}} \int \frac{1}{1-\sqrt{2}x+x^2} dx \\
&= -\frac{1}{4}\sqrt{1-\frac{1}{\sqrt{2}}} \log\left(1-\sqrt{2-\sqrt{2}}x+x^2\right) + \frac{1}{4}\sqrt{1-\frac{1}{\sqrt{2}}} \log\left(1+\sqrt{2-\sqrt{2}}x+x^2\right) - \frac{1}{2}\sqrt{\frac{1}{2}(2+\sqrt{2})} \tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}-2x}{\sqrt{2+\sqrt{2}}}\right) \\
&= -\frac{1}{2}\sqrt{\frac{1}{2}(2+\sqrt{2})} \tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}-2x}{\sqrt{2+\sqrt{2}}}\right) + \frac{1}{2}\sqrt{\frac{1}{2}(2+\sqrt{2})} \tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}+2x}{\sqrt{2+\sqrt{2}}}\right) -
\end{aligned}$$

Mathematica [C] time = 0.04, size = 53, normalized size = 0.31

$$\frac{\sqrt{1-i} \tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1-i}}\right) + \sqrt{1+i} \tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+i}}\right)}{2^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[2] + x^2)/(1 + Sqrt[2]*x^2 + x^4), x]

[Out] (Sqrt[1 - I]*ArcTan[(2^(1/4)*x)/Sqrt[1 - I]] + Sqrt[1 + I]*ArcTan[(2^(1/4)*x)/Sqrt[1 + I]])/2^(3/4)

fricas [C] time = 0.45, size = 97, normalized size = 0.56

$$\frac{1}{4} \sqrt{(i-1)\sqrt{2}} \log\left(x + \frac{1}{2} \sqrt{2} \sqrt{(i-1)\sqrt{2}}\right) - \frac{1}{4} \sqrt{(i-1)\sqrt{2}} \log\left(x - \frac{1}{2} \sqrt{2} \sqrt{(i-1)\sqrt{2}}\right) + \frac{1}{4} \sqrt{-(i+1)\sqrt{2}} \log\left(x + \frac{1}{2} \sqrt{2} \sqrt{-(i+1)\sqrt{2}}\right) - \frac{1}{4} \sqrt{-(i+1)\sqrt{2}} \log\left(x - \frac{1}{2} \sqrt{2} \sqrt{-(i+1)\sqrt{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+2^(1/2))/(1+x^4+x^2*2^(1/2)), x, algorithm="fricas")

[Out] 1/4*sqrt((I - 1)*sqrt(2))*log(x + 1/2*sqrt(2)*sqrt((I - 1)*sqrt(2))) - 1/4*sqrt((I - 1)*sqrt(2))*log(x - 1/2*sqrt(2)*sqrt((I - 1)*sqrt(2))) + 1/4*sqrt(-(I + 1)*sqrt(2))*log(x + 1/2*sqrt(2)*sqrt(-(I + 1)*sqrt(2))) - 1/4*sqrt(-(I + 1)*sqrt(2))*log(x - 1/2*sqrt(2)*sqrt(-(I + 1)*sqrt(2)))

giac [A] time = 0.33, size = 126, normalized size = 0.73

$$\frac{1}{4} \sqrt{2\sqrt{2} + 4} \arctan\left(\frac{2x + \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) + \frac{1}{4} \sqrt{2\sqrt{2} + 4} \arctan\left(\frac{2x - \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) + \frac{1}{8} \sqrt{-2\sqrt{2} + 4} \log\left(x^2 + \sqrt{-2\sqrt{2} + 4}x + 1\right) - \frac{1}{8} \sqrt{-2\sqrt{2} + 4} \log\left(x^2 - \sqrt{-2\sqrt{2} + 4}x + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+2^(1/2))/(1+x^4+x^2*2^(1/2)), x, algorithm="giac")

[Out] 1/4*sqrt(2*sqrt(2) + 4)*arctan((2*x + sqrt(-sqrt(2) + 2))/sqrt(sqrt(2) + 2)) + 1/4*sqrt(2*sqrt(2) + 4)*arctan((2*x - sqrt(-sqrt(2) + 2))/sqrt(sqrt(2) + 2)) + 1/8*sqrt(-2*sqrt(2) + 4)*log(x^2 + x*sqrt(-sqrt(2) + 2) + 1) - 1/8*sqrt(-2*sqrt(2) + 4)*log(x^2 - x*sqrt(-sqrt(2) + 2) + 1)

maple [A] time = 0.09, size = 199, normalized size = 1.16

$$\frac{\arctan\left(\frac{2x - \sqrt{2 - \sqrt{2}}}{\sqrt{2 + \sqrt{2}}}\right)}{2\sqrt{2 + \sqrt{2}}} + \frac{\sqrt{2} \arctan\left(\frac{2x - \sqrt{2 - \sqrt{2}}}{\sqrt{2 + \sqrt{2}}}\right)}{2\sqrt{2 + \sqrt{2}}} + \frac{\arctan\left(\frac{2x + \sqrt{2 - \sqrt{2}}}{\sqrt{2 + \sqrt{2}}}\right)}{2\sqrt{2 + \sqrt{2}}} + \frac{\sqrt{2} \arctan\left(\frac{2x + \sqrt{2 - \sqrt{2}}}{\sqrt{2 + \sqrt{2}}}\right)}{2\sqrt{2 + \sqrt{2}}} - \frac{\sqrt{2} \sqrt{2 - \sqrt{2}} \log\left(x^2 + \sqrt{2 - \sqrt{2}}x + 1\right)}{2\sqrt{2 + \sqrt{2}}} + \frac{\sqrt{2} \sqrt{2 - \sqrt{2}} \log\left(x^2 - \sqrt{2 - \sqrt{2}}x + 1\right)}{2\sqrt{2 + \sqrt{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2+2^(1/2))/(1+x^4+x^2*2^(1/2)),x)`

[Out] $1/8*2^{(1/2)}*(2-2^{(1/2)})^{(1/2)}*\ln(1+x^2+x*(2-2^{(1/2)})^{(1/2)})+1/2/(2+2^{(1/2)})^{(1/2)}*\arctan((2*x+(2-2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)})+1/2/(2+2^{(1/2)})^{(1/2)}*\arctan((2*x+(2-2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)})*2^{(1/2)}-1/8*2^{(1/2)}*(2-2^{(1/2)})^{(1/2)}*\ln(1+x^2-x*(2-2^{(1/2)})^{(1/2)})+1/2/(2+2^{(1/2)})^{(1/2)}*\arctan((2*x-(2-2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)})+1/2/(2+2^{(1/2)})^{(1/2)}*\arctan((2*x-(2-2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)})*2^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + \sqrt{2}}{x^4 + \sqrt{2}x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^2+2^(1/2))/(1+x^4+x^2*2^(1/2)),x, algorithm="maxima")`

[Out] `integrate((x^2 + sqrt(2))/(x^4 + sqrt(2)*x^2 + 1), x)`

mupad [B] time = 4.95, size = 121, normalized size = 0.70

$$\operatorname{atan}\left(x\sqrt{-\frac{\sqrt{2}}{16}-\frac{\sqrt{8}1i}{32}}2i+\frac{\sqrt{2}\sqrt{8}x\sqrt{-\frac{\sqrt{2}}{16}-\frac{\sqrt{8}1i}{32}}}{2}\right)\sqrt{-\frac{\sqrt{2}}{16}-\frac{\sqrt{8}1i}{32}}2i+\operatorname{atan}\left(x\sqrt{-\frac{\sqrt{2}}{16}+\frac{\sqrt{8}1i}{32}}2i-\frac{\sqrt{2}\sqrt{8}x\sqrt{-\frac{\sqrt{2}}{16}+\frac{\sqrt{8}1i}{32}}}{2}\right)\sqrt{-\frac{\sqrt{2}}{16}+\frac{\sqrt{8}1i}{32}}2i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2^(1/2) + x^2)/(2^(1/2)*x^2 + x^4 + 1),x)`

[Out] $\operatorname{atan}(x*(-2^{(1/2)}/16-(8^{(1/2)}*1i)/32)^{(1/2)}*2i+(2^{(1/2)}*8^{(1/2)}*x*(-2^{(1/2)}/16-(8^{(1/2)}*1i)/32)^{(1/2)})/2*(-2^{(1/2)}/16-(8^{(1/2)}*1i)/32)^{(1/2)}*2i+\operatorname{atan}(x*((8^{(1/2)}*1i)/32-2^{(1/2)}/16)^{(1/2)}*2i-(2^{(1/2)}*8^{(1/2)}*x*((8^{(1/2)}*1i)/32-2^{(1/2)}/16)^{(1/2)})/2*((8^{(1/2)}*1i)/32-2^{(1/2)}/16)^{(1/2)}*2i$

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: PolynomialError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**2+2**(1/2))/(1+x**4+x**2*2**(1/2)),x)`

[Out] Exception raised: PolynomialError

$$3.104 \quad \int \frac{\sqrt{2-x^2}}{1+bx^2+x^4} dx$$

Optimal. Leaf size=160

$$\frac{(1+\sqrt{2})\log(-\sqrt{2-b}x+x^2+1)}{4\sqrt{2-b}} + \frac{(1+\sqrt{2})\log(\sqrt{2-b}x+x^2+1)}{4\sqrt{2-b}} + \frac{(1-\sqrt{2})\tan^{-1}\left(\frac{\sqrt{2-b}-2x}{\sqrt{b+2}}\right)}{2\sqrt{b+2}} - \frac{(1-\sqrt{2})}{2}$$

[Out] $-1/4*\ln(1+x^2-x*(2-b)^{(1/2)}*(1+2^{(1/2)})/(2-b)^{(1/2)}+1/4*\ln(1+x^2+x*(2-b)^{(1/2)}*(1+2^{(1/2)})/(2-b)^{(1/2)}+1/2*\arctan((-2*x+(2-b)^{(1/2)})/(2+b)^{(1/2)))*(1-2^{(1/2)})/(2+b)^{(1/2)}-1/2*\arctan((2*x+(2-b)^{(1/2)})/(2+b)^{(1/2)))*(1-2^{(1/2)})/(2+b)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1169, 634, 618, 204, 628}

$$\frac{(1+\sqrt{2})\log(-\sqrt{2-b}x+x^2+1)}{4\sqrt{2-b}} + \frac{(1+\sqrt{2})\log(\sqrt{2-b}x+x^2+1)}{4\sqrt{2-b}} + \frac{(1-\sqrt{2})\tan^{-1}\left(\frac{\sqrt{2-b}-2x}{\sqrt{b+2}}\right)}{2\sqrt{b+2}} - \frac{(1-\sqrt{2})}{2}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[2] - x^2)/(1 + b*x^2 + x^4), x]

[Out] $((1 - \text{Sqrt}[2])*\text{ArcTan}[(\text{Sqrt}[2 - b] - 2*x)/\text{Sqrt}[2 + b]])/(2*\text{Sqrt}[2 + b]) - ((1 - \text{Sqrt}[2])*\text{ArcTan}[(\text{Sqrt}[2 - b] + 2*x)/\text{Sqrt}[2 + b]])/(2*\text{Sqrt}[2 + b]) - ((1 + \text{Sqrt}[2])*\text{Log}[1 - \text{Sqrt}[2 - b]*x + x^2])/(4*\text{Sqrt}[2 - b]) + ((1 + \text{Sqrt}[2])*\text{Log}[1 + \text{Sqrt}[2 - b]*x + x^2])/(4*\text{Sqrt}[2 - b])$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1169

```
Int[((d_.) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{2-x^2}}{1+bx^2+x^4} dx &= \int \frac{\sqrt{2-b-(1+\sqrt{2})x}}{1-\sqrt{2-b}x+x^2} dx + \int \frac{\sqrt{2-b+(1+\sqrt{2})x}}{1+\sqrt{2-b}x+x^2} dx \\ &= \frac{1}{4}(-1+\sqrt{2}) \int \frac{1}{1-\sqrt{2-b}x+x^2} dx + \frac{1}{4}(-1+\sqrt{2}) \int \frac{1}{1+\sqrt{2-b}x+x^2} dx - \frac{(1+\sqrt{2})}{4} \int \frac{1}{1+\sqrt{2-b}x+x^2} dx \\ &= -\frac{(1+\sqrt{2}) \log(1-\sqrt{2-b}x+x^2)}{4\sqrt{2-b}} + \frac{(1+\sqrt{2}) \log(1+\sqrt{2-b}x+x^2)}{4\sqrt{2-b}} + \frac{1}{2}(1-\sqrt{2}) \operatorname{Subst} \int \frac{1}{1+u^2} du \\ &= \frac{(1-\sqrt{2}) \tan^{-1}\left(\frac{\sqrt{2-b}-2x}{\sqrt{2+b}}\right)}{2\sqrt{2+b}} - \frac{(1-\sqrt{2}) \tan^{-1}\left(\frac{\sqrt{2-b}+2x}{\sqrt{2+b}}\right)}{2\sqrt{2+b}} - \frac{(1+\sqrt{2}) \log(1-\sqrt{2-b}x+x^2)}{4\sqrt{2-b}} \end{aligned}$$

Mathematica [A] time = 0.09, size = 137, normalized size = 0.86

$$\frac{\frac{(-\sqrt{b^2-4}+b+2\sqrt{2}) \tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{b-\sqrt{b^2-4}}}\right)}{\sqrt{b-\sqrt{b^2-4}}} - \frac{(\sqrt{b^2-4}+b+2\sqrt{2}) \tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{\sqrt{b^2-4}+b}}\right)}{\sqrt{\sqrt{b^2-4}+b}}}{\sqrt{2}\sqrt{b^2-4}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[2] - x^2)/(1 + b*x^2 + x^4),x]

[Out] (((2*Sqrt[2] + b - Sqrt[-4 + b^2])*ArcTan[(Sqrt[2]*x)/Sqrt[b - Sqrt[-4 + b^2]])/Sqrt[b - Sqrt[-4 + b^2]] - ((2*Sqrt[2] + b + Sqrt[-4 + b^2])*ArcTan[(Sqrt[2]*x)/Sqrt[b + Sqrt[-4 + b^2]])/Sqrt[b + Sqrt[-4 + b^2]])/(Sqrt[2]*Sqrt[-4 + b^2])

fricas [B] time = 0.49, size = 451, normalized size = 2.82

$$-\frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{-\frac{3b + 4\sqrt{2} + \sqrt{b^2 - 4}}{b^2 - 4}} \log\left(\frac{1}{2} (2b + 3\sqrt{2})x + \frac{1}{2} \sqrt{\frac{1}{2}} \left(b^2 - \frac{b^3 + \sqrt{2}b^2 - 4b - 4\sqrt{2}}{\sqrt{b^2 - 4}} - 4\right) \sqrt{-\frac{3b + 4\sqrt{2} + \sqrt{b^2 - 4}}{b^2 - 4}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+2^(1/2))/(x^4+b*x^2+1),x, algorithm="fricas")

[Out] -1/2*sqrt(1/2)*sqrt(-(3*b + 4*sqrt(2) + sqrt(b^2 - 4))/(b^2 - 4))*log(1/2*(2*b + 3*sqrt(2))*x + 1/2*sqrt(1/2)*(b^2 - (b^3 + sqrt(2)*b^2 - 4*b - 4*sqrt(2))/sqrt(b^2 - 4) - 4)*sqrt(-(3*b + 4*sqrt(2) + sqrt(b^2 - 4))/(b^2 - 4))) + 1/2*sqrt(1/2)*sqrt(-(3*b + 4*sqrt(2) + sqrt(b^2 - 4))/(b^2 - 4))*log(1/2*(2*b + 3*sqrt(2))*x - 1/2*sqrt(1/2)*(b^2 - (b^3 + sqrt(2)*b^2 - 4*b - 4*sqrt(2))/sqrt(b^2 - 4) - 4)*sqrt(-(3*b + 4*sqrt(2) + sqrt(b^2 - 4))/(b^2 - 4))) - 1/2*sqrt(1/2)*sqrt(-(3*b + 4*sqrt(2) - sqrt(b^2 - 4))/(b^2 - 4))*log(1/2*(2*b + 3*sqrt(2))*x + 1/2*sqrt(1/2)*(b^2 + (b^3 + sqrt(2)*b^2 - 4*b - 4*sqrt(2))/sqrt(b^2 - 4) - 4)*sqrt(-(3*b + 4*sqrt(2) - sqrt(b^2 - 4))/(b^2 - 4))) + 1/2*sqrt(1/2)*sqrt(-(3*b + 4*sqrt(2) - sqrt(b^2 - 4))/(b^2 - 4))*log(1/2*(2*b + 3*sqrt(2))*x - 1/2*sqrt(1/2)*(b^2 + (b^3 + sqrt(2)*b^2 - 4*b - 4*sqrt(2))/sqrt(b^2 - 4) - 4)*sqrt(-(3*b + 4*sqrt(2) - sqrt(b^2 - 4))/(b^2 - 4)))

giac [B] time = 0.32, size = 1501, normalized size = 9.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+2^(1/2))/(x^4+b*x^2+1),x, algorithm="giac")

[Out] 1/4*(sqrt(2)*sqrt(b + 2)*b^4 + sqrt(2)*sqrt(b - 2)*b^4 - sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*b^3 - sqrt(2)*sqrt(b^2 - 4)*sqrt(b - 2)*b^3 - sqrt(2)*sqrt(b + 2)*sqrt(b - 2)*b^3 - 3*sqrt(2)*b^4 + 3*sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*sqrt(b - 2)*b^2 + sqrt(2)*sqrt(b^2 - 4)*b^3 - sqrt(2)*sqrt(b + 2)*b^3 - sqrt(2)*sqrt(b - 2)*b^3 + sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*b^2 + sqrt(2)*sqrt(b^2 - 4)*sqrt(b - 2)*b^2 + sqrt(2)*sqrt(b + 2)*sqrt(b - 2)*b^2 + 3*sqrt(2)*b^3 - 3*sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*sqrt(b - 2)*b - sqrt(2)*sqrt(b^2 - 4)*b^2 - 10*sqrt(2)*sqrt(b + 2)*b^2 - 2*sqrt(b^2 - 4)*sqrt(b + 2)*b^2

```

- 6*sqrt(2)*sqrt(b - 2)*b^2 - 2*sqrt(b^2 - 4)*sqrt(b - 2)*b^2 - 2*sqrt(b +
2)*sqrt(b - 2)*b^2 + 4*sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*b + 4*sqrt(2)*sqrt
(b^2 - 4)*sqrt(b - 2)*b + 4*sqrt(2)*sqrt(b + 2)*sqrt(b - 2)*b + 24*sqrt(2)*
b^2 + 2*sqrt(b^2 - 4)*b^2 - 12*sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*sqrt(b - 2
) - 4*sqrt(2)*sqrt(b^2 - 4)*b + 6*sqrt(2)*sqrt(b + 2)*b + 4*sqrt(b^2 - 4)*s
qrt(b + 2)*b + 2*sqrt(2)*sqrt(b - 2)*b + 4*sqrt(b^2 - 4)*sqrt(b - 2)*b + 4*
sqrt(b + 2)*sqrt(b - 2)*b + 6*b^2 + 4*sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2) + 4
*sqrt(2)*sqrt(b^2 - 4)*sqrt(b - 2) + 4*sqrt(2)*sqrt(b + 2)*sqrt(b - 2) - 6*
sqrt(b^2 - 4)*sqrt(b + 2)*sqrt(b - 2) - 12*sqrt(2)*b - 4*sqrt(b^2 - 4)*b -
2*sqrt(b + 2)*b - 2*sqrt(b - 2)*b - 4*sqrt(2)*sqrt(b^2 - 4) + 20*sqrt(2)*sq
rt(b + 2) + 8*sqrt(b^2 - 4)*sqrt(b + 2) + 4*sqrt(2)*sqrt(b - 2) + 8*sqrt(b^
2 - 4)*sqrt(b - 2) + 8*sqrt(b + 2)*sqrt(b - 2) - 48*sqrt(2) - 8*sqrt(b^2 -
4) + 4*sqrt(b + 2) - 4*sqrt(b - 2) - 24)*arctan(x/sqrt(1/2*b + 1/2*sqrt(b^2
- 4)))/(b^4 - 2*b^3 - 7*b^2 + 8*b + 12) + 1/4*(sqrt(2)*sqrt(b + 2)*b^4 - s
qrt(2)*sqrt(b - 2)*b^4 + sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*b^3 - sqrt(2)*sq
rt(b^2 - 4)*sqrt(b - 2)*b^3 - sqrt(2)*sqrt(b + 2)*sqrt(b - 2)*b^3 + 3*sqrt(
2)*b^4 - 3*sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*sqrt(b - 2)*b^2 + sqrt(2)*sqrt
(b^2 - 4)*b^3 - sqrt(2)*sqrt(b + 2)*b^3 + sqrt(2)*sqrt(b - 2)*b^3 - sqrt(2)
*sqrt(b^2 - 4)*sqrt(b + 2)*b^2 + sqrt(2)*sqrt(b^2 - 4)*sqrt(b - 2)*b^2 + sq
rt(2)*sqrt(b + 2)*sqrt(b - 2)*b^2 - 3*sqrt(2)*b^3 + 3*sqrt(2)*sqrt(b^2 - 4)
*sqrt(b + 2)*sqrt(b - 2)*b - sqrt(2)*sqrt(b^2 - 4)*b^2 - 10*sqrt(2)*sqrt(b
+ 2)*b^2 + 2*sqrt(b^2 - 4)*sqrt(b + 2)*b^2 + 6*sqrt(2)*sqrt(b - 2)*b^2 - 2*
sqrt(b^2 - 4)*sqrt(b - 2)*b^2 - 2*sqrt(b + 2)*sqrt(b - 2)*b^2 - 4*sqrt(2)*s
qrt(b^2 - 4)*sqrt(b + 2)*b + 4*sqrt(2)*sqrt(b^2 - 4)*sqrt(b - 2)*b + 4*sqrt
(2)*sqrt(b + 2)*sqrt(b - 2)*b - 24*sqrt(2)*b^2 + 2*sqrt(b^2 - 4)*b^2 + 12*s
qrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*sqrt(b - 2) - 4*sqrt(2)*sqrt(b^2 - 4)*b +
6*sqrt(2)*sqrt(b + 2)*b - 4*sqrt(b^2 - 4)*sqrt(b + 2)*b - 2*sqrt(2)*sqrt(b
- 2)*b + 4*sqrt(b^2 - 4)*sqrt(b - 2)*b + 4*sqrt(b + 2)*sqrt(b - 2)*b - 6*b^
2 - 4*sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2) + 4*sqrt(2)*sqrt(b^2 - 4)*sqrt(b -
2) + 4*sqrt(2)*sqrt(b + 2)*sqrt(b - 2) + 6*sqrt(b^2 - 4)*sqrt(b + 2)*sqrt(b
- 2) + 12*sqrt(2)*b - 4*sqrt(b^2 - 4)*b - 2*sqrt(b + 2)*b + 2*sqrt(b - 2)*
b - 4*sqrt(2)*sqrt(b^2 - 4) + 20*sqrt(2)*sqrt(b + 2) - 8*sqrt(b^2 - 4)*sqrt
(b + 2) - 4*sqrt(2)*sqrt(b - 2) + 8*sqrt(b^2 - 4)*sqrt(b - 2) + 8*sqrt(b +
2)*sqrt(b - 2) + 48*sqrt(2) - 8*sqrt(b^2 - 4) + 4*sqrt(b + 2) + 4*sqrt(b -
2) + 24)*arctan(x/sqrt(1/2*b - 1/2*sqrt(b^2 - 4)))/(b^4 - 2*b^3 - 7*b^2 + 8
*b + 12)

```

maple [B] time = 0.02, size = 285, normalized size = 1.78

$$\frac{b \arctan\left(\frac{2x}{\sqrt{2b-2}\sqrt{(b-2)(b+2)}}\right)}{\sqrt{(b-2)(b+2)}\sqrt{2b-2}\sqrt{(b-2)(b+2)}} - \frac{b \arctan\left(\frac{2x}{\sqrt{2b+2}\sqrt{(b-2)(b+2)}}\right)}{\sqrt{(b-2)(b+2)}\sqrt{2b+2}\sqrt{(b-2)(b+2)}} - \frac{\arctan\left(\frac{2x}{\sqrt{2b-2}\sqrt{(b-2)(b+2)}}\right)}{\sqrt{2b-2}\sqrt{(b-2)(b+2)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^2+2^(1/2))/(x^4+b*x^2+1),x)`

[Out]
$$-1/(2*b+2*((b-2)*(b+2))^(1/2))^(1/2)*\arctan(2/(2*b+2*((b-2)*(b+2))^(1/2))^(1/2)*x)-1/((b-2)*(b+2))^(1/2)/(2*b+2*((b-2)*(b+2))^(1/2))^(1/2)*b*\arctan(2/(2*b+2*((b-2)*(b+2))^(1/2))^(1/2)*x)-2/((b-2)*(b+2))^(1/2)/(2*b+2*((b-2)*(b+2))^(1/2))^(1/2)*\arctan(2/(2*b+2*((b-2)*(b+2))^(1/2))^(1/2)*x)*2^(1/2)-1/(2*b-2*((b-2)*(b+2))^(1/2))^(1/2)*\arctan(2/(2*b-2*((b-2)*(b+2))^(1/2))^(1/2)*x)+1/((b-2)*(b+2))^(1/2)/(2*b-2*((b-2)*(b+2))^(1/2))^(1/2)*b*\arctan(2/(2*b-2*((b-2)*(b+2))^(1/2))^(1/2)*x)+2/((b-2)*(b+2))^(1/2)/(2*b-2*((b-2)*(b+2))^(1/2))^(1/2)*\arctan(2/(2*b-2*((b-2)*(b+2))^(1/2))^(1/2)*x)*2^(1/2)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 - \sqrt{2}}{x^4 + bx^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^2+2^(1/2))/(x^4+b*x^2+1),x, algorithm="maxima")`

[Out] `-integrate((x^2 - sqrt(2))/(x^4 + b*x^2 + 1), x)`

mupad [B] time = 1.07, size = 1227, normalized size = 7.67

$$-\operatorname{atan}\left(\frac{x \sqrt{\frac{12b+16\sqrt{2}-4\sqrt{2}b^2-3b^3+\sqrt{b^6-12b^4+48b^2-64}}{8b^4-64b^2+128}} 32i - bx \left(\frac{12b+16\sqrt{2}-4\sqrt{2}b^2-3b^3+\sqrt{b^6-12b^4+48b^2-64}}{8b^4-64b^2+128}\right)^{3/2}}{256i + b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2^(1/2) - x^2)/(b*x^2 + x^4 + 1),x)`

[Out]
$$\operatorname{atan}\left(\frac{x*(-(4*2^(1/2)*b^2 - 16*2^(1/2) - 12*b + 3*b^3 + (48*b^2 - 12*b^4 + b^6 - 64))^(1/2))/(8*b^4 - 64*b^2 + 128))^(1/2)*32i - b*x*(-(4*2^(1/2)*b^2 - 16*2^(1/2) - 12*b + 3*b^3 + (48*b^2 - 12*b^4 + b^6 - 64))^(1/2))/(8*b^4 - 64*b^2 + 128))^(3/2)*256i + b^2*x*(-(4*2^(1/2)*b^2 - 16*2^(1/2) - 12*b + 3*b^3 + (48*b^2 - 12*b^4 + b^6 - 64))^(1/2))/(8*b^4 - 64*b^2 + 128))^(1/2)*8i - b^4*x*(-(4*2^(1/2)*b^2 - 16*2^(1/2) - 12*b + 3*b^3 + (48*b^2 - 12*b^4 + b^6 - 64))^(1/2))/(8*b^4 - 64*b^2 + 128))^(1/2)*4i + b^3*x*(-(4*2^(1/2)*b^2 - 16*2^(1/2) - 12*b + 3*b^3 + (48*b^2 - 12*b^4 + b^6 - 64))^(1/2))/(8*b^4 - 64*b^2 + 128))^(3/2)*128i - b^5*x*(-(4*2^(1/2)*b^2 - 16*2^(1/2) - 12*b + 3*b^3 + (48*b^2 - 12*b^4 + b^6 - 64))^(1/2))/(8*b^4 - 64*b^2 + 128))^(3/2)*16i + 2^(1/2)*b*x*(-(4*2^(1/2)*b^2 - 16*2^(1/2) - 12*b + 3*b^3 + (48*b^2 - 12*b^4 + b^6 - 64))^(1/2))/(8*b^4 - 64*b^2 + 128))^(1/2)*32i - 2^(1/2)*b^3*x*(-(4*2^(1/2)*b^2 - 16*2^(1/2) - 12*b + 3*b^3 + (48*b^2 - 12*b^4 + b^6 - 64))^(1/2)}$$

$$\frac{\sqrt{8b^4 - 64b^2 + 128}}{(2^{1/2}b^3 - 4 \cdot 2^{1/2}b + 2^{1/2})(48b^2 - 12b^4 + b^6 - 64)^{1/2} + 2b^2 - 8) \cdot (-4 \cdot 2^{1/2}b^2 - 16 \cdot 2^{1/2} - 12b + 3b^3 + (48b^2 - 12b^4 + b^6 - 64)^{1/2})}{(8b^4 - 64b^2 + 128)^{1/2}} \cdot 2i - \operatorname{atan}\left(\frac{x \cdot (12b + 16 \cdot 2^{1/2} - 4 \cdot 2^{1/2}b^2 - 3b^3 + (48b^2 - 12b^4 + b^6 - 64)^{1/2})}{(8b^4 - 64b^2 + 128)^{1/2}}\right) \cdot 32i - b \cdot x \cdot \frac{(12b + 16 \cdot 2^{1/2} - 4 \cdot 2^{1/2}b^2 - 3b^3 + (48b^2 - 12b^4 + b^6 - 64)^{1/2})}{(8b^4 - 64b^2 + 128)^{3/2}} \cdot 256i + b^2 \cdot x \cdot \frac{(12b + 16 \cdot 2^{1/2} - 4 \cdot 2^{1/2}b^2 - 3b^3 + (48b^2 - 12b^4 + b^6 - 64)^{1/2})}{(8b^4 - 64b^2 + 128)^{1/2}} \cdot 8i - b^4 \cdot x \cdot \frac{(12b + 16 \cdot 2^{1/2} - 4 \cdot 2^{1/2}b^2 - 3b^3 + (48b^2 - 12b^4 + b^6 - 64)^{1/2})}{(8b^4 - 64b^2 + 128)^{1/2}} \cdot 4i + b^3 \cdot x \cdot \frac{(12b + 16 \cdot 2^{1/2} - 4 \cdot 2^{1/2}b^2 - 3b^3 + (48b^2 - 12b^4 + b^6 - 64)^{1/2})}{(8b^4 - 64b^2 + 128)^{3/2}} \cdot 128i - b^5 \cdot x \cdot \frac{(12b + 16 \cdot 2^{1/2} - 4 \cdot 2^{1/2}b^2 - 3b^3 + (48b^2 - 12b^4 + b^6 - 64)^{1/2})}{(8b^4 - 64b^2 + 128)^{3/2}} \cdot 16i + 2^{1/2} \cdot b \cdot x \cdot \frac{(12b + 16 \cdot 2^{1/2} - 4 \cdot 2^{1/2}b^2 - 3b^3 + (48b^2 - 12b^4 + b^6 - 64)^{1/2})}{(8b^4 - 64b^2 + 128)^{1/2}} \cdot 32i - 2^{1/2} \cdot b^3 \cdot x \cdot \frac{(12b + 16 \cdot 2^{1/2} - 4 \cdot 2^{1/2}b^2 - 3b^3 + (48b^2 - 12b^4 + b^6 - 64)^{1/2})}{(8b^4 - 64b^2 + 128)^{1/2}} \cdot 8i}{(4 \cdot 2^{1/2}b - 2^{1/2}b^3 + 2^{1/2}(48b^2 - 12b^4 + b^6 - 64)^{1/2} - 2b^2 + 8)} \cdot \frac{(12b + 16 \cdot 2^{1/2} - 4 \cdot 2^{1/2}b^2 - 3b^3 + (48b^2 - 12b^4 + b^6 - 64)^{1/2})}{(8b^4 - 64b^2 + 128)^{1/2}} \cdot 2i$$

sympy [B] time = 2.86, size = 1469, normalized size = 9.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**2+2**(1/2))/(x**4+b*x**2+1),x)

[Out] -RootSum(_t**4*(16*b**4 - 128*b**2 + 256) + _t**2*(12*b**3 + 16*sqrt(2)*b**2 - 48*b - 64*sqrt(2)) + 2*b**2 + 6*sqrt(2)*b + 9, Lambda(_t, _t*log(_t**3*(64*b**12/(8*b**10 + 88*sqrt(2)*b**9 + 828*b**8 + 2144*sqrt(2)*b**7 + 6470*b**6 + 5310*sqrt(2)*b**5 + 2781*b**4 - 2322*sqrt(2)*b**3 - 3402*b**2 + 729) + 672*sqrt(2)*b**11/(8*b**10 + 88*sqrt(2)*b**9 + 828*b**8 + 2144*sqrt(2)*b**7 + 6470*b**6 + 5310*sqrt(2)*b**5 + 2781*b**4 - 2322*sqrt(2)*b**3 - 3402*b**2 + 729) + 5760*b**10/(8*b**10 + 88*sqrt(2)*b**9 + 828*b**8 + 2144*sqrt(2)*b**7 + 6470*b**6 + 5310*sqrt(2)*b**5 + 2781*b**4 - 2322*sqrt(2)*b**3 - 3402*b**2 + 729) + 12064*sqrt(2)*b**9/(8*b**10 + 88*sqrt(2)*b**9 + 828*b**8 + 2144*sqrt(2)*b**7 + 6470*b**6 + 5310*sqrt(2)*b**5 + 2781*b**4 - 2322*sqrt(2)*b**3 - 3402*b**2 + 729) + 17744*b**8/(8*b**10 + 88*sqrt(2)*b**9 + 828*b**8 + 2144*sqrt(2)*b**7 + 6470*b**6 + 5310*sqrt(2)*b**5 + 2781*b**4 - 2322*sqrt(2)*b**3 - 3402*b**2 + 729) - 27480*sqrt(2)*b**7/(8*b**10 + 88*sqrt(2)*b**9 + 828*b**8 + 2144*sqrt(2)*b**7 + 6470*b**6 + 5310*sqrt(2)*b**5 + 2781*b**4 - 2322*sqrt(2)*b**3 - 3402*b**2 + 729) - 154608*b**6/(8*b**10 + 88*sqrt(2)*b**9 + 828*b**8 + 2144*sqrt(2)*b**7 + 6470*b**6 + 5310*sqrt(2)*b**5 + 2781*b**4 - 2322*sqrt(2)*b**3 - 3402*b**2 + 729) - 141376*sqrt(2)*b**5/(8*b

$$\begin{aligned}
& **10 + 88*\sqrt{2}*b**9 + 828*b**8 + 2144*\sqrt{2}*b**7 + 6470*b**6 + 5310*\sqrt{2}*b**5 \\
& + 2781*b**4 - 2322*\sqrt{2}*b**3 - 3402*b**2 + 729) - 69072*b**4/ \\
& (8*b**10 + 88*\sqrt{2}*b**9 + 828*b**8 + 2144*\sqrt{2}*b**7 + 6470*b**6 + 5310*\sqrt{2}*b**5 \\
& + 2781*b**4 - 2322*\sqrt{2}*b**3 - 3402*b**2 + 729) + 61704*\sqrt{2}*b**3/ \\
& (8*b**10 + 88*\sqrt{2}*b**9 + 828*b**8 + 2144*\sqrt{2}*b**7 + 6470*b**6 + 5310*\sqrt{2}*b**5 \\
& + 2781*b**4 - 2322*\sqrt{2}*b**3 - 3402*b**2 + 729) + 78192*b**2/ \\
& (8*b**10 + 88*\sqrt{2}*b**9 + 828*b**8 + 2144*\sqrt{2}*b**7 + 6470*b**6 + 5310*\sqrt{2}*b**5 \\
& + 2781*b**4 - 2322*\sqrt{2}*b**3 - 3402*b**2 + 729) - 2592*\sqrt{2}*b/ \\
& (8*b**10 + 88*\sqrt{2}*b**9 + 828*b**8 + 2144*\sqrt{2}*b**7 + 6470*b**6 + 5310*\sqrt{2}*b**5 \\
& + 2781*b**4 - 2322*\sqrt{2}*b**3 - 3402*b**2 + 729) - 15552/(8*b**10 + 88*\sqrt{2}*b**9 + 828*b**8 + 2144*\sqrt{2}*b**7 \\
& + 6470*b**6 + 5310*\sqrt{2}*b**5 + 2781*b**4 - 2322*\sqrt{2}*b**3 - 3402*b**2 + 729)) + \\
& _t*(16*b**7/(4*b**6 + 28*\sqrt{2}*b**5 + 152*b**4 + 192*\sqrt{2}*b**3 + 189*b**2 - 27*\sqrt{2}*b - 81) \\
& + 116*\sqrt{2}*b**6/(4*b**6 + 28*\sqrt{2}*b**5 + 152*b**4 + 192*\sqrt{2}*b**3 + 189*b**2 - 27*\sqrt{2}*b - 81) \\
& + 668*b**5/(4*b**6 + 28*\sqrt{2}*b**5 + 152*b**4 + 192*\sqrt{2}*b**3 + 189*b**2 - 27*\sqrt{2}*b - 81) \\
& + 942*\sqrt{2}*b**4/(4*b**6 + 28*\sqrt{2}*b**5 + 152*b**4 + 192*\sqrt{2}*b**3 + 189*b**2 - 27*\sqrt{2}*b - 81) \\
& + 1226*b**3/(4*b**6 + 28*\sqrt{2}*b**5 + 152*b**4 + 192*\sqrt{2}*b**3 + 189*b**2 - 27*\sqrt{2}*b - 81) \\
& + 144*\sqrt{2}*b**2/(4*b**6 + 28*\sqrt{2}*b**5 + 152*b**4 + 192*\sqrt{2}*b**3 + 189*b**2 - 27*\sqrt{2}*b - 81) \\
& - 378*b/(4*b**6 + 28*\sqrt{2}*b**5 + 152*b**4 + 192*\sqrt{2}*b**3 + 189*b**2 - 27*\sqrt{2}*b - 81) \\
& - 108*\sqrt{2}/(4*b**6 + 28*\sqrt{2}*b**5 + 152*b**4 + 192*\sqrt{2}*b**3 + 189*b**2 - 27*\sqrt{2}*b - 81)) + x)))
\end{aligned}$$

$$3.105 \quad \int \frac{\sqrt{2+x^2}}{1+bx^2+x^4} dx$$

Optimal. Leaf size=160

$$\frac{(1-\sqrt{2})\log(-\sqrt{2-b}x+x^2+1)}{4\sqrt{2-b}} - \frac{(1-\sqrt{2})\log(\sqrt{2-b}x+x^2+1)}{4\sqrt{2-b}} - \frac{(1+\sqrt{2})\tan^{-1}\left(\frac{\sqrt{2-b}-2x}{\sqrt{b+2}}\right)}{2\sqrt{b+2}} + \frac{(1+\sqrt{2})\tan^{-1}\left(\frac{\sqrt{2-b}+2x}{\sqrt{b+2}}\right)}{2\sqrt{b+2}}$$

[Out] 1/4*ln(1+x^2-x*(2-b)^(1/2))*(1-2^(1/2))/(2-b)^(1/2)-1/4*ln(1+x^2+x*(2-b)^(1/2))*(1-2^(1/2))/(2-b)^(1/2)-1/2*arctan((-2*x+(2-b)^(1/2))/(2+b)^(1/2))*(1+2^(1/2))/(2+b)^(1/2)+1/2*arctan((2*x+(2-b)^(1/2))/(2+b)^(1/2))*(1+2^(1/2))/(2+b)^(1/2)

Rubi [A] time = 0.10, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1169, 634, 618, 204, 628}

$$\frac{(1-\sqrt{2})\log(-\sqrt{2-b}x+x^2+1)}{4\sqrt{2-b}} - \frac{(1-\sqrt{2})\log(\sqrt{2-b}x+x^2+1)}{4\sqrt{2-b}} - \frac{(1+\sqrt{2})\tan^{-1}\left(\frac{\sqrt{2-b}-2x}{\sqrt{b+2}}\right)}{2\sqrt{b+2}} + \frac{(1+\sqrt{2})\tan^{-1}\left(\frac{\sqrt{2-b}+2x}{\sqrt{b+2}}\right)}{2\sqrt{b+2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[2] + x^2)/(1 + b*x^2 + x^4), x]

[Out] -((1 + Sqrt[2])*ArcTan[(Sqrt[2 - b] - 2*x)/Sqrt[2 + b]])/(2*Sqrt[2 + b]) + ((1 + Sqrt[2])*ArcTan[(Sqrt[2 - b] + 2*x)/Sqrt[2 + b]])/(2*Sqrt[2 + b]) + ((1 - Sqrt[2])*Log[1 - Sqrt[2 - b]*x + x^2])/(4*Sqrt[2 - b]) - ((1 - Sqrt[2])*Log[1 + Sqrt[2 - b]*x + x^2])/(4*Sqrt[2 - b])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1169

Int[((d_.) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{2} + x^2}{1 + bx^2 + x^4} dx &= \frac{\int \frac{\sqrt{2}\sqrt{2-b} - (-1+\sqrt{2})x}{1-\sqrt{2-b}x+x^2} dx}{2\sqrt{2-b}} + \frac{\int \frac{\sqrt{2}\sqrt{2-b} + (-1+\sqrt{2})x}{1+\sqrt{2-b}x+x^2} dx}{2\sqrt{2-b}} \\ &= \frac{1}{4} (1 + \sqrt{2}) \int \frac{1}{1 - \sqrt{2-b}x + x^2} dx + \frac{1}{4} (1 + \sqrt{2}) \int \frac{1}{1 + \sqrt{2-b}x + x^2} dx + \frac{(1 - \sqrt{2}) \int}{4\sqrt{2-b}} \\ &= \frac{(1 - \sqrt{2}) \log(1 - \sqrt{2-b}x + x^2)}{4\sqrt{2-b}} - \frac{(1 - \sqrt{2}) \log(1 + \sqrt{2-b}x + x^2)}{4\sqrt{2-b}} + \frac{1}{2} (-1 - \sqrt{2}) \operatorname{Subst} \\ &= -\frac{(1 + \sqrt{2}) \tan^{-1}\left(\frac{\sqrt{2-b}-2x}{\sqrt{2+b}}\right)}{2\sqrt{2+b}} + \frac{(1 + \sqrt{2}) \tan^{-1}\left(\frac{\sqrt{2-b}+2x}{\sqrt{2+b}}\right)}{2\sqrt{2+b}} + \frac{(1 - \sqrt{2}) \log(1 - \sqrt{2-b}x + x^2)}{4\sqrt{2-b}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 136, normalized size = 0.85

$$\frac{\frac{(\sqrt{b^2-4}-b+2\sqrt{2}) \tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{b-\sqrt{b^2-4}}}\right)}{\sqrt{b-\sqrt{b^2-4}}} + \frac{(\sqrt{b^2-4}+b-2\sqrt{2}) \tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{\sqrt{b^2-4}+b}}\right)}{\sqrt{\sqrt{b^2-4}+b}}}{\sqrt{2}\sqrt{b^2-4}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[2] + x^2)/(1 + b*x^2 + x^4),x]

[Out] (((2*Sqrt[2] - b + Sqrt[-4 + b^2])*ArcTan[(Sqrt[2]*x)/Sqrt[b - Sqrt[-4 + b^2]]])/Sqrt[b - Sqrt[-4 + b^2]] + ((-2*Sqrt[2] + b + Sqrt[-4 + b^2])*ArcTan[(Sqrt[2]*x)/Sqrt[b + Sqrt[-4 + b^2]]])/Sqrt[b + Sqrt[-4 + b^2]])/(Sqrt[2]*Sqrt[-4 + b^2])

fricas [B] time = 0.49, size = 455, normalized size = 2.84

$$\frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\frac{3b - 4\sqrt{2} + \sqrt{b^2 - 4}}{b^2 - 4}} \log\left(\frac{1}{2} (2b - 3\sqrt{2})x + \frac{1}{2} \sqrt{\frac{1}{2}} \left(b^2 - \frac{b^3 - \sqrt{2}b^2 - 4b + 4\sqrt{2}}{\sqrt{b^2 - 4}} - 4\right) \sqrt{\frac{3b - 4\sqrt{2}}{b^2 - 4}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+2^(1/2))/(x^4+b*x^2+1),x, algorithm="fricas")

[Out] 1/2*sqrt(1/2)*sqrt(-(3*b - 4*sqrt(2) + sqrt(b^2 - 4))/(b^2 - 4))*log(1/2*(2*b - 3*sqrt(2))*x + 1/2*sqrt(1/2)*(b^2 - (b^3 - sqrt(2)*b^2 - 4*b + 4*sqrt(2))/sqrt(b^2 - 4) - 4)*sqrt(-(3*b - 4*sqrt(2) + sqrt(b^2 - 4))/(b^2 - 4))) - 1/2*sqrt(1/2)*sqrt(-(3*b - 4*sqrt(2) + sqrt(b^2 - 4))/(b^2 - 4))*log(1/2*(2*b - 3*sqrt(2))*x - 1/2*sqrt(1/2)*(b^2 - (b^3 - sqrt(2)*b^2 - 4*b + 4*sqrt(2))/sqrt(b^2 - 4) - 4)*sqrt(-(3*b - 4*sqrt(2) + sqrt(b^2 - 4))/(b^2 - 4))) + 1/2*sqrt(1/2)*sqrt(-(3*b - 4*sqrt(2) - sqrt(b^2 - 4))/(b^2 - 4))*log(1/2*(2*b - 3*sqrt(2))*x + 1/2*sqrt(1/2)*(b^2 + (b^3 - sqrt(2)*b^2 - 4*b + 4*sqrt(2))/sqrt(b^2 - 4) - 4)*sqrt(-(3*b - 4*sqrt(2) - sqrt(b^2 - 4))/(b^2 - 4))) - 1/2*sqrt(1/2)*sqrt(-(3*b - 4*sqrt(2) - sqrt(b^2 - 4))/(b^2 - 4))*log(1/2*(2*b - 3*sqrt(2))*x - 1/2*sqrt(1/2)*(b^2 + (b^3 - sqrt(2)*b^2 - 4*b + 4*sqrt(2))/sqrt(b^2 - 4) - 4)*sqrt(-(3*b - 4*sqrt(2) - sqrt(b^2 - 4))/(b^2 - 4)))

giac [B] time = 0.35, size = 1501, normalized size = 9.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+2^(1/2))/(x^4+b*x^2+1),x, algorithm="giac")

[Out] 1/4*(sqrt(2)*sqrt(b + 2)*b^4 + sqrt(2)*sqrt(b - 2)*b^4 - sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*b^3 - sqrt(2)*sqrt(b^2 - 4)*sqrt(b - 2)*b^3 - sqrt(2)*sqrt(b + 2)*sqrt(b - 2)*b^3 - 3*sqrt(2)*b^4 + 3*sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*sqrt(b - 2)*b^2 + sqrt(2)*sqrt(b^2 - 4)*b^3 - sqrt(2)*sqrt(b + 2)*b^3 - sqrt(2)*sqrt(b - 2)*b^3 + sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*b^2 + sqrt(2)*sqrt(b^2 - 4)*sqrt(b - 2)*b^2 + sqrt(2)*sqrt(b + 2)*sqrt(b - 2)*b^2 + 3*sqrt(2)*b^3 - 3*sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*sqrt(b - 2)*b - sqrt(2)*sqrt(b^2 - 4)*b^2 - 10*sqrt(2)*sqrt(b + 2)*b^2 + 2*sqrt(b^2 - 4)*sqrt(b + 2)*b^2

```

- 6*sqrt(2)*sqrt(b - 2)*b^2 + 2*sqrt(b^2 - 4)*sqrt(b - 2)*b^2 + 2*sqrt(b +
2)*sqrt(b - 2)*b^2 + 4*sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*b + 4*sqrt(2)*sqrt
(b^2 - 4)*sqrt(b - 2)*b + 4*sqrt(2)*sqrt(b + 2)*sqrt(b - 2)*b + 24*sqrt(2)*
b^2 - 2*sqrt(b^2 - 4)*b^2 - 12*sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*sqrt(b - 2
) - 4*sqrt(2)*sqrt(b^2 - 4)*b + 6*sqrt(2)*sqrt(b + 2)*b - 4*sqrt(b^2 - 4)*s
qrt(b + 2)*b + 2*sqrt(2)*sqrt(b - 2)*b - 4*sqrt(b^2 - 4)*sqrt(b - 2)*b - 4*
sqrt(b + 2)*sqrt(b - 2)*b - 6*b^2 + 4*sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2) + 4
*sqrt(2)*sqrt(b^2 - 4)*sqrt(b - 2) + 4*sqrt(2)*sqrt(b + 2)*sqrt(b - 2) + 6*
sqrt(b^2 - 4)*sqrt(b + 2)*sqrt(b - 2) - 12*sqrt(2)*b + 4*sqrt(b^2 - 4)*b +
2*sqrt(b + 2)*b + 2*sqrt(b - 2)*b - 4*sqrt(2)*sqrt(b^2 - 4) + 20*sqrt(2)*sq
rt(b + 2) - 8*sqrt(b^2 - 4)*sqrt(b + 2) + 4*sqrt(2)*sqrt(b - 2) - 8*sqrt(b^
2 - 4)*sqrt(b - 2) - 8*sqrt(b + 2)*sqrt(b - 2) - 48*sqrt(2) + 8*sqrt(b^2 -
4) - 4*sqrt(b + 2) + 4*sqrt(b - 2) + 24)*arctan(x/sqrt(1/2*b + 1/2*sqrt(b^2
- 4)))/(b^4 - 2*b^3 - 7*b^2 + 8*b + 12) + 1/4*(sqrt(2)*sqrt(b + 2)*b^4 - s
qrt(2)*sqrt(b - 2)*b^4 + sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*b^3 - sqrt(2)*sq
rt(b^2 - 4)*sqrt(b - 2)*b^3 - sqrt(2)*sqrt(b + 2)*sqrt(b - 2)*b^3 + 3*sqrt(
2)*b^4 - 3*sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*sqrt(b - 2)*b^2 + sqrt(2)*sqrt
(b^2 - 4)*b^3 - sqrt(2)*sqrt(b + 2)*b^3 + sqrt(2)*sqrt(b - 2)*b^3 - sqrt(2)
*sqrt(b^2 - 4)*sqrt(b + 2)*b^2 + sqrt(2)*sqrt(b^2 - 4)*sqrt(b - 2)*b^2 + sq
rt(2)*sqrt(b + 2)*sqrt(b - 2)*b^2 - 3*sqrt(2)*b^3 + 3*sqrt(2)*sqrt(b^2 - 4)
*sqrt(b + 2)*sqrt(b - 2)*b - sqrt(2)*sqrt(b^2 - 4)*b^2 - 10*sqrt(2)*sqrt(b
+ 2)*b^2 - 2*sqrt(b^2 - 4)*sqrt(b + 2)*b^2 + 6*sqrt(2)*sqrt(b - 2)*b^2 + 2*
sqrt(b^2 - 4)*sqrt(b - 2)*b^2 + 2*sqrt(b + 2)*sqrt(b - 2)*b^2 - 4*sqrt(2)*s
qrt(b^2 - 4)*sqrt(b + 2)*b + 4*sqrt(2)*sqrt(b^2 - 4)*sqrt(b - 2)*b + 4*sqrt
(2)*sqrt(b + 2)*sqrt(b - 2)*b - 24*sqrt(2)*b^2 - 2*sqrt(b^2 - 4)*b^2 + 12*s
qrt(2)*sqrt(b^2 - 4)*sqrt(b + 2)*sqrt(b - 2) - 4*sqrt(2)*sqrt(b^2 - 4)*b +
6*sqrt(2)*sqrt(b + 2)*b + 4*sqrt(b^2 - 4)*sqrt(b + 2)*b - 2*sqrt(2)*sqrt(b
- 2)*b - 4*sqrt(b^2 - 4)*sqrt(b - 2)*b - 4*sqrt(b + 2)*sqrt(b - 2)*b + 6*b^
2 - 4*sqrt(2)*sqrt(b^2 - 4)*sqrt(b + 2) + 4*sqrt(2)*sqrt(b^2 - 4)*sqrt(b -
2) + 4*sqrt(2)*sqrt(b + 2)*sqrt(b - 2) - 6*sqrt(b^2 - 4)*sqrt(b + 2)*sqrt(b
- 2) + 12*sqrt(2)*b + 4*sqrt(b^2 - 4)*b + 2*sqrt(b + 2)*b - 2*sqrt(b - 2)*
b - 4*sqrt(2)*sqrt(b^2 - 4) + 20*sqrt(2)*sqrt(b + 2) + 8*sqrt(b^2 - 4)*sqrt
(b + 2) - 4*sqrt(2)*sqrt(b - 2) - 8*sqrt(b^2 - 4)*sqrt(b - 2) - 8*sqrt(b +
2)*sqrt(b - 2) + 48*sqrt(2) + 8*sqrt(b^2 - 4) - 4*sqrt(b + 2) - 4*sqrt(b -
2) - 24)*arctan(x/sqrt(1/2*b - 1/2*sqrt(b^2 - 4)))/(b^4 - 2*b^3 - 7*b^2 + 8
*b + 12)

```

maple [B] time = 0.02, size = 283, normalized size = 1.77

$$\frac{b \arctan\left(\frac{2x}{\sqrt{2b-2}\sqrt{(b-2)(b+2)}}\right)}{\sqrt{(b-2)(b+2)}\sqrt{2b-2}\sqrt{(b-2)(b+2)}} + \frac{b \arctan\left(\frac{2x}{\sqrt{2b+2}\sqrt{(b-2)(b+2)}}\right)}{\sqrt{(b-2)(b+2)}\sqrt{2b+2}\sqrt{(b-2)(b+2)}} + \frac{\arctan\left(\frac{2x}{\sqrt{2b-2}\sqrt{(b-2)(b+2)}}\right)}{\sqrt{2b-2}\sqrt{(b-2)(b+2)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2+2^(1/2))/(x^4+b*x^2+1),x)`

[Out] $\frac{1}{(2*b+2*((b-2)*(b+2))^(1/2))^(1/2)} \arctan\left(\frac{2}{(2*b+2*((b-2)*(b+2))^(1/2))^(1/2)} * x\right) + \frac{1}{((b-2)*(b+2))^(1/2)} \frac{1}{(2*b+2*((b-2)*(b+2))^(1/2))^(1/2)} * b \arctan\left(\frac{2}{(2*b+2*((b-2)*(b+2))^(1/2))^(1/2)} * x\right) - \frac{2}{((b-2)*(b+2))^(1/2)} \frac{1}{(2*b+2*((b-2)*(b+2))^(1/2))^(1/2)} * 2^(1/2) \arctan\left(\frac{2}{(2*b+2*((b-2)*(b+2))^(1/2))^(1/2)} * x\right) + \frac{1}{(2*b-2*((b-2)*(b+2))^(1/2))^(1/2)} \arctan\left(\frac{2}{(2*b-2*((b-2)*(b+2))^(1/2))^(1/2)} * x\right) - \frac{1}{((b-2)*(b+2))^(1/2)} \frac{1}{(2*b-2*((b-2)*(b+2))^(1/2))^(1/2)} * b \arctan\left(\frac{2}{(2*b-2*((b-2)*(b+2))^(1/2))^(1/2)} * x\right) + \frac{2}{((b-2)*(b+2))^(1/2)} \frac{1}{(2*b-2*((b-2)*(b+2))^(1/2))^(1/2)} * 2^(1/2) \arctan\left(\frac{2}{(2*b-2*((b-2)*(b+2))^(1/2))^(1/2)} * x\right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + \sqrt{2}}{x^4 + bx^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^2+2^(1/2))/(x^4+b*x^2+1),x, algorithm="maxima")`

[Out] `integrate((x^2 + sqrt(2))/(x^4 + b*x^2 + 1), x)`

mupad [B] time = 5.25, size = 1227, normalized size = 7.67

$$-\operatorname{atan} \left(\frac{x \sqrt{\frac{12b-16\sqrt{2}+4\sqrt{2}b^2-3b^3+\sqrt{b^6-12b^4+48b^2-64}}{8b^4-64b^2+128}}}{32i - bx \left(\frac{12b-16\sqrt{2}+4\sqrt{2}b^2-3b^3+\sqrt{b^6-12b^4+48b^2-64}}{8b^4-64b^2+128} \right)^{3/2}} \right) 256i + b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2^(1/2) + x^2)/(b*x^2 + x^4 + 1),x)`

[Out] $\operatorname{atan}\left(\frac{x \left(-\left(16 \cdot 2^{1/2} - 12b - 4 \cdot 2^{1/2} b^2 + 3b^3 + \left(48b^2 - 12b^4 + b^6 - 64\right)^{1/2} \right) \right)}{\left(8b^4 - 64b^2 + 128\right)^{1/2}} \right) \cdot 32i - bx \cdot \frac{\left(-\left(16 \cdot 2^{1/2} - 12b - 4 \cdot 2^{1/2} b^2 + 3b^3 + \left(48b^2 - 12b^4 + b^6 - 64\right)^{1/2} \right) \right)}{\left(8b^4 - 64b^2 + 128\right)^{3/2}} \cdot 256i + b^2 \cdot \frac{\left(-\left(16 \cdot 2^{1/2} - 12b - 4 \cdot 2^{1/2} b^2 + 3b^3 + \left(48b^2 - 12b^4 + b^6 - 64\right)^{1/2} \right) \right)}{\left(8b^4 - 64b^2 + 128\right)^{1/2}} \cdot 8i - b^4 \cdot \frac{\left(-\left(16 \cdot 2^{1/2} - 12b - 4 \cdot 2^{1/2} b^2 + 3b^3 + \left(48b^2 - 12b^4 + b^6 - 64\right)^{1/2} \right) \right)}{\left(8b^4 - 64b^2 + 128\right)^{1/2}} \cdot 4i + b^3 \cdot \frac{\left(-\left(16 \cdot 2^{1/2} - 12b - 4 \cdot 2^{1/2} b^2 + 3b^3 + \left(48b^2 - 12b^4 + b^6 - 64\right)^{1/2} \right) \right)}{\left(8b^4 - 64b^2 + 128\right)^{3/2}} \cdot 128i - b^5 \cdot \frac{\left(-\left(16 \cdot 2^{1/2} - 12b - 4 \cdot 2^{1/2} b^2 + 3b^3 + \left(48b^2 - 12b^4 + b^6 - 64\right)^{1/2} \right) \right)}{\left(8b^4 - 64b^2 + 128\right)^{3/2}} \cdot 16i - 2^{1/2} \cdot \frac{\left(-\left(16 \cdot 2^{1/2} - 12b - 4 \cdot 2^{1/2} b^2 + 3b^3 + \left(48b^2 - 12b^4 + b^6 - 64\right)^{1/2} \right) \right)}{\left(8b^4 - 64b^2 + 128\right)^{1/2}} \cdot 32i + 2^{1/2} \cdot b^3 \cdot \frac{\left(-\left(16 \cdot 2^{1/2} - 12b - 4 \cdot 2^{1/2} b^2 + 3b^3 + \left(48b^2 - 12b^4 + b^6 - 64\right)^{1/2} \right) \right)}{\left(8b^4 - 64b^2 + 128\right)^{1/2}}$

$$\begin{aligned} &))/(8*b^4 - 64*b^2 + 128))^{(1/2)}*8i)/(2^{(1/2)}*b^3 - 4*2^{(1/2)}*b + 2^{(1/2)}*(\\ & 48*b^2 - 12*b^4 + b^6 - 64)^{(1/2)} - 2*b^2 + 8))*(-(16*2^{(1/2)} - 12*b - 4*2^{(1/2)} \\ & (1/2)*b^2 + 3*b^3 + (48*b^2 - 12*b^4 + b^6 - 64)^{(1/2)})/(8*b^4 - 64*b^2 + 1 \\ & 28))^{(1/2)}*2i - \operatorname{atan}((x*((12*b - 16*2^{(1/2)} + 4*2^{(1/2)}*b^2 - 3*b^3 + (48*b \\ & ^2 - 12*b^4 + b^6 - 64)^{(1/2)}))/(8*b^4 - 64*b^2 + 128))^{(1/2)}*32i - b*x*((12 \\ & *b - 16*2^{(1/2)} + 4*2^{(1/2)}*b^2 - 3*b^3 + (48*b^2 - 12*b^4 + b^6 - 64)^{(1/2)} \\ &))/(8*b^4 - 64*b^2 + 128))^{(3/2)}*256i + b^2*x*((12*b - 16*2^{(1/2)} + 4*2^{(1/2)} \\ &)*b^2 - 3*b^3 + (48*b^2 - 12*b^4 + b^6 - 64)^{(1/2)})/(8*b^4 - 64*b^2 + 128) \\ &)^{(1/2)}*8i - b^4*x*((12*b - 16*2^{(1/2)} + 4*2^{(1/2)}*b^2 - 3*b^3 + (48*b^2 - \\ & 12*b^4 + b^6 - 64)^{(1/2)})/(8*b^4 - 64*b^2 + 128))^{(1/2)}*4i + b^3*x*((12*b - \\ & 16*2^{(1/2)} + 4*2^{(1/2)}*b^2 - 3*b^3 + (48*b^2 - 12*b^4 + b^6 - 64)^{(1/2)})/(\\ & 8*b^4 - 64*b^2 + 128))^{(3/2)}*128i - b^5*x*((12*b - 16*2^{(1/2)} + 4*2^{(1/2)}*b \\ & ^2 - 3*b^3 + (48*b^2 - 12*b^4 + b^6 - 64)^{(1/2)})/(8*b^4 - 64*b^2 + 128))^{(3 \\ & /2)}*16i - 2^{(1/2)}*b*x*((12*b - 16*2^{(1/2)} + 4*2^{(1/2)}*b^2 - 3*b^3 + (48*b^2 \\ & - 12*b^4 + b^6 - 64)^{(1/2)})/(8*b^4 - 64*b^2 + 128))^{(1/2)}*32i + 2^{(1/2)}*b^ \\ & 3*x*((12*b - 16*2^{(1/2)} + 4*2^{(1/2)}*b^2 - 3*b^3 + (48*b^2 - 12*b^4 + b^6 - \\ & 64)^{(1/2)})/(8*b^4 - 64*b^2 + 128))^{(1/2)}*8i)/(4*2^{(1/2)}*b - 2^{(1/2)}*b^3 + 2 \\ & ^{(1/2)}*(48*b^2 - 12*b^4 + b^6 - 64)^{(1/2)} + 2*b^2 - 8))*((12*b - 16*2^{(1/2)} \\ & + 4*2^{(1/2)}*b^2 - 3*b^3 + (48*b^2 - 12*b^4 + b^6 - 64)^{(1/2)})/(8*b^4 - 64* \\ & b^2 + 128))^{(1/2)}*2i \end{aligned}$$

sympy [B] time = 2.73, size = 1467, normalized size = 9.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**2+2**(1/2))/(x**4+b*x**2+1),x)`

[Out] `RootSum(_t**4*(16*b**4 - 128*b**2 + 256) + _t**2*(12*b**3 - 16*sqrt(2)*b**2 - 48*b + 64*sqrt(2)) + 2*b**2 - 6*sqrt(2)*b + 9, Lambda(_t, _t*log(_t**3*(64*b**12/(8*b**10 - 88*sqrt(2)*b**9 + 828*b**8 - 2144*sqrt(2)*b**7 + 6470*b**6 - 5310*sqrt(2)*b**5 + 2781*b**4 + 2322*sqrt(2)*b**3 - 3402*b**2 + 729) - 672*sqrt(2)*b**11/(8*b**10 - 88*sqrt(2)*b**9 + 828*b**8 - 2144*sqrt(2)*b**7 + 6470*b**6 - 5310*sqrt(2)*b**5 + 2781*b**4 + 2322*sqrt(2)*b**3 - 3402*b**2 + 729) + 5760*b**10/(8*b**10 - 88*sqrt(2)*b**9 + 828*b**8 - 2144*sqrt(2)*b**7 + 6470*b**6 - 5310*sqrt(2)*b**5 + 2781*b**4 + 2322*sqrt(2)*b**3 - 3402*b**2 + 729) - 12064*sqrt(2)*b**9/(8*b**10 - 88*sqrt(2)*b**9 + 828*b**8 - 2144*sqrt(2)*b**7 + 6470*b**6 - 5310*sqrt(2)*b**5 + 2781*b**4 + 2322*sqrt(2)*b**3 - 3402*b**2 + 729) + 17744*b**8/(8*b**10 - 88*sqrt(2)*b**9 + 828*b**8 - 2144*sqrt(2)*b**7 + 6470*b**6 - 5310*sqrt(2)*b**5 + 2781*b**4 + 2322*sqrt(2)*b**3 - 3402*b**2 + 729) + 27480*sqrt(2)*b**7/(8*b**10 - 88*sqrt(2)*b**9 + 828*b**8 - 2144*sqrt(2)*b**7 + 6470*b**6 - 5310*sqrt(2)*b**5 + 2781*b**4 + 2322*sqrt(2)*b**3 - 3402*b**2 + 729) - 154608*b**6/(8*b**10 - 88*sqrt(2)*b**9 + 828*b**8 - 2144*sqrt(2)*b**7 + 6470*b**6 - 5310*sqrt(2)*b**5 + 2781*b**4 + 2322*sqrt(2)*b**3 - 3402*b**2 + 729) + 141376*sqrt(2)*b**5/(8*b`

$$\begin{aligned}
& *10 - 88*\sqrt{2}*b^{**9} + 828*b^{**8} - 2144*\sqrt{2}*b^{**7} + 6470*b^{**6} - 5310*\sqrt{2}*b^{**5} \\
& + 2781*b^{**4} + 2322*\sqrt{2}*b^{**3} - 3402*b^{**2} + 729) - 69072*b^{**4}/(8*b^{**10} - 88*\sqrt{2}*b^{**9} \\
& + 828*b^{**8} - 2144*\sqrt{2}*b^{**7} + 6470*b^{**6} - 5310*\sqrt{2}*b^{**5} + 2781*b^{**4} + 2322*\sqrt{2}*b^{**3} \\
& - 3402*b^{**2} + 729) - 61704*\sqrt{2}*b^{**3}/(8*b^{**10} - 88*\sqrt{2}*b^{**9} + 828*b^{**8} - 2144*\sqrt{2}*b^{**7} + 6470 \\
& *b^{**6} - 5310*\sqrt{2}*b^{**5} + 2781*b^{**4} + 2322*\sqrt{2}*b^{**3} - 3402*b^{**2} + 729) \\
& + 78192*b^{**2}/(8*b^{**10} - 88*\sqrt{2}*b^{**9} + 828*b^{**8} - 2144*\sqrt{2}*b^{**7} + 6470*b^{**6} - 5310*\sqrt{2}*b^{**5} \\
& + 2781*b^{**4} + 2322*\sqrt{2}*b^{**3} - 3402*b^{**2} + 729) + 2592*\sqrt{2}*b/(8*b^{**10} - 88*\sqrt{2}*b^{**9} + 828*b^{**8} - 2144*\sqrt{2}*b^{**7} \\
& + 6470*b^{**6} - 5310*\sqrt{2}*b^{**5} + 2781*b^{**4} + 2322*\sqrt{2}*b^{**3} - 3402*b^{**2} + 729) - 15552/(8*b^{**10} - 88*\sqrt{2}*b^{**9} \\
& + 828*b^{**8} - 2144*\sqrt{2}*b^{**7} + 6470*b^{**6} - 5310*\sqrt{2}*b^{**5} + 2781*b^{**4} + 2322*\sqrt{2}*b^{**3} - 3402 \\
& *b^{**2} + 729)) + _t*(16*b^{**7}/(4*b^{**6} - 28*\sqrt{2}*b^{**5} + 152*b^{**4} - 192*\sqrt{2}*b^{**3} + 189*b^{**2} + 27*\sqrt{2}*b - 81) \\
& - 116*\sqrt{2}*b^{**6}/(4*b^{**6} - 28*\sqrt{2}*b^{**5} + 152*b^{**4} - 192*\sqrt{2}*b^{**3} + 189*b^{**2} + 27*\sqrt{2}*b - 81) + \\
& 668*b^{**5}/(4*b^{**6} - 28*\sqrt{2}*b^{**5} + 152*b^{**4} - 192*\sqrt{2}*b^{**3} + 189*b^{**2} + 27*\sqrt{2}*b - 81) - 942*\sqrt{2}*b^{**4}/(4*b^{**6} - 28*\sqrt{2}*b^{**5} \\
& + 152*b^{**4} - 192*\sqrt{2}*b^{**3} + 189*b^{**2} + 27*\sqrt{2}*b - 81) + 1226*b^{**3}/(4*b^{**6} - 28*\sqrt{2}*b^{**5} + 152*b^{**4} - 192*\sqrt{2}*b^{**3} \\
& + 189*b^{**2} + 27*\sqrt{2}*b - 81) - 144*\sqrt{2}*b^{**2}/(4*b^{**6} - 28*\sqrt{2}*b^{**5} + 152*b^{**4} - 192*\sqrt{2}*b^{**3} + 189*b^{**2} \\
& + 27*\sqrt{2}*b - 81) - 378*b/(4*b^{**6} - 28*\sqrt{2}*b^{**5} + 152*b^{**4} - 192*\sqrt{2}*b^{**3} + 189*b^{**2} + 27*\sqrt{2}*b - 81) \\
& + 108*\sqrt{2}/(4*b^{**6} - 28*\sqrt{2}*b^{**5} + 152*b^{**4} - 192*\sqrt{2}*b^{**3} + 189*b^{**2} + 27*\sqrt{2}*b - 81)) + x)))
\end{aligned}$$

$$3.106 \quad \int \frac{2a-x^2}{a^2-ax^2+x^4} dx$$

Optimal. Leaf size=114

$$\frac{\sqrt{3} \log(-\sqrt{3}\sqrt{a}x + a + x^2)}{4\sqrt{a}} + \frac{\sqrt{3} \log(\sqrt{3}\sqrt{a}x + a + x^2)}{4\sqrt{a}} - \frac{\tan^{-1}\left(\sqrt{3} - \frac{2x}{\sqrt{a}}\right)}{2\sqrt{a}} + \frac{\tan^{-1}\left(\frac{2x}{\sqrt{a}} + \sqrt{3}\right)}{2\sqrt{a}}$$

[Out] $1/2*\arctan(-3^{(1/2)+2*x/a^{(1/2))}/a^{(1/2)}+1/2*\arctan(3^{(1/2)+2*x/a^{(1/2))}/a^{(1/2)}-1/4*\ln(a+x^2-x*3^{(1/2)*a^{(1/2))}*3^{(1/2)}/a^{(1/2)}+1/4*\ln(a+x^2+x*3^{(1/2)*a^{(1/2))}*3^{(1/2)}/a^{(1/2)})$

Rubi [A] time = 0.08, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1169, 634, 617, 204, 628}

$$\frac{\sqrt{3} \log(-\sqrt{3}\sqrt{a}x + a + x^2)}{4\sqrt{a}} + \frac{\sqrt{3} \log(\sqrt{3}\sqrt{a}x + a + x^2)}{4\sqrt{a}} - \frac{\tan^{-1}\left(\sqrt{3} - \frac{2x}{\sqrt{a}}\right)}{2\sqrt{a}} + \frac{\tan^{-1}\left(\frac{2x}{\sqrt{a}} + \sqrt{3}\right)}{2\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[(2*a - x^2)/(a^2 - a*x^2 + x^4), x]

[Out] -ArcTan[Sqrt[3] - (2*x)/Sqrt[a]]/(2*Sqrt[a]) + ArcTan[Sqrt[3] + (2*x)/Sqrt[a]]/(2*Sqrt[a]) - (Sqrt[3]*Log[a - Sqrt[3]*Sqrt[a]*x + x^2])/(4*Sqrt[a]) + (Sqrt[3]*Log[a + Sqrt[3]*Sqrt[a]*x + x^2])/(4*Sqrt[a])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d},

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1169

```
Int[((d_.) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned} \int \frac{2a - x^2}{a^2 - ax^2 + x^4} dx &= \frac{\int \frac{2\sqrt{3}a^{3/2} - 3ax}{a - \sqrt{3}\sqrt{ax+x^2}} dx}{2\sqrt{3}a^{3/2}} + \frac{\int \frac{2\sqrt{3}a^{3/2} + 3ax}{a + \sqrt{3}\sqrt{ax+x^2}} dx}{2\sqrt{3}a^{3/2}} \\ &= \frac{1}{4} \int \frac{1}{a - \sqrt{3}\sqrt{ax+x^2}} dx + \frac{1}{4} \int \frac{1}{a + \sqrt{3}\sqrt{ax+x^2}} dx - \frac{\sqrt{3} \int \frac{-\sqrt{3}\sqrt{a}+2x}{a - \sqrt{3}\sqrt{ax+x^2}} dx}{4\sqrt{a}} + \frac{\sqrt{3} \int \frac{\sqrt{3}\sqrt{a}+2x}{a + \sqrt{3}\sqrt{ax+x^2}} dx}{4\sqrt{a}} \\ &= -\frac{\sqrt{3} \log(a - \sqrt{3}\sqrt{ax+x^2})}{4\sqrt{a}} + \frac{\sqrt{3} \log(a + \sqrt{3}\sqrt{ax+x^2})}{4\sqrt{a}} + \frac{\text{Subst}\left(\int \frac{1}{-\frac{1}{3}-x^2} dx, x, 1 - \frac{2x}{\sqrt{3}}\right)}{2\sqrt{3}\sqrt{a}} \\ &= -\frac{\tan^{-1}\left(\sqrt{3} - \frac{2x}{\sqrt{a}}\right)}{2\sqrt{a}} + \frac{\tan^{-1}\left(\sqrt{3} + \frac{2x}{\sqrt{a}}\right)}{2\sqrt{a}} - \frac{\sqrt{3} \log(a - \sqrt{3}\sqrt{ax+x^2})}{4\sqrt{a}} + \frac{\sqrt{3} \log(a + \sqrt{3}\sqrt{ax+x^2})}{4\sqrt{a}} \end{aligned}$$

Mathematica [C] time = 0.17, size = 115, normalized size = 1.01

$$\frac{\sqrt[4]{-1} \left(\sqrt{\sqrt{3} - i} (\sqrt{3} - 3i) \tanh^{-1} \left(\frac{(1+i)x}{\sqrt{\sqrt{3} + i\sqrt{a}}} \right) - \sqrt{\sqrt{3} + i} (\sqrt{3} + 3i) \tan^{-1} \left(\frac{(1+i)x}{\sqrt{\sqrt{3} - i\sqrt{a}}} \right) \right)}{2\sqrt{6}\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(2*a - x^2)/(a^2 - a*x^2 + x^4),x]

[Out] $((-1)^{1/4} * (-\sqrt{I + \sqrt{3}}) * (3I + \sqrt{3}) * \text{ArcTan}[\frac{(1 + I)x}{\sqrt{-I + \sqrt{3}} * \sqrt{a}}]) + \sqrt{-I + \sqrt{3}} * (-3I + \sqrt{3}) * \text{ArcTanh}[\frac{(1 + I)x}{\sqrt{I + \sqrt{3}} * \sqrt{a}}]) / (2 * \sqrt{6} * \sqrt{a})$

fricas [B] time = 0.43, size = 517, normalized size = 4.54

$$\frac{1}{24} \left(\sqrt{3} a \sqrt{\frac{1}{a^2}} + 2\sqrt{3} \right) \sqrt{-4a\sqrt{\frac{1}{a^2}} + 8} + \frac{1}{a^2} \log \left(6a^2 \sqrt{\frac{1}{a^2}} + 6x^2 + \left(\sqrt{3} a^2 \sqrt{\frac{1}{a^2}} x + 2\sqrt{3} ax \right) \sqrt{-4a\sqrt{\frac{1}{a^2}} + 8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+2*a)/(x^4-a*x^2+a^2),x, algorithm="fricas")

[Out] $\frac{1}{24} * (\sqrt{3} * a * \sqrt{a^{-2}} + 2 * \sqrt{3}) * \sqrt{-4 * a * \sqrt{a^{-2}} + 8} * (a^{-2})^{1/4} * \log(6 * a^2 * \sqrt{a^{-2}} + 6 * x^2 + (\sqrt{3} * a^2 * \sqrt{a^{-2}} * x + 2 * \sqrt{3} * a * x) * \sqrt{-4 * a * \sqrt{a^{-2}} + 8} * (a^{-2})^{1/4}) - \frac{1}{24} * (\sqrt{3} * a * \sqrt{a^{-2}} + 2 * \sqrt{3}) * \sqrt{-4 * a * \sqrt{a^{-2}} + 8} * (a^{-2})^{1/4} * \log(6 * a^2 * \sqrt{a^{-2}} + 6 * x^2 - (\sqrt{3} * a^2 * \sqrt{a^{-2}} * x + 2 * \sqrt{3} * a * x) * \sqrt{-4 * a * \sqrt{a^{-2}} + 8} * (a^{-2})^{1/4}) - \frac{1}{2} * \sqrt{-4 * a * \sqrt{a^{-2}} + 8} * (a^{-2})^{1/4} * \arctan(\frac{1}{18} * (\sqrt{6} * a^2 * \sqrt{a^{-2}} + 2 * \sqrt{6} * a) * \sqrt{6 * a^2 * \sqrt{a^{-2}} + 6 * x^2 + (\sqrt{3} * a^2 * \sqrt{a^{-2}} * x + 2 * \sqrt{3} * a * x) * \sqrt{-4 * a * \sqrt{a^{-2}} + 8} * (a^{-2})^{1/4}}) * \sqrt{-4 * a * \sqrt{a^{-2}} + 8} * (a^{-2})^{3/4} - \frac{1}{3} * (a^2 * \sqrt{a^{-2}} * x + 2 * a * x) * \sqrt{-4 * a * \sqrt{a^{-2}} + 8} * (a^{-2})^{3/4} - \frac{1}{3} * \sqrt{3} * a * \sqrt{a^{-2}} - \frac{2}{3} * \sqrt{3}) - \frac{1}{2} * \sqrt{-4 * a * \sqrt{a^{-2}} + 8} * (a^{-2})^{1/4} * \arctan(\frac{1}{18} * (\sqrt{6} * a^2 * \sqrt{a^{-2}} + 2 * \sqrt{6} * a) * \sqrt{6 * a^2 * \sqrt{a^{-2}} + 6 * x^2 - (\sqrt{3} * a^2 * \sqrt{a^{-2}} * x + 2 * \sqrt{3} * a * x) * \sqrt{-4 * a * \sqrt{a^{-2}} + 8} * (a^{-2})^{1/4}}) * \sqrt{-4 * a * \sqrt{a^{-2}} + 8} * (a^{-2})^{3/4} - \frac{1}{3} * (a^2 * \sqrt{a^{-2}} * x + 2 * a * x) * \sqrt{-4 * a * \sqrt{a^{-2}} + 8} * (a^{-2})^{3/4} + \frac{1}{3} * \sqrt{3} * a * \sqrt{a^{-2}} + \frac{2}{3} * \sqrt{3})$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+2*a)/(x^4-a*x^2+a^2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warning, choosing root of [1,0,%%{-16, [2,0]%%}+%%{-4, [0,1]%%},0,%%{64, [4,0]%%}+%%{8, [2,2]%%}+%%{16, [2,1]%%}+%%{6, [0,2]%%},0,%%{-64, [4,2]%%}+%%{-128, [4,1]%%}+%%{48, [2,3]%%}+%%{16, [2,2]%%}+%%{-4, [0,3]%%},0,%%{16, [4,4]%%}+%%{-64, [4,3]%%}+%%{64, [4,2]%%}+%%{8, [2,4]%%}+%%{-16, [2,

3]%%}%+%%%{1, [0,4]%%}%] at parameters values [16,-63]Warning, choosing root of [1,0,%%%{-16, [2,0]%%}%]+%%%{-4, [0,1]%%}%},0,%%%{64, [4,0]%%}%+%%%{8, [2,2]%%}%+%%%{16, [2,1]%%}%]+%%%{6, [0,2]%%}%},0,%%%{-64, [4,2]%%}%+%%%{-128, [4,1]%%}%+%%%{48, [2,3]%%}%]+%%%{16, [2,2]%%}%+%%%{-4, [0,3]%%}%},0,%%%{16, [4,4]%%}%+%%%{-64, [4,3]%%}%]+%%%{64, [4,2]%%}%+%%%{8, [2,4]%%}%+%%%{-16, [2,3]%%}%+%%%{1, [0,4]%%}%] at parameters values [39,13]-((-32*a^5-40*a^4*abs(a)+8*sqrt(3)*a^4*sqrt(5*a^2+4*a*abs(a)))/sqrt(abs(a))*im(sign(cos(acos(a/2/abs(a))/2)))^3-1/12*(-864*sqrt(3)*a^5+864*a^4*sqrt(5*a^2+4*a*abs(a)))/sqrt(abs(a))*im(sign(cos(acos(a/2/abs(a))/2)))^2*im(sign(sin(acos(a/2/abs(a))/2)))-1/24*(-2880*sqrt(3)*a^5+1728*a^4*sqrt(5*a^2+4*a*abs(a))-2304*sqrt(3)*a^4*abs(a))/sqrt(abs(a))*im(sign(cos(acos(a/2/abs(a))/2)))^2*re(sign(cos(acos(a/2/abs(a))/2)))-(-72*a^4*abs(a)+24*sqrt(3)*a^4*sqrt(5*a^2+4*a*abs(a)))/sqrt(abs(a))*im(sign(cos(acos(a/2/abs(a))/2)))^2*re(sign(sin(acos(a/2/abs(a))/2)))-(-72*a^4*abs(a)+24*sqrt(3)*a^4*sqrt(5*a^2-4*a*abs(a)))/sqrt(abs(a))*im(sign(cos(acos(a/2/abs(a))/2)))*im(sign(sin(acos(a/2/abs(a))/2)))^2-(-144*a^4*abs(a)+48*sqrt(3)*a^4*sqrt(5*a^2+4*a*abs(a)))/sqrt(abs(a))*im(sign(cos(acos(a/2/abs(a))/2)))*im(sign(sin(acos(a/2/abs(a))/2)))*re(sign(cos(acos(a/2/abs(a))/2)))+1/24*(-3456*sqrt(3)*a^5+3456*a^4*sqrt(5*a^2-4*a*abs(a)))/sqrt(abs(a))*im(sign(cos(acos(a/2/abs(a))/2)))*im(sign(sin(acos(a/2/abs(a))/2)))*re(sign(sin(acos(a/2/abs(a))/2)))-(-96*a^5-120*a^4*abs(a)+24*sqrt(3)*a^4*sqrt(5*a^2+4*a*abs(a)))/sqrt(abs(a))*im(sign(cos(acos(a/2/abs(a))/2)))*re(sign(cos(acos(a/2/abs(a))/2)))*re(sign(sin(acos(a/2/abs(a))/2)))^2+1/24*(-3456*sqrt(3)*a^5+3456*a^4*sqrt(5*a^2+4*a*abs(a)))/sqrt(abs(a))*im(sign(cos(acos(a/2/abs(a))/2)))*re(sign(cos(acos(a/2/abs(a))/2)))*re(sign(sin(acos(a/2/abs(a))/2)))+(-72*a^4*abs(a)+24*sqrt(3)*a^4*sqrt(5*a^2-4*a*abs(a)))/sqrt(abs(a))*im(sign(cos(acos(a/2/abs(a))/2)))*re(sign(sin(acos(a/2/abs(a))/2)))^2+(64*sqrt(3)*a^5-128*a^5-64*a^4*abs(a))/sqrt(abs(a))*im(sign(cos(acos(a/2/abs(a))/2)))+1/8*(-320*sqrt(3)*a^5+192*a^4*sqrt(5*a^2-4*a*abs(a))+256*sqrt(3)*a^4*abs(a))/sqrt(abs(a))*im(sign(sin(acos(a/2/abs(a))/2)))^3+1/12*(-864*sqrt(3)*a^5+864*a^4*sqrt(5*a^2-4*a*abs(a)))/sqrt(abs(a))*im(sign(sin(acos(a/2/abs(a))/2)))^2*re(sign(cos(acos(a/2/abs(a))/2)))+(96*a^5-120*a^4*abs(a)+24*sqrt(3)*a^4*sqrt(5*a^2-4*a*abs(a)))/sqrt(abs(a))*im(sign(sin(acos(a/2/abs(a))/2)))^2*re(sign(sin(acos(a/2/abs(a))/2)))+1/12*(-864*sqrt(3)*a^5+864*a^4*sqrt(5*a^2+4*a*abs(a)))/sqrt(abs(a))*im(sign(sin(acos(a/2/abs(a))/2)))*re(sign(cos(acos(a/2/abs(a))/2)))^2+(-144*a^4*abs(a)+48*sqrt(3)*a^4*sqrt(5*a^2-4*a*abs(a)))/sqrt(abs(a))*im(sign(sin(acos(a/2/abs(a))/2)))*re(sign(cos(acos(a/2/abs(a))/2)))*re(sign(sin(acos(a/2/abs(a))/2)))-1/24*(-2880*sqrt(3)*a^5+1728*a^4*sqrt(5*a^2-4*a*abs(a))+2304*sqrt(3)*a^4*abs(a))/sqrt(abs(a))*im(sign(sin(acos(a/2/abs(a))/2)))*re(sign(sin(acos(a/2/abs(a))/2)))^2+(-128*sqrt(3)*a^5+384*abs(a)*a^4+256*sqrt(3)*a^4*abs(a))*1/2/sqrt(abs(a))*im(sign(sin(acos(a/2/abs(a))/2)))+1/8*(-320*sqrt(3)*a^5+192*a^4*sqrt(5*a^2+4*a*abs(a))-256*sqrt(3)*a^4*abs(a))/sqrt(abs(a))*re(sign(cos(acos(a/2/abs(a))/2)))^3+(-72*a^4*abs(a)+24*sqrt(3)*a^4*sqrt(5*a^2+4*a*abs(a)))/sqrt(abs(a))*re(sign(cos(acos(a/2/abs(a))/2)))^2*re(sign(sin(acos(a/2/abs(a))/2)))-1/12*(-864*sqrt(3)*a^5+864*a^4*sqrt(5*a^2-4*a*abs(a)))/sqrt(abs(a))*re(sign(cos(acos(a/2/abs(a))/2)))*re(sign(sin(acos(a/2/abs(a))/2)))^

$$\begin{aligned}
& 2+(128*\sqrt{3})*a^5+384*abs(a)*a^4+256*\sqrt{3})*a^4*abs(a))*1/2/\sqrt{abs(a)}* \\
& re(sign(cos(acos(a/2/abs(a))/2)))-(32*a^5-40*a^4*abs(a)+8*\sqrt{3})*a^4*\sqrt{5*a^2-4*a*abs(a)})/\sqrt{abs(a)}*re(sign(sin(acos(a/2/abs(a))/2)))^3+(128*a^ \\
& 3*\sqrt{abs(a)}*abs(a)+64*\sqrt{3})*a^4*\sqrt{abs(a)}-64*a^4*\sqrt{abs(a)})*re(s \\
& ign(sin(acos(a/2/abs(a))/2))))/(256*a^3*\sqrt{2*a^2+a*abs(a)}*\sqrt{3}*abs(a) \\
& -256*a^3*\sqrt{2*a^2-a*abs(a)}*\sqrt{3}*abs(a))*ln(x^2-2*\sqrt{(1+a*1/2/abs(a) \\
&)/2}*\sqrt{abs(a)}*sign(cos(acos(a*1/2/abs(a))/2))*x+\sqrt{abs(a)}*\sqrt{abs(a) \\
&))-(1/8*(-320*\sqrt{3})*a^5+192*a^4*\sqrt{5*a^2+4*a*abs(a)}-256*\sqrt{3})*a^4*a \\
& bs(a))/\sqrt{abs(a)}*im(sign(cos(acos(a/2/abs(a))/2)))^3+(-72*a^4*abs(a)+24* \\
& \sqrt{3})*a^4*\sqrt{5*a^2+4*a*abs(a)})/\sqrt{abs(a)}*im(sign(cos(acos(a/2/abs(a) \\
&))/2)))^2*im(sign(sin(acos(a/2/abs(a))/2)))+(-96*a^5-120*a^4*abs(a)+24*\sqrt{ \\
& 3})*a^4*\sqrt{5*a^2+4*a*abs(a)})/\sqrt{abs(a)}*im(sign(cos(acos(a/2/abs(a))/2 \\
&)))^2*re(sign(cos(acos(a/2/abs(a))/2)))-1/12*(-864*\sqrt{3})*a^5+864*a^4*\sqrt{ \\
& 5*a^2+4*a*abs(a)})/\sqrt{abs(a)}*im(sign(cos(acos(a/2/abs(a))/2)))^2*re(sig \\
& n(sin(acos(a/2/abs(a))/2)))-1/12*(-864*\sqrt{3})*a^5+864*a^4*\sqrt{5*a^2-4*a*a \\
& bs(a)})/\sqrt{abs(a)}*im(sign(cos(acos(a/2/abs(a))/2)))*im(sign(sin(acos(a/2 \\
& /abs(a))/2)))^2-1/24*(-3456*\sqrt{3})*a^5+3456*a^4*\sqrt{5*a^2+4*a*abs(a)})/sq \\
& rt(abs(a))*im(sign(cos(acos(a/2/abs(a))/2)))*im(sign(sin(acos(a/2/abs(a))/2 \\
&)))*re(sign(cos(acos(a/2/abs(a))/2)))-(-144*a^4*abs(a)+48*\sqrt{3})*a^4*\sqrt{ \\
& 5*a^2-4*a*abs(a)})/\sqrt{abs(a)}*im(sign(cos(acos(a/2/abs(a))/2)))*im(sign(s \\
& in(acos(a/2/abs(a))/2)))*re(sign(sin(acos(a/2/abs(a))/2)))-1/24*(-2880*\sqrt{ \\
& 3})*a^5+1728*a^4*\sqrt{5*a^2+4*a*abs(a)}-2304*\sqrt{3})*a^4*abs(a))/\sqrt{abs(a) \\
&)}*im(sign(cos(acos(a/2/abs(a))/2)))*re(sign(cos(acos(a/2/abs(a))/2)))^2-(- \\
& 144*a^4*abs(a)+48*\sqrt{3})*a^4*\sqrt{5*a^2+4*a*abs(a)})/\sqrt{abs(a)}*im(sign(\\
& cos(acos(a/2/abs(a))/2)))*re(sign(cos(acos(a/2/abs(a))/2)))*re(sign(sin(aco \\
& s(a/2/abs(a))/2)))+1/12*(-864*\sqrt{3})*a^5+864*a^4*\sqrt{5*a^2-4*a*abs(a)})/s \\
& qrt(abs(a))*im(sign(cos(acos(a/2/abs(a))/2)))*re(sign(sin(acos(a/2/abs(a))/ \\
& 2)))^2+(-128*\sqrt{3})*a^5+384*abs(a)*a^4-256*\sqrt{3})*a^4*abs(a))*1/2/\sqrt{ab \\
& s(a)}*im(sign(cos(acos(a/2/abs(a))/2)))-(32*a^5-40*a^4*abs(a)+8*\sqrt{3})*a^4 \\
& *\sqrt{5*a^2-4*a*abs(a)})/\sqrt{abs(a)}*im(sign(sin(acos(a/2/abs(a))/2)))^3-(\\
& -72*a^4*abs(a)+24*\sqrt{3})*a^4*\sqrt{5*a^2-4*a*abs(a)})/\sqrt{abs(a)}*im(sign(\\
& sin(acos(a/2/abs(a))/2)))^2*re(sign(cos(acos(a/2/abs(a))/2)))+1/24*(-2880*s \\
& qrt(3)*a^5+1728*a^4*\sqrt{5*a^2-4*a*abs(a)}+2304*\sqrt{3})*a^4*abs(a))/\sqrt{ab \\
& s(a)}*im(sign(sin(acos(a/2/abs(a))/2)))^2*re(sign(sin(acos(a/2/abs(a))/2))) \\
& -(-72*a^4*abs(a)+24*\sqrt{3})*a^4*\sqrt{5*a^2+4*a*abs(a)})/\sqrt{abs(a)}*im(sig \\
& n(sin(acos(a/2/abs(a))/2)))*re(sign(cos(acos(a/2/abs(a))/2)))^2+1/24*(-3456 \\
& *\sqrt{3})*a^5+3456*a^4*\sqrt{5*a^2-4*a*abs(a)})/\sqrt{abs(a)}*im(sign(sin(acos \\
& (a/2/abs(a))/2)))*re(sign(cos(acos(a/2/abs(a))/2)))*re(sign(sin(acos(a/2/ab \\
& s(a))/2)))+(96*a^5-120*a^4*abs(a)+24*\sqrt{3})*a^4*\sqrt{5*a^2-4*a*abs(a)})/sq \\
& rt(abs(a))*im(sign(sin(acos(a/2/abs(a))/2)))*re(sign(sin(acos(a/2/abs(a))/2 \\
&)))^2+(64*\sqrt{3})*a^5-128*a^5+64*a^4*abs(a))/\sqrt{abs(a)}*im(sign(sin(acos(\\
& a/2/abs(a))/2)))-(-32*a^5-40*a^4*abs(a)+8*\sqrt{3})*a^4*\sqrt{5*a^2+4*a*abs(a) \\
&))/\sqrt{abs(a)}*re(sign(cos(acos(a/2/abs(a))/2)))^3+1/12*(-864*\sqrt{3})*a^5+ \\
& 864*a^4*\sqrt{5*a^2+4*a*abs(a)})/\sqrt{abs(a)}*re(sign(cos(acos(a/2/abs(a))/2 \\
&)))^2*re(sign(sin(acos(a/2/abs(a))/2)))+(-72*a^4*abs(a)+24*\sqrt{3})*a^4*\sqrt{3}
\end{aligned}$$


```

im(acos(a/2/abs(a)))/2)*sinh(im(acos(a/2/abs(a)))/2)^2+a^2*sqrt(abs(a))*a*cos
os(re(acos(a/2/abs(a)))/2)^3*sinh(im(acos(a/2/abs(a)))/2)^3+3*a^2*sqrt(abs(
a))*a*cos(re(acos(a/2/abs(a)))/2)*cosh(im(acos(a/2/abs(a)))/2)^3*sin(re(aco
s(a/2/abs(a)))/2)^2-9*a^2*sqrt(abs(a))*a*cos(re(acos(a/2/abs(a)))/2)*cosh(i
m(acos(a/2/abs(a)))/2)^2*sin(re(acos(a/2/abs(a)))/2)^2*sinh(im(acos(a/2/abs
(a)))/2)+9*a^2*sqrt(abs(a))*a*cos(re(acos(a/2/abs(a)))/2)*cosh(im(acos(a/2/
abs(a)))/2)*sin(re(acos(a/2/abs(a)))/2)^2*sinh(im(acos(a/2/abs(a)))/2)^2-3*
a^2*sqrt(abs(a))*a*cos(re(acos(a/2/abs(a)))/2)*sin(re(acos(a/2/abs(a)))/2)^
2*sinh(im(acos(a/2/abs(a)))/2)^3+2*sqrt(3)*a^2*sqrt(abs(a))*a*cosh(im(acos(
a/2/abs(a)))/2)*sin(re(acos(a/2/abs(a)))/2)-2*sqrt(3)*a^2*sqrt(abs(a))*a*si
n(re(acos(a/2/abs(a)))/2)*sinh(im(acos(a/2/abs(a)))/2)-3*sqrt(3)*abs(a)*a^2
*sqrt(abs(a))*cos(re(acos(a/2/abs(a)))/2)^2*cosh(im(acos(a/2/abs(a)))/2)^3*
sin(re(acos(a/2/abs(a)))/2)+9*sqrt(3)*abs(a)*a^2*sqrt(abs(a))*cos(re(acos(a
/2/abs(a)))/2)^2*cosh(im(acos(a/2/abs(a)))/2)^2*sin(re(acos(a/2/abs(a)))/2)
*sinh(im(acos(a/2/abs(a)))/2)-9*sqrt(3)*abs(a)*a^2*sqrt(abs(a))*cos(re(acos
(a/2/abs(a)))/2)^2*cosh(im(acos(a/2/abs(a)))/2)*sin(re(acos(a/2/abs(a)))/2)
*sinh(im(acos(a/2/abs(a)))/2)^2+3*sqrt(3)*abs(a)*a^2*sqrt(abs(a))*cos(re(ac
os(a/2/abs(a)))/2)^2*sin(re(acos(a/2/abs(a)))/2)*sinh(im(acos(a/2/abs(a)))/
2)^3+sqrt(3)*abs(a)*a^2*sqrt(abs(a))*cosh(im(acos(a/2/abs(a)))/2)^3*sin(re(
acos(a/2/abs(a)))/2)^3-3*sqrt(3)*abs(a)*a^2*sqrt(abs(a))*cosh(im(acos(a/2/a
bs(a)))/2)^2*sin(re(acos(a/2/abs(a)))/2)^3*sinh(im(acos(a/2/abs(a)))/2)+3*s
qrt(3)*abs(a)*a^2*sqrt(abs(a))*cosh(im(acos(a/2/abs(a)))/2)*sin(re(acos(a/2
/abs(a)))/2)^3*sinh(im(acos(a/2/abs(a)))/2)^2-sqrt(3)*abs(a)*a^2*sqrt(abs(a
))*sin(re(acos(a/2/abs(a)))/2)^3*sinh(im(acos(a/2/abs(a)))/2)^3)*1/2/sqrt(3
)/a^4*atan((x+cos(acos(a*1/2/abs(a)))/2)*sqrt(abs(a)))/sin(acos(a*1/2/abs(a)
)/2)/sqrt(abs(a)))

```

maple [A] time = 0.04, size = 92, normalized size = 0.81

$$\frac{\arctan\left(\frac{2x+\sqrt{3}\sqrt{a}}{\sqrt{a}}\right)}{2\sqrt{a}} - \frac{\arctan\left(\frac{-2x+\sqrt{3}\sqrt{a}}{\sqrt{a}}\right)}{2\sqrt{a}} + \frac{\sqrt{3}\ln(x^2+\sqrt{3}\sqrt{a}x+a)}{4\sqrt{a}} - \frac{\sqrt{3}\ln(-x^2+\sqrt{3}\sqrt{a}x-a)}{4\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+2*a)/(x^4-a*x^2+a^2),x)

[Out] -1/4/a^(1/2)*3^(1/2)*ln(x*3^(1/2)*a^(1/2)-x^2-a)-1/2/a^(1/2)*arctan((3^(1/2)*a^(1/2)-2*x)/a^(1/2))+1/4*ln(a+x^2+x*3^(1/2)*a^(1/2))*3^(1/2)/a^(1/2)+1/2/a^(1/2)*arctan((2*x+3^(1/2)*a^(1/2))/a^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 - 2a}{x^4 - ax^2 + a^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+2*a)/(x^4-a*x^2+a^2),x, algorithm="maxima")

[Out] -integrate((x^2 - 2*a)/(x^4 - a*x^2 + a^2), x)

mupad [B] time = 4.48, size = 133, normalized size = 1.17

$$\frac{\sqrt{8} \operatorname{atan}\left(x \sqrt{\frac{1}{8a} + \frac{\sqrt{3} i}{8a}} i + \sqrt{3} x \sqrt{\frac{1}{8a} + \frac{\sqrt{3} i}{8a}}\right) \sqrt{\frac{1+\sqrt{3} i}{a}} i}{4} - \frac{\sqrt{8} \operatorname{atan}\left(x \sqrt{\frac{1}{8a} - \frac{\sqrt{3} i}{8a}} i - \sqrt{3} x \sqrt{\frac{1}{8a} - \frac{\sqrt{3} i}{8a}}\right) \sqrt{\frac{1-\sqrt{3} i}{a}} i}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*a - x^2)/(a^2 - a*x^2 + x^4),x)

[Out] - (8^(1/2)*atan(x*((3^(1/2)*1i)/(8*a) + 1/(8*a))^(1/2)*1i + 3^(1/2)*x*((3^(1/2)*1i)/(8*a) + 1/(8*a))^(1/2))*((3^(1/2)*1i + 1)/a)^(1/2)*1i)/4 - (8^(1/2)*atan(x*(1/(8*a) - (3^(1/2)*1i)/(8*a))^(1/2)*1i - 3^(1/2)*x*(1/(8*a) - (3^(1/2)*1i)/(8*a))^(1/2))*((-3^(1/2)*1i - 1)/a)^(1/2)*1i)/4

sympy [A] time = 0.25, size = 27, normalized size = 0.24

$$-\operatorname{RootSum}\left(16t^4a^2 - 4t^2a + 1, (t \mapsto t \log(-2ta + x))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**2+2*a)/(x**4-a*x**2+a**2),x)

[Out] -RootSum(16*_t**4*a**2 - 4*_t**2*a + 1, Lambda(_t, _t*log(-2*_t*a + x)))

$$3.107 \quad \int \frac{2\sqrt{a}-x^2}{a-\sqrt{a}x^2+x^4} dx$$

Optimal. Leaf size=122

$$\frac{\sqrt{3} \log\left(-\sqrt{3} \sqrt[4]{a} x + \sqrt{a} + x^2\right)}{4\sqrt[4]{a}} + \frac{\sqrt{3} \log\left(\sqrt{3} \sqrt[4]{a} x + \sqrt{a} + x^2\right)}{4\sqrt[4]{a}} - \frac{\tan^{-1}\left(\sqrt{3} - \frac{2x}{\sqrt[4]{a}}\right)}{2\sqrt[4]{a}} + \frac{\tan^{-1}\left(\frac{2x}{\sqrt[4]{a}} + \sqrt{3}\right)}{2\sqrt[4]{a}}$$

[Out] 1/2*arctan(2*x/a^(1/4)-3^(1/2))/a^(1/4)+1/2*arctan(2*x/a^(1/4)+3^(1/2))/a^(1/4)-1/4*ln(x^2-a^(1/4)*x*3^(1/2)+a^(1/2))*3^(1/2)/a^(1/4)+1/4*ln(x^2+a^(1/4)*x*3^(1/2)+a^(1/2))*3^(1/2)/a^(1/4)

Rubi [A] time = 0.08, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {1169, 634, 617, 204, 628}

$$\frac{\sqrt{3} \log\left(-\sqrt{3} \sqrt[4]{a} x + \sqrt{a} + x^2\right)}{4\sqrt[4]{a}} + \frac{\sqrt{3} \log\left(\sqrt{3} \sqrt[4]{a} x + \sqrt{a} + x^2\right)}{4\sqrt[4]{a}} - \frac{\tan^{-1}\left(\sqrt{3} - \frac{2x}{\sqrt[4]{a}}\right)}{2\sqrt[4]{a}} + \frac{\tan^{-1}\left(\frac{2x}{\sqrt[4]{a}} + \sqrt{3}\right)}{2\sqrt[4]{a}}$$

Antiderivative was successfully verified.

[In] Int[(2*Sqrt[a] - x^2)/(a - Sqrt[a]*x^2 + x^4), x]

[Out] -ArcTan[Sqrt[3] - (2*x)/a^(1/4)]/(2*a^(1/4)) + ArcTan[Sqrt[3] + (2*x)/a^(1/4)]/(2*a^(1/4)) - (Sqrt[3]*Log[Sqrt[a] - Sqrt[3]*a^(1/4)*x + x^2])/(4*a^(1/4)) + (Sqrt[3]*Log[Sqrt[a] + Sqrt[3]*a^(1/4)*x + x^2])/(4*a^(1/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1169

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned} \int \frac{2\sqrt{a} - x^2}{a - \sqrt{a}x^2 + x^4} dx &= \frac{\int \frac{2\sqrt{3}a^{3/4} - 3\sqrt{a}x}{\sqrt{a} - \sqrt{3}\sqrt[4]{a}x + x^2} dx}{2\sqrt{3}a^{3/4}} + \frac{\int \frac{2\sqrt{3}a^{3/4} + 3\sqrt{a}x}{\sqrt{a} + \sqrt{3}\sqrt[4]{a}x + x^2} dx}{2\sqrt{3}a^{3/4}} \\ &= \frac{1}{4} \int \frac{1}{\sqrt{a} - \sqrt{3}\sqrt[4]{a}x + x^2} dx + \frac{1}{4} \int \frac{1}{\sqrt{a} + \sqrt{3}\sqrt[4]{a}x + x^2} dx - \frac{\sqrt{3} \int \frac{-\sqrt{3}\sqrt[4]{a} + 2x}{\sqrt{a} - \sqrt{3}\sqrt[4]{a}x + x^2} dx}{4\sqrt[4]{a}} + \dots \\ &= -\frac{\sqrt{3} \log(\sqrt{a} - \sqrt{3}\sqrt[4]{a}x + x^2)}{4\sqrt[4]{a}} + \frac{\sqrt{3} \log(\sqrt{a} + \sqrt{3}\sqrt[4]{a}x + x^2)}{4\sqrt[4]{a}} + \frac{\text{Subst}\left(\int \frac{1}{-\frac{1}{3} - x^2} dx, x, \dots\right)}{2\sqrt{3}\sqrt[4]{a}} \\ &= -\frac{\tan^{-1}\left(\sqrt{3} - \frac{2x}{\sqrt[4]{a}}\right)}{2\sqrt[4]{a}} + \frac{\tan^{-1}\left(\sqrt{3} + \frac{2x}{\sqrt[4]{a}}\right)}{2\sqrt[4]{a}} - \frac{\sqrt{3} \log(\sqrt{a} - \sqrt{3}\sqrt[4]{a}x + x^2)}{4\sqrt[4]{a}} + \frac{\sqrt{3} \log(\sqrt{a} + \sqrt{3}\sqrt[4]{a}x + x^2)}{4\sqrt[4]{a}} \end{aligned}$$

Mathematica [C] time = 0.15, size = 115, normalized size = 0.94

$$\frac{\sqrt[4]{-1} \left(\sqrt{\sqrt{3} - i} (\sqrt{3} - 3i) \tanh^{-1} \left(\frac{(1+i)x}{\sqrt{\sqrt{3} + i} \sqrt[4]{a}} \right) - \sqrt{\sqrt{3} + i} (\sqrt{3} + 3i) \tan^{-1} \left(\frac{(1+i)x}{\sqrt{\sqrt{3} - i} \sqrt[4]{a}} \right) \right)}{2\sqrt{6} \sqrt[4]{a}}$$

Antiderivative was successfully verified.

[In] Integrate[(2*Sqrt[a] - x^2)/(a - Sqrt[a]*x^2 + x^4),x]

[Out] $((-1)^{1/4} * (-\sqrt{I + \sqrt{3}}) * (3I + \sqrt{3}) * \text{ArcTan}[\frac{((1 + I)x)}{(\sqrt{-I + \sqrt{3}}) * a^{1/4}}]) + \sqrt{-I + \sqrt{3}} * (-3I + \sqrt{3}) * \text{ArcTanh}[\frac{((1 + I)x)}{(\sqrt{I + \sqrt{3}}) * a^{1/4}}])]) / (2 * \sqrt{6} * a^{1/4})$

fricas [B] time = 0.42, size = 251, normalized size = 2.06

$$\frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\frac{\sqrt{3} a \sqrt{-\frac{1}{a}} + \sqrt{a}}{a}} \log \left(\sqrt{\frac{1}{2}} \sqrt{a} \sqrt{\frac{\sqrt{3} a \sqrt{-\frac{1}{a}} + \sqrt{a}}{a}} + x \right) - \frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\frac{\sqrt{3} a \sqrt{-\frac{1}{a}} + \sqrt{a}}{a}} \log \left(-\sqrt{\frac{1}{2}} \sqrt{a} \sqrt{\frac{\sqrt{3} a \sqrt{-\frac{1}{a}} + \sqrt{a}}{a}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+2*a^(1/2))/(a+x^4-x^2*a^(1/2)),x, algorithm="fricas")

[Out] $1/2 * \sqrt{1/2} * \sqrt{(\sqrt{3} * a * \sqrt{-1/a} + \sqrt{a})/a} * \log(\sqrt{1/2} * \sqrt{a} * \sqrt{(\sqrt{3} * a * \sqrt{-1/a} + \sqrt{a})/a} + x) - 1/2 * \sqrt{1/2} * \sqrt{(\sqrt{3} * a * \sqrt{-1/a} + \sqrt{a})/a} * \log(-\sqrt{1/2} * \sqrt{a} * \sqrt{(\sqrt{3} * a * \sqrt{-1/a} + \sqrt{a})/a} + x) + 1/2 * \sqrt{1/2} * \sqrt{-(\sqrt{3} * a * \sqrt{-1/a} - \sqrt{a})/a} * \log(\sqrt{1/2} * \sqrt{a} * \sqrt{-(\sqrt{3} * a * \sqrt{-1/a} - \sqrt{a})/a} + x) - 1/2 * \sqrt{1/2} * \sqrt{-(\sqrt{3} * a * \sqrt{-1/a} - \sqrt{a})/a} * \log(-\sqrt{1/2} * \sqrt{a} * \sqrt{-(\sqrt{3} * a * \sqrt{-1/a} - \sqrt{a})/a} + x)$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+2*a^(1/2))/(a+x^4-x^2*a^(1/2)),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vecteur & l) Error: Bad Argument Value

maple [A] time = 0.05, size = 96, normalized size = 0.79

$$\frac{\arctan\left(\frac{2x + \sqrt{3} a^{\frac{1}{4}}}{a^{\frac{1}{4}}}\right)}{2a^{\frac{1}{4}}} - \frac{\arctan\left(\frac{-2x + \sqrt{3} a^{\frac{1}{4}}}{a^{\frac{1}{4}}}\right)}{2a^{\frac{1}{4}}} + \frac{\sqrt{3} \ln\left(x^2 + \sqrt{3} a^{\frac{1}{4}}x + \sqrt{a}\right)}{4a^{\frac{1}{4}}} - \frac{\sqrt{3} \ln\left(-x^2 + \sqrt{3} a^{\frac{1}{4}}x - \sqrt{a}\right)}{4a^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+2*a^(1/2))/(a+x^4-a^(1/2)*x^2),x)

[Out] $\frac{1}{4} \ln(x^2 + a^{1/4} x^3 + a^{1/2}) \cdot 3^{1/2} / a^{1/4} + \frac{1}{2} a^{1/4} \arctan\left(\frac{2x + 3^{1/2} a^{1/4}}{a^{1/4}}\right) - \frac{1}{4} a^{1/4} \cdot 3^{1/2} \ln(a^{1/4} x^3 - x^2 - a^{1/2}) - \frac{1}{2} a^{1/4} \arctan\left(\frac{3^{1/2} a^{1/4} - 2x}{a^{1/4}}\right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{x^2 - 2\sqrt{a}}{x^4 - \sqrt{a}x^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^2+2*a^(1/2))/(a+x^4-x^2*a^(1/2)),x, algorithm="maxima")`

[Out] `-integrate((x^2 - 2*sqrt(a))/(x^4 - sqrt(a)*x^2 + a), x)`

mupad [B] time = 5.06, size = 159, normalized size = 1.30

$$2 \operatorname{atanh} \left(x \sqrt{\frac{1}{8\sqrt{a}} - \frac{\sqrt{-27a^3}}{24a^2}} - \frac{9a^{3/2}x \sqrt{\frac{1}{8\sqrt{a}} - \frac{\sqrt{-27a^3}}{24a^2}}}{\sqrt{-27a^3}} \right) \sqrt{\frac{1}{8\sqrt{a}} - \frac{\sqrt{-27a^3}}{24a^2}} + 2 \operatorname{atanh} \left(x \sqrt{\frac{\sqrt{-27a^3}}{24a^2} + \frac{1}{8\sqrt{a}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*a^(1/2) - x^2)/(a + x^4 - a^(1/2)*x^2),x)`

[Out] $2 \operatorname{atanh}\left(x \left(\frac{1}{8a^{1/2}} - \frac{(-27a^3)^{1/2}}{(24a^2)^{1/2}}\right) - \frac{9a^{3/2}x \left(\frac{1}{8a^{1/2}} - \frac{(-27a^3)^{1/2}}{(24a^2)^{1/2}}\right)}{(-27a^3)^{1/2}}\right) + \frac{1}{8a^{1/2}} - \frac{(-27a^3)^{1/2}}{(24a^2)^{1/2}} + 2 \operatorname{atanh}\left(x \left(\frac{(-27a^3)^{1/2}}{(24a^2)^{1/2}} + \frac{1}{8a^{1/2}}\right)\right) + \frac{9a^{3/2}x \left(\frac{(-27a^3)^{1/2}}{(24a^2)^{1/2}} + \frac{1}{8a^{1/2}}\right)}{(-27a^3)^{1/2}}$

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: PolynomialError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+2*a**(1/2))/(a+x**4-x**2*a**(1/2)),x)`

[Out] Exception raised: PolynomialError

$$3.108 \quad \int \frac{2b^{2/3} + x^2}{b^{4/3} + b^{2/3}x^2 + x^4} dx$$

Optimal. Leaf size=124

$$-\frac{\log(b^{2/3} - \sqrt[3]{b}x + x^2)}{4\sqrt[3]{b}} + \frac{\log(b^{2/3} + \sqrt[3]{b}x + x^2)}{4\sqrt[3]{b}} - \frac{\sqrt{3} \tan^{-1}\left(\frac{\sqrt[3]{b}-2x}{\sqrt{3}\sqrt[3]{b}}\right)}{2\sqrt[3]{b}} + \frac{\sqrt{3} \tan^{-1}\left(\frac{\sqrt[3]{b}+2x}{\sqrt{3}\sqrt[3]{b}}\right)}{2\sqrt[3]{b}}$$

[Out] $-1/4*\ln(b^{(2/3)}-b^{(1/3)}*x+x^2)/b^{(1/3)}+1/4*\ln(b^{(2/3)}+b^{(1/3)}*x+x^2)/b^{(1/3)}$
 $-1/2*\arctan(1/3*(b^{(1/3)}-2*x)/b^{(1/3)}*3^{(1/2)})*3^{(1/2)}/b^{(1/3)}+1/2*\arctan($
 $1/3*(b^{(1/3)}+2*x)/b^{(1/3)}*3^{(1/2)})*3^{(1/2)}/b^{(1/3)}$

Rubi [A] time = 0.08, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1169, 634, 617, 204, 628}

$$-\frac{\log(b^{2/3} - \sqrt[3]{b}x + x^2)}{4\sqrt[3]{b}} + \frac{\log(b^{2/3} + \sqrt[3]{b}x + x^2)}{4\sqrt[3]{b}} - \frac{\sqrt{3} \tan^{-1}\left(\frac{\sqrt[3]{b}-2x}{\sqrt{3}\sqrt[3]{b}}\right)}{2\sqrt[3]{b}} + \frac{\sqrt{3} \tan^{-1}\left(\frac{\sqrt[3]{b}+2x}{\sqrt{3}\sqrt[3]{b}}\right)}{2\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(2*b^{(2/3)} + x^2)/(b^{(4/3)} + b^{(2/3)}*x^2 + x^4), x]$

[Out] $-(\text{Sqrt}[3]*\text{ArcTan}[(b^{(1/3)} - 2*x)/(\text{Sqrt}[3]*b^{(1/3)})])/(2*b^{(1/3)}) + (\text{Sqrt}[3]$
 $*\text{ArcTan}[(b^{(1/3)} + 2*x)/(\text{Sqrt}[3]*b^{(1/3)})])/(2*b^{(1/3)}) - \text{Log}[b^{(2/3)} - b^{($
 $1/3)*x + x^2]/(4*b^{(1/3)}) + \text{Log}[b^{(2/3)} + b^{(1/3)*x + x^2}/(4*b^{(1/3)})]$

Rule 204

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])]$

Rule 617

$\text{Int}[(a_ + (b_)*(x_)) + (c_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S \text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_)) + (c_)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d,$

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1169

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]

Rubi steps

$$\begin{aligned} \int \frac{2b^{2/3} + x^2}{b^{4/3} + b^{2/3}x^2 + x^4} dx &= \frac{\int \frac{2b - b^{2/3}x}{b^{2/3} - \sqrt[3]{b}x + x^2} dx}{2b} + \frac{\int \frac{2b + b^{2/3}x}{b^{2/3} + \sqrt[3]{b}x + x^2} dx}{2b} \\ &= \frac{3}{4} \int \frac{1}{b^{2/3} - \sqrt[3]{b}x + x^2} dx + \frac{3}{4} \int \frac{1}{b^{2/3} + \sqrt[3]{b}x + x^2} dx - \frac{\int \frac{-\sqrt[3]{b} + 2x}{b^{2/3} - \sqrt[3]{b}x + x^2} dx}{4\sqrt[3]{b}} + \frac{\int \frac{\sqrt[3]{b} + 2x}{b^{2/3} + \sqrt[3]{b}x + x^2} dx}{4\sqrt[3]{b}} \\ &= -\frac{\log(b^{2/3} - \sqrt[3]{b}x + x^2)}{4\sqrt[3]{b}} + \frac{\log(b^{2/3} + \sqrt[3]{b}x + x^2)}{4\sqrt[3]{b}} + \frac{3 \text{Subst}\left(\int \frac{1}{-3 - x^2} dx, x, 1 - \frac{2x}{\sqrt[3]{b}}\right)}{2\sqrt[3]{b}} \\ &= -\frac{\sqrt{3} \tan^{-1}\left(\frac{\sqrt[3]{b} - 2x}{\sqrt{3} \sqrt[3]{b}}\right)}{2\sqrt[3]{b}} + \frac{\sqrt{3} \tan^{-1}\left(\frac{\sqrt[3]{b} + 2x}{\sqrt{3} \sqrt[3]{b}}\right)}{2\sqrt[3]{b}} - \frac{\log(b^{2/3} - \sqrt[3]{b}x + x^2)}{4\sqrt[3]{b}} + \frac{\log(b^{2/3} + \sqrt[3]{b}x + x^2)}{4\sqrt[3]{b}} \end{aligned}$$

Mathematica [C] time = 0.13, size = 115, normalized size = 0.93

$$\frac{\sqrt[4]{-1} \left(\sqrt{\sqrt{3} - i} (\sqrt{3} - 3i) \tan^{-1}\left(\frac{(1+i)x}{\sqrt{\sqrt{3} + i} \sqrt[3]{b}}\right) - \sqrt{\sqrt{3} + i} (\sqrt{3} + 3i) \tanh^{-1}\left(\frac{(1+i)x}{\sqrt{\sqrt{3} - i} \sqrt[3]{b}}\right) \right)}{2\sqrt{6} \sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(2*b^(2/3) + x^2)/(b^(4/3) + b^(2/3)*x^2 + x^4),x]

[Out] ((-1)^(1/4)*(Sqrt[-I + Sqrt[3]]*(-3*I + Sqrt[3])*ArcTan[((1 + I)*x)/(Sqrt[I + Sqrt[3]]*b^(1/3))]) - Sqrt[I + Sqrt[3]]*(3*I + Sqrt[3])*ArcTanh[((1 + I)*x)/(Sqrt[-I + Sqrt[3]]*b^(1/3))]))/(2*Sqrt[6]*b^(1/3))

fricas [A] time = 0.46, size = 264, normalized size = 2.13

$$\frac{\sqrt{3}b\sqrt{-\frac{1}{2b^{\frac{2}{3}}}}\log\left(\frac{2x^3+\sqrt{3}\left(2b^{\frac{2}{3}}x^2+bx-b^{\frac{4}{3}}\right)\sqrt{-\frac{1}{2}-3b^{\frac{2}{3}}x-b}}{x^3+b}}{\right)+\sqrt{3}b\sqrt{-\frac{1}{2b^{\frac{2}{3}}}}\log\left(\frac{2x^3+\sqrt{3}\left(2b^{\frac{2}{3}}x^2-bx-b^{\frac{4}{3}}\right)\sqrt{-\frac{1}{2}-3b^{\frac{2}{3}}x+b}}{x^3-b}}{\right)+b}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*b^(2/3)+x^2)/(b^(4/3)+b^(2/3)*x^2+x^4),x, algorithm="fricas")

[Out] [1/4*(sqrt(3)*b*sqrt(-1/b^(2/3))*log((2*x^3 + sqrt(3)*(2*b^(2/3)*x^2 + b*x - b^(4/3))*sqrt(-1/b^(2/3)) - 3*b^(2/3)*x - b)/(x^3 + b)) + sqrt(3)*b*sqrt(-1/b^(2/3))*log((2*x^3 + sqrt(3)*(2*b^(2/3)*x^2 - b*x - b^(4/3))*sqrt(-1/b^(2/3)) - 3*b^(2/3)*x + b)/(x^3 - b)) + b^(2/3)*log(x^2 + b^(1/3)*x + b^(2/3)) - b^(2/3)*log(x^2 - b^(1/3)*x + b^(2/3)))/b, 1/4*(2*sqrt(3)*b^(2/3)*arctan(1/3*sqrt(3)*(2*x + b^(1/3))/b^(1/3)) - 2*sqrt(3)*b^(2/3)*arctan(-1/3*sqrt(3)*(2*x - b^(1/3))/b^(1/3)) + b^(2/3)*log(x^2 + b^(1/3)*x + b^(2/3)) - b^(2/3)*log(x^2 - b^(1/3)*x + b^(2/3)))/b]

giac [A] time = 0.18, size = 92, normalized size = 0.74

$$\frac{\sqrt{3}\arctan\left(\frac{\sqrt{3}\left(2x+b^{\frac{1}{3}}\right)}{3|b|^{\frac{1}{3}}}\right)}{2|b|^{\frac{1}{3}}} + \frac{\sqrt{3}\arctan\left(\frac{\sqrt{3}\left(2x-b^{\frac{1}{3}}\right)}{3|b|^{\frac{1}{3}}}\right)}{2|b|^{\frac{1}{3}}} + \frac{\log\left(x^2 + b^{\frac{1}{3}}x + b^{\frac{2}{3}}\right)}{4b^{\frac{1}{3}}} - \frac{\log\left(x^2 - b^{\frac{1}{3}}x + b^{\frac{2}{3}}\right)}{4b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*b^(2/3)+x^2)/(b^(4/3)+b^(2/3)*x^2+x^4),x, algorithm="giac")

[Out] 1/2*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + b^(1/3))/abs(b)^(1/3))/abs(b)^(1/3) + 1/2*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - b^(1/3))/abs(b)^(1/3))/abs(b)^(1/3) + 1/4*log(x^2 + b^(1/3)*x + b^(2/3))/b^(1/3) - 1/4*log(x^2 - b^(1/3)*x + b^(2/3))/b^(1/3)

maple [A] time = 0.03, size = 89, normalized size = 0.72

$$\frac{\sqrt{3} \arctan\left(\frac{(2x-b^{\frac{1}{3}})\sqrt{3}}{3b^{\frac{1}{3}}}\right)}{2b^{\frac{1}{3}}} + \frac{\sqrt{3} \arctan\left(\frac{(2x+b^{\frac{1}{3}})\sqrt{3}}{3b^{\frac{1}{3}}}\right)}{2b^{\frac{1}{3}}} - \frac{\ln\left(x^2 - b^{\frac{1}{3}}x + b^{\frac{2}{3}}\right)}{4b^{\frac{1}{3}}} + \frac{\ln\left(x^2 + b^{\frac{1}{3}}x + b^{\frac{2}{3}}\right)}{4b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*b^(2/3)+x^2)/(b^(4/3)+b^(2/3)*x^2+x^4), x)

[Out] -1/4*ln(b^(2/3)-b^(1/3)*x+x^2)/b^(1/3)+1/2*3^(1/2)/b^(1/3)*arctan(1/3*(-b^(1/3)+2*x)*3^(1/2)/b^(1/3))+1/4*ln(b^(2/3)+b^(1/3)*x+x^2)/b^(1/3)+1/2*arctan(1/3*(b^(1/3)+2*x)/b^(1/3)*3^(1/2))*3^(1/2)/b^(1/3)

maxima [A] time = 2.29, size = 88, normalized size = 0.71

$$\frac{\sqrt{3} \arctan\left(\frac{\sqrt{3}(2x+b^{\frac{1}{3}})}{3b^{\frac{1}{3}}}\right)}{2b^{\frac{1}{3}}} + \frac{\sqrt{3} \arctan\left(\frac{\sqrt{3}(2x-b^{\frac{1}{3}})}{3b^{\frac{1}{3}}}\right)}{2b^{\frac{1}{3}}} + \frac{\log\left(x^2 + b^{\frac{1}{3}}x + b^{\frac{2}{3}}\right)}{4b^{\frac{1}{3}}} - \frac{\log\left(x^2 - b^{\frac{1}{3}}x + b^{\frac{2}{3}}\right)}{4b^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*b^(2/3)+x^2)/(b^(4/3)+b^(2/3)*x^2+x^4), x, algorithm="maxima")

[Out] 1/2*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + b^(1/3))/b^(1/3))/b^(1/3) + 1/2*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - b^(1/3))/b^(1/3))/b^(1/3) + 1/4*log(x^2 + b^(1/3)*x + b^(2/3))/b^(1/3) - 1/4*log(x^2 - b^(1/3)*x + b^(2/3))/b^(1/3)

mupad [B] time = 0.24, size = 133, normalized size = 1.07

$$\frac{\sqrt{8} \operatorname{atan}\left(x \sqrt{-\frac{1}{8b^{2/3}} - \frac{\sqrt{3} 1i}{8b^{2/3}}}\right) 1i + \sqrt{3} x \sqrt{-\frac{1}{8b^{2/3}} - \frac{\sqrt{3} 1i}{8b^{2/3}}}\right) \sqrt{-\frac{1+\sqrt{3} 1i}{b^{2/3}}}\right) 1i}{4} + \frac{\sqrt{8} \operatorname{atan}\left(x \sqrt{-\frac{1}{8b^{2/3}} + \frac{\sqrt{3} 1i}{8b^{2/3}}}\right) 1i - \sqrt{3} x \sqrt{-\frac{1+\sqrt{3} 1i}{b^{2/3}}}\right) 1i}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*b^(2/3) + x^2)/(b^(4/3) + x^4 + b^(2/3)*x^2), x)

[Out] (8^(1/2)*atan(x*(-3^(1/2)*1i)/(8*b^(2/3)) - 1/(8*b^(2/3)))^(1/2)*1i + 3^(1/2)*x*(-3^(1/2)*1i)/(8*b^(2/3)) - 1/(8*b^(2/3)))^(1/2)*(-3^(1/2)*1i + 1)/b^(2/3))^(1/2)*1i)/4 + (8^(1/2)*atan(x*((3^(1/2)*1i)/(8*b^(2/3)) - 1/(8*b^(2/3)))^(1/2)*1i - 3^(1/2)*x*((3^(1/2)*1i)/(8*b^(2/3)) - 1/(8*b^(2/3)))^(1/2))*((3^(1/2)*1i - 1)/b^(2/3))^(1/2)*1i)/4

sympy [C] time = 0.31, size = 143, normalized size = 1.15

$$\frac{\left(-\frac{1}{4} - \frac{\sqrt{3}i}{4}\right) \log\left(2\sqrt[3]{b} \left(-\frac{1}{4} - \frac{\sqrt{3}i}{4}\right) + x\right) + \left(-\frac{1}{4} + \frac{\sqrt{3}i}{4}\right) \log\left(2\sqrt[3]{b} \left(-\frac{1}{4} + \frac{\sqrt{3}i}{4}\right) + x\right) + \left(\frac{1}{4} - \frac{\sqrt{3}i}{4}\right) \log\left(2\sqrt[3]{b} \left(\frac{1}{4} - \frac{\sqrt{3}i}{4}\right) + x\right) + \left(\frac{1}{4} + \frac{\sqrt{3}i}{4}\right) \log\left(2\sqrt[3]{b} \left(\frac{1}{4} + \frac{\sqrt{3}i}{4}\right) + x\right)}{\sqrt[3]{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*b**(2/3)+x**2)/(b**(4/3)+b**(2/3)*x**2+x**4), x)

[Out] ((-1/4 - sqrt(3)*I/4)*log(2*b**(1/3)*(-1/4 - sqrt(3)*I/4) + x) + (-1/4 + sqrt(3)*I/4)*log(2*b**(1/3)*(-1/4 + sqrt(3)*I/4) + x) + (1/4 - sqrt(3)*I/4)*log(2*b**(1/3)*(1/4 - sqrt(3)*I/4) + x) + (1/4 + sqrt(3)*I/4)*log(2*b**(1/3)*(1/4 + sqrt(3)*I/4) + x))/b**(1/3)

$$3.109 \quad \int \frac{A+Bx^2}{a^2-ax^2+x^4} dx$$

Optimal. Leaf size=136

$$-\frac{(A-aB)\log(-\sqrt{3}\sqrt{a}x+a+x^2)}{4\sqrt{3}a^{3/2}} + \frac{(A-aB)\log(\sqrt{3}\sqrt{a}x+a+x^2)}{4\sqrt{3}a^{3/2}} - \frac{(aB+A)\tan^{-1}\left(\sqrt{3}-\frac{2x}{\sqrt{a}}\right)}{2a^{3/2}} + \frac{(aB+A)\tan^{-1}\left(\sqrt{3}+\frac{2x}{\sqrt{a}}\right)}{2a^{3/2}}$$

[Out] 1/2*(B*a+A)*arctan(-3^(1/2)+2*x/a^(1/2))/a^(3/2)+1/2*(B*a+A)*arctan(3^(1/2)+2*x/a^(1/2))/a^(3/2)-1/12*(-B*a+A)*ln(a+x^2-x*3^(1/2)*a^(1/2))/a^(3/2)*3^(1/2)+1/12*(-B*a+A)*ln(a+x^2+x*3^(1/2)*a^(1/2))/a^(3/2)*3^(1/2)

Rubi [A] time = 0.10, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {1169, 634, 617, 204, 628}

$$-\frac{(A-aB)\log(-\sqrt{3}\sqrt{a}x+a+x^2)}{4\sqrt{3}a^{3/2}} + \frac{(A-aB)\log(\sqrt{3}\sqrt{a}x+a+x^2)}{4\sqrt{3}a^{3/2}} - \frac{(aB+A)\tan^{-1}\left(\sqrt{3}-\frac{2x}{\sqrt{a}}\right)}{2a^{3/2}} + \frac{(aB+A)\tan^{-1}\left(\sqrt{3}+\frac{2x}{\sqrt{a}}\right)}{2a^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(a^2 - a*x^2 + x^4), x]

[Out] -((A + a*B)*ArcTan[Sqrt[3] - (2*x)/Sqrt[a]]/(2*a^(3/2)) + ((A + a*B)*ArcTan[Sqrt[3] + (2*x)/Sqrt[a]]/(2*a^(3/2)) - ((A - a*B)*Log[a - Sqrt[3]*Sqrt[a]*x + x^2])/(4*Sqrt[3]*a^(3/2)) + ((A - a*B)*Log[a + Sqrt[3]*Sqrt[a]*x + x^2])/(4*Sqrt[3]*a^(3/2)))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*c*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1169

Int[((d_.) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]

Rubi steps

$$\begin{aligned} \int \frac{A + Bx^2}{a^2 - ax^2 + x^4} dx &= \frac{\int \frac{\sqrt{3}\sqrt{a}A - (A - aB)x}{a - \sqrt{3}\sqrt{a}x + x^2} dx}{2\sqrt{3}a^{3/2}} + \frac{\int \frac{\sqrt{3}\sqrt{a}A + (A - aB)x}{a + \sqrt{3}\sqrt{a}x + x^2} dx}{2\sqrt{3}a^{3/2}} \\ &= -\frac{(A - aB) \int \frac{-\sqrt{3}\sqrt{a} + 2x}{a - \sqrt{3}\sqrt{a}x + x^2} dx}{4\sqrt{3}a^{3/2}} + \frac{(A - aB) \int \frac{\sqrt{3}\sqrt{a} + 2x}{a + \sqrt{3}\sqrt{a}x + x^2} dx}{4\sqrt{3}a^{3/2}} + \frac{(A + aB) \int \frac{1}{a - \sqrt{3}\sqrt{a}x + x^2} dx}{4a} + \dots \\ &= -\frac{(A - aB) \log(a - \sqrt{3}\sqrt{a}x + x^2)}{4\sqrt{3}a^{3/2}} + \frac{(A - aB) \log(a + \sqrt{3}\sqrt{a}x + x^2)}{4\sqrt{3}a^{3/2}} + \frac{(A + aB) \text{Subst}}{4a} + \dots \\ &= -\frac{(A + aB) \tan^{-1}\left(\sqrt{3} - \frac{2x}{\sqrt{a}}\right)}{2a^{3/2}} + \frac{(A + aB) \tan^{-1}\left(\sqrt{3} + \frac{2x}{\sqrt{a}}\right)}{2a^{3/2}} - \frac{(A - aB) \log(a - \sqrt{3}\sqrt{a}x + x^2)}{4\sqrt{3}a^{3/2}} + \dots \end{aligned}$$

Mathematica [C] time = 0.15, size = 130, normalized size = 0.96

$$\frac{\sqrt[4]{-1} \left(\frac{((\sqrt{3}-i)aB-2iA) \tan^{-1}\left(\frac{(1+i)x}{\sqrt{\sqrt{3}-i}\sqrt{a}}\right)}{\sqrt{\sqrt{3}-i}} - \frac{((\sqrt{3}+i)aB+2iA) \tanh^{-1}\left(\frac{(1+i)x}{\sqrt{\sqrt{3}+i}\sqrt{a}}\right)}{\sqrt{\sqrt{3}+i}} \right)}{\sqrt{6}a^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(a^2 - a*x^2 + x^4),x]

[Out] $((-1)^{1/4} * ((((-2*I)*A + (-I + \text{Sqrt}[3])*a*B)*\text{ArcTan}(((1 + I)*x)/(\text{Sqrt}[-I + \text{Sqrt}[3]]*\text{Sqrt}[a])))/\text{Sqrt}[-I + \text{Sqrt}[3]] - ((2*I)*A + (I + \text{Sqrt}[3])*a*B)*\text{ArcTanh}(((1 + I)*x)/(\text{Sqrt}[I + \text{Sqrt}[3]]*\text{Sqrt}[a])))/\text{Sqrt}[I + \text{Sqrt}[3]]))/(\text{Sqrt}[6]*a^{3/2})$

fricas [B] time = 1.09, size = 4551, normalized size = 33.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(x^4-a*x^2+a^2),x, algorithm="fricas")

[Out] $\frac{1}{4} * (4 * (1/9)^{1/4} * a^6 * \text{sqrt}((2*B^4*a^4 + 4*A*B^3*a^3 + 6*A^2*B^2*a^2 + 4*A^3*B*a + 2*A^4 + (B^2*a^5 + 4*A*B*a^4 + A^2*a^3)) * \text{sqrt}((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)/a^6)) / (B^4*a^4 - 2*A^2*B^2*a^2 + A^4)) * ((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)/a^6)^{3/4} * \text{sqrt}((B^4*a^4 - 2*A^2*B^2*a^2 + A^4)/a^6) * \text{arctan}((18 * \text{sqrt}(1/3) * (1/9)^{3/4} * (\text{sqrt}(1/3) * A*a^{10} * \text{sqrt}((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)/a^6)) * \text{sqrt}((B^4*a^4 - 2*A^2*B^2*a^2 + A^4)/a^6) - \text{sqrt}(1/3) * (B^3*a^{10} + A*B^2*a^9 + A^2*B*a^8)) * \text{sqrt}((B^4*a^4 - 2*A^2*B^2*a^2 + A^4)/a^6)) * \text{sqrt}((2*B^4*a^4 + 4*A*B^3*a^3 + 6*A^2*B^2*a^2 + 4*A^3*B*a + 2*A^4 + (B^2*a^5 + 4*A*B*a^4 + A^2*a^3)) * \text{sqrt}((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)/a^6)) / (B^4*a^4 - 2*A^2*B^2*a^2 + A^4)) * \text{sqrt}(((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4) * x^2 + 3 * \text{sqrt}(1/3) * (1/9)^{1/4} * (B*a^6 * x * \text{sqrt}((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)/a^6) - (A*B^2*a^4 + A^2*B*a^3 + A^3*a^2)) * x) * \text{sqrt}((2*B^4*a^4 + 4*A*B^3*a^3 + 6*A^2*B^2*a^2 + 4*A^3*B*a + 2*A^4 + (B^2*a^5 + 4*A*B*a^4 + A^2*a^3)) * \text{sqrt}((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)/a^6)) / (B^4*a^4 - 2*A^2*B^2*a^2 + A^4)) * ((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)/a^6)^{1/4} + (B^2*a^6 + A*B*a^5 + A^2*a^4) * \text{sqrt}((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)/a^6)) / (B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)) * ((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)/a^6)^{3/4} - 18 * \text{sqrt}(1/3) * (1/9)^{3/4} * (\text{sqrt}(1/3) * A*a^{10} * x * \text{sqrt}((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)/a^6)) * \text{sqrt}((B^4*a^4 - 2*A^2*B^2*a^2 + A^4)/a^6) - \text{sqrt}(1/3) * (B^3*a^{10} + A*B^2*a^9 + A^2*B*a^8)) * x * \text{sqrt}((B^4*a^4 - 2*A^2*B^2*a^2 + A^4)/a^6)) * \text{sqrt}((2*B^4*a^4 + 4*A*B^3*a^3 + 6*A^2*B^2*a^2 + 4*A^3*B*a + 2*A^4 + (B^2*a^5 + 4*A*B*a^4 + A^2*a^3)) * \text{sqrt}((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)/a^6)) / (B^4*a^4 - 2*A^2*B^2*a^2 + A^4)) * ((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)/a^6)^{3/4} + 2 * \text{sqrt}(1/3) * (B^4*a^{10} + 2*A*B^3*a^9 + 3*A^2*B^2*a^8 + 2*A^3*B*a^7 + A^4*a^6) * \text{sqrt}((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)/a^6) * \text{sqrt}((B^4*a^4 - 2*A^2*B^2*a^2 + A^4)/a^6) + \text{sqrt}(1/3) * (B^6*a^9 + 3*A*B^5*a^8 + 6*A^2*B^4*a^7 + 7*A^3*B^3*a^6 + 6*A^4*B^2*a^5 + 3*A^5*B*a^4 + A^6*a^3)) * \text{sqrt}((B^4*a^4 + 2*A*B^3*a^3 + 3*A^2*B^2*a^2 + 2*A^3*B*a + A^4)/a^6)$

$$\begin{aligned}
& ((B^4 a^4 - 2 A^2 B^2 a^2 + A^4)/a^6)) / (B^8 a^8 + 3 A B^7 a^7 + 5 A^2 B^6 a^6 + 4 A^3 B^5 a^5 - 4 A^5 B^3 a^3 - 5 A^6 B^2 a^2 - 3 A^7 B a - A^8)) + 4 * \\
& (1/9)^{(1/4)} * a^6 * \sqrt{(2 B^4 a^4 + 4 A B^3 a^3 + 6 A^2 B^2 a^2 + 4 A^3 B a + 2 A^4 + (B^2 a^5 + 4 A B a^4 + A^2 a^3))} * \sqrt{(B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6)} / (B^4 a^4 - 2 A^2 B^2 a^2 + A^4) * ((B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6)^{(3/4)} * \sqrt{(B^4 a^4 - 2 A^2 B^2 a^2 + A^4)/a^6} * \arctan((18 \sqrt{1/3}) * (1/9)^{(3/4)} * (\sqrt{1/3}) * A a^{10} * \sqrt{(B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6}) * \sqrt{(B^4 a^4 - 2 A^2 B^2 a^2 + A^4)/a^6} - \sqrt{1/3} * (B^3 a^{10} + A B^2 a^9 + A^2 B a^8) * \sqrt{(B^4 a^4 - 2 A^2 B^2 a^2 + A^4)/a^6}) * \sqrt{(2 B^4 a^4 + 4 A B^3 a^3 + 6 A^2 B^2 a^2 + 4 A^3 B a + 2 A^4 + (B^2 a^5 + 4 A B a^4 + A^2 a^3))} * \sqrt{(B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6)} / (B^4 a^4 - 2 A^2 B^2 a^2 + A^4) * \sqrt{(B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4) * x^2 - 3 \sqrt{1/3} * (1/9)^{(1/4)} * (B a^6 * x * \sqrt{(B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6}) - (A B^2 a^4 + A^2 B a^3 + A^3 a^2) * x) * \sqrt{(2 B^4 a^4 + 4 A B^3 a^3 + 6 A^2 B^2 a^2 + 4 A^3 B a + 2 A^4 + (B^2 a^5 + 4 A B a^4 + A^2 a^3))} * \sqrt{(B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6)} / (B^4 a^4 - 2 A^2 B^2 a^2 + A^4) * ((B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6)^{(1/4)} + (B^2 a^6 + A B a^5 + A^2 a^4) * \sqrt{(B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6)} / (B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4) * ((B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6)^{(3/4)} - 18 \sqrt{1/3} * (1/9)^{(3/4)} * (\sqrt{1/3}) * A a^{10} * x * \sqrt{(B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6} * \sqrt{(B^4 a^4 - 2 A^2 B^2 a^2 + A^4)/a^6} - \sqrt{1/3} * (B^3 a^{10} + A B^2 a^9 + A^2 B a^8) * x * \sqrt{(B^4 a^4 - 2 A^2 B^2 a^2 + A^4)/a^6}) * \sqrt{(2 B^4 a^4 + 4 A B^3 a^3 + 6 A^2 B^2 a^2 + 4 A^3 B a + 2 A^4 + (B^2 a^5 + 4 A B a^4 + A^2 a^3))} * \sqrt{(B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6)} / (B^4 a^4 - 2 A^2 B^2 a^2 + A^4) * ((B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6)^{(3/4)} - 2 \sqrt{1/3} * (B^4 a^{10} + 2 A B^3 a^9 + 3 A^2 B^2 a^8 + 2 A^3 B a^7 + A^4 a^6) * \sqrt{(B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6} * \sqrt{(B^4 a^4 - 2 A^2 B^2 a^2 + A^4)/a^6} - \sqrt{1/3} * (B^6 a^9 + 3 A B^5 a^8 + 6 A^2 B^4 a^7 + 7 A^3 B^3 a^6 + 6 A^4 B^2 a^5 + 3 A^5 B a^4 + A^6 a^3) * \sqrt{(B^4 a^4 - 2 A^2 B^2 a^2 + A^4)/a^6)} / (B^8 a^8 + 3 A B^7 a^7 + 5 A^2 B^6 a^6 + 4 A^3 B^5 a^5 - 4 A^5 B^3 a^3 - 5 A^6 B^2 a^2 - 3 A^7 B a - A^8)) - \sqrt{1/3} * (1/9)^{(1/4)} * (2 B^4 a^4 + 4 A B^3 a^3 + 6 A^2 B^2 a^2 + 4 A^3 B a + 2 A^4 - (B^2 a^5 + 4 A B a^4 + A^2 a^3)) * \sqrt{(B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6}) * \sqrt{(2 B^4 a^4 + 4 A B^3 a^3 + 6 A^2 B^2 a^2 + 4 A^3 B a + 2 A^4 + (B^2 a^5 + 4 A B a^4 + A^2 a^3))} * \sqrt{(B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6)} / (B^4 a^4 - 2 A^2 B^2 a^2 + A^4) * ((B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6)^{(1/4)} * \log(2 * (B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4) * x^2 + 6 \sqrt{1/3} * (1/9)^{(1/4)} * (B a^6 * x * \sqrt{(B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6}) - (A B^2 a^4 + A^2 B a^3 + A^3 a^2) * x) * \sqrt{(2 B^4 a^4 + 4 A B^3 a^3 + 6 A^2 B^2 a^2 + 4 A^3 B a + 2 A^4 + (B^2 a^5 + 4 A B a^4 + A^2 a^3))} * \sqrt{(B^4 a^4 + 2 A B^3 a^3 + 3 A^2 B^2 a^2 + 2 A^3 B a + A^4)/a^6})
\end{aligned}$$

$$\frac{2a^3 \sqrt{(B^4 a^4 + 2A B^3 a^3 + 3A^2 B^2 a^2 + 2A^3 B a + A^4)/a^6}}{(B^4 a^4 - 2A^2 B^2 a^2 + A^4) \cdot ((B^4 a^4 + 2A B^3 a^3 + 3A^2 B^2 a^2 + 2A^3 B a + A^4)/a^6)^{1/4} + 2(B^2 a^6 + A B a^5 + A^2 a^4) \sqrt{(B^4 a^4 + 2A B^3 a^3 + 3A^2 B^2 a^2 + 2A^3 B a + A^4)/a^6}} + \sqrt{1/3} \cdot (1/9)^{1/4} \cdot (2B^4 a^4 + 4A B^3 a^3 + 6A^2 B^2 a^2 + 4A^3 B a + 2A^4 - (B^2 a^5 + 4A B a^4 + A^2 a^3) \sqrt{(B^4 a^4 + 2A B^3 a^3 + 3A^2 B^2 a^2 + 2A^3 B a + A^4)/a^6}) \sqrt{(2B^4 a^4 + 4A B^3 a^3 + 6A^2 B^2 a^2 + 4A^3 B a + 2A^4 + (B^2 a^5 + 4A B a^4 + A^2 a^3) \sqrt{(B^4 a^4 + 2A B^3 a^3 + 3A^2 B^2 a^2 + 2A^3 B a + A^4)/a^6})} / (B^4 a^4 - 2A^2 B^2 a^2 + A^4) \cdot ((B^4 a^4 + 2A B^3 a^3 + 3A^2 B^2 a^2 + 2A^3 B a + A^4)/a^6)^{1/4} \cdot \log(2(B^4 a^4 + 2A B^3 a^3 + 3A^2 B^2 a^2 + 2A^3 B a + A^4) x^2 - 6 \sqrt{1/3} \cdot (1/9)^{1/4} \cdot (B a^6 x \sqrt{(B^4 a^4 + 2A B^3 a^3 + 3A^2 B^2 a^2 + 2A^3 B a + A^4)/a^6} - (A B^2 a^4 + A^2 B a^3 + A^3 a^2) x) \sqrt{(2B^4 a^4 + 4A B^3 a^3 + 6A^2 B^2 a^2 + 4A^3 B a + 2A^4 + (B^2 a^5 + 4A B a^4 + A^2 a^3) \sqrt{(B^4 a^4 + 2A B^3 a^3 + 3A^2 B^2 a^2 + 2A^3 B a + A^4)/a^6})} / (B^4 a^4 - 2A^2 B^2 a^2 + A^4) \cdot ((B^4 a^4 + 2A B^3 a^3 + 3A^2 B^2 a^2 + 2A^3 B a + A^4)/a^6)^{1/4} + 2(B^2 a^6 + A B a^5 + A^2 a^4) \sqrt{(B^4 a^4 + 2A B^3 a^3 + 3A^2 B^2 a^2 + 2A^3 B a + A^4)/a^6}} / (B^4 a^4 + 2A B^3 a^3 + 3A^2 B^2 a^2 + 2A^3 B a + A^4)$$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(x^4-a*x^2+a^2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Warning, choosing root of [1,0,%%{-16,[2,0]%%}+%%{-4,[0,1]%%},0,%%{64,[4,0]%%}+%%{8,[2,2]%%}+%%{16,[2,1]%%}+%%{6,[0,2]%%},0,%%{-64,[4,2]%%}+%%{-128,[4,1]%%}+%%{48,[2,3]%%}+%%{16,[2,2]%%}+%%{-4,[0,3]%%},0,%%{16,[4,4]%%}+%%{-64,[4,3]%%}+%%{64,[4,2]%%}+%%{8,[2,4]%%}+%%{-16,[2,3]%%}+%%{1,[0,4]%%}] at parameters values [71,-96]Warning, choosing root of [1,0,%%{-16,[2,0]%%}+%%{-4,[0,1]%%},0,%%{64,[4,0]%%}+%%{8,[2,2]%%}+%%{16,[2,1]%%}+%%{6,[0,2]%%},0,%%{-64,[4,2]%%}+%%{-128,[4,1]%%}+%%{48,[2,3]%%}+%%{16,[2,2]%%}+%%{-4,[0,3]%%},0,%%{16,[4,4]%%}+%%{-64,[4,3]%%}+%%{64,[4,2]%%}+%%{8,[2,4]%%}+%%{-16,[2,3]%%}+%%{1,[0,4]%%}] at parameters values [72,-72]((64*a^3*sqrt(abs(a))*abs(a)+32*sqrt(3)*a^4*sqrt(abs(a))+32*a^4*sqrt(abs(a)))*A*im(sign(cos(acos(a/2/abs(a))/2))))+(64*sqrt(3)*a^5+192*abs(a)*a^4-128*sqrt(3)*a^4*abs(a))*1/2/sqrt(abs(a))*A*im(sign(sin(acos(a/2/abs(a))/2)))+(-64*sqrt(3)*a^5+192*abs(a)*a^4-128*sqrt(3)*a^4*abs(a))*1/2/sqrt(abs(a))*A*re(sign(cos(acos(a/2/abs(a))/2)))+(32*sqrt(3)*a^5-64*a^5+32*a^4*abs(a))/sqrt(abs(a))*A*re(sign(sin(acos(a/2/abs(a))/2)))+(-32*a^6-40*a^5*abs(a)+8*sqrt(3)*a^5*sqrt(5*a^2+4*a*abs(a)))/sqrt(abs(a))*B*im(sign(cos(acos(a/2/abs(a))/2)))^3-1/12*(-864*sqrt(3)*a^6+864*a^5*sqrt(5*a^2+4*a*abs(a)))/sqrt(abs(a))

$$\begin{aligned}
& (3)*a^4*abs(a))*1/2/sqrt(abs(a))*A*re(sign(sin(acos(a/2/abs(a))/2)))+1/8*(- \\
& 320*sqrt(3)*a^6+192*abs(a)*a^4*sqrt(5*a^2+4*a*abs(a))-256*sqrt(3)*a^5*abs(a) \\
&)/sqrt(abs(a))*B*im(sign(cos(acos(a/2/abs(a))/2)))^3+(-72*a^5*abs(a)+24*sqrt \\
& (3)*a^5*sqrt(5*a^2+4*a*abs(a)))/sqrt(abs(a))*B*im(sign(cos(acos(a/2/abs(a) \\
&))/2)))^2*im(sign(sin(acos(a/2/abs(a))/2)))+(-96*a^6-120*a^5*abs(a)+24*sqrt \\
& (3)*a^5*sqrt(5*a^2+4*a*abs(a)))/sqrt(abs(a))*B*im(sign(cos(acos(a/2/abs(a) \\
&))/2)))^2*re(sign(cos(acos(a/2/abs(a))/2)))-1/12*(-864*sqrt(3)*a^6+864*a^5*sqrt \\
& (5*a^2+4*a*abs(a)))/sqrt(abs(a))*B*im(sign(cos(acos(a/2/abs(a))/2)))^2*re \\
& (sign(sin(acos(a/2/abs(a))/2)))-1/12*(-864*sqrt(3)*a^6+864*a^5*sqrt(5*a^2-4 \\
& *a*abs(a)))/sqrt(abs(a))*B*im(sign(cos(acos(a/2/abs(a))/2)))*im(sign(sin(acos(a/2/a \\
& bs(a))/2)))^2-1/24*(-3456*sqrt(3)*a^6+3456*a^5*sqrt(5*a^2+4*a*abs(a) \\
&))/sqrt(abs(a))*B*im(sign(cos(acos(a/2/abs(a))/2)))*im(sign(sin(acos(a/2/a \\
& bs(a))/2)))*re(sign(cos(acos(a/2/abs(a))/2)))-(-144*a^5*abs(a)+48*sqrt(3)*a \\
& ^5*sqrt(5*a^2-4*a*abs(a)))/sqrt(abs(a))*B*im(sign(cos(acos(a/2/abs(a))/2)) \\
&)*im(sign(sin(acos(a/2/abs(a))/2)))*re(sign(sin(acos(a/2/abs(a))/2)))-1/24*(\\
& -2880*sqrt(3)*a^6+1728*abs(a)*a^4*sqrt(5*a^2+4*a*abs(a))-2304*sqrt(3)*a^5*a \\
& bs(a))/sqrt(abs(a))*B*im(sign(cos(acos(a/2/abs(a))/2)))*re(sign(cos(acos(a/ \\
& 2/abs(a))/2)))^2-(-144*a^5*abs(a)+48*sqrt(3)*a^5*sqrt(5*a^2+4*a*abs(a)))/sqrt \\
& (abs(a))*B*im(sign(cos(acos(a/2/abs(a))/2)))*re(sign(cos(acos(a/2/abs(a) \\
&))/2)))*re(sign(sin(acos(a/2/abs(a))/2)))+1/12*(-864*sqrt(3)*a^6+864*a^5*sqrt \\
& (5*a^2-4*a*abs(a)))/sqrt(abs(a))*B*im(sign(cos(acos(a/2/abs(a))/2)))*re(sign \\
& (sin(acos(a/2/abs(a))/2)))^2-(32*a^6-40*a^5*abs(a)+8*sqrt(3)*a^5*sqrt(5*a^ \\
& 2-4*a*abs(a)))/sqrt(abs(a))*B*im(sign(sin(acos(a/2/abs(a))/2)))^3-(-72*a^5* \\
& abs(a)+24*sqrt(3)*a^5*sqrt(5*a^2-4*a*abs(a)))/sqrt(abs(a))*B*im(sign(sin(acos \\
& (a/2/abs(a))/2)))^2*re(sign(cos(acos(a/2/abs(a))/2)))+1/24*(-2880*sqrt(3) \\
& *a^6+1728*abs(a)*a^4*sqrt(5*a^2-4*a*abs(a))+2304*sqrt(3)*a^5*abs(a))/sqrt(a \\
& bs(a))*B*im(sign(sin(acos(a/2/abs(a))/2)))^2*re(sign(sin(acos(a/2/abs(a))/2 \\
&)))-(-72*a^5*abs(a)+24*sqrt(3)*a^5*sqrt(5*a^2+4*a*abs(a)))/sqrt(abs(a))*B*i \\
& m(sign(sin(acos(a/2/abs(a))/2)))*re(sign(cos(acos(a/2/abs(a))/2)))^2+1/24*(\\
& -3456*sqrt(3)*a^6+3456*a^5*sqrt(5*a^2-4*a*abs(a)))/sqrt(abs(a))*B*im(sign(s \\
& in(acos(a/2/abs(a))/2)))*re(sign(cos(acos(a/2/abs(a))/2)))*re(sign(sin(acos \\
& (a/2/abs(a))/2)))+(96*a^6-120*a^5*abs(a)+24*sqrt(3)*a^5*sqrt(5*a^2-4*a*abs \\
& (a)))/sqrt(abs(a))*B*im(sign(sin(acos(a/2/abs(a))/2)))*re(sign(sin(acos(a/2/ \\
& abs(a))/2)))^2-(-32*a^6-40*a^5*abs(a)+8*sqrt(3)*a^5*sqrt(5*a^2+4*a*abs(a) \\
&)/sqrt(abs(a))*B*re(sign(cos(acos(a/2/abs(a))/2)))^3+1/12*(-864*sqrt(3)*a^6+ \\
& 864*a^5*sqrt(5*a^2+4*a*abs(a)))/sqrt(abs(a))*B*re(sign(cos(acos(a/2/abs(a) \\
&))/2)))^2*re(sign(sin(acos(a/2/abs(a))/2)))+(-72*a^5*abs(a)+24*sqrt(3)*a^5*sqrt \\
& (5*a^2-4*a*abs(a)))/sqrt(abs(a))*B*re(sign(cos(acos(a/2/abs(a))/2)))*re(s \\
& ign(sin(acos(a/2/abs(a))/2)))^2-1/8*(-320*sqrt(3)*a^6+192*abs(a)*a^4*sqrt(5 \\
& *a^2-4*a*abs(a))+256*sqrt(3)*a^5*abs(a))/sqrt(abs(a))*B*re(sign(sin(acos(a/ \\
& 2/abs(a))/2)))^3)/(128*a^4*sqrt(2*a^2+a*abs(a))*sqrt(3)*abs(a)-128*a^4*sqrt \\
& (2*a^2-a*abs(a))*sqrt(3)*abs(a))*atan((x-sign(cos(acos(a*1/2/abs(a))/2))*sqrt \\
& ((1+a*1/2/abs(a))/2)*sqrt(abs(a)))/sign(sin(acos(a*1/2/abs(a))/2))/sqrt((\\
& 1-a*1/2/abs(a))/2)/sqrt(abs(a)))+(-abs(a)*sqrt(abs(a))*A*a*cosh(im(acos(a/2 \\
& /abs(a)))/2)*sin(re(acos(a/2/abs(a)))/2)+abs(a)*sqrt(abs(a))*A*a*sin(re(aco
\end{aligned}$$

$(\operatorname{re}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^2 \sinh(\operatorname{im}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^3 - 3 \sqrt{3} \operatorname{abs}(a) * a^2 \sqrt{\operatorname{abs}(a)} * B \cos(\operatorname{re}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^2 \cosh(\operatorname{im}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^3 \sin(\operatorname{re}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2) + 9 \sqrt{3} \operatorname{abs}(a) * a^2 \sqrt{\operatorname{abs}(a)} * B \cos(\operatorname{re}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^2 \cosh(\operatorname{im}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^2 \sin(\operatorname{re}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2) * \sinh(\operatorname{im}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2) - 9 \sqrt{3} \operatorname{abs}(a) * a^2 \sqrt{\operatorname{abs}(a)} * B \cos(\operatorname{re}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^2 \cosh(\operatorname{im}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2) * \sin(\operatorname{re}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2) * \sinh(\operatorname{im}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^2 + 3 \sqrt{3} \operatorname{abs}(a) * a^2 \sqrt{\operatorname{abs}(a)} * B \cos(\operatorname{re}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^2 \sin(\operatorname{re}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2) * \sinh(\operatorname{im}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^3 + \sqrt{3} \operatorname{abs}(a) * a^2 \sqrt{\operatorname{abs}(a)} * B \cosh(\operatorname{im}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^3 \sin(\operatorname{re}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^3 - 3 \sqrt{3} \operatorname{abs}(a) * a^2 \sqrt{\operatorname{abs}(a)} * B \cosh(\operatorname{im}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^2 \sin(\operatorname{re}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^3 \sinh(\operatorname{im}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^3 + \sqrt{3} \operatorname{abs}(a) * a^2 \sqrt{\operatorname{abs}(a)} * B \cosh(\operatorname{im}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2) * \sin(\operatorname{re}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^3 \sinh(\operatorname{im}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^2 - \sqrt{3} \operatorname{abs}(a) * a^2 \sqrt{\operatorname{abs}(a)} * B \sin(\operatorname{re}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^3 \sinh(\operatorname{im}(\operatorname{acos}(a/2/\operatorname{abs}(a)))/2)^3) * 1/2 / \sqrt{3} / a^4 \operatorname{atan}((x + \cos(\operatorname{acos}(a * 1/2 / \operatorname{abs}(a)) / 2) * \sqrt{\operatorname{abs}(a)}) / \sin(\operatorname{acos}(a * 1/2 / \operatorname{abs}(a)) / 2) / \sqrt{\operatorname{abs}(a)})$

maple [A] time = 0.03, size = 190, normalized size = 1.40

$$\frac{B \arctan\left(\frac{2x + \sqrt{3} \sqrt{a}}{\sqrt{a}}\right)}{2\sqrt{a}} - \frac{B \arctan\left(\frac{-2x + \sqrt{3} \sqrt{a}}{\sqrt{a}}\right)}{2\sqrt{a}} - \frac{\sqrt{3} B \ln(x^2 + \sqrt{3} \sqrt{a} x + a)}{12\sqrt{a}} + \frac{\sqrt{3} B \ln(-x^2 + \sqrt{3} \sqrt{a} x - a)}{12\sqrt{a}} + \frac{A a}{12\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*x^2+A)/(x^4-a*x^2+a^2),x)`

[Out] $1/12/a^{(1/2)} * \ln(-x^2 + 3^{(1/2)} * a^{(1/2)} * x - a) * B * 3^{(1/2)} - 1/12/a^{(3/2)} * \ln(-x^2 + 3^{(1/2)} * a^{(1/2)} * x - a) * A * 3^{(1/2)} - 1/2/a^{(1/2)} * \arctan((-2 * x + 3^{(1/2)} * a^{(1/2)})/a^{(1/2)}) * B - 1/2/a^{(3/2)} * \arctan((-2 * x + 3^{(1/2)} * a^{(1/2)})/a^{(1/2)}) * A - 1/12/a^{(1/2)} * \ln(x^2 + 3^{(1/2)} * a^{(1/2)} * x + a) * B * 3^{(1/2)} + 1/12/a^{(3/2)} * \ln(x^2 + 3^{(1/2)} * a^{(1/2)} * x + a) * A * 3^{(1/2)} + 1/2/a^{(1/2)} * \arctan((2 * x + 3^{(1/2)} * a^{(1/2)})/a^{(1/2)}) * B + 1/2/a^{(3/2)} * \arctan((2 * x + 3^{(1/2)} * a^{(1/2)})/a^{(1/2)}) * A$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bx^2 + A}{x^4 - ax^2 + a^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x^2+A)/(x^4-a*x^2+a^2),x, algorithm="maxima")`

[Out] `integrate((B*x^2 + A)/(x^4 - a*x^2 + a^2), x)`

mupad [B] time = 4.59, size = 1007, normalized size = 7.40

$$\operatorname{atan} \left(\frac{A^2 x \sqrt{-\frac{A^2}{24a^3} - \frac{B^2}{24a} - \frac{AB}{6a^2} - \frac{\sqrt{3} A^2 1i}{24a^3} + \frac{\sqrt{3} B^2 1i}{24a}}{2A^2 B + \frac{A^3}{a} - 2B^3 a^2 + \frac{\sqrt{3} A^3 1i}{a} - AB^2 a - \sqrt{3} AB^2 a 1i} + \frac{2\sqrt{3} A^2 x \sqrt{-\frac{A^2}{24a^3} - \frac{B^2}{24a} - \frac{AB}{6a^2} - \frac{\sqrt{3} A^2 1i}{24a^3} + \frac{\sqrt{3} B^2 1i}{24a}}{2A^2 B + \frac{A^3}{a} - 2B^3 a^2 + \frac{\sqrt{3} A^3 1i}{a} - AB^2 a - \sqrt{3} AB^2 a 1i} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*x^2)/(a^2 - a*x^2 + x^4), x)`

[Out] `atan((A^2*x*((3^(1/2)*B^2*1i)/(24*a) - B^2/(24*a) - (3^(1/2)*A^2*1i)/(24*a^3) - A^2/(24*a^3) - (A*B)/(6*a^2))^(1/2)*6i)/(2*A^2*B + A^3/a - 2*B^3*a^2 + (3^(1/2)*A^3*1i)/a - A*B^2*a - 3^(1/2)*A*B^2*a*1i) + (2*3^(1/2)*A^2*x*((3^(1/2)*B^2*1i)/(24*a) - B^2/(24*a) - (3^(1/2)*A^2*1i)/(24*a^3) - A^2/(24*a^3) - (A*B)/(6*a^2))^(1/2))/(2*A^2*B + A^3/a - 2*B^3*a^2 + (3^(1/2)*A^3*1i)/a - A*B^2*a - 3^(1/2)*A*B^2*a*1i) - (B^2*a^2*x*((3^(1/2)*B^2*1i)/(24*a) - B^2/(24*a) - (3^(1/2)*A^2*1i)/(24*a^3) - A^2/(24*a^3) - (A*B)/(6*a^2))^(1/2)*6i)/(2*A^2*B + A^3/a - 2*B^3*a^2 + (3^(1/2)*A^3*1i)/a - A*B^2*a - 3^(1/2)*A*B^2*a*1i) - (2*3^(1/2)*B^2*a^2*x*((3^(1/2)*B^2*1i)/(24*a) - B^2/(24*a) - (3^(1/2)*A^2*1i)/(24*a^3) - A^2/(24*a^3) - (A*B)/(6*a^2))^(1/2))/(2*A^2*B + A^3/a - 2*B^3*a^2 + (3^(1/2)*A^3*1i)/a - A*B^2*a - 3^(1/2)*A*B^2*a*1i))*(-(3^(1/2)*A^2*1i + A^2 + B^2*a^2 - 3^(1/2)*B^2*a^2*1i + 4*A*B*a)/(24*a^3))^(1/2)*2i + atan((A^2*x*((3^(1/2)*A^2*1i)/(24*a^3) - B^2/(24*a) - A^2/(24*a^3) - (3^(1/2)*B^2*1i)/(24*a) - (A*B)/(6*a^2))^(1/2)*6i)/(2*A^2*B + A^3/a - 2*B^3*a^2 - (3^(1/2)*A^3*1i)/a - A*B^2*a + 3^(1/2)*A*B^2*a*1i) - (2*3^(1/2)*A^2*x*((3^(1/2)*A^2*1i)/(24*a^3) - B^2/(24*a) - A^2/(24*a^3) - (3^(1/2)*B^2*1i)/(24*a) - (A*B)/(6*a^2))^(1/2))/(2*A^2*B + A^3/a - 2*B^3*a^2 - (3^(1/2)*A^3*1i)/a - A*B^2*a + 3^(1/2)*A*B^2*a*1i) - (B^2*a^2*x*((3^(1/2)*A^2*1i)/(24*a^3) - B^2/(24*a) - A^2/(24*a^3) - (3^(1/2)*B^2*1i)/(24*a) - (A*B)/(6*a^2))^(1/2)*6i)/(2*A^2*B + A^3/a - 2*B^3*a^2 - (3^(1/2)*A^3*1i)/a - A*B^2*a + 3^(1/2)*A*B^2*a*1i) + (2*3^(1/2)*B^2*a^2*x*((3^(1/2)*A^2*1i)/(24*a^3) - B^2/(24*a) - A^2/(24*a^3) - (3^(1/2)*B^2*1i)/(24*a) - (A*B)/(6*a^2))^(1/2))/(2*A^2*B + A^3/a - 2*B^3*a^2 - (3^(1/2)*A^3*1i)/a - A*B^2*a + 3^(1/2)*A*B^2*a*1i))*(-(A^2 - 3^(1/2)*A^2*1i + B^2*a^2 + 3^(1/2)*B^2*a^2*1i + 4*A*B*a)/(24*a^3))^(1/2)*2i`

sympy [A] time = 1.91, size = 172, normalized size = 1.26

$$\operatorname{RootSum} \left(144t^4 a^6 + t^2 (12A^2 a^3 + 48ABa^4 + 12B^2 a^5) + A^4 + 2A^3 Ba + 3A^2 B^2 a^2 + 2AB^3 a^3 + B^4 a^4, \left(t \mapsto t \log \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x**2+A)/(x**4-a*x**2+a**2), x)`

```
[Out] RootSum(144*_t**4*a**6 + _t**2*(12*A**2*a**3 + 48*A*B*a**4 + 12*B**2*a**5)
+ A**4 + 2*A**3*B*a + 3*A**2*B**2*a**2 + 2*A*B**3*a**3 + B**4*a**4, Lambda(
_t, _t*log(x + (24*_t**3*A*a**5 + 48*_t**3*B*a**6 - 2*_t*A**3*a**2 + 6*_t*A
**2*B*a**3 + 12*_t*A*B**2*a**4 + 2*_t*B**3*a**5)/(-A**4 - A**3*B*a + A*B**3
*a**3 + B**4*a**4))))
```

$$3.110 \quad \int \frac{A+Bx^2}{a-\sqrt{a}x^2+x^4} dx$$

Optimal. Leaf size=160

$$\frac{(A-\sqrt{a}B)\log(-\sqrt{3}\sqrt[4]{a}x+\sqrt{a}+x^2)}{4\sqrt{3}a^{3/4}} + \frac{(A-\sqrt{a}B)\log(\sqrt{3}\sqrt[4]{a}x+\sqrt{a}+x^2)}{4\sqrt{3}a^{3/4}} - \frac{(\sqrt{a}B+A)\tan^{-1}\left(\sqrt{3}-\frac{2x}{\sqrt[4]{a}}\right)}{2a^{3/4}}$$

[Out] $-1/12*\ln(x^2-a^{(1/4)}*x*3^{(1/2)}+a^{(1/2)})*(A-B*a^{(1/2)})/a^{(3/4)}*3^{(1/2)}+1/12*\ln(x^2+a^{(1/4)}*x*3^{(1/2)}+a^{(1/2)})*(A-B*a^{(1/2)})/a^{(3/4)}*3^{(1/2)}+1/2*\arctan(2*x/a^{(1/4)}-3^{(1/2)})*(A+B*a^{(1/2)})/a^{(3/4)}+1/2*\arctan(2*x/a^{(1/4)}+3^{(1/2)})*(A+B*a^{(1/2)})/a^{(3/4)}$

Rubi [A] time = 0.12, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1169, 634, 617, 204, 628}

$$\frac{(A-\sqrt{a}B)\log(-\sqrt{3}\sqrt[4]{a}x+\sqrt{a}+x^2)}{4\sqrt{3}a^{3/4}} + \frac{(A-\sqrt{a}B)\log(\sqrt{3}\sqrt[4]{a}x+\sqrt{a}+x^2)}{4\sqrt{3}a^{3/4}} - \frac{(\sqrt{a}B+A)\tan^{-1}\left(\sqrt{3}-\frac{2x}{\sqrt[4]{a}}\right)}{2a^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(a - Sqrt[a]*x^2 + x^4), x]

[Out] $-((A + \text{Sqrt}[a]*B)*\text{ArcTan}[\text{Sqrt}[3] - (2*x)/a^{(1/4)}])/(2*a^{(3/4)}) + ((A + \text{Sqrt}[a]*B)*\text{ArcTan}[\text{Sqrt}[3] + (2*x)/a^{(1/4)}])/(2*a^{(3/4)}) - ((A - \text{Sqrt}[a]*B)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[3]*a^{(1/4)}*x + x^2])/(4*\text{Sqrt}[3]*a^{(3/4)}) + ((A - \text{Sqrt}[a]*B)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[3]*a^{(1/4)}*x + x^2])/(4*\text{Sqrt}[3]*a^{(3/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1169

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rubi steps

$$\int \frac{A + Bx^2}{a - \sqrt{a}x^2 + x^4} dx = \frac{\int \frac{\sqrt{3} \sqrt[4]{a} A - (A - \sqrt{a} B)x}{\sqrt{a} - \sqrt{3} \sqrt[4]{a} x + x^2} dx}{2\sqrt{3} a^{3/4}} + \frac{\int \frac{\sqrt{3} \sqrt[4]{a} A + (A - \sqrt{a} B)x}{\sqrt{a} + \sqrt{3} \sqrt[4]{a} x + x^2} dx}{2\sqrt{3} a^{3/4}}$$

$$= \frac{1}{4} \left(\frac{A}{\sqrt{a}} + B \right) \int \frac{1}{\sqrt{a} - \sqrt{3} \sqrt[4]{a} x + x^2} dx + \frac{1}{4} \left(\frac{A}{\sqrt{a}} + B \right) \int \frac{1}{\sqrt{a} + \sqrt{3} \sqrt[4]{a} x + x^2} dx - \frac{(A - \sqrt{a} B) \log(\sqrt{a} - \sqrt{3} \sqrt[4]{a} x + x^2)}{4\sqrt{3} a^{3/4}} + \frac{(A - \sqrt{a} B) \log(\sqrt{a} + \sqrt{3} \sqrt[4]{a} x + x^2)}{4\sqrt{3} a^{3/4}} + \frac{(A + \sqrt{a} B) \tan^{-1}\left(\sqrt{3} - \frac{2x}{\sqrt[4]{a}}\right)}{2a^{3/4}} + \frac{(A + \sqrt{a} B) \tan^{-1}\left(\sqrt{3} + \frac{2x}{\sqrt[4]{a}}\right)}{2a^{3/4}} - \frac{(A - \sqrt{a} B) \log(\sqrt{a})}{4\sqrt{3} a^{3/4}}$$

Mathematica [C] time = 0.13, size = 138, normalized size = 0.86

$$\frac{\sqrt[4]{-1} \left(\frac{((\sqrt{3}-i)\sqrt{a}B-2iA) \tan^{-1}\left(\frac{(1+i)x}{\sqrt{\sqrt{3}-i}\sqrt[4]{a}}\right)}{\sqrt{\sqrt{3}-i}} - \frac{((\sqrt{3}+i)\sqrt{a}B+2iA) \tanh^{-1}\left(\frac{(1+i)x}{\sqrt{\sqrt{3}+i}\sqrt[4]{a}}\right)}{\sqrt{\sqrt{3}+i}} \right)}{\sqrt{6} a^{3/4}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*x^2)/(a - Sqrt[a]*x^2 + x^4),x]
```

```
[Out] ((-1)^(1/4)*(((2*I)*A + (-I + Sqrt[3])*Sqrt[a]*B)*ArcTan[((1 + I)*x]/(Sqrt[-I + Sqrt[3]]*a^(1/4)))]/Sqrt[-I + Sqrt[3]] - (((2*I)*A + (I + Sqrt[3])*Sqrt[a]*B)*ArcTanh[((1 + I)*x]/(Sqrt[I + Sqrt[3]]*a^(1/4)))]/Sqrt[I + Sqrt[3]]))/Sqrt[6]*a^(3/4))
```

```
fricas [B] time = 0.54, size = 1141, normalized size = 7.13
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*x^2+A)/(a+x^4-x^2*a^(1/2)),x, algorithm="fricas")
```

```
[Out] 1/2*sqrt(1/6)*sqrt(-(4*A*B*a + 3*sqrt(1/3)*a^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3) + (B^2*a + A^2)*sqrt(a))/a^2)*log(2*(B^6*a^3 - A^6)*x + 3*sqrt(1/6)*(A*B^4*a^3 - A^5*a - sqrt(1/3)*(2*B^3*a^4 + A^2*B*a^3)*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3) - (A^2*B^3*a^2 - A^4*B*a - sqrt(1/3)*(A*B^2*a^3 - A^3*a^2)*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3))*sqrt(a))*sqrt(-(4*A*B*a + 3*sqrt(1/3)*a^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3) + (B^2*a + A^2)*sqrt(a))/a^2)) - 1/2*sqrt(1/6)*sqrt(-(4*A*B*a + 3*sqrt(1/3)*a^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3) + (B^2*a + A^2)*sqrt(a))/a^2)*log(2*(B^6*a^3 - A^6)*x - 3*sqrt(1/6)*(A*B^4*a^3 - A^5*a - sqrt(1/3)*(2*B^3*a^4 + A^2*B*a^3)*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3) - (A^2*B^3*a^2 - A^4*B*a + sqrt(1/3)*(A*B^2*a^3 - A^3*a^2)*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3))*sqrt(a))*sqrt(-(4*A*B*a - 3*sqrt(1/3)*a^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3) + (B^2*a + A^2)*sqrt(a))/a^2)) + 1/2*sqrt(1/6)*sqrt(-(4*A*B*a - 3*sqrt(1/3)*a^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3) + (B^2*a + A^2)*sqrt(a))/a^2)*log(2*(B^6*a^3 - A^6)*x + 3*sqrt(1/6)*(A*B^4*a^3 - A^5*a + sqrt(1/3)*(2*B^3*a^4 + A^2*B*a^3)*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3) - (A^2*B^3*a^2 - A^4*B*a + sqrt(1/3)*(A*B^2*a^3 - A^3*a^2)*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3))*sqrt(a))*sqrt(-(4*A*B*a - 3*sqrt(1/3)*a^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3) + (B^2*a + A^2)*sqrt(a))/a^2)) - 1/2*sqrt(1/6)*sqrt(-(4*A*B*a - 3*sqrt(1/3)*a^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3) + (B^2*a + A^2)*sqrt(a))/a^2)*log(2*(B^6*a^3 - A^6)*x - 3*sqrt(1/6)*(A*B^4*a^3 - A^5*a + sqrt(1/3)*(2*B^3*a^4 + A^2*B*a^3)*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3) - (A^2*B^3*a^2 - A^4*B*a + sqrt(1/3)*(A*B^2*a^3 - A^3*a^2)*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3))*sqrt(a))*sqrt(-(4*A*B*a - 3*sqrt(1/3)*a^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a + A^4)/a^3) + (B^2*a + A^2)*sqrt(a))/a^2))
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(a+x^4-x^2*a^(1/2)),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:sym2poly/r2sym(const gen & e,const index_m &
i,const vecteur & l) Error: Bad Argument Value

maple [A] time = 0.04, size = 198, normalized size = 1.24

$$\frac{B \arctan\left(\frac{2x+\sqrt{3} a^{\frac{1}{4}}}{a^{\frac{1}{4}}}\right)}{2a^{\frac{1}{4}}} - \frac{B \arctan\left(\frac{-2x+\sqrt{3} a^{\frac{1}{4}}}{a^{\frac{1}{4}}}\right)}{2a^{\frac{1}{4}}} - \frac{\sqrt{3} B \ln\left(x^2 + \sqrt{3} a^{\frac{1}{4}}x + \sqrt{a}\right)}{12a^{\frac{1}{4}}} + \frac{\sqrt{3} B \ln\left(-x^2 + \sqrt{3} a^{\frac{1}{4}}x - \sqrt{a}\right)}{12a^{\frac{1}{4}}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x^2+A)/(a+x^4-a^(1/2)*x^2),x)

[Out] 1/12/a^(3/4)*ln(x^2+3^(1/2)*a^(1/4)*x+a^(1/2))*A*3^(1/2)-1/12/a^(1/4)*ln(x^2+3^(1/2)*a^(1/4)*x+a^(1/2))*B*3^(1/2)+1/2/a^(3/4)*arctan((2*x+3^(1/2)*a^(1/4))/a^(1/4))*A+1/2/a^(1/4)*arctan((2*x+3^(1/2)*a^(1/4))/a^(1/4))*B-1/12/a^(3/4)*ln(-x^2+3^(1/2)*a^(1/4)*x-a^(1/2))*A*3^(1/2)+1/12/a^(1/4)*ln(-x^2+3^(1/2)*a^(1/4)*x-a^(1/2))*B*3^(1/2)-1/2/a^(3/4)*arctan((-2*x+3^(1/2)*a^(1/4))/a^(1/4))*A-1/2/a^(1/4)*arctan((-2*x+3^(1/2)*a^(1/4))/a^(1/4))*B

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bx^2 + A}{x^4 - \sqrt{a}x^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(a+x^4-x^2*a^(1/2)),x, algorithm="maxima")

[Out] integrate((B*x^2 + A)/(x^4 - sqrt(a)*x^2 + a), x)

mupad [B] time = 4.99, size = 1155, normalized size = 7.22

$$-2 \operatorname{atanh} \left(\frac{6 A^2 x \sqrt{\frac{B^2 \sqrt{-27} a^3}{72 a^2} - \frac{B^2}{24 \sqrt{a}} - \frac{A^2 \sqrt{-27} a^3}{72 a^3} - \frac{A^2}{24 a^{3/2}} - \frac{AB}{6 a}}}{2 A^2 B - 2 B^3 a + \frac{A^3}{\sqrt{a}} - A B^2 \sqrt{a} + \frac{A^3 \sqrt{-27} a^3}{3 a^2} - \frac{A B^2 \sqrt{-27} a^3}{3 a}} \right) - \frac{6 B^2 a x \sqrt{\frac{B^2 \sqrt{-27} a^3}{72 a^2} - \frac{B^2}{24 \sqrt{a}} - \frac{A^2 \sqrt{-27} a^3}{72 a^3}}}{2 A^2 B - 2 B^3 a + \frac{A^3}{\sqrt{a}} - A B^2 \sqrt{a} + \frac{A^3 \sqrt{-27} a^3}{3 a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x^2)/(a + x^4 - a^(1/2)*x^2),x)


```
[Out] - 2*atanh((6*A^2*x*((B^2*(-27*a^3)^(1/2))/(72*a^2) - B^2/(24*a^(1/2)) - (A^
2*(-27*a^3)^(1/2))/(72*a^3) - A^2/(24*a^(3/2)) - (A*B)/(6*a))^(1/2))/(2*A^2
*B - 2*B^3*a + A^3/a^(1/2) - A*B^2*a^(1/2) + (A^3*(-27*a^3)^(1/2))/(3*a^2)
- (A*B^2*(-27*a^3)^(1/2))/(3*a)) - (6*B^2*a*x*((B^2*(-27*a^3)^(1/2))/(72*a^
2) - B^2/(24*a^(1/2)) - (A^2*(-27*a^3)^(1/2))/(72*a^3) - A^2/(24*a^(3/2)) -
(A*B)/(6*a))^(1/2))/(2*A^2*B - 2*B^3*a + A^3/a^(1/2) - A*B^2*a^(1/2) + (A^
3*(-27*a^3)^(1/2))/(3*a^2) - (A*B^2*(-27*a^3)^(1/2))/(3*a)) - (2*A^2*x*(-27
*a^3)^(1/2)*((B^2*(-27*a^3)^(1/2))/(72*a^2) - B^2/(24*a^(1/2)) - (A^2*(-27*
a^3)^(1/2))/(72*a^3) - A^2/(24*a^(3/2)) - (A*B)/(6*a))^(1/2))/(3*a^(3/2)*(2
*A^2*B - 2*B^3*a + A^3/a^(1/2) - A*B^2*a^(1/2) + (A^3*(-27*a^3)^(1/2))/(3*a
^2) - (A*B^2*(-27*a^3)^(1/2))/(3*a))) + (2*B^2*x*(-27*a^3)^(1/2)*((B^2*(-27
*a^3)^(1/2))/(72*a^2) - B^2/(24*a^(1/2)) - (A^2*(-27*a^3)^(1/2))/(72*a^3) -
A^2/(24*a^(3/2)) - (A*B)/(6*a))^(1/2))/(3*a^(1/2)*(2*A^2*B - 2*B^3*a + A^3
/a^(1/2) - A*B^2*a^(1/2) + (A^3*(-27*a^3)^(1/2))/(3*a^2) - (A*B^2*(-27*a^3)
^(1/2))/(3*a)))*((B^2*(-27*a^3)^(1/2))/(72*a^2) - B^2/(24*a^(1/2)) - (A^2*
(-27*a^3)^(1/2))/(72*a^3) - A^2/(24*a^(3/2)) - (A*B)/(6*a))^(1/2) - 2*atanh
((6*A^2*x*((A^2*(-27*a^3)^(1/2))/(72*a^3) - B^2/(24*a^(1/2)) - A^2/(24*a^(3
/2)) - (B^2*(-27*a^3)^(1/2))/(72*a^2) - (A*B)/(6*a))^(1/2))/(2*A^2*B - 2*B^
3*a + A^3/a^(1/2) - A*B^2*a^(1/2) - (A^3*(-27*a^3)^(1/2))/(3*a^2) + (A*B^2*
(-27*a^3)^(1/2))/(3*a)) - (6*B^2*a*x*((A^2*(-27*a^3)^(1/2))/(72*a^3) - B^2/
(24*a^(1/2)) - A^2/(24*a^(3/2)) - (B^2*(-27*a^3)^(1/2))/(72*a^2) - (A*B)/(6
*a))^(1/2))/(2*A^2*B - 2*B^3*a + A^3/a^(1/2) - A*B^2*a^(1/2) - (A^3*(-27*a^
3)^(1/2))/(3*a^2) + (A*B^2*(-27*a^3)^(1/2))/(3*a)) + (2*A^2*x*(-27*a^3)^(1/
2)*((A^2*(-27*a^3)^(1/2))/(72*a^3) - B^2/(24*a^(1/2)) - A^2/(24*a^(3/2)) -
(B^2*(-27*a^3)^(1/2))/(72*a^2) - (A*B)/(6*a))^(1/2))/(3*a^(3/2)*(2*A^2*B -
2*B^3*a + A^3/a^(1/2) - A*B^2*a^(1/2) - (A^3*(-27*a^3)^(1/2))/(3*a^2) + (A*
B^2*(-27*a^3)^(1/2))/(3*a))) - (2*B^2*x*(-27*a^3)^(1/2)*((A^2*(-27*a^3)^(1/
2))/(72*a^3) - B^2/(24*a^(1/2)) - A^2/(24*a^(3/2)) - (B^2*(-27*a^3)^(1/2))/
(72*a^2) - (A*B)/(6*a))^(1/2))/(3*a^(1/2)*(2*A^2*B - 2*B^3*a + A^3/a^(1/2)
- A*B^2*a^(1/2) - (A^3*(-27*a^3)^(1/2))/(3*a^2) + (A*B^2*(-27*a^3)^(1/2))/(
3*a))))*((A^2*(-27*a^3)^(1/2))/(72*a^3) - B^2/(24*a^(1/2)) - A^2/(24*a^(3/2
)) - (B^2*(-27*a^3)^(1/2))/(72*a^2) - (A*B)/(6*a))^(1/2)
```

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: PolynomialError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*x**2+A)/(a+x**4-x**2*a**(1/2)),x)
```

```
[Out] Exception raised: PolynomialError
```

$$3.111 \quad \int \frac{A+Bx^2}{a-\sqrt{ac}x^2+cx^4} dx$$

Optimal. Leaf size=414

$$\frac{\left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right) \log\left(-x\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}} + \sqrt{a} + \sqrt{c}x^2\right)}{4\sqrt{a}\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}} + \frac{\left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right) \log\left(x\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}} + \sqrt{a} + \sqrt{c}x^2\right)}{4\sqrt{a}\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}} (\sqrt{c}x^2 + \sqrt{a})$$

[Out] $-1/2*\arctan((-2*x*c^{(1/2)}+(2*a^{(1/2)}*c^{(1/2)}+(a*c)^{(1/2)})^{(1/2)})/(2*a^{(1/2)}*c^{(1/2)}-(a*c)^{(1/2)})^{(1/2)}*(B*a^{(1/2)}+A*c^{(1/2)})/a^{(1/2)}/c^{(1/2)}/(2*a^{(1/2)}*c^{(1/2)}-(a*c)^{(1/2)})^{(1/2)}+1/2*\arctan((2*x*c^{(1/2)}+(2*a^{(1/2)}*c^{(1/2)}+(a*c)^{(1/2)})^{(1/2)})/(2*a^{(1/2)}*c^{(1/2)}-(a*c)^{(1/2)})^{(1/2)}*(B*a^{(1/2)}+A*c^{(1/2)})/a^{(1/2)}/c^{(1/2)}/(2*a^{(1/2)}*c^{(1/2)}-(a*c)^{(1/2)})^{(1/2)}-1/4*\ln(a^{(1/2)}+x^2*c^{(1/2)}-x*(2*a^{(1/2)}*c^{(1/2)}+(a*c)^{(1/2)})^{(1/2)})*(A-B*a^{(1/2)}/c^{(1/2)})/a^{(1/2)}/(2*a^{(1/2)}*c^{(1/2)}+(a*c)^{(1/2)})^{(1/2)}+1/4*\ln(a^{(1/2)}+x^2*c^{(1/2)}+x*(2*a^{(1/2)}*c^{(1/2)}+(a*c)^{(1/2)})^{(1/2)})*(A-B*a^{(1/2)}/c^{(1/2)})/a^{(1/2)}/(2*a^{(1/2)}*c^{(1/2)}+(a*c)^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.45, antiderivative size = 414, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1169, 634, 618, 204, 628}

$$\frac{\left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right) \log\left(-x\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}} + \sqrt{a} + \sqrt{c}x^2\right)}{4\sqrt{a}\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}} + \frac{\left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right) \log\left(x\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}} + \sqrt{a} + \sqrt{c}x^2\right)}{4\sqrt{a}\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}} (\sqrt{c}x^2 + \sqrt{a})$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(a - Sqrt[a*c]*x^2 + c*x^4), x]

[Out] $-((\text{Sqrt}[a]*B + A*\text{Sqrt}[c])*ArcTan[(\text{Sqrt}[2*\text{Sqrt}[a]*\text{Sqrt}[c] + \text{Sqrt}[a*c]] - 2*\text{Sqrt}[c]*x)/\text{Sqrt}[2*\text{Sqrt}[a]*\text{Sqrt}[c] - \text{Sqrt}[a*c]])/(2*\text{Sqrt}[a]*\text{Sqrt}[c]*\text{Sqrt}[2*\text{Sqrt}[a]*\text{Sqrt}[c] - \text{Sqrt}[a*c]]) + ((\text{Sqrt}[a]*B + A*\text{Sqrt}[c])*ArcTan[(\text{Sqrt}[2*\text{Sqrt}[a]*\text{Sqrt}[c] + \text{Sqrt}[a*c]] + 2*\text{Sqrt}[c]*x)/\text{Sqrt}[2*\text{Sqrt}[a]*\text{Sqrt}[c] - \text{Sqrt}[a*c]])/(2*\text{Sqrt}[a]*\text{Sqrt}[c]*\text{Sqrt}[2*\text{Sqrt}[a]*\text{Sqrt}[c] - \text{Sqrt}[a*c]]) - ((A - (\text{Sqrt}[a]*B)/\text{Sqrt}[c])*Log[\text{Sqrt}[a] - \text{Sqrt}[2*\text{Sqrt}[a]*\text{Sqrt}[c] + \text{Sqrt}[a*c]]*x + \text{Sqrt}[c]*x^2))/(4*\text{Sqrt}[a]*\text{Sqrt}[2*\text{Sqrt}[a]*\text{Sqrt}[c] + \text{Sqrt}[a*c]]) + ((A - (\text{Sqrt}[a]*B)/\text{Sqrt}[c])*Log[\text{Sqrt}[a] + \text{Sqrt}[2*\text{Sqrt}[a]*\text{Sqrt}[c] + \text{Sqrt}[a*c]]*x + \text{Sqrt}[c]*x^2))/(4*\text{Sqrt}[a]*\text{Sqrt}[2*\text{Sqrt}[a]*\text{Sqrt}[c] + \text{Sqrt}[a*c]])$

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1169

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx^2}{a - \sqrt{ac}x^2 + cx^4} dx &= \int \frac{\frac{A\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}}{\sqrt{c}} - \left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right)x}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}}{\sqrt{c}}x + x^2} dx + \int \frac{\frac{A\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}}{\sqrt{c}} + \left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right)x}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}}{\sqrt{c}}x + x^2} dx \\
&= \frac{\left(B + \frac{A\sqrt{c}}{\sqrt{a}}\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}}{\sqrt{c}}x + x^2} dx}{4c} + \frac{\left(B + \frac{A\sqrt{c}}{\sqrt{a}}\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}}{\sqrt{c}}x + x^2} dx}{4c} - \frac{\left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right) \log\left(\sqrt{a} - \sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}x + \sqrt{c}x^2\right)}{4\sqrt{a}\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}} + \frac{\left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right) \log\left(\sqrt{a} + \sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}x + \sqrt{c}x^2\right)}{4\sqrt{a}\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}} \\
&= -\frac{\left(B + \frac{A\sqrt{c}}{\sqrt{a}}\right) \tan^{-1}\left(\frac{\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}} - 2\sqrt{c}x}{\sqrt{2\sqrt{a}\sqrt{c} - \sqrt{ac}}}\right)}{2\sqrt{c}\sqrt{2\sqrt{a}\sqrt{c} - \sqrt{ac}}} + \frac{\left(B + \frac{A\sqrt{c}}{\sqrt{a}}\right) \tan^{-1}\left(\frac{\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}} + 2\sqrt{c}x}{\sqrt{2\sqrt{a}\sqrt{c} - \sqrt{ac}}}\right)}{2\sqrt{c}\sqrt{2\sqrt{a}\sqrt{c} - \sqrt{ac}}} - \frac{\left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right) \log\left(\sqrt{a} - \sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}x + \sqrt{c}x^2\right)}{4\sqrt{a}\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}} + \frac{\left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right) \log\left(\sqrt{a} + \sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}x + \sqrt{c}x^2\right)}{4\sqrt{a}\sqrt{2\sqrt{a}\sqrt{c} + \sqrt{ac}}}
\end{aligned}$$

Mathematica [C] time = 0.20, size = 247, normalized size = 0.60

$$\frac{(\sqrt{3}\sqrt{a}B\sqrt{c} - i(B\sqrt{ac} + 2Ac)) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{-\sqrt{ac} - i\sqrt{3}\sqrt{a}\sqrt{c}}}\right) + (\sqrt{3}\sqrt{a}B\sqrt{c} + i(B\sqrt{ac} + 2Ac)) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{-\sqrt{ac} + i\sqrt{3}\sqrt{a}\sqrt{c}}}\right)}{\sqrt{6}\sqrt{ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(a - Sqrt[a*c]*x^2 + c*x^4), x]

[Out] (((Sqrt[3]*Sqrt[a]*B*Sqrt[c] - I*(2*A*c + B*Sqrt[a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[(-I)*Sqrt[3]*Sqrt[a]*Sqrt[c] - Sqrt[a*c]]])/Sqrt[(-I)*Sqrt[3]*Sqrt[a]*Sqrt[c] - Sqrt[a*c]] + ((Sqrt[3]*Sqrt[a]*B*Sqrt[c] + I*(2*A*c + B*Sqrt[a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[I*Sqrt[3]*Sqrt[a]*Sqrt[c] - Sqrt[a*c]]])/Sqrt[I*Sqrt[3]*Sqrt[a]*Sqrt[c] - Sqrt[a*c]])/(Sqrt[6]*Sqrt[a]*c)

fricas [B] time = 0.66, size = 1457, normalized size = 3.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*x^2+A)/(a+c*x^4-x^2*(a*c)^(1/2)),x, algorithm="fricas")
```

```
[Out] -1/2*sqrt(1/6)*sqrt(-(3*sqrt(1/3)*a^2*c^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)) + 4*A*B*a*c + (B^2*a + A^2*c)*sqrt(a*c))/(a^2*c^2))*log(-2*(B^6*a^3 - A^6*c^3)*x + 3*sqrt(1/6)*(A*B^4*a^3*c - A^5*a*c^3 - sqrt(1/3)*(2*B^3*a^4*c^2 + A^2*B*a^3*c^3))*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)) - (A^2*B^3*a^2*c - A^4*B*a*c^2 - sqrt(1/3)*(A*B^2*a^3*c^2 - A^3*a^2*c^3))*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)))*sqrt(a*c))*sqrt(-(3*sqrt(1/3)*a^2*c^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)) + 4*A*B*a*c + (B^2*a + A^2*c)*sqrt(a*c))/(a^2*c^2))) + 1/2*sqrt(1/6)*sqrt(-(3*sqrt(1/3)*a^2*c^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)) + 4*A*B*a*c + (B^2*a + A^2*c)*sqrt(a*c))/(a^2*c^2))*log(-2*(B^6*a^3 - A^6*c^3)*x - 3*sqrt(1/6)*(A*B^4*a^3*c - A^5*a*c^3 - sqrt(1/3)*(2*B^3*a^4*c^2 + A^2*B*a^3*c^3))*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)) - (A^2*B^3*a^2*c - A^4*B*a*c^2 - sqrt(1/3)*(A*B^2*a^3*c^2 - A^3*a^2*c^3))*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)))*sqrt(a*c))*sqrt(-(3*sqrt(1/3)*a^2*c^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)) + 4*A*B*a*c + (B^2*a + A^2*c)*sqrt(a*c))/(a^2*c^2))) - 1/2*sqrt(1/6)*sqrt((3*sqrt(1/3)*a^2*c^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)) - 4*A*B*a*c - (B^2*a + A^2*c)*sqrt(a*c))/(a^2*c^2))*log(-2*(B^6*a^3 - A^6*c^3)*x + 3*sqrt(1/6)*(A*B^4*a^3*c - A^5*a*c^3 + sqrt(1/3)*(2*B^3*a^4*c^2 + A^2*B*a^3*c^3))*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)) - (A^2*B^3*a^2*c - A^4*B*a*c^2 + sqrt(1/3)*(A*B^2*a^3*c^2 - A^3*a^2*c^3))*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)))*sqrt(a*c))*sqrt((3*sqrt(1/3)*a^2*c^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)) - 4*A*B*a*c - (B^2*a + A^2*c)*sqrt(a*c))/(a^2*c^2))) + 1/2*sqrt(1/6)*sqrt((3*sqrt(1/3)*a^2*c^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)) - 4*A*B*a*c - (B^2*a + A^2*c)*sqrt(a*c))/(a^2*c^2))*log(-2*(B^6*a^3 - A^6*c^3)*x - 3*sqrt(1/6)*(A*B^4*a^3*c - A^5*a*c^3 + sqrt(1/3)*(2*B^3*a^4*c^2 + A^2*B*a^3*c^3))*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)) - (A^2*B^3*a^2*c - A^4*B*a*c^2 + sqrt(1/3)*(A*B^2*a^3*c^2 - A^3*a^2*c^3))*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)))*sqrt(a*c))*sqrt((3*sqrt(1/3)*a^2*c^2*sqrt(-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)) - 4*A*B*a*c - (B^2*a + A^2*c)*sqrt(a*c))/(a^2*c^2)))
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*x^2+A)/(a+c*x^4-x^2*(a*c)^(1/2)),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
```

UT:sage2:=int(sage0,x):;OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vecteur & l) Error: Bad Argument Value

maple [A] time = 0.06, size = 404, normalized size = 0.98

$$\frac{A \arctan\left(\frac{-2\sqrt{c}x + \sqrt{3}(ac)^{\frac{1}{4}}}{\sqrt{4\sqrt{a}\sqrt{c} - 3\sqrt{ac}}}\right)}{2\sqrt{4\sqrt{a}\sqrt{c} - 3\sqrt{ac}}\sqrt{a}} + \frac{A \arctan\left(\frac{2\sqrt{c}x + \sqrt{3}(ac)^{\frac{1}{4}}}{\sqrt{4\sqrt{a}\sqrt{c} - 3\sqrt{ac}}}\right)}{2\sqrt{4\sqrt{a}\sqrt{c} - 3\sqrt{ac}}\sqrt{a}} - \frac{B \arctan\left(\frac{-2\sqrt{c}x + \sqrt{3}(ac)^{\frac{1}{4}}}{\sqrt{4\sqrt{a}\sqrt{c} - 3\sqrt{ac}}}\right)}{2\sqrt{4\sqrt{a}\sqrt{c} - 3\sqrt{ac}}\sqrt{c}} + \frac{B \arctan\left(\frac{2\sqrt{c}x + \sqrt{3}(ac)^{\frac{1}{4}}}{\sqrt{4\sqrt{a}\sqrt{c} - 3\sqrt{ac}}}\right)}{2\sqrt{4\sqrt{a}\sqrt{c} - 3\sqrt{ac}}\sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x^2+A)/(a+c*x^4-x^2*(a*c)^(1/2)),x)

[Out] 1/12/a/c^(3/2)*ln(x*3^(1/2)*(a*c)^(1/4)-c^(1/2)*x^2-a^(1/2))*B*3^(1/2)*(a*c)^(3/4)-1/12/a^(3/2)/c*ln(x*3^(1/2)*(a*c)^(1/4)-c^(1/2)*x^2-a^(1/2))*A*3^(1/2)*(a*c)^(3/4)-1/2/a^(1/2)/(4*a^(1/2)*c^(1/2)-3*(a*c)^(1/2))^(1/2)*arctan((3^(1/2)*(a*c)^(1/4)-2*c^(1/2)*x)/(4*a^(1/2)*c^(1/2)-3*(a*c)^(1/2))^(1/2))*A-1/2/c^(1/2)/(4*a^(1/2)*c^(1/2)-3*(a*c)^(1/2))^(1/2)*arctan((3^(1/2)*(a*c)^(1/4)-2*c^(1/2)*x)/(4*a^(1/2)*c^(1/2)-3*(a*c)^(1/2))^(1/2))*B-1/12/a/c^(3/2)*ln(c^(1/2)*x^2+x*3^(1/2)*(a*c)^(1/4)+a^(1/2))*B*3^(1/2)*(a*c)^(3/4)+1/12/a^(3/2)/c*ln(c^(1/2)*x^2+x*3^(1/2)*(a*c)^(1/4)+a^(1/2))*A*3^(1/2)*(a*c)^(3/4)+1/2/a^(1/2)/(4*a^(1/2)*c^(1/2)-3*(a*c)^(1/2))^(1/2)*arctan((2*c^(1/2)*x+3^(1/2)*(a*c)^(1/4))/(4*a^(1/2)*c^(1/2)-3*(a*c)^(1/2))^(1/2))*A+1/2/c^(1/2)/(4*a^(1/2)*c^(1/2)-3*(a*c)^(1/2))^(1/2)*arctan((2*c^(1/2)*x+3^(1/2)*(a*c)^(1/4))/(4*a^(1/2)*c^(1/2)-3*(a*c)^(1/2))^(1/2))*B

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bx^2 + A}{cx^4 - \sqrt{ac}x^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(a+c*x^4-x^2*(a*c)^(1/2)),x, algorithm="maxima")

[Out] integrate((B*x^2 + A)/(c*x^4 - sqrt(a*c)*x^2 + a), x)

mupad [B] time = 5.22, size = 3285, normalized size = 7.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x^2)/(a + c*x^4 - x^2*(a*c)^(1/2)),x)

$$\begin{aligned}
& *B*a^2*c^2 + 4*A^2*a*c^2*(a*c)^{(1/2)} + 4*B^2*a^2*c*(a*c)^{(1/2)})/(72*a^3*c^3 \\
&)^{(1/2)} + (2*x*(2*A^2*c^2 - B^2*a*c + 2*A*B*c*(a*c)^{(1/2)}))/c^4)*(-(A^2*c* \\
& (-27*a^3*c^3)^{(1/2)} - B^2*a*(-27*a^3*c^3)^{(1/2)} - B^2*a*(a*c)^{(3/2)} - A^2*c* \\
& *(a*c)^{(3/2)} + 12*A*B*a^2*c^2 + 4*A^2*a*c^2*(a*c)^{(1/2)} + 4*B^2*a^2*c*(a*c) \\
& ^{(1/2)})/(72*a^3*c^3))^{(1/2)}*1i - (((12*A*a)/c^2 + (2*x*(4*c*(a*c)^{(3/2)} - 1 \\
& 6*a*c^2*(a*c)^{(1/2)}))*(-(A^2*c*(-27*a^3*c^3)^{(1/2)} - B^2*a*(-27*a^3*c^3)^{(1/2)} \\
& - B^2*a*(a*c)^{(3/2)} - A^2*c*(a*c)^{(3/2)} + 12*A*B*a^2*c^2 + 4*A^2*a*c^2*(\\
& a*c)^{(1/2)} + 4*B^2*a^2*c*(a*c)^{(1/2)}))/(72*a^3*c^3))^{(1/2)}/c^4)*(-(A^2*c*(- \\
& 27*a^3*c^3)^{(1/2)} - B^2*a*(-27*a^3*c^3)^{(1/2)} - B^2*a*(a*c)^{(3/2)} - A^2*c*(\\
& a*c)^{(3/2)} + 12*A*B*a^2*c^2 + 4*A^2*a*c^2*(a*c)^{(1/2)} + 4*B^2*a^2*c*(a*c) \\
& ^{(1/2)}))/(72*a^3*c^3))^{(1/2)} - (2*x*(2*A^2*c^2 - B^2*a*c + 2*A*B*c*(a*c)^{(1/2)} \\
&))/c^4)*(-(A^2*c*(-27*a^3*c^3)^{(1/2)} - B^2*a*(-27*a^3*c^3)^{(1/2)} - B^2*a*(a \\
& *c)^{(3/2)} - A^2*c*(a*c)^{(3/2)} + 12*A*B*a^2*c^2 + 4*A^2*a*c^2*(a*c)^{(1/2)} + \\
& 4*B^2*a^2*c*(a*c)^{(1/2)}))/(72*a^3*c^3))^{(1/2)}*1i)/((((12*A*a)/c^2 - (2*x*(4* \\
& c*(a*c)^{(3/2)} - 16*a*c^2*(a*c)^{(1/2)}))*(-(A^2*c*(-27*a^3*c^3)^{(1/2)} - B^2*a* \\
& (-27*a^3*c^3)^{(1/2)} - B^2*a*(a*c)^{(3/2)} - A^2*c*(a*c)^{(3/2)} + 12*A*B*a^2*c^ \\
& 2 + 4*A^2*a*c^2*(a*c)^{(1/2)} + 4*B^2*a^2*c*(a*c)^{(1/2)}))/(72*a^3*c^3))^{(1/2)} \\
& /c^4)*(-(A^2*c*(-27*a^3*c^3)^{(1/2)} - B^2*a*(-27*a^3*c^3)^{(1/2)} - B^2*a*(a*c) \\
&)^{(3/2)} - A^2*c*(a*c)^{(3/2)} + 12*A*B*a^2*c^2 + 4*A^2*a*c^2*(a*c)^{(1/2)} + 4* \\
& B^2*a^2*c*(a*c)^{(1/2)}))/(72*a^3*c^3))^{(1/2)} + (2*x*(2*A^2*c^2 - B^2*a*c + 2* \\
& A*B*c*(a*c)^{(1/2)}))/c^4)*(-(A^2*c*(-27*a^3*c^3)^{(1/2)} - B^2*a*(-27*a^3*c^3) \\
& ^{(1/2)} - B^2*a*(a*c)^{(3/2)} - A^2*c*(a*c)^{(3/2)} + 12*A*B*a^2*c^2 + 4*A^2*a*c \\
& ^2*(a*c)^{(1/2)} + 4*B^2*a^2*c*(a*c)^{(1/2)}))/(72*a^3*c^3))^{(1/2)} + (((12*A*a)/ \\
& c^2 + (2*x*(4*c*(a*c)^{(3/2)} - 16*a*c^2*(a*c)^{(1/2)}))*(-(A^2*c*(-27*a^3*c^3)^ \\
& (1/2) - B^2*a*(-27*a^3*c^3)^{(1/2)} - B^2*a*(a*c)^{(3/2)} - A^2*c*(a*c)^{(3/2)} + \\
& 12*A*B*a^2*c^2 + 4*A^2*a*c^2*(a*c)^{(1/2)} + 4*B^2*a^2*c*(a*c)^{(1/2)}))/(72*a^ \\
& 3*c^3))^{(1/2)}/c^4)*(-(A^2*c*(-27*a^3*c^3)^{(1/2)} - B^2*a*(-27*a^3*c^3)^{(1/2)} \\
&) - B^2*a*(a*c)^{(3/2)} - A^2*c*(a*c)^{(3/2)} + 12*A*B*a^2*c^2 + 4*A^2*a*c^2*(a \\
& *c)^{(1/2)} + 4*B^2*a^2*c*(a*c)^{(1/2)}))/(72*a^3*c^3))^{(1/2)} - (2*x*(2*A^2*c^2 \\
& - B^2*a*c + 2*A*B*c*(a*c)^{(1/2)}))/c^4)*(-(A^2*c*(-27*a^3*c^3)^{(1/2)} - B^2*a \\
& *(-27*a^3*c^3)^{(1/2)} - B^2*a*(a*c)^{(3/2)} - A^2*c*(a*c)^{(3/2)} + 12*A*B*a^2*c \\
& ^2 + 4*A^2*a*c^2*(a*c)^{(1/2)} + 4*B^2*a^2*c*(a*c)^{(1/2)}))/(72*a^3*c^3))^{(1/2)} \\
& + (2*(B^3*a + A^2*B*c + A*B^2*(a*c)^{(1/2)}))/c^4))*(-(A^2*c*(-27*a^3*c^3)^{(1/2)} \\
& - B^2*a*(-27*a^3*c^3)^{(1/2)} - B^2*a*(a*c)^{(3/2)} - A^2*c*(a*c)^{(3/2)} + \\
& 12*A*B*a^2*c^2 + 4*A^2*a*c^2*(a*c)^{(1/2)} + 4*B^2*a^2*c*(a*c)^{(1/2)}))/(72*a^3 \\
& *c^3))^{(1/2)}*2i
\end{aligned}$$

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: PolynomialError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/(a+c*x**4-x**2*(a*c)**(1/2)),x)

[Out] Exception raised: PolynomialError

$$3.112 \quad \int \frac{A+Bx^2}{a-\sqrt{a}\sqrt{c}x^2+cx^4} dx$$

Optimal. Leaf size=234

$$\frac{(\sqrt{a}B + A\sqrt{c}) \tan^{-1}\left(\sqrt{3} - \frac{2\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2a^{3/4}c^{3/4}} + \frac{(\sqrt{a}B + A\sqrt{c}) \tan^{-1}\left(\frac{2\sqrt[4]{c}x}{\sqrt[4]{a}} + \sqrt{3}\right)}{2a^{3/4}c^{3/4}} - \frac{\left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right) \log\left(-\sqrt{3}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a}\right)}{4\sqrt{3}a^{3/4}\sqrt[4]{c}}$$

[Out] $-1/12*\ln(-a^{(1/4)}*c^{(1/4)}*x*3^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(A-B*a^{(1/2)}/c^{(1/2)})/a^{(3/4)}/c^{(1/4)}*3^{(1/2)}+1/12*\ln(a^{(1/4)}*c^{(1/4)}*x*3^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(A-B*a^{(1/2)}/c^{(1/2)})/a^{(3/4)}/c^{(1/4)}*3^{(1/2)}+1/2*\arctan(2*c^{(1/4)}*x/a^{(1/4)}-3^{(1/2)})*(B*a^{(1/2)}+A*c^{(1/2)})/a^{(3/4)}/c^{(3/4)}+1/2*\arctan(2*c^{(1/4)}*x/a^{(1/4)}+3^{(1/2)})*(B*a^{(1/2)}+A*c^{(1/2)})/a^{(3/4)}/c^{(3/4)}$

Rubi [A] time = 0.17, antiderivative size = 234, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {1169, 634, 617, 204, 628}

$$\frac{(\sqrt{a}B + A\sqrt{c}) \tan^{-1}\left(\sqrt{3} - \frac{2\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2a^{3/4}c^{3/4}} + \frac{(\sqrt{a}B + A\sqrt{c}) \tan^{-1}\left(\frac{2\sqrt[4]{c}x}{\sqrt[4]{a}} + \sqrt{3}\right)}{2a^{3/4}c^{3/4}} - \frac{\left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right) \log\left(-\sqrt{3}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a}\right)}{4\sqrt{3}a^{3/4}\sqrt[4]{c}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(a - Sqrt[a]*Sqrt[c]*x^2 + c*x^4), x]

[Out] $-((\text{Sqrt}[a]*B + A*\text{Sqrt}[c])*\text{ArcTan}[\text{Sqrt}[3] - (2*c^{(1/4)}*x)/a^{(1/4)}])/(2*a^{(3/4)}*c^{(3/4)}) + ((\text{Sqrt}[a]*B + A*\text{Sqrt}[c])*\text{ArcTan}[\text{Sqrt}[3] + (2*c^{(1/4)}*x)/a^{(1/4)}])/(2*a^{(3/4)}*c^{(3/4)}) - ((A - (\text{Sqrt}[a]*B)/\text{Sqrt}[c])*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[3]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(4*\text{Sqrt}[3]*a^{(3/4)}*c^{(1/4)}) + ((A - (\text{Sqrt}[a]*B)/\text{Sqrt}[c])*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[3]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(4*\text{Sqrt}[3]*a^{(3/4)}*c^{(1/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2), x_Symbol\} :> \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2), x_Symbol\} :> \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{!NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1169

$\text{Int}[\{(d_)+(e_)*(x_)^2)/((a_)+(b_)*(x_)^2+(c_)*(x_)^4), x_Symbol\} :> \text{With}[\{q = \text{Rt}[a/c, 2]\}, \text{With}[\{r = \text{Rt}[2*q - b/c, 2]\}, \text{Dist}[1/(2*c*q*r), \text{Int}[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + \text{Dist}[1/(2*c*q*r), \text{Int}[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{NegQ}[b^2 - 4*a*c]$

Rubi steps

$$\int \frac{A + Bx^2}{a - \sqrt{a}\sqrt{c}x^2 + cx^4} dx = \frac{\int \frac{\frac{\sqrt{3}\sqrt[4]{a}A}{\sqrt[4]{c}} - \left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right)x}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{3}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{2\sqrt{3}a^{3/4}\sqrt[4]{c}} + \frac{\int \frac{\frac{\sqrt{3}\sqrt[4]{a}A}{\sqrt[4]{c}} + \left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right)x}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{3}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{2\sqrt{3}a^{3/4}\sqrt[4]{c}}$$

$$= \frac{\left(B + \frac{A\sqrt{c}}{\sqrt{a}}\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{3}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{4c} + \frac{\left(B + \frac{A\sqrt{c}}{\sqrt{a}}\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{3}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{4c} + \frac{(\sqrt{a}B - A\sqrt{c}) \int \frac{1}{\sqrt{a} - \sqrt{3}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2} dx}{4\sqrt{3}a^{3/4}\sqrt[4]{c}}$$

$$= \frac{(\sqrt{a}B - A\sqrt{c}) \log(\sqrt{a} - \sqrt{3}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{3}a^{3/4}c^{3/4}} + \frac{\left(A - \frac{\sqrt{a}B}{\sqrt{c}}\right) \log(\sqrt{a} + \sqrt{3}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{3}a^{3/4}\sqrt[4]{c}}$$

$$= -\frac{(\sqrt{a}B + A\sqrt{c}) \tan^{-1}\left(\sqrt{3} - \frac{2\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2a^{3/4}c^{3/4}} + \frac{(\sqrt{a}B + A\sqrt{c}) \tan^{-1}\left(\sqrt{3} + \frac{2\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2a^{3/4}c^{3/4}} + \frac{(\sqrt{a}B - A\sqrt{c}) \log(\sqrt{a} - \sqrt{3}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{3}a^{3/4}\sqrt[4]{c}}$$

Mathematica [C] time = 0.19, size = 163, normalized size = 0.70

$$\frac{\sqrt[4]{-1} \left(\frac{((\sqrt{3}-i)\sqrt{a}B-2iA\sqrt{c}) \tan^{-1}\left(\frac{(1+i)\sqrt[4]{cx}}{\sqrt{\sqrt{3}-i}\sqrt[4]{a}}\right)}{\sqrt{\sqrt{3}-i}} - \frac{((\sqrt{3}+i)\sqrt{a}B+2iA\sqrt{c}) \tanh^{-1}\left(\frac{(1+i)\sqrt[4]{cx}}{\sqrt{\sqrt{3}+i}\sqrt[4]{a}}\right)}{\sqrt{\sqrt{3}+i}} \right)}{\sqrt{6}a^{3/4}c^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(a - Sqrt[a]*Sqrt[c]*x^2 + c*x^4), x]

[Out] $((-1)^{1/4} * (((-I + \text{Sqrt}[3]) * \text{Sqrt}[a] * B - (2 * I) * A * \text{Sqrt}[c]) * \text{ArcTan}[\frac{(1 + I) * c^{1/4} * x}{\text{Sqrt}[-I + \text{Sqrt}[3]] * a^{1/4}}])) / \text{Sqrt}[-I + \text{Sqrt}[3]] - (((I + \text{Sqrt}[3]) * \text{Sqrt}[a] * B + (2 * I) * A * \text{Sqrt}[c]) * \text{ArcTanh}[\frac{(1 + I) * c^{1/4} * x}{\text{Sqrt}[I + \text{Sqrt}[3]] * a^{1/4}}])) / \text{Sqrt}[I + \text{Sqrt}[3]])) / (\text{Sqrt}[6] * a^{3/4} * c^{3/4})$

fricas [B] time = 1.17, size = 1469, normalized size = 6.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(a+c*x^4-x^2*a^(1/2)*c^(1/2)),x, algorithm="fricas")

[Out] $-1/2 * \text{sqrt}(1/6) * \text{sqrt}(-3 * \text{sqrt}(1/3) * a^2 * c^2 * \text{sqrt}(-(B^4 * a^2 - 2 * A^2 * B^2 * a * c + A^4 * c^2) / (a^3 * c^3))) + 4 * A * B * a * c + (B^2 * a + A^2 * c) * \text{sqrt}(a) * \text{sqrt}(c) / (a^2 * c^2) * \log(-2 * (B^6 * a^3 - A^6 * c^3) * x + 3 * \text{sqrt}(1/6) * (A * B^4 * a^3 * c - A^5 * a * c^3 - (A^2 * B^3 * a^2 * c - A^4 * B * a * c^2 - \text{sqrt}(1/3) * (A * B^2 * a^3 * c^2 - A^3 * a^2 * c^3)) * \text{sqrt}(-(B^4 * a^2 - 2 * A^2 * B^2 * a * c + A^4 * c^2) / (a^3 * c^3))) * \text{sqrt}(a) * \text{sqrt}(c) - \text{sqrt}(1/3) * (2 * B^3 * a^4 * c^2 + A^2 * B * a^3 * c^3) * \text{sqrt}(-(B^4 * a^2 - 2 * A^2 * B^2 * a * c + A^4 * c^2) / (a^3 * c^3))) * \text{sqrt}(-(3 * \text{sqrt}(1/3) * a^2 * c^2 * \text{sqrt}(-(B^4 * a^2 - 2 * A^2 * B^2 * a * c + A^4 * c^2) / (a^3 * c^3))) + 4 * A * B * a * c + (B^2 * a + A^2 * c) * \text{sqrt}(a) * \text{sqrt}(c)) / (a^2 * c^2)) + 1/2 * \text{sqrt}(1/6) * \text{sqrt}(-3 * \text{sqrt}(1/3) * a^2 * c^2 * \text{sqrt}(-(B^4 * a^2 - 2 * A^2 * B^2 * a * c + A^4 * c^2) / (a^3 * c^3))) + 4 * A * B * a * c + (B^2 * a + A^2 * c) * \text{sqrt}(a) * \text{sqrt}(c) / (a^2 * c^2) * \log(-2 * (B^6 * a^3 - A^6 * c^3) * x - 3 * \text{sqrt}(1/6) * (A * B^4 * a^3 * c - A^5 * a * c^3 - (A^2 * B^3 * a^2 * c - A^4 * B * a * c^2 - \text{sqrt}(1/3) * (A * B^2 * a^3 * c^2 - A^3 * a^2 * c^3)) * \text{sqrt}(-(B^4 * a^2 - 2 * A^2 * B^2 * a * c + A^4 * c^2) / (a^3 * c^3))) * \text{sqrt}(a) * \text{sqrt}(c) - \text{sqrt}(1/3) * (2 * B^3 * a^4 * c^2 + A^2 * B * a^3 * c^3) * \text{sqrt}(-(B^4 * a^2 - 2 * A^2 * B^2 * a * c + A^4 * c^2) / (a^3 * c^3))) * \text{sqrt}(-(3 * \text{sqrt}(1/3) * a^2 * c^2 * \text{sqrt}(-(B^4 * a^2 - 2 * A^2 * B^2 * a * c + A^4 * c^2) / (a^3 * c^3))) + 4 * A * B * a * c + (B^2 * a + A^2 * c) * \text{sqrt}(a) * \text{sqrt}(c)) / (a^2 * c^2)) - 1/2 * \text{sqrt}(1/6) * \text{sqrt}((3 * \text{sqrt}(1/3) * a^2 * c^2 * \text{sqrt}(-(B^4 * a^2 - 2 * A^2 * B^2 * a * c + A^4 * c^2) / (a^3 * c^3))) - 4 * A * B * a * c - (B^2 * a + A^2 * c) * \text{sqrt}(a) * \text{sqrt}(c)) / (a^2 * c^2) * \log(-2 * (B^6 * a^3 - A^6 * c^3) * x + 3 * \text{sqrt}(1/6) * (A * B^4 * a^3 * c - A^5 * a * c^3 - (A^2 * B^3 * a^2 * c - A^4 * B * a * c^2 + \text{sqrt}(1/3) * (A * B^2 * a^3 * c^2 - A^3 * a^2 * c^3)) * \text{sqrt}(-(B^4 * a^2 - 2 * A^2 * B^2 * a * c + A^4 * c^2) / (a^3 * c^3))) * \text{sqrt}(a) * \text{sqrt}(c) + \text{sqrt}(1$

$$\begin{aligned} & /3)*(2*B^3*a^4*c^2 + A^2*B*a^3*c^3)*\sqrt{-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)}))\sqrt{(3*\sqrt{1/3}*a^2*c^2*\sqrt{-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)} - 4*A*B*a*c - (B^2*a + A^2*c)*\sqrt{a}*\sqrt{c})/(a^2*c^2)})) \\ & + 1/2*\sqrt{1/6}*\sqrt{(3*\sqrt{1/3}*a^2*c^2*\sqrt{-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)} - 4*A*B*a*c - (B^2*a + A^2*c)*\sqrt{a}*\sqrt{c})/(a^2*c^2)})*\log(-2*(B^6*a^3 - A^6*c^3)*x - 3*\sqrt{1/6}*(A*B^4*a^3*c - A^5*a*c^3 - \\ & (A^2*B^3*a^2*c - A^4*B*a*c^2 + \sqrt{1/3}*(A*B^2*a^3*c^2 - A^3*a^2*c^3)*\sqrt{-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)}))\sqrt{a}*\sqrt{c} + \sqrt{1/3}*(2*B^3*a^4*c^2 + A^2*B*a^3*c^3)*\sqrt{-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)}))\sqrt{(3*\sqrt{1/3}*a^2*c^2*\sqrt{-(B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^3*c^3)} - 4*A*B*a*c - (B^2*a + A^2*c)*\sqrt{a}*\sqrt{c})/(a^2*c^2)})) \end{aligned}$$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(a+c*x^4-x^2*a^(1/2)*c^(1/2)),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vecteur & l) Error: Bad Argument Value

maple [A] time = 0.07, size = 320, normalized size = 1.37

$$\frac{A \arctan\left(\frac{2\sqrt{c}x + \sqrt{3}a^{\frac{1}{4}}c^{\frac{1}{4}}}{\sqrt{a}\sqrt{c}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}\sqrt{a}}} - \frac{A \arctan\left(\frac{-2\sqrt{c}x + \sqrt{3}a^{\frac{1}{4}}c^{\frac{1}{4}}}{\sqrt{a}\sqrt{c}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}\sqrt{a}}} + \frac{B \arctan\left(\frac{2\sqrt{c}x + \sqrt{3}a^{\frac{1}{4}}c^{\frac{1}{4}}}{\sqrt{a}\sqrt{c}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}} - \frac{B \arctan\left(\frac{-2\sqrt{c}x + \sqrt{3}a^{\frac{1}{4}}c^{\frac{1}{4}}}{\sqrt{a}\sqrt{c}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x^2+A)/(a+c*x^4-x^2*a^(1/2)*c^(1/2)),x)

[Out] $-1/12/c^{1/4}/a^{3/4}*\ln(a^{1/4}*c^{1/4}*x^3^{1/2}-c^{1/2}*x^2-a^{1/2}))*A*3^{1/2}+1/12/c^{3/4}/a^{1/4}*\ln(a^{1/4}*c^{1/4}*x^3^{1/2}-c^{1/2}*x^2-a^{1/2}))*B*3^{1/2}-1/2/a^{1/2}/(a^{1/2}*c^{1/2})^{1/2}*\arctan((3^{1/2}*c^{1/4}*a^{1/4}-2*c^{1/2}*x)/(a^{1/2}*c^{1/2})^{1/2}))*A-1/2/c^{1/2}/(a^{1/2}*c^{1/2})^{1/2}*\arctan((3^{1/2}*c^{1/4}*a^{1/4}-2*c^{1/2}*x)/(a^{1/2}*c^{1/2})^{1/2}))*B+1/12/c^{1/4}/a^{3/4}*\ln(a^{1/4}*c^{1/4}*x^3^{1/2}+a^{1/2}+c^{1/2}*x^2)*A*3^{1/2}-1/12/c^{3/4}/a^{1/4}*\ln(a^{1/4}*c^{1/4}*x^3^{1/2}+a^{1/2}+c^{1/2}*x^2)*B*3^{1/2}+1/2/a^{1/2}/(a^{1/2}*c^{1/2})^{1/2}*\arctan((2*c^{1/2}*x^3^{1/2}+1/2)*c^{1/4}*a^{1/4})/(a^{1/2}*c^{1/2})^{1/2}))*A+1/2/c^{1/2}/(a^{1/2}*c^{1/2})^{1/2}*\arctan((2*c^{1/2}*x^3^{1/2}+1/2)*c^{1/4}*a^{1/4})/(a^{1/2}*c^{1/2})^{1/2}))*B$

$2))^{(1/2)} * \arctan((2*c^{(1/2)}*x+3^{(1/2)}*c^{(1/4)}*a^{(1/4)})/(a^{(1/2)}*c^{(1/2)})^{(1/2)}) * B$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bx^2 + A}{cx^4 - \sqrt{a}\sqrt{c}x^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(a+c*x^4-x^2*a^(1/2)*c^(1/2)),x, algorithm="maxima")

[Out] integrate((B*x^2 + A)/(c*x^4 - sqrt(a)*sqrt(c)*x^2 + a), x)

mupad [B] time = 5.29, size = 1575, normalized size = 6.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x^2)/(a + c*x^4 - a^(1/2)*c^(1/2)*x^2),x)

[Out] $-2 * \operatorname{atanh}((6 * A^2 * x * ((B^2 * (-27 * a^3 * c^3)^{(1/2)}) / (72 * a^2 * c^3) - B^2 / (24 * a^{(1/2)} * c^{(3/2)})) - (A * B) / (6 * a * c) - (A^2 * (-27 * a^3 * c^3)^{(1/2)}) / (72 * a^3 * c^2) - A^2 / (24 * a^{(3/2)} * c^{(1/2)}))^{(1/2)}) / ((2 * A^2 * B) / c - (2 * B^3 * a) / c^2 + A^3 / (a^{(1/2)} * c^{(1/2)})) + (A^3 * (-27 * a^3 * c^3)^{(1/2)}) / (3 * a^2 * c^2) - (A * B^2 * a^{(1/2)}) / c^{(3/2)} - (A * B^2 * (-27 * a^3 * c^3)^{(1/2)}) / (3 * a * c^3)) - (6 * B^2 * a * x * ((B^2 * (-27 * a^3 * c^3)^{(1/2)}) / (72 * a^2 * c^3) - B^2 / (24 * a^{(1/2)} * c^{(3/2)})) - (A * B) / (6 * a * c) - (A^2 * (-27 * a^3 * c^3)^{(1/2)}) / (72 * a^3 * c^2) - A^2 / (24 * a^{(3/2)} * c^{(1/2)}))^{(1/2)}) / (2 * A^2 * B - (2 * B^3 * a) / c + (A^3 * c^{(1/2)}) / a^{(1/2)} + (A^3 * (-27 * a^3 * c^3)^{(1/2)}) / (3 * a^2 * c) - (A * B^2 * a^{(1/2)}) / c^{(1/2)} - (A * B^2 * (-27 * a^3 * c^3)^{(1/2)}) / (3 * a * c^2)) - (2 * A^2 * x * (-27 * a^3 * c^3)^{(1/2)} * ((B^2 * (-27 * a^3 * c^3)^{(1/2)}) / (72 * a^2 * c^3) - B^2 / (24 * a^{(1/2)} * c^{(3/2)})) - (A * B) / (6 * a * c) - (A^2 * (-27 * a^3 * c^3)^{(1/2)}) / (72 * a^3 * c^2) - A^2 / (24 * a^{(3/2)} * c^{(1/2)}))^{(1/2)}) / (3 * a^{(3/2)} * c^{(7/2)} * ((2 * A^2 * B) / c^3 - (2 * B^3 * a) / c^4 + A^3 / (a^{(1/2)} * c^{(5/2)})) + (A^3 * (-27 * a^3 * c^3)^{(1/2)}) / (3 * a^2 * c^4) - (A * B^2 * a^{(1/2)}) / c^{(7/2)} - (A * B^2 * (-27 * a^3 * c^3)^{(1/2)}) / (3 * a * c^5))) + (2 * B^2 * x * (-27 * a^3 * c^3)^{(1/2)} * ((B^2 * (-27 * a^3 * c^3)^{(1/2)}) / (72 * a^2 * c^3) - B^2 / (24 * a^{(1/2)} * c^{(3/2)})) - (A * B) / (6 * a * c) - (A^2 * (-27 * a^3 * c^3)^{(1/2)}) / (72 * a^3 * c^2) - A^2 / (24 * a^{(3/2)} * c^{(1/2)}))^{(1/2)}) / (3 * a^{(1/2)} * c^{(9/2)} * ((2 * A^2 * B) / c^3 - (2 * B^3 * a) / c^4 + A^3 / (a^{(1/2)} * c^{(5/2)})) + (A^3 * (-27 * a^3 * c^3)^{(1/2)}) / (3 * a^2 * c^4) - (A * B^2 * a^{(1/2)}) / c^{(7/2)} - (A * B^2 * (-27 * a^3 * c^3)^{(1/2)}) / (3 * a * c^5))) * ((B^2 * (-27 * a^3 * c^3)^{(1/2)}) / (72 * a^2 * c^3) - B^2 / (24 * a^{(1/2)} * c^{(3/2)})) - (A * B) / (6 * a * c) - (A^2 * (-27 * a^3 * c^3)^{(1/2)}) / (72 * a^3 * c^2) - A^2 / (24 * a^{(3/2)} * c^{(1/2)}))^{(1/2)} - 2 * \operatorname{atanh}((6 * A^2 * x * ((A^2 * (-27 * a^3 * c^3)^{(1/2)}) / (72 * a^3 * c^2) - B^2 / (24 * a^{(1/2)} * c^{(3/2)})) - (A * B) / (6 * a * c) - A^2 / (24 * a^{(3/2)} * c^{(1/2)})) - (B^2 * (-27 * a^3 * c^3)^{(1/2)}) / (72 * a^2 * c^3))^{(1/2)}) / ((2 * A^2 * B) / c - (2 * B^3 * a) / c^2 + A^3 / (a^{(1/2)} * c^{(1/2)})) - (A$

$$\begin{aligned}
&^3*(-27*a^3*c^3)^{(1/2)}/(3*a^2*c^2) - (A*B^2*a^{(1/2)})/c^{(3/2)} + (A*B^2*(-27 \\
&*a^3*c^3)^{(1/2)}/(3*a*c^3)) - (6*B^2*a*x*((A^2*(-27*a^3*c^3)^{(1/2)})/(72*a^3 \\
&*c^2) - B^2/(24*a^{(1/2)}*c^{(3/2)})) - (A*B)/(6*a*c) - A^2/(24*a^{(3/2)}*c^{(1/2)}) \\
&- (B^2*(-27*a^3*c^3)^{(1/2)})/(72*a^2*c^3))^{(1/2)}/(2*A^2*B - (2*B^3*a)/c + \\
&(A^3*c^{(1/2)})/a^{(1/2)} - (A^3*(-27*a^3*c^3)^{(1/2)})/(3*a^2*c) - (A*B^2*a^{(1/2)} \\
&))/c^{(1/2)} + (A*B^2*(-27*a^3*c^3)^{(1/2)})/(3*a*c^2)) + (2*A^2*x*(-27*a^3*c^3 \\
&)^{(1/2))*((A^2*(-27*a^3*c^3)^{(1/2)})/(72*a^3*c^2) - B^2/(24*a^{(1/2)}*c^{(3/2)})) \\
&- (A*B)/(6*a*c) - A^2/(24*a^{(3/2)}*c^{(1/2)}) - (B^2*(-27*a^3*c^3)^{(1/2)})/(72* \\
&a^2*c^3))^{(1/2)}/(3*a^{(3/2)}*c^{(7/2)}*((2*A^2*B)/c^3 - (2*B^3*a)/c^4 + A^3/(a \\
&^{(1/2)}*c^{(5/2)}) - (A^3*(-27*a^3*c^3)^{(1/2)})/(3*a^2*c^4) - (A*B^2*a^{(1/2)})/c \\
&^{(7/2)} + (A*B^2*(-27*a^3*c^3)^{(1/2)})/(3*a*c^5))) - (2*B^2*x*(-27*a^3*c^3)^{(\\
&1/2))*((A^2*(-27*a^3*c^3)^{(1/2)})/(72*a^3*c^2) - B^2/(24*a^{(1/2)}*c^{(3/2)})) - (\\
&A*B)/(6*a*c) - A^2/(24*a^{(3/2)}*c^{(1/2)}) - (B^2*(-27*a^3*c^3)^{(1/2)})/(72*a^2 \\
&*c^3))^{(1/2)}/(3*a^{(1/2)}*c^{(9/2)}*((2*A^2*B)/c^3 - (2*B^3*a)/c^4 + A^3/(a^{(1 \\
&/2)}*c^{(5/2)}) - (A^3*(-27*a^3*c^3)^{(1/2)})/(3*a^2*c^4) - (A*B^2*a^{(1/2)})/c^{(7 \\
&/2)} + (A*B^2*(-27*a^3*c^3)^{(1/2)})/(3*a*c^5))))*((A^2*(-27*a^3*c^3)^{(1/2)})/(\\
&72*a^3*c^2) - B^2/(24*a^{(1/2)}*c^{(3/2)}) - (A*B)/(6*a*c) - A^2/(24*a^{(3/2)}*c^{ \\
&(1/2)}) - (B^2*(-27*a^3*c^3)^{(1/2)})/(72*a^2*c^3))^{(1/2)}
\end{aligned}$$

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: PolynomialError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/(a+c*x**4-x**2*a**(1/2)*c**(1/2)),x)

[Out] Exception raised: PolynomialError

$$3.113 \quad \int \frac{3-x^2}{\sqrt{3+x^2-x^4}} dx$$

Optimal. Leaf size=96

$$\sqrt{7+2\sqrt{13}} F\left(\sin^{-1}\left(\sqrt{\frac{2}{1+\sqrt{13}}} x\right) \middle| \frac{1}{6}(-7-\sqrt{13})\right) - \sqrt{\frac{1}{2}(\sqrt{13}-1)} E\left(\sin^{-1}\left(\sqrt{\frac{2}{1+\sqrt{13}}} x\right) \middle| \frac{1}{6}(-7-\sqrt{13})\right)$$

[Out] $-1/2*\text{EllipticE}(x*2^{(1/2)}/(1+13^{(1/2)})^{(1/2)}, 1/6*I*3^{(1/2)}+1/6*I*39^{(1/2)})*($
 $-2+2*13^{(1/2)})^{(1/2)}+\text{EllipticF}(x*2^{(1/2)}/(1+13^{(1/2)})^{(1/2)}, 1/6*I*3^{(1/2)}+1$
 $/6*I*39^{(1/2)})*(7+2*13^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 96, normalized size of antiderivative = 1.00,
 number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} =$
 0.182, Rules used = {1180, 524, 424, 419}

$$\sqrt{7+2\sqrt{13}} F\left(\sin^{-1}\left(\sqrt{\frac{2}{1+\sqrt{13}}} x\right) \middle| \frac{1}{6}(-7-\sqrt{13})\right) - \sqrt{\frac{1}{2}(\sqrt{13}-1)} E\left(\sin^{-1}\left(\sqrt{\frac{2}{1+\sqrt{13}}} x\right) \middle| \frac{1}{6}(-7-\sqrt{13})\right)$$

Antiderivative was successfully verified.

[In] Int[(3 - x^2)/Sqrt[3 + x^2 - x^4], x]

[Out] $-(\text{Sqrt}[(-1 + \text{Sqrt}[13])/2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[2/(1 + \text{Sqrt}[13])]]*x], (-7 -$
 $\text{Sqrt}[13])/6) + \text{Sqrt}[7 + 2*\text{Sqrt}[13]]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[2/(1 + \text{Sqrt}[13]$
 $)]*x], (-7 - \text{Sqrt}[13])/6]$

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
 imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt
 [-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
 [a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
 (Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c)
], 2)), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
 x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x

```

] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && ( !GtQ[c, 0] || Simpler
SqrtQ[-(b/a), -(d/c)]))))))

```

Rule 1180

```

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt
[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e
, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{3-x^2}{\sqrt{3+x^2-x^4}} dx &= 2 \int \frac{3-x^2}{\sqrt{1+\sqrt{13}-2x^2} \sqrt{-1+\sqrt{13}+2x^2}} dx \\
&= (5+\sqrt{13}) \int \frac{1}{\sqrt{1+\sqrt{13}-2x^2} \sqrt{-1+\sqrt{13}+2x^2}} dx - \int \frac{\sqrt{-1+\sqrt{13}+2x^2}}{\sqrt{1+\sqrt{13}-2x^2}} dx \\
&= -\sqrt{\frac{1}{2}(-1+\sqrt{13})} E\left(\sin^{-1}\left(\sqrt{\frac{2}{1+\sqrt{13}}} x\right) \middle| \frac{1}{6}(-7-\sqrt{13})\right) + \sqrt{7+2\sqrt{13}} F\left(\sin^{-1}\left(\sqrt{\frac{2}{1+\sqrt{13}}} x\right) \middle| \frac{1}{6}(-7+\sqrt{13})\right)
\end{aligned}$$

Mathematica [C] time = 0.14, size = 103, normalized size = 1.07

$$\frac{i\left((1+\sqrt{13})E\left(i\sinh^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{13}}}x\right)\middle|\frac{1}{6}(-7+\sqrt{13})\right)-(\sqrt{13}-5)F\left(i\sinh^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{13}}}x\right)\middle|\frac{1}{6}(-7+\sqrt{13})\right)\right)}{\sqrt{2(1+\sqrt{13})}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(3 - x^2)/Sqrt[3 + x^2 - x^4], x]
```

```
[Out] ((-I)*((1 + Sqrt[13])*EllipticE[I*ArcSinh[Sqrt[2/(-1 + Sqrt[13])]]*x], (-7 +
Sqrt[13])/6] - (-5 + Sqrt[13])*EllipticF[I*ArcSinh[Sqrt[2/(-1 + Sqrt[13])]]
*x], (-7 + Sqrt[13])/6))/Sqrt[2*(1 + Sqrt[13])]
```

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^4+x^2+3}(x^2-3)}{x^4-x^2-3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4+x^2+3)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^4 + x^2 + 3)*(x^2 - 3)/(x^4 - x^2 - 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x^2 - 3}{\sqrt{-x^4 + x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4+x^2+3)^(1/2),x, algorithm="giac")

[Out] integrate(-(x^2 - 3)/sqrt(-x^4 + x^2 + 3), x)

maple [B] time = 0.11, size = 200, normalized size = 2.08

$$\frac{18\sqrt{-\left(-\frac{1}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{1}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-6+6\sqrt{13}}x}{6}, \frac{i\sqrt{3}}{6} + \frac{i\sqrt{39}}{6}\right) + 36\sqrt{-\left(-\frac{1}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1}}{\sqrt{-6 + 6\sqrt{13}} \sqrt{-x^4 + x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+3)/(-x^4+x^2+3)^(1/2),x)

[Out] 36/(-6+6*13^(1/2))^(1/2)*(1-(-1/6+1/6*13^(1/2))*x^2)^(1/2)*(1-(-1/6-1/6*13^(1/2))*x^2)^(1/2)/(-x^4+x^2+3)^(1/2)/(1+13^(1/2))*(EllipticF(1/6*x*(-6+6*13^(1/2))^(1/2), 1/6*I*3^(1/2)+1/6*I*39^(1/2))-EllipticE(1/6*x*(-6+6*13^(1/2))^(1/2), 1/6*I*3^(1/2)+1/6*I*39^(1/2)))+18/(-6+6*13^(1/2))^(1/2)*(1-(-1/6+1/6*13^(1/2))*x^2)^(1/2)*(1-(-1/6-1/6*13^(1/2))*x^2)^(1/2)/(-x^4+x^2+3)^(1/2)*EllipticF(1/6*x*(-6+6*13^(1/2))^(1/2), 1/6*I*3^(1/2)+1/6*I*39^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 - 3}{\sqrt{-x^4 + x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4+x^2+3)^(1/2),x, algorithm="maxima")

[Out] -integrate((x^2 - 3)/sqrt(-x^4 + x^2 + 3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$-\int \frac{x^2 - 3}{\sqrt{-x^4 + x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2 - 3)/(x^2 - x^4 + 3)^(1/2), x)`

[Out] `-int((x^2 - 3)/(x^2 - x^4 + 3)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2}{\sqrt{-x^4 + x^2 + 3}} dx - \int \left(-\frac{3}{\sqrt{-x^4 + x^2 + 3}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+3)/(-x**4+x**2+3)**(1/2), x)`

[Out] `-Integral(x**2/sqrt(-x**4 + x**2 + 3), x) - Integral(-3/sqrt(-x**4 + x**2 + 3), x)`

$$3.114 \quad \int \frac{3-x^2}{\sqrt{3+2x^2-x^4}} dx$$

Optimal. Leaf size=25

$$4F\left(\sin^{-1}\left(\frac{x}{\sqrt{3}}\right)\middle| -3\right) - E\left(\sin^{-1}\left(\frac{x}{\sqrt{3}}\right)\middle| -3\right)$$

[Out] -EllipticE(1/3*x*3^(1/2), I*3^(1/2))+4*EllipticF(1/3*x*3^(1/2), I*3^(1/2))

Rubi [A] time = 0.03, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1180, 21, 423, 424, 419}

$$4F\left(\sin^{-1}\left(\frac{x}{\sqrt{3}}\right)\middle| -3\right) - E\left(\sin^{-1}\left(\frac{x}{\sqrt{3}}\right)\middle| -3\right)$$

Antiderivative was successfully verified.

[In] Int[(3 - x^2)/Sqrt[3 + 2*x^2 - x^4], x]

[Out] -EllipticE[ArcSin[x/Sqrt[3]], -3] + 4*EllipticF[ArcSin[x/Sqrt[3]], -3]

Rule 21

Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :>
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 423

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Dist[
b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[
1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && Po
sQ[d/c] && NegQ[b/a]

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c)
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{3-x^2}{\sqrt{3+2x^2-x^4}} dx &= 2 \int \frac{3-x^2}{\sqrt{6-2x^2}\sqrt{2+2x^2}} dx \\ &= \int \frac{\sqrt{6-2x^2}}{\sqrt{2+2x^2}} dx \\ &= 8 \int \frac{1}{\sqrt{6-2x^2}\sqrt{2+2x^2}} dx - \int \frac{\sqrt{2+2x^2}}{\sqrt{6-2x^2}} dx \\ &= -E\left(\sin^{-1}\left(\frac{x}{\sqrt{3}}\right)\right) - 3 + 4F\left(\sin^{-1}\left(\frac{x}{\sqrt{3}}\right)\right) - 3 \end{aligned}$$

Mathematica [C] time = 0.06, size = 19, normalized size = 0.76

$$-i\sqrt{3}E\left(i\sinh^{-1}(x) \middle| -\frac{1}{3}\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(3 - x^2)/Sqrt[3 + 2*x^2 - x^4], x]
```

```
[Out] (-I)*Sqrt[3]*EllipticE[I*ArcSinh[x], -1/3]
```

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^4 + 2x^2 + 3}}{x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4+2*x^2+3)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^4 + 2*x^2 + 3)/(x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x^2 - 3}{\sqrt{-x^4 + 2x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4+2*x^2+3)^(1/2),x, algorithm="giac")

[Out] integrate(-(x^2 - 3)/sqrt(-x^4 + 2*x^2 + 3), x)

maple [B] time = 0.02, size = 113, normalized size = 4.52

$$\frac{\sqrt{3} \sqrt{-3x^2 + 9} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{3}x}{3}, i\sqrt{3}\right)}{\sqrt{-x^4 + 2x^2 + 3}} + \frac{\sqrt{3} \sqrt{-3x^2 + 9} \sqrt{x^2 + 1} \left(-\operatorname{EllipticE}\left(\frac{\sqrt{3}x}{3}, i\sqrt{3}\right) + \operatorname{EllipticF}\left(\frac{\sqrt{3}x}{3}, i\sqrt{3}\right)\right)}{3\sqrt{-x^4 + 2x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+3)/(-x^4+2*x^2+3)^(1/2),x)

[Out] 1/3*3^(1/2)*(-3*x^2+9)^(1/2)*(x^2+1)^(1/2)/(-x^4+2*x^2+3)^(1/2)*(EllipticF(1/3*3^(1/2)*x,I*3^(1/2))-EllipticE(1/3*3^(1/2)*x,I*3^(1/2)))+3^(1/2)*(-3*x^2+9)^(1/2)*(x^2+1)^(1/2)/(-x^4+2*x^2+3)^(1/2)*EllipticF(1/3*3^(1/2)*x,I*3^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 - 3}{\sqrt{-x^4 + 2x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4+2*x^2+3)^(1/2),x, algorithm="maxima")

[Out] -integrate((x^2 - 3)/sqrt(-x^4 + 2*x^2 + 3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.04

$$\int -\frac{x^2 - 3}{\sqrt{-x^4 + 2x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2 - 3)/(2*x^2 - x^4 + 3)^(1/2),x)`

[Out] `int(-(x^2 - 3)/(2*x^2 - x^4 + 3)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2}{\sqrt{-x^4 + 2x^2 + 3}} dx - \int \left(-\frac{3}{\sqrt{-x^4 + 2x^2 + 3}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+3)/(-x**4+2*x**2+3)**(1/2),x)`

[Out] `-Integral(x**2/sqrt(-x**4 + 2*x**2 + 3), x) - Integral(-3/sqrt(-x**4 + 2*x**2 + 3), x)`

$$3.115 \quad \int \frac{3-x^2}{\sqrt{3+3x^2-x^4}} dx$$

Optimal. Leaf size=96

$$\sqrt{9+2\sqrt{21}} F\left(\sin^{-1}\left(\sqrt{\frac{2}{3+\sqrt{21}}} x\right) \middle| \frac{1}{2}(-5-\sqrt{21})\right) - \sqrt{\frac{1}{2}(\sqrt{21}-3)} E\left(\sin^{-1}\left(\sqrt{\frac{2}{3+\sqrt{21}}} x\right) \middle| \frac{1}{2}(-5-\sqrt{21})\right)$$

[Out] $-1/2*\text{EllipticE}(x*2^{(1/2)}/(3+21^{(1/2)})^{(1/2)}, 1/2*I*3^{(1/2)}+1/2*I*7^{(1/2)})*(-6+2*21^{(1/2)})^{(1/2)}+\text{EllipticF}(x*2^{(1/2)}/(3+21^{(1/2)})^{(1/2)}, 1/2*I*3^{(1/2)}+1/2*I*7^{(1/2)})*(9+2*21^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.18, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1180, 524, 424, 419}

$$\sqrt{9+2\sqrt{21}} F\left(\sin^{-1}\left(\sqrt{\frac{2}{3+\sqrt{21}}} x\right) \middle| \frac{1}{2}(-5-\sqrt{21})\right) - \sqrt{\frac{1}{2}(\sqrt{21}-3)} E\left(\sin^{-1}\left(\sqrt{\frac{2}{3+\sqrt{21}}} x\right) \middle| \frac{1}{2}(-5-\sqrt{21})\right)$$

Antiderivative was successfully verified.

[In] Int[(3 - x^2)/Sqrt[3 + 3*x^2 - x^4], x]

[Out] $-(\text{Sqrt}[(-3 + \text{Sqrt}[21])/2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[2/(3 + \text{Sqrt}[21])]]*x], (-5 - \text{Sqrt}[21])/2) + \text{Sqrt}[9 + 2*\text{Sqrt}[21]]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[2/(3 + \text{Sqrt}[21])]]*x], (-5 - \text{Sqrt}[21])/2)$

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x

```
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{3-x^2}{\sqrt{3+3x^2-x^4}} dx &= 2 \int \frac{3-x^2}{\sqrt{3+\sqrt{21}-2x^2} \sqrt{-3+\sqrt{21}+2x^2}} dx \\ &= (3+\sqrt{21}) \int \frac{1}{\sqrt{3+\sqrt{21}-2x^2} \sqrt{-3+\sqrt{21}+2x^2}} dx - \int \frac{\sqrt{-3+\sqrt{21}+2x^2}}{\sqrt{3+\sqrt{21}-2x^2}} dx \\ &= -\sqrt{\frac{1}{2}(-3+\sqrt{21})} E\left(\sin^{-1}\left(\sqrt{\frac{2}{3+\sqrt{21}}} x\right) \middle| \frac{1}{2}(-5-\sqrt{21})\right) + \frac{1}{2}\sqrt{36+8\sqrt{21}} F\left(\sin^{-1}\left(\sqrt{\frac{2}{3+\sqrt{21}}} x\right) \middle| \frac{1}{2}(-5+\sqrt{21})\right) \end{aligned}$$

Mathematica [C] time = 0.17, size = 103, normalized size = 1.07

$$\frac{i\left((3+\sqrt{21})E\left(i\sinh^{-1}\left(\sqrt{\frac{2}{-3+\sqrt{21}}}x\right) \middle| \frac{1}{2}(-5+\sqrt{21})\right) - (\sqrt{21}-3)F\left(i\sinh^{-1}\left(\sqrt{\frac{2}{-3+\sqrt{21}}}x\right) \middle| \frac{1}{2}(-5+\sqrt{21})\right)\right)}{\sqrt{2(3+\sqrt{21})}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(3 - x^2)/Sqrt[3 + 3*x^2 - x^4], x]
```

```
[Out] ((-I)*((3 + Sqrt[21])*EllipticE[I*ArcSinh[Sqrt[2/(-3 + Sqrt[21])]]*x], (-5 + Sqrt[21])/2] - (-3 + Sqrt[21])*EllipticF[I*ArcSinh[Sqrt[2/(-3 + Sqrt[21])]]*x], (-5 + Sqrt[21])/2))/Sqrt[2*(3 + Sqrt[21])]
```

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^4+3x^2+3}(x^2-3)}{x^4-3x^2-3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4+3*x^2+3)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^4 + 3*x^2 + 3)*(x^2 - 3)/(x^4 - 3*x^2 - 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x^2 - 3}{\sqrt{-x^4 + 3x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4+3*x^2+3)^(1/2),x, algorithm="giac")

[Out] integrate(-(x^2 - 3)/sqrt(-x^4 + 3*x^2 + 3), x)

maple [B] time = 0.10, size = 204, normalized size = 2.12

$$\frac{18\sqrt{-\left(-\frac{1}{2} + \frac{\sqrt{21}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{1}{2} - \frac{\sqrt{21}}{6}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-18+6\sqrt{21}}x}{6}, \frac{i\sqrt{3}}{2} + \frac{i\sqrt{7}}{2}\right) + 36\sqrt{-\left(-\frac{1}{2} + \frac{\sqrt{21}}{6}\right)x^2 + 1}}{\sqrt{-18+6\sqrt{21}} \sqrt{-x^4 + 3x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+3)/(-x^4+3*x^2+3)^(1/2),x)

[Out] 36/(-18+6*21^(1/2))^(1/2)*(1-(-1/2+1/6*21^(1/2))*x^2)^(1/2)*(1-(-1/2-1/6*21^(1/2))*x^2)^(1/2)/(-x^4+3*x^2+3)^(1/2)/(3+21^(1/2))*(EllipticF(1/6*x*(-18+6*21^(1/2))^(1/2), 1/2*I*3^(1/2)+1/2*I*7^(1/2))-EllipticE(1/6*x*(-18+6*21^(1/2))^(1/2), 1/2*I*3^(1/2)+1/2*I*7^(1/2)))+18/(-18+6*21^(1/2))^(1/2)*(1-(-1/2+1/6*21^(1/2))*x^2)^(1/2)*(1-(-1/2-1/6*21^(1/2))*x^2)^(1/2)/(-x^4+3*x^2+3)^(1/2)*EllipticF(1/6*x*(-18+6*21^(1/2))^(1/2), 1/2*I*3^(1/2)+1/2*I*7^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 - 3}{\sqrt{-x^4 + 3x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4+3*x^2+3)^(1/2),x, algorithm="maxima")

[Out] -integrate((x^2 - 3)/sqrt(-x^4 + 3*x^2 + 3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int -\frac{x^2 - 3}{\sqrt{-x^4 + 3x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2 - 3)/(3*x^2 - x^4 + 3)^(1/2), x)`

[Out] `int(-(x^2 - 3)/(3*x^2 - x^4 + 3)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2}{\sqrt{-x^4 + 3x^2 + 3}} dx - \int \left(-\frac{3}{\sqrt{-x^4 + 3x^2 + 3}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+3)/(-x**4+3*x**2+3)**(1/2), x)`

[Out] `-Integral(x**2/sqrt(-x**4 + 3*x**2 + 3), x) - Integral(-3/sqrt(-x**4 + 3*x**2 + 3), x)`

$$3.116 \quad \int \frac{3-x^2}{\sqrt{3-x^2-x^4}} dx$$

Optimal. Leaf size=92

$$\sqrt{5+2\sqrt{13}} F\left(\sin^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{13}}} x\right) \middle| \frac{1}{6}(-7+\sqrt{13})\right) - \sqrt{\frac{1}{2}(1+\sqrt{13})} E\left(\sin^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{13}}} x\right) \middle| \frac{1}{6}(-7+\sqrt{13})\right)$$

[Out] $-1/2*\text{EllipticE}(x*2^{(1/2)/(-1+13^{(1/2)})}^{(1/2)}, 1/6*I*39^{(1/2)}-1/6*I*3^{(1/2)})*(2+2*13^{(1/2)})^{(1/2)}+\text{EllipticF}(x*2^{(1/2)/(-1+13^{(1/2)})}^{(1/2)}, 1/6*I*39^{(1/2)}-1/6*I*3^{(1/2)})*(5+2*13^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1180, 524, 424, 419}

$$\sqrt{5+2\sqrt{13}} F\left(\sin^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{13}}} x\right) \middle| \frac{1}{6}(-7+\sqrt{13})\right) - \sqrt{\frac{1}{2}(1+\sqrt{13})} E\left(\sin^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{13}}} x\right) \middle| \frac{1}{6}(-7+\sqrt{13})\right)$$

Antiderivative was successfully verified.

[In] Int[(3 - x^2)/Sqrt[3 - x^2 - x^4], x]

[Out] $-(\text{Sqrt}[(1 + \text{Sqrt}[13])/2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[2/(-1 + \text{Sqrt}[13])]]*x], (-7 + \text{Sqrt}[13])/6) + \text{Sqrt}[5 + 2*\text{Sqrt}[13]]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[2/(-1 + \text{Sqrt}[13])]]*x], (-7 + \text{Sqrt}[13])/6]$

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x

```

] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-(b/a), -(d/c)]))))))

```

Rule 1180

```

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt
[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e
, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

```

Rubi steps

$$\begin{aligned}
 \int \frac{3-x^2}{\sqrt{3-x^2-x^4}} dx &= 2 \int \frac{3-x^2}{\sqrt{-1+\sqrt{13}-2x^2} \sqrt{1+\sqrt{13}+2x^2}} dx \\
 &= (7+\sqrt{13}) \int \frac{1}{\sqrt{-1+\sqrt{13}-2x^2} \sqrt{1+\sqrt{13}+2x^2}} dx - \int \frac{\sqrt{1+\sqrt{13}+2x^2}}{\sqrt{-1+\sqrt{13}-2x^2}} dx \\
 &= -\sqrt{\frac{1}{2}(1+\sqrt{13})} E\left(\sin^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{13}}} x\right) \middle| \frac{1}{6}(-7+\sqrt{13})\right) + \sqrt{5+2\sqrt{13}} F\left(\sin^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{13}}} x\right) \middle| \frac{1}{6}(-7+\sqrt{13})\right)
 \end{aligned}$$

Mathematica [C] time = 0.13, size = 107, normalized size = 1.16

$$\frac{i\left((\sqrt{13}-1)E\left(i\sinh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{13}}}x\right)\middle|-\frac{7}{6}-\frac{\sqrt{13}}{6}\right)-(\sqrt{13}-7)F\left(i\sinh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{13}}}x\right)\middle|-\frac{7}{6}-\frac{\sqrt{13}}{6}\right)\right)}{\sqrt{2(\sqrt{13}-1)}}$$

Warning: Unable to verify antiderivative.

```

[In] Integrate[(3 - x^2)/Sqrt[3 - x^2 - x^4], x]

```

```

[Out] ((-I)*((-1 + Sqrt[13])*EllipticE[I*ArcSinh[Sqrt[2/(1 + Sqrt[13])]]*x], -7/6
- Sqrt[13]/6] - (-7 + Sqrt[13])*EllipticF[I*ArcSinh[Sqrt[2/(1 + Sqrt[13])]]*
x], -7/6 - Sqrt[13]/6))/Sqrt[2*(-1 + Sqrt[13])]

```

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^4-x^2+3}(x^2-3)}{x^4+x^2-3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4-x^2+3)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^4 - x^2 + 3)*(x^2 - 3)/(x^4 + x^2 - 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x^2 - 3}{\sqrt{-x^4 - x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4-x^2+3)^(1/2),x, algorithm="giac")

[Out] integrate(-(x^2 - 3)/sqrt(-x^4 - x^2 + 3), x)

maple [B] time = 0.10, size = 204, normalized size = 2.22

$$\frac{18\sqrt{-\left(\frac{1}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(\frac{1}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{6+6\sqrt{13}}x}{6}, \frac{i\sqrt{39}}{6} - \frac{i\sqrt{3}}{6}\right) + 36\sqrt{-\left(\frac{1}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(\frac{1}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1}}{\sqrt{6+6\sqrt{13}} \sqrt{-x^4 - x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+3)/(-x^4-x^2+3)^(1/2),x)

[Out] 36/(6+6*13^(1/2))^(1/2)*(1-(1/6+1/6*13^(1/2))*x^2)^(1/2)*(1-(1/6-1/6*13^(1/2))*x^2)^(1/2)/(-x^4-x^2+3)^(1/2)/(-1+13^(1/2))*(EllipticF(1/6*x*(6+6*13^(1/2))^(1/2),1/6*I*39^(1/2)-1/6*I*3^(1/2))-EllipticE(1/6*x*(6+6*13^(1/2))^(1/2),1/6*I*39^(1/2)-1/6*I*3^(1/2)))+18/(6+6*13^(1/2))^(1/2)*(1-(1/6+1/6*13^(1/2))*x^2)^(1/2)*(1-(1/6-1/6*13^(1/2))*x^2)^(1/2)/(-x^4-x^2+3)^(1/2)*EllipticF(1/6*x*(6+6*13^(1/2))^(1/2),1/6*I*39^(1/2)-1/6*I*3^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 - 3}{\sqrt{-x^4 - x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4-x^2+3)^(1/2),x, algorithm="maxima")

[Out] -integrate((x^2 - 3)/sqrt(-x^4 - x^2 + 3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int -\frac{x^2 - 3}{\sqrt{-x^4 - x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2 - 3)/(3 - x^4 - x^2)^(1/2), x)`

[Out] `int(-(x^2 - 3)/(3 - x^4 - x^2)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2}{\sqrt{-x^4 - x^2 + 3}} dx - \int \left(-\frac{3}{\sqrt{-x^4 - x^2 + 3}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+3)/(-x**4-x**2+3)**(1/2), x)`

[Out] `-Integral(x**2/sqrt(-x**4 - x**2 + 3), x) - Integral(-3/sqrt(-x**4 - x**2 + 3), x)`

$$3.117 \quad \int \frac{3-x^2}{\sqrt{3-2x^2-x^4}} dx$$

Optimal. Leaf size=27

$$2\sqrt{3}F\left(\sin^{-1}(x)\middle|-\frac{1}{3}\right) - \sqrt{3}E\left(\sin^{-1}(x)\middle|-\frac{1}{3}\right)$$

[Out] -EllipticE(x,1/3*I*3^(1/2))*3^(1/2)+2*EllipticF(x,1/3*I*3^(1/2))*3^(1/2)

Rubi [A] time = 0.04, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1180, 524, 424, 419}

$$2\sqrt{3}F\left(\sin^{-1}(x)\middle|-\frac{1}{3}\right) - \sqrt{3}E\left(\sin^{-1}(x)\middle|-\frac{1}{3}\right)$$

Antiderivative was successfully verified.

[In] Int[(3 - x^2)/Sqrt[3 - 2*x^2 - x^4],x]

[Out] -(Sqrt[3]*EllipticE[ArcSin[x], -1/3]) + 2*Sqrt[3]*EllipticF[ArcSin[x], -1/3]

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])]

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:= With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt
[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}
, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{3-x^2}{\sqrt{3-2x^2-x^4}} dx &= 2 \int \frac{3-x^2}{\sqrt{2-2x^2} \sqrt{6+2x^2}} dx \\ &= 12 \int \frac{1}{\sqrt{2-2x^2} \sqrt{6+2x^2}} dx - \int \frac{\sqrt{6+2x^2}}{\sqrt{2-2x^2}} dx \\ &= -\sqrt{3} E\left(\sin^{-1}(x) \middle| -\frac{1}{3}\right) + 2\sqrt{3} F\left(\sin^{-1}(x) \middle| -\frac{1}{3}\right) \end{aligned}$$

Mathematica [C] time = 0.06, size = 35, normalized size = 1.30

$$-i \left(2F \left(i \sinh^{-1} \left(\frac{x}{\sqrt{3}} \right) \middle| -3 \right) + E \left(i \sinh^{-1} \left(\frac{x}{\sqrt{3}} \right) \middle| -3 \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(3 - x^2)/Sqrt[3 - 2*x^2 - x^4], x]
```

```
[Out] (-I)*(EllipticE[I*ArcSinh[x/Sqrt[3]], -3] + 2*EllipticF[I*ArcSinh[x/Sqrt[3]
], -3])
```

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{-x^4 - 2x^2 + 3} (x^2 - 3)}{x^4 + 2x^2 - 3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x^2+3)/(-x^4-2*x^2+3)^(1/2), x, algorithm="fricas")
```

```
[Out] integral(sqrt(-x^4 - 2*x^2 + 3)*(x^2 - 3)/(x^4 + 2*x^2 - 3), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x^2 - 3}{\sqrt{-x^4 - 2x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4-2*x^2+3)^(1/2),x, algorithm="giac")

[Out] integrate(-(x^2 - 3)/sqrt(-x^4 - 2*x^2 + 3), x)

maple [B] time = 0.01, size = 95, normalized size = 3.52

$$\frac{\sqrt{-x^2+1} \sqrt{3x^2+9} \operatorname{EllipticF}\left(x, \frac{i\sqrt{3}}{3}\right)}{\sqrt{-x^4-2x^2+3}} + \frac{\sqrt{-x^2+1} \sqrt{3x^2+9} \left(-\operatorname{EllipticE}\left(x, \frac{i\sqrt{3}}{3}\right) + \operatorname{EllipticF}\left(x, \frac{i\sqrt{3}}{3}\right)\right)}{\sqrt{-x^4-2x^2+3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+3)/(-x^4-2*x^2+3)^(1/2),x)

[Out] (-x^2+1)^(1/2)*(3*x^2+9)^(1/2)/(-x^4-2*x^2+3)^(1/2)*(EllipticF(x,1/3*I*3^(1/2))-EllipticE(x,1/3*I*3^(1/2)))+(x^2+1)^(1/2)*(3*x^2+9)^(1/2)/(-x^4-2*x^2+3)^(1/2)*EllipticF(x,1/3*I*3^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 - 3}{\sqrt{-x^4 - 2x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4-2*x^2+3)^(1/2),x, algorithm="maxima")

[Out] -integrate((x^2 - 3)/sqrt(-x^4 - 2*x^2 + 3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.04

$$\int -\frac{x^2 - 3}{\sqrt{-x^4 - 2x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^2 - 3)/(3 - x^4 - 2*x^2)^(1/2),x)

[Out] int(-(x^2 - 3)/(3 - x^4 - 2*x^2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2}{\sqrt{-x^4 - 2x^2 + 3}} dx - \int \left(-\frac{3}{\sqrt{-x^4 - 2x^2 + 3}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x**2+3)/(-x**4-2*x**2+3)**(1/2),x)
```

```
[Out] -Integral(x**2/sqrt(-x**4 - 2*x**2 + 3), x) - Integral(-3/sqrt(-x**4 - 2*x**2 + 3), x)
```

$$3.118 \quad \int \frac{3-x^2}{\sqrt{3-3x^2-x^4}} dx$$

Optimal. Leaf size=92

$$\sqrt{3+2\sqrt{21}} F\left(\sin^{-1}\left(\sqrt{\frac{2}{-3+\sqrt{21}}} x\right) \middle| \frac{1}{2}(-5+\sqrt{21})\right) - \sqrt{\frac{1}{2}(3+\sqrt{21})} E\left(\sin^{-1}\left(\sqrt{\frac{2}{-3+\sqrt{21}}} x\right) \middle| \frac{1}{2}(-5+\sqrt{21})\right)$$

[Out] $-1/2*\text{EllipticE}(x*2^{(1/2)/(-3+21^{(1/2)})}^{(1/2)}, 1/2*I*7^{(1/2)}-1/2*I*3^{(1/2)})*(6+2*21^{(1/2)})^{(1/2)}+\text{EllipticF}(x*2^{(1/2)/(-3+21^{(1/2)})}^{(1/2)}, 1/2*I*7^{(1/2)}-1/2*I*3^{(1/2)})*(3+2*21^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1180, 524, 424, 419}

$$\sqrt{3+2\sqrt{21}} F\left(\sin^{-1}\left(\sqrt{\frac{2}{-3+\sqrt{21}}} x\right) \middle| \frac{1}{2}(-5+\sqrt{21})\right) - \sqrt{\frac{1}{2}(3+\sqrt{21})} E\left(\sin^{-1}\left(\sqrt{\frac{2}{-3+\sqrt{21}}} x\right) \middle| \frac{1}{2}(-5+\sqrt{21})\right)$$

Antiderivative was successfully verified.

[In] Int[(3 - x^2)/Sqrt[3 - 3*x^2 - x^4], x]

[Out] $-(\text{Sqrt}[(3 + \text{Sqrt}[21])/2]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[2/(-3 + \text{Sqrt}[21])]]*x], (-5 + \text{Sqrt}[21])/2) + \text{Sqrt}[3 + 2*\text{Sqrt}[21]]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[2/(-3 + \text{Sqrt}[21])]]*x], (-5 + \text{Sqrt}[21])/2]$

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x

```
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{3-x^2}{\sqrt{3-3x^2-x^4}} dx &= 2 \int \frac{3-x^2}{\sqrt{-3+\sqrt{21}-2x^2} \sqrt{3+\sqrt{21}+2x^2}} dx \\ &= (9+\sqrt{21}) \int \frac{1}{\sqrt{-3+\sqrt{21}-2x^2} \sqrt{3+\sqrt{21}+2x^2}} dx - \int \frac{\sqrt{3+\sqrt{21}+2x^2}}{\sqrt{-3+\sqrt{21}-2x^2}} dx \\ &= -\sqrt{\frac{1}{2}(3+\sqrt{21})} E\left(\sin^{-1}\left(\sqrt{\frac{2}{-3+\sqrt{21}}} x\right) \middle| \frac{1}{2}(-5+\sqrt{21})\right) + \sqrt{3+2\sqrt{21}} F\left(\sin^{-1}\left(\sqrt{\frac{2}{-3+\sqrt{21}}} x\right) \middle| \frac{1}{2}(-5+\sqrt{21})\right) \end{aligned}$$

Mathematica [C] time = 0.17, size = 107, normalized size = 1.16

$$\frac{i\left((\sqrt{21}-3)E\left(i\sinh^{-1}\left(\sqrt{\frac{2}{3+\sqrt{21}}}x\right)\middle|-\frac{5}{2}-\frac{\sqrt{21}}{2}\right)-(\sqrt{21}-9)F\left(i\sinh^{-1}\left(\sqrt{\frac{2}{3+\sqrt{21}}}x\right)\middle|-\frac{5}{2}-\frac{\sqrt{21}}{2}\right)\right)}{\sqrt{2(\sqrt{21}-3)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(3 - x^2)/Sqrt[3 - 3*x^2 - x^4], x]
```

```
[Out] ((-I)*((-3 + Sqrt[21])*EllipticE[I*ArcSinh[Sqrt[2/(3 + Sqrt[21])]]*x], -5/2 - Sqrt[21]/2] - (-9 + Sqrt[21])*EllipticF[I*ArcSinh[Sqrt[2/(3 + Sqrt[21])]]*x], -5/2 - Sqrt[21]/2))/Sqrt[2*(-3 + Sqrt[21])]
```

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^4 - 3x^2 + 3}(x^2 - 3)}{x^4 + 3x^2 - 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4-3*x^2+3)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^4 - 3*x^2 + 3)*(x^2 - 3)/(x^4 + 3*x^2 - 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x^2 - 3}{\sqrt{-x^4 - 3x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4-3*x^2+3)^(1/2),x, algorithm="giac")

[Out] integrate(-(x^2 - 3)/sqrt(-x^4 - 3*x^2 + 3), x)

maple [B] time = 0.09, size = 204, normalized size = 2.22

$$\frac{18\sqrt{-\left(\frac{1}{2} + \frac{\sqrt{21}}{6}\right)x^2 + 1} \sqrt{-\left(\frac{1}{2} - \frac{\sqrt{21}}{6}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{18+6\sqrt{21}}x}{6}, \frac{i\sqrt{7}}{2} - \frac{i\sqrt{3}}{2}\right) + 36\sqrt{-\left(\frac{1}{2} + \frac{\sqrt{21}}{6}\right)x^2 + 1} \sqrt{-\left(\frac{1}{2} - \frac{\sqrt{21}}{6}\right)x^2 + 1}}{\sqrt{18+6\sqrt{21}} \sqrt{-x^4 - 3x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+3)/(-x^4-3*x^2+3)^(1/2),x)

[Out] 36/((18+6*21^(1/2))^(1/2))*(1-(1/2+1/6*21^(1/2))*x^2)^(1/2)*(1-(1/2-1/6*21^(1/2))*x^2)^(1/2)/(-x^4-3*x^2+3)^(1/2)/(-3+21^(1/2))*(EllipticF(1/6*x*(18+6*21^(1/2))^(1/2), 1/2*I*7^(1/2)-1/2*I*3^(1/2))-EllipticE(1/6*x*(18+6*21^(1/2))^(1/2), 1/2*I*7^(1/2)-1/2*I*3^(1/2)))+18/((18+6*21^(1/2))^(1/2))*(1-(1/2+1/6*21^(1/2))*x^2)^(1/2)*(1-(1/2-1/6*21^(1/2))*x^2)^(1/2)/(-x^4-3*x^2+3)^(1/2)*EllipticF(1/6*x*(18+6*21^(1/2))^(1/2), 1/2*I*7^(1/2)-1/2*I*3^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 - 3}{\sqrt{-x^4 - 3x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+3)/(-x^4-3*x^2+3)^(1/2),x, algorithm="maxima")

[Out] -integrate((x^2 - 3)/sqrt(-x^4 - 3*x^2 + 3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int -\frac{x^2 - 3}{\sqrt{-x^4 - 3x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2 - 3)/(3 - x^4 - 3*x^2)^(1/2), x)`

[Out] `int(-(x^2 - 3)/(3 - x^4 - 3*x^2)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2}{\sqrt{-x^4 - 3x^2 + 3}} dx - \int \left(-\frac{3}{\sqrt{-x^4 - 3x^2 + 3}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+3)/(-x**4-3*x**2+3)**(1/2), x)`

[Out] `-Integral(x**2/sqrt(-x**4 - 3*x**2 + 3), x) - Integral(-3/sqrt(-x**4 - 3*x**2 + 3), x)`

$$3.119 \quad \int \frac{b - \sqrt{b^2 - 4ac} + 2cx^2}{\sqrt{a + bx^2 + cx^4}} dx$$

Optimal. Leaf size=296

$$\frac{\left(-\sqrt{b^2 - 4ac} + 2\sqrt{a}\sqrt{c} + b\right)\left(\sqrt{a} + \sqrt{c}x^2\right)\sqrt{\frac{a+bx^2+cx^4}{\left(\sqrt{a}+\sqrt{c}x^2\right)^2}}F\left(2\tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\middle|\frac{1}{4}\left(2-\frac{b}{\sqrt{a}\sqrt{c}}\right)\right)}{2\sqrt[4]{a}\sqrt[4]{c}\sqrt{a+bx^2+cx^4}} + \frac{2\sqrt{c}x\sqrt{a+bx^2+cx^4}}{\sqrt{a}+\sqrt{c}x^2}$$

[Out] $2*x*c^{(1/2)}*(c*x^4+b*x^2+a)^{(1/2)}/(a^{(1/2)}+x^2*c^{(1/2)})-2*a^{(1/4)}*c^{(1/4)}*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*(2-b/a^{(1/2)}/c^{(1/2)})^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+b*x^2+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)}+1/2*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*(2-b/a^{(1/2)}/c^{(1/2)})^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*(b+2*a^{(1/2)}*c^{(1/2)}-(-4*a*c+b^2)^{(1/2)})*((c*x^4+b*x^2+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/c^{(1/4)}/(c*x^4+b*x^2+a)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 296, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$, Rules used = {1197, 1103, 1195}

$$\frac{\left(-\sqrt{b^2 - 4ac} + 2\sqrt{a}\sqrt{c} + b\right)\left(\sqrt{a} + \sqrt{c}x^2\right)\sqrt{\frac{a+bx^2+cx^4}{\left(\sqrt{a}+\sqrt{c}x^2\right)^2}}F\left(2\tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\middle|\frac{1}{4}\left(2-\frac{b}{\sqrt{a}\sqrt{c}}\right)\right)}{2\sqrt[4]{a}\sqrt[4]{c}\sqrt{a+bx^2+cx^4}} + \frac{2\sqrt{c}x\sqrt{a+bx^2+cx^4}}{\sqrt{a}+\sqrt{c}x^2}$$

Antiderivative was successfully verified.

[In] Int[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)/Sqrt[a + b*x^2 + c*x^4], x]

[Out] $(2*\text{Sqrt}[c]*x*\text{Sqrt}[a + b*x^2 + c*x^4])/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2) - (2*a^{(1/4)}*c^{(1/4)}*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + b*x^2 + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], (2 - b/(\text{Sqrt}[a]*\text{Sqrt}[c]))/4]/\text{Sqrt}[a + b*x^2 + c*x^4] + ((b + 2*\text{Sqrt}[a]*\text{Sqrt}[c] - \text{Sqrt}[b^2 - 4*a*c])*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + b*x^2 + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], (2 - b/(\text{Sqrt}[a]*\text{Sqrt}[c]))/4])/(2*a^{(1/4)}*c^{(1/4)}*\text{Sqrt}[a + b*x^2 + c*x^4])$

Rule 1103

Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4])

), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rubi steps

$$\int \frac{b - \sqrt{b^2 - 4ac} + 2cx^2}{\sqrt{a + bx^2 + cx^4}} dx = - \left((2\sqrt{a}\sqrt{c}) \int \frac{1 - \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{a + bx^2 + cx^4}} dx \right) + (b + 2\sqrt{a}\sqrt{c} - \sqrt{b^2 - 4ac}) \int \frac{1}{\sqrt{a + bx^2 + cx^4}} dx$$

$$= \frac{2\sqrt{c}x\sqrt{a + bx^2 + cx^4}}{\sqrt{a} + \sqrt{c}x^2} - \frac{2\sqrt[4]{a}\sqrt[4]{c}(\sqrt{a} + \sqrt{c}x^2)\sqrt{\frac{a + bx^2 + cx^4}{(\sqrt{a} + \sqrt{c}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\right) \frac{1}{4}}{\sqrt{a + bx^2 + cx^4}}$$

Mathematica [C] time = 0.30, size = 187, normalized size = 0.63

$$\frac{2i\sqrt{2}a\sqrt{\frac{c}{\sqrt{b^2-4ac}+b}}\sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}}\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}}+1E\left(i\sinh^{-1}\left(\sqrt{2}\sqrt{\frac{c}{b+\sqrt{b^2-4ac}}}\right)x\right)\Big|_{\frac{b+\sqrt{b^2-4ac}}{b-\sqrt{b^2-4ac}}}}{\sqrt{a + bx^2 + cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)/Sqrt[a + b*x^2 + c*x^4], x]

[Out] ((-2*I)*Sqrt[2]*a*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4

*a*c)))*EllipticE[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]]*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c]))/Sqrt[a + b*x^2 + c*x^4]

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{2cx^2 + b - \sqrt{b^2 - 4ac}}{\sqrt{cx^4 + bx^2 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*c*x^2-(-4*a*c+b^2)^(1/2)+b)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] integral((2*c*x^2 + b - sqrt(b^2 - 4*a*c))/sqrt(c*x^4 + b*x^2 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2cx^2 + b - \sqrt{b^2 - 4ac}}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*c*x^2-(-4*a*c+b^2)^(1/2)+b)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] integrate((2*c*x^2 + b - sqrt(b^2 - 4*a*c))/sqrt(c*x^4 + b*x^2 + a), x)

maple [A] time = 0.05, size = 515, normalized size = 1.74

$$\frac{\sqrt{2} \sqrt{-\frac{2(-b + \sqrt{-4ac + b^2})x^2}{a} + 4} \sqrt{\frac{2(b + \sqrt{-4ac + b^2})x^2}{a} + 4} \left(-\text{EllipticE}\left(\frac{\sqrt{2} \sqrt{\frac{-b + \sqrt{-4ac + b^2}}{a}} x}{2}, \frac{\sqrt{\frac{2(b + \sqrt{-4ac + b^2})b}{ac} - 4}}{2}\right) + \text{EllipticE}\left(\frac{\sqrt{2} \sqrt{\frac{-b + \sqrt{-4ac + b^2}}{a}} x}{2}, \frac{\sqrt{\frac{2(b + \sqrt{-4ac + b^2})b}{ac} - 4}}{2}\right) \right)}{\sqrt{\frac{-b + \sqrt{-4ac + b^2}}{a}} \sqrt{cx^4 + bx^2 + a} (b + \sqrt{-4ac + b^2})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*c*x^2-(-4*a*c+b^2)^(1/2)+b)/(c*x^4+b*x^2+a)^(1/2),x)

[Out] -c*a*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(c*x^4+b*x^2+a)^(1/2)/(b+(-4*a*c+b^2)^(1/2))*(EllipticF(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))-EllipticE(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2)))-1/4*(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)

$$\begin{aligned} & *(-2*(-b+(-4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*x^2 \\ & +4)^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)}*EllipticF(1/2*2^{(1/2)}*((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, \\ & 1/2*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)}+1/4*b*2^{(1/2)}/ \\ & ((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*(-2*(-b+(-4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)} \\ &)*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)}*EllipticF(\\ & 1/2*2^{(1/2)}*((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2cx^2 + b - \sqrt{b^2 - 4ac}}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*c*x^2-(-4*a*c+b^2)^(1/2)+b)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate((2*c*x^2 + b - sqrt(b^2 - 4*a*c))/sqrt(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{b + 2cx^2 - \sqrt{b^2 - 4ac}}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b + 2*c*x^2 - (b^2 - 4*a*c)^(1/2))/(a + b*x^2 + c*x^4)^(1/2),x)

[Out] int((b + 2*c*x^2 - (b^2 - 4*a*c)^(1/2))/(a + b*x^2 + c*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b + 2cx^2 - \sqrt{-4ac + b^2}}{\sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*c*x**2-(-4*a*c+b**2)**(1/2)+b)/(c*x**4+b*x**2+a)**(1/2),x)

[Out] Integral((b + 2*c*x**2 - sqrt(-4*a*c + b**2))/sqrt(a + b*x**2 + c*x**4), x)

3.120 $\int (d + ex^2)^4 (a + cx^4) dx$

Optimal. Leaf size=106

$$\frac{1}{9}e^2x^9(ae^2 + 6cd^2) + \frac{4}{7}dex^7(ae^2 + cd^2) + \frac{1}{5}d^2x^5(6ae^2 + cd^2) + ad^4x + \frac{4}{3}ad^3ex^3 + \frac{4}{11}cde^3x^{11} + \frac{1}{13}ce^4x^{13}$$

[Out] $a*d^4*x + 4/3*a*d^3*e*x^3 + 1/5*d^2*(6*a*e^2 + c*d^2)*x^5 + 4/7*d*e*(a*e^2 + c*d^2)*x^7 + 1/9*e^2*(a*e^2 + 6*c*d^2)*x^9 + 4/11*c*d*e^3*x^{11} + 1/13*c*e^4*x^{13}$

Rubi [A] time = 0.08, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {1154}

$$\frac{1}{9}e^2x^9(ae^2 + 6cd^2) + \frac{4}{7}dex^7(ae^2 + cd^2) + \frac{1}{5}d^2x^5(6ae^2 + cd^2) + \frac{4}{3}ad^3ex^3 + ad^4x + \frac{4}{11}cde^3x^{11} + \frac{1}{13}ce^4x^{13}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^4*(a + c*x^4), x]

[Out] $a*d^4*x + (4*a*d^3*e*x^3)/3 + (d^2*(c*d^2 + 6*a*e^2)*x^5)/5 + (4*d*e*(c*d^2 + a*e^2)*x^7)/7 + (e^2*(6*c*d^2 + a*e^2)*x^9)/9 + (4*c*d*e^3*x^{11})/11 + (c*e^4*x^{13})/13$

Rule 1154

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (d + ex^2)^4 (a + cx^4) dx &= \int (ad^4 + 4ad^3ex^2 + d^2(cd^2 + 6ae^2)x^4 + 4de(cd^2 + ae^2)x^6 + e^2(6cd^2 + ae^2)x^8 + \\ &= ad^4x + \frac{4}{3}ad^3ex^3 + \frac{1}{5}d^2(cd^2 + 6ae^2)x^5 + \frac{4}{7}de(cd^2 + ae^2)x^7 + \frac{1}{9}e^2(6cd^2 + ae^2)x^9 \end{aligned}$$

Mathematica [A] time = 0.02, size = 106, normalized size = 1.00

$$\frac{1}{9}e^2x^9(ae^2 + 6cd^2) + \frac{4}{7}dex^7(ae^2 + cd^2) + \frac{1}{5}d^2x^5(6ae^2 + cd^2) + ad^4x + \frac{4}{3}ad^3ex^3 + \frac{4}{11}cde^3x^{11} + \frac{1}{13}ce^4x^{13}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^4*(a + c*x^4),x]

[Out] $a*d^4*x + (4*a*d^3*e*x^3)/3 + (d^2*(c*d^2 + 6*a*e^2)*x^5)/5 + (4*d*e*(c*d^2 + a*e^2)*x^7)/7 + (e^2*(6*c*d^2 + a*e^2)*x^9)/9 + (4*c*d*e^3*x^11)/11 + (c*e^4*x^13)/13$

fricas [A] time = 0.35, size = 98, normalized size = 0.92

$$\frac{1}{13}x^{13}e^4c + \frac{4}{11}x^{11}e^3dc + \frac{2}{3}x^9e^2d^2c + \frac{1}{9}x^9e^4a + \frac{4}{7}x^7ed^3c + \frac{4}{7}x^7e^3da + \frac{1}{5}x^5d^4c + \frac{6}{5}x^5e^2d^2a + \frac{4}{3}x^3ed^3a + xd^4a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4*(c*x^4+a),x, algorithm="fricas")

[Out] $1/13*x^{13}*e^4*c + 4/11*x^{11}*e^3*d*c + 2/3*x^9*e^2*d^2*c + 1/9*x^9*e^4*a + 4/7*x^7*e*d^3*c + 4/7*x^7*e^3*d*a + 1/5*x^5*d^4*c + 6/5*x^5*e^2*d^2*a + 4/3*x^3*e*d^3*a + x*d^4*a$

giac [A] time = 0.15, size = 94, normalized size = 0.89

$$\frac{1}{13}cx^{13}e^4 + \frac{4}{11}cdx^{11}e^3 + \frac{2}{3}cd^2x^9e^2 + \frac{4}{7}cd^3x^7e + \frac{1}{9}ax^9e^4 + \frac{1}{5}cd^4x^5 + \frac{4}{7}adx^7e^3 + \frac{6}{5}ad^2x^5e^2 + \frac{4}{3}ad^3x^3e + ad^4x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4*(c*x^4+a),x, algorithm="giac")

[Out] $1/13*c*x^{13}*e^4 + 4/11*c*d*x^{11}*e^3 + 2/3*c*d^2*x^9*e^2 + 4/7*c*d^3*x^7*e + 1/9*a*x^9*e^4 + 1/5*c*d^4*x^5 + 4/7*a*d*x^7*e^3 + 6/5*a*d^2*x^5*e^2 + 4/3*a*d^3*x^3*e + a*d^4*x$

maple [A] time = 0.00, size = 97, normalized size = 0.92

$$\frac{ce^4x^{13}}{13} + \frac{4cde^3x^{11}}{11} + \frac{(e^4a + 6d^2e^2c)x^9}{9} + \frac{4ad^3ex^3}{3} + \frac{(4de^3a + 4d^3ec)x^7}{7} + ad^4x + \frac{(6d^2e^2a + d^4c)x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^4*(c*x^4+a),x)

[Out] $1/13*c*e^4*x^{13} + 4/11*c*d*e^3*x^{11} + 1/9*(a*e^4 + 6*c*d^2*e^2)*x^9 + 1/7*(4*a*d*e^3 + 4*c*d^3*e)*x^7 + 1/5*(6*a*d^2*e^2 + c*d^4)*x^5 + 4/3*a*d^3*e*x^3 + a*d^4*x$

maxima [A] time = 1.05, size = 94, normalized size = 0.89

$$\frac{1}{13}ce^4x^{13} + \frac{4}{11}cde^3x^{11} + \frac{1}{9}(6cd^2e^2 + ae^4)x^9 + \frac{4}{3}ad^3ex^3 + \frac{4}{7}(cd^3e + ade^3)x^7 + ad^4x + \frac{1}{5}(cd^4 + 6ad^2e^2)x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4*(c*x^4+a),x, algorithm="maxima")

[Out] 1/13*c*e^4*x^13 + 4/11*c*d*e^3*x^11 + 1/9*(6*c*d^2*e^2 + a*e^4)*x^9 + 4/3*a*d^3*e*x^3 + 4/7*(c*d^3*e + a*d*e^3)*x^7 + a*d^4*x + 1/5*(c*d^4 + 6*a*d^2*e^2)*x^5

mupad [B] time = 4.35, size = 95, normalized size = 0.90

$$x^5 \left(\frac{cd^4}{5} + \frac{6ad^2e^2}{5} \right) + x^9 \left(\frac{2cd^2e^2}{3} + \frac{ae^4}{9} \right) + x^7 \left(\frac{4cd^3e}{7} + \frac{4ade^3}{7} \right) + \frac{ce^4x^{13}}{13} + ad^4x + \frac{4ad^3ex^3}{3} + \frac{4cde^3x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^4)*(d + e*x^2)^4,x)

[Out] x^5*((c*d^4)/5 + (6*a*d^2*e^2)/5) + x^9*((a*e^4)/9 + (2*c*d^2*e^2)/3) + x^7*((4*a*d*e^3)/7 + (4*c*d^3*e)/7) + (c*e^4*x^13)/13 + a*d^4*x + (4*a*d^3*e*x^3)/3 + (4*c*d*e^3*x^11)/11

sympy [A] time = 0.09, size = 110, normalized size = 1.04

$$ad^4x + \frac{4ad^3ex^3}{3} + \frac{4cde^3x^{11}}{11} + \frac{ce^4x^{13}}{13} + x^9 \left(\frac{ae^4}{9} + \frac{2cd^2e^2}{3} \right) + x^7 \left(\frac{4ade^3}{7} + \frac{4cd^3e}{7} \right) + x^5 \left(\frac{6ad^2e^2}{5} + \frac{cd^4}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**4*(c*x**4+a),x)

[Out] a*d**4*x + 4*a*d**3*e*x**3/3 + 4*c*d*e**3*x**11/11 + c*e**4*x**13/13 + x**9*(a*e**4/9 + 2*c*d**2*e**2/3) + x**7*(4*a*d*e**3/7 + 4*c*d**3*e/7) + x**5*(6*a*d**2*e**2/5 + c*d**4/5)

3.121 $\int (d + ex^2)^3 (a + cx^4) dx$

Optimal. Leaf size=79

$$\frac{1}{7}ex^7 (ae^2 + 3cd^2) + \frac{1}{5}dx^5 (3ae^2 + cd^2) + ad^3x + ad^2ex^3 + \frac{1}{3}cde^2x^9 + \frac{1}{11}ce^3x^{11}$$

[Out] a*d^3*x+a*d^2*e*x^3+1/5*d*(3*a*e^2+c*d^2)*x^5+1/7*e*(a*e^2+3*c*d^2)*x^7+1/3*c*d*e^2*x^9+1/11*c*e^3*x^11

Rubi [A] time = 0.06, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {1154}

$$\frac{1}{7}ex^7 (ae^2 + 3cd^2) + \frac{1}{5}dx^5 (3ae^2 + cd^2) + ad^2ex^3 + ad^3x + \frac{1}{3}cde^2x^9 + \frac{1}{11}ce^3x^{11}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^3*(a + c*x^4), x]

[Out] a*d^3*x + a*d^2*e*x^3 + (d*(c*d^2 + 3*a*e^2)*x^5)/5 + (e*(3*c*d^2 + a*e^2)*x^7)/7 + (c*d*e^2*x^9)/3 + (c*e^3*x^11)/11

Rule 1154

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (d + ex^2)^3 (a + cx^4) dx &= \int (ad^3 + 3ad^2ex^2 + d(cd^2 + 3ae^2)x^4 + e(3cd^2 + ae^2)x^6 + 3cde^2x^8 + ce^3x^{10}) dx \\ &= ad^3x + ad^2ex^3 + \frac{1}{5}d(cd^2 + 3ae^2)x^5 + \frac{1}{7}e(3cd^2 + ae^2)x^7 + \frac{1}{3}cde^2x^9 + \frac{1}{11}ce^3x^{11} \end{aligned}$$

Mathematica [A] time = 0.02, size = 79, normalized size = 1.00

$$\frac{1}{7}ex^7 (ae^2 + 3cd^2) + \frac{1}{5}dx^5 (3ae^2 + cd^2) + ad^3x + ad^2ex^3 + \frac{1}{3}cde^2x^9 + \frac{1}{11}ce^3x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^3*(a + c*x^4),x]

[Out] $a*d^3*x + a*d^2*e*x^3 + (d*(c*d^2 + 3*a*e^2)*x^5)/5 + (e*(3*c*d^2 + a*e^2)*x^7)/7 + (c*d*e^2*x^9)/3 + (c*e^3*x^11)/11$

fricas [A] time = 0.35, size = 73, normalized size = 0.92

$$\frac{1}{11}x^{11}e^3c + \frac{1}{3}x^9e^2dc + \frac{3}{7}x^7ed^2c + \frac{1}{7}x^7e^3a + \frac{1}{5}x^5d^3c + \frac{3}{5}x^5e^2da + x^3ed^2a + xd^3a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3*(c*x^4+a),x, algorithm="fricas")

[Out] $1/11*x^{11}*e^3*c + 1/3*x^9*e^2*d*c + 3/7*x^7*e*d^2*c + 1/7*x^7*e^3*a + 1/5*x^5*d^3*c + 3/5*x^5*e^2*d*a + x^3*e*d^2*a + x*d^3*a$

giac [A] time = 0.15, size = 71, normalized size = 0.90

$$\frac{1}{11}cx^{11}e^3 + \frac{1}{3}cdx^9e^2 + \frac{3}{7}cd^2x^7e + \frac{1}{5}cd^3x^5 + \frac{1}{7}ax^7e^3 + \frac{3}{5}adx^5e^2 + ad^2x^3e + ad^3x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3*(c*x^4+a),x, algorithm="giac")

[Out] $1/11*c*x^{11}*e^3 + 1/3*c*d*x^9*e^2 + 3/7*c*d^2*x^7*e + 1/5*c*d^3*x^5 + 1/7*a*x^7*e^3 + 3/5*a*d*x^5*e^2 + a*d^2*x^3*e + a*d^3*x$

maple [A] time = 0.00, size = 72, normalized size = 0.91

$$\frac{ce^3x^{11}}{11} + \frac{cde^2x^9}{3} + ad^2ex^3 + \frac{(ae^3 + 3cd^2e)x^7}{7} + ad^3x + \frac{(3de^2a + d^3c)x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^3*(c*x^4+a),x)

[Out] $1/11*c*e^3*x^{11} + 1/3*c*d*e^2*x^9 + 1/7*(a*e^3 + 3*c*d^2*e)*x^7 + 1/5*(3*a*d*e^2 + c*d^3)*x^5 + a*d^2*e*x^3 + a*d^3*x$

maxima [A] time = 1.04, size = 71, normalized size = 0.90

$$\frac{1}{11}ce^3x^{11} + \frac{1}{3}cde^2x^9 + \frac{1}{7}(3cd^2e + ae^3)x^7 + ad^2ex^3 + \frac{1}{5}(cd^3 + 3ade^2)x^5 + ad^3x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3*(c*x^4+a),x, algorithm="maxima")

[Out] $1/11*c*e^3*x^{11} + 1/3*c*d*e^2*x^9 + 1/7*(3*c*d^2*e + a*e^3)*x^7 + a*d^2*e*x^3 + 1/5*(c*d^3 + 3*a*d*e^2)*x^5 + a*d^3*x$

mupad [B] time = 0.03, size = 71, normalized size = 0.90

$$x^5 \left(\frac{cd^3}{5} + \frac{3ade^2}{5} \right) + x^7 \left(\frac{3cd^2e}{7} + \frac{ae^3}{7} \right) + \frac{ce^3x^{11}}{11} + ad^3x + ad^2ex^3 + \frac{cde^2x^9}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^4)*(d + e*x^2)^3,x)`

[Out] $x^5*((c*d^3)/5 + (3*a*d*e^2)/5) + x^7*((a*e^3)/7 + (3*c*d^2*e)/7) + (c*e^3*x^{11})/11 + a*d^3*x + a*d^2*e*x^3 + (c*d*e^2*x^9)/3$

sympy [A] time = 0.09, size = 78, normalized size = 0.99

$$ad^3x + ad^2ex^3 + \frac{cde^2x^9}{3} + \frac{ce^3x^{11}}{11} + x^7 \left(\frac{ae^3}{7} + \frac{3cd^2e}{7} \right) + x^5 \left(\frac{3ade^2}{5} + \frac{cd^3}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**3*(c*x**4+a),x)`

[Out] $a*d**3*x + a*d**2*e*x**3 + c*d*e**2*x**9/3 + c*e**3*x**11/11 + x**7*(a*e**3/7 + 3*c*d**2*e/7) + x**5*(3*a*d*e**2/5 + c*d**3/5)$

3.122 $\int (d + ex^2)^2 (a + cx^4) dx$

Optimal. Leaf size=56

$$\frac{1}{5}x^5 (ae^2 + cd^2) + ad^2x + \frac{2}{3}adex^3 + \frac{2}{7}cdex^7 + \frac{1}{9}ce^2x^9$$

[Out] $a*d^2*x+2/3*a*d*e*x^3+1/5*(a*e^2+c*d^2)*x^5+2/7*c*d*e*x^7+1/9*c*e^2*x^9$

Rubi [A] time = 0.03, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {1154}

$$\frac{1}{5}x^5 (ae^2 + cd^2) + ad^2x + \frac{2}{3}adex^3 + \frac{2}{7}cdex^7 + \frac{1}{9}ce^2x^9$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x^2)^2*(a + c*x^4), x]$

[Out] $a*d^2*x + (2*a*d*e*x^3)/3 + ((c*d^2 + a*e^2)*x^5)/5 + (2*c*d*e*x^7)/7 + (c*e^2*x^9)/9$

Rule 1154

$\text{Int}[(d + e*x^2)^q*(a + c*x^4)^p, x_Symbol] := \text{Int}[\text{ExpandIntegrand}[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; \text{FreeQ}\{a, c, d, e, x\} \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{IGtQ}[q, -2]$

Rubi steps

$$\begin{aligned} \int (d + ex^2)^2 (a + cx^4) dx &= \int (ad^2 + 2adex^2 + (cd^2 + ae^2)x^4 + 2cdex^6 + ce^2x^8) dx \\ &= ad^2x + \frac{2}{3}adex^3 + \frac{1}{5}(cd^2 + ae^2)x^5 + \frac{2}{7}cdex^7 + \frac{1}{9}ce^2x^9 \end{aligned}$$

Mathematica [A] time = 0.01, size = 56, normalized size = 1.00

$$\frac{1}{5}x^5 (ae^2 + cd^2) + ad^2x + \frac{2}{3}adex^3 + \frac{2}{7}cdex^7 + \frac{1}{9}ce^2x^9$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(d + e*x^2)^2*(a + c*x^4), x]$

[Out] $a*d^2*x + (2*a*d*e*x^3)/3 + ((c*d^2 + a*e^2)*x^5)/5 + (2*c*d*e*x^7)/7 + (c*e^2*x^9)/9$

fricas [A] time = 0.35, size = 50, normalized size = 0.89

$$\frac{1}{9}x^9e^2c + \frac{2}{7}x^7edc + \frac{1}{5}x^5d^2c + \frac{1}{5}x^5e^2a + \frac{2}{3}x^3eda + xd^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(c*x^4+a),x, algorithm="fricas")`

[Out] $1/9*x^9*e^2*c + 2/7*x^7*e*d*c + 1/5*x^5*d^2*c + 1/5*x^5*e^2*a + 2/3*x^3*e*d*a + x*d^2*a$

giac [A] time = 0.20, size = 50, normalized size = 0.89

$$\frac{1}{9}cx^9e^2 + \frac{2}{7}cdx^7e + \frac{1}{5}cd^2x^5 + \frac{1}{5}ax^5e^2 + \frac{2}{3}adx^3e + ad^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(c*x^4+a),x, algorithm="giac")`

[Out] $1/9*c*x^9*e^2 + 2/7*c*d*x^7*e + 1/5*c*d^2*x^5 + 1/5*a*x^5*e^2 + 2/3*a*d*x^3*e + a*d^2*x$

maple [A] time = 0.00, size = 49, normalized size = 0.88

$$\frac{ce^2x^9}{9} + \frac{2cdex^7}{7} + \frac{2adex^3}{3} + \frac{(ae^2 + cd^2)x^5}{5} + ad^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2*(c*x^4+a),x)`

[Out] $a*d^2*x+2/3*a*d*e*x^3+1/5*(a*e^2+c*d^2)*x^5+2/7*c*d*e*x^7+1/9*c*e^2*x^9$

maxima [A] time = 0.97, size = 48, normalized size = 0.86

$$\frac{1}{9}ce^2x^9 + \frac{2}{7}cdex^7 + \frac{2}{3}adex^3 + \frac{1}{5}(cd^2 + ae^2)x^5 + ad^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2*(c*x^4+a),x, algorithm="maxima")`

[Out] $1/9*c*e^2*x^9 + 2/7*c*d*e*x^7 + 2/3*a*d*e*x^3 + 1/5*(c*d^2 + a*e^2)*x^5 + a*d^2*x$

mupad [B] time = 0.02, size = 49, normalized size = 0.88

$$x^5 \left(\frac{cd^2}{5} + \frac{ae^2}{5} \right) + \frac{ce^2x^9}{9} + ad^2x + \frac{2adex^3}{3} + \frac{2cdex^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^4)*(d + e*x^2)^2,x)

[Out] x^5*((a*e^2)/5 + (c*d^2)/5) + (c*e^2*x^9)/9 + a*d^2*x + (2*a*d*e*x^3)/3 + (2*c*d*e*x^7)/7

sympy [A] time = 0.08, size = 56, normalized size = 1.00

$$ad^2x + \frac{2adex^3}{3} + \frac{2cdex^7}{7} + \frac{ce^2x^9}{9} + x^5 \left(\frac{ae^2}{5} + \frac{cd^2}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(c*x**4+a),x)

[Out] a*d**2*x + 2*a*d*e*x**3/3 + 2*c*d*e*x**7/7 + c*e**2*x**9/9 + x**5*(a*e**2/5 + c*d**2/5)

3.123 $\int (d + ex^2)(a + cx^4) dx$

Optimal. Leaf size=32

$$adx + \frac{1}{3}aex^3 + \frac{1}{5}cdx^5 + \frac{1}{7}cex^7$$

[Out] $a*d*x+1/3*a*e*x^3+1/5*c*d*x^5+1/7*c*e*x^7$

Rubi [A] time = 0.01, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {1154}

$$adx + \frac{1}{3}aex^3 + \frac{1}{5}cdx^5 + \frac{1}{7}cex^7$$

Antiderivative was successfully verified.

[In] `Int[(d + e*x^2)*(a + c*x^4), x]`

[Out] $a*d*x + (a*e*x^3)/3 + (c*d*x^5)/5 + (c*e*x^7)/7$

Rule 1154

`Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]`

Rubi steps

$$\begin{aligned} \int (d + ex^2)(a + cx^4) dx &= \int (ad + aex^2 + cdx^4 + cex^6) dx \\ &= adx + \frac{1}{3}aex^3 + \frac{1}{5}cdx^5 + \frac{1}{7}cex^7 \end{aligned}$$

Mathematica [A] time = 0.00, size = 32, normalized size = 1.00

$$adx + \frac{1}{3}aex^3 + \frac{1}{5}cdx^5 + \frac{1}{7}cex^7$$

Antiderivative was successfully verified.

[In] `Integrate[(d + e*x^2)*(a + c*x^4), x]`

[Out] $a*d*x + (a*e*x^3)/3 + (c*d*x^5)/5 + (c*e*x^7)/7$

fricas [A] time = 0.35, size = 26, normalized size = 0.81

$$\frac{1}{7}x^7ec + \frac{1}{5}x^5dc + \frac{1}{3}x^3ea + xda$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a),x, algorithm="fricas")

[Out] 1/7*x^7*e*c + 1/5*x^5*d*c + 1/3*x^3*e*a + x*d*a

giac [A] time = 0.18, size = 28, normalized size = 0.88

$$\frac{1}{7}cx^7e + \frac{1}{5}cdx^5 + \frac{1}{3}ax^3e + adx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a),x, algorithm="giac")

[Out] 1/7*c*x^7*e + 1/5*c*d*x^5 + 1/3*a*x^3*e + a*d*x

maple [A] time = 0.00, size = 27, normalized size = 0.84

$$\frac{1}{7}cex^7 + \frac{1}{5}cdx^5 + \frac{1}{3}aex^3 + adx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(c*x^4+a),x)

[Out] a*d*x+1/3*a*e*x^3+1/5*c*d*x^5+1/7*c*e*x^7

maxima [A] time = 1.06, size = 26, normalized size = 0.81

$$\frac{1}{7}cex^7 + \frac{1}{5}cdx^5 + \frac{1}{3}aex^3 + adx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a),x, algorithm="maxima")

[Out] 1/7*c*e*x^7 + 1/5*c*d*x^5 + 1/3*a*e*x^3 + a*d*x

mupad [B] time = 0.04, size = 26, normalized size = 0.81

$$\frac{cex^7}{7} + \frac{cdx^5}{5} + \frac{aex^3}{3} + adx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^4)*(d + e*x^2),x)`

[Out] `a*d*x + (a*e*x^3)/3 + (c*d*x^5)/5 + (c*e*x^7)/7`

sympy [A] time = 0.08, size = 29, normalized size = 0.91

$$adx + \frac{aex^3}{3} + \frac{cdx^5}{5} + \frac{cex^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(c*x**4+a),x)`

[Out] `a*d*x + a*e*x**3/3 + c*d*x**5/5 + c*e*x**7/7`

$$3.124 \quad \int \frac{a+cx^4}{d+ex^2} dx$$

Optimal. Leaf size=55

$$\frac{(ae^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d} e^{5/2}} - \frac{cdx}{e^2} + \frac{cx^3}{3e}$$

[Out] $-c*d*x/e^2+1/3*c*x^3/e+(a*e^2+c*d^2)*\arctan(x*e^{(1/2)}/d^{(1/2)})/e^{(5/2)}/d^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {1154, 205}

$$\frac{(ae^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d} e^{5/2}} - \frac{cdx}{e^2} + \frac{cx^3}{3e}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^4)/(d + e*x^2), x]

[Out] $-((c*d*x)/e^2) + (c*x^3)/(3*e) + ((c*d^2 + a*e^2)*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(\text{Sqrt}[d]*e^{(5/2)})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1154

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned}
\int \frac{a + cx^4}{d + ex^2} dx &= \int \left(-\frac{cd}{e^2} + \frac{cx^2}{e} + \frac{cd^2 + ae^2}{e^2(d + ex^2)} \right) dx \\
&= -\frac{cdx}{e^2} + \frac{cx^3}{3e} + \left(a + \frac{cd^2}{e^2} \right) \int \frac{1}{d + ex^2} dx \\
&= -\frac{cdx}{e^2} + \frac{cx^3}{3e} + \frac{(cd^2 + ae^2) \tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{\sqrt{d} e^{5/2}}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 55, normalized size = 1.00

$$\frac{(ae^2 + cd^2) \tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{\sqrt{d} e^{5/2}} - \frac{cdx}{e^2} + \frac{cx^3}{3e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^4)/(d + e*x^2), x]

[Out] -((c*d*x)/e^2) + (c*x^3)/(3*e) + ((c*d^2 + a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(Sqrt[d]*e^(5/2))

fricas [A] time = 0.40, size = 131, normalized size = 2.38

$$\left[\frac{2cde^2x^3 - 6cd^2ex - 3(cd^2 + ae^2)\sqrt{-de} \log\left(\frac{ex^2 - 2\sqrt{-de}x - d}{ex^2 + d}\right)}{6de^3}, \frac{cde^2x^3 - 3cd^2ex + 3(cd^2 + ae^2)\sqrt{de} \arctan\left(\frac{\sqrt{de}x}{d}\right)}{3de^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)/(e*x^2+d), x, algorithm="fricas")

[Out] [1/6*(2*c*d*e^2*x^3 - 6*c*d^2*e*x - 3*(c*d^2 + a*e^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)))/(d*e^3), 1/3*(c*d*e^2*x^3 - 3*c*d^2*e*x + 3*(c*d^2 + a*e^2)*sqrt(d*e)*arctan(sqrt(d*e)*x/d))/(d*e^3)]

giac [A] time = 0.17, size = 44, normalized size = 0.80

$$\frac{(cd^2 + ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{5}{2}\right)}}{\sqrt{d}} + \frac{1}{3} (cx^3e^2 - 3cdxe) e^{(-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)/(e*x^2+d),x, algorithm="giac")

[Out] (c*d^2 + a*e^2)*arctan(x*e^(1/2)/sqrt(d))*e^(-5/2)/sqrt(d) + 1/3*(c*x^3*e^2 - 3*c*d*x*e)*e^(-3)

maple [A] time = 0.01, size = 57, normalized size = 1.04

$$\frac{cx^3}{3e} + \frac{a \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de}} + \frac{cd^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de} e^2} - \frac{cdx}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+a)/(e*x^2+d),x)

[Out] 1/3*c*x^3/e-c*d*x/e^2+1/(d*e)^(1/2)*arctan(x*e/(d*e)^(1/2))*a+1/e^2/(d*e)^(1/2)*arctan(x*e/(d*e)^(1/2))*c*d^2

maxima [A] time = 2.55, size = 47, normalized size = 0.85

$$\frac{(cd^2 + ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de} e^2} + \frac{cex^3 - 3cdx}{3e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)/(e*x^2+d),x, algorithm="maxima")

[Out] (c*d^2 + a*e^2)*arctan(e*x/sqrt(d*e))/(sqrt(d*e)*e^2) + 1/3*(c*e*x^3 - 3*c*d*x)/e^2

mupad [B] time = 0.07, size = 45, normalized size = 0.82

$$\frac{cx^3}{3e} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) (cd^2 + ae^2)}{\sqrt{d} e^{5/2}} - \frac{cdx}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^4)/(d + e*x^2),x)

[Out] (c*x^3)/(3*e) + (atan((e^(1/2)*x)/d^(1/2))*(a*e^2 + c*d^2))/(d^(1/2)*e^(5/2)) - (c*d*x)/e^2

sympy [B] time = 0.32, size = 104, normalized size = 1.89

$$-\frac{cdx}{e^2} + \frac{cx^3}{3e} - \frac{\sqrt{-\frac{1}{de^5}} (ae^2 + cd^2) \log\left(-de^2 \sqrt{-\frac{1}{de^5}} + x\right)}{2} + \frac{\sqrt{-\frac{1}{de^5}} (ae^2 + cd^2) \log\left(de^2 \sqrt{-\frac{1}{de^5}} + x\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**4+a)/(e*x**2+d),x)
```

```
[Out] -c*d*x/e**2 + c*x**3/(3*e) - sqrt(-1/(d*e**5))*(a*e**2 + c*d**2)*log(-d*e**  
2*sqrt(-1/(d*e**5)) + x)/2 + sqrt(-1/(d*e**5))*(a*e**2 + c*d**2)*log(d*e**2  
*sqrt(-1/(d*e**5)) + x)/2
```

$$3.125 \quad \int \frac{a+cx^4}{(d+ex^2)^2} dx$$

Optimal. Leaf size=74

$$\frac{x\left(a + \frac{cd^2}{e^2}\right)}{2d(d+ex^2)} - \frac{(3cd^2 - ae^2) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{3/2}e^{5/2}} + \frac{cx}{e^2}$$

[Out] $c*x/e^2+1/2*(a+c*d^2/e^2)*x/d/(e*x^2+d)-1/2*(-a*e^2+3*c*d^2)*\arctan(x*e^(1/2)/d^(1/2))/d^(3/2)/e^(5/2)$

Rubi [A] time = 0.05, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1158, 388, 205}

$$\frac{x\left(a + \frac{cd^2}{e^2}\right)}{2d(d+ex^2)} - \frac{(3cd^2 - ae^2) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{3/2}e^{5/2}} + \frac{cx}{e^2}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^4)/(d + e*x^2)^2,x]

[Out] $(c*x)/e^2 + ((a + (c*d^2)/e^2)*x)/(2*d*(d + e*x^2)) - ((3*c*d^2 - a*e^2)*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(2*d^(3/2)*e^(5/2))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p+1))/(b*(n*(p+1)+1)), x] - Dist[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p+1)+1, 0]

Rule 1158

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + c*x^4)^p, d + e*x^2, x], R = Coeff[PolynomialRemainder[(a + c*x^4)^p, d + e*x^2, x], x, 0]}, -Simp[(R*x*(d + e*x^2)^(q+1))/(2*d*(q+1)), x] + Dist[1/(2*d*(q+1)), Int[(d + e*x^2)^(q+1)*E

xpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x], x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]

Rubi steps

$$\begin{aligned} \int \frac{a + cx^4}{(d + ex^2)^2} dx &= \frac{\left(a + \frac{cd^2}{e^2}\right)x}{2d(d + ex^2)} - \frac{\int \frac{-a + \frac{cd^2}{e^2} - \frac{2cdx^2}{e}}{d + ex^2} dx}{2d} \\ &= \frac{cx}{e^2} + \frac{\left(a + \frac{cd^2}{e^2}\right)x}{2d(d + ex^2)} + \frac{\left(a - \frac{3cd^2}{e^2}\right) \int \frac{1}{d + ex^2} dx}{2d} \\ &= \frac{cx}{e^2} + \frac{\left(a + \frac{cd^2}{e^2}\right)x}{2d(d + ex^2)} + \frac{\left(a - \frac{3cd^2}{e^2}\right) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{3/2}\sqrt{e}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 78, normalized size = 1.05

$$\frac{x(ae^2 + cd^2)}{2de^2(d + ex^2)} - \frac{(3cd^2 - ae^2) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{3/2}e^{5/2}} + \frac{cx}{e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^4)/(d + e*x^2)^2,x]

[Out] (c*x)/e^2 + ((c*d^2 + a*e^2)*x)/(2*d*e^2*(d + e*x^2)) - ((3*c*d^2 - a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*d^(3/2)*e^(5/2))

fricas [A] time = 0.43, size = 222, normalized size = 3.00

$$\left[\frac{4cd^2e^2x^3 + (3cd^3 - ade^2 + (3cd^2e - ae^3)x^2)\sqrt{-de} \log\left(\frac{ex^2 - 2\sqrt{-de}x - d}{ex^2 + d}\right) + 2(3cd^3e + ade^3)x}{4(d^2e^4x^2 + d^3e^3)}, \frac{2cd^2e^2x^3 - (3cd^3 - ae^2)x}{2d^2e^4x^2 + d^3e^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)/(e*x^2+d)^2,x, algorithm="fricas")

[Out] [1/4*(4*c*d^2*e^2*x^3 + (3*c*d^3 - a*d*e^2 + (3*c*d^2*e - a*e^3)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) + 2*(3*c*d^3*e + a*d*e^3)*x)/(d^2*e^4*x^2 + d^3*e^3), 1/2*(2*c*d^2*e^2*x^3 - (3*c*d^3 - a*d*e^2 +

$(3cd^2e - ae^3)x^2 \sqrt{de} \arctan(\sqrt{de}x/d) + (3cd^3e + ae^3)x / (d^2e^4x^2 + d^3e^3)$

giac [A] time = 0.16, size = 62, normalized size = 0.84

$$cxe^{(-2)} - \frac{(3cd^2 - ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{(-\frac{5}{2})}}{2d^{\frac{3}{2}}} + \frac{(cd^2x + axe^2)e^{(-2)}}{2(x^2e + d)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)/(e*x^2+d)^2,x, algorithm="giac")

[Out] $cxe^{(-2)} - 1/2*(3cd^2 - ae^2)*\arctan(xe^{(1/2)}/\sqrt{d})*e^{(-5/2)}/d^{(3/2)} + 1/2*(cd^2*x + a*x*e^2)*e^{(-2)}/((x^2*e + d)*d)$

maple [A] time = 0.01, size = 82, normalized size = 1.11

$$\frac{ax}{2(e^2x^2 + d)d} + \frac{a \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d} + \frac{cdx}{2(e^2x^2 + d)e^2} - \frac{3cd \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e^2} + \frac{cx}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+a)/(e*x^2+d)^2,x)

[Out] $c*x/e^2 + 1/2/d*x/(e*x^2+d)*a + 1/2/e^2*d*x/(e*x^2+d)*c + 1/2/d/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*a - 3/2/e^2*d/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*c$

maxima [A] time = 2.24, size = 74, normalized size = 1.00

$$\frac{(cd^2 + ae^2)x}{2(de^3x^2 + d^2e^2)} + \frac{cx}{e^2} - \frac{(3cd^2 - ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}de^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)/(e*x^2+d)^2,x, algorithm="maxima")

[Out] $1/2*(cd^2 + ae^2)*x/(d^3e^3x^2 + d^2e^2) + cx/e^2 - 1/2*(3cd^2 - ae^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d^2e^2)$

mupad [B] time = 4.44, size = 68, normalized size = 0.92

$$\frac{cx}{e^2} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) (ae^2 - 3cd^2)}{2d^{3/2}e^{5/2}} + \frac{x(cd^2 + ae^2)}{2d(e^3x^2 + d^2e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^4)/(d + e*x^2)^2,x)`

[Out] $(c*x)/e^2 + (\operatorname{atan}((e^{1/2}*x)/d^{1/2})*(a*e^2 - 3*c*d^2))/(2*d^{3/2}*e^{5/2}) + (x*(a*e^2 + c*d^2))/(2*d*(d*e^2 + e^3*x^2))$

sympy [B] time = 0.51, size = 138, normalized size = 1.86

$$\frac{cx}{e^2} + \frac{x(ae^2 + cd^2)}{2d^2e^2 + 2de^3x^2} - \frac{\sqrt{-\frac{1}{d^3e^5}}(ae^2 - 3cd^2)\log\left(-d^2e^2\sqrt{-\frac{1}{d^3e^5}} + x\right)}{4} + \frac{\sqrt{-\frac{1}{d^3e^5}}(ae^2 - 3cd^2)\log\left(d^2e^2\sqrt{-\frac{1}{d^3e^5}} + x\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**4+a)/(e*x**2+d)**2,x)`

[Out] $c*x/e^{**2} + x*(a*e^{**2} + c*d^{**2})/(2*d^{**2}*e^{**2} + 2*d*e^{**3}*x^{**2}) - \operatorname{sqrt}(-1/(d^{**3}*e^{**5}))*(a*e^{**2} - 3*c*d^{**2})*\log(-d^{**2}*e^{**2}*\operatorname{sqrt}(-1/(d^{**3}*e^{**5})) + x)/4 + \operatorname{sqrt}(-1/(d^{**3}*e^{**5}))*(a*e^{**2} - 3*c*d^{**2})*\log(d^{**2}*e^{**2}*\operatorname{sqrt}(-1/(d^{**3}*e^{**5})) + x)/4$

$$3.126 \quad \int \frac{a+cx^4}{(d+ex^2)^3} dx$$

Optimal. Leaf size=93

$$\frac{x \left(\frac{3a}{d^2} - \frac{5c}{e^2} \right)}{8(d+ex^2)} + \frac{x \left(a + \frac{cd^2}{e^2} \right)}{4d(d+ex^2)^2} + \frac{3(ae^2 + cd^2) \tan^{-1} \left(\frac{\sqrt{ex}}{\sqrt{d}} \right)}{8d^{5/2}e^{5/2}}$$

[Out] 1/4*(a+c*d^2/e^2)*x/d/(e*x^2+d)^2+1/8*(3*a/d^2-5*c/e^2)*x/(e*x^2+d)+3/8*(a*e^2+c*d^2)*arctan(x*e^(1/2)/d^(1/2))/d^(5/2)/e^(5/2)

Rubi [A] time = 0.07, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1158, 385, 205}

$$\frac{x \left(\frac{3a}{d^2} - \frac{5c}{e^2} \right)}{8(d+ex^2)} + \frac{x \left(a + \frac{cd^2}{e^2} \right)}{4d(d+ex^2)^2} + \frac{3(ae^2 + cd^2) \tan^{-1} \left(\frac{\sqrt{ex}}{\sqrt{d}} \right)}{8d^{5/2}e^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^4)/(d + e*x^2)^3,x]

[Out] ((a + (c*d^2)/e^2)*x)/(4*d*(d + e*x^2)^2) + (((3*a)/d^2 - (5*c)/e^2)*x)/(8*(d + e*x^2)) + (3*(c*d^2 + a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*d^(5/2)*e^(5/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 1158

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + c*x^4)^p, d + e*x^2, x], R = Coeff[Polynom

```
ialRemainder[(a + c*x^4)^p, d + e*x^2, x], x, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q + 1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x], x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + cx^4}{(d + ex^2)^3} dx &= \frac{\left(a + \frac{cd^2}{e^2}\right)x}{4d(d + ex^2)^2} - \frac{\int \frac{-3a + \frac{cd^2}{e^2} - \frac{4cdx^2}{e}}{(d+ex^2)^2} dx}{4d} \\ &= \frac{\left(a + \frac{cd^2}{e^2}\right)x}{4d(d + ex^2)^2} + \frac{\left(\frac{3a}{d^2} - \frac{5c}{e^2}\right)x}{8(d + ex^2)} + \frac{1}{8} \left(3 \left(\frac{a}{d^2} + \frac{c}{e^2}\right)\right) \int \frac{1}{d + ex^2} dx \\ &= \frac{\left(a + \frac{cd^2}{e^2}\right)x}{4d(d + ex^2)^2} + \frac{\left(\frac{3a}{d^2} - \frac{5c}{e^2}\right)x}{8(d + ex^2)} + \frac{3(cd^2 + ae^2) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{8d^{5/2}e^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 92, normalized size = 0.99

$$\frac{ae^2x(5d + 3ex^2) - cd^2x(3d + 5ex^2)}{8d^2e^2(d + ex^2)^2} + \frac{3(ae^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{8d^{5/2}e^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^4)/(d + e*x^2)^3,x]

[Out] (a*e^2*x*(5*d + 3*e*x^2) - c*d^2*x*(3*d + 5*e*x^2))/(8*d^2*e^2*(d + e*x^2)^2) + (3*(c*d^2 + a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*d^(5/2)*e^(5/2))

fricas [A] time = 0.43, size = 306, normalized size = 3.29

$$\left[\frac{2(5cd^3e^2 - 3ade^4)x^3 + 3(cd^4 + ad^2e^2 + (cd^2e^2 + ae^4)x^4 + 2(cd^3e + ade^3)x^2)\sqrt{-de} \log\left(\frac{ex^2 - 2\sqrt{-de}x - d}{ex^2 + d}\right) + 2(3}{16(d^3e^5x^4 + 2d^4e^4x^2 + d^5e^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)/(e*x^2+d)^3,x, algorithm="fricas")

[Out] $[-1/16*(2*(5*c*d^3*e^2 - 3*a*d*e^4)*x^3 + 3*(c*d^4 + a*d^2*e^2 + (c*d^2*e^2 + a*e^4)*x^4 + 2*(c*d^3*e + a*d*e^3)*x^2)*\sqrt{-d*e}*\log((e*x^2 - 2*\sqrt{-d*e}*x - d)/(e*x^2 + d)) + 2*(3*c*d^4*e - 5*a*d^2*e^3)*x)/(d^3*e^5*x^4 + 2*d^4*e^4*x^2 + d^5*e^3), -1/8*((5*c*d^3*e^2 - 3*a*d*e^4)*x^3 - 3*(c*d^4 + a*d^2*e^2 + (c*d^2*e^2 + a*e^4)*x^4 + 2*(c*d^3*e + a*d*e^3)*x^2)*\sqrt{d*e}*\arctan(\sqrt{d*e}*x/d) + (3*c*d^4*e - 5*a*d^2*e^3)*x)/(d^3*e^5*x^4 + 2*d^4*e^4*x^2 + d^5*e^3)]$

giac [A] time = 0.16, size = 77, normalized size = 0.83

$$\frac{3(cd^2 + ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{5}{2}\right)}}{8d^{\frac{5}{2}}} - \frac{(5cd^2x^3e + 3cd^3x - 3ax^3e^3 - 5adxe^2)e^{(-2)}}{8(x^2e + d)^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+a)/(e*x^2+d)^3,x, algorithm="giac")`

[Out] $3/8*(c*d^2 + a*e^2)*\arctan(x*e^{(1/2)}/\sqrt{d})*e^{(-5/2)}/d^{(5/2)} - 1/8*(5*c*d^2*x^3*e + 3*c*d^3*x - 3*a*x^3*e^3 - 5*a*d*x*e^2)*e^{(-2)}/((x^2*e + d)^2*d^2)$

maple [A] time = 0.01, size = 99, normalized size = 1.06

$$\frac{3a \arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de} d^2} + \frac{3c \arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de} e^2} + \frac{(3ae^2 - 5cd^2)x^3}{8d^2e} + \frac{(5ae^2 - 3cd^2)x}{8de^2} + \frac{3(cd^2 + ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(ex^2 + d)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^4+a)/(e*x^2+d)^3,x)`

[Out] $(1/8*(3*a*e^2 - 5*c*d^2)/d^2/e*x^3 + 1/8*(5*a*e^2 - 3*c*d^2)/d/e^2*x)/(e*x^2 + d)^2 + 3/8/d^2/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*a + 3/8/e^2/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*c$

maxima [A] time = 2.56, size = 102, normalized size = 1.10

$$-\frac{(5cd^2e - 3ae^3)x^3 + (3cd^3 - 5ade^2)x}{8(d^2e^4x^4 + 2d^3e^3x^2 + d^4e^2)} + \frac{3(cd^2 + ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de} d^2e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+a)/(e*x^2+d)^3,x, algorithm="maxima")`

[Out] $-1/8*((5*c*d^2*e - 3*a*e^3)*x^3 + (3*c*d^3 - 5*a*d*e^2)*x)/(d^2*e^4*x^4 + 2*d^3*e^3*x^2 + d^4*e^2) + 3/8*(c*d^2 + a*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d^2*e^2)$

mupad [B] time = 4.48, size = 97, normalized size = 1.04

$$\frac{x^3(3ae^2-5cd^2)}{8d^2e} + \frac{x(5ae^2-3cd^2)}{8de^2} + \frac{3 \operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(cd^2 + ae^2)}{8d^{5/2}e^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^4)/(d + e*x^2)^3,x)`

[Out] $((x^3*(3*a*e^2 - 5*c*d^2))/(8*d^2*e) + (x*(5*a*e^2 - 3*c*d^2))/(8*d*e^2))/(d^2 + e^2*x^4 + 2*d*e*x^2) + (3*\operatorname{atan}((e^{1/2}*x)/d^{1/2})*(a*e^2 + c*d^2))/(8*d^{5/2}*e^{5/2})$

sympy [B] time = 0.75, size = 219, normalized size = 2.35

$$\frac{3\sqrt{-\frac{1}{d^5e^5}}(ae^2 + cd^2) \log\left(-\frac{3d^3e^2\sqrt{-\frac{1}{d^5e^5}}(ae^2+cd^2)}{3ae^2+3cd^2} + x\right)}{16} + \frac{3\sqrt{-\frac{1}{d^5e^5}}(ae^2 + cd^2) \log\left(\frac{3d^3e^2\sqrt{-\frac{1}{d^5e^5}}(ae^2+cd^2)}{3ae^2+3cd^2} + x\right)}{16} + \frac{x^3(3a^2e^2 + 3c^2d^2)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**4+a)/(e*x**2+d)**3,x)`

[Out] $-3*\sqrt{-1/(d**5*e**5)}*(a*e**2 + c*d**2)*\log(-3*d**3*e**2*\sqrt{-1/(d**5*e**5)}*(a*e**2 + c*d**2)/(3*a*e**2 + 3*c*d**2) + x)/16 + 3*\sqrt{-1/(d**5*e**5)}*(a*e**2 + c*d**2)*\log(3*d**3*e**2*\sqrt{-1/(d**5*e**5)}*(a*e**2 + c*d**2)/(3*a*e**2 + 3*c*d**2) + x)/16 + (x**3*(3*a*e**3 - 5*c*d**2*e) + x*(5*a*d*e**2 - 3*c*d**3))/(8*d**4*e**2 + 16*d**3*e**3*x**2 + 8*d**2*e**4*x**4)$

$$3.127 \quad \int \frac{a+cx^4}{(d+ex^2)^4} dx$$

Optimal. Leaf size=123

$$\frac{x\left(\frac{5a}{d^2} + \frac{c}{e^2}\right)}{16d(d+ex^2)} + \frac{x\left(\frac{5a}{d^2} - \frac{7c}{e^2}\right)}{24(d+ex^2)^2} + \frac{x\left(a + \frac{cd^2}{e^2}\right)}{6d(d+ex^2)^3} + \frac{(5ae^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{16d^{7/2}e^{5/2}}$$

[Out] 1/6*(a+c*d^2/e^2)*x/d/(e*x^2+d)^3+1/24*(5*a/d^2-7*c/e^2)*x/(e*x^2+d)^2+1/16*(5*a/d^2+c/e^2)*x/d/(e*x^2+d)+1/16*(5*a*e^2+c*d^2)*arctan(x*e^(1/2)/d^(1/2))/d^(7/2)/e^(5/2)

Rubi [A] time = 0.11, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {1158, 385, 199, 205}

$$\frac{x\left(\frac{5a}{d^2} + \frac{c}{e^2}\right)}{16d(d+ex^2)} + \frac{x\left(\frac{5a}{d^2} - \frac{7c}{e^2}\right)}{24(d+ex^2)^2} + \frac{x\left(a + \frac{cd^2}{e^2}\right)}{6d(d+ex^2)^3} + \frac{(5ae^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{16d^{7/2}e^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^4)/(d + e*x^2)^4,x]

[Out] ((a + (c*d^2)/e^2)*x)/(6*d*(d + e*x^2)^3) + (((5*a)/d^2 - (7*c)/e^2)*x)/(24*(d + e*x^2)^2) + (((5*a)/d^2 + c/e^2)*x)/(16*d*(d + e*x^2)) + ((c*d^2 + 5*a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(16*d^(7/2)*e^(5/2))

Rule 199

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[
((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[
{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])
```

Rule 1158

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := With[
{Qx = PolynomialQuotient[(a + c*x^4)^p, d + e*x^2, x], R = Coeff[PolynomialRemainder[
(a + c*x^4)^p, d + e*x^2, x], x, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q + 1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x], x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + cx^4}{(d + ex^2)^4} dx &= \frac{\left(a + \frac{cd^2}{e^2}\right)x}{6d(d + ex^2)^3} - \frac{\int \frac{-5a + \frac{cd^2}{e^2} - \frac{6cdx^2}{e}}{(d+ex^2)^3} dx}{6d} \\ &= \frac{\left(a + \frac{cd^2}{e^2}\right)x}{6d(d + ex^2)^3} + \frac{\left(\frac{5a}{d^2} - \frac{7c}{e^2}\right)x}{24(d + ex^2)^2} + \frac{1}{8} \left(\frac{5a}{d^2} + \frac{c}{e^2}\right) \int \frac{1}{(d + ex^2)^2} dx \\ &= \frac{\left(a + \frac{cd^2}{e^2}\right)x}{6d(d + ex^2)^3} + \frac{\left(\frac{5a}{d^2} - \frac{7c}{e^2}\right)x}{24(d + ex^2)^2} + \frac{\left(\frac{5a}{d^2} + \frac{c}{e^2}\right)x}{16d(d + ex^2)} + \frac{\left(\frac{5a}{d^2} + \frac{c}{e^2}\right) \int \frac{1}{d+ex^2} dx}{16d} \\ &= \frac{\left(a + \frac{cd^2}{e^2}\right)x}{6d(d + ex^2)^3} + \frac{\left(\frac{5a}{d^2} - \frac{7c}{e^2}\right)x}{24(d + ex^2)^2} + \frac{\left(\frac{5a}{d^2} + \frac{c}{e^2}\right)x}{16d(d + ex^2)} + \frac{(cd^2 + 5ae^2) \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{16d^{7/2}e^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.08, size = 113, normalized size = 0.92

$$\frac{(5ae^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{16d^{7/2}e^{5/2}} + \frac{x(ae^2(33d^2 + 40dex^2 + 15e^2x^4) + cd^2(-3d^2 - 8dex^2 + 3e^2x^4))}{48d^3e^2(d + ex^2)^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + c*x^4)/(d + e*x^2)^4,x]
```

[Out] $(x*(c*d^2*(-3*d^2 - 8*d*e*x^2 + 3*e^2*x^4) + a*e^2*(33*d^2 + 40*d*e*x^2 + 15*e^2*x^4)))/(48*d^3*e^2*(d + e*x^2)^3) + ((c*d^2 + 5*a*e^2)*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(16*d^{7/2}*e^{5/2})$

fricas [A] time = 0.42, size = 424, normalized size = 3.45

$$\left[\frac{6(cd^3e^3 + 5ade^5)x^5 - 16(cd^4e^2 - 5ad^2e^4)x^3 - 3((cd^2e^3 + 5ae^5)x^6 + cd^5 + 5ad^3e^2 + 3(cd^3e^2 + 5ade^4)x^4 + 3d^4e^6x^6 + 3d^5e^5x^4 + 3d^6e^4x^2 + d^7e^3)}{96(d^4e^6x^6 + 3d^5e^5x^4 + 3d^6e^4x^2 + d^7e^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+a)/(e*x^2+d)^4,x, algorithm="fricas")`

[Out] $[1/96*(6*(c*d^3*e^3 + 5*a*d*e^5)*x^5 - 16*(c*d^4*e^2 - 5*a*d^2*e^4)*x^3 - 3*((c*d^2*e^3 + 5*a*e^5)*x^6 + c*d^5 + 5*a*d^3*e^2 + 3*(c*d^3*e^2 + 5*a*d*e^4)*x^4 + 3*(c*d^4*e + 5*a*d^2*e^3)*x^2)*\text{sqrt}(-d*e)*\log((e*x^2 - 2*\text{sqrt}(-d*e))*x - d)/(e*x^2 + d) - 6*(c*d^5*e - 11*a*d^3*e^3)*x/(d^4*e^6*x^6 + 3*d^5*e^5*x^4 + 3*d^6*e^4*x^2 + d^7*e^3), 1/48*(3*(c*d^3*e^3 + 5*a*d*e^5)*x^5 - 8*(c*d^4*e^2 - 5*a*d^2*e^4)*x^3 + 3*((c*d^2*e^3 + 5*a*e^5)*x^6 + c*d^5 + 5*a*d^3*e^2 + 3*(c*d^3*e^2 + 5*a*d*e^4)*x^4 + 3*(c*d^4*e + 5*a*d^2*e^3)*x^2)*\text{sqrt}(d*e)*\text{arctan}(\text{sqrt}(d*e)*x/d) - 3*(c*d^5*e - 11*a*d^3*e^3)*x/(d^4*e^6*x^6 + 3*d^5*e^5*x^4 + 3*d^6*e^4*x^2 + d^7*e^3)]$

giac [A] time = 0.15, size = 100, normalized size = 0.81

$$\frac{(cd^2 + 5ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{5}{2}\right)}}{16d^{\frac{7}{2}}} + \frac{(3cd^2x^5e^2 - 8cd^3x^3e + 15ax^5e^4 - 3cd^4x + 40adx^3e^3 + 33ad^2xe^2)e^{(-2)}}{48(x^2e + d)^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+a)/(e*x^2+d)^4,x, algorithm="giac")`

[Out] $1/16*(c*d^2 + 5*a*e^2)*\text{arctan}(x*e^{1/2}/\text{sqrt}(d))*e^{(-5/2)}/d^{7/2} + 1/48*(3*c*d^2*x^5*e^2 - 8*c*d^3*x^3*e + 15*a*x^5*e^4 - 3*c*d^4*x + 40*a*d*x^3*e^3 + 33*a*d^2*x*e^2)*e^{(-2)}/((x^2*e + d)^3*d^3)$

maple [A] time = 0.01, size = 122, normalized size = 0.99

$$\frac{5a \arctan\left(\frac{ex}{\sqrt{de}}\right)}{16\sqrt{de} d^3} + \frac{c \arctan\left(\frac{ex}{\sqrt{de}}\right)}{16\sqrt{de} d e^2} + \frac{(5ae^2+cd^2)x^5}{16d^3} + \frac{(5ae^2-cd^2)x^3}{6d^2e} + \frac{(11ae^2-cd^2)x}{16de^2} + \frac{\quad}{(ex^2+d)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+a)/(e*x^2+d)^4,x)

[Out] (1/16*(5*a*e^2+c*d^2)/d^3*x^5+1/6*(5*a*e^2-c*d^2)/d^2/e*x^3+1/16*(11*a*e^2-c*d^2)/d/e^2*x)/(e*x^2+d)^3+5/16/d^3/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*a+1/16/d/e^2/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*c

maxima [A] time = 2.36, size = 137, normalized size = 1.11

$$\frac{3(cd^2e^2 + 5ae^4)x^5 - 8(cd^3e - 5ade^3)x^3 - 3(cd^4 - 11ad^2e^2)x}{48(d^3e^5x^6 + 3d^4e^4x^4 + 3d^5e^3x^2 + d^6e^2)} + \frac{(cd^2 + 5ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{16\sqrt{de}d^3e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)/(e*x^2+d)^4,x, algorithm="maxima")

[Out] 1/48*(3*(c*d^2*e^2 + 5*a*e^4)*x^5 - 8*(c*d^3*e - 5*a*d*e^3)*x^3 - 3*(c*d^4 - 11*a*d^2*e^2)*x)/(d^3*e^5*x^6 + 3*d^4*e^4*x^4 + 3*d^5*e^3*x^2 + d^6*e^2) + 1/16*(c*d^2 + 5*a*e^2)*arctan(e*x/sqrt(d*e))/(sqrt(d*e)*d^3*e^2)

mupad [B] time = 4.48, size = 129, normalized size = 1.05

$$\frac{\frac{x^5(cd^2+5ae^2)}{16d^3} + \frac{x^3(5ae^2-cd^2)}{6d^2e} + \frac{x(11ae^2-cd^2)}{16de^2}}{d^3 + 3d^2ex^2 + 3de^2x^4 + e^3x^6} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(cd^2 + 5ae^2)}{16d^{7/2}e^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^4)/(d + e*x^2)^4,x)

[Out] ((x^5*(5*a*e^2 + c*d^2))/(16*d^3) + (x^3*(5*a*e^2 - c*d^2))/(6*d^2*e) + (x*(11*a*e^2 - c*d^2))/(16*d*e^2))/(d^3 + e^3*x^6 + 3*d^2*e*x^2 + 3*d*e^2*x^4) + (atan((e^(1/2)*x)/d^(1/2))*(5*a*e^2 + c*d^2))/(16*d^(7/2)*e^(5/2))

sympy [A] time = 0.95, size = 204, normalized size = 1.66

$$-\frac{\sqrt{-\frac{1}{d^7e^5}}(5ae^2 + cd^2) \log\left(-d^4e^2\sqrt{-\frac{1}{d^7e^5}} + x\right)}{32} + \frac{\sqrt{-\frac{1}{d^7e^5}}(5ae^2 + cd^2) \log\left(d^4e^2\sqrt{-\frac{1}{d^7e^5}} + x\right)}{32} + \frac{x^5(15ae^4 + 3cd^2e^2)}{48d^6e^2 + \dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+a)/(e*x**2+d)**4,x)

[Out] -sqrt(-1/(d**7*e**5))*(5*a*e**2 + c*d**2)*log(-d**4*e**2*sqrt(-1/(d**7*e**5)) + x)/32 + sqrt(-1/(d**7*e**5))*(5*a*e**2 + c*d**2)*log(d**4*e**2*sqrt(-1/(d**7*e**5)) + x)/32 + (x**5*(15*a*e**4 + 3*c*d**2*e**2) + x**3*(40*a*d*e**3 - 8*c*d**3*e) + x*(33*a*d**2*e**2 - 3*c*d**4))/(48*d**6*e**2 + 144*d**5*e**3*x**2 + 144*d**4*e**4*x**4 + 48*d**3*e**5*x**6)

$$3.128 \quad \int (d + ex^2)^3 (a + cx^4)^2 dx$$

Optimal. Leaf size=133

$$a^2d^3x + a^2d^2ex^3 + \frac{1}{11}cex^{11} (2ae^2 + 3cd^2) + \frac{1}{9}cdx^9 (6ae^2 + cd^2) + \frac{1}{7}aex^7 (ae^2 + 6cd^2) + \frac{1}{5}adx^5 (3ae^2 + 2cd^2) + \frac{3}{13}c^2de$$

[Out] $a^2d^3x + a^2d^2ex^3 + \frac{1}{5}a*d*(3*a*e^2 + 2*c*d^2)*x^5 + \frac{1}{7}*a*e*(a*e^2 + 6*c*d^2)*x^7 + \frac{1}{9}*c*d*(6*a*e^2 + c*d^2)*x^9 + \frac{1}{11}*c*e*(2*a*e^2 + 3*c*d^2)*x^{11} + \frac{3}{13}*c^2*d*e*x^{13} + \frac{1}{15}*c^2*e^3*x^{15}$

Rubi [A] time = 0.11, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1154}

$$a^2d^2ex^3 + a^2d^3x + \frac{1}{11}cex^{11} (2ae^2 + 3cd^2) + \frac{1}{9}cdx^9 (6ae^2 + cd^2) + \frac{1}{7}aex^7 (ae^2 + 6cd^2) + \frac{1}{5}adx^5 (3ae^2 + 2cd^2) + \frac{3}{13}c^2de$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^3*(a + c*x^4)^2,x]

[Out] $a^2d^3x + a^2d^2ex^3 + (a*d*(2*c*d^2 + 3*a*e^2)*x^5)/5 + (a*e*(6*c*d^2 + a*e^2)*x^7)/7 + (c*d*(c*d^2 + 6*a*e^2)*x^9)/9 + (c*e*(3*c*d^2 + 2*a*e^2)*x^{11})/11 + (3*c^2*d*e^2*x^{13})/13 + (c^2*e^3*x^{15})/15$

Rule 1154

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (d + ex^2)^3 (a + cx^4)^2 dx &= \int (a^2d^3 + 3a^2d^2ex^2 + ad(2cd^2 + 3ae^2)x^4 + ae(6cd^2 + ae^2)x^6 + cd(cd^2 + 6ae^2)x^8) dx \\ &= a^2d^3x + a^2d^2ex^3 + \frac{1}{5}ad(2cd^2 + 3ae^2)x^5 + \frac{1}{7}ae(6cd^2 + ae^2)x^7 + \frac{1}{9}cd(cd^2 + 6ae^2)x^9 \end{aligned}$$

Mathematica [A] time = 0.02, size = 133, normalized size = 1.00

$$a^2d^3x + a^2d^2ex^3 + \frac{1}{11}cex^{11} (2ae^2 + 3cd^2) + \frac{1}{9}cdx^9 (6ae^2 + cd^2) + \frac{1}{7}aex^7 (ae^2 + 6cd^2) + \frac{1}{5}adx^5 (3ae^2 + 2cd^2) + \frac{3}{13}c^2de$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^3*(a + c*x^4)^2,x]

[Out] $a^2d^3x + a^2d^2e*x^3 + (a*d*(2*c*d^2 + 3*a*e^2)*x^5)/5 + (a*e*(6*c*d^2 + a*e^2)*x^7)/7 + (c*d*(c*d^2 + 6*a*e^2)*x^9)/9 + (c*e*(3*c*d^2 + 2*a*e^2)*x^{11})/11 + (3*c^2*d*e^2*x^{13})/13 + (c^2*e^3*x^{15})/15$

fricas [A] time = 0.35, size = 131, normalized size = 0.98

$$\frac{1}{15}x^{15}e^3c^2 + \frac{3}{13}x^{13}e^2dc^2 + \frac{3}{11}x^{11}ed^2c^2 + \frac{2}{11}x^{11}e^3ca + \frac{1}{9}x^9d^3c^2 + \frac{2}{3}x^9e^2dca + \frac{6}{7}x^7ed^2ca + \frac{1}{7}x^7e^3a^2 + \frac{2}{5}x^5d^3ca + \frac{3}{5}x^5e^2da^2 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3*(c*x^4+a)^2,x, algorithm="fricas")

[Out] $1/15*x^{15}*e^3*c^2 + 3/13*x^{13}*e^2*d*c^2 + 3/11*x^{11}*e*d^2*c^2 + 2/11*x^{11}*e^3*c*a + 1/9*x^9*d^3*c^2 + 2/3*x^9*e^2*d*c*a + 6/7*x^7*e*d^2*c*a + 1/7*x^7*e^3*a^2 + 2/5*x^5*d^3*c*a + 3/5*x^5*e^2*d*a^2 + x^3*e*d^2*a^2 + x*d^3*a^2$

giac [A] time = 0.16, size = 128, normalized size = 0.96

$$\frac{1}{15}c^2x^{15}e^3 + \frac{3}{13}c^2dx^{13}e^2 + \frac{3}{11}c^2d^2x^{11}e + \frac{1}{9}c^2d^3x^9 + \frac{2}{11}acx^{11}e^3 + \frac{2}{3}acdx^9e^2 + \frac{6}{7}acd^2x^7e + \frac{2}{5}acd^3x^5 + \frac{1}{7}a^2x^7e^3 + \frac{3}{5}a^2dx^5 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3*(c*x^4+a)^2,x, algorithm="giac")

[Out] $1/15*c^2*x^{15}*e^3 + 3/13*c^2*d*x^{13}*e^2 + 3/11*c^2*d^2*x^{11}*e + 1/9*c^2*d^3*x^9 + 2/11*a*c*x^{11}*e^3 + 2/3*a*c*d*x^9*e^2 + 6/7*a*c*d^2*x^7*e + 2/5*a*c*d^3*x^5 + 1/7*a^2*x^7*e^3 + 3/5*a^2*d*x^5*e^2 + a^2*d^2*x^3*e + a^2*d^3*x$

maple [A] time = 0.00, size = 130, normalized size = 0.98

$$\frac{c^2e^3x^{15}}{15} + \frac{3c^2de^2x^{13}}{13} + \frac{(2e^3ac + 3d^2ec^2)x^{11}}{11} + \frac{(6acd^2e^2 + c^2d^3)x^9}{9} + a^2d^2ex^3 + \frac{(e^3a^2 + 6d^2eac)x^7}{7} + a^2d^3x + \frac{(3de^2a^2 + \dots)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^3*(c*x^4+a)^2,x)

[Out] $1/15*c^2*e^3*x^{15} + 3/13*c^2*d*e^2*x^{13} + 1/11*(2*a*c*e^3 + 3*c^2*d^2*e)*x^{11} + 1/9*(6*a*c*d*e^2 + c^2*d^3)*x^9 + 1/7*(a^2*e^3 + 6*a*c*d^2*e)*x^7 + 1/5*(3*a^2*d*e^2 + 2*a*c*d^3)*x^5 + a^2*d^2*e*x^3 + a^2*d^3*x$

maxima [A] time = 1.07, size = 129, normalized size = 0.97

$$\frac{1}{15}c^2e^3x^{15} + \frac{3}{13}c^2de^2x^{13} + \frac{1}{11}(3c^2d^2e + 2ace^3)x^{11} + \frac{1}{9}(c^2d^3 + 6acde^2)x^9 + a^2d^2ex^3 + \frac{1}{7}(6acd^2e + a^2e^3)x^7 + a^2d^3x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3*(c*x^4+a)^2,x, algorithm="maxima")

[Out] 1/15*c^2*e^3*x^15 + 3/13*c^2*d*e^2*x^13 + 1/11*(3*c^2*d^2*e + 2*a*c*e^3)*x^11 + 1/9*(c^2*d^3 + 6*a*c*d*e^2)*x^9 + a^2*d^2*e*x^3 + 1/7*(6*a*c*d^2*e + a^2*e^3)*x^7 + a^2*d^3*x^5 + 1/5*(2*a*c*d^3 + 3*a^2*d*e^2)*x^5

mupad [B] time = 0.06, size = 127, normalized size = 0.95

$$x^5 \left(\frac{3a^2de^2}{5} + \frac{2c ad^3}{5} \right) + x^7 \left(\frac{a^2e^3}{7} + \frac{6c ad^2e}{7} \right) + x^9 \left(\frac{c^2d^3}{9} + \frac{2acde^2}{3} \right) + x^{11} \left(\frac{3c^2d^2e}{11} + \frac{2ace^3}{11} \right) + a^2d^3x^5 + \frac{c^2e^3}{15}x^{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^4)^2*(d + e*x^2)^3,x)

[Out] x^5*((3*a^2*d*e^2)/5 + (2*a*c*d^3)/5) + x^7*((a^2*e^3)/7 + (6*a*c*d^2*e)/7) + x^9*((c^2*d^3)/9 + (2*a*c*d*e^2)/3) + x^11*((3*c^2*d^2*e)/11 + (2*a*c*e^3)/11) + a^2*d^3*x^5 + (c^2*e^3*x^15)/15 + a^2*d^2*e*x^3 + (3*c^2*d*e^2*x^13)/13

sympy [A] time = 0.09, size = 144, normalized size = 1.08

$$a^2d^3x^5 + a^2d^2ex^3 + \frac{3c^2de^2x^{13}}{13} + \frac{c^2e^3x^{15}}{15} + x^{11} \left(\frac{2ace^3}{11} + \frac{3c^2d^2e}{11} \right) + x^9 \left(\frac{2acde^2}{3} + \frac{c^2d^3}{9} \right) + x^7 \left(\frac{a^2e^3}{7} + \frac{6acd^2e}{7} \right) + x^5 \left(\frac{3a^2de^2}{5} + \frac{2c ad^3}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**3*(c*x**4+a)**2,x)

[Out] a**2*d**3*x^5 + a**2*d**2*e*x^3 + 3*c**2*d*e**2*x**13/13 + c**2*e**3*x**15/15 + x**11*(2*a*c*e**3/11 + 3*c**2*d**2*e/11) + x**9*(2*a*c*d*e**2/3 + c**2*d**3/9) + x**7*(a**2*e**3/7 + 6*a*c*d**2*e/7) + x**5*(3*a**2*d*e**2/5 + 2*a*c*d**3/5)

$$3.129 \quad \int (d + ex^2)^2 (a + cx^4)^2 dx$$

Optimal. Leaf size=97

$$a^2d^2x + \frac{2}{3}a^2dex^3 + \frac{1}{9}cx^9(2ae^2 + cd^2) + \frac{1}{5}ax^5(ae^2 + 2cd^2) + \frac{4}{7}acdex^7 + \frac{2}{11}c^2dex^{11} + \frac{1}{13}c^2e^2x^{13}$$

[Out] $a^2d^2x + 2/3a^2d^2ex^3 + 1/5a^2d^2e^2x^3 + 1/5a^2d^2c^2x^3 + 4/7a^2cdex^7 + 1/9c^2d^2e^2x^9 + 2/11c^2d^2dex^{11} + 1/13c^2e^2x^{13}$

Rubi [A] time = 0.07, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {1154}

$$a^2d^2x + \frac{2}{3}a^2dex^3 + \frac{1}{9}cx^9(2ae^2 + cd^2) + \frac{1}{5}ax^5(ae^2 + 2cd^2) + \frac{4}{7}acdex^7 + \frac{2}{11}c^2dex^{11} + \frac{1}{13}c^2e^2x^{13}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^2*(a + c*x^4)^2,x]

[Out] $a^2d^2x + (2a^2d^2e^2x^3)/3 + (a^2(2cd^2 + ae^2)x^5)/5 + (4a^2cd^2e^2x^7)/7 + (c^2(c^2d^2 + 2a^2e^2)x^9)/9 + (2c^2d^2e^2x^{11})/11 + (c^2e^2x^{13})/13$

Rule 1154

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (d + ex^2)^2 (a + cx^4)^2 dx &= \int (a^2d^2 + 2a^2dex^2 + a(2cd^2 + ae^2)x^4 + 4acdex^6 + c(cd^2 + 2ae^2)x^8 + 2c^2dex^{10} + \\ &= a^2d^2x + \frac{2}{3}a^2dex^3 + \frac{1}{5}a(2cd^2 + ae^2)x^5 + \frac{4}{7}acdex^7 + \frac{1}{9}c(cd^2 + 2ae^2)x^9 + \frac{2}{11}c^2dex^{11} + \frac{1}{13}c^2e^2x^{13} \end{aligned}$$

Mathematica [A] time = 0.02, size = 97, normalized size = 1.00

$$a^2d^2x + \frac{2}{3}a^2dex^3 + \frac{1}{9}cx^9(2ae^2 + cd^2) + \frac{1}{5}ax^5(ae^2 + 2cd^2) + \frac{4}{7}acdex^7 + \frac{2}{11}c^2dex^{11} + \frac{1}{13}c^2e^2x^{13}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2*(a + c*x^4)^2,x]

[Out] $a^2d^2x + (2a^2d^2e*x^3)/3 + (a*(2c*d^2 + a*e^2)*x^5)/5 + (4a*c*d*e*x^7)/7 + (c*(c*d^2 + 2a*e^2)*x^9)/9 + (2c^2*d*e*x^{11})/11 + (c^2*e^2*x^{13})/13$

fricas [A] time = 0.35, size = 91, normalized size = 0.94

$$\frac{1}{13}x^{13}e^2c^2 + \frac{2}{11}x^{11}edc^2 + \frac{1}{9}x^9d^2c^2 + \frac{2}{9}x^9e^2ca + \frac{4}{7}x^7edca + \frac{2}{5}x^5d^2ca + \frac{1}{5}x^5e^2a^2 + \frac{2}{3}x^3eda^2 + xd^2a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+a)^2,x, algorithm="fricas")

[Out] $1/13*x^{13}*e^2*c^2 + 2/11*x^{11}*e*d*c^2 + 1/9*x^9*d^2*c^2 + 2/9*x^9*e^2*c*a + 4/7*x^7*e*d*c*a + 2/5*x^5*d^2*c*a + 1/5*x^5*e^2*a^2 + 2/3*x^3*e*d*a^2 + x*d^2*a^2$

giac [A] time = 0.15, size = 91, normalized size = 0.94

$$\frac{1}{13}c^2x^{13}e^2 + \frac{2}{11}c^2dx^{11}e + \frac{1}{9}c^2d^2x^9 + \frac{2}{9}acx^9e^2 + \frac{4}{7}acdx^7e + \frac{2}{5}acd^2x^5 + \frac{1}{5}a^2x^5e^2 + \frac{2}{3}a^2dx^3e + a^2d^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+a)^2,x, algorithm="giac")

[Out] $1/13*c^2*x^{13}*e^2 + 2/11*c^2*d*x^{11}*e + 1/9*c^2*d^2*x^9 + 2/9*a*c*x^9*e^2 + 4/7*a*c*d*x^7*e + 2/5*a*c*d^2*x^5 + 1/5*a^2*x^5*e^2 + 2/3*a^2*d*x^3*e + a^2*d^2*x$

maple [A] time = 0.00, size = 90, normalized size = 0.93

$$\frac{c^2e^2x^{13}}{13} + \frac{2c^2dex^{11}}{11} + \frac{4acdex^7}{7} + \frac{(2e^2ac + c^2d^2)x^9}{9} + \frac{2a^2dex^3}{3} + a^2d^2x + \frac{(e^2a^2 + 2d^2ac)x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(c*x^4+a)^2,x)

[Out] $1/13*c^2*e^2*x^{13} + 2/11*c^2*d*e*x^{11} + 1/9*(2*a*c*e^2 + c^2*d^2)*x^9 + 4/7*a*c*d*e*x^7 + 1/5*(a^2*e^2 + 2*a*c*d^2)*x^5 + 2/3*a^2*d*e*x^3 + a^2*d^2*x$

maxima [A] time = 1.03, size = 89, normalized size = 0.92

$$\frac{1}{13}c^2e^2x^{13} + \frac{2}{11}c^2dex^{11} + \frac{4}{7}acdex^7 + \frac{1}{9}(c^2d^2 + 2ace^2)x^9 + \frac{2}{3}a^2dex^3 + \frac{1}{5}(2acd^2 + a^2e^2)x^5 + a^2d^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+a)^2,x, algorithm="maxima")

[Out] $1/13*c^2*e^2*x^{13} + 2/11*c^2*d*e*x^{11} + 4/7*a*c*d*e*x^7 + 1/9*(c^2*d^2 + 2*a*c*e^2)*x^9 + 2/3*a^2*d*e*x^3 + 1/5*(2*a*c*d^2 + a^2*e^2)*x^5 + a^2*d^2*x$

mupad [B] time = 0.05, size = 89, normalized size = 0.92

$$x^5 \left(\frac{a^2 e^2}{5} + \frac{2 c a d^2}{5} \right) + x^9 \left(\frac{c^2 d^2}{9} + \frac{2 a c e^2}{9} \right) + a^2 d^2 x + \frac{c^2 e^2 x^{13}}{13} + \frac{2 a^2 d e x^3}{3} + \frac{2 c^2 d e x^{11}}{11} + \frac{4 a c d e x^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^4)^2*(d + e*x^2)^2,x)

[Out] $x^5*((a^2*e^2)/5 + (2*a*c*d^2)/5) + x^9*((c^2*d^2)/9 + (2*a*c*e^2)/9) + a^2*d^2*x + (c^2*e^2*x^{13})/13 + (2*a^2*d*e*x^3)/3 + (2*c^2*d*e*x^{11})/11 + (4*a*c*d*e*x^7)/7$

sympy [A] time = 0.09, size = 104, normalized size = 1.07

$$a^2 d^2 x + \frac{2 a^2 d e x^3}{3} + \frac{4 a c d e x^7}{7} + \frac{2 c^2 d e x^{11}}{11} + \frac{c^2 e^2 x^{13}}{13} + x^9 \left(\frac{2 a c e^2}{9} + \frac{c^2 d^2}{9} \right) + x^5 \left(\frac{a^2 e^2}{5} + \frac{2 a c d^2}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(c*x**4+a)**2,x)

[Out] $a**2*d**2*x + 2*a**2*d*e*x**3/3 + 4*a*c*d*e*x**7/7 + 2*c**2*d*e*x**11/11 + c**2*e**2*x**13/13 + x**9*(2*a*c*e**2/9 + c**2*d**2/9) + x**5*(a**2*e**2/5 + 2*a*c*d**2/5)$

$$3.130 \quad \int (d + ex^2)(a + cx^4)^2 dx$$

Optimal. Leaf size=60

$$a^2 dx + \frac{1}{3}a^2 ex^3 + \frac{2}{5}acdx^5 + \frac{2}{7}acex^7 + \frac{1}{9}c^2 dx^9 + \frac{1}{11}c^2 ex^{11}$$

[Out] $a^2*d*x+1/3*a^2*e*x^3+2/5*a*c*d*x^5+2/7*a*c*e*x^7+1/9*c^2*d*x^9+1/11*c^2*e*x^{11}$

Rubi [A] time = 0.03, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {1154}

$$a^2 dx + \frac{1}{3}a^2 ex^3 + \frac{2}{5}acdx^5 + \frac{2}{7}acex^7 + \frac{1}{9}c^2 dx^9 + \frac{1}{11}c^2 ex^{11}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)*(a + c*x^4)^2,x]

[Out] $a^2*d*x + (a^2*e*x^3)/3 + (2*a*c*d*x^5)/5 + (2*a*c*e*x^7)/7 + (c^2*d*x^9)/9 + (c^2*e*x^{11})/11$

Rule 1154

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (d + ex^2)(a + cx^4)^2 dx &= \int (a^2 d + a^2 ex^2 + 2acdx^4 + 2acex^6 + c^2 dx^8 + c^2 ex^{10}) dx \\ &= a^2 dx + \frac{1}{3}a^2 ex^3 + \frac{2}{5}acdx^5 + \frac{2}{7}acex^7 + \frac{1}{9}c^2 dx^9 + \frac{1}{11}c^2 ex^{11} \end{aligned}$$

Mathematica [A] time = 0.00, size = 60, normalized size = 1.00

$$a^2 dx + \frac{1}{3}a^2 ex^3 + \frac{2}{5}acdx^5 + \frac{2}{7}acex^7 + \frac{1}{9}c^2 dx^9 + \frac{1}{11}c^2 ex^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)*(a + c*x^4)^2,x]

[Out] a^2*d*x + (a^2*e*x^3)/3 + (2*a*c*d*x^5)/5 + (2*a*c*e*x^7)/7 + (c^2*d*x^9)/9 + (c^2*e*x^11)/11

fricas [A] time = 0.35, size = 50, normalized size = 0.83

$$\frac{1}{11}x^{11}ec^2 + \frac{1}{9}x^9dc^2 + \frac{2}{7}x^7eca + \frac{2}{5}x^5dca + \frac{1}{3}x^3ea^2 + xda^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a)^2,x, algorithm="fricas")

[Out] 1/11*x^11*e*c^2 + 1/9*x^9*d*c^2 + 2/7*x^7*e*c*a + 2/5*x^5*d*c*a + 1/3*x^3*e*a^2 + x*d*a^2

giac [A] time = 0.15, size = 53, normalized size = 0.88

$$\frac{1}{11}c^2x^{11}e + \frac{1}{9}c^2dx^9 + \frac{2}{7}acx^7e + \frac{2}{5}acdx^5 + \frac{1}{3}a^2x^3e + a^2dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a)^2,x, algorithm="giac")

[Out] 1/11*c^2*x^11*e + 1/9*c^2*d*x^9 + 2/7*a*c*x^7*e + 2/5*a*c*d*x^5 + 1/3*a^2*x^3*e + a^2*d*x

maple [A] time = 0.00, size = 51, normalized size = 0.85

$$\frac{1}{11}c^2ex^{11} + \frac{1}{9}c^2dx^9 + \frac{2}{7}acex^7 + \frac{2}{5}acdx^5 + \frac{1}{3}a^2ex^3 + a^2dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(c*x^4+a)^2,x)

[Out] a^2*d*x+1/3*a^2*e*x^3+2/5*a*c*d*x^5+2/7*a*c*e*x^7+1/9*c^2*d*x^9+1/11*c^2*e*x^11

maxima [A] time = 1.04, size = 50, normalized size = 0.83

$$\frac{1}{11}c^2ex^{11} + \frac{1}{9}c^2dx^9 + \frac{2}{7}acex^7 + \frac{2}{5}acdx^5 + \frac{1}{3}a^2ex^3 + a^2dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a)^2,x, algorithm="maxima")

[Out] $1/11*c^2*e*x^{11} + 1/9*c^2*d*x^9 + 2/7*a*c*e*x^7 + 2/5*a*c*d*x^5 + 1/3*a^2*e*x^3 + a^2*d*x$

mupad [B] time = 0.03, size = 50, normalized size = 0.83

$$\frac{e a^2 x^3}{3} + d a^2 x + \frac{2 e a c x^7}{7} + \frac{2 d a c x^5}{5} + \frac{e c^2 x^{11}}{11} + \frac{d c^2 x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^4)^2*(d + e*x^2),x)`

[Out] $(a^2*e*x^3)/3 + (c^2*d*x^9)/9 + (c^2*e*x^{11})/11 + a^2*d*x + (2*a*c*d*x^5)/5 + (2*a*c*e*x^7)/7$

sympy [A] time = 0.08, size = 60, normalized size = 1.00

$$a^2 dx + \frac{a^2 e x^3}{3} + \frac{2 a c d x^5}{5} + \frac{2 a c e x^7}{7} + \frac{c^2 d x^9}{9} + \frac{c^2 e x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(c*x**4+a)**2,x)`

[Out] $a**2*d*x + a**2*e*x**3/3 + 2*a*c*d*x**5/5 + 2*a*c*e*x**7/7 + c**2*d*x**9/9 + c**2*e*x**11/11$

3.131 $\int (a + cx^4)^2 dx$

Optimal. Leaf size=25

$$a^2x + \frac{2}{5}acx^5 + \frac{c^2x^9}{9}$$

[Out] $a^2x + 2/5*a*c*x^5 + 1/9*c^2*x^9$

Rubi [A] time = 0.01, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {194}

$$a^2x + \frac{2}{5}acx^5 + \frac{c^2x^9}{9}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^4)^2, x]

[Out] $a^2x + (2*a*c*x^5)/5 + (c^2*x^9)/9$

Rule 194

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int (a + cx^4)^2 dx &= \int (a^2 + 2acx^4 + c^2x^8) dx \\ &= a^2x + \frac{2}{5}acx^5 + \frac{c^2x^9}{9} \end{aligned}$$

Mathematica [A] time = 0.00, size = 25, normalized size = 1.00

$$a^2x + \frac{2}{5}acx^5 + \frac{c^2x^9}{9}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^4)^2, x]

[Out] $a^2x + (2*a*c*x^5)/5 + (c^2*x^9)/9$

fricas [A] time = 0.34, size = 21, normalized size = 0.84

$$\frac{1}{9}x^9c^2 + \frac{2}{5}x^5ca + xa^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2,x, algorithm="fricas")

[Out] 1/9*x^9*c^2 + 2/5*x^5*c*a + x*a^2

giac [A] time = 0.17, size = 21, normalized size = 0.84

$$\frac{1}{9}c^2x^9 + \frac{2}{5}acx^5 + a^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2,x, algorithm="giac")

[Out] 1/9*c^2*x^9 + 2/5*a*c*x^5 + a^2*x

maple [A] time = 0.00, size = 22, normalized size = 0.88

$$\frac{1}{9}c^2x^9 + \frac{2}{5}acx^5 + a^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+a)^2,x)

[Out] a^2*x+2/5*a*c*x^5+1/9*c^2*x^9

maxima [A] time = 1.00, size = 21, normalized size = 0.84

$$\frac{1}{9}c^2x^9 + \frac{2}{5}acx^5 + a^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2,x, algorithm="maxima")

[Out] 1/9*c^2*x^9 + 2/5*a*c*x^5 + a^2*x

mupad [B] time = 0.03, size = 21, normalized size = 0.84

$$a^2x + \frac{2acx^5}{5} + \frac{c^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + c*x^4)^2,x)
```

```
[Out] a^2*x + (c^2*x^9)/9 + (2*a*c*x^5)/5
```

sympy [A] time = 0.07, size = 22, normalized size = 0.88

$$a^2x + \frac{2acx^5}{5} + \frac{c^2x^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**4+a)**2,x)
```

```
[Out] a**2*x + 2*a*c*x**5/5 + c**2*x**9/9
```

$$3.132 \quad \int \frac{(a+cx^4)^2}{d+ex^2} dx$$

Optimal. Leaf size=108

$$\frac{(ae^2 + cd^2)^2 \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}e^{9/2}} - \frac{cdx(2ae^2 + cd^2)}{e^4} + \frac{cx^3(2ae^2 + cd^2)}{3e^3} - \frac{c^2dx^5}{5e^2} + \frac{c^2x^7}{7e}$$

[Out] $-c*d*(2*a*e^2+c*d^2)*x/e^4+1/3*c*(2*a*e^2+c*d^2)*x^3/e^3-1/5*c^2*d*x^5/e^2+1/7*c^2*x^7/e+(a*e^2+c*d^2)^2*\arctan(x*e^{(1/2)}/d^{(1/2)})/e^{(9/2)}/d^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {1154, 205}

$$\frac{cx^3(2ae^2 + cd^2)}{3e^3} - \frac{cdx(2ae^2 + cd^2)}{e^4} + \frac{(ae^2 + cd^2)^2 \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}e^{9/2}} - \frac{c^2dx^5}{5e^2} + \frac{c^2x^7}{7e}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^4)^2/(d + e*x^2), x]

[Out] $-((c*d*(c*d^2 + 2*a*e^2)*x)/e^4) + (c*(c*d^2 + 2*a*e^2)*x^3)/(3*e^3) - (c^2*d*x^5)/(5*e^2) + (c^2*x^7)/(7*e) + ((c*d^2 + a*e^2)^2*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(\text{Sqrt}[d]*e^{(9/2)})$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1154

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned}
\int \frac{(a + cx^4)^2}{d + ex^2} dx &= \int \left(-\frac{cd(cd^2 + 2ae^2)}{e^4} + \frac{c(cd^2 + 2ae^2)x^2}{e^3} - \frac{c^2dx^4}{e^2} + \frac{c^2x^6}{e} + \frac{c^2d^4 + 2acd^2e^2 + a^2e^4}{e^4(d + ex^2)} \right) dx \\
&= -\frac{cd(cd^2 + 2ae^2)x}{e^4} + \frac{c(cd^2 + 2ae^2)x^3}{3e^3} - \frac{c^2dx^5}{5e^2} + \frac{c^2x^7}{7e} + \frac{(cd^2 + ae^2)^2 \int \frac{1}{d+ex^2} dx}{e^4} \\
&= -\frac{cd(cd^2 + 2ae^2)x}{e^4} + \frac{c(cd^2 + 2ae^2)x^3}{3e^3} - \frac{c^2dx^5}{5e^2} + \frac{c^2x^7}{7e} + \frac{(cd^2 + ae^2)^2 \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}e^{9/2}}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 97, normalized size = 0.90

$$\frac{(ae^2 + cd^2)^2 \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}e^{9/2}} + \frac{cx(70ae^2(ex^2 - 3d) + c(-105d^3 + 35d^2ex^2 - 21de^2x^4 + 15e^3x^6))}{105e^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^4)^2/(d + e*x^2), x]

[Out] (c*x*(70*a*e^2*(-3*d + e*x^2) + c*(-105*d^3 + 35*d^2*e*x^2 - 21*d*e^2*x^4 + 15*e^3*x^6)))/(105*e^4) + ((c*d^2 + a*e^2)^2*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(Sqrt[d]*e^(9/2))

fricas [A] time = 0.40, size = 268, normalized size = 2.48

$$\left[\frac{30c^2de^4x^7 - 42c^2d^2e^3x^5 + 70(c^2d^3e^2 + 2acde^4)x^3 - 105(c^2d^4 + 2acd^2e^2 + a^2e^4)\sqrt{-de} \log\left(\frac{ex^2 - 2\sqrt{-de}x - d}{ex^2 + d}\right) - 210c^2d^4e + 210c^2d^3e^2 + 210c^2d^2e^3}{210de^5} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d), x, algorithm="fricas")

[Out] [1/210*(30*c^2*d*e^4*x^7 - 42*c^2*d^2*e^3*x^5 + 70*(c^2*d^3*e^2 + 2*a*c*d*e^4)*x^3 - 105*(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) - 210*(c^2*d^4*e + 2*a*c*d^2*e^3)*x)/(d*e^5), 1/105*(15*c^2*d*e^4*x^7 - 21*c^2*d^2*e^3*x^5 + 35*(c^2*d^3*e^2 + 2*a*c*d*e^4)*x^3 + 105*(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) - 105*(c^2*d^4*e + 2*a*c*d^2*e^3)*x)/(d*e^5)]

giac [A] time = 0.16, size = 105, normalized size = 0.97

$$\frac{(c^2d^4 + 2acd^2e^2 + a^2e^4) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{9}{2}\right)}}{\sqrt{d}} + \frac{1}{105} (15c^2x^7e^6 - 21c^2dx^5e^5 + 35c^2d^2x^3e^4 - 105c^2d^3xe^3 + 70acx^3e^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d),x, algorithm="giac")

[Out] (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*arctan(x*e^(1/2)/sqrt(d))*e^(-9/2)/sqrt(d) + 1/105*(15*c^2*x^7*e^6 - 21*c^2*d*x^5*e^5 + 35*c^2*d^2*x^3*e^4 - 105*c^2*d^3*x*e^3 + 70*a*c*x^3*e^6 - 210*a*c*d*x^5*e^5)*e^(-7)

maple [A] time = 0.00, size = 136, normalized size = 1.26

$$\frac{c^2x^7}{7e} - \frac{c^2dx^5}{5e^2} + \frac{2acx^3}{3e} + \frac{c^2d^2x^3}{3e^3} + \frac{a^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de}} + \frac{2ac d^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de} e^2} + \frac{c^2d^4 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de} e^4} - \frac{2acdx}{e^2} - \frac{c^2d^3x}{e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+a)^2/(e*x^2+d),x)

[Out] 1/7*c^2*x^7/e-1/5*c^2*d*x^5/e^2+2/3*c/e*x^3*a+1/3*c^2/e^3*x^3*d^2-2*c/e^2*d*a*x-c^2/e^4*d^3*x+1/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*a^2+2/e^2/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*a*c*d^2+1/e^4/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*c^2*d^4

maxima [A] time = 2.45, size = 113, normalized size = 1.05

$$\frac{(c^2d^4 + 2acd^2e^2 + a^2e^4) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de}e^4} + \frac{15c^2e^3x^7 - 21c^2de^2x^5 + 35(c^2d^2e + 2ace^3)x^3 - 105(c^2d^3 + 2acde^2)x}{105e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d),x, algorithm="maxima")

[Out] (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*arctan(e*x/sqrt(d*e))/(sqrt(d*e)*e^4) + 1/105*(15*c^2*e^3*x^7 - 21*c^2*d*e^2*x^5 + 35*(c^2*d^2*e + 2*a*c*e^3)*x^3 - 105*(c^2*d^3 + 2*a*c*d*e^2)*x)/e^4

mupad [B] time = 4.39, size = 141, normalized size = 1.31

$$x^3 \left(\frac{c^2 d^2}{3e^3} + \frac{2ac}{3e} \right) + \frac{c^2 x^7}{7e} - \frac{c^2 dx^5}{5e^2} + \frac{\operatorname{atan}\left(\frac{\sqrt{e} x (cd^2 + ae^2)^2}{\sqrt{d} (a^2 e^4 + 2acd^2 e^2 + c^2 d^4)}\right) (cd^2 + ae^2)^2 dx \left(\frac{c^2 d^2}{e^3} + \frac{2ac}{e}\right)}{\sqrt{d} e^{9/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^4)^2/(d + e*x^2),x)`

[Out] $x^3 \left(\frac{c^2 d^2}{3e^3} + \frac{2ac}{3e} \right) + \frac{c^2 x^7}{7e} - \frac{c^2 d x^5}{5e^2} + \frac{\operatorname{atan}\left(\frac{e^{1/2} x (a e^2 + c d^2)^2}{d^{1/2} (a^2 e^4 + c^2 d^4 + 2ac d^2 e^2)}\right) (a e^2 + c d^2)^2}{d^{1/2} e^{9/2}} - \frac{d x \left(\frac{c^2 d^2}{e^3} + \frac{2ac}{e} \right)}{e}$

sympy [B] time = 0.50, size = 236, normalized size = 2.19

$$-\frac{c^2 d x^5}{5e^2} + \frac{c^2 x^7}{7e} + x^3 \left(\frac{2ac}{3e} + \frac{c^2 d^2}{3e^3} \right) + x \left(-\frac{2acd}{e^2} - \frac{c^2 d^3}{e^4} \right) - \frac{\sqrt{-\frac{1}{de^9}} (ae^2 + cd^2)^2 \log \left(-\frac{de^4 \sqrt{-\frac{1}{de^9}} (ae^2 + cd^2)^2}{a^2 e^4 + 2acd^2 e^2 + c^2 d^4} + x \right)}{2} + \frac{\sqrt{-\frac{1}{de^9}}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**4+a)**2/(e*x**2+d),x)`

[Out] $-c^2 d x^5 / (5e^2) + c^2 x^7 / (7e) + x^3 (2ac / (3e) + c^2 d^2 / (3e^3)) + x (-2acd / e^2 - c^2 d^3 / e^4) - \sqrt{-1 / (d e^9)} (a e^2 + c d^2)^2 \log(-d e^4 \sqrt{-1 / (d e^9)} (a e^2 + c d^2)^2 / (a^2 e^4 + 2ac d^2 e^2 + c^2 d^4) + x) / 2 + \sqrt{-1 / (d e^9)} (a e^2 + c d^2)^2 \log(d e^4 \sqrt{-1 / (d e^9)} (a e^2 + c d^2)^2 / (a^2 e^4 + 2ac d^2 e^2 + c^2 d^4) + x) / 2$

$$3.133 \quad \int \frac{(a+cx^4)^2}{(d+ex^2)^2} dx$$

Optimal. Leaf size=131

$$\frac{x(ae^2 + cd^2)^2}{2de^4(d + ex^2)} + \frac{cx(2ae^2 + 3cd^2)}{e^4} - \frac{(7cd^2 - ae^2)(ae^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{2d^{3/2}e^{9/2}} - \frac{2c^2dx^3}{3e^3} + \frac{c^2x^5}{5e^2}$$

[Out] $c*(2*a*e^2+3*c*d^2)*x/e^4-2/3*c^2*d*x^3/e^3+1/5*c^2*x^5/e^2+1/2*(a*e^2+c*d^2)^2*x/d/e^4/(e*x^2+d)-1/2*(-a*e^2+7*c*d^2)*(a*e^2+c*d^2)*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(3/2)}/e^{(9/2)}$

Rubi [A] time = 0.19, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1158, 1810, 205}

$$\frac{x(ae^2 + cd^2)^2}{2de^4(d + ex^2)} + \frac{cx(2ae^2 + 3cd^2)}{e^4} - \frac{(7cd^2 - ae^2)(ae^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{2d^{3/2}e^{9/2}} - \frac{2c^2dx^3}{3e^3} + \frac{c^2x^5}{5e^2}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^4)^2/(d + e*x^2)^2,x]

[Out] $(c*(3*c*d^2 + 2*a*e^2)*x)/e^4 - (2*c^2*d*x^3)/(3*e^3) + (c^2*x^5)/(5*e^2) + ((c*d^2 + a*e^2)^2*x)/(2*d*e^4*(d + e*x^2)) - ((7*c*d^2 - a*e^2)*(c*d^2 + a*e^2)*\text{ArcTan}[\text{Sqrt}[e]*x/\text{Sqrt}[d]])/(2*d^{(3/2)}*e^{(9/2)})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1158

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + c*x^4)^p, d + e*x^2, x], R = Coeff[PolynomialRemainder[(a + c*x^4)^p, d + e*x^2, x], x, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q + 1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]

Rule 1810

Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{(a + cx^4)^2}{(d + ex^2)^2} dx &= \frac{(cd^2 + ae^2)^2 x}{2de^4 (d + ex^2)} - \frac{\int \frac{-a^2 + \frac{c^2 d^4}{e^4} + \frac{2acd^2}{e^2} - \frac{2cd(cd^2 + 2ae^2)x^2}{e^3} + \frac{2c^2 d^2 x^4}{e^2} - \frac{2c^2 dx^6}{e}}{d + ex^2} dx}{2d} \\ &= \frac{(cd^2 + ae^2)^2 x}{2de^4 (d + ex^2)} - \frac{\int \left(-\frac{2cd(3cd^2 + 2ae^2)}{e^4} + \frac{4c^2 d^2 x^2}{e^3} - \frac{2c^2 dx^4}{e^2} + \frac{7c^2 d^4 + 6acd^2 e^2 - a^2 e^4}{e^4 (d + ex^2)} \right) dx}{2d} \\ &= \frac{c(3cd^2 + 2ae^2)x}{e^4} - \frac{2c^2 dx^3}{3e^3} + \frac{c^2 x^5}{5e^2} + \frac{(cd^2 + ae^2)^2 x}{2de^4 (d + ex^2)} - \frac{((7cd^2 - ae^2)(cd^2 + ae^2)) \int \frac{1}{d + ex^2} dx}{2de^4} \\ &= \frac{c(3cd^2 + 2ae^2)x}{e^4} - \frac{2c^2 dx^3}{3e^3} + \frac{c^2 x^5}{5e^2} + \frac{(cd^2 + ae^2)^2 x}{2de^4 (d + ex^2)} - \frac{(7cd^2 - ae^2)(cd^2 + ae^2) \tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{2d^{3/2} e^{9/2}} \end{aligned}$$

Mathematica [A] time = 0.11, size = 134, normalized size = 1.02

$$-\frac{(-a^2 e^4 + 6acd^2 e^2 + 7c^2 d^4) \tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{2d^{3/2} e^{9/2}} + \frac{x(ae^2 + cd^2)^2}{2de^4 (d + ex^2)} + \frac{cx(2ae^2 + 3cd^2)}{e^4} - \frac{2c^2 dx^3}{3e^3} + \frac{c^2 x^5}{5e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^4)^2/(d + e*x^2)^2,x]

[Out] (c*(3*c*d^2 + 2*a*e^2)*x)/e^4 - (2*c^2*d*x^3)/(3*e^3) + (c^2*x^5)/(5*e^2) + ((c*d^2 + a*e^2)^2*x)/(2*d*e^4*(d + e*x^2)) - ((7*c^2*d^4 + 6*a*c*d^2*e^2 - a^2*e^4)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*d^(3/2)*e^(9/2))

fricas [A] time = 0.40, size = 394, normalized size = 3.01

$$\left[\frac{12c^2 d^2 e^4 x^7 - 28c^2 d^3 e^3 x^5 + 20(7c^2 d^4 e^2 + 6acd^2 e^4)x^3 + 15(7c^2 d^5 + 6acd^3 e^2 - a^2 d e^4 + (7c^2 d^4 e + 6acd^2 e^3 - a^2 d^2 e^5))}{60(d^2 e^6 x^2 + d^3 e^5)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d)^2,x, algorithm="fricas")

[Out] [1/60*(12*c^2*d^2*e^4*x^7 - 28*c^2*d^3*e^3*x^5 + 20*(7*c^2*d^4*e^2 + 6*a*c*d^2*e^4)*x^3 + 15*(7*c^2*d^5 + 6*a*c*d^3*e^2 - a^2*d*e^4 + (7*c^2*d^4*e + 6*a*c*d^2*e^3 - a^2*e^5)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) + 30*(7*c^2*d^5*e + 6*a*c*d^3*e^3 + a^2*d*e^5)*x)/(d^2*e^6*x^2 + d^3*e^5), 1/30*(6*c^2*d^2*e^4*x^7 - 14*c^2*d^3*e^3*x^5 + 10*(7*c^2*d^4*e^2 + 6*a*c*d^2*e^4)*x^3 - 15*(7*c^2*d^5 + 6*a*c*d^3*e^2 - a^2*d*e^4 + (7*c^2*d^4*e + 6*a*c*d^2*e^3 - a^2*e^5)*x^2)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) + 15*(7*c^2*d^5*e + 6*a*c*d^3*e^3 + a^2*d*e^5)*x)/(d^2*e^6*x^2 + d^3*e^5)]

giac [A] time = 0.17, size = 128, normalized size = 0.98

$$\frac{1}{15} \left(3c^2x^5e^8 - 10c^2dx^3e^7 + 45c^2d^2xe^6 + 30acxe^8 \right) e^{(-10)} - \frac{(7c^2d^4 + 6acd^2e^2 - a^2e^4) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{9}{2}\right)}}{2d^{\frac{3}{2}}} + \frac{(c^2d^4x^5 - 10c^2dx^3e^7 + 45c^2d^2xe^6 + 30acxe^8)e^{(-10)}}{2d^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d)^2,x, algorithm="giac")

[Out] 1/15*(3*c^2*x^5*e^8 - 10*c^2*d*x^3*e^7 + 45*c^2*d^2*x*e^6 + 30*a*c*x*e^8)*e^(-10) - 1/2*(7*c^2*d^4 + 6*a*c*d^2*e^2 - a^2*e^4)*arctan(x*e^(1/2)/sqrt(d))*e^(-9/2)/d^(3/2) + 1/2*(c^2*d^4*x + 2*a*c*d^2*x*e^2 + a^2*x*e^4)*e^(-4)/(x^2*e + d)*d

maple [A] time = 0.01, size = 170, normalized size = 1.30

$$\frac{c^2x^5}{5e^2} - \frac{2c^2dx^3}{3e^3} + \frac{a^2x}{2(ex^2+d)d} + \frac{a^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d} + \frac{acdx}{(ex^2+d)e^2} - \frac{3acd \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de}e^2} + \frac{c^2d^3x}{2(ex^2+d)e^4} - \frac{7c^2d^3 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+a)^2/(e*x^2+d)^2,x)

[Out] 1/5*c^2*x^5/e^2-2/3*c^2*d*x^3/e^3+2*c/e^2*a*x+3*c^2/e^4*d^2*x+1/2/d*x/(e*x^2+d)*a^2+1/e^2*d*x/(e*x^2+d)*a*c+1/2/e^4*d^3*x/(e*x^2+d)*c^2+1/2/d/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*a^2-3/e^2*d/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*a*c-7/2/e^4*d^3/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*c^2

maxima [A] time = 2.28, size = 142, normalized size = 1.08

$$\frac{(c^2d^4 + 2acd^2e^2 + a^2e^4)x}{2(de^5x^2 + d^2e^4)} + \frac{3c^2e^2x^5 - 10c^2dex^3 + 15(3c^2d^2 + 2ace^2)x}{15e^4} - \frac{(7c^2d^4 + 6acd^2e^2 - a^2e^4) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}de^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d)^2,x, algorithm="maxima")

[Out] $\frac{1}{2}*(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*x/(d*e^5*x^2 + d^2*e^4) + \frac{1}{15}*(3*c^2*e^2*x^5 - 10*c^2*d*e*x^3 + 15*(3*c^2*d^2 + 2*a*c*e^2)*x)/e^4 - \frac{1}{2}*(7*c^2*d^4 + 6*a*c*d^2*e^2 - a^2*e^4)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d*e^4)$

mupad [B] time = 4.40, size = 183, normalized size = 1.40

$$x \left(\frac{3c^2 d^2}{e^4} + \frac{2ac}{e^2} \right) + \frac{c^2 x^5}{5e^2} - \frac{2c^2 d x^3}{3e^3} + \frac{x(a^2 e^4 + 2ac d^2 e^2 + c^2 d^4)}{2d(e^5 x^2 + d e^4)} - \frac{\operatorname{atan}\left(\frac{\sqrt{e} x(c d^2 + a e^2)(a e^2 - 7 c d^2)}{\sqrt{d}(-a^2 e^4 + 6 a c d^2 e^2 + 7 c^2 d^4)}\right)(c d^2 + a e^2)}{2 d^{3/2} e^{9/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^4)^2/(d + e*x^2)^2,x)

[Out] $x*((3*c^2*d^2)/e^4 + (2*a*c)/e^2) + (c^2*x^5)/(5*e^2) - (2*c^2*d*x^3)/(3*e^3) + (x*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2))/(2*d*(d*e^4 + e^5*x^2)) - (\operatorname{atan}((e^{1/2})*x*(a*e^2 + c*d^2)*(a*e^2 - 7*c*d^2))/(d^{1/2}*(7*c^2*d^4 - a^2*e^4 + 6*a*c*d^2*e^2)))*(a*e^2 + c*d^2)*(a*e^2 - 7*c*d^2)/(2*d^{3/2}*e^{9/2})$

sympy [B] time = 0.93, size = 314, normalized size = 2.40

$$-\frac{2c^2 dx^3}{3e^3} + \frac{c^2 x^5}{5e^2} + x \left(\frac{2ac}{e^2} + \frac{3c^2 d^2}{e^4} \right) + \frac{x(a^2 e^4 + 2acd^2 e^2 + c^2 d^4)}{2d^2 e^4 + 2de^5 x^2} - \frac{\sqrt{-\frac{1}{d^3 e^9}}(ae^2 - 7cd^2)(ae^2 + cd^2) \log\left(-\frac{d^2 e^4 \sqrt{-\frac{1}{d^3 e^9}}}{a^2 e^4 - 6ac d^2 e^2 - 7c^2 d^4}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+a)**2/(e*x**2+d)**2,x)

[Out] $-2*c**2*d*x**3/(3*e**3) + c**2*x**5/(5*e**2) + x*(2*a*c/e**2 + 3*c**2*d**2/e**4) + x*(a**2*e**4 + 2*a*c*d**2*e**2 + c**2*d**4)/(2*d**2*e**4 + 2*d*e**5*x**2) - \sqrt{-1/(d**3*e**9)}*(a*e**2 - 7*c*d**2)*(a*e**2 + c*d**2)*\log(-d**2*e**4*\sqrt{-1/(d**3*e**9)}*(a*e**2 - 7*c*d**2)*(a*e**2 + c*d**2)/(a**2*e**4 - 6*a*c*d**2*e**2 - 7*c**2*d**4) + x)/4 + \sqrt{-1/(d**3*e**9)}*(a*e**2 - 7*c*d**2)*(a*e**2 + c*d**2)*\log(d**2*e**4*\sqrt{-1/(d**3*e**9)}*(a*e**2 - 7*c*d**2)*(a*e**2 + c*d**2)/(a**2*e**4 - 6*a*c*d**2*e**2 - 7*c**2*d**4) + x)/4$

$$3.134 \quad \int \frac{(a+cx^4)^2}{(d+ex^2)^3} dx$$

Optimal. Leaf size=155

$$\frac{x \left(3a^2 - \frac{10acd^2}{e^2} - \frac{13c^2d^4}{e^4} \right)}{8d^2 (d + ex^2)} + \frac{(3a^2e^4 + 6acd^2e^2 + 35c^2d^4) \tan^{-1} \left(\frac{\sqrt{ex}}{\sqrt{d}} \right)}{8d^{5/2}e^{9/2}} + \frac{x(ae^2 + cd^2)^2}{4de^4 (d + ex^2)^2} - \frac{3c^2dx}{e^4} + \frac{c^2x^3}{3e^3}$$

[Out] $-3*c^2*d*x/e^4 + 1/3*c^2*x^3/e^3 + 1/4*(a*e^2+c*d^2)^2*x/d/e^4/(e*x^2+d)^2 + 1/8*(3*a^2-13*c^2*d^4/e^4-10*a*c*d^2/e^2)*x/d^2/(e*x^2+d) + 1/8*(3*a^2*e^4+6*a*c*d^2*e^2+35*c^2*d^4)*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(5/2)}/e^{(9/2)}$

Rubi [A] time = 0.25, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {1158, 1814, 1153, 205}

$$\frac{x \left(3a^2 - \frac{10acd^2}{e^2} - \frac{13c^2d^4}{e^4} \right)}{8d^2 (d + ex^2)} + \frac{(3a^2e^4 + 6acd^2e^2 + 35c^2d^4) \tan^{-1} \left(\frac{\sqrt{ex}}{\sqrt{d}} \right)}{8d^{5/2}e^{9/2}} + \frac{x(ae^2 + cd^2)^2}{4de^4 (d + ex^2)^2} - \frac{3c^2dx}{e^4} + \frac{c^2x^3}{3e^3}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^4)^2/(d + e*x^2)^3,x]

[Out] $(-3*c^2*d*x)/e^4 + (c^2*x^3)/(3*e^3) + ((c*d^2 + a*e^2)^2*x)/(4*d*e^4*(d + e*x^2)^2) + ((3*a^2 - (13*c^2*d^4)/e^4 - (10*a*c*d^2)/e^2)*x)/(8*d^2*(d + e*x^2)) + (((35*c^2*d^4 + 6*a*c*d^2*e^2 + 3*a^2*e^4)*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(8*d^{(5/2)}*e^{(9/2)})$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1153

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rule 1158

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := With[
  {Qx = PolynomialQuotient[(a + c*x^4)^p, d + e*x^2, x], R = Coeff[PolynomialRemainder[
  (a + c*x^4)^p, d + e*x^2, x], x, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] +
  Dist[1/(2*d*(q + 1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x], x], x] /;
  FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rule 1814

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[
  Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 0],
  g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a*b*(p + 1)), x] +
  Dist[1/(2*a*(p + 1)), Int[(a + b*x^2)^(p + 1)*ExpandToSum[2*a*(p + 1)*Q + f*(2*p + 3), x], x], x] /;
  FreeQ[{a, b}, x] && PolyQ[Pq, x] && LtQ[p, -1]
```

Rubi steps

$$\int \frac{(a + cx^4)^2}{(d + ex^2)^3} dx = \frac{(cd^2 + ae^2)^2 x}{4de^4 (d + ex^2)^2} - \frac{\int \frac{-3a^2 + \frac{c^2 d^4}{e^4} + \frac{2acd^2}{e^2} - \frac{4cd(cd^2 + 2ae^2)x^2}{e^3} + \frac{4c^2 d^2 x^4}{e^2} - \frac{4c^2 dx^6}{e}}{(d + ex^2)^2} dx}{4d}$$

$$= \frac{(cd^2 + ae^2)^2 x}{4de^4 (d + ex^2)^2} + \frac{\left(3a^2 - \frac{13c^2 d^4}{e^4} - \frac{10acd^2}{e^2}\right) x}{8d^2 (d + ex^2)} + \frac{\int \frac{3a^2 + \frac{11c^2 d^4}{e^4} + \frac{6acd^2}{e^2} - \frac{16c^2 d^3 x^2}{e^3} + \frac{8c^2 d^2 x^4}{e^2}}{d + ex^2} dx}{8d^2}$$

$$= \frac{(cd^2 + ae^2)^2 x}{4de^4 (d + ex^2)^2} + \frac{\left(3a^2 - \frac{13c^2 d^4}{e^4} - \frac{10acd^2}{e^2}\right) x}{8d^2 (d + ex^2)} + \frac{\int \left(-\frac{24c^2 d^3}{e^4} + \frac{8c^2 d^2 x^2}{e^3} + \frac{35c^2 d^4 + 6acd^2 e^2 + 3a^2 e^4}{e^4 (d + ex^2)}\right) dx}{8d^2}$$

$$= -\frac{3c^2 dx}{e^4} + \frac{c^2 x^3}{3e^3} + \frac{(cd^2 + ae^2)^2 x}{4de^4 (d + ex^2)^2} + \frac{\left(3a^2 - \frac{13c^2 d^4}{e^4} - \frac{10acd^2}{e^2}\right) x}{8d^2 (d + ex^2)} + \frac{(35c^2 d^4 + 6acd^2 e^2 + 3a^2 e^4)}{8d^2 e^4} \int \frac{1}{d + ex^2} dx$$

$$= -\frac{3c^2 dx}{e^4} + \frac{c^2 x^3}{3e^3} + \frac{(cd^2 + ae^2)^2 x}{4de^4 (d + ex^2)^2} + \frac{\left(3a^2 - \frac{13c^2 d^4}{e^4} - \frac{10acd^2}{e^2}\right) x}{8d^2 (d + ex^2)} + \frac{(35c^2 d^4 + 6acd^2 e^2 + 3a^2 e^4)}{8d^5/2 e^9/2} \operatorname{atanh}\left(\frac{\sqrt{e} x}{\sqrt{d + ex^2}}\right)$$

Mathematica [A] time = 0.11, size = 154, normalized size = 0.99

$$\frac{x(3a^2e^4(5d+3ex^2) - 6acd^2e^2(3d+5ex^2) - c^2d^2(105d^3 + 175d^2ex^2 + 56de^2x^4 - 8e^3x^6))}{24d^2e^4(d+ex^2)^2} + \frac{(3a^2e^4 + 6acd^2e^2 + 3c^2d^2e^4)}{8d^5}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^4)^2/(d + e*x^2)^3,x]

[Out] (x*(3*a^2*e^4*(5*d + 3*e*x^2) - 6*a*c*d^2*e^2*(3*d + 5*e*x^2) - c^2*d^2*(105*d^3 + 175*d^2*e*x^2 + 56*d*e^2*x^4 - 8*e^3*x^6)))/(24*d^2*e^4*(d + e*x^2)^2) + ((35*c^2*d^4 + 6*a*c*d^2*e^2 + 3*a^2*e^4)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*d^(5/2)*e^(9/2))

fricas [A] time = 0.41, size = 516, normalized size = 3.33

$$\frac{16c^2d^3e^4x^7 - 112c^2d^4e^3x^5 - 2(175c^2d^5e^2 + 30acd^3e^4 - 9a^2de^6)x^3 - 3(35c^2d^6 + 6acd^4e^2 + 3a^2d^2e^4 + 35c^2d^2e^4)}{48(d^3 + e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d)^3,x, algorithm="fricas")

[Out] [1/48*(16*c^2*d^3*e^4*x^7 - 112*c^2*d^4*e^3*x^5 - 2*(175*c^2*d^5*e^2 + 30*a*c*d^3*e^4 - 9*a^2*d*e^6)*x^3 - 3*(35*c^2*d^6 + 6*a*c*d^4*e^2 + 3*a^2*d^2*e^4 + (35*c^2*d^4*e^2 + 6*a*c*d^2*e^4 + 3*a^2*e^6)*x^4 + 2*(35*c^2*d^5*e + 6*a*c*d^3*e^3 + 3*a^2*d*e^5)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) - 6*(35*c^2*d^6*e + 6*a*c*d^4*e^3 - 5*a^2*d^2*e^5)*x)/(d^3*e^7*x^4 + 2*d^4*e^6*x^2 + d^5*e^5), 1/24*(8*c^2*d^3*e^4*x^7 - 56*c^2*d^4*e^3*x^5 - (175*c^2*d^5*e^2 + 30*a*c*d^3*e^4 - 9*a^2*d*e^6)*x^3 + 3*(35*c^2*d^6 + 6*a*c*d^4*e^2 + 3*a^2*d^2*e^4 + (35*c^2*d^4*e^2 + 6*a*c*d^2*e^4 + 3*a^2*e^6)*x^4 + 2*(35*c^2*d^5*e + 6*a*c*d^3*e^3 + 3*a^2*d*e^5)*x^2)*sqrt(d*e)*arctan(sqrt(d*e)*x/d - 3*(35*c^2*d^6*e + 6*a*c*d^4*e^3 - 5*a^2*d^2*e^5)*x)/(d^3*e^7*x^4 + 2*d^4*e^6*x^2 + d^5*e^5)]

giac [A] time = 0.17, size = 145, normalized size = 0.94

$$\frac{1}{3}(c^2x^3e^6 - 9c^2dxe^5)e^{(-9)} + \frac{(35c^2d^4 + 6acd^2e^2 + 3a^2e^4) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{9}{2}\right)}}{8d^{\frac{5}{2}}} - \frac{(13c^2d^4x^3e + 11c^2d^5x + 10acd^2x^3)}{8(x^2 + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d)^3,x, algorithm="giac")

[Out] $\frac{1}{3}(c^2x^3e^6 - 9c^2dxe^5)e^{-9} + \frac{1}{8}(35c^2d^4 + 6ac^2d^2e^2 + 3a^2e^4)\arctan(xe^{1/2}/\sqrt{d})e^{-9/2}/d^{5/2} - \frac{1}{8}(13c^2d^4x^3e + 11c^2d^5x + 10ac^2d^2x^3e^3 + 6ac^2d^3xe^2 - 3a^2x^3e^5 - 5a^2dxe^4)e^{-4}/(x^2e + d)^2d^2$

maple [A] time = 0.01, size = 211, normalized size = 1.36

$$\frac{3a^2ex^3}{8(e^2x^2+d)^2d^2} - \frac{5acx^3}{4(e^2x^2+d)^2e} - \frac{13c^2d^2x^3}{8(e^2x^2+d)^2e^3} + \frac{5a^2x}{8(e^2x^2+d)^2d} - \frac{3acdx}{4(e^2x^2+d)^2e^2} - \frac{11c^2d^3x}{8(e^2x^2+d)^2e^4} + \frac{c^2x^3}{3e^3} + \frac{3a^2 \arctan(xe^{1/2}/\sqrt{d})e^{-9/2}}{8d^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+a)^2/(e*x^2+d)^3,x)

[Out] $\frac{1}{3}c^2x^3/e^3 - 3c^2dx/e^4 + 3/8e/(e^2x^2+d)^2/d^2x^3a^2 - 5/4e/(e^2x^2+d)^2x^3ac - 13/8/e^3/(e^2x^2+d)^2d^2x^3c^2 + 5/8/(e^2x^2+d)^2/d^2xa^2 - 3/4/e^2/(e^2x^2+d)^2d^2xa^2c - 11/8/e^4/(e^2x^2+d)^2d^3xc^2 + 3/8/d^2/(d^2e)^{1/2}\arctan(1/(d^2e)^{1/2}ex)a^2 + 3/4/e^2/(d^2e)^{1/2}\arctan(1/(d^2e)^{1/2}ex)ac + 35/8/e^4d^2/(d^2e)^{1/2}\arctan(1/(d^2e)^{1/2}ex)c^2$

maxima [A] time = 2.31, size = 167, normalized size = 1.08

$$\frac{(13c^2d^4e + 10acd^2e^3 - 3a^2e^5)x^3 + (11c^2d^5 + 6acd^3e^2 - 5a^2de^4)x}{8(d^2e^6x^4 + 2d^3e^5x^2 + d^4e^4)} + \frac{c^2ex^3 - 9c^2dx}{3e^4} + \frac{(35c^2d^4 + 6acd^2e^2 + 3a^2e^4)\arctan(xe^{1/2}/\sqrt{d})e^{-9/2}}{8\sqrt{de}d^2e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d)^3,x, algorithm="maxima")

[Out] $-\frac{1}{8}((13c^2d^4e + 10ac^2d^2e^3 - 3a^2e^5)x^3 + (11c^2d^5 + 6ac^2d^3e^2 - 5a^2de^4)x)/(d^2e^6x^4 + 2d^3e^5x^2 + d^4e^4) + \frac{1}{3}(c^2ex^3 - 9c^2dx)/e^4 + \frac{1}{8}(35c^2d^4 + 6ac^2d^2e^2 + 3a^2e^4)\arctan(xe^{1/2}/\sqrt{d})/(e^{9/2}\sqrt{d})$

mupad [B] time = 4.41, size = 164, normalized size = 1.06

$$\frac{c^2x^3}{3e^3} - \frac{x^3(-3a^2e^5 + 10acd^2e^3 + 13c^2d^4e)}{8d^2} + \frac{x(-5a^2e^4 + 6acd^2e^2 + 11c^2d^4)}{8d} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(3a^2e^4 + 6acd^2e^2 + 35c^2d^4)}{8d^{5/2}e^{9/2}} - \frac{3c^2dx}{e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^4)^2/(d + e*x^2)^3,x)

```
[Out] (c^2*x^3)/(3*e^3) - ((x^3*(13*c^2*d^4*e - 3*a^2*e^5 + 10*a*c*d^2*e^3))/(8*d^2) + (x*(11*c^2*d^4 - 5*a^2*e^4 + 6*a*c*d^2*e^2))/(8*d))/(d^2*e^4 + e^6*x^4 + 2*d*e^5*x^2) + (atan((e^(1/2)*x)/d^(1/2))*(3*a^2*e^4 + 35*c^2*d^4 + 6*a*c*d^2*e^2))/(8*d^(5/2)*e^(9/2)) - (3*c^2*d*x)/e^4
```

sympy [A] time = 1.71, size = 257, normalized size = 1.66

$$-\frac{3c^2dx}{e^4} + \frac{c^2x^3}{3e^3} - \frac{\sqrt{-\frac{1}{d^5e^9}} (3a^2e^4 + 6acd^2e^2 + 35c^2d^4) \log\left(-d^3e^4\sqrt{-\frac{1}{d^5e^9}} + x\right)}{16} + \frac{\sqrt{-\frac{1}{d^5e^9}} (3a^2e^4 + 6acd^2e^2 + 35c^2d^4)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**4+a)**2/(e*x**2+d)**3,x)
```

```
[Out] -3*c**2*d*x/e**4 + c**2*x**3/(3*e**3) - sqrt(-1/(d**5*e**9))*(3*a**2*e**4 + 6*a*c*d**2*e**2 + 35*c**2*d**4)*log(-d**3*e**4*sqrt(-1/(d**5*e**9)) + x)/16 + sqrt(-1/(d**5*e**9))*(3*a**2*e**4 + 6*a*c*d**2*e**2 + 35*c**2*d**4)*log(d**3*e**4*sqrt(-1/(d**5*e**9)) + x)/16 + (x**3*(3*a**2*e**5 - 10*a*c*d**2*e**3 - 13*c**2*d**4*e) + x*(5*a**2*d*e**4 - 6*a*c*d**3*e**2 - 11*c**2*d**5))/(8*d**4*e**4 + 16*d**3*e**5*x**2 + 8*d**2*e**6*x**4)
```

$$3.135 \quad \int \frac{(a+cx^4)^2}{(d+ex^2)^4} dx$$

Optimal. Leaf size=184

$$\frac{x \left(5a^2 - \frac{14acd^2}{e^2} - \frac{19c^2d^4}{e^4} \right) \left(-5a^2e^4 - 2acd^2e^2 + 35c^2d^4 \right) \tan^{-1} \left(\frac{\sqrt{ex}}{\sqrt{d}} \right)}{24d^2 (d+ex^2)^2} - \frac{x \left(5a^2 + \frac{2acd^2}{e^2} + \frac{29c^2d^4}{e^4} \right)}{16d^{7/2}e^{9/2}} + \frac{x (ae^2 + cd^2)^2}{16d^3 (d+ex^2)} + \frac{x (ae^2 + cd^2)^2}{6de^4 (d+ex^2)^3} + \dots$$

[Out] $c^2*x/e^4 + 1/6*(a*e^2+c*d^2)^2*x/d/e^4/(e*x^2+d)^3 + 1/24*(5*a^2-19*c^2*d^4/e^4-14*a*c*d^2/e^2)*x/d^2/(e*x^2+d)^2 + 1/16*(5*a^2+29*c^2*d^4/e^4+2*a*c*d^2/e^2)*x/d^3/(e*x^2+d) - 1/16*(-5*a^2*e^4-2*a*c*d^2*e^2+35*c^2*d^4)*\arctan(x*e^(1/2)/d^(1/2))/d^(7/2)/e^(9/2)$

Rubi [A] time = 0.30, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1158, 1814, 1157, 388, 205}

$$\frac{x \left(5a^2 + \frac{2acd^2}{e^2} + \frac{29c^2d^4}{e^4} \right)}{16d^3 (d+ex^2)} + \frac{x \left(5a^2 - \frac{14acd^2}{e^2} - \frac{19c^2d^4}{e^4} \right) \left(-5a^2e^4 - 2acd^2e^2 + 35c^2d^4 \right) \tan^{-1} \left(\frac{\sqrt{ex}}{\sqrt{d}} \right)}{24d^2 (d+ex^2)^2} - \frac{x (ae^2 + cd^2)^2}{16d^{7/2}e^{9/2}} + \frac{x (ae^2 + cd^2)^2}{6de^4 (d+ex^2)^3} + \dots$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^4)^2/(d + e*x^2)^4, x]

[Out] $(c^2*x)/e^4 + ((c*d^2 + a*e^2)^2*x)/(6*d*e^4*(d + e*x^2)^3) + ((5*a^2 - (19*c^2*d^4)/e^4 - (14*a*c*d^2)/e^2)*x)/(24*d^2*(d + e*x^2)^2) + ((5*a^2 + (29*c^2*d^4)/e^4 + (2*a*c*d^2)/e^2)*x)/(16*d^3*(d + e*x^2)) - ((35*c^2*d^4 - 2*a*c*d^2*e^2 - 5*a^2*e^4)*\text{ArcTan}[\text{Sqrt}[e]*x]/\text{Sqrt}[d])/(16*d^(7/2)*e^(9/2))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p+1)/(b*(n*(p+1)+1)), x] - Dist[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p+1)+1, 0]

Rule 1157


```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2,
x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x,
0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rule 1158

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Wi
th[{Qx = PolynomialQuotient[(a + c*x^4)^p, d + e*x^2, x], R = Coeff[Polynom
ialRemainder[(a + c*x^4)^p, d + e*x^2, x], x, 0]}, -Simp[(R*x*(d + e*x^2)^(
q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q + 1)), Int[(d + e*x^2)^(q + 1)*E
xpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x], x], x]] /; FreeQ[{a, c, d, e},
x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rule 1814

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuot
ient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 1]}, Simp[((a*g -
b*f*x)*(a + b*x^2)^(p + 1))/(2*a*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int
[(a + b*x^2)^(p + 1)*ExpandToSum[2*a*(p + 1)*Q + f*(2*p + 3), x], x], x]] /
; FreeQ[{a, b}, x] && PolyQ[Pq, x] && LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + cx^4)^2}{(d + ex^2)^4} dx &= \frac{(cd^2 + ae^2)^2 x}{6de^4 (d + ex^2)^3} - \frac{\int \frac{-5a^2 + \frac{c^2 d^4}{e^4} + \frac{2acd^2}{e^2} - \frac{6cd(cd^2 + 2ae^2)x^2}{e^3} + \frac{6c^2 d^2 x^4}{e^2} - \frac{6c^2 dx^6}{e}}{(d + ex^2)^3} dx}{6d} \\
&= \frac{(cd^2 + ae^2)^2 x}{6de^4 (d + ex^2)^3} + \frac{\left(5a^2 - \frac{19c^2 d^4}{e^4} - \frac{14acd^2}{e^2}\right) x}{24d^2 (d + ex^2)^2} + \frac{\int \frac{3\left(5a^2 + \frac{5c^2 d^4}{e^4} + \frac{2acd^2}{e^2}\right) - \frac{48c^2 d^3 x^2}{e^3} + \frac{24c^2 d^2 x^4}{e^2}}{(d + ex^2)^2} dx}{24d^2} \\
&= \frac{(cd^2 + ae^2)^2 x}{6de^4 (d + ex^2)^3} + \frac{\left(5a^2 - \frac{19c^2 d^4}{e^4} - \frac{14acd^2}{e^2}\right) x}{24d^2 (d + ex^2)^2} + \frac{\left(5a^2 + \frac{29c^2 d^4}{e^4} + \frac{2acd^2}{e^2}\right) x}{16d^3 (d + ex^2)} - \frac{\int \frac{-3\left(5a^2 - \frac{19c^2 d^4}{e^4} + \frac{2acd^2}{e^2}\right)}{d + ex^2} dx}{48d^3} \\
&= \frac{c^2 x}{e^4} + \frac{(cd^2 + ae^2)^2 x}{6de^4 (d + ex^2)^3} + \frac{\left(5a^2 - \frac{19c^2 d^4}{e^4} - \frac{14acd^2}{e^2}\right) x}{24d^2 (d + ex^2)^2} + \frac{\left(5a^2 + \frac{29c^2 d^4}{e^4} + \frac{2acd^2}{e^2}\right) x}{16d^3 (d + ex^2)} - \frac{(35c^2 d^4 - 2acd^2)}{48d^3} \\
&= \frac{c^2 x}{e^4} + \frac{(cd^2 + ae^2)^2 x}{6de^4 (d + ex^2)^3} + \frac{\left(5a^2 - \frac{19c^2 d^4}{e^4} - \frac{14acd^2}{e^2}\right) x}{24d^2 (d + ex^2)^2} + \frac{\left(5a^2 + \frac{29c^2 d^4}{e^4} + \frac{2acd^2}{e^2}\right) x}{16d^3 (d + ex^2)} - \frac{(35c^2 d^4 - 2acd^2)}{48d^3}
\end{aligned}$$

Mathematica [A] time = 0.14, size = 174, normalized size = 0.95

$$\frac{x(a^2 e^4 (33d^2 + 40dex^2 + 15e^2 x^4) - 2acd^2 e^2 (3d^2 + 8dex^2 - 3e^2 x^4) + c^2 d^3 (105d^3 + 280d^2 ex^2 + 231de^2 x^4 + 48e^3 x^6))}{48d^3 e^4 (d + ex^2)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^4)^2/(d + e*x^2)^4,x]

[Out] (x*(-2*a*c*d^2*e^2*(3*d^2 + 8*d*e*x^2 - 3*e^2*x^4) + a^2*e^4*(33*d^2 + 40*d*e*x^2 + 15*e^2*x^4) + c^2*d^3*(105*d^3 + 280*d^2*e*x^2 + 231*d*e^2*x^4 + 48*e^3*x^6)))/(48*d^3*e^4*(d + e*x^2)^3) - ((35*c^2*d^4 - 2*a*c*d^2*e^2 - 5*a^2*e^4)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(16*d^(7/2)*e^(9/2))

fricas [A] time = 0.45, size = 662, normalized size = 3.60

$$\left[\frac{96c^2 d^4 e^4 x^7 + 6(77c^2 d^5 e^3 + 2acd^3 e^5 + 5a^2 d e^7) x^5 + 16(35c^2 d^6 e^2 - 2acd^4 e^4 + 5a^2 d^2 e^6) x^3 + 3(35c^2 d^7 - 2acd^5 e^2)}{48d^3 e^4 (d + ex^2)^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d)^4,x, algorithm="fricas")

[Out] [1/96*(96*c^2*d^4*e^4*x^7 + 6*(77*c^2*d^5*e^3 + 2*a*c*d^3*e^5 + 5*a^2*d*e^7)*x^5 + 16*(35*c^2*d^6*e^2 - 2*a*c*d^4*e^4 + 5*a^2*d^2*e^6)*x^3 + 3*(35*c^2*d^7 - 2*a*c*d^5*e^2 - 5*a^2*d^3*e^4 + (35*c^2*d^4*e^3 - 2*a*c*d^2*e^5 - 5*a^2*e^7)*x^6 + 3*(35*c^2*d^5*e^2 - 2*a*c*d^3*e^4 - 5*a^2*d*e^6)*x^4 + 3*(35*c^2*d^6*e - 2*a*c*d^4*e^3 - 5*a^2*d^2*e^5)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) + 6*(35*c^2*d^7*e - 2*a*c*d^5*e^3 + 11*a^2*d^3*e^5)*x)/(d^4*e^8*x^6 + 3*d^5*e^7*x^4 + 3*d^6*e^6*x^2 + d^7*e^5), 1/48*(48*c^2*d^4*e^4*x^7 + 3*(77*c^2*d^5*e^3 + 2*a*c*d^3*e^5 + 5*a^2*d*e^7)*x^5 + 8*(35*c^2*d^6*e^2 - 2*a*c*d^4*e^4 + 5*a^2*d^2*e^6)*x^3 - 3*(35*c^2*d^7 - 2*a*c*d^5*e^2 - 5*a^2*d^3*e^4 + (35*c^2*d^4*e^3 - 2*a*c*d^2*e^5 - 5*a^2*e^7)*x^6 + 3*(35*c^2*d^5*e^2 - 2*a*c*d^3*e^4 - 5*a^2*d*e^6)*x^4 + 3*(35*c^2*d^6*e - 2*a*c*d^4*e^3 - 5*a^2*d^2*e^5)*x^2)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) + 3*(35*c^2*d^7*e - 2*a*c*d^5*e^3 + 11*a^2*d^3*e^5)*x)/(d^4*e^8*x^6 + 3*d^5*e^7*x^4 + 3*d^6*e^6*x^2 + d^7*e^5)]

giac [A] time = 0.16, size = 167, normalized size = 0.91

$$c^2 x e^{(-4)} - \frac{(35 c^2 d^4 - 2 a c d^2 e^2 - 5 a^2 e^4) \arctan\left(\frac{x e^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{9}{2}\right)}}{16 d^{\frac{7}{2}}} + \frac{(87 c^2 d^4 x^5 e^2 + 136 c^2 d^5 x^3 e + 6 a c d^2 x^5 e^4 + 57 c^2 d^6 x - 16 a^2 c d^2 x^5 e^4 + 57 c^2 d^6 x - 16 a^2 c d^3 x^3 e^3 + 15 a^2 x^5 e^6 - 6 a^2 c d^4 x e^2 + 40 a^2 d x^3 e^5 + 33 a^2 d^2 x e^4) e^{(-4)}}{(x^2 e + d)^3 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d)^4,x, algorithm="giac")

[Out] c^2*x*e^(-4) - 1/16*(35*c^2*d^4 - 2*a*c*d^2*e^2 - 5*a^2*e^4)*arctan(x*e^(1/2)/sqrt(d))*e^(-9/2)/d^(7/2) + 1/48*(87*c^2*d^4*x^5*e^2 + 136*c^2*d^5*x^3*e + 6*a*c*d^2*x^5*e^4 + 57*c^2*d^6*x - 16*a*c*d^3*x^3*e^3 + 15*a^2*x^5*e^6 - 6*a*c*d^4*x*e^2 + 40*a^2*d*x^3*e^5 + 33*a^2*d^2*x*e^4)*e^(-4)/((x^2*e + d)^3*d^3)

maple [A] time = 0.01, size = 262, normalized size = 1.42

$$\frac{5a^2e^2x^5}{16(e^2x^2 + d)^3d^3} + \frac{acx^5}{8(e^2x^2 + d)^3d} + \frac{29c^2dx^5}{16(e^2x^2 + d)^3e^2} + \frac{5a^2ex^3}{6(e^2x^2 + d)^3d^2} - \frac{acx^3}{3(e^2x^2 + d)^3e} + \frac{17c^2d^2x^3}{6(e^2x^2 + d)^3e^3} + \frac{11a^2}{16(e^2x^2 + d)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+a)^2/(e*x^2+d)^4,x)

[Out] $c^2 x / e^4 + 5/16 e^2 / (e x^2 + d)^3 / d^3 x^5 a^2 + 1/8 / (e x^2 + d)^3 / d x^5 a c + 29/16 / e^2 / (e x^2 + d)^3 d x^5 c^2 + 5/6 e / (e x^2 + d)^3 / d^2 x^3 a^2 - 1/3 e / (e x^2 + d)^3 x^3 a c + 17/6 / e^3 / (e x^2 + d)^3 d^2 x^3 c^2 + 11/16 / (e x^2 + d)^3 / d x a^2 - 1/8 / e^2 / (e x^2 + d)^3 d x a c + 19/16 / e^4 / (e x^2 + d)^3 d^3 x x c^2 + 5/16 / d^3 / (d e)^{(1/2)} \arctan(1 / (d e)^{(1/2)} e x) a^2 + 1/8 / e^2 / d / (d e)^{(1/2)} \arctan(1 / (d e)^{(1/2)} e x) a c - 35/16 / e^4 d / (d e)^{(1/2)} \arctan(1 / (d e)^{(1/2)} e x) c^2$

maxima [A] time = 2.39, size = 205, normalized size = 1.11

$$\frac{3(29c^2d^4e^2 + 2acd^2e^4 + 5a^2e^6)x^5 + 8(17c^2d^5e - 2acd^3e^3 + 5a^2de^5)x^3 + 3(19c^2d^6 - 2acd^4e^2 + 11a^2d^2e^4)x + c^2x/e^4}{48(d^3e^7x^6 + 3d^4e^6x^4 + 3d^5e^5x^2 + d^6e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d)^4,x, algorithm="maxima")

[Out] $1/48 * (3 * (29 * c^2 * d^4 * e^2 + 2 * a * c * d^2 * e^4 + 5 * a^2 * e^6) * x^5 + 8 * (17 * c^2 * d^5 * e - 2 * a * c * d^3 * e^3 + 5 * a^2 * d * e^5) * x^3 + 3 * (19 * c^2 * d^6 - 2 * a * c * d^4 * e^2 + 11 * a^2 * d^2 * e^4) * x) / (d^3 * e^7 * x^6 + 3 * d^4 * e^6 * x^4 + 3 * d^5 * e^5 * x^2 + d^6 * e^4) + c^2 * x / e^4 - 1/16 * (35 * c^2 * d^4 - 2 * a * c * d^2 * e^2 - 5 * a^2 * e^4) * \arctan(e * x / \sqrt{d * e}) / (\sqrt{d * e} * d^3 * e^4)$

mupad [B] time = 4.49, size = 199, normalized size = 1.08

$$\frac{x^3(5a^2e^5 - 2acd^2e^3 + 17c^2d^4e)}{6d^2} + \frac{x(11a^2e^4 - 2acd^2e^2 + 19c^2d^4)}{16d} + \frac{x^5(5a^2e^6 + 2acd^2e^4 + 29c^2d^4e^2)}{16d^3} + \frac{c^2x}{e^4} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(5a^2e^4 + 2acd^2e^2 - 35c^2d^4)}{16d^{7/2}e^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^4)^2/(d + e*x^2)^4,x)

[Out] $((x^3 * (5 * a^2 * e^5 + 17 * c^2 * d^4 * e - 2 * a * c * d^2 * e^3)) / (6 * d^2) + (x * (11 * a^2 * e^4 + 19 * c^2 * d^4 - 2 * a * c * d^2 * e^2)) / (16 * d) + (x^5 * (5 * a^2 * e^6 + 29 * c^2 * d^4 * e^2 + 2 * a * c * d^2 * e^4)) / (16 * d^3)) / (d^3 * e^4 + e^7 * x^6 + 3 * d * e^6 * x^4 + 3 * d^2 * e^5 * x^2) + (c^2 * x) / e^4 + (\operatorname{atan}((e^{1/2}) * x) / d^{1/2}) * (5 * a^2 * e^4 - 35 * c^2 * d^4 + 2 * a * c * d^2 * e^2)) / (16 * d^{7/2} * e^{9/2})$

sympy [A] time = 2.61, size = 292, normalized size = 1.59

$$\frac{c^2 x}{e^4} - \frac{\sqrt{-\frac{1}{d^7 e^9}} (5a^2 e^4 + 2acd^2 e^2 - 35c^2 d^4) \log\left(-d^4 e^4 \sqrt{-\frac{1}{d^7 e^9}} + x\right)}{32} + \frac{\sqrt{-\frac{1}{d^7 e^9}} (5a^2 e^4 + 2acd^2 e^2 - 35c^2 d^4) \log\left(d^4 e^4\right)}{32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+a)**2/(e*x**2+d)**4,x)

```
[Out] c**2*x/e**4 - sqrt(-1/(d**7*e**9))*(5*a**2*e**4 + 2*a*c*d**2*e**2 - 35*c**2
*d**4)*log(-d**4*e**4*sqrt(-1/(d**7*e**9)) + x)/32 + sqrt(-1/(d**7*e**9))*(
5*a**2*e**4 + 2*a*c*d**2*e**2 - 35*c**2*d**4)*log(d**4*e**4*sqrt(-1/(d**7*e
**9)) + x)/32 + (x**5*(15*a**2*e**6 + 6*a*c*d**2*e**4 + 87*c**2*d**4*e**2)
+ x**3*(40*a**2*d*e**5 - 16*a*c*d**3*e**3 + 136*c**2*d**5*e) + x*(33*a**2*d
**2*e**4 - 6*a*c*d**4*e**2 + 57*c**2*d**6))/(48*d**6*e**4 + 144*d**5*e**5*x
**2 + 144*d**4*e**6*x**4 + 48*d**3*e**7*x**6)
```

$$3.136 \quad \int \frac{(a+cx^4)^2}{(d+ex^2)^5} dx$$

Optimal. Leaf size=223

$$-\frac{x(-35a^2e^4 - 6acd^2e^2 + 93c^2d^4)}{128d^4e^4(d+ex^2)} + \frac{x\left(7a^2 - \frac{18acd^2}{e^2} - \frac{25c^2d^4}{e^4}\right)}{48d^2(d+ex^2)^3} + \frac{(35a^2e^4 + 6acd^2e^2 + 35c^2d^4)\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{128d^{9/2}e^{9/2}} + \frac{x(35a^2}{192$$

[Out] $1/8*(a*e^2+c*d^2)^2*x/d/e^4/(e*x^2+d)^4+1/48*(7*a^2-25*c^2*d^4/e^4-18*a*c*d^2/e^2)*x/d^2/(e*x^2+d)^3+1/192*(35*a^2+163*c^2*d^4/e^4+6*a*c*d^2/e^2)*x/d^3/(e*x^2+d)^2-1/128*(-35*a^2*e^4-6*a*c*d^2*e^2+93*c^2*d^4)*x/d^4/e^4/(e*x^2+d)+1/128*(35*a^2*e^4+6*a*c*d^2*e^2+35*c^2*d^4)*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(9/2)}/e^{(9/2)}$

Rubi [A] time = 0.34, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1158, 1814, 1157, 385, 205}

$$-\frac{x(-35a^2e^4 - 6acd^2e^2 + 93c^2d^4)}{128d^4e^4(d+ex^2)} + \frac{x\left(35a^2 + \frac{6acd^2}{e^2} + \frac{163c^2d^4}{e^4}\right)}{192d^3(d+ex^2)^2} + \frac{x\left(7a^2 - \frac{18acd^2}{e^2} - \frac{25c^2d^4}{e^4}\right)}{48d^2(d+ex^2)^3} + \frac{(35a^2e^4 + 6acd^2e^2 + 35c^2d^4)\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{128d^{9/2}e^{9/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^4)^2/(d + e*x^2)^5,x]

[Out] $((c*d^2 + a*e^2)^2*x)/(8*d*e^4*(d + e*x^2)^4) + ((7*a^2 - (25*c^2*d^4)/e^4 - (18*a*c*d^2)/e^2)*x)/(48*d^2*(d + e*x^2)^3) + ((35*a^2 + (163*c^2*d^4)/e^4 + (6*a*c*d^2)/e^2)*x)/(192*d^3*(d + e*x^2)^2) - ((93*c^2*d^4 - 6*a*c*d^2*e^2 - 35*a^2*e^4)*x)/(128*d^4*e^4*(d + e*x^2)) + ((35*c^2*d^4 + 6*a*c*d^2*e^2 + 35*a^2*e^4)*\text{ArcTan}[\text{Sqrt}[e]*x/\text{Sqrt}[d]])/(128*d^{(9/2)}*e^{(9/2)})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p+1))/(a*b*n*(p+1)), x] - Dist[(a*d - b*c*(n*(p+1) + 1))/(a*b*n*(p+1)), Int[(a + b*x^n)^(p+1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +

p, 0])

Rule 1157

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2,
x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x,
0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rule 1158

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Wi
th[{Qx = PolynomialQuotient[(a + c*x^4)^p, d + e*x^2, x], R = Coeff[Polynom
ialRemainder[(a + c*x^4)^p, d + e*x^2, x], x, 0]}, -Simp[(R*x*(d + e*x^2)^(
q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q + 1)), Int[(d + e*x^2)^(q + 1)*E
xpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x], x], x]] /; FreeQ[{a, c, d, e},
x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rule 1814

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuot
ient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 1]}, Simp[((a*g -
b*f*x)*(a + b*x^2)^(p + 1))/(2*a*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int
[(a + b*x^2)^(p + 1)*ExpandToSum[2*a*(p + 1)*Q + f*(2*p + 3), x], x], x]] /
; FreeQ[{a, b}, x] && PolyQ[Pq, x] && LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + cx^4)^2}{(d + ex^2)^5} dx &= \frac{(cd^2 + ae^2)^2 x}{8de^4 (d + ex^2)^4} - \frac{\int \frac{-7a^2 + \frac{c^2 d^4}{e^4} + \frac{2acd^2}{e^2} - \frac{8cd(cd^2 + 2ae^2)x^2}{e^3} + \frac{8c^2 d^2 x^4}{e^2} - \frac{8c^2 dx^6}{e}}{(d + ex^2)^4} dx}{8d} \\
&= \frac{(cd^2 + ae^2)^2 x}{8de^4 (d + ex^2)^4} + \frac{\left(7a^2 - \frac{25c^2 d^4}{e^4} - \frac{18acd^2}{e^2}\right) x}{48d^2 (d + ex^2)^3} + \frac{\int \frac{35a^2 + \frac{19c^2 d^4}{e^4} + \frac{6acd^2}{e^2} - \frac{96c^2 d^3 x^2}{e^3} + \frac{48c^2 d^2 x^4}{e^2}}{(d + ex^2)^3} dx}{48d^2} \\
&= \frac{(cd^2 + ae^2)^2 x}{8de^4 (d + ex^2)^4} + \frac{\left(7a^2 - \frac{25c^2 d^4}{e^4} - \frac{18acd^2}{e^2}\right) x}{48d^2 (d + ex^2)^3} + \frac{\left(35a^2 + \frac{163c^2 d^4}{e^4} + \frac{6acd^2}{e^2}\right) x}{192d^3 (d + ex^2)^2} - \frac{\int \frac{-3\left(35a^2 - \frac{29c^2 d^4}{e^4} + \frac{6acd^2}{e^2}\right)}{(d + ex^2)^2} dx}{192d^3} \\
&= \frac{(cd^2 + ae^2)^2 x}{8de^4 (d + ex^2)^4} + \frac{\left(7a^2 - \frac{25c^2 d^4}{e^4} - \frac{18acd^2}{e^2}\right) x}{48d^2 (d + ex^2)^3} + \frac{\left(35a^2 + \frac{163c^2 d^4}{e^4} + \frac{6acd^2}{e^2}\right) x}{192d^3 (d + ex^2)^2} - \frac{(93c^2 d^4 - 6acd^2 e^2)}{128d^4 e^4 (d + ex^2)} \\
&= \frac{(cd^2 + ae^2)^2 x}{8de^4 (d + ex^2)^4} + \frac{\left(7a^2 - \frac{25c^2 d^4}{e^4} - \frac{18acd^2}{e^2}\right) x}{48d^2 (d + ex^2)^3} + \frac{\left(35a^2 + \frac{163c^2 d^4}{e^4} + \frac{6acd^2}{e^2}\right) x}{192d^3 (d + ex^2)^2} - \frac{(93c^2 d^4 - 6acd^2 e^2)}{128d^4 e^4 (d + ex^2)}
\end{aligned}$$

Mathematica [A] time = 0.19, size = 200, normalized size = 0.90

$$\frac{3(35a^2 e^4 + 6acd^2 e^2 + 35c^2 d^4) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) + \frac{\sqrt{d}\sqrt{e}x(a^2 e^4(279d^3 + 511d^2 ex^2 + 385de^2 x^4 + 105e^3 x^6) - 6acd^2 e^2(3d^3 + 11d^2 ex^2 - 11de^2 x^4 - 3e^3 x^6))}{(d + ex^2)^4}}{384d^{9/2}e^{9/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^4)^2/(d + e*x^2)^5,x]

[Out] ((Sqrt[d]*Sqrt[e]*x*(-6*a*c*d^2*e^2*(3*d^3 + 11*d^2*e*x^2 - 11*d*e^2*x^4 - 3*e^3*x^6) + a^2*e^4*(279*d^3 + 511*d^2*e*x^2 + 385*d*e^2*x^4 + 105*e^3*x^6) - c^2*d^4*(105*d^3 + 385*d^2*e*x^2 + 511*d*e^2*x^4 + 279*e^3*x^6)))/(d + e*x^2)^4 + 3*(35*c^2*d^4 + 6*a*c*d^2*e^2 + 35*a^2*e^4)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(384*d^(9/2)*e^(9/2))

fricas [A] time = 0.45, size = 806, normalized size = 3.61

$$\left[\frac{6(93c^2 d^5 e^4 - 6acd^3 e^6 - 35a^2 de^8)x^7 + 2(511c^2 d^6 e^3 - 66acd^4 e^5 - 385a^2 d^2 e^7)x^5 + 2(385c^2 d^7 e^2 + 66acd^5 e^4 - \dots)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d)^5,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/768*(6*(93*c^2*d^5*e^4 - 6*a*c*d^3*e^6 - 35*a^2*d*e^8)*x^7 + 2*(511*c^2 \\ & *d^6*e^3 - 66*a*c*d^4*e^5 - 385*a^2*d^2*e^7)*x^5 + 2*(385*c^2*d^7*e^2 + 66* \\ & a*c*d^5*e^4 - 511*a^2*d^3*e^6)*x^3 + 3*(35*c^2*d^8 + 6*a*c*d^6*e^2 + 35*a^2 \\ & *d^4*e^4 + (35*c^2*d^4*e^4 + 6*a*c*d^2*e^6 + 35*a^2*e^8)*x^8 + 4*(35*c^2*d^ \\ & 5*e^3 + 6*a*c*d^3*e^5 + 35*a^2*d*e^7)*x^6 + 6*(35*c^2*d^6*e^2 + 6*a*c*d^4*e \\ & ^4 + 35*a^2*d^2*e^6)*x^4 + 4*(35*c^2*d^7*e + 6*a*c*d^5*e^3 + 35*a^2*d^3*e^5 \\ &)*x^2)*\sqrt{-d*e}*\log((e*x^2 - 2*\sqrt{-d*e}*x - d)/(e*x^2 + d)) + 6*(35*c^2 \\ & *d^8*e + 6*a*c*d^6*e^3 - 93*a^2*d^4*e^5)*x)/(d^5*e^9*x^8 + 4*d^6*e^8*x^6 + \\ & 6*d^7*e^7*x^4 + 4*d^8*e^6*x^2 + d^9*e^5), -1/384*(3*(93*c^2*d^5*e^4 - 6*a*c \\ & *d^3*e^6 - 35*a^2*d*e^8)*x^7 + (511*c^2*d^6*e^3 - 66*a*c*d^4*e^5 - 385*a^2* \\ & d^2*e^7)*x^5 + (385*c^2*d^7*e^2 + 66*a*c*d^5*e^4 - 511*a^2*d^3*e^6)*x^3 - 3 \\ & *(35*c^2*d^8 + 6*a*c*d^6*e^2 + 35*a^2*d^4*e^4 + (35*c^2*d^4*e^4 + 6*a*c*d^2 \\ & *e^6 + 35*a^2*e^8)*x^8 + 4*(35*c^2*d^5*e^3 + 6*a*c*d^3*e^5 + 35*a^2*d*e^7)* \\ & x^6 + 6*(35*c^2*d^6*e^2 + 6*a*c*d^4*e^4 + 35*a^2*d^2*e^6)*x^4 + 4*(35*c^2*d \\ & ^7*e + 6*a*c*d^5*e^3 + 35*a^2*d^3*e^5)*x^2)*\sqrt{d*e}*\arctan(\sqrt{d*e}*x/d) \\ & + 3*(35*c^2*d^8*e + 6*a*c*d^6*e^3 - 93*a^2*d^4*e^5)*x)/(d^5*e^9*x^8 + 4*d^ \\ & 6*e^8*x^6 + 6*d^7*e^7*x^4 + 4*d^8*e^6*x^2 + d^9*e^5)] \end{aligned}$$

giac [A] time = 0.25, size = 198, normalized size = 0.89

$$\frac{(35c^2d^4 + 6acd^2e^2 + 35a^2e^4) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{9}{2}\right)}}{128d^{\frac{9}{2}}} - \frac{(279c^2d^4x^7e^3 + 511c^2d^5x^5e^2 - 18acd^2x^7e^5 + 385c^2d^6x^3e - 66a^2d^2x^7e^5 + 385c^2d^6x^3e - 66a^2c^2d^3x^5e^4 + 105c^2d^7x - 105a^2x^7e^7 + 66a^2c^2d^4x^3e^3 - 385a^2d^2x^5e^6 + 18a^2c^2d^5x^2 - 511a^2d^2x^3e^5 - 279a^2d^3x^4)e^{-4}}{(x^2e + d)^4d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d)^5,x, algorithm="giac")

[Out]
$$\begin{aligned} & 1/128*(35*c^2*d^4 + 6*a*c*d^2*e^2 + 35*a^2*e^4)*\arctan(x*e^{(1/2)}/\sqrt{d})*e \\ & ^{(-9/2)}/d^{(9/2)} - 1/384*(279*c^2*d^4*x^7*e^3 + 511*c^2*d^5*x^5*e^2 - 18*a*c \\ & *d^2*x^7*e^5 + 385*c^2*d^6*x^3*e - 66*a*c*d^3*x^5*e^4 + 105*c^2*d^7*x - 105 \\ & *a^2*x^7*e^7 + 66*a*c*d^4*x^3*e^3 - 385*a^2*d^2*x^5*e^6 + 18*a*c*d^5*x^2 - \\ & 511*a^2*d^2*x^3*e^5 - 279*a^2*d^3*x^4)*e^{(-4)}/((x^2*e + d)^4*d^4) \end{aligned}$$

maple [A] time = 0.01, size = 231, normalized size = 1.04

$$\frac{35a^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{128\sqrt{de} d^4} + \frac{3ac \arctan\left(\frac{ex}{\sqrt{de}}\right)}{64\sqrt{de} d^2e^2} + \frac{35c^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{128\sqrt{de} e^4} + \frac{(35a^2e^4+6ac d^2e^2-93c^2d^4)x^7}{128d^4e} + \frac{(385a^2e^4+66ac d^2e^2-511c^2d^4)x^5}{384d^3e^2} \quad (ex^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+a)^2/(e*x^2+d)^5,x)

[Out] (1/128*(35*a^2*e^4+6*a*c*d^2*e^2-93*c^2*d^4)/d^4/e*x^7+1/384*(385*a^2*e^4+6*6*a*c*d^2*e^2-511*c^2*d^4)/d^3/e^2*x^5+1/384*(511*a^2*e^4-66*a*c*d^2*e^2-385*c^2*d^4)/d^2/e^3*x^3+1/128*(93*a^2*e^4-6*a*c*d^2*e^2-35*c^2*d^4)/d/e^4*x)/(e*x^2+d)^4+35/128/d^4/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*a^2+3/64/d^2/e^2/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*a*c+35/128/e^4/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*c^2

maxima [A] time = 2.41, size = 244, normalized size = 1.09

$$\frac{3(93c^2d^4e^3 - 6acd^2e^5 - 35a^2e^7)x^7 + (511c^2d^5e^2 - 66acd^3e^4 - 385a^2de^6)x^5 + (385c^2d^6e + 66acd^4e^3 - 511a^2d^7e^5)x^3 + (35c^2d^4e^2 - 93c^2d^4e^2 - 35c^2d^4e^2)x}{384(d^4e^8x^8 + 4d^5e^7x^6 + 6d^6e^6x^4 + 4d^7e^5x^2 + d^8e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+a)^2/(e*x^2+d)^5,x, algorithm="maxima")

[Out] -1/384*(3*(93*c^2*d^4*e^3 - 6*a*c*d^2*e^5 - 35*a^2*e^7)*x^7 + (511*c^2*d^5*e^2 - 66*a*c*d^3*e^4 - 385*a^2*d*e^6)*x^5 + (385*c^2*d^6*e + 66*a*c*d^4*e^3 - 511*a^2*d^2*e^5)*x^3 + 3*(35*c^2*d^7 + 6*a*c*d^5*e^2 - 93*a^2*d^3*e^4)*x)/(d^4*e^8*x^8 + 4*d^5*e^7*x^6 + 6*d^6*e^6*x^4 + 4*d^7*e^5*x^2 + d^8*e^4) + 1/128*(35*c^2*d^4 + 6*a*c*d^2*e^2 + 35*a^2*e^4)*arctan(e*x/sqrt(d*e))/(sqrt(d*e)*d^4*e^4)

mupad [B] time = 4.49, size = 240, normalized size = 1.08

$$\frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(35a^2e^4 + 6acd^2e^2 + 35c^2d^4)}{128d^{9/2}e^{9/2}} - \frac{x(-93a^2e^4 + 6acd^2e^2 + 35c^2d^4)}{128de^4} - \frac{x^7(35a^2e^4 + 6acd^2e^2 - 93c^2d^4)}{128d^4e} + \frac{x^3(-511a^2e^4 + 66acd^3e^4 - 385a^2de^6)}{d^4 + 4d^3ex^2 + 6d^2e^2x^4 + 4d^7e^5x^2 + d^8e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^4)^2/(d + e*x^2)^5,x)

[Out] (atan((e^(1/2)*x)/d^(1/2))*(35*a^2*e^4 + 35*c^2*d^4 + 6*a*c*d^2*e^2))/(128*d^(9/2)*e^(9/2)) - ((x*(35*c^2*d^4 - 93*a^2*e^4 + 6*a*c*d^2*e^2))/(128*d*e^4) - (x^7*(35*a^2*e^4 - 93*c^2*d^4 + 6*a*c*d^2*e^2))/(128*d^4*e) + (x^3*(385*c^2*d^4 - 511*a^2*e^4 + 66*a*c*d^2*e^2))/(384*d^2*e^3) - (x^5*(385*a^2*e^4 - 511*c^2*d^4 + 66*a*c*d^2*e^2))/(384*d^3*e^2))/(d^4 + e^4*x^8 + 4*d^3*e*x^2 + 4*d*e^3*x^6 + 6*d^2*e^2*x^4)

sympy [A] time = 4.11, size = 335, normalized size = 1.50

$$\frac{\sqrt{-\frac{1}{d^9e^9}}(35a^2e^4 + 6acd^2e^2 + 35c^2d^4)\log\left(-d^5e^4\sqrt{-\frac{1}{d^9e^9}} + x\right)}{256} + \frac{\sqrt{-\frac{1}{d^9e^9}}(35a^2e^4 + 6acd^2e^2 + 35c^2d^4)\log\left(d^5e^4\sqrt{-\frac{1}{d^9e^9}} + x\right)}{256}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**4+a)**2/(e*x**2+d)**5,x)`

[Out]
$$-\sqrt{-1/(d^9e^9)}*(35a^2e^4 + 6ac*d^2e^2 + 35c^2*d^4)*\log(-d^5e^4*\sqrt{-1/(d^9e^9)} + x)/256 + \sqrt{-1/(d^9e^9)}*(35a^2e^4 + 6ac*d^2e^2 + 35c^2*d^4)*\log(d^5e^4*\sqrt{-1/(d^9e^9)} + x)/256 + (x^7*(105a^2e^7 + 18ac*d^2e^5 - 279c^2*d^4e^3) + x^5*(385a^2*d*e^6 + 66ac*d^3e^4 - 511c^2*d^5e^2) + x^3*(511a^2*d^2e^5 - 66ac*d^4e^3 - 385c^2*d^6e) + x*(279a^2*d^3e^4 - 18ac*d^5e^2 - 105c^2*d^7))/ (384*d^8e^4 + 1536*d^7e^5*x^2 + 2304*d^6e^6*x^4 + 1536*d^5e^7*x^6 + 384*d^4e^8*x^8)$$

$$3.137 \quad \int \frac{(d+ex^2)^4}{a+cx^4} dx$$

Optimal. Leaf size=437

$$\frac{(a^2e^4 - 6acd^2e^2 - 4\sqrt{a}\sqrt{c}de(cd^2 - ae^2) + c^2d^4) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}c^{9/4}} + \frac{(a^2e^4 - 6acd^2e^2 - 4\sqrt{a}\sqrt{c}de(cd^2 - ae^2) + c^2d^4) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x - \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}c^{9/4}}$$

[Out] $e^2*(-a*e^2+6*c*d^2)*x/c^2+4/3*d*e^3*x^3/c+1/5*e^4*x^5/c-1/8*\ln(-a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(c^2*d^4-6*a*c*d^2*e^2+a^2*e^4+4*d*e*(-a*e^2+c*d^2)*a^{(1/2)}*c^{(1/2)})/a^{(3/4)}/c^{(9/4)}*2^{(1/2)}+1/8*\ln(a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(c^2*d^4-6*a*c*d^2*e^2+a^2*e^4-4*d*e*(-a*e^2+c*d^2)*a^{(1/2)}*c^{(1/2)})/a^{(3/4)}/c^{(9/4)}*2^{(1/2)}+1/4*\arctan(-1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(c^2*d^4-6*a*c*d^2*e^2+a^2*e^4+4*d*e*(-a*e^2+c*d^2)*a^{(1/2)}*c^{(1/2)})/a^{(3/4)}/c^{(9/4)}*2^{(1/2)}+1/4*\arctan(1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(c^2*d^4-6*a*c*d^2*e^2+a^2*e^4+4*d*e*(-a*e^2+c*d^2)*a^{(1/2)}*c^{(1/2)})/a^{(3/4)}/c^{(9/4)}*2^{(1/2)}$

Rubi [A] time = 0.45, antiderivative size = 437, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {1171, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(a^2e^4 - 6acd^2e^2 - 4\sqrt{a}\sqrt{c}de(cd^2 - ae^2) + c^2d^4) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}c^{9/4}} + \frac{(a^2e^4 - 6acd^2e^2 - 4\sqrt{a}\sqrt{c}de(cd^2 - ae^2) + c^2d^4) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x - \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}c^{9/4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^4/(a + c*x^4), x]

[Out] $(e^2*(6*c*d^2 - a*e^2)*x)/c^2 + (4*d*e^3*x^3)/(3*c) + (e^4*x^5)/(5*c) - ((c^2*d^4 - 6*a*c*d^2*e^2 + a^2*e^4 + 4*sqrt[a]*sqrt[c]*d*e*(c*d^2 - a*e^2))*ArcTan[1 - (sqrt[2]*c^{(1/4)}*x)/a^{(1/4)}])/(2*sqrt[2]*a^{(3/4)}*c^{(9/4)}) + ((c^2*d^4 - 6*a*c*d^2*e^2 + a^2*e^4 + 4*sqrt[a]*sqrt[c]*d*e*(c*d^2 - a*e^2))*ArcTan[1 + (sqrt[2]*c^{(1/4)}*x)/a^{(1/4)}])/(2*sqrt[2]*a^{(3/4)}*c^{(9/4)}) - ((c^2*d^4 - 6*a*c*d^2*e^2 + a^2*e^4 - 4*sqrt[a]*sqrt[c]*d*e*(c*d^2 - a*e^2))*Log[Sqrt[a] - Sqrt[2]*a^{(1/4)}*c^{(1/4)}*x + Sqrt[c]*x^2])/(4*sqrt[2]*a^{(3/4)}*c^{(9/4)}) + ((c^2*d^4 - 6*a*c*d^2*e^2 + a^2*e^4 - 4*sqrt[a]*sqrt[c]*d*e*(c*d^2 - a*e^2))*Log[Sqrt[a] + Sqrt[2]*a^{(1/4)}*c^{(1/4)}*x + Sqrt[c]*x^2])/(4*sqrt[2]*a^{(3/4)}*c^{(9/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1171

Int[((d_) + (e_)*(x_)^2)^(q_)/((a_) + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^4}{a + cx^4} dx &= \int \left(\frac{e^2(6cd^2 - ae^2)}{c^2} + \frac{4de^3x^2}{c} + \frac{e^4x^4}{c} + \frac{c^2d^4 - 6acd^2e^2 + a^2e^4 + 4cde(cd^2 - ae^2)x^2}{c^2(a + cx^4)} \right) dx \\
&= \frac{e^2(6cd^2 - ae^2)x}{c^2} + \frac{4de^3x^3}{3c} + \frac{e^4x^5}{5c} + \frac{\int \frac{c^2d^4 - 6acd^2e^2 + a^2e^4 + 4cde(cd^2 - ae^2)x^2}{a + cx^4} dx}{c^2} \\
&= \frac{e^2(6cd^2 - ae^2)x}{c^2} + \frac{4de^3x^3}{3c} + \frac{e^4x^5}{5c} - \frac{\left(4cd^3e - 4ade^3 - \frac{c^2d^4 - 6acd^2e^2 + a^2e^4}{\sqrt{a}\sqrt{c}}\right) \int \frac{\sqrt{a}\sqrt{c} - cx^2}{a + cx^4} dx}{2c^2} + \frac{(4cd^3e - 4ade^3 - \frac{c^2d^4 - 6acd^2e^2 + a^2e^4}{\sqrt{a}\sqrt{c}}) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt{c}} + 2x}{-\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}} - x^2} dx}{4\sqrt{2}\sqrt[4]{a}c^{7/4}} + \\
&= \frac{e^2(6cd^2 - ae^2)x}{c^2} + \frac{4de^3x^3}{3c} + \frac{e^4x^5}{5c} + \frac{\left(4cd^3e - 4ade^3 - \frac{c^2d^4 - 6acd^2e^2 + a^2e^4}{\sqrt{a}\sqrt{c}}\right) \log\left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}\right)}{4\sqrt{2}\sqrt[4]{a}c^{7/4}} \\
&= \frac{e^2(6cd^2 - ae^2)x}{c^2} + \frac{4de^3x^3}{3c} + \frac{e^4x^5}{5c} - \frac{\left(4cd^3e - 4ade^3 + \frac{c^2d^4 - 6acd^2e^2 + a^2e^4}{\sqrt{a}\sqrt{c}}\right) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}\sqrt[4]{a}c^{7/4}} +
\end{aligned}$$

Mathematica [A] time = 0.34, size = 444, normalized size = 1.02

$$160a^{3/4}c^{5/4}de^3x^3 + 24a^{3/4}c^{5/4}e^4x^5 - 120a^{3/4}\sqrt[4]{c}e^2x(ae^2 - 6cd^2) - 15\sqrt{2}(4a^{3/2}\sqrt{c}de^3 + a^2e^4 - 4\sqrt{a}c^{3/2}d^3e - 6acd^2$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^4/(a + c*x^4),x]

[Out] (-120*a^(3/4)*c^(1/4)*e^2*(-6*c*d^2 + a*e^2)*x + 160*a^(3/4)*c^(5/4)*d*e^3*x^3 + 24*a^(3/4)*c^(5/4)*e^4*x^5 - 30*Sqrt[2]*(c^2*d^4 + 4*Sqrt[a]*c^(3/2)*d^3*e - 6*a*c*d^2*e^2 - 4*a^(3/2)*Sqrt[c]*d*e^3 + a^2*e^4)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 30*Sqrt[2]*(c^2*d^4 + 4*Sqrt[a]*c^(3/2)*d^3*e - 6*a*c*d^2*e^2 - 4*a^(3/2)*Sqrt[c]*d*e^3 + a^2*e^4)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)] - 15*Sqrt[2]*(c^2*d^4 - 4*Sqrt[a]*c^(3/2)*d^3*e - 6*a*c*d^2*e^2 + 4*a^(3/2)*Sqrt[c]*d*e^3 + a^2*e^4)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2] + 15*Sqrt[2]*(c^2*d^4 - 4*Sqrt[a]*c^(3/2)*d^3*e - 6*a*c*d^2*e^2 + 4*a^(3/2)*Sqrt[c]*d*e^3 + a^2*e^4)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2]/(120*a^(3/4)*c^(9/4))

fricas [B] time = 4.26, size = 2878, normalized size = 6.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4/(c*x^4+a),x, algorithm="fricas")

[Out] $\frac{1}{60} \cdot (12c^2e^4x^5 + 80c^2de^3x^3 + 15c^2\sqrt{-(8c^3d^7e - 56a^2c^2d^5e^3 + 56a^2c^2d^3e^5 - 8a^3d^7e + a^4c^2\sqrt{-(c^8d^{16} - 56a^2c^7d^{14}e^2 + 924a^2c^6d^{12}e^4 - 3976a^3c^5d^{10}e^6 + 6470a^4c^4d^8e^8 - 3976a^5c^3d^6e^{10} + 924a^6c^2d^4e^{12} - 56a^7c^2d^2e^{14} + a^8e^{16})})/(a^3c^9)))/(a^3c^9)))/(a^3c^9)))/(a^3c^9)) \cdot \log((c^8d^{16} - 24a^2c^7d^{14}e^2 - 36a^2c^6d^{12}e^4 + 88a^3c^5d^{10}e^6 + 198a^4c^4d^8e^8 + 88a^5c^3d^6e^{10} - 36a^6c^2d^4e^{12} - 24a^7c^2d^2e^{14} + a^8e^{16}))x + (a^8d^{12} - 34a^2c^7d^{10}e^2 + 239a^3c^6d^8e^4 - 476a^4c^5d^6e^6 + 239a^5c^4d^4e^8 - 34a^6c^3d^2e^{10} + a^7c^2e^{12} + 4(a^3c^8d^3e - a^4c^7d^2e^3)\sqrt{-(c^8d^{16} - 56a^2c^7d^{14}e^2 + 924a^2c^6d^{12}e^4 - 3976a^3c^5d^{10}e^6 + 6470a^4c^4d^8e^8 - 3976a^5c^3d^6e^{10} + 924a^6c^2d^4e^{12} - 56a^7c^2d^2e^{14} + a^8e^{16})})/(a^3c^9))\sqrt{-(8c^3d^7e - 56a^2c^2d^5e^3 + 56a^2c^2d^3e^5 - 8a^3d^7e + a^4c^2\sqrt{-(c^8d^{16} - 56a^2c^7d^{14}e^2 + 924a^2c^6d^{12}e^4 - 3976a^3c^5d^{10}e^6 + 6470a^4c^4d^8e^8 - 3976a^5c^3d^6e^{10} + 924a^6c^2d^4e^{12} - 56a^7c^2d^2e^{14} + a^8e^{16})})/(a^3c^9)))/(a^3c^9)) - 15c^2\sqrt{-(8c^3d^7e - 56a^2c^2d^5e^3 + 56a^2c^2d^3e^5 - 8a^3d^7e + a^4c^2\sqrt{-(c^8d^{16} - 56a^2c^7d^{14}e^2 + 924a^2c^6d^{12}e^4 - 3976a^3c^5d^{10}e^6 + 6470a^4c^4d^8e^8 - 3976a^5c^3d^6e^{10} + 924a^6c^2d^4e^{12} - 56a^7c^2d^2e^{14} + a^8e^{16})})/(a^3c^9)))/(a^3c^9)) \cdot \log((c^8d^{16} - 24a^2c^7d^{14}e^2 - 36a^2c^6d^{12}e^4 + 88a^3c^5d^{10}e^6 + 198a^4c^4d^8e^8 + 88a^5c^3d^6e^{10} - 36a^6c^2d^4e^{12} - 24a^7c^2d^2e^{14} + a^8e^{16}))x - (a^8d^{12} - 34a^2c^7d^{10}e^2 + 239a^3c^6d^8e^4 - 476a^4c^5d^6e^6 + 239a^5c^4d^4e^8 - 34a^6c^3d^2e^{10} + a^7c^2e^{12} + 4(a^3c^8d^3e - a^4c^7d^2e^3)\sqrt{-(c^8d^{16} - 56a^2c^7d^{14}e^2 + 924a^2c^6d^{12}e^4 - 3976a^3c^5d^{10}e^6 + 6470a^4c^4d^8e^8 - 3976a^5c^3d^6e^{10} + 924a^6c^2d^4e^{12} - 56a^7c^2d^2e^{14} + a^8e^{16})})/(a^3c^9))\sqrt{-(8c^3d^7e - 56a^2c^2d^5e^3 + 56a^2c^2d^3e^5 - 8a^3d^7e + a^4c^2\sqrt{-(c^8d^{16} - 56a^2c^7d^{14}e^2 + 924a^2c^6d^{12}e^4 - 3976a^3c^5d^{10}e^6 + 6470a^4c^4d^8e^8 - 3976a^5c^3d^6e^{10} + 924a^6c^2d^4e^{12} - 56a^7c^2d^2e^{14} + a^8e^{16})})/(a^3c^9)))/(a^3c^9)) + 15c^2\sqrt{-(8c^3d^7e - 56a^2c^2d^5e^3 + 56a^2c^2d^3e^5 - 8a^3d^7e + a^4c^2\sqrt{-(c^8d^{16} - 56a^2c^7d^{14}e^2 + 924a^2c^6d^{12}e^4 - 3976a^3c^5d^{10}e^6 + 6470a^4c^4d^8e^8 - 3976a^5c^3d^6e^{10} + 924a^6c^2d^4e^{12} - 56a^7c^2d^2e^{14} + a^8e^{16})})/(a^3c^9)))/(a^3c^9)) \cdot \log((c^8d^{16} - 24a^2c^7d^{14}e^2 - 36a^2c^6d^{12}e^4 + 88a^3c^5d^{10}e^6 + 198a^4c^4d^8e^8 + 88a^5c^3d^6e^{10} - 36a^6c^2d^4e^{12} - 24a^7c^2d^2e^{14} + a^8e^{16}))x + (a^8d^{12} - 34a^2c^7d^{10}e^2 + 239a^3c^6d^8e^4 - 476a^4c^5d^6e^6 + 239a^5c^4d^4e^8 - 34a^6c^3d^2e^{10} + a^7c^2e^{12} + 4(a^3c^8d^3e - a^4c^7d^2e^3)\sqrt{-(c^8d^{16} - 56a^2c^7d^{14}e^2 + 924a^2c^6d^{12}e^4 - 3976a^3c^5d^{10}e^6 + 6470a^4c^4d^8e^8 - 3976a^5c^3d^6e^{10} + 924a^6c^2d^4e^{12} - 56a^7c^2d^2e^{14} + a^8e^{16})})/(a^3c^9))\sqrt{-(8c^3d^7e - 56a^2c^2d^5e^3 + 56a^2c^2d^3e^5 - 8a^3d^7e + a^4c^2\sqrt{-(c^8d^{16} - 56a^2c^7d^{14}e^2 + 924a^2c^6d^{12}e^4 - 3976a^3c^5d^{10}e^6 + 6470a^4c^4d^8e^8 - 3976a^5c^3d^6e^{10} + 924a^6c^2d^4e^{12} - 56a^7c^2d^2e^{14} + a^8e^{16})})/(a^3c^9)))/(a^3c^9))$

$$8*d^{12} - 34*a^2*c^7*d^{10}*e^2 + 239*a^3*c^6*d^8*e^4 - 476*a^4*c^5*d^6*e^6 + 239*a^5*c^4*d^4*e^8 - 34*a^6*c^3*d^2*e^{10} + a^7*c^2*e^{12} - 4*(a^3*c^8*d^3*e - a^4*c^7*d*e^3)*\sqrt{-(c^8*d^{16} - 56*a*c^7*d^{14}*e^2 + 924*a^2*c^6*d^{12}*e^4 - 3976*a^3*c^5*d^{10}*e^6 + 6470*a^4*c^4*d^8*e^8 - 3976*a^5*c^3*d^6*e^{10} + 924*a^6*c^2*d^4*e^{12} - 56*a^7*c*d^2*e^{14} + a^8*e^{16})/(a^3*c^9))}\sqrt{-(8*c^3*d^7*e - 56*a*c^2*d^5*e^3 + 56*a^2*c*d^3*e^5 - 8*a^3*d*e^7 - a*c^4*\sqrt{-(c^8*d^{16} - 56*a*c^7*d^{14}*e^2 + 924*a^2*c^6*d^{12}*e^4 - 3976*a^3*c^5*d^{10}*e^6 + 6470*a^4*c^4*d^8*e^8 - 3976*a^5*c^3*d^6*e^{10} + 924*a^6*c^2*d^4*e^{12} - 56*a^7*c*d^2*e^{14} + a^8*e^{16})/(a^3*c^9))})/(a*c^4))} - 15*c^2*\sqrt{-(8*c^3*d^7*e - 56*a*c^2*d^5*e^3 + 56*a^2*c*d^3*e^5 - 8*a^3*d*e^7 - a*c^4*\sqrt{-(c^8*d^{16} - 56*a*c^7*d^{14}*e^2 + 924*a^2*c^6*d^{12}*e^4 - 3976*a^3*c^5*d^{10}*e^6 + 6470*a^4*c^4*d^8*e^8 - 3976*a^5*c^3*d^6*e^{10} + 924*a^6*c^2*d^4*e^{12} - 56*a^7*c*d^2*e^{14} + a^8*e^{16})/(a^3*c^9))})/(a*c^4))} * \log((c^8*d^{16} - 24*a*c^7*d^{14}*e^2 - 36*a^2*c^6*d^{12}*e^4 + 88*a^3*c^5*d^{10}*e^6 + 198*a^4*c^4*d^8*e^8 + 88*a^5*c^3*d^6*e^{10} - 36*a^6*c^2*d^4*e^{12} - 24*a^7*c*d^2*e^{14} + a^8*e^{16})*x - (a*c^8*d^{12} - 34*a^2*c^7*d^{10}*e^2 + 239*a^3*c^6*d^8*e^4 - 476*a^4*c^5*d^6*e^6 + 239*a^5*c^4*d^4*e^8 - 34*a^6*c^3*d^2*e^{10} + a^7*c^2*e^{12} - 4*(a^3*c^8*d^3*e - a^4*c^7*d*e^3)*\sqrt{-(c^8*d^{16} - 56*a*c^7*d^{14}*e^2 + 924*a^2*c^6*d^{12}*e^4 - 3976*a^3*c^5*d^{10}*e^6 + 6470*a^4*c^4*d^8*e^8 - 3976*a^5*c^3*d^6*e^{10} + 924*a^6*c^2*d^4*e^{12} - 56*a^7*c*d^2*e^{14} + a^8*e^{16})/(a^3*c^9))}\sqrt{-(8*c^3*d^7*e - 56*a*c^2*d^5*e^3 + 56*a^2*c*d^3*e^5 - 8*a^3*d*e^7 - a*c^4*\sqrt{-(c^8*d^{16} - 56*a*c^7*d^{14}*e^2 + 924*a^2*c^6*d^{12}*e^4 - 3976*a^3*c^5*d^{10}*e^6 + 6470*a^4*c^4*d^8*e^8 - 3976*a^5*c^3*d^6*e^{10} + 924*a^6*c^2*d^4*e^{12} - 56*a^7*c*d^2*e^{14} + a^8*e^{16})/(a^3*c^9))})/(a*c^4))} + 60*(6*c*d^2*e^2 - a*e^4)*x)/c^2$$

giac [A] time = 0.19, size = 498, normalized size = 1.14

$$\frac{\sqrt{2} \left((ac^3)^{\frac{1}{4}} c^3 d^4 - 6 (ac^3)^{\frac{1}{4}} ac^2 d^2 e^2 + 4 (ac^3)^{\frac{3}{4}} cd^3 e + (ac^3)^{\frac{1}{4}} a^2 ce^4 - 4 (ac^3)^{\frac{3}{4}} ade^3 \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{c} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{c} \right)^{\frac{1}{4}}} \right)}{4ac^4} + \sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4/(c*x^4+a),x, algorithm="giac")

[Out] $\frac{1}{4} \sqrt{2} \left((a*c^3)^{\frac{1}{4}} c^3 d^4 - 6 (a*c^3)^{\frac{1}{4}} a*c^2 d^2 e^2 + 4 (a*c^3)^{\frac{3}{4}} c*d^3 e + (a*c^3)^{\frac{1}{4}} a^2 c e^4 - 4 (a*c^3)^{\frac{3}{4}} a*d e^3 \right) \arctan \left(\frac{1}{2} \sqrt{2} \left(2*x + \sqrt{2} \left(\frac{a}{c} \right)^{\frac{1}{4}} \right) \right) / (a*c^4) + \frac{1}{4} \sqrt{2} \left((a*c^3)^{\frac{1}{4}} c^3 d^4 - 6 (a*c^3)^{\frac{1}{4}} a*c^2 d^2 e^2 + 4 (a*c^3)^{\frac{3}{4}} c*d^3 e + (a*c^3)^{\frac{1}{4}} a^2 c e^4 - 4 (a*c^3)^{\frac{3}{4}} a*d e^3 \right) \arctan \left(\frac{1}{2} \sqrt{2} \left(2*x - \sqrt{2} \left(\frac{a}{c} \right)^{\frac{1}{4}} \right) \right) / (a*c^4) + \frac{1}{8} \sqrt{2} \left((a*c^3)^{\frac{1}{4}} c^3 d^4 - 6 (a*c^3)^{\frac{1}{4}} a*c^2 d^2 e^2 - 4 (a*c^3)^{\frac{3}{4}} c*d^3 e + (a*c^3)^{\frac{1}{4}} a^2 c e^4 + 4 (a*c^3)^{\frac{3}{4}} a*d e^3 \right) \log(x^2 + \sqrt{2} * x * (a$

$(/c)^{(1/4)} + \text{sqrt}(a/c)) / (a*c^4) - 1/8*\text{sqrt}(2)*((a*c^3)^{(1/4)}*c^3*d^4 - 6*(a*c^3)^{(1/4)}*a*c^2*d^2*e^2 - 4*(a*c^3)^{(3/4)}*c*d^3*e + (a*c^3)^{(1/4)}*a^2*c*e^4 + 4*(a*c^3)^{(3/4)}*a*d*e^3)*\log(x^2 - \text{sqrt}(2)*x*(a/c)^{(1/4)} + \text{sqrt}(a/c)) / (a*c^4) + 1/15*(3*c^4*x^5*e^4 + 20*c^4*d*x^3*e^3 + 90*c^4*d^2*x*e^2 - 15*a*c^3*x*e^4)/c^5$

maple [B] time = 0.01, size = 741, normalized size = 1.70

$$\frac{e^4 x^5}{5c} + \frac{4d e^3 x^3}{3c} - \frac{\sqrt{2} a d e^3 \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} - 1\right)}{\left(\frac{a}{c}\right)^{\frac{1}{4}} c^2} - \frac{\sqrt{2} a d e^3 \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} + 1\right)}{\left(\frac{a}{c}\right)^{\frac{1}{4}} c^2} - \frac{\sqrt{2} a d e^3 \ln\left(\frac{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}\right)}{2 \left(\frac{a}{c}\right)^{\frac{1}{4}} c^2} - \frac{a e^4 x}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*x^2+d)^4/(c*x^4+a), x)$

[Out] $1/5*e^4*x^5/c + 4/3*d*e^3*x^3/c - e^4/c^2*a*x + 6*e^2/c*d^2*x + 1/4/c^2*(a/c)^{(1/4)}*a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*e^4-3/2/c*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d^2*e^2+1/4*(a/c)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d^4+1/8/c^2*(a/c)^{(1/4)}*a*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*x*2^{(1/2)}+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*x*2^{(1/2)}+(a/c)^{(1/2)}))*e^4-3/4/c*(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*x*2^{(1/2)}+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*x*2^{(1/2)}+(a/c)^{(1/2)}))*d^2*e^2+1/8*(a/c)^{(1/4)}/a*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*x*2^{(1/2)}+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*x*2^{(1/2)}+(a/c)^{(1/2)}))*d^4+1/4/c^2*(a/c)^{(1/4)}*a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*e^4-3/2/c*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d^2*e^2+1/4*(a/c)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d^4-1/2/c^2/(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)}*x*2^{(1/2)}+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)}*x*2^{(1/2)}+(a/c)^{(1/2)}))*a*d*e^3+1/2/c/(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)}*x*2^{(1/2)}+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)}*x*2^{(1/2)}+(a/c)^{(1/2)}))*d^3*e-1/c^2/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*a*d*e^3+1/c/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d^3*e-1/c^2/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*a*d*e^3+1/c/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d^3*e$

maxima [A] time = 2.45, size = 432, normalized size = 0.99

$$\frac{3 c e^4 x^5 + 20 c d e^3 x^3 + 15 (6 c d^2 e^2 - a e^4) x}{15 c^2} + \frac{2 \sqrt{2} \left(c^{\frac{5}{2}} d^4 + 4 \sqrt{a} c^2 d^3 e - 6 a c^{\frac{3}{2}} d^2 e^2 - 4 a^{\frac{3}{2}} c d e^3 + a^2 \sqrt{c} e^4 \right) \arctan\left(\frac{\sqrt{2} \left(2 \sqrt{c} x + \sqrt{2} a^{\frac{1}{4}} c^{\frac{1}{4}} \right)}{2 \sqrt{a} \sqrt{c}}\right)}{\sqrt{a} \sqrt{a} \sqrt{c} \sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4/(c*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{15} \cdot (3cd^4x^5 + 20c^2d^3e^3x^3 + 15(6cd^2e^2 - ae^4)x) / c^2 + \frac{1}{8} \cdot (2\sqrt{2})(c^{5/2}d^4 + 4\sqrt{a}c^2d^3e - 6ac^{3/2}d^2e^2 - 4a^{3/2}cd^2e^3 + a^2\sqrt{c}e^4) \arctan(1/2\sqrt{2})(2\sqrt{c}x + \sqrt{2}a^{1/4}c^{1/4}) / \sqrt{\sqrt{a}\sqrt{c}} / (\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}) + 2\sqrt{2}(c^{5/2}d^4 + 4\sqrt{a}c^2d^3e - 6ac^{3/2}d^2e^2 - 4a^{3/2}cd^2e^3 + a^2\sqrt{c}e^4) \arctan(1/2\sqrt{2})(2\sqrt{c}x - \sqrt{2}a^{1/4}c^{1/4}) / \sqrt{\sqrt{a}\sqrt{c}} / (\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}) + \sqrt{2}(c^{5/2}d^4 - 4\sqrt{a}c^2d^3e - 6ac^{3/2}d^2e^2 + 4a^{3/2}cd^2e^3 + a^2\sqrt{c}e^4) \log(\sqrt{c}x^2 + \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{a}) / (a^{3/4}c^{3/4}) - \sqrt{2}(c^{5/2}d^4 - 4\sqrt{a}c^2d^3e - 6ac^{3/2}d^2e^2 + 4a^{3/2}cd^2e^3 + a^2\sqrt{c}e^4) \log(\sqrt{c}x^2 - \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{a}) / (a^{3/4}c^{3/4}) / c^2$

mupad [B] time = 5.08, size = 4022, normalized size = 9.20

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^4/(a + c*x^4),x)

[Out] $\operatorname{atan}\left(\frac{(4x(a^4e^8 + c^4d^8 - 28a^3c^3d^6e^2 - 28a^3c^3d^2e^6 + 70a^2c^2d^4e^4))/c - (4(4a^3c^6d^4 + 4a^3c^4e^4 - 24a^2c^5d^2e^2) * ((a^4e^8(-a^3c^9)^{1/2} + c^4d^8(-a^3c^9)^{1/2} - 8a^2c^8d^7e + 8a^5c^5d^7e + 56a^3c^7d^5e^3 - 56a^4c^6d^3e^5 - 28a^3c^3d^6e^2 * (-a^3c^9)^{1/2} - 28a^3c^3d^2e^6 * (-a^3c^9)^{1/2} + 70a^2c^2d^4e^4 * (-a^3c^9)^{1/2})) / (16a^3c^9)^{1/2}}{c^3} * ((a^4e^8(-a^3c^9)^{1/2} + c^4d^8(-a^3c^9)^{1/2} - 8a^2c^8d^7e + 8a^5c^5d^7e + 56a^3c^7d^5e^3 - 56a^4c^6d^3e^5 - 28a^3c^3d^6e^2 * (-a^3c^9)^{1/2} - 28a^3c^3d^2e^6 * (-a^3c^9)^{1/2} + 70a^2c^2d^4e^4 * (-a^3c^9)^{1/2})) / (16a^3c^9)^{1/2}}{16a^3c^9}\right) * i + \frac{(4x(a^4e^8 + c^4d^8 - 28a^3c^3d^6e^2 - 28a^3c^3d^2e^6 + 70a^2c^2d^4e^4))/c + (4(4a^3c^6d^4 + 4a^3c^4e^4 - 24a^2c^5d^2e^2) * ((a^4e^8(-a^3c^9)^{1/2} + c^4d^8(-a^3c^9)^{1/2} - 8a^2c^8d^7e + 8a^5c^5d^7e + 56a^3c^7d^5e^3 - 56a^4c^6d^3e^5 - 28a^3c^3d^6e^2 * (-a^3c^9)^{1/2} - 28a^3c^3d^2e^6 * (-a^3c^9)^{1/2} + 70a^2c^2d^4e^4 * (-a^3c^9)^{1/2})) / (16a^3c^9)^{1/2}}{c^3} * ((a^4e^8(-a^3c^9)^{1/2} + c^4d^8(-a^3c^9)^{1/2} - 8a^2c^8d^7e + 8a^5c^5d^7e + 56a^3c^7d^5e^3 - 56a^4c^6d^3e^5 - 28a^3c^3d^6e^2 * (-a^3c^9)^{1/2} - 28a^3c^3d^2e^6 * (-a^3c^9)^{1/2} + 70a^2c^2d^4e^4 * (-a^3c^9)^{1/2})) / (16a^3c^9)^{1/2}}{16a^3c^9}\right) * i}{((4x(a^4e^8 + c^4d^8 - 28a^3c^3d^6e^2 - 28a^3c^3d^2e^6 + 70a^2c^2d^4e^4))/c - (4(4a^3c^6d^4 + 4a^3c^4e^4 - 24a^2c^5d^2e^2) * ((a^4e^8(-a^3c^9)^{1/2} + c^4d^8(-a^3c^9)^{1/2} - 8a^2c^8d^7e + 8a^5c^5d^7e + 56a^3c^7d^5e^3 - 56a^4c^6d^3e^5 - 28a^3c^3d^6e^2 * (-a^3c^9)^{1/2} - 28a^3c^3d^2e^6 * (-a^3c^9)^{1/2} + 70a^2c^2d^4e^4 * (-a^3c^9)^{1/2})) / (16a^3c^9)^{1/2}}{c^3} * ((a^4e^8(-a^3c^9)^{1/2} + c^4d^8(-a^3c^9)^{1/2} - 8a^2c^8d^7e + 8a^5c^5d^7e + 56a^3c^7d^5e^3 - 56a^4c^6d^3e^5 - 28a^3c^3d^6e^2 * (-a^3c^9)^{1/2} - 28a^3c^3d^2e^6 * (-a^3c^9)^{1/2} + 70a^2c^2d^4e^4 * (-a^3c^9)^{1/2})) / (16a^3c^9)^{1/2}}{16a^3c^9}\right) * i} + \frac{(4x(a^4e^8 + c^4d^8 - 28a^3c^3d^6e^2 - 28a^3c^3d^2e^6 + 70a^2c^2d^4e^4))/c + (4(4a^3c^6d^4 + 4a^3c^4e^4 - 24a^2c^5d^2e^2) * ((a^4e^8(-a^3c^9)^{1/2} + c^4d^8(-a^3c^9)^{1/2} - 8a^2c^8d^7e + 8a^5c^5d^7e + 56a^3c^7d^5e^3 - 56a^4c^6d^3e^5 - 28a^3c^3d^6e^2 * (-a^3c^9)^{1/2} - 28a^3c^3d^2e^6 * (-a^3c^9)^{1/2} + 70a^2c^2d^4e^4 * (-a^3c^9)^{1/2})) / (16a^3c^9)^{1/2}}{c^3} * ((a^4e^8(-a^3c^9)^{1/2} + c^4d^8(-a^3c^9)^{1/2} - 8a^2c^8d^7e + 8a^5c^5d^7e + 56a^3c^7d^5e^3 - 56a^4c^6d^3e^5 - 28a^3c^3d^6e^2 * (-a^3c^9)^{1/2} - 28a^3c^3d^2e^6 * (-a^3c^9)^{1/2} + 70a^2c^2d^4e^4 * (-a^3c^9)^{1/2})) / (16a^3c^9)^{1/2}}{16a^3c^9}\right) * i}{((4x(a^4e^8 + c^4d^8 - 28a^3c^3d^6e^2 - 28a^3c^3d^2e^6 + 70a^2c^2d^4e^4))/c - (4(4a^3c^6d^4 + 4a^3c^4e^4 - 24a^2c^5d^2e^2) * ((a^4e^8(-a^3c^9)^{1/2} + c^4d^8(-a^3c^9)^{1/2} - 8a^2c^8d^7e + 8a^5c^5d^7e + 56a^3c^7d^5e^3 - 56a^4c^6d^3e^5 - 28a^3c^3d^6e^2 * (-a^3c^9)^{1/2} - 28a^3c^3d^2e^6 * (-a^3c^9)^{1/2} + 70a^2c^2d^4e^4 * (-a^3c^9)^{1/2})) / (16a^3c^9)^{1/2}}{c^3} * ((a^4e^8(-a^3c^9)^{1/2} + c^4d^8(-a^3c^9)^{1/2} - 8a^2c^8d^7e + 8a^5c^5d^7e + 56a^3c^7d^5e^3 - 56a^4c^6d^3e^5 - 28a^3c^3d^6e^2 * (-a^3c^9)^{1/2} - 28a^3c^3d^2e^6 * (-a^3c^9)^{1/2} + 70a^2c^2d^4e^4 * (-a^3c^9)^{1/2})) / (16a^3c^9)^{1/2}}{16a^3c^9}\right) * i}$

$$\begin{aligned} & 3*c*d^2*e^6*(-a^3*c^9)^{(1/2)} + 70*a^2*c^2*d^4*e^4*(-a^3*c^9)^{(1/2)}/(16*a^3 \\ & *c^9))^{(1/2)} - ((4*x*(a^4*e^8 + c^4*d^8 - 28*a*c^3*d^6*e^2 - 28*a^3*c*d^2*e \\ & ^6 + 70*a^2*c^2*d^4*e^4))/c + (4*(4*a*c^6*d^4 + 4*a^3*c^4*e^4 - 24*a^2*c^5* \\ & d^2*e^2)*(-a^4*e^8*(-a^3*c^9)^{(1/2)} + c^4*d^8*(-a^3*c^9)^{(1/2)} + 8*a^2*c^8 \\ & *d^7*e - 8*a^5*c^5*d*e^7 - 56*a^3*c^7*d^5*e^3 + 56*a^4*c^6*d^3*e^5 - 28*a*c \\ & ^3*d^6*e^2*(-a^3*c^9)^{(1/2)} - 28*a^3*c*d^2*e^6*(-a^3*c^9)^{(1/2)} + 70*a^2*c^2 \\ & *d^4*e^4*(-a^3*c^9)^{(1/2)})/(16*a^3*c^9))^{(1/2)}/c^3*(-(a^4*e^8*(-a^3*c^9) \\ & ^{(1/2)} + c^4*d^8*(-a^3*c^9)^{(1/2)} + 8*a^2*c^8*d^7*e - 8*a^5*c^5*d*e^7 - 56* \\ & a^3*c^7*d^5*e^3 + 56*a^4*c^6*d^3*e^5 - 28*a*c^3*d^6*e^2*(-a^3*c^9)^{(1/2)} - \\ & 28*a^3*c*d^2*e^6*(-a^3*c^9)^{(1/2)} + 70*a^2*c^2*d^4*e^4*(-a^3*c^9)^{(1/2)})/(1 \\ & 6*a^3*c^9))^{(1/2)} + (8*(a^5*d*e^11 - c^5*d^11*e - 3*a*c^4*d^9*e^3 + 3*a^4*c \\ & *d^3*e^9 - 2*a^2*c^3*d^7*e^5 + 2*a^3*c^2*d^5*e^7))/c^3))*(-a^4*e^8*(-a^3*c \\ & ^9)^{(1/2)} + c^4*d^8*(-a^3*c^9)^{(1/2)} + 8*a^2*c^8*d^7*e - 8*a^5*c^5*d*e^7 - \\ & 56*a^3*c^7*d^5*e^3 + 56*a^4*c^6*d^3*e^5 - 28*a*c^3*d^6*e^2*(-a^3*c^9)^{(1/2)} \\ & - 28*a^3*c*d^2*e^6*(-a^3*c^9)^{(1/2)} + 70*a^2*c^2*d^4*e^4*(-a^3*c^9)^{(1/2)}) \\ & /((16*a^3*c^9))^{(1/2)}*2i + (e^4*x^5)/(5*c) + (4*d*e^3*x^3)/(3*c) \end{aligned}$$

sympy [A] time = 3.75, size = 500, normalized size = 1.14

$$x\left(-\frac{ae^4}{c^2} + \frac{6d^2e^2}{c}\right) + \text{RootSum}\left(256t^4a^3c^9 + t^2(-256a^5c^5de^7 + 1792a^4c^6d^3e^5 - 1792a^3c^7d^5e^3 + 256a^2c^8d^7e) + a^8e\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**4/(c*x**4+a),x)

[Out] x*(-a*e**4/c**2 + 6*d**2*e**2/c) + RootSum(256*_t**4*a**3*c**9 + _t**2*(-256*a**5*c**5*d*e**7 + 1792*a**4*c**6*d**3*e**5 - 1792*a**3*c**7*d**5*e**3 + 256*a**2*c**8*d**7*e) + a**8*e**16 + 8*a**7*c*d**2*e**14 + 28*a**6*c**2*d**4*e**12 + 56*a**5*c**3*d**6*e**10 + 70*a**4*c**4*d**8*e**8 + 56*a**3*c**5*d**10*e**6 + 28*a**2*c**6*d**12*e**4 + 8*a*c**7*d**14*e**2 + c**8*d**16, Lambda(_t, _t*log(x + (256*_t**3*a**4*c**7*d*e**3 - 256*_t**3*a**3*c**8*d**3*e + 4*_t*a**7*c**2*e**12 - 264*_t*a**6*c**3*d**2*e**10 + 1980*_t*a**5*c**4*d**4*e**8 - 3696*_t*a**4*c**5*d**6*e**6 + 1980*_t*a**3*c**6*d**8*e**4 - 264*_t*a**2*c**7*d**10*e**2 + 4*_t*a*c**8*d**12)/(a**8*e**16 - 24*a**7*c*d**2*e**14 - 36*a**6*c**2*d**4*e**12 + 88*a**5*c**3*d**6*e**10 + 198*a**4*c**4*d**8*e**8 + 88*a**3*c**5*d**10*e**6 - 36*a**2*c**6*d**12*e**4 - 24*a*c**7*d**14*e**2 + c**8*d**16)))) + 4*d*e**3*x**3/(3*c) + e**4*x**5/(5*c)

$$3.138 \quad \int \frac{(d+ex^2)^3}{a+cx^4} dx$$

Optimal. Leaf size=370

$$\frac{(\sqrt{c}d(cd^2 - 3ae^2) - \sqrt{a}e(3cd^2 - ae^2)) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} a^{3/4} c^{7/4}} + \frac{(\sqrt{c}d(cd^2 - 3ae^2) - \sqrt{a}e(3cd^2 - ae^2)) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} a^{3/4} c^{7/4}}$$

[Out] $3*d*e^2*x/c+1/3*e^3*x^3/c-1/8*\ln(-a^{(1/4)}*c^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(-e*(-a*e^2+3*c*d^2)*a^{(1/2)}+d*(-3*a*e^2+c*d^2)*c^{(1/2)})/a^{(3/4)}/c^{(7/4)}*2^{(1/2)}+1/8*\ln(a^{(1/4)}*c^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(-e*(-a*e^2+3*c*d^2)*a^{(1/2)}+d*(-3*a*e^2+c*d^2)*c^{(1/2)})/a^{(3/4)}/c^{(7/4)}*2^{(1/2)}+1/4*\arctan(-1+c^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*(e*(-a*e^2+3*c*d^2)*a^{(1/2)}+d*(-3*a*e^2+c*d^2)*c^{(1/2)})/a^{(3/4)}/c^{(7/4)}*2^{(1/2)}+1/4*\arctan(1+c^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*(e*(-a*e^2+3*c*d^2)*a^{(1/2)}+d*(-3*a*e^2+c*d^2)*c^{(1/2)})/a^{(3/4)}/c^{(7/4)}*2^{(1/2)}$

Rubi [A] time = 0.50, antiderivative size = 370, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {1171, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{c}d(cd^2 - 3ae^2) - \sqrt{a}e(3cd^2 - ae^2)) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} a^{3/4} c^{7/4}} + \frac{(\sqrt{c}d(cd^2 - 3ae^2) - \sqrt{a}e(3cd^2 - ae^2)) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} a^{3/4} c^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^3/(a + c*x^4), x]

[Out] $(3*d*e^2*x)/c + (e^3*x^3)/(3*c) - ((\text{Sqrt}[c]*d*(c*d^2 - 3*a*e^2) + \text{Sqrt}[a]*e*(3*c*d^2 - a*e^2))*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*a^{(3/4)}*c^{(7/4)}) + ((\text{Sqrt}[c]*d*(c*d^2 - 3*a*e^2) + \text{Sqrt}[a]*e*(3*c*d^2 - a*e^2))*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*a^{(3/4)}*c^{(7/4)}) - ((\text{Sqrt}[c]*d*(c*d^2 - 3*a*e^2) - \text{Sqrt}[a]*e*(3*c*d^2 - a*e^2))*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*c^{(7/4)}) + ((\text{Sqrt}[c]*d*(c*d^2 - 3*a*e^2) - \text{Sqrt}[a]*e*(3*c*d^2 - a*e^2))*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*c^{(7/4)})$

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1171

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/((a_) + (c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[q]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^3}{a+cx^4} dx &= \int \left(\frac{3de^2}{c} + \frac{e^3x^2}{c} + \frac{cd^3 - 3ade^2 + e(3cd^2 - ae^2)x^2}{c(a+cx^4)} \right) dx \\
&= \frac{3de^2x}{c} + \frac{e^3x^3}{3c} + \frac{\int \frac{cd^3 - 3ade^2 + e(3cd^2 - ae^2)x^2}{a+cx^4} dx}{c} \\
&= \frac{3de^2x}{c} + \frac{e^3x^3}{3c} - \frac{\left(3cd^2e - ae^3 - \frac{\sqrt{c}d(cd^2 - 3ae^2)}{\sqrt{a}}\right) \int \frac{\sqrt{a}\sqrt{c} - cx^2}{a+cx^4} dx}{2c^2} + \frac{\left(3cd^2e - ae^3 + \frac{\sqrt{c}d(cd^2 - 3ae^2)}{\sqrt{a}}\right)}{2c^2} \\
&= \frac{3de^2x}{c} + \frac{e^3x^3}{3c} + \frac{\left(3cd^2e - ae^3 - \frac{\sqrt{c}d(cd^2 - 3ae^2)}{\sqrt{a}}\right) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt{c}} + 2x}{-\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}} - x^2} dx}{4\sqrt{2}\sqrt[4]{a}c^{7/4}} + \frac{\left(3cd^2e - ae^3 - \frac{\sqrt{c}d(cd^2 - 3ae^2)}{\sqrt{a}}\right)}{4\sqrt{2}} \\
&= \frac{3de^2x}{c} + \frac{e^3x^3}{3c} + \frac{\left(3cd^2e - ae^3 - \frac{\sqrt{c}d(cd^2 - 3ae^2)}{\sqrt{a}}\right) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}\sqrt[4]{a}c^{7/4}} - \frac{\left(3cd^2e - ae^3 + \frac{\sqrt{c}d(cd^2 - 3ae^2)}{\sqrt{a}}\right)}{4\sqrt{2}} \\
&= \frac{3de^2x}{c} + \frac{e^3x^3}{3c} - \frac{\left(3cd^2e - ae^3 + \frac{\sqrt{c}d(cd^2 - 3ae^2)}{\sqrt{a}}\right) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{a}}\right)}{2\sqrt{2}\sqrt[4]{a}c^{7/4}} + \frac{\left(3cd^2e - ae^3 + \frac{\sqrt{c}d(cd^2 - 3ae^2)}{\sqrt{a}}\right)}{2\sqrt{2}\sqrt[4]{a}}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 360, normalized size = 0.97

$$-3\sqrt{2} (a^{3/2}e^3 - 3\sqrt{a}cd^2e - 3a\sqrt{c}de^2 + c^{3/2}d^3) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2) + 3\sqrt{2} (a^{3/2}e^3 - 3\sqrt{a}cd^2e - 3a\sqrt{c}de^2 + c^{3/2}d^3)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^3/(a + c*x^4), x]

[Out] (72*a^(3/4)*c^(3/4)*d*e^2*x + 8*a^(3/4)*c^(3/4)*e^3*x^3 + 6*Sqrt[2]*(-(c^(3/2)*d^3) - 3*Sqrt[a]*c*d^2*e + 3*a*Sqrt[c]*d*e^2 + a^(3/2)*e^3)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 6*Sqrt[2]*(c^(3/2)*d^3 + 3*Sqrt[a]*c*d^2*e - 3*a*Sqrt[c]*d*e^2 - a^(3/2)*e^3)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)] - 3*Sqrt[2]*(c^(3/2)*d^3 - 3*Sqrt[a]*c*d^2*e - 3*a*Sqrt[c]*d*e^2 + a^(3/2)*e^3)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2] + 3*Sqrt[2]*(c^(3/2)*d^3 - 3*Sqrt[a]*c*d^2*e - 3*a*Sqrt[c]*d*e^2 + a^(3/2)*e^3)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(24*a^(3/4)*c^(7/4))

fricas [B] time = 1.27, size = 2133, normalized size = 5.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^3/(c*x^4+a),x, algorithm="fricas")
```

```
[Out] 1/12*(4*e^3*x^3 + 36*d*e^2*x - 3*c*sqrt(-(6*c^2*d^5*e - 20*a*c*d^3*e^3 + 6*
a^2*d*e^5 + a*c^3*sqrt(-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^4
- 452*a^3*c^3*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^12
)/(a^3*c^7))))/(a*c^3))*log(-(c^6*d^12 - 12*a*c^5*d^10*e^2 - 27*a^2*c^4*d^8*
e^4 + 27*a^4*c^2*d^4*e^8 + 12*a^5*c*d^2*e^10 - a^6*e^12)*x + (a*c^6*d^9 - 1
8*a^2*c^5*d^7*e^2 + 60*a^3*c^4*d^5*e^4 - 46*a^4*c^3*d^3*e^6 + 3*a^5*c^2*d*e
^8 + (3*a^3*c^6*d^2*e - a^4*c^5*e^3)*sqrt(-(c^6*d^12 - 30*a*c^5*d^10*e^2 +
255*a^2*c^4*d^8*e^4 - 452*a^3*c^3*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*
d^2*e^10 + a^6*e^12))/(a^3*c^7))*sqrt(-(6*c^2*d^5*e - 20*a*c*d^3*e^3 + 6*a^
2*d*e^5 + a*c^3*sqrt(-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^4 -
452*a^3*c^3*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^12)/
(a^3*c^7))))/(a*c^3))) + 3*c*sqrt(-(6*c^2*d^5*e - 20*a*c*d^3*e^3 + 6*a^2*d*e
^5 + a*c^3*sqrt(-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^4 - 452*
a^3*c^3*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^12))/(a^3*
c^7))))/(a*c^3))*log(-(c^6*d^12 - 12*a*c^5*d^10*e^2 - 27*a^2*c^4*d^8*e^4 + 2
7*a^4*c^2*d^4*e^8 + 12*a^5*c*d^2*e^10 - a^6*e^12)*x - (a*c^6*d^9 - 18*a^2*c
^5*d^7*e^2 + 60*a^3*c^4*d^5*e^4 - 46*a^4*c^3*d^3*e^6 + 3*a^5*c^2*d*e^8 + (3
*a^3*c^6*d^2*e - a^4*c^5*e^3)*sqrt(-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2
*c^4*d^8*e^4 - 452*a^3*c^3*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^1
0 + a^6*e^12))/(a^3*c^7))*sqrt(-(6*c^2*d^5*e - 20*a*c*d^3*e^3 + 6*a^2*d*e^5
+ a*c^3*sqrt(-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^4 - 452*a^
3*c^3*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^12))/(a^3*c^
7))))/(a*c^3))) - 3*c*sqrt(-(6*c^2*d^5*e - 20*a*c*d^3*e^3 + 6*a^2*d*e^5 - a*
c^3*sqrt(-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^4 - 452*a^3*c^3
*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^12))/(a^3*c^7))))/
(a*c^3))*log(-(c^6*d^12 - 12*a*c^5*d^10*e^2 - 27*a^2*c^4*d^8*e^4 + 27*a^4*c
^2*d^4*e^8 + 12*a^5*c*d^2*e^10 - a^6*e^12)*x + (a*c^6*d^9 - 18*a^2*c^5*d^7*
e^2 + 60*a^3*c^4*d^5*e^4 - 46*a^4*c^3*d^3*e^6 + 3*a^5*c^2*d*e^8 - (3*a^3*c^
6*d^2*e - a^4*c^5*e^3)*sqrt(-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^
8*e^4 - 452*a^3*c^3*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6
*e^12))/(a^3*c^7))*sqrt(-(6*c^2*d^5*e - 20*a*c*d^3*e^3 + 6*a^2*d*e^5 - a*c^
3*sqrt(-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^4 - 452*a^3*c^3*d
^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^12))/(a^3*c^7))))/(a
*c^3))) + 3*c*sqrt(-(6*c^2*d^5*e - 20*a*c*d^3*e^3 + 6*a^2*d*e^5 - a*c^3*sqr
t(-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^4 - 452*a^3*c^3*d^6*e^
6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^12))/(a^3*c^7))))/(a*c^3
))*log(-(c^6*d^12 - 12*a*c^5*d^10*e^2 - 27*a^2*c^4*d^8*e^4 + 27*a^4*c^2*d^4*
e^8 + 12*a^5*c*d^2*e^10 - a^6*e^12)*x - (a*c^6*d^9 - 18*a^2*c^5*d^7*e^2 + 6
0*a^3*c^4*d^5*e^4 - 46*a^4*c^3*d^3*e^6 + 3*a^5*c^2*d*e^8 - (3*a^3*c^6*d^2*e
- a^4*c^5*e^3)*sqrt(-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^4 -
452*a^3*c^3*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^12)/
```


$(a^3c^7))\sqrt{-(6c^2d^5e - 20a^*c*d^3e^3 + 6a^2d^*e^5 - a^*c^3\sqrt{-(c^6d^{12} - 30a^*c^5d^{10}e^2 + 255a^2c^4d^8e^4 - 452a^3c^3d^6e^6 + 255a^4c^2d^4e^8 - 30a^5c*d^2e^{10} + a^6e^{12})/(a^3c^7)))/(a^*c^3)))/c$

giac [A] time = 0.21, size = 405, normalized size = 1.09

$$\frac{c^2x^3e^3 + 9c^2dxe^2}{3c^3} + \frac{\sqrt{2}\left(\left(ac^3\right)^{\frac{1}{4}}c^3d^3 - 3\left(ac^3\right)^{\frac{1}{4}}ac^2de^2 + 3\left(ac^3\right)^{\frac{3}{4}}cd^2e - \left(ac^3\right)^{\frac{3}{4}}ae^3\right)\arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{4ac^4} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*x^4+a),x, algorithm="giac")

[Out] $1/3*(c^2x^3e^3 + 9c^2d*x*e^2)/c^3 + 1/4*\sqrt{2}*((a*c^3)^{(1/4)}*c^3*d^3 - 3*(a*c^3)^{(1/4)}*a*c^2*d*e^2 + 3*(a*c^3)^{(3/4)}*c*d^2*e - (a*c^3)^{(3/4)}*a*e^3)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/c)^{(1/4)})/(a/c)^{(1/4)})/(a*c^4) + 1/4*\sqrt{2}*((a*c^3)^{(1/4)}*c^3*d^3 - 3*(a*c^3)^{(1/4)}*a*c^2*d*e^2 + 3*(a*c^3)^{(3/4)}*c*d^2*e - (a*c^3)^{(3/4)}*a*e^3)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/c)^{(1/4)})/(a/c)^{(1/4)})/(a*c^4) + 1/8*\sqrt{2}*((a*c^3)^{(1/4)}*c^3*d^3 - 3*(a*c^3)^{(1/4)}*a*c^2*d*e^2 - 3*(a*c^3)^{(3/4)}*c*d^2*e + (a*c^3)^{(3/4)}*a*e^3)*\log(x^2 + \sqrt{2}*x*(a/c)^{(1/4)} + \sqrt{2}*(a/c)^{(1/4)})/(a*c^4) - 1/8*\sqrt{2}*((a*c^3)^{(1/4)}*c^3*d^3 - 3*(a*c^3)^{(1/4)}*a*c^2*d*e^2 - 3*(a*c^3)^{(3/4)}*c*d^2*e + (a*c^3)^{(3/4)}*a*e^3)*\log(x^2 - \sqrt{2}*x*(a/c)^{(1/4)} + \sqrt{2}*(a/c)^{(1/4)})/(a*c^4)$

maple [A] time = 0.00, size = 572, normalized size = 1.55

$$\frac{e^3x^3}{3c} - \frac{\sqrt{2}ae^3\arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} - 1\right)}{4\left(\frac{a}{c}\right)^{\frac{1}{4}}c^2} - \frac{\sqrt{2}ae^3\arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} + 1\right)}{4\left(\frac{a}{c}\right)^{\frac{1}{4}}c^2} - \frac{\sqrt{2}ae^3\ln\left(\frac{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}x + \sqrt{\frac{a}{c}}}{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}x + \sqrt{\frac{a}{c}}}\right)}{8\left(\frac{a}{c}\right)^{\frac{1}{4}}c^2} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}d^3\arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^3/(c*x^4+a),x)

[Out] $1/3*e^3x^3/c + 3d*e^2*x/c - 3/4/c*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d*e^2 + 1/4*(a/c)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d^3 - 3/8/c*(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*d*e^2 + 1/8*(a/c)^{(1/4)}/a*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*d^3 - 3/4/c*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d*e^2 + 1/4*$

$$\begin{aligned} & (a/c)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d^3-1/8/c^2/(a/c)^{(1/4)} \\ & *2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})) \\ & *a*e^3+3/8/c/(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})) \\ & *d^2*e-1/4/c^2/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*a*e^3+3/4/c/(a/c)^{(1/4)} \\ & *2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d^2*e-1/4/c^2/(a/c)^{(1/4)}*2^{(1/2)}* \\ & \arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*a*e^3+3/4/c/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d^2*e \end{aligned}$$

maxima [A] time = 2.48, size = 342, normalized size = 0.92

$$\frac{e^3 x^3 + 9 d e^2 x}{3 c} + \frac{2 \sqrt{2} \left(c^{\frac{3}{2}} d^3 + 3 \sqrt{a} c d^2 e - 3 a \sqrt{c} d e^2 - a^{\frac{3}{2}} e^3 \right) \arctan \left(\frac{\sqrt{2} \left(2 \sqrt{c} x + \sqrt{2} a^{\frac{1}{4}} c^{\frac{1}{4}} \right)}{2 \sqrt{\sqrt{a} \sqrt{c}}} \right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{c} \sqrt{c}}} + \frac{2 \sqrt{2} \left(c^{\frac{3}{2}} d^3 + 3 \sqrt{a} c d^2 e - 3 a \sqrt{c} d e^2 - a^{\frac{3}{2}} e^3 \right) \arctan \left(\frac{\sqrt{2} \left(2 \sqrt{c} x - \sqrt{2} a^{\frac{1}{4}} c^{\frac{1}{4}} \right)}{2 \sqrt{\sqrt{a} \sqrt{c}}} \right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{c} \sqrt{c}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*x^4+a),x, algorithm="maxima")

[Out] 1/3*(e^3*x^3 + 9*d*e^2*x)/c + 1/8*(2*sqrt(2)*(c^(3/2)*d^3 + 3*sqrt(a)*c*d^2*e - 3*a*sqrt(c)*d*e^2 - a^(3/2)*e^3)*arctan(1/2*sqrt(2)*(2*sqrt(c)*x + sqrt(2)*a^(1/4)*c^(1/4))/sqrt(sqrt(a)*sqrt(c)))/sqrt(a)*sqrt(sqrt(a)*sqrt(c))*sqrt(c) + 2*sqrt(2)*(c^(3/2)*d^3 + 3*sqrt(a)*c*d^2*e - 3*a*sqrt(c)*d*e^2 - a^(3/2)*e^3)*arctan(1/2*sqrt(2)*(2*sqrt(c)*x - sqrt(2)*a^(1/4)*c^(1/4))/sqrt(sqrt(a)*sqrt(c)))/sqrt(a)*sqrt(sqrt(a)*sqrt(c))*sqrt(c) + sqrt(2)*(c^(3/2)*d^3 - 3*sqrt(a)*c*d^2*e - 3*a*sqrt(c)*d*e^2 + a^(3/2)*e^3)*log(sqrt(c)*x^2 + sqrt(2)*a^(1/4)*c^(1/4)*x + sqrt(a))/(a^(3/4)*c^(3/4)) - sqrt(2)*(c^(3/2)*d^3 - 3*sqrt(a)*c*d^2*e - 3*a*sqrt(c)*d*e^2 + a^(3/2)*e^3)*log(sqrt(c)*x^2 - sqrt(2)*a^(1/4)*c^(1/4)*x + sqrt(a))/(a^(3/4)*c^(3/4))/c

mupad [B] time = 4.88, size = 2712, normalized size = 7.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^3/(a + c*x^4),x)

[Out] (e^3*x^3)/(3*c) - atan((a^3*e^6*x*((e^6*(-a^3*c^7)^(1/2))/(16*c^7) + (5*d^3*e^3)/(4*c^2) - (3*d^5*e)/(8*a*c) - (3*a*d*e^5)/(8*c^3) - (d^6*(-a^3*c^7)^(1/2))/(16*a^3*c^4) - (15*d^2*e^4*(-a^3*c^7)^(1/2))/(16*a*c^6) + (15*d^4*e^2*(-a^3*c^7)^(1/2))/(16*a^2*c^5))^(1/2)*8i)/(6*c^2*d^8*e + (2*a^4*e^9)/c^2 + 120*a^2*d^4*e^5 - (36*a^3*d^2*e^7)/c - 92*a*c*d^6*e^3 + (2*d^9*(-a^3*c^7)^(1/2))/(a^2*c) + (120*d^5*e^4*(-a^3*c^7)^(1/2))/c^3 - (92*a*d^3*e^6*(-a^3*c

$$\begin{aligned}
& \left. \right)^{(1/2)}/c^4 + (6a^2d^8e^8(-a^3c^7)^{(1/2)})/c^5 - (36d^7e^2(-a^3c^7)^{(1/2)})/(ac^2) - (c^3d^6x((e^6(-a^3c^7)^{(1/2)})/(16c^7) + (5d^3e^3)/(4c^2) - (3d^5e)/(8ac) - (3ad^5e^5)/(8c^3) - (d^6(-a^3c^7)^{(1/2)})/(16a^3c^4) - (15d^2e^4(-a^3c^7)^{(1/2)})/(16ac^6) + (15d^4e^2(-a^3c^7)^{(1/2)})/(16a^2c^5))^{(1/2)}*8i)/(6c^2d^8e + (2a^4e^9)/c^2 + 120a^2d^4e^5 - (36a^3d^2e^7)/c - 92a^2cd^6e^3 + (2d^9(-a^3c^7)^{(1/2)})/(a^2c) + (120d^5e^4(-a^3c^7)^{(1/2)})/c^3 - (92ad^3e^6(-a^3c^7)^{(1/2)})/c^4 + (6a^2d^8e^8(-a^3c^7)^{(1/2)})/c^5 - (36d^7e^2(-a^3c^7)^{(1/2)})/(ac^2) + (ac^2d^4e^2x((e^6(-a^3c^7)^{(1/2)})/(16c^7) + (5d^3e^3)/(4c^2) - (3d^5e)/(8ac) - (3ad^5e^5)/(8c^3) - (d^6(-a^3c^7)^{(1/2)})/(16a^3c^4) - (15d^2e^4(-a^3c^7)^{(1/2)})/(16ac^6) + (15d^4e^2(-a^3c^7)^{(1/2)})/(16a^2c^5))^{(1/2)}*120i)/(6c^2d^8e + (2a^4e^9)/c^2 + 120a^2d^4e^5 - (36a^3d^2e^7)/c - 92a^2cd^6e^3 + (2d^9(-a^3c^7)^{(1/2)})/(a^2c) + (120d^5e^4(-a^3c^7)^{(1/2)})/c^3 - (92ad^3e^6(-a^3c^7)^{(1/2)})/c^4 + (6a^2d^8e^8(-a^3c^7)^{(1/2)})/c^5 - (36d^7e^2(-a^3c^7)^{(1/2)})/(ac^2) - (a^2cd^2e^4x((e^6(-a^3c^7)^{(1/2)})/(16c^7) + (5d^3e^3)/(4c^2) - (3d^5e)/(8ac) - (3ad^5e^5)/(8c^3) - (d^6(-a^3c^7)^{(1/2)})/(16a^3c^4) - (15d^2e^4(-a^3c^7)^{(1/2)})/(16ac^6) + (15d^4e^2(-a^3c^7)^{(1/2)})/(16a^2c^5))^{(1/2)}*120i)/(6c^2d^8e + (2a^4e^9)/c^2 + 120a^2d^4e^5 - (36a^3d^2e^7)/c - 92a^2cd^6e^3 + (2d^9(-a^3c^7)^{(1/2)})/(a^2c) + (120d^5e^4(-a^3c^7)^{(1/2)})/c^3 - (92ad^3e^6(-a^3c^7)^{(1/2)})/c^4 + (6a^2d^8e^8(-a^3c^7)^{(1/2)})/c^5 - (36d^7e^2(-a^3c^7)^{(1/2)})/(ac^2)) * (-c^3d^6(-a^3c^7)^{(1/2)} - a^3e^6(-a^3c^7)^{(1/2)} + 6a^2c^6d^5e + 6a^4c^4d^5e^5 - 20a^3c^5d^3e^3 - 15a^2c^2d^4e^2(-a^3c^7)^{(1/2)} + 15a^2cd^2e^4(-a^3c^7)^{(1/2)})/(16a^3c^7))^{(1/2)}*2i - \operatorname{atan}((a^3e^6x((5d^3e^3)/(4c^2) - (e^6(-a^3c^7)^{(1/2)})/(16c^7) - (3d^5e)/(8ac) - (3ad^5e^5)/(8c^3) + (d^6(-a^3c^7)^{(1/2)})/(16a^3c^4) + (15d^2e^4(-a^3c^7)^{(1/2)})/(16ac^6) - (15d^4e^2(-a^3c^7)^{(1/2)})/(16a^2c^5))^{(1/2)}*8i)/(6c^2d^8e + (2a^4e^9)/c^2 + 120a^2d^4e^5 - (36a^3d^2e^7)/c - 92a^2cd^6e^3 - (2d^9(-a^3c^7)^{(1/2)})/(a^2c) - (120d^5e^4(-a^3c^7)^{(1/2)})/c^3 + (92ad^3e^6(-a^3c^7)^{(1/2)})/c^4 - (6a^2d^8e^8(-a^3c^7)^{(1/2)})/c^5 + (36d^7e^2(-a^3c^7)^{(1/2)})/(ac^2)) - (c^3d^6x((5d^3e^3)/(4c^2) - (e^6(-a^3c^7)^{(1/2)})/(16c^7) - (3d^5e)/(8ac) - (3ad^5e^5)/(8c^3) + (d^6(-a^3c^7)^{(1/2)})/(16a^3c^4) + (15d^2e^4(-a^3c^7)^{(1/2)})/(16ac^6) - (15d^4e^2(-a^3c^7)^{(1/2)})/(16a^2c^5))^{(1/2)}*8i)/(6c^2d^8e + (2a^4e^9)/c^2 + 120a^2d^4e^5 - (36a^3d^2e^7)/c - 92a^2cd^6e^3 - (2d^9(-a^3c^7)^{(1/2)})/(a^2c) - (120d^5e^4(-a^3c^7)^{(1/2)})/c^3 + (92ad^3e^6(-a^3c^7)^{(1/2)})/c^4 - (6a^2d^8e^8(-a^3c^7)^{(1/2)})/c^5 + (36d^7e^2(-a^3c^7)^{(1/2)})/(ac^2)) + (ac^2d^4e^2x((5d^3e^3)/(4c^2) - (e^6(-a^3c^7)^{(1/2)})/(16c^7) - (3d^5e)/(8ac) - (3ad^5e^5)/(8c^3) + (d^6(-a^3c^7)^{(1/2)})/(16a^3c^4) + (15d^2e^4(-a^3c^7)^{(1/2)})/(16ac^6) - (15d^4e^2(-a^3c^7)^{(1/2)})/(16a^2c^5))^{(1/2)}*120i)/(6c^2d^8e + (2a^4e^9)/c^2 + 120a^2d^4e^5 - (36a^3d^2e^7)/c - 92a^2cd^6e^3 - (2d^9(-a^3c^7)^{(1/2)})/(a^2c) - (120d^5e^4(-a^3c^7)^{(1/2)})/c^3 + (92ad^3e^6(-a^3c^7)^{(1/2)})/c^4 - (6a^2d^8e^8(-a^3c^7)^{(1/2)})/c^5 + (36d^7e^2(-a^3c^7)^{(1/2)})/(ac^2))
\end{aligned}$$

$$\begin{aligned} & 1/2))/c^4 - (6*a^2*d*e^8*(-a^3*c^7)^{(1/2)})/c^5 + (36*d^7*e^2*(-a^3*c^7)^{(1/2)})/(a*c^2) - (a^2*c*d^2*e^4*x*((5*d^3*e^3)/(4*c^2) - (e^6*(-a^3*c^7)^{(1/2)}))/(16*c^7) - (3*d^5*e)/(8*a*c) - (3*a*d*e^5)/(8*c^3) + (d^6*(-a^3*c^7)^{(1/2)})/(16*a^3*c^4) + (15*d^2*e^4*(-a^3*c^7)^{(1/2)})/(16*a*c^6) - (15*d^4*e^2*(-a^3*c^7)^{(1/2)})/(16*a^2*c^5))^{(1/2)}*120i)/(6*c^2*d^8*e + (2*a^4*e^9)/c^2 + 120*a^2*d^4*e^5 - (36*a^3*d^2*e^7)/c - 92*a*c*d^6*e^3 - (2*d^9*(-a^3*c^7)^{(1/2)})/(a^2*c) - (120*d^5*e^4*(-a^3*c^7)^{(1/2)})/c^3 + (92*a*d^3*e^6*(-a^3*c^7)^{(1/2)})/c^4 - (6*a^2*d*e^8*(-a^3*c^7)^{(1/2)})/c^5 + (36*d^7*e^2*(-a^3*c^7)^{(1/2)})/(a*c^2))*(-(a^3*e^6*(-a^3*c^7)^{(1/2)} - c^3*d^6*(-a^3*c^7)^{(1/2)} + 6*a^2*c^6*d^5*e + 6*a^4*c^4*d*e^5 - 20*a^3*c^5*d^3*e^3 + 15*a*c^2*d^4*e^2*(-a^3*c^7)^{(1/2)} - 15*a^2*c*d^2*e^4*(-a^3*c^7)^{(1/2)})/(16*a^3*c^7))^{(1/2)}*2i + (3*d*e^2*x)/c \end{aligned}$$

sympy [A] time = 2.27, size = 350, normalized size = 0.95

$$\text{RootSum}\left(256t^4a^3c^7 + t^2(192a^4c^4de^5 - 640a^3c^5d^3e^3 + 192a^2c^6d^5e) + a^6e^{12} + 6a^5cd^2e^{10} + 15a^4c^2d^4e^8 + 20a^3c^3d\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**3/(c*x**4+a),x)

[Out] RootSum(256*_t**4*a**3*c**7 + _t**2*(192*a**4*c**4*d*e**5 - 640*a**3*c**5*d**3*e**3 + 192*a**2*c**6*d**5*e) + a**6*e**12 + 6*a**5*c*d**2*e**10 + 15*a**4*c**2*d**4*e**8 + 20*a**3*c**3*d**6*e**6 + 15*a**2*c**4*d**8*e**4 + 6*a*c**5*d**10*e**2 + c**6*d**12, Lambda(_t, _t*log(x + (-64*_t**3*a**4*c**5*e**3 + 192*_t**3*a**3*c**6*d**2*e - 36*_t*a**5*c**2*d*e**8 + 336*_t*a**4*c**3*d**3*e**6 - 504*_t*a**3*c**4*d**5*e**4 + 144*_t*a**2*c**5*d**7*e**2 - 4*_t*a*c**6*d**9)/(a**6*e**12 - 12*a**5*c*d**2*e**10 - 27*a**4*c**2*d**4*e**8 + 27*a**2*c**4*d**8*e**4 + 12*a*c**5*d**10*e**2 - c**6*d**12)))) + 3*d*e**2*x/c + e**3*x**3/(3*c)

$$3.139 \quad \int \frac{(d+ex^2)^2}{a+cx^4} dx$$

Optimal. Leaf size=297

$$\frac{(-2\sqrt{a}\sqrt{c}de - ae^2 + cd^2) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}c^{5/4}} + \frac{(-2\sqrt{a}\sqrt{c}de - ae^2 + cd^2) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}c^{5/4}}$$

[Out] $e^2x/c - 1/8 \ln(-a^{1/4}c^{1/4}x^2 + a^{1/2} + x^2c^{1/2}) * (cd^2 - ae^2 - 2d*ea^{1/2}c^{1/2})/a^{3/4}/c^{5/4} * 2^{1/2} + 1/8 \ln(a^{1/4}c^{1/4}x^2 + a^{1/2} + x^2c^{1/2}) * (cd^2 - ae^2 - 2d*ea^{1/2}c^{1/2})/a^{3/4}/c^{5/4} * 2^{1/2} + 1/4 \arctan(-1 + c^{1/4}x^2/a^{1/4}) * (cd^2 - ae^2 + 2d*ea^{1/2}c^{1/2})/a^{3/4}/c^{5/4} * 2^{1/2} + 1/4 \arctan(1 + c^{1/4}x^2/a^{1/4}) * (cd^2 - ae^2 + 2d*ea^{1/2}c^{1/2})/a^{3/4}/c^{5/4} * 2^{1/2}$

Rubi [A] time = 0.29, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {1171, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(-2\sqrt{a}\sqrt{c}de - ae^2 + cd^2) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}c^{5/4}} + \frac{(-2\sqrt{a}\sqrt{c}de - ae^2 + cd^2) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}c^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^2/(a + c*x^4), x]

[Out] $(e^2x)/c - ((cd^2 + 2\sqrt{a}\sqrt{c}d*ea^{1/4}) * \text{ArcTan}[1 - (\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a})/a^{1/4}]) / (2\sqrt{2}a^{3/4}c^{5/4}) + ((cd^2 + 2\sqrt{a}\sqrt{c}d*ea^{1/4}) * \text{ArcTan}[1 + (\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a})/a^{1/4}]) / (2\sqrt{2}a^{3/4}c^{5/4}) - ((cd^2 - 2\sqrt{a}\sqrt{c}d*ea^{1/4}) * \text{Log}[\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2]) / (4\sqrt{2}a^{3/4}c^{5/4}) + ((cd^2 - 2\sqrt{a}\sqrt{c}d*ea^{1/4}) * \text{Log}[\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2]) / (4\sqrt{2}a^{3/4}c^{5/4})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1171

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/((a_) + (c_.)*(x_)^4), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[q]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2}{a + cx^4} dx &= \int \left(\frac{e^2}{c} + \frac{cd^2 - ae^2 + 2cdex^2}{c(a + cx^4)} \right) dx \\
&= \frac{e^2x}{c} + \frac{\int \frac{cd^2 - ae^2 + 2cdex^2}{a + cx^4} dx}{c} \\
&= \frac{e^2x}{c} + \frac{(cd^2 - 2\sqrt{a}\sqrt{c}de - ae^2) \int \frac{\sqrt{a}\sqrt{c} - cx^2}{a + cx^4} dx}{2\sqrt{a}c^{3/2}} + \frac{(cd^2 + 2\sqrt{a}\sqrt{c}de - ae^2) \int \frac{\sqrt{a}\sqrt{c} + cx^2}{a + cx^4} dx}{2\sqrt{a}c^{3/2}} \\
&= \frac{e^2x}{c} - \frac{(cd^2 - 2\sqrt{a}\sqrt{c}de - ae^2) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt{c}} + 2x}{-\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}} - x^2} dx}{4\sqrt{2}a^{3/4}c^{5/4}} - \frac{(cd^2 - 2\sqrt{a}\sqrt{c}de - ae^2) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt{c}} - 2x}{-\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}} - x^2} dx}{4\sqrt{2}a^{3/4}c^{5/4}} \\
&= \frac{e^2x}{c} - \frac{(cd^2 - 2\sqrt{a}\sqrt{c}de - ae^2) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}c^{5/4}} + \frac{(cd^2 - 2\sqrt{a}\sqrt{c}de - ae^2) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}c^{5/4}} \\
&= \frac{e^2x}{c} - \frac{(cd^2 + 2\sqrt{a}\sqrt{c}de - ae^2) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{a}}\right)}{2\sqrt{2}a^{3/4}c^{5/4}} + \frac{(cd^2 + 2\sqrt{a}\sqrt{c}de - ae^2) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{a}}\right)}{2\sqrt{2}a^{3/4}c^{5/4}}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 269, normalized size = 0.91

$$8a^{3/4}\sqrt[4]{c}e^2x + \sqrt{2}(2\sqrt{a}\sqrt{c}de + ae^2 - cd^2) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2) + \sqrt{2}(-2\sqrt{a}\sqrt{c}de - ae^2 + cd^2) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2/(a + c*x^4), x]

[Out] (8*a^(3/4)*c^(1/4)*e^2*x - 2*Sqrt[2]*(c*d^2 + 2*Sqrt[a]*Sqrt[c]*d*e - a*e^2)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 2*Sqrt[2]*(c*d^2 + 2*Sqrt[a]*Sqrt[c]*d*e - a*e^2)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + Sqrt[2]*(-(c*d^2) + 2*Sqrt[a]*Sqrt[c]*d*e + a*e^2)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2] + Sqrt[2]*(c*d^2 - 2*Sqrt[a]*Sqrt[c]*d*e - a*e^2)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2]/(8*a^(3/4)*c^(5/4))

fricas [B] time = 0.61, size = 1480, normalized size = 4.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+a),x, algorithm="fricas")

[Out] $\frac{1}{4} \cdot (4e^2x + c\sqrt{-(4cd^3e - 4ad^3e^3 + a^2c^2\sqrt{-(c^4d^8 - 12a^3cd^6e^2 + 38a^2c^2d^4e^4 - 12a^3cd^2e^6 + a^4e^8)})/(a^3c^5)}) / (a^2c^2) \cdot \log((c^4d^8 - 4a^3cd^6e^2 - 10a^2c^2d^4e^4 - 4a^3cd^2e^6 + a^4e^8) \cdot x + (a^4cd^6 - 7a^2c^3d^4e^2 + 7a^3c^2d^2e^4 - a^4c^2e^6 + 2a^3c^4d^2e^2 \sqrt{-(c^4d^8 - 12a^3cd^6e^2 + 38a^2c^2d^4e^4 - 12a^3cd^2e^6 + a^4e^8)}) / (a^3c^5))) \sqrt{-(4cd^3e - 4ad^3e^3 + a^2c^2\sqrt{-(c^4d^8 - 12a^3cd^6e^2 + 38a^2c^2d^4e^4 - 12a^3cd^2e^6 + a^4e^8)}) / (a^3c^5)}) / (a^2c^2)) - c\sqrt{-(4cd^3e - 4ad^3e^3 + a^2c^2\sqrt{-(c^4d^8 - 12a^3cd^6e^2 + 38a^2c^2d^4e^4 - 12a^3cd^2e^6 + a^4e^8)}) / (a^3c^5)}) / (a^2c^2) \cdot \log((c^4d^8 - 4a^3cd^6e^2 - 10a^2c^2d^4e^4 - 4a^3cd^2e^6 + a^4e^8) \cdot x - (a^4cd^6 - 7a^2c^3d^4e^2 + 7a^3c^2d^2e^4 - a^4c^2e^6 + 2a^3c^4d^2e^2 \sqrt{-(c^4d^8 - 12a^3cd^6e^2 + 38a^2c^2d^4e^4 - 12a^3cd^2e^6 + a^4e^8)}) / (a^3c^5))) \sqrt{-(4cd^3e - 4ad^3e^3 + a^2c^2\sqrt{-(c^4d^8 - 12a^3cd^6e^2 + 38a^2c^2d^4e^4 - 12a^3cd^2e^6 + a^4e^8)}) / (a^3c^5)}) / (a^2c^2)) + c\sqrt{-(4cd^3e - 4ad^3e^3 - a^2c^2\sqrt{-(c^4d^8 - 12a^3cd^6e^2 + 38a^2c^2d^4e^4 - 12a^3cd^2e^6 + a^4e^8)}) / (a^3c^5)}) / (a^2c^2) \cdot \log((c^4d^8 - 4a^3cd^6e^2 - 10a^2c^2d^4e^4 - 4a^3cd^2e^6 + a^4e^8) \cdot x + (a^4cd^6 - 7a^2c^3d^4e^2 + 7a^3c^2d^2e^4 - a^4c^2e^6 - 2a^3c^4d^2e^2 \sqrt{-(c^4d^8 - 12a^3cd^6e^2 + 38a^2c^2d^4e^4 - 12a^3cd^2e^6 + a^4e^8)}) / (a^3c^5))) \sqrt{-(4cd^3e - 4ad^3e^3 - a^2c^2\sqrt{-(c^4d^8 - 12a^3cd^6e^2 + 38a^2c^2d^4e^4 - 12a^3cd^2e^6 + a^4e^8)}) / (a^3c^5)}) / (a^2c^2)) - c\sqrt{-(4cd^3e - 4ad^3e^3 - a^2c^2\sqrt{-(c^4d^8 - 12a^3cd^6e^2 + 38a^2c^2d^4e^4 - 12a^3cd^2e^6 + a^4e^8)}) / (a^3c^5)}) / (a^2c^2) \cdot \log((c^4d^8 - 4a^3cd^6e^2 - 10a^2c^2d^4e^4 - 4a^3cd^2e^6 + a^4e^8) \cdot x - (a^4cd^6 - 7a^2c^3d^4e^2 + 7a^3c^2d^2e^4 - a^4c^2e^6 - 2a^3c^4d^2e^2 \sqrt{-(c^4d^8 - 12a^3cd^6e^2 + 38a^2c^2d^4e^4 - 12a^3cd^2e^6 + a^4e^8)}) / (a^3c^5))) \sqrt{-(4cd^3e - 4ad^3e^3 - a^2c^2\sqrt{-(c^4d^8 - 12a^3cd^6e^2 + 38a^2c^2d^4e^4 - 12a^3cd^2e^6 + a^4e^8)}) / (a^3c^5)}) / (a^2c^2)))/c$

giac [A] time = 0.18, size = 318, normalized size = 1.07

$$\frac{xe^2}{c} + \frac{\sqrt{2} \left((ac^3)^{\frac{1}{4}} c^2 d^2 - (ac^3)^{\frac{1}{4}} ace^2 + 2 (ac^3)^{\frac{3}{4}} de \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{c} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{c} \right)^{\frac{1}{4}}} \right)}{4ac^3} + \frac{\sqrt{2} \left((ac^3)^{\frac{1}{4}} c^2 d^2 - (ac^3)^{\frac{1}{4}} ace^2 + 2 (ac^3)^{\frac{3}{4}} de \right)}{4ac^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+a),x, algorithm="giac")

[Out] $x e^2 / c + 1/4 \sqrt{2} \cdot ((a^3c)^{1/4} \cdot c^2 d^2 - (a^3c)^{1/4} \cdot a c e^2 + 2 \cdot (a^3c)^{3/4} \cdot d e) \cdot \arctan(1/2 \sqrt{2} \cdot (2x + \sqrt{2} \cdot (a/c)^{1/4}) / (a/c)^{1/4})$

$$\frac{1}{(a*c^3)} + \frac{1}{4}*\sqrt{2}*((a*c^3)^{(1/4)}*c^2*d^2 - (a*c^3)^{(1/4)}*a*c*e^2 + 2*(a*c^3)^{(3/4)}*d*e)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/c)^{(1/4)})/(a/c)^{(1/4)})/(a*c^3) + \frac{1}{8}*\sqrt{2}*((a*c^3)^{(1/4)}*c^2*d^2 - (a*c^3)^{(1/4)}*a*c*e^2 - 2*(a*c^3)^{(3/4)}*d*e)*\log(x^2 + \sqrt{2}*x*(a/c)^{(1/4)} + \sqrt{a/c})/(a*c^3) - \frac{1}{8}*\sqrt{2}*((a*c^3)^{(1/4)}*c^2*d^2 - (a*c^3)^{(1/4)}*a*c*e^2 - 2*(a*c^3)^{(3/4)}*d*e)*\log(x^2 - \sqrt{2}*x*(a/c)^{(1/4)} + \sqrt{a/c})/(a*c^3)$$

maple [A] time = 0.00, size = 412, normalized size = 1.39

$$\frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} d^2 \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} - 1\right)}{4a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} d^2 \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} + 1\right)}{4a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} d^2 \ln\left(\frac{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}\right)}{8a} + \frac{\sqrt{2} d e \arctan\left(\frac{a}{c}\right)}{2\left(\frac{a}{c}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2/(c*x^4+a),x)

[Out]
$$e^2*x/c - 1/4/c*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*e^{2+1/4}*(a/c)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d^2 - 1/8/c*(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*e^{2+1/8}*(a/c)^{(1/4)}/a*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*d^2 - 1/4/c*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*e^{2+1/4}*(a/c)^{(1/4)}/a*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d^2 + 1/4/c*d*e/(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))+1/2/c*d*e/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)+1/2/c*d*e/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)$$

maxima [A] time = 2.36, size = 288, normalized size = 0.97

$$\frac{e^2 x}{c} + \frac{2\sqrt{2}\left(c^{\frac{3}{2}}d^2 + 2\sqrt{a}cde - a\sqrt{c}e^2\right)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{2\sqrt{2}\left(c^{\frac{3}{2}}d^2 + 2\sqrt{a}cde - a\sqrt{c}e^2\right)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x - \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{\sqrt{2}\left(c^{\frac{3}{2}}d^2 - 2\sqrt{a}cde + a\sqrt{c}e^2\right)\arctan\left(\frac{a}{c}\right)}{8c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+a),x, algorithm="maxima")

[Out]
$$e^2*x/c + 1/8*(2*\sqrt{2}*(c^{(3/2)}*d^2 + 2*\sqrt{a}*c*d*e - a*\sqrt{c})*e^2)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x + \sqrt{2}*a^{(1/4)}*c^{(1/4)})/\sqrt{a}*\sqrt{c})/\sqrt{a}*\sqrt{c} + 2*\sqrt{2}*(c^{(3/2)}*d^2 + 2*s$$

$$\frac{\sqrt{a} c d e - a \sqrt{c} e^2 \arctan\left(\frac{1}{2} \sqrt{2} \left(2 \sqrt{c} x - \sqrt{2} a^{1/4} c^{1/4}\right) / \sqrt{\sqrt{a} \sqrt{c}}\right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{c}} \sqrt{c}} + \frac{\sqrt{2} \left(c^{3/2} d^2 - 2 \sqrt{a} c d e - a \sqrt{c} e^2\right) \log\left(\sqrt{c} x^2 + \sqrt{2} a^{1/4} c^{1/4} x + \sqrt{a}\right) / \left(a^{3/4} c^{3/4}\right) - \sqrt{2} \left(c^{3/2} d^2 - 2 \sqrt{a} c d e - a \sqrt{c} e^2\right) \log\left(\sqrt{c} x^2 - \sqrt{2} a^{1/4} c^{1/4} x + \sqrt{a}\right) / \left(a^{3/4} c^{3/4}\right)}{c}$$

mupad [B] time = 4.79, size = 1479, normalized size = 4.98

$$\frac{e^2 x}{c} - 2 \operatorname{atanh} \left(\frac{8 c^3 d^4 x \sqrt{\frac{d e^3}{4 c^2} - \frac{d^3 e}{4 a c} + \frac{d^4 \sqrt{-a^3 c^5}}{16 a^3 c^3} + \frac{e^4 \sqrt{-a^3 c^5}}{16 a c^5} - \frac{3 d^2 e^2 \sqrt{-a^3 c^5}}{8 a^2 c^4}}}{4 a^2 d e^5 - \frac{2 d^6 \sqrt{-a^3 c^5}}{a^2} + 4 c^2 d^5 e + \frac{2 a e^6 \sqrt{-a^3 c^5}}{c^3} - 24 a c d^3 e^3 - \frac{14 d^2 e^4 \sqrt{-a^3 c^5}}{c^2} + \frac{14 d^4 e^2 \sqrt{-a^3 c^5}}{a c}}{4 a^2} \right) + \frac{1}{4 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)^2/(a + c*x^4),x)`

[Out]
$$\frac{e^2 x}{c} - 2 \operatorname{atanh} \left(\frac{8 c^3 d^4 x \left(\frac{d e^3}{4 c^2} - \frac{d^3 e}{4 a c} + \frac{d^4 \sqrt{-a^3 c^5}}{16 a^3 c^3} + \frac{e^4 \sqrt{-a^3 c^5}}{16 a c^5} - \frac{3 d^2 e^2 \sqrt{-a^3 c^5}}{8 a^2 c^4} \right)}{4 a^2 d e^5 - \frac{2 d^6 \sqrt{-a^3 c^5}}{a^2} + 4 c^2 d^5 e + \frac{2 a e^6 \sqrt{-a^3 c^5}}{c^3} - 24 a c d^3 e^3 - \frac{14 d^2 e^4 \sqrt{-a^3 c^5}}{c^2} + \frac{14 d^4 e^2 \sqrt{-a^3 c^5}}{a c}}{4 a^2} \right) + \frac{1}{4 a^2}$$

$$*c) - (d^4*(-a^3*c^5)^{(1/2)})/(16*a^3*c^3) - (e^4*(-a^3*c^5)^{(1/2)})/(16*a*c^5) + (3*d^2*e^2*(-a^3*c^5)^{(1/2)})/(8*a^2*c^4)^{(1/2)})/((2*d^6*(-a^3*c^5)^{(1/2)})/a^2 + 4*a^2*d*e^5 + 4*c^2*d^5*e - (2*a*e^6*(-a^3*c^5)^{(1/2)})/c^3 - 24*a*c*d^3*e^3 + (14*d^2*e^4*(-a^3*c^5)^{(1/2)})/c^2 - (14*d^4*e^2*(-a^3*c^5)^{(1/2)})/(a*c)))*(-a^2*e^4*(-a^3*c^5)^{(1/2)} + c^2*d^4*(-a^3*c^5)^{(1/2)} + 4*a^2*c^4*d^3*e - 4*a^3*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^5)^{(1/2)})/(16*a^3*c^5)^{(1/2)}$$

sympy [A] time = 1.48, size = 238, normalized size = 0.80

$$\text{RootSum}\left(256t^4a^3c^5 + t^2(-128a^3c^3de^3 + 128a^2c^4d^3e) + a^4e^8 + 4a^3cd^2e^6 + 6a^2c^2d^4e^4 + 4ac^3d^6e^2 + c^4d^8, (t \mapsto$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2/(c*x**4+a),x)

[Out] RootSum(256*_t**4*a**3*c**5 + _t**2*(-128*a**3*c**3*d*e**3 + 128*a**2*c**4*d**3*e) + a**4*e**8 + 4*a**3*c*d**2*e**6 + 6*a**2*c**2*d**4*e**4 + 4*a*c**3*d**6*e**2 + c**4*d**8, Lambda(_t, _t*log(x + (-128*_t**3*a**3*c**4*d*e - 4*_t*a**4*c*e**6 + 60*_t*a**3*c**2*d**2*e**4 - 60*_t*a**2*c**3*d**4*e**2 + 4*_t*a*c**4*d**6)/(a**4*e**8 - 4*a**3*c*d**2*e**6 - 10*a**2*c**2*d**4*e**4 - 4*a*c**3*d**6*e**2 + c**4*d**8)))) + e**2*x/c

$$3.140 \quad \int \frac{d+ex^2}{a+cx^4} dx$$

Optimal. Leaf size=247

$$-\frac{(\sqrt{c}d - \sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} a^{3/4} c^{3/4}} + \frac{(\sqrt{c}d - \sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} a^{3/4} c^{3/4}} - \frac{(\sqrt{a}e + \sqrt{c}d)}{2\sqrt{a} \sqrt{c}}$$

[Out] $-1/8*\ln(-a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(-e*a^{(1/2)}+d*c^{(1/2)})/a^{(3/4)}/c^{(3/4)}*2^{(1/2)}+1/8*\ln(a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(-e*a^{(1/2)}+d*c^{(1/2)})/a^{(3/4)}/c^{(3/4)}*2^{(1/2)}+1/4*\arctan(-1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(e*a^{(1/2)}+d*c^{(1/2)})/a^{(3/4)}/c^{(3/4)}*2^{(1/2)}+1/4*\arctan(1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(e*a^{(1/2)}+d*c^{(1/2)})/a^{(3/4)}/c^{(3/4)}*2^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {1168, 1162, 617, 204, 1165, 628}

$$-\frac{(\sqrt{c}d - \sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} a^{3/4} c^{3/4}} + \frac{(\sqrt{c}d - \sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} a^{3/4} c^{3/4}} - \frac{(\sqrt{a}e + \sqrt{c}d)}{2\sqrt{a} \sqrt{c}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(a + c*x^4), x]

[Out] $-((\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)})]/(2*\text{Sqrt}[2]*a^{(3/4)}*c^{(3/4)}) + ((\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)})]/(2*\text{Sqrt}[2]*a^{(3/4)}*c^{(3/4)}) - ((\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*c^{(3/4)}) + ((\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*c^{(3/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]]}{b}, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - be, 0]$

Rule 1162

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2d)/e, 2]\}, \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e + qx + x^2, x], x] + \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e - qx + x^2, x], x], x]] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\ \& \ \text{EqQ}[cd^2 - ae^2, 0] \ \&\& \ \text{PosQ}[d^2e]$

Rule 1165

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(2d)/e, 2]\}, \text{Dist}[e/(2cq), \text{Int}[(q - 2x)/\text{Simp}[d/e + qx - x^2, x], x] + \text{Dist}[e/(2cq), \text{Int}[(q + 2x)/\text{Simp}[d/e - qx - x^2, x], x], x]] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[cd^2 - ae^2, 0] \ \&\& \ \text{NegQ}[d^2e]$

Rule 1168

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[ac, 2]\}, \text{Dist}[(dq + ae)/(2ac), \text{Int}[(q + cx^2)/(a + cx^4), x], x] + \text{Dist}[(dq - ae)/(2ac), \text{Int}[(q - cx^2)/(a + cx^4), x], x]] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[cd^2 + ae^2, 0] \ \&\& \ \text{NeQ}[cd^2 - ae^2, 0] \ \&\& \ \text{NegQ}[-(ac)]$

Rubi steps

$$\begin{aligned}
\int \frac{d+ex^2}{a+cx^4} dx &= \frac{\left(\frac{\sqrt{c}d}{\sqrt{a}} - e\right) \int \frac{\sqrt{a}\sqrt{c-cx^2}}{a+cx^4} dx}{2c} + \frac{\left(\frac{\sqrt{c}d}{\sqrt{a}} + e\right) \int \frac{\sqrt{a}\sqrt{c+cx^2}}{a+cx^4} dx}{2c} \\
&= \frac{\left(\frac{\sqrt{c}d}{\sqrt{a}} + e\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{4c} + \frac{\left(\frac{\sqrt{c}d}{\sqrt{a}} + e\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{4c} - \frac{(\sqrt{c}d - \sqrt{a}e) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{c}} + 2x}{-\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}} - x^2} dx}{4\sqrt{2}a^{3/4}c^{3/4}} \\
&= -\frac{(\sqrt{c}d - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}c^{3/4}} + \frac{(\sqrt{c}d - \sqrt{a}e) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}c^{3/4}} \\
&= -\frac{(\sqrt{c}d + \sqrt{a}e) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}c^{3/4}} + \frac{(\sqrt{c}d + \sqrt{a}e) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}c^{3/4}} - \frac{(\sqrt{c}d - \sqrt{a}e) \log(\sqrt{a})}{4\sqrt{2}}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 183, normalized size = 0.74

$$\frac{-\left(\sqrt{c}d - \sqrt{a}e\right) \left(\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2\right) - \log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2\right)\right) - 2\left(\sqrt{a}e + \sqrt{c}d\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{c}} + 2x\right)}{4\sqrt{2}a^{3/4}c^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/(a + c*x^4), x]

[Out] (-2*(Sqrt[c]*d + Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 2*(Sqrt[c]*d + Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)] - (Sqrt[c]*d - Sqrt[a]*e)*(Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2] - Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2]))/(4*Sqrt[2]*a^(3/4)*c^(3/4))

fricas [B] time = 0.43, size = 767, normalized size = 3.11

$$-\frac{1}{4} \sqrt{-\frac{ac\sqrt{-\frac{c^2d^4 - 2acd^2e^2 + a^2e^4}{a^3c^3}} + 2de}{ac}} \log\left(-\left(c^2d^4 - a^2e^4\right)x + \left(a^3c^2e\sqrt{-\frac{c^2d^4 - 2acd^2e^2 + a^2e^4}{a^3c^3}} + ac^2d^3 - a^2cde^2\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+a), x, algorithm="fricas")

[Out] -1/4*sqrt(-(a*c*sqrt(-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^3*c^3)) + 2*d*e)/(a*c))*log(-(c^2*d^4 - a^2*e^4)*x + (a^3*c^2*e*sqrt(-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^3*c^3)) + ac^2*d^3 - a^2*c*d*e^2))

$$2e^2 + a^2e^4)/(a^3c^3)) + a*c^2*d^3 - a^2*c*d*e^2)*\sqrt{-(a*c*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^3*c^3)) + 2*d*e)/(a*c))} + 1/4*\sqrt{-(a*c*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^3*c^3)) + 2*d*e)/(a*c))*\log(-(c^2*d^4 - a^2*e^4)*x - (a^3*c^2*e*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^3*c^3)) + a*c^2*d^3 - a^2*c*d*e^2)*\sqrt{-(a*c*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^3*c^3)) + 2*d*e)/(a*c))} + 1/4*\sqrt{(a*c*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^3*c^3)) - 2*d*e)/(a*c))*\log(-(c^2*d^4 - a^2*e^4)*x + (a^3*c^2*e*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^3*c^3)) - a*c^2*d^3 + a^2*c*d*e^2)*\sqrt{(a*c*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^3*c^3)) - 2*d*e)/(a*c))} - 1/4*\sqrt{(a*c*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^3*c^3)) - 2*d*e)/(a*c))*\log(-(c^2*d^4 - a^2*e^4)*x - (a^3*c^2*e*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^3*c^3)) - a*c^2*d^3 + a^2*c*d*e^2)*\sqrt{(a*c*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^3*c^3)) - 2*d*e)/(a*c))}$$

giac [A] time = 0.18, size = 245, normalized size = 0.99

$$\frac{\sqrt{2} \left((ac^3)^{\frac{1}{4}} c^2 d + (ac^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{c} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{c} \right)^{\frac{1}{4}}} \right)}{4 ac^3} + \frac{\sqrt{2} \left((ac^3)^{\frac{1}{4}} c^2 d + (ac^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{c} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{c} \right)^{\frac{1}{4}}} \right)}{4 ac^3} + \sqrt{2} \left(\frac{a}{c} \right)^{\frac{1}{4}} c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] 1/4*sqrt(2)*((a*c^3)^(1/4)*c^2*d + (a*c^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))/(a*c^3) + 1/4*sqrt(2)*((a*c^3)^(1/4)*c^2*d + (a*c^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))/(a*c^3) + 1/8*sqrt(2)*((a*c^3)^(1/4)*c^2*d - (a*c^3)^(3/4)*e)*log(x^2 + sqrt(2)*x*(a/c)^(1/4) + sqrt(a/c))/(a*c^3) - 1/8*sqrt(2)*((a*c^3)^(1/4)*c^2*d - (a*c^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/c)^(1/4) + sqrt(a/c))/(a*c^3)

maple [A] time = 0.00, size = 260, normalized size = 1.05

$$\frac{\left(\frac{a}{c} \right)^{\frac{1}{4}} \sqrt{2} d \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{c} \right)^{\frac{1}{4}}} - 1 \right)}{4a} + \frac{\left(\frac{a}{c} \right)^{\frac{1}{4}} \sqrt{2} d \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{c} \right)^{\frac{1}{4}}} + 1 \right)}{4a} + \frac{\left(\frac{a}{c} \right)^{\frac{1}{4}} \sqrt{2} d \ln \left(\frac{x^2 + \left(\frac{a}{c} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}{x^2 - \left(\frac{a}{c} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}} \right)}{8a} + \frac{\sqrt{2} e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{c} \right)^{\frac{1}{4}}} \right)}{4 \left(\frac{a}{c} \right)^{\frac{1}{4}} c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(c*x^4+a),x)

[Out] $\frac{1}{8}d \cdot \frac{(a/c)^{1/4}}{a \cdot 2^{1/2}} \cdot \ln((x^2 + (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2}) / (x^2 - (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2})) + \frac{1}{4}d \cdot \frac{(a/c)^{1/4}}{a \cdot 2^{1/2}} \cdot \arctan(2^{1/2} / ((a/c)^{1/4} \cdot x + 1)) + \frac{1}{4}d \cdot \frac{(a/c)^{1/4}}{a \cdot 2^{1/2}} \cdot \arctan(2^{1/2} / ((a/c)^{1/4} \cdot x - 1)) + \frac{1}{8}e/c \cdot \frac{(a/c)^{1/4}}{a \cdot 2^{1/2}} \cdot \ln((x^2 - (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2}) / (x^2 + (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2})) + \frac{1}{4}e/c \cdot \frac{(a/c)^{1/4}}{a \cdot 2^{1/2}} \cdot \arctan(2^{1/2} / ((a/c)^{1/4} \cdot x + 1)) + \frac{1}{4}e/c \cdot \frac{(a/c)^{1/4}}{a \cdot 2^{1/2}} \cdot \arctan(2^{1/2} / ((a/c)^{1/4} \cdot x - 1))$

maxima [A] time = 2.53, size = 221, normalized size = 0.89

$$\frac{\sqrt{2}(\sqrt{c}d + \sqrt{a}e) \arctan\left(\frac{\sqrt{2}(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}})}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}} + \frac{\sqrt{2}(\sqrt{c}d + \sqrt{a}e) \arctan\left(\frac{\sqrt{2}(2\sqrt{c}x - \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}})}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}} + \frac{\sqrt{2}(\sqrt{c}d - \sqrt{a}e) \ln\left(\frac{x^2 + (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2}}{x^2 - (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{4}\sqrt{2}(\sqrt{c}d + \sqrt{a}e) \arctan\left(\frac{1}{2}\sqrt{2}\sqrt{c}x + \sqrt{2}a^{1/4}c^{1/4}\right) / \sqrt{\sqrt{a}\sqrt{c}} + \frac{1}{4}\sqrt{2}(\sqrt{c}d + \sqrt{a}e) \arctan\left(\frac{1}{2}\sqrt{2}\sqrt{c}x - \sqrt{2}a^{1/4}c^{1/4}\right) / \sqrt{\sqrt{a}\sqrt{c}} + \frac{1}{8}\sqrt{2}(\sqrt{c}d - \sqrt{a}e) \ln\left(\frac{x^2 + \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{2}a^{3/4}c^{3/4}}{x^2 - \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{2}a^{3/4}c^{3/4}}\right) - \frac{1}{8}\sqrt{2}(\sqrt{c}d - \sqrt{a}e) \ln\left(\frac{x^2 - \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{2}a^{3/4}c^{3/4}}{x^2 + \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{2}a^{3/4}c^{3/4}}\right)$

mupad [B] time = 4.68, size = 599, normalized size = 2.43

$$-2 \operatorname{atanh}\left(\frac{8c^3 d^2 x \sqrt{\frac{e^2 \sqrt{-a^3 c^3}}{16a^2 c^3} - \frac{d^2 \sqrt{-a^3 c^3}}{16a^3 c^2} - \frac{de}{8ac}}}{2c^2 d^2 e - 2ace^3 + \frac{2cd^3 \sqrt{-a^3 c^3}}{a^2} - \frac{2de^2 \sqrt{-a^3 c^3}}{a}} - \frac{8a c^2 e^2 x \sqrt{\frac{e^2 \sqrt{-a^3 c^3}}{16a^2 c^3} - \frac{d^2 \sqrt{-a^3 c^3}}{16a^3 c^2} - \frac{de}{8ac}}}{2c^2 d^2 e - 2ace^3 + \frac{2cd^3 \sqrt{-a^3 c^3}}{a^2} - \frac{2de^2 \sqrt{-a^3 c^3}}{a}}\right) \sqrt{-\frac{cd}{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(a + c*x^4),x)

[Out] $-2 \operatorname{atanh}\left(\frac{(8c^3 d^2 x^2 + (e^2(-a^3 c^3)^{1/2}) / (16a^2 c^3) - (d^2(-a^3 c^3)^{1/2}) / (16a^3 c^2) - (d^2 e) / (8a^3 c))^{1/2}}{(2c^2 d^2 e - 2ace^3 + (2c^3 d^3 (-a^3 c^3)^{1/2}) / a^2 - (2d^2 e^2 (-a^3 c^3)^{1/2}) / a) - (8a^3 c^2 e^2 x^2 + (e^2(-a^3 c^3)^{1/2}) / (16a^2 c^3) - (d^2(-a^3 c^3)^{1/2}) / (16a^3 c^2) - (d^2 e) / (8a^3 c))^{1/2}}\right) \sqrt{-\frac{cd}{a}}$

$$\begin{aligned} &^2*(-a^3*c^3)^{(1/2)} + 2*a^2*c^2*d*e)/(16*a^3*c^3)^{(1/2)} - 2*atanh((8*c^3*d \\ &^2*x*((d^2*(-a^3*c^3)^{(1/2)))/(16*a^3*c^2) - (d*e)/(8*a*c) - (e^2*(-a^3*c^3) \\ &^{(1/2)))/(16*a^2*c^3))^{(1/2)})/(2*c^2*d^2*e - 2*a*c*e^3 - (2*c*d^3*(-a^3*c^3) \\ &^{(1/2)})/a^2 + (2*d*e^2*(-a^3*c^3)^{(1/2)})/a) - (8*a*c^2*e^2*x*((d^2*(-a^3*c^ \\ &3)^{(1/2)))/(16*a^3*c^2) - (d*e)/(8*a*c) - (e^2*(-a^3*c^3)^{(1/2)))/(16*a^2*c^3 \\ &))^{(1/2)})/(2*c^2*d^2*e - 2*a*c*e^3 - (2*c*d^3*(-a^3*c^3)^{(1/2)})/a^2 + (2*d* \\ &e^2*(-a^3*c^3)^{(1/2)})/a)*(-(a*e^2*(-a^3*c^3)^{(1/2)} - c*d^2*(-a^3*c^3)^{(1/2} \\ &) + 2*a^2*c^2*d*e)/(16*a^3*c^3))^{(1/2)} \end{aligned}$$

sympy [A] time = 0.68, size = 109, normalized size = 0.44

$$\text{RootSum}\left(256t^4a^3c^3 + 64t^2a^2c^2de + a^2e^4 + 2acd^2e^2 + c^2d^4, \left(t \mapsto t \log\left(x + \frac{64t^3a^3c^2e + 12ta^2cde^2 - 4tac^2d^3}{a^2e^4 - c^2d^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(c*x**4+a),x)

[Out] RootSum(256*_t**4*a**3*c**3 + 64*_t**2*a**2*c**2*d*e + a**2*e**4 + 2*a*c*d*
*2*e**2 + c**2*d**4, Lambda(_t, _t*log(x + (64*_t**3*a**3*c**2*e + 12*_t*a*
*2*c*d*e**2 - 4*_t*a*c**2*d**3)/(a**2*e**4 - c**2*d**4))))

$$3.141 \quad \int \frac{1}{a+cx^4} dx$$

Optimal. Leaf size=185

$$-\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{c}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{c}} - \frac{\tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{c} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{c}} + \frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{c} x}{\sqrt[4]{a}} + 1\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{c}}$$

[Out] 1/4*arctan(-1+c^(1/4)*x*2^(1/2)/a^(1/4))/a^(3/4)/c^(1/4)*2^(1/2)+1/4*arctan(1+c^(1/4)*x*2^(1/2)/a^(1/4))/a^(3/4)/c^(1/4)*2^(1/2)-1/8*ln(-a^(1/4)*c^(1/4)*x*2^(1/2)+a^(1/2)+x^2*c^(1/2))/a^(3/4)/c^(1/4)*2^(1/2)+1/8*ln(a^(1/4)*c^(1/4)*x*2^(1/2)+a^(1/2)+x^2*c^(1/2))/a^(3/4)/c^(1/4)*2^(1/2)

Rubi [A] time = 0.11, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {211, 1165, 628, 1162, 617, 204}

$$-\frac{\log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{c}} + \frac{\log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2\right)}{4\sqrt{2} a^{3/4} \sqrt[4]{c}} - \frac{\tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{c} x}{\sqrt[4]{a}}\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{c}} + \frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{c} x}{\sqrt[4]{a}} + 1\right)}{2\sqrt{2} a^{3/4} \sqrt[4]{c}}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^4)^(-1), x]

[Out] -ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)]/(2*Sqrt[2]*a^(3/4)*c^(1/4)) + ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)]/(2*Sqrt[2]*a^(3/4)*c^(1/4)) - Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2]/(4*Sqrt[2]*a^(3/4)*c^(1/4)) + Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2]/(4*Sqrt[2]*a^(3/4)*c^(1/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{a+cx^4} dx &= \frac{\int \frac{\sqrt{a}-\sqrt{c}x^2}{a+cx^4} dx}{2\sqrt{a}} + \frac{\int \frac{\sqrt{a}+\sqrt{c}x^2}{a+cx^4} dx}{2\sqrt{a}} \\
&= \frac{\int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{c}} + x^2} dx}{4\sqrt{a}\sqrt{c}} + \frac{\int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{c}} + x^2} dx}{4\sqrt{a}\sqrt{c}} - \frac{\int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{c}} + 2x}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{c}} - x^2} dx}{4\sqrt{2}a^{3/4}\sqrt[4]{c}} - \frac{\int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{c}} - 2x}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{c}} - x^2} dx}{4\sqrt{2}a^{3/4}\sqrt[4]{c}} \\
&= -\frac{\log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}\sqrt[4]{c}} + \frac{\log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}\sqrt[4]{c}} + \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}\sqrt[4]{c}} \\
&= -\frac{\tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}\sqrt[4]{c}} + \frac{\tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}\sqrt[4]{c}} - \frac{\log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}\sqrt[4]{c}} + \frac{\log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}a^{3/4}\sqrt[4]{c}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 134, normalized size = 0.72

$$\frac{-\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2) + \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2) - 2\tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right) + 2\tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{4\sqrt{2}a^{3/4}\sqrt[4]{c}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^4)^(-1), x]

[Out] (-2*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 2*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)] - Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2] + Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(4*Sqrt[2]*a^(3/4)*c^(1/4))

fricas [A] time = 0.41, size = 121, normalized size = 0.65

$$\left(-\frac{1}{a^3c}\right)^{\frac{1}{4}} \arctan\left(-a^2cx\left(-\frac{1}{a^3c}\right)^{\frac{3}{4}} + \sqrt{a^2\sqrt{-\frac{1}{a^3c}} + x^2} a^2c\left(-\frac{1}{a^3c}\right)^{\frac{3}{4}}\right) + \frac{1}{4}\left(-\frac{1}{a^3c}\right)^{\frac{1}{4}} \log\left(a\left(-\frac{1}{a^3c}\right)^{\frac{1}{4}} + x\right) - \frac{1}{4}\left(-\frac{1}{a^3c}\right)^{\frac{1}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x^4+a), x, algorithm="fricas")

[Out] (-1/(a^3*c))^(1/4)*arctan(-a^2*c*x*(-1/(a^3*c))^(3/4) + sqrt(a^2*sqrt(-1/(a^3*c)) + x^2)*a^2*c*(-1/(a^3*c))^(3/4)) + 1/4*(-1/(a^3*c))^(1/4)*log(a*(-1/(a^3*c))^(1/4) + x) - 1/4*(-1/(a^3*c))^(1/4)*log(-a*(-1/(a^3*c))^(1/4) + x)

giac [A] time = 0.18, size = 179, normalized size = 0.97

$$\frac{\sqrt{2} (ac^3)^{\frac{1}{4}} \arctan\left(\frac{\sqrt{2}\left(2x+\sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{4ac} + \frac{\sqrt{2} (ac^3)^{\frac{1}{4}} \arctan\left(\frac{\sqrt{2}\left(2x-\sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{4ac} + \frac{\sqrt{2} (ac^3)^{\frac{1}{4}} \log\left(x^2 + \sqrt{2}x\left(\frac{a}{c}\right)^{\frac{1}{4}} + \sqrt{\frac{a}{c}}\right)}{8ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x^4+a),x, algorithm="giac")

[Out] 1/4*sqrt(2)*(a*c^3)^(1/4)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))/(a*c) + 1/4*sqrt(2)*(a*c^3)^(1/4)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))/(a*c) + 1/8*sqrt(2)*(a*c^3)^(1/4)*log(x^2 + sqrt(2)*x*(a/c)^(1/4) + sqrt(a/c))/(a*c) - 1/8*sqrt(2)*(a*c^3)^(1/4)*log(x^2 - sqrt(2)*x*(a/c)^(1/4) + sqrt(a/c))/(a*c)

maple [A] time = 0.00, size = 128, normalized size = 0.69

$$\frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} - 1\right)}{4a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} + 1\right)}{4a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} \ln\left(\frac{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2}x + \sqrt{\frac{a}{c}}}{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2}x + \sqrt{\frac{a}{c}}}\right)}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(c*x^4+a),x)

[Out] 1/8*(a/c)^(1/4)/a*2^(1/2)*ln((x^2+(a/c)^(1/4)*2^(1/2)*x+(a/c)^(1/2))/(x^2-(a/c)^(1/4)*2^(1/2)*x+(a/c)^(1/2)))+1/4*(a/c)^(1/4)/a*2^(1/2)*arctan(2^(1/2)/(a/c)^(1/4)*x+1)+1/4*(a/c)^(1/4)/a*2^(1/2)*arctan(2^(1/2)/(a/c)^(1/4)*x-1)

maxima [A] time = 2.44, size = 169, normalized size = 0.91

$$\frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x+\sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}} + \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x-\sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{4\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}} + \frac{\sqrt{2} \log\left(\sqrt{c}x^2 + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}x + \sqrt{a}\right)}{8a^{\frac{3}{4}}c^{\frac{1}{4}}} - \frac{\sqrt{2} \log\left(\sqrt{c}x^2 - \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}x + \sqrt{a}\right)}{8a^{\frac{3}{4}}c^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x^4+a),x, algorithm="maxima")

[Out] 1/4*sqrt(2)*arctan(1/2*sqrt(2)*(2*sqrt(c)*x + sqrt(2)*a^(1/4)*c^(1/4))/sqrt(sqrt(a)*sqrt(c)))/(sqrt(a)*sqrt(sqrt(a)*sqrt(c))) + 1/4*sqrt(2)*arctan(1/2

```
*sqrt(2)*(2*sqrt(c)*x - sqrt(2)*a^(1/4)*c^(1/4))/sqrt(sqrt(a)*sqrt(c))/sqrt(a)*sqrt(sqrt(a)*sqrt(c)) + 1/8*sqrt(2)*log(sqrt(c)*x^2 + sqrt(2)*a^(1/4)*c^(1/4)*x + sqrt(a))/(a^(3/4)*c^(1/4)) - 1/8*sqrt(2)*log(sqrt(c)*x^2 - sqrt(2)*a^(1/4)*c^(1/4)*x + sqrt(a))/(a^(3/4)*c^(1/4))
```

mupad [B] time = 4.41, size = 33, normalized size = 0.18

$$-\frac{\operatorname{atan}\left(\frac{c^{1/4}x}{(-a)^{1/4}}\right) + \operatorname{atanh}\left(\frac{c^{1/4}x}{(-a)^{1/4}}\right)}{2(-a)^{3/4}c^{1/4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + c*x^4),x)

[Out] -(atan((c^(1/4)*x)/(-a)^(1/4)) + atanh((c^(1/4)*x)/(-a)^(1/4)))/(2*(-a)^(3/4)*c^(1/4))

sympy [A] time = 0.17, size = 20, normalized size = 0.11

$$\operatorname{RootSum}\left(256t^4a^3c + 1, \left(t \mapsto t \log(4ta + x)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x**4+a),x)

[Out] RootSum(256*_t**4*a**3*c + 1, Lambda(_t, _t*log(4*_t*a + x)))

$$3.142 \quad \int \frac{1}{(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=336

$$\frac{\sqrt[4]{c} (\sqrt{a} e + \sqrt{c} d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)} + \frac{\sqrt[4]{c} (\sqrt{a} e + \sqrt{c} d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)} - \frac{\sqrt[4]{c}}{\sqrt[4]{c}}$$

[Out] $\frac{1}{4} c^{1/4} \arctan(-1 + c^{1/4} x^2 / a^{1/4}) * (-e a^{1/2} + d c^{1/2}) / a^{3/4} / (a e^2 + c d^2)^{1/2} + \frac{1}{4} c^{1/4} \arctan(1 + c^{1/4} x^2 / a^{1/4}) * (-e a^{1/2} + d c^{1/2}) / a^{3/4} / (a e^2 + c d^2)^{1/2} - \frac{1}{8} c^{1/4} \ln(-a^{1/4} c^{1/4} x^2 + a^{1/2} + x^2 c^{1/2}) * (e a^{1/2} + d c^{1/2}) / a^{3/4} / (a e^2 + c d^2)^{1/2} + \frac{1}{8} c^{1/4} \ln(a^{1/4} c^{1/4} x^2 + a^{1/2} + x^2 c^{1/2}) * (e a^{1/2} + d c^{1/2}) / a^{3/4} / (a e^2 + c d^2)^{1/2} + e^{3/2} \arctan(x e^{1/2} / d^{1/2}) / (a e^2 + c d^2) / d^{1/2}$

Rubi [A] time = 0.27, antiderivative size = 336, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {1171, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\sqrt[4]{c} (\sqrt{a} e + \sqrt{c} d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)} + \frac{\sqrt[4]{c} (\sqrt{a} e + \sqrt{c} d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)} - \frac{\sqrt[4]{c}}{\sqrt[4]{c}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*(a + c*x^4)),x]

[Out] $(e^{3/2} \text{ArcTan}[\text{Sqrt}[e] x / \text{Sqrt}[d]]) / (\text{Sqrt}[d] * (c d^2 + a e^2)) - (c^{1/4} * (\text{Sqrt}[c] d - \text{Sqrt}[a] e) * \text{ArcTan}[1 - (\text{Sqrt}[2] * c^{1/4} x) / a^{1/4}]) / (2 * \text{Sqrt}[2] * a^{3/4} * (c d^2 + a e^2)) + (c^{1/4} * (\text{Sqrt}[c] d - \text{Sqrt}[a] e) * \text{ArcTan}[1 + (\text{Sqrt}[2] * c^{1/4} x) / a^{1/4}]) / (2 * \text{Sqrt}[2] * a^{3/4} * (c d^2 + a e^2)) - (c^{1/4} * (\text{Sqrt}[c] d + \text{Sqrt}[a] e) * \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2] * a^{1/4} * c^{1/4} x + \text{Sqrt}[c] * x^2]) / (4 * \text{Sqrt}[2] * a^{3/4} * (c d^2 + a e^2)) + (c^{1/4} * (\text{Sqrt}[c] d + \text{Sqrt}[a] e) * \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2] * a^{1/4} * c^{1/4} x + \text{Sqrt}[c] * x^2]) / (4 * \text{Sqrt}[2] * a^{3/4} * (c d^2 + a e^2))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1171

Int[((d_) + (e_)*(x_)^2)^(q_)/((a_) + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)(a+cx^4)} dx &= \int \left(\frac{e^2}{(cd^2+ae^2)(d+ex^2)} + \frac{c(d-ex^2)}{(cd^2+ae^2)(a+cx^4)} \right) dx \\
&= \frac{c \int \frac{d-ex^2}{a+cx^4} dx}{cd^2+ae^2} + \frac{e^2 \int \frac{1}{d+ex^2} dx}{cd^2+ae^2} \\
&= \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)} + \frac{\left(\frac{\sqrt{cd}}{\sqrt{a}}-e\right) \int \frac{\sqrt{a}\sqrt{c+cx^2}}{a+cx^4} dx}{2(cd^2+ae^2)} + \frac{\left(\frac{\sqrt{cd}}{\sqrt{a}}+e\right) \int \frac{\sqrt{a}\sqrt{c-cx^2}}{a+cx^4} dx}{2(cd^2+ae^2)} \\
&= \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)} + \frac{\left(\frac{\sqrt{cd}}{\sqrt{a}}-e\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}}-\frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{c}}+x^2} dx}{4(cd^2+ae^2)} + \frac{\left(\frac{\sqrt{cd}}{\sqrt{a}}+e\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}}+\frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{c}}+x^2} dx}{4(cd^2+ae^2)} \\
&= \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)} - \frac{\sqrt[4]{c}(\sqrt{cd}+\sqrt{a}e) \log(\sqrt{a}-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{c}x^2)}{4\sqrt{2}a^{3/4}(cd^2+ae^2)} + \frac{\sqrt[4]{c}(\sqrt{cd}-\sqrt{a}e) \log(\sqrt{a}+\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{c}x^2)}{4\sqrt{2}a^{3/4}(cd^2+ae^2)} \\
&= \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)} - \frac{\sqrt[4]{c}(\sqrt{cd}-\sqrt{a}e) \tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}(cd^2+ae^2)} + \frac{\sqrt[4]{c}(\sqrt{cd}+\sqrt{a}e) \tan^{-1}\left(1+\frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}(cd^2+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 234, normalized size = 0.70

$$\frac{8a^{3/4}e^{3/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right) + \sqrt{2}\sqrt[4]{c}\sqrt{d}\left(-(\sqrt{a}e+\sqrt{c}d)\left(\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2\right)-\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2\right)\right)\right)}{8a^{3/4}\sqrt{d}(ae^2+cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*(a + c*x^4)),x]

[Out] (8*a^(3/4)*e^(3/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]] + Sqrt[2]*c^(1/4)*Sqrt[d]*((-2*Sqrt[c]*d + 2*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 2*(Sqrt[c]*d - Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)] - (Sqrt[c]*d + Sqrt[a]*e)*(Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2] - Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2]))/(8*a^(3/4)*Sqrt[d]*(c*d^2 + a*e^2))

fricas [B] time = 1.05, size = 4084, normalized size = 12.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/4*((c*d^2 + a*e^2)*\sqrt{(2*c*d*e + (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*\sqrt{-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)}})/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))*\log(-(c^2*d^2 - a*c*e^2)*x + (a*c^2*d^3 - a^2*c*d*e^2 + (a^3*c^2*d^4*e + 2*a^4*c*d^2*e^3 + a^5*e^5)*\sqrt{-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)})))*\sqrt{(2*c*d*e + (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*\sqrt{-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)}})/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)) - (c*d^2 + a*e^2)*\sqrt{(2*c*d*e + (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*\sqrt{-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)}})/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))*\sqrt{-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))*\log(-(c^2*d^2 - a*c*e^2)*x - (a*c^2*d^3 - a^2*c*d*e^2 + (a^3*c^2*d^4*e + 2*a^4*c*d^2*e^3 + a^5*e^5)*\sqrt{-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)})))*\sqrt{(2*c*d*e + (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*\sqrt{-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)}})/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)) + (c*d^2 + a*e^2)*\sqrt{(2*c*d*e - (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*\sqrt{-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)}})/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))*\log(-(c^2*d^2 - a*c*e^2)*x + (a*c^2*d^3 - a^2*c*d*e^2 - (a^3*c^2*d^4*e + 2*a^4*c*d^2*e^3 + a^5*e^5)*\sqrt{-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)})))*\sqrt{(2*c*d*e - (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*\sqrt{-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)}})/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)) - (c*d^2 + a*e^2)*\sqrt{(2*c*d*e - (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*\sqrt{-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)}})/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))*\log(-(c^2*d^2 - a*c*e^2)*x - (a*c^2*d^3 - a^2*c*d*e^2 - (a^3*c^2*d^4*e + 2*a^4*c*d^2*e^3 + a^5*e^5)*\sqrt{-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)})))*\sqrt{(2*c*d*e - (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*\sqrt{-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)}})/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)) - 2*e*\sqrt{-e/d}*\log((e*x^2 + 2*d*x*\sqrt{-e/d} - d)/(e*x^2 + d)))/(c*d^2 + a*e^2), 1/4*(4*e*\sqrt{e/d}*\arctan(x*\sqrt{e/d}) - (c*d^2 + a*e^2)*\sqrt{(2*c*d*e + (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*\sqrt{-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)}})/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))$$

```

*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))/(a*c^2*
d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4))*log(-(c^2*d^2 - a*c*e^2)*x + (a*c^2*d^3 -
a^2*c*d*e^2 + (a^3*c^2*d^4*e + 2*a^4*c*d^2*e^3 + a^5*e^5)*sqrt(-(c^3*d^4 -
2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*
d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))*sqrt((2*c*d*e + (a*c^2*d^4 + 2*a^2*c
*d^2*e^2 + a^3*e^4)*sqrt(-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*
d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))/
(a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4))) + (c*d^2 + a*e^2)*sqrt((2*c*d*e +
(a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*sqrt(-(c^3*d^4 - 2*a*c^2*d^2*e^2 +
a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*
d^2*e^6 + a^7*e^8)))/(a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4))*log(-(c^2*d^2
- a*c*e^2)*x - (a*c^2*d^3 - a^2*c*d*e^2 + (a^3*c^2*d^4*e + 2*a^4*c*d^2*e^3
+ a^5*e^5)*sqrt(-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*
a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))*sqrt((2*
c*d*e + (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*sqrt(-(c^3*d^4 - 2*a*c^2*d^
2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4
*a^6*c*d^2*e^6 + a^7*e^8)))/(a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4))) - (c*
d^2 + a*e^2)*sqrt((2*c*d*e - (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*sqrt(-
(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 +
6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))/(a*c^2*d^4 + 2*a^2*c*d^2*e
^2 + a^3*e^4))*log(-(c^2*d^2 - a*c*e^2)*x + (a*c^2*d^3 - a^2*c*d*e^2 - (a^3
*c^2*d^4*e + 2*a^4*c*d^2*e^3 + a^5*e^5)*sqrt(-(c^3*d^4 - 2*a*c^2*d^2*e^2 +
a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d
^2*e^6 + a^7*e^8)))*sqrt((2*c*d*e - (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)
)*sqrt(-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6
*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))/(a*c^2*d^4 + 2*a^2*
c*d^2*e^2 + a^3*e^4))) + (c*d^2 + a*e^2)*sqrt((2*c*d*e - (a*c^2*d^4 + 2*a^2
*c*d^2*e^2 + a^3*e^4)*sqrt(-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^
4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))
)/(a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4))*log(-(c^2*d^2 - a*c*e^2)*x - (a*
c^2*d^3 - a^2*c*d*e^2 - (a^3*c^2*d^4*e + 2*a^4*c*d^2*e^3 + a^5*e^5)*sqrt(-
(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6
*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)))*sqrt((2*c*d*e - (a*c^2*d^4
+ 2*a^2*c*d^2*e^2 + a^3*e^4)*sqrt(-(c^3*d^4 - 2*a*c^2*d^2*e^2 + a^2*c*e^4)/
(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^
7*e^8)))/(a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4))))/(c*d^2 + a*e^2)]

```

giac [A] time = 0.21, size = 339, normalized size = 1.01

$$\frac{\left(\left(ac^3\right)^{\frac{1}{4}}c^2d - \left(ac^3\right)^{\frac{3}{4}}e\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{2\left(\sqrt{2}ac^3d^2 + \sqrt{2}a^2c^2e^2\right)} + \frac{\left(\left(ac^3\right)^{\frac{1}{4}}c^2d - \left(ac^3\right)^{\frac{3}{4}}e\right) \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{2\left(\sqrt{2}ac^3d^2 + \sqrt{2}a^2c^2e^2\right)} + \left(\left(ac^3\right)^{\frac{1}{4}}c^2d\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] $\frac{1}{2} * \left(\frac{(a*c^3)^{1/4} * c^2 * d - (a*c^3)^{3/4} * e}{(a/c)^{1/4}} \right) * \arctan\left(\frac{1/2 * \sqrt{2} * (2*x + \sqrt{2}) * (a/c)^{1/4}}{\sqrt{2} * a * c^3 * d^2 + \sqrt{2} * a^2 * c^2 * e^2}\right) + \frac{1}{2} * \left(\frac{(a*c^3)^{1/4} * c^2 * d - (a*c^3)^{3/4} * e}{(a/c)^{1/4}} \right) * \arctan\left(\frac{1/2 * \sqrt{2} * (2*x - \sqrt{2}) * (a/c)^{1/4}}{\sqrt{2} * a * c^3 * d^2 + \sqrt{2} * a^2 * c^2 * e^2}\right) + \frac{1}{4} * \left(\frac{(a*c^3)^{1/4} * c^2 * d + (a*c^3)^{3/4} * e}{(a/c)^{1/4}} \right) * \log\left(\frac{x^2 + \sqrt{2} * x * (a/c)^{1/4} + \sqrt{a/c}}{\sqrt{2} * a * c^3 * d^2 + \sqrt{2} * a^2 * c^2 * e^2}\right) - \frac{1}{4} * \left(\frac{(a*c^3)^{1/4} * c^2 * d + (a*c^3)^{3/4} * e}{(a/c)^{1/4}} \right) * \log\left(\frac{x^2 - \sqrt{2} * x * (a/c)^{1/4} + \sqrt{a/c}}{\sqrt{2} * a * c^3 * d^2 + \sqrt{2} * a^2 * c^2 * e^2}\right) + \arctan\left(\frac{x * e^{1/2}}{\sqrt{d}}\right) * e^{3/2} / \left((c * d^2 + a * e^2) * \sqrt{d} \right)$

maple [A] time = 0.01, size = 363, normalized size = 1.08

$$\frac{e^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(ae^2 + cd^2)\sqrt{de}} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} cd \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} - 1\right)}{4(ae^2 + cd^2)a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} cd \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} + 1\right)}{4(ae^2 + cd^2)a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} cd \ln\left(\frac{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2}x + \sqrt{\frac{a}{c}}}{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2}x + \sqrt{\frac{a}{c}}}\right)}{8(ae^2 + cd^2)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)/(c*x^4+a),x)

[Out] $\frac{e^2}{(ae^2 + cd^2)} * \frac{1}{(d * e)^{1/2}} * \arctan\left(\frac{1}{(d * e)^{1/2}} * e * x\right) + \frac{1}{8} * \frac{c}{(ae^2 + cd^2)} * d * \frac{(a/c)^{1/4}}{a^2} * \ln\left(\frac{(x^2 + (a/c)^{1/4} * 2^{1/2} * x + (a/c)^{1/2})}{(x^2 - (a/c)^{1/4} * 2^{1/2} * x + (a/c)^{1/2})}\right) + \frac{1}{4} * \frac{c}{(ae^2 + cd^2)} * d * \frac{(a/c)^{1/4}}{a^2} * \arctan\left(\frac{2^{1/2}}{(a/c)^{1/4}} * x + 1\right) + \frac{1}{4} * \frac{c}{(ae^2 + cd^2)} * d * \frac{(a/c)^{1/4}}{a^2} * \arctan\left(\frac{2^{1/2}}{(a/c)^{1/4}} * x - 1\right) - \frac{1}{8} * \frac{c}{(ae^2 + cd^2)} * \frac{e}{(a/c)^{1/4}} * 2^{1/2} * \ln\left(\frac{(x^2 - (a/c)^{1/4} * 2^{1/2} * x + (a/c)^{1/2})}{(x^2 + (a/c)^{1/4} * 2^{1/2} * x + (a/c)^{1/2})}\right) - \frac{1}{4} * \frac{c}{(ae^2 + cd^2)} * \frac{e}{(a/c)^{1/4}} * 2^{1/2} * \arctan\left(\frac{2^{1/2}}{(a/c)^{1/4}} * x + 1\right) - \frac{1}{4} * \frac{c}{(ae^2 + cd^2)} * \frac{e}{(a/c)^{1/4}} * 2^{1/2} * \arctan\left(\frac{2^{1/2}}{(a/c)^{1/4}} * x - 1\right)$

maxima [A] time = 2.38, size = 268, normalized size = 0.80

$$\frac{e^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(cd^2 + ae^2)\sqrt{de}} + \frac{c \left(\frac{2\sqrt{2}(\sqrt{c}d - \sqrt{a}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{2\sqrt{2}(\sqrt{c}d - \sqrt{a}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x - \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{\sqrt{2}(\sqrt{c}d + \sqrt{a}e) \log\left(\frac{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2}x + \sqrt{\frac{a}{c}}}{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2}x + \sqrt{\frac{a}{c}}}\right)}{8(cd^2 + ae^2)} \right)}{8(cd^2 + ae^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+a),x, algorithm="maxima")

[Out] $e^2 \arctan(e*x/\sqrt{d*e}) / ((c*d^2 + a*e^2) \sqrt{d*e}) + 1/8*c*(2*\sqrt{2}*(\sqrt{c}*d - \sqrt{a}*e) \arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x + \sqrt{2}*a^{1/4}*c^{1/4})/\sqrt{\sqrt{a}*\sqrt{c}})) / (\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}*\sqrt{c}) + 2*\sqrt{2}*(\sqrt{c}*d - \sqrt{a}*e) \arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x - \sqrt{2}*a^{1/4}*c^{1/4})/\sqrt{\sqrt{a}*\sqrt{c}})) / (\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}*\sqrt{c}) + \sqrt{2}*(\sqrt{c}*d + \sqrt{a}*e) \log(\sqrt{c}*x^2 + \sqrt{2}*a^{1/4}*c^{1/4}*x + \sqrt{a}) / (a^{3/4}*c^{3/4}) - \sqrt{2}*(\sqrt{c}*d + \sqrt{a}*e) \log(\sqrt{c}*x^2 - \sqrt{2}*a^{1/4}*c^{1/4}*x + \sqrt{a}) / (a^{3/4}*c^{3/4}) / (c*d^2 + a*e^2)$

mupad [B] time = 5.71, size = 4802, normalized size = 14.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c*x^4)*(d + e*x^2)),x)

[Out] $\operatorname{atan}\left(\frac{((a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2))^{1/2} (4 c^6 d^3 e^3 - ((a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2))^{1/2} (256 a^4 c^4 e^8 + x((a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2))^{1/2} (512 a^5 c^4 e^9 - 512 a^2 c^7 d^6 e^3 - 512 a^3 c^6 d^4 e^5 + 512 a^4 c^5 d^2 e^7) - 64 a^* c^7 d^6 e^2 + 128 a^2 c^6 d^4 e^4 + 448 a^3 c^5 d^2 e^6) + x(16 c^7 d^5 e^2 + 32 a^* c^6 d^3 e^4 - 240 a^2 c^5 d e^6))}{((a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2))^{1/2} + 20 a^* c^5 d e^5} - \frac{6 c^5 e^5 x}{((a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2))^{1/2}} * 1i - \frac{((a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2))^{1/2} (4 c^6 d^3 e^3 - ((a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2))^{1/2} (256 a^4 c^4 e^8 - x((a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2))^{1/2} (512 a^5 c^4 e^9 - 512 a^2 c^7 d^6 e^3 - 512 a^3 c^6 d^4 e^5 + 512 a^4 c^5 d^2 e^7) - 64 a^* c^7 d^6 e^2 + 128 a^2 c^6 d^4 e^4 + 448 a^3 c^5 d^2 e^6) - x(16 c^7 d^5 e^2 + 32 a^* c^6 d^3 e^4 - 240 a^2 c^5 d e^6))}{((a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2))^{1/2}} * 1i) / \left(\frac{((a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2))^{1/2} (4 c^6 d^3 e^3 - ((a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2))^{1/2} (256 a^4 c^4 e^8 - x((a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2))^{1/2} (512 a^5 c^4 e^9 - 512 a^2 c^7 d^6 e^3 - 512 a^3 c^6 d^4 e^5 + 512 a^4 c^5 d^2 e^7) - 64 a^* c^7 d^6 e^2 + 128 a^2 c^6 d^4 e^4 + 448 a^3 c^5 d^2 e^6) - x(16 c^7 d^5 e^2 + 32 a^* c^6 d^3 e^4 - 240 a^2 c^5 d e^6))}{((a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2))^{1/2}} + 20 a^* c^5 d e^5 + 6 c^5 e^5 x \right) * 1i$

$$\begin{aligned}
& *e^4 + a^3c^2d^4 + 2a^4c*d^2e^2))^{(1/2)}*(4c^6d^3e^3 - (((a^e^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(256a^4c^4e^8 + x*((a^e^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(512a^5c^4e^9 - 512a^2c^7d^6e^3 - 512a^3c^6d^4e^5 + 512a^4c^5d^2e^7) - 64a*c^7d^6e^2 + 128a^2c^6d^4e^4 + 448a^3c^5d^2e^6) + x*(16c^7d^5e^2 + 32a*c^6d^3e^4 - 240a^2c^5d*e^6))*((a^e^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)} + 20a*c^5d*e^5) - 6c^5e^5*x)*((a^e^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)} + (((a^e^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(4c^6d^3e^3 - (((a^e^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(256a^4c^4e^8 - x*((a^e^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(512a^5c^4e^9 - 512a^2c^7d^6e^3 - 512a^3c^6d^4e^5 + 512a^4c^5d^2e^7) - 64a*c^7d^6e^2 + 128a^2c^6d^4e^4 + 448a^3c^5d^2e^6) - x*(16c^7d^5e^2 + 32a*c^6d^3e^4 - 240a^2c^5d*e^6))*((a^e^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)} + 20a*c^5d*e^5) + 6c^5e^5*x)*((a^e^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)})))*((a^e^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*2i + atan((((c*d^2*(-a^3c)^{(1/2)} - a^e^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(4c^6d^3e^3 - (((c*d^2*(-a^3c)^{(1/2)} - a^e^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(256a^4c^4e^8 + x*((c*d^2*(-a^3c)^{(1/2)} - a^e^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(512a^5c^4e^9 - 512a^2c^7d^6e^3 - 512a^3c^6d^4e^5 + 512a^4c^5d^2e^7) - 64a*c^7d^6e^2 + 128a^2c^6d^4e^4 + 448a^3c^5d^2e^6) + x*(16c^7d^5e^2 + 32a*c^6d^3e^4 - 240a^2c^5d*e^6))*((c*d^2*(-a^3c)^{(1/2)} - a^e^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)} + 20a*c^5d*e^5) - 6c^5e^5*x)*((c*d^2*(-a^3c)^{(1/2)} - a^e^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*1i - (((c*d^2*(-a^3c)^{(1/2)} - a^e^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(4c^6d^3e^3 - (((c*d^2*(-a^3c)^{(1/2)} - a^e^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(256a^4c^4e^8 - x*((c*d^2*(-a^3c)^{(1/2)} - a^e^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(512a^5c^4e^9 - 512a^2c^7d^6e^3 - 512a^3c^6d^4e^5 + 512a^4c^5d^2e^7) - 64a*c^7d^6e^2 + 128a^2c^6d^4e^4 + 448a^3c^5d^2e^6) - x*(16c^7d^5e^2 + 32a*c^6d^3e^4 - 240a^2c^5d*e^6))*((c*d^2*(-a^3c)^{(1/2)} - a^e^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)} + 20a*c^5d*e^5) + 6c^5e^5*
\end{aligned}$$

$$\begin{aligned}
& x) * ((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} * 1i) / (((c*d^2*(-a^3*c)^{(1/2)} - a * e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2 * e^2)))^{(1/2)} * (4*c^6*d^3*e^3 - (((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} * (25 6*a^4*c^4*e^8 + x*((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d * e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} * (512*a^5*c^4*e^9 - 512*a^2*c^7*d^6*e^3 - 512*a^3*c^6*d^4*e^5 + 512*a^4*c^5*d^2*e^7) - 64*a*c ^7*d^6*e^2 + 128*a^2*c^6*d^4*e^4 + 448*a^3*c^5*d^2*e^6) + x*(16*c^7*d^5*e^2 + 32*a*c^6*d^3*e^4 - 240*a^2*c^5*d*e^6)) * ((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a ^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2))) ^{(1/2)} + 20*a*c^5*d*e^5) - 6*c^5*e^5*x) * ((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a ^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} + (((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a ^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} * (4*c^6*d^3*e^3 - (((c*d^2*(-a ^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d ^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} * (256*a^4*c^4*e^8 - x*((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d ^2*e^2)))^{(1/2)} * (512*a^5*c^4*e^9 - 512*a^2*c^7*d^6*e^3 - 512*a^3*c^6*d^4*e ^5 + 512*a^4*c^5*d^2*e^7) - 64*a*c^7*d^6*e^2 + 128*a^2*c^6*d^4*e^4 + 448*a^3 *c^5*d^2*e^6) - x*(16*c^7*d^5*e^2 + 32*a*c^6*d^3*e^4 - 240*a^2*c^5*d*e^6)) * ((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} + 20*a*c^5*d*e^5) + 6*c^5*e^5*x) * ((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} * ((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} * ((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} * 2i - (log(16*a^2*e^2*(-d*e^3)^{(3/2)} + c^2*d^5*e^3*x - c^2*d^5*e*(-d*e ^3)^{(1/2)} + 16*a^2*d*e^7*x + a*c*d^2*(-d*e^3)^{(3/2)} + a*c*d^3*e^5*x)*(-d*e^3)^{(1/2)})/(2*(c*d^3 + a*d*e^2)) + (log(c^2*d^5*e^3*x - 16*a^2*e^2*(-d*e^3)^{(3/2)} + c^2*d^5*e*(-d*e^3)^{(1/2)} + 16*a^2*d*e^7*x + 4*a*c*d^2*(-d*e^3)^{(3/2)} + a*c*d^3*e^5*x + 5*a*c*d^3*e^3*(-d*e^3)^{(1/2)}) * (-d*e^3)^{(1/2)})/(2*c*d^3 + 2*a*d*e^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)/(c*x**4+a),x)

[Out] Timed out

$$3.143 \quad \int \frac{1}{(d+ex^2)^2(a+cx^4)} dx$$

Optimal. Leaf size=453

$$\frac{c^{3/4} (2\sqrt{a} \sqrt{c} de - ae^2 + cd^2) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)^2} + \frac{c^{3/4} (2\sqrt{a} \sqrt{c} de - ae^2 + cd^2) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)^2}$$

[Out] $\frac{1}{2} e^2 x/d/(a e^2+c d^2)/(e x^2+d)+\frac{1}{2} e^{3/2} \arctan(x e^{1/2}/d^{1/2})/d^{3/2}/(a e^2+c d^2)+\frac{1}{4} c^{3/4} \arctan(-1+c^{1/4} x x^{1/2}/a^{1/4})*(c d^2-a e^2-2 d e a^{1/2} c^{1/2})/a^{3/4}/(a e^2+c d^2)^2 x^{1/2}+\frac{1}{4} c^{3/4} \arctan(1+c^{1/4} x x^{1/2}/a^{1/4})*(c d^2-a e^2-2 d e a^{1/2} c^{1/2})/a^{3/4}/(a e^2+c d^2)^2 x^{1/2}-\frac{1}{8} c^{3/4} \ln(-a^{1/4} c^{1/4} x x^{1/2}+a^{1/2}+x^2 c^{1/2})*(c d^2-a e^2+2 d e a^{1/2} c^{1/2})/a^{3/4}/(a e^2+c d^2)^2 x^{1/2}+\frac{1}{8} c^{3/4} \ln(a^{1/4} c^{1/4} x x^{1/2}+a^{1/2}+x^2 c^{1/2})*(c d^2-a e^2+2 d e a^{1/2} c^{1/2})/a^{3/4}/(a e^2+c d^2)^2 x^{1/2}+2 c e^{3/2} \arctan(x e^{1/2}/d^{1/2}) d^{1/2}/(a e^2+c d^2)^2$

Rubi [A] time = 0.38, antiderivative size = 453, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 9, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.474$, Rules used = {1171, 199, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{c^{3/4} (2\sqrt{a} \sqrt{c} de - ae^2 + cd^2) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)^2} + \frac{c^{3/4} (2\sqrt{a} \sqrt{c} de - ae^2 + cd^2) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^2*(a + c*x^4)),x]

[Out] $(e^2 x)/(2 d (c d^2 + a e^2) (d + e x^2)) + (2 c \sqrt{d} e^{3/2} \text{ArcTan}[(\sqrt{e} x)/\sqrt{d}])/(c d^2 + a e^2)^2 + (e^{3/2} \text{ArcTan}[(\sqrt{e} x)/\sqrt{d}])/(2 d^{3/2} (c d^2 + a e^2)) - (c^{3/4} (c d^2 - 2 \sqrt{a} \sqrt{c} d e - a e^2) \text{ArcTan}[1 - (\sqrt{2} c^{1/4} x)/a^{1/4}])/(2 \sqrt{2} a^{3/4} (c d^2 + a e^2)^2) + (c^{3/4} (c d^2 - 2 \sqrt{a} \sqrt{c} d e - a e^2) \text{ArcTan}[1 + (\sqrt{2} c^{1/4} x)/a^{1/4}])/(2 \sqrt{2} a^{3/4} (c d^2 + a e^2)^2) - (c^{3/4} (c d^2 + 2 \sqrt{a} \sqrt{c} d e - a e^2) \text{Log}[\sqrt{a} - \sqrt{2} a^{1/4} c^{1/4} x + \sqrt{c} x^2])/(4 \sqrt{2} a^{3/4} (c d^2 + a e^2)^2) + (c^{3/4} (c d^2 + 2 \sqrt{a} \sqrt{c} d e - a e^2) \text{Log}[\sqrt{a} + \sqrt{2} a^{1/4} c^{1/4} x + \sqrt{c} x^2])/(4 \sqrt{2} a^{3/4} (c d^2 + a e^2)^2)$

Rule 199


```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)) / (a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1) / (a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]] / (Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]]) / a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_)) / ((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]]) / b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2) / ((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2) / ((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1171

Int[((d_) + (e_.)*(x_)^2)^(q_)/((a_) + (c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{(d + ex^2)^2 (a + cx^4)} dx &= \int \left(\frac{e^2}{(cd^2 + ae^2)(d + ex^2)^2} + \frac{2cde^2}{(cd^2 + ae^2)^2 (d + ex^2)} + \frac{c(cd^2 - ae^2 - 2cdex^2)}{(cd^2 + ae^2)^2 (a + cx^4)} \right) dx \\
 &= \frac{c \int \frac{cd^2 - ae^2 - 2cdex^2}{a + cx^4} dx}{(cd^2 + ae^2)^2} + \frac{(2cde^2) \int \frac{1}{d + ex^2} dx}{(cd^2 + ae^2)^2} + \frac{e^2 \int \frac{1}{(d + ex^2)^2} dx}{cd^2 + ae^2} \\
 &= \frac{e^2 x}{2d (cd^2 + ae^2) (d + ex^2)} + \frac{2c\sqrt{d} e^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{(cd^2 + ae^2)^2} + \frac{(\sqrt{c} (cd^2 - 2\sqrt{a} \sqrt{c} de - ae^2))}{2\sqrt{a} (cd^2 + ae^2)^2} \\
 &= \frac{e^2 x}{2d (cd^2 + ae^2) (d + ex^2)} + \frac{2c\sqrt{d} e^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{(cd^2 + ae^2)^2} + \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{3/2} (cd^2 + ae^2)} + \frac{(\sqrt{c} (cd^2 - 2\sqrt{a} \sqrt{c} de - ae^2))}{2\sqrt{a} (cd^2 + ae^2)^2} \\
 &= \frac{e^2 x}{2d (cd^2 + ae^2) (d + ex^2)} + \frac{2c\sqrt{d} e^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{(cd^2 + ae^2)^2} + \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{3/2} (cd^2 + ae^2)} - \frac{c^{3/4} (cd^2 + 2\sqrt{a} \sqrt{c} de - ae^2)}{2\sqrt{a} (cd^2 + ae^2)^2} \\
 &= \frac{e^2 x}{2d (cd^2 + ae^2) (d + ex^2)} + \frac{2c\sqrt{d} e^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{(cd^2 + ae^2)^2} + \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{3/2} (cd^2 + ae^2)} - \frac{c^{3/4} (cd^2 - 2\sqrt{a} \sqrt{c} de - ae^2)}{2\sqrt{a} (cd^2 + ae^2)^2}
 \end{aligned}$$

Mathematica [A] time = 0.47, size = 362, normalized size = 0.80

$$\frac{\sqrt{2}c^{3/4}(-2\sqrt{a}\sqrt{c}de+ae^2-cd^2)\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2)}{a^{3/4}} + \frac{\sqrt{2}c^{3/4}(2\sqrt{a}\sqrt{c}de-ae^2+cd^2)\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2)}{a^{3/4}} + \frac{2\sqrt{2}c^{3/4}(2\sqrt{a}\sqrt{c}de-ae^2+cd^2)\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2)}{8(ae^2+cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)^2*(a + c*x^4)),x]

[Out] ((4*e^2*(c*d^2 + a*e^2)*x)/(d*(d + e*x^2)) + (4*e^(3/2)*(5*c*d^2 + a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/d^(3/2) + (2*Sqrt[2]*c^(3/4)*(-(c*d^2) + 2*Sqrt[a]*Sqrt[c]*d*e + a*e^2)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)])/a^(3/4) - (2*Sqrt[2]*c^(3/4)*(-(c*d^2) + 2*Sqrt[a]*Sqrt[c]*d*e + a*e^2)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)])/a^(3/4) + (Sqrt[2]*c^(3/4)*(-(c*d^2) - 2*Sqrt[a]*Sqrt[c]*d*e + a*e^2)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/a^(3/4) + (Sqrt[2]*c^(3/4)*(c*d^2 + 2*Sqrt[a]*Sqrt[c]*d*e - a*e^2)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/a^(3/4))/(8*(c*d^2 + a*e^2)^2)

fricas [B] time = 16.31, size = 8409, normalized size = 18.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*x^4+a),x, algorithm="fricas")

[Out] [1/4*((c^2*d^6 + 2*a*c*d^4*e^2 + a^2*d^2*e^4 + (c^2*d^5*e + 2*a*c*d^3*e^3 + a^2*d*e^5)*x^2)*sqrt((4*c^3*d^3*e - 4*a*c^2*d*e^3 + (a*c^4*d^8 + 4*a^2*c^3*d^6*e^2 + 6*a^3*c^2*d^4*e^4 + 4*a^4*c*d^2*e^6 + a^5*e^8)*sqrt(-(c^7*d^8 - 12*a*c^6*d^6*e^2 + 38*a^2*c^5*d^4*e^4 - 12*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))/(a^3*c^8*d^16 + 8*a^4*c^7*d^14*e^2 + 28*a^5*c^6*d^12*e^4 + 56*a^6*c^5*d^10*e^6 + 70*a^7*c^4*d^8*e^8 + 56*a^8*c^3*d^6*e^10 + 28*a^9*c^2*d^4*e^12 + 8*a^10*c*d^2*e^14 + a^11*e^16)))/(a*c^4*d^8 + 4*a^2*c^3*d^6*e^2 + 6*a^3*c^2*d^4*e^4 + 4*a^4*c*d^2*e^6 + a^5*e^8))*log((c^4*d^4 - 6*a*c^3*d^2*e^2 + a^2*c^2*e^4)*x + (a*c^4*d^6 - 7*a^2*c^3*d^4*e^2 + 7*a^3*c^2*d^2*e^4 - a^4*c*e^6 + 2*(a^3*c^4*d^9*e + 4*a^4*c^3*d^7*e^3 + 6*a^5*c^2*d^5*e^5 + 4*a^6*c*d^3*e^7 + a^7*d*e^9)*sqrt(-(c^7*d^8 - 12*a*c^6*d^6*e^2 + 38*a^2*c^5*d^4*e^4 - 12*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))/(a^3*c^8*d^16 + 8*a^4*c^7*d^14*e^2 + 28*a^5*c^6*d^12*e^4 + 56*a^6*c^5*d^10*e^6 + 70*a^7*c^4*d^8*e^8 + 56*a^8*c^3*d^6*e^10 + 28*a^9*c^2*d^4*e^12 + 8*a^10*c*d^2*e^14 + a^11*e^16)))*sqrt((4*c^3*d^3*e - 4*a*c^2*d*e^3 + (a*c^4*d^8 + 4*a^2*c^3*d^6*e^2 + 6*a^3*c^2*d^4*e^4 + 4*a^4*c*d^2*e^6 + a^5*e^8)*sqrt(-(c^7*d^8 - 12*a*c^6*d^6*e^2 + 38*a^2*c^5*d^4*e^4 - 12*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))/(a^3*c^8*d^16 + 8*a^4*c^7*d^14*e^2 +

$$\begin{aligned}
& (28a^5c^6d^{12}e^4 + 56a^6c^5d^{10}e^6 + 70a^7c^4d^8e^8 + 56a^8c^3d^6e^{10} + 28a^9c^2d^4e^{12} + 8a^{10}cd^2e^{14} + a^{11}e^{16})) / (a^4c^3d^8 + 4a^2c^3d^6e^2 + 6a^3c^2d^4e^4 + 4a^4cd^2e^6 + a^5e^8)) \\
& - (c^2d^6 + 2a^2cd^4e^2 + a^2d^2e^4 + (c^2d^5e + 2a^2cd^3e^3 + a^2d^2e^5)x^2) \sqrt{(4c^3d^3e - 4a^2cd^2e^3 + (a^4c^4d^8 + 4a^2c^3d^6e^2 + 6a^3c^2d^4e^4 + 4a^4cd^2e^6 + a^5e^8)) \sqrt{-(c^7d^8 - 12a^2c^6d^6e^2 + 38a^2c^5d^4e^4 - 12a^3c^4d^2e^6 + a^4c^3e^8)} / (a^3c^8d^{16} + 8a^4c^7d^{14}e^2 + 28a^5c^6d^{12}e^4 + 56a^6c^5d^{10}e^6 + 70a^7c^4d^8e^8 + 56a^8c^3d^6e^{10} + 28a^9c^2d^4e^{12} + 8a^{10}cd^2e^{14} + a^{11}e^{16}))} / (a^4c^4d^8 + 4a^2c^3d^6e^2 + 6a^3c^2d^4e^4 + 4a^4cd^2e^6 + a^5e^8)) \log((c^4d^4 - 6a^2c^3d^2e^2 + a^2c^2e^4) * x - (a^4c^4d^6 - 7a^2c^3d^4e^2 + 7a^3c^2d^2e^4 - a^4c^2e^6 + 2(a^3c^4d^9e + 4a^4c^3d^7e^3 + 6a^5c^2d^5e^5 + 4a^6cd^3e^7 + a^7d^2e^9) \sqrt{-(c^7d^8 - 12a^2c^6d^6e^2 + 38a^2c^5d^4e^4 - 12a^3c^4d^2e^6 + a^4c^3e^8)} / (a^3c^8d^{16} + 8a^4c^7d^{14}e^2 + 28a^5c^6d^{12}e^4 + 56a^6c^5d^{10}e^6 + 70a^7c^4d^8e^8 + 56a^8c^3d^6e^{10} + 28a^9c^2d^4e^{12} + 8a^{10}cd^2e^{14} + a^{11}e^{16}))} \sqrt{(4c^3d^3e - 4a^2cd^2e^3 + (a^4c^4d^8 + 4a^2c^3d^6e^2 + 6a^3c^2d^4e^4 + 4a^4cd^2e^6 + a^5e^8)) \sqrt{-(c^7d^8 - 12a^2c^6d^6e^2 + 38a^2c^5d^4e^4 - 12a^3c^4d^2e^6 + a^4c^3e^8)} / (a^3c^8d^{16} + 8a^4c^7d^{14}e^2 + 28a^5c^6d^{12}e^4 + 56a^6c^5d^{10}e^6 + 70a^7c^4d^8e^8 + 56a^8c^3d^6e^{10} + 28a^9c^2d^4e^{12} + 8a^{10}cd^2e^{14} + a^{11}e^{16}))} / (a^4c^4d^8 + 4a^2c^3d^6e^2 + 6a^3c^2d^4e^4 + 4a^4cd^2e^6 + a^5e^8))) + (c^2d^6 + 2a^2cd^4e^2 + a^2d^2e^4 + (c^2d^5e + 2a^2cd^3e^3 + a^2d^2e^5)x^2) \sqrt{(4c^3d^3e - 4a^2cd^2e^3 - (a^4c^4d^8 + 4a^2c^3d^6e^2 + 6a^3c^2d^4e^4 + 4a^4cd^2e^6 + a^5e^8)) \sqrt{-(c^7d^8 - 12a^2c^6d^6e^2 + 38a^2c^5d^4e^4 - 12a^3c^4d^2e^6 + a^4c^3e^8)} / (a^3c^8d^{16} + 8a^4c^7d^{14}e^2 + 28a^5c^6d^{12}e^4 + 56a^6c^5d^{10}e^6 + 70a^7c^4d^8e^8 + 56a^8c^3d^6e^{10} + 28a^9c^2d^4e^{12} + 8a^{10}cd^2e^{14} + a^{11}e^{16}))} \sqrt{(4c^3d^3e - 4a^2cd^2e^3 - (a^4c^4d^8 + 4a^2c^3d^6e^2 + 6a^3c^2d^4e^4 + 4a^4cd^2e^6 + a^5e^8)) \sqrt{-(c^7d^8 - 12a^2c^6d^6e^2 + 38a^2c^5d^4e^4 - 12a^3c^4d^2e^6 + a^4c^3e^8)} / (a^3c^8d^{16} + 8a^4c^7d^{14}e^2 + 28a^5c^6d^{12}e^4 + 56a^6c^5d^{10}e^6 + 70a^7c^4d^8e^8 + 56a^8c^3d^6e^{10} + 28a^9c^2d^4e^{12} + 8a^{10}cd^2e^{14} + a^{11}e^{16}))} / (a^4c^4d^8 + 4a^2c^3d^6e^2 + 6a^3c^2d^4e^4 + 4a^4cd^2e^6 + a^5e^8))) - (c^2d^6 + 2a^2cd^4e^2 + a^2d^2e^4 + (c^2d^5e + 2a^2cd^3e^3 + a^2d^2e^5)x^2) \sqrt{(4c^3d^3e - 4a^2cd^2e^3 - (a^4c^4d^8 + 4a^2c^3d^6e^2 + 6a^3c^2d^4e^4 + 4a^4cd^2e^6 + a^5e^8)) \sqrt{-(c^7d^8 - 12a^2c^6d^6e^2 + 38a^2c^5d^4e^4 - 12a^3c^4d^2e^6 + a^4c^3e^8)} / (a^3c^8d^{16} + 8a^4c^7d^{14}e^2 + 28a^5c^6d^{12}e^4 + 56a^6c^5d^{10}e^6 + 70a^7c^4d^8e^8 + 56a^8c^3d^6e^{10} + 28a^9c^2d^4e^{12} + 8a^{10}cd^2e^{14} + a^{11}e^{16}))} / (a^4c^4d^8 + 4a^2c^3d^6e^2 + 6a^3c^2d^4e^4 + 4a^4cd^2e^6 + a^5e^8)))
\end{aligned}$$

$$\begin{aligned}
& a^3 c^2 d^4 e^4 + 4 a^4 c d^2 e^6 + a^5 e^8) \sqrt{-(c^7 d^8 - 12 a^3 c^6 d^6 e^2 + 38 a^2 c^5 d^4 e^4 - 12 a^3 c^4 d^2 e^6 + a^4 c^3 e^8) / (a^3 c^8 d^{16} \\
& + 8 a^4 c^7 d^{14} e^2 + 28 a^5 c^6 d^{12} e^4 + 56 a^6 c^5 d^{10} e^6 + 70 a^7 c^4 d^8 e^8 + 56 a^8 c^3 d^6 e^{10} + 28 a^9 c^2 d^4 e^{12} + 8 a^{10} c d^2 e^{14} \\
& + a^{11} e^{16}))} / (a^3 c^8 d^{16} + 8 a^4 c^7 d^{14} e^2 + 28 a^5 c^6 d^{12} e^4 + 56 a^6 c^5 d^{10} e^6 + 70 a^7 c^4 d^8 e^8 + 56 a^8 c^3 d^6 e^{10} + 28 a^9 c^2 d^4 e^{12} \\
& + 8 a^{10} c d^2 e^{14} + a^{11} e^{16})) \sqrt{((4 c^3 d^3 e - 4 a^2 c^2 d e^3 - (a^3 c^4 d^8 + 4 a^2 c^3 d^6 e^2 + 6 a^3 c^2 d^4 e^4 + 4 a^4 c d^2 e^6 + a^5 e^8) \\
& \sqrt{-(c^7 d^8 - 12 a^3 c^6 d^6 e^2 + 38 a^2 c^5 d^4 e^4 - 12 a^3 c^4 d^2 e^6 + a^4 c^3 e^8) / (a^3 c^8 d^{16} + 8 a^4 c^7 d^{14} e^2 + 28 a^5 c^6 d^{12} e^4 + 56 a^6 c^5 d^{10} e^6 \\
& + 70 a^7 c^4 d^8 e^8 + 56 a^8 c^3 d^6 e^{10} + 28 a^9 c^2 d^4 e^{12} + 8 a^{10} c d^2 e^{14} + a^{11} e^{16}))} \sqrt{((4 c^3 d^3 e - 4 a^2 c^2 d e^3 - (a^3 c^4 d^8 + 4 a^2 c^3 d^6 e^2 \\
& + 6 a^3 c^2 d^4 e^4 + 4 a^4 c d^2 e^6 + a^5 e^8) \sqrt{-(c^7 d^8 - 12 a^3 c^6 d^6 e^2 + 38 a^2 c^5 d^4 e^4 - 12 a^3 c^4 d^2 e^6 + a^4 c^3 e^8) / (a^3 c^8 d^{16} + 8 a^4 c^7 d^{14} e^2 \\
& + 28 a^5 c^6 d^{12} e^4 + 56 a^6 c^5 d^{10} e^6 + 70 a^7 c^4 d^8 e^8 + 56 a^8 c^3 d^6 e^{10} + 28 a^9 c^2 d^4 e^{12} + 8 a^{10} c d^2 e^{14} + a^{11} e^{16}))} / (a^3 c^8 d^{16} + 8 a^4 c^7 d^{14} e^2 \\
& + 28 a^5 c^6 d^{12} e^4 + 56 a^6 c^5 d^{10} e^6 + 70 a^7 c^4 d^8 e^8 + 56 a^8 c^3 d^6 e^{10} + 28 a^9 c^2 d^4 e^{12} + 8 a^{10} c d^2 e^{14} + a^{11} e^{16}))} + (5 c^3 d^3 e \\
& + a d e^3 + (5 c^2 d^2 e^2 + a e^4) x^2) \sqrt{-e/d} \log((e x^2 + 2 d x \sqrt{-e/d} - d) / (e x^2 + d)) + 2 (c^2 d^2 e^2 + a e^4) x / (c^2 d^6 + 2 a c^2 d^4 e^2 \\
& + a^2 d^2 e^4 + (c^2 d^5 e + 2 a c^2 d^3 e^3 + a^2 d e^5) x^2), 1/4 * (2 * (5 c^3 d^3 e + a d e^3 + (5 c^2 d^2 e^2 + a e^4) x^2) \sqrt{e/d} \arctan(x \sqrt{e/d}) \\
& + (c^2 d^6 + 2 a c^2 d^4 e^2 + a^2 d^2 e^4 + (c^2 d^5 e + 2 a c^2 d^3 e^3 + a^2 d e^5) x^2) \sqrt{((4 c^3 d^3 e - 4 a^2 c^2 d e^3 + (a^3 c^4 d^8 + 4 a^2 c^3 d^6 e^2 \\
& + 6 a^3 c^2 d^4 e^4 + 4 a^4 c d^2 e^6 + a^5 e^8) \sqrt{-(c^7 d^8 - 12 a^3 c^6 d^6 e^2 + 38 a^2 c^5 d^4 e^4 - 12 a^3 c^4 d^2 e^6 + a^4 c^3 e^8) / (a^3 c^8 d^{16} + 8 a^4 c^7 d^{14} e^2 \\
& + 28 a^5 c^6 d^{12} e^4 + 56 a^6 c^5 d^{10} e^6 + 70 a^7 c^4 d^8 e^8 + 56 a^8 c^3 d^6 e^{10} + 28 a^9 c^2 d^4 e^{12} + 8 a^{10} c d^2 e^{14} + a^{11} e^{16}))} / (a^3 c^8 d^{16} + 8 a^4 c^7 d^{14} e^2 \\
& + 28 a^5 c^6 d^{12} e^4 + 56 a^6 c^5 d^{10} e^6 + 70 a^7 c^4 d^8 e^8 + 56 a^8 c^3 d^6 e^{10} + 28 a^9 c^2 d^4 e^{12} + 8 a^{10} c d^2 e^{14} + a^{11} e^{16}))} / (a^3 c^8 d^{16} + 8 a^4 c^7 d^{14} e^2 \\
& + 28 a^5 c^6 d^{12} e^4 + 56 a^6 c^5 d^{10} e^6 + 70 a^7 c^4 d^8 e^8 + 56 a^8 c^3 d^6 e^{10} + 28 a^9 c^2 d^4 e^{12} + 8 a^{10} c d^2 e^{14} + a^{11} e^{16}))} \sqrt{((4 c^3 d^3 e - 4 a^2 c^2 d e^3 \\
& + (a^3 c^4 d^8 + 4 a^2 c^3 d^6 e^2 + 6 a^3 c^2 d^4 e^4 + 4 a^4 c d^2 e^6 + a^5 e^8) \sqrt{-(c^7 d^8 - 12 a^3 c^6 d^6 e^2 + 38 a^2 c^5 d^4 e^4 - 12 a^3 c^4 d^2 e^6 + a^4 c^3 e^8) / (a^3 c^8 d^{16} \\
& + 8 a^4 c^7 d^{14} e^2 + 28 a^5 c^6 d^{12} e^4 + 56 a^6 c^5 d^{10} e^6 + 70 a^7 c^4 d^8 e^8 + 56 a^8 c^3 d^6 e^{10} + 28 a^9 c^2 d^4 e^{12} + 8 a^{10} c d^2 e^{14} + a^{11} e^{16}))} \\
& * x + (a^3 c^4 d^9 e + 4 a^4 c^3 d^7 e^3 + 6 a^5 c^2 d^5 e^5 + 4 a^6 c d^3 e^7 + a^7 d e^9) \sqrt{-(c^7 d^8 - 12 a^3 c^6 d^6 e^2 + 38 a^2 c^5 d^4 e^4 - 12 a^3 c^4 d^2 e^6 + a^4 c^3 e^8) / (a^3 c^8 d^{16} \\
& + 8 a^4 c^7 d^{14} e^2 + 28 a^5 c^6 d^{12} e^4 + 56 a^6 c^5 d^{10} e^6 + 70 a^7 c^4 d^8 e^8 + 56 a^8 c^3 d^6 e^{10} + 28 a^9 c^2 d^4 e^{12} + 8 a^{10} c d^2 e^{14} + a^{11} e^{16}))} \sqrt{((4 c^3 d^3 e - 4 a^2 c^2 d e^3 \\
& + (a^3 c^4 d^8 + 4 a^2 c^3 d^6 e^2 + 6 a^3 c^2 d^4 e^4 + 4 a^4 c d^2 e^6 + a^5 e^8) \sqrt{-(c^7 d^8 - 12 a^3 c^6 d^6 e^2 + 38 a^2 c^5 d^4 e^4 - 12 a^3 c^4 d^2 e^6 + a^4 c^3 e^8) / (a^3 c^8 d^{16} \\
& + 8 a^4 c^7 d^{14} e^2 + 28 a^5 c^6 d^{12} e^4 + 56 a^6 c^5 d^{10} e^6 + 70 a^7 c^4 d^8 e^8 + 56 a^8 c^3 d^6 e^{10} + 28 a^9 c^2 d^4 e^{12} + 8 a^{10} c d^2 e^{14} + a^{11} e^{16}))} / (a^3 c^8 d^{16} + 8 a^4 c^7 d^{14} e^2 \\
& + 28 a^5 c^6 d^{12} e^4 + 56 a^6 c^5 d^{10} e^6 + 70 a^7 c^4 d^8 e^8 + 56 a^8 c^3 d^6 e^{10} + 28 a^9 c^2 d^4 e^{12} + 8 a^{10} c d^2 e^{14} + a^{11} e^{16}))} - (c^2 d^6 + 2 a c^2 d^4 e^2 + a^2 d^2 e^4 + (c^2 d^5 e + 2 a c^2 d^3 e^3 + a^2 d e^5) \\
& x^2) \sqrt{((4 c^3 d^3 e - 4 a^2 c^2 d e^3 + (a^3 c^4 d^8 + 4 a^2 c^3 d^6 e^2 + 6 a^3 c^2 d^4 e^4 + 4 a^4 c d^2 e^6 + a^5 e^8) \sqrt{-(c^7 d^8 - 12 a^3 c^6 d^6 e^2 + 38 a^2 c^5 d^4 e^4 - 12 a^3 c^4 d^2 e^6 + a^4 c^3 e^8) / (a^3 c^8 d^{16} \\
& + 8 a^4 c^7 d^{14} e^2 + 28 a^5 c^6 d^{12} e^4 + 56 a^6 c^5 d^{10} e^6 + 70 a^7 c^4 d^8 e^8 + 56 a^8 c^3 d^6 e^{10} + 28 a^9 c^2 d^4 e^{12} + 8 a^{10} c d^2 e^{14} + a^{11} e^{16}))} / (a^3 c^8 d^{16} + 8 a^4 c^7 d^{14} e^2 \\
& + 28 a^5 c^6 d^{12} e^4 + 56 a^6 c^5 d^{10} e^6 + 70 a^7 c^4 d^8 e^8 + 56 a^8 c^3 d^6 e^{10} + 28 a^9 c^2 d^4 e^{12} + 8 a^{10} c d^2 e^{14} + a^{11} e^{16}))}
\end{aligned}$$

$$d^6 - 7a^2c^3d^4e^2 + 7a^3c^2d^2e^4 - a^4c^3e^6 - 2(a^3c^4d^9e + 4a^4c^3d^7e^3 + 6a^5c^2d^5e^5 + 4a^6c^2d^3e^7 + a^7d^9e^9)\sqrt{-(c^7d^8 - 12a^2c^6d^6e^2 + 38a^2c^5d^4e^4 - 12a^3c^4d^2e^6 + a^4c^3e^8)/(a^3c^8d^16 + 8a^4c^7d^14e^2 + 28a^5c^6d^12e^4 + 56a^6c^5d^10e^6 + 70a^7c^4d^8e^8 + 56a^8c^3d^6e^10 + 28a^9c^2d^4e^12 + 8a^{10}c^2d^2e^14 + a^{11}e^{16}))}\sqrt{((4c^3d^3e - 4a^2c^2d^3e^3 - (a^4c^4d^8 + 4a^2c^3d^6e^2 + 6a^3c^2d^4e^4 + 4a^4c^2d^2e^6 + a^5e^8)\sqrt{-(c^7d^8 - 12a^2c^6d^6e^2 + 38a^2c^5d^4e^4 - 12a^3c^4d^2e^6 + a^4c^3e^8)/(a^3c^8d^16 + 8a^4c^7d^14e^2 + 28a^5c^6d^12e^4 + 56a^6c^5d^10e^6 + 70a^7c^4d^8e^8 + 56a^8c^3d^6e^10 + 28a^9c^2d^4e^12 + 8a^{10}c^2d^2e^14 + a^{11}e^{16})))/(a^2c^4d^8 + 4a^2c^3d^6e^2 + 6a^3c^2d^4e^4 + 4a^4c^2d^2e^6 + a^5e^8))} + 2(c^2d^2e^2 + a^2e^4)x/(c^2d^6 + 2a^2c^2d^4e^2 + a^2d^2e^4 + (c^2d^5e + 2a^2c^2d^3e^3 + a^2d^2e^5)x^2)}$$

giac [A] time = 0.25, size = 517, normalized size = 1.14

$$\frac{(5cd^2e^2 + ae^4) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{1}{2}\right)} \left(\left(ac^3\right)^{\frac{1}{4}} c^2d^2 - \left(ac^3\right)^{\frac{1}{4}} ace^2 - 2 \left(ac^3\right)^{\frac{3}{4}} de\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right) \left(\left(ac^3\right)^{\frac{1}{4}}\right)}{2\left(c^2d^5 + 2acd^3e^2 + a^2de^4\right)\sqrt{d}} + \frac{\left(\left(ac^3\right)^{\frac{1}{4}} c^2d^2 - \left(ac^3\right)^{\frac{1}{4}} ace^2 - 2 \left(ac^3\right)^{\frac{3}{4}} de\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right) \left(\left(ac^3\right)^{\frac{1}{4}}\right)}{2\left(\sqrt{2}ac^3d^4 + 2\sqrt{2}a^2c^2d^2e^2 + \sqrt{2}a^3ce^4\right)} + \frac{\left(\left(ac^3\right)^{\frac{1}{4}}\right)}{2\left(\sqrt{2}ac^3d^4 + 2\sqrt{2}a^2c^2d^2e^2 + \sqrt{2}a^3ce^4\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*x^4+a),x, algorithm="giac")

[Out] 1/2*(5*c*d^2*e^2 + a*e^4)*arctan(x*e^(1/2)/sqrt(d))*e^(-1/2)/((c^2*d^5 + 2*a*c*d^3*e^2 + a^2*d*e^4)*sqrt(d)) + 1/2*((a*c^3)^(1/4)*c^2*d^2 - (a*c^3)^(1/4)*a*c*e^2 - 2*(a*c^3)^(3/4)*d*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))/(sqrt(2)*a*c^3*d^4 + 2*sqrt(2)*a^2*c^2*d^2*e^2 + sqrt(2)*a^3*c*e^4) + 1/2*((a*c^3)^(1/4)*c^2*d^2 - (a*c^3)^(1/4)*a*c*e^2 - 2*(a*c^3)^(3/4)*d*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))/(sqrt(2)*a*c^3*d^4 + 2*sqrt(2)*a^2*c^2*d^2*e^2 + sqrt(2)*a^3*c*e^4) + 1/8*(sqrt(2)*(a*c^3)^(1/4)*c^2*d^2 - sqrt(2)*(a*c^3)^(1/4)*a*c*e^2 + 2*sqrt(2)*(a*c^3)^(3/4)*d*e)*log(x^2 + sqrt(2)*x*(a/c)^(1/4) + sqrt(a/c))/(a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4) - 1/8*(sqrt(2)*(a*c^3)^(1/4)*c^2*d^2 - sqrt(2)*(a*c^3)^(1/4)*a*c*e^2 + 2*sqrt(2)*(a*c^3)^(3/4)*d*e)*log(x^2 - sqrt(2)*x*(a/c)^(1/4) + sqrt(a/c))/(a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4) + 1/2*x*e^2/((c*d^3 + a*d*e^2)*(x^2*e + d))

maple [A] time = 0.01, size = 650, normalized size = 1.43

$$\frac{a e^4 x}{2(a e^2 + c d^2)^2 (e x^2 + d) d} + \frac{a e^4 \arctan\left(\frac{e x}{\sqrt{d e}}\right)}{2(a e^2 + c d^2)^2 \sqrt{d e} d} + \frac{c d e^2 x}{2(a e^2 + c d^2)^2 (e x^2 + d)} + \frac{5 c d e^2 \arctan\left(\frac{e x}{\sqrt{d e}}\right)}{2(a e^2 + c d^2)^2 \sqrt{d e}} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} c^2 d}{4(a e^2 + c d^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)^2/(c*x^4+a), x)

[Out] $\frac{1}{2} e^4 / (a e^2 + c d^2)^2 / d * x / (e x^2 + d) + \frac{1}{2} e^2 / (a e^2 + c d^2)^2 * d * x / (e x^2 + d) * c + \frac{1}{2} e^4 / (a e^2 + c d^2)^2 / d / (d * e)^{(1/2)} * \arctan(1 / (d * e)^{(1/2)} * e * x) * a + \frac{5}{2} e^2 / (a e^2 + c d^2)^2 * d / (d * e)^{(1/2)} * \arctan(1 / (d * e)^{(1/2)} * e * x) * c - \frac{1}{8} c / (a e^2 + c d^2)^2 * (a/c)^{(1/4)} * 2^{(1/2)} * \ln((x^2 + (a/c)^{(1/4)} * 2^{(1/2)} * x + (a/c)^{(1/2)}) / (x^2 - (a/c)^{(1/4)} * 2^{(1/2)} * x + (a/c)^{(1/2)})) * e^2 + \frac{1}{8} c^2 / (a e^2 + c d^2)^2 * (a/c)^{(1/4)} / a * 2^{(1/2)} * \ln((x^2 + (a/c)^{(1/4)} * 2^{(1/2)} * x + (a/c)^{(1/2)}) / (x^2 - (a/c)^{(1/4)} * 2^{(1/2)} * x + (a/c)^{(1/2)})) * d^2 - \frac{1}{4} c / (a e^2 + c d^2)^2 * (a/c)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/c)^{(1/4)} * x - 1) * e^2 + \frac{1}{4} c^2 / (a e^2 + c d^2)^2 * (a/c)^{(1/4)} / a * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/c)^{(1/4)} * x - 1) * d^2 - \frac{1}{4} c / (a e^2 + c d^2)^2 * (a/c)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/c)^{(1/4)} * x + 1) * e^2 + \frac{1}{4} c^2 / (a e^2 + c d^2)^2 * (a/c)^{(1/4)} / a * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/c)^{(1/4)} * x + 1) * d^2 - \frac{1}{4} c / (a e^2 + c d^2)^2 * d * e / (a/c)^{(1/4)} * 2^{(1/2)} * \ln((x^2 - (a/c)^{(1/4)} * 2^{(1/2)} * x + (a/c)^{(1/2)}) / (x^2 + (a/c)^{(1/4)} * 2^{(1/2)} * x + (a/c)^{(1/2)})) - \frac{1}{2} c / (a e^2 + c d^2)^2 * d * e / (a/c)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/c)^{(1/4)} * x + 1) - \frac{1}{2} c / (a e^2 + c d^2)^2 * d * e / (a/c)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/c)^{(1/4)} * x - 1)$

maxima [A] time = 2.45, size = 403, normalized size = 0.89

$$\frac{e^2 x}{2(c d^4 + a d^2 e^2 + (c d^3 e + a d e^3) x^2)} + c \left[\frac{2 \sqrt{2} \left(c^{\frac{3}{2}} d^2 - 2 \sqrt{a} c d e - a \sqrt{c} e^2 \right) \arctan\left(\frac{\sqrt{2} \left(2 \sqrt{c} x + \sqrt{2} a^{\frac{1}{4}} c^{\frac{1}{4}} \right)}{2 \sqrt{a} \sqrt{c}} \right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{c}} \sqrt{c}} \right] + \frac{2 \sqrt{2} \left(c^{\frac{3}{2}} d^2 - 2 \sqrt{a} c d e - a \sqrt{c} e^2 \right) \arctan\left(\frac{\sqrt{2} \left(2 \sqrt{c} x + \sqrt{2} a^{\frac{1}{4}} c^{\frac{1}{4}} \right)}{2 \sqrt{a} \sqrt{c}} \right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{c}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*x^4+a), x, algorithm="maxima")

[Out] $\frac{1}{2} e^2 * x / (c * d^4 + a * d^2 * e^2 + (c * d^3 * e + a * d * e^3) * x^2) + \frac{1}{8} * c * (2 * \text{sqrt}(2)) * (c^{(3/2)} * d^2 - 2 * \text{sqrt}(a) * c * d * e - a * \text{sqrt}(c) * e^2) * \arctan(1/2 * \text{sqrt}(2)) * (2 * \text{sqrt}(2)) * x + \dots$

$$c)x + \sqrt{2} * a^{(1/4)} * c^{(1/4)} / \sqrt{\sqrt{a} * \sqrt{c}} / (\sqrt{a} * \sqrt{\sqrt{a} * \sqrt{c}} * \sqrt{c}) + 2 * \sqrt{2} * (c^{(3/2)} * d^2 - 2 * \sqrt{a} * c * d * e - a * \sqrt{c} * e^2) * \arctan(1/2 * \sqrt{2} * (2 * \sqrt{c} * x - \sqrt{2} * a^{(1/4)} * c^{(1/4)}) / \sqrt{\sqrt{a} * \sqrt{c}}) / (\sqrt{a} * \sqrt{\sqrt{a} * \sqrt{c}} * \sqrt{c}) + \sqrt{2} * (c^{(3/2)} * d^2 + 2 * \sqrt{a} * c * d * e - a * \sqrt{c} * e^2) * \log(\sqrt{c} * x^2 + \sqrt{2} * a^{(1/4)} * c^{(1/4)} * x + \sqrt{a}) / (a^{(3/4)} * c^{(3/4)}) - \sqrt{2} * (c^{(3/2)} * d^2 + 2 * \sqrt{a} * c * d * e - a * \sqrt{c} * e^2) * \log(\sqrt{c} * x^2 - \sqrt{2} * a^{(1/4)} * c^{(1/4)} * x + \sqrt{a}) / (a^{(3/4)} * c^{(3/4)}) / (c^2 * d^4 + 2 * a * c * d^2 * e^2 + a^2 * e^4) + 1/2 * (5 * c * d^2 * e^2 + a * e^4) * \arctan(e * x / \sqrt{d * e}) / ((c^2 * d^5 + 2 * a * c * d^3 * e^2 + a^2 * d * e^4) * \sqrt{d * e})$$

mupad [B] time = 6.55, size = 16369, normalized size = 36.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(1/((a + c*x^4)*(d + e*x^2)^2), x)$

[Out] $(e^2*x)/(2*d*(d + e*x^2)*(a*e^2 + c*d^2)) - \text{atan}(\frac{(((((256*a^8*c^4*d*e^{16} - 128*a*c^{11}*d^{15}*e^2 + 256*a^2*c^{10}*d^{13}*e^4 + 3456*a^3*c^9*d^{11}*e^6 + 8960*a^4*c^8*d^9*e^8 + 10880*a^5*c^7*d^7*e^{10} + 6912*a^6*c^6*d^5*e^{12} + 2176*a^7*c^5*d^3*e^{14})/(2*(c^4*d^{10} + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4)) + (x*((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)}))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4)))^{(1/2)}*(512*a^2*c^{11}*d^{16}*e^3 + 2560*a^3*c^{10}*d^{14}*e^5 + 4608*a^4*c^9*d^{12}*e^7 + 2560*a^5*c^8*d^{10}*e^9 - 2560*a^6*c^7*d^8*e^{11} - 4608*a^7*c^6*d^6*e^{13} - 2560*a^8*c^5*d^4*e^{15} - 512*a^9*c^4*d^2*e^{17}))/((c^4*d^{10} + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)}))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4)))^{(1/2)} + (x*(32*a^6*c^5*d*e^{14} - 48*a*c^{10}*d^{11}*e^4 - 16*c^{11}*d^{13}*e^2 + 1024*a^2*c^9*d^9*e^6 + 2208*a^3*c^8*d^7*e^8 + 1264*a^4*c^7*d^5*e^{10} + 144*a^5*c^6*d^3*e^{12}))/((c^4*d^{10} + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)}))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4)))^{(1/2)} + (480*a^2*c^8*d^6*e^7 - 200*a*c^9*d^8*e^5 - 8*a^5*c^5*e^{13} + 784*a^3*c^7*d^4*e^9 + 96*a^4*c^6*d^2*e^{11}))/((2*(c^4*d^{10} + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)}))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4)))^{(1/2)} + (x*(a^3*c^6*e^{11} - 27*c^9*d^6*e^5 + 11*a*c^8*d^4*e^7 + 7*a^2*c^7*d^2*e^9))/((c^4*d^{10} + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)}))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4)))^{(1/2)}$

$$\begin{aligned}
& 2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2* \\
& (-a^3*c^3)^{(1/2)})/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3* \\
& d^6*e^2 + 6*a^5*c^2*d^4*e^4))^{(1/2)}*i1 - (((((256*a^8*c^4*d*e^16 - 128*a*c \\
& ^{11}*d^{15}*e^2 + 256*a^2*c^{10}*d^{13}*e^4 + 3456*a^3*c^9*d^{11}*e^6 + 8960*a^4*c^8 \\
& *d^9*e^8 + 10880*a^5*c^7*d^7*e^{10} + 6912*a^6*c^6*d^5*e^{12} + 2176*a^7*c^5*d^ \\
& 3*e^{14})/(2*(c^4*d^{10} + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6* \\
& a^2*c^2*d^6*e^4)) - (x*((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} \\
&) + 4*a^2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)}))/(16 \\
& *(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^ \\
& 4*e^4))^{(1/2)}*(512*a^2*c^{11}*d^{16}*e^3 + 2560*a^3*c^{10}*d^{14}*e^5 + 4608*a^4* \\
& c^9*d^{12}*e^7 + 2560*a^5*c^8*d^{10}*e^9 - 2560*a^6*c^7*d^8*e^{11} - 4608*a^7*c^6 \\
& *d^6*e^{13} - 2560*a^8*c^5*d^4*e^{15} - 512*a^9*c^4*d^2*e^{17}))/((c^4*d^{10} + a^4* \\
& d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*((a^2*e^4 \\
& *(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e - 4*a^3*c^2* \\
& d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)}))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6* \\
& c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4))^{(1/2)} - (x*(32*a^6*c^5 \\
& *d*e^{14} - 48*a*c^{10}*d^{11}*e^4 - 16*c^{11}*d^{13}*e^2 + 1024*a^2*c^9*d^9*e^6 + 22 \\
& 08*a^3*c^8*d^7*e^8 + 1264*a^4*c^7*d^5*e^{10} + 144*a^5*c^6*d^3*e^{12}))/((c^4*d^ \\
& 10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))* \\
& ((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e - 4 \\
& *a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)}))/(16*(a^7*e^8 + a^3*c^4*d^8 \\
& + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4))^{(1/2)} + (480* \\
& a^2*c^8*d^6*e^7 - 200*a*c^9*d^8*e^5 - 8*a^5*c^5*e^{13} + 784*a^3*c^7*d^4*e^9 \\
& + 96*a^4*c^6*d^2*e^{11})/(2*(c^4*d^{10} + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3 \\
& *c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*(((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^ \\
& 3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3) \\
& ^{(1/2)}))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + \\
& 6*a^5*c^2*d^4*e^4))^{(1/2)} - (x*(a^3*c^6*e^{11} - 27*c^9*d^6*e^5 + 11*a*c^8*d \\
& ^4*e^7 + 7*a^2*c^7*d^2*e^9))/((c^4*d^{10} + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4* \\
& a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*(((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(- \\
& a^3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^ \\
& 3)^{(1/2)}))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 \\
& + 6*a^5*c^2*d^4*e^4))^{(1/2)}*i1)/((((((256*a^8*c^4*d*e^16 - 128*a*c^{11}*d^{15} \\
& *e^2 + 256*a^2*c^{10}*d^{13}*e^4 + 3456*a^3*c^9*d^{11}*e^6 + 8960*a^4*c^8*d^9*e^8 \\
& + 10880*a^5*c^7*d^7*e^{10} + 6912*a^6*c^6*d^5*e^{12} + 2176*a^7*c^5*d^3*e^{14})/ \\
& (2*(c^4*d^{10} + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2* \\
& d^6*e^4)) + (x*((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^ \\
& 2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)}))/(16*(a^7*e^ \\
& 8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4)) \\
&)^{(1/2)}*(512*a^2*c^{11}*d^{16}*e^3 + 2560*a^3*c^{10}*d^{14}*e^5 + 4608*a^4*c^9*d^{12} \\
& *e^7 + 2560*a^5*c^8*d^{10}*e^9 - 2560*a^6*c^7*d^8*e^{11} - 4608*a^7*c^6*d^6*e^{1 \\
& 3} - 2560*a^8*c^5*d^4*e^{15} - 512*a^9*c^4*d^2*e^{17}))/((c^4*d^{10} + a^4*d^2*e^8 \\
& + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*((a^2*e^4*(-a^3*c \\
& ^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - \\
& 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)}))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^
\end{aligned}$$

$$\begin{aligned}
& 6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4))^{(1/2)} + (x*(32*a^6*c^5*d*e^14 \\
& - 48*a*c^10*d^11*e^4 - 16*c^11*d^13*e^2 + 1024*a^2*c^9*d^9*e^6 + 2208*a^3*c^8*d^7*e^8 \\
& + 1264*a^4*c^7*d^5*e^10 + 144*a^5*c^6*d^3*e^12))/(c^4*d^10 + a^4 \\
& *d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*((a^2*e^4 \\
& *(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e - 4*a^3*c^2 \\
& *d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)}))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6 \\
& *c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4))^{(1/2)} + (480*a^2*c^8*d^6 \\
& *e^7 - 200*a*c^9*d^8*e^5 - 8*a^5*c^5*e^13 + 784*a^3*c^7*d^4*e^9 + 96*a^4 \\
& *c^6*d^2*e^11)/(2*(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 \\
& + 6*a^2*c^2*d^6*e^4))*((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} \\
& + 4*a^2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)})/ \\
& (16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2 \\
& *d^4*e^4)))^{(1/2)} + (x*(a^3*c^6*e^11 - 27*c^9*d^6*e^5 + 11*a*c^8*d^4*e^7 + \\
& 7*a^2*c^7*d^2*e^9))/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4 \\
& *e^6 + 6*a^2*c^2*d^6*e^4))*((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} \\
& + 4*a^2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)})/ \\
& (16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2 \\
& *d^4*e^4)))^{(1/2)} + (((((256*a^8*c^4*d*e^16 - 128*a*c^11*d^15*e^2 + 256* \\
& a^2*c^10*d^13*e^4 + 3456*a^3*c^9*d^11*e^6 + 8960*a^4*c^8*d^9*e^8 + 10880*a^5 \\
& *c^7*d^7*e^10 + 6912*a^6*c^6*d^5*e^12 + 2176*a^7*c^5*d^3*e^14)/(2*(c^4*d^1 \\
& 0 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4)) - \\
& (x*((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e \\
& - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)}))/(16*(a^7*e^8 + a^3*c^4 \\
& *d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4)))^{(1/2)}*(51 \\
& 2*a^2*c^11*d^16*e^3 + 2560*a^3*c^10*d^14*e^5 + 4608*a^4*c^9*d^12*e^7 + 2560 \\
& *a^5*c^8*d^10*e^9 - 2560*a^6*c^7*d^8*e^11 - 4608*a^7*c^6*d^6*e^13 - 2560*a^8 \\
& *c^5*d^4*e^15 - 512*a^9*c^4*d^2*e^17))/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8 \\
& *e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*((a^2*e^4*(-a^3*c^3)^{(1/2)} + \\
& c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2 \\
& *(-a^3*c^3)^{(1/2)}))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3 \\
& *d^6*e^2 + 6*a^5*c^2*d^4*e^4)))^{(1/2)} - (x*(32*a^6*c^5*d*e^14 - 48*a*c^10 \\
& *d^11*e^4 - 16*c^11*d^13*e^2 + 1024*a^2*c^9*d^9*e^6 + 2208*a^3*c^8*d^7*e^8 \\
& + 1264*a^4*c^7*d^5*e^10 + 144*a^5*c^6*d^3*e^12))/(c^4*d^10 + a^4*d^2*e^8 + \\
& 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*((a^2*e^4*(-a^3*c^3) \\
&)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^2*c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6* \\
& a*c*d^2*e^2*(-a^3*c^3)^{(1/2)}))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 \\
& + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4)))^{(1/2)} + (480*a^2*c^8*d^6*e^7 - 2 \\
& 00*a*c^9*d^8*e^5 - 8*a^5*c^5*e^13 + 784*a^3*c^7*d^4*e^9 + 96*a^4*c^6*d^2*e^ \\
& 11)/(2*(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2 \\
& *d^6*e^4))*((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*a^2 \\
& *c^3*d^3*e - 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^{(1/2)}))/(16*(a^7*e^ \\
& 8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4)) \\
&)^{(1/2)} - (x*(a^3*c^6*e^11 - 27*c^9*d^6*e^5 + 11*a*c^8*d^4*e^7 + 7*a^2*c^7 \\
& *d^2*e^9))/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2 \\
& *c^2*d^6*e^4))*((a^2*e^4*(-a^3*c^3)^{(1/2)} + c^2*d^4*(-a^3*c^3)^{(1/2)} + 4*
\end{aligned}$$

$$\begin{aligned}
& a^2c^3d^3e - 4a^3c^2d^2e^3 - 6a^4c^2d^2e^2(-a^3c^3)^{(1/2)} / (16(a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4))^{(1/2)} + (5c^8d^3e^6 + a^2c^7d^2e^8) / (c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)) * ((a^2e^4(-a^3c^3)^{(1/2)} + c^2d^4(-a^3c^3)^{(1/2)} + 4a^2c^3d^3e - 4a^3c^2d^2e^3 - 6a^4c^2d^2e^2(-a^3c^3)^{(1/2)}) / (16(a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4))^{(1/2)} * 2i - (\operatorname{atan}(\frac{(x(a^3c^6e^{11} - 27c^9d^6e^5 + 11a^2c^8d^4e^7 + 7a^2c^7d^2e^9))}{(c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)} - \frac{((240a^2c^8d^6e^7 - 100a^2c^9d^8e^5 - 4a^5c^5e^{13} + 392a^3c^7d^4e^9 + 48a^4c^6d^2e^{11})}{(c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)} - \frac{((x(32a^6c^5d^5e^{14} - 48a^2c^{10}d^{11}e^4 - 16c^{11}d^{13}e^2 + 1024a^2c^9d^9e^6 + 2208a^3c^8d^7e^8 + 1264a^4c^7d^5e^{10} + 144a^5c^6d^3e^{12}))}{(c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)} - ((a^2e^2 + 5c^2d^2) * \frac{((128a^8c^4d^4e^{16} - 64a^2c^{11}d^{15}e^2 + 128a^2c^{10}d^{13}e^4 + 1728a^3c^9d^{11}e^6 + 4480a^4c^8d^9e^8 + 5440a^5c^7d^7e^{10} + 3456a^6c^6d^5e^{12} + 1088a^7c^5d^3e^{14})}{(c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)} - (x(a^2e^2 + 5c^2d^2) * (-d^3e^3)^{(1/2)} * (512a^2c^{11}d^{16}e^3 + 2560a^3c^{10}d^{14}e^5 + 4608a^4c^9d^{12}e^7 + 2560a^5c^8d^{10}e^9 - 2560a^6c^7d^8e^{11} - 4608a^7c^6d^6e^{13} - 2560a^8c^5d^4e^{15} - 512a^9c^4d^2e^{17}))}{(4(c^2d^7 + a^2d^3e^4 + 2a^2c^2d^5e^2)) * (c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)) * (-d^3e^3)^{(1/2)} / (4(c^2d^7 + a^2d^3e^4 + 2a^2c^2d^5e^2)) * (a^2e^2 + 5c^2d^2) * (-d^3e^3)^{(1/2)} / (4(c^2d^7 + a^2d^3e^4 + 2a^2c^2d^5e^2)) * (a^2e^2 + 5c^2d^2) * (-d^3e^3)^{(1/2)} * 1i) / (4(c^2d^7 + a^2d^3e^4 + 2a^2c^2d^5e^2)) + \frac{((x(a^3c^6e^{11} - 27c^9d^6e^5 + 11a^2c^8d^4e^7 + 7a^2c^7d^2e^9))}{(c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)} + \frac{((240a^2c^8d^6e^7 - 100a^2c^9d^8e^5 - 4a^5c^5e^{13} + 392a^3c^7d^4e^9 + 48a^4c^6d^2e^{11})}{(c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)} + \frac{((x(32a^6c^5d^5e^{14} - 48a^2c^{10}d^{11}e^4 - 16c^{11}d^{13}e^2 + 1024a^2c^9d^9e^6 + 2208a^3c^8d^7e^8 + 1264a^4c^7d^5e^{10} + 144a^5c^6d^3e^{12}))}{(c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)} + ((a^2e^2 + 5c^2d^2) * \frac{((128a^8c^4d^4e^{16} - 64a^2c^{11}d^{15}e^2 + 128a^2c^{10}d^{13}e^4 + 1728a^3c^9d^{11}e^6 + 4480a^4c^8d^9e^8 + 5440a^5c^7d^7e^{10} + 3456a^6c^6d^5e^{12} + 1088a^7c^5d^3e^{14})}{(c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)} + (x(a^2e^2 + 5c^2d^2) * (-d^3e^3)^{(1/2)} * (512a^2c^{11}d^{16}e^3 + 2560a^3c^{10}d^{14}e^5 + 4608a^4c^9d^{12}e^7 + 2560a^5c^8d^{10}e^9 - 2560a^6c^7d^8e^{11} - 4608a^7c^6d^6e^{13} - 2560a^8c^5d^4e^{15} - 512a^9c^4d^2e^{17}))}{(4(c^2d^7 + a^2d^3e^4 + 2a^2c^2d^5e^2)) * (c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)) * (-d^3e^3)^{(1/2)} / (4(c^2d^7 + a^2d^3e^4 + 2a^2c^2d^5e^2)) * (a^2e^2 + 5c^2d^2) * (-d^3e^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned} &)^{(1/2)})/(4*(c^2*d^7 + a^2*d^3*e^4 + 2*a*c*d^5*e^2)))*(a*e^2 + 5*c*d^2)*(-d^3*e^3)^{(1/2)})/(4*(c^2*d^7 + a^2*d^3*e^4 + 2*a*c*d^5*e^2)))*(a*e^2 + 5*c*d^2)*(-d^3*e^3)^{(1/2)}*i)/(4*(c^2*d^7 + a^2*d^3*e^4 + 2*a*c*d^5*e^2)))/(5*c^8*d^3*e^6 + a*c^7*d^5*e^8)/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4) - (((x*(a^3*c^6*e^11 - 27*c^9*d^6*e^5 + 11*a*c^8*d^4*e^7 + 7*a^2*c^7*d^2*e^9))/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4) - (((240*a^2*c^8*d^6*e^7 - 100*a*c^9*d^8*e^5 - 4*a^5*c^5*e^13 + 392*a^3*c^7*d^4*e^9 + 48*a^4*c^6*d^2*e^11)/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4) - (((x*(32*a^6*c^5*d^5*e^14 - 48*a*c^10*d^11*e^4 - 16*c^11*d^13*e^2 + 1024*a^2*c^9*d^9*e^6 + 2208*a^3*c^8*d^7*e^8 + 1264*a^4*c^7*d^5*e^10 + 144*a^5*c^6*d^3*e^12))/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4) - ((a*e^2 + 5*c*d^2)*((128*a^8*c^4*d^5*e^16 - 64*a*c^11*d^15*e^2 + 128*a^2*c^10*d^13*e^4 + 1728*a^3*c^9*d^11*e^6 + 4480*a^4*c^8*d^9*e^8 + 5440*a^5*c^7*d^7*e^10 + 3456*a^6*c^6*d^5*e^12 + 1088*a^7*c^5*d^3*e^14)/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4) - (x*(a*e^2 + 5*c*d^2)*(-d^3*e^3)^{(1/2)}*(512*a^2*c^11*d^16*e^3 + 2560*a^3*c^10*d^14*e^5 + 4608*a^4*c^9*d^12*e^7 + 2560*a^5*c^8*d^10*e^9 - 2560*a^6*c^7*d^8*e^11 - 4608*a^7*c^6*d^6*e^13 - 2560*a^8*c^5*d^4*e^15 - 512*a^9*c^4*d^2*e^17)))/(4*(c^2*d^7 + a^2*d^3*e^4 + 2*a*c*d^5*e^2))*((c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4)))*(-d^3*e^3)^{(1/2)})/(4*(c^2*d^7 + a^2*d^3*e^4 + 2*a*c*d^5*e^2)))*(a*e^2 + 5*c*d^2)*(-d^3*e^3)^{(1/2)})/(4*(c^2*d^7 + a^2*d^3*e^4 + 2*a*c*d^5*e^2)))*(a*e^2 + 5*c*d^2)*(-d^3*e^3)^{(1/2)})/(4*(c^2*d^7 + a^2*d^3*e^4 + 2*a*c*d^5*e^2))) + (((x*(a^3*c^6*e^11 - 27*c^9*d^6*e^5 + 11*a*c^8*d^4*e^7 + 7*a^2*c^7*d^2*e^9))/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4) + (((240*a^2*c^8*d^6*e^7 - 100*a*c^9*d^8*e^5 - 4*a^5*c^5*e^13 + 392*a^3*c^7*d^4*e^9 + 48*a^4*c^6*d^2*e^11)/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4) + (((x*(32*a^6*c^5*d^5*e^14 - 48*a*c^10*d^11*e^4 - 16*c^11*d^13*e^2 + 1024*a^2*c^9*d^9*e^6 + 2208*a^3*c^8*d^7*e^8 + 1264*a^4*c^7*d^5*e^10 + 144*a^5*c^6*d^3*e^12))/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4) + ((a*e^2 + 5*c*d^2)*((128*a^8*c^4*d^5*e^16 - 64*a*c^11*d^15*e^2 + 128*a^2*c^10*d^13*e^4 + 1728*a^3*c^9*d^11*e^6 + 4480*a^4*c^8*d^9*e^8 + 5440*a^5*c^7*d^7*e^10 + 3456*a^6*c^6*d^5*e^12 + 1088*a^7*c^5*d^3*e^14)/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4) + (x*(a*e^2 + 5*c*d^2)*(-d^3*e^3)^{(1/2)}*(512*a^2*c^11*d^16*e^3 + 2560*a^3*c^10*d^14*e^5 + 4608*a^4*c^9*d^12*e^7 + 2560*a^5*c^8*d^10*e^9 - 2560*a^6*c^7*d^8*e^11 - 4608*a^7*c^6*d^6*e^13 - 2560*a^8*c^5*d^4*e^15 - 512*a^9*c^4*d^2*e^17)))/(4*(c^2*d^7 + a^2*d^3*e^4 + 2*a*c*d^5*e^2))*((c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4)))*(-d^3*e^3)^{(1/2)})/(4*(c^2*d^7 + a^2*d^3*e^4 + 2*a*c*d^5*e^2)))*(a*e^2 + 5*c*d^2)*(-d^3*e^3)^{(1/2)})/(4*(c^2*d^7 + a^2*d^3*e^4 + 2*a*c*d^5*e^2)))*(a*e^2 + 5*c*d^2)*(-d^3*e^3)^{(1/2)})/(4*(c^2*d^7 + a^2*d^3*e^4 + 2*a*c*d^5*e^2)))$$

$$\begin{aligned}
& c^2d^7 + a^2d^3e^4 + 2ac^5d^2e^2)))(a^2 + 5c^2d^2)(-d^3e^3)^{(1/2)} \\
&) * i) / (2 * (c^2d^7 + a^2d^3e^4 + 2ac^5d^2e^2)) - \operatorname{atan}\left(\frac{(256a^8c^4d^4e^{16} - 128a^7c^{11}d^{15}e^2 + 256a^6c^{10}d^{13}e^4 + 3456a^5c^9d^{11}e^6 + 8960a^4c^8d^9e^8 + 10880a^5c^7d^7e^{10} + 6912a^6c^6d^5e^{12} + 2176a^7c^5d^3e^{14})}{(2 * (c^4d^{10} + a^4d^2e^8 + 4ac^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)) + (x * (-a^2e^4 * (-a^3c^3)^{(1/2)} + c^2d^4 * (-a^3c^3)^{(1/2)} - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6ac^2d^2e^2 * (-a^3c^3)^{(1/2)}) / (16 * (a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4)))^{(1/2)} * (512a^2c^{11}d^{16}e^3 + 2560a^3c^{10}d^{14}e^5 + 4608a^4c^9d^{12}e^7 + 2560a^5c^8d^{10}e^9 - 2560a^6c^7d^8e^{11} - 4608a^7c^6d^6e^{13} - 2560a^8c^5d^4e^{15} - 512a^9c^4d^2e^{17}))}{(c^4d^{10} + a^4d^2e^8 + 4ac^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)} * (-a^2e^4 * (-a^3c^3)^{(1/2)} + c^2d^4 * (-a^3c^3)^{(1/2)} - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6ac^2d^2e^2 * (-a^3c^3)^{(1/2)}) / (16 * (a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4)))^{(1/2)} * (32a^6c^5d^4e^{14} - 48a^5c^{10}d^{11}e^4 - 16c^{11}d^{13}e^2 + 1024a^2c^9d^9e^6 + 2208a^3c^8d^7e^8 + 1264a^4c^7d^5e^{10} + 144a^5c^6d^3e^{12})}{(c^4d^{10} + a^4d^2e^8 + 4ac^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)} * (-a^2e^4 * (-a^3c^3)^{(1/2)} + c^2d^4 * (-a^3c^3)^{(1/2)} - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6ac^2d^2e^2 * (-a^3c^3)^{(1/2)}) / (16 * (a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4)))^{(1/2)} + (480a^2c^8d^6e^7 - 200a^3c^9d^8e^5 - 8a^5c^5e^{13} + 784a^3c^7d^4e^9 + 96a^4c^6d^2e^{11})}{(2 * (c^4d^{10} + a^4d^2e^8 + 4ac^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4))} * (-a^2e^4 * (-a^3c^3)^{(1/2)} + c^2d^4 * (-a^3c^3)^{(1/2)} - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6ac^2d^2e^2 * (-a^3c^3)^{(1/2)}) / (16 * (a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4)))^{(1/2)} + (x * (a^3c^6e^{11} - 27c^9d^6e^5 + 11ac^8d^4e^7 + 7a^2c^7d^2e^9)) / (c^4d^{10} + a^4d^2e^8 + 4ac^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)} * (-a^2e^4 * (-a^3c^3)^{(1/2)} + c^2d^4 * (-a^3c^3)^{(1/2)} - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6ac^2d^2e^2 * (-a^3c^3)^{(1/2)}) / (16 * (a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4)))^{(1/2)} * i - \left(\frac{(256a^8c^4d^4e^{16} - 128a^7c^{11}d^{15}e^2 + 256a^6c^{10}d^{13}e^4 + 3456a^5c^9d^{11}e^6 + 8960a^4c^8d^9e^8 + 10880a^5c^7d^7e^{10} + 6912a^6c^6d^5e^{12} + 2176a^7c^5d^3e^{14})}{(2 * (c^4d^{10} + a^4d^2e^8 + 4ac^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4))} - (x * (-a^2e^4 * (-a^3c^3)^{(1/2)} + c^2d^4 * (-a^3c^3)^{(1/2)} - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6ac^2d^2e^2 * (-a^3c^3)^{(1/2)}) / (16 * (a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4)))^{(1/2)} * (512a^2c^{11}d^{16}e^3 + 2560a^3c^{10}d^{14}e^5 + 4608a^4c^9d^{12}e^7 + 2560a^5c^8d^{10}e^9 - 2560a^6c^7d^8e^{11} - 4608a^7c^6d^6e^{13} - 2560a^8c^5d^4e^{15} - 512a^9c^4d^2e^{17}))}{(c^4d^{10} + a^4d^2e^8 + 4ac^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)} * (-a^2e^4 * (-a^3c^3)^{(1/2)} + c^2d^4 * (-a^3c^3)^{(1/2)} - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6ac^2d^2e^2 * (-a^3c^3)^{(1/2)}) / (16 * (a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4)))^{(1/2)} - \left(\frac{(256a^8c^4d^4e^{16} - 128a^7c^{11}d^{15}e^2 + 256a^6c^{10}d^{13}e^4 + 3456a^5c^9d^{11}e^6 + 8960a^4c^8d^9e^8 + 10880a^5c^7d^7e^{10} + 6912a^6c^6d^5e^{12} + 2176a^7c^5d^3e^{14})}{(2 * (c^4d^{10} + a^4d^2e^8 + 4ac^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4))} - (x * (-a^2e^4 * (-a^3c^3)^{(1/2)} + c^2d^4 * (-a^3c^3)^{(1/2)} - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6ac^2d^2e^2 * (-a^3c^3)^{(1/2)}) / (16 * (a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4)))^{(1/2)} * (512a^2c^{11}d^{16}e^3 + 2560a^3c^{10}d^{14}e^5 + 4608a^4c^9d^{12}e^7 + 2560a^5c^8d^{10}e^9 - 2560a^6c^7d^8e^{11} - 4608a^7c^6d^6e^{13} - 2560a^8c^5d^4e^{15} - 512a^9c^4d^2e^{17}))}{(c^4d^{10} + a^4d^2e^8 + 4ac^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)} * (-a^2e^4 * (-a^3c^3)^{(1/2)} + c^2d^4 * (-a^3c^3)^{(1/2)} - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6ac^2d^2e^2 * (-a^3c^3)^{(1/2)}) / (16 * (a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4)))^{(1/2)} - \right.
\end{aligned}$$

$$\begin{aligned}
& (x*(32*a^6*c^5*d*e^14 - 48*a*c^10*d^11*e^4 - 16*c^11*d^13*e^2 + 1024*a^2*c^9*d^9*e^6 + 2208*a^3*c^8*d^7*e^8 + 1264*a^4*c^7*d^5*e^10 + 144*a^5*c^6*d^3*e^12))/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*(-a^2*e^4*(-a^3*c^3)^(1/2) + c^2*d^4*(-a^3*c^3)^(1/2) - 4*a^2*c^3*d^3*e + 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^(1/2))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4))^(1/2) + (480*a^2*c^8*d^6*e^7 - 200*a*c^9*d^8*e^5 - 8*a^5*c^5*e^13 + 784*a^3*c^7*d^4*e^9 + 96*a^4*c^6*d^2*e^11)/(2*(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4)))*(-a^2*e^4*(-a^3*c^3)^(1/2) + c^2*d^4*(-a^3*c^3)^(1/2) - 4*a^2*c^3*d^3*e + 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^(1/2))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4))^(1/2) - (x*(a^3*c^6*e^11 - 27*c^9*d^6*e^5 + 11*a*c^8*d^4*e^7 + 7*a^2*c^7*d^2*e^9))/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*(-a^2*e^4*(-a^3*c^3)^(1/2) + c^2*d^4*(-a^3*c^3)^(1/2) - 4*a^2*c^3*d^3*e + 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^(1/2))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4))^(1/2)*i)/((((((256*a^8*c^4*d*e^16 - 128*a*c^11*d^15*e^2 + 256*a^2*c^10*d^13*e^4 + 3456*a^3*c^9*d^11*e^6 + 8960*a^4*c^8*d^9*e^8 + 10880*a^5*c^7*d^7*e^10 + 6912*a^6*c^6*d^5*e^12 + 2176*a^7*c^5*d^3*e^14)/(2*(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4)) + (x*(-a^2*e^4*(-a^3*c^3)^(1/2) + c^2*d^4*(-a^3*c^3)^(1/2) - 4*a^2*c^3*d^3*e + 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^(1/2))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4))^(1/2)*(512*a^2*c^11*d^16*e^3 + 2560*a^3*c^10*d^14*e^5 + 4608*a^4*c^9*d^12*e^7 + 2560*a^5*c^8*d^10*e^9 - 2560*a^6*c^7*d^8*e^11 - 4608*a^7*c^6*d^6*e^13 - 2560*a^8*c^5*d^4*e^15 - 512*a^9*c^4*d^2*e^17)))/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*(-a^2*e^4*(-a^3*c^3)^(1/2) + c^2*d^4*(-a^3*c^3)^(1/2) - 4*a^2*c^3*d^3*e + 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^(1/2))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4))^(1/2) + (x*(32*a^6*c^5*d*e^14 - 48*a*c^10*d^11*e^4 - 16*c^11*d^13*e^2 + 1024*a^2*c^9*d^9*e^6 + 2208*a^3*c^8*d^7*e^8 + 1264*a^4*c^7*d^5*e^10 + 144*a^5*c^6*d^3*e^12))/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*(-a^2*e^4*(-a^3*c^3)^(1/2) + c^2*d^4*(-a^3*c^3)^(1/2) - 4*a^2*c^3*d^3*e + 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^(1/2))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4))^(1/2) + (480*a^2*c^8*d^6*e^7 - 200*a*c^9*d^8*e^5 - 8*a^5*c^5*e^13 + 784*a^3*c^7*d^4*e^9 + 96*a^4*c^6*d^2*e^11)/(2*(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4)))*(-a^2*e^4*(-a^3*c^3)^(1/2) + c^2*d^4*(-a^3*c^3)^(1/2) - 4*a^2*c^3*d^3*e + 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^(1/2))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4))^(1/2) + (x*(a^3*c^6*e^11 - 27*c^9*d^6*e^5 + 11*a*c^8*d^4*e^7 + 7*a^2*c^7*d^2*e^9))/(c^4*d^10 + a^4*d^2*e^8 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 + 6*a^2*c^2*d^6*e^4))*(-a^2*e^4*(-a^3*c^3)^(1/2) + c^2*d^4*(-a^3*c^3)^(1/2) - 4*a^2*c^3*d^3*e + 4*a^3*c^2*d*e^3 - 6*a*c*d^2*e^2*(-a^3*c^3)^(1/2))/(16*(a^7*e^8 + a^3*c^4*d^8 + 4*a^6*c*d^2*e^6 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4))^(1/2)
\end{aligned}$$

$$\begin{aligned} & \sqrt{2e^2(-a^3c^3)^{1/2}} / (16(a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4))^{1/2} + \left(\frac{(256a^8c^4d^2e^{16} - 128a^6c^11d^{15}e^2 + 256a^2c^{10}d^{13}e^4 + 3456a^3c^9d^{11}e^6 + 8960a^4c^8d^9e^8 + 10880a^5c^7d^7e^{10} + 6912a^6c^6d^5e^{12} + 2176a^7c^5d^3e^{14})}{2(c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)} - (x(-a^2e^4(-a^3c^3)^{1/2} + c^2d^4(-a^3c^3)^{1/2}) - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6a^2c^2d^2e^2(-a^3c^3)^{1/2}) \right) / (16(a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4))^{1/2} \\ & * (512a^2c^{11}d^{16}e^3 + 2560a^3c^{10}d^{14}e^5 + 4608a^4c^9d^{12}e^7 + 2560a^5c^8d^{10}e^9 - 2560a^6c^7d^8e^{11} - 4608a^7c^6d^6e^{13} - 2560a^8c^5d^4e^{15} - 512a^9c^4d^2e^{17}) / (c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4) * (-a^2e^4(-a^3c^3)^{1/2} + c^2d^4(-a^3c^3)^{1/2} - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6a^2c^2d^2e^2(-a^3c^3)^{1/2}) / (16(a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4))^{1/2} \\ & - (x(32a^6c^5d^2e^{14} - 48a^5c^{10}d^{11}e^4 - 16c^{11}d^{13}e^2 + 1024a^2c^9d^9e^6 + 2208a^3c^8d^7e^8 + 1264a^4c^7d^5e^{10} + 144a^5c^6d^3e^{12})) / (c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4) * (-a^2e^4(-a^3c^3)^{1/2} + c^2d^4(-a^3c^3)^{1/2} - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6a^2c^2d^2e^2(-a^3c^3)^{1/2}) / (16(a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4))^{1/2} \\ & + (480a^2c^8d^6e^7 - 200a^3c^9d^8e^5 - 8a^5c^5e^{13} + 784a^3c^7d^4e^9 + 96a^4c^6d^2e^{11}) / (2(c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4)) * (-a^2e^4(-a^3c^3)^{1/2} + c^2d^4(-a^3c^3)^{1/2} - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6a^2c^2d^2e^2(-a^3c^3)^{1/2}) / (16(a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4))^{1/2} \\ & - (x(a^3c^6e^{11} - 27c^9d^6e^5 + 11a^2c^8d^4e^7 + 7a^2c^7d^2e^9)) / (c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4) * (-a^2e^4(-a^3c^3)^{1/2} + c^2d^4(-a^3c^3)^{1/2} - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6a^2c^2d^2e^2(-a^3c^3)^{1/2}) / (16(a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4))^{1/2} \\ & + (5c^8d^3e^6 + a^2c^7d^2e^8) / (c^4d^{10} + a^4d^2e^8 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 + 6a^2c^2d^6e^4) * (-a^2e^4(-a^3c^3)^{1/2} + c^2d^4(-a^3c^3)^{1/2} - 4a^2c^3d^3e + 4a^3c^2d^2e^3 - 6a^2c^2d^2e^2(-a^3c^3)^{1/2}) / (16(a^7e^8 + a^3c^4d^8 + 4a^6c^2d^2e^6 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4))^{1/2} * 2i \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)**2/(c*x**4+a),x)

[Out] Timed out

$$3.144 \quad \int \frac{(d+ex^2)^3}{(a+cx^4)^2} dx$$

Optimal. Leaf size=363

$$\frac{3(\sqrt{c}d - \sqrt{a}e)(ae^2 + cd^2) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2} a^{7/4} c^{7/4}} + \frac{3(\sqrt{c}d - \sqrt{a}e)(ae^2 + cd^2) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2} a^{7/4} c^{7/4}}$$

[Out] $-e^3 x^3 / (c x^4 + a) + 1/4 x (d(-3 a e^2 + c d^2) + 3 e (a e^2 + c d^2) x^2) / a / c / (c x^4 + a) - 3/32 (a e^2 + c d^2) \ln(-a^{1/4} c^{1/4} x^2 + a^{1/2} + x^2 c^{1/2}) (-e a^{1/2} + d c^{1/2}) / a^{7/4} / c^{7/4} 2^{1/2} + 3/32 (a e^2 + c d^2) \ln(a^{1/4} c^{1/4} x^2 + a^{1/2} + x^2 c^{1/2}) (-e a^{1/2} + d c^{1/2}) / a^{7/4} / c^{7/4} 2^{1/2} + 3/16 (a e^2 + c d^2) \arctan(-1 + c^{1/4} x^2 / a^{1/4}) (e a^{1/2} + d c^{1/2}) / a^{7/4} / c^{7/4} 2^{1/2} + 3/16 (a e^2 + c d^2) \arctan(1 + c^{1/4} x^2 / a^{1/4}) (e a^{1/2} + d c^{1/2}) / a^{7/4} / c^{7/4} 2^{1/2}$

Rubi [A] time = 0.41, antiderivative size = 363, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {1207, 1858, 1168, 1162, 617, 204, 1165, 628}

$$\frac{3(\sqrt{c}d - \sqrt{a}e)(ae^2 + cd^2) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2} a^{7/4} c^{7/4}} + \frac{3(\sqrt{c}d - \sqrt{a}e)(ae^2 + cd^2) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2} a^{7/4} c^{7/4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^3/(a + c*x^4)^2, x]

[Out] $-((e^3 x^3)/(c(a + c x^4))) + (x(d(c d^2 - 3 a e^2) + 3 e(c d^2 + a e^2) x^2))/(4 a c(a + c x^4)) - (3(\text{Sqrt}[c] d + \text{Sqrt}[a] e)(c d^2 + a e^2) \text{ArcTan}[1 - (\text{Sqrt}[2] c^{1/4} x)/a^{1/4}])/(8 \text{Sqrt}[2] a^{7/4} c^{7/4}) + (3(\text{Sqrt}[c] d + \text{Sqrt}[a] e)(c d^2 + a e^2) \text{ArcTan}[1 + (\text{Sqrt}[2] c^{1/4} x)/a^{1/4}])/(8 \text{Sqrt}[2] a^{7/4} c^{7/4}) - (3(\text{Sqrt}[c] d - \text{Sqrt}[a] e)(c d^2 + a e^2) \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2] a^{1/4} c^{1/4} x + \text{Sqrt}[c] x^2])/(16 \text{Sqrt}[2] a^{7/4} c^{7/4}) + (3(\text{Sqrt}[c] d - \text{Sqrt}[a] e)(c d^2 + a e^2) \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2] a^{1/4} c^{1/4} x + \text{Sqrt}[c] x^2])/(16 \text{Sqrt}[2] a^{7/4} c^{7/4})$

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1207

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[q, 1]
```

Rule 1858

```

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := With[{q = Expon[Pq,
x]}, Module[{Q = PolynomialQuotient[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n,
x], R = PolynomialRemainder[b^(Floor[(q - 1)/n] + 1)*Pq, a + b*x^n, x]}, D
ist[1/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), Int[(a + b*x^n)^(p + 1)*Expan
dToSum[a*n*(p + 1)*Q + n*(p + 1)*R + D[x*R, x], x], x] - Simp[(x*R*(a +
b*x^n)^(p + 1))/(a*n*(p + 1)*b^(Floor[(q - 1)/n] + 1)), x]] /; GeQ[q, n]]
/; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[n, 0] && LtQ[p, -1]

```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^3}{(a + cx^4)^2} dx &= -\frac{e^3 x^3}{c(a + cx^4)} - \frac{\int \frac{-cd^3 - 3e(cd^2 + ae^2)x^2 - 3cde^2 x^4}{(a + cx^4)^2} dx}{c} \\
&= -\frac{e^3 x^3}{c(a + cx^4)} + \frac{x(d(cd^2 - 3ae^2) + 3e(cd^2 + ae^2)x^2)}{4ac(a + cx^4)} + \frac{\int \frac{3cd(cd^2 + ae^2) + 3ce(cd^2 + ae^2)x^2}{a + cx^4} dx}{4ac^2} \\
&= -\frac{e^3 x^3}{c(a + cx^4)} + \frac{x(d(cd^2 - 3ae^2) + 3e(cd^2 + ae^2)x^2)}{4ac(a + cx^4)} + \frac{(3(\sqrt{c}d - \sqrt{a}e)(cd^2 + ae^2)) \int \frac{\sqrt{a} \sqrt{c}}{a + cx^4} dx}{8a^{3/2}c^2} \\
&= -\frac{e^3 x^3}{c(a + cx^4)} + \frac{x(d(cd^2 - 3ae^2) + 3e(cd^2 + ae^2)x^2)}{4ac(a + cx^4)} - \frac{(3(\sqrt{c}d - \sqrt{a}e)(cd^2 + ae^2)) \int \frac{\sqrt{a} \sqrt{c}}{a + cx^4} dx}{16\sqrt{2}a^{7/4}c^{7/4}} \\
&= -\frac{e^3 x^3}{c(a + cx^4)} + \frac{x(d(cd^2 - 3ae^2) + 3e(cd^2 + ae^2)x^2)}{4ac(a + cx^4)} - \frac{3(\sqrt{c}d - \sqrt{a}e)(cd^2 + ae^2) \log(\sqrt{a} \sqrt{c} x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}c^{7/4}} \\
&= -\frac{e^3 x^3}{c(a + cx^4)} + \frac{x(d(cd^2 - 3ae^2) + 3e(cd^2 + ae^2)x^2)}{4ac(a + cx^4)} - \frac{3(\sqrt{c}d + \sqrt{a}e)(cd^2 + ae^2) \tan^{-1}\left(\frac{\sqrt{a} \sqrt{c} x + \sqrt{a} + \sqrt{c}x^2}{\sqrt{2} \sqrt{a} \sqrt{c}}\right)}{8\sqrt{2}a^{7/4}c^{7/4}}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 371, normalized size = 1.02

$$-\frac{8a^{3/4}c^{3/4}(ae^2x(3d+ex^2)-cd^2x(d+3ex^2))}{a+cx^4} + 3\sqrt{2} (a^{3/2}e^3 + \sqrt{a}cd^2e - a\sqrt{c}de^2 - c^{3/2}d^3) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c}x^2)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^3/(a + c*x^4)^2,x]

```
[Out] ((-8*a^(3/4)*c^(3/4)*(a*e^2*x*(3*d + e*x^2) - c*d^2*x*(d + 3*e*x^2)))/(a +
c*x^4) - 6*Sqrt[2]*(c^(3/2)*d^3 + Sqrt[a]*c*d^2*e + a*Sqrt[c]*d*e^2 + a^(3/
2)*e^3)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 6*Sqrt[2]*(c^(3/2)*d^3 +
Sqrt[a]*c*d^2*e + a*Sqrt[c]*d*e^2 + a^(3/2)*e^3)*ArcTan[1 + (Sqrt[2]*c^(1/4
)*x)/a^(1/4)] + 3*Sqrt[2]*(-(c^(3/2)*d^3) + Sqrt[a]*c*d^2*e - a*Sqrt[c]*d*e
^2 + a^(3/2)*e^3)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2] +
3*Sqrt[2]*(c^(3/2)*d^3 - Sqrt[a]*c*d^2*e + a*Sqrt[c]*d*e^2 - a^(3/2)*e^3)*L
og[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2)]/(32*a^(7/4)*c^(7/4))
```

fricas [B] time = 0.55, size = 2116, normalized size = 5.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^3/(c*x^4+a)^2,x, algorithm="fricas")
```

```
[Out] 1/16*(4*(3*c*d^2*e - a*e^3)*x^3 - 3*(a*c^2*x^4 + a^2*c)*sqrt(-(2*c^2*d^5*e
+ 4*a*c*d^3*e^3 + 2*a^2*d*e^5 + a^3*c^3*sqrt(-(c^6*d^12 + 2*a*c^5*d^10*e^2
- a^2*c^4*d^8*e^4 - 4*a^3*c^3*d^6*e^6 - a^4*c^2*d^4*e^8 + 2*a^5*c*d^2*e^10
+ a^6*e^12)/(a^7*c^7)))/(a^3*c^3))*log(-27*(c^5*d^10 + 3*a*c^4*d^8*e^2 + 2*
a^2*c^3*d^6*e^4 - 2*a^3*c^2*d^4*e^6 - 3*a^4*c*d^2*e^8 - a^5*e^10)*x + 27*(a
^2*c^5*d^7 + a^3*c^4*d^5*e^2 - a^4*c^3*d^3*e^4 - a^5*c^2*d*e^6 + a^6*c^5*e*
sqrt(-(c^6*d^12 + 2*a*c^5*d^10*e^2 - a^2*c^4*d^8*e^4 - 4*a^3*c^3*d^6*e^6 -
a^4*c^2*d^4*e^8 + 2*a^5*c*d^2*e^10 + a^6*e^12)/(a^7*c^7)))*sqrt(-(2*c^2*d^5
*e + 4*a*c*d^3*e^3 + 2*a^2*d*e^5 + a^3*c^3*sqrt(-(c^6*d^12 + 2*a*c^5*d^10*e
^2 - a^2*c^4*d^8*e^4 - 4*a^3*c^3*d^6*e^6 - a^4*c^2*d^4*e^8 + 2*a^5*c*d^2*e^
10 + a^6*e^12)/(a^7*c^7)))/(a^3*c^3))) + 3*(a*c^2*x^4 + a^2*c)*sqrt(-(2*c^2
*d^5*e + 4*a*c*d^3*e^3 + 2*a^2*d*e^5 + a^3*c^3*sqrt(-(c^6*d^12 + 2*a*c^5*d^
10*e^2 - a^2*c^4*d^8*e^4 - 4*a^3*c^3*d^6*e^6 - a^4*c^2*d^4*e^8 + 2*a^5*c*d^
2*e^10 + a^6*e^12)/(a^7*c^7)))/(a^3*c^3))*log(-27*(c^5*d^10 + 3*a*c^4*d^8*e
^2 + 2*a^2*c^3*d^6*e^4 - 2*a^3*c^2*d^4*e^6 - 3*a^4*c*d^2*e^8 - a^5*e^10)*x
- 27*(a^2*c^5*d^7 + a^3*c^4*d^5*e^2 - a^4*c^3*d^3*e^4 - a^5*c^2*d*e^6 + a^6
*c^5*e*sqrt(-(c^6*d^12 + 2*a*c^5*d^10*e^2 - a^2*c^4*d^8*e^4 - 4*a^3*c^3*d^6
*e^6 - a^4*c^2*d^4*e^8 + 2*a^5*c*d^2*e^10 + a^6*e^12)/(a^7*c^7)))*sqrt(-(2*
c^2*d^5*e + 4*a*c*d^3*e^3 + 2*a^2*d*e^5 + a^3*c^3*sqrt(-(c^6*d^12 + 2*a*c^5
*d^10*e^2 - a^2*c^4*d^8*e^4 - 4*a^3*c^3*d^6*e^6 - a^4*c^2*d^4*e^8 + 2*a^5*c
*d^2*e^10 + a^6*e^12)/(a^7*c^7)))/(a^3*c^3))) - 3*(a*c^2*x^4 + a^2*c)*sqrt(
-(2*c^2*d^5*e + 4*a*c*d^3*e^3 + 2*a^2*d*e^5 - a^3*c^3*sqrt(-(c^6*d^12 + 2*a
*c^5*d^10*e^2 - a^2*c^4*d^8*e^4 - 4*a^3*c^3*d^6*e^6 - a^4*c^2*d^4*e^8 + 2*a
^5*c*d^2*e^10 + a^6*e^12)/(a^7*c^7)))/(a^3*c^3))*log(-27*(c^5*d^10 + 3*a*c^
4*d^8*e^2 + 2*a^2*c^3*d^6*e^4 - 2*a^3*c^2*d^4*e^6 - 3*a^4*c*d^2*e^8 - a^5*e
^10)*x + 27*(a^2*c^5*d^7 + a^3*c^4*d^5*e^2 - a^4*c^3*d^3*e^4 - a^5*c^2*d*e^
6 - a^6*c^5*e*sqrt(-(c^6*d^12 + 2*a*c^5*d^10*e^2 - a^2*c^4*d^8*e^4 - 4*a^3*
c^3*d^6*e^6 - a^4*c^2*d^4*e^8 + 2*a^5*c*d^2*e^10 + a^6*e^12)/(a^7*c^7)))*sq
rt(-(2*c^2*d^5*e + 4*a*c*d^3*e^3 + 2*a^2*d*e^5 - a^3*c^3*sqrt(-(c^6*d^12 +
```

$$2*a*c^5*d^{10}*e^2 - a^2*c^4*d^8*e^4 - 4*a^3*c^3*d^6*e^6 - a^4*c^2*d^4*e^8 + 2*a^5*c*d^2*e^{10} + a^6*e^{12})/(a^7*c^7)))/(a^3*c^3)) + 3*(a*c^2*x^4 + a^2*c) * \sqrt{-(2*c^2*d^5*e + 4*a*c*d^3*e^3 + 2*a^2*d*e^5 - a^3*c^3*\sqrt{-(c^6*d^{12} + 2*a*c^5*d^{10}*e^2 - a^2*c^4*d^8*e^4 - 4*a^3*c^3*d^6*e^6 - a^4*c^2*d^4*e^8 + 2*a^5*c*d^2*e^{10} + a^6*e^{12})/(a^7*c^7)))/(a^3*c^3))} * \log(-27*(c^5*d^{10} + 3*a*c^4*d^8*e^2 + 2*a^2*c^3*d^6*e^4 - 2*a^3*c^2*d^4*e^6 - 3*a^4*c*d^2*e^8 - a^5*e^{10})*x - 27*(a^2*c^5*d^7 + a^3*c^4*d^5*e^2 - a^4*c^3*d^3*e^4 - a^5*c^2*d*e^6 - a^6*c^5*e*\sqrt{-(c^6*d^{12} + 2*a*c^5*d^{10}*e^2 - a^2*c^4*d^8*e^4 - 4*a^3*c^3*d^6*e^6 - a^4*c^2*d^4*e^8 + 2*a^5*c*d^2*e^{10} + a^6*e^{12})/(a^7*c^7))} * \sqrt{-(2*c^2*d^5*e + 4*a*c*d^3*e^3 + 2*a^2*d*e^5 - a^3*c^3*\sqrt{-(c^6*d^{12} + 2*a*c^5*d^{10}*e^2 - a^2*c^4*d^8*e^4 - 4*a^3*c^3*d^6*e^6 - a^4*c^2*d^4*e^8 + 2*a^5*c*d^2*e^{10} + a^6*e^{12})/(a^7*c^7)))/(a^3*c^3))} + 4*(c*d^3 - 3*a*d*e^2)*x)/(a*c^2*x^4 + a^2*c)$$

giac [A] time = 0.19, size = 425, normalized size = 1.17

$$\frac{3cd^2x^3e + cd^3x - ax^3e^3 - 3adx^2}{4(cx^4 + a)ac} + \frac{3\sqrt{2}\left(\left(ac^3\right)^{\frac{1}{4}}c^3d^3 + \left(ac^3\right)^{\frac{1}{4}}ac^2de^2 + \left(ac^3\right)^{\frac{3}{4}}cd^2e + \left(ac^3\right)^{\frac{3}{4}}ae^3\right)\arctan\left(\frac{\sqrt{2}\left(2\right)}{\dots}\right)}{16a^2c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{1}{4}*(3*c*d^2*x^3*e + c*d^3*x - a*x^3*e^3 - 3*a*d*x*e^2)/((c*x^4 + a)*a*c) + \frac{3}{16}*\sqrt{2}*((a*c^3)^{(1/4)}*c^3*d^3 + (a*c^3)^{(1/4)}*a*c^2*d*e^2 + (a*c^3)^{(3/4)}*c*d^2*e + (a*c^3)^{(3/4)}*a*e^3)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/c))^{(1/4)})/(a/c)^{(1/4)})/(a^2*c^4) + \frac{3}{16}*\sqrt{2}*((a*c^3)^{(1/4)}*c^3*d^3 + (a*c^3)^{(1/4)}*a*c^2*d*e^2 + (a*c^3)^{(3/4)}*c*d^2*e + (a*c^3)^{(3/4)}*a*e^3)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/c))^{(1/4)})/(a/c)^{(1/4)})/(a^2*c^4) + \frac{3}{32}*\sqrt{2}*((a*c^3)^{(1/4)}*c^3*d^3 + (a*c^3)^{(1/4)}*a*c^2*d*e^2 - (a*c^3)^{(3/4)}*c*d^2*e - (a*c^3)^{(3/4)}*a*e^3)*\log(x^2 + \sqrt{2}*x*(a/c)^{(1/4)} + \sqrt{2}*(a/c)))/(a^2*c^4) - \frac{3}{32}*\sqrt{2}*((a*c^3)^{(1/4)}*c^3*d^3 + (a*c^3)^{(1/4)}*a*c^2*d*e^2 - (a*c^3)^{(3/4)}*c*d^2*e - (a*c^3)^{(3/4)}*a*e^3)*\log(x^2 - \sqrt{2}*x*(a/c)^{(1/4)} + \sqrt{2}*(a/c)))/(a^2*c^4)$

maple [B] time = 0.01, size = 624, normalized size = 1.72

$$\frac{3\sqrt{2}d^2e\arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}}-1\right)}{16\left(\frac{a}{c}\right)^{\frac{1}{4}}ac} + \frac{3\sqrt{2}d^2e\arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}}+1\right)}{16\left(\frac{a}{c}\right)^{\frac{1}{4}}ac} + \frac{3\sqrt{2}d^2e\ln\left(\frac{x^2-\left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{c}}}{x^2+\left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}x+\sqrt{\frac{a}{c}}}\right)}{32\left(\frac{a}{c}\right)^{\frac{1}{4}}ac} + \frac{3\left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}de^2\arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{16ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^3/(c*x^4+a)^2,x)`

[Out]
$$\begin{aligned} & (-1/4*e*(a*e^2-3*c*d^2)/a/c*x^3-1/4*d*(3*a*e^2-c*d^2)/a/c*x)/(c*x^4+a)+3/32 \\ & /a/c*d*(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2- \\ & (a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*e^2+3/32/a^2*d^3*(a/c)^{(1/4)}*2^{(1/2)}*\ln \\ & ((x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})) \\ & +3/16/a/c*d*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*e^2+3 \\ & /16/a^2*d^3*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)+3/16/a/c*d* \\ & (a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*e^2+3/16/a^2*d^3*(a/c)^{(1/4)} \\ & *2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)+3/32/c^2*e^3/(a/c)^{(1/4)}*2^{(1/2)} \\ & *\ln((x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(\\ & a/c)^{(1/2)})) \\ & +3/32/a/c*e/(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(\\ & a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*d^2+3/16/c^2*e^3/(a/c)^{(1/4)} \\ & *2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)+3/16/a/c*e/(a/c)^{(1/4)}*2^{(1/2)} \\ & *\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d^2+3/16/c^2*e^3/(a/c)^{(1/4)}*2^{(1/2)}* \\ & \arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)+3/16/a/c*e/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/ \\ & (a/c)^{(1/4)}*x-1)*d^2 \end{aligned}$$

maxima [A] time = 2.36, size = 292, normalized size = 0.80

$$\frac{(3cd^2e - ae^3)x^3 + (cd^3 - 3ade^2)x}{4(ac^2x^4 + a^2c)} + \frac{3(cd^2 + ae^2)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}} \left[\frac{2\sqrt{2}(\sqrt{c}d + \sqrt{a}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}} \right] + \frac{2\sqrt{2}(\sqrt{c}d + \sqrt{a}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x - \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^3/(c*x^4+a)^2,x, algorithm="maxima")`

[Out]
$$\begin{aligned} & 1/4*((3*c*d^2*e - a*e^3)*x^3 + (c*d^3 - 3*a*d*e^2)*x)/(a*c^2*x^4 + a^2*c) + \\ & 3/32*(c*d^2 + a*e^2)*(2*\sqrt{2}*(\sqrt{c}*d + \sqrt{a}*e)*\arctan(1/2*\sqrt{2} \\ & *(2*\sqrt{c}*x + \sqrt{2}*a^{(1/4)}*c^{(1/4)})/\sqrt{(\sqrt{a}*\sqrt{c})})/\sqrt{a}* \\ & \sqrt{(\sqrt{a}*\sqrt{c})}*\sqrt{c}) + 2*\sqrt{2}*(\sqrt{c}*d + \sqrt{a}*e)*\arctan(1/2 \\ & *\sqrt{2}*(2*\sqrt{c}*x - \sqrt{2}*a^{(1/4)}*c^{(1/4)})/\sqrt{(\sqrt{a}*\sqrt{c})})/\sqrt{ \\ & a}* \\ & \sqrt{(\sqrt{a}*\sqrt{c})}*\sqrt{c}) + \sqrt{2}*(\sqrt{c}*d - \sqrt{a}*e)*\log(\\ & \sqrt{c}*x^2 + \sqrt{2}*a^{(1/4)}*c^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*c^{(3/4)}) - \sqrt{2} \\ & *(\\ & \sqrt{c}*d - \sqrt{a}*e)*\log(\sqrt{c}*x^2 - \sqrt{2}*a^{(1/4)}*c^{(1/4)}*x + \sqrt{a}) \\ & / \\ & (a^{(3/4)}*c^{(3/4)})/(a*c) \end{aligned}$$

mupad [B] time = 4.94, size = 2560, normalized size = 7.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((d + e*x^2)^3/(a + c*x^4)^2, x)$

[Out]
$$- \left(\frac{d*x*(3*a*e^2 - c*d^2)}{4*a*c} + \frac{e*x^3*(a*e^2 - 3*c*d^2)}{4*a*c} \right) / (a + c*x^4) - 2*\text{atanh}\left(\frac{9*c^3*d^6*x*((9*e^6*(-a^7*c^7)^{1/2})/(256*a^4*c^7) - (9*d^5*e)/(128*a^3*c) - (9*d^3*e^3)/(64*a^2*c^2) - (9*d^6*(-a^7*c^7)^{1/2})/(256*a^7*c^4) - (9*d*e^5)/(128*a*c^3) + (9*d^2*e^4*(-a^7*c^7)^{1/2})/(256*a^5*c^6) - (9*d^4*e^2*(-a^7*c^7)^{1/2})/(256*a^6*c^5))^{1/2}}{2*((27*c*d^6*e^3)/16 - (27*a^3*e^9)/(32*c^2) + (27*c^2*d^8*e)/(32*a) - (27*a^2*d^2*e^7)/(16*c) + (27*d^9*(-a^7*c^7)^{1/2})/(32*a^5*c) - (27*d*e^8*(-a^7*c^7)^{1/2})/(32*a*c^5) - (27*d^3*e^6*(-a^7*c^7)^{1/2})/(16*a^2*c^4) + (27*d^7*e^2*(-a^7*c^7)^{1/2})/(16*a^4*c^2))} \right) + \left(\frac{9*a*e^6*x*((9*e^6*(-a^7*c^7)^{1/2})/(256*a^4*c^7) - (9*d^5*e)/(128*a^3*c) - (9*d^3*e^3)/(64*a^2*c^2) - (9*d^6*(-a^7*c^7)^{1/2})/(256*a^7*c^4) - (9*d*e^5)/(128*a*c^3) + (9*d^2*e^4*(-a^7*c^7)^{1/2})/(256*a^5*c^6) - (9*d^4*e^2*(-a^7*c^7)^{1/2})/(256*a^6*c^5))^{1/2}}{2*((27*a*e^9)/(32*c^2) + (27*d^2*e^7)/(16*c) - (27*c*d^6*e^3)/(16*a^2) - (27*c^2*d^8*e)/(32*a^3) - (27*d^9*(-a^7*c^7)^{1/2})/(32*a^7*c) + (27*d*e^8*(-a^7*c^7)^{1/2})/(32*a^3*c^5) + (27*d^3*e^6*(-a^7*c^7)^{1/2})/(16*a^4*c^4) - (27*d^7*e^2*(-a^7*c^7)^{1/2})/(16*a^6*c^2))} \right) + \left(\frac{9*c*d^2*e^4*x*((9*e^6*(-a^7*c^7)^{1/2})/(256*a^4*c^7) - (9*d^5*e)/(128*a^3*c) - (9*d^3*e^3)/(64*a^2*c^2) - (9*d^6*(-a^7*c^7)^{1/2})/(256*a^7*c^4) - (9*d*e^5)/(128*a*c^3) + (9*d^2*e^4*(-a^7*c^7)^{1/2})/(256*a^5*c^6) - (9*d^4*e^2*(-a^7*c^7)^{1/2})/(256*a^6*c^5))^{1/2}}{2*((27*a*e^9)/(32*c^2) + (27*d^2*e^7)/(16*c) - (27*c*d^6*e^3)/(16*a^2) - (27*c^2*d^8*e)/(32*a^3) - (27*d^9*(-a^7*c^7)^{1/2})/(32*a^7*c) + (27*d*e^8*(-a^7*c^7)^{1/2})/(32*a^3*c^5) + (27*d^3*e^6*(-a^7*c^7)^{1/2})/(16*a^4*c^4) - (27*d^7*e^2*(-a^7*c^7)^{1/2})/(16*a^6*c^2))} \right) - \left(\frac{9*c^2*d^4*e^2*x*((9*e^6*(-a^7*c^7)^{1/2})/(256*a^4*c^7) - (9*d^5*e)/(128*a^3*c) - (9*d^3*e^3)/(64*a^2*c^2) - (9*d^6*(-a^7*c^7)^{1/2})/(256*a^7*c^4) - (9*d*e^5)/(128*a*c^3) + (9*d^2*e^4*(-a^7*c^7)^{1/2})/(256*a^5*c^6) - (9*d^4*e^2*(-a^7*c^7)^{1/2})/(256*a^6*c^5))^{1/2}}{2*((27*a^2*e^9)/(32*c^2) + (27*a*d^2*e^7)/(16*c) - (27*c*d^6*e^3)/(16*a) - (27*c^2*d^8*e)/(32*a^2) - (27*d^9*(-a^7*c^7)^{1/2})/(32*a^6*c) + (27*d*e^8*(-a^7*c^7)^{1/2})/(32*a^2*c^5) + (27*d^3*e^6*(-a^7*c^7)^{1/2})/(16*a^3*c^4) - (27*d^7*e^2*(-a^7*c^7)^{1/2})/(16*a^5*c^2))} \right) * \left(-\frac{9*(c^3*d^6*(-a^7*c^7)^{1/2} - a^3*e^6*(-a^7*c^7)^{1/2} + 2*a^4*c^6*d^5*e + 2*a^6*c^4*d*e^5 + 4*a^5*c^5*d^3*e^3 + a*c^2*d^4*e^2*(-a^7*c^7)^{1/2} - a^2*c*d^2*e^4*(-a^7*c^7)^{1/2})}{(256*a^7*c^7)^{1/2}} - 2*\text{atanh}\left(\frac{9*c^3*d^6*x*((9*d^6*(-a^7*c^7)^{1/2})/(256*a^7*c^4) - (9*d^5*e)/(128*a^3*c) - (9*d^3*e^3)/(64*a^2*c^2) - (9*d*e^5)/(128*a*c^3) - (9*e^6*(-a^7*c^7)^{1/2})/(256*a^4*c^7) - (9*d^2*e^4*(-a^7*c^7)^{1/2})/(256*a^5*c^6) + (9*d^4*e^2*(-a^7*c^7)^{1/2})/(256*a^6*c^5))^{1/2}}{2*((27*c*d^6*e^3)/16 - (27*a^3*e^9)}$$

$$\begin{aligned} & / (32*c^2) + (27*c^2*d^8*e)/(32*a) - (27*a^2*d^2*e^7)/(16*c) - (27*d^9*(-a^7 \\ & *c^7)^{(1/2)})/(32*a^5*c) + (27*d*e^8*(-a^7*c^7)^{(1/2)})/(32*a*c^5) + (27*d^3* \\ & e^6*(-a^7*c^7)^{(1/2)})/(16*a^2*c^4) - (27*d^7*e^2*(-a^7*c^7)^{(1/2)})/(16*a^4* \\ & c^2)) + (9*a*e^6*x*((9*d^6*(-a^7*c^7)^{(1/2)})/(256*a^7*c^4) - (9*d^5*e)/(12 \\ & 8*a^3*c) - (9*d^3*e^3)/(64*a^2*c^2) - (9*d*e^5)/(128*a*c^3) - (9*e^6*(-a^7* \\ & c^7)^{(1/2)})/(256*a^4*c^7) - (9*d^2*e^4*(-a^7*c^7)^{(1/2)})/(256*a^5*c^6) + (9 \\ & *d^4*e^2*(-a^7*c^7)^{(1/2)})/(256*a^6*c^5))^{(1/2)})/(2*((27*a*e^9)/(32*c^2) + \\ & (27*d^2*e^7)/(16*c) - (27*c*d^6*e^3)/(16*a^2) - (27*c^2*d^8*e)/(32*a^3) + (\\ & 27*d^9*(-a^7*c^7)^{(1/2)})/(32*a^7*c) - (27*d*e^8*(-a^7*c^7)^{(1/2)})/(32*a^3*c \\ & ^5) - (27*d^3*e^6*(-a^7*c^7)^{(1/2)})/(16*a^4*c^4) + (27*d^7*e^2*(-a^7*c^7)^{(\\ & 1/2)})/(16*a^6*c^2))) + (9*c*d^2*e^4*x*((9*d^6*(-a^7*c^7)^{(1/2)})/(256*a^7*c^ \\ & 4) - (9*d^5*e)/(128*a^3*c) - (9*d^3*e^3)/(64*a^2*c^2) - (9*d*e^5)/(128*a*c^ \\ & 3) - (9*e^6*(-a^7*c^7)^{(1/2)})/(256*a^4*c^7) - (9*d^2*e^4*(-a^7*c^7)^{(1/2)})/ \\ & (256*a^5*c^6) + (9*d^4*e^2*(-a^7*c^7)^{(1/2)})/(256*a^6*c^5))^{(1/2)})/(2*((27* \\ & a*e^9)/(32*c^2) + (27*d^2*e^7)/(16*c) - (27*c*d^6*e^3)/(16*a^2) - (27*c^2*d \\ & ^8*e)/(32*a^3) + (27*d^9*(-a^7*c^7)^{(1/2)})/(32*a^7*c) - (27*d*e^8*(-a^7*c^7 \\ &)^{(1/2)})/(32*a^3*c^5) - (27*d^3*e^6*(-a^7*c^7)^{(1/2)})/(16*a^4*c^4) + (27*d^ \\ & 7*e^2*(-a^7*c^7)^{(1/2)})/(16*a^6*c^2))) - (9*c^2*d^4*e^2*x*((9*d^6*(-a^7*c^7 \\ &)^{(1/2)})/(256*a^7*c^4) - (9*d^5*e)/(128*a^3*c) - (9*d^3*e^3)/(64*a^2*c^2) - \\ & (9*d*e^5)/(128*a*c^3) - (9*e^6*(-a^7*c^7)^{(1/2)})/(256*a^4*c^7) - (9*d^2*e^ \\ & 4*(-a^7*c^7)^{(1/2)})/(256*a^5*c^6) + (9*d^4*e^2*(-a^7*c^7)^{(1/2)})/(256*a^6*c \\ & ^5))^{(1/2)})/(2*((27*a^2*e^9)/(32*c^2) + (27*a*d^2*e^7)/(16*c) - (27*c*d^6*e \\ & ^3)/(16*a) - (27*c^2*d^8*e)/(32*a^2) + (27*d^9*(-a^7*c^7)^{(1/2)})/(32*a^6*c) \\ & - (27*d*e^8*(-a^7*c^7)^{(1/2)})/(32*a^2*c^5) - (27*d^3*e^6*(-a^7*c^7)^{(1/2)}) \\ & / (16*a^3*c^4) + (27*d^7*e^2*(-a^7*c^7)^{(1/2)})/(16*a^5*c^2))))*(-(9*(a^3*e^6 \\ & *(-a^7*c^7)^{(1/2)} - c^3*d^6*(-a^7*c^7)^{(1/2)} + 2*a^4*c^6*d^5*e + 2*a^6*c^4* \\ & d*e^5 + 4*a^5*c^5*d^3*e^3 - a*c^2*d^4*e^2*(-a^7*c^7)^{(1/2)} + a^2*c*d^2*e^4* \\ & (-a^7*c^7)^{(1/2)}))/(256*a^7*c^7))^{(1/2)} \end{aligned}$$

sympy [A] time = 3.37, size = 352, normalized size = 0.97

$$\text{RootSum}\left(65536t^4a^7c^7 + t^2(9216a^6c^4de^5 + 18432a^5c^5d^3e^3 + 9216a^4c^6d^5e) + 81a^6e^{12} + 486a^5cd^2e^{10} + 1215a^4c^2e^8\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**3/(c*x**4+a)**2,x)

[Out] RootSum(65536*_t**4*a**7*c**7 + _t**2*(9216*a**6*c**4*d*e**5 + 18432*a**5*c**5*d**3*e**3 + 9216*a**4*c**6*d**5*e) + 81*a**6*e**12 + 486*a**5*c*d**2*e**10 + 1215*a**4*c**2*d**4*e**8 + 1620*a**3*c**3*d**6*e**6 + 1215*a**2*c**4*d**8*e**4 + 486*a*c**5*d**10*e**2 + 81*c**6*d**12, Lambda(_t, _t*log(x + (4096*_t**3*a**6*c**5*e + 432*_t*a**5*c**2*d*e**6 + 720*_t*a**4*c**3*d**3*e**4 + 144*_t*a**3*c**4*d**5*e**2 - 144*_t*a**2*c**5*d**7)/(27*a**5*e**10 + 81*a**4*c*d**2*e**8 + 54*a**3*c**2*d**4*e**6 - 54*a**2*c**3*d**6*e**4 - 81*a

$$\frac{c^{4d^8e^2 - 27c^5d^{10}} + (x^3(-ae^3 + 3cd^2e) + x(-3ad^2e + cd^3))}{(4a^2c + 4ac^2x^4)}$$

$$3.145 \quad \int \frac{(d+ex^2)^2}{(a+cx^4)^2} dx$$

Optimal. Leaf size=349

$$\frac{(-2\sqrt{a}\sqrt{c}de + ae^2 + 3cd^2) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}c^{5/4}} + \frac{(-2\sqrt{a}\sqrt{c}de + ae^2 + 3cd^2) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}c^{5/4}}$$

[Out] $-1/3e^{2x}/c/(cx^4+a)+1/12x*(6c*d*e*x^2+ae^2+3c*d^2)/a/c/(cx^4+a)-1/3$
 $2*\ln(-a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(3*c*d^2+a*e^2-2*d*e*a^{(1/2)}*c^{(1/2)})/a^{(7/4)}/c^{(5/4)}*2^{(1/2)}+1/32*\ln(a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(3*c*d^2+a*e^2-2*d*e*a^{(1/2)}*c^{(1/2)})/a^{(7/4)}/c^{(5/4)}*2^{(1/2)}+1/16*\arctan(-1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(3*c*d^2+a*e^2+2*d*e*a^{(1/2)}*c^{(1/2)})/a^{(7/4)}/c^{(5/4)}*2^{(1/2)}+1/16*\arctan(1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(3*c*d^2+a*e^2+2*d*e*a^{(1/2)}*c^{(1/2)})/a^{(7/4)}/c^{(5/4)}*2^{(1/2)}$

Rubi [A] time = 0.31, antiderivative size = 349, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {1207, 1179, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(-2\sqrt{a}\sqrt{c}de + ae^2 + 3cd^2) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}c^{5/4}} + \frac{(-2\sqrt{a}\sqrt{c}de + ae^2 + 3cd^2) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}c^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^2/(a + c*x^4)^2,x]

[Out] $-(e^{2x})/(3c*(a + cx^4)) + (x*(3c*d^2 + ae^2 + 6c*d*e*x^2))/(12*a*c*(a + cx^4)) - ((3c*d^2 + 2*sqrt[a]*sqrt[c]*d*e + ae^2)*ArcTan[1 - (sqrt[2]*c^{(1/4)}*x)/a^{(1/4)}])/(8*sqrt[2]*a^{(7/4)}*c^{(5/4)}) + ((3c*d^2 + 2*sqrt[a]*sqrt[c]*d*e + ae^2)*ArcTan[1 + (sqrt[2]*c^{(1/4)}*x)/a^{(1/4)}])/(8*sqrt[2]*a^{(7/4)}*c^{(5/4)}) - ((3c*d^2 - 2*sqrt[a]*sqrt[c]*d*e + ae^2)*Log[sqrt[a] - sqrt[2]*a^{(1/4)}*c^{(1/4)}*x + sqrt[c]*x^2])/(16*sqrt[2]*a^{(7/4)}*c^{(5/4)}) + ((3c*d^2 - 2*sqrt[a]*sqrt[c]*d*e + ae^2)*Log[sqrt[a] + sqrt[2]*a^{(1/4)}*c^{(1/4)}*x + sqrt[c]*x^2])/(16*sqrt[2]*a^{(7/4)}*c^{(5/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1179

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := -Simp[(x*(d + e*x^2)*(a + c*x^4)^(p + 1))/(4*a*(p + 1)), x] + Dist[1/(4*a*(p + 1)), Int[Simp[d*(4*p + 5) + e*(4*p + 7)*x^2, x]*(a + c*x^4)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1207

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Sim
p[(e^q*x^(2*q - 3)*(a + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c
*(4*p + 2*q + 1)), Int[(a + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x
^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x]
, x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[q, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^2}{(a + cx^4)^2} dx &= -\frac{e^2 x}{3c(a + cx^4)} - \frac{\int \frac{-3cd^2 - ae^2 - 6cdex^2}{(a + cx^4)^2} dx}{3c} \\ &= -\frac{e^2 x}{3c(a + cx^4)} + \frac{x(3cd^2 + ae^2 + 6cdex^2)}{12ac(a + cx^4)} + \frac{\int \frac{3(3cd^2 + ae^2) + 6cdex^2}{a + cx^4} dx}{12ac} \\ &= -\frac{e^2 x}{3c(a + cx^4)} + \frac{x(3cd^2 + ae^2 + 6cdex^2)}{12ac(a + cx^4)} + \frac{(3cd^2 - 2\sqrt{a}\sqrt{c}de + ae^2) \int \frac{\sqrt{a}\sqrt{c} - cx^2}{a + cx^4} dx}{8a^{3/2}c^{3/2}} + \frac{(3cd^2}{16\sqrt{2}a^{7/4}c^{5/4}} \\ &= -\frac{e^2 x}{3c(a + cx^4)} + \frac{x(3cd^2 + ae^2 + 6cdex^2)}{12ac(a + cx^4)} - \frac{(3cd^2 - 2\sqrt{a}\sqrt{c}de + ae^2) \int \frac{\frac{\sqrt{2}\sqrt[4]{a} + 2x}{\sqrt{c}}}{\sqrt{c} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}} - x^2} dx}{16\sqrt{2}a^{7/4}c^{5/4}} - \frac{(3cd^2 - 2\sqrt{a}\sqrt{c}de + ae^2) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x)}{16\sqrt{2}a^{7/4}c^{5/4}} \\ &= -\frac{e^2 x}{3c(a + cx^4)} + \frac{x(3cd^2 + ae^2 + 6cdex^2)}{12ac(a + cx^4)} - \frac{(3cd^2 + 2\sqrt{a}\sqrt{c}de + ae^2) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{a}}\right)}{8\sqrt{2}a^{7/4}c^{5/4}} + \frac{(3cd^2 - 2\sqrt{a}\sqrt{c}de + ae^2) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x)}{16\sqrt{2}a^{7/4}c^{5/4}} \end{aligned}$$

Mathematica [A] time = 0.17, size = 295, normalized size = 0.85

$$\frac{8a^{3/4}\sqrt[4]{c}(ae^2x - cdx(d + 2ex^2))}{a + cx^4} - \sqrt{2}(-2\sqrt{a}\sqrt{c}de + ae^2 + 3cd^2) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2) + \sqrt{2}(-2\sqrt{a}\sqrt{c}de +$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2/(a + c*x^4)^2, x]

```
[Out] ((-8*a^(3/4)*c^(1/4)*(a*e^2*x - c*d*x*(d + 2*e*x^2)))/(a + c*x^4) - 2*Sqrt[2]*(3*c*d^2 + 2*Sqrt[a]*Sqrt[c]*d*e + a*e^2)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 2*Sqrt[2]*(3*c*d^2 + 2*Sqrt[a]*Sqrt[c]*d*e + a*e^2)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)] - Sqrt[2]*(3*c*d^2 - 2*Sqrt[a]*Sqrt[c]*d*e + a*e^2)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2] + Sqrt[2]*(3*c*d^2 - 2*Sqrt[a]*Sqrt[c]*d*e + a*e^2)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2)]/(32*a^(7/4)*c^(5/4))
```

fricas [B] time = 0.63, size = 1596, normalized size = 4.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^2/(c*x^4+a)^2,x, algorithm="fricas")
```

```
[Out] 1/16*(8*c*d*e*x^3 + (a*c^2*x^4 + a^2*c)*sqrt(-(a^3*c^2*sqrt(-(81*c^4*d^8 + 36*a*c^3*d^6*e^2 + 22*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 12*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))*log((81*c^4*d^8 + 108*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)*x + (2*a^6*c^4*d*e*sqrt(-(81*c^4*d^8 + 36*a*c^3*d^6*e^2 + 22*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 27*a^2*c^4*d^6 + 15*a^3*c^3*d^4*e^2 + 5*a^4*c^2*d^2*e^4 + a^5*c*e^6)*sqrt(-(a^3*c^2*sqrt(-(81*c^4*d^8 + 36*a*c^3*d^6*e^2 + 22*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 12*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))) - (a*c^2*x^4 + a^2*c)*sqrt(-(a^3*c^2*sqrt(-(81*c^4*d^8 + 36*a*c^3*d^6*e^2 + 22*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 12*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))) - (a*c^2*x^4 + a^2*c)*sqrt((a^3*c^2*sqrt(-(81*c^4*d^8 + 36*a*c^3*d^6*e^2 + 22*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - 12*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))*log((81*c^4*d^8 + 108*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)*x - (2*a^6*c^4*d*e*sqrt(-(81*c^4*d^8 + 36*a*c^3*d^6*e^2 + 22*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - 27*a^2*c^4*d^6 - 15*a^3*c^3*d^4*e^2 - 5*a^4*c^2*d^2*e^4 - a^5*c*e^6)*sqrt((a^3*c^2*sqrt(-(81*c^4*d^8 + 36*a*c^3*d^6*e^2 + 22*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - 12*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))) + (a*c^2*x^4 + a^2*c)*sqrt((a^3*c^2*sqrt(-(81*c^4*d^8 + 36*a*c^3*d^6*e^2 + 22*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - 12*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))*log((81*c^4*d^8 + 108*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)*x - (2*a^6*c^4*d*e*sqrt(-(81*c^4*d^8 + 36*a*c^3*d^6*e^2 + 22*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - 27*a^2*c^4*d^6 - 15*a^3*c^3*d^4*e^2 - 5*a^4*c^2*d^2*e^4 - a^5*c
```

$e^6) \sqrt{(a^3 c^2 \sqrt{-(81 c^4 d^8 + 36 a^* c^3 d^6 e^2 + 22 a^2 c^2 d^4 e^4 + 4 a^3 c d^2 e^6 + a^4 e^8) / (a^7 c^5)} - 12 c d^3 e - 4 a d e^3) / (a^3 c^2))} + 4 (c d^2 - a e^2) x / (a c^2 x^4 + a^2 c)$

giac [A] time = 0.19, size = 350, normalized size = 1.00

$$\frac{2 c d x^3 e + c d^2 x - a x e^2}{4 (c x^4 + a) a c} + \frac{\sqrt{2} \left(3 (a c^3)^{\frac{1}{4}} c^2 d^2 + (a c^3)^{\frac{1}{4}} a c e^2 + 2 (a c^3)^{\frac{3}{4}} d e \right) \arctan \left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(\frac{a}{c} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{c} \right)^{\frac{1}{4}}} \right)}{16 a^2 c^3} + \frac{\sqrt{2} \left(3 (a c^3)^{\frac{1}{4}} c^2 d^2 + (a c^3)^{\frac{1}{4}} a c e^2 + 2 (a c^3)^{\frac{3}{4}} d e \right) \arctan \left(\frac{\sqrt{2} \left(2 x + \sqrt{2} \left(\frac{a}{c} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{c} \right)^{\frac{1}{4}}} \right)}{16 a^2 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{1}{4} (2 c d x^3 e + c d^2 x - a x e^2) / ((c x^4 + a) a c) + \frac{1}{16} \sqrt{2} (3 (a c^3)^{\frac{1}{4}} c^2 d^2 + (a c^3)^{\frac{1}{4}} a c e^2 + 2 (a c^3)^{\frac{3}{4}} d e) \arctan \left(\frac{1}{2} \sqrt{2} (2 x + \sqrt{2} (a/c)^{\frac{1}{4}}) / (a/c)^{\frac{1}{4}} \right) / (a^2 c^3) + \frac{1}{16} \sqrt{2} (3 (a c^3)^{\frac{1}{4}} c^2 d^2 + (a c^3)^{\frac{1}{4}} a c e^2 + 2 (a c^3)^{\frac{3}{4}} d e) \arctan \left(\frac{1}{2} \sqrt{2} (2 x - \sqrt{2} (a/c)^{\frac{1}{4}}) / (a/c)^{\frac{1}{4}} \right) / (a^2 c^3) + \frac{1}{3} \sqrt{2} (3 (a c^3)^{\frac{1}{4}} c^2 d^2 + (a c^3)^{\frac{1}{4}} a c e^2 - 2 (a c^3)^{\frac{3}{4}} d e) \log(x^2 + \sqrt{2} x (a/c)^{\frac{1}{4}} + \sqrt{a/c}) / (a^2 c^3) - \frac{1}{32} \sqrt{2} (3 (a c^3)^{\frac{1}{4}} c^2 d^2 + (a c^3)^{\frac{1}{4}} a c e^2 - 2 (a c^3)^{\frac{3}{4}} d e) \log(x^2 - \sqrt{2} x (a/c)^{\frac{1}{4}} + \sqrt{a/c}) / (a^2 c^3)$

maple [A] time = 0.01, size = 464, normalized size = 1.33

$$\frac{\sqrt{2} d e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{c} \right)^{\frac{1}{4}}} - 1 \right)}{8 \left(\frac{a}{c} \right)^{\frac{1}{4}} a c} + \frac{\sqrt{2} d e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{c} \right)^{\frac{1}{4}}} + 1 \right)}{8 \left(\frac{a}{c} \right)^{\frac{1}{4}} a c} + \frac{\sqrt{2} d e \ln \left(\frac{x^2 - \left(\frac{a}{c} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}{x^2 + \left(\frac{a}{c} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}} \right)}{16 \left(\frac{a}{c} \right)^{\frac{1}{4}} a c} + \frac{\left(\frac{a}{c} \right)^{\frac{1}{4}} \sqrt{2} e^2 \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{c} \right)^{\frac{1}{4}}} - 1 \right)}{16 a c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2/(c*x^4+a)^2,x)

[Out] $\frac{1}{2} d e / a x^3 - \frac{1}{4} (a e^2 - c d^2) / a c x / (c x^4 + a) + \frac{1}{16} a / c (a/c)^{\frac{1}{4}} 2^{\frac{1}{2}} \arctan(2^{\frac{1}{2}} / (a/c)^{\frac{1}{4}} x - 1) e^2 + \frac{3}{16} a^2 / a^2 (a/c)^{\frac{1}{4}} 2^{\frac{1}{2}} \arctan(2^{\frac{1}{2}} / (a/c)^{\frac{1}{4}} x - 1) d^2 + \frac{1}{32} a / c (a/c)^{\frac{1}{4}} 2^{\frac{1}{2}} \ln((x^2 + (a/c)^{\frac{1}{4}} 2^{\frac{1}{2}} x + (a/c)^{\frac{1}{2}}) / (x^2 - (a/c)^{\frac{1}{4}} 2^{\frac{1}{2}} x + (a/c)^{\frac{1}{2}})) e^2 + \frac{3}{32} a^2 / a^2 (a/c)^{\frac{1}{4}} 2^{\frac{1}{2}} \ln((x^2 + (a/c)^{\frac{1}{4}} 2^{\frac{1}{2}} x + (a/c)^{\frac{1}{2}}) / (x^2 - (a/c)^{\frac{1}{4}} 2^{\frac{1}{2}} x + (a/c)^{\frac{1}{2}})) d^2 + \frac{1}{16} a / c (a/c)^{\frac{1}{4}} 2^{\frac{1}{2}} \arctan(2^{\frac{1}{2}} / (a/c)^{\frac{1}{4}} x + 1) e^2 + \frac{3}{16} a^2 / a^2 (a/c)^{\frac{1}{4}} 2^{\frac{1}{2}} \arctan(2^{\frac{1}{2}} / (a/c)^{\frac{1}{4}} x + 1) d^2 + \frac{1}{16} a / c d e / (a/c)^{\frac{1}{4}} 2^{\frac{1}{2}} \ln((x^2 - (a/c)^{\frac{1}{4}} 2^{\frac{1}{2}} x + (a/c)^{\frac{1}{2}}) / (x^2 + (a/c)^{\frac{1}{4}} 2^{\frac{1}{2}} x + (a/c)^{\frac{1}{2}}))$

$\frac{1}{2} * x + (a/c)^{(1/2)} / (x^2 + (a/c)^{(1/4)} * 2^{(1/2)} * x + (a/c)^{(1/2)}) + 1/8/a/c*d*e / (a/c)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/c)^{(1/4)} * x + 1) + 1/8/a/c*d*e / (a/c)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/c)^{(1/4)} * x - 1)$

maxima [A] time = 2.59, size = 324, normalized size = 0.93

$$\frac{2cdex^3 + (cd^2 - ae^2)x}{4(ac^2x^4 + a^2c)} + \frac{2\sqrt{2}\left(3c^{\frac{3}{2}}d^2 + 2\sqrt{a}cde + a\sqrt{c}e^2\right)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{2\sqrt{2}\left(3c^{\frac{3}{2}}d^2 + 2\sqrt{a}cde + a\sqrt{c}e^2\right)\arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x - \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{4} * (2*c*d*e*x^3 + (c*d^2 - a*e^2)*x) / (a*c^2*x^4 + a^2*c) + \frac{1}{32} * (2*\sqrt{2} * (3*c^{(3/2)}*d^2 + 2*\sqrt{a}*c*d*e + a*\sqrt{c}*e^2) * \arctan(1/2*\sqrt{2} * (2*\sqrt{c}*x + \sqrt{2}*a^{(1/4)}*c^{(1/4)}) / \sqrt{a*\sqrt{c}})) / (\sqrt{a}*\sqrt{c}) + 2*\sqrt{2} * (3*c^{(3/2)}*d^2 + 2*\sqrt{a}*c*d*e + a*\sqrt{c}*e^2) * \arctan(1/2*\sqrt{2} * (2*\sqrt{c}*x - \sqrt{2}*a^{(1/4)}*c^{(1/4)}) / \sqrt{a*\sqrt{c}})) / (\sqrt{a}*\sqrt{c}) + \sqrt{2} * (3*c^{(3/2)}*d^2 - 2*\sqrt{a}*c*d*e + a*\sqrt{c}*e^2) * \log(\sqrt{c}*x^2 + \sqrt{2}*a^{(1/4)}*c^{(1/4)}*x + \sqrt{a}) / (a^{(3/4)}*c^{(3/4)}) - \sqrt{2} * (3*c^{(3/2)}*d^2 - 2*\sqrt{a}*c*d*e + a*\sqrt{c}*e^2) * \log(\sqrt{c}*x^2 - \sqrt{2}*a^{(1/4)}*c^{(1/4)}*x + \sqrt{a}) / (a^{(3/4)}*c^{(3/4)}) / (a*c)$

mupad [B] time = 4.79, size = 1565, normalized size = 4.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^2/(a + c*x^4)^2,x)

[Out] $2*\operatorname{atanh}\left(\frac{9*c^3*d^4*x*((9*d^4*(-a^7*c^5)^{(1/2)})/(256*a^7*c^3) - (3*d^3*e)/(64*a^3*c) - (d*e^3)/(64*a^2*c^2) + (e^4*(-a^7*c^5)^{(1/2)})/(256*a^5*c^5) + (d^2*e^2*(-a^7*c^5)^{(1/2)})/(128*a^6*c^4))^{(1/2)}}{2*((27*d^6*(-a^7*c^5)^{(1/2)})/(32*a^5) - (c*d^3*e^3)/8 - (a*d*e^5)/16 - (9*c^2*d^5*e)/(16*a) + (e^6*(-a^7*c^5)^{(1/2)})/(32*a^2*c^3) + (5*d^2*e^4*(-a^7*c^5)^{(1/2)})/(32*a^3*c^2) + (15*d^4*e^2*(-a^7*c^5)^{(1/2)})/(32*a^4*c))}\right) + \frac{c*e^4*x*((9*d^4*(-a^7*c^5)^{(1/2)})/(256*a^7*c^3) - (3*d^3*e)/(64*a^3*c) - (d*e^3)/(64*a^2*c^2) + (e^4*(-a^7*c^5)^{(1/2)})/(256*a^5*c^5) + (d^2*e^2*(-a^7*c^5)^{(1/2)})/(128*a^6*c^4))^{(1/2)}}{2*((27*d^6*(-a^7*c^5)^{(1/2)})/(32*a^7) - (d*e^5)/(16*a) - (c*d^3*e^3)/(8*a^2) - (9*c^2*d^5*e)/(16*a^3) + (e^6*(-a^7*c^5)^{(1/2)})/(32*a^4*c^3) + (5*$

$$\begin{aligned} & d^2e^4(-a^7c^5)^{(1/2)}/(32a^5c^2) + (15d^4e^2(-a^7c^5)^{(1/2)})/(32a^6c) \\ & + (c^2d^2e^2x((9d^4(-a^7c^5)^{(1/2)})/(256a^7c^3) - (3d^3e)/(64a^3c) - (d^3e^3)/(64a^2c^2) + (e^4(-a^7c^5)^{(1/2)})/(256a^5c^5) \\ & + (d^2e^2(-a^7c^5)^{(1/2)})/(128a^6c^4))^{(1/2)})/((27d^6(-a^7c^5)^{(1/2)})/(32a^6) - (d^5e)/16 - (c^2d^3e^3)/(8a) - (9c^2d^5e)/(16a^2) + (e^6(-a^7c^5)^{(1/2)})/(32a^3c^3) + (5d^2e^4(-a^7c^5)^{(1/2)})/(32a^4c^2) \\ & + (15d^4e^2(-a^7c^5)^{(1/2)})/(32a^5c)) * ((a^2e^4(-a^7c^5)^{(1/2)} + 9c^2d^4(-a^7c^5)^{(1/2)} - 12a^4c^4d^3e - 4a^5c^3d^2e^3 + 2a^2c^2d^2e^2(-a^7c^5)^{(1/2)})/(256a^7c^5))^{(1/2)} - 2*atanh((9c^3d^4x(- (d^3e^3)/(64a^2c^2) - (3d^3e)/(64a^3c) - (9d^4(-a^7c^5)^{(1/2)})/(256a^7c^3) - (e^4(-a^7c^5)^{(1/2)})/(256a^5c^5) - (d^2e^2(-a^7c^5)^{(1/2)})/(128a^6c^4))^{(1/2)})/(2*((27d^6(-a^7c^5)^{(1/2)})/(32a^5) + (c^2d^3e^3)/8 + (a^2d^2e^5)/16 + (9c^2d^5e)/(16a) + (e^6(-a^7c^5)^{(1/2)})/(32a^2c^3) + (5d^2e^4(-a^7c^5)^{(1/2)})/(32a^3c^2) + (15d^4e^2(-a^7c^5)^{(1/2)})/(32a^4c)) \\ & + (c^2e^4x(- (d^3e^3)/(64a^2c^2) - (3d^3e)/(64a^3c) - (9d^4(-a^7c^5)^{(1/2)})/(256a^7c^3) - (e^4(-a^7c^5)^{(1/2)})/(256a^5c^5) - (d^2e^2(-a^7c^5)^{(1/2)})/(128a^6c^4))^{(1/2)})/(2*((27d^6(-a^7c^5)^{(1/2)})/(32a^7) + (d^5e)/16 + (c^2d^3e^3)/(8a^2) + (9c^2d^5e)/(16a^3) + (e^6(-a^7c^5)^{(1/2)})/(32a^4c^3) + (5d^2e^4(-a^7c^5)^{(1/2)})/(32a^5c^2) + (15d^4e^2(-a^7c^5)^{(1/2)})/(32a^6c)) \\ & + (c^2d^2e^2x(- (d^3e^3)/(64a^2c^2) - (3d^3e)/(64a^3c) - (9d^4(-a^7c^5)^{(1/2)})/(256a^7c^3) - (e^4(-a^7c^5)^{(1/2)})/(256a^5c^5) - (d^2e^2(-a^7c^5)^{(1/2)})/(128a^6c^4))^{(1/2)})/((d^5e)/16 + (27d^6(-a^7c^5)^{(1/2)})/(32a^6) + (c^2d^3e^3)/(8a) + (9c^2d^5e)/(16a^2) + (e^6(-a^7c^5)^{(1/2)})/(32a^3c^3) + (5d^2e^4(-a^7c^5)^{(1/2)})/(32a^4c^2) + (15d^4e^2(-a^7c^5)^{(1/2)})/(32a^5c)) * (- (a^2e^4(-a^7c^5)^{(1/2)} + 9c^2d^4(-a^7c^5)^{(1/2)} + 12a^4c^4d^3e + 4a^5c^3d^2e^3 + 2a^2c^2d^2e^2(-a^7c^5)^{(1/2)})/(256a^7c^5))^{(1/2)} + ((d^3e^3)/(2a) - (x(a^2e^2 - c^2d^2))/(4a^2c)) / (a + c^2x^4) \end{aligned}$$

sympy [A] time = 2.07, size = 275, normalized size = 0.79

$$\text{RootSum}\left(65536t^4a^7c^5 + t^2(2048a^5c^3de^3 + 6144a^4c^4d^3e) + a^4e^8 + 20a^3cd^2e^6 + 118a^2c^2d^4e^4 + 180ac^3d^6e^2 + 81c^5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2/(c*x**4+a)**2,x)

[Out] RootSum(65536*_t**4*a**7*c**5 + _t**2*(2048*a**5*c**3*d*e**3 + 6144*a**4*c**4*d**3*e) + a**4*e**8 + 20*a**3*c*d**2*e**6 + 118*a**2*c**2*d**4*e**4 + 180*a**c**3*d**6*e**2 + 81*c**4*d**8, Lambda(_t, _t*log(x + (-8192*_t**3*a**6*c**4*d*e + 16*_t*a**5*c*e**6 - 48*_t*a**4*c**2*d**2*e**4 - 144*_t*a**3*c**3*d**4*e**2 + 432*_t*a**2*c**4*d**6)/(a**4*e**8 + 12*a**3*c*d**2*e**6 + 38*a**2*c**2*d**4*e**4 + 108*a**c**3*d**6*e**2 + 81*c**4*d**8))) + (2*c*d*e*x**3 + x*(-a*e**2 + c*d**2))/(4*a**2*c + 4*a*c**2*x**4)

$$3.146 \quad \int \frac{d+ex^2}{(a+cx^4)^2} dx$$

Optimal. Leaf size=275

$$\frac{(3\sqrt{c}d - \sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2} a^{7/4} c^{3/4}} + \frac{(3\sqrt{c}d - \sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2} a^{7/4} c^{3/4}} - \frac{(\sqrt{a}e + 3d)}{16\sqrt{2} a^{7/4} c^{3/4}}$$

[Out] $\frac{1}{4}xx(e*x^2+d)/a/(c*x^4+a)-1/32*\ln(-a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(-e*a^{(1/2)}+3*d*c^{(1/2)})/a^{(7/4)}/c^{(3/4)}*2^{(1/2)}+1/32*\ln(a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(-e*a^{(1/2)}+3*d*c^{(1/2)})/a^{(7/4)}/c^{(3/4)}*2^{(1/2)}+1/16*\arctan(-1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(e*a^{(1/2)}+3*d*c^{(1/2)})/a^{(7/4)}/c^{(3/4)}*2^{(1/2)}+1/16*\arctan(1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(e*a^{(1/2)}+3*d*c^{(1/2)})/a^{(7/4)}/c^{(3/4)}*2^{(1/2)}$

Rubi [A] time = 0.20, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {1179, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(3\sqrt{c}d - \sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2} a^{7/4} c^{3/4}} + \frac{(3\sqrt{c}d - \sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2} a^{7/4} c^{3/4}} - \frac{(\sqrt{a}e + 3d)}{16\sqrt{2} a^{7/4} c^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(a + c*x^4)^2, x]

[Out] $\frac{(x*(d + e*x^2))/(4*a*(a + c*x^4)) - ((3*\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)})]/(8*\text{Sqrt}[2]*a^{(7/4)}*c^{(3/4)}) + ((3*\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)})]/(8*\text{Sqrt}[2]*a^{(7/4)}*c^{(3/4)}) - ((3*\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(16*\text{Sqrt}[2]*a^{(7/4)}*c^{(3/4)}) + ((3*\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(16*\text{Sqrt}[2]*a^{(7/4)}*c^{(3/4)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b

```
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]
```

Rule 1179

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := -Simp[(x*(d + e*x^2)*(a + c*x^4)^(p + 1))/(4*a*(p + 1)), x] + Dist[1/(4*a*(p + 1)), Int[Simp[d*(4*p + 5) + e*(4*p + 7)*x^2, x]*(a + c*x^4)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]
```

Rubi steps

$$\begin{aligned}
\int \frac{d+ex^2}{(a+cx^4)^2} dx &= \frac{x(d+ex^2)}{4a(a+cx^4)} - \frac{\int \frac{-3d-ex^2}{a+cx^4} dx}{4a} \\
&= \frac{x(d+ex^2)}{4a(a+cx^4)} + \frac{\left(\frac{3\sqrt{c}d}{\sqrt{a}} - e\right) \int \frac{\sqrt{a}\sqrt{c}-cx^2}{a+cx^4} dx}{8ac} + \frac{\left(\frac{3\sqrt{c}d}{\sqrt{a}} + e\right) \int \frac{\sqrt{a}\sqrt{c}+cx^2}{a+cx^4} dx}{8ac} \\
&= \frac{x(d+ex^2)}{4a(a+cx^4)} + \frac{\left(\frac{3\sqrt{c}d}{\sqrt{a}} + e\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{16ac} + \frac{\left(\frac{3\sqrt{c}d}{\sqrt{a}} - e\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{16ac} - \frac{(3\sqrt{c}d - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}c^{3/4}} + \frac{(3\sqrt{c}d + \sqrt{a}e) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}c^{3/4}} \\
&= \frac{x(d+ex^2)}{4a(a+cx^4)} - \frac{(3\sqrt{c}d - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}c^{3/4}} + \frac{(3\sqrt{c}d + \sqrt{a}e) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}c^{3/4}} \\
&= \frac{x(d+ex^2)}{4a(a+cx^4)} - \frac{(3\sqrt{c}d + \sqrt{a}e) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{8\sqrt{2}a^{7/4}c^{3/4}} + \frac{(3\sqrt{c}d + \sqrt{a}e) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{8\sqrt{2}a^{7/4}c^{3/4}} - \frac{(3\sqrt{c}d - \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}c^{3/4}} + \frac{(3\sqrt{c}d + \sqrt{a}e) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}c^{3/4}}
\end{aligned}$$

Mathematica [A] time = 0.27, size = 267, normalized size = 0.97

$$\frac{\sqrt{2}(a^{3/4}e-3\sqrt[4]{a}\sqrt{c}d)\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2)}{c^{3/4}} + \frac{\sqrt{2}(3\sqrt[4]{a}\sqrt{c}d-a^{3/4}e)\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2)}{c^{3/4}} - \frac{2\sqrt{2}\sqrt[4]{a}(\sqrt{a}e+3\sqrt{c}d)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{c^{3/4}} - \frac{2\sqrt{2}\sqrt[4]{a}(\sqrt{a}e-3\sqrt{c}d)\tan^{-1}\left(1+\frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{c^{3/4}}}{32a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/(a + c*x^4)^2, x]

[Out] ((8*a*x*(d + e*x^2))/(a + c*x^4) - (2*Sqrt[2]*a^(1/4)*(3*Sqrt[c]*d + Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)])/c^(3/4) + (2*Sqrt[2]*a^(1/4)*(3*Sqrt[c]*d + Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)])/c^(3/4) + (Sqrt[2]*(-3*a^(1/4)*Sqrt[c]*d + a^(3/4)*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/c^(3/4) + (Sqrt[2]*(3*a^(1/4)*Sqrt[c]*d - a^(3/4)*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/c^(3/4))/(32*a^2)

fricas [B] time = 0.42, size = 873, normalized size = 3.17

$$4ex^3 - (acx^4 + a^2) \sqrt{-\frac{a^3c \sqrt{-\frac{81c^2d^4 - 18acd^2e^2 + a^2e^4}{a^7c^3}} + 6de}{a^3c}} \log \left(-(81c^2d^4 - a^2e^4)x + \left(a^6c^2e \sqrt{-\frac{81c^2d^4 - 18acd^2e^2 + a^2e^4}{a^7c^3}} + 27a^2 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")

[Out] 1/16*(4*e*x^3 - (a*c*x^4 + a^2)*sqrt(-(a^3*c*sqrt(-(81*c^2*d^4 - 18*a*c*d^2*e^2 + a^2*e^4)/(a^7*c^3)) + 6*d*e)/(a^3*c)))*log(-(81*c^2*d^4 - a^2*e^4)*x + (a^6*c^2*e*sqrt(-(81*c^2*d^4 - 18*a*c*d^2*e^2 + a^2*e^4)/(a^7*c^3)) + 27*a^2*c^2*d^3 - 3*a^3*c*d*e^2)*sqrt(-(a^3*c*sqrt(-(81*c^2*d^4 - 18*a*c*d^2*e^2 + a^2*e^4)/(a^7*c^3)) + 6*d*e)/(a^3*c))) + (a*c*x^4 + a^2)*sqrt(-(a^3*c*sqrt(-(81*c^2*d^4 - 18*a*c*d^2*e^2 + a^2*e^4)/(a^7*c^3)) + 6*d*e)/(a^3*c))*log(-(81*c^2*d^4 - a^2*e^4)*x - (a^6*c^2*e*sqrt(-(81*c^2*d^4 - 18*a*c*d^2*e^2 + a^2*e^4)/(a^7*c^3)) + 27*a^2*c^2*d^3 - 3*a^3*c*d*e^2)*sqrt(-(a^3*c*sqrt(-(81*c^2*d^4 - 18*a*c*d^2*e^2 + a^2*e^4)/(a^7*c^3)) + 6*d*e)/(a^3*c))) + (a*c*x^4 + a^2)*sqrt((a^3*c*sqrt(-(81*c^2*d^4 - 18*a*c*d^2*e^2 + a^2*e^4)/(a^7*c^3)) - 6*d*e)/(a^3*c))*log(-(81*c^2*d^4 - a^2*e^4)*x + (a^6*c^2*e*sqrt(-(81*c^2*d^4 - 18*a*c*d^2*e^2 + a^2*e^4)/(a^7*c^3)) - 27*a^2*c^2*d^3 + 3*a^3*c*d*e^2)*sqrt((a^3*c*sqrt(-(81*c^2*d^4 - 18*a*c*d^2*e^2 + a^2*e^4)/(a^7*c^3)) - 6*d*e)/(a^3*c))) - (a*c*x^4 + a^2)*sqrt((a^3*c*sqrt(-(81*c^2*d^4 - 18*a*c*d^2*e^2 + a^2*e^4)/(a^7*c^3)) - 6*d*e)/(a^3*c))*log(-(81*c^2*d^4 - a^2*e^4)*x - (a^6*c^2*e*sqrt(-(81*c^2*d^4 - 18*a*c*d^2*e^2 + a^2*e^4)/(a^7*c^3)) - 27*a^2*c^2*d^3 + 3*a^3*c*d*e^2)*sqrt((a^3*c*sqrt(-(81*c^2*d^4 - 18*a*c*d^2*e^2 + a^2*e^4)/(a^7*c^3)) - 6*d*e)/(a^3*c))) + 4*d*x)/(a*c*x^4 + a^2)

giac [A] time = 0.44, size = 273, normalized size = 0.99

$$\frac{x^3e + dx}{4(cx^4 + a)a} + \frac{\sqrt{2} \left(3(ac^3)^{\frac{1}{4}}c^2d + (ac^3)^{\frac{3}{4}}e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{c} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{c} \right)^{\frac{1}{4}}} \right)}{16a^2c^3} + \frac{\sqrt{2} \left(3(ac^3)^{\frac{1}{4}}c^2d + (ac^3)^{\frac{3}{4}}e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{c} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{c} \right)^{\frac{1}{4}}} \right)}{16a^2c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out] 1/4*(x^3*e + d*x)/((c*x^4 + a)*a) + 1/16*sqrt(2)*(3*(a*c^3)^(1/4)*c^2*d + (a*c^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))

$$\frac{1}{(a^2c^3)} + \frac{1}{16}\sqrt{2} \cdot (3(a^2c^3)^{1/4}c^2d + (a^2c^3)^{3/4}e) \arctan\left(\frac{1}{2}\sqrt{2} \cdot (2x - \sqrt{2}(a/c)^{1/4})/(a/c)^{1/4}\right) / (a^2c^3) + \frac{1}{32}\sqrt{2} \cdot (2 \cdot (3(a^2c^3)^{1/4}c^2d - (a^2c^3)^{3/4}e) \log(x^2 + \sqrt{2}x(a/c)^{1/4} + \sqrt{a/c})) / (a^2c^3) - \frac{1}{32}\sqrt{2} \cdot (3(a^2c^3)^{1/4}c^2d - (a^2c^3)^{3/4}e) \log(x^2 - \sqrt{2}x(a/c)^{1/4} + \sqrt{a/c}) / (a^2c^3)$$

maple [A] time = 0.01, size = 303, normalized size = 1.10

$$\frac{ex^3}{4(cx^4+a)a} + \frac{dx}{4(cx^4+a)a} + \frac{\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{1/4}} - 1\right)}{16\left(\frac{a}{c}\right)^{1/4}ac} + \frac{\sqrt{2}e \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{1/4}} + 1\right)}{16\left(\frac{a}{c}\right)^{1/4}ac} + \frac{\sqrt{2}e \ln\left(\frac{x^2 - \left(\frac{a}{c}\right)^{1/4}\sqrt{2}x + \sqrt{\frac{a}{c}}}{x^2 + \left(\frac{a}{c}\right)^{1/4}\sqrt{2}x + \sqrt{\frac{a}{c}}}\right)}{32\left(\frac{a}{c}\right)^{1/4}ac} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(c*x^4+a)^2,x)

[Out] $\frac{1}{4}d \cdot x/a / (c \cdot x^4 + a) + \frac{3}{32}d/a^2 \cdot (a/c)^{1/4} \cdot 2^{1/2} \cdot \ln((x^2 + (a/c)^{1/4}) \cdot 2^{1/2} \cdot x + (a/c)^{1/2}) / (x^2 - (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2}) + \frac{3}{16}d/a^2 \cdot (a/c)^{1/4} \cdot 2^{1/2} \cdot \arctan(2^{1/2} / (a/c)^{1/4} \cdot x + 1) + \frac{3}{16}d/a^2 \cdot (a/c)^{1/4} \cdot 2^{1/2} \cdot \arctan(2^{1/2} / (a/c)^{1/4} \cdot x - 1) + \frac{1}{4}e \cdot x^3/a / (c \cdot x^4 + a) + \frac{1}{32}e/a/c / (a/c)^{1/4} \cdot 2^{1/2} \cdot \ln((x^2 - (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2}) / (x^2 + (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2})) + \frac{1}{16}e/a/c / (a/c)^{1/4} \cdot 2^{1/2} \cdot \arctan(2^{1/2} / (a/c)^{1/4} \cdot x + 1) + \frac{1}{16}e/a/c / (a/c)^{1/4} \cdot 2^{1/2} \cdot \arctan(2^{1/2} / (a/c)^{1/4} \cdot x - 1)$

maxima [A] time = 2.27, size = 253, normalized size = 0.92

$$\frac{ex^3 + dx}{4(acx^4 + a^2)} + \frac{2\sqrt{2}(3\sqrt{c}d + \sqrt{a}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{1/4}c^{1/4}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{2\sqrt{2}(3\sqrt{c}d - \sqrt{a}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x - \sqrt{2}a^{1/4}c^{1/4}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{\sqrt{2}(3\sqrt{c}d - \sqrt{a}e) \log\left(\frac{x^2 - \left(\frac{a}{c}\right)^{1/4}\sqrt{2}x + \sqrt{\frac{a}{c}}}{x^2 + \left(\frac{a}{c}\right)^{1/4}\sqrt{2}x + \sqrt{\frac{a}{c}}}\right)}{32a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{4} \cdot (e \cdot x^3 + d \cdot x) / (a \cdot c \cdot x^4 + a^2) + \frac{1}{32} \cdot (2 \cdot \sqrt{2} \cdot (3 \cdot \sqrt{c} \cdot d + \sqrt{a} \cdot e) \arctan(1/2 \cdot \sqrt{2} \cdot (2 \cdot \sqrt{c} \cdot x + \sqrt{2} \cdot a^{1/4} \cdot c^{1/4}) / \sqrt{\sqrt{a} \cdot \sqrt{c}}) + 2 \cdot \sqrt{2} \cdot (3 \cdot \sqrt{c} \cdot d - \sqrt{a} \cdot e) \arctan(1/2 \cdot \sqrt{2} \cdot (2 \cdot \sqrt{c} \cdot x - \sqrt{2} \cdot a^{1/4} \cdot c^{1/4}) / \sqrt{\sqrt{a} \cdot \sqrt{c}}) + \sqrt{2} \cdot (3 \cdot \sqrt{c} \cdot d - \sqrt{a} \cdot e) \log(\sqrt{c} \cdot x^2 + \sqrt{2} \cdot a^{1/4} \cdot c^{1/4} \cdot x + \sqrt{a})) / (a^2 \cdot c^3)$

$$\frac{1}{a^{3/4}c^{3/4}} - \frac{\sqrt{2}(3\sqrt{c}d - \sqrt{a}e)\log(\sqrt{c}x^2 - \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{a})}{a^{3/4}c^{3/4}}$$

mupad [B] time = 0.40, size = 637, normalized size = 2.32

$$\frac{\frac{ex^3}{4a} + \frac{dx}{4a}}{cx^4 + a} - 2 \operatorname{atanh} \left(\frac{c^2 e^2 x \sqrt{\frac{e^2 \sqrt{-a^7} c^3}{256 a^6 c^3} - \frac{9 d^2 \sqrt{-a^7} c^3}{256 a^7 c^2} - \frac{3 d e}{128 a^3 c}}}{2 \left(\frac{c e^3}{32 a} - \frac{9 c^2 d^2 e}{32 a^2} - \frac{27 c d^3 \sqrt{-a^7} c^3}{32 a^6} + \frac{3 d e^2 \sqrt{-a^7} c^3}{32 a^5} \right)} - \frac{9 c^3 d^2 x \sqrt{\frac{e^2 \sqrt{-a^7} c^3}{256 a^6 c^3} - \frac{9 d^2 \sqrt{-a^7} c^3}{256 a^7 c^2} - \frac{3 d e}{128 a^3 c}}}{2 \left(\frac{c e^3}{32} - \frac{9 c^2 d^2 e}{32 a} - \frac{27 c d^3 \sqrt{-a^7} c^3}{32 a^5} + \frac{3 d e^2 \sqrt{-a^7} c^3}{32 a^4} \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)/(a + c*x^4)^2, x)`

[Out]
$$\left(\frac{e x^3}{4 a} + \frac{d x}{4 a} \right) / (a + c x^4) - 2 \operatorname{atanh} \left(\frac{c^2 e^2 x \sqrt{\frac{e^2 \sqrt{-a^7} c^3}{256 a^6 c^3} - \frac{9 d^2 \sqrt{-a^7} c^3}{256 a^7 c^2} - \frac{3 d e}{128 a^3 c}}}{2 \left(\frac{c e^3}{32 a} - \frac{9 c^2 d^2 e}{32 a^2} - \frac{27 c d^3 \sqrt{-a^7} c^3}{32 a^6} + \frac{3 d e^2 \sqrt{-a^7} c^3}{32 a^5} \right)} - \frac{9 c^3 d^2 x \sqrt{\frac{e^2 \sqrt{-a^7} c^3}{256 a^6 c^3} - \frac{9 d^2 \sqrt{-a^7} c^3}{256 a^7 c^2} - \frac{3 d e}{128 a^3 c}}}{2 \left(\frac{c e^3}{32} - \frac{9 c^2 d^2 e}{32 a} - \frac{27 c d^3 \sqrt{-a^7} c^3}{32 a^5} + \frac{3 d e^2 \sqrt{-a^7} c^3}{32 a^4} \right)} \right)$$

sympy [A] time = 1.03, size = 136, normalized size = 0.49

$$\operatorname{RootSum} \left(65536 t^4 a^7 c^3 + 3072 t^2 a^4 c^2 d e + a^2 e^4 + 18 a c d^2 e^2 + 81 c^2 d^4, \left(t \mapsto t \log \left(x + \frac{4096 t^3 a^6 c^2 e + 144 t a^3 c d e^2 - a^2 e^4 - 81 c^2 d^4}{a^2 e^4 - 81 c^2 d^4} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)/(c*x**4+a)**2, x)`

[Out]
$$\operatorname{RootSum}(65536_t**4*a**7*c**3 + 3072_t**2*a**4*c**2*d*e + a**2*e**4 + 18*a*c*d**2*e**2 + 81*c**2*d**4, \operatorname{Lambda}(_t, _t*\log(x + (4096_t**3*a**6*c**2*e + 144_t*a**3*c*d*e**2 - 432_t*a**2*c**2*d**3)/(a**2*e**4 - 81*c**2*d**4))) + (d*x + e*x**3)/(4*a**2 + 4*a*c*x**4))$$

$$3.147 \quad \int \frac{1}{(a+cx^4)^2} dx$$

Optimal. Leaf size=202

$$\frac{3 \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{c}} + \frac{3 \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{c}} - \frac{3 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{c} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{c}} + \frac{3 \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{c} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{c}}$$

[Out] 1/4*x/a/(c*x^4+a)+3/16*arctan(-1+c^(1/4)*x*2^(1/2)/a^(1/4))/a^(7/4)/c^(1/4)*2^(1/2)+3/16*arctan(1+c^(1/4)*x*2^(1/2)/a^(1/4))/a^(7/4)/c^(1/4)*2^(1/2)-3/32*ln(-a^(1/4)*c^(1/4)*x*2^(1/2)+a^(1/2)+x^2*c^(1/2))/a^(7/4)/c^(1/4)*2^(1/2)+3/32*ln(a^(1/4)*c^(1/4)*x*2^(1/2)+a^(1/2)+x^2*c^(1/2))/a^(7/4)/c^(1/4)*2^(1/2)

Rubi [A] time = 0.13, antiderivative size = 202, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.778$, Rules used = {199, 211, 1165, 628, 1162, 617, 204}

$$\frac{3 \log\left(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{c}} + \frac{3 \log\left(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2\right)}{16\sqrt{2} a^{7/4} \sqrt[4]{c}} - \frac{3 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{c} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{c}} + \frac{3 \tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{c} x}{\sqrt[4]{a}}\right)}{8\sqrt{2} a^{7/4} \sqrt[4]{c}}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^4)^(-2), x]

[Out] x/(4*a*(a + c*x^4)) - (3*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*c^(1/4)) + (3*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)])/(8*Sqrt[2]*a^(7/4)*c^(1/4)) - (3*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(16*Sqrt[2]*a^(7/4)*c^(1/4)) + (3*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(16*Sqrt[2]*a^(7/4)*c^(1/4))

Rule 199

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 211

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]
], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4),
x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b
}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &&
AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a+cx^4)^2} dx &= \frac{x}{4a(a+cx^4)} + \frac{3 \int \frac{1}{a+cx^4} dx}{4a} \\
&= \frac{x}{4a(a+cx^4)} + \frac{3 \int \frac{\sqrt{a}-\sqrt{c}x^2}{a+cx^4} dx}{8a^{3/2}} + \frac{3 \int \frac{\sqrt{a}+\sqrt{c}x^2}{a+cx^4} dx}{8a^{3/2}} \\
&= \frac{x}{4a(a+cx^4)} + \frac{3 \int \frac{1}{\frac{\sqrt{a}-\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}} + x^2} dx}{16a^{3/2}\sqrt{c}} + \frac{3 \int \frac{1}{\frac{\sqrt{a}+\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}} + x^2} dx}{16a^{3/2}\sqrt{c}} - \frac{3 \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt{c}} + 2x}{\frac{\sqrt{a}-\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}} - x^2} dx}{16\sqrt{2}a^{7/4}\sqrt[4]{c}} - \frac{3 \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt{c}} + 2x}{\frac{\sqrt{a}+\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}} - x^2} dx}{16\sqrt{2}a^{7/4}\sqrt[4]{c}} \\
&= \frac{x}{4a(a+cx^4)} - \frac{3 \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}\sqrt[4]{c}} + \frac{3 \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}\sqrt[4]{c}} + \frac{3 \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{8\sqrt{2}a^{7/4}\sqrt[4]{c}} + \frac{3 \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{8\sqrt{2}a^{7/4}\sqrt[4]{c}} - \frac{3 \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}\sqrt[4]{c}} - \frac{3 \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{16\sqrt{2}a^{7/4}\sqrt[4]{c}}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 183, normalized size = 0.91

$$\frac{\frac{8a^{3/4}x}{a+cx^4} - \frac{3\sqrt{2} \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{\sqrt[4]{c}} + \frac{3\sqrt{2} \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{\sqrt[4]{c}} - \frac{6\sqrt{2} \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{\sqrt[4]{c}} + \frac{6\sqrt{2} \tan^{-1}\left(\frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}} + 1\right)}{\sqrt[4]{c}}}{32a^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + c*x^4)^(-2), x]

[Out] ((8*a^(3/4)*x)/(a + c*x^4) - (6*Sqrt[2]*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)])/c^(1/4) + (6*Sqrt[2]*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)])/c^(1/4) - (3*Sqrt[2]*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/c^(1/4) + (3*Sqrt[2]*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/c^(1/4))/(32*a^(7/4))

fricas [A] time = 0.41, size = 173, normalized size = 0.86

$$\frac{12(acx^4 + a^2)\left(-\frac{1}{a^7c}\right)^{\frac{1}{4}} \arctan\left(-a^5cx\left(-\frac{1}{a^7c}\right)^{\frac{3}{4}} + \sqrt{a^4\sqrt{-\frac{1}{a^7c}} + x^2}a^5c\left(-\frac{1}{a^7c}\right)^{\frac{3}{4}}\right) + 3(acx^4 + a^2)\left(-\frac{1}{a^7c}\right)^{\frac{1}{4}} \log\left(a^2\left(-\frac{1}{a^7c}\right)^{\frac{1}{4}}\right)}{16(acx^4 + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x^4+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{16} * (12 * (a * c * x^4 + a^2) * (-1 / (a^7 * c))^{1/4} * \arctan(-a^5 * c * x * (-1 / (a^7 * c))^{3/4}) + \sqrt{a^4 * \sqrt{-1 / (a^7 * c)} + x^2} * a^5 * c * (-1 / (a^7 * c))^{3/4}) + 3 * (a * c * x^4 + a^2) * (-1 / (a^7 * c))^{1/4} * \log(a^2 * (-1 / (a^7 * c))^{1/4} + x) - 3 * (a * c * x^4 + a^2) * (-1 / (a^7 * c))^{1/4} * \log(-a^2 * (-1 / (a^7 * c))^{1/4} + x) + 4 * x) / (a * c * x^4 + a^2)$

giac [A] time = 0.18, size = 194, normalized size = 0.96

$$\frac{x}{4(c x^4 + a)a} + \frac{3\sqrt{2}(ac^3)^{\frac{1}{4}} \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{16a^2c} + \frac{3\sqrt{2}(ac^3)^{\frac{1}{4}} \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{16a^2c} + \frac{3\sqrt{2}(ac^3)^{\frac{1}{4}} \log\left(x^2\right)}{32a^2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{1}{4} * x / ((c * x^4 + a) * a) + 3/16 * \sqrt{2} * (a * c^3)^{1/4} * \arctan(1/2 * \sqrt{2} * (2 * x + \sqrt{2} * (a/c)^{1/4}) / (a/c)^{1/4}) / (a^2 * c) + 3/16 * \sqrt{2} * (a * c^3)^{1/4} * \arctan(1/2 * \sqrt{2} * (2 * x - \sqrt{2} * (a/c)^{1/4}) / (a/c)^{1/4}) / (a^2 * c) + 3/32 * \sqrt{2} * (a * c^3)^{1/4} * \log(x^2 + \sqrt{2} * x * (a/c)^{1/4} + \sqrt{a/c}) / (a^2 * c) - 3/32 * \sqrt{2} * (a * c^3)^{1/4} * \log(x^2 - \sqrt{2} * x * (a/c)^{1/4} + \sqrt{a/c}) / (a^2 * c)$

maple [A] time = 0.00, size = 143, normalized size = 0.71

$$\frac{x}{4(c x^4 + a)a} + \frac{3\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} - 1\right)}{16a^2} + \frac{3\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} + 1\right)}{16a^2} + \frac{3\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} \ln\left(\frac{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2}x + \sqrt{\frac{a}{c}}}{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2}x + \sqrt{\frac{a}{c}}}\right)}{32a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(c*x^4+a)^2,x)

[Out] $\frac{1}{4} * x / a / (c * x^4 + a) + 3/32 / a^2 * (a/c)^{1/4} * 2^{1/2} * \ln((x^2 + (a/c)^{1/4} * 2^{1/2}) * x + (a/c)^{1/2}) / (x^2 - (a/c)^{1/4} * 2^{1/2} * x + (a/c)^{1/2}) + 3/16 / a^2 * (a/c)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/c)^{1/4} * x + 1) + 3/16 / a^2 * (a/c)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/c)^{1/4} * x - 1)$

maxima [A] time = 2.43, size = 189, normalized size = 0.94

$$\frac{x}{4(acx^4 + a^2)} + \frac{3 \left(\frac{2\sqrt{2} \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}} + \frac{2\sqrt{2} \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x - \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}} + \frac{\sqrt{2} \log\left(\sqrt{c}x^2 + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}c^{\frac{1}{4}}} - \frac{\sqrt{2} \log\left(\sqrt{c}x^2 - \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}x + \sqrt{a}\right)}{a^{\frac{3}{4}}c^{\frac{1}{4}}} \right)}{32a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x^4+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{4}x/(a*c*x^4 + a^2) + \frac{3}{32}*(2*\sqrt{2}*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x + \sqrt{2}*a^{1/4}*c^{1/4}))/\sqrt{\sqrt{a}*\sqrt{c}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}) + 2*\sqrt{2}*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x - \sqrt{2}*a^{1/4}*c^{1/4}))/\sqrt{\sqrt{a}*\sqrt{c}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}) + \sqrt{2}*\log(\sqrt{c}*x^2 + \sqrt{2}*a^{1/4}*c^{1/4}*x + \sqrt{a})/(a^{3/4}*c^{1/4}) - \sqrt{2}*\log(\sqrt{c}*x^2 - \sqrt{2}*a^{1/4}*c^{1/4}*x + \sqrt{a})/(a^{3/4}*c^{1/4})/a$

mupad [B] time = 0.08, size = 58, normalized size = 0.29

$$\frac{x}{4a(cx^4 + a)} + \frac{3 \operatorname{atan}\left(\frac{c^{1/4}x}{(-a)^{1/4}}\right)}{8(-a)^{7/4}c^{1/4}} + \frac{3 \operatorname{atanh}\left(\frac{c^{1/4}x}{(-a)^{1/4}}\right)}{8(-a)^{7/4}c^{1/4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + c*x^4)^2,x)

[Out] $x/(4*a*(a + c*x^4)) + (3*\operatorname{atan}((c^{1/4}*x)/(-a)^{1/4}))/((8*(-a)^{7/4}*c^{1/4})) + (3*\operatorname{atanh}((c^{1/4}*x)/(-a)^{1/4}))/((8*(-a)^{7/4}*c^{1/4}))$

sympy [A] time = 0.35, size = 39, normalized size = 0.19

$$\frac{x}{4a^2 + 4acx^4} + \operatorname{RootSum}\left(65536t^4a^7c + 81, \left(t \mapsto t \log\left(\frac{16ta^2}{3} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x**4+a)**2,x)

[Out] $x/(4*a**2 + 4*a*c*x**4) + \operatorname{RootSum}(65536*_t**4*a**7*c + 81, \operatorname{Lambda}(_t, _t*\log(16*_t*a**2/3 + x)))$

$$3.148 \quad \int \frac{1}{(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=689

$$\frac{\sqrt[4]{c} e^2 (\sqrt{a} e + \sqrt{c} d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)^2} + \frac{\sqrt[4]{c} e^2 (\sqrt{a} e + \sqrt{c} d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)^2}$$

[Out] $\frac{1}{4} c x (-e x^2 + d) / a (a e^2 + c d^2) / (c x^4 + a) + \frac{1}{4} c^{1/4} e^2 \arctan(-1 + c^{1/4} x^2) / a^{1/4} (-e a^{1/2} + d c^{1/2}) / a^{3/4} (a e^2 + c d^2)^{2 \cdot 1/2} + \frac{1}{4} c^{1/4} e^2 \arctan(1 + c^{1/4} x^2) / a^{1/4} (-e a^{1/2} + d c^{1/2}) / a^{3/4} (a e^2 + c d^2)^{2 \cdot 1/2} - \frac{1}{8} c^{1/4} e^2 \ln(-a^{1/4} c^{1/4} x^2 + a^{1/2} + x^2 c^{1/2}) (e a^{1/2} + d c^{1/2}) / a^{3/4} (a e^2 + c d^2)^{2 \cdot 1/2} + \frac{1}{8} c^{1/4} e^2 \ln(a^{1/4} c^{1/4} x^2 + a^{1/2} + x^2 c^{1/2}) (e a^{1/2} + d c^{1/2}) / a^{3/4} (a e^2 + c d^2)^{2 \cdot 1/2} + \frac{1}{16} c^{1/4} \arctan(-1 + c^{1/4} x^2) / a^{1/4} (-e a^{1/2} + 3 d c^{1/2}) / a^{7/4} (a e^2 + c d^2)^{2 \cdot 1/2} + \frac{1}{16} c^{1/4} \arctan(1 + c^{1/4} x^2) / a^{1/4} (-e a^{1/2} + 3 d c^{1/2}) / a^{7/4} (a e^2 + c d^2)^{2 \cdot 1/2} - \frac{1}{32} c^{1/4} \ln(-a^{1/4} c^{1/4} x^2 + a^{1/2} + x^2 c^{1/2}) (e a^{1/2} + 3 d c^{1/2}) / a^{7/4} (a e^2 + c d^2)^{2 \cdot 1/2} + \frac{1}{32} c^{1/4} \ln(a^{1/4} c^{1/4} x^2 + a^{1/2} + x^2 c^{1/2}) (e a^{1/2} + 3 d c^{1/2}) / a^{7/4} (a e^2 + c d^2)^{2 \cdot 1/2} + e^{7/2} \arctan(x e^{1/2} / d^{1/2}) / (a e^2 + c d^2)^2 / d^{1/2}$

Rubi [A] time = 0.62, antiderivative size = 689, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 9, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.474$, Rules used = {1239, 205, 1179, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\sqrt[4]{c} e^2 (\sqrt{a} e + \sqrt{c} d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)^2} + \frac{\sqrt[4]{c} e^2 (\sqrt{a} e + \sqrt{c} d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*(a + c*x^4)^2), x]

[Out] $\frac{c x (d - e x^2)}{4 a (c d^2 + a e^2) (a + c x^4)} + \frac{e^{7/2} \text{ArcTan}[\frac{\text{Sqrt}[e] x}{\text{Sqrt}[d]}]}{\text{Sqrt}[d] (c d^2 + a e^2)^2} - \frac{c^{1/4} e^2 (\text{Sqrt}[c] d - \text{Sqrt}[a] e) \text{ArcTan}[1 - \frac{\text{Sqrt}[2] c^{1/4} x}{a^{1/4}}]}{2 \text{Sqrt}[2] a^{3/4} (c d^2 + a e^2)^2} - \frac{c^{1/4} (3 \text{Sqrt}[c] d - \text{Sqrt}[a] e) \text{ArcTan}[1 - \frac{\text{Sqrt}[2] c^{1/4} x}{a^{1/4}}]}{8 \text{Sqrt}[2] a^{7/4} (c d^2 + a e^2)} + \frac{c^{1/4} e^2 (\text{Sqrt}[c] d - \text{Sqrt}[a] e) \text{ArcTan}[1 + \frac{\text{Sqrt}[2] c^{1/4} x}{a^{1/4}}]}{2 \text{Sqrt}[2] a^{3/4} (c d^2 + a e^2)^2} + \frac{c^{1/4} (3 \text{Sqrt}[c] d - \text{Sqrt}[a] e) \text{ArcTan}[1 + \frac{\text{Sqrt}[2] c^{1/4} x}{a^{1/4}}]}{8 \text{Sqrt}[2] a^{7/4} (c d^2 + a e^2)} - \frac{c^{1/4} e^2 (\text{Sqrt}[c] d - \text{Sqrt}[a] e) \text{ArcTan}[\frac{x e^{1/2}}{d^{1/2}}]}{4 (a e^2 + c d^2)^2 / d^{1/2}}$

$$\begin{aligned} & \text{Sqrt}[c]*d + \text{Sqrt}[a]*e) * \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2] \\ & / (4*\text{Sqrt}[2]*a^{(3/4)}*(c*d^2 + a*e^2)^2) - (c^{(1/4)}*(3*\text{Sqrt}[c]*d + \text{Sqrt}[a]*e) * \\ & \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2]) / (16*\text{Sqrt}[2]*a^{(7/4)} * \\ & (c*d^2 + a*e^2)) + (c^{(1/4)}*e^2*(\text{Sqrt}[c]*d + \text{Sqrt}[a]*e) * \text{Log}[\text{Sqrt}[a] + \\ & \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2]) / (4*\text{Sqrt}[2]*a^{(3/4)}*(c*d^2 + a*e^2)^2) \\ & + (c^{(1/4)}*(3*\text{Sqrt}[c]*d + \text{Sqrt}[a]*e) * \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)} * \\ & x + \text{Sqrt}[c]*x^2]) / (16*\text{Sqrt}[2]*a^{(7/4)}*(c*d^2 + a*e^2)) \end{aligned}$$

Rule 204

$$\text{Int}[\{(a_ + (b_)*(x_)^2)^{-1}, x_Symbol\} \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x]/\text{Rt}[-a, 2]] / (\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b] \&\& (\text{LtQ}[a, 0] \parallel \text{LtQ}[b, 0])$$

Rule 205

$$\text{Int}[\{(a_ + (b_)*(x_)^2)^{-1}, x_Symbol\} \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b]$$

Rule 617

$$\text{Int}[\{(a_ + (b_)*(x_ + (c_)*(x_)^2)^{-1}, x_Symbol\} \rightarrow \text{With}[\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \parallel \text{!RationalQ}[b^2 - 4*a*c])\} /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{NeQ}[b^2 - 4*a*c, 0]$$

Rule 628

$$\text{Int}[\{(d_ + (e_)*(x_))/((a_ + (b_)*(x_ + (c_)*(x_)^2)), x_Symbol\} \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{EqQ}[2*c*d - b*e, 0]$$

Rule 1162

$$\text{Int}[\{(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol\} \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /; \text{FreeQ}\{a, c, d, e\}, x\} \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[d*e]$$

Rule 1165

$$\text{Int}[\{(d_ + (e_)*(x_)^2)/((a_ + (c_)*(x_)^4), x_Symbol\} \rightarrow \text{With}[\{q = \text{Rt}[-(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}\{a, c, d, e\}, x\} \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[d*e]$$

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1179

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := -Simp[(x
*(d + e*x^2)*(a + c*x^4)^(p + 1))/(4*a*(p + 1)), x] + Dist[1/(4*a*(p + 1)),
Int[Simp[d*(4*p + 5) + e*(4*p + 7)*x^2, x]*(a + c*x^4)^(p + 1), x], x] /;
FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2
*p]
```

Rule 1239

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Int
[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e,
p, q}, x] && ((IntegerQ[p] && IntegerQ[q]) || IGtQ[p, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)(a+cx^4)^2} dx &= \int \left(\frac{e^4}{(cd^2+ae^2)^2(d+ex^2)} + \frac{c(d-ex^2)}{(cd^2+ae^2)(a+cx^4)^2} - \frac{ce^2(-d+ex^2)}{(cd^2+ae^2)^2(a+cx^4)} \right) dx \\
&= -\frac{(ce^2) \int \frac{-d+ex^2}{a+cx^4} dx}{(cd^2+ae^2)^2} + \frac{e^4 \int \frac{1}{d+ex^2} dx}{(cd^2+ae^2)^2} + \frac{c \int \frac{d-ex^2}{(a+cx^4)^2} dx}{cd^2+ae^2} \\
&= \frac{cx(d-ex^2)}{4a(cd^2+ae^2)(a+cx^4)} + \frac{e^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)^2} + \frac{\left(\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right)e^2\right) \int \frac{\sqrt{a}\sqrt{c+cx^2}}{a+cx^4} dx}{2(cd^2+ae^2)^2} + \frac{e^2}{cd^2+ae^2} \\
&= \frac{cx(d-ex^2)}{4a(cd^2+ae^2)(a+cx^4)} + \frac{e^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)^2} + \frac{\left(\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right)e^2\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{4(cd^2+ae^2)^2} + \frac{e^2}{cd^2+ae^2} \\
&= \frac{cx(d-ex^2)}{4a(cd^2+ae^2)(a+cx^4)} + \frac{e^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)^2} - \frac{\sqrt[4]{c}e^2(\sqrt{c}d+\sqrt{a}e)\log(\sqrt{a}-\sqrt{2}\sqrt[4]{a}x+\sqrt{c}x^2)}{4\sqrt{2}a^{3/4}(cd^2+ae^2)^2} + \frac{e^2}{cd^2+ae^2} \\
&= \frac{cx(d-ex^2)}{4a(cd^2+ae^2)(a+cx^4)} + \frac{e^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)^2} - \frac{\sqrt[4]{c}e^2(\sqrt{c}d-\sqrt{a}e)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}}+\sqrt{c}x^2\right)}{2\sqrt{2}a^{3/4}(cd^2+ae^2)^2} + \frac{e^2}{cd^2+ae^2} \\
&= \frac{cx(d-ex^2)}{4a(cd^2+ae^2)(a+cx^4)} + \frac{e^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)^2} - \frac{\sqrt[4]{c}e^2(\sqrt{c}d-\sqrt{a}e)\tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}}+\sqrt{c}x^2\right)}{2\sqrt{2}a^{3/4}(cd^2+ae^2)^2} + \frac{e^2}{cd^2+ae^2}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 429, normalized size = 0.62

$$-\frac{\sqrt{2}\sqrt[4]{c}(5a^{3/2}e^3+\sqrt{a}cd^2e+7a\sqrt{c}de^2+3c^{3/2}d^3)\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2)}{a^{7/4}} + \frac{\sqrt{2}\sqrt[4]{c}(5a^{3/2}e^3+\sqrt{a}cd^2e+7a\sqrt{c}de^2+3c^{3/2}d^3)\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2)}{a^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*(a + c*x^4)^2), x]

[Out] ((8*c*(c*d^2 + a*e^2)*x*(d - e*x^2))/(a*(a + c*x^4)) + (32*e^(7/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/Sqrt[d] + (2*Sqrt[2]*c^(1/4)*(-3*c^(3/2)*d^3 + Sqrt[a]

$$\begin{aligned} & *c*d^2*e - 7*a*\text{Sqrt}[c]*d*e^2 + 5*a^{(3/2)}*e^3)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)}*x \\ &)/a^{(1/4)}])/a^{(7/4)} - (2*\text{Sqrt}[2]*c^{(1/4)}*(-3*c^{(3/2)}*d^3 + \text{Sqrt}[a]*c*d^2*e \\ & - 7*a*\text{Sqrt}[c]*d*e^2 + 5*a^{(3/2)}*e^3)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)} \\ &])/a^{(7/4)} - (\text{Sqrt}[2]*c^{(1/4)}*(3*c^{(3/2)}*d^3 + \text{Sqrt}[a]*c*d^2*e + 7*a*\text{Sqrt}[c \\ &]*d*e^2 + 5*a^{(3/2)}*e^3)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]* \\ & x^2])/a^{(7/4)} + (\text{Sqrt}[2]*c^{(1/4)}*(3*c^{(3/2)}*d^3 + \text{Sqrt}[a]*c*d^2*e + 7*a*\text{Sqr \\ & t}[c]*d*e^2 + 5*a^{(3/2)}*e^3)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[\\ & c]*x^2])/a^{(7/4)})/(32*(c*d^2 + a*e^2)^2) \end{aligned}$$

fricas [B] time = 19.11, size = 9892, normalized size = 14.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/16*(4*(c^2*d^2*e + a*c*e^3)*x^3 + (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4* \\ & e^4 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4)*\text{sqrt}((6*c^3*d^5*e + \\ & 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 + (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^ \\ & 5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)*\text{sqrt}(-(81*c^7*d^12 + 738*a*c^6*d \\ & ^10*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 \\ & - 1950*a^5*c^2*d^2*e^10 + 625*a^6*c*e^12))/(a^7*c^8*d^16 + 8*a^8*c^7*d^14*e \\ & ^2 + 28*a^9*c^6*d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 + 56* \\ & a^12*c^3*d^6*e^10 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^16))] \\ & /((a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a \\ & ^7*e^8))*\text{log}(-(81*c^5*d^8 + 594*a*c^4*d^6*e^2 + 1376*a^2*c^3*d^4*e^4 + 750* \\ & a^3*c^2*d^2*e^6 - 625*a^4*c*e^8)*x + (27*a^2*c^5*d^9 + 186*a^3*c^4*d^7*e^2 \\ & + 404*a^4*c^3*d^5*e^4 + 198*a^5*c^2*d^3*e^6 - 175*a^6*c*d*e^8 + (a^6*c^5*d^ \\ & 10*e + 9*a^7*c^4*d^8*e^3 + 26*a^8*c^3*d^6*e^5 + 34*a^9*c^2*d^4*e^7 + 21*a^1 \\ & 0*c*d^2*e^9 + 5*a^11*e^11))*\text{sqrt}(-(81*c^7*d^12 + 738*a*c^6*d^10*e^2 + 2383*a \\ & ^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2* \\ & d^2*e^10 + 625*a^6*c*e^12))/(a^7*c^8*d^16 + 8*a^8*c^7*d^14*e^2 + 28*a^9*c^6* \\ & d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 + 56*a^12*c^3*d^6*e^1 \\ & 0 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^16)))*\text{sqrt}((6*c^3*d^5 \\ & *e + 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 + (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + \\ & 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)*\text{sqrt}(-(81*c^7*d^12 + 738*a* \\ & c^6*d^10*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^ \\ & 4*e^8 - 1950*a^5*c^2*d^2*e^10 + 625*a^6*c*e^12))/(a^7*c^8*d^16 + 8*a^8*c^7*d \\ & ^14*e^2 + 28*a^9*c^6*d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 \\ & + 56*a^12*c^3*d^6*e^10 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^ \\ & 16)))/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^ \\ & 6 + a^7*e^8))) - (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4 + (a*c^3*d^4 + 2* \\ & a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4)*\text{sqrt}((6*c^3*d^5*e + 44*a*c^2*d^3*e^3 + 70 \\ & *a^2*c*d*e^5 + (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6 \\ & *c*d^2*e^6 + a^7*e^8)*\text{sqrt}(-(81*c^7*d^12 + 738*a*c^6*d^10*e^2 + 2383*a^2*c^ \end{aligned}$$

$$\begin{aligned}
&5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^{10} + 625*a^6*c*e^{12})/(a^7*c^8*d^{16} + 8*a^8*c^7*d^{14}*e^2 + 28*a^9*c^6*d^{12}*e^4 + 56*a^{10}*c^5*d^{10}*e^6 + 70*a^{11}*c^4*d^8*e^8 + 56*a^{12}*c^3*d^6*e^{10} + 28*a^{13}*c^2*d^4*e^{12} + 8*a^{14}*c*d^2*e^{14} + a^{15}*e^{16}))/((a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))*\log(- (81*c^5*d^8 + 594*a*c^4*d^6*e^2 + 1376*a^2*c^3*d^4*e^4 + 750*a^3*c^2*d^2*e^6 - 625*a^4*c*e^8)*x - (27*a^2*c^5*d^9 + 186*a^3*c^4*d^7*e^2 + 404*a^4*c^3*d^5*e^4 + 198*a^5*c^2*d^3*e^6 - 175*a^6*c*d*e^8 + (a^6*c^5*d^{10}*e + 9*a^7*c^4*d^8*e^3 + 26*a^8*c^3*d^6*e^5 + 34*a^9*c^2*d^4*e^7 + 21*a^{10}*c*d^2*e^9 + 5*a^{11}*e^{11})*\sqrt{-(81*c^7*d^{12} + 738*a*c^6*d^{10}*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^{10} + 625*a^6*c*e^{12})/(a^7*c^8*d^{16} + 8*a^8*c^7*d^{14}*e^2 + 28*a^9*c^6*d^{12}*e^4 + 56*a^{10}*c^5*d^{10}*e^6 + 70*a^{11}*c^4*d^8*e^8 + 56*a^{12}*c^3*d^6*e^{10} + 28*a^{13}*c^2*d^4*e^{12} + 8*a^{14}*c*d^2*e^{14} + a^{15}*e^{16}))*\sqrt{((6*c^3*d^5*e + 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 + (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)*\sqrt{-(81*c^7*d^{12} + 738*a*c^6*d^{10}*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^{10} + 625*a^6*c*e^{12})/(a^7*c^8*d^{16} + 8*a^8*c^7*d^{14}*e^2 + 28*a^9*c^6*d^{12}*e^4 + 56*a^{10}*c^5*d^{10}*e^6 + 70*a^{11}*c^4*d^8*e^8 + 56*a^{12}*c^3*d^6*e^{10} + 28*a^{13}*c^2*d^4*e^{12} + 8*a^{14}*c*d^2*e^{14} + a^{15}*e^{16}))))/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))) + (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4)*\sqrt{((6*c^3*d^5*e + 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 - (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)*\sqrt{-(81*c^7*d^{12} + 738*a*c^6*d^{10}*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^{10} + 625*a^6*c*e^{12})/(a^7*c^8*d^{16} + 8*a^8*c^7*d^{14}*e^2 + 28*a^9*c^6*d^{12}*e^4 + 56*a^{10}*c^5*d^{10}*e^6 + 70*a^{11}*c^4*d^8*e^8 + 56*a^{12}*c^3*d^6*e^{10} + 28*a^{13}*c^2*d^4*e^{12} + 8*a^{14}*c*d^2*e^{14} + a^{15}*e^{16}))))/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))*\log(- (81*c^5*d^8 + 594*a*c^4*d^6*e^2 + 1376*a^2*c^3*d^4*e^4 + 750*a^3*c^2*d^2*e^6 - 625*a^4*c*e^8)*x + (27*a^2*c^5*d^9 + 186*a^3*c^4*d^7*e^2 + 404*a^4*c^3*d^5*e^4 + 198*a^5*c^2*d^3*e^6 - 175*a^6*c*d*e^8 - (a^6*c^5*d^{10}*e + 9*a^7*c^4*d^8*e^3 + 26*a^8*c^3*d^6*e^5 + 34*a^9*c^2*d^4*e^7 + 21*a^{10}*c*d^2*e^9 + 5*a^{11}*e^{11})*\sqrt{-(81*c^7*d^{12} + 738*a*c^6*d^{10}*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^{10} + 625*a^6*c*e^{12})/(a^7*c^8*d^{16} + 8*a^8*c^7*d^{14}*e^2 + 28*a^9*c^6*d^{12}*e^4 + 56*a^{10}*c^5*d^{10}*e^6 + 70*a^{11}*c^4*d^8*e^8 + 56*a^{12}*c^3*d^6*e^{10} + 28*a^{13}*c^2*d^4*e^{12} + 8*a^{14}*c*d^2*e^{14} + a^{15}*e^{16}))*\sqrt{((6*c^3*d^5*e + 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 - (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)*\sqrt{-(81*c^7*d^{12} + 738*a*c^6*d^{10}*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^{10} + 625*a^6*c*e^{12})/(a^7*c^8*d^{16} + 8*a^8*c^7*d^{14}*e^2 + 28*a^9*c^6*d^{12}*e^4 + 56*a^{10}*c^5*d^{10}*e^6 + 70*a^{11}*c^4*d^8*e^8 + 56*a^{12}*c^3*d^6*e^{10} + 28*a^{13}*c^2*d^4*e^{12} + 8*a^{14}*c*d^2*e^{14} + a^{15}*e^{16}))))/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6
\end{aligned}$$

$$\begin{aligned}
& *a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))) - (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4)*\sqrt{((6*c^3*d^5*e + 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 - (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)*\sqrt{-(81*c^7*d^12 + 738*a*c^6*d^10*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^10 + 625*a^6*c*e^12)/(a^7*c^8*d^16 + 8*a^8*c^7*d^14*e^2 + 28*a^9*c^6*d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 + 56*a^12*c^3*d^6*e^10 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^16)))/((a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))*\log(-(81*c^5*d^8 + 594*a*c^4*d^6*e^2 + 1376*a^2*c^3*d^4*e^4 + 750*a^3*c^2*d^2*e^6 - 625*a^4*c*e^8)*x - (27*a^2*c^5*d^9 + 186*a^3*c^4*d^7*e^2 + 404*a^4*c^3*d^5*e^4 + 198*a^5*c^2*d^3*e^6 - 175*a^6*c*d*e^8 - (a^6*c^5*d^10*e + 9*a^7*c^4*d^8*e^3 + 26*a^8*c^3*d^6*e^5 + 34*a^9*c^2*d^4*e^7 + 21*a^10*c*d^2*e^9 + 5*a^11*e^11))*\sqrt{-(81*c^7*d^12 + 738*a*c^6*d^10*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^10 + 625*a^6*c*e^12)/(a^7*c^8*d^16 + 8*a^8*c^7*d^14*e^2 + 28*a^9*c^6*d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 + 56*a^12*c^3*d^6*e^10 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^16)))*\sqrt{((6*c^3*d^5*e + 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 - (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)*\sqrt{-(81*c^7*d^12 + 738*a*c^6*d^10*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^10 + 625*a^6*c*e^12)/(a^7*c^8*d^16 + 8*a^8*c^7*d^14*e^2 + 28*a^9*c^6*d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 + 56*a^12*c^3*d^6*e^10 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^16)))/((a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))) - 8*(a*c*e^3*x^4 + a^2*e^3)*\sqrt{-e/d)*\log((e*x^2 + 2*d*x*\sqrt{-e/d} - d)/(e*x^2 + d)) - 4*(c^2*d^3 + a*c*d*e^2)*x)/(a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4), -1/16*(4*(c^2*d^2*e + a*c*e^3)*x^3 - 16*(a*c*e^3*x^4 + a^2*e^3)*\sqrt{e/d)*\arctan(x*\sqrt{e/d}) + (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4)*\sqrt{((6*c^3*d^5*e + 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 + (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)*\sqrt{-(81*c^7*d^12 + 738*a*c^6*d^10*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^10 + 625*a^6*c*e^12)/(a^7*c^8*d^16 + 8*a^8*c^7*d^14*e^2 + 28*a^9*c^6*d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 + 56*a^12*c^3*d^6*e^10 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^16)))/((a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))*\log(-(81*c^5*d^8 + 594*a*c^4*d^6*e^2 + 1376*a^2*c^3*d^4*e^4 + 750*a^3*c^2*d^2*e^6 - 625*a^4*c*e^8)*x + (27*a^2*c^5*d^9 + 186*a^3*c^4*d^7*e^2 + 404*a^4*c^3*d^5*e^4 + 198*a^5*c^2*d^3*e^6 - 175*a^6*c*d*e^8 + (a^6*c^5*d^10*e + 9*a^7*c^4*d^8*e^3 + 26*a^8*c^3*d^6*e^5 + 34*a^9*c^2*d^4*e^7 + 21*a^10*c*d^2*e^9 + 5*a^11*e^11))*\sqrt{-(81*c^7*d^12 + 738*a*c^6*d^10*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^10 + 625*a^6*c*e^12)/(a^7*c^8*d^16 + 8*a^8*c^7*d^14*e^2 + 28*a^9*c^6*d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 + 56*a^12*c^3*d^6*e^10 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^16)))/((a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))
\end{aligned}$$

$$\begin{aligned}
&^4 + 56a^{10}c^5d^{10}e^6 + 70a^{11}c^4d^8e^8 + 56a^{12}c^3d^6e^{10} + 28 \\
&a^{13}c^2d^4e^{12} + 8a^{14}cd^2e^{14} + a^{15}e^{16}))\sqrt{(6c^3d^5e + 4 \\
&4a^2c^2d^3e^3 + 70a^2c^2d^3e^3 + 70a^2c^2d^3e^3 + (a^3c^4d^8 + 4a^4c^3d^6e^2 + 6a^5 \\
&c^2d^4e^4 + 4a^6cd^2e^6 + a^7e^8)\sqrt{-(81c^7d^{12} + 738a^2c^6d^{10}e^2 + 2383a^2c^5d^8e^4 \\
&- 1950a^5c^2d^2e^{10} + 625a^6c^2e^{12})/(a^7c^8d^{16} + 8a^8c^7d^{14}e^2 + 28a^9c^6d^{12}e^4 \\
&- 1950a^5c^2d^2e^{10} + 625a^6c^2e^{12})/(a^7c^8d^{16} + 8a^8c^7d^{14}e^2 + 28a^9c^6d^{12}e^4 + \\
&56a^{10}c^5d^{10}e^6 + 70a^{11}c^4d^8e^8 + 56a^{12}c^3d^6e^{10} + 28a^{13}c^2d^4e^{12} + 8a^{14}cd^2e^{14} + a^{15}e^{16}))/ \\
&(a^3c^4d^8 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4 + 4a^6cd^2e^6 + a^7e^8))) - (a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4 + (a^3c^3d^4 + 2a^2c^2 \\
&2d^2e^2 + a^3c^2e^4)*x^4)\sqrt{((6c^3d^5e + 44a^2c^2d^3e^3 + 70a^2c^2 \\
&d^3e^3 + (a^3c^4d^8 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4 + 4a^6cd^2 \\
&e^6 + a^7e^8)\sqrt{-(81c^7d^{12} + 738a^2c^6d^{10}e^2 + 2383a^2c^5d^8e^4 \\
&+ 2748a^3c^4d^6e^6 - 529a^4c^3d^4e^8 - 1950a^5c^2d^2e^{10} + \\
&625a^6c^2e^{12})/(a^7c^8d^{16} + 8a^8c^7d^{14}e^2 + 28a^9c^6d^{12}e^4 + \\
&56a^{10}c^5d^{10}e^6 + 70a^{11}c^4d^8e^8 + 56a^{12}c^3d^6e^{10} + 28a^{13}c^2d^4e^{12} + \\
&8a^{14}cd^2e^{14} + a^{15}e^{16}))/((a^3c^4d^8 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4 + 4a^6cd^2e^6 + a^7e^8)) \\
&)*\log(-(81c^5d^8 + 594a^2c^4d^6e^2 + 1376a^2c^3d^4e^4 + 750a^3c^2d^2e^6 - 625a^4c^2 \\
&e^8)*x - (27a^2c^5d^9 + 186a^3c^4d^7e^2 + 404a^4c^3d^5e^4 + 198 \\
&a^5c^2d^3e^6 - 175a^6cd^2e^8 + (a^6c^5d^{10}e + 9a^7c^4d^8e^3 + \\
&26a^8c^3d^6e^5 + 34a^9c^2d^4e^7 + 21a^{10}cd^2e^9 + 5a^{11}e^{11})* \\
&\sqrt{-(81c^7d^{12} + 738a^2c^6d^{10}e^2 + 2383a^2c^5d^8e^4 + 2748a^3c^4d^6e^6 - 529a^4c^3d^4e^8 - 1950a^5c^2d^2e^{10} + 625a^6c^2e^{12})/ \\
&(a^7c^8d^{16} + 8a^8c^7d^{14}e^2 + 28a^9c^6d^{12}e^4 + 56a^{10}c^5d^{10}e^6 + 70a^{11}c^4d^8e^8 + 56a^{12}c^3d^6e^{10} + 28a^{13}c^2d^4e^{12} + \\
&8a^{14}cd^2e^{14} + a^{15}e^{16})))\sqrt{(6c^3d^5e + 44a^2c^2d^3e^3 + 70a^2c^2d^3e^3 + 70a^2c^2d^3e^3 + \\
&a^2c^2d^3e^3 + (a^3c^4d^8 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4 + 4a^6cd^2e^6 + a^7e^8)\sqrt{-(81c^7d^{12} + 738a^2c^6d^{10}e^2 + 2383a^2c^5d^8e^4 \\
&+ 2748a^3c^4d^6e^6 - 529a^4c^3d^4e^8 - 1950a^5c^2d^2e^{10} + 625a^6c^2e^{12})/(a^7c^8d^{16} + 8a^8c^7d^{14}e^2 + 28a^9c^6d^{12}e^4 + \\
&56a^{10}c^5d^{10}e^6 + 70a^{11}c^4d^8e^8 + 56a^{12}c^3d^6e^{10} + 28a^{13}c^2d^4e^{12} + 8a^{14}cd^2e^{14} + a^{15}e^{16}))/((a^3c^4d^8 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4 + 4a^6cd^2e^6 + a^7e^8)) \\
&)) + (a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4 + (a^3c^3d^4 + 2a^2c^2d^2e^2 + a^3c^2e^4) \\
&)*x^4)\sqrt{((6c^3d^5e + 44a^2c^2d^3e^3 + 70a^2c^2d^3e^3 - (a^3c^4d^8 \\
&+ 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4 + 4a^6cd^2e^6 + a^7e^8)\sqrt{-(81c^7d^{12} + 738a^2c^6d^{10}e^2 + 2383a^2c^5d^8e^4 + 2748a^3c^4d^6e^6 - 529a^4c^3d^4e^8 - 1950a^5c^2d^2e^{10} + 625a^6c^2e^{12})/(a^7c^8d^{16} + 8a^8c^7d^{14}e^2 + 28a^9c^6d^{12}e^4 + 56a^{10}c^5d^{10}e^6 + 70a^{11}c^4d^8e^8 + 56a^{12}c^3d^6e^{10} + 28a^{13}c^2d^4e^{12} + 8a^{14}cd^2e^{14} + a^{15}e^{16}))/((a^3c^4d^8 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4 + 4a^6cd^2e^6 + a^7e^8)))*\log(-(81c^5d^8 + 594a^2c^4d^6e^2 + 1376a^2c^3d^4e^4 + 750a^3c^2d^2e^6 - 625a^4c^2e^8)*x + (27a^2c^5d^9 + 186a^3c^4d^7e^2 + 404a^4c^3d^5e^4 + 198a^5c^2d^3e^6 - 17
\end{aligned}$$

$$\begin{aligned}
& 5*a^6*c*d*e^8 - (a^6*c^5*d^10*e + 9*a^7*c^4*d^8*e^3 + 26*a^8*c^3*d^6*e^5 + \\
& 34*a^9*c^2*d^4*e^7 + 21*a^10*c*d^2*e^9 + 5*a^11*e^11)*\text{sqrt}(-(81*c^7*d^12 + \\
& 738*a*c^6*d^10*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - \\
& 1950*a^5*c^2*d^2*e^10 + 625*a^6*c*e^12)/(a^7*c^8*d^16 + 8*a^8*c^7*d^14*e^2 + 28*a^9*c^6*d^12*e^4 + \\
& 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 + 56*a^12*c^3*d^6*e^10 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^16)))*\text{sqrt}((6*c^3*d^5*e + 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 - (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))*\text{sqrt}(-(81*c^7*d^12 + 738*a*c^6*d^10*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^10 + 625*a^6*c*e^12)/(a^7*c^8*d^16 + 8*a^8*c^7*d^14*e^2 + 28*a^9*c^6*d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 + 56*a^12*c^3*d^6*e^10 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^16)))/((a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))) - (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4)*\text{sqrt}((6*c^3*d^5*e + 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 - (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))*\text{sqrt}(-(81*c^7*d^12 + 738*a*c^6*d^10*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^10 + 625*a^6*c*e^12)/(a^7*c^8*d^16 + 8*a^8*c^7*d^14*e^2 + 28*a^9*c^6*d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 + 56*a^12*c^3*d^6*e^10 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^16)))/((a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))*\log(-(81*c^5*d^8 + 594*a*c^4*d^6*e^2 + 1376*a^2*c^3*d^4*e^4 + 750*a^3*c^2*d^2*e^6 - 625*a^4*c*e^8)*x - (27*a^2*c^5*d^9 + 186*a^3*c^4*d^7*e^2 + 404*a^4*c^3*d^5*e^4 + 198*a^5*c^2*d^3*e^6 - 175*a^6*c*d*e^8 - (a^6*c^5*d^10*e + 9*a^7*c^4*d^8*e^3 + 26*a^8*c^3*d^6*e^5 + 34*a^9*c^2*d^4*e^7 + 21*a^10*c*d^2*e^9 + 5*a^11*e^11)*\text{sqrt}(-(81*c^7*d^12 + 738*a*c^6*d^10*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^10 + 625*a^6*c*e^12)/(a^7*c^8*d^16 + 8*a^8*c^7*d^14*e^2 + 28*a^9*c^6*d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 + 56*a^12*c^3*d^6*e^10 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^16)))*\text{sqrt}((6*c^3*d^5*e + 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 - (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))*\text{sqrt}(-(81*c^7*d^12 + 738*a*c^6*d^10*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^10 + 625*a^6*c*e^12)/(a^7*c^8*d^16 + 8*a^8*c^7*d^14*e^2 + 28*a^9*c^6*d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 + 56*a^12*c^3*d^6*e^10 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^16)))/((a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))) - 4*(c^2*d^3 + a*c*d*e^2)*x/(a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4)]
\end{aligned}$$

giac [A] time = 0.21, size = 603, normalized size = 0.88

$$\frac{\left(3 (ac^3)^{\frac{1}{4}} c^3 d^3 + 7 (ac^3)^{\frac{1}{4}} ac^2 de^2 - (ac^3)^{\frac{3}{4}} cd^2 e - 5 (ac^3)^{\frac{3}{4}} ae^3\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right) \left(3 (ac^3)^{\frac{1}{4}} c^3 d^3 + 7 (ac^3)^{\frac{1}{4}} ac^2 de^2 - (ac^3)^{\frac{3}{4}} cd^2 e - 5 (ac^3)^{\frac{3}{4}} ae^3\right)}{8\left(\sqrt{2} a^2 c^4 d^4 + 2 \sqrt{2} a^3 c^3 d^2 e^2 + \sqrt{2} a^4 c^2 e^4\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{1}{8} \cdot (3 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot c^3 \cdot d^3 + 7 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot a \cdot c^2 \cdot d \cdot e^2 - (a \cdot c^3)^{\frac{3}{4}} \cdot c \cdot d^2 \cdot e - 5 \cdot (a \cdot c^3)^{\frac{3}{4}} \cdot a \cdot e^3) \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot (2 \cdot x + \sqrt{2} \cdot (a/c)^{\frac{1}{4}}) / (a/c)^{\frac{1}{4}}\right) / (\sqrt{2} \cdot a^2 \cdot c^4 \cdot d^4 + 2 \cdot \sqrt{2} \cdot a^3 \cdot c^3 \cdot d^2 \cdot e^2 + \sqrt{2} \cdot a^4 \cdot c^2 \cdot e^4) + \frac{1}{8} \cdot (3 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot c^3 \cdot d^3 + 7 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot a \cdot c^2 \cdot d \cdot e^2 - (a \cdot c^3)^{\frac{3}{4}} \cdot c \cdot d^2 \cdot e - 5 \cdot (a \cdot c^3)^{\frac{3}{4}} \cdot a \cdot e^3) \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot (2 \cdot x - \sqrt{2} \cdot (a/c)^{\frac{1}{4}}) / (a/c)^{\frac{1}{4}}\right) / (\sqrt{2} \cdot a^2 \cdot c^4 \cdot d^4 + 2 \cdot \sqrt{2} \cdot a^3 \cdot c^3 \cdot d^2 \cdot e^2 + \sqrt{2} \cdot a^4 \cdot c^2 \cdot e^4) + \frac{1}{16} \cdot (3 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot c^3 \cdot d^3 + 7 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot a \cdot c^2 \cdot d \cdot e^2 + (a \cdot c^3)^{\frac{3}{4}} \cdot c \cdot d^2 \cdot e + 5 \cdot (a \cdot c^3)^{\frac{3}{4}} \cdot a \cdot e^3) \cdot \log(x^2 + \sqrt{2} \cdot x \cdot (a/c)^{\frac{1}{4}} + \sqrt{a/c}) / (\sqrt{2} \cdot a^2 \cdot c^4 \cdot d^4 + 2 \cdot \sqrt{2} \cdot a^3 \cdot c^3 \cdot d^2 \cdot e^2 + \sqrt{2} \cdot a^4 \cdot c^2 \cdot e^4) - \frac{1}{16} \cdot (3 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot c^3 \cdot d^3 + 7 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot a \cdot c^2 \cdot d \cdot e^2 + (a \cdot c^3)^{\frac{3}{4}} \cdot c \cdot d^2 \cdot e + 5 \cdot (a \cdot c^3)^{\frac{3}{4}} \cdot a \cdot e^3) \cdot \log(x^2 - \sqrt{2} \cdot x \cdot (a/c)^{\frac{1}{4}} + \sqrt{a/c}) / (\sqrt{2} \cdot a^2 \cdot c^4 \cdot d^4 + 2 \cdot \sqrt{2} \cdot a^3 \cdot c^3 \cdot d^2 \cdot e^2 + \sqrt{2} \cdot a^4 \cdot c^2 \cdot e^4) + \arctan(x \cdot e^{\frac{1}{2}} / \sqrt{d}) \cdot e^{\frac{7}{2}} / (c^2 \cdot d^4 + 2 \cdot a \cdot c \cdot d^2 \cdot e^2 + a^2 \cdot e^4) \cdot \sqrt{d} - \frac{1}{4} \cdot (c \cdot x^3 \cdot e - c \cdot d \cdot x) / ((c \cdot x^4 + a) \cdot (a \cdot c \cdot d^2 + a^2 \cdot e^2))$

maple [A] time = 0.02, size = 873, normalized size = 1.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)/(c*x^4+a)^2,x)

[Out] $e^4 / (a \cdot e^2 + c \cdot d^2)^2 / (d \cdot e)^{\frac{1}{2}} \cdot \arctan(1 / (d \cdot e)^{\frac{1}{2}} \cdot e \cdot x) - \frac{1}{4} / (a \cdot e^2 + c \cdot d^2)^2 \cdot c / (c \cdot x^4 + a) \cdot e^3 \cdot x^3 - \frac{1}{4} / (a \cdot e^2 + c \cdot d^2)^2 \cdot c^2 / (c \cdot x^4 + a) \cdot e / a \cdot x^3 \cdot d^2 + \frac{1}{4} / (a \cdot e^2 + c \cdot d^2)^2 \cdot c / (c \cdot x^4 + a) \cdot d \cdot x \cdot e^2 + \frac{1}{4} / (a \cdot e^2 + c \cdot d^2)^2 \cdot c^2 / (c \cdot x^4 + a) \cdot d^3 / a \cdot x + \frac{7}{16} / (a \cdot e^2 + c \cdot d^2)^2 \cdot c / a \cdot (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \arctan(2^{\frac{1}{2}} / (a/c)^{\frac{1}{4}} \cdot x - 1) \cdot d \cdot e^2 + \frac{3}{16} / (a \cdot e^2 + c \cdot d^2)^2 \cdot c^2 / a^2 \cdot (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \arctan(2^{\frac{1}{2}} / (a/c)^{\frac{1}{4}} \cdot x - 1) \cdot d^3 + \frac{7}{32} / (a \cdot e^2 + c \cdot d^2)^2 \cdot c / a \cdot (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \ln((x^2 + (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + (a/c)^{\frac{1}{2}}) / (x^2 - (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + (a/c)^{\frac{1}{2}})) \cdot d \cdot e^2 + \frac{3}{32} / (a \cdot e^2 + c \cdot d^2)^2 \cdot c^2 / a^2 \cdot (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \ln((x^2 + (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + (a/c)^{\frac{1}{2}}) / (x^2 - (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + (a/c)^{\frac{1}{2}})) \cdot d^3 + \frac{7}{16} / (a \cdot e^2 + c \cdot d^2)^2 \cdot c / a \cdot (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \arctan(2^{\frac{1}{2}} / (a/c)^{\frac{1}{4}} \cdot x + 1) \cdot d \cdot e^2 + \frac{3}{16} / (a \cdot e^2 + c \cdot d^2)^2 \cdot c^2 / a^2 \cdot (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \arctan(2^{\frac{1}{2}} / (a/c)^{\frac{1}{4}} \cdot x + 1) \cdot d^3$

$$\begin{aligned} & /16/(a*e^2+c*d^2)^2*c^2/a^2*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}* \\ & x+1)*d^3-5/32/(a*e^2+c*d^2)^2/(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)}*2^{(1/2)} \\ &)*x+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*e^3-1/32/(a*e^2+ \\ & c*d^2)^2*c/a/(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}) \\ & / (x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*d^2*e-5/16/(a*e^2+c*d^2)^2/(a/c)^{(1/4)} \\ &)*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*e^3-1/16/(a*e^2+c*d^2)^2*c/a/ \\ & (a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d^2*e-5/16/(a*e^2+c*d^2 \\ &)^2/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*e^3-1/16/(a*e^2+c*d \\ & ^2)^2*c/a/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d^2*e \end{aligned}$$

maxima [A] time = 2.45, size = 506, normalized size = 0.73

$$\frac{e^4 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(c^2d^4 + 2acd^2e^2 + a^2e^4)\sqrt{de}} + \frac{c \left(\frac{2\sqrt{2}\left(3c^{\frac{3}{2}}d^3 - \sqrt{a}cd^2e + 7a\sqrt{c}de^2 - 5a^{\frac{3}{2}}e^3\right) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} \right) + 2\sqrt{2}\left(3c^{\frac{3}{2}}d^3 - \sqrt{a}cd^2e + 7a\sqrt{c}de^2 - 5a^{\frac{3}{2}}e^3\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out]
$$\begin{aligned} & e^4*\arctan(e*x/\sqrt{d*e})/((c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*\sqrt{d*e}) + \\ & 1/32*c*(2*\sqrt{2}*(3*c^{(3/2)}*d^3 - \sqrt{a}*c*d^2*e + 7*a*\sqrt{c}*d*e^2 - 5 \\ & *a^{(3/2)}*e^3)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x + \sqrt{2}*a^{(1/4)}*c^{(1/4)})/\sqrt{ \\ & \sqrt{a}*\sqrt{c}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}*\sqrt{c}) + 2*\sqrt{2}*(3 \\ & *c^{(3/2)}*d^3 - \sqrt{a}*c*d^2*e + 7*a*\sqrt{c}*d*e^2 - 5*a^{(3/2)}*e^3)*\arctan(\\ & 1/2*\sqrt{2}*(2*\sqrt{c}*x - \sqrt{2}*a^{(1/4)}*c^{(1/4)})/\sqrt{\sqrt{a}*\sqrt{c}})/ \\ & (\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}*\sqrt{c}) + \sqrt{2}*(3*c^{(3/2)}*d^3 + \sqrt{a}* \\ & c*d^2*e + 7*a*\sqrt{c}*d*e^2 + 5*a^{(3/2)}*e^3)*\log(\sqrt{c}*x^2 + \sqrt{2}*a^{(1/4)} \\ &)*c^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*c^{(3/4)}) - \sqrt{2}*(3*c^{(3/2)}*d^3 + \sqrt{a} \\ &)*(c*d^2*e + 7*a*\sqrt{c}*d*e^2 + 5*a^{(3/2)}*e^3)*\log(\sqrt{c}*x^2 - \sqrt{2}*a^{(1/4)} \\ &)*c^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*c^{(3/4)})/(a*c^2*d^4 + 2*a^2*c*d^2*e^2 \\ & + a^3*e^4) - 1/4*((c^2*d^2*e + a*c*e^3)*x^3 - (c^2*d^3 + a*c*d*e^2)*x)/(a^ \\ & 2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^ \\ & 3*c*e^4)*x^4) \end{aligned}$$

mupad [B] time = 6.78, size = 17945, normalized size = 26.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c*x^4)^2*(d + e*x^2)),x)

[Out] ((c*d*x)/(4*a*(a*e^2 + c*d^2)) - (c*e*x^3)/(4*a*(a*e^2 + c*d^2)))/(a + c*x^4) - atan(((((((65536*a^11*c^4*e^16 - 12288*a^4*c^11*d^14*e^2 - 57344*a^5*c^10*d^12*e^4 - 36864*a^6*c^9*d^10*e^6 + 245760*a^7*c^8*d^8*e^8 + 634880*a^8*c^7*d^6*e^10 + 663552*a^9*c^6*d^4*e^12 + 331776*a^10*c^5*d^2*e^14)/(256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) - (x*((9*c^3*d^6*(-a^7*c)^(1/2) - 25*a^3*e^6*(-a^7*c)^(1/2) + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^(1/2) + 39*a^2*c*d^2*e^4*(-a^7*c)^(1/2)))/(256*(a^11*e^8 + a^7*c^4*d^8 + 4*a^10*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4)))^(1/2)*(65536*a^13*c^4*e^17 - 65536*a^6*c^11*d^14*e^3 - 327680*a^7*c^10*d^12*e^5 - 589824*a^8*c^9*d^10*e^7 - 327680*a^9*c^8*d^8*e^9 + 327680*a^10*c^7*d^6*e^11 + 589824*a^11*c^6*d^4*e^13 + 327680*a^12*c^5*d^2*e^15))/(128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((9*c^3*d^6*(-a^7*c)^(1/2) - 25*a^3*e^6*(-a^7*c)^(1/2) + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^(1/2) + 39*a^2*c*d^2*e^4*(-a^7*c)^(1/2)))/(256*(a^11*e^8 + a^7*c^4*d^8 + 4*a^10*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4)))^(1/2) - (x*(1152*a^2*c^11*d^13*e^2 - 49024*a^8*c^5*d*e^14 + 7936*a^3*c^10*d^11*e^4 + 20352*a^4*c^9*d^9*e^6 + 8704*a^5*c^8*d^7*e^8 - 66688*a^6*c^7*d^5*e^10 - 110848*a^7*c^6*d^3*e^12))/(128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((9*c^3*d^6*(-a^7*c)^(1/2) - 25*a^3*e^6*(-a^7*c)^(1/2) + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^(1/2) + 39*a^2*c*d^2*e^4*(-a^7*c)^(1/2)))/(256*(a^11*e^8 + a^7*c^4*d^8 + 4*a^10*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4)))^(1/2) - (720*a*c^10*d^11*e^3 + 20432*a^6*c^5*d*e^13 + 4880*a^2*c^9*d^9*e^5 + 12320*a^3*c^8*d^7*e^7 + 21024*a^4*c^7*d^5*e^9 + 33296*a^5*c^6*d^3*e^11)/(256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((9*c^3*d^6*(-a^7*c)^(1/2) - 25*a^3*e^6*(-a^7*c)^(1/2) + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^(1/2) + 39*a^2*c*d^2*e^4*(-a^7*c)^(1/2)))/(256*(a^11*e^8 + a^7*c^4*d^8 + 4*a^10*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4)))^(1/2) - (x*(1425*a^4*c^5*e^13 + 81*c^9*d^8*e^5 + 612*a*c^8*d^6*e^7 + 1894*a^2*c^7*d^4*e^9 + 2532*a^3*c^6*d^2*e^11))/(128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((9*c^3*d^6*(-a^7*c)^(1/2) - 25*a^3*e^6*(-a^7*c)^(1/2) + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^(1/2) + 39*a^2*c*d^2*e^4*(-a^7*c)^(1/2)))/(256*(a^11*e^8 + a^7*c^4*d^8 + 4*a^10*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4)))^(1/2)*1i - ((((((65536*a^11*c^4*e^16 - 12288*a^4*c^11*d^14*e^2 - 57344*a^5*c^10*d^12*e^4 - 36864*a^6*c^9*d^10*e^6 + 245760*a^7*c^8*d^8*e^8 + 634880*a^8*c^7*d^6*e^10 + 663552*a^9*c^6*d^4*e^12 + 331776*a^10*c^5*d^2*e^14)/(256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) + (x*((9*c^3*d^6*(-a^7*c)^(1/2) - 25*a^3*e^6*(-a^7*c)^(1/2) + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^(1/2) + 39*a^2*c

$$\begin{aligned}
& *d^2*e^4*(-a^7*c)^{(1/2)}/(256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + \\
& 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)}*(65536*a^{13}*c^4*e^{17} - 65536 \\
& *a^6*c^{11}*d^{14}*e^3 - 327680*a^7*c^{10}*d^{12}*e^5 - 589824*a^8*c^9*d^{10}*e^7 - 3 \\
& 27680*a^9*c^8*d^8*e^9 + 327680*a^{10}*c^7*d^6*e^{11} + 589824*a^{11}*c^6*d^4*e^{13} \\
& + 327680*a^{12}*c^5*d^2*e^{15}))/((128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 \\
& + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((9*c^3*d^6*(-a^7*c)^{(1/2)} - 25 \\
& *a^3*e^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d \\
& *e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)))/ \\
& (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9* \\
& c^2*d^4*e^4))^{(1/2)} + (x*(1152*a^2*c^{11}*d^{13}*e^2 - 49024*a^8*c^5*d*e^{14} + \\
& 7936*a^3*c^{10}*d^{11}*e^4 + 20352*a^4*c^9*d^9*e^6 + 8704*a^5*c^8*d^7*e^8 - 666 \\
& 88*a^6*c^7*d^5*e^{10} - 110848*a^7*c^6*d^3*e^{12}))/((128*(a^8*e^8 + a^4*c^4*d^8 \\
& + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((9*c^3*d^6*(\\
& -a^7*c)^{(1/2)} - 25*a^3*e^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^ \\
& 3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} + 39*a^2*c*d^2*e^4 \\
& *(-a^7*c)^{(1/2)))/(256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^ \\
& 3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} - (720*a*c^{10}*d^{11}*e^3 + 20432*a^6*c \\
& ^5*d*e^{13} + 4880*a^2*c^9*d^9*e^5 + 12320*a^3*c^8*d^7*e^7 + 21024*a^4*c^7*d^ \\
& 5*e^9 + 33296*a^5*c^6*d^3*e^{11}))/((256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e \\
& ^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((9*c^3*d^6*(-a^7*c)^{(1/2)} - \\
& 25*a^3*e^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c \\
& *d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)) \\
& /((256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^ \\
& 9*c^2*d^4*e^4))^{(1/2)} + (x*(1425*a^4*c^5*e^{13} + 81*c^9*d^8*e^5 + 612*a*c^8 \\
& *d^6*e^7 + 1894*a^2*c^7*d^4*e^9 + 2532*a^3*c^6*d^2*e^{11}))/((128*(a^8*e^8 + a \\
& ^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((9 \\
& *c^3*d^6*(-a^7*c)^{(1/2)} - 25*a^3*e^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44* \\
& a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} + 39*a^2 \\
& *c*d^2*e^4*(-a^7*c)^{(1/2)))/(256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 \\
& + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)}*i)/(((125*a^2*c^5*e^{12} + 8 \\
& 1*c^7*d^4*e^8 + 270*a*c^6*d^2*e^{10}))/((128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d \\
& ^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) + (((((65536*a^{11}*c^4*e^{16} \\
& - 12288*a^4*c^{11}*d^{14}*e^2 - 57344*a^5*c^{10}*d^{12}*e^4 - 36864*a^6*c^9*d^{10}*e \\
& ^6 + 245760*a^7*c^8*d^8*e^8 + 634880*a^8*c^7*d^6*e^{10} + 663552*a^9*c^6*d^4* \\
& e^{12} + 331776*a^{10}*c^5*d^2*e^{14}))/((256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2* \\
& e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) - (x*((9*c^3*d^6*(-a^7*c)^{(1/ \\
& 2)} - 25*a^3*e^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70* \\
& a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^7*c)^{(\\
& 1/2)))/(256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + \\
& 6*a^9*c^2*d^4*e^4))^{(1/2)}*(65536*a^{13}*c^4*e^{17} - 65536*a^6*c^{11}*d^{14}*e^3 \\
& - 327680*a^7*c^{10}*d^{12}*e^5 - 589824*a^8*c^9*d^{10}*e^7 - 327680*a^9*c^8*d^8*e \\
& ^9 + 327680*a^{10}*c^7*d^6*e^{11} + 589824*a^{11}*c^6*d^4*e^{13} + 327680*a^{12}*c^5* \\
& d^2*e^{15}))/((128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^ \\
& 2 + 6*a^6*c^2*d^4*e^4)))*((9*c^3*d^6*(-a^7*c)^{(1/2)} - 25*a^3*e^6*(-a^7*c)^{(\\
& 1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4
\end{aligned}$$

$$\begin{aligned}
& e^2(-a^7c)^{(1/2)} + 39a^2c^4d^2e^4(-a^7c)^{(1/2)} / (256(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4))^{(1/2)} \\
& - (x(1152a^2c^{11}d^{13}e^2 - 49024a^8c^5d^5e^{14} + 7936a^3c^{10}d^{11}e^4 + 20352a^4c^9d^9e^6 + 8704a^5c^8d^7e^8 - 66688a^6c^7d^5e^{10} \\
& - 110848a^7c^6d^3e^{12})) / (128(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) * ((9c^3d^6(-a^7c)^{(1/2)} - 25a^3e^6(-a^7c)^{(1/2)} \\
& + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^4e^2(-a^7c)^{(1/2)} + 39a^2c^4d^2e^4(-a^7c)^{(1/2)}) / (256(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4))^{(1/2)} \\
& - (720a^2c^9d^9e^5 + 12320a^3c^8d^7e^7 + 21024a^4c^7d^5e^9 + 33296a^5c^6d^3e^{11}) / (256(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) * ((9c^3d^6(-a^7c)^{(1/2)} - 25a^3e^6(-a^7c)^{(1/2)} \\
& + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^4e^2(-a^7c)^{(1/2)} + 39a^2c^4d^2e^4(-a^7c)^{(1/2)}) / (256(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4))^{(1/2)} \\
& - (x(1425a^4c^5e^{13} + 81c^9d^8e^5 + 612a^2c^8d^6e^7 + 1894a^2c^7d^4e^9 + 2532a^3c^6d^2e^{11})) / (128(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) * ((9c^3d^6(-a^7c)^{(1/2)} - 25a^3e^6(-a^7c)^{(1/2)} \\
& + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^4e^2(-a^7c)^{(1/2)} + 39a^2c^4d^2e^4(-a^7c)^{(1/2)}) / (256(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4))^{(1/2)} \\
& + (((((65536a^{11}c^4e^{16} - 12288a^4c^{11}d^{14}e^2 - 57344a^5c^{10}d^{12}e^4 - 36864a^6c^9d^{10}e^6 + 245760a^7c^8d^8e^8 + 634880a^8c^7d^6e^{10} + 663552a^9c^6d^4e^{12} + 331776a^{10}c^5d^2e^{14}) / (256(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) + (x((9c^3d^6(-a^7c)^{(1/2)} - 25a^3e^6(-a^7c)^{(1/2)} + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^4e^2(-a^7c)^{(1/2)} + 39a^2c^4d^2e^4(-a^7c)^{(1/2)}) / (256(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4))^{(1/2)} * (65536a^{13}c^4e^{17} - 65536a^6c^{11}d^{14}e^3 - 327680a^7c^{10}d^{12}e^5 - 589824a^8c^9d^{10}e^7 - 327680a^9c^8d^8e^9 + 327680a^{10}c^7d^6e^{11} + 589824a^{11}c^6d^4e^{13} + 327680a^{12}c^5d^2e^{15})) / (128(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) * ((9c^3d^6(-a^7c)^{(1/2)} - 25a^3e^6(-a^7c)^{(1/2)} + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^4e^2(-a^7c)^{(1/2)} + 39a^2c^4d^2e^4(-a^7c)^{(1/2)}) / (256(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4))^{(1/2)} + (x(1152a^2c^{11}d^{13}e^2 - 49024a^8c^5d^5e^{14} + 7936a^3c^{10}d^{11}e^4 + 20352a^4c^9d^9e^6 + 8704a^5c^8d^7e^8 - 66688a^6c^7d^5e^{10} - 110848a^7c^6d^3e^{12})) / (128(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) * ((9c^3d^6(-a^7c)^{(1/2)} - 25a^3e^6(-a^7c)^{(1/2)} + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^4e^2(-a^7c)^{(1/2)} + 39a^2c^4d^2e^4(-a^7c)^{(1/2)}) / (256(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4))^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& - (720*a*c^{10}*d^{11}*e^3 + 20432*a^6*c^5*d*e^{13} + 4880*a^2*c^9*d^9*e^5 + 12320*a^3*c^8*d^7*e^7 + 21024*a^4*c^7*d^5*e^9 + 33296*a^5*c^6*d^3*e^{11}) / (256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) * ((9*c^3*d^6*(-a^7*c)^{(1/2)} - 25*a^3*e^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}) / (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} + (x*(1425*a^4*c^5*e^{13} + 81*c^9*d^8*e^5 + 612*a*c^8*d^6*e^7 + 1894*a^2*c^7*d^4*e^9 + 2532*a^3*c^6*d^2*e^{11})) / (128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) * ((9*c^3*d^6*(-a^7*c)^{(1/2)} - 25*a^3*e^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}) / (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)})) * ((9*c^3*d^6*(-a^7*c)^{(1/2)} - 25*a^3*e^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}) / (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} * 2i - \operatorname{atan}(\frac{(((((65536*a^{11}*c^4*e^{16} - 12288*a^4*c^{11}*d^{14}*e^2 - 57344*a^5*c^{10}*d^{12}*e^4 - 36864*a^6*c^9*d^{10}*e^6 + 245760*a^7*c^8*d^8*e^8 + 634880*a^8*c^7*d^6*e^{10} + 663552*a^9*c^6*d^4*e^{12} + 331776*a^{10}*c^5*d^2*e^{14}) / (256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) - (x*((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}) / (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} * (65536*a^{13}*c^4*e^{17} - 65536*a^6*c^{11}*d^{14}*e^3 - 327680*a^7*c^{10}*d^{12}*e^5 - 589824*a^8*c^9*d^{10}*e^7 - 327680*a^9*c^8*d^8*e^9 + 327680*a^{10}*c^7*d^6*e^{11} + 589824*a^{11}*c^6*d^4*e^{13} + 327680*a^{12}*c^5*d^2*e^{15})) / (128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) * ((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}) / (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} - (x*(1152*a^2*c^{11}*d^{13}*e^2 - 49024*a^8*c^5*d*e^{14} + 7936*a^3*c^{10}*d^{11}*e^4 + 20352*a^4*c^9*d^9*e^6 + 8704*a^5*c^8*d^7*e^8 - 66688*a^6*c^7*d^5*e^{10} - 110848*a^7*c^6*d^3*e^{12})) / (128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) * ((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}) / (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} - (720*a*c^{10}*d^{11}*e^3 + 20432*a^6*c^5*d*e^{13} + 4880*a^2*c^9*d^9*e^5 + 12320*a^3*c^8*d^7*e^7 + 21024*a^4*c^7*d^5*e^9 + 33296*a^5*c^6*d^3*e^{11}) / (256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) * ((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}) / (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& (1/2))/((256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 \\
& + 6a^9c^2d^4e^4)))^{(1/2)} - (x*(1425a^4c^5e^{13} + 81c^9d^8e^5 + 612 \\
& *a^8c^8d^6e^7 + 1894a^2c^7d^4e^9 + 2532a^3c^6d^2e^{11}))/((128*(a^8e^8 + a^4c^4d^8 + 4a^7c^3d^6e^2 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4) \\
&))*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(-a^7c)^{(1/2)} + 6a^4c^3d^5e \\
& + 44a^5c^2d^3e^3 + 70a^6c^2d^4e^2*(-a^7c)^{(1/2)} - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)}))/((256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)}*i - (((((65536a^{11} \\
& *c^4e^{16} - 12288a^4c^{11}d^{14}e^2 - 57344a^5c^{10}d^{12}e^4 - 36864a^6c^9d^{10}e^6 + 245760a^7c^8d^8e^8 + 634880a^8c^7d^6e^{10} + 663552a^9 \\
& *c^6d^4e^{12} + 331776a^{10}c^5d^2e^{14}))/((256*(a^8e^8 + a^4c^4d^8 + 4a^7c^3d^6e^2 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4))) + (x*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(-a^7c)^{(1/2)} + 6a^4c^3d^5e \\
& + 44a^5c^2d^3e^3 + 70a^6c^2d^4e^2*(-a^7c)^{(1/2)} - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)}))/((256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)}*(65536a^{13}c^4e^{17} - 65536a^6c^{11} \\
& d^{14}e^3 - 327680a^7c^{10}d^{12}e^5 - 589824a^8c^9d^{10}e^7 - 327680a^9c^8d^8e^9 + 327680a^{10}c^7d^6e^{11} + 589824a^{11}c^6d^4e^{13} + 327680a^{12}c^5d^2e^{15}))/((128*(a^8e^8 + a^4c^4d^8 + 4a^7c^3d^6e^2 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)))*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(-a^7c)^{(1/2)} + 6a^4c^3d^5e \\
& + 44a^5c^2d^3e^3 + 70a^6c^2d^4e^2*(-a^7c)^{(1/2)} - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)}))/((256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)} + (x*(1152a^2c^{11}d^{13}e^2 - 49024a^8c^5d^5e^{14} + 7936a^3c^ \\
& ^{10}d^{11}e^4 + 20352a^4c^9d^9e^6 + 8704a^5c^8d^7e^8 - 66688a^6c^7d^5e^{10} - 110848a^7c^6d^3e^{12}))/((128*(a^8e^8 + a^4c^4d^8 + 4a^7c^3d^6e^2 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)))*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(-a^7c)^{(1/2)} + 6a^4c^3d^5e \\
& + 44a^5c^2d^3e^3 + 70a^6c^2d^4e^2*(-a^7c)^{(1/2)} - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)}))/((256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)} - (720a^2c^{10}d^{11}e^3 + 20432a^6c^5d^5e^{13} \\
& + 4880a^2c^9d^9e^5 + 12320a^3c^8d^7e^7 + 21024a^4c^7d^5e^9 + 33 \\
& 296a^5c^6d^3e^{11}))/((256*(a^8e^8 + a^4c^4d^8 + 4a^7c^3d^6e^2 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)))*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(-a^7c)^{(1/2)} + 6a^4c^3d^5e \\
& + 44a^5c^2d^3e^3 + 70a^6c^2d^4e^2*(-a^7c)^{(1/2)} - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)}))/((256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)} + (x*(1425a^4c^5e^{13} + 81c^9d^8e^5 + 612a^8c^8d^6e^7 + \\
& 1894a^2c^7d^4e^9 + 2532a^3c^6d^2e^{11}))/((128*(a^8e^8 + a^4c^4d^8 + 4a^7c^3d^6e^2 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)))*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(-a^7c)^{(1/2)} + 6a^4c^3d^5e \\
& + 44a^5c^2d^3e^3 + 70a^6c^2d^4e^2*(-a^7c)^{(1/2)} - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)}))/((256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)}*i)/((125a^2c^5e^{12} + 81c^7d^4e^8 + 270a^2c^6d^2e^{10}))/((128*(a^8e^8 + a^4c^4d^8 + 4a^7c^3d^6e^2 + 4
\end{aligned}$$

$$\begin{aligned}
& *a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) + (((((65536*a^{11}*c^4*e^{16} - 12288*a^{4}*c^{11}*d^{14}*e^2 - 57344*a^5*c^{10}*d^{12}*e^4 - 36864*a^6*c^9*d^{10}*e^6 + 24576 \\
& 0*a^7*c^8*d^8*e^8 + 634880*a^8*c^7*d^6*e^{10} + 663552*a^9*c^6*d^4*e^{12} + 331776*a^{10}*c^5*d^2*e^{14})/(256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5 \\
& 5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) - (x*((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 \\
& 5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}))/(256 \\
& *(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4)))^{(1/2)}*(65536*a^{13}*c^4*e^{17} - 65536*a^6*c^{11}*d^{14}*e^3 - 327680*a \\
& ^7*c^{10}*d^{12}*e^5 - 589824*a^8*c^9*d^{10}*e^7 - 327680*a^9*c^8*d^8*e^9 + 32768 \\
& 0*a^{10}*c^7*d^6*e^{11} + 589824*a^{11}*c^6*d^4*e^{13} + 327680*a^{12}*c^5*d^2*e^{15})) \\
& /(128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4))) * ((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a \\
& ^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7 \\
& *c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}))/(256*(a^{11}*e^8 + a^7*c^4*d^8 + \\
& 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4)))^{(1/2)} - (x*(11 \\
& 52*a^2*c^{11}*d^{13}*e^2 - 49024*a^8*c^5*d*e^{14} + 7936*a^3*c^{10}*d^{11}*e^4 + 2035 \\
& 2*a^4*c^9*d^9*e^6 + 8704*a^5*c^8*d^7*e^8 - 66688*a^6*c^7*d^5*e^{10} - 110848* \\
& a^7*c^6*d^3*e^{12}))/((128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3 \\
& 3*d^6*e^2 + 6*a^6*c^2*d^4*e^4))) * ((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a \\
& ^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a \\
& *c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}))/(256*(a^{11}*e \\
& ^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4 \\
&)))^{(1/2)} - (720*a*c^{10}*d^{11}*e^3 + 20432*a^6*c^5*d*e^{13} + 4880*a^2*c^9*d^9* \\
& e^5 + 12320*a^3*c^8*d^7*e^7 + 21024*a^4*c^7*d^5*e^9 + 33296*a^5*c^6*d^3*e^{1 \\
& 1}))/((256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^ \\
& 6*c^2*d^4*e^4))) * ((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6 \\
& *a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a \\
& ^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}))/(256*(a^{11}*e^8 + a^7*c^4*d^8 \\
& + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4)))^{(1/2)} - (x*(\\
& 1425*a^4*c^5*e^{13} + 81*c^9*d^8*e^5 + 612*a*c^8*d^6*e^7 + 1894*a^2*c^7*d^4*e \\
& ^9 + 2532*a^3*c^6*d^2*e^{11}))/((128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 \\
& + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4))) * ((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9* \\
& c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d* \\
& e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}))/(2 \\
& 56*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c \\
& ^2*d^4*e^4)))^{(1/2)} + (((((65536*a^{11}*c^4*e^{16} - 12288*a^4*c^{11}*d^{14}*e^2 - \\
& 57344*a^5*c^{10}*d^{12}*e^4 - 36864*a^6*c^9*d^{10}*e^6 + 245760*a^7*c^8*d^8*e^8 + \\
& 634880*a^8*c^7*d^6*e^{10} + 663552*a^9*c^6*d^4*e^{12} + 331776*a^{10}*c^5*d^2*e^ \\
& 14)/(256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a \\
& ^6*c^2*d^4*e^4)) + (x*((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} \\
&) + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^ \\
& 2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}))/(256*(a^{11}*e^8 + a^7*c^ \\
& 4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4)))^{(1/2)}*(\\
& 65536*a^{13}*c^4*e^{17} - 65536*a^6*c^{11}*d^{14}*e^3 - 327680*a^7*c^{10}*d^{12}*e^5 -
\end{aligned}$$

$$\begin{aligned}
& 589824*a^8*c^9*d^10*e^7 - 327680*a^9*c^8*d^8*e^9 + 327680*a^{10}*c^7*d^6*e^{11} \\
& + 589824*a^{11}*c^6*d^4*e^{13} + 327680*a^{12}*c^5*d^2*e^{15})/(128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((25 \\
& *a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c \\
& *d^2*e^4*(-a^7*c)^{(1/2)})/(256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} + (x*(1152*a^2*c^{11}*d^{13}*e^2 \\
& - 49024*a^8*c^5*d*e^{14} + 7936*a^3*c^{10}*d^{11}*e^4 + 20352*a^4*c^9*d^9*e^6 + 8704*a^5*c^8*d^7*e^8 - 66688*a^6*c^7*d^5*e^{10} - 110848*a^7*c^6*d^3*e^{12}))/ \\
& (128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)})/(256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} - (720*a*c^{10}*d^{11}*e^3 + 20432*a^6*c^5*d*e^{13} + 4880*a^2*c^9*d^9*e^5 + 12320*a^3*c^8*d^7*e^7 + 21024*a^4*c^7*d^5*e^9 + 33296*a^5*c^6*d^3*e^{11})/(256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)})/(256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} + (x*(1425*a^4*c^5*e^{13} + 81*c^9*d^8*e^5 + 612*a*c^8*d^6*e^7 + 1894*a^2*c^7*d^4*e^9 + 2532*a^3*c^6*d^2*e^{11}))/((128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)})/(256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)})))*((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)})/(256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)})*2i + (atan(-(((((((45*a*c^{10}*d^{11}*e^3)/16 + (1277*a^6*c^5*d*e^{13})/16 + (305*a^2*c^9*d^9*e^5)/16 + (385*a^3*c^8*d^7*e^7)/8 + (657*a^4*c^7*d^5*e^9)/8 + (2081*a^5*c^6*d^3*e^{11})/16)/((2*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) - (((((256*a^{11}*c^4*e^{16} - 48*a^4*c^{11}*d^{14}*e^2 - 224*a^5*c^{10}*d^{12}*e^4 - 144*a^6*c^9*d^{10}*e^6 + 960*a^7*c^8*d^8*e^8 + 2480*a^8*c^7*d^6*e^{10} + 2592*a^9*c^6*d^4*e^{12} + 1296*a^{10}*c^5*d^2*e^{14}))/((2*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) - (x*(-d*e^7)^{(1/2)}*(65536*a^{13}*c^4*e^{17} - 65536*a^6*c^{11}*d^{14}*e^3 - 327680*a^7*c^{10}*d^{12}*e^5 - 589824*a^8*c^9*d^{10}*e^7 - 327680*a^9*c^8*d^8*e^9 + 327680*a^{10}*c^7*d^6*e^{11} + 589824*a^{11}*c^6*d^4*e^{13} + 327680*a^{12}*c^5*d^2*e^{15}))/((512*(c^2*d^5 + a^2*d*e^4 + 2*a*c*d^3*e^2)*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*(-d*e^7)^{(1/2)})/(2*(c^2*d^5 + a^2*d*e^4 + 2*a*c*d^3*e^2)) - (x*(1152*a^2*c^{11}*d^{13}*e^2 - 49024*a^8*c^5*d*e^{14} + 7936*a^3*c^{10}*d^{11}*e^4 + 20352*a^4*c^9*d^9*e^6 + 8704*a^5*c^8*
\end{aligned}$$

$$\begin{aligned}
& d^7e^8 - 66688a^6c^7d^5e^{10} - 110848a^7c^6d^3e^{12}) / (256(a^8e^8 \\
& + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) * \\
& (-d^7e^7)^{(1/2)} / (2(c^2d^5 + a^2d^4e^4 + 2a^3c^2d^3e^2)) * (-d^7e^7)^{(1/2)} / \\
& (2(c^2d^5 + a^2d^4e^4 + 2a^3c^2d^3e^2)) + (x*(1425a^4c^5e^{13} + 81c^9* \\
& d^8e^5 + 612a^8c^8d^6e^7 + 1894a^2c^7d^4e^9 + 2532a^3c^6d^2e^{11}) \\
&) / (256(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) * \\
& (-d^7e^7)^{(1/2)} * i) / (c^2d^5 + a^2d^4e^4 + 2a^3c^2d^3e^2) - \\
& ((((((45a^3c^10d^11e^3)/16 + (1277a^6c^5d^13e^13)/16 + (305a^2c^9d^9e^5)/16 + \\
& (385a^3c^8d^7e^7)/8 + (657a^4c^7d^5e^9)/8 + (2081a^5c^6d^3e^11)/16) / (2(a^8e^8 + \\
& a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) - (((((256a^11c^4e^{16} - \\
& 48a^4c^{11}d^{14}e^2 - 224a^5c^{10}d^{12}e^4 - 144a^6c^9d^{10}e^6 + 960a^7c^8d^8e^8 + 2480a^8c^7d^6e^{10} + \\
& 2592a^9c^6d^4e^{12} + 1296a^{10}c^5d^2e^{14}) / (2(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + \\
& 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) + (x*(-d^7e^7)^{(1/2)} * (65536a^{13}c^4e^{17} - 65536a^6c^{11}d^{14}e^3 - \\
& 327680a^7c^{10}d^{12}e^5 - 589824a^8c^9d^{10}e^7 - 327680a^9c^8d^8e^9 + 327680a^{10}c^7d^6e^{11} + \\
& 589824a^{11}c^6d^4e^{13} + 327680a^{12}c^5d^2e^{15}) / (512(c^2d^5 + a^2d^4e^4 + 2a^3c^2d^3e^2)) * \\
& (a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4))) * (-d^7e^7)^{(1/2)} / \\
& (2(c^2d^5 + a^2d^4e^4 + 2a^3c^2d^3e^2)) + (x*(1152a^2c^{11}d^{13}e^2 - 49024a^8c^5d^14 + \\
& 7936a^3c^{10}d^{11}e^4 + 20352a^4c^9d^9e^6 + 8704a^5c^8d^7e^8 - 66688a^6c^7d^5e^{10} - \\
& 110848a^7c^6d^3e^{12}) / (256(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) * \\
& (-d^7e^7)^{(1/2)} / (2(c^2d^5 + a^2d^4e^4 + 2a^3c^2d^3e^2)) * (-d^7e^7)^{(1/2)} / (2(c^2d^5 + \\
& a^2d^4e^4 + 2a^3c^2d^3e^2)) - (x*(1425a^4c^5e^{13} + 81c^9d^8e^5 + 612a^8c^8d^6e^7 + \\
& 1894a^2c^7d^4e^9 + 2532a^3c^6d^2e^{11}) / (256(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + \\
& 6a^6c^2d^4e^4)) * (-d^7e^7)^{(1/2)} * i) / (c^2d^5 + a^2d^4e^4 + 2a^3c^2d^3e^2) / ((((((45a^3c^10d^11e^3)/16 + \\
& (1277a^6c^5d^13e^13)/16 + (305a^2c^9d^9e^5)/16 + (385a^3c^8d^7e^7)/8 + (657a^4c^7d^5e^9)/8 + (2081a^5c^6d^3e^11)/16) / \\
& (2(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) - (((((256a^11c^4e^{16} - 48a^4c^{11}d^{14}e^2 - \\
& 224a^5c^{10}d^{12}e^4 - 144a^6c^9d^{10}e^6 + 960a^7c^8d^8e^8 + 2480a^8c^7d^6e^{10} + 2592a^9c^6d^4e^{12} + \\
& 1296a^{10}c^5d^2e^{14}) / (2(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) - \\
& (x*(-d^7e^7)^{(1/2)} * (65536a^{13}c^4e^{17} - 65536a^6c^{11}d^{14}e^3 - 327680a^7c^{10}d^{12}e^5 - \\
& 589824a^8c^9d^{10}e^7 - 327680a^9c^8d^8e^9 + 327680a^{10}c^7d^6e^{11} + 589824a^{11}c^6d^4e^{13} + \\
& 327680a^{12}c^5d^2e^{15}) / (512(c^2d^5 + a^2d^4e^4 + 2a^3c^2d^3e^2)) * (a^8e^8 + a^4c^4d^8 + \\
& 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4))) * (-d^7e^7)^{(1/2)} / (2(c^2d^5 + a^2d^4e^4 + \\
& 2a^3c^2d^3e^2)) - (x*(1152a^2c^{11}d^{13}e^2 - 49024a^8c^5d^14 + 7936a^3c^{10}d^{11}e^4 + \\
& 20352a^4c^9d^9e^6 + 8704a^5c^8d^7e^8 - 66688a^6c^7d^5e^{10} - 110848a^7c^6d^3e^{12}) / (256(a^8e^8 + \\
& a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) * (-d^7e^7)^{(1/2)} / (2(c^2d^5 + a^2d^4e^4 + \\
& 2a^3c^2d^3e^2)) * (-
\end{aligned}$$

$$\begin{aligned}
& d^7 e^{1/2} / (2(c^2 d^5 + a^2 d^4 + 2ac d^3 e^2)) + (x(1425 a^4 c^5 e^{13} + 81 c^9 d^8 e^5 + 612 a c^8 d^6 e^7 + 1894 a^2 c^7 d^4 e^9 + 2532 a^3 c^6 d^2 e^{11})) / (256(a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) * (-d^7 e^{1/2}) / (c^2 d^5 + a^2 d^4 + 2 a c d^3 e^2) - ((125 a^2 c^5 e^{12}) / 128 + (81 c^7 d^4 e^8) / 128 + (135 a c^6 d^2 e^{10}) / 64) / (a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4) + ((((((45 a c^{10} d^{11} e^3) / 16 + (1277 a^6 c^5 d e^{13}) / 16 + (305 a^2 c^9 d^9 e^5) / 16 + (385 a^3 c^8 d^7 e^7) / 8 + (657 a^4 c^7 d^5 e^9) / 8 + (2081 a^5 c^6 d^3 e^{11}) / 16) / (2(a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) - (((((256 a^{11} c^4 e^{16} - 48 a^4 c^{11} d^{14} e^2 - 224 a^5 c^{10} d^{12} e^4 - 144 a^6 c^9 d^{10} e^6 + 960 a^7 c^8 d^8 e^8 + 2480 a^8 c^7 d^6 e^{10} + 2592 a^9 c^6 d^4 e^{12} + 1296 a^{10} c^5 d^2 e^{14}) / (2(a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) + (x(-d^7 e^{1/2}) * (65536 a^{13} c^4 e^{17} - 65536 a^6 c^{11} d^{14} e^3 - 327680 a^7 c^{10} d^{12} e^5 - 589824 a^8 c^9 d^{10} e^7 - 327680 a^9 c^8 d^8 e^9 + 327680 a^{10} c^7 d^6 e^{11} + 589824 a^{11} c^6 d^4 e^{13} + 327680 a^{12} c^5 d^2 e^{15})) / (512(c^2 d^5 + a^2 d^4 + 2 a c d^3 e^2) * (a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) * (-d^7 e^{1/2}) / (2(c^2 d^5 + a^2 d^4 + 2 a c d^3 e^2)) + (x(1152 a^2 c^{11} d^{13} e^2 - 49024 a^8 c^5 d e^{14} + 7936 a^3 c^{10} d^{11} e^4 + 20352 a^4 c^9 d^9 e^6 + 8704 a^5 c^8 d^7 e^8 - 66688 a^6 c^7 d^5 e^{10} - 110848 a^7 c^6 d^3 e^{12})) / (256(a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) * (-d^7 e^{1/2}) / (2(c^2 d^5 + a^2 d^4 + 2 a c d^3 e^2)) * (-d^7 e^{1/2}) / (2(c^2 d^5 + a^2 d^4 + 2 a c d^3 e^2)) - (x(1425 a^4 c^5 e^{13} + 81 c^9 d^8 e^5 + 612 a c^8 d^6 e^7 + 1894 a^2 c^7 d^4 e^9 + 2532 a^3 c^6 d^2 e^{11})) / (256(a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) * (-d^7 e^{1/2}) / (c^2 d^5 + a^2 d^4 + 2 a c d^3 e^2)) * (-d^7 e^{1/2}) * i / (c^2 d^5 + a^2 d^4 + 2 a c d^3 e^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)/(c*x**4+a)**2,x)

[Out] Timed out

$$3.149 \quad \int \frac{1}{(d+ex^2)^2 (a+cx^4)^2} dx$$

Optimal. Leaf size=864

$$\frac{xe^4}{2d(cd^2 + ae^2)^2 (ex^2 + d)} + \frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)e^{7/2}}{2d^{3/2}(cd^2 + ae^2)^2} + \frac{4c\sqrt{d} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)e^{7/2}}{(cd^2 + ae^2)^3} - \frac{c^{3/4}(3cd^2 - 4\sqrt{a}\sqrt{c}ed - ae^2) \tan^{-1}\left(1 - \frac{y}{x}\right)}{2\sqrt{2}a^{3/4}(cd^2 + ae^2)^3}$$

[Out] $\frac{1}{2}e^{4x}/d/(a+e^{2+cd^2})^2/(ex^2+d) + \frac{1}{4}c*x*(-2*c*d*e*x^2 - a*e^{2+cd^2})/a/(a+e^{2+cd^2})^2/(c*x^4+a) + \frac{1}{2}e^{7/2}*\arctan(x*e^{1/2}/d^{1/2})/d^{3/2}/(a+e^{2+cd^2})^2 + \frac{1}{4}c^{3/4}*e^2*\arctan(-1+c^{1/4}*x^{1/2}/a^{1/4})*(3*c*d^2 - a*e^{2+cd^2} - 4*d*e*a^{1/2}*c^{1/2})/a^{3/4}/(a+e^{2+cd^2})^3 + \frac{1}{4}c^{3/4}*e^2*\arctan(1+c^{1/4}*x^{1/2}/a^{1/4})*(3*c*d^2 - a*e^{2+cd^2} - 4*d*e*a^{1/2}*c^{1/2})/a^{3/4}/(a+e^{2+cd^2})^3 + \frac{1}{16}c^{3/4}*\arctan(-1+c^{1/4}*x^{1/2}/a^{1/4})*(3*c*d^2 - 3*a*e^{2+cd^2} - 2*d*e*a^{1/2}*c^{1/2})/a^{7/4}/(a+e^{2+cd^2})^2 + \frac{1}{16}c^{3/4}*\arctan(1+c^{1/4}*x^{1/2}/a^{1/4})*(3*c*d^2 - 3*a*e^{2+cd^2} - 2*d*e*a^{1/2}*c^{1/2})/a^{7/4}/(a+e^{2+cd^2})^2 - \frac{1}{32}c^{3/4}*ln(-a^{1/4}*c^{1/4}*x^{1/2} + a^{1/2} + x^2*c^{1/2})*(3*c*d^2 - 3*a*e^{2+cd^2} + 2*d*e*a^{1/2}*c^{1/2})/a^{7/4}/(a+e^{2+cd^2})^2 + \frac{1}{32}c^{3/4}*ln(a^{1/4}*c^{1/4}*x^{1/2} + a^{1/2} + x^2*c^{1/2})*(3*c*d^2 - 3*a*e^{2+cd^2} + 2*d*e*a^{1/2}*c^{1/2})/a^{7/4}/(a+e^{2+cd^2})^2 - \frac{1}{8}c^{3/4}*e^2*ln(-a^{1/4}*c^{1/4}*x^{1/2} + a^{1/2} + x^2*c^{1/2})*(3*c*d^2 - a*e^{2+cd^2} + 4*d*e*a^{1/2}*c^{1/2})/a^{3/4}/(a+e^{2+cd^2})^3 + \frac{1}{8}c^{3/4}*e^2*ln(a^{1/4}*c^{1/4}*x^{1/2} + a^{1/2} + x^2*c^{1/2})*(3*c*d^2 - a*e^{2+cd^2} + 4*d*e*a^{1/2}*c^{1/2})/a^{3/4}/(a+e^{2+cd^2})^3 + \frac{1}{2}e^{7/2}*\arctan(x*e^{1/2}/d^{1/2})*d^{1/2}/(a+e^{2+cd^2})^3$

Rubi [A] time = 0.91, antiderivative size = 864, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 10, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.526$, Rules used = {1239, 199, 205, 1179, 1168, 1162, 617, 204, 1165, 628}

$$\frac{xe^4}{2d(cd^2 + ae^2)^2 (ex^2 + d)} + \frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)e^{7/2}}{2d^{3/2}(cd^2 + ae^2)^2} + \frac{4c\sqrt{d} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)e^{7/2}}{(cd^2 + ae^2)^3} - \frac{c^{3/4}(3cd^2 - 4\sqrt{a}\sqrt{c}ed - ae^2) \tan^{-1}\left(1 - \frac{y}{x}\right)}{2\sqrt{2}a^{3/4}(cd^2 + ae^2)^3}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^2*(a + c*x^4)^2), x]

[Out] $\frac{e^{4x}}{(2*d*(c*d^2 + a*e^2)^2*(d + e*x^2))} + \frac{(c*x*(c*d^2 - a*e^2 - 2*c*d*e*x^2))}{(4*a*(c*d^2 + a*e^2)^2*(a + c*x^4))} + \frac{(4*c*\text{Sqrt}[d]*e^{7/2}*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])}{(c*d^2 + a*e^2)^3} + \frac{(e^{7/2}*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])}{(2*d^{3/2}*(c*d^2 + a*e^2)^2)} - \frac{(c^{3/4}*e^2*(3*c*d^2 - 4*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e - a*e^2)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{1/4}*x)/a^{1/4}])}{(2*\text{Sqrt}[2]*a^{3/4})}$

$$\begin{aligned} & (c*d^2 + a*e^2)^3 - (c^{(3/4)}*(3*c*d^2 - 2*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e - 3*a*e^2)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)*x}/a^{(1/4)})]/(8*\text{Sqrt}[2]*a^{(7/4)}*(c*d^2 + a*e^2)^2) \\ & + (c^{(3/4)}*e^2*(3*c*d^2 - 4*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e - a*e^2)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)*x}/a^{(1/4)})]/(2*\text{Sqrt}[2]*a^{(3/4)}*(c*d^2 + a*e^2)^3) \\ & + (c^{(3/4)}*(3*c*d^2 - 2*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e - 3*a*e^2)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)*x}/a^{(1/4)})]/(8*\text{Sqrt}[2]*a^{(7/4)}*(c*d^2 + a*e^2)^2) \\ & - (c^{(3/4)}*e^2*(3*c*d^2 + 4*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e - a*e^2)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)*x} + \text{Sqrt}[c]*x^2])/ \\ & (4*\text{Sqrt}[2]*a^{(3/4)}*(c*d^2 + a*e^2)^3) - (c^{(3/4)}*(3*c*d^2 + 2*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e - 3*a*e^2)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)*x} + \text{Sqrt}[c]*x^2])/ \\ & (16*\text{Sqrt}[2]*a^{(7/4)}*(c*d^2 + a*e^2)^2) + (c^{(3/4)}*e^2*(3*c*d^2 + 4*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e - a*e^2)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)*x} + \text{Sqrt}[c]*x^2])/ \\ & (4*\text{Sqrt}[2]*a^{(3/4)}*(c*d^2 + a*e^2)^3) + (c^{(3/4)}*(3*c*d^2 + 2*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e - 3*a*e^2)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)*x} + \text{Sqrt}[c]*x^2])/ \\ & (16*\text{Sqrt}[2]*a^{(7/4)}*(c*d^2 + a*e^2)^2) \end{aligned}$$
Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
```

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1179

Int[((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := -Simp[(x*(d + e*x^2)*(a + c*x^4)^(p + 1))/(4*a*(p + 1)), x] + Dist[1/(4*a*(p + 1)), Int[Simp[d*(4*p + 5) + e*(4*p + 7)*x^2, x]*(a + c*x^4)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]

Rule 1239

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e, p, q}, x] && ((IntegerQ[p] && IntegerQ[q]) || IGtQ[p, 0])

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)^2(a+cx^4)^2} dx &= \int \left(\frac{e^4}{(cd^2+ae^2)^2(d+ex^2)^2} + \frac{4cde^4}{(cd^2+ae^2)^3(d+ex^2)} + \frac{c(cd^2-ae^2-2cdex^2)}{(cd^2+ae^2)^2(a+cx^4)^2} \right) dx \\
&= -\frac{(ce^2) \int \frac{-3cd^2+ae^2+4cdex^2}{a+cx^4} dx}{(cd^2+ae^2)^3} + \frac{(4cde^4) \int \frac{1}{d+ex^2} dx}{(cd^2+ae^2)^3} + \frac{c \int \frac{cd^2-ae^2-2cdex^2}{(a+cx^4)^2} dx}{(cd^2+ae^2)^2} + \frac{e^4 \int \frac{1}{d+ex^2} dx}{(cd^2+ae^2)^2} \\
&= \frac{e^4 x}{2d(cd^2+ae^2)^2(d+ex^2)} + \frac{cx(cd^2-ae^2-2cdex^2)}{4a(cd^2+ae^2)^2(a+cx^4)} + \frac{4c\sqrt{d}e^{7/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{(cd^2+ae^2)^3} + \frac{e^4 x}{2d(cd^2+ae^2)^2(d+ex^2)} \\
&= \frac{e^4 x}{2d(cd^2+ae^2)^2(d+ex^2)} + \frac{cx(cd^2-ae^2-2cdex^2)}{4a(cd^2+ae^2)^2(a+cx^4)} + \frac{4c\sqrt{d}e^{7/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{(cd^2+ae^2)^3} + \frac{e^4 x}{2d(cd^2+ae^2)^2(d+ex^2)} \\
&= \frac{e^4 x}{2d(cd^2+ae^2)^2(d+ex^2)} + \frac{cx(cd^2-ae^2-2cdex^2)}{4a(cd^2+ae^2)^2(a+cx^4)} + \frac{4c\sqrt{d}e^{7/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{(cd^2+ae^2)^3} + \frac{e^4 x}{2d(cd^2+ae^2)^2(d+ex^2)} \\
&= \frac{e^4 x}{2d(cd^2+ae^2)^2(d+ex^2)} + \frac{cx(cd^2-ae^2-2cdex^2)}{4a(cd^2+ae^2)^2(a+cx^4)} + \frac{4c\sqrt{d}e^{7/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{(cd^2+ae^2)^3} + \frac{e^4 x}{2d(cd^2+ae^2)^2(d+ex^2)} \\
&= \frac{e^4 x}{2d(cd^2+ae^2)^2(d+ex^2)} + \frac{cx(cd^2-ae^2-2cdex^2)}{4a(cd^2+ae^2)^2(a+cx^4)} + \frac{4c\sqrt{d}e^{7/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{(cd^2+ae^2)^3} + \frac{e^4 x}{2d(cd^2+ae^2)^2(d+ex^2)}
\end{aligned}$$

Mathematica [A] time = 0.58, size = 540, normalized size = 0.62

$$\frac{\sqrt{2}c^{3/4}(18a^{3/2}\sqrt{c}de^3-7a^2e^4+2\sqrt{a}c^{3/2}d^3e+12acd^2e^2+3c^2d^4)\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2)}{a^{7/4}} + \frac{\sqrt{2}c^{3/4}(18a^{3/2}\sqrt{c}de^3-7a^2e^4+2\sqrt{a}c^{3/2}d^3e+12acd^2e^2+3c^2d^4)\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2)}{a^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)^2*(a + c*x^4)^2), x]

[Out] ((16*e^4*(c*d^2 + a*e^2)*x)/(d*(d + e*x^2)) + (8*c*(c*d^2 + a*e^2)*x*(-(a*e^2) + c*d*(d - 2*e*x^2)))/(a*(a + c*x^4)) + (16*e^(7/2)*(9*c*d^2 + a*e^2)*A

```
rcTan[(Sqrt[e]*x)/Sqrt[d]]/d^(3/2) + (2*Sqrt[2]*c^(3/4)*(-3*c^2*d^4 + 2*Sqrt[a]*c^(3/2)*d^3*e - 12*a*c*d^2*e^2 + 18*a^(3/2)*Sqrt[c]*d*e^3 + 7*a^2*e^4)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)]/a^(7/4) - (2*Sqrt[2]*c^(3/4)*(-3*c^2*d^4 + 2*Sqrt[a]*c^(3/2)*d^3*e - 12*a*c*d^2*e^2 + 18*a^(3/2)*Sqrt[c]*d*e^3 + 7*a^2*e^4)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)]/a^(7/4) - (Sqrt[2]*c^(3/4)*(3*c^2*d^4 + 2*Sqrt[a]*c^(3/2)*d^3*e + 12*a*c*d^2*e^2 + 18*a^(3/2)*Sqrt[c]*d*e^3 - 7*a^2*e^4)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/a^(7/4) + (Sqrt[2]*c^(3/4)*(3*c^2*d^4 + 2*Sqrt[a]*c^(3/2)*d^3*e + 12*a*c*d^2*e^2 + 18*a^(3/2)*Sqrt[c]*d*e^3 - 7*a^2*e^4)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/a^(7/4))/(32*(c*d^2 + a*e^2)^3)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.25, size = 855, normalized size = 0.99

$$\frac{(9cd^2e^4 + ae^6) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{1}{2}\right)} + \left(3(ac^3)^{\frac{1}{4}}c^3d^4 + 12(ac^3)^{\frac{1}{4}}ac^2d^2e^2 - 2(ac^3)^{\frac{3}{4}}cd^3e - 7(ac^3)^{\frac{1}{4}}a^2ce^4\right)}{2(c^3d^7 + 3ac^2d^5e^2 + 3a^2cd^3e^4 + a^3de^6)\sqrt{d} + 8(\sqrt{2}a^2c^4d^6 + 3\sqrt{2}a^3c^3d^4e^2 + 3\sqrt{2}a^4c^2d^2e^4 + 3\sqrt{2}a^5c^2e^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*x^4+a)^2,x, algorithm="giac")

```
[Out] 1/2*(9*c*d^2*e^4 + a*e^6)*arctan(x*e^(1/2)/sqrt(d))*e^(-1/2)/((c^3*d^7 + 3*a*c^2*d^5*e^2 + 3*a^2*c*d^3*e^4 + a^3*d*e^6)*sqrt(d)) + 1/8*(3*(a*c^3)^(1/4)*c^3*d^4 + 12*(a*c^3)^(1/4)*a*c^2*d^2*e^2 - 2*(a*c^3)^(3/4)*c*d^3*e - 7*(a*c^3)^(1/4)*a^2*c*e^4 - 18*(a*c^3)^(3/4)*a*d*e^3)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))/(sqrt(2)*a^2*c^4*d^6 + 3*sqrt(2)*a^3*c^3*d^4*e^2 + 3*sqrt(2)*a^4*c^2*d^2*e^4 + sqrt(2)*a^5*c*e^6) + 1/8*(3*(a*c^3)^(1/4)*c^3*d^4 + 12*(a*c^3)^(1/4)*a*c^2*d^2*e^2 - 2*(a*c^3)^(3/4)*c*d^3*e - 7*(a*c^3)^(1/4)*a^2*c*e^4 - 18*(a*c^3)^(3/4)*a*d*e^3)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))/(sqrt(2)*a^2*c^4*d^6 + 3*sqrt(2)*a^3*c^3*d^4*e^2 + 3*sqrt(2)*a^4*c^2*d^2*e^4 + sqrt(2)*a^5*c*e^6) + 1/32*(3*sqrt(2)*(a*c^3)^(1/4)*c^3*d^4 + 12*sqrt(2)*(a*c^3)^(1/4)*a*c^2*d^2*e^2 + 2*sqrt(2)*(a*c^3)^(3/4)*c*d^3*e - 7*sqrt(2)*(a*c^3)^(1/4)*a^2*c*e^4 + 18*sqrt(2)*(a*c^3)^(3/4)*a*d*e^3)*log(x^2 + sqrt(2)*x*(a/c)^(1/4) + sqrt(a/c))/(a^2*c
```

$$\begin{aligned} &^4*d^6 + 3*a^3*c^3*d^4*e^2 + 3*a^4*c^2*d^2*e^4 + a^5*c*e^6) - 1/32*(3*\sqrt{2} \\ &2)*(a*c^3)^{(1/4)}*c^3*d^4 + 12*\sqrt{2}*(a*c^3)^{(1/4)}*a*c^2*d^2*e^2 + 2*\sqrt{2} \\ &2)*(a*c^3)^{(3/4)}*c*d^3*e - 7*\sqrt{2}*(a*c^3)^{(1/4)}*a^2*c*e^4 + 18*\sqrt{2}*(\\ &a*c^3)^{(3/4)}*a*d*e^3)*\log(x^2 - \sqrt{2})*x*(a/c)^{(1/4)} + \sqrt{2}*(a/c)^{(1/4)} \\ &d^6 + 3*a^3*c^3*d^4*e^2 + 3*a^4*c^2*d^2*e^4 + a^5*c*e^6) - 1/4*(2*c^2*d^2* \\ &x^5*e^2 + c^2*d^3*x^3*e - 2*a*c*x^5*e^4 - c^2*d^4*x + a*c*d*x^3*e^3 + a*c*d \\ &^2*x*e^2 - 2*a^2*x*e^4)/((a*c^2*d^5 + 2*a^2*c*d^3*e^2 + a^3*d*e^4)*(c*x^6*e \\ &+ c*d*x^4 + a*x^2*e + a*d)) \end{aligned}$$

maple [A] time = 0.02, size = 1169, normalized size = 1.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)^2/(c*x^4+a)^2,x)

[Out] $\frac{1}{2}e^6/(a^2e^2+c^2d)^3/d*x/(e^2x^2+d)*a+1/2e^4/(a^2e^2+c^2d)^3*d*x/(e^2x^2+d)*c+1/2e^6/(a^2e^2+c^2d)^3/d/(d^2e)^{(1/2)}*\arctan(1/(d^2e)^{(1/2)}*e*x)*a+9/2e^4/(a^2e^2+c^2d)^3*d/(d^2e)^{(1/2)}*\arctan(1/(d^2e)^{(1/2)}*e*x)*c-1/2c^2/(a^2e^2+c^2d)^3/(c^2x^4+a)*d^3e^3*x^3-1/2c^3/(a^2e^2+c^2d)^3/(c^2x^4+a)*d^3e/a*x^3-1/4c/(a^2e^2+c^2d)^3/(c^2x^4+a)*a*x^4+1/4c^3/(a^2e^2+c^2d)^3/(c^2x^4+a)/a*x^4-7/16c/(a^2e^2+c^2d)^3*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*e^4+3/4c^2/(a^2e^2+c^2d)^3/a*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d^2e^2+3/16c^3/(a^2e^2+c^2d)^3/a^2*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d^4-7/16c/(a^2e^2+c^2d)^3*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*e^4+3/4c^2/(a^2e^2+c^2d)^3/a*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d^2e^2+3/16c^3/(a^2e^2+c^2d)^3/a^2*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d^4-7/32c/(a^2e^2+c^2d)^3*(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*e^4+3/8c^2/(a^2e^2+c^2d)^3/a*(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*d^2e^2+3/32c^3/(a^2e^2+c^2d)^3/a^2*(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*d^4-9/16c/(a^2e^2+c^2d)^3/(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*d^3e-9/8c/(a^2e^2+c^2d)^3/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d^3e-9/8c/(a^2e^2+c^2d)^3/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d^3e-1/8c^2/(a^2e^2+c^2d)^3/a/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d^3e$

maxima [A] time = 2.61, size = 732, normalized size = 0.85

$$c \frac{\left(2\sqrt{2} \left(3c^{\frac{5}{2}}d^4 - 2\sqrt{a}c^2d^3e + 12ac^{\frac{3}{2}}d^2e^2 - 18a^{\frac{3}{2}}cde^3 - 7a^2\sqrt{c}e^4 \right) \arctan \left(\frac{\sqrt{2} \left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}} \right)}{2\sqrt{\sqrt{a}\sqrt{c}}} \right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}} + \frac{2\sqrt{2} \left(3c^{\frac{5}{2}}d^4 - 2\sqrt{a}c^2d^3e + 12ac^{\frac{3}{2}}d^2e^2 - 18a^{\frac{3}{2}}cde^3 - 7a^2\sqrt{c}e^4 \right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*x^4+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{32}c(2\sqrt{2}(3c^{5/2}d^4 - 2\sqrt{a}c^2d^3e + 12ac^{3/2}d^2e^2 - 18a^{3/2}cde^3 - 7a^2\sqrt{c}e^4) \arctan(1/2\sqrt{2}(2\sqrt{c}x + \sqrt{2}a^{1/4}c^{1/4})/\sqrt{\sqrt{a}\sqrt{c}})) / (\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}) + 2\sqrt{2}(3c^{5/2}d^4 - 2\sqrt{a}c^2d^3e + 12ac^{3/2}d^2e^2 - 18a^{3/2}cde^3 - 7a^2\sqrt{c}e^4) \arctan(1/2\sqrt{2}(2\sqrt{c}x - \sqrt{2}a^{1/4}c^{1/4})/\sqrt{\sqrt{a}\sqrt{c}})) / (\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}) + \sqrt{2}(3c^{5/2}d^4 + 2\sqrt{a}c^2d^3e + 12ac^{3/2}d^2e^2 + 18a^{3/2}cde^3 - 7a^2\sqrt{c}e^4) \log(\sqrt{c}x^2 + \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{a}) / (a^{3/4}c^{3/4}) - \sqrt{2}(3c^{5/2}d^4 + 2\sqrt{a}c^2d^3e + 12ac^{3/2}d^2e^2 + 18a^{3/2}cde^3 - 7a^2\sqrt{c}e^4) \log(\sqrt{c}x^2 - \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{a}) / (a^{3/4}c^{3/4})) / (a^3c^3d^6 + 3a^2c^2d^4e^2 + 3a^3c^3d^2e^4 + a^4e^6) + 1/2(9c^3d^2e^4 + ae^6) \arctan(ex/\sqrt{de}) / ((c^3d^7 + 3a^2c^2d^5e^2 + 3a^2c^3d^3e^4 + a^3d^5e^6) \sqrt{de}) - 1/4(2(c^2d^2e^2 - ac^2e^4)x^5 + (c^2d^3e + ac^2d^3e^3)x^3 - (c^2d^4 - ac^2d^2e^2 + 2a^2e^4)x) / (a^2c^2d^6 + 2a^3c^2d^4e^2 + a^4d^2e^4 + (a^3c^3d^5e + 2a^2c^2d^3e^3 + a^3c^3d^5e^5)x^6 + (a^3c^3d^6 + 2a^2c^2d^4e^2 + a^3c^3d^2e^4)x^4 + (a^2c^2d^5e + 2a^3c^3d^3e^3 + a^4d^5e^5)x^2)$

mupad [B] time = 8.33, size = 28923, normalized size = 33.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c*x^4)^2*(d + e*x^2)^2),x)

[Out] $((x(2a^2e^4 + c^2d^4 - ac^2d^2e^2))/(4ad(a^2e^4 + c^2d^4 + 2ac^2d^2e^2)) - (c^2e^3x^3)/(4a(a^2e^2 + cd^2))) + (c^2e^2x^5(a^2e^2 - cd^2))/(2ad(a^2e^4 + c^2d^4 + 2ac^2d^2e^2)) / (ad + ae^2x^2 + cd^2x^4 + ce^2x^6) + \operatorname{atan}(\frac{(3584a^{10}c^5e^{21} + 1152a^9c^{14}d^{18}e^3 + 13184a^8c^{13}d^{18}e^3 + \dots)}{\dots})$

$$\begin{aligned}
& d^{16}e^5 + 54912a^3c^{12}d^{14}e^7 + 296832a^4c^{11}d^{12}e^9 + 1282432a^5 \\
& *c^{10}d^{10}e^{11} + 769152a^6c^9d^8e^{13} - 1421440a^7c^8d^6e^{15} - 1254 \\
& 784a^8c^7d^4e^{17} - 89088a^9c^6d^2e^{19}) / (512*(a^4c^8d^{18} + a^{12}d^2 \\
& e^{16} + 8a^{11}c*d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56* \\
& a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2* \\
& d^6e^{12})) - (((65536a^{15}c^4d^24e^{24} - 24576a^4c^{15}d^{23}e^2 - 212992a^ \\
& 5c^{14}d^{21}e^4 - 352256a^6c^{13}d^{19}e^6 + 1966080a^7c^{12}d^{17}e^8 + 10 \\
& 960896a^8c^{11}d^{15}e^{10} + 25460736a^9c^{10}d^{13}e^{12} + 34750464a^{10}c^9 \\
& *d^{11}e^{14} + 30081024a^{11}c^8d^9e^{16} + 16588800a^{12}c^7d^7e^{18} + 5554 \\
& 176a^{13}c^6d^5e^{20} + 991232a^{14}c^5d^3e^{22}) / (512*(a^4c^8d^{18} + a^{12} \\
& *d^2e^{16} + 8a^{11}c*d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + \\
& 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^ \\
& ^2d^6e^{12})) - (x*(-(49a^4e^8*(-a^7c^3)^{1/2}) + 9c^4d^8*(-a^7c^3)^{1/2} \\
& - 12a^4c^5d^7e + 252a^7c^2d^7e^7 - 156a^5c^4d^5e^3 - 404a^6c^3d^3e^5 \\
& + 68a*c^3d^6e^2*(-a^7c^3)^{1/2} - 492a^3c*d^2e^6*(-a^7c^3)^{1/2} \\
& + 30a^2c^2d^4e^4*(-a^7c^3)^{1/2}) / (256*(a^{13}e^{12} + a^7c^6* \\
& d^{12} + 6a^{12}c*d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^1 \\
& 0c^3d^6e^6 + 15a^{11}c^2d^4e^8)))^{1/2} * (65536a^6c^{15}d^{24}e^3 + 589 \\
& 824a^7c^{14}d^{22}e^5 + 2293760a^8c^{13}d^{20}e^7 + 4915200a^9c^{12}d^{18}e^ \\
& ^9 + 5898240a^{10}c^{11}d^{16}e^{11} + 2752512a^{11}c^{10}d^{14}e^{13} - 2752512a^ \\
& ^12c^9d^{12}e^{15} - 5898240a^{13}c^8d^{10}e^{17} - 4915200a^{14}c^7d^8e^{19} - \\
& 2293760a^{15}c^6d^6e^{21} - 589824a^{16}c^5d^4e^{23} - 65536a^{17}c^4d^2* \\
& e^{25}) / (128*(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c*d^4e^{14} + 8a^5c^7d^ \\
& ^16e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + \\
& 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) * (-(49a^4e^8*(-a^7c^3)^{1/2} \\
& + 9c^4d^8*(-a^7c^3)^{1/2} - 12a^4c^5d^7e + 252a^7c^2d^7e^7 - 15 \\
& 6a^5c^4d^5e^3 - 404a^6c^3d^3e^5 + 68a*c^3d^6e^2*(-a^7c^3)^{1/2} \\
& - 492a^3c*d^2e^6*(-a^7c^3)^{1/2} + 30a^2c^2d^4e^4*(-a^7c^3)^{1/2} \\
&) / (256*(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c*d^2e^{10} + 6a^8c^5d^{10}e^2 + \\
& 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8)))^{1/2} - \\
& (x*(4096a^{12}c^5d^22e^{22} - 1152a^2c^{15}d^{21}e^2 - 15232a^3c^{14}d^{19}e^4 \\
& - 78336a^4c^{13}d^{17}e^6 - 140800a^5c^{12}d^{15}e^8 + 489728a^6c^{11}d^{13} \\
& e^{10} + 2219776a^7c^{10}d^{11}e^{12} + 3155456a^8c^9d^9e^{14} + 1901056a^ \\
& 9c^8d^7e^{16} + 362368a^{10}c^7d^5e^{18} - 32640a^{11}c^6d^3e^{20}) / (128* \\
& (a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c*d^4e^{14} + 8a^5c^7d^{16}e^2 + 28 \\
& *a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3* \\
& d^8e^{10} + 28a^{10}c^2d^6e^{12})) * (-(49a^4e^8*(-a^7c^3)^{1/2}) + 9c^4d^ \\
& ^8*(-a^7c^3)^{1/2} - 12a^4c^5d^7e + 252a^7c^2d^7e^7 - 156a^5c^4d^ \\
& ^5e^3 - 404a^6c^3d^3e^5 + 68a*c^3d^6e^2*(-a^7c^3)^{1/2} - 492a^3c^ \\
& *d^2e^6*(-a^7c^3)^{1/2} + 30a^2c^2d^4e^4*(-a^7c^3)^{1/2}) / (256*(a^{13} \\
& *e^{12} + a^7c^6d^{12} + 6a^{12}c*d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4* \\
& d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8)))^{1/2} * (-(49a^4e^8 \\
& *(-a^7c^3)^{1/2}) + 9c^4d^8*(-a^7c^3)^{1/2} - 12a^4c^5d^7e + 252a^7 \\
& *c^2d^7e^7 - 156a^5c^4d^5e^3 - 404a^6c^3d^3e^5 + 68a*c^3d^6e^2*(\\
& -a^7c^3)^{1/2} - 492a^3c*d^2e^6*(-a^7c^3)^{1/2} + 30a^2c^2d^4e^4*(
\end{aligned}$$

$$\begin{aligned}
& -a^7c^3)^{(1/2)})/(256*(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c*d^2e^{10} + 6a^8 \\
& *c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8 \\
& e^8)))^{(1/2)} - (x*(81c^{13}d^{14}e^5 - 392a^7c^6e^{19} + 1206a*c^{12}d^{12}e \\
& ^7 + 12247a^2c^{11}d^{10}e^9 + 58636a^3c^{10}d^8e^{11} + 114927a^4c^9d^6 \\
& *e^{13} - 1306a^5c^8d^4e^{15} - 3575a^6c^7d^2e^{17}))/((128*(a^4c^8d^{18} \\
& + a^{12}d^2e^{16} + 8a^{11}c*d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e \\
& ^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a \\
& ^{10}c^2d^6e^{12})))*(-(49a^4e^8*(-a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c^3)^{(1/2)} \\
& - 12a^4c^5d^7e + 252a^7c^2d^7e^7 - 156a^5c^4d^5e^3 - 404a^6c^3d^3e^5 \\
& + 68a*c^3d^6e^2*(-a^7c^3)^{(1/2)} - 492a^3c*d^2e^6*(-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4*(-a^7c^3)^{(1/2)} \\
&)/(256*(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c*d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a \\
& ^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8)))^{(1/2)}*i - (((3584a^{10}c^5e^{21} + \\
& 1152a*c^{14}d^{18}e^3 + 13184a^2c^{13}d^{16}e^5 + 54912a^3c^{12}d^{14}e^7 + \\
& 296832a^4c^{11}d^{12}e^9 + 1282432a^5c^{10}d^{10}e^{11} + 769152a^6c^9d^8 \\
& *e^{13} - 1421440a^7c^8d^6e^{15} - 1254784a^8c^7d^4e^{17} - 89088a^9c^6 \\
& *d^2e^{19}))/((512*(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c*d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 \\
& + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12}))) - (((65536a^{15}c^4d^2e^2 \\
& 4 - 24576a^4c^{15}d^{23}e^2 - 212992a^5c^{14}d^{21}e^4 - 352256a^6c^{13}d^{19}e^6 + 1966080a^7c^{12}d^{17}e^8 + 10960896a^8c^{11}d^{15}e^{10} + 25460736 \\
& *a^9c^{10}d^{13}e^{12} + 34750464a^{10}c^9d^{11}e^{14} + 30081024a^{11}c^8d^9e^{16} + 16588800a^{12}c^7d^7e^{18} + 5554176a^{13}c^6d^5e^{20} + 991232a^{14}c^5d^3e^{22} \\
&)/(512*(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c*d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12}))) + (x*(-(49a^4e^8*(-a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c^3)^{(1/2)} - 12a^4c^5d^7e + 252a^7c^2d^7e^7 - 156a^5c^4d^5e^3 - 404a^6c^3d^3e^5 + 68a*c^3d^6e^2*(-a^7c^3)^{(1/2)} - 492a^3c*d^2e^6*(-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4*(-a^7c^3)^{(1/2)} \\
&)/(256*(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c*d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8)))^{(1/2)}*(65536a^6c^{15}d^{24}e^3 + 589824a^7c^{14}d^{22}e^5 + 2293760a^8c^{13}d^{20}e^7 + 4915200a^9c^{12}d^{18}e^9 + 5898240a^{10}c^{11}d^{16}e^{11} + 2 \\
& 752512a^{11}c^{10}d^{14}e^{13} - 2752512a^{12}c^9d^{12}e^{15} - 5898240a^{13}c^8d^{10}e^{17} - 4915200a^{14}c^7d^8e^{19} - 2293760a^{15}c^6d^6e^{21} - 589824a^{16}c^5d^4e^{23} - 65536a^{17}c^4d^2e^{25}))/((128*(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c*d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})))*(-(49a^4e^8*(-a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c^3)^{(1/2)} - 12a^4c^5d^7e + 252a^7c^2d^7e^7 - 156a^5c^4d^5e^3 - 404a^6c^3d^3e^5 + 68a*c^3d^6e^2*(-a^7c^3)^{(1/2)} - 492a^3c*d^2e^6*(-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4*(-a^7c^3)^{(1/2)} \\
&)/(256*(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c*d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8)))^{(1/2)} + (x*(4096a^{12}c^5d^2e^{22} - 1152a^2c^{15}d^{21}e^2 - 15232a^3c^{14}d^{19}e^4 - 78336a^4c^{13}d^{17}e^6 - 140800*
\end{aligned}$$

$$\begin{aligned}
& a^5c^{12}d^{15}e^8 + 489728a^6c^{11}d^{13}e^{10} + 2219776a^7c^{10}d^{11}e^{12} \\
& + 3155456a^8c^9d^9e^{14} + 1901056a^9c^8d^7e^{16} + 362368a^{10}c^7d^5 \\
& *e^{18} - 32640a^{11}c^6d^3e^{20}) / (128*(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11} \\
& *c^d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12} \\
& *e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) * (\\
& - (49a^4e^8*(-a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c^3)^{(1/2)} - 12a^4c^5d^7 \\
& *e + 252a^7c^2d^7e^7 - 156a^5c^4d^5e^3 - 404a^6c^3d^3e^5 + 68a*c \\
& ^3d^6e^2*(-a^7c^3)^{(1/2)} - 492a^3c^d^2e^6*(-a^7c^3)^{(1/2)} + 30a^2c \\
& ^2d^4e^4*(-a^7c^3)^{(1/2)}) / (256*(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c^d^2* \\
& e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a \\
& ^{11}c^2d^4e^8))^{(1/2)} * (- (49a^4e^8*(-a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c \\
& ^3)^{(1/2)} - 12a^4c^5d^7e + 252a^7c^2d^7e^7 - 156a^5c^4d^5e^3 - 4 \\
& 04a^6c^3d^3e^5 + 68a*c^3d^6e^2*(-a^7c^3)^{(1/2)} - 492a^3c^d^2e^6 \\
& (-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4*(-a^7c^3)^{(1/2)}) / (256*(a^{13}e^{12} + a \\
& ^7c^6d^{12} + 6a^{12}c^d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + \\
& 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8))^{(1/2)} + (x*(81c^{13}d^{14}e^5 \\
& - 392a^7c^6e^{19} + 1206a*c^{12}d^{12}e^7 + 12247a^2c^{11}d^{10}e^9 + 58636 \\
& *a^3c^{10}d^8e^{11} + 114927a^4c^9d^6e^{13} - 1306a^5c^8d^4e^{15} - 3575 \\
& *a^6c^7d^2e^{17})) / (128*(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^d^4e^{14} \\
& + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4 \\
& ^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) * (- (49a^4e^8*(\\
& -a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c^3)^{(1/2)} - 12a^4c^5d^7e + 252a^7c \\
& ^2d^7e^7 - 156a^5c^4d^5e^3 - 404a^6c^3d^3e^5 + 68a*c^3d^6e^2*(-a \\
& ^7c^3)^{(1/2)} - 492a^3c^d^2e^6*(-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4*(-a \\
& ^7c^3)^{(1/2)}) / (256*(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c^d^2e^{10} + 6a^8c \\
& ^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^ \\
& 8))^{(1/2)} * i) / (((3584a^{10}c^5e^{21} + 1152a*c^{14}d^{18}e^3 + 13184a^2c^ \\
& ^{13}d^{16}e^5 + 54912a^3c^{12}d^{14}e^7 + 296832a^4c^{11}d^{12}e^9 + 1282432* \\
& a^5c^{10}d^{10}e^{11} + 769152a^6c^9d^8e^{13} - 1421440a^7c^8d^6e^{15} - 1 \\
& 254784a^8c^7d^4e^{17} - 89088a^9c^6d^2e^{19}) / (512*(a^4c^8d^{18} + a^{12} \\
& *d^2e^{16} + 8a^{11}c^d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + \\
& 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^ \\
& ^2d^6e^{12})) - (((65536a^{15}c^4d^e^{24} - 24576a^4c^{15}d^{23}e^2 - 212992 \\
& *a^5c^{14}d^{21}e^4 - 352256a^6c^{13}d^{19}e^6 + 1966080a^7c^{12}d^{17}e^8 + \\
& 10960896a^8c^{11}d^{15}e^{10} + 25460736a^9c^{10}d^{13}e^{12} + 34750464a^{10} \\
& *c^9d^{11}e^{14} + 30081024a^{11}c^8d^9e^{16} + 16588800a^{12}c^7d^7e^{18} + 5 \\
& 554176a^{13}c^6d^5e^{20} + 991232a^{14}c^5d^3e^{22}) / (512*(a^4c^8d^{18} + a \\
& ^{12}d^2e^{16} + 8a^{11}c^d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 \\
& + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^1 \\
& 0c^2d^6e^{12})) - (x*(- (49a^4e^8*(-a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c^3) \\
& ^{(1/2)} - 12a^4c^5d^7e + 252a^7c^2d^7e^7 - 156a^5c^4d^5e^3 - 404a \\
& ^6c^3d^3e^5 + 68a*c^3d^6e^2*(-a^7c^3)^{(1/2)} - 492a^3c^d^2e^6*(-a^ \\
& 7c^3)^{(1/2)} + 30a^2c^2d^4e^4*(-a^7c^3)^{(1/2)}) / (256*(a^{13}e^{12} + a^7c \\
& ^6d^{12} + 6a^{12}c^d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20* \\
& a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8))^{(1/2)} * (65536a^6c^{15}d^{24}e^3 +
\end{aligned}$$

$$\begin{aligned}
&^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) - (((65536a^{15}c^4d^2e^2 \\
&4 - 24576a^4c^{15}d^{23}e^2 - 212992a^5c^{14}d^{21}e^4 - 352256a^6c^{13}d^{19}e^6 + 1966080a^7c^{12}d^{17}e^8 + 10960896a^8c^{11}d^{15}e^{10} + 25460736 \\
&a^9c^{10}d^{13}e^{12} + 34750464a^{10}c^9d^{11}e^{14} + 30081024a^{11}c^8d^9e^{16} + 16588800a^{12}c^7d^7e^{18} + 5554176a^{13}c^6d^5e^{20} + 991232a^{14}c^5d^3e^{22})/(512(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) + (x*(-(49a^4e^8*(-a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c^3)^{(1/2)} - 12a^4c^5d^7e + 252a^7c^2d^2e^7 - 156a^5c^4d^5e^3 - 404a^6c^3d^3e^5 + 68a^6c^3d^6e^2*(-a^7c^3)^{(1/2)} - 492a^3c^2d^2e^6*(-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4*(-a^7c^3)^{(1/2)}))/(256(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c^2d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8)))^{(1/2)}*(65536a^6c^{15}d^{24}e^3 + 589824a^7c^{14}d^{22}e^5 + 2293760a^8c^{13}d^{20}e^7 + 4915200a^9c^{12}d^{18}e^9 + 5898240a^{10}c^{11}d^{16}e^{11} + 2752512a^{11}c^{10}d^{14}e^{13} - 2752512a^{12}c^9d^{12}e^{15} - 5898240a^{13}c^8d^{10}e^{17} - 4915200a^{14}c^7d^8e^{19} - 2293760a^{15}c^6d^6e^{21} - 589824a^{16}c^5d^4e^{23} - 65536a^{17}c^4d^2e^{25}))/((128(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12}))) * (-(49a^4e^8*(-a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c^3)^{(1/2)} - 12a^4c^5d^7e + 252a^7c^2d^2e^7 - 156a^5c^4d^5e^3 - 404a^6c^3d^3e^5 + 68a^6c^3d^6e^2*(-a^7c^3)^{(1/2)} - 492a^3c^2d^2e^6*(-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4*(-a^7c^3)^{(1/2)}))/(256(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c^2d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8)))^{(1/2)} + (x*(4096a^{12}c^5d^2e^{22} - 1152a^2c^{15}d^{21}e^2 - 15232a^3c^{14}d^{19}e^4 - 78336a^4c^{13}d^{17}e^6 - 140800a^5c^{12}d^{15}e^8 + 489728a^6c^{11}d^{13}e^{10} + 2219776a^7c^{10}d^{11}e^{12} + 3155456a^8c^9d^9e^{14} + 1901056a^9c^8d^7e^{16} + 362368a^{10}c^7d^5e^{18} - 32640a^{11}c^6d^3e^{20}))/((128(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12}))) * (-(49a^4e^8*(-a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c^3)^{(1/2)} - 12a^4c^5d^7e + 252a^7c^2d^2e^7 - 156a^5c^4d^5e^3 - 404a^6c^3d^3e^5 + 68a^6c^3d^6e^2*(-a^7c^3)^{(1/2)} - 492a^3c^2d^2e^6*(-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4*(-a^7c^3)^{(1/2)}))/(256(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c^2d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8)))^{(1/2)} * (-(49a^4e^8*(-a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c^3)^{(1/2)} - 12a^4c^5d^7e + 252a^7c^2d^2e^7 - 156a^5c^4d^5e^3 - 404a^6c^3d^3e^5 + 68a^6c^3d^6e^2*(-a^7c^3)^{(1/2)} - 492a^3c^2d^2e^6*(-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4*(-a^7c^3)^{(1/2)}))/(256(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c^2d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8)))^{(1/2)} + (x*(81c^{13}d^{14}e^5 - 392a^7c^6e^{19} + 1206a^2c^{12}d^{12}e^7 + 12247a^2c^{11}d^{10}e^9 + 58636a^3c^{10}d^8e^{11} + 114927a^4c^9d^6e^{13} - 1306a^5c^8d^4e^{15} - 3575
\end{aligned}$$

$$\begin{aligned}
& *a^6*c^7*d^2*e^{17})/(128*(a^4*c^8*d^{18} + a^{12}*d^2*e^{16} + 8*a^{11}*c*d^4*e^{14} \\
& + 8*a^5*c^7*d^{16}*e^2 + 28*a^6*c^6*d^{14}*e^4 + 56*a^7*c^5*d^{12}*e^6 + 70*a^8*c \\
& ^4*d^{10}*e^8 + 56*a^9*c^3*d^8*e^{10} + 28*a^{10}*c^2*d^6*e^{12})))*(-(49*a^4*e^8*(\\
& -a^7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^3)^{(1/2)} - 12*a^4*c^5*d^7*e + 252*a^7*c \\
& ^2*d*e^7 - 156*a^5*c^4*d^5*e^3 - 404*a^6*c^3*d^3*e^5 + 68*a*c^3*d^6*e^2*(-a \\
& ^7*c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(-a^7*c^3)^{(1/2)} + 30*a^2*c^2*d^4*e^4*(-a \\
& ^7*c^3)^{(1/2)})/(256*(a^{13}*e^{12} + a^7*c^6*d^{12} + 6*a^{12}*c*d^2*e^{10} + 6*a^8*c \\
& ^5*d^{10}*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^{10}*c^3*d^6*e^6 + 15*a^{11}*c^2*d^4*e^ \\
& 8)))^{(1/2)} - (729*c^{11}*d^9*e^8 + 2916*a*c^{10}*d^7*e^{10} + 2009*a^4*c^7*d*e^{16} \\
& - 2538*a^2*c^9*d^5*e^{12} + 17764*a^3*c^8*d^3*e^{14})/(256*(a^4*c^8*d^{18} + a^{1 \\
& 2}*d^2*e^{16} + 8*a^{11}*c*d^4*e^{14} + 8*a^5*c^7*d^{16}*e^2 + 28*a^6*c^6*d^{14}*e^4 + \\
& 56*a^7*c^5*d^{12}*e^6 + 70*a^8*c^4*d^{10}*e^8 + 56*a^9*c^3*d^8*e^{10} + 28*a^{10}* \\
& c^2*d^6*e^{12})))*(-(49*a^4*e^8*(-a^7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^3)^{(1/2)} \\
&) - 12*a^4*c^5*d^7*e + 252*a^7*c^2*d*e^7 - 156*a^5*c^4*d^5*e^3 - 404*a^6*c^ \\
& 3*d^3*e^5 + 68*a*c^3*d^6*e^2*(-a^7*c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(-a^7*c^3 \\
&)^{(1/2)} + 30*a^2*c^2*d^4*e^4*(-a^7*c^3)^{(1/2)})/(256*(a^{13}*e^{12} + a^7*c^6*d^ \\
& 12 + 6*a^{12}*c*d^2*e^{10} + 6*a^8*c^5*d^{10}*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^{10}* \\
& c^3*d^6*e^6 + 15*a^{11}*c^2*d^4*e^8)))^{(1/2)}*2i + \operatorname{atan}((((3584*a^{10}*c^5*e^{21} \\
& + 1152*a*c^{14}*d^{18}*e^3 + 13184*a^2*c^{13}*d^{16}*e^5 + 54912*a^3*c^{12}*d^{14}*e^7 \\
& + 296832*a^4*c^{11}*d^{12}*e^9 + 1282432*a^5*c^{10}*d^{10}*e^{11} + 769152*a^6*c^9*d \\
& ^8*e^{13} - 1421440*a^7*c^8*d^6*e^{15} - 1254784*a^8*c^7*d^4*e^{17} - 89088*a^9*c \\
& ^6*d^2*e^{19})/(512*(a^4*c^8*d^{18} + a^{12}*d^2*e^{16} + 8*a^{11}*c*d^4*e^{14} + 8*a^5 \\
& *c^7*d^{16}*e^2 + 28*a^6*c^6*d^{14}*e^4 + 56*a^7*c^5*d^{12}*e^6 + 70*a^8*c^4*d^{10} \\
& *e^8 + 56*a^9*c^3*d^8*e^{10} + 28*a^{10}*c^2*d^6*e^{12})) - (((65536*a^{15}*c^4*d*e \\
& ^{24} - 24576*a^4*c^{15}*d^{23}*e^2 - 212992*a^5*c^{14}*d^{21}*e^4 - 352256*a^6*c^{13}* \\
& d^{19}*e^6 + 1966080*a^7*c^{12}*d^{17}*e^8 + 10960896*a^8*c^{11}*d^{15}*e^{10} + 254607 \\
& 36*a^9*c^{10}*d^{13}*e^{12} + 34750464*a^{10}*c^9*d^{11}*e^{14} + 30081024*a^{11}*c^8*d^9 \\
& *e^{16} + 16588800*a^{12}*c^7*d^7*e^{18} + 5554176*a^{13}*c^6*d^5*e^{20} + 991232*a^{1 \\
& 4}*c^5*d^3*e^{22})/(512*(a^4*c^8*d^{18} + a^{12}*d^2*e^{16} + 8*a^{11}*c*d^4*e^{14} + 8* \\
& a^5*c^7*d^{16}*e^2 + 28*a^6*c^6*d^{14}*e^4 + 56*a^7*c^5*d^{12}*e^6 + 70*a^8*c^4*d \\
& ^{10}*e^8 + 56*a^9*c^3*d^8*e^{10} + 28*a^{10}*c^2*d^6*e^{12})) - (x*((49*a^4*e^8*(- \\
& a^7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^3)^{(1/2)} + 12*a^4*c^5*d^7*e - 252*a^7*c^ \\
& 2*d*e^7 + 156*a^5*c^4*d^5*e^3 + 404*a^6*c^3*d^3*e^5 + 68*a*c^3*d^6*e^2*(-a^ \\
& 7*c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(-a^7*c^3)^{(1/2)} + 30*a^2*c^2*d^4*e^4*(-a^ \\
& 7*c^3)^{(1/2)})/(256*(a^{13}*e^{12} + a^7*c^6*d^{12} + 6*a^{12}*c*d^2*e^{10} + 6*a^8*c^ \\
& 5*d^{10}*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^{10}*c^3*d^6*e^6 + 15*a^{11}*c^2*d^4*e^8 \\
&)))^{(1/2)}*(65536*a^6*c^{15}*d^{24}*e^3 + 589824*a^7*c^{14}*d^{22}*e^5 + 2293760*a^8 \\
& *c^{13}*d^{20}*e^7 + 4915200*a^9*c^{12}*d^{18}*e^9 + 5898240*a^{10}*c^{11}*d^{16}*e^{11} + \\
& 2752512*a^{11}*c^{10}*d^{14}*e^{13} - 2752512*a^{12}*c^9*d^{12}*e^{15} - 5898240*a^{13}*c^8 \\
& *d^{10}*e^{17} - 4915200*a^{14}*c^7*d^8*e^{19} - 2293760*a^{15}*c^6*d^6*e^{21} - 589824 \\
& *a^{16}*c^5*d^4*e^{23} - 65536*a^{17}*c^4*d^2*e^{25})/(128*(a^4*c^8*d^{18} + a^{12}*d^ \\
& 2*e^{16} + 8*a^{11}*c*d^4*e^{14} + 8*a^5*c^7*d^{16}*e^2 + 28*a^6*c^6*d^{14}*e^4 + 56* \\
& a^7*c^5*d^{12}*e^6 + 70*a^8*c^4*d^{10}*e^8 + 56*a^9*c^3*d^8*e^{10} + 28*a^{10}*c^2* \\
& d^6*e^{12})))*((49*a^4*e^8*(-a^7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^3)^{(1/2)} + 12 \\
& *a^4*c^5*d^7*e - 252*a^7*c^2*d*e^7 + 156*a^5*c^4*d^5*e^3 + 404*a^6*c^3*d^3*
\end{aligned}$$

$$\begin{aligned}
& e^5 + 68*a*c^3*d^6*e^2*(-a^7*c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(-a^7*c^3)^{(1/2)} \\
& + 30*a^2*c^2*d^4*e^4*(-a^7*c^3)^{(1/2)})/(256*(a^{13}*e^{12} + a^7*c^6*d^{12} + 6 \\
& *a^{12}*c*d^2*e^{10} + 6*a^8*c^5*d^{10}*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^{10}*c^3*d^6 \\
& *e^6 + 15*a^{11}*c^2*d^4*e^8)))^{(1/2)} - (x*(4096*a^{12}*c^5*d^22 - 1152*a^2* \\
& c^{15}*d^{21}*e^2 - 15232*a^3*c^{14}*d^{19}*e^4 - 78336*a^4*c^{13}*d^{17}*e^6 - 140800* \\
& a^5*c^{12}*d^{15}*e^8 + 489728*a^6*c^{11}*d^{13}*e^{10} + 2219776*a^7*c^{10}*d^{11}*e^{12} \\
& + 3155456*a^8*c^9*d^9*e^{14} + 1901056*a^9*c^8*d^7*e^{16} + 362368*a^{10}*c^7*d^5 \\
& *e^{18} - 32640*a^{11}*c^6*d^3*e^{20}))/((128*(a^4*c^8*d^{18} + a^{12}*d^2*e^{16} + 8*a^ \\
& 11*c*d^4*e^{14} + 8*a^5*c^7*d^{16}*e^2 + 28*a^6*c^6*d^{14}*e^4 + 56*a^7*c^5*d^{12} \\
& *e^6 + 70*a^8*c^4*d^{10}*e^8 + 56*a^9*c^3*d^8*e^{10} + 28*a^{10}*c^2*d^6*e^{12})))*(\\
& (49*a^4*e^8*(-a^7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^3)^{(1/2)} + 12*a^4*c^5*d^7* \\
& e - 252*a^7*c^2*d*e^7 + 156*a^5*c^4*d^5*e^3 + 404*a^6*c^3*d^3*e^5 + 68*a*c^3 \\
& *d^6*e^2*(-a^7*c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(-a^7*c^3)^{(1/2)} + 30*a^2*c^2 \\
& *d^4*e^4*(-a^7*c^3)^{(1/2)})/(256*(a^{13}*e^{12} + a^7*c^6*d^{12} + 6*a^{12}*c*d^2*e \\
& ^{10} + 6*a^8*c^5*d^{10}*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^{10}*c^3*d^6*e^6 + 15*a^ \\
& 11*c^2*d^4*e^8)))^{(1/2)}*((49*a^4*e^8*(-a^7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^ \\
& 3)^{(1/2)} + 12*a^4*c^5*d^7*e - 252*a^7*c^2*d*e^7 + 156*a^5*c^4*d^5*e^3 + 404 \\
& *a^6*c^3*d^3*e^5 + 68*a*c^3*d^6*e^2*(-a^7*c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(- \\
& a^7*c^3)^{(1/2)} + 30*a^2*c^2*d^4*e^4*(-a^7*c^3)^{(1/2)})/(256*(a^{13}*e^{12} + a^7 \\
& *c^6*d^{12} + 6*a^{12}*c*d^2*e^{10} + 6*a^8*c^5*d^{10}*e^2 + 15*a^9*c^4*d^8*e^4 + 2 \\
& 0*a^{10}*c^3*d^6*e^6 + 15*a^{11}*c^2*d^4*e^8)))^{(1/2)} - (x*(81*c^{13}*d^{14}*e^5 - \\
& 392*a^7*c^6*e^{19} + 1206*a*c^{12}*d^{12}*e^7 + 12247*a^2*c^{11}*d^{10}*e^9 + 58636*a \\
& ^3*c^{10}*d^8*e^{11} + 114927*a^4*c^9*d^6*e^{13} - 1306*a^5*c^8*d^4*e^{15} - 3575*a \\
& ^6*c^7*d^2*e^{17}))/((128*(a^4*c^8*d^{18} + a^{12}*d^2*e^{16} + 8*a^{11}*c*d^4*e^{14} + \\
& 8*a^5*c^7*d^{16}*e^2 + 28*a^6*c^6*d^{14}*e^4 + 56*a^7*c^5*d^{12}*e^6 + 70*a^8*c^4 \\
& *d^{10}*e^8 + 56*a^9*c^3*d^8*e^{10} + 28*a^{10}*c^2*d^6*e^{12})))*((49*a^4*e^8*(-a^ \\
& 7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^3)^{(1/2)} + 12*a^4*c^5*d^7*e - 252*a^7*c^2 \\
& *d*e^7 + 156*a^5*c^4*d^5*e^3 + 404*a^6*c^3*d^3*e^5 + 68*a*c^3*d^6*e^2*(-a^7* \\
& c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(-a^7*c^3)^{(1/2)} + 30*a^2*c^2*d^4*e^4*(-a^7* \\
& c^3)^{(1/2)})/(256*(a^{13}*e^{12} + a^7*c^6*d^{12} + 6*a^{12}*c*d^2*e^{10} + 6*a^8*c^5* \\
& d^{10}*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^{10}*c^3*d^6*e^6 + 15*a^{11}*c^2*d^4*e^8)) \\
&)^{(1/2)}*i - (((3584*a^{10}*c^5*e^{21} + 1152*a*c^{14}*d^{18}*e^3 + 13184*a^2*c^{13} \\
& *d^{16}*e^5 + 54912*a^3*c^{12}*d^{14}*e^7 + 296832*a^4*c^{11}*d^{12}*e^9 + 1282432*a^5 \\
& *c^{10}*d^{10}*e^{11} + 769152*a^6*c^9*d^8*e^{13} - 1421440*a^7*c^8*d^6*e^{15} - 1254 \\
& 784*a^8*c^7*d^4*e^{17} - 89088*a^9*c^6*d^2*e^{19}))/((512*(a^4*c^8*d^{18} + a^{12}*d^2 \\
& *e^{16} + 8*a^{11}*c*d^4*e^{14} + 8*a^5*c^7*d^{16}*e^2 + 28*a^6*c^6*d^{14}*e^4 + 56* \\
& a^7*c^5*d^{12}*e^6 + 70*a^8*c^4*d^{10}*e^8 + 56*a^9*c^3*d^8*e^{10} + 28*a^{10}*c^2* \\
& d^6*e^{12})) - (((65536*a^{15}*c^4*d^24 - 24576*a^4*c^{15}*d^{23}*e^2 - 212992*a^ \\
& 5*c^{14}*d^{21}*e^4 - 352256*a^6*c^{13}*d^{19}*e^6 + 1966080*a^7*c^{12}*d^{17}*e^8 + 10 \\
& 960896*a^8*c^{11}*d^{15}*e^{10} + 25460736*a^9*c^{10}*d^{13}*e^{12} + 34750464*a^{10}*c^9 \\
& *d^{11}*e^{14} + 30081024*a^{11}*c^8*d^9*e^{16} + 16588800*a^{12}*c^7*d^7*e^{18} + 5554 \\
& 176*a^{13}*c^6*d^5*e^{20} + 991232*a^{14}*c^5*d^3*e^{22}))/((512*(a^4*c^8*d^{18} + a^{12} \\
& *d^2*e^{16} + 8*a^{11}*c*d^4*e^{14} + 8*a^5*c^7*d^{16}*e^2 + 28*a^6*c^6*d^{14}*e^4 + \\
& 56*a^7*c^5*d^{12}*e^6 + 70*a^8*c^4*d^{10}*e^8 + 56*a^9*c^3*d^8*e^{10} + 28*a^{10}*c \\
& ^2*d^6*e^{12})) + (x*((49*a^4*e^8*(-a^7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& 2) + 12*a^4*c^5*d^7*e - 252*a^7*c^2*d*e^7 + 156*a^5*c^4*d^5*e^3 + 404*a^6*c^3*d^3*e^5 + 68*a*c^3*d^6*e^2*(-a^7*c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(-a^7*c^3)^{(1/2)} + 30*a^2*c^2*d^4*e^4*(-a^7*c^3)^{(1/2))}/(256*(a^13*e^12 + a^7*c^6*d^12 + 6*a^12*c*d^2*e^10 + 6*a^8*c^5*d^10*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^10*c^3*d^6*e^6 + 15*a^11*c^2*d^4*e^8)))^{(1/2)}*(65536*a^6*c^15*d^24*e^3 + 589824*a^7*c^14*d^22*e^5 + 2293760*a^8*c^13*d^20*e^7 + 4915200*a^9*c^12*d^18*e^9 + 5898240*a^10*c^11*d^16*e^11 + 2752512*a^11*c^10*d^14*e^13 - 2752512*a^12*c^9*d^12*e^15 - 5898240*a^13*c^8*d^10*e^17 - 4915200*a^14*c^7*d^8*e^19 - 2293760*a^15*c^6*d^6*e^21 - 589824*a^16*c^5*d^4*e^23 - 65536*a^17*c^4*d^2*e^25))/(128*(a^4*c^8*d^18 + a^12*d^2*e^16 + 8*a^11*c*d^4*e^14 + 8*a^5*c^7*d^16*e^2 + 28*a^6*c^6*d^14*e^4 + 56*a^7*c^5*d^12*e^6 + 70*a^8*c^4*d^10*e^8 + 56*a^9*c^3*d^8*e^10 + 28*a^10*c^2*d^6*e^12)))*((49*a^4*e^8*(-a^7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^3)^{(1/2)} + 12*a^4*c^5*d^7*e - 252*a^7*c^2*d*e^7 + 156*a^5*c^4*d^5*e^3 + 404*a^6*c^3*d^3*e^5 + 68*a*c^3*d^6*e^2*(-a^7*c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(-a^7*c^3)^{(1/2)} + 30*a^2*c^2*d^4*e^4*(-a^7*c^3)^{(1/2))}/(256*(a^13*e^12 + a^7*c^6*d^12 + 6*a^12*c*d^2*e^10 + 6*a^8*c^5*d^10*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^10*c^3*d^6*e^6 + 15*a^11*c^2*d^4*e^8)))^{(1/2)} + (x*(4096*a^12*c^5*d*e^22 - 1152*a^2*c^15*d^21*e^2 - 15232*a^3*c^14*d^19*e^4 - 78336*a^4*c^13*d^17*e^6 - 140800*a^5*c^12*d^15*e^8 + 489728*a^6*c^11*d^13*e^10 + 2219776*a^7*c^10*d^11*e^12 + 3155456*a^8*c^9*d^9*e^14 + 1901056*a^9*c^8*d^7*e^16 + 362368*a^10*c^7*d^5*e^18 - 32640*a^11*c^6*d^3*e^20))/(128*(a^4*c^8*d^18 + a^12*d^2*e^16 + 8*a^11*c*d^4*e^14 + 8*a^5*c^7*d^16*e^2 + 28*a^6*c^6*d^14*e^4 + 56*a^7*c^5*d^12*e^6 + 70*a^8*c^4*d^10*e^8 + 56*a^9*c^3*d^8*e^10 + 28*a^10*c^2*d^6*e^12)))*((49*a^4*e^8*(-a^7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^3)^{(1/2)} + 12*a^4*c^5*d^7*e - 252*a^7*c^2*d*e^7 + 156*a^5*c^4*d^5*e^3 + 404*a^6*c^3*d^3*e^5 + 68*a*c^3*d^6*e^2*(-a^7*c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(-a^7*c^3)^{(1/2)} + 30*a^2*c^2*d^4*e^4*(-a^7*c^3)^{(1/2))}/(256*(a^13*e^12 + a^7*c^6*d^12 + 6*a^12*c*d^2*e^10 + 6*a^8*c^5*d^10*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^10*c^3*d^6*e^6 + 15*a^11*c^2*d^4*e^8)))^{(1/2)}*((49*a^4*e^8*(-a^7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^3)^{(1/2)} + 12*a^4*c^5*d^7*e - 252*a^7*c^2*d*e^7 + 156*a^5*c^4*d^5*e^3 + 404*a^6*c^3*d^3*e^5 + 68*a*c^3*d^6*e^2*(-a^7*c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(-a^7*c^3)^{(1/2)} + 30*a^2*c^2*d^4*e^4*(-a^7*c^3)^{(1/2))}/(256*(a^13*e^12 + a^7*c^6*d^12 + 6*a^12*c*d^2*e^10 + 6*a^8*c^5*d^10*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^10*c^3*d^6*e^6 + 15*a^11*c^2*d^4*e^8)))^{(1/2)} + (x*(81*c^13*d^14*e^5 - 392*a^7*c^6*e^19 + 1206*a*c^12*d^12*e^7 + 12247*a^2*c^11*d^10*e^9 + 58636*a^3*c^10*d^8*e^11 + 114927*a^4*c^9*d^6*e^13 - 1306*a^5*c^8*d^4*e^15 - 3575*a^6*c^7*d^2*e^17))/(128*(a^4*c^8*d^18 + a^12*d^2*e^16 + 8*a^11*c*d^4*e^14 + 8*a^5*c^7*d^16*e^2 + 28*a^6*c^6*d^14*e^4 + 56*a^7*c^5*d^12*e^6 + 70*a^8*c^4*d^10*e^8 + 56*a^9*c^3*d^8*e^10 + 28*a^10*c^2*d^6*e^12)))*((49*a^4*e^8*(-a^7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^3)^{(1/2)} + 12*a^4*c^5*d^7*e - 252*a^7*c^2*d*e^7 + 156*a^5*c^4*d^5*e^3 + 404*a^6*c^3*d^3*e^5 + 68*a*c^3*d^6*e^2*(-a^7*c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(-a^7*c^3)^{(1/2)} + 30*a^2*c^2*d^4*e^4*(-a^7*c^3)^{(1/2))}/(256*(a^13*e^12 + a^7*c^6*d^12 + 6*a^12*c*d^2*e^10 + 6*a^8*c^5*d^10*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^10*c^3*d^6*e^6 + 15*a^11*c^2*d^4*e^8)))^{(1/2)}*1i)/((((3584*a^10*c^5*e^21 + 1152
\end{aligned}$$

$$\begin{aligned}
& *a^c^{14}d^{18}e^3 + 13184a^2c^{13}d^{16}e^5 + 54912a^3c^{12}d^{14}e^7 + 2968 \\
& 32a^4c^{11}d^{12}e^9 + 1282432a^5c^{10}d^{10}e^{11} + 769152a^6c^9d^8e^{13} \\
& - 1421440a^7c^8d^6e^{15} - 1254784a^8c^7d^4e^{17} - 89088a^9c^6d^2 \\
& e^{19}) / (512(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16} \\
& e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + \\
& 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) - (((65536a^{15}c^4d^4e^{24} - 2 \\
& 4576a^4c^{15}d^{23}e^2 - 212992a^5c^{14}d^{21}e^4 - 352256a^6c^{13}d^{19}e^6 \\
& + 1966080a^7c^{12}d^{17}e^8 + 10960896a^8c^{11}d^{15}e^{10} + 25460736a^9c^{10} \\
& d^{13}e^{12} + 34750464a^{10}c^9d^{11}e^{14} + 30081024a^{11}c^8d^9e^{16} + \\
& 16588800a^{12}c^7d^7e^{18} + 5554176a^{13}c^6d^5e^{20} + 991232a^{14}c^5d^3 \\
& e^{22}) / (512(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7 \\
& d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 \\
& + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) - (x((49a^4e^8(-a^7c^3) \\
&)^{(1/2)} + 9c^4d^8(-a^7c^3)^{(1/2)} + 12a^4c^5d^7e - 252a^7c^2d^6e^7 \\
& + 156a^5c^4d^5e^3 + 404a^6c^3d^3e^5 + 68a^3c^3d^6e^2(-a^7c^3)^{(1/2)} \\
& - 492a^3c^3d^2e^6(-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4(-a^7c^3)^{(1/2)}) / (256(a^{13}e^{12} \\
& + a^7c^6d^{12} + 6a^{12}c^2d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3 \\
& d^6e^6 + 15a^{11}c^2d^4e^8)))^{(1/2)} * (65536a^6c^{15}d^{24}e^3 + 589824a^7c^{14}d^{22}e^5 \\
& + 2293760a^8c^{13}d^{20}e^7 + 4915200a^9c^{12}d^{18}e^9 + 5898240a^{10}c^{11}d^{16}e^{11} \\
& + 2752512a^{11}c^{10}d^{14}e^{13} - 2752512a^{12}c^9d^{12}e^{15} - 5898240a^{13}c^8d^{10}e^{17} \\
& - 4915200a^{14}c^7d^8e^{19} - 2293760a^{15}c^6d^6e^{21} - 589824a^{16}c^5d^4e^{23} \\
& - 65536a^{17}c^4d^2e^{25})) / (128(a^4c^8d^{18} + a^{12}d^2e^{16} \\
& + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 \\
& + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) * ((49a^4e^8(-a^7c^3) \\
&)^{(1/2)} + 9c^4d^8(-a^7c^3)^{(1/2)} + 12a^4c^5d^7e - 252a^7c^2d^6e^7 \\
& + 156a^5c^4d^5e^3 + 404a^6c^3d^3e^5 + 68a^3c^3d^6e^2(-a^7c^3)^{(1/2)} - 492a^3c^3d^2e^6 \\
& (-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4(-a^7c^3)^{(1/2)}) / (256(a^{13}e^{12} + a^7c^6d^{12} \\
& + 6a^{12}c^2d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + \\
& 15a^{11}c^2d^4e^8)))^{(1/2)} - (x(4096a^{12}c^5d^5e^{22} - 1152a^2c^{15}d^{21}e^2 \\
& - 15232a^3c^{14}d^{19}e^4 - 78336a^4c^{13}d^{17}e^6 - 140800a^5c^{12}d^{15}e^8 \\
& + 489728a^6c^{11}d^{13}e^{10} + 2219776a^7c^{10}d^{11}e^{12} + 3155456a^8c^9d^9e^{14} \\
& + 1901056a^9c^8d^7e^{16} + 362368a^{10}c^7d^5e^{18} - 32640a^{11}c^6d^3e^{20})) / (128(a^4c^8d^{18} \\
& + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 \\
& + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) * ((49a^4e^8(-a^7c^3) \\
&)^{(1/2)} + 9c^4d^8(-a^7c^3)^{(1/2)} + 12a^4c^5d^7e - 252a^7c^2d^6e^7 \\
& + 156a^5c^4d^5e^3 + 404a^6c^3d^3e^5 + 68a^3c^3d^6e^2(-a^7c^3)^{(1/2)} - 492a^3c^3d^2e^6 \\
& (-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4(-a^7c^3)^{(1/2)}) / (256(a^{13}e^{12} + a^7c^6d^{12} \\
& + 6a^{12}c^2d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8) \\
&))^{(1/2)} * ((49a^4e^8(-a^7c^3)^{(1/2)} + 9c^4d^8(-a^7c^3)^{(1/2)} + 12a^4c^5d^7e \\
& - 252a^7c^2d^6e^7 + 156a^5c^4d^5e^3 + 404a^6c^3d^3e^5 + 68a^3c^3d^6e^2(-a^7c^3)^{(1/2)} \\
& - 492a^3c^3d^2e^6(-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4(-a^7c^3)^{(1/2)}) / (256(a^{13}e^{12} \\
& + a^7c^6d^{12} + 6a^{12}c^2d^2e^{10} + 6a^8c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 \\
& + 15a^{11}c^2d^4e^8)))^{(1/2)} * ((49a^4e^8(-a^7c^3)^{(1/2)} + 9c^4d^8(-a^7c^3)^{(1/2)} \\
&) + 12a^4c^5d^7e - 252a^7c^2d^6e^7 + 156a^5c^4d^5e^3 + 404a^6c^3d^3e^5 \\
& + 68a^3c^3d^6e^2(-a^7c^3)^{(1/2)} - 492a^3c^3d^2e^6(-a^7c^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
&)^{(1/2)} + 30*a^2*c^2*d^4*e^4*(-a^7*c^3)^{(1/2)})/(256*(a^{13}*e^{12} + a^7*c^6*d^{12} + 6*a^{12}*c*d^2*e^{10} + 6*a^8*c^5*d^{10}*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^{10}*c^3*d^6*e^6 + 15*a^{11}*c^2*d^4*e^8)))^{(1/2)} - (x*(81*c^{13}*d^{14}*e^5 - 392*a^7*c^6*e^{19} + 1206*a*c^{12}*d^{12}*e^7 + 12247*a^2*c^{11}*d^{10}*e^9 + 58636*a^3*c^{10}*d^8*e^{11} + 114927*a^4*c^9*d^6*e^{13} - 1306*a^5*c^8*d^4*e^{15} - 3575*a^6*c^7*d^2*e^{17}))/((128*(a^4*c^8*d^{18} + a^{12}*d^2*e^{16} + 8*a^{11}*c*d^4*e^{14} + 8*a^5*c^7*d^{16}*e^2 + 28*a^6*c^6*d^{14}*e^4 + 56*a^7*c^5*d^{12}*e^6 + 70*a^8*c^4*d^{10}*e^8 + 56*a^9*c^3*d^8*e^{10} + 28*a^{10}*c^2*d^6*e^{12}))) * ((49*a^4*e^8*(-a^7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^3)^{(1/2)} + 12*a^4*c^5*d^7*e - 252*a^7*c^2*d*e^7 + 156*a^5*c^4*d^5*e^3 + 404*a^6*c^3*d^3*e^5 + 68*a*c^3*d^6*e^2*(-a^7*c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(-a^7*c^3)^{(1/2)} + 30*a^2*c^2*d^4*e^4*(-a^7*c^3)^{(1/2)}))/((256*(a^{13}*e^{12} + a^7*c^6*d^{12} + 6*a^{12}*c*d^2*e^{10} + 6*a^8*c^5*d^{10}*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^{10}*c^3*d^6*e^6 + 15*a^{11}*c^2*d^4*e^8)))^{(1/2)} + (((3584*a^{10}*c^5*e^{21} + 1152*a*c^{14}*d^{18}*e^3 + 13184*a^2*c^{13}*d^{16}*e^5 + 54912*a^3*c^{12}*d^{14}*e^7 + 296832*a^4*c^{11}*d^{12}*e^9 + 1282432*a^5*c^{10}*d^{10}*e^{11} + 769152*a^6*c^9*d^8*e^{13} - 1421440*a^7*c^8*d^6*e^{15} - 1254784*a^8*c^7*d^4*e^{17} - 89088*a^9*c^6*d^2*e^{19}))/((512*(a^4*c^8*d^{18} + a^{12}*d^2*e^{16} + 8*a^{11}*c*d^4*e^{14} + 8*a^5*c^7*d^{16}*e^2 + 28*a^6*c^6*d^{14}*e^4 + 56*a^7*c^5*d^{12}*e^6 + 70*a^8*c^4*d^{10}*e^8 + 56*a^9*c^3*d^8*e^{10} + 28*a^{10}*c^2*d^6*e^{12}))) - (((65536*a^{15}*c^4*d*e^{24} - 24576*a^4*c^{15}*d^{23}*e^2 - 212992*a^5*c^{14}*d^21*e^4 - 352256*a^6*c^{13}*d^{19}*e^6 + 1966080*a^7*c^{12}*d^{17}*e^8 + 10960896*a^8*c^{11}*d^{15}*e^{10} + 25460736*a^9*c^{10}*d^{13}*e^{12} + 34750464*a^{10}*c^9*d^{11}*e^{14} + 30081024*a^{11}*c^8*d^9*e^{16} + 16588800*a^{12}*c^7*d^7*e^{18} + 5554176*a^{13}*c^6*d^5*e^{20} + 991232*a^{14}*c^5*d^3*e^{22}))/((512*(a^4*c^8*d^{18} + a^{12}*d^2*e^{16} + 8*a^{11}*c*d^4*e^{14} + 8*a^5*c^7*d^{16}*e^2 + 28*a^6*c^6*d^{14}*e^4 + 56*a^7*c^5*d^{12}*e^6 + 70*a^8*c^4*d^{10}*e^8 + 56*a^9*c^3*d^8*e^{10} + 28*a^{10}*c^2*d^6*e^{12}))) + (x*((49*a^4*e^8*(-a^7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^3)^{(1/2)} + 12*a^4*c^5*d^7*e - 252*a^7*c^2*d*e^7 + 156*a^5*c^4*d^5*e^3 + 404*a^6*c^3*d^3*e^5 + 68*a*c^3*d^6*e^2*(-a^7*c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(-a^7*c^3)^{(1/2)} + 30*a^2*c^2*d^4*e^4*(-a^7*c^3)^{(1/2)}))/((256*(a^{13}*e^{12} + a^7*c^6*d^{12} + 6*a^{12}*c*d^2*e^{10} + 6*a^8*c^5*d^{10}*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^{10}*c^3*d^6*e^6 + 15*a^{11}*c^2*d^4*e^8)))^{(1/2)} * (65536*a^6*c^{15}*d^{24}*e^3 + 589824*a^7*c^{14}*d^{22}*e^5 + 2293760*a^8*c^{13}*d^{20}*e^7 + 4915200*a^9*c^{12}*d^{18}*e^9 + 5898240*a^{10}*c^{11}*d^{16}*e^{11} + 2752512*a^{11}*c^{10}*d^{14}*e^{13} - 2752512*a^{12}*c^9*d^{12}*e^{15} - 5898240*a^{13}*c^8*d^{10}*e^{17} - 4915200*a^{14}*c^7*d^8*e^{19} - 2293760*a^{15}*c^6*d^6*e^{21} - 589824*a^{16}*c^5*d^4*e^{23} - 65536*a^{17}*c^4*d^2*e^{25}))/((128*(a^4*c^8*d^{18} + a^{12}*d^2*e^{16} + 8*a^{11}*c*d^4*e^{14} + 8*a^5*c^7*d^{16}*e^2 + 28*a^6*c^6*d^{14}*e^4 + 56*a^7*c^5*d^{12}*e^6 + 70*a^8*c^4*d^{10}*e^8 + 56*a^9*c^3*d^8*e^{10} + 28*a^{10}*c^2*d^6*e^{12}))) * ((49*a^4*e^8*(-a^7*c^3)^{(1/2)} + 9*c^4*d^8*(-a^7*c^3)^{(1/2)} + 12*a^4*c^5*d^7*e - 252*a^7*c^2*d*e^7 + 156*a^5*c^4*d^5*e^3 + 404*a^6*c^3*d^3*e^5 + 68*a*c^3*d^6*e^2*(-a^7*c^3)^{(1/2)} - 492*a^3*c*d^2*e^6*(-a^7*c^3)^{(1/2)} + 30*a^2*c^2*d^4*e^4*(-a^7*c^3)^{(1/2)}))/((256*(a^{13}*e^{12} + a^7*c^6*d^{12} + 6*a^{12}*c*d^2*e^{10} + 6*a^8*c^5*d^{10}*e^2 + 15*a^9*c^4*d^8*e^4 + 20*a^{10}*c^3*d^6*e^6 + 15*a^{11}*c^2*d^4*e^8)))^{(1/2)} + (x*(4096*a^{12}*c^5*d*e^{22} - 1152*a^2*c^{15}*d^{21}*e^2 - 15232*a^3*c^{14}*d^{19}*e^4 - 78336*a^4
\end{aligned}$$

$$\begin{aligned}
& *c^{13}d^{17}e^6 - 140800a^5c^{12}d^{15}e^8 + 489728a^6c^{11}d^{13}e^{10} + 221 \\
& 9776a^7c^{10}d^{11}e^{12} + 3155456a^8c^9d^9e^{14} + 1901056a^9c^8d^7e^{16} + 362368a^{10}c^7d^5e^{18} - 32640a^{11}c^6d^3e^{20}) / (128*(a^4c^8d^{18} \\
& + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 2 \\
& 8a^{10}c^2d^6e^{12})) * ((49a^4e^8*(-a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c^3)^{(1/2)} + 12a^4c^5d^7e - 252a^7c^2d^7e^7 + 156a^5c^4d^5e^3 + 404a^6c^3d^3e^5 \\
& + 68a^6c^3d^6e^2*(-a^7c^3)^{(1/2)} - 492a^3c^3d^2e^6*(-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4*(-a^7c^3)^{(1/2)}) / (256*(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c^5d^{10}e^2 \\
& + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8)))^{(1/2)} * ((49a^4e^8*(-a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c^3)^{(1/2)} + 12a^4c^5d^7e - 252a^7c^2d^7e^7 + 1 \\
& 56a^5c^4d^5e^3 + 404a^6c^3d^3e^5 + 68a^6c^3d^6e^2*(-a^7c^3)^{(1/2)} - 492a^3c^3d^2e^6*(-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4*(-a^7c^3)^{(1/2)}) / (256*(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c^5d^{10}e^2 \\
& + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8)))^{(1/2)} + (x*(81c^{13}d^{14}e^5 - 392a^7c^6e^{19} + 1206a^6c^{12}d^{12}e^7 + 12247a^2c^{11}d^{10}e^9 + 58636a^3c^{10}d^8e^{11} + 114927a^4c^9d^6e^{13} - 1306a^5c^8d^4e^{15} - 3575a^6c^7d^2e^{17})) / (128*(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) * ((49a^4e^8*(-a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c^3)^{(1/2)} + 12a^4c^5d^7e - 252a^7c^2d^7e^7 + 156a^5c^4d^5e^3 + 404a^6c^3d^3e^5 + 68a^6c^3d^6e^2*(-a^7c^3)^{(1/2)} - 492a^3c^3d^2e^6*(-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4*(-a^7c^3)^{(1/2)}) / (256*(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8)))^{(1/2)} - (729c^{11}d^9e^8 + 2916a^6c^{10}d^7e^{10} + 2009a^4c^7d^5e^{16} - 2538a^2c^9d^5e^{12} + 17764a^3c^8d^3e^{14}) / (256*(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) * ((49a^4e^8*(-a^7c^3)^{(1/2)} + 9c^4d^8*(-a^7c^3)^{(1/2)} + 12a^4c^5d^7e - 252a^7c^2d^7e^7 + 156a^5c^4d^5e^3 + 404a^6c^3d^3e^5 + 68a^6c^3d^6e^2*(-a^7c^3)^{(1/2)} - 492a^3c^3d^2e^6*(-a^7c^3)^{(1/2)} + 30a^2c^2d^4e^4*(-a^7c^3)^{(1/2)}) / (256*(a^{13}e^{12} + a^7c^6d^{12} + 6a^{12}c^5d^{10}e^2 + 15a^9c^4d^8e^4 + 20a^{10}c^3d^6e^6 + 15a^{11}c^2d^4e^8)))^{(1/2)} * 2i + (atan(((x*(81c^{13}d^{14}e^5 - 392a^7c^6e^{19} + 1206a^6c^{12}d^{12}e^7 + 12247a^2c^{11}d^{10}e^9 + 58636a^3c^{10}d^8e^{11} + 114927a^4c^9d^6e^{13} - 1306a^5c^8d^4e^{15} - 3575a^6c^7d^2e^{17})) / (128*(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) - (((7a^{10}c^5e^{21} + (9a^6c^{14}d^{18}e^3)/4 + (103a^2c^{13}d^{16}e^5)/4 + (429a^3c^{12}d^{14}e^7)/4 + (2319a^4c^{11}d^{12}e^9)/4 + (10019a^5c^{10}d^{10}e^{11})/4 + (6009a^6c^9d^8e^{13})/4 - (11105a^7c^8d^6e^{15})/4 - (9803a^8c^7d^4e^{17})/4 - 174a^9c^6d^2e^{19}) / (a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})))
\end{aligned}$$

$$\begin{aligned}
& 2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12} \\
& + ((a^2e^2 + 9c^2d^2)(-d^3e^7)^{1/2})((x(4096a^{12}c^5d^2e^{22} - 1152a^2c^{15}d^{21}e^2 - 15232a^3c^{14}d^{19}e^4 - 78336a^4c^{13}d^{17}e^6 - 140800a^5c^{12}d^{15}e^8 + 489728a^6c^{11}d^{13}e^{10} + 2219776a^7c^{10}d^{11}e^{12} + 3155456a^8c^9d^9e^{14} + 1901056a^9c^8d^7e^{16} + 362368a^{10}c^7d^5e^{18} - 32640a^{11}c^6d^3e^{20}))/((128(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) - (((128a^{15}c^4d^4e^{24} - 48a^4c^{15}d^{23}e^2 - 416a^5c^{14}d^{21}e^4 - 688a^6c^{13}d^{19}e^6 + 3840a^7c^{12}d^{17}e^8 + 21408a^8c^{11}d^{15}e^{10} + 49728a^9c^{10}d^{13}e^{12} + 67872a^{10}c^9d^{11}e^{14} + 58752a^{11}c^8d^9e^{16} + 32400a^{12}c^7d^7e^{18} + 10848a^{13}c^6d^5e^{20} + 1936a^{14}c^5d^3e^{22}))/((a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) - (x(a^2e^2 + 9c^2d^2)(-d^3e^7)^{1/2})(65536a^6c^{15}d^{24}e^3 + 589824a^7c^{14}d^{22}e^5 + 2293760a^8c^{13}d^{20}e^7 + 4915200a^9c^{12}d^{18}e^9 + 5898240a^{10}c^{11}d^{16}e^{11} + 2752512a^{11}c^{10}d^{14}e^{13} - 2752512a^{12}c^9d^{12}e^{15} - 5898240a^{13}c^8d^{10}e^{17} - 4915200a^{14}c^7d^8e^{19} - 2293760a^{15}c^6d^6e^{21} - 589824a^{16}c^5d^4e^{23} - 65536a^{17}c^4d^2e^{25}))/((512(c^3d^9 + a^3d^3e^6 + 3a^2c^2d^7e^2 + 3a^2c^2d^5e^4))(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12}))) * (a^2e^2 + 9c^2d^2)(-d^3e^7)^{1/2}) / (4(c^3d^9 + a^3d^3e^6 + 3a^2c^2d^7e^2 + 3a^2c^2d^5e^4))) / (4(c^3d^9 + a^3d^3e^6 + 3a^2c^2d^7e^2 + 3a^2c^2d^5e^4))) * (a^2e^2 + 9c^2d^2)(-d^3e^7)^{1/2}) / (4(c^3d^9 + a^3d^3e^6 + 3a^2c^2d^7e^2 + 3a^2c^2d^5e^4))) * (a^2e^2 + 9c^2d^2)(-d^3e^7)^{1/2}) / (4(c^3d^9 + a^3d^3e^6 + 3a^2c^2d^7e^2 + 3a^2c^2d^5e^4))) + (((x(81c^{13}d^{14}e^5 - 392a^7c^6e^{19} + 1206a^2c^{12}d^{12}e^7 + 12247a^2c^{11}d^{10}e^9 + 58636a^3c^{10}d^8e^{11} + 114927a^4c^9d^6e^{13} - 1306a^5c^8d^4e^{15} - 3575a^6c^7d^2e^{17}))/((128(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) + (((7a^{10}c^5e^{21} + (9a^2c^{14}d^{18}e^3)/4 + (103a^2c^{13}d^{16}e^5)/4 + (429a^3c^{12}d^{14}e^7)/4 + (2319a^4c^{11}d^{12}e^9)/4 + (10019a^5c^{10}d^{10}e^{11})/4 + (6009a^6c^9d^8e^{13})/4 - (11105a^7c^8d^6e^{15})/4 - (9803a^8c^7d^4e^{17})/4 - 174a^9c^6d^2e^{19}))/((a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) - ((a^2e^2 + 9c^2d^2)(-d^3e^7)^{1/2})((x(4096a^{12}c^5d^2e^{22} - 1152a^2c^{15}d^{21}e^2 - 15232a^3c^{14}d^{19}e^4 - 78336a^4c^{13}d^{17}e^6 - 140800a^5c^{12}d^{15}e^8 + 489728a^6c^{11}d^{13}e^{10} + 2219776a^7c^{10}d^{11}e^{12} + 3155456a^8c^9d^9e^{14} + 1901056a^9c^8d^7e^{16} + 362368a^{10}c^7d^5e^{18} - 32640a^{11}c^6d^3e^{20}))/((128(a^4c^8d^{18} + a^{12}d^2e^{16}
\end{aligned}$$

$$\begin{aligned}
& + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12} \\
& + 12) + (((128a^{15}c^4d^4e^{24} - 48a^4c^{15}d^{23}e^2 - 416a^5c^{14}d^{21}e^4 - 688a^6c^{13}d^{19}e^6 + 3840a^7c^{12}d^{17}e^8 + 21408a^8c^{11}d^{15}e^{10} \\
& + 49728a^9c^{10}d^{13}e^{12} + 67872a^{10}c^9d^{11}e^{14} + 58752a^{11}c^8d^9e^{16} + 32400a^{12}c^7d^7e^{18} + 10848a^{13}c^6d^5e^{20} + 1936a^{14}c^5d^3e^{22}) \\
& / (a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} \\
& + 28a^{10}c^2d^6e^{12}) + (x(ae^2 + 9cd^2))(-d^3e^7)^{(1/2)}(65536a^6c^{15}d^{24}e^3 + 589824a^7c^{14}d^{22}e^5 + 2293760a^8c^{13}d^{20}e^7 + 4915200a^9c^{12}d^{18}e^9 \\
& + 5898240a^{10}c^{11}d^{16}e^{11} + 2752512a^{11}c^{10}d^{14}e^{13} - 2752512a^{12}c^9d^{12}e^{15} - 5898240a^{13}c^8d^{10}e^{17} - 4915200a^{14}c^7d^8e^{19} - 2293760a^{15}c^6d^6e^{21} - 589824a^{16}c^5d^4e^{23} \\
& - 65536a^{17}c^4d^2e^{25}) / (512(c^3d^9 + a^3d^3e^6 + 3a^2c^2d^7e^2 + 3a^2c^2d^5e^4))(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 \\
& + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) * (ae^2 + 9cd^2) * (-d^3e^7)^{(1/2)} / (4(c^3d^9 + a^3d^3e^6 + 3a^2c^2d^7e^2 + 3a^2c^2d^5e^4))) \\
& / (4(c^3d^9 + a^3d^3e^6 + 3a^2c^2d^7e^2 + 3a^2c^2d^5e^4))) * (ae^2 + 9cd^2) * (-d^3e^7)^{(1/2)} / (4(c^3d^9 + a^3d^3e^6 + 3a^2c^2d^7e^2 + 3a^2c^2d^5e^4))) \\
& * (ae^2 + 9cd^2) * (-d^3e^7)^{(1/2)} * i / (4(c^3d^9 + a^3d^3e^6 + 3a^2c^2d^7e^2 + 3a^2c^2d^5e^4))) / (((729c^{11}d^9e^8)/256 + (729a^2c^{10}d^7e^{10})/64 + (2009a^4c^7d^5e^{16})/256 - (1269a^2c^9d^5e^{12})/128 \\
& + (4441a^3c^8d^3e^{14})/64) / (a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} \\
& + 28a^{10}c^2d^6e^{12}) + (((x(81c^{13}d^{14}e^5 - 392a^7c^6e^{19} + 1206a^2c^{12}d^{12}e^7 + 12247a^2c^{11}d^{10}e^9 + 58636a^3c^{10}d^8e^{11} + 114927a^4c^9d^6e^{13} - 1306a^5c^8d^4e^{15} \\
& - 3575a^6c^7d^2e^{17})) / (128(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} \\
& + 28a^{10}c^2d^6e^{12})) - (((7a^{10}c^5e^{21} + (9a^2c^{14}d^{18}e^3)/4 + (103a^2c^{13}d^{16}e^5)/4 + (429a^3c^{12}d^{14}e^7)/4 + (2319a^4c^{11}d^{12}e^9)/4 + (10019a^5c^{10}d^{10}e^{11})/4 \\
& + (6009a^6c^9d^8e^{13})/4 - (11105a^7c^8d^6e^{15})/4 - (9803a^8c^7d^4e^{17})/4 - 174a^9c^6d^2e^{19}) / (a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 \\
& + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12}) + ((ae^2 + 9cd^2) * (-d^3e^7)^{(1/2)} * ((x(4096a^{12}c^5d^2e^{22} - 1152a^2c^{15}d^{21}e^2 - 15232a^3c^{14}d^{19}e^4 - 78336a^4c^{13}d^{17}e^6 - 140800a^5c^{12}d^{15}e^8 + 489728a^6c^{11}d^{13}e^{10} + 2219776a^7c^{10}d^{11}e^{12} + 3155456a^8c^9d^9e^{14} + 1901056a^9c^8d^7e^{16} + 362368a^{10}c^7d^5e^{18} - 32640a^{11}c^6d^3e^{20})) / (128(a^4c^8d^{18} + a^{12}d^2e^{16} + 8a^{11}c^4d^4e^{14} + 8a^5c^7d^{16}e^2 + 28a^6c^6d^{14}e^4 + 56a^7c^5d^{12}e^6 + 70a^8c^4d^{10}e^8 + 56a^9c^3d^8e^{10} + 28a^{10}c^2d^6e^{12})) - (((128a^{15}c^4d^4e^{24} - 48a^4c^{15}d^{23}e^2 -
\end{aligned}$$

$$\begin{aligned}
& 416*a^5*c^14*d^21*e^4 - 688*a^6*c^13*d^19*e^6 + 3840*a^7*c^12*d^17*e^8 + 2 \\
& 1408*a^8*c^11*d^15*e^10 + 49728*a^9*c^10*d^13*e^12 + 67872*a^10*c^9*d^11*e^ \\
& 14 + 58752*a^11*c^8*d^9*e^16 + 32400*a^12*c^7*d^7*e^18 + 10848*a^13*c^6*d^5 \\
& *e^20 + 1936*a^14*c^5*d^3*e^22)/(a^4*c^8*d^18 + a^12*d^2*e^16 + 8*a^11*c*d^ \\
& 4*e^14 + 8*a^5*c^7*d^16*e^2 + 28*a^6*c^6*d^14*e^4 + 56*a^7*c^5*d^12*e^6 + 7 \\
& 0*a^8*c^4*d^10*e^8 + 56*a^9*c^3*d^8*e^10 + 28*a^10*c^2*d^6*e^12) - (x*(a*e^ \\
& 2 + 9*c*d^2)*(-d^3*e^7)^(1/2)*(65536*a^6*c^15*d^24*e^3 + 589824*a^7*c^14*d^ \\
& 22*e^5 + 2293760*a^8*c^13*d^20*e^7 + 4915200*a^9*c^12*d^18*e^9 + 5898240*a^ \\
& 10*c^11*d^16*e^11 + 2752512*a^11*c^10*d^14*e^13 - 2752512*a^12*c^9*d^12*e^1 \\
& 5 - 5898240*a^13*c^8*d^10*e^17 - 4915200*a^14*c^7*d^8*e^19 - 2293760*a^15*c \\
& ^6*d^6*e^21 - 589824*a^16*c^5*d^4*e^23 - 65536*a^17*c^4*d^2*e^25))/(512*(c^ \\
& 3*d^9 + a^3*d^3*e^6 + 3*a*c^2*d^7*e^2 + 3*a^2*c*d^5*e^4)*(a^4*c^8*d^18 + a^ \\
& 12*d^2*e^16 + 8*a^11*c*d^4*e^14 + 8*a^5*c^7*d^16*e^2 + 28*a^6*c^6*d^14*e^4 \\
& + 56*a^7*c^5*d^12*e^6 + 70*a^8*c^4*d^10*e^8 + 56*a^9*c^3*d^8*e^10 + 28*a^10 \\
& *c^2*d^6*e^12)))*(a*e^2 + 9*c*d^2)*(-d^3*e^7)^(1/2))/(4*(c^3*d^9 + a^3*d^3* \\
& e^6 + 3*a*c^2*d^7*e^2 + 3*a^2*c*d^5*e^4)))/(4*(c^3*d^9 + a^3*d^3*e^6 + 3*a \\
& *c^2*d^7*e^2 + 3*a^2*c*d^5*e^4)))*(a*e^2 + 9*c*d^2)*(-d^3*e^7)^(1/2))/(4*(c \\
& ^3*d^9 + a^3*d^3*e^6 + 3*a*c^2*d^7*e^2 + 3*a^2*c*d^5*e^4)))*(a*e^2 + 9*c*d^ \\
& 2)*(-d^3*e^7)^(1/2))/(4*(c^3*d^9 + a^3*d^3*e^6 + 3*a*c^2*d^7*e^2 + 3*a^2*c* \\
& d^5*e^4)) - (((x*(81*c^13*d^14*e^5 - 392*a^7*c^6*e^19 + 1206*a*c^12*d^12*e^ \\
& 7 + 12247*a^2*c^11*d^10*e^9 + 58636*a^3*c^10*d^8*e^11 + 114927*a^4*c^9*d^6* \\
& e^13 - 1306*a^5*c^8*d^4*e^15 - 3575*a^6*c^7*d^2*e^17))/(128*(a^4*c^8*d^18 + \\
& a^12*d^2*e^16 + 8*a^11*c*d^4*e^14 + 8*a^5*c^7*d^16*e^2 + 28*a^6*c^6*d^14*e \\
& ^4 + 56*a^7*c^5*d^12*e^6 + 70*a^8*c^4*d^10*e^8 + 56*a^9*c^3*d^8*e^10 + 28*a \\
& ^10*c^2*d^6*e^12)) + (((7*a^10*c^5*e^21 + (9*a*c^14*d^18*e^3)/4 + (103*a^2* \\
& c^13*d^16*e^5)/4 + (429*a^3*c^12*d^14*e^7)/4 + (2319*a^4*c^11*d^12*e^9)/4 + \\
& (10019*a^5*c^10*d^10*e^11)/4 + (6009*a^6*c^9*d^8*e^13)/4 - (11105*a^7*c^8* \\
& d^6*e^15)/4 - (9803*a^8*c^7*d^4*e^17)/4 - 174*a^9*c^6*d^2*e^19)/(a^4*c^8*d^ \\
& 18 + a^12*d^2*e^16 + 8*a^11*c*d^4*e^14 + 8*a^5*c^7*d^16*e^2 + 28*a^6*c^6*d^ \\
& 14*e^4 + 56*a^7*c^5*d^12*e^6 + 70*a^8*c^4*d^10*e^8 + 56*a^9*c^3*d^8*e^10 + \\
& 28*a^10*c^2*d^6*e^12) - ((a*e^2 + 9*c*d^2)*(-d^3*e^7)^(1/2))*((x*(4096*a^12* \\
& c^5*d^e^22 - 1152*a^2*c^15*d^21*e^2 - 15232*a^3*c^14*d^19*e^4 - 78336*a^4*c \\
& ^13*d^17*e^6 - 140800*a^5*c^12*d^15*e^8 + 489728*a^6*c^11*d^13*e^10 + 22197 \\
& 76*a^7*c^10*d^11*e^12 + 3155456*a^8*c^9*d^9*e^14 + 1901056*a^9*c^8*d^7*e^16 \\
& + 362368*a^10*c^7*d^5*e^18 - 32640*a^11*c^6*d^3*e^20))/(128*(a^4*c^8*d^18 \\
& + a^12*d^2*e^16 + 8*a^11*c*d^4*e^14 + 8*a^5*c^7*d^16*e^2 + 28*a^6*c^6*d^14* \\
& e^4 + 56*a^7*c^5*d^12*e^6 + 70*a^8*c^4*d^10*e^8 + 56*a^9*c^3*d^8*e^10 + 28* \\
& a^10*c^2*d^6*e^12)) + (((128*a^15*c^4*d^e^24 - 48*a^4*c^15*d^23*e^2 - 416*a \\
& ^5*c^14*d^21*e^4 - 688*a^6*c^13*d^19*e^6 + 3840*a^7*c^12*d^17*e^8 + 21408*a \\
& ^8*c^11*d^15*e^10 + 49728*a^9*c^10*d^13*e^12 + 67872*a^10*c^9*d^11*e^14 + 5 \\
& 8752*a^11*c^8*d^9*e^16 + 32400*a^12*c^7*d^7*e^18 + 10848*a^13*c^6*d^5*e^20 \\
& + 1936*a^14*c^5*d^3*e^22)/(a^4*c^8*d^18 + a^12*d^2*e^16 + 8*a^11*c*d^4*e^14 \\
& + 8*a^5*c^7*d^16*e^2 + 28*a^6*c^6*d^14*e^4 + 56*a^7*c^5*d^12*e^6 + 70*a^8* \\
& c^4*d^10*e^8 + 56*a^9*c^3*d^8*e^10 + 28*a^10*c^2*d^6*e^12) + (x*(a*e^2 + 9* \\
& c*d^2)*(-d^3*e^7)^(1/2)*(65536*a^6*c^15*d^24*e^3 + 589824*a^7*c^14*d^22*e^5
\end{aligned}$$

$$\begin{aligned} & + 2293760*a^8*c^{13}*d^{20}*e^7 + 4915200*a^9*c^{12}*d^{18}*e^9 + 5898240*a^{10}*c^{11}*d^{16}*e^{11} + 2752512*a^{11}*c^{10}*d^{14}*e^{13} - 2752512*a^{12}*c^9*d^{12}*e^{15} - 5898240*a^{13}*c^8*d^{10}*e^{17} - 4915200*a^{14}*c^7*d^8*e^{19} - 2293760*a^{15}*c^6*d^6*e^{21} - 589824*a^{16}*c^5*d^4*e^{23} - 65536*a^{17}*c^4*d^2*e^{25}) / (512*(c^3*d^9 + a^3*d^3*e^6 + 3*a*c^2*d^7*e^2 + 3*a^2*c*d^5*e^4)*(a^4*c^8*d^{18} + a^{12}*d^2*e^{16} + 8*a^{11}*c*d^4*e^{14} + 8*a^5*c^7*d^{16}*e^2 + 28*a^6*c^6*d^{14}*e^4 + 56*a^7*c^5*d^{12}*e^6 + 70*a^8*c^4*d^{10}*e^8 + 56*a^9*c^3*d^8*e^{10} + 28*a^{10}*c^2*d^6*e^{12}))*(a*e^2 + 9*c*d^2)*(-d^3*e^7)^{(1/2)}) / (4*(c^3*d^9 + a^3*d^3*e^6 + 3*a*c^2*d^7*e^2 + 3*a^2*c*d^5*e^4))) / (4*(c^3*d^9 + a^3*d^3*e^6 + 3*a*c^2*d^7*e^2 + 3*a^2*c*d^5*e^4))*(a*e^2 + 9*c*d^2)*(-d^3*e^7)^{(1/2)}) / (4*(c^3*d^9 + a^3*d^3*e^6 + 3*a*c^2*d^7*e^2 + 3*a^2*c*d^5*e^4))*(a*e^2 + 9*c*d^2)*(-d^3*e^7)^{(1/2)}) / (4*(c^3*d^9 + a^3*d^3*e^6 + 3*a*c^2*d^7*e^2 + 3*a^2*c*d^5*e^4))*(a*e^2 + 9*c*d^2)*(-d^3*e^7)^{(1/2)}) / (4*(c^3*d^9 + a^3*d^3*e^6 + 3*a*c^2*d^7*e^2 + 3*a^2*c*d^5*e^4))*(a*e^2 + 9*c*d^2)*(-d^3*e^7)^{(1/2)}) / (4*(c^3*d^9 + a^3*d^3*e^6 + 3*a*c^2*d^7*e^2 + 3*a^2*c*d^5*e^4))*(a*e^2 + 9*c*d^2)*(-d^3*e^7)^{(1/2)}) / (2*(c^3*d^9 + a^3*d^3*e^6 + 3*a*c^2*d^7*e^2 + 3*a^2*c*d^5*e^4))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)**2/(c*x**4+a)**2,x)

[Out] Timed out

$$3.150 \quad \int \frac{(d+ex^2)^4}{\sqrt{a+cx^4}} dx$$

Optimal. Leaf size=388

$$\frac{(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} (-252a^{3/2}\sqrt{c}de^3 + 25a^2e^4 + 420\sqrt{a}c^{3/2}d^3e - 210acd^2e^2 + 105c^2d^4) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\right)}{210\sqrt[4]{a}c^{9/4}\sqrt{a+cx^4}}$$

[Out] $1/21*e^2*(-5*a*e^2+42*c*d^2)*x*(c*x^4+a)^{(1/2)}/c^2+4/5*d*e^3*x^3*(c*x^4+a)^{(1/2)}/c+1/7*e^4*x^5*(c*x^4+a)^{(1/2)}/c+4/5*d*e*(-3*a*e^2+5*c*d^2)*x*(c*x^4+a)^{(1/2)}/c^{(3/2)}/(a^{(1/2)}+x^2*c^{(1/2)})-4/5*a^{(1/4)}*d*e*(-3*a*e^2+5*c*d^2)*(cos(2*arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/cos(2*arctan(c^{(1/4)}*x/a^{(1/4)}))*EllipticE(sin(2*arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+a)/(a^{(1/2)}+x^2*c^{(1/2)}))^2)^{(1/2)}/c^{(7/4)}/(c*x^4+a)^{(1/2)}+1/210*(cos(2*arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/cos(2*arctan(c^{(1/4)}*x/a^{(1/4)}))*EllipticF(sin(2*arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(105*c^2*d^4-210*a*c*d^2*e^2+25*a^2*e^4+420*c^{(3/2)}*d^3*e*a^{(1/2)}-252*a^{(3/2)}*d*e^3*c^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+a)/(a^{(1/2)}+x^2*c^{(1/2)}))^2)^{(1/2)}/a^{(1/4)}/c^{(9/4)}/(c*x^4+a)^{(1/2)}$

Rubi [A] time = 0.42, antiderivative size = 386, normalized size of antiderivative = 0.99, number of steps used = 6, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1207, 1888, 1198, 220, 1196}

$$\frac{(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} (5(5a^2e^4 - 42acd^2e^2 + 21c^2d^4) + 84\sqrt{a}\sqrt{c}de(5cd^2 - 3ae^2)) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\middle|\frac{1}{2}\right)}{210\sqrt[4]{a}c^{9/4}\sqrt{a+cx^4}} +$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^4/Sqrt[a + c*x^4], x]

[Out] $(e^2*(42*c*d^2 - 5*a*e^2)*x*\text{Sqrt}[a + c*x^4])/(21*c^2) + (4*d*e^3*x^3*\text{Sqrt}[a + c*x^4])/(5*c) + (e^4*x^5*\text{Sqrt}[a + c*x^4])/(7*c) + (4*d*e*(5*c*d^2 - 3*a*e^2)*x*\text{Sqrt}[a + c*x^4])/(5*c^{(3/2)}*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)) - (4*a^{(1/4)}*d*e*(5*c*d^2 - 3*a*e^2)*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], 1/2])/(5*c^{(7/4)}*\text{Sqrt}[a + c*x^4]) + ((84*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e*(5*c*d^2 - 3*a*e^2) + 5*(21*c^2*d^4 - 42*a*c*d^2*e^2 + 5*a^2*e^4))*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], 1/2])/(210*a^{(1/4)}*c^{(9/4)}*\text{Sqrt}[a + c*x^4])$

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x]
, 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1207

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Sim
p[(e^q*x^(2*q - 3)*(a + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c
*(4*p + 2*q + 1)), Int[(a + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x
^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x]
, x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[q, 1]
```

Rule 1888

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x
]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum
[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^
n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1
)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[
p + (q + 1)/(2*n)]) /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^4}{\sqrt{a + cx^4}} dx &= \frac{e^4 x^5 \sqrt{a + cx^4}}{7c} + \frac{\int \frac{7cd^4 + 28cd^3 ex^2 + e^2(42cd^2 - 5ae^2)x^4 + 28cde^3 x^6}{\sqrt{a + cx^4}} dx}{7c} \\
&= \frac{4de^3 x^3 \sqrt{a + cx^4}}{5c} + \frac{e^4 x^5 \sqrt{a + cx^4}}{7c} + \frac{\int \frac{35c^2 d^4 + 28cde(5cd^2 - 3ae^2)x^2 + 5ce^2(42cd^2 - 5ae^2)x^4}{\sqrt{a + cx^4}} dx}{35c^2} \\
&= \frac{e^2(42cd^2 - 5ae^2)x\sqrt{a + cx^4}}{21c^2} + \frac{4de^3 x^3 \sqrt{a + cx^4}}{5c} + \frac{e^4 x^5 \sqrt{a + cx^4}}{7c} + \frac{\int \frac{5c(21c^2 d^4 - 42acd^2 e^2 + 5a^2 e^4) +}{\sqrt{a + cx^4}}}{105c^3} \\
&= \frac{e^2(42cd^2 - 5ae^2)x\sqrt{a + cx^4}}{21c^2} + \frac{4de^3 x^3 \sqrt{a + cx^4}}{5c} + \frac{e^4 x^5 \sqrt{a + cx^4}}{7c} - \frac{(4\sqrt{a} de(5cd^2 - 3ae^2)) \int}{5c^{3/2}} \\
&= \frac{e^2(42cd^2 - 5ae^2)x\sqrt{a + cx^4}}{21c^2} + \frac{4de^3 x^3 \sqrt{a + cx^4}}{5c} + \frac{e^4 x^5 \sqrt{a + cx^4}}{7c} + \frac{4de(5cd^2 - 3ae^2)x\sqrt{a +}}{5c^{3/2}(\sqrt{a} + \sqrt{c}x^2)}
\end{aligned}$$

Mathematica [C] time = 0.21, size = 203, normalized size = 0.52

$$\frac{ex \left(-25a^2 e^3 + 28cdx^2 \sqrt{\frac{cx^4}{a}} + 1 (5cd^2 - 3ae^2) {}_2F_1 \left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{cx^4}{a} \right) + 2ace(105d^2 + 42dex^2 - 5e^2x^4) + 3c^2ex^4(70d^2 \right)}{105c^2 \sqrt{a + cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^4/Sqrt[a + c*x^4], x]

[Out] (5*(21*c^2*d^4 - 42*a*c*d^2*e^2 + 5*a^2*e^4)*x*Sqrt[1 + (c*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((c*x^4)/a)] + e*x*(-25*a^2*e^3 + 2*a*c*e*(105*d^2 + 42*d*e*x^2 - 5*e^2*x^4) + 3*c^2*e*x^4*(70*d^2 + 28*d*e*x^2 + 5*e^2*x^4) + 28*c*d*(5*c*d^2 - 3*a*e^2)*x^2*Sqrt[1 + (c*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -((c*x^4)/a)])/(105*c^2*Sqrt[a + c*x^4])

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{e^4 x^8 + 4de^3 x^6 + 6d^2 e^2 x^4 + 4d^3 ex^2 + d^4}{\sqrt{cx^4 + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4/(c*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral((e^4*x^8 + 4*d*e^3*x^6 + 6*d^2*e^2*x^4 + 4*d^3*e*x^2 + d^4)/sqrt(c*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^4}{\sqrt{cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4/(c*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^4/sqrt(c*x^4 + a), x)

maple [C] time = 0.02, size = 506, normalized size = 1.30

$$\frac{\sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} d^4 \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}x, i\right) + 4i\sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \left(-\operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}x, i\right) + \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}x, i\right)\right)}{\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4 + a} \sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^4/(c*x^4+a)^(1/2),x)

[Out] e^4*(1/7/c*x^5*(c*x^4+a)^(1/2)-5/21*a/c^2*x*(c*x^4+a)^(1/2)+5/21*a^2/c^2/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*c^(1/2))^(1/2)*x,I))+4*d*e^3*(1/5/c*x^3*(c*x^4+a)^(1/2)-3/5*I*a^(3/2)/c^(3/2)/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*(EllipticF((I/a^(1/2)*c^(1/2))^(1/2)*x,I)-EllipticE((I/a^(1/2)*c^(1/2))^(1/2)*x,I))+6*d^2*e^2*(1/3*(c*x^4+a)^(1/2)/c*x-1/3*a/c/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*c^(1/2))^(1/2)*x,I))+4*I*d^3*e*a^(1/2)/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)/c^(1/2)*(EllipticF((I/a^(1/2)*c^(1/2))^(1/2)*x,I)-EllipticE((I/a^(1/2)*c^(1/2))^(1/2)*x,I))+d^4/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*c^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^4}{\sqrt{cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4/(c*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^4/sqrt(c*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^4}{\sqrt{cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^4/(a + c*x^4)^(1/2),x)

[Out] int((d + e*x^2)^4/(a + c*x^4)^(1/2), x)

sympy [C] time = 6.17, size = 214, normalized size = 0.55

$$\frac{d^4 x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{5}{4}\right)} + \frac{d^3 e x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{4} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{\sqrt{a} \Gamma\left(\frac{7}{4}\right)} + \frac{3d^2 e^2 x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{5}{4} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{2\sqrt{a} \Gamma\left(\frac{9}{4}\right)} + \frac{d e^3 x^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{7}{4}, \frac{7}{4} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{\sqrt{a} \Gamma\left(\frac{11}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**4/(c*x**4+a)**(1/2),x)

[Out] d**4*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), c*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) + d**3*e*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), c*x**4*exp_polar(I*pi)/a)/(sqrt(a)*gamma(7/4)) + 3*d**2*e**2*x**5*gamma(5/4)*hyper((1/2, 5/4), (9/4,), c*x**4*exp_polar(I*pi)/a)/(2*sqrt(a)*gamma(9/4)) + d*e**3*x**7*gamma(7/4)*hyper((1/2, 7/4), (11/4,), c*x**4*exp_polar(I*pi)/a)/(sqrt(a)*gamma(11/4)) + e**4*x**9*gamma(9/4)*hyper((1/2, 9/4), (13/4,), c*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(13/4))

$$3.151 \quad \int \frac{(d+ex^2)^3}{\sqrt{a+cx^4}} dx$$

Optimal. Leaf size=326

$$\frac{3ex\sqrt{a+cx^4} (5cd^2 - ae^2)}{5c^{3/2} (\sqrt{a} + \sqrt{c}x^2)} + \frac{3\sqrt[4]{a}e (\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} (5cd^2 - ae^2) E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{5c^{7/4}\sqrt{a+cx^4}} + \dots$$

[Out] $d^2 e^2 x (c x^4 + a)^{1/2} / c + 1/5 e^3 x^3 (c x^4 + a)^{1/2} / c + 3/5 e (-a e^2 + 5 c d^2) x (c x^4 + a)^{1/2} / c^{3/2} / (a^{1/2} + x^2 c^{1/2}) - 3/5 a^{1/4} e (-a e^2 + 5 c d^2) (\cos(2 \arctan(c^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \arctan(c^{1/4} x / a^{1/4})) * \text{EllipticE}(\sin(2 \arctan(c^{1/4} x / a^{1/4})), 1/2, 2^{1/2}) * (a^{1/2} + x^2 c^{1/2}) * ((c x^4 + a) / (a^{1/2} + x^2 c^{1/2}))^{1/2} / c^{7/4} / (c x^4 + a)^{1/2} + 1/10 a^{1/4} (\cos(2 \arctan(c^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \arctan(c^{1/4} x / a^{1/4})) * \text{EllipticF}(\sin(2 \arctan(c^{1/4} x / a^{1/4})), 1/2, 2^{1/2}) * (a^{1/2} + x^2 c^{1/2}) * (15 c d^2 e - 3 a e^3 + 5 d (-a e^2 + c d^2) c^{1/2} / a^{1/2}) * ((c x^4 + a) / (a^{1/2} + x^2 c^{1/2}))^{1/2} / c^{7/4} / (c x^4 + a)^{1/2}$

Rubi [A] time = 0.29, antiderivative size = 326, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1207, 1888, 1198, 220, 1196}

$$\frac{3ex\sqrt{a+cx^4} (5cd^2 - ae^2)}{5c^{3/2} (\sqrt{a} + \sqrt{c}x^2)} + \frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{5\sqrt{c}d(cd^2 - ae^2)}{\sqrt{a}} - 3ae^3 + 15cd^2e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt{a}}\right) \middle| \frac{1}{2}\right)}{10c^{7/4}\sqrt{a+cx^4}} + \dots$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^3/Sqrt[a + c*x^4], x]

[Out] $(d^2 e^2 x \text{Sqrt}[a + c x^4]) / c + (e^3 x^3 \text{Sqrt}[a + c x^4]) / (5 c) + (3 e (5 c d^2 - a e^2) x \text{Sqrt}[a + c x^4]) / (5 c^{3/2} (\text{Sqrt}[a] + \text{Sqrt}[c] x^2)) - (3 a^{1/4} e (5 c d^2 - a e^2) (\text{Sqrt}[a] + \text{Sqrt}[c] x^2) \text{Sqrt}[(a + c x^4) / (\text{Sqrt}[a] + \text{Sqrt}[c] x^2)] \text{EllipticE}[2 \text{ArcTan}[(c^{1/4} x) / a^{1/4}], 1/2]) / (5 c^{7/4} \text{Sqrt}[a + c x^4]) + (a^{1/4} (15 c d^2 e - 3 a e^3 + (5 \text{Sqrt}[c] d (c d^2 - a e^2)) / \text{Sqrt}[a]) (\text{Sqrt}[a] + \text{Sqrt}[c] x^2) \text{Sqrt}[(a + c x^4) / (\text{Sqrt}[a] + \text{Sqrt}[c] x^2)] \text{EllipticF}[2 \text{ArcTan}[(c^{1/4} x) / a^{1/4}], 1/2]) / (10 c^{7/4} \text{Sqrt}[a + c x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x]

, 1/2))/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + c*x^4]/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2))/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1207

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] :> Simp[(e^q*x^(2*q - 3)*(a + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[q, 1]

Rule 1888

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> With[{q = Expon[Pq, x]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[p + (q + 1)/(2*n)])] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^3}{\sqrt{a + cx^4}} dx &= \frac{e^3 x^3 \sqrt{a + cx^4}}{5c} + \frac{\int \frac{5cd^3 + 3e(5cd^2 - ae^2)x^2 + 15cde^2x^4}{\sqrt{a + cx^4}} dx}{5c} \\
&= \frac{de^2 x \sqrt{a + cx^4}}{c} + \frac{e^3 x^3 \sqrt{a + cx^4}}{5c} + \frac{\int \frac{15cd(cd^2 - ae^2) + 9ce(5cd^2 - ae^2)x^2}{\sqrt{a + cx^4}} dx}{15c^2} \\
&= \frac{de^2 x \sqrt{a + cx^4}}{c} + \frac{e^3 x^3 \sqrt{a + cx^4}}{5c} - \frac{(3\sqrt{a} e (5cd^2 - ae^2)) \int \frac{1 - \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{a + cx^4}} dx}{5c^{3/2}} + \frac{(5\sqrt{c} d (cd^2 - ae^2) + \dots)}{5} \\
&= \frac{de^2 x \sqrt{a + cx^4}}{c} + \frac{e^3 x^3 \sqrt{a + cx^4}}{5c} + \frac{3e(5cd^2 - ae^2)x\sqrt{a + cx^4}}{5c^{3/2}(\sqrt{a} + \sqrt{c}x^2)} - \frac{3\sqrt[4]{a}e(5cd^2 - ae^2)(\sqrt{a} + \sqrt{c}x^2)}{5}
\end{aligned}$$

Mathematica [C] time = 0.14, size = 140, normalized size = 0.43

$$\frac{5dx\sqrt{\frac{cx^4}{a} + 1} (cd^2 - ae^2) {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{cx^4}{a}\right) + ex\left(x^2\sqrt{\frac{cx^4}{a} + 1} (5cd^2 - ae^2) {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{cx^4}{a}\right) + e(a + cx^4)(5d + \dots)\right)}{5c\sqrt{a + cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^3/Sqrt[a + c*x^4], x]

[Out] (5*d*(c*d^2 - a*e^2)*x*Sqrt[1 + (c*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((c*x^4)/a)] + e*x*(e*(5*d + e*x^2)*(a + c*x^4) + (5*c*d^2 - a*e^2)*x^2*Sqrt[1 + (c*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -((c*x^4)/a)]))/(5*c*Sqrt[a + c*x^4])

fricas [F] time = 0.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^3x^6 + 3de^2x^4 + 3d^2ex^2 + d^3}{\sqrt{cx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral((e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3)/sqrt(c*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^3}{\sqrt{cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^3/sqrt(c*x^4 + a), x)

maple [C] time = 0.01, size = 388, normalized size = 1.19

$$\frac{\sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} d^3 \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}x, i\right) + 3i\sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \left(-\operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}x, i\right) + \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}x, i\right)\right)}{\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4+a}} + \frac{3i\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4+a} \sqrt{c}}{\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4+a} \sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^3/(c*x^4+a)^(1/2),x)

[Out] $e^3 * (1/5 * (c*x^4+a)^{(1/2)} / c*x^3 - 3/5 * I*a^{(3/2)} / c^{(3/2)} / (I/a^{(1/2)} * c^{(1/2)})^{(1/2)} * (-I/a^{(1/2)} * c^{(1/2)} * x^2 + 1)^{(1/2)} * (I/a^{(1/2)} * c^{(1/2)} * x^2 + 1)^{(1/2)} / (c*x^4 + a)^{(1/2)} * (\operatorname{EllipticF}((I/a^{(1/2)} * c^{(1/2)})^{(1/2)} * x, I) - \operatorname{EllipticE}((I/a^{(1/2)} * c^{(1/2)})^{(1/2)} * x, I))) + 3*d*e^2 * (1/3 * (c*x^4+a)^{(1/2)} / c*x - 1/3 * a/c / (I/a^{(1/2)} * c^{(1/2)})^{(1/2)} * (-I/a^{(1/2)} * c^{(1/2)} * x^2 + 1)^{(1/2)} * (I/a^{(1/2)} * c^{(1/2)} * x^2 + 1)^{(1/2)} / (c*x^4+a)^{(1/2)} * \operatorname{EllipticF}((I/a^{(1/2)} * c^{(1/2)})^{(1/2)} * x, I)) + 3*I*d^2 * e*a^{(1/2)} / (I/a^{(1/2)} * c^{(1/2)})^{(1/2)} * (-I/a^{(1/2)} * c^{(1/2)} * x^2 + 1)^{(1/2)} * (I/a^{(1/2)} * c^{(1/2)} * x^2 + 1)^{(1/2)} / (c*x^4+a)^{(1/2)} / c^{(1/2)} * (\operatorname{EllipticF}((I/a^{(1/2)} * c^{(1/2)})^{(1/2)} * x, I) - \operatorname{EllipticE}((I/a^{(1/2)} * c^{(1/2)})^{(1/2)} * x, I)) + d^3 / (I/a^{(1/2)} * c^{(1/2)})^{(1/2)} * (-I/a^{(1/2)} * c^{(1/2)} * x^2 + 1)^{(1/2)} * (I/a^{(1/2)} * c^{(1/2)} * x^2 + 1)^{(1/2)} / (c*x^4+a)^{(1/2)} * \operatorname{EllipticF}((I/a^{(1/2)} * c^{(1/2)})^{(1/2)} * x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^3}{\sqrt{cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^3/sqrt(c*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^3}{\sqrt{cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)^3/(a + c*x^4)^(1/2), x)`

[Out] `int((d + e*x^2)^3/(a + c*x^4)^(1/2), x)`

sympy [C] time = 4.73, size = 173, normalized size = 0.53

$$\frac{d^3 x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{5}{4}\right)} + \frac{3d^2 e x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{4} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{7}{4}\right)} + \frac{3d e^2 x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{5}{4} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{9}{4}\right)} + \frac{e^3 x^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{7}{4}, \frac{7}{4} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{11}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**3/(c*x**4+a)**(1/2), x)`

[Out] `d**3*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), c*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) + 3*d**2*e*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), c*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(7/4)) + 3*d*e**2*x**5*gamma(5/4)*hyper((1/2, 5/4), (9/4,), c*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(9/4)) + e**3*x**7*gamma(7/4)*hyper((1/2, 7/4), (11/4,), c*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(11/4))`

$$3.152 \quad \int \frac{(d+ex^2)^2}{\sqrt{a+cx^4}} dx$$

Optimal. Leaf size=264

$$\frac{(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} (6\sqrt{a}\sqrt{c}de - ae^2 + 3cd^2) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 2\sqrt[4]{a}de(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}}}{6\sqrt[4]{a}c^{5/4}\sqrt{a+cx^4} + c^{3/4}\sqrt{a+cx^4}}$$

[Out] $\frac{1}{3}e^2x(c^2x^4+a)^{1/2}/c+2d*ex(c^2x^4+a)^{1/2}/c^{1/2}/(a^{1/2}+x^2*c^{1/2})-2*a^{1/4}*d*ex*(\cos(2*\arctan(c^{1/4}*x/a^{1/4}))^2)^{1/2}/\cos(2*\arctan(c^{1/4}*x/a^{1/4}))*\text{EllipticE}(\sin(2*\arctan(c^{1/4}*x/a^{1/4})), 1/2*2^{1/2})*(a^{1/2}+x^2*c^{1/2})*((c^2x^4+a)/(a^{1/2}+x^2*c^{1/2}))^{1/2}/c^{3/4}/(c^2x^4+a)^{1/2}+1/6*(\cos(2*\arctan(c^{1/4}*x/a^{1/4}))^2)^{1/2}/\cos(2*\arctan(c^{1/4}*x/a^{1/4}))*\text{EllipticF}(\sin(2*\arctan(c^{1/4}*x/a^{1/4})), 1/2*2^{1/2})*(a^{1/2}+x^2*c^{1/2})*(3*c*d^2-a*e^2+6*d*ex*a^{1/2}*c^{1/2})*((c^2x^4+a)/(a^{1/2}+x^2*c^{1/2}))^{1/2}/a^{1/4}/c^{5/4}/(c^2x^4+a)^{1/2}$

Rubi [A] time = 0.13, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$, Rules used = {1207, 1198, 220, 1196}

$$\frac{(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} (6\sqrt{a}\sqrt{c}de - ae^2 + 3cd^2) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) + 2\sqrt[4]{a}de(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}}}{6\sqrt[4]{a}c^{5/4}\sqrt{a+cx^4} + c^{3/4}\sqrt{a+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^2/Sqrt[a + c*x^4], x]

[Out] $(e^2*x*\text{Sqrt}[a + c*x^4])/(3*c) + (2*d*ex*\text{Sqrt}[a + c*x^4])/(\text{Sqrt}[c]*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)) - (2*a^{1/4}*d*ex*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)]^2*\text{EllipticE}[2*\text{ArcTan}[(c^{1/4}*x)/a^{1/4}], 1/2])/(c^{3/4}*\text{Sqrt}[a + c*x^4]) + ((3*c*d^2 + 6*\text{Sqrt}[a]*\text{Sqrt}[c]*d*ex - a*e^2)*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)]^2*\text{EllipticF}[2*\text{ArcTan}[(c^{1/4}*x)/a^{1/4}], 1/2])/(6*a^{1/4}*c^{5/4}*\text{Sqrt}[a + c*x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x, 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1207

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Sim
  p[(e^q*x^(2*q - 3)*(a + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c
  *(4*p + 2*q + 1)), Int[(a + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x
  ^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x]
  , x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[q, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^2}{\sqrt{a + cx^4}} dx &= \frac{e^2 x \sqrt{a + cx^4}}{3c} + \frac{\int \frac{3cd^2 - ae^2 + 6cdex^2}{\sqrt{a + cx^4}} dx}{3c} \\ &= \frac{e^2 x \sqrt{a + cx^4}}{3c} - \frac{(2\sqrt{a} de) \int \frac{1 - \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{a + cx^4}} dx}{\sqrt{c}} + \frac{(3cd^2 + 6\sqrt{a} \sqrt{c} de - ae^2) \int \frac{1}{\sqrt{a + cx^4}} dx}{3c} \\ &= \frac{e^2 x \sqrt{a + cx^4}}{3c} + \frac{2dex \sqrt{a + cx^4}}{\sqrt{c} (\sqrt{a} + \sqrt{c} x^2)} - \frac{2^4 \sqrt{a} de (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a + cx^4}{(\sqrt{a} + \sqrt{c} x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c} x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{c^{3/4} \sqrt{a + cx^4}} \end{aligned}$$

Mathematica [C] time = 0.09, size = 120, normalized size = 0.45

$$\frac{x \sqrt{\frac{cx^4}{a} + 1} (3cd^2 - ae^2) {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{cx^4}{a}\right) + ex \left(2cdx^2 \sqrt{\frac{cx^4}{a} + 1} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{cx^4}{a}\right) + e(a + cx^4)\right)}{3c \sqrt{a + cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2/Sqrt[a + c*x^4],x]

[Out] ((3*c*d^2 - a*e^2)*x*Sqrt[1 + (c*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, -((c*x^4)/a)] + e*x*(e*(a + c*x^4) + 2*c*d*x^2*Sqrt[1 + (c*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, -((c*x^4)/a)]))/(3*c*Sqrt[a + c*x^4])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^2x^4 + 2dex^2 + d^2}{\sqrt{cx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral((e^2*x^4 + 2*d*e*x^2 + d^2)/sqrt(c*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^2}{\sqrt{cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2/sqrt(c*x^4 + a), x)

maple [C] time = 0.01, size = 266, normalized size = 1.01

$$\frac{\sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}} + 1} d^2 \text{EllipticF}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} x, i\right) + 2i\sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}} + 1} \left(-\text{EllipticE}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} x, i\right) + \text{EllipticF}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} x, i\right)\right)}{\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4 + a} \sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2/(c*x^4+a)^(1/2),x)

[Out] e^2*(1/3*(c*x^4+a)^(1/2)/c*x-1/3*a/c/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*c^(1/2))^(1/2)*x,I))+2*I*d*e*a^(1/2)/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)/c^(1/2)*(EllipticF((I/a^(1/2)*c^(1/2))^(1/2)*x,I)-EllipticE((I/a^(1/2)*c^(1/2))^(1/2)*x,I))

$\frac{1}{2} * c^{(1/2)} \cdot x, I) + d^2 / (I/a^{(1/2)} * c^{(1/2)})^{(1/2)} * (-I/a^{(1/2)} * c^{(1/2)} * x^2 + 1)^{(1/2)} * (I/a^{(1/2)} * c^{(1/2)} * x^2 + 1)^{(1/2)} / (c * x^4 + a)^{(1/2)} * \text{EllipticF}((I/a^{(1/2)} * c^{(1/2)})^{(1/2)} * x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^2}{\sqrt{cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^2/sqrt(c*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^2}{\sqrt{cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^2/(a + c*x^4)^(1/2),x)

[Out] int((d + e*x^2)^2/(a + c*x^4)^(1/2), x)

sympy [C] time = 3.57, size = 124, normalized size = 0.47

$$\frac{d^2 x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{5}{4}\right)} + \frac{dex^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{4} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{2\sqrt{a} \Gamma\left(\frac{7}{4}\right)} + \frac{e^2 x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{5}{4} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2/(c*x**4+a)**(1/2),x)

[Out] d**2*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), c*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) + d*e*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), c*x**4*exp_polar(I*pi)/a)/(2*sqrt(a)*gamma(7/4)) + e**2*x**5*gamma(5/4)*hyper((1/2, 5/4), (9/4,), c*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(9/4))

$$3.153 \quad \int \frac{d+ex^2}{\sqrt{a+cx^4}} dx$$

Optimal. Leaf size=226

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{c}d}{\sqrt{a}} + e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2c^{3/4}\sqrt{a+cx^4}} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\right)}{c^{3/4}\sqrt{a+cx^4}}$$

[Out] e*x*(c*x^4+a)^(1/2)/c^(1/2)/(a^(1/2)+x^2*c^(1/2))-a^(1/4)*e*(cos(2*arctan(c^(1/4)*x/a^(1/4)))^2)^(1/2)/cos(2*arctan(c^(1/4)*x/a^(1/4)))*EllipticE(sin(2*arctan(c^(1/4)*x/a^(1/4))),1/2*2^(1/2))*(a^(1/2)+x^2*c^(1/2))*((c*x^4+a)/(a^(1/2)+x^2*c^(1/2))^2)^(1/2)/c^(3/4)/(c*x^4+a)^(1/2)+1/2*a^(1/4)*(cos(2*arctan(c^(1/4)*x/a^(1/4)))^2)^(1/2)/cos(2*arctan(c^(1/4)*x/a^(1/4)))*EllipticF(sin(2*arctan(c^(1/4)*x/a^(1/4))),1/2*2^(1/2))*(a^(1/2)+x^2*c^(1/2))*(e*d*c^(1/2)/a^(1/2))*((c*x^4+a)/(a^(1/2)+x^2*c^(1/2))^2)^(1/2)/c^(3/4)/(c*x^4+a)^(1/2)

Rubi [A] time = 0.07, antiderivative size = 226, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1198, 220, 1196}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{c}d}{\sqrt{a}} + e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2c^{3/4}\sqrt{a+cx^4}} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\right)}{c^{3/4}\sqrt{a+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/Sqrt[a + c*x^4], x]

[Out] (e*x*Sqrt[a + c*x^4])/(Sqrt[c]*(Sqrt[a] + Sqrt[c]*x^2)) - (a^(1/4)*e*(Sqrt[a] + Sqrt[c]*x^2)*Sqrt[(a + c*x^4)/(Sqrt[a] + Sqrt[c]*x^2)^2]*EllipticE[2*ArcTan[(c^(1/4)*x)/a^(1/4)], 1/2])/(c^(3/4)*Sqrt[a + c*x^4]) + (a^(1/4)*((Sqrt[c]*d)/Sqrt[a] + e)*(Sqrt[a] + Sqrt[c]*x^2)*Sqrt[(a + c*x^4)/(Sqrt[a] + Sqrt[c]*x^2)^2]*EllipticF[2*ArcTan[(c^(1/4)*x)/a^(1/4)], 1/2])/(2*c^(3/4)*Sqrt[a + c*x^4])

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rubi steps

$$\int \frac{d + ex^2}{\sqrt{a + cx^4}} dx = -\frac{(\sqrt{a}e) \int \frac{1 - \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{a+cx^4}} dx}{\sqrt{c}} + \left(d + \frac{\sqrt{a}e}{\sqrt{c}}\right) \int \frac{1}{\sqrt{a + cx^4}} dx$$

$$= \frac{ex\sqrt{a + cx^4}}{\sqrt{c}(\sqrt{a} + \sqrt{c}x^2)} - \frac{\sqrt[4]{a}e(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a} + \sqrt{c}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) (\sqrt{c}d + \sqrt{a}e)}{c^{3/4}\sqrt{a + cx^4}} + \dots$$

Mathematica [C] time = 0.03, size = 77, normalized size = 0.34

$$\frac{\sqrt{\frac{cx^4}{a} + 1} \left(3dx {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{cx^4}{a}\right) + ex^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{cx^4}{a}\right) \right)}{3\sqrt{a + cx^4}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^2)/Sqrt[a + c*x^4], x]
```

```
[Out] (Sqrt[1 + (c*x^4)/a]*(3*d*x*Hypergeometric2F1[1/4, 1/2, 5/4, -((c*x^4)/a)]
+ e*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, -((c*x^4)/a)])/(3*Sqrt[a + c*x^4]
)
```

fricas [F] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^2 + d}{\sqrt{cx^4 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral((e*x^2 + d)/sqrt(c*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)/sqrt(c*x^4 + a), x)

maple [C] time = 0.00, size = 169, normalized size = 0.75

$$\frac{\sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} d \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}x, i\right) + i\sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \left(-\operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}x, i\right) + \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}x, i\right)\right)}{\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4 + a} \sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(c*x^4+a)^(1/2),x)

[Out] I*e*a^(1/2)/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)/c^(1/2)*(EllipticF((I/a^(1/2)*c^(1/2))^(1/2)*x, I)-EllipticE((I/a^(1/2)*c^(1/2))^(1/2)*x, I))+d/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*c^(1/2))^(1/2)*x, I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)/sqrt(c*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)/(a + c*x^4)^(1/2), x)`

[Out] `int((d + e*x^2)/(a + c*x^4)^(1/2), x)`

sympy [C] time = 2.06, size = 78, normalized size = 0.35

$$\frac{dx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} + \frac{ex^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)/(c*x**4+a)**(1/2), x)`

[Out] `d*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), c*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) + e*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), c*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(7/4))`

$$3.154 \quad \int \frac{1}{(d+ex^2)\sqrt{a+cx^4}} dx$$

Optimal. Leaf size=334

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{c}d}{\sqrt{a}} + e\right)^2 \Pi\left(-\frac{(\sqrt{c}d-\sqrt{a}e)^2}{4\sqrt{a}\sqrt{c}de}; 2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \sqrt{e} \tan^{-1}\left(\frac{x\sqrt{ae^2+cd^2}}{\sqrt{d}\sqrt{e}\sqrt{a+cx^4}}\right) \sqrt[4]{c}}{4\sqrt[4]{c}d\sqrt{a+cx^4}(cd^2-ae^2)} + \frac{\sqrt{e} \tan^{-1}\left(\frac{x\sqrt{ae^2+cd^2}}{\sqrt{d}\sqrt{e}\sqrt{a+cx^4}}\right) \sqrt[4]{c}}{2\sqrt{d}\sqrt{ae^2+cd^2}} + \dots$$

[Out] $\frac{1}{2} \arctan\left(\frac{x(ae^2+cd^2)^{1/2}/d^{1/2}/e^{1/2}/(cx^4+a)^{1/2}}{(ae^2+cd^2)^{1/2}+1/2c^{1/4}(\cos(2\arctan(c^{1/4}x/a^{1/4}))^2)^{1/2}/\cos(2\arctan(c^{1/4}x/a^{1/4}))}\right) \text{EllipticF}\left(\sin(2\arctan(c^{1/4}x/a^{1/4})), 1/2, 2^{1/2}\right) \frac{(a^{1/2}+x^2c^{1/2})((cx^4+a)/(a^{1/2}+x^2c^{1/2}))^2}{a^{1/4}(-ea^{1/2}+dc^{1/2})/(cx^4+a)^{1/2}-1/4a^{3/4}(\cos(2\arctan(c^{1/4}x/a^{1/4}))^2)^{1/2}/\cos(2\arctan(c^{1/4}x/a^{1/4}))}\right) \text{EllipticPi}\left(\sin(2\arctan(c^{1/4}x/a^{1/4})), -1/4(-ea^{1/2}+dc^{1/2})^2/d/e/a^{1/2}/c^{1/2}, 1/2, 2^{1/2}\right) \frac{(a^{1/2}+x^2c^{1/2})(e+dc^{1/2}/a^{1/2})^2((cx^4+a)/(a^{1/2}+x^2c^{1/2}))^2}{c^{1/4}/d/(-ae^2+cd^2)/(cx^4+a)^{1/2}}$

Rubi [A] time = 0.27, antiderivative size = 334, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1217, 220, 1707}

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{c}d}{\sqrt{a}} + e\right)^2 \Pi\left(-\frac{(\sqrt{c}d-\sqrt{a}e)^2}{4\sqrt{a}\sqrt{c}de}; 2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right) \sqrt{e} \tan^{-1}\left(\frac{x\sqrt{ae^2+cd^2}}{\sqrt{d}\sqrt{e}\sqrt{a+cx^4}}\right) \sqrt[4]{c}}{4\sqrt[4]{c}d\sqrt{a+cx^4}(cd^2-ae^2)} + \frac{\sqrt{e} \tan^{-1}\left(\frac{x\sqrt{ae^2+cd^2}}{\sqrt{d}\sqrt{e}\sqrt{a+cx^4}}\right) \sqrt[4]{c}}{2\sqrt{d}\sqrt{ae^2+cd^2}} + \dots$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*Sqrt[a + c*x^4]),x]

[Out] $(\text{Sqrt}[e] \text{ArcTan}[(\text{Sqrt}[c*d^2 + a*e^2]*x)/(\text{Sqrt}[d]*\text{Sqrt}[e]*\text{Sqrt}[a + c*x^4])]) / (2*\text{Sqrt}[d]*\text{Sqrt}[c*d^2 + a*e^2]) + (c^{1/4}*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2] \text{EllipticF}[2*\text{ArcTan}[(c^{1/4}*x)/a^{1/4}], 1/2]) / (2*a^{1/4}*(\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{Sqrt}[a + c*x^4]) - (a^{3/4}*((\text{Sqrt}[c]*d)/\text{Sqrt}[a] + e)^2*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2] \text{EllipticPi}[-(\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)^2/(4*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e), 2*\text{ArcTan}[(c^{1/4}*x)/a^{1/4}], 1/2]) / (4*c^{1/4}*d*(c*d^2 - a*e^2)*\text{Sqrt}[a + c*x^4])$

Rule 220


```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 1217

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + c*x^4]), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1707

```
Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[(c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + c*x^4]]]/(2*d*e*Rt[(c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2])/(4*d*e*A*q*Sqrt[a + c*x^4]), x]] /; FreeQ[{a, c, d, e, A, B}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]
```

Rubi steps

$$\int \frac{1}{(d + ex^2)\sqrt{a + cx^4}} dx = \frac{\sqrt{c} \int \frac{1}{\sqrt{a + cx^4}} dx}{\sqrt{c}d - \sqrt{a}e} - \frac{(\sqrt{a}e) \int \frac{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}{(d + ex^2)\sqrt{a + cx^4}} dx}{\sqrt{c}d - \sqrt{a}e}$$

$$= \frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{cd^2 + ae^2}x}{\sqrt{d}\sqrt{e}\sqrt{a + cx^4}}\right)}{2\sqrt{d}\sqrt{cd^2 + ae^2}} + \frac{\sqrt[4]{c}(\sqrt{a} + \sqrt{c}x^2)\sqrt{\frac{a + cx^4}{(\sqrt{a} + \sqrt{c}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}(\sqrt{c}d - \sqrt{a}e)\sqrt{a + cx^4}}$$

Mathematica [C] time = 0.15, size = 95, normalized size = 0.28

$$\frac{i\sqrt{\frac{cx^4}{a} + 1} \Pi\left(-\frac{i\sqrt{a}e}{\sqrt{c}d}; i \sinh^{-1}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}x\right) \middle| -1\right)}{d\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}\sqrt{a + cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*Sqrt[a + c*x^4]),x]

[Out] ((-I)*Sqrt[1 + (c*x^4)/a]*EllipticPi[((-I)*Sqrt[a]*e)/(Sqrt[c]*d), I*ArcSin h[Sqrt[(I*Sqrt[c])/Sqrt[a]]*x], -1))/(Sqrt[(I*Sqrt[c])/Sqrt[a]]*d*Sqrt[a + c*x^4])

fricas [F] time = 11.32, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{cx^4 + a}}{cex^6 + cdx^4 + aex^2 + ad}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(c*x^4 + a)/(c*e*x^6 + c*d*x^4 + a*e*x^2 + a*d), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4 + a}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(c*x^4 + a)*(e*x^2 + d)), x)

maple [C] time = 0.04, size = 107, normalized size = 0.32

$$\frac{\sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}} + 1} \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}} + 1} \text{EllipticPi} \left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} x, \frac{i\sqrt{a}e}{\sqrt{c}d}, \sqrt{\frac{-i\sqrt{c}}{\sqrt{a}}} \right)}{\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4 + a} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)/(c*x^4+a)^(1/2),x)

[Out] 1/d/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*EllipticPi((I/a^(1/2)*c^(1/2))^(1/2)*x, I*a^(1/2)/c^(1/2)*e/d, (-I/a^(1/2)*c^(1/2))^(1/2)/(I/a^(1/2)*c^(1/2))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4 + a}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(c*x^4 + a)*(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{cx^4 + a} (ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c*x^4)^(1/2)*(d + e*x^2)),x)

[Out] int(1/((a + c*x^4)^(1/2)*(d + e*x^2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + cx^4} (d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)/(c*x**4+a)**(1/2),x)

[Out] Integral(1/(sqrt(a + c*x**4)*(d + e*x**2)), x)

$$3.155 \quad \int \frac{1}{(d+ex^2)^2 \sqrt{a+cx^4}} dx$$

Optimal. Leaf size=581

$$\frac{e^2 x \sqrt{a+cx^4}}{2d(d+ex^2)(ae^2+cd^2)} - \frac{\sqrt{c} ex \sqrt{a+cx^4}}{2d(\sqrt{a} + \sqrt{c} x^2)(ae^2+cd^2)} + \frac{\sqrt[4]{a} \sqrt[4]{c} e (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a} + \sqrt{c} x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c} x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2d\sqrt{a+cx^4}(ae^2+cd^2)}$$

[Out] $\frac{1}{4}*(a*e^2+3*c*d^2)*\arctan(x*(a*e^2+c*d^2)^{(1/2)}/d^{(1/2)}/e^{(1/2)})/(c*x^4+a)^{(1/2)}*e^{(1/2)}/d^{(3/2)}/(a*e^2+c*d^2)^{(3/2)}+1/2*e^2*x*(c*x^4+a)^{(1/2)}/d/(a*e^2+c*d^2)/(e*x^2+d)-1/2*e*x*c^{(1/2)}*(c*x^4+a)^{(1/2)}/d/(a*e^2+c*d^2)/(a^{(1/2)}+x^2*c^{(1/2)})+1/2*a^{(1/4)}*c^{(1/4)}*e*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/d/(a*e^2+c*d^2)/(c*x^4+a)^{(1/2)}+1/2*c^{(1/4)}*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/d/(-e*a^{(1/2)}+d*c^{(1/2)})/(c*x^4+a)^{(1/2)}-1/8*(a*e^2+3*c*d^2)*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticPi}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),-1/4*(-e*a^{(1/2)}+d*c^{(1/2)})^2/d/e/a^{(1/2)}/c^{(1/2)},1/2*2^{(1/2)})*(e*a^{(1/2)}+d*c^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/c^{(1/4)}/d^2/(a*e^2+c*d^2)/(-e*a^{(1/2)}+d*c^{(1/2)})/(c*x^4+a)^{(1/2)}$

Rubi [A] time = 0.76, antiderivative size = 581, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1224, 1715, 1196, 1709, 220, 1707}

$$\frac{e^2 x \sqrt{a+cx^4}}{2d(d+ex^2)(ae^2+cd^2)} - \frac{\sqrt{c} ex \sqrt{a+cx^4}}{2d(\sqrt{a} + \sqrt{c} x^2)(ae^2+cd^2)} + \frac{\sqrt{e} (ae^2 + 3cd^2) \tan^{-1}\left(\frac{x\sqrt{ae^2+cd^2}}{\sqrt{d}\sqrt{e}\sqrt{a+cx^4}}\right)}{4d^{3/2}(ae^2+cd^2)^{3/2}} + \frac{\sqrt[4]{a} \sqrt[4]{c} e (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a} + \sqrt{c} x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c} x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2d\sqrt{a+cx^4}(ae^2+cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^2*Sqrt[a + c*x^4]),x]

[Out] $-(\text{Sqrt}[c]*e*x*\text{Sqrt}[a + c*x^4])/(2*d*(c*d^2 + a*e^2)*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)) + (e^2*x*\text{Sqrt}[a + c*x^4])/(2*d*(c*d^2 + a*e^2)*(d + e*x^2)) + (\text{Sqrt}[e]*(3*c*d^2 + a*e^2)*\text{ArcTan}[(\text{Sqrt}[c*d^2 + a*e^2]*x)/(\text{Sqrt}[d]*\text{Sqrt}[e]*\text{Sqrt}[a + c*x^4])])/(4*d^{(3/2)}*(c*d^2 + a*e^2)^{(3/2)}) + (a^{(1/4)}*c^{(1/4)}*e*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[\frac{\sqrt[4]{c} x}{\sqrt[4]{a}}]])$

$$\begin{aligned} & (c^{(1/4)}x)/a^{(1/4)}, 1/2]/(2*d*(c*d^2 + a*e^2)*\text{Sqrt}[a + c*x^4]) + (c^{(1/4)} \\ &)*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2]*\text{Ellip} \\ & \text{ticF}[2*\text{ArcTan}[(c^{(1/4)}x)/a^{(1/4)}], 1/2]]/(2*a^{(1/4)}*d*(\text{Sqrt}[c]*d - \text{Sqrt}[a] \\ & *e)*\text{Sqrt}[a + c*x^4]) - ((\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*(3*c*d^2 + a*e^2)*(\text{Sqrt}[a] \\ & + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2]*\text{EllipticPi}[-(\text{Sqr} \\ & \text{t}[c]*d - \text{Sqrt}[a]*e)^2/(4*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e), 2*\text{ArcTan}[(c^{(1/4)}x)/a^{(1/4)} \\ &], 1/2]]/(8*a^{(1/4)}*c^{(1/4)}*d^2*(\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*(c*d^2 + a*e^2)*\text{Sqr} \\ & \text{t}[a + c*x^4]) \end{aligned}$$

Rule 220

$$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^4], x_Symbol] \text{ :> With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2]]/(2*q*\text{Sqrt}[a + b*x^4]), x] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$$

Rule 1196

$$\text{Int}[(d_) + (e_.)*(x_)^2]/\text{Sqrt}[(a_) + (c_.)*(x_)^4], x_Symbol] \text{ :> With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2]]/(q*\text{Sqrt}[a + c*x^4]), x] \text{ /; EqQ}[e + d*q^2, 0] \text{ /; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$$

Rule 1224

$$\text{Int}[(d_) + (e_.)*(x_)^2]^{(q_)}/\text{Sqrt}[(a_) + (c_.)*(x_)^4], x_Symbol] \text{ :> -Sim} \\ \text{p}[(e^2*x*(d + e*x^2)^{(q + 1)}*\text{Sqrt}[a + c*x^4])/(2*d*(q + 1)*(c*d^2 + a*e^2)) \\ , x] + \text{Dist}[1/(2*d*(q + 1)*(c*d^2 + a*e^2)), \text{Int}[(d + e*x^2)^{(q + 1)}*\text{Simp}[\\ a*e^2*(2*q + 3) + 2*c*d^2*(q + 1) - 2*e*c*d*(q + 1)*x^2 + c*e^2*(2*q + 5)*x \\ ^4, x]]/\text{Sqrt}[a + c*x^4], x], x] \text{ /; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{ILtQ}[q, -1]$$

Rule 1707

$$\text{Int}[(A_) + (B_.)*(x_)^2]/(((d_) + (e_.)*(x_)^2)*\text{Sqrt}[(a_) + (c_.)*(x_)^4]) \\ , x_Symbol] \text{ :> With}[\{q = \text{Rt}[B/A, 2]\}, -\text{Simp}[(B*d - A*e)*\text{ArcTan}[(\text{Rt}[(c*d)/e \\ + (a*e)/d, 2]*x]/\text{Sqrt}[a + c*x^4]]/(2*d*e*\text{Rt}[(c*d)/e + (a*e)/d, 2]), x] + \\ \text{Simp}[(B*d + A*e)*(A + B*x^2)*\text{Sqrt}[(A^2*(a + c*x^4))/(a*(A + B*x^2)^2)]*\text{Ell} \\ \text{ipticPi}[\text{Cancel}[-(B*d - A*e)^2/(4*d*e*A*B)], 2*\text{ArcTan}[q*x], 1/2]]/(4*d*e*A \\ *q*\text{Sqrt}[a + c*x^4]), x] \text{ /; FreeQ}\{a, c, d, e, A, B\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e \\ ^2, 0] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[c/a] \ \&\& \ \text{EqQ}[c*A^2 - a*B^2, 0]$$

Rule 1709

$$\text{Int}[(A_.) + (B_.)*(x_)^2]/(((d_) + (e_.)*(x_)^2)*\text{Sqrt}[(a_) + (c_.)*(x_)^4]) \\ , x_Symbol] \text{ :> With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(A*(c*d + a*e*q) - a*B*(e + d*q \\))/(c*d^2 - a*e^2), \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] + \text{Dist}[(a*(B*d - A*e)*(e$$

+ d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + c*x^4]), x], x]] /; FreeQ[{a, c, d, e, A, B}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]

Rule 1715

Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (c_)*(x_)^4]), x_Symbol] :=
 With[{q = Rt[c/a, 2], A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[C/(e*q), Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] + Dist[1/(c*e), Int[(A*c*e + a*C*d*q + (B*c*e - C*(c*d - a*e*q))*x^2]/((d + e*x^2)*Sqrt[a + c*x^4]), x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{(d+ex^2)^2 \sqrt{a+cx^4}} dx &= \frac{e^2 x \sqrt{a+cx^4}}{2d(cd^2+ae^2)(d+ex^2)} - \frac{\int \frac{-2cd^2-ae^2+2cdex^2+ce^2x^4}{(d+ex^2)\sqrt{a+cx^4}} dx}{2d(cd^2+ae^2)} \\
 &= \frac{e^2 x \sqrt{a+cx^4}}{2d(cd^2+ae^2)(d+ex^2)} - \frac{\int \frac{\sqrt{a}c^{3/2}de^2+ce(-2cd^2-ae^2)+(2c^2de^2-ce^2(cd-\sqrt{a}\sqrt{c}e))x^2}{(d+ex^2)\sqrt{a+cx^4}} dx}{2cde(cd^2+ae^2)} + \frac{(\sqrt{a})}{2} \\
 &= -\frac{\sqrt{c}ex\sqrt{a+cx^4}}{2d(cd^2+ae^2)(\sqrt{a}+\sqrt{c}x^2)} + \frac{e^2x\sqrt{a+cx^4}}{2d(cd^2+ae^2)(d+ex^2)} + \frac{\sqrt[4]{a}\sqrt[4]{c}e(\sqrt{a}+\sqrt{c}x^2)}{2d(cd^2+ae^2)} \\
 &= -\frac{\sqrt{c}ex\sqrt{a+cx^4}}{2d(cd^2+ae^2)(\sqrt{a}+\sqrt{c}x^2)} + \frac{e^2x\sqrt{a+cx^4}}{2d(cd^2+ae^2)(d+ex^2)} + \frac{\sqrt{e}(3cd^2+ae^2)\tan^{-1}}{4d^{3/2}(cd^2+ae^2)}
 \end{aligned}$$

Mathematica [C] time = 0.76, size = 522, normalized size = 0.90

$$\frac{-3icd^3\sqrt{\frac{cx^4}{a}+1}\Pi\left(-\frac{i\sqrt{ae}}{\sqrt{cd}}; i\sinh^{-1}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}x\right)\right)-1}{-1}-3icd^2ex^2\sqrt{\frac{cx^4}{a}+1}\Pi\left(-\frac{i\sqrt{ae}}{\sqrt{cd}}; i\sinh^{-1}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}x\right)\right)-1}{-1}-iae^3$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)^2*Sqrt[a + c*x^4]),x]

[Out] (a*Sqrt[(I*Sqrt[c])/Sqrt[a]]*d*e^2*x + Sqrt[(I*Sqrt[c])/Sqrt[a]]*c*d*e^2*x^5 - Sqrt[a]*Sqrt[c]*d*e*(d + e*x^2)*Sqrt[1 + (c*x^4)/a]*EllipticE[I*ArcSinh[Sqrt[(I*Sqrt[c])/Sqrt[a]]*x], -1] + Sqrt[c]*d*(I*Sqrt[c]*d + Sqrt[a]*e)*(d + e*x^2)*Sqrt[1 + (c*x^4)/a]*EllipticF[I*ArcSinh[Sqrt[(I*Sqrt[c])/Sqrt[a]]*x], -1] - (3*I)*c*d^3*Sqrt[1 + (c*x^4)/a]*EllipticPi[(-I)*Sqrt[a]*e)/(Sqrt[c]*d), I*ArcSinh[Sqrt[(I*Sqrt[c])/Sqrt[a]]*x], -1] - I*a*d*e^2*Sqrt[1 + (c*x^4)/a]*EllipticPi[(-I)*Sqrt[a]*e)/(Sqrt[c]*d), I*ArcSinh[Sqrt[(I*Sqrt[c])/Sqrt[a]]*x], -1] - (3*I)*c*d^2*e*x^2*Sqrt[1 + (c*x^4)/a]*EllipticPi[(-I)*Sqrt[a]*e)/(Sqrt[c]*d), I*ArcSinh[Sqrt[(I*Sqrt[c])/Sqrt[a]]*x], -1] - I*a*e^3*x^2*Sqrt[1 + (c*x^4)/a]*EllipticPi[(-I)*Sqrt[a]*e)/(Sqrt[c]*d), I*ArcSinh[Sqrt[(I*Sqrt[c])/Sqrt[a]]*x], -1)]/(2*Sqrt[(I*Sqrt[c])/Sqrt[a]]*d^2*(c*d^2 + a*e^2)*(d + e*x^2)*Sqrt[a + c*x^4])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*x^4+a)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4 + a} (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(c*x^4 + a)*(e*x^2 + d)^2), x)

maple [C] time = 0.03, size = 556, normalized size = 0.96

$$\frac{\sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} a e^2 \text{EllipticPi}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}, x, \frac{i\sqrt{a}e}{\sqrt{c}d}, \sqrt{\frac{-\frac{i\sqrt{c}}{\sqrt{a}}}{\frac{i\sqrt{c}}{\sqrt{a}}}}\right) + i\sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{a} \sqrt{c} e \text{EllipticPi}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}, x, \frac{i\sqrt{a}e}{\sqrt{c}d}, \sqrt{\frac{-\frac{i\sqrt{c}}{\sqrt{a}}}{\frac{i\sqrt{c}}{\sqrt{a}}}}\right)}{2(ae^2 + cd^2) \sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4 + a} d^2} + \frac{i\sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{a} \sqrt{c} e \text{EllipticPi}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}, x, \frac{i\sqrt{a}e}{\sqrt{c}d}, \sqrt{\frac{-\frac{i\sqrt{c}}{\sqrt{a}}}{\frac{i\sqrt{c}}{\sqrt{a}}}}\right)}{2(ae^2 + cd^2) \sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)^2/(c*x^4+a)^(1/2),x)

[Out] $\frac{1}{2}e^2x(c*x^4+a)^{1/2}/d(a*e^2+c*d^2)/(e*x^2+d)-1/2*c/(a*e^2+c*d^2)/(I/a^{1/2}*c^{1/2})^{1/2}*(-I/a^{1/2}*c^{1/2}*x^2+1)^{1/2}*(I/a^{1/2}*c^{1/2}*x^2+1)^{1/2}/(c*x^4+a)^{1/2}*EllipticF((I/a^{1/2}*c^{1/2})^{1/2}*x,I)-1/2*I*c^{1/2}*e/(a*e^2+c*d^2)/d*a^{1/2}/(I/a^{1/2}*c^{1/2})^{1/2}*(-I/a^{1/2}*c^{1/2}*x^2+1)^{1/2}*(I/a^{1/2}*c^{1/2}*x^2+1)^{1/2}/(c*x^4+a)^{1/2}*EllipticF((I/a^{1/2}*c^{1/2})^{1/2}*x,I)+1/2*I*c^{1/2}*e/(a*e^2+c*d^2)/d*a^{1/2}/(I/a^{1/2}*c^{1/2})^{1/2}*(-I/a^{1/2}*c^{1/2}*x^2+1)^{1/2}*(I/a^{1/2}*c^{1/2}*x^2+1)^{1/2}/(c*x^4+a)^{1/2}*EllipticE((I/a^{1/2}*c^{1/2})^{1/2}*x,I)+1/2/(a*e^2+c*d^2)/d^2*e^2/(I/a^{1/2}*c^{1/2})^{1/2}*(-I/a^{1/2}*c^{1/2}*x^2+1)^{1/2}*(I/a^{1/2}*c^{1/2}*x^2+1)^{1/2}/(c*x^4+a)^{1/2}*EllipticPi((I/a^{1/2}*c^{1/2})^{1/2}*x,I*a^{1/2}/c^{1/2}/d*e,(-I/a^{1/2}*c^{1/2})^{1/2}/(I/a^{1/2}*c^{1/2})^{1/2})*a+3/2/(a*e^2+c*d^2)/(I/a^{1/2}*c^{1/2})^{1/2}*(-I/a^{1/2}*c^{1/2}*x^2+1)^{1/2}*(I/a^{1/2}*c^{1/2}*x^2+1)^{1/2}/(c*x^4+a)^{1/2}*EllipticPi((I/a^{1/2}*c^{1/2})^{1/2}*x,I*a^{1/2}/c^{1/2}/d*e,(-I/a^{1/2}*c^{1/2})^{1/2}/(I/a^{1/2}*c^{1/2})^{1/2})*c$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4 + a} (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(c*x^4 + a)*(e*x^2 + d)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{cx^4 + a} (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c*x^4)^(1/2)*(d + e*x^2)^2),x)

[Out] int(1/((a + c*x^4)^(1/2)*(d + e*x^2)^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + cx^4} (d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(1/(e*x**2+d)**2/(c*x**4+a)**(1/2),x)
```

```
[Out] Integral(1/(sqrt(a + c*x**4)*(d + e*x**2)**2), x)
```

$$3.156 \quad \int \frac{1}{(d+ex^2)^3 \sqrt{a+cx^4}} dx$$

Optimal. Leaf size=729

$$\frac{3\sqrt{e} (a^2e^4 + 2acd^2e^2 + 5c^2d^4) \tan^{-1} \left(\frac{x\sqrt{ae^2+cd^2}}{\sqrt{d}\sqrt{e}\sqrt{a+cx^4}} \right)}{16d^{5/2} (ae^2 + cd^2)^{5/2}} - \frac{3(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} (\sqrt{a}e + \sqrt{c}d) (a^2e^4 + 2acd^2e^2)}{32\sqrt[4]{a}\sqrt[4]{c}d^3\sqrt{a+cx^4} (\sqrt{c}d - \sqrt{a})}$$

[Out] $3/16*(a^2e^4+2a*c*d^2e^2+5c^2*d^4)*\arctan(x*(a*e^2+c*d^2)^{(1/2)}/d^{(1/2)}/e^{(1/2)}/(c*x^4+a)^{(1/2)})*e^{(1/2)}/d^{(5/2)}/(a*e^2+c*d^2)^{(5/2)}+1/4*e^2*x*(c*x^4+a)^{(1/2)}/d/(a*e^2+c*d^2)/(e*x^2+d)^2+3/8*e^2*(a*e^2+3*c*d^2)*x*(c*x^4+a)^{(1/2)}/d^2/(a*e^2+c*d^2)^2/(e*x^2+d)-3/8*e*(a*e^2+3*c*d^2)*x*c^{(1/2)}*(c*x^4+a)^{(1/2)}/d^2/(a*e^2+c*d^2)^2/(a^{(1/2)}+x^2*c^{(1/2)})+3/8*a^{(1/4)}*c^{(1/4)}*e*(a*e^2+3*c*d^2)*(cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/d^2/(a*e^2+c*d^2)^2/(c*x^4+a)^{(1/2)}-3/32*(a^2*e^4+2*a*c*d^2*e^2+5*c^2*d^4)*(cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticPi}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})), -1/4*(-e*a^{(1/2)}+d*c^{(1/2)})^2/d/e/a^{(1/2)}/c^{(1/2)},1/2*2^{(1/2)})*(e*a^{(1/2)}+d*c^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/c^{(1/4)}/d^3/(a*e^2+c*d^2)^2/(-e*a^{(1/2)}+d*c^{(1/2)})/(c*x^4+a)^{(1/2)}+1/8*c^{(1/4)}*(cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*(4*c*d^2+3*a*e^2-d*e*a^{(1/2)})*c^{(1/2)}*((c*x^4+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/d^2/(a*e^2+c*d^2)/(-e*a^{(1/2)}+d*c^{(1/2)})/(c*x^4+a)^{(1/2)}$

Rubi [A] time = 1.25, antiderivative size = 729, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1224, 1697, 1715, 1196, 1709, 220, 1707}

$$\frac{3\sqrt{e} (a^2e^4 + 2acd^2e^2 + 5c^2d^4) \tan^{-1} \left(\frac{x\sqrt{ae^2+cd^2}}{\sqrt{d}\sqrt{e}\sqrt{a+cx^4}} \right)}{16d^{5/2} (ae^2 + cd^2)^{5/2}} - \frac{3(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} (\sqrt{a}e + \sqrt{c}d) (a^2e^4 + 2acd^2e^2)}{32\sqrt[4]{a}\sqrt[4]{c}d^3\sqrt{a+cx^4} (\sqrt{c}d - \sqrt{a})}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^3*Sqrt[a + c*x^4]),x]

[Out] $(-3*\text{Sqrt}[c]*e*(3*c*d^2 + a*e^2)*x*\text{Sqrt}[a + c*x^4])/(8*d^2*(c*d^2 + a*e^2)^2*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)) + (e^2*x*\text{Sqrt}[a + c*x^4])/(4*d*(c*d^2 + a*e^2)*(d$

```

+ e*x^2)^2) + (3*e^2*(3*c*d^2 + a*e^2)*x*Sqrt[a + c*x^4])/(8*d^2*(c*d^2 +
a*e^2)^2*(d + e*x^2)) + (3*Sqrt[e]*(5*c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*Ar
cTan[(Sqrt[c*d^2 + a*e^2]*x)/(Sqrt[d]*Sqrt[e]*Sqrt[a + c*x^4])])/(16*d^(5/2
)*(c*d^2 + a*e^2)^(5/2)) + (3*a^(1/4)*c^(1/4)*e*(3*c*d^2 + a*e^2)*(Sqrt[a]
+ Sqrt[c]*x^2)*Sqrt[(a + c*x^4)/(Sqrt[a] + Sqrt[c]*x^2)^2]*EllipticE[2*ArcT
an[(c^(1/4)*x)/a^(1/4)], 1/2])/(8*d^2*(c*d^2 + a*e^2)^2*Sqrt[a + c*x^4]) +
(c^(1/4)*(4*c*d^2 - Sqrt[a]*Sqrt[c]*d*e + 3*a*e^2)*(Sqrt[a] + Sqrt[c]*x^2)*
Sqrt[(a + c*x^4)/(Sqrt[a] + Sqrt[c]*x^2)^2]*EllipticF[2*ArcTan[(c^(1/4)*x)/
a^(1/4)], 1/2])/(8*a^(1/4)*d^2*(Sqrt[c]*d - Sqrt[a]*e)*(c*d^2 + a*e^2)*Sqrt
[a + c*x^4]) - (3*(Sqrt[c]*d + Sqrt[a]*e)*(5*c^2*d^4 + 2*a*c*d^2*e^2 + a^2*
e^4)*(Sqrt[a] + Sqrt[c]*x^2)*Sqrt[(a + c*x^4)/(Sqrt[a] + Sqrt[c]*x^2)^2]*EL
lipticPi[-(Sqrt[c]*d - Sqrt[a]*e)^2/(4*Sqrt[a]*Sqrt[c]*d*e), 2*ArcTan[(c^(1
/4)*x)/a^(1/4)], 1/2])/(32*a^(1/4)*c^(1/4)*d^3*(Sqrt[c]*d - Sqrt[a]*e)*(c*d
^2 + a*e^2)^2*Sqrt[a + c*x^4])

```

Rule 220

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(
(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x]
, 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

```

Rule 1196

```

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]

```

Rule 1224

```

Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := -Sim
p[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + c*x^4])/(2*d*(q + 1)*(c*d^2 + a*e^2))
, x] + Dist[1/(2*d*(q + 1)*(c*d^2 + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[
a*e^2*(2*q + 3) + 2*c*d^2*(q + 1) - 2*e*c*d*(q + 1)*x^2 + c*e^2*(2*q + 5)*x
^4, x])/Sqrt[a + c*x^4], x], x] /; FreeQ[{a, c, d, e}, x] && ILtQ[q, -1]

```

Rule 1697

```

Int[((P4x_)*((d_) + (e_.)*(x_)^2)^(q_))/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol
] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]
}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt[a + c*x^4])/(2
*d*(q + 1)*(c*d^2 + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 + a*e^2)), Int
[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d - B*e) + A*(a*e^2*(2*q + 3) + 2*c*d^2*(
q + 1)) + 2*d*(B*c*d - A*c*e + a*C*e)*(q + 1)*x^2 + c*(C*d^2 - B*d*e + A*e^
2)*(2*q + 5)*x^4, x])/Sqrt[a + c*x^4], x], x] /; FreeQ[{a, c, d, e}, x] &&

```

PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[c*d^2 + a*e^2, 0] && ILtQ[q, -1]

Rule 1707

```
Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[Rt[(c*d)/e + (a*e)/d, 2]*x]/Sqrt[a + c*x^4])]/(2*d*e*Rt[(c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2])/(4*d*e*A*q*Sqrt[a + c*x^4]), x]] /; FreeQ[{a, c, d, e, A, B}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]
```

Rule 1709

```
Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(A*(c*d + a*e*q) - a*B*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + c*x^4], x], x] + Dist[(a*(B*d - A*e)*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + c*x^4]), x], x]] /; FreeQ[{a, c, d, e, A, B}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]
```

Rule 1715

```
Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2], A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[C/(e*q), Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] + Dist[1/(c*e), Int[(A*c*e + a*C*d*q + (B*c*e - C*(c*d - a*e*q))*x^2]/((d + e*x^2)*Sqrt[a + c*x^4]), x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)^3 \sqrt{a+cx^4}} dx &= \frac{e^2 x \sqrt{a+cx^4}}{4d(cd^2+ae^2)(d+ex^2)^2} - \frac{\int \frac{-4cd^2-3ae^2+4cdex^2-ce^2x^4}{(d+ex^2)^2 \sqrt{a+cx^4}} dx}{4d(cd^2+ae^2)} \\
&= \frac{e^2 x \sqrt{a+cx^4}}{4d(cd^2+ae^2)(d+ex^2)^2} + \frac{3e^2(3cd^2+ae^2)x\sqrt{a+cx^4}}{8d^2(cd^2+ae^2)^2(d+ex^2)} + \frac{\int \frac{8c^2d^4+5acd^2e^2+3a^2e^4-4cd^2e^2}{(d+ex^2)^2 \sqrt{a+cx^4}} dx}{8d^2(cd^2+ae^2)^2} \\
&= \frac{e^2 x \sqrt{a+cx^4}}{4d(cd^2+ae^2)(d+ex^2)^2} + \frac{3e^2(3cd^2+ae^2)x\sqrt{a+cx^4}}{8d^2(cd^2+ae^2)^2(d+ex^2)} + \frac{\int \frac{-3\sqrt{a}c^{3/2}de^2(3cd^2+ae^2)+c^2d^2e^2}{(d+ex^2)^2 \sqrt{a+cx^4}} dx}{8d^2(cd^2+ae^2)^2} \\
&= -\frac{3\sqrt{c}e(3cd^2+ae^2)x\sqrt{a+cx^4}}{8d^2(cd^2+ae^2)^2(\sqrt{a}+\sqrt{c}x^2)} + \frac{e^2 x \sqrt{a+cx^4}}{4d(cd^2+ae^2)(d+ex^2)^2} + \frac{3e^2(3cd^2+ae^2)x\sqrt{a+cx^4}}{8d^2(cd^2+ae^2)^2(\sqrt{a}+\sqrt{c}x^2)} \\
&= -\frac{3\sqrt{c}e(3cd^2+ae^2)x\sqrt{a+cx^4}}{8d^2(cd^2+ae^2)^2(\sqrt{a}+\sqrt{c}x^2)} + \frac{e^2 x \sqrt{a+cx^4}}{4d(cd^2+ae^2)(d+ex^2)^2} + \frac{3e^2(3cd^2+ae^2)x\sqrt{a+cx^4}}{8d^2(cd^2+ae^2)^2(\sqrt{a}+\sqrt{c}x^2)}
\end{aligned}$$

Mathematica [C] time = 1.10, size = 332, normalized size = 0.46

$$\frac{de^2x(a+cx^4)(ae^2(5d+3ex^2)+cd^2(11d+9ex^2))}{(d+ex^2)^2} + \frac{\sqrt{\frac{cx^4}{a}+1} \left(i \left(\sqrt{c}d(-3ia^{3/2}e^3-9i\sqrt{a}cd^2e+a\sqrt{c}de^2+7c^{3/2}d^3) F \left(i \sinh^{-1} \left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} x \right) \right) - 1 \right) - 3(a^2e^4+2acd^2e^2) \right)}{8d^3\sqrt{a+cx^4}(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)^3*Sqrt[a + c*x^4]),x]

[Out] (((d*e^2*x*(a + c*x^4)*(a*e^2*(5*d + 3*e*x^2) + c*d^2*(11*d + 9*e*x^2)))/(d + e*x^2)^2 + (Sqrt[1 + (c*x^4)/a]*(-3*Sqrt[a]*Sqrt[c]*d*e*(3*c*d^2 + a*e^2)*EllipticE[I*ArcSinh[Sqrt[(I*Sqrt[c])/Sqrt[a]]*x], -1] + I*(Sqrt[c]*d*(7*c^(3/2)*d^3 - (9*I)*Sqrt[a]*c*d^2*e + a*Sqrt[c]*d*e^2 - (3*I)*a^(3/2)*e^3)*EllipticF[I*ArcSinh[Sqrt[(I*Sqrt[c])/Sqrt[a]]*x], -1] - 3*(5*c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*EllipticPi[(-I)*Sqrt[a]*e/(Sqrt[c]*d), I*ArcSinh[Sqrt[(I*Sqrt[c])/Sqrt[a]]*x], -1]))/Sqrt[(I*Sqrt[c])/Sqrt[a]]/(8*d^3*(c*d^2 + a*e^2)^2*Sqrt[a + c*x^4])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x^2+d)^3/(c*x^4+a)^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4+a}(ex^2+d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x^2+d)^3/(c*x^4+a)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(1/(sqrt(c*x^4 + a)*(e*x^2 + d)^3), x)
```

maple [C] time = 0.03, size = 1018, normalized size = 1.40

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(e*x^2+d)^3/(c*x^4+a)^(1/2),x)
```

```
[Out] 1/4*e^2*x*(c*x^4+a)^(1/2)/d/(a*e^2+c*d^2)/(e*x^2+d)^2+3/8*e^2*(a*e^2+3*c*d^2)*x*(c*x^4+a)^(1/2)/d^2/(a*e^2+c*d^2)^2/(e*x^2+d)-1/8*c/d/(a*e^2+c*d^2)^2/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*c^(1/2))^(1/2)*x,I)*a*e^2-7/8*c^2*d/(a*e^2+c*d^2)^2/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*c^(1/2))^(1/2)*x,I)-9/8*I*c^(3/2)*e/(a*e^2+c*d^2)^2*a^(1/2)/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*c^(1/2))^(1/2)*x,I)-3/8*I*c^(1/2)*e^3/(a*e^2+c*d^2)^2/d^2*a^(3/2)/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*c^(1/2))^(1/2)*x,I)+9/8*I*c^(3/2)*e/(a*e^2+c*d^2)^2*a^(1/2)/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*c^(1/2))^(1/2)*x,I)+3/8*I*c^(1/2)*e^3/(a*e^2+c*d^2)^2/d^2*a^(3/2)/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*EllipticE((I/a^(1/2)*c^(1/2))^(1/2)*x,I)+3/8/(a*e^2+c*d^2)^2/d^3*e^4/(I/a^
```

$(1/2)*c^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(c*x^4+a)^{(1/2)}*EllipticPi((I/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,I*a^{(1/2)}/c^{(1/2)}/d*e,(-I/a^{(1/2)}*c^{(1/2)})^{(1/2)}/(I/a^{(1/2)}*c^{(1/2)})^{(1/2)})*a^{2+3/4}/(a*e^2+c*d^2)^2/d*e^2/(I/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(c*x^4+a)^{(1/2)}*EllipticPi((I/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,I*a^{(1/2)}/c^{(1/2)}/d*e,(-I/a^{(1/2)}*c^{(1/2)})^{(1/2)}/(I/a^{(1/2)}*c^{(1/2)})^{(1/2)})*a*c+15/8/(a*e^2+c*d^2)^2*d/(I/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-I/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(I/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(c*x^4+a)^{(1/2)}*EllipticPi((I/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,I*a^{(1/2)}/c^{(1/2)}/d*e,(-I/a^{(1/2)}*c^{(1/2)})^{(1/2)}/(I/a^{(1/2)}*c^{(1/2)})^{(1/2)})*c^2$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4 + a} (ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^3/(c*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(c*x^4 + a)*(e*x^2 + d)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{cx^4 + a} (ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c*x^4)^(1/2)*(d + e*x^2)^3),x)

[Out] int(1/((a + c*x^4)^(1/2)*(d + e*x^2)^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + cx^4} (d + ex^2)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)**3/(c*x**4+a)**(1/2),x)

[Out] Integral(1/(sqrt(a + c*x**4)*(d + e*x**2)**3), x)

$$3.157 \quad \int \frac{(d+ex^2)^3}{\sqrt{a-cx^4}} dx$$

Optimal. Leaf size=213

$$\frac{a^{3/4} \sqrt{1 - \frac{cx^4}{a}} \left(\frac{5\sqrt{c}d(ae^2+cd^2)}{\sqrt{a}} - 3e(ae^2 + 5cd^2) \right) F\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{5c^{7/4}\sqrt{a-cx^4}} + \frac{3a^{3/4}e\sqrt{1 - \frac{cx^4}{a}} (ae^2 + 5cd^2) E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\right)}{5c^{7/4}\sqrt{a-cx^4}}$$

[Out] $-d*e^2*x*(-c*x^4+a)^{(1/2)}/c-1/5*e^3*x^3*(-c*x^4+a)^{(1/2)}/c+3/5*a^{(3/4)}*e*(a*e^2+5*c*d^2)*\text{EllipticE}(c^{(1/4)}*x/a^{(1/4)},I)*(1-c*x^4/a)^{(1/2)}/c^{(7/4)}/(-c*x^4+a)^{(1/2)}+1/5*a^{(3/4)}*\text{EllipticF}(c^{(1/4)}*x/a^{(1/4)},I)*(-3*e*(a*e^2+5*c*d^2)+5*d*(a*e^2+c*d^2)*c^{(1/2)}/a^{(1/2)})*(1-c*x^4/a)^{(1/2)}/c^{(7/4)}/(-c*x^4+a)^{(1/2)}$

Rubi [A] time = 0.28, antiderivative size = 213, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {1207, 1888, 1201, 224, 221, 1200, 1199, 424}

$$\frac{a^{3/4} \sqrt{1 - \frac{cx^4}{a}} \left(\frac{5\sqrt{c}d(ae^2+cd^2)}{\sqrt{a}} - 3e(ae^2 + 5cd^2) \right) F\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{5c^{7/4}\sqrt{a-cx^4}} + \frac{3a^{3/4}e\sqrt{1 - \frac{cx^4}{a}} (ae^2 + 5cd^2) E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\right)}{5c^{7/4}\sqrt{a-cx^4}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(d + e*x^2)^3/\text{Sqrt}[a - c*x^4], x]$

[Out] $-((d*e^2*x*\text{Sqrt}[a - c*x^4])/c) - (e^3*x^3*\text{Sqrt}[a - c*x^4])/(5*c) + (3*a^{(3/4)}*e*(5*c*d^2 + a*e^2)*\text{Sqrt}[1 - (c*x^4)/a]*\text{EllipticE}[\text{ArcSin}[(c^{(1/4)}*x)/a^{(1/4)}], -1])/(5*c^{(7/4)}*\text{Sqrt}[a - c*x^4]) + (a^{(3/4)}*((5*\text{Sqrt}[c]*d*(c*d^2 + a*e^2))/\text{Sqrt}[a] - 3*e*(5*c*d^2 + a*e^2))*\text{Sqrt}[1 - (c*x^4)/a]*\text{EllipticF}[\text{ArcSin}[(c^{(1/4)}*x)/a^{(1/4)}], -1])/(5*c^{(7/4)}*\text{Sqrt}[a - c*x^4])$

Rule 221

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{Simp}[\text{EllipticF}[\text{ArcSin}[(\text{Rt}[-b, 4]*x)/\text{Rt}[a, 4]], -1]/(\text{Rt}[a, 4]*\text{Rt}[-b, 4]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[b/a] \ \&\& \ \text{GtQ}[a, 0]$

Rule 224

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[1 + (b*x^4)/a]/\text{Sqrt}[a + b*x^4], \text{Int}[1/\text{Sqrt}[1 + (b*x^4)/a], x], x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[b/a] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c)
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 1199

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := Dist[d/Sq
rt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c,
d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 1200

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := Dist[Sqrt
[1 + (c*x^4)/a]/Sqrt[a + c*x^4], Int[(d + e*x^2)/Sqrt[1 + (c*x^4)/a], x], x
] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && !GtQ[
a, 0]
```

Rule 1201

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[-(c/a), 2]}, Dist[(d*q - e)/q, Int[1/Sqrt[a + c*x^4], x], x] + Dist[e/q
, Int[(1 + q*x^2)/Sqrt[a + c*x^4], x], x]] /; FreeQ[{a, c, d, e}, x] && Neg
Q[c/a] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 1207

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Sim
p[(e^q*x^(2*q - 3)*(a + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c
*(4*p + 2*q + 1)), Int[(a + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x
^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x]
, x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[q, 1]
```

Rule 1888

```
Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{q = Expon[Pq, x
]}, With[{Pqq = Coeff[Pq, x, q]}, Dist[1/(b*(q + n*p + 1)), Int[ExpandToSum
[b*(q + n*p + 1)*(Pq - Pqq*x^q) - a*Pqq*(q - n + 1)*x^(q - n), x]*(a + b*x^
n)^p, x], x] + Simp[(Pqq*x^(q - n + 1)*(a + b*x^n)^(p + 1))/(b*(q + n*p + 1
)), x]] /; NeQ[q + n*p + 1, 0] && q - n >= 0 && (IntegerQ[2*p] || IntegerQ[
p + (q + 1)/(2*n)]) /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^3}{\sqrt{a - cx^4}} dx &= -\frac{e^3 x^3 \sqrt{a - cx^4}}{5c} - \frac{\int \frac{-5cd^3 - 3e(5cd^2 + ae^2)x^2 - 15cde^2x^4}{\sqrt{a - cx^4}} dx}{5c} \\
&= -\frac{de^2 x \sqrt{a - cx^4}}{c} - \frac{e^3 x^3 \sqrt{a - cx^4}}{5c} + \frac{\int \frac{15cd(cd^2 + ae^2) + 9ce(5cd^2 + ae^2)x^2}{\sqrt{a - cx^4}} dx}{15c^2} \\
&= -\frac{de^2 x \sqrt{a - cx^4}}{c} - \frac{e^3 x^3 \sqrt{a - cx^4}}{5c} + \frac{(3\sqrt{a} e (5cd^2 + ae^2)) \int \frac{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{a - cx^4}} dx}{5c^{3/2}} + \frac{(5\sqrt{c} d (cd^2 + ae^2) - 3\sqrt{a} e (5cd^2 + ae^2)) \sqrt{1 - \frac{cx^4}{a}}}{5c^{3/2} \sqrt{a - cx^4}} \\
&= -\frac{de^2 x \sqrt{a - cx^4}}{c} - \frac{e^3 x^3 \sqrt{a - cx^4}}{5c} + \frac{(3\sqrt{a} e (5cd^2 + ae^2)) \int \frac{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{1 - \frac{cx^4}{a}}} dx}{5c^{3/2} \sqrt{a - cx^4}} + \frac{(5\sqrt{c} d (cd^2 + ae^2) - 3\sqrt{a} e (5cd^2 + ae^2)) \sqrt{1 - \frac{cx^4}{a}}}{5c^{3/2} \sqrt{a - cx^4}} \\
&= -\frac{de^2 x \sqrt{a - cx^4}}{c} - \frac{e^3 x^3 \sqrt{a - cx^4}}{5c} + \frac{\sqrt[4]{a} (5\sqrt{c} d (cd^2 + ae^2) - 3\sqrt{a} e (5cd^2 + ae^2)) \sqrt{1 - \frac{cx^4}{a}} F\left(\frac{1}{4}, \frac{1}{2}, \frac{5}{4}, \frac{cx^4}{a}\right)}{5c^{7/4} \sqrt{a - cx^4}} \\
&= -\frac{de^2 x \sqrt{a - cx^4}}{c} - \frac{e^3 x^3 \sqrt{a - cx^4}}{5c} + \frac{3a^{3/4} e (5cd^2 + ae^2) \sqrt{1 - \frac{cx^4}{a}} E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right) + \sqrt[4]{a} (5\sqrt{c} d (cd^2 + ae^2) - 3\sqrt{a} e (5cd^2 + ae^2)) \sqrt{1 - \frac{cx^4}{a}}}{5c^{7/4} \sqrt{a - cx^4}}
\end{aligned}$$

Mathematica [C] time = 0.16, size = 141, normalized size = 0.66

$$\frac{5dx\sqrt{1 - \frac{cx^4}{a}} (ae^2 + cd^2) {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; \frac{cx^4}{a}\right) + ex\left(x^2\sqrt{1 - \frac{cx^4}{a}} (ae^2 + 5cd^2) {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; \frac{cx^4}{a}\right) + e(cx^4 - a)(5d + ex^2)\right)}{5c\sqrt{a - cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^3/Sqrt[a - c*x^4], x]

[Out] (5*d*(c*d^2 + a*e^2)*x*Sqrt[1 - (c*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, (c*x^4)/a] + e*x*(e*(5*d + e*x^2)*(-a + c*x^4) + (5*c*d^2 + a*e^2)*x^2*Sqrt[1 - (c*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, (c*x^4)/a])/(5*c*Sqrt[a - c*x^4])

fricas [F] time = 0.92, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(e^3x^6 + 3de^2x^4 + 3d^2ex^2 + d^3)\sqrt{-cx^4 + a}}{cx^4 - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(-c*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(-(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3)*sqrt(-c*x^4 + a)/(c*x^4 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^3}{\sqrt{-cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(-c*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^3/sqrt(-c*x^4 + a), x)

maple [B] time = 0.03, size = 360, normalized size = 1.69

$$\frac{\sqrt{-\frac{\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{\frac{\sqrt{c}x^2}{\sqrt{a}}+1} d^3 \operatorname{EllipticF}\left(\sqrt{\frac{\sqrt{c}}{\sqrt{a}}}x, i\right) - 3\sqrt{-\frac{\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{\frac{\sqrt{c}x^2}{\sqrt{a}}+1} \left(-\operatorname{EllipticE}\left(\sqrt{\frac{\sqrt{c}}{\sqrt{a}}}x, i\right) + \operatorname{EllipticF}\left(\sqrt{\frac{\sqrt{c}}{\sqrt{a}}}x, i\right)\right)}{\sqrt{\frac{\sqrt{c}}{\sqrt{a}}}\sqrt{-cx^4+a} \sqrt{\frac{\sqrt{c}}{\sqrt{a}}}\sqrt{-cx^4+a} \sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^3/(-c*x^4+a)^(1/2),x)

[Out] e^3*(-1/5/c*x^3*(-c*x^4+a)^(1/2)-3/5*a^(3/2)/c^(3/2)/(1/a^(1/2)*c^(1/2))^(1/2)*(1-1/a^(1/2)*c^(1/2)*x^2)^(1/2)*(1+1/a^(1/2)*c^(1/2)*x^2)^(1/2)/(-c*x^4+a)^(1/2)*(EllipticF(x*(1/a^(1/2)*c^(1/2))^(1/2),I)-EllipticE(x*(1/a^(1/2)*c^(1/2))^(1/2),I)))+3*d*e^2*(-1/3/c*x*(-c*x^4+a)^(1/2)+1/3*a/c/(1/a^(1/2)*c^(1/2))^(1/2)*(1-1/a^(1/2)*c^(1/2)*x^2)^(1/2)*(1+1/a^(1/2)*c^(1/2)*x^2)^(1/2)/(-c*x^4+a)^(1/2)*EllipticF(x*(1/a^(1/2)*c^(1/2))^(1/2),I))-3*d^2*e*a^(1/2)/(1/a^(1/2)*c^(1/2))^(1/2)*(1-1/a^(1/2)*c^(1/2)*x^2)^(1/2)*(1+1/a^(1/2)*c^(1/2)*x^2)^(1/2)/(-c*x^4+a)^(1/2)/c^(1/2)*(EllipticF(x*(1/a^(1/2)*c^(1/2))^(1/2),I)-EllipticE(x*(1/a^(1/2)*c^(1/2))^(1/2),I))+d^3/(1/a^(1/2)*c^(1/2))^(1/2)*(1-1/a^(1/2)*c^(1/2)*x^2)^(1/2)*(1+1/a^(1/2)*c^(1/2)*x^2)^(1/2)/(-c*x^4+a)^(1/2)*EllipticF(x*(1/a^(1/2)*c^(1/2))^(1/2),I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^3}{\sqrt{-cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(-c*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^3/sqrt(-c*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^3}{\sqrt{a - cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^3/(a - c*x^4)^(1/2),x)

[Out] int((d + e*x^2)^3/(a - c*x^4)^(1/2), x)

sympy [A] time = 4.89, size = 180, normalized size = 0.85

$$\frac{d^3 x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{cx^4 e^{2i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{5}{4}\right)} + \frac{3d^2 e x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{4} \middle| \frac{cx^4 e^{2i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{7}{4}\right)} + \frac{3d e^2 x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{5}{4} \middle| \frac{cx^4 e^{2i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{9}{4}\right)} + \frac{e^3 x^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{7}{4}, \frac{7}{4} \middle| \frac{cx^4 e^{2i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{11}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**3/(-c*x**4+a)**(1/2),x)

[Out] d**3*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), c*x**4*exp_polar(2*I*pi)/a)/(4*sqrt(a)*gamma(5/4)) + 3*d**2*e*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), c*x**4*exp_polar(2*I*pi)/a)/(4*sqrt(a)*gamma(7/4)) + 3*d*e**2*x**5*gamma(5/4)*hyper((1/2, 5/4), (9/4,), c*x**4*exp_polar(2*I*pi)/a)/(4*sqrt(a)*gamma(9/4)) + e**3*x**7*gamma(7/4)*hyper((1/2, 7/4), (11/4,), c*x**4*exp_polar(2*I*pi)/a)/(4*sqrt(a)*gamma(11/4))

$$3.158 \quad \int \frac{(d+ex^2)^2}{\sqrt{a-cx^4}} dx$$

Optimal. Leaf size=162

$$\frac{2a^{3/4}de\sqrt{1-\frac{cx^4}{a}}E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\middle| -1\right)}{c^{3/4}\sqrt{a-cx^4}} + \frac{\sqrt[4]{a}\sqrt{1-\frac{cx^4}{a}}(-6\sqrt{a}\sqrt{c}de+ae^2+3cd^2)F\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\middle| -1\right)}{3c^{5/4}\sqrt{a-cx^4}} - \frac{e^2x\sqrt{a-cx^4}}{3c}$$

[Out] $-1/3*e^2*x*(-c*x^4+a)^{(1/2)}/c+2*a^{(3/4)}*d*e*EllipticE(c^{(1/4)}*x/a^{(1/4)},I)*(1-c*x^4/a)^{(1/2)}/c^{(3/4)}/(-c*x^4+a)^{(1/2)}+1/3*a^{(1/4)}*EllipticF(c^{(1/4)}*x/a^{(1/4)},I)*(3*c*d^2+a*e^2-6*d*e*a^{(1/2)}*c^{(1/2)})*(1-c*x^4/a)^{(1/2)}/c^{(5/4)}/(-c*x^4+a)^{(1/2)}$

Rubi [A] time = 0.14, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$, Rules used = {1207, 1201, 224, 221, 1200, 1199, 424}

$$\frac{2a^{3/4}de\sqrt{1-\frac{cx^4}{a}}E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\middle| -1\right)}{c^{3/4}\sqrt{a-cx^4}} + \frac{\sqrt[4]{a}\sqrt{1-\frac{cx^4}{a}}(-6\sqrt{a}\sqrt{c}de+ae^2+3cd^2)F\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\middle| -1\right)}{3c^{5/4}\sqrt{a-cx^4}} - \frac{e^2x\sqrt{a-cx^4}}{3c}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^2/Sqrt[a - c*x^4], x]

[Out] $-(e^2*x*\text{Sqrt}[a - c*x^4])/(3*c) + (2*a^{(3/4)}*d*e*\text{Sqrt}[1 - (c*x^4)/a]*\text{EllipticE}[\text{ArcSin}[(c^{(1/4)}*x)/a^{(1/4)}], -1])/(c^{(3/4)}*\text{Sqrt}[a - c*x^4]) + (a^{(1/4)}*(3*c*d^2 - 6*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e + a*e^2)*\text{Sqrt}[1 - (c*x^4)/a]*\text{EllipticF}[\text{ArcSin}[(c^{(1/4)}*x)/a^{(1/4)}], -1])/(3*c^{(5/4)}*\text{Sqrt}[a - c*x^4])$

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 224

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Dist[Sqrt[1 + (b*x^4)/a]/Sqrt[a + b*x^4], Int[1/Sqrt[1 + (b*x^4)/a], x], x] /; FreeQ[{a, b}, x] && NegQ[b/a] && !GtQ[a, 0]

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c)
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 1199

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := Dist[d/Sq
rt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c,
d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 1200

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := Dist[Sqrt
[1 + (c*x^4)/a]/Sqrt[a + c*x^4], Int[(d + e*x^2)/Sqrt[1 + (c*x^4)/a], x], x
] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && !GtQ[
a, 0]
```

Rule 1201

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[-(c/a), 2]}, Dist[(d*q - e)/q, Int[1/Sqrt[a + c*x^4], x], x] + Dist[e/q
, Int[(1 + q*x^2)/Sqrt[a + c*x^4], x], x]] /; FreeQ[{a, c, d, e}, x] && Neg
Q[c/a] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 1207

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Sim
p[(e^q*x^(2*q - 3)*(a + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c
*(4*p + 2*q + 1)), Int[(a + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x
^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x
], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[q, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2}{\sqrt{a - cx^4}} dx &= -\frac{e^2 x \sqrt{a - cx^4}}{3c} - \frac{\int \frac{-3cd^2 - ae^2 - 6cdex^2}{\sqrt{a - cx^4}} dx}{3c} \\
&= -\frac{e^2 x \sqrt{a - cx^4}}{3c} + \frac{(2\sqrt{a} de) \int \frac{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{a - cx^4}} dx}{\sqrt{c}} - \frac{(-3cd^2 + 6\sqrt{a} \sqrt{c} de - ae^2) \int \frac{1}{\sqrt{a - cx^4}} dx}{3c} \\
&= -\frac{e^2 x \sqrt{a - cx^4}}{3c} + \frac{\left(2\sqrt{a} de \sqrt{1 - \frac{cx^4}{a}}\right) \int \frac{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{1 - \frac{cx^4}{a}}} dx}{\sqrt{c} \sqrt{a - cx^4}} - \frac{\left((-3cd^2 + 6\sqrt{a} \sqrt{c} de - ae^2) \sqrt{1 - \frac{cx^4}{a}}\right)}{3c \sqrt{a - cx^4}} \\
&= -\frac{e^2 x \sqrt{a - cx^4}}{3c} + \frac{\sqrt[4]{a} (3cd^2 - 6\sqrt{a} \sqrt{c} de + ae^2) \sqrt{1 - \frac{cx^4}{a}} F\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{3c^{5/4} \sqrt{a - cx^4}} + \frac{\left(2\sqrt{a} de \sqrt{1 - \frac{cx^4}{a}}\right)}{3c^{5/4} \sqrt{a - cx^4}} \\
&= -\frac{e^2 x \sqrt{a - cx^4}}{3c} + \frac{2a^{3/4} de \sqrt{1 - \frac{cx^4}{a}} E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{c^{3/4} \sqrt{a - cx^4}} + \frac{\sqrt[4]{a} (3cd^2 - 6\sqrt{a} \sqrt{c} de + ae^2) \sqrt{1 - \frac{cx^4}{a}}}{3c^{5/4} \sqrt{a - cx^4}}
\end{aligned}$$

Mathematica [C] time = 0.10, size = 121, normalized size = 0.75

$$\frac{x \sqrt{1 - \frac{cx^4}{a}} (ae^2 + 3cd^2) {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; \frac{cx^4}{a}\right) + ex \left(2cdx^2 \sqrt{1 - \frac{cx^4}{a}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; \frac{cx^4}{a}\right) - ae + cex^4\right)}{3c \sqrt{a - cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2/Sqrt[a - c*x^4], x]

[Out] (((3*c*d^2 + a*e^2)*x*Sqrt[1 - (c*x^4)/a]*Hypergeometric2F1[1/4, 1/2, 5/4, (c*x^4)/a] + e*x*(-(a*e) + c*e*x^4 + 2*c*d*x^2*Sqrt[1 - (c*x^4)/a]*Hypergeometric2F1[1/2, 3/4, 7/4, (c*x^4)/a]))/(3*c*Sqrt[a - c*x^4])

fricas [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(e^2x^4 + 2dex^2 + d^2)\sqrt{-cx^4 + a}}{cx^4 - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(-c*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(-(e^2*x^4 + 2*d*e*x^2 + d^2)*sqrt(-c*x^4 + a)/(c*x^4 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^2}{\sqrt{-cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(-c*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2/sqrt(-c*x^4 + a), x)

maple [A] time = 0.01, size = 246, normalized size = 1.52

$$\frac{\sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} d^2 \operatorname{EllipticF}\left(\sqrt{\frac{\sqrt{c}}{\sqrt{a}}} x, i\right) - 2\sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \left(-\operatorname{EllipticE}\left(\sqrt{\frac{\sqrt{c}}{\sqrt{a}}} x, i\right) + \operatorname{EllipticF}\left(\sqrt{\frac{\sqrt{c}}{\sqrt{a}}} x, i\right)\right)}{\sqrt{\frac{\sqrt{c}}{\sqrt{a}}} \sqrt{-c x^4 + a} \sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2/(-c*x^4+a)^(1/2),x)

[Out] e^2*(-1/3*(-c*x^4+a)^(1/2)/c*x+1/3*a/c/(1/a^(1/2)*c^(1/2))^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(-c*x^4+a)^(1/2)*EllipticF((1/a^(1/2)*c^(1/2))^(1/2)*x,I)-2*d*e*a^(1/2)/(1/a^(1/2)*c^(1/2))^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(-c*x^4+a)^(1/2)/c^(1/2)*(EllipticF((1/a^(1/2)*c^(1/2))^(1/2)*x,I)-EllipticE((1/a^(1/2)*c^(1/2))^(1/2)*x,I))+d^2/(1/a^(1/2)*c^(1/2))^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(-c*x^4+a)^(1/2)*EllipticF((1/a^(1/2)*c^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^2}{\sqrt{-cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(-c*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^2/sqrt(-c*x^4 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(ex^2 + d)^2}{\sqrt{a - cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^2/(a - c*x^4)^(1/2), x)

[Out] int((d + e*x^2)^2/(a - c*x^4)^(1/2), x)

sympy [A] time = 3.77, size = 129, normalized size = 0.80

$$\frac{d^2 x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{cx^4 e^{2i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{5}{4}\right)} + \frac{dex^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{cx^4 e^{2i\pi}}{a}\right)}{2\sqrt{a} \Gamma\left(\frac{7}{4}\right)} + \frac{e^2 x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{4} \middle| \frac{cx^4 e^{2i\pi}}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2/(-c*x**4+a)**(1/2), x)

[Out] d**2*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), c*x**4*exp_polar(2*I*pi)/a)/(4*sqrt(a)*gamma(5/4)) + d*e*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), c*x**4*exp_polar(2*I*pi)/a)/(2*sqrt(a)*gamma(7/4)) + e**2*x**5*gamma(5/4)*hyper((1/2, 5/4), (9/4,), c*x**4*exp_polar(2*I*pi)/a)/(4*sqrt(a)*gamma(9/4))

$$3.159 \quad \int \frac{d+ex^2}{\sqrt{a-cx^4}} dx$$

Optimal. Leaf size=124

$$\frac{a^{3/4} \sqrt{1 - \frac{cx^4}{a}} \left(\frac{\sqrt{c}d}{\sqrt{a}} - e \right) F \left(\sin^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{c^{3/4} \sqrt{a - cx^4}} + \frac{a^{3/4} e \sqrt{1 - \frac{cx^4}{a}} E \left(\sin^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{c^{3/4} \sqrt{a - cx^4}}$$

[Out] $a^{(3/4)}*e*EllipticE(c^{(1/4)}*x/a^{(1/4)}, I)*(1-c*x^4/a)^{(1/2)}/c^{(3/4)}/(-c*x^4+a)^{(1/2)}+a^{(3/4)}*EllipticF(c^{(1/4)}*x/a^{(1/4)}, I)*(-e+d*c^{(1/2)}/a^{(1/2)})*(1-c*x^4/a)^{(1/2)}/c^{(3/4)}/(-c*x^4+a)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1201, 224, 221, 1200, 1199, 424}

$$\frac{a^{3/4} \sqrt{1 - \frac{cx^4}{a}} \left(\frac{\sqrt{c}d}{\sqrt{a}} - e \right) F \left(\sin^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{c^{3/4} \sqrt{a - cx^4}} + \frac{a^{3/4} e \sqrt{1 - \frac{cx^4}{a}} E \left(\sin^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{c^{3/4} \sqrt{a - cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/Sqrt[a - c*x^4], x]

[Out] $(a^{(3/4)}*e*\text{Sqrt}[1 - (c*x^4)/a]*\text{EllipticE}[\text{ArcSin}[(c^{(1/4)}*x)/a^{(1/4)}], -1])/(c^{(3/4)}*\text{Sqrt}[a - c*x^4]) + (a^{(3/4)}*((\text{Sqrt}[c]*d)/\text{Sqrt}[a] - e)*\text{Sqrt}[1 - (c*x^4)/a]*\text{EllipticF}[\text{ArcSin}[(c^{(1/4)}*x)/a^{(1/4)}], -1])/(c^{(3/4)}*\text{Sqrt}[a - c*x^4])$

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[Rt[-b, 4]*x]/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 224

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Dist[Sqrt[1 + (b*x^4)/a]/Sqrt[a + b*x^4], Int[1/Sqrt[1 + (b*x^4)/a], x], x] /; FreeQ[{a, b}, x] && NegQ[b/a] && !GtQ[a, 0]

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c)

), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 1199

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := Dist[d/Sqrt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]

Rule 1200

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := Dist[Sqrt[1 + (c*x^4)/a]/Sqrt[a + c*x^4], Int[(d + e*x^2)/Sqrt[1 + (c*x^4)/a], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]

Rule 1201

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[-(c/a), 2]}, Dist[(d*q - e)/q, Int[1/Sqrt[a + c*x^4], x], x] + Dist[e/q, Int[(1 + q*x^2)/Sqrt[a + c*x^4], x], x]] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && NeQ[c*d^2 + a*e^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{d + ex^2}{\sqrt{a - cx^4}} dx &= \frac{(\sqrt{a}e) \int \frac{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{a - cx^4}} dx}{\sqrt{c}} + \left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right) \int \frac{1}{\sqrt{a - cx^4}} dx \\
 &= \frac{\left(\sqrt{a}e\sqrt{1 - \frac{cx^4}{a}}\right) \int \frac{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{1 - \frac{cx^4}{a}}} dx}{\sqrt{c}\sqrt{a - cx^4}} + \frac{\left(\left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right)\sqrt{1 - \frac{cx^4}{a}}\right) \int \frac{1}{\sqrt{1 - \frac{cx^4}{a}}} dx}{\sqrt{a - cx^4}} \\
 &= \frac{\sqrt[4]{a} \left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right) \sqrt{1 - \frac{cx^4}{a}} F\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{c}\sqrt{a - cx^4}} + \frac{\left(\sqrt{a}e\sqrt{1 - \frac{cx^4}{a}}\right) \int \frac{\sqrt{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}}{\sqrt{1 - \frac{\sqrt{c}x^2}{\sqrt{a}}}} dx}{\sqrt{c}\sqrt{a - cx^4}} \\
 &= \frac{a^{3/4}e\sqrt{1 - \frac{cx^4}{a}} E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{c^{3/4}\sqrt{a - cx^4}} + \frac{\sqrt[4]{a} \left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right) \sqrt{1 - \frac{cx^4}{a}} F\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{c}\sqrt{a - cx^4}}
 \end{aligned}$$

Mathematica [C] time = 0.03, size = 77, normalized size = 0.62

$$\frac{\sqrt{1 - \frac{cx^4}{a}} \left(3dx {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; \frac{cx^4}{a}\right) + ex^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; \frac{cx^4}{a}\right) \right)}{3\sqrt{a - cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/Sqrt[a - c*x^4], x]

[Out] (Sqrt[1 - (c*x^4)/a]*(3*d*x*Hypergeometric2F1[1/4, 1/2, 5/4, (c*x^4)/a] + e*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, (c*x^4)/a]))/(3*Sqrt[a - c*x^4])

fricas [F] time = 0.85, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-cx^4 + a}(ex^2 + d)}{cx^4 - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(-c*x^4+a)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-c*x^4 + a)*(e*x^2 + d)/(c*x^4 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{-cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(-c*x^4+a)^(1/2), x, algorithm="giac")

[Out] integrate((e*x^2 + d)/sqrt(-c*x^4 + a), x)

maple [A] time = 0.00, size = 154, normalized size = 1.24

$$\frac{\sqrt{-\frac{\sqrt{c}x^2}{\sqrt{a}} + 1} \sqrt{\frac{\sqrt{c}x^2}{\sqrt{a}} + 1} d \text{EllipticF}\left(\sqrt{\frac{\sqrt{c}}{\sqrt{a}}} x, i\right) \sqrt{-\frac{\sqrt{c}x^2}{\sqrt{a}} + 1} \sqrt{\frac{\sqrt{c}x^2}{\sqrt{a}} + 1} \left(-\text{EllipticE}\left(\sqrt{\frac{\sqrt{c}}{\sqrt{a}}} x, i\right) + \text{Elliptic}\right)}{\sqrt{\frac{\sqrt{c}}{\sqrt{a}}} \sqrt{-cx^4 + a} \sqrt{\frac{\sqrt{c}}{\sqrt{a}}} \sqrt{-cx^4 + a} \sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(-c*x^4+a)^(1/2), x)

```
[Out] -e*a^(1/2)/(1/a^(1/2)*c^(1/2))^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(-c*x^4+a)^(1/2)/c^(1/2)*(EllipticF((1/a^(1/2)*c^(1/2))^(1/2)*x,I)-EllipticE((1/a^(1/2)*c^(1/2))^(1/2)*x,I))+d/(1/a^(1/2)*c^(1/2))^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(-c*x^4+a)^(1/2)*EllipticF((1/a^(1/2)*c^(1/2))^(1/2)*x,I)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{-cx^4 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(-c*x^4+a)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((e*x^2 + d)/sqrt(-c*x^4 + a), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{ex^2 + d}{\sqrt{a - cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^2)/(a - c*x^4)^(1/2),x)
```

```
[Out] int((d + e*x^2)/(a - c*x^4)^(1/2), x)
```

sympy [A] time = 2.24, size = 82, normalized size = 0.66

$$\frac{dx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{cx^4 e^{2i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} + \frac{ex^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{4} \middle| \frac{cx^4 e^{2i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)/(-c*x**4+a)**(1/2),x)
```

```
[Out] d*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), c*x**4*exp_polar(2*I*pi)/a)/(4*sqrt(a)*gamma(5/4)) + e*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), c*x**4*exp_polar(2*I*pi)/a)/(4*sqrt(a)*gamma(7/4))
```

$$3.160 \quad \int \frac{1}{(d+ex^2)\sqrt{a-cx^4}} dx$$

Optimal. Leaf size=72

$$\frac{\sqrt[4]{a} \sqrt{1 - \frac{cx^4}{a}} \Pi\left(-\frac{\sqrt{ae}}{\sqrt{cd}}; \sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{c} d \sqrt{a - cx^4}}$$

[Out] $a^{1/4} \text{EllipticPi}(c^{1/4} x/a^{1/4}, -e a^{1/2}/d/c^{1/2}, I) (1 - c x^4/a)^{1/2} / c^{1/4} / d / (-c x^4 + a)^{1/2}$

Rubi [A] time = 0.04, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1219, 1218}

$$\frac{\sqrt[4]{a} \sqrt{1 - \frac{cx^4}{a}} \Pi\left(-\frac{\sqrt{ae}}{\sqrt{cd}}; \sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{c} d \sqrt{a - cx^4}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*Sqrt[a - c*x^4]),x]

[Out] $(a^{1/4} \text{Sqrt}[1 - (c*x^4)/a] \text{EllipticPi}[-((\text{Sqrt}[a]*e)/(\text{Sqrt}[c]*d)), \text{ArcSin}[(c^{1/4}*x)/a^{1/4}], -1]) / (c^{1/4} * d * \text{Sqrt}[a - c*x^4])$

Rule 1218

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[-(c/a), 4]}, Simp[(1*EllipticPi[-(e/(d*q^2)), ArcSin[q*x], -1]) / (d*Sqrt[a]*q), x]] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && GtQ[a, 0]

Rule 1219

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := Dist[Sqrt[1 + (c*x^4)/a] / Sqrt[a + c*x^4], Int[1/((d + e*x^2)*Sqrt[1 + (c*x^4)/a]), x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && !GtQ[a, 0]

Rubi steps

$$\int \frac{1}{(d+ex^2)\sqrt{a-cx^4}} dx = \frac{\sqrt{1-\frac{cx^4}{a}} \int \frac{1}{(d+ex^2)\sqrt{1-\frac{cx^4}{a}}} dx}{\sqrt{a-cx^4}}$$

$$= \frac{\sqrt[4]{a} \sqrt{1-\frac{cx^4}{a}} \Pi\left(-\frac{\sqrt{a}e}{\sqrt{c}d}; \sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\right) - 1}{\sqrt[4]{c}d\sqrt{a-cx^4}}$$

Mathematica [C] time = 0.15, size = 91, normalized size = 1.26

$$\frac{i\sqrt{1-\frac{cx^4}{a}} \Pi\left(-\frac{\sqrt{a}e}{\sqrt{c}d}; i \sinh^{-1}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} x\right)\right) - 1}{d\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}}\sqrt{a-cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*Sqrt[a - c*x^4]),x]

[Out] ((-I)*Sqrt[1 - (c*x^4)/a]*EllipticPi[-((Sqrt[a]*e)/(Sqrt[c]*d)), I*ArcSinh[Sqrt[-(Sqrt[c]/Sqrt[a])]*x], -1])/(Sqrt[-(Sqrt[c]/Sqrt[a])]*d*Sqrt[a - c*x^4])

fricas [F] time = 10.03, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-cx^4+a}}{cex^6+cdx^4-aex^2-ad}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(-c*x^4+a)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c*x^4+a)/(c*e*x^6+c*d*x^4-a*e*x^2-a*d), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4+a}(ex^2+d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(-c*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-c*x^4 + a)*(e*x^2 + d)), x)

maple [A] time = 0.03, size = 97, normalized size = 1.35

$$\frac{\sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \operatorname{EllipticPi}\left(\sqrt{\frac{\sqrt{c}}{\sqrt{a}}} x, -\frac{\sqrt{a} e}{\sqrt{c} d}, \sqrt{\frac{-\sqrt{c}}{\sqrt{a}}}\right)}{\sqrt{\frac{\sqrt{c}}{\sqrt{a}}} \sqrt{-c x^4 + a} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)/(-c*x^4+a)^(1/2),x)

[Out] 1/d/(1/a^(1/2)*c^(1/2))^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(-c*x^4+a)^(1/2)*EllipticPi((1/a^(1/2)*c^(1/2))^(1/2)*x, -e*a^(1/2)/d/c^(1/2), (-1/a^(1/2)*c^(1/2))^(1/2)/(1/a^(1/2)*c^(1/2))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-c x^4 + a} (e x^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(-c*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-c*x^4 + a)*(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{a - c x^4} (e x^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a - c*x^4)^(1/2)*(d + e*x^2)),x)

[Out] int(1/((a - c*x^4)^(1/2)*(d + e*x^2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a - c x^4} (d + e x^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x**2+d)/(-c*x**4+a)**(1/2),x)
```

```
[Out] Integral(1/(sqrt(a - c*x**4)*(d + e*x**2)), x)
```

$$3.161 \quad \int \frac{1}{(d+ex^2)^2 \sqrt{a-cx^4}} dx$$

Optimal. Leaf size=299

$$\frac{a^{3/4} \sqrt[4]{c} e \sqrt{1 - \frac{cx^4}{a}} E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{2d\sqrt{a-cx^4} (cd^2 - ae^2)} + \frac{\sqrt[4]{a} \sqrt{1 - \frac{cx^4}{a}} (3cd^2 - ae^2) \Pi\left(-\frac{\sqrt{ae}}{\sqrt{cd}}; \sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{2\sqrt[4]{c} d^2 \sqrt{a-cx^4} (cd^2 - ae^2)} - \frac{e^2 x \sqrt{a-cx^4}}{2d(d+ex^2)(cd^2 - ae^2)}$$

[Out] $-1/2 * e^2 * x * (-c * x^4 + a)^{(1/2)} / d / (-a * e^2 + c * d^2) / (e * x^2 + d) - 1/2 * a^{(3/4)} * c^{(1/4)} * e * \text{EllipticE}(c^{(1/4)} * x / a^{(1/4)}, I) * (1 - c * x^4 / a)^{(1/2)} / d / (-a * e^2 + c * d^2) / (-c * x^4 + a)^{(1/2)} + 1/2 * a^{(1/4)} * (-a * e^2 + 3 * c * d^2) * \text{EllipticPi}(c^{(1/4)} * x / a^{(1/4)}, -e * a^{(1/2)} / d / c^{(1/2)}, I) * (1 - c * x^4 / a)^{(1/2)} / c^{(1/4)} / d^2 / (-a * e^2 + c * d^2) / (-c * x^4 + a)^{(1/2)} - 1/2 * a^{(1/4)} * c^{(1/4)} * \text{EllipticF}(c^{(1/4)} * x / a^{(1/4)}, I) * (1 - c * x^4 / a)^{(1/2)} / d / (e * a^{(1/2)} + d * c^{(1/2)}) / (-c * x^4 + a)^{(1/2)}$

Rubi [A] time = 0.36, antiderivative size = 299, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$, Rules used = {1224, 1717, 1201, 224, 221, 1200, 1199, 424, 1219, 1218}

$$\frac{a^{3/4} \sqrt[4]{c} e \sqrt{1 - \frac{cx^4}{a}} E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{2d\sqrt{a-cx^4} (cd^2 - ae^2)} - \frac{e^2 x \sqrt{a-cx^4}}{2d(d+ex^2)(cd^2 - ae^2)} + \frac{\sqrt[4]{a} \sqrt{1 - \frac{cx^4}{a}} (3cd^2 - ae^2) \Pi\left(-\frac{\sqrt{ae}}{\sqrt{cd}}; \sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{2\sqrt[4]{c} d^2 \sqrt{a-cx^4} (cd^2 - ae^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^2*Sqrt[a - c*x^4]),x]

[Out] $-(e^2 * x * \text{Sqrt}[a - c * x^4]) / (2 * d * (c * d^2 - a * e^2) * (d + e * x^2)) - (a^{(3/4)} * c^{(1/4)} * e * \text{Sqrt}[1 - (c * x^4) / a] * \text{EllipticE}[\text{ArcSin}[(c^{(1/4)} * x) / a^{(1/4)}], -1]) / (2 * d * (c * d^2 - a * e^2) * \text{Sqrt}[a - c * x^4]) - (a^{(1/4)} * c^{(1/4)} * \text{Sqrt}[1 - (c * x^4) / a] * \text{EllipticF}[\text{ArcSin}[(c^{(1/4)} * x) / a^{(1/4)}], -1]) / (2 * d * (\text{Sqrt}[c] * d + \text{Sqrt}[a] * e) * \text{Sqrt}[a - c * x^4]) + (a^{(1/4)} * (3 * c * d^2 - a * e^2) * \text{Sqrt}[1 - (c * x^4) / a] * \text{EllipticPi}[-((\text{Sqrt}[a] * e) / (\text{Sqrt}[c] * d)), \text{ArcSin}[(c^{(1/4)} * x) / a^{(1/4)}], -1]) / (2 * c^{(1/4)} * d^2 * (c * d^2 - a * e^2) * \text{Sqrt}[a - c * x^4])$

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 224

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Dist[Sqrt[1 + (b*x^4)/a]/Sqrt[a + b*x^4], Int[1/Sqrt[1 + (b*x^4)/a], x], x] /; FreeQ[{a, b}, x] && NegQ[b/a] && !GtQ[a, 0]

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 1199

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := Dist[d/Sqrt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]

Rule 1200

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := Dist[Sqrt[1 + (c*x^4)/a]/Sqrt[a + c*x^4], Int[(d + e*x^2)/Sqrt[1 + (c*x^4)/a], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]

Rule 1201

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[-(c/a), 2]}, Dist[(d*q - e)/q, Int[1/Sqrt[a + c*x^4], x], x] + Dist[e/q, Int[(1 + q*x^2)/Sqrt[a + c*x^4], x], x]] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && NeQ[c*d^2 + a*e^2, 0]

Rule 1218

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[-(c/a), 4]}, Simp[(1*EllipticPi[-(e/(d*q^2)), ArcSin[q*x], -1])/(d*Sqrt[a]*q), x]] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && GtQ[a, 0]

Rule 1219

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := Dist[Sqrt[1 + (c*x^4)/a]/Sqrt[a + c*x^4], Int[1/((d + e*x^2)*Sqrt[1 + (c*x^4)/a]), x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && !GtQ[a, 0]

Rule 1224

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := -Simp
p[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + c*x^4])/(2*d*(q + 1)*(c*d^2 + a*e^2))
, x] + Dist[1/(2*d*(q + 1)*(c*d^2 + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[
a*e^2*(2*q + 3) + 2*c*d^2*(q + 1) - 2*e*c*d*(q + 1)*x^2 + c*e^2*(2*q + 5)*x
^4, x])/Sqrt[a + c*x^4], x], x] /; FreeQ[{a, c, d, e}, x] && ILtQ[q, -1]
```

Rule 1717

```
Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] :=
With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -D
ist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + c*x^4], x], x] + Dist[(C
*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a + c*x^4]), x], x]] /;
FreeQ[{a, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[c*d^2 + a*e^2, 0] && Ne
Q[c*d^2 - a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)^2 \sqrt{a-cx^4}} dx &= -\frac{e^2 x \sqrt{a-cx^4}}{2d(cd^2-ae^2)(d+ex^2)} + \frac{\int \frac{2cd^2-ae^2-2cdex^2-ce^2x^4}{(d+ex^2)\sqrt{a-cx^4}} dx}{2d(cd^2-ae^2)} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{2d(cd^2-ae^2)(d+ex^2)} - \frac{\int \frac{cde^2+ce^3x^2}{\sqrt{a-cx^4}} dx}{2de^2(cd^2-ae^2)} + \frac{(3cd^2-ae^2) \int \frac{1}{(d+ex^2)\sqrt{a-cx^4}} dx}{2d(cd^2-ae^2)} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{2d(cd^2-ae^2)(d+ex^2)} - \frac{\sqrt{c} \int \frac{1}{\sqrt{a-cx^4}} dx}{2d(\sqrt{c}d+\sqrt{a}e)} - \frac{(\sqrt{a}\sqrt{c}e) \int \frac{1+\frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{a-cx^4}} dx}{2d(cd^2-ae^2)} + \frac{\left((3cd^2-ae^2) \int \frac{1}{(d+ex^2)\sqrt{a-cx^4}} dx \right)}{2d(cd^2-ae^2)} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{2d(cd^2-ae^2)(d+ex^2)} + \frac{\sqrt[4]{a} (3cd^2-ae^2) \sqrt{1-\frac{cx^4}{a}} \Pi\left(-\frac{\sqrt{a}e}{\sqrt{c}d}; \sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{2\sqrt[4]{c}d^2(cd^2-ae^2)\sqrt{a-cx^4}} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{2d(cd^2-ae^2)(d+ex^2)} - \frac{\sqrt[4]{a} \sqrt[4]{c} \sqrt{1-\frac{cx^4}{a}} F\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{2d(\sqrt{c}d+\sqrt{a}e)\sqrt{a-cx^4}} + \frac{\sqrt[4]{a} (3cd^2-ae^2) \int \frac{1}{(d+ex^2)\sqrt{a-cx^4}} dx}{2d(cd^2-ae^2)} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{2d(cd^2-ae^2)(d+ex^2)} - \frac{a^{3/4} \sqrt[4]{c} e \sqrt{1-\frac{cx^4}{a}} E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{2d(cd^2-ae^2)\sqrt{a-cx^4}} - \frac{\sqrt[4]{a} \sqrt[4]{c} \sqrt{1-\frac{cx^4}{a}} \int \frac{1}{(d+ex^2)\sqrt{a-cx^4}} dx}{2d(\sqrt{c}d+\sqrt{a}e)}
\end{aligned}$$

Mathematica [C] time = 0.96, size = 508, normalized size = 1.70

$$-3icd^3 \sqrt{1-\frac{cx^4}{a}} \Pi\left(-\frac{\sqrt{a}e}{\sqrt{c}d}; i \sinh^{-1}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}}x\right) \middle| -1\right) - 3icd^2 ex^2 \sqrt{1-\frac{cx^4}{a}} \Pi\left(-\frac{\sqrt{a}e}{\sqrt{c}d}; i \sinh^{-1}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}}x\right) \middle| -1\right) + ia$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)^2*Sqrt[a - c*x^4]),x]

[Out] $(-(a*\text{Sqrt}[-(\text{Sqrt}[c]/\text{Sqrt}[a])])*d*e^2*x) + \text{Sqrt}[-(\text{Sqrt}[c]/\text{Sqrt}[a])]*c*d*e^2*x^5 + I*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e*(d + e*x^2)*\text{Sqrt}[1 - (c*x^4)/a]*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[-(\text{Sqrt}[c]/\text{Sqrt}[a])]*x], -1] - I*\text{Sqrt}[c]*d*(-(\text{Sqrt}[c]*d) + \text{Sqrt}[a]*e)*(d + e*x^2)*\text{Sqrt}[1 - (c*x^4)/a]*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[-(\text{Sqrt}[c]/\text{Sqrt}[a])]*x], -1]$

a))]*x], -1] - (3*I)*c*d^3*Sqrt[1 - (c*x^4)/a]*EllipticPi[-((Sqrt[a]*e)/(Sqrt[c]*d)), I*ArcSinh[Sqrt[-(Sqrt[c]/Sqrt[a])]*x], -1] + I*a*d*e^2*Sqrt[1 - (c*x^4)/a]*EllipticPi[-((Sqrt[a]*e)/(Sqrt[c]*d)), I*ArcSinh[Sqrt[-(Sqrt[c]/Sqrt[a])]*x], -1] - (3*I)*c*d^2*e*x^2*Sqrt[1 - (c*x^4)/a]*EllipticPi[-((Sqrt[a]*e)/(Sqrt[c]*d)), I*ArcSinh[Sqrt[-(Sqrt[c]/Sqrt[a])]*x], -1] + I*a*e^3*x^2*Sqrt[1 - (c*x^4)/a]*EllipticPi[-((Sqrt[a]*e)/(Sqrt[c]*d)), I*ArcSinh[Sqrt[-(Sqrt[c]/Sqrt[a])]*x], -1)]/(2*Sqrt[-(Sqrt[c]/Sqrt[a])]*d^2*(c*d^2 - a*e^2)*(d + e*x^2)*Sqrt[a - c*x^4])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(-c*x^4+a)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4 + a} (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(-c*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-c*x^4 + a)*(e*x^2 + d)^2), x)

maple [B] time = 0.03, size = 523, normalized size = 1.75

$$\frac{\sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} a e^2 \text{EllipticPi}\left(\sqrt{\frac{\sqrt{c}}{\sqrt{a}}} x, -\frac{\sqrt{a} e}{\sqrt{c} d'}, \sqrt{\frac{\sqrt{c}}{\sqrt{a}}}\right) + \sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{a} \sqrt{c} e \text{EllipticE}\left(\sqrt{\frac{\sqrt{c}}{\sqrt{a}}}\right)}{2(a e^2 - c d^2) \sqrt{\frac{\sqrt{c}}{\sqrt{a}}} \sqrt{-c x^4 + a} d^2} + \frac{\sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{a} \sqrt{c} e \text{EllipticE}\left(\sqrt{\frac{\sqrt{c}}{\sqrt{a}}}\right)}{2(a e^2 - c d^2) \sqrt{\frac{\sqrt{c}}{\sqrt{a}}} \sqrt{-c x^4 + a} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)^2/(-c*x^4+a)^(1/2),x)

[Out] 1/2*e^2/(a*e^2-c*d^2)/d*x*(-c*x^4+a)^(1/2)/(e*x^2+d)+1/2*c/(a*e^2-c*d^2)/(1/a^(1/2)*c^(1/2))^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(-c*x^4+a)^(1/2)*EllipticF((1/a^(1/2)*c^(1/2))^(1/2)*x,I)-1/2*c^(1/2)*e/(a*e^2-c*d^2)/d*a^(1/2)/(1/a^(1/2)*c^(1/2))^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)

$(1/2)*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticF((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,I)+1/2*c^{(1/2)}*e/(a*e^2-c*d^2)/d*a^{(1/2)}/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticE((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,I)+1/2/(a*e^2-c*d^2)/d^2*e^2/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticPi((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,-a^{(1/2)}/c^{(1/2)}/d*e,(-1/a^{(1/2)}*c^{(1/2)})^{(1/2)}/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)})*a-3/2/(a*e^2-c*d^2)/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticPi((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,-a^{(1/2)}/c^{(1/2)}/d*e,(-1/a^{(1/2)}*c^{(1/2)})^{(1/2)}/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)})*c$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4 + a} (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(-c*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-c*x^4 + a)*(e*x^2 + d)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{a - cx^4} (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a - c*x^4)^(1/2)*(d + e*x^2)^2),x)

[Out] int(1/((a - c*x^4)^(1/2)*(d + e*x^2)^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a - cx^4} (d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)**2/(-c*x**4+a)**(1/2),x)

[Out] Integral(1/(sqrt(a - c*x**4)*(d + e*x**2)**2), x)

$$3.162 \quad \int \frac{1}{(d+ex^2)^3 \sqrt{a-cx^4}} dx$$

Optimal. Leaf size=425

$$\frac{3a^{3/4} \sqrt[4]{c} e \sqrt{1 - \frac{cx^4}{a}} (3cd^2 - ae^2) E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{8d^2 \sqrt{a - cx^4} (cd^2 - ae^2)^2} + \frac{3\sqrt[4]{a} \sqrt{1 - \frac{cx^4}{a}} (a^2e^4 - 2acd^2e^2 + 5c^2d^4) \Pi\left(-\frac{\sqrt{ae}}{\sqrt{cd}}; \sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\right)}{8\sqrt[4]{c} d^3 \sqrt{a - cx^4} (cd^2 - ae^2)^2}$$

[Out] $-1/4 * e^2 * x * (-c * x^4 + a)^{(1/2)} / d / (-a * e^2 + c * d^2) / (e * x^2 + d)^2 - 3/8 * e^2 * (-a * e^2 + 3 * c * d^2) * x * (-c * x^4 + a)^{(1/2)} / d^2 / (-a * e^2 + c * d^2)^2 / (e * x^2 + d) - 3/8 * a^{(3/4)} * c^{(1/4)} * e * (-a * e^2 + 3 * c * d^2) * \text{EllipticE}(c^{(1/4)} * x / a^{(1/4)}, I) * (1 - c * x^4 / a)^{(1/2)} / d^2 / (-a * e^2 + c * d^2)^2 / (-c * x^4 + a)^{(1/2)} + 3/8 * a^{(1/4)} * (a^2 * e^4 - 2 * a * c * d^2 * e^2 + 5 * c^2 * d^4) * \text{EllipticPi}(c^{(1/4)} * x / a^{(1/4)}, -e * a^{(1/2)} / d / c^{(1/2)}, I) * (1 - c * x^4 / a)^{(1/2)} / c^{(1/4)} / d^3 / (-a * e^2 + c * d^2)^2 / (-c * x^4 + a)^{(1/2)} - 1/8 * a^{(1/4)} * c^{(1/4)} * \text{EllipticF}(c^{(1/4)} * x / a^{(1/4)}, I) * (7 * c * d^2 - 3 * a * e^2 - 2 * d * e * a^{(1/2)} * c^{(1/2)}) * (1 - c * x^4 / a)^{(1/2)} / d^2 / (-a * e^2 + c * d^2) / (e * a^{(1/2)} + d * c^{(1/2)}) / (-c * x^4 + a)^{(1/2)}$

Rubi [A] time = 0.75, antiderivative size = 425, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1224, 1697, 1717, 1201, 224, 221, 1200, 1199, 424, 1219, 1218}

$$\frac{3\sqrt[4]{a} \sqrt{1 - \frac{cx^4}{a}} (a^2e^4 - 2acd^2e^2 + 5c^2d^4) \Pi\left(-\frac{\sqrt{ae}}{\sqrt{cd}}; \sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{8\sqrt[4]{c} d^3 \sqrt{a - cx^4} (cd^2 - ae^2)^2} - \frac{3a^{3/4} \sqrt[4]{c} e \sqrt{1 - \frac{cx^4}{a}} (3cd^2 - ae^2) E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{8d^2 \sqrt{a - cx^4} (cd^2 - ae^2)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^3*Sqrt[a - c*x^4]),x]

[Out] $-(e^2 * x * \text{Sqrt}[a - c * x^4]) / (4 * d * (c * d^2 - a * e^2) * (d + e * x^2)^2) - (3 * e^2 * (3 * c * d^2 - a * e^2) * x * \text{Sqrt}[a - c * x^4]) / (8 * d^2 * (c * d^2 - a * e^2)^2 * (d + e * x^2)) - (3 * a^{(3/4)} * c^{(1/4)} * e * (3 * c * d^2 - a * e^2) * \text{Sqrt}[1 - (c * x^4) / a] * \text{EllipticE}[\text{ArcSin}[(c^{(1/4)} * x) / a^{(1/4)}], -1]) / (8 * d^2 * (c * d^2 - a * e^2)^2 * \text{Sqrt}[a - c * x^4]) - (a^{(1/4)} * c^{(1/4)} * (7 * c * d^2 - 2 * \text{Sqrt}[a] * \text{Sqrt}[c] * d * e - 3 * a * e^2) * \text{Sqrt}[1 - (c * x^4) / a] * \text{EllipticF}[\text{ArcSin}[(c^{(1/4)} * x) / a^{(1/4)}], -1]) / (8 * d^2 * (\text{Sqrt}[c] * d + \text{Sqrt}[a] * e) * (c * d^2 - a * e^2) * \text{Sqrt}[a - c * x^4]) + (3 * a^{(1/4)} * (5 * c^2 * d^4 - 2 * a * c * d^2 * e^2 + a^2 * e^4) * \text{Sqrt}[1 - (c * x^4) / a] * \text{EllipticPi}[-(\text{Sqrt}[a] * e) / (\text{Sqrt}[c] * d), \text{ArcSin}[(c^{(1/4)} * x) / a^{(1/4)}], -1]) / (8 * c^{(1/4)} * d^3 * (c * d^2 - a * e^2)^2 * \text{Sqrt}[a - c * x^4])$

Rule 221


```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b,
4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[
b/a] && GtQ[a, 0]
```

Rule 224

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Dist[Sqrt[1 + (b*x^4)/a]/Sqrt
[a + b*x^4], Int[1/Sqrt[1 + (b*x^4)/a], x], x] /; FreeQ[{a, b}, x] && NegQ[
b/a] && !GtQ[a, 0]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 1199

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := Dist[d/Sq
rt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c,
d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]
```

Rule 1200

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := Dist[Sqrt
[1 + (c*x^4)/a]/Sqrt[a + c*x^4], Int[(d + e*x^2)/Sqrt[1 + (c*x^4)/a], x], x
] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && !GtQ[
a, 0]
```

Rule 1201

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[-(c/a), 2]}, Dist[(d*q - e)/q, Int[1/Sqrt[a + c*x^4], x], x] + Dist[e/q
, Int[(1 + q*x^2)/Sqrt[a + c*x^4], x], x]] /; FreeQ[{a, c, d, e}, x] && Neg
Q[c/a] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 1218

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := With[
{q = Rt[-(c/a), 4]}, Simp[(1*EllipticPi[-(e/(d*q^2)), ArcSin[q*x], -1])/(d*
Sqrt[a]*q), x]] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && GtQ[a, 0]
```

Rule 1219

```
Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (c_)*(x_)^4]), x_Symbol] := Dist[
Sqrt[1 + (c*x^4)/a]/Sqrt[a + c*x^4], Int[1/((d + e*x^2)*Sqrt[1 + (c*x^4)/a
]), x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && !GtQ[a, 0]
```

Rule 1224

```
Int[((d_) + (e_)*(x_)^2)^(q_)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := -Sim
p[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + c*x^4])/(2*d*(q + 1)*(c*d^2 + a*e^2))
, x] + Dist[1/(2*d*(q + 1)*(c*d^2 + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[
a*e^2*(2*q + 3) + 2*c*d^2*(q + 1) - 2*e*c*d*(q + 1)*x^2 + c*e^2*(2*q + 5)*x
^4, x])/Sqrt[a + c*x^4], x], x] /; FreeQ[{a, c, d, e}, x] && ILtQ[q, -1]
```

Rule 1697

```
Int[((P4x_)*((d_) + (e_)*(x_)^2)^(q_))/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol
] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]
}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt[a + c*x^4])/(2
*d*(q + 1)*(c*d^2 + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 + a*e^2)), Int
[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d - B*e) + A*(a*e^2*(2*q + 3) + 2*c*d^2*(
q + 1)) + 2*d*(B*c*d - A*c*e + a*C*e)*(q + 1)*x^2 + c*(C*d^2 - B*d*e + A*e^
2)*(2*q + 5)*x^4, x])/Sqrt[a + c*x^4], x], x]] /; FreeQ[{a, c, d, e}, x] &&
PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[c*d^2 + a*e^2, 0] && ILtQ[
q, -1]
```

Rule 1717

```
Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (c_)*(x_)^4]), x_Symbol] :=
With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -D
ist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + c*x^4], x], x] + Dist[(C
*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a + c*x^4]), x], x]] /;
FreeQ[{a, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[c*d^2 + a*e^2, 0] && Ne
Q[c*d^2 - a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)^3 \sqrt{a-cx^4}} dx &= -\frac{e^2 x \sqrt{a-cx^4}}{4d(cd^2-ae^2)(d+ex^2)^2} + \frac{\int \frac{4cd^2-3ae^2-4cdex^2+ce^2x^4}{(d+ex^2)^2 \sqrt{a-cx^4}} dx}{4d(cd^2-ae^2)} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{4d(cd^2-ae^2)(d+ex^2)^2} - \frac{3e^2(3cd^2-ae^2)x\sqrt{a-cx^4}}{8d^2(cd^2-ae^2)^2(d+ex^2)} + \frac{\int \frac{8c^2d^4-5acd^2e^2+3a^2e^4-4cd^2e^2}{(d+ex^2)^2 \sqrt{a-cx^4}} dx}{8d^2(cd^2-ae^2)^2} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{4d(cd^2-ae^2)(d+ex^2)^2} - \frac{3e^2(3cd^2-ae^2)x\sqrt{a-cx^4}}{8d^2(cd^2-ae^2)^2(d+ex^2)} - \frac{\int \frac{-3cde^2(3cd^2-ae^2)+4cde^2}{\sqrt{a-cx^4}} dx}{8d^2e^2} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{4d(cd^2-ae^2)(d+ex^2)^2} - \frac{3e^2(3cd^2-ae^2)x\sqrt{a-cx^4}}{8d^2(cd^2-ae^2)^2(d+ex^2)} - \frac{(\sqrt{c}(\sqrt{c}d-\sqrt{a}e)(7cd^2-ae^2))}{8d^2e^2} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{4d(cd^2-ae^2)(d+ex^2)^2} - \frac{3e^2(3cd^2-ae^2)x\sqrt{a-cx^4}}{8d^2(cd^2-ae^2)^2(d+ex^2)} + \frac{3\sqrt[4]{a}(5c^2d^4-2acd^2e^2)}{8d^2e^2} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{4d(cd^2-ae^2)(d+ex^2)^2} - \frac{3e^2(3cd^2-ae^2)x\sqrt{a-cx^4}}{8d^2(cd^2-ae^2)^2(d+ex^2)} - \frac{\sqrt[4]{a}\sqrt[4]{c}(\sqrt{c}d-\sqrt{a}e)}{8d^2e^2} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{4d(cd^2-ae^2)(d+ex^2)^2} - \frac{3e^2(3cd^2-ae^2)x\sqrt{a-cx^4}}{8d^2(cd^2-ae^2)^2(d+ex^2)} - \frac{3a^{3/4}\sqrt[4]{c}e(3cd^2-ae^2)}{8d^2(cd^2-ae^2)^2}
\end{aligned}$$

Mathematica [C] time = 1.24, size = 321, normalized size = 0.76

$$\frac{de^2x(a-cx^4)(ae^2(5d+3ex^2)-cd^2(11d+9ex^2))}{(d+ex^2)^2} - \frac{i\sqrt{1-\frac{cx^4}{a}}\left((-3a^{3/2}\sqrt{c}de^3+9\sqrt{a}c^{3/2}d^3e+acd^2e^2-7c^2d^4\right)F\left(i\sinh^{-1}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}}x\right)\right)-1}{\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}}} + 3(a^2e^4-2acd^2e^2)}{8d^3\sqrt{a-cx^4}(cd^2-ae^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)^3*Sqrt[a - c*x^4]),x]

[Out] ((d*e^2*x*(a - c*x^4)*(a*e^2*(5*d + 3*e*x^2) - c*d^2*(11*d + 9*e*x^2)))/(d + e*x^2)^2 - (I*Sqrt[1 - (c*x^4)/a]*(3*Sqrt[a]*Sqrt[c]*d*e*(-3*c*d^2 + a*e^2)*EllipticE[I*ArcSinh[Sqrt[-(Sqrt[c]/Sqrt[a])]x], -1] + (-7*c^2*d^4 + 9*Sqrt[a]*c^(3/2)*d^3*e + a*c*d^2*e^2 - 3*a^(3/2)*Sqrt[c]*d*e^3)*EllipticF[I*ArcSinh[Sqrt[-(Sqrt[c]/Sqrt[a])]x], -1] + 3*(5*c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)*EllipticPi[-((Sqrt[a]*e)/(Sqrt[c]*d)), I*ArcSinh[Sqrt[-(Sqrt[c]/Sqrt[a])]x], -1]))/Sqrt[-(Sqrt[c]/Sqrt[a])])/(8*d^3*(c*d^2 - a*e^2)^2*Sqrt[a - c*x^4])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^3/(-c*x^4+a)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4 + a} (ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^3/(-c*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-c*x^4 + a)*(e*x^2 + d)^3), x)

maple [B] time = 0.03, size = 961, normalized size = 2.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)^3/(-c*x^4+a)^(1/2),x)

[Out] 1/4*e^2/(a*e^2-c*d^2)/d*x*(-c*x^4+a)^(1/2)/(e*x^2+d)^2+3/8*e^2*(a*e^2-3*c*d^2)/(a*e^2-c*d^2)^2/d^2*x*(-c*x^4+a)^(1/2)/(e*x^2+d)+1/8*c/d/(a*e^2-c*d^2)^2/(1/a^(1/2)*c^(1/2))^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(-c*x^4+a)^(1/2)*EllipticF((1/a^(1/2)*c^(1/2))^(1/2)*x,I)*a*e^2-7/8*c^2*d/(a*e^2-c*d^2)^2/(1/a^(1/2)*c^(1/2))^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(-c*x^4+a)^(1/2)*EllipticF((1/a^(1/2)*c^(1/2))^(1/2)*x,I)-3/8*c^(1/2)*e^3/(a*e^2-c*d^2)^2/d^2*a^(3/2)

$$\begin{aligned} & /((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)} \\ & *x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticF((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,I)+ \\ & 9/8*c^{(3/2)}*e/(a*e^2-c*d^2)^2*a^{(1/2)}/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)} \\ & *c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*Elli \\ & pticF((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,I)+3/8*c^{(1/2)}*e^3/(a*e^2-c*d^2)^2/d^2*a^{(\\ & (3/2)}/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)} \\ & *c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticE((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}* \\ & x,I)-9/8*c^{(3/2)}*e/(a*e^2-c*d^2)^2*a^{(1/2)}/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)} \\ & *c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)} \\ & *EllipticE((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,I)+3/8/(a*e^2-c*d^2)^2/d^3*e^4/(1/a^{(1/2)} \\ & *c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^ \\ & 2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticPi((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,-a^{(1/2)} \\ & /c^{(1/2)}/d*e,(-1/a^{(1/2)}*c^{(1/2)})^{(1/2)}/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)})*a^2-3/4/ \\ & (a*e^2-c*d^2)^2/d*e^2/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^ \\ & (1/2)*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticPi((1/a^{(1/2)} \\ &)*c^{(1/2)})^{(1/2)}*x,-a^{(1/2)}/c^{(1/2)}/d*e,(-1/a^{(1/2)}*c^{(1/2)})^{(1/2)}/(1/a^{(1/2)} \\ & *c^{(1/2)})^{(1/2)})*a*c+15/8/(a*e^2-c*d^2)^2*d/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1 \\ & /a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1 \\ & /2)}*EllipticPi((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,-a^{(1/2)}/c^{(1/2)}/d*e,(-1/a^{(1/2)} \\ & *c^{(1/2)})^{(1/2)}/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)})*c^2 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4 + a} (ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^3/(-c*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-c*x^4 + a)*(e*x^2 + d)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{a - cx^4} (ex^2 + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a - c*x^4)^(1/2)*(d + e*x^2)^3),x)

[Out] int(1/((a - c*x^4)^(1/2)*(d + e*x^2)^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a - cx^4} (d + ex^2)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x**2+d)**3/(-c*x**4+a)**(1/2),x)
```

```
[Out] Integral(1/(sqrt(a - c*x**4)*(d + e*x**2)**3), x)
```

$$3.163 \quad \int \frac{1}{(d+ex^2)^4 \sqrt{a-cx^4}} dx$$

Optimal. Leaf size=563

$$\frac{e^2 x \sqrt{a-cx^4} (5a^2 e^4 - 14acd^2 e^2 + 29c^2 d^4)}{16d^3 (d+ex^2) (cd^2 - ae^2)^3} - \frac{a^{3/4} \sqrt[4]{c} e \sqrt{1 - \frac{cx^4}{a}} (5a^2 e^4 - 14acd^2 e^2 + 29c^2 d^4) E\left(\sin^{-1}\left(\frac{\sqrt[4]{c} x}{\sqrt[4]{a}}\right)\right) - 1}{16d^3 \sqrt{a-cx^4} (cd^2 - ae^2)^3}$$

[Out] $-1/6 * e^2 * x * (-c * x^4 + a)^{(1/2)} / d / (-a * e^2 + c * d^2) / (e * x^2 + d)^3 - 5/24 * e^2 * (-a * e^2 + 3 * c * d^2) * x * (-c * x^4 + a)^{(1/2)} / d^2 / (-a * e^2 + c * d^2)^2 / (e * x^2 + d)^2 - 1/16 * e^2 * (5 * a^2 * e^4 - 14 * a * c * d^2 * e^2 + 29 * c^2 * d^4) * x * (-c * x^4 + a)^{(1/2)} / d^3 / (-a * e^2 + c * d^2)^3 / (e * x^2 + d) - 1/16 * a^{(3/4)} * c^{(1/4)} * e * (5 * a^2 * e^4 - 14 * a * c * d^2 * e^2 + 29 * c^2 * d^4) * \text{EllipticE}(c^{(1/4)} * x / a^{(1/4)}, I) * (1 - c * x^4 / a)^{(1/2)} / d^3 / (-a * e^2 + c * d^2)^3 / (-c * x^4 + a)^{(1/2)} + 1/16 * a^{(1/4)} * (-5 * a^3 * e^6 + 17 * a^2 * c * d^2 * e^4 - 7 * a * c^2 * d^4 * e^2 + 35 * c^3 * d^6) * \text{EllipticPi}(c^{(1/4)} * x / a^{(1/4)}, -e * a^{(1/2)} / d * c^{(1/2)}, I) * (1 - c * x^4 / a)^{(1/2)} / c^{(1/4)} / d^4 / (-a * e^2 + c * d^2)^3 / (-c * x^4 + a)^{(1/2)} - 1/48 * a^{(1/4)} * c^{(1/4)} * \text{EllipticF}(c^{(1/4)} * x / a^{(1/4)}, I) * (57 * c^2 * d^4 - 32 * a * c * d^2 * e^2 + 15 * a^2 * e^4 - 30 * c^{(3/2)} * d^3 * e * a^{(1/2)} + 10 * a^{(3/2)} * d * e^3 * c^{(1/2)}) * (1 - c * x^4 / a)^{(1/2)} / d^3 / (-e * a^{(1/2)} + d * c^{(1/2)})^2 / (e * a^{(1/2)} + d * c^{(1/2)})^3 / (-c * x^4 + a)^{(1/2)}$

Rubi [A] time = 1.21, antiderivative size = 563, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1224, 1697, 1717, 1201, 224, 221, 1200, 1199, 424, 1219, 1218}

$$\frac{e^2 x \sqrt{a-cx^4} (5a^2 e^4 - 14acd^2 e^2 + 29c^2 d^4)}{16d^3 (d+ex^2) (cd^2 - ae^2)^3} - \frac{\sqrt[4]{a} \sqrt[4]{c} \sqrt{1 - \frac{cx^4}{a}} (10a^{3/2} \sqrt{c} d e^3 + 15a^2 e^4 - 30\sqrt{a} c^{3/2} d^3 e - 32acd^2 e^2)}{48d^3 \sqrt{a-cx^4} (\sqrt{c} d - \sqrt{a} e)^2 (\sqrt{a} e + \sqrt{c} d)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^4*Sqrt[a - c*x^4]),x]

[Out] $-(e^2 * x * \text{Sqrt}[a - c * x^4]) / (6 * d * (c * d^2 - a * e^2) * (d + e * x^2)^3) - (5 * e^2 * (3 * c * d^2 - a * e^2) * x * \text{Sqrt}[a - c * x^4]) / (24 * d^2 * (c * d^2 - a * e^2)^2 * (d + e * x^2)^2) - (e^2 * (29 * c^2 * d^4 - 14 * a * c * d^2 * e^2 + 5 * a^2 * e^4) * x * \text{Sqrt}[a - c * x^4]) / (16 * d^3 * (c * d^2 - a * e^2)^3 * (d + e * x^2)) - (a^{(3/4)} * c^{(1/4)} * e * (29 * c^2 * d^4 - 14 * a * c * d^2 * e^2 + 5 * a^2 * e^4) * \text{Sqrt}[1 - (c * x^4) / a] * \text{EllipticE}[\text{ArcSin}[(c^{(1/4)} * x) / a^{(1/4)}], -1]) / (16 * d^3 * (c * d^2 - a * e^2)^3 * \text{Sqrt}[a - c * x^4]) - (a^{(1/4)} * c^{(1/4)} * (57 * c^2 * d^4 - 30 * \text{Sqrt}[a] * c^{(3/2)} * d^3 * e - 32 * a * c * d^2 * e^2 + 10 * a^{(3/2)} * \text{Sqrt}[c] * d * e^3 + 15 * a^2 * e^4) * \text{Sqrt}[1 - (c * x^4) / a] * \text{EllipticF}[\text{ArcSin}[(c^{(1/4)} * x) / a^{(1/4)}], -1]) / (48 * d^3 * (\text{Sqrt}[c] * d - \text{Sqrt}[a] * e)^2 * (\text{Sqrt}[c] * d + \text{Sqrt}[a] * e)^3 * \text{Sqrt}[a - c * x^4])$

$*x^4]) + (a^{1/4}*(35*c^3*d^6 - 7*a*c^2*d^4*e^2 + 17*a^2*c*d^2*e^4 - 5*a^3*e^6)*\text{Sqrt}[1 - (c*x^4)/a]*\text{EllipticPi}[-((\text{Sqrt}[a]*e)/(\text{Sqrt}[c]*d)), \text{ArcSin}[(c^{1/4}*x)/a^{1/4}], -1])/(16*c^{1/4}*d^4*(c*d^2 - a*e^2)^3*\text{Sqrt}[a - c*x^4])$

Rule 221

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{Simp}[\text{EllipticF}[\text{ArcSin}[(\text{Rt}[-b, 4]*x)/\text{Rt}[a, 4]], -1]/(\text{Rt}[a, 4]*\text{Rt}[-b, 4]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[b/a] \&\& \text{GtQ}[a, 0]$

Rule 224

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[1 + (b*x^4)/a]/\text{Sqrt}[a + b*x^4], \text{Int}[1/\text{Sqrt}[1 + (b*x^4)/a], x], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[b/a] \&\& !\text{GtQ}[a, 0]$

Rule 424

$\text{Int}[\text{Sqrt}[(a_) + (b_)*(x_)^2]/\text{Sqrt}[(c_) + (d_)*(x_)^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[a]*\text{EllipticE}[\text{ArcSin}[\text{Rt}[-(d/c), 2]*x], (b*c)/(a*d)])/(\text{Sqrt}[c]*\text{Rt}[-(d/c), 2]), x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NegQ}[d/c] \&\& \text{GtQ}[c, 0] \&\& \text{GtQ}[a, 0]$

Rule 1199

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{Dist}[d/\text{Sqrt}[a], \text{Int}[\text{Sqrt}[1 + (e*x^2)/d]/\text{Sqrt}[1 - (e*x^2)/d], x], x] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{NegQ}[c/a] \&\& \text{EqQ}[c*d^2 + a*e^2, 0] \&\& \text{GtQ}[a, 0]$

Rule 1200

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[1 + (c*x^4)/a]/\text{Sqrt}[a + c*x^4], \text{Int}[(d + e*x^2)/\text{Sqrt}[1 + (c*x^4)/a], x], x] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{NegQ}[c/a] \&\& \text{EqQ}[c*d^2 + a*e^2, 0] \&\& !\text{GtQ}[a, 0]$

Rule 1201

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-(c/a), 2]\}, \text{Dist}[(d*q - e)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] + \text{Dist}[e/q, \text{Int}[(1 + q*x^2)/\text{Sqrt}[a + c*x^4], x], x] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{NegQ}[c/a] \&\& \text{NeQ}[c*d^2 + a*e^2, 0]$

Rule 1218

$\text{Int}[1/((d_) + (e_)*(x_)^2)*\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-(c/a), 4]\}, \text{Simp}[(1*\text{EllipticPi}[-(e/(d*q^2)), \text{ArcSin}[q*x], -1])/(d*$

Sqrt[a]*q), x]] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && GtQ[a, 0]

Rule 1219

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := Dist[Sqrt[1 + (c*x^4)/a]/Sqrt[a + c*x^4], Int[1/((d + e*x^2)*Sqrt[1 + (c*x^4)/a]), x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && !GtQ[a, 0]

Rule 1224

Int[(((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + c*x^4])/(2*d*(q + 1)*(c*d^2 + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*c*d^2*(q + 1) - 2*e*c*d*(q + 1)*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + c*x^4], x], x] /; FreeQ[{a, c, d, e}, x] && ILtQ[q, -1]

Rule 1697

Int[((P4x_)*((d_) + (e_.)*(x_)^2)^(q_))/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt[a + c*x^4])/(2*d*(q + 1)*(c*d^2 + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d - B*e) + A*(a*e^2*(2*q + 3) + 2*c*d^2*(q + 1)) + 2*d*(B*c*d - A*c*e + a*C*e)*(q + 1)*x^2 + c*(C*d^2 - B*d*e + A*e^2)*(2*q + 5)*x^4, x])/Sqrt[a + c*x^4], x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[c*d^2 + a*e^2, 0] && ILtQ[q, -1]

Rule 1717

Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + c*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a + c*x^4]), x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)^4 \sqrt{a-cx^4}} dx &= -\frac{e^2 x \sqrt{a-cx^4}}{6d(cd^2-ae^2)(d+ex^2)^3} + \frac{\int \frac{6cd^2-5ae^2-6cdex^2+3ce^2x^4}{(d+ex^2)^3 \sqrt{a-cx^4}} dx}{6d(cd^2-ae^2)} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{6d(cd^2-ae^2)(d+ex^2)^3} - \frac{5e^2(3cd^2-ae^2)x\sqrt{a-cx^4}}{24d^2(cd^2-ae^2)^2(d+ex^2)^2} + \frac{\int \frac{24c^2d^4-29acd^2e^2+15a^2e^4}{(d+ex^2)^3 \sqrt{a-cx^4}} dx}{24d^2} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{6d(cd^2-ae^2)(d+ex^2)^3} - \frac{5e^2(3cd^2-ae^2)x\sqrt{a-cx^4}}{24d^2(cd^2-ae^2)^2(d+ex^2)^2} - \frac{e^2(29c^2d^4-14acd^2e^2-15a^2e^4)}{16d^3(cd^2-ae^2)} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{6d(cd^2-ae^2)(d+ex^2)^3} - \frac{5e^2(3cd^2-ae^2)x\sqrt{a-cx^4}}{24d^2(cd^2-ae^2)^2(d+ex^2)^2} - \frac{e^2(29c^2d^4-14acd^2e^2-15a^2e^4)}{16d^3(cd^2-ae^2)} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{6d(cd^2-ae^2)(d+ex^2)^3} - \frac{5e^2(3cd^2-ae^2)x\sqrt{a-cx^4}}{24d^2(cd^2-ae^2)^2(d+ex^2)^2} - \frac{e^2(29c^2d^4-14acd^2e^2-15a^2e^4)}{16d^3(cd^2-ae^2)} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{6d(cd^2-ae^2)(d+ex^2)^3} - \frac{5e^2(3cd^2-ae^2)x\sqrt{a-cx^4}}{24d^2(cd^2-ae^2)^2(d+ex^2)^2} - \frac{e^2(29c^2d^4-14acd^2e^2-15a^2e^4)}{16d^3(cd^2-ae^2)} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{6d(cd^2-ae^2)(d+ex^2)^3} - \frac{5e^2(3cd^2-ae^2)x\sqrt{a-cx^4}}{24d^2(cd^2-ae^2)^2(d+ex^2)^2} - \frac{e^2(29c^2d^4-14acd^2e^2-15a^2e^4)}{16d^3(cd^2-ae^2)} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{6d(cd^2-ae^2)(d+ex^2)^3} - \frac{5e^2(3cd^2-ae^2)x\sqrt{a-cx^4}}{24d^2(cd^2-ae^2)^2(d+ex^2)^2} - \frac{e^2(29c^2d^4-14acd^2e^2-15a^2e^4)}{16d^3(cd^2-ae^2)} \\
&= -\frac{e^2 x \sqrt{a-cx^4}}{6d(cd^2-ae^2)(d+ex^2)^3} - \frac{5e^2(3cd^2-ae^2)x\sqrt{a-cx^4}}{24d^2(cd^2-ae^2)^2(d+ex^2)^2} - \frac{e^2(29c^2d^4-14acd^2e^2-15a^2e^4)}{16d^3(cd^2-ae^2)}
\end{aligned}$$

Mathematica [C] time = 1.93, size = 458, normalized size = 0.81

$$\frac{de^2x(a-cx^4)\left(3(d+ex^2)^2(5a^2e^4-14acd^2e^2+29c^2d^4)+8(cd^3-ade^2)^2+10d(d+ex^2)(cd^2-ae^2)(3cd^2-ae^2)\right)}{(d+ex^2)^3(cd^2-ae^2)^3} - \frac{i\sqrt{1-\frac{cx^4}{a}}\left(3\sqrt{a}\sqrt{c}de(5a^2e^4-14acd^2e^2+29c^2d^4)\right)}{16d^3(cd^2-ae^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((d + e*x^2)^4*Sqrt[a - c*x^4]),x]
```

```
[Out] (-((d*e^2*x*(a - c*x^4)*(8*(c*d^3 - a*d*e^2)^2 + 10*d*(c*d^2 - a*e^2)*(3*c*d^2 - a*e^2)*(d + e*x^2) + 3*(29*c^2*d^4 - 14*a*c*d^2*e^2 + 5*a^2*e^4)*(d + e*x^2)^2))/((c*d^2 - a*e^2)^3*(d + e*x^2)^3)) - (I*Sqrt[1 - (c*x^4)/a]*(3*Sqrt[a]*Sqrt[c]*d*e*(29*c^2*d^4 - 14*a*c*d^2*e^2 + 5*a^2*e^4)*EllipticE[I*ArcSinh[Sqrt[-(Sqrt[c]/Sqrt[a])]]*x], -1) + Sqrt[c]*d*(57*c^(5/2)*d^5 - 87*Sqrt[a]*c^2*d^4*e - 2*a*c^(3/2)*d^3*e^2 + 42*a^(3/2)*c*d^2*e^3 + 5*a^2*Sqrt[c]*d*e^4 - 15*a^(5/2)*e^5)*EllipticF[I*ArcSinh[Sqrt[-(Sqrt[c]/Sqrt[a])]]*x], -1) + 3*(-35*c^3*d^6 + 7*a*c^2*d^4*e^2 - 17*a^2*c*d^2*e^4 + 5*a^3*e^6)*EllipticPi[-((Sqrt[a]*e)/(Sqrt[c]*d)), I*ArcSinh[Sqrt[-(Sqrt[c]/Sqrt[a])]]*x], -1))/((Sqrt[-(Sqrt[c]/Sqrt[a])])*(-(c*d^2) + a*e^2)^3)/(48*d^4*Sqrt[a - c*x^4])
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x^2+d)^4/(-c*x^4+a)^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4 + a} (ex^2 + d)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x^2+d)^4/(-c*x^4+a)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(1/(sqrt(-c*x^4 + a)*(e*x^2 + d)^4), x)
```

maple [B] time = 0.04, size = 1420, normalized size = 2.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(e*x^2+d)^4/(-c*x^4+a)^(1/2),x)
```

```
[Out] 1/6*e^2/(a*e^2-c*d^2)/d*x*(-c*x^4+a)^(1/2)/(e*x^2+d)^3+5/24*e^2*(a*e^2-3*c*d^2)/(a*e^2-c*d^2)^2/d^2*x*(-c*x^4+a)^(1/2)/(e*x^2+d)^2+1/16*e^2*(5*a^2*e^4
```

$$\begin{aligned}
& -14*a*c*d^2*e^2+29*c^2*d^4)/(a*e^2-c*d^2)^3/d^3*x*(-c*x^4+a)^{(1/2)}/(e*x^2+d) \\
& -35/16/(a*e^2-c*d^2)^3*d^2/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x \\
& ^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticPi((1/ \\
& a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,-a^{(1/2)}/c^{(1/2)}/d*e,(-1/a^{(1/2)}*c^{(1/2)})^{(1/2)}/(1 \\
& /a^{(1/2)}*c^{(1/2)})^{(1/2)})*c^3+5/16/(a*e^2-c*d^2)^3/d^4*e^6/(1/a^{(1/2)}*c^{(1/2) \\
& })^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(\\
& -c*x^4+a)^{(1/2)}*EllipticPi((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,-a^{(1/2)}/c^{(1/2)}/d*e \\
& ,(-1/a^{(1/2)}*c^{(1/2)})^{(1/2)}/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)})*a^3+7/16/(a*e^2-c*d^ \\
& 2)^3*e^2/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1 \\
& /2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticPi((1/a^{(1/2)}*c^{(1/2)})^{(1 \\
& /2)}*x,-a^{(1/2)}/c^{(1/2)}/d*e,(-1/a^{(1/2)}*c^{(1/2)})^{(1/2)}/(1/a^{(1/2)}*c^{(1/2)})^{(\\
& 1/2)})*a*c^2+19/16*c^3*d^2/(a*e^2-c*d^2)^3/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(\\
& 1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}* \\
& EllipticF((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,I)+5/48*c/d^2/(a*e^2-c*d^2)^3/(1/a^{(1 \\
& /2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+ \\
& 1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticF((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,I)*a^2*e^4- \\
& 1/24*c^2/(a*e^2-c*d^2)^3/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+ \\
& 1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticF((1/a^{(1 \\
& /2)}*c^{(1/2)})^{(1/2)}*x,I)*a*e^2-5/16*c^{(1/2)}*e^5/(a*e^2-c*d^2)^3/d^3*a^{(5/2)}/ \\
& (1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/ \\
& 2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticF((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,I)+7 \\
& /8*c^{(3/2)}*e^3/(a*e^2-c*d^2)^3/d*a^{(3/2)}/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1 \\
& /2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*E \\
& llipticF((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,I)-29/16*c^{(5/2)}*e/(a*e^2-c*d^2)^3*d*a \\
& ^{(1/2)}/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2) \\
& }*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticF((1/a^{(1/2)}*c^{(1/2)})^{(1/2) \\
& }*x,I)+5/16*c^{(1/2)}*e^5/(a*e^2-c*d^2)^3/d^3*a^{(5/2)}/(1/a^{(1/2)}*c^{(1/2)})^{(1/2) \\
& }*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+ \\
& a)^{(1/2)}*EllipticE((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,I)-7/8*c^{(3/2)}*e^3/(a*e^2-c* \\
& d^2)^3/d*a^{(3/2)}/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2) \\
& }*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticE((1/a^{(1/2)}*c^{(1 \\
& /2)})^{(1/2)}*x,I)+29/16*c^{(5/2)}*e/(a*e^2-c*d^2)^3*d*a^{(1/2)}/(1/a^{(1/2)}*c^{(1/2) \\
& })^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(\\
& -c*x^4+a)^{(1/2)}*EllipticE((1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*x,I)-17/16/(a*e^2-c*d^2 \\
&)^3/d^2*e^4/(1/a^{(1/2)}*c^{(1/2)})^{(1/2)}*(-1/a^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}*(1/a \\
& ^{(1/2)}*c^{(1/2)}*x^2+1)^{(1/2)}/(-c*x^4+a)^{(1/2)}*EllipticPi((1/a^{(1/2)}*c^{(1/2)}) \\
& ^{(1/2)}*x,-a^{(1/2)}/c^{(1/2)}/d*e,(-1/a^{(1/2)}*c^{(1/2)})^{(1/2)}/(1/a^{(1/2)}*c^{(1/2) \\
& })^{(1/2)})*a^2*c
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4 + a} (ex^2 + d)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^4/(-c*x^4+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-c*x^4 + a)*(e*x^2 + d)^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{a - cx^4} (ex^2 + d)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a - c*x^4)^(1/2)*(d + e*x^2)^4), x)

[Out] int(1/((a - c*x^4)^(1/2)*(d + e*x^2)^4), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a - cx^4} (d + ex^2)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)**4/(-c*x**4+a)**(1/2), x)

[Out] Integral(1/(sqrt(a - c*x**4)*(d + e*x**2)**4), x)

$$3.164 \quad \int \frac{d+ex^2}{\sqrt{-a+cx^4}} dx$$

Optimal. Leaf size=126

$$\frac{a^{3/4} \sqrt{1 - \frac{cx^4}{a}} \left(\frac{\sqrt{c}d}{\sqrt{a}} - e \right) F \left(\sin^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{c^{3/4} \sqrt{cx^4 - a}} + \frac{a^{3/4} e \sqrt{1 - \frac{cx^4}{a}} E \left(\sin^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{c^{3/4} \sqrt{cx^4 - a}}$$

[Out] $a^{(3/4)} * e * \text{EllipticE}(c^{(1/4)} * x / a^{(1/4)}, I) * (1 - c * x^4 / a)^{(1/2)} / c^{(3/4)} / (c * x^4 - a)^{(1/2)} + a^{(3/4)} * \text{EllipticF}(c^{(1/4)} * x / a^{(1/4)}, I) * (-e + d * c^{(1/2)} / a^{(1/2)}) * (1 - c * x^4 / a)^{(1/2)} / c^{(3/4)} / (c * x^4 - a)^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1201, 224, 221, 1200, 1199, 424}

$$\frac{a^{3/4} \sqrt{1 - \frac{cx^4}{a}} \left(\frac{\sqrt{c}d}{\sqrt{a}} - e \right) F \left(\sin^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{c^{3/4} \sqrt{cx^4 - a}} + \frac{a^{3/4} e \sqrt{1 - \frac{cx^4}{a}} E \left(\sin^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{c^{3/4} \sqrt{cx^4 - a}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/Sqrt[-a + c*x^4],x]

[Out] $(a^{(3/4)} * e * \text{Sqrt}[1 - (c * x^4) / a] * \text{EllipticE}[\text{ArcSin}[(c^{(1/4)} * x) / a^{(1/4)}], -1]) / (c^{(3/4)} * \text{Sqrt}[-a + c * x^4]) + (a^{(3/4)} * ((\text{Sqrt}[c] * d) / \text{Sqrt}[a] - e) * \text{Sqrt}[1 - (c * x^4) / a] * \text{EllipticF}[\text{ArcSin}[(c^{(1/4)} * x) / a^{(1/4)}], -1]) / (c^{(3/4)} * \text{Sqrt}[-a + c * x^4])$

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 224

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Dist[Sqrt[1 + (b*x^4)/a]/Sqrt[a + b*x^4], Int[1/Sqrt[1 + (b*x^4)/a], x], x] /; FreeQ[{a, b}, x] && NegQ[b/a] && !GtQ[a, 0]

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c

), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 1199

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := Dist[d/Sqrt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]

Rule 1200

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := Dist[Sqrt[1 + (c*x^4)/a]/Sqrt[a + c*x^4], Int[(d + e*x^2)/Sqrt[1 + (c*x^4)/a], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]

Rule 1201

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[-(c/a), 2]}, Dist[(d*q - e)/q, Int[1/Sqrt[a + c*x^4], x], x] + Dist[e/q, Int[(1 + q*x^2)/Sqrt[a + c*x^4], x], x]] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && NeQ[c*d^2 + a*e^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{d + ex^2}{\sqrt{-a + cx^4}} dx &= \frac{(\sqrt{a}e) \int \frac{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{-a + cx^4}} dx}{\sqrt{c}} + \left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right) \int \frac{1}{\sqrt{-a + cx^4}} dx \\
 &= \frac{\left(\sqrt{a}e\sqrt{1 - \frac{cx^4}{a}}\right) \int \frac{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{1 - \frac{cx^4}{a}}} dx}{\sqrt{c}\sqrt{-a + cx^4}} + \frac{\left(\left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right)\sqrt{1 - \frac{cx^4}{a}}\right) \int \frac{1}{\sqrt{1 - \frac{cx^4}{a}}} dx}{\sqrt{-a + cx^4}} \\
 &= \frac{\sqrt[4]{a} \left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right) \sqrt{1 - \frac{cx^4}{a}} F\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{c}\sqrt{-a + cx^4}} + \frac{\left(\sqrt{a}e\sqrt{1 - \frac{cx^4}{a}}\right) \int \frac{\sqrt{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}}{\sqrt{1 - \frac{\sqrt{c}x^2}{\sqrt{a}}}} dx}{\sqrt{c}\sqrt{-a + cx^4}} \\
 &= \frac{a^{3/4}e\sqrt{1 - \frac{cx^4}{a}} E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{c^{3/4}\sqrt{-a + cx^4}} + \frac{\sqrt[4]{a} \left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right) \sqrt{1 - \frac{cx^4}{a}} F\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{c}\sqrt{-a + cx^4}}
 \end{aligned}$$

Mathematica [C] time = 0.03, size = 78, normalized size = 0.62

$$\frac{\sqrt{1 - \frac{cx^4}{a}} \left(3dx {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; \frac{cx^4}{a}\right) + ex^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; \frac{cx^4}{a}\right) \right)}{3\sqrt{cx^4 - a}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/Sqrt[-a + c*x^4],x]

[Out] (Sqrt[1 - (c*x^4)/a]*(3*d*x*Hypergeometric2F1[1/4, 1/2, 5/4, (c*x^4)/a] + e*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, (c*x^4)/a]))/(3*Sqrt[-a + c*x^4])

fricas [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^2 + d}{\sqrt{cx^4 - a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4-a)^(1/2),x, algorithm="fricas")

[Out] integral((e*x^2 + d)/sqrt(c*x^4 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4-a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)/sqrt(c*x^4 - a), x)

maple [A] time = 0.01, size = 160, normalized size = 1.27

$$\frac{\sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} d \text{EllipticF}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} x, i\right) + \sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \left(-\text{EllipticE}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} x, i\right) + \text{EllipticE}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} x, i\right)\right)}{\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4 - a} \sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(c*x^4-a)^(1/2),x)

[Out] $e \cdot a^{1/2} / (-1/a^{1/2} \cdot c^{1/2})^{1/2} \cdot (1/a^{1/2} \cdot c^{1/2} \cdot x^2 + 1)^{1/2} \cdot (-1/a^{1/2} \cdot c^{1/2} \cdot x^2 + 1)^{1/2} / (c \cdot x^4 - a)^{1/2} / c^{1/2} \cdot (\text{EllipticF}(x \cdot (-1/a^{1/2} \cdot c^{1/2})^{1/2}, I) - \text{EllipticE}(x \cdot (-1/a^{1/2} \cdot c^{1/2})^{1/2}, I)) + d / (-1/a^{1/2} \cdot c^{1/2})^{1/2} \cdot (1/a^{1/2} \cdot c^{1/2} \cdot x^2 + 1)^{1/2} \cdot (-1/a^{1/2} \cdot c^{1/2} \cdot x^2 + 1)^{1/2} / (c \cdot x^4 - a)^{1/2} \cdot \text{EllipticF}(x \cdot (-1/a^{1/2} \cdot c^{1/2})^{1/2}, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/(c*x^4-a)^(1/2),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d)/sqrt(c*x^4 - a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{ex^2 + d}{\sqrt{cx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)/(c*x^4 - a)^(1/2),x)`

[Out] `int((d + e*x^2)/(c*x^4 - a)^(1/2), x)`

sympy [A] time = 2.18, size = 73, normalized size = 0.58

$$\frac{idx \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{cx^4}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{5}{4}\right)} - \frac{ie x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{4} \middle| \frac{cx^4}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)/(c*x**4-a)**(1/2),x)`

[Out] `-I*d*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), c*x**4/a)/(4*sqrt(a)*gamma(5/4)) - I*e*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), c*x**4/a)/(4*sqrt(a)*gamma(7/4))`

$$3.165 \quad \int \frac{1}{(d+ex^2)\sqrt{-a+cx^4}} dx$$

Optimal. Leaf size=73

$$\frac{\sqrt[4]{a} \sqrt{1 - \frac{cx^4}{a}} \Pi\left(-\frac{\sqrt{ae}}{\sqrt{cd}}; \sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{c} d \sqrt{cx^4 - a}}$$

[Out] $a^{(1/4)} * \text{EllipticPi}(c^{(1/4)} * x / a^{(1/4)}, -e * a^{(1/2)} / d / c^{(1/2)}, I) * (1 - c * x^4 / a)^{(1/2)} / c^{(1/4)} / d / (c * x^4 - a)^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {1219, 1218}

$$\frac{\sqrt[4]{a} \sqrt{1 - \frac{cx^4}{a}} \Pi\left(-\frac{\sqrt{ae}}{\sqrt{cd}}; \sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{c} d \sqrt{cx^4 - a}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*Sqrt[-a + c*x^4]),x]

[Out] $(a^{(1/4)} * \text{Sqrt}[1 - (c * x^4) / a] * \text{EllipticPi}[-((\text{Sqrt}[a] * e) / (\text{Sqrt}[c] * d)), \text{ArcSin}[(c^{(1/4)} * x) / a^{(1/4)}], -1]) / (c^{(1/4)} * d * \text{Sqrt}[-a + c * x^4])$

Rule 1218

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[-(c/a), 4]}, Simp[(1*EllipticPi[-(e/(d*q^2)), ArcSin[q*x], -1]) / (d*Sqrt[a]*q), x]] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && GtQ[a, 0]

Rule 1219

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := Dist[Sqrt[1 + (c*x^4)/a] / Sqrt[a + c*x^4], Int[1/((d + e*x^2)*Sqrt[1 + (c*x^4)/a]), x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && !GtQ[a, 0]

Rubi steps

$$\int \frac{1}{(d+ex^2)\sqrt{-a+cx^4}} dx = \frac{\sqrt{1-\frac{cx^4}{a}} \int \frac{1}{(d+ex^2)\sqrt{1-\frac{cx^4}{a}}} dx}{\sqrt{-a+cx^4}}$$

$$= \frac{\sqrt[4]{a} \sqrt{1-\frac{cx^4}{a}} \Pi\left(-\frac{\sqrt{a}e}{\sqrt{c}d}; \sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{c} d \sqrt{-a+cx^4}}$$

Mathematica [C] time = 0.15, size = 92, normalized size = 1.26

$$\frac{i\sqrt{1-\frac{cx^4}{a}} \Pi\left(-\frac{\sqrt{a}e}{\sqrt{c}d}; i \sinh^{-1}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} x\right) \middle| -1\right)}{d\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4-a}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*Sqrt[-a + c*x^4]),x]

[Out] ((-I)*Sqrt[1 - (c*x^4)/a]*EllipticPi[-((Sqrt[a]*e)/(Sqrt[c]*d)), I*ArcSinh[Sqrt[-(Sqrt[c]/Sqrt[a])]*x], -1]/(Sqrt[-(Sqrt[c]/Sqrt[a])]*d*Sqrt[-a + c*x^4]))

fricas [F] time = 13.11, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{cx^4-a}}{cex^6+cdx^4-aex^2-ad}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4-a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(c*x^4 - a)/(c*e*x^6 + c*d*x^4 - a*e*x^2 - a*d), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4-a}(ex^2+d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4-a)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(c*x^4 - a)*(e*x^2 + d)), x)

maple [A] time = 0.02, size = 99, normalized size = 1.36

$$\frac{\sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \operatorname{EllipticPi}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} x, \frac{\sqrt{a} e}{\sqrt{c} d}, \frac{\sqrt{\frac{\sqrt{c}}{\sqrt{a}}}}{\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}}}\right)}{\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} \sqrt{c x^4 - a} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)/(c*x^4-a)^(1/2),x)

[Out] 1/d/(-1/a^(1/2)*c^(1/2))^(1/2)*(1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4-a)^(1/2)*EllipticPi((-1/a^(1/2)*c^(1/2))^(1/2)*x,a^(1/2)/c^(1/2)/d*e,(1/a^(1/2)*c^(1/2))^(1/2)/(-1/a^(1/2)*c^(1/2))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{c x^4 - a} (e x^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4-a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(c*x^4 - a)*(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{c x^4 - a} (e x^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((c*x^4 - a)^(1/2)*(d + e*x^2)),x)

[Out] int(1/((c*x^4 - a)^(1/2)*(d + e*x^2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-a + c x^4} (d + e x^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x**2+d)/(c*x**4-a)**(1/2),x)
```

```
[Out] Integral(1/(sqrt(-a + c*x**4)*(d + e*x**2)), x)
```

$$3.166 \quad \int \frac{\sqrt{a} + \sqrt{c}x^2}{\sqrt{-a+cx^4}} dx$$

Optimal. Leaf size=54

$$\frac{a^{3/4} \sqrt{1 - \frac{cx^4}{a}} E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{c} \sqrt{cx^4 - a}}$$

[Out] $a^{(3/4)} * \text{EllipticE}(c^{(1/4)} * x / a^{(1/4)}, I) * (1 - c * x^4 / a)^{(1/2)} / c^{(1/4)} / (c * x^4 - a)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {1200, 1199, 424}

$$\frac{a^{3/4} \sqrt{1 - \frac{cx^4}{a}} E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{c} \sqrt{cx^4 - a}}$$

Antiderivative was successfully verified.

[In] `Int[(Sqrt[a] + Sqrt[c]*x^2)/Sqrt[-a + c*x^4], x]`

[Out] $(a^{(3/4)} * \text{Sqrt}[1 - (c * x^4) / a] * \text{EllipticE}[\text{ArcSin}[(c^{(1/4)} * x) / a^{(1/4)}], -1]) / (c^{(1/4)} * \text{Sqrt}[-a + c * x^4])$

Rule 424

`Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]`

Rule 1199

`Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> Dist[d/Sqrt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]`

Rule 1200

`Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> Dist[Sqrt[1 + (c*x^4)/a]/Sqrt[a + c*x^4], Int[(d + e*x^2)/Sqrt[1 + (c*x^4)/a], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]`

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a} + \sqrt{c}x^2}{\sqrt{-a + cx^4}} dx &= \frac{\sqrt{1 - \frac{cx^4}{a}} \int \frac{\sqrt{a} + \sqrt{c}x^2}{\sqrt{1 - \frac{cx^4}{a}}} dx}{\sqrt{-a + cx^4}} \\
&= \frac{\left(\sqrt{a} \sqrt{1 - \frac{cx^4}{a}}\right) \int \frac{\sqrt{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}}{\sqrt{1 - \frac{\sqrt{c}x^2}{\sqrt{a}}}} dx}{\sqrt{-a + cx^4}} \\
&= \frac{a^{3/4} \sqrt{1 - \frac{cx^4}{a}} E\left(\sin^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| -1\right)}{\sqrt[4]{c} \sqrt{-a + cx^4}}
\end{aligned}$$

Mathematica [C] time = 0.04, size = 86, normalized size = 1.59

$$\frac{\sqrt{1 - \frac{cx^4}{a}} \left(3\sqrt{a} x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; \frac{cx^4}{a}\right) + \sqrt{c} x^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; \frac{cx^4}{a}\right)\right)}{3\sqrt{cx^4 - a}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a] + Sqrt[c]*x^2)/Sqrt[-a + c*x^4],x]

[Out] (Sqrt[1 - (c*x^4)/a]*(3*Sqrt[a]*x*Hypergeometric2F1[1/4, 1/2, 5/4, (c*x^4)/a] + Sqrt[c]*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, (c*x^4)/a]))/(3*Sqrt[-a + c*x^4])

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{c}x^2 + \sqrt{a}}{\sqrt{cx^4 - a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/2)+x^2*c^(1/2))/(c*x^4-a)^(1/2),x, algorithm="fricas")

[Out] integral((sqrt(c)*x^2 + sqrt(a))/sqrt(c*x^4 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c}x^2 + \sqrt{a}}{\sqrt{cx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/2)+x^2*c^(1/2))/(c*x^4-a)^(1/2),x, algorithm="giac")

[Out] integrate((sqrt(c)*x^2 + sqrt(a))/sqrt(c*x^4 - a), x)

maple [B] time = 0.05, size = 158, normalized size = 2.93

$$\frac{\sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{a} \operatorname{EllipticF}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} x, i\right) + \sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \left(-\operatorname{EllipticE}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} x, i\right) + \operatorname{EllipticF}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} x, i\right)\right)}{\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} \sqrt{c x^4 - a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^(1/2)+c^(1/2)*x^2)/(c*x^4-a)^(1/2),x)

[Out] a^(1/2)/(-1/a^(1/2)*c^(1/2))^(1/2)*(1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4-a)^(1/2)*(EllipticF((-1/a^(1/2)*c^(1/2))^(1/2)*x,I)-EllipticE((-1/a^(1/2)*c^(1/2))^(1/2)*x,I))+a^(1/2)/(-1/a^(1/2)*c^(1/2))^(1/2)*(1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4-a)^(1/2)*EllipticF((-1/a^(1/2)*c^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c} x^2 + \sqrt{a}}{\sqrt{c x^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a^(1/2)+x^2*c^(1/2))/(c*x^4-a)^(1/2),x, algorithm="maxima")

[Out] integrate((sqrt(c)*x^2 + sqrt(a))/sqrt(c*x^4 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{a} + \sqrt{c} x^2}{\sqrt{c x^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a^(1/2) + c^(1/2)*x^2)/(c*x^4 - a)^(1/2),x)

[Out] int((a^(1/2) + c^(1/2)*x^2)/(c*x^4 - a)^(1/2), x)

sympy [A] time = 2.41, size = 70, normalized size = 1.30

$$\frac{ix\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{cx^4}{a}\right)}{4\Gamma\left(\frac{5}{4}\right)} - \frac{i\sqrt{c}x^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{cx^4}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a**(1/2)+x**2*c**(1/2))/(c*x**4-a)**(1/2),x)

[Out] -I*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), c*x**4/a)/(4*gamma(5/4)) - I*sqrt(c)*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), c*x**4/a)/(4*sqrt(a)*gamma(7/4))

$$3.167 \quad \int \frac{1 + \sqrt{\frac{c}{a}} x^2}{\sqrt{-a + cx^4}} dx$$

Optimal. Leaf size=52

$$\frac{\sqrt{1 - \frac{cx^4}{a}} E\left(\sin^{-1}\left(\sqrt[4]{\frac{c}{a}} x\right) \middle| -1\right)}{\sqrt[4]{\frac{c}{a}} \sqrt{cx^4 - a}}$$

[Out] EllipticE((c/a)^(1/4)*x,I)*(1-c*x^4/a)^(1/2)/(c/a)^(1/4)/(c*x^4-a)^(1/2)

Rubi [A] time = 0.05, antiderivative size = 52, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {1200, 1199, 424}

$$\frac{\sqrt{1 - \frac{cx^4}{a}} E\left(\sin^{-1}\left(\sqrt[4]{\frac{c}{a}} x\right) \middle| -1\right)}{\sqrt[4]{\frac{c}{a}} \sqrt{cx^4 - a}}$$

Antiderivative was successfully verified.

[In] Int[(1 + Sqrt[c/a]*x^2)/Sqrt[-a + c*x^4],x]

[Out] (Sqrt[1 - (c*x^4)/a]*EllipticE[ArcSin[(c/a)^(1/4)*x], -1])/((c/a)^(1/4)*Sqrt[-a + c*x^4])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 1199

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> Dist[d/Sqrt[a], Int[Sqrt[1 + (e*x^2)/d]/Sqrt[1 - (e*x^2)/d], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && GtQ[a, 0]

Rule 1200

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> Dist[Sqrt[1 + (c*x^4)/a]/Sqrt[a + c*x^4], Int[(d + e*x^2)/Sqrt[1 + (c*x^4)/a], x], x] /; FreeQ[{a, c, d, e}, x] && NegQ[c/a] && EqQ[c*d^2 + a*e^2, 0] && !GtQ[a, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1 + \sqrt{\frac{c}{a}} x^2}{\sqrt{-a + cx^4}} dx &= \frac{\sqrt{1 - \frac{cx^4}{a}} \int \frac{1 + \sqrt{\frac{c}{a}} x^2}{\sqrt{1 - \frac{cx^4}{a}}} dx}{\sqrt{-a + cx^4}} \\
&= \frac{\sqrt{1 - \frac{cx^4}{a}} \int \frac{\sqrt{1 + \sqrt{\frac{c}{a}} x^2}}{\sqrt{1 - \sqrt{\frac{c}{a}} x^2}} dx}{\sqrt{-a + cx^4}} \\
&= \frac{\sqrt{1 - \frac{cx^4}{a}} E\left(\sin^{-1}\left(\sqrt{\frac{c}{a}} x\right) \middle| -1\right)}{\sqrt[4]{\frac{c}{a}} \sqrt{-a + cx^4}}
\end{aligned}$$

Mathematica [C] time = 0.03, size = 85, normalized size = 1.63

$$\frac{\sqrt{1 - \frac{cx^4}{a}} \left(3x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; \frac{cx^4}{a}\right) + x^3 \sqrt{\frac{c}{a}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; \frac{cx^4}{a}\right) \right)}{3\sqrt{cx^4 - a}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sqrt[c/a]*x^2)/Sqrt[-a + c*x^4], x]

[Out] (Sqrt[1 - (c*x^4)/a]*(3*x*Hypergeometric2F1[1/4, 1/2, 5/4, (c*x^4)/a] + Sqrt[c/a]*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, (c*x^4)/a]))/(3*Sqrt[-a + c*x^4])

fricas [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^2 \sqrt{\frac{c}{a}} + 1}{\sqrt{cx^4 - a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x^2*(c/a)^(1/2))/(c*x^4-a)^(1/2), x, algorithm="fricas")

[Out] integral((x^2*sqrt(c/a) + 1)/sqrt(c*x^4 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sqrt{\frac{c}{a}} + 1}{\sqrt{cx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x^2*(c/a)^(1/2))/(c*x^4-a)^(1/2),x, algorithm="giac")

[Out] integrate((x^2*sqrt(c/a) + 1)/sqrt(c*x^4 - a), x)

maple [B] time = 0.04, size = 165, normalized size = 3.17

$$\frac{\sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \operatorname{EllipticF}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} x, i\right)}{\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4 - a}} + \frac{\sqrt{\frac{c}{a}} \sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \left(-\operatorname{EllipticE}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} x, i\right) + E\right)}{\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4 - a} \sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+x^2*(c/a)^(1/2))/(c*x^4-a)^(1/2),x)

[Out] 1/(-1/a^(1/2)*c^(1/2))^(1/2)*(1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4-a)^(1/2)*EllipticF((-1/a^(1/2)*c^(1/2))^(1/2)*x,I)+(c/a)^(1/2)*a^(1/2)/(-1/a^(1/2)*c^(1/2))^(1/2)*(1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(-1/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4-a)^(1/2)/c^(1/2)*(EllipticF((-1/a^(1/2)*c^(1/2))^(1/2)*x,I)-EllipticE((-1/a^(1/2)*c^(1/2))^(1/2)*x,I))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sqrt{\frac{c}{a}} + 1}{\sqrt{cx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x^2*(c/a)^(1/2))/(c*x^4-a)^(1/2),x, algorithm="maxima")

[Out] integrate((x^2*sqrt(c/a) + 1)/sqrt(c*x^4 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^2 \sqrt{\frac{c}{a}} + 1}{\sqrt{cx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(c/a)^(1/2) + 1)/(c*x^4 - a)^(1/2), x)`

[Out] `int((x^2*(c/a)^(1/2) + 1)/(c*x^4 - a)^(1/2), x)`

sympy [B] time = 2.30, size = 76, normalized size = 1.46

$$\frac{ix^3 \sqrt{\frac{c}{a}} \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{cx^4}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{7}{4}\right)} - \frac{ix \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{cx^4}{a}\right)}{4\sqrt{a} \Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+x**2*(c/a)**(1/2))/(c*x**4-a)**(1/2), x)`

[Out] `-I*x**3*sqrt(c/a)*gamma(3/4)*hyper((1/2, 3/4), (7/4,), c*x**4/a)/(4*sqrt(a)*gamma(7/4)) - I*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), c*x**4/a)/(4*sqrt(a)*gamma(5/4))`

$$3.168 \quad \int \frac{d+ex^2}{\sqrt{-a-cx^4}} dx$$

Optimal. Leaf size=236

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{c}d}{\sqrt{a}} + e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2c^{3/4}\sqrt{-a-cx^4}} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\right)}{c^{3/4}\sqrt{-a-cx^4}}$$

[Out] $-e*x*(-c*x^4-a)^{(1/2)}/c^{(1/2)}/(a^{(1/2)}+x^2*c^{(1/2)})-a^{(1/4)}*e*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/c^{(3/4)}/(-c*x^4-a)^{(1/2)}+1/2*a^{(1/4)}*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})), 1/2*2^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*(e+d*c^{(1/2)}/a^{(1/2)})*((c*x^4+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/c^{(3/4)}/(-c*x^4-a)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 236, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1198, 220, 1196}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{c}d}{\sqrt{a}} + e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2c^{3/4}\sqrt{-a-cx^4}} - \frac{\sqrt[4]{a} e (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\right)}{c^{3/4}\sqrt{-a-cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/Sqrt[-a - c*x^4], x]

[Out] $-\left(\frac{e*x*\text{Sqrt}[-a - c*x^4]}{\text{Sqrt}[c]*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)}\right) - (a^{(1/4)}*e*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], 1/2])/c^{(3/4)}*\text{Sqrt}[-a - c*x^4] + (a^{(1/4)}*((\text{Sqrt}[c]*d)/\text{Sqrt}[a] + e)*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*c^{(3/4)}*\text{Sqrt}[-a - c*x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rubi steps

$$\int \frac{d + ex^2}{\sqrt{-a - cx^4}} dx = -\frac{(\sqrt{a}e) \int \frac{1 - \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{-a - cx^4}} dx}{\sqrt{c}} + \left(d + \frac{\sqrt{a}e}{\sqrt{c}}\right) \int \frac{1}{\sqrt{-a - cx^4}} dx$$

$$= -\frac{ex\sqrt{-a - cx^4}}{\sqrt{c}(\sqrt{a} + \sqrt{c}x^2)} - \frac{\sqrt[4]{a}e(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a} + \sqrt{c}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{c^{3/4}\sqrt{-a - cx^4}} + \frac{(\sqrt{c}d + \sqrt{a}e)}{c^{3/4}\sqrt{-a - cx^4}}$$

Mathematica [C] time = 0.04, size = 80, normalized size = 0.34

$$\frac{\sqrt{\frac{cx^4}{a} + 1} \left(3dx {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{cx^4}{a}\right) + ex^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{cx^4}{a}\right)\right)}{3\sqrt{-a - cx^4}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^2)/Sqrt[-a - c*x^4], x]
```

```
[Out] (Sqrt[1 + (c*x^4)/a]*(3*d*x*Hypergeometric2F1[1/4, 1/2, 5/4, -((c*x^4)/a)]
+ e*x^3*Hypergeometric2F1[1/2, 3/4, 7/4, -((c*x^4)/a)])/(3*Sqrt[-a - c*x^4
])
```

fricas [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-cx^4 - a}(ex^2 + d)}{cx^4 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(-c*x^4-a)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c*x^4 - a)*(e*x^2 + d)/(c*x^4 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{-cx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(-c*x^4-a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)/sqrt(-c*x^4 - a), x)

maple [C] time = 0.01, size = 175, normalized size = 0.74

$$\frac{\sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}} + 1} \sqrt{\frac{-i\sqrt{c}x^2}{\sqrt{a}} + 1} d \operatorname{EllipticF}\left(\sqrt{\frac{-i\sqrt{c}}{\sqrt{a}}} x, i\right) + i \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}} + 1} \sqrt{\frac{-i\sqrt{c}x^2}{\sqrt{a}} + 1} \left(-\operatorname{EllipticE}\left(\sqrt{\frac{-i\sqrt{c}}{\sqrt{a}}} x, i\right) + \operatorname{EllipticE}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} x, i\right)\right)}{\sqrt{\frac{-i\sqrt{c}}{\sqrt{a}}} \sqrt{-cx^4 - a} \sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(-c*x^4-a)^(1/2),x)

[Out]
$$-I * e * a^{(1/2)} / (-I/a^{(1/2)} * c^{(1/2)})^{(1/2)} * (I/a^{(1/2)} * c^{(1/2)} * x^2 + 1)^{(1/2)} * (-I/a^{(1/2)} * c^{(1/2)} * x^2 + 1)^{(1/2)} / (-c * x^4 - a)^{(1/2)} / c^{(1/2)} * (\operatorname{EllipticF}(x * (-I/a^{(1/2)} * c^{(1/2)})^{(1/2)}, I) - \operatorname{EllipticE}(x * (-I/a^{(1/2)} * c^{(1/2)})^{(1/2)}, I)) + d / (-I/a^{(1/2)} * c^{(1/2)})^{(1/2)} * (I/a^{(1/2)} * c^{(1/2)} * x^2 + 1)^{(1/2)} * (-I/a^{(1/2)} * c^{(1/2)} * x^2 + 1)^{(1/2)} / (-c * x^4 - a)^{(1/2)} * \operatorname{EllipticF}(x * (-I/a^{(1/2)} * c^{(1/2)})^{(1/2)}, I)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{-cx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(-c*x^4-a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)/sqrt(-c*x^4 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + d}{\sqrt{-cx^4 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)/(- a - c*x^4)^(1/2), x)`

[Out] `int((d + e*x^2)/(- a - c*x^4)^(1/2), x)`

sympy [C] time = 2.10, size = 83, normalized size = 0.35

$$\frac{idx\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{5}{4}\right)} - \frac{ie x^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{4} \middle| \frac{cx^4 e^{i\pi}}{a}\right)}{4\sqrt{a}\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)/(-c*x**4-a)**(1/2), x)`

[Out] `-I*d*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), c*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(5/4)) - I*e*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), c*x**4*exp_polar(I*pi)/a)/(4*sqrt(a)*gamma(7/4))`

$$3.169 \quad \int \frac{1}{(d+ex^2)\sqrt{-a-cx^4}} dx$$

Optimal. Leaf size=347

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{c}d}{\sqrt{a}} + e\right)^2 \Pi\left(-\frac{(\sqrt{c}d-\sqrt{a}e)^2}{4\sqrt{a}\sqrt{c}de}; 2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{4\sqrt[4]{c}d\sqrt{-a-cx^4}(cd^2-ae^2)} + \frac{\sqrt{e} \tan^{-1}\left(\frac{x\sqrt{-ae^2-cd^2}}{\sqrt{d}\sqrt{e}\sqrt{-a-cx^4}}\right)}{2\sqrt{d}\sqrt{-ae^2-cd^2}} + \frac{\sqrt[4]{c}}{1}$$

[Out] $\frac{1}{2} \arctan(x \cdot (-a \cdot e^2 - c \cdot d^2)^{1/2} / d^{1/2} / e^{1/2} / (-c \cdot x^4 - a)^{1/2}) \cdot e^{1/2} / d^{1/2} / (-a \cdot e^2 - c \cdot d^2)^{1/2} + \frac{1}{2} \cdot c^{1/4} \cdot (\cos(2 \arctan(c^{1/4} \cdot x / a^{1/4}))^2)^{1/2} / \cos(2 \arctan(c^{1/4} \cdot x / a^{1/4})) \cdot \text{EllipticF}(\sin(2 \arctan(c^{1/4} \cdot x / a^{1/4})), 1/2, 2^{1/2}) \cdot (a^{1/2} + x^2 \cdot c^{1/2}) \cdot ((c \cdot x^4 + a) / (a^{1/2} + x^2 \cdot c^{1/2}))^2)^{1/2} / a^{1/4} / (-e \cdot a^{1/2} + d \cdot c^{1/2}) / (-c \cdot x^4 - a)^{1/2} - \frac{1}{4} \cdot a^{3/4} \cdot (\cos(2 \arctan(c^{1/4} \cdot x / a^{1/4}))^2)^{1/2} / \cos(2 \arctan(c^{1/4} \cdot x / a^{1/4})) \cdot \text{EllipticPi}(\sin(2 \arctan(c^{1/4} \cdot x / a^{1/4})), -1/4, (-e \cdot a^{1/2} + d \cdot c^{1/2})^2 / d / e / a^{1/2} / c^{1/2}, 1/2, 2^{1/2}) \cdot (a^{1/2} + x^2 \cdot c^{1/2}) \cdot (e + d \cdot c^{1/2} / a^{1/2})^2 \cdot ((c \cdot x^4 + a) / (a^{1/2} + x^2 \cdot c^{1/2}))^2)^{1/2} / c^{1/4} / d / (-a \cdot e^2 + c \cdot d^2) / (-c \cdot x^4 - a)^{1/2}$

Rubi [A] time = 0.30, antiderivative size = 347, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1217, 220, 1707}

$$\frac{a^{3/4}(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{c}d}{\sqrt{a}} + e\right)^2 \Pi\left(-\frac{(\sqrt{c}d-\sqrt{a}e)^2}{4\sqrt{a}\sqrt{c}de}; 2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{4\sqrt[4]{c}d\sqrt{-a-cx^4}(cd^2-ae^2)} + \frac{\sqrt{e} \tan^{-1}\left(\frac{x\sqrt{-ae^2-cd^2}}{\sqrt{d}\sqrt{e}\sqrt{-a-cx^4}}\right)}{2\sqrt{d}\sqrt{-ae^2-cd^2}} + \frac{\sqrt[4]{c}}{1}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*Sqrt[-a - c*x^4]),x]

[Out] $(\text{Sqrt}[e] \cdot \text{ArcTan}[(\text{Sqrt}[-(c \cdot d^2) - a \cdot e^2] \cdot x) / (\text{Sqrt}[d] \cdot \text{Sqrt}[e] \cdot \text{Sqrt}[-a - c \cdot x^4])]) / (2 \cdot \text{Sqrt}[d] \cdot \text{Sqrt}[-(c \cdot d^2) - a \cdot e^2]) + (c^{1/4} \cdot (\text{Sqrt}[a] + \text{Sqrt}[c] \cdot x^2) \cdot \text{Sqrt}[(a + c \cdot x^4) / (\text{Sqrt}[a] + \text{Sqrt}[c] \cdot x^2)^2] \cdot \text{EllipticF}[2 \cdot \text{ArcTan}[(c^{1/4} \cdot x) / a^{1/4}], 1/2]) / (2 \cdot a^{1/4} \cdot (\text{Sqrt}[c] \cdot d - \text{Sqrt}[a] \cdot e) \cdot \text{Sqrt}[-a - c \cdot x^4]) - (a^{3/4} \cdot ((\text{Sqrt}[c] \cdot d) / \text{Sqrt}[a] + e)^2 \cdot (\text{Sqrt}[a] + \text{Sqrt}[c] \cdot x^2) \cdot \text{Sqrt}[(a + c \cdot x^4) / (\text{Sqrt}[a] + \text{Sqrt}[c] \cdot x^2)^2] \cdot \text{EllipticPi}[-(\text{Sqrt}[c] \cdot d - \text{Sqrt}[a] \cdot e)^2 / (4 \cdot \text{Sqrt}[a] \cdot \text{Sqrt}[c] \cdot d \cdot e), 2 \cdot \text{ArcTan}[(c^{1/4} \cdot x) / a^{1/4}], 1/2]) / (4 \cdot c^{1/4} \cdot d \cdot (c \cdot d^2 - a \cdot e^2) \cdot \text{Sqrt}[-a - c \cdot x^4])$

Rule 220

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]
```

Rule 1217

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + c*x^4]), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1707

```
Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[(c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + c*x^4]]]/(2*d*e*Rt[(c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2])/(4*d*e*A*q*Sqrt[a + c*x^4]), x]] /; FreeQ[{a, c, d, e, A, B}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]
```

Rubi steps

$$\int \frac{1}{(d + ex^2)\sqrt{-a - cx^4}} dx = \frac{\sqrt{c} \int \frac{1}{\sqrt{-a - cx^4}} dx}{\sqrt{c}d - \sqrt{a}e} - \frac{(\sqrt{a}e) \int \frac{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}{(d + ex^2)\sqrt{-a - cx^4}} dx}{\sqrt{c}d - \sqrt{a}e}$$

$$= \frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{-cd^2 - ae^2}x}{\sqrt{d}\sqrt{e}\sqrt{-a - cx^4}}\right)}{2\sqrt{d}\sqrt{-cd^2 - ae^2}} + \frac{\sqrt[4]{c}(\sqrt{a} + \sqrt{c}x^2)\sqrt{\frac{a + cx^4}{(\sqrt{a} + \sqrt{c}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{2}\right)}{2\sqrt[4]{a}(\sqrt{c}d - \sqrt{a}e)\sqrt{-a - cx^4}}$$

Mathematica [C] time = 0.15, size = 98, normalized size = 0.28

$$\frac{i\sqrt{\frac{cx^4}{a} + 1} \Pi\left(-\frac{i\sqrt{a}e}{\sqrt{c}d}; i \sinh^{-1}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}x\right) \middle| -1\right)}{d\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}\sqrt{-a - cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*Sqrt[-a - c*x^4]),x]

[Out] ((-I)*Sqrt[1 + (c*x^4)/a]*EllipticPi[((-I)*Sqrt[a]*e)/(Sqrt[c]*d), I*ArcSin h[Sqrt[(I*Sqrt[c])/Sqrt[a]]*x], -1))/(Sqrt[(I*Sqrt[c])/Sqrt[a]]*d*Sqrt[-a - c*x^4])

fricas [F] time = 10.93, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{\sqrt{-cx^4 - a}}{cex^6 + cdx^4 + aex^2 + ad}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(-c*x^4-a)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-c*x^4 - a)/(c*e*x^6 + c*d*x^4 + a*e*x^2 + a*d), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4 - a}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(-c*x^4-a)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-c*x^4 - a)*(e*x^2 + d)), x)

maple [C] time = 0.02, size = 110, normalized size = 0.32

$$\frac{\sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}} + 1} \sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}} + 1} \text{EllipticPi} \left(\sqrt{-\frac{i\sqrt{c}}{\sqrt{a}}} x, -\frac{i\sqrt{a}e}{\sqrt{c}d}, \frac{\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}}{\sqrt{-\frac{i\sqrt{c}}{\sqrt{a}}}} \right)}{\sqrt{-\frac{i\sqrt{c}}{\sqrt{a}}} \sqrt{-cx^4 - a} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)/(-c*x^4-a)^(1/2),x)

[Out] 1/d/(-I/a^(1/2)*c^(1/2))^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(-c*x^4-a)^(1/2)*EllipticPi((-I/a^(1/2)*c^(1/2))^(1/2)*x, -I*a^(1/2)/c^(1/2)*e/d, (I/a^(1/2)*c^(1/2))^(1/2)/(-I/a^(1/2)*c^(1/2))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4 - a}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(-c*x^4-a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-c*x^4 - a)*(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{-cx^4 - a}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((- a - c*x^4)^(1/2)*(d + e*x^2)),x)

[Out] int(1/((- a - c*x^4)^(1/2)*(d + e*x^2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-a - cx^4}(d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)/(-c*x**4-a)**(1/2),x)

[Out] Integral(1/(sqrt(-a - c*x**4)*(d + e*x**2)), x)

$$3.170 \quad \int \frac{1}{(a+bx^2)\sqrt{4-5x^4}} dx$$

Optimal. Leaf size=40

$$\frac{\Pi\left(-\frac{2b}{\sqrt{5}a}; \sin^{-1}\left(\frac{\sqrt[4]{5}x}{\sqrt{2}}\right) \middle| -1\right)}{\sqrt{2} \sqrt[4]{5} a}$$

[Out] 1/10*EllipticPi(1/2*5^(1/4)*x*2^(1/2), -2/5*b/a*5^(1/2), 1)*5^(3/4)/a*2^(1/2)

Rubi [A] time = 0.06, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {1213, 537}

$$\frac{\Pi\left(-\frac{2b}{\sqrt{5}a}; \sin^{-1}\left(\frac{\sqrt[4]{5}x}{\sqrt{2}}\right) \middle| -1\right)}{\sqrt{2} \sqrt[4]{5} a}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^2)*Sqrt[4 - 5*x^4]),x]

[Out] EllipticPi[(-2*b)/(Sqrt[5]*a), ArcSin[(5^(1/4)*x)/Sqrt[2]], -1]/(Sqrt[2]*5^(1/4)*a)

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/ (a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !(GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 1213

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] :> With[{q = Rt[-(a*c), 2]}, Dist[Sqrt[-c], Int[1/((d + e*x^2)*Sqrt[q + c*x^2]*Sqrt[q - c*x^2]), x], x]] /; FreeQ[{a, c, d, e}, x] && GtQ[a, 0] && LtQ[c, 0]
```

Rubi steps

$$\int \frac{1}{(a + bx^2)\sqrt{4 - 5x^4}} dx = \sqrt{5} \int \frac{1}{\sqrt{2\sqrt{5} - 5x^2} \sqrt{2\sqrt{5} + 5x^2} (a + bx^2)} dx$$

$$= \frac{\Pi\left(-\frac{2b}{\sqrt{5}a}; \sin^{-1}\left(\frac{\sqrt[4]{5}x}{\sqrt{2}}\right) \middle| -1\right)}{\sqrt{2} \sqrt[4]{5} a}$$

Mathematica [A] time = 0.13, size = 40, normalized size = 1.00

$$\frac{\Pi\left(-\frac{2b}{\sqrt{5}a}; \sin^{-1}\left(\frac{\sqrt[4]{5}x}{\sqrt{2}}\right) \middle| -1\right)}{\sqrt{2} \sqrt[4]{5} a}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^2)*Sqrt[4 - 5*x^4]), x]

[Out] EllipticPi[(-2*b)/(Sqrt[5]*a), ArcSin[(5^(1/4)*x)/Sqrt[2]], -1]/(Sqrt[2]*5^(1/4)*a)

fricas [F] time = 7.83, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-5x^4 + 4}}{5bx^6 + 5ax^4 - 4bx^2 - 4a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)/(-5*x^4+4)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-5*x^4 + 4)/(5*b*x^6 + 5*a*x^4 - 4*b*x^2 - 4*a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-5x^4 + 4}(bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)/(-5*x^4+4)^(1/2), x, algorithm="giac")

[Out] integrate(1/(sqrt(-5*x^4 + 4)*(b*x^2 + a)), x)

maple [B] time = 0.06, size = 79, normalized size = 1.98

$$\frac{\sqrt{2} 5^{\frac{3}{4}} \sqrt{-\frac{\sqrt{5} x^2}{2} + 1} \sqrt{\frac{\sqrt{5} x^2}{2} + 1} \operatorname{EllipticPi}\left(\frac{\frac{1}{5^{\frac{1}{4}}} \sqrt{2} x}{2}, -\frac{2\sqrt{5} b}{5a}, \frac{\sqrt{-\frac{\sqrt{5}}{2}} \sqrt{2} 5^{\frac{3}{4}}}{5}\right)}{5\sqrt{-5x^4 + 4} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^2+a)/(-5*x^4+4)^(1/2),x)

[Out] 1/5/a*2^(1/2)*5^(3/4)*(1-1/2*x^2*5^(1/2))^(1/2)*(1+1/2*x^2*5^(1/2))^(1/2)/(-5*x^4+4)^(1/2)*EllipticPi(1/2*5^(1/4)*x*2^(1/2),-2/5*b/a*5^(1/2),1/5*(-1/2*5^(1/2))^(1/2)*2^(1/2)*5^(3/4))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-5x^4 + 4}(bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)/(-5*x^4+4)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-5*x^4 + 4)*(b*x^2 + a)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{(bx^2 + a)\sqrt{4 - 5x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^2)*(4 - 5*x^4)^(1/2)),x)

[Out] int(1/((a + b*x^2)*(4 - 5*x^4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{4 - 5x^4}(a + bx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**2+a)/(-5*x**4+4)**(1/2),x)

[Out] Integral(1/(sqrt(4 - 5*x**4)*(a + b*x**2)), x)

$$3.171 \quad \int \frac{1}{(a+bx^2)\sqrt{4+5x^4}} dx$$

Optimal. Leaf size=310

$$\frac{\sqrt{b} \tan^{-1}\left(\frac{x\sqrt{5a^2+4b^2}}{\sqrt{a}\sqrt{b}\sqrt{5x^4+4}}\right)}{2\sqrt{a}\sqrt{5a^2+4b^2}} + \frac{\sqrt[4]{5}(\sqrt{5}x^2+2)\sqrt{\frac{5x^4+4}{(\sqrt{5}x^2+2)^2}}(\sqrt{5}a+2b)F\left(2\tan^{-1}\left(\frac{\sqrt[4]{5}x}{\sqrt{2}}\right)\middle|\frac{1}{2}\right)}{2\sqrt{2}\sqrt{5x^4+4}(5a^2-4b^2)} - \frac{(\sqrt{5}x^2+2)\sqrt{\frac{5x^4+4}{(\sqrt{5}x^2+2)^2}}}{4}$$

[Out] $1/2*\arctan(x*(5*a^2+4*b^2)^(1/2)/a^(1/2)/b^(1/2)/(5*x^4+4)^(1/2))*b^(1/2)/a^(1/2)/(5*a^2+4*b^2)^(1/2)+1/4*5^(1/4)*(cos(2*\arctan(1/2*5^(1/4)*x*2^(1/2)))^2)^(1/2)/cos(2*\arctan(1/2*5^(1/4)*x*2^(1/2)))*EllipticF(sin(2*\arctan(1/2*5^(1/4)*x*2^(1/2))),1/2*2^(1/2))*(2*b+a*5^(1/2))*(2+x^2*5^(1/2))*((5*x^4+4)/(2+x^2*5^(1/2))^2)^(1/2)/(5*a^2-4*b^2)*2^(1/2)/(5*x^4+4)^(1/2)-1/40*(cos(2*\arctan(1/2*5^(1/4)*x*2^(1/2)))^2)^(1/2)/cos(2*\arctan(1/2*5^(1/4)*x*2^(1/2)))*EllipticPi(sin(2*\arctan(1/2*5^(1/4)*x*2^(1/2))),-1/40*(-2*b+a*5^(1/2))^2/a/b*5^(1/2),1/2*2^(1/2))*(2*b+a*5^(1/2))^2*(2+x^2*5^(1/2))*((5*x^4+4)/(2+x^2*5^(1/2))^2)^(1/2)*5^(3/4)/a/(5*a^2-4*b^2)*2^(1/2)/(5*x^4+4)^(1/2)$

Rubi [A] time = 0.27, antiderivative size = 310, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1217, 220, 1707}

$$\frac{\sqrt{b} \tan^{-1}\left(\frac{x\sqrt{5a^2+4b^2}}{\sqrt{a}\sqrt{b}\sqrt{5x^4+4}}\right)}{2\sqrt{a}\sqrt{5a^2+4b^2}} + \frac{\sqrt[4]{5}(\sqrt{5}x^2+2)\sqrt{\frac{5x^4+4}{(\sqrt{5}x^2+2)^2}}(\sqrt{5}a+2b)F\left(2\tan^{-1}\left(\frac{\sqrt[4]{5}x}{\sqrt{2}}\right)\middle|\frac{1}{2}\right)}{2\sqrt{2}\sqrt{5x^4+4}(5a^2-4b^2)} - \frac{(\sqrt{5}x^2+2)\sqrt{\frac{5x^4+4}{(\sqrt{5}x^2+2)^2}}}{4}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^2)*Sqrt[4 + 5*x^4]), x]

[Out] $(\text{Sqrt}[b]*\text{ArcTan}[(\text{Sqrt}[5*a^2 + 4*b^2]*x)/(\text{Sqrt}[a]*\text{Sqrt}[b]*\text{Sqrt}[4 + 5*x^4])])/(2*\text{Sqrt}[a]*\text{Sqrt}[5*a^2 + 4*b^2]) + (5^(1/4)*(\text{Sqrt}[5]*a + 2*b)*(2 + \text{Sqrt}[5]*x^2)*\text{Sqrt}[(4 + 5*x^4)/(2 + \text{Sqrt}[5]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(5^(1/4)*x)/\text{Sqrt}[2]], 1/2])/(2*\text{Sqrt}[2]*(5*a^2 - 4*b^2)*\text{Sqrt}[4 + 5*x^4]) - ((\text{Sqrt}[5]*a + 2*b)^2*(2 + \text{Sqrt}[5]*x^2)*\text{Sqrt}[(4 + 5*x^4)/(2 + \text{Sqrt}[5]*x^2)^2]*\text{EllipticPi}[-(\text{Sqrt}[5]*a - 2*b)^2/(8*\text{Sqrt}[5]*a*b), 2*\text{ArcTan}[(5^(1/4)*x)/\text{Sqrt}[2]], 1/2])/(4*\text{Sqrt}[2]*5^(1/4)*a*(5*a^2 - 4*b^2)*\text{Sqrt}[4 + 5*x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x]

, 1/2]]/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1217

Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + c*x^4]), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]

Rule 1707

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[(c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + c*x^4]])/(2*d*e*Rt[(c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2])/(4*d*e*A*q*Sqrt[a + c*x^4]), x]] /; FreeQ[{a, c, d, e, A, B}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

Rubi steps

$$\int \frac{1}{(a + bx^2)\sqrt{4 + 5x^4}} dx = -\frac{(2b(\sqrt{5}a + 2b)) \int \frac{1 + \frac{\sqrt{5}x^2}{2}}{(a+bx^2)\sqrt{4+5x^4}} dx}{5a^2 - 4b^2} + \frac{(5a + 2\sqrt{5}b) \int \frac{1}{\sqrt{4+5x^4}} dx}{5a^2 - 4b^2}$$

$$= \frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{5a^2+4b^2}x}{\sqrt{a}\sqrt{b}\sqrt{4+5x^4}}\right)}{2\sqrt{a}\sqrt{5a^2+4b^2}} + \frac{\sqrt[4]{5}(\sqrt{5}a + 2b)(2 + \sqrt{5}x^2)\sqrt{\frac{4+5x^4}{(2+\sqrt{5}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{5}}{\sqrt{2}}\right)\right)}{2\sqrt{2}(5a^2 - 4b^2)\sqrt{4 + 5x^4}}$$

Mathematica [C] time = 0.10, size = 50, normalized size = 0.16

$$\frac{\left(\frac{1}{2} + \frac{i}{2}\right) \Pi\left(-\frac{2ib}{\sqrt{5}a}; i \sinh^{-1}\left(\left(\frac{1}{2} + \frac{i}{2}\right) \sqrt[4]{5}x\right)\right) - 1}{\sqrt[4]{5}a}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^2)*Sqrt[4 + 5*x^4]),x]

[Out] ((-1/2 - I/2)*EllipticPi[(-2*I)*b]/(Sqrt[5]*a), I*ArcSinh[(1/2 + I/2)*5^(1/4)*x], -1)]/(5^(1/4)*a)

fricas [F] time = 7.29, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{5x^4+4}}{5bx^6+5ax^4+4bx^2+4a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)/(5*x^4+4)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(5*x^4+4)/(5*b*x^6+5*a*x^4+4*b*x^2+4*a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{5x^4+4}(bx^2+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)/(5*x^4+4)^(1/2), x, algorithm="giac")

[Out] integrate(1/(sqrt(5*x^4+4)*(b*x^2+a)), x)

maple [C] time = 0.08, size = 86, normalized size = 0.28

$$\frac{\sqrt{2} \sqrt{-\frac{i\sqrt{5}x^2}{2}+1} \sqrt{\frac{i\sqrt{5}x^2}{2}+1} \text{EllipticPi}\left(\frac{\sqrt{2} \sqrt{i\sqrt{5}x}}{2}, \frac{2i\sqrt{5}b}{5a}, \frac{\sqrt{-\frac{i\sqrt{5}}{2}} \sqrt{2}}{\sqrt{i\sqrt{5}}}\right)}{\sqrt{i\sqrt{5}} \sqrt{5x^4+4} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^2+a)/(5*x^4+4)^(1/2), x)

[Out] 1/a/(1/2*I*5^(1/2))^(1/2)*(1-1/2*I*x^2*5^(1/2))^(1/2)*(1+1/2*I*x^2*5^(1/2))^(1/2)/(5*x^4+4)^(1/2)*EllipticPi((1/2*I*5^(1/2))^(1/2)*x, 2/5*I*5^(1/2)*b/a, (-1/2*I*5^(1/2))^(1/2)/(1/2*I*5^(1/2))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{5x^4+4}(bx^2+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)/(5*x^4+4)^(1/2), x, algorithm="maxima")

[Out] integrate(1/(sqrt(5*x^4 + 4)*(b*x^2 + a)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(bx^2 + a)\sqrt{5x^4 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^2)*(5*x^4 + 4)^(1/2)), x)

[Out] int(1/((a + b*x^2)*(5*x^4 + 4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^2)\sqrt{5x^4 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**2+a)/(5*x**4+4)**(1/2), x)

[Out] Integral(1/((a + b*x**2)*sqrt(5*x**4 + 4)), x)

$$3.172 \quad \int \frac{1}{(a+bx^2)\sqrt{4-dx^4}} dx$$

Optimal. Leaf size=40

$$\frac{\Pi\left(-\frac{2b}{a\sqrt{d}}; \sin^{-1}\left(\frac{\sqrt[4]{d}x}{\sqrt{2}}\right) \middle| -1\right)}{\sqrt{2}a\sqrt[4]{d}}$$

[Out] $1/2*\text{EllipticPi}(1/2*d^{(1/4)}*x*2^{(1/2)}, -2*b/a/d^{(1/2)}, I)/a/d^{(1/4)}*2^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {1218}

$$\frac{\Pi\left(-\frac{2b}{a\sqrt{d}}; \sin^{-1}\left(\frac{\sqrt[4]{d}x}{\sqrt{2}}\right) \middle| -1\right)}{\sqrt{2}a\sqrt[4]{d}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[1/((a + b*x^2)*\text{Sqrt}[4 - d*x^4]), x]$

[Out] $\text{EllipticPi}[-(2*b)/(a*\text{Sqrt}[d]), \text{ArcSin}[(d^{(1/4)}*x)/\text{Sqrt}[2]], -1]/(\text{Sqrt}[2]*a*d^{(1/4)})$

Rule 1218

$\text{Int}[1/(((d_) + (e_)*(x_)^2)*\text{Sqrt}[(a_) + (c_)*(x_)^4]), x_Symbol] := \text{With}[\{q = \text{Rt}[-(c/a), 4]\}, \text{Simp}[(1*\text{EllipticPi}[-(e/(d*q^2)), \text{ArcSin}[q*x], -1)]/(d*\text{Sqrt}[a]*q), x]] /; \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{NegQ}[c/a] \ \&\& \ \text{GtQ}[a, 0]$

Rubi steps

$$\int \frac{1}{(a+bx^2)\sqrt{4-dx^4}} dx = \frac{\Pi\left(-\frac{2b}{a\sqrt{d}}; \sin^{-1}\left(\frac{\sqrt[4]{d}x}{\sqrt{2}}\right) \middle| -1\right)}{\sqrt{2}a\sqrt[4]{d}}$$

Mathematica [C] time = 0.12, size = 59, normalized size = 1.48

$$\frac{i\Pi\left(-\frac{2b}{a\sqrt{d}}; i \sinh^{-1}\left(\frac{\sqrt{-\sqrt{d}}x}{\sqrt{2}}\right) \middle| -1\right)}{\sqrt{2}a\sqrt{-\sqrt{d}}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^2)*Sqrt[4 - d*x^4]),x]

[Out] ((-1)*EllipticPi[(-2*b)/(a*Sqrt[d]), I*ArcSinh[(Sqrt[-Sqrt[d]]*x)/Sqrt[2]], -1])/(Sqrt[2]*a*Sqrt[-Sqrt[d]])

fricas [F] time = 177.33, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-dx^4 + 4}}{bdx^6 + adx^4 - 4bx^2 - 4a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)/(-d*x^4+4)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-d*x^4 + 4)/(b*d*x^6 + a*d*x^4 - 4*b*x^2 - 4*a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-dx^4 + 4}(bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)/(-d*x^4+4)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-d*x^4 + 4)*(b*x^2 + a)), x)

maple [B] time = 0.03, size = 78, normalized size = 1.95

$$\frac{\sqrt{2} \sqrt{-\frac{\sqrt{d} x^2}{2} + 1} \sqrt{\frac{\sqrt{d} x^2}{2} + 1} \text{EllipticPi}\left(\frac{\sqrt{2} d^{\frac{1}{4}} x}{2}, -\frac{2b}{a\sqrt{d}}, \frac{\sqrt{-\frac{\sqrt{d}}{2}} \sqrt{2}}{d^{\frac{1}{4}}}\right)}{\sqrt{-d x^4 + 4} a d^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^2+a)/(-d*x^4+4)^(1/2),x)

[Out] 1/a*2^(1/2)/d^(1/4)*(1-1/2*x^2*d^(1/2))^(1/2)*(1+1/2*x^2*d^(1/2))^(1/2)/(-d*x^4+4)^(1/2)*EllipticPi(1/2*d^(1/4)*x*2^(1/2), -2*b/a/d^(1/2), (-1/2*d^(1/2))^(1/2)*2^(1/2)/d^(1/4))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-dx^4 + 4}(bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x^2+a)/(-d*x^4+4)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(-d*x^4 + 4)*(b*x^2 + a)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{(bx^2 + a)\sqrt{4 - dx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + b*x^2)*(4 - d*x^4)^(1/2)),x)`

[Out] `int(1/((a + b*x^2)*(4 - d*x^4)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^2)\sqrt{-dx^4 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x**2+a)/(-d*x**4+4)**(1/2),x)`

[Out] `Integral(1/((a + b*x**2)*sqrt(-d*x**4 + 4)), x)`

$$3.173 \quad \int \frac{1}{(a+bx^2)\sqrt{4+dx^4}} dx$$

Optimal. Leaf size=300

$$\frac{\sqrt{b} \tan^{-1}\left(\frac{x\sqrt{a^2d+4b^2}}{\sqrt{a}\sqrt{b}\sqrt{dx^4+4}}\right)}{2\sqrt{a}\sqrt{a^2d+4b^2}} - \frac{\sqrt[4]{d}(\sqrt{d}x^2+2)\sqrt{\frac{dx^4+4}{(\sqrt{d}x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{d}x}{\sqrt{2}}\right)\middle|\frac{1}{2}\right)}{2\sqrt{2}\sqrt{dx^4+4}(2b-a\sqrt{d})} + \frac{(\sqrt{d}x^2+2)\sqrt{\frac{dx^4+4}{(\sqrt{d}x^2+2)^2}}(a\sqrt{d}+2)}{4\sqrt{2}a\sqrt[4]{d}\sqrt{dx^4}}$$

[Out] $\frac{1}{2} \arctan\left(\frac{x(a^2d+4b^2)^{1/2}/a^{1/2}/b^{1/2}/(dx^4+4)^{1/2}b^{1/2}/a^{1/2}/(a^2d+4b^2)^{1/2}-1/4d^{1/4}(\cos(2\arctan(1/2d^{1/4})x^2)^{1/2})^2}{\cos(2\arctan(1/2d^{1/4})x^2)^{1/2}}\right) \text{EllipticF}\left(\sin(2\arctan(1/2d^{1/4})x^2)^{1/2}, 1/2, 2^{1/2}(2+x^2d^{1/2})\left(\frac{dx^4+4}{2+x^2d^{1/2}}\right)^{1/2}\right)^{1/2}/(2b-a\sqrt{d})^{1/2}/(dx^4+4)^{1/2}+1/8(\cos(2\arctan(1/2d^{1/4})x^2)^{1/2})^2/\cos(2\arctan(1/2d^{1/4})x^2)^{1/2} \text{EllipticPi}\left(\sin(2\arctan(1/2d^{1/4})x^2)^{1/2}, -1/8(2b-a\sqrt{d})^2/a/b/d^{1/2}, 1/2, 2^{1/2}(2+b\sqrt{d})\left(\frac{dx^4+4}{2+x^2d^{1/2}}\right)^{1/2}\right)^{1/2}/a/d^{1/4}2^{1/2}/(2b-a\sqrt{d})^{1/2}/(dx^4+4)^{1/2}$

Rubi [A] time = 0.22, antiderivative size = 300, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1217, 220, 1707}

$$\frac{\sqrt{b} \tan^{-1}\left(\frac{x\sqrt{a^2d+4b^2}}{\sqrt{a}\sqrt{b}\sqrt{dx^4+4}}\right)}{2\sqrt{a}\sqrt{a^2d+4b^2}} - \frac{\sqrt[4]{d}(\sqrt{d}x^2+2)\sqrt{\frac{dx^4+4}{(\sqrt{d}x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{d}x}{\sqrt{2}}\right)\middle|\frac{1}{2}\right)}{2\sqrt{2}\sqrt{dx^4+4}(2b-a\sqrt{d})} + \frac{(\sqrt{d}x^2+2)\sqrt{\frac{dx^4+4}{(\sqrt{d}x^2+2)^2}}(a\sqrt{d}+2)}{4\sqrt{2}a\sqrt[4]{d}\sqrt{dx^4}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^2)*Sqrt[4 + d*x^4]), x]

[Out] $(\text{Sqrt}[b] \text{ArcTan}[(\text{Sqrt}[4*b^2 + a^2*d]*x)/(\text{Sqrt}[a]*\text{Sqrt}[b]*\text{Sqrt}[4 + d*x^4])]) / (2*\text{Sqrt}[a]*\text{Sqrt}[4*b^2 + a^2*d]) - (d^{1/4}*(2 + \text{Sqrt}[d]*x^2)*\text{Sqrt}[(4 + d*x^4)/(2 + \text{Sqrt}[d]*x^2)^2] \text{EllipticF}[2*\text{ArcTan}[(d^{1/4})*x]/\text{Sqrt}[2]], 1/2]) / (2*\text{Sqrt}[2]*(2*b - a*\text{Sqrt}[d])*\text{Sqrt}[4 + d*x^4]) + ((2*b + a*\text{Sqrt}[d])*(2 + \text{Sqrt}[d]*x^2)*\text{Sqrt}[(4 + d*x^4)/(2 + \text{Sqrt}[d]*x^2)^2] \text{EllipticPi}[-(2*b - a*\text{Sqrt}[d])^2/(8*a*b*\text{Sqrt}[d]), 2*\text{ArcTan}[(d^{1/4})*x]/\text{Sqrt}[2]], 1/2]) / (4*\text{Sqrt}[2]*a*(2*b - a*\text{Sqrt}[d])*d^{1/4}*\text{Sqrt}[4 + d*x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x]

, 1/2))/(2*q*Sqrt[a + b*x^4]), x]] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1217

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := With[
{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + c*x^4]
, x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^
2)*Sqrt[a + c*x^4]), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2
, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1707

```
Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4])
, x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[(c*d)/e
+ (a*e)/d, 2]*x)/Sqrt[a + c*x^4]])/(2*d*e*Rt[(c*d)/e + (a*e)/d, 2]), x] +
Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + c*x^4))/(a*(A + B*x^2)^2)]*Ell
ipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2])/(4*d*e*A
*q*Sqrt[a + c*x^4]), x]] /; FreeQ[{a, c, d, e, A, B}, x] && NeQ[c*d^2 + a*e
^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]
```

Rubi steps

$$\int \frac{1}{(a + bx^2)\sqrt{4 + dx^4}} dx = \frac{(2b) \int \frac{1 + \frac{\sqrt{d}x^2}{2}}{(a+bx^2)\sqrt{4+dx^4}} dx}{2b - a\sqrt{d}} - \frac{\sqrt{d} \int \frac{1}{\sqrt{4+dx^4}} dx}{2b - a\sqrt{d}}$$

$$= \frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{4b^2+a^2}dx}{\sqrt{a}\sqrt{b}\sqrt{4+dx^4}}\right)}{2\sqrt{a}\sqrt{4b^2+a^2d}} - \frac{\sqrt[4]{d}(2 + \sqrt{d}x^2)\sqrt{\frac{4+dx^4}{(2+\sqrt{d}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{d}x}{\sqrt{2}}\right)\middle|\frac{1}{2}\right)}{2\sqrt{2}(2b - a\sqrt{d})\sqrt{4 + dx^4}} + \dots$$

Mathematica [C] time = 0.11, size = 65, normalized size = 0.22

$$\frac{i\Pi\left(-\frac{2ib}{a\sqrt{d}}; i \sinh^{-1}\left(\frac{\sqrt{i\sqrt{d}}x}{\sqrt{2}}\right)\right) - 1}{\sqrt{2}a\sqrt{i\sqrt{d}}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^2)*Sqrt[4 + d*x^4]),x]

[Out] $((-I)*\text{EllipticPi}[((-2*I)*b)/(a*\text{Sqrt}[d]), I*\text{ArcSinh}[(\text{Sqrt}[I*\text{Sqrt}[d]]*x)/\text{Sqrt}[2]], -1))/(\text{Sqrt}[2]*a*\text{Sqrt}[I*\text{Sqrt}[d]])$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x^2+a)/(d*x^4+4)^(1/2),x, algorithm="fricas")`

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{dx^4 + 4}(bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(b*x^2+a)/(d*x^4+4)^(1/2),x, algorithm="giac")`

[Out] `integrate(1/(sqrt(d*x^4 + 4)*(b*x^2 + a)), x)`

maple [C] time = 0.03, size = 86, normalized size = 0.29

$$\frac{\sqrt{2} \sqrt{-\frac{i\sqrt{d} x^2}{2} + 1} \sqrt{\frac{i\sqrt{d} x^2}{2} + 1} \text{EllipticPi}\left(\frac{\sqrt{2} \sqrt{i\sqrt{d} x}}{2}, \frac{2ib}{a\sqrt{d}}, \frac{\sqrt{-\frac{i\sqrt{d}}{2}} \sqrt{2}}{\sqrt{i\sqrt{d}}}\right)}{\sqrt{i\sqrt{d}} \sqrt{dx^4 + 4} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(b*x^2+a)/(d*x^4+4)^(1/2),x)`

[Out] $1/a/(1/2*I*d^{(1/2)})^{(1/2)}*(1-1/2*I*d^{(1/2)}*x^2)^{(1/2)}*(1+1/2*I*d^{(1/2)}*x^2)^{(1/2)}/(d*x^4+4)^{(1/2)}*\text{EllipticPi}((1/2*I*d^{(1/2)})^{(1/2)}*x, 2*I/d^{(1/2)}*b/a, (-1/2*I*d^{(1/2)})^{(1/2)}/(1/2*I*d^{(1/2)})^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{dx^4 + 4}(bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)/(d*x^4+4)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(d*x^4 + 4)*(b*x^2 + a)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(bx^2 + a) \sqrt{dx^4 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + b*x^2)*(d*x^4 + 4)^(1/2)),x)

[Out] int(1/((a + b*x^2)*(d*x^4 + 4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + bx^2) \sqrt{dx^4 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**2+a)/(d*x**4+4)**(1/2),x)

[Out] Integral(1/((a + b*x**2)*sqrt(d*x**4 + 4)), x)

$$3.174 \quad \int \frac{\sqrt{a+bx^2}}{\sqrt{1-x^4}} dx$$

Optimal. Leaf size=112

$$\frac{a\sqrt{1-x^2} \sqrt{\frac{a(x^2+1)}{a+bx^2}} \Pi\left(\frac{b}{a+b}; \sin^{-1}\left(\frac{\sqrt{a+bx^2}}{\sqrt{bx^2+a}}\right) \middle| -\frac{a-b}{a+b}\right)}{\sqrt{x^2+1} \sqrt{a+b} \sqrt{\frac{a(1-x^2)}{a+bx^2}}}$$

[Out] a*EllipticPi(x*(a+b)^(1/2)/(b*x^2+a)^(1/2), b/(a+b), ((-a+b)/(a+b))^(1/2))*(-x^2+1)^(1/2)*(a*(x^2+1)/(b*x^2+a))^(1/2)/(a+b)^(1/2)/(x^2+1)^(1/2)/(a*(-x^2+1)/(b*x^2+a))^(1/2)

Rubi [F] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt{a+bx^2}}{\sqrt{1-x^4}} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[a + b*x^2]/Sqrt[1 - x^4], x]

[Out] Defer[Int][Sqrt[a + b*x^2]/Sqrt[1 - x^4], x]

Rubi steps

$$\int \frac{\sqrt{a+bx^2}}{\sqrt{1-x^4}} dx = \int \frac{\sqrt{a+bx^2}}{\sqrt{1-x^4}} dx$$

Mathematica [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a+bx^2}}{\sqrt{1-x^4}} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[a + b*x^2]/Sqrt[1 - x^4], x]

[Out] Integrate[Sqrt[a + b*x^2]/Sqrt[1 - x^4], x]

fricas [F] time = 0.95, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^4+1}\sqrt{bx^2+a}}{x^4-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^(1/2)/(-x^4+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-x^4 + 1)*sqrt(b*x^2 + a)/(x^4 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^2+a}}{\sqrt{-x^4+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^(1/2)/(-x^4+1)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*x^2 + a)/sqrt(-x^4 + 1), x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^2+a}}{\sqrt{-x^4+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)^(1/2)/(-x^4+1)^(1/2),x)

[Out] int((b*x^2+a)^(1/2)/(-x^4+1)^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^2+a}}{\sqrt{-x^4+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^(1/2)/(-x^4+1)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b*x^2 + a)/sqrt(-x^4 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{bx^2+a}}{\sqrt{1-x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2)^(1/2)/(1 - x^4)^(1/2), x)`

[Out] `int((a + b*x^2)^(1/2)/(1 - x^4)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + bx^2}}{\sqrt{-(x-1)(x+1)(x^2+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**2+a)**(1/2)/(-x**4+1)**(1/2), x)`

[Out] `Integral(sqrt(a + b*x**2)/sqrt(-(x - 1)*(x + 1)*(x**2 + 1)), x)`

$$3.175 \quad \int (c + ex^2)^q (a + bx^4)^p dx$$

Optimal. Leaf size=22

$$\text{Int}\left((a + bx^4)^p (c + ex^2)^q, x\right)$$

[Out] Unintegrable((e*x^2+c)^q*(b*x^4+a)^p,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (c + ex^2)^q (a + bx^4)^p dx$$

Verification is Not applicable to the result.

[In] Int[(c + e*x^2)^q*(a + b*x^4)^p,x]

[Out] Defer[Int] [(c + e*x^2)^q*(a + b*x^4)^p, x]

Rubi steps

$$\int (c + ex^2)^q (a + bx^4)^p dx = \int (c + ex^2)^q (a + bx^4)^p dx$$

Mathematica [A] time = 0.08, size = 0, normalized size = 0.00

$$\int (c + ex^2)^q (a + bx^4)^p dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + e*x^2)^q*(a + b*x^4)^p,x]

[Out] Integrate[(c + e*x^2)^q*(a + b*x^4)^p, x]

fricas [A] time = 1.07, size = 0, normalized size = 0.00

$$\text{integral}\left((bx^4 + a)^p (ex^2 + c)^q, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^q*(b*x^4+a)^p,x, algorithm="fricas")

[Out] integral((b*x^4 + a)^p*(e*x^2 + c)^q, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^p (ex^2 + c)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^q*(b*x^4+a)^p,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^p*(e*x^2 + c)^q, x)

maple [A] time = 0.10, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^p (ex^2 + c)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+c)^q*(b*x^4+a)^p,x)

[Out] int((e*x^2+c)^q*(b*x^4+a)^p,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^p (ex^2 + c)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^q*(b*x^4+a)^p,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^p*(e*x^2 + c)^q, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int (bx^4 + a)^p (ex^2 + c)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^p*(c + e*x^2)^q,x)

[Out] int((a + b*x^4)^p*(c + e*x^2)^q, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+c)**q*(b*x**4+a)**p,x)

[Out] Timed out

3.176 $\int (c + ex^2)^3 (a + bx^4)^p dx$

Optimal. Leaf size=204

$$c^3 x (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right) - \frac{ex^3 (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} (ae^2 - bc^2(4p + 7)) {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -\frac{bx^4}{a}\right)}{b(4p + 7)}$$

[Out] $e^3 x^3 (b x^4 + a)^{(1+p)} / b / (7 + 4 * p) + c^3 x (b x^4 + a)^p * \text{hypergeom}([1/4, -p], [5/4], -b x^4 / a) / ((1 + b x^4 / a)^p) - e * (a e^2 - b c^2 (7 + 4 * p)) * x^3 (b x^4 + a)^p * \text{hypergeom}([3/4, -p], [7/4], -b x^4 / a) / b / (7 + 4 * p) / ((1 + b x^4 / a)^p) + 3/5 * c * e^2 * x^5 (b x^4 + a)^p * \text{hypergeom}([5/4, -p], [9/4], -b x^4 / a) / ((1 + b x^4 / a)^p)$

Rubi [A] time = 0.23, antiderivative size = 196, normalized size of antiderivative = 0.96, number of steps used = 9, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {1207, 1893, 246, 245, 365, 364}

$$ex^3 (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} \left(c^2 - \frac{ae^2}{4bp + 7b}\right) {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -\frac{bx^4}{a}\right) + c^3 x (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right)$$

Antiderivative was successfully verified.

[In] Int[(c + e*x^2)^3*(a + b*x^4)^p,x]

[Out] $(e^3 x^3 (a + b x^4)^{(1 + p)}) / (b (7 + 4 * p)) + (c^3 x (a + b x^4)^p * \text{Hypergeometric2F1}[1/4, -p, 5/4, -((b x^4) / a)]) / (1 + (b x^4) / a)^p + (e * (c^2 - (a * e^2) / (7 * b + 4 * b * p))) * x^3 (a + b x^4)^p * \text{Hypergeometric2F1}[3/4, -p, 7/4, -((b x^4) / a)] / (1 + (b x^4) / a)^p + (3 * c * e^2 * x^5 (a + b x^4)^p * \text{Hypergeometric2F1}[5/4, -p, 9/4, -((b x^4) / a)]) / (5 * (1 + (b x^4) / a)^p)$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 246

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p]) / (1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1207

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[q, 1]

Rule 1893

Int[(Pq_)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n, p}, x] && (PolyQ[Pq, x] || PolyQ[Pq, x^n])

Rubi steps

$$\begin{aligned}
 \int (c + ex^2)^3 (a + bx^4)^p dx &= \frac{e^3 x^3 (a + bx^4)^{1+p}}{b(7 + 4p)} + \frac{\int (a + bx^4)^p (bc^3(7 + 4p) - 3e(ae^2 - bc^2(7 + 4p))x^2 + 3bce^2(7 + 4p)) dx}{b(7 + 4p)} \\
 &= \frac{e^3 x^3 (a + bx^4)^{1+p}}{b(7 + 4p)} + \frac{\int (bc^3(7 + 4p)(a + bx^4)^p + 3e(-ae^2 + bc^2(7 + 4p))x^2(a + bx^4)^p) dx}{b(7 + 4p)} \\
 &= \frac{e^3 x^3 (a + bx^4)^{1+p}}{b(7 + 4p)} + c^3 \int (a + bx^4)^p dx + (3ce^2) \int x^4 (a + bx^4)^p dx + \left(3e \left(c^2 - \frac{a}{7b}\right) \int (a + bx^4)^p dx\right) \\
 &= \frac{e^3 x^3 (a + bx^4)^{1+p}}{b(7 + 4p)} + \left(c^3 (a + bx^4)^p \left(1 + \frac{bx^4}{a}\right)^{-p}\right) \int \left(1 + \frac{bx^4}{a}\right)^p dx + \left(3ce^2 (a + bx^4)^p\right) \\
 &= \frac{e^3 x^3 (a + bx^4)^{1+p}}{b(7 + 4p)} + c^3 x (a + bx^4)^p \left(1 + \frac{bx^4}{a}\right)^{-p} {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right) + e \left(c^2 - \frac{a}{7b}\right) \int (a + bx^4)^p dx
 \end{aligned}$$

Mathematica [A] time = 0.07, size = 136, normalized size = 0.67

$$\frac{1}{35}x(a+bx^4)^p\left(\frac{bx^4}{a}+1\right)^{-p}\left(35c^3{}_2F_1\left(\frac{1}{4},-p;\frac{5}{4};-\frac{bx^4}{a}\right)+ex^2\left(35c^2{}_2F_1\left(\frac{3}{4},-p;\frac{7}{4};-\frac{bx^4}{a}\right)+ex^2\left(21c{}_2F_1\left(\frac{5}{4},-p;\frac{9}{4};-\frac{bx^4}{a}\right)+5ex^2{}_2F_1\left(\frac{7}{4},-p;\frac{11}{4};-\frac{bx^4}{a}\right)\right)\right)\right)/(35(1+(bx^4)/a)^p)$$

Antiderivative was successfully verified.

[In] Integrate[(c + e*x^2)^3*(a + b*x^4)^p,x]

[Out] (x*(a + b*x^4)^p*(35*c^3*Hypergeometric2F1[1/4, -p, 5/4, -((b*x^4)/a)] + e*x^2*(35*c^2*Hypergeometric2F1[3/4, -p, 7/4, -((b*x^4)/a)] + e*x^2*(21*c*Hypergeometric2F1[5/4, -p, 9/4, -((b*x^4)/a)] + 5*e*x^2*Hypergeometric2F1[7/4, -p, 11/4, -((b*x^4)/a)])))/(35*(1 + (b*x^4)/a)^p)

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(e^3x^6 + 3ce^2x^4 + 3c^2ex^2 + c^3\right)(bx^4 + a)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^3*(b*x^4+a)^p,x, algorithm="fricas")

[Out] integral((e^3*x^6 + 3*c*e^2*x^4 + 3*c^2*e*x^2 + c^3)*(b*x^4 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + c)^3 (bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^3*(b*x^4+a)^p,x, algorithm="giac")

[Out] integrate((e*x^2 + c)^3*(b*x^4 + a)^p, x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int (ex^2 + c)^3 (bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+c)^3*(b*x^4+a)^p,x)

[Out] int((e*x^2+c)^3*(b*x^4+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + c)^3 (bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^3*(b*x^4+a)^p,x, algorithm="maxima")

[Out] integrate((e*x^2 + c)^3*(b*x^4 + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (bx^4 + a)^p (ex^2 + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^p*(c + e*x^2)^3,x)

[Out] int((a + b*x^4)^p*(c + e*x^2)^3, x)

sympy [C] time = 139.10, size = 167, normalized size = 0.82

$$\frac{a^p c^3 x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, -p \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{3a^p c^2 e x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, -p \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{3a^p c e^2 x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, -p \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{a^p e^3 x^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{7}{4}, -p \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4\Gamma\left(\frac{11}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+c)**3*(b*x**4+a)**p,x)

[Out] a**p*c**3*x*gamma(1/4)*hyper((1/4, -p), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + 3*a**p*c**2*e*x**3*gamma(3/4)*hyper((3/4, -p), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4)) + 3*a**p*c*e**2*x**5*gamma(5/4)*hyper((5/4, -p), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4)) + a**p*e**3*x**7*gamma(7/4)*hyper((7/4, -p), (11/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(11/4))

3.177 $\int (c + ex^2)^2 (a + bx^4)^p dx$

Optimal. Leaf size=150

$$\frac{x(a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} (ae^2 - bc^2(4p + 5)) {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right)}{b(4p + 5)} + \frac{2}{3} cex^3 (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -\frac{bx^4}{a}\right)$$

[Out] $e^2 x (b x^4 + a)^{(1+p)} / b / (5+4*p) - (a * e^2 - b * c^2 * (5+4*p)) * x * (b x^4 + a)^p * \text{hypergeom}([1/4, -p], [5/4], -b x^4 / a) / b / (5+4*p) / ((1 + b x^4 / a)^p) + 2 / 3 * c * e * x^3 * (b x^4 + a)^p * \text{hypergeom}([3/4, -p], [7/4], -b x^4 / a) / ((1 + b x^4 / a)^p)$

Rubi [A] time = 0.13, antiderivative size = 142, normalized size of antiderivative = 0.95, number of steps used = 7, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {1207, 1204, 246, 245, 365, 364}

$$x(a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} \left(c^2 - \frac{ae^2}{4bp + 5b}\right) {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right) + \frac{2}{3} cex^3 (a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -\frac{bx^4}{a}\right)$$

Antiderivative was successfully verified.

[In] Int[(c + e*x^2)^2*(a + b*x^4)^p,x]

[Out] $(e^2 x (a + b x^4)^{(1+p)}) / (b (5 + 4 * p)) + ((c^2 - (a * e^2) / (5 * b + 4 * b * p)) * x * (a + b x^4)^p * \text{Hypergeometric2F1}[1/4, -p, 5/4, -((b * x^4) / a)]) / (1 + (b * x^4) / a)^p + (2 * c * e * x^3 * (a + b x^4)^p * \text{Hypergeometric2F1}[3/4, -p, 7/4, -((b * x^4) / a)]) / (3 * (1 + (b * x^4) / a)^p)$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !LtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 246

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p]) / (1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !LtQ[Simplify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^p*IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1204

Int[((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0]

Rule 1207

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[q, 1]

Rubi steps

$$\begin{aligned}
 \int (c + ex^2)^2 (a + bx^4)^p dx &= \frac{e^2 x (a + bx^4)^{1+p}}{b(5 + 4p)} + \frac{\int (-ae^2 + bc^2(5 + 4p) + 2bce(5 + 4p)x^2) (a + bx^4)^p dx}{b(5 + 4p)} \\
 &= \frac{e^2 x (a + bx^4)^{1+p}}{b(5 + 4p)} + \frac{\int \left(-ae^2 \left(1 - \frac{bc^2(5+4p)}{ae^2}\right) (a + bx^4)^p + 2bce(5 + 4p)x^2 (a + bx^4)^p\right) dx}{b(5 + 4p)} \\
 &= \frac{e^2 x (a + bx^4)^{1+p}}{b(5 + 4p)} + (2ce) \int x^2 (a + bx^4)^p dx - \left(-c^2 + \frac{ae^2}{5b + 4bp}\right) \int (a + bx^4)^p dx \\
 &= \frac{e^2 x (a + bx^4)^{1+p}}{b(5 + 4p)} + \left(2ce (a + bx^4)^p \left(1 + \frac{bx^4}{a}\right)^{-p}\right) \int x^2 \left(1 + \frac{bx^4}{a}\right)^p dx - \left(\left(-c^2 + \frac{ae^2}{5b + 4bp}\right)\right) \int (a + bx^4)^p dx \\
 &= \frac{e^2 x (a + bx^4)^{1+p}}{b(5 + 4p)} + \left(c^2 - \frac{ae^2}{5b + 4bp}\right) x (a + bx^4)^p \left(1 + \frac{bx^4}{a}\right)^{-p} {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right)
 \end{aligned}$$

Mathematica [A] time = 0.04, size = 106, normalized size = 0.71

$$\frac{1}{15}x(a+bx^4)^p\left(\frac{bx^4}{a}+1\right)^{-p}\left(15c^2{}_2F_1\left(\frac{1}{4},-p;\frac{5}{4};-\frac{bx^4}{a}\right)+ex^2\left(10c{}_2F_1\left(\frac{3}{4},-p;\frac{7}{4};-\frac{bx^4}{a}\right)+3ex^2{}_2F_1\left(\frac{5}{4},-p;\frac{9}{4};-\frac{bx^4}{a}\right)\right)\right)/(15(1+(bx^4)/a)^p)$$

Antiderivative was successfully verified.

[In] Integrate[(c + e*x^2)^2*(a + b*x^4)^p,x]

[Out] (x*(a + b*x^4)^p*(15*c^2*Hypergeometric2F1[1/4, -p, 5/4, -((b*x^4)/a)] + e*x^2*(10*c*Hypergeometric2F1[3/4, -p, 7/4, -((b*x^4)/a)] + 3*e*x^2*Hypergeometric2F1[5/4, -p, 9/4, -((b*x^4)/a)]))/(15*(1 + (b*x^4)/a)^p)

fricas [F] time = 0.90, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(e^2x^4 + 2cex^2 + c^2\right)(bx^4 + a)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^2*(b*x^4+a)^p,x, algorithm="fricas")

[Out] integral((e^2*x^4 + 2*c*e*x^2 + c^2)*(b*x^4 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + c)^2 (bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^2*(b*x^4+a)^p,x, algorithm="giac")

[Out] integrate((e*x^2 + c)^2*(b*x^4 + a)^p, x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int (ex^2 + c)^2 (bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+c)^2*(b*x^4+a)^p,x)

[Out] int((e*x^2+c)^2*(b*x^4+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + c)^2 (bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^2*(b*x^4+a)^p,x, algorithm="maxima")

[Out] integrate((e*x^2 + c)^2*(b*x^4 + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (bx^4 + a)^p (ex^2 + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^p*(c + e*x^2)^2,x)

[Out] int((a + b*x^4)^p*(c + e*x^2)^2, x)

sympy [C] time = 79.16, size = 119, normalized size = 0.79

$$\frac{a^p c^2 x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, -p \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{a^p c e x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, -p \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{2\Gamma\left(\frac{7}{4}\right)} + \frac{a^p e^2 x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, -p \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+c)**2*(b*x**4+a)**p,x)

[Out] a**p*c**2*x*gamma(1/4)*hyper((1/4, -p), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + a**p*c*e*x**3*gamma(3/4)*hyper((3/4, -p), (7/4,), b*x**4*exp_polar(I*pi)/a)/(2*gamma(7/4)) + a**p*e**2*x**5*gamma(5/4)*hyper((5/4, -p), (9/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(9/4))

3.178 $\int (c + ex^2) (a + bx^4)^p dx$

Optimal. Leaf size=96

$$cx(a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right) + \frac{1}{3}ex^3(a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -\frac{bx^4}{a}\right)$$

[Out] c*x*(b*x^4+a)^p*hypergeom([1/4, -p], [5/4], -b*x^4/a)/((1+b*x^4/a)^p)+1/3*e*x^3*(b*x^4+a)^p*hypergeom([3/4, -p], [7/4], -b*x^4/a)/((1+b*x^4/a)^p)

Rubi [A] time = 0.05, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {1204, 246, 245, 365, 364}

$$cx(a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right) + \frac{1}{3}ex^3(a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -\frac{bx^4}{a}\right)$$

Antiderivative was successfully verified.

[In] Int[(c + e*x^2)*(a + b*x^4)^p,x]

[Out] (c*x*(a + b*x^4)^p*Hypergeometric2F1[1/4, -p, 5/4, -((b*x^4)/a)])/(1 + (b*x^4)/a)^p + (e*x^3*(a + b*x^4)^p*Hypergeometric2F1[3/4, -p, 7/4, -((b*x^4)/a)])/(3*(1 + (b*x^4)/a)^p)

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 246

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt

$Q[p, 0] \parallel \text{GtQ}[a, 0]$

Rule 365

$\text{Int}[(c_)(x_)^{(m_)}((a_)+(b_)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[(a^{\wedge} \text{IntPart}[p]*(a + b*x^{\wedge}n)^{\wedge} \text{FracPart}[p]) / (1 + (b*x^{\wedge}n)/a)^{\wedge} \text{FracPart}[p], \text{Int}[(c*x)^{\wedge} m*(1 + (b*x^{\wedge}n)/a)^{\wedge} p, x], x] /; \text{FreeQ}[\{a, b, c, m, n, p\}, x] \&\& !\text{IGtQ}[p, 0] \&\& !(\text{ILtQ}[p, 0] \parallel \text{GtQ}[a, 0])$

Rule 1204

$\text{Int}[(d_)+(e_)(x_)^2*((a_)+(c_)(x_)^4)^{(p_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e*x^2)*(a + c*x^4)^p, x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0]$

Rubi steps

$$\begin{aligned} \int (c + ex^2)(a + bx^4)^p dx &= \int \left(c(a + bx^4)^p + ex^2(a + bx^4)^p \right) dx \\ &= c \int (a + bx^4)^p dx + e \int x^2(a + bx^4)^p dx \\ &= \left(c(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) \int \left(1 + \frac{bx^4}{a} \right)^p dx + \left(e(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) \int x^2 \left(1 + \frac{bx^4}{a} \right)^p dx \\ &= cx(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right) + \frac{1}{3}ex^3(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -\frac{bx^4}{a}\right) \end{aligned}$$

Mathematica [A] time = 0.02, size = 75, normalized size = 0.78

$$\frac{1}{3}x(a + bx^4)^p \left(\frac{bx^4}{a} + 1 \right)^{-p} \left(3c {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right) + ex^2 {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -\frac{bx^4}{a}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + e*x^2)*(a + b*x^4)^p,x]

[Out] (x*(a + b*x^4)^p*(3*c*Hypergeometric2F1[1/4, -p, 5/4, -(b*x^4)/a] + e*x^2*Hypergeometric2F1[3/4, -p, 7/4, -(b*x^4)/a]))/(3*(1 + (b*x^4)/a)^p)

fricas [F] time = 0.95, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(ex^2 + c\right)\left(bx^4 + a\right)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)*(b*x^4+a)^p,x, algorithm="fricas")

[Out] integral((e*x^2 + c)*(b*x^4 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + c)(bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)*(b*x^4+a)^p,x, algorithm="giac")

[Out] integrate((e*x^2 + c)*(b*x^4 + a)^p, x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int (ex^2 + c)(bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+c)*(b*x^4+a)^p,x)

[Out] int((e*x^2+c)*(b*x^4+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + c)(bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)*(b*x^4+a)^p,x, algorithm="maxima")

[Out] integrate((e*x^2 + c)*(b*x^4 + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (bx^4 + a)^p (ex^2 + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^p*(c + e*x^2),x)

[Out] int((a + b*x^4)^p*(c + e*x^2), x)

sympy [C] time = 42.84, size = 75, normalized size = 0.78

$$\frac{a^p c x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, -p \middle| \frac{b x^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{a^p e x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, -p \middle| \frac{b x^4 e^{i\pi}}{a}\right)}{4\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+c)*(b*x**4+a)**p,x)

[Out] a**p*c*x*gamma(1/4)*hyper((1/4, -p), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4)) + a**p*e*x**3*gamma(3/4)*hyper((3/4, -p), (7/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(7/4))

3.179 $\int (a + bx^4)^p dx$

Optimal. Leaf size=44

$$x(a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right)$$

[Out] $x*(b*x^4+a)^p*\text{hypergeom}([1/4, -p], [5/4], -b*x^4/a)/((1+b*x^4/a)^p)$

Rubi [A] time = 0.01, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {246, 245}

$$x(a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*x^4)^p, x]$

[Out] $(x*(a + b*x^4)^p*\text{Hypergeometric2F1}[1/4, -p, 5/4, -((b*x^4)/a)])/(1 + (b*x^4)/a)^p$

Rule 245

$\text{Int}[(a_ + (b_)*(x_)^(n_))^(p_), x_Symbol] \rightarrow \text{Simp}[a^p*x*\text{Hypergeometric2F1}[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; \text{FreeQ}\{a, b, n, p\}, x \ \&\& \ !\text{IGtQ}[p, 0] \ \&\& \ !\text{IntegerQ}[1/n] \ \&\& \ !\text{ILtQ}[\text{Simplify}[1/n + p], 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{GtQ}[a, 0])$

Rule 246

$\text{Int}[(a_ + (b_)*(x_)^(n_))^(p_), x_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[p]}*(a + b*x^n)^{\text{FracPart}[p]})/(1 + (b*x^n)/a)^{\text{FracPart}[p]}, \text{Int}[(1 + (b*x^n)/a)^p, x], x] /; \text{FreeQ}\{a, b, n, p\}, x \ \&\& \ !\text{IGtQ}[p, 0] \ \&\& \ !\text{IntegerQ}[1/n] \ \&\& \ !\text{ILtQ}[\text{Simplify}[1/n + p], 0] \ \&\& \ !(\text{IntegerQ}[p] \ || \ \text{GtQ}[a, 0])$

Rubi steps

$$\begin{aligned} \int (a + bx^4)^p dx &= \left((a + bx^4)^p \left(1 + \frac{bx^4}{a}\right)^{-p} \right) \int \left(1 + \frac{bx^4}{a}\right)^p dx \\ &= x(a + bx^4)^p \left(1 + \frac{bx^4}{a}\right)^{-p} {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right) \end{aligned}$$

Mathematica [A] time = 0.00, size = 44, normalized size = 1.00

$$x(a + bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^4)^p, x]

[Out] (x*(a + b*x^4)^p*Hypergeometric2F1[1/4, -p, 5/4, -((b*x^4)/a)])/(1 + (b*x^4)/a)^p

fricas [F] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(bx^4 + a\right)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^p,x, algorithm="fricas")

[Out] integral((b*x^4 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^p,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^p, x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)^p,x)

[Out] int((b*x^4+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^p,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^p, x)

mupad [B] time = 4.36, size = 41, normalized size = 0.93

$$\frac{x(bx^4 + a)^p {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -\frac{bx^4}{a}\right)}{\left(\frac{bx^4}{a} + 1\right)^p}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^p,x)

[Out] (x*(a + b*x^4)^p*hypergeom([1/4, -p], 5/4, -(b*x^4)/a))/((b*x^4)/a + 1)^p

sympy [C] time = 9.18, size = 34, normalized size = 0.77

$$\frac{a^p x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, -p \left| \frac{bx^4 e^{i\pi}}{a} \right. \right)}{4 \Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)**p,x)

[Out] a**p*x*gamma(1/4)*hyper((1/4, -p), (5/4,), b*x**4*exp_polar(I*pi)/a)/(4*gamma(5/4))

$$3.180 \quad \int \frac{(a+bx^4)^p}{c+ex^2} dx$$

Optimal. Leaf size=123

$$\frac{x(a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} F_1\left(\frac{1}{4}; -p, 1; \frac{5}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2}\right)}{c} - \frac{ex^3(a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} F_1\left(\frac{3}{4}; -p, 1; \frac{7}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2}\right)}{3c^2}$$

[Out] x*(b*x^4+a)^p*AppellF1(1/4, 1, -p, 5/4, e^2*x^4/c^2, -b*x^4/a)/c/((1+b*x^4/a)^p) - 1/3*e*x^3*(b*x^4+a)^p*AppellF1(3/4, 1, -p, 7/4, e^2*x^4/c^2, -b*x^4/a)/c^2/((1+b*x^4/a)^p)

Rubi [A] time = 0.13, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1240, 430, 429, 511, 510}

$$\frac{x(a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} F_1\left(\frac{1}{4}; -p, 1; \frac{5}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2}\right)}{c} - \frac{ex^3(a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} F_1\left(\frac{3}{4}; -p, 1; \frac{7}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2}\right)}{3c^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)^p/(c + e*x^2), x]

[Out] (x*(a + b*x^4)^p*AppellF1[1/4, -p, 1, 5/4, -((b*x^4)/a), (e^2*x^4)/c^2])/(c*(1 + (b*x^4)/a)^p) - (e*x^3*(a + b*x^4)^p*AppellF1[3/4, -p, 1, 7/4, -((b*x^4)/a), (e^2*x^4)/c^2])/(3*c^2*(1 + (b*x^4)/a)^p)

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}
, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 510

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -
```


$q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /;$ FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 511

Int[((e_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(e*x)^m*(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /;

FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 1240

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(a + c*x^4)^p, (d/(d^2 - e^2*x^4) - (e*x^2)/(d^2 - e^2*x^4))^(-q), x], x] /;

FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^4)^p}{c + ex^2} dx &= \int \left(\frac{c(a + bx^4)^p}{c^2 - e^2x^4} + \frac{ex^2(a + bx^4)^p}{-c^2 + e^2x^4} \right) dx \\ &= c \int \frac{(a + bx^4)^p}{c^2 - e^2x^4} dx + e \int \frac{x^2(a + bx^4)^p}{-c^2 + e^2x^4} dx \\ &= \left(c(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) \int \frac{\left(1 + \frac{bx^4}{a} \right)^p}{c^2 - e^2x^4} dx + \left(e(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) \int \frac{x^2 \left(1 + \frac{bx^4}{a} \right)^p}{-c^2 + e^2x^4} dx \\ &= \frac{x(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} F_1\left(\frac{1}{4}; -p, 1; \frac{5}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2}\right)}{c} - \frac{ex^3(a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} F_1\left(\frac{3}{4}; -p, 1; \frac{7}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2}\right)}{3c^2} \end{aligned}$$

Mathematica [F] time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^4)^p}{c + ex^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*x^4)^p/(c + e*x^2), x]

[Out] Integrate[(a + b*x^4)^p/(c + e*x^2), x]

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bx^4 + a)^p}{ex^2 + c}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^p/(e*x^2+c),x, algorithm="fricas")

[Out] integral((b*x^4 + a)^p/(e*x^2 + c), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^p}{ex^2 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^p/(e*x^2+c),x, algorithm="giac")

[Out] integrate((b*x^4 + a)^p/(e*x^2 + c), x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^p}{ex^2 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)^p/(e*x^2+c),x)

[Out] int((b*x^4+a)^p/(e*x^2+c),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^p}{ex^2 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^p/(e*x^2+c),x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^p/(e*x^2 + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(bx^4 + a)^p}{ex^2 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^4)^p/(c + e*x^2), x)`

[Out] `int((a + b*x^4)^p/(c + e*x^2), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**4+a)**p/(e*x**2+c), x)`

[Out] Timed out

$$3.181 \quad \int \frac{(a+bx^4)^p}{(c+ex^2)^2} dx$$

Optimal. Leaf size=189

$$\frac{x(a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} F_1\left(\frac{1}{4}; -p, 2; \frac{5}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2}\right)}{c^2} + \frac{e^2x^5(a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} F_1\left(\frac{5}{4}; -p, 2; \frac{9}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2}\right)}{5c^4} - \frac{2ex^3(a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} F_1\left(\frac{3}{4}; -p, 2; \frac{7}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2}\right)}{3c^3} + \frac{e^2x^5(a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} F_1\left(\frac{5}{4}; -p, 2; \frac{9}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2}\right)}{5c^4}$$

[Out] x*(b*x^4+a)^p*AppellF1(1/4,2,-p,5/4,e^2*x^4/c^2,-b*x^4/a)/c^2/((1+b*x^4/a)^p)-2/3*e*x^3*(b*x^4+a)^p*AppellF1(3/4,2,-p,7/4,e^2*x^4/c^2,-b*x^4/a)/c^3/((1+b*x^4/a)^p)+1/5*e^2*x^5*(b*x^4+a)^p*AppellF1(5/4,2,-p,9/4,e^2*x^4/c^2,-b*x^4/a)/c^4/((1+b*x^4/a)^p)

Rubi [A] time = 0.19, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1240, 430, 429, 511, 510}

$$\frac{x(a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} F_1\left(\frac{1}{4}; -p, 2; \frac{5}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2}\right)}{c^2} - \frac{2ex^3(a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} F_1\left(\frac{3}{4}; -p, 2; \frac{7}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2}\right)}{3c^3} + \frac{e^2x^5(a+bx^4)^p \left(\frac{bx^4}{a} + 1\right)^{-p} F_1\left(\frac{5}{4}; -p, 2; \frac{9}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2}\right)}{5c^4}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^4)^p/(c + e*x^2)^2,x]

[Out] (x*(a + b*x^4)^p*AppellF1[1/4, -p, 2, 5/4, -((b*x^4)/a), (e^2*x^4)/c^2])/(c^2*(1 + (b*x^4)/a)^p) - (2*e*x^3*(a + b*x^4)^p*AppellF1[3/4, -p, 2, 7/4, -((b*x^4)/a), (e^2*x^4)/c^2])/(3*c^3*(1 + (b*x^4)/a)^p) + (e^2*x^5*(a + b*x^4)^p*AppellF1[5/4, -p, 2, 9/4, -((b*x^4)/a), (e^2*x^4)/c^2])/(5*c^4*(1 + (b*x^4)/a)^p)

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 430

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 511

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p]]/(1 + (b*x^n)/a)^FracPart[p], Int[(e*x)^m*(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 1240

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + c*x^4)^p, (d/(d^2 - e^2*x^4) - (e*x^2)/(d^2 - e^2*x^4))^(-q), x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[q, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + bx^4)^p}{(c + ex^2)^2} dx &= \int \left(\frac{c^2 (a + bx^4)^p}{(c^2 - e^2x^4)^2} - \frac{2cex^2 (a + bx^4)^p}{(c^2 - e^2x^4)^2} + \frac{e^2x^4 (a + bx^4)^p}{(-c^2 + e^2x^4)^2} \right) dx \\
 &= c^2 \int \frac{(a + bx^4)^p}{(c^2 - e^2x^4)^2} dx - (2ce) \int \frac{x^2 (a + bx^4)^p}{(c^2 - e^2x^4)^2} dx + e^2 \int \frac{x^4 (a + bx^4)^p}{(-c^2 + e^2x^4)^2} dx \\
 &= \left(c^2 (a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) \int \frac{\left(1 + \frac{bx^4}{a} \right)^p}{(c^2 - e^2x^4)^2} dx - \left(2ce (a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} \right) \int \frac{x^2 \left(1 + \frac{bx^4}{a} \right)^p}{(c^2 - e^2x^4)^2} dx \\
 &= \frac{x (a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} F_1 \left(\frac{1}{4}; -p, 2; \frac{5}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2} \right)}{c^2} - \frac{2ex^3 (a + bx^4)^p \left(1 + \frac{bx^4}{a} \right)^{-p} F_1 \left(\frac{3}{4}; -p, 2; \frac{7}{4}; -\frac{bx^4}{a}, \frac{e^2x^4}{c^2} \right)}{3c^3}
 \end{aligned}$$

Mathematica [F] time = 0.24, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^4)^p}{(c + ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*x^4)^p/(c + e*x^2)^2,x]

[Out] Integrate[(a + b*x^4)^p/(c + e*x^2)^2, x]

fricas [F] time = 0.54, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bx^4 + a)^p}{e^2x^4 + 2cex^2 + c^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^p/(e*x^2+c)^2,x, algorithm="fricas")

[Out] integral((b*x^4 + a)^p/(e^2*x^4 + 2*c*e*x^2 + c^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^p}{(ex^2 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^p/(e*x^2+c)^2,x, algorithm="giac")

[Out] integrate((b*x^4 + a)^p/(e*x^2 + c)^2, x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^p}{(ex^2 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+a)^p/(e*x^2+c)^2,x)

[Out] int((b*x^4+a)^p/(e*x^2+c)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + a)^p}{(ex^2 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+a)^p/(e*x^2+c)^2,x, algorithm="maxima")

[Out] integrate((b*x^4 + a)^p/(e*x^2 + c)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(bx^4 + a)^p}{(ex^2 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4)^p/(c + e*x^2)^2,x)

[Out] int((a + b*x^4)^p/(c + e*x^2)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+a)**p/(e*x**2+c)**2,x)

[Out] Timed out

$$3.182 \quad \int (1 - x^2)^3 (1 + bx^4)^p dx$$

Optimal. Leaf size=108

$$x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right) + \frac{3}{5} x^5 {}_2F_1\left(\frac{5}{4}, -p; \frac{9}{4}; -bx^4\right) + \frac{x^3(1 - b(4p + 7)) {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -bx^4\right)}{b(4p + 7)} - \frac{x^3 (bx^4 + 1)^{p+1}}{b(4p + 7)}$$

[Out] $-x^3(bx^4+1)^{(1+p)}/b/(7+4*p)+x*\text{hypergeom}([1/4, -p], [5/4], -b*x^4)+(1-b*(7+4*p))*x^3*\text{hypergeom}([3/4, -p], [7/4], -b*x^4)/b/(7+4*p)+3/5*x^5*\text{hypergeom}([5/4, -p], [9/4], -b*x^4)$

Rubi [A] time = 0.11, antiderivative size = 103, normalized size of antiderivative = 0.95, number of steps used = 6, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {1207, 1893, 245, 364}

$$x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right) - x^3 \left(1 - \frac{1}{4bp + 7b}\right) {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -bx^4\right) + \frac{3}{5} x^5 {}_2F_1\left(\frac{5}{4}, -p; \frac{9}{4}; -bx^4\right) - \frac{x^3 (bx^4 + 1)^{p+1}}{b(4p + 7)}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^2)^3*(1 + b*x^4)^p,x]

[Out] $-((x^3*(1 + b*x^4)^{(1 + p)})/(b*(7 + 4*p))) + x*\text{Hypergeometric2F1}[1/4, -p, 5/4, -(b*x^4)] - (1 - (7*b + 4*b*p)^{-1})*x^3*\text{Hypergeometric2F1}[3/4, -p, 7/4, -(b*x^4)] + (3*x^5*\text{Hypergeometric2F1}[5/4, -p, 9/4, -(b*x^4)])/5$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -(b*x^n)/a], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1207

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c

$(4p + 2q + 1)$, $\text{Int}[(a + c*x^4)^p * \text{ExpandToSum}[c*(4p + 2q + 1)*(d + e*x^2)^q - a*(2q - 3)*e^q*x^{(2q - 4)} - c*(4p + 2q + 1)*e^q*x^{(2q)}, x], x] /;$ $\text{FreeQ}\{a, c, d, e, p\}, x$ && $\text{NeQ}[c*d^2 + a*e^2, 0]$ && $\text{IGtQ}[q, 1]$

Rule 1893

$\text{Int}[(Pq_)*(a_ + (b_)*(x_)^(n_))^(p_), x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[Pq*(a + b*x^n)^p, x], x] /;$ $\text{FreeQ}\{a, b, n, p\}, x$ && $(\text{PolyQ}[Pq, x] \mid \mid \text{PolyQ}[Pq, x^n])$

Rubi steps

$$\begin{aligned} \int (1 - x^2)^3 (1 + bx^4)^p dx &= -\frac{x^3 (1 + bx^4)^{1+p}}{b(7 + 4p)} + \frac{\int (1 + bx^4)^p (b(7 + 4p) + 3(1 - b(7 + 4p))x^2 + 3b(7 + 4p)x^4) dx}{b(7 + 4p)} \\ &= -\frac{x^3 (1 + bx^4)^{1+p}}{b(7 + 4p)} + \frac{\int (b(7 + 4p) (1 + bx^4)^p + 3(1 - b(7 + 4p))x^2 (1 + bx^4)^p + 3b(7 + 4p)x^4 (1 + bx^4)^p) dx}{b(7 + 4p)} \\ &= -\frac{x^3 (1 + bx^4)^{1+p}}{b(7 + 4p)} + 3 \int x^4 (1 + bx^4)^p dx - \left(3 \left(1 - \frac{1}{7b + 4bp}\right)\right) \int x^2 (1 + bx^4)^p dx \\ &= -\frac{x^3 (1 + bx^4)^{1+p}}{b(7 + 4p)} + x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right) - \left(1 - \frac{1}{7b + 4bp}\right) x^3 {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -bx^4\right) \end{aligned}$$

Mathematica [A] time = 0.02, size = 86, normalized size = 0.80

$$x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right) - \frac{1}{7} x^7 {}_2F_1\left(\frac{7}{4}, -p; \frac{11}{4}; -bx^4\right) + \frac{3}{5} x^5 {}_2F_1\left(\frac{5}{4}, -p; \frac{9}{4}; -bx^4\right) - x^3 {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -bx^4\right)$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(1 - x^2)^3*(1 + b*x^4)^p, x]$

[Out] $x*\text{Hypergeometric2F1}[1/4, -p, 5/4, -(b*x^4)] - x^3*\text{Hypergeometric2F1}[3/4, -p, 7/4, -(b*x^4)] + (3*x^5*\text{Hypergeometric2F1}[5/4, -p, 9/4, -(b*x^4)])/5 - (x^7*\text{Hypergeometric2F1}[7/4, -p, 11/4, -(b*x^4)])/7$

fricas [F] time = 0.82, size = 0, normalized size = 0.00

$$\text{integral}\left(-\left(x^6 - 3x^4 + 3x^2 - 1\right)\left(bx^4 + 1\right)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^3*(b*x^4+1)^p,x, algorithm="fricas")

[Out] integral(-(x^6 - 3*x^4 + 3*x^2 - 1)*(b*x^4 + 1)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -(x^2 - 1)^3 (bx^4 + 1)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^3*(b*x^4+1)^p,x, algorithm="giac")

[Out] integrate(-(x^2 - 1)^3*(b*x^4 + 1)^p, x)

maple [A] time = 0.15, size = 75, normalized size = 0.69

$$-\frac{x^7 \operatorname{hypergeom}\left(\left[\frac{7}{4}, -p\right], \left[\frac{11}{4}\right], -bx^4\right)}{7} + \frac{3x^5 \operatorname{hypergeom}\left(\left[\frac{5}{4}, -p\right], \left[\frac{9}{4}\right], -bx^4\right)}{5} - x^3 \operatorname{hypergeom}\left(\left[\frac{3}{4}, -p\right], \left[\frac{7}{4}\right], -bx^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+1)^3*(b*x^4+1)^p,x)

[Out] -1/7*x^7*hypergeom([7/4, -p], [11/4], -b*x^4)+3/5*x^5*hypergeom([5/4, -p], [9/4], -b*x^4)-x^3*hypergeom([3/4, -p], [7/4], -b*x^4)+x*hypergeom([1/4, -p], [5/4], -b*x^4)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int (x^2 - 1)^3 (bx^4 + 1)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^3*(b*x^4+1)^p,x, algorithm="maxima")

[Out] -integrate((x^2 - 1)^3*(b*x^4 + 1)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$-\int (x^2 - 1)^3 (bx^4 + 1)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^2 - 1)^3*(b*x^4 + 1)^p,x)

[Out] -int((x^2 - 1)^3*(b*x^4 + 1)^p, x)

sympy [C] time = 120.37, size = 129, normalized size = 1.19

$$\frac{x^7 \Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{7}{4}, -p \middle| \frac{11}{4}, bx^4 e^{i\pi}\right)}{4\Gamma\left(\frac{11}{4}\right)} + \frac{3x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, -p \middle| \frac{9}{4}, bx^4 e^{i\pi}\right)}{4\Gamma\left(\frac{9}{4}\right)} - \frac{3x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, -p \middle| \frac{7}{4}, bx^4 e^{i\pi}\right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, -p \middle| \frac{5}{4}, bx^4 e^{i\pi}\right)}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**2+1)**3*(b*x**4+1)**p,x)

[Out] -x**7*gamma(7/4)*hyper((7/4, -p), (11/4,), b*x**4*exp_polar(I*pi))/(4*gamma(11/4)) + 3*x**5*gamma(5/4)*hyper((5/4, -p), (9/4,), b*x**4*exp_polar(I*pi))/(4*gamma(9/4)) - 3*x**3*gamma(3/4)*hyper((3/4, -p), (7/4,), b*x**4*exp_polar(I*pi))/(4*gamma(7/4)) + x*gamma(1/4)*hyper((1/4, -p), (5/4,), b*x**4*exp_polar(I*pi))/(4*gamma(5/4))

$$3.183 \quad \int (1 - x^2)^2 (1 + bx^4)^p dx$$

Optimal. Leaf size=86

$$-\frac{x(1 - b(4p + 5)) {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right)}{b(4p + 5)} - \frac{2}{3}x^3 {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -bx^4\right) + \frac{x(bx^4 + 1)^{p+1}}{b(4p + 5)}$$

[Out] $x*(b*x^4+1)^{(1+p)}/b/(5+4*p)-(1-b*(5+4*p))*x*\text{hypergeom}([1/4, -p], [5/4], -b*x^4)/b/(5+4*p)-2/3*x^3*\text{hypergeom}([3/4, -p], [7/4], -b*x^4)$

Rubi [A] time = 0.07, antiderivative size = 79, normalized size of antiderivative = 0.92, number of steps used = 5, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {1207, 1204, 245, 364}

$$x\left(1 - \frac{1}{4bp + 5b}\right) {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right) - \frac{2}{3}x^3 {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -bx^4\right) + \frac{x(bx^4 + 1)^{p+1}}{b(4p + 5)}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^2)^2*(1 + b*x^4)^p,x]

[Out] $(x*(1 + b*x^4)^{(1 + p)})/(b*(5 + 4*p)) + (1 - (5*b + 4*b*p)^{-1})*x*\text{Hypergeometric2F1}[1/4, -p, 5/4, -(b*x^4)] - (2*x^3*\text{Hypergeometric2F1}[3/4, -p, 7/4, -(b*x^4)])/3$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1204

Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] &&

NeQ[c*d^2 + a*e^2, 0]

Rule 1207

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[q, 1]

Rubi steps

$$\begin{aligned} \int (1-x^2)^2 (1+bx^4)^p dx &= \frac{x(1+bx^4)^{1+p}}{b(5+4p)} + \frac{\int (-1+b(5+4p)-2b(5+4p)x^2)(1+bx^4)^p dx}{b(5+4p)} \\ &= \frac{x(1+bx^4)^{1+p}}{b(5+4p)} + \frac{\int ((-1+b(5+4p))(1+bx^4)^p - 2b(5+4p)x^2(1+bx^4)^p) dx}{b(5+4p)} \\ &= \frac{x(1+bx^4)^{1+p}}{b(5+4p)} - 2 \int x^2(1+bx^4)^p dx + \left(1 - \frac{1}{5b+4bp}\right) \int (1+bx^4)^p dx \\ &= \frac{x(1+bx^4)^{1+p}}{b(5+4p)} + \left(1 - \frac{1}{5b+4bp}\right) x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right) - \frac{2}{3} x^3 {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -bx^4\right) \end{aligned}$$

Mathematica [A] time = 0.01, size = 65, normalized size = 0.76

$$x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right) + \frac{1}{5} x^5 {}_2F_1\left(\frac{5}{4}, -p; \frac{9}{4}; -bx^4\right) - \frac{2}{3} x^3 {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -bx^4\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^2)^2*(1 + b*x^4)^p, x]

[Out] x*Hypergeometric2F1[1/4, -p, 5/4, -(b*x^4)] - (2*x^3*Hypergeometric2F1[3/4, -p, 7/4, -(b*x^4)])/3 + (x^5*Hypergeometric2F1[5/4, -p, 9/4, -(b*x^4)])/5

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left((x^4 - 2x^2 + 1)(bx^4 + 1)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^2*(b*x^4+1)^p,x, algorithm="fricas")

[Out] integral((x^4 - 2*x^2 + 1)*(b*x^4 + 1)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^2 - 1)^2 (bx^4 + 1)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^2*(b*x^4+1)^p,x, algorithm="giac")

[Out] integrate((x^2 - 1)^2*(b*x^4 + 1)^p, x)

maple [A] time = 0.09, size = 56, normalized size = 0.65

$$\frac{x^5 \operatorname{hypergeom}\left(\left[\frac{5}{4}, -p\right], \left[\frac{9}{4}\right], -bx^4\right)}{5} - \frac{2x^3 \operatorname{hypergeom}\left(\left[\frac{3}{4}, -p\right], \left[\frac{7}{4}\right], -bx^4\right)}{3} + x \operatorname{hypergeom}\left(\left[\frac{1}{4}, -p\right], \left[\frac{5}{4}\right], -bx^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+1)^2*(b*x^4+1)^p,x)

[Out] 1/5*x^5*hypergeom([5/4, -p], [9/4], -b*x^4)-2/3*x^3*hypergeom([3/4, -p], [7/4], -b*x^4)+x*hypergeom([1/4, -p], [5/4], -b*x^4)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^2 - 1)^2 (bx^4 + 1)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^2*(b*x^4+1)^p,x, algorithm="maxima")

[Out] integrate((x^2 - 1)^2*(b*x^4 + 1)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (x^2 - 1)^2 (bx^4 + 1)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 - 1)^2*(b*x^4 + 1)^p,x)

[Out] int((x^2 - 1)^2*(b*x^4 + 1)^p, x)

sympy [C] time = 69.12, size = 94, normalized size = 1.09

$$\frac{x^5 \Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, -p \middle| \frac{9}{4}, bx^4 e^{i\pi}\right)}{4\Gamma\left(\frac{9}{4}\right)} - \frac{x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, -p \middle| \frac{7}{4}, bx^4 e^{i\pi}\right)}{2\Gamma\left(\frac{7}{4}\right)} + \frac{x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, -p \middle| \frac{5}{4}, bx^4 e^{i\pi}\right)}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**2+1)**2*(b*x**4+1)**p,x)

[Out] x**5*gamma(5/4)*hyper((5/4, -p), (9/4,), b*x**4*exp_polar(I*pi))/(4*gamma(9/4)) - x**3*gamma(3/4)*hyper((3/4, -p), (7/4,), b*x**4*exp_polar(I*pi))/(2*gamma(7/4)) + x*gamma(1/4)*hyper((1/4, -p), (5/4,), b*x**4*exp_polar(I*pi))/(4*gamma(5/4))

3.184 $\int (1 - x^2) (1 + bx^4)^p dx$

Optimal. Leaf size=42

$$x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right) - \frac{1}{3}x^3 {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -bx^4\right)$$

[Out] x*hypergeom([1/4, -p], [5/4], -b*x^4)-1/3*x^3*hypergeom([3/4, -p], [7/4], -b*x^4)

Rubi [A] time = 0.02, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1204, 245, 364}

$$x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right) - \frac{1}{3}x^3 {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -bx^4\right)$$

Antiderivative was successfully verified.

[In] Int[(1 - x^2)*(1 + b*x^4)^p, x]

[Out] x*Hypergeometric2F1[1/4, -p, 5/4, -(b*x^4)] - (x^3*Hypergeometric2F1[3/4, -p, 7/4, -(b*x^4)])/3

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -(b*x^n)/a], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1204

Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0]

Rubi steps

$$\begin{aligned}
\int (1-x^2)(1+bx^4)^p dx &= \int \left((1+bx^4)^p - x^2(1+bx^4)^p \right) dx \\
&= \int (1+bx^4)^p dx - \int x^2(1+bx^4)^p dx \\
&= x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right) - \frac{1}{3}x^3 {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -bx^4\right)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 42, normalized size = 1.00

$$x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right) - \frac{1}{3}x^3 {}_2F_1\left(\frac{3}{4}, -p; \frac{7}{4}; -bx^4\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^2)*(1 + b*x^4)^p, x]

[Out] x*Hypergeometric2F1[1/4, -p, 5/4, -(b*x^4)] - (x^3*Hypergeometric2F1[3/4, -p, 7/4, -(b*x^4)])/3

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral}\left(-\left(x^2-1\right)\left(bx^4+1\right)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)*(b*x^4+1)^p, x, algorithm="fricas")

[Out] integral(-(x^2 - 1)*(b*x^4 + 1)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -(x^2-1)(bx^4+1)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)*(b*x^4+1)^p, x, algorithm="giac")

[Out] integrate(-(x^2 - 1)*(b*x^4 + 1)^p, x)

maple [A] time = 0.08, size = 37, normalized size = 0.88

$$-\frac{x^3 \text{hypergeom}\left(\left[\frac{3}{4}, -p\right], \left[\frac{7}{4}\right], -bx^4\right)}{3} + x \text{hypergeom}\left(\left[\frac{1}{4}, -p\right], \left[\frac{5}{4}\right], -bx^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^2+1)*(b*x^4+1)^p,x)`

[Out] `x*hypergeom([1/4,-p],[5/4],-b*x^4)-1/3*x^3*hypergeom([3/4,-p],[7/4],-b*x^4)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int (x^2 - 1)(bx^4 + 1)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^2+1)*(b*x^4+1)^p,x, algorithm="maxima")`

[Out] `-integrate((x^2 - 1)*(b*x^4 + 1)^p, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$-\int (x^2 - 1)(bx^4 + 1)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^2 - 1)*(b*x^4 + 1)^p,x)`

[Out] `-int((x^2 - 1)*(b*x^4 + 1)^p, x)`

sympy [C] time = 35.98, size = 61, normalized size = 1.45

$$-\frac{x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, -p \middle| \frac{7}{4} \middle| bx^4 e^{i\pi}\right)}{4 \Gamma\left(\frac{7}{4}\right)} + \frac{x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, -p \middle| \frac{5}{4} \middle| bx^4 e^{i\pi}\right)}{4 \Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**2+1)*(b*x**4+1)**p,x)`

[Out] `-x**3*gamma(3/4)*hyper((3/4, -p), (7/4,), b*x**4*exp_polar(I*pi))/(4*gamma(7/4)) + x*gamma(1/4)*hyper((1/4, -p), (5/4,), b*x**4*exp_polar(I*pi))/(4*gamma(5/4))`

$$3.185 \quad \int (1 + bx^4)^p dx$$

Optimal. Leaf size=18

$$x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right)$$

[Out] x*hypergeom([1/4, -p], [5/4], -b*x^4)

Rubi [A] time = 0.00, antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {245}

$$x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + b*x^4)^p, x]

[Out] x*Hypergeometric2F1[1/4, -p, 5/4, -(b*x^4)]

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rubi steps

$$\int (1 + bx^4)^p dx = x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right)$$

Mathematica [A] time = 0.00, size = 18, normalized size = 1.00

$$x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + b*x^4)^p, x]

[Out] x*Hypergeometric2F1[1/4, -p, 5/4, -(b*x^4)]

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left((bx^4 + 1)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+1)^p,x, algorithm="fricas")

[Out] integral((b*x^4 + 1)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + 1)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+1)^p,x, algorithm="giac")

[Out] integrate((b*x^4 + 1)^p, x)

maple [A] time = 0.08, size = 17, normalized size = 0.94

$$x \text{ hypergeom}\left(\left[\frac{1}{4}, -p\right], \left[\frac{5}{4}\right], -bx^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+1)^p,x)

[Out] x*hypergeom([1/4, -p], [5/4], -b*x^4)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + 1)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+1)^p,x, algorithm="maxima")

[Out] integrate((b*x^4 + 1)^p, x)

mupad [B] time = 0.07, size = 15, normalized size = 0.83

$$x {}_2F_1\left(\frac{1}{4}, -p; \frac{5}{4}; -bx^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^4 + 1)^p,x)`

[Out] `x*hypergeom([1/4, -p], 5/4, -b*x^4)`

sympy [C] time = 7.71, size = 29, normalized size = 1.61

$$\frac{x\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, -p \middle| \frac{5}{4}; bx^4 e^{i\pi}\right)}{4\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**4+1)**p,x)`

[Out] `x*gamma(1/4)*hyper((1/4, -p), (5/4,), b*x**4*exp_polar(I*pi))/(4*gamma(5/4))`

$$3.186 \quad \int \frac{(1+bx^4)^p}{1-x^2} dx$$

Optimal. Leaf size=50

$$xF_1\left(\frac{1}{4}; 1, -p; \frac{5}{4}; x^4, -bx^4\right) + \frac{1}{3}x^3F_1\left(\frac{3}{4}; 1, -p; \frac{7}{4}; x^4, -bx^4\right)$$

[Out] x*AppellF1(1/4, 1, -p, 5/4, x^4, -b*x^4)+1/3*x^3*AppellF1(3/4, 1, -p, 7/4, x^4, -b*x^4)

Rubi [A] time = 0.05, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1240, 429, 510}

$$\frac{1}{3}x^3F_1\left(\frac{3}{4}; 1, -p; \frac{7}{4}; x^4, -bx^4\right) + xF_1\left(\frac{1}{4}; 1, -p; \frac{5}{4}; x^4, -bx^4\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + b*x^4)^p/(1 - x^2), x]

[Out] x*AppellF1[1/4, 1, -p, 5/4, x^4, -(b*x^4)] + (x^3*AppellF1[3/4, 1, -p, 7/4, x^4, -(b*x^4)])/3

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 510

```
Int[((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 1240

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Int[ExpandIntegrand[(a + c*x^4)^p, (d/(d^2 - e^2*x^4) - (e*x^2)/(d^2 - e^2*x^4))^(-q), x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !
```

IntegerQ[p] && ILtQ[q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(1+bx^4)^p}{1-x^2} dx &= \int \left(\frac{(1+bx^4)^p}{1-x^4} - \frac{x^2(1+bx^4)^p}{-1+x^4} \right) dx \\ &= \int \frac{(1+bx^4)^p}{1-x^4} dx - \int \frac{x^2(1+bx^4)^p}{-1+x^4} dx \\ &= xF_1\left(\frac{1}{4}; 1, -p; \frac{5}{4}; x^4, -bx^4\right) + \frac{1}{3}x^3F_1\left(\frac{3}{4}; 1, -p; \frac{7}{4}; x^4, -bx^4\right) \end{aligned}$$

Mathematica [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{(1+bx^4)^p}{1-x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + b*x^4)^p/(1 - x^2), x]

[Out] Integrate[(1 + b*x^4)^p/(1 - x^2), x]

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(bx^4+1)^p}{x^2-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+1)^p/(-x^2+1), x, algorithm="fricas")

[Out] integral(-(b*x^4 + 1)^p/(x^2 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{(bx^4+1)^p}{x^2-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+1)^p/(-x^2+1), x, algorithm="giac")

[Out] integrate(-(b*x^4 + 1)^p/(x^2 - 1), x)

maple [F] time = 0.11, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + 1)^p}{-x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+1)^p/(-x^2+1),x)

[Out] int((b*x^4+1)^p/(-x^2+1),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{(bx^4 + 1)^p}{x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+1)^p/(-x^2+1),x, algorithm="maxima")

[Out] -integrate((b*x^4 + 1)^p/(x^2 - 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$- \int \frac{(bx^4 + 1)^p}{x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(b*x^4 + 1)^p/(x^2 - 1),x)

[Out] -int((b*x^4 + 1)^p/(x^2 - 1), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+1)**p/(-x**2+1),x)

[Out] Timed out

$$3.187 \quad \int \frac{(1+bx^4)^p}{(1-x^2)^2} dx$$

Optimal. Leaf size=77

$$xF_1\left(\frac{1}{4}; 2, -p; \frac{5}{4}; x^4, -bx^4\right) + \frac{1}{5}x^5F_1\left(\frac{5}{4}; 2, -p; \frac{9}{4}; x^4, -bx^4\right) + \frac{2}{3}x^3F_1\left(\frac{3}{4}; 2, -p; \frac{7}{4}; x^4, -bx^4\right)$$

[Out] x*AppellF1(1/4, 2, -p, 5/4, x^4, -b*x^4)+2/3*x^3*AppellF1(3/4, 2, -p, 7/4, x^4, -b*x^4)+1/5*x^5*AppellF1(5/4, 2, -p, 9/4, x^4, -b*x^4)

Rubi [A] time = 0.08, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1240, 429, 510}

$$\frac{1}{5}x^5F_1\left(\frac{5}{4}; 2, -p; \frac{9}{4}; x^4, -bx^4\right) + \frac{2}{3}x^3F_1\left(\frac{3}{4}; 2, -p; \frac{7}{4}; x^4, -bx^4\right) + xF_1\left(\frac{1}{4}; 2, -p; \frac{5}{4}; x^4, -bx^4\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + b*x^4)^p/(1 - x^2)^2, x]

[Out] x*AppellF1[1/4, 2, -p, 5/4, x^4, -(b*x^4)] + (2*x^3*AppellF1[3/4, 2, -p, 7/4, x^4, -(b*x^4)])/3 + (x^5*AppellF1[5/4, 2, -p, 9/4, x^4, -(b*x^4)])/5

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -(b*x^n)/a, -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -(b*x^n)/a, -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1240

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + c*x^4)^p, (d/(d^2 - e^2*x^4) - (e*x^2)/(d^2 - e^2*x^4))^(-q), x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !

IntegerQ[p] && ILtQ[q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(1+bx^4)^p}{(1-x^2)^2} dx &= \int \left(\frac{(1+bx^4)^p}{(-1+x^4)^2} + \frac{2x^2(1+bx^4)^p}{(-1+x^4)^2} + \frac{x^4(1+bx^4)^p}{(-1+x^4)^2} \right) dx \\ &= 2 \int \frac{x^2(1+bx^4)^p}{(-1+x^4)^2} dx + \int \frac{(1+bx^4)^p}{(-1+x^4)^2} dx + \int \frac{x^4(1+bx^4)^p}{(-1+x^4)^2} dx \\ &= xF_1\left(\frac{1}{4}; 2, -p; \frac{5}{4}; x^4, -bx^4\right) + \frac{2}{3}x^3F_1\left(\frac{3}{4}; 2, -p; \frac{7}{4}; x^4, -bx^4\right) + \frac{1}{5}x^5F_1\left(\frac{5}{4}; 2, -p; \frac{9}{4}; x^4, -bx^4\right) \end{aligned}$$

Mathematica [F] time = 0.14, size = 0, normalized size = 0.00

$$\int \frac{(1+bx^4)^p}{(1-x^2)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + b*x^4)^p/(1 - x^2)^2, x]

[Out] Integrate[(1 + b*x^4)^p/(1 - x^2)^2, x]

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bx^4+1)^p}{x^4-2x^2+1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+1)^p/(-x^2+1)^2,x, algorithm="fricas")

[Out] integral((b*x^4 + 1)^p/(x^4 - 2*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4+1)^p}{(x^2-1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+1)^p/(-x^2+1)^2,x, algorithm="giac")

[Out] integrate((b*x^4 + 1)^p/(x^2 - 1)^2, x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + 1)^p}{(-x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+1)^p/(-x^2+1)^2,x)

[Out] int((b*x^4+1)^p/(-x^2+1)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + 1)^p}{(x^2 - 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+1)^p/(-x^2+1)^2,x, algorithm="maxima")

[Out] integrate((b*x^4 + 1)^p/(x^2 - 1)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(bx^4 + 1)^p}{(x^2 - 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4 + 1)^p/(x^2 - 1)^2,x)

[Out] int((b*x^4 + 1)^p/(x^2 - 1)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+1)**p/(-x**2+1)**2,x)

[Out] Timed out

$$3.188 \quad \int \frac{(1+bx^4)^p}{(1-x^2)^3} dx$$

Optimal. Leaf size=101

$$xF_1\left(\frac{1}{4}; 3, -p; \frac{5}{4}; x^4, -bx^4\right) + \frac{1}{7}x^7F_1\left(\frac{7}{4}; 3, -p; \frac{11}{4}; x^4, -bx^4\right) + \frac{3}{5}x^5F_1\left(\frac{5}{4}; 3, -p; \frac{9}{4}; x^4, -bx^4\right) + x^3F_1\left(\frac{3}{4}; 3, -p; \frac{7}{4}; x^4, -bx^4\right)$$

[Out] x*AppellF1(1/4, 3, -p, 5/4, x^4, -b*x^4)+x^3*AppellF1(3/4, 3, -p, 7/4, x^4, -b*x^4)+3/5*x^5*AppellF1(5/4, 3, -p, 9/4, x^4, -b*x^4)+1/7*x^7*AppellF1(7/4, 3, -p, 11/4, x^4, -b*x^4)

Rubi [A] time = 0.11, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1240, 429, 510}

$$\frac{1}{7}x^7F_1\left(\frac{7}{4}; 3, -p; \frac{11}{4}; x^4, -bx^4\right) + \frac{3}{5}x^5F_1\left(\frac{5}{4}; 3, -p; \frac{9}{4}; x^4, -bx^4\right) + x^3F_1\left(\frac{3}{4}; 3, -p; \frac{7}{4}; x^4, -bx^4\right) + xF_1\left(\frac{1}{4}; 3, -p; \frac{5}{4}; x^4, -bx^4\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + b*x^4)^p/(1 - x^2)^3, x]

[Out] x*AppellF1[1/4, 3, -p, 5/4, x^4, -(b*x^4)] + x^3*AppellF1[3/4, 3, -p, 7/4, x^4, -(b*x^4)] + (3*x^5*AppellF1[5/4, 3, -p, 9/4, x^4, -(b*x^4)])/5 + (x^7*AppellF1[7/4, 3, -p, 11/4, x^4, -(b*x^4)])/7

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 510

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 1240

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Int
[ExpandIntegrand[(a + c*x^4)^p, (d/(d^2 - e^2*x^4) - (e*x^2)/(d^2 - e^2*x^4
))^(-q), x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !
IntegerQ[p] && ILtQ[q, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(1+bx^4)^p}{(1-x^2)^3} dx &= \int \left(-\frac{(1+bx^4)^p}{(-1+x^4)^3} - \frac{3x^2(1+bx^4)^p}{(-1+x^4)^3} - \frac{3x^4(1+bx^4)^p}{(-1+x^4)^3} - \frac{x^6(1+bx^4)^p}{(-1+x^4)^3} \right) dx \\ &= -\left(3 \int \frac{x^2(1+bx^4)^p}{(-1+x^4)^3} dx \right) - 3 \int \frac{x^4(1+bx^4)^p}{(-1+x^4)^3} dx - \int \frac{(1+bx^4)^p}{(-1+x^4)^3} dx - \int \frac{x^6(1+bx^4)^p}{(-1+x^4)^3} dx \\ &= xF_1\left(\frac{1}{4}; 3, -p; \frac{5}{4}; x^4, -bx^4\right) + x^3F_1\left(\frac{3}{4}; 3, -p; \frac{7}{4}; x^4, -bx^4\right) + \frac{3}{5}x^5F_1\left(\frac{5}{4}; 3, -p; \frac{9}{4}; x^4, -bx^4\right) + \frac{1}{7} \end{aligned}$$

Mathematica [F] time = 0.26, size = 0, normalized size = 0.00

$$\int \frac{(1+bx^4)^p}{(1-x^2)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + b*x^4)^p/(1 - x^2)^3, x]

[Out] Integrate[(1 + b*x^4)^p/(1 - x^2)^3, x]

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(bx^4+1)^p}{x^6-3x^4+3x^2-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+1)^p/(-x^2+1)^3,x, algorithm="fricas")

[Out] integral(-(b*x^4 + 1)^p/(x^6 - 3*x^4 + 3*x^2 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{(bx^4+1)^p}{(x^2-1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+1)^p/(-x^2+1)^3,x, algorithm="giac")

[Out] integrate(-(b*x^4 + 1)^p/(x^2 - 1)^3, x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + 1)^p}{(-x^2 + 1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+1)^p/(-x^2+1)^3,x)

[Out] int((b*x^4+1)^p/(-x^2+1)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{(bx^4 + 1)^p}{(x^2 - 1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+1)^p/(-x^2+1)^3,x, algorithm="maxima")

[Out] -integrate((b*x^4 + 1)^p/(x^2 - 1)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int -\frac{(bx^4 + 1)^p}{(x^2 - 1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(b*x^4 + 1)^p/(x^2 - 1)^3,x)

[Out] int(-(b*x^4 + 1)^p/(x^2 - 1)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+1)**p/(-x**2+1)**3,x)

[Out] Timed out

$$3.189 \quad \int \frac{(d+ex^2)^4}{d^2-e^2x^4} dx$$

Optimal. Leaf size=51

$$\frac{8d^{5/2} \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}} - 7d^2x - \frac{4}{3}dex^3 - \frac{1}{5}e^2x^5$$

[Out] $-7*d^2*x - 4/3*d*e*x^3 - 1/5*e^2*x^5 + 8*d^{(5/2)}*\operatorname{arctanh}(x*e^{(1/2)}/d^{(1/2)})/e^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1150, 390, 208}

$$\frac{8d^{5/2} \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}} - 7d^2x - \frac{4}{3}dex^3 - \frac{1}{5}e^2x^5$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d + e*x^2)^4/(d^2 - e^2*x^4), x]$

[Out] $-7*d^2*x - (4*d*e*x^3)/3 - (e^2*x^5)/5 + (8*d^{(5/2)}*\operatorname{ArcTanh}[(\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[d]])/\operatorname{Sqrt}[e]$

Rule 208

$\operatorname{Int}[(a + (b \cdot x)^n)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2] * \operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b, x\} \ \&\& \ \operatorname{NegQ}[a/b]$

Rule 390

$\operatorname{Int}[(a + (b \cdot x)^n)^p * (c + (d \cdot x)^n)^q, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{PolynomialDivide}[(a + b*x^n)^p, (c + d*x^n)^{-q}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \ \operatorname{IGtQ}[n, 0] \ \&\& \ \operatorname{IGtQ}[p, 0] \ \&\& \ \operatorname{ILtQ}[q, 0] \ \&\& \ \operatorname{GeQ}[p, -q]$

Rule 1150

$\operatorname{Int}[(d + (e \cdot x)^2)^{q_1} * (a + (c \cdot x)^4)^{p_1}, x_Symbol] \rightarrow \operatorname{Int}[(d + e*x^2)^{p+q} * (a/d + (c*x^2)/e)^p, x] /; \operatorname{FreeQ}\{a, c, d, e, q\}, x] \ \&\& \ \operatorname{EqQ}[c*d^2 + a*e^2, 0] \ \&\& \ \operatorname{IntegerQ}[p]$

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^4}{d^2-e^2x^4} dx &= \int \frac{(d+ex^2)^3}{d-ex^2} dx \\
&= \int \left(-7d^2 - 4dex^2 - e^2x^4 + \frac{8d^3}{d-ex^2} \right) dx \\
&= -7d^2x - \frac{4}{3}dex^3 - \frac{e^2x^5}{5} + (8d^3) \int \frac{1}{d-ex^2} dx \\
&= -7d^2x - \frac{4}{3}dex^3 - \frac{e^2x^5}{5} + \frac{8d^{5/2} \tanh^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{e}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 51, normalized size = 1.00

$$\frac{8d^{5/2} \tanh^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{e}} - 7d^2x - \frac{4}{3}dex^3 - \frac{1}{5}e^2x^5$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^4/(d^2 - e^2*x^4), x]

[Out] -7*d^2*x - (4*d*e*x^3)/3 - (e^2*x^5)/5 + (8*d^(5/2)*ArcTanh[(Sqrt[e]*x)/Sqrt[d]])/Sqrt[e]

fricas [A] time = 0.82, size = 116, normalized size = 2.27

$$\left[-\frac{1}{5}e^2x^5 - \frac{4}{3}dex^3 + 4d^2\sqrt{\frac{d}{e}} \log\left(\frac{ex^2 + 2ex\sqrt{\frac{d}{e}} + d}{ex^2 - d}\right) - 7d^2x, -\frac{1}{5}e^2x^5 - \frac{4}{3}dex^3 - 8d^2\sqrt{-\frac{d}{e}} \arctan\left(\frac{ex\sqrt{-\frac{d}{e}}}{d}\right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4/(-e^2*x^4+d^2), x, algorithm="fricas")

[Out] [-1/5*e^2*x^5 - 4/3*d*e*x^3 + 4*d^2*sqrt(d/e)*log((e*x^2 + 2*e*x*sqrt(d/e) + d)/(e*x^2 - d)) - 7*d^2*x, -1/5*e^2*x^5 - 4/3*d*e*x^3 - 8*d^2*sqrt(-d/e)*arctan(e*x*sqrt(-d/e)/d) - 7*d^2*x]

giac [B] time = 0.21, size = 144, normalized size = 2.82

$$4\left(\left(d^2\right)^{\frac{1}{4}}d^2e^{\frac{11}{2}} - \left(d^2\right)^{\frac{1}{4}}d|d|e^{\frac{11}{2}}\right) \arctan\left(\frac{xe^{\frac{1}{2}}}{\left(d^2\right)^{\frac{1}{4}}}\right) e^{(-6)} + 2\left(\left(d^2\right)^{\frac{1}{4}}d^2e^{\frac{15}{2}} + \left(d^2\right)^{\frac{3}{4}}de^{\frac{15}{2}}\right) e^{(-8)} \log\left(\left|\left(d^2\right)^{\frac{1}{4}}e^{\left(-\frac{1}{2}\right)} + x\right|\right) - 2\left(\left(d^2\right)^{\frac{1}{4}}d^2e^{\frac{11}{2}} - \left(d^2\right)^{\frac{1}{4}}d|d|e^{\frac{11}{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4/(-e^2*x^4+d^2),x, algorithm="giac")

[Out] $4*((d^2)^{(1/4)}*d^2*e^{(11/2)} - (d^2)^{(1/4)}*d*abs(d)*e^{(11/2)})*\arctan(x*e^{(1/2)}/(d^2)^{(1/4)})*e^{-6} + 2*((d^2)^{(1/4)}*d^2*e^{(15/2)} + (d^2)^{(3/4)}*d*e^{(15/2)})*e^{-8}*\log(abs((d^2)^{(1/4)}*e^{(-1/2)} + x)) - 2*((d^2)^{(1/4)}*d^2*e^{(11/2)} + (d^2)^{(1/4)}*d*abs(d)*e^{(11/2)})*e^{-6}*\log(abs(-(d^2)^{(1/4)}*e^{(-1/2)} + x)) - 1/15*(3*x^5*e^{12} + 20*d*x^3*e^{11} + 105*d^2*x*e^{10})*e^{-10}$

maple [A] time = 0.00, size = 42, normalized size = 0.82

$$-\frac{e^2 x^5}{5} - \frac{4 d e x^3}{3} + \frac{8 d^3 \operatorname{arctanh}\left(\frac{e x}{\sqrt{d e}}\right)}{\sqrt{d e}} - 7 d^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^4/(-e^2*x^4+d^2),x)

[Out] $-1/5*e^2*x^5-4/3*d*e*x^3-7*d^2*x+8*d^3/(d*e)^{(1/2)}*\operatorname{arctanh}(1/(d*e)^{(1/2)}*e*x)$

maxima [A] time = 2.25, size = 56, normalized size = 1.10

$$-\frac{1}{5} e^2 x^5 - \frac{4}{3} d e x^3 - \frac{4 d^3 \log\left(\frac{e x - \sqrt{d e}}{e x + \sqrt{d e}}\right)}{\sqrt{d e}} - 7 d^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4/(-e^2*x^4+d^2),x, algorithm="maxima")

[Out] $-1/5*e^2*x^5 - 4/3*d*e*x^3 - 4*d^3*\log((e*x - \operatorname{sqrt}(d*e))/(e*x + \operatorname{sqrt}(d*e)))/\operatorname{sqrt}(d*e) - 7*d^2*x$

mupad [B] time = 0.09, size = 42, normalized size = 0.82

$$-7 d^2 x - \frac{e^2 x^5}{5} - \frac{4 d e x^3}{3} - \frac{d^{5/2} \operatorname{atan}\left(\frac{\sqrt{e} x^{1i}}{\sqrt{d}}\right) 8i}{\sqrt{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^4/(d^2 - e^2*x^4),x)

[Out] $-7*d^2*x - (e^2*x^5)/5 - (d^{(5/2)}*\operatorname{atan}((e^{(1/2)}*x^{1i})/d^{(1/2)})*8i)/e^{(1/2)} - (4*d*e*x^3)/3$

sympy [A] time = 0.24, size = 75, normalized size = 1.47

$$-7d^2x - \frac{4dex^3}{3} - \frac{e^2x^5}{5} - 4\sqrt{\frac{d^5}{e}} \log\left(x - \frac{\sqrt{\frac{d^5}{e}}}{d^2}\right) + 4\sqrt{\frac{d^5}{e}} \log\left(x + \frac{\sqrt{\frac{d^5}{e}}}{d^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**4/(-e**2*x**4+d**2),x)

[Out] -7*d**2*x - 4*d*e*x**3/3 - e**2*x**5/5 - 4*sqrt(d**5/e)*log(x - sqrt(d**5/e)/d**2) + 4*sqrt(d**5/e)*log(x + sqrt(d**5/e)/d**2)

$$3.190 \quad \int \frac{(d+ex^2)^3}{d^2-e^2x^4} dx$$

Optimal. Leaf size=38

$$\frac{4d^{3/2} \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}} - 3dx - \frac{ex^3}{3}$$

[Out] $-3*d*x-1/3*e*x^3+4*d^{(3/2)*\arctanh(x*e^{(1/2)}/d^{(1/2)})}/e^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1150, 390, 208}

$$\frac{4d^{3/2} \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}} - 3dx - \frac{ex^3}{3}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^3/(d^2 - e^2*x^4), x]

[Out] $-3*d*x - (e*x^3)/3 + (4*d^{(3/2)*\text{ArcTanh}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/\text{Sqrt}[e]$

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 390

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

Rule 1150

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[(d + e*x^2)^(p+q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, c, d, e, q}, x] && EqQ[c*d^2 + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^3}{d^2 - e^2x^4} dx &= \int \frac{(d + ex^2)^2}{d - ex^2} dx \\
&= \int \left(-3d - ex^2 + \frac{4d^2}{d - ex^2} \right) dx \\
&= -3dx - \frac{ex^3}{3} + (4d^2) \int \frac{1}{d - ex^2} dx \\
&= -3dx - \frac{ex^3}{3} + \frac{4d^{3/2} \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 38, normalized size = 1.00

$$\frac{4d^{3/2} \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}} - 3dx - \frac{ex^3}{3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^3/(d^2 - e^2*x^4), x]

[Out] -3*d*x - (e*x^3)/3 + (4*d^(3/2)*ArcTanh[(Sqrt[e]*x)/Sqrt[d]])/Sqrt[e]

fricas [A] time = 0.65, size = 90, normalized size = 2.37

$$\left[-\frac{1}{3}ex^3 + 2d\sqrt{\frac{d}{e}} \log\left(\frac{ex^2 + 2ex\sqrt{\frac{d}{e}} + d}{ex^2 - d}\right) - 3dx, -\frac{1}{3}ex^3 - 4d\sqrt{\frac{d}{e}} \arctan\left(\frac{ex\sqrt{\frac{d}{e}}}{d}\right) - 3dx \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(-e^2*x^4+d^2), x, algorithm="fricas")

[Out] [-1/3*e*x^3 + 2*d*sqrt(d/e)*log((e*x^2 + 2*e*x*sqrt(d/e) + d)/(e*x^2 - d)) - 3*d*x, -1/3*e*x^3 - 4*d*sqrt(-d/e)*arctan(e*x*sqrt(-d/e)/d) - 3*d*x]

giac [B] time = 0.23, size = 123, normalized size = 3.24

$$2\left((d^2)^{\frac{1}{4}}de^{\frac{11}{2}} - (d^2)^{\frac{1}{4}}|d|e^{\frac{11}{2}}\right) \arctan\left(\frac{xe^{\frac{1}{2}}}{(d^2)^{\frac{1}{4}}}\right) e^{(-6)} + \left((d^2)^{\frac{1}{4}}de^{\frac{15}{2}} + (d^2)^{\frac{3}{4}}e^{\frac{15}{2}}\right) e^{(-8)} \log\left(\left|(d^2)^{\frac{1}{4}}e^{\left(-\frac{1}{2}\right)} + x\right|\right) - \left((d^2)^{\frac{1}{4}}de^{\frac{11}{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(-e^2*x^4+d^2),x, algorithm="giac")

[Out] $2*((d^2)^{(1/4)}*d*e^{(11/2)} - (d^2)^{(1/4)}*abs(d)*e^{(11/2)})*arctan(x*e^{(1/2)}/((d^2)^{(1/4)})*e^{-6}) + ((d^2)^{(1/4)}*d*e^{(15/2)} + (d^2)^{(3/4)}*e^{(15/2)})*e^{-8} *log(abs((d^2)^{(1/4)}*e^{-1/2} + x)) - ((d^2)^{(1/4)}*d*e^{(11/2)} + (d^2)^{(1/4)} *abs(d)*e^{(11/2)})*e^{-6}*log(abs(-(d^2)^{(1/4)}*e^{-1/2} + x)) - 1/3*(x^3*e^7 + 9*d*x*e^6)*e^{-6}$

maple [A] time = 0.00, size = 31, normalized size = 0.82

$$-\frac{ex^3}{3} + \frac{4d^2 \operatorname{arctanh}\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de}} - 3dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^3/(-e^2*x^4+d^2),x)

[Out] $-1/3*e*x^3-3*d*x+4*d^2/(d*e)^{(1/2)}*arctanh(1/(d*e)^{(1/2)}*e*x)$

maxima [A] time = 2.45, size = 45, normalized size = 1.18

$$-\frac{1}{3}ex^3 - \frac{2d^2 \log\left(\frac{ex-\sqrt{de}}{ex+\sqrt{de}}\right)}{\sqrt{de}} - 3dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(-e^2*x^4+d^2),x, algorithm="maxima")

[Out] $-1/3*e*x^3 - 2*d^2*log((e*x - sqrt(d*e))/(e*x + sqrt(d*e)))/sqrt(d*e) - 3*d*x$

mupad [B] time = 0.05, size = 28, normalized size = 0.74

$$\frac{4d^{3/2} \operatorname{atanh}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}} - \frac{ex^3}{3} - 3dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^3/(d^2 - e^2*x^4),x)

[Out] $(4*d^{(3/2)}*atanh((e^{(1/2)}*x)/d^{(1/2)}))/e^{(1/2)} - (e*x^3)/3 - 3*d*x$

sympy [A] time = 0.20, size = 58, normalized size = 1.53

$$-3dx - \frac{ex^3}{3} - 2\sqrt{\frac{d^3}{e}} \log\left(x - \frac{\sqrt{\frac{d^3}{e}}}{d}\right) + 2\sqrt{\frac{d^3}{e}} \log\left(x + \frac{\sqrt{\frac{d^3}{e}}}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**3/(-e**2*x**4+d**2),x)
```

```
[Out] -3*d*x - e*x**3/3 - 2*sqrt(d**3/e)*log(x - sqrt(d**3/e)/d) + 2*sqrt(d**3/e)  
*log(x + sqrt(d**3/e)/d)
```

$$3.191 \quad \int \frac{(d+ex^2)^2}{d^2-e^2x^4} dx$$

Optimal. Leaf size=29

$$\frac{2\sqrt{d} \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}} - x$$

[Out] $-x+2*\operatorname{arctanh}(x*e^{(1/2)}/d^{(1/2)})*d^{(1/2)}/e^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1150, 388, 208}

$$\frac{2\sqrt{d} \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}} - x$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d + e*x^2)^2/(d^2 - e^2*x^4), x]$

[Out] $-x + (2*\operatorname{Sqrt}[d]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[d]])/\operatorname{Sqrt}[e]$

Rule 208

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b]$

Rule 388

$\operatorname{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)*((c_ + (d_)*(x_)^{(n_)}), x_Symbol] \rightarrow \operatorname{Simp}[(d*x*(a + b*x^n)^{(p+1)})/(b*(n*(p+1)+1)), x] - \operatorname{Dist}[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), \operatorname{Int}[(a + b*x^n)^p, x], x] /; \operatorname{FreeQ}\{a, b, c, d, n\}, x] \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{NeQ}[n*(p+1)+1, 0]$

Rule 1150

$\operatorname{Int}[(d_ + (e_)*(x_)^2)^{(q_)*((a_ + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \operatorname{Int}[(d + e*x^2)^{(p+q)}*(a/d + (c*x^2)/e)^p, x] /; \operatorname{FreeQ}\{a, c, d, e, q\}, x] \ \&\& \operatorname{EqQ}[c*d^2 + a*e^2, 0] \ \&\& \operatorname{IntegerQ}[p]$

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^2}{d^2 - e^2x^4} dx &= \int \frac{d + ex^2}{d - ex^2} dx \\ &= -x + (2d) \int \frac{1}{d - ex^2} dx \\ &= -x + \frac{2\sqrt{d} \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 29, normalized size = 1.00

$$\frac{2\sqrt{d} \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}} - x$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2/(d^2 - e^2*x^4), x]

[Out] -x + (2*Sqrt[d]*ArcTanh[(Sqrt[e]*x)/Sqrt[d]])/Sqrt[e]

fricas [A] time = 0.80, size = 73, normalized size = 2.52

$$\left[\sqrt{\frac{d}{e}} \log\left(\frac{ex^2 + 2ex\sqrt{\frac{d}{e}} + d}{ex^2 - d}\right) - x, -2\sqrt{\frac{d}{e}} \arctan\left(\frac{ex\sqrt{\frac{d}{e}}}{d}\right) - x \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(-e^2*x^4+d^2), x, algorithm="fricas")

[Out] [sqrt(d/e)*log((e*x^2 + 2*e*x*sqrt(d/e) + d)/(e*x^2 - d)) - x, -2*sqrt(-d/e)*arctan(e*x*sqrt(-d/e)/d) - x]

giac [B] time = 0.21, size = 118, normalized size = 4.07

$$\frac{\left((d^2)^{\frac{1}{4}}de^{\frac{7}{2}} - (d^2)^{\frac{1}{4}}|d|e^{\frac{7}{2}}\right) \arctan\left(\frac{xe^{\frac{1}{2}}}{(d^2)^{\frac{1}{4}}}\right) e^{(-4)} + \left((d^2)^{\frac{1}{4}}de^{\frac{11}{2}} + (d^2)^{\frac{3}{4}}e^{\frac{11}{2}}\right) e^{(-6)} \log\left(\left|(d^2)^{\frac{1}{4}}e^{\left(-\frac{1}{2}\right)} + x\right|\right)}{\frac{d}{2d}} - \left((d^2)^{\frac{1}{4}}de^{\frac{7}{2}} + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(-e^2*x^4+d^2), x, algorithm="giac")

[Out] $((d^2)^{(1/4)}*d*e^{(7/2)} - (d^2)^{(1/4)}*abs(d)*e^{(7/2)})*arctan(x*e^{(1/2)}/(d^2)^{(1/4)})*e^{(-4)}/d + 1/2*((d^2)^{(1/4)}*d*e^{(11/2)} + (d^2)^{(3/4)}*e^{(11/2)})*e^{(-6)}*log(abs((d^2)^{(1/4)}*e^{(-1/2)} + x))/d - 1/2*((d^2)^{(1/4)}*d*e^{(7/2)} + (d^2)^{(1/4)}*abs(d)*e^{(7/2)})*e^{(-4)}*log(abs(-(d^2)^{(1/4)}*e^{(-1/2)} + x))/d - x$

maple [A] time = 0.00, size = 22, normalized size = 0.76

$$\frac{2d \operatorname{arctanh}\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de}} - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^2/(-e^2*x^4+d^2), x)`

[Out] `-x+2*d/(d*e)^(1/2)*arctanh(1/(d*e)^(1/2)*e*x)`

maxima [A] time = 2.45, size = 36, normalized size = 1.24

$$-\frac{d \log\left(\frac{ex-\sqrt{de}}{ex+\sqrt{de}}\right)}{\sqrt{de}} - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2/(-e^2*x^4+d^2), x, algorithm="maxima")`

[Out] `-d*log((e*x - sqrt(d*e))/(e*x + sqrt(d*e)))/sqrt(d*e) - x`

mupad [B] time = 4.43, size = 21, normalized size = 0.72

$$\frac{2\sqrt{d} \operatorname{atanh}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}} - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)^2/(d^2 - e^2*x^4), x)`

[Out] `(2*d^(1/2)*atanh((e^(1/2)*x)/d^(1/2)))/e^(1/2) - x`

sympy [A] time = 0.18, size = 34, normalized size = 1.17

$$-x - \sqrt{\frac{d}{e}} \log\left(x - \sqrt{\frac{d}{e}}\right) + \sqrt{\frac{d}{e}} \log\left(x + \sqrt{\frac{d}{e}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2/(-e**2*x**4+d**2), x)`

[Out] `-x - sqrt(d/e)*log(x - sqrt(d/e)) + sqrt(d/e)*log(x + sqrt(d/e))`

$$3.192 \quad \int \frac{d+ex^2}{d^2-e^2x^4} dx$$

Optimal. Leaf size=24

$$\frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}\sqrt{e}}$$

[Out] arctanh(x*e^(1/2)/d^(1/2))/d^(1/2)/e^(1/2)

Rubi [A] time = 0.01, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1150, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(d^2 - e^2*x^4), x]

[Out] ArcTanh[(Sqrt[e]*x)/Sqrt[d]]/(Sqrt[d]*Sqrt[e])

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 1150

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[(d + e*x^2)^(p+q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, c, d, e, q}, x] && EqQ[c*d^2 + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{d+ex^2}{d^2-e^2x^4} dx &= \int \frac{1}{d-ex^2} dx \\ &= \frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}\sqrt{e}} \end{aligned}$$

Mathematica [A] time = 0.00, size = 24, normalized size = 1.00

$$\frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/(d^2 - e^2*x^4), x]

[Out] ArcTanh[(Sqrt[e]*x)/Sqrt[d]]/(Sqrt[d]*Sqrt[e])

fricas [A] time = 0.54, size = 68, normalized size = 2.83

$$\left[\frac{\sqrt{de} \log\left(\frac{ex^2+2\sqrt{de}x+d}{ex^2-d}\right)}{2de}, -\frac{\sqrt{-de} \arctan\left(\frac{\sqrt{-de}x}{d}\right)}{de} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(-e^2*x^4+d^2), x, algorithm="fricas")

[Out] [1/2*sqrt(d*e)*log((e*x^2 + 2*sqrt(d*e)*x + d)/(e*x^2 - d))/(d*e), -sqrt(-d*e)*arctan(sqrt(-d*e)*x/d)/(d*e)]

giac [B] time = 0.29, size = 116, normalized size = 4.83

$$\frac{\left((d^2)^{\frac{1}{4}}de^{\frac{7}{2}} - (d^2)^{\frac{1}{4}}|de^{\frac{7}{2}}\right) \arctan\left(\frac{xe^{\frac{1}{2}}}{(d^2)^{\frac{1}{4}}}\right) e^{(-4)} + \left((d^2)^{\frac{1}{4}}de^{\frac{11}{2}} + (d^2)^{\frac{3}{4}}e^{\frac{11}{2}}\right) e^{(-6)} \log\left(\left|(d^2)^{\frac{1}{4}}e^{(-\frac{1}{2})} + x\right|\right)}{2d^2} - \frac{\left((d^2)^{\frac{1}{4}}de^{\frac{7}{2}} + (d^2)^{\frac{3}{4}}e^{\frac{11}{2}}\right) \arctan\left(\frac{xe^{\frac{1}{2}}}{(d^2)^{\frac{1}{4}}}\right) e^{(-4)} + \left((d^2)^{\frac{1}{4}}de^{\frac{11}{2}} - (d^2)^{\frac{3}{4}}e^{\frac{11}{2}}\right) e^{(-6)} \log\left(\left|(d^2)^{\frac{1}{4}}e^{(-\frac{1}{2})} + x\right|\right)}{4d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(-e^2*x^4+d^2), x, algorithm="giac")

[Out] 1/2*((d^2)^(1/4)*d*e^(7/2) - (d^2)^(1/4)*abs(d)*e^(7/2))*arctan(x*e^(1/2)/((d^2)^(1/4))*e^(-4)/d^2 + 1/4*((d^2)^(1/4)*d*e^(11/2) + (d^2)^(3/4)*e^(11/2))*e^(-6)*log(abs((d^2)^(1/4)*e^(-1/2) + x))/d^2 - 1/4*((d^2)^(1/4)*d*e^(7/2) + (d^2)^(3/4)*e^(11/2))*e^(-6)*log(abs((d^2)^(1/4)*e^(-1/2) + x))/d^2 + (d^2)^(1/4)*abs(d)*e^(7/2))*e^(-4)*log(abs(-(d^2)^(1/4)*e^(-1/2) + x))/d^2

maple [A] time = 0.00, size = 16, normalized size = 0.67

$$\frac{\operatorname{arctanh}\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)/(-e^2*x^4+d^2),x)`

[Out] $1/(d*e)^{(1/2)}*\operatorname{arctanh}(1/(d*e)^{(1/2)}*e*x)$

maxima [A] time = 2.35, size = 31, normalized size = 1.29

$$\frac{\log\left(\frac{ex-\sqrt{de}}{ex+\sqrt{de}}\right)}{2\sqrt{de}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/(-e^2*x^4+d^2),x, algorithm="maxima")`

[Out] $-1/2*\log((e*x - \operatorname{sqrt}(d*e))/(e*x + \operatorname{sqrt}(d*e)))/\operatorname{sqrt}(d*e)$

mupad [B] time = 0.06, size = 16, normalized size = 0.67

$$\frac{\operatorname{atanh}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}\sqrt{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)/(d^2 - e^2*x^4),x)`

[Out] $\operatorname{atanh}((e^{(1/2)}*x)/d^{(1/2)})/(d^{(1/2)}*e^{(1/2)})$

sympy [B] time = 0.15, size = 46, normalized size = 1.92

$$-\frac{\sqrt{\frac{1}{de}}\log\left(-d\sqrt{\frac{1}{de}}+x\right)}{2}+\frac{\sqrt{\frac{1}{de}}\log\left(d\sqrt{\frac{1}{de}}+x\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)/(-e**2*x**4+d**2),x)`

[Out] $-\operatorname{sqrt}(1/(d*e))*\log(-d*\operatorname{sqrt}(1/(d*e)) + x)/2 + \operatorname{sqrt}(1/(d*e))*\log(d*\operatorname{sqrt}(1/(d*e)) + x)/2$

$$3.193 \quad \int \frac{1}{(d+ex^2)(d^2-e^2x^4)} dx$$

Optimal. Leaf size=72

$$\frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{5/2}\sqrt{e}} + \frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{4d^{5/2}\sqrt{e}} + \frac{x}{4d^2(d+ex^2)}$$

[Out] $1/4*x/d^2/(e*x^2+d)+1/2*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(5/2)}/e^{(1/2)}+1/4*\arctan(\tanh(x*e^{(1/2)}/d^{(1/2)})/d^{(5/2)}/e^{(1/2)})$

Rubi [A] time = 0.06, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1150, 414, 522, 208, 205}

$$\frac{x}{4d^2(d+ex^2)} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{5/2}\sqrt{e}} + \frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{4d^{5/2}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*(d^2 - e^2*x^4)),x]

[Out] $x/(4*d^2*(d + e*x^2)) + \text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]]/(2*d^{(5/2)}*\text{Sqrt}[e]) + \text{ArcTanh}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]]/(4*d^{(5/2)}*\text{Sqrt}[e])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 414

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && !(IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,

d, n, p, q, x]

Rule 522

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
```

Rule 1150

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, c, d, e, q}, x] && EqQ[c*d^2 + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^2)(d^2 - e^2x^4)} dx &= \int \frac{1}{(d - ex^2)(d + ex^2)^2} dx \\ &= \frac{x}{4d^2(d + ex^2)} - \frac{\int \frac{-3de + e^2x^2}{(d - ex^2)(d + ex^2)} dx}{4d^2e} \\ &= \frac{x}{4d^2(d + ex^2)} + \frac{\int \frac{1}{d - ex^2} dx}{4d^2} + \frac{\int \frac{1}{d + ex^2} dx}{2d^2} \\ &= \frac{x}{4d^2(d + ex^2)} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{5/2}\sqrt{e}} + \frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{4d^{5/2}\sqrt{e}} \end{aligned}$$

Mathematica [A] time = 0.04, size = 65, normalized size = 0.90

$$\frac{\frac{\sqrt{d}x}{d+ex^2} + \frac{2 \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}} + \frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}}}{4d^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((d + e*x^2)*(d^2 - e^2*x^4)),x]
```

```
[Out] ((Sqrt[d]*x)/(d + e*x^2) + (2*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/Sqrt[e] + ArcTan h[(Sqrt[e]*x)/Sqrt[d]]/Sqrt[e])/ (4*d^(5/2))
```

fricas [A] time = 0.69, size = 189, normalized size = 2.62

$$\left[\frac{2dex + 4(ex^2 + d)\sqrt{de} \arctan\left(\frac{\sqrt{de}x}{d}\right) + (ex^2 + d)\sqrt{de} \log\left(\frac{ex^2 + 2\sqrt{de}x + d}{ex^2 - d}\right)}{8(d^3e^2x^2 + d^4e)}, \frac{dex - (ex^2 + d)\sqrt{-de} \arctan\left(\frac{\sqrt{-de}x}{d}\right)}{4(d^3e^2x^2 + d^4e)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(-e^2*x^4+d^2),x, algorithm="fricas")

[Out] [1/8*(2*d*e*x + 4*(e*x^2 + d)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) + (e*x^2 + d)*sqrt(d*e)*log((e*x^2 + 2*sqrt(d*e)*x + d)/(e*x^2 - d)))/(d^3*e^2*x^2 + d^4*e), 1/4*(d*e*x - (e*x^2 + d)*sqrt(-d*e)*arctan(sqrt(-d*e)*x/d) - (e*x^2 + d)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)))/(d^3*e^2*x^2 + d^4*e)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(-e^2*x^4+d^2),x, algorithm="giac")

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: -((d^2*exp(2)^3)^(1/4)*abs(d)*exp(1)^2-d*exp(2)*(d^2*exp(2)^3)^(1/4))/(4*d^4*exp(2)*exp(1)^2-4*d^4*exp(2)^2)*ln(abs(x-(d^2/exp(2))^(1/4)))+((d^2*exp(2)^3)^(1/4))^3/(4*d^4*exp(2)^2*exp(1)-4*d^4*exp(1)*exp(2)^2)*ln(abs(x+(d^2/exp(2))^(1/4)))-((d^2*exp(2)^3)^(1/4)*abs(d)*exp(1)^2+d*exp(2)*(d^2*exp(2)^3)^(1/4))/(2*d^4*exp(2)*exp(1)^2-2*d^4*exp(2)^2)*atan(x/(d^2/exp(2))^(1/4))-2*exp(1)^2*1/2/(exp(2)*d^2-d^2*exp(1)^2)/sqrt(d*exp(1))*atan(x*exp(1)/sqrt(d*exp(1)))

maple [A] time = 0.01, size = 55, normalized size = 0.76

$$\frac{x}{4(e x^2 + d) d^2} + \frac{\operatorname{arctanh}\left(\frac{e x}{\sqrt{d e}}\right)}{4 \sqrt{d e} d^2} + \frac{\operatorname{arctan}\left(\frac{e x}{\sqrt{d e}}\right)}{2 \sqrt{d e} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)/(-e^2*x^4+d^2),x)

[Out] 1/4*x/d^2/(e*x^2+d)+1/2/d^2/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)+1/4/d^2/(d*e)^(1/2)*arctanh(1/(d*e)^(1/2)*e*x)

maxima [A] time = 2.44, size = 71, normalized size = 0.99

$$\frac{x}{4(d^2ex^2 + d^3)} + \frac{\arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d^2} - \frac{\log\left(\frac{ex-\sqrt{de}}{ex+\sqrt{de}}\right)}{8\sqrt{de}d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(-e^2*x^4+d^2),x, algorithm="maxima")

[Out] 1/4*x/(d^2*e*x^2 + d^3) + 1/2*arctan(e*x/sqrt(d*e))/(sqrt(d*e)*d^2) - 1/8*log((e*x - sqrt(d*e))/(e*x + sqrt(d*e)))/(sqrt(d*e)*d^2)

mupad [B] time = 0.16, size = 74, normalized size = 1.03

$$\frac{x}{4d^2(ex^2 + d)} + \frac{\operatorname{atanh}\left(\frac{x\sqrt{d^5e}}{d^3}\right)\sqrt{d^5e}}{4d^5e} - \frac{\operatorname{atanh}\left(\frac{x\sqrt{-d^5e}}{d^3}\right)\sqrt{-d^5e}}{2d^5e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d^2 - e^2*x^4)*(d + e*x^2)),x)

[Out] x/(4*d^2*(d + e*x^2)) + (atanh((x*(d^5*e)^(1/2))/d^3)*(d^5*e)^(1/2))/(4*d^5*e) - (atanh((x*(-d^5*e)^(1/2))/d^3)*(-d^5*e)^(1/2))/(2*d^5*e)

sympy [B] time = 0.45, size = 226, normalized size = 3.14

$$\frac{x}{4d^3 + 4d^2ex^2} - \frac{\sqrt{\frac{1}{d^5e}} \log\left(-\frac{d^8e\left(\frac{1}{d^5e}\right)^{\frac{3}{2}}}{10} - \frac{9d^3\sqrt{\frac{1}{d^5e}}}{10} + x\right)}{8} + \frac{\sqrt{\frac{1}{d^5e}} \log\left(\frac{d^8e\left(\frac{1}{d^5e}\right)^{\frac{3}{2}}}{10} + \frac{9d^3\sqrt{\frac{1}{d^5e}}}{10} + x\right)}{8} - \frac{\sqrt{-\frac{1}{d^5e}} \log\left(-\frac{4d^8e\left(-\frac{1}{d^5e}\right)^{\frac{3}{2}}}{5}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)/(-e**2*x**4+d**2),x)

[Out] x/(4*d**3 + 4*d**2*e*x**2) - sqrt(1/(d**5*e))*log(-d**8*e*(1/(d**5*e))**(3/2)/10 - 9*d**3*sqrt(1/(d**5*e))/10 + x)/8 + sqrt(1/(d**5*e))*log(d**8*e*(1/(d**5*e))**(3/2)/10 + 9*d**3*sqrt(1/(d**5*e))/10 + x)/8 - sqrt(-1/(d**5*e))*log(-4*d**8*e*(-1/(d**5*e))**(3/2)/5 - 9*d**3*sqrt(-1/(d**5*e))/5 + x)/4 + sqrt(-1/(d**5*e))*log(4*d**8*e*(-1/(d**5*e))**(3/2)/5 + 9*d**3*sqrt(-1/(d**5*e))/5 + x)/4

$$3.194 \quad \int \frac{1}{(d+ex^2)^2(d^2-e^2x^4)} dx$$

Optimal. Leaf size=89

$$\frac{7 \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{16d^{7/2}\sqrt{e}} + \frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{8d^{7/2}\sqrt{e}} + \frac{5x}{16d^3(d+ex^2)} + \frac{x}{8d^2(d+ex^2)^2}$$

[Out] $1/8*x/d^2/(e*x^2+d)^2+5/16*x/d^3/(e*x^2+d)+7/16*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(7/2)}/e^{(1/2)}+1/8*\operatorname{arctanh}(x*e^{(1/2)}/d^{(1/2)})/d^{(7/2)}/e^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1150, 414, 527, 522, 208, 205}

$$\frac{5x}{16d^3(d+ex^2)} + \frac{x}{8d^2(d+ex^2)^2} + \frac{7 \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{16d^{7/2}\sqrt{e}} + \frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{8d^{7/2}\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^2*(d^2 - e^2*x^4)), x]

[Out] $x/(8*d^2*(d + e*x^2)^2) + (5*x)/(16*d^3*(d + e*x^2)) + (7*\operatorname{ArcTan}[(\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[d]])/(16*d^{(7/2)}*\operatorname{Sqrt}[e]) + \operatorname{ArcTanh}[(\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[d]]/(8*d^{(7/2)}*\operatorname{Sqrt}[e])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 414

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]

```
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

Rule 522

```
Int[((e_) + (f_.)*(x_)^(n_))/(((a_) + (b_.)*(x_)^(n_))*((c_) + (d_.)*(x_)^(
n_))), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 1150

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] :> I
nt[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, c, d, e, q}, x]
&& EqQ[c*d^2 + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)^2(d^2-e^2x^4)} dx &= \int \frac{1}{(d-ex^2)(d+ex^2)^3} dx \\
&= \frac{x}{8d^2(d+ex^2)^2} - \frac{\int \frac{-7de+3e^2x^2}{(d-ex^2)(d+ex^2)^2} dx}{8d^2e} \\
&= \frac{x}{8d^2(d+ex^2)^2} + \frac{5x}{16d^3(d+ex^2)} + \frac{\int \frac{18d^2e^2-10de^3x^2}{(d-ex^2)(d+ex^2)} dx}{32d^4e^2} \\
&= \frac{x}{8d^2(d+ex^2)^2} + \frac{5x}{16d^3(d+ex^2)} + \frac{\int \frac{1}{d-ex^2} dx}{8d^3} + \frac{7 \int \frac{1}{d+ex^2} dx}{16d^3} \\
&= \frac{x}{8d^2(d+ex^2)^2} + \frac{5x}{16d^3(d+ex^2)} + \frac{7 \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{16d^{7/2}\sqrt{e}} + \frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{8d^{7/2}\sqrt{e}}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 76, normalized size = 0.85

$$\frac{\frac{\sqrt{d}x(7d+5ex^2)}{(d+ex^2)^2} + \frac{7 \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}} + \frac{2 \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}}}{16d^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)^2*(d^2 - e^2*x^4)),x]

[Out] ((Sqrt[d]*x*(7*d + 5*e*x^2))/(d + e*x^2)^2 + (7*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/Sqrt[e] + (2*ArcTanh[(Sqrt[e]*x)/Sqrt[d]])/Sqrt[e])/(16*d^(7/2))

fricas [B] time = 0.86, size = 278, normalized size = 3.12

$$\left[\frac{5de^2x^3 + 7d^2ex + 7(e^2x^4 + 2dex^2 + d^2)\sqrt{de} \arctan\left(\frac{\sqrt{de}x}{d}\right) + (e^2x^4 + 2dex^2 + d^2)\sqrt{de} \log\left(\frac{ex^2+2\sqrt{de}x+d}{ex^2-d}\right)}{16(d^4e^3x^4 + 2d^5e^2x^2 + d^6e)}, 10 \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(-e^2*x^4+d^2),x, algorithm="fricas")

[Out] $[1/16*(5*d*e^2*x^3 + 7*d^2*e*x + 7*(e^2*x^4 + 2*d*e*x^2 + d^2)*\sqrt{d*e})*\arctan(\sqrt{d*e}*x/d) + (e^2*x^4 + 2*d*e*x^2 + d^2)*\sqrt{d*e}*\log((e*x^2 + 2*\sqrt{d*e}*x + d)/(e*x^2 - d)))/(d^4*e^3*x^4 + 2*d^5*e^2*x^2 + d^6*e), 1/32*(10*d*e^2*x^3 + 14*d^2*e*x - 4*(e^2*x^4 + 2*d*e*x^2 + d^2)*\sqrt{-d*e})*\arctan(\sqrt{-d*e}*x/d) - 7*(e^2*x^4 + 2*d*e*x^2 + d^2)*\sqrt{-d*e}*\log((e*x^2 - 2*\sqrt{-d*e}*x - d)/(e*x^2 + d)))/(d^4*e^3*x^4 + 2*d^5*e^2*x^2 + d^6*e)]$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x^2+d)^2/(-e^2*x^4+d^2),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: $-(-2*(d^2*\exp(2)^3)^{1/4}*abs(d)*\exp(1)^2+d*(d^2*\exp(2)^3)^{1/4}*\exp(1)^2+d*\exp(2)*(d^2*\exp(2)^3)^{1/4})/(4*d^5*\exp(1)^4-8*d^5*\exp(2)*\exp(1)^2+4*d^5*\exp(2)^2)*\ln(abs(x-(d^2/\exp(2))^{1/4}))+\exp(2)*(d^2*\exp(2)^3)^{1/4}/(4*d^4*\exp(2)*\exp(1)^2-8*d^4*\exp(1)*\exp(2)*\exp(1)+4*d^4*\exp(2)^2)*\ln(abs(x+(d^2/\exp(2))^{1/4}))-(-2*(d^2*\exp(2)^3)^{1/4}*abs(d)*\exp(1)^2-d*(d^2*\exp(2)^3)^{1/4}*\exp(1)^2-d*\exp(2)*(d^2*\exp(2)^3)^{1/4})/(2*d^5*\exp(1)^4-4*d^5*\exp(2)*\exp(1)^2+2*d^5*\exp(2)^2)*\operatorname{atan}(x/(d^2/\exp(2))^{1/4})-(-5*\exp(2)*\exp(1)^2+\exp(1)^4)*1/2/(-\exp(2)^2*d^3+2*\exp(2)*d^3*\exp(1)^2-d^3*\exp(1)^4)/\sqrt{d*\exp(1)}*\operatorname{atan}(x*\exp(1)/\sqrt{d*\exp(1)})+x*\exp(1)^2/(-2*\exp(2)*d^3+2*d^3*\exp(1)^2)/(x^2*\exp(1)+d)$

maple [A] time = 0.01, size = 73, normalized size = 0.82

$$\frac{5ex^3}{16(e x^2 + d)^2 d^3} + \frac{7x}{16(e x^2 + d)^2 d^2} + \frac{\operatorname{arctanh}\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de} d^3} + \frac{7 \operatorname{arctan}\left(\frac{ex}{\sqrt{de}}\right)}{16\sqrt{de} d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x^2+d)^2/(-e^2*x^4+d^2),x)`

[Out] $5/16/d^3/(e*x^2+d)^2*x^3*e+7/16*x/d^2/(e*x^2+d)^2+7/16/d^3/(d*e)^{1/2}*\arctan(1/(d*e)^{1/2}*e*x)+1/8/d^3/(d*e)^{1/2}*\operatorname{arctanh}(1/(d*e)^{1/2}*e*x)$

maxima [A] time = 2.49, size = 92, normalized size = 1.03

$$\frac{5ex^3 + 7dx}{16(d^3e^2x^4 + 2d^4ex^2 + d^5)} + \frac{7 \operatorname{arctan}\left(\frac{ex}{\sqrt{de}}\right)}{16\sqrt{de} d^3} - \frac{\log\left(\frac{ex-\sqrt{de}}{ex+\sqrt{de}}\right)}{16\sqrt{de} d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(-e^2*x^4+d^2),x, algorithm="maxima")

[Out] 1/16*(5*e*x^3 + 7*d*x)/(d^3*e^2*x^4 + 2*d^4*e*x^2 + d^5) + 7/16*arctan(e*x/sqrt(d*e))/(sqrt(d*e)*d^3) - 1/16*log((e*x - sqrt(d*e))/(e*x + sqrt(d*e)))/(sqrt(d*e)*d^3)

mupad [B] time = 0.16, size = 96, normalized size = 1.08

$$\frac{\frac{7x}{16d^2} + \frac{5ex^3}{16d^3}}{d^2 + 2dex^2 + e^2x^4} + \frac{\operatorname{atanh}\left(\frac{x\sqrt{d^7e}}{d^4}\right)\sqrt{d^7e}}{8d^7e} - \frac{7\operatorname{atanh}\left(\frac{x\sqrt{-d^7e}}{d^4}\right)\sqrt{-d^7e}}{16d^7e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d^2 - e^2*x^4)*(d + e*x^2)^2),x)

[Out] ((7*x)/(16*d^2) + (5*e*x^3)/(16*d^3))/(d^2 + e^2*x^4 + 2*d*e*x^2) + (atanh((x*(d^7*e)^(1/2))/d^4)*(d^7*e)^(1/2))/(8*d^7*e) - (7*atanh((x*(-d^7*e)^(1/2))/d^4)*(-d^7*e)^(1/2))/(16*d^7*e)

sympy [B] time = 0.72, size = 257, normalized size = 2.89

$$\frac{\sqrt{\frac{1}{d^7e}} \log\left(-\frac{20d^{11}e\left(\frac{1}{d^7e}\right)^{\frac{3}{2}}}{371} - \frac{351d^4\sqrt{\frac{1}{d^7e}}}{371} + x\right)}{16} + \frac{\sqrt{\frac{1}{d^7e}} \log\left(\frac{20d^{11}e\left(\frac{1}{d^7e}\right)^{\frac{3}{2}}}{371} + \frac{351d^4\sqrt{\frac{1}{d^7e}}}{371} + x\right)}{16} - \frac{7\sqrt{-\frac{1}{d^7e}} \log\left(-\frac{245d^{11}e\left(-\frac{1}{d^7e}\right)^{\frac{3}{2}}}{106}\right)}{32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)**2/(-e**2*x**4+d**2),x)

[Out] -sqrt(1/(d**7*e))*log(-20*d**11*e*(1/(d**7*e))**(3/2)/371 - 351*d**4*sqrt(1/(d**7*e))/371 + x)/16 + sqrt(1/(d**7*e))*log(20*d**11*e*(1/(d**7*e))**(3/2)/371 + 351*d**4*sqrt(1/(d**7*e))/371 + x)/16 - 7*sqrt(-1/(d**7*e))*log(-245*d**11*e*(-1/(d**7*e))**(3/2)/106 - 351*d**4*sqrt(-1/(d**7*e))/106 + x)/32 + 7*sqrt(-1/(d**7*e))*log(245*d**11*e*(-1/(d**7*e))**(3/2)/106 + 351*d**4*sqrt(-1/(d**7*e))/106 + x)/32 - (-7*d*x - 5*e*x**3)/(16*d**5 + 32*d**4*e*x**2 + 16*d**3*e**2*x**4)

$$3.195 \quad \int \frac{(d+ex^2)^{3/2}}{d^2-e^2x^4} dx$$

Optimal. Leaf size=62

$$\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d+ex^2}}\right)}{\sqrt{e}} - \frac{\tanh^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d+ex^2}}\right)}{\sqrt{e}}$$

[Out] $-\operatorname{arctanh}(x*e^{(1/2)}/(e*x^2+d)^{(1/2)})/e^{(1/2)}+\operatorname{arctanh}(x*2^{(1/2)}*e^{(1/2)}/(e*x^2+d)^{(1/2)})*2^{(1/2)}/e^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1150, 402, 217, 206, 377, 208}

$$\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d+ex^2}}\right)}{\sqrt{e}} - \frac{\tanh^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d+ex^2}}\right)}{\sqrt{e}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d + e*x^2)^{(3/2)}/(d^2 - e^2*x^4), x]$

[Out] $-(\operatorname{ArcTanh}[(\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[d + e*x^2]]/\operatorname{Sqrt}[e]) + (\operatorname{Sqrt}[2]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[d + e*x^2]])/\operatorname{Sqrt}[e]$

Rule 206

$\operatorname{Int}[(a_ + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 208

$\operatorname{Int}[(a_ + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b]$

Rule 217

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_ + (b_.)*(x_)^2)], x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(1 - b*x^2), x], x, x/\operatorname{Sqrt}[a + b*x^2]] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \ !\operatorname{GtQ}[a, 0]$

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 402

```
Int[((a_) + (b_.)*(x_)^2)^(p_)/((c_) + (d_.)*(x_)^2), x_Symbol] := Dist[b/
d, Int[(a + b*x^2)^(p - 1), x], x] - Dist[(b*c - a*d)/d, Int[(a + b*x^2)^(p
- 1)/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] &&
GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4])
```

Rule 1150

```
Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := I
nt[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, c, d, e, q}, x]
&& EqQ[c*d^2 + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^{3/2}}{d^2 - e^2x^4} dx &= \int \frac{\sqrt{d + ex^2}}{d - ex^2} dx \\ &= (2d) \int \frac{1}{(d - ex^2)\sqrt{d + ex^2}} dx - \int \frac{1}{\sqrt{d + ex^2}} dx \\ &= (2d) \operatorname{Subst}\left(\int \frac{1}{d - 2dex^2} dx, x, \frac{x}{\sqrt{d + ex^2}}\right) - \operatorname{Subst}\left(\int \frac{1}{1 - ex^2} dx, x, \frac{x}{\sqrt{d + ex^2}}\right) \\ &= -\frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{\sqrt{e}} + \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{\sqrt{e}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 61, normalized size = 0.98

$$\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{e}x}{\sqrt{d+ex^2}}\right) - \log\left(\sqrt{e}\sqrt{d+ex^2} + ex\right)}{\sqrt{e}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^2)^(3/2)/(d^2 - e^2*x^4), x]
```

```
[Out] (Sqrt[2]*ArcTanh[(Sqrt[2]*Sqrt[e]*x)/Sqrt[d + e*x^2]] - Log[e*x + Sqrt[e]*S
qrt[d + e*x^2]])/Sqrt[e]
```

fricas [A] time = 0.74, size = 199, normalized size = 3.21

$$\frac{\sqrt{2} \sqrt{e} \log\left(\frac{17 e^2 x^4 + 14 d e x^2 + d^2 + \frac{4 \sqrt{2} (3 e^2 x^3 + d e x) \sqrt{e x^2 + d}}{\sqrt{e}}}{e^2 x^4 - 2 d e x^2 + d^2}\right) + 2 \sqrt{e} \log\left(-2 e x^2 + 2 \sqrt{e x^2 + d} \sqrt{e} x - d\right) \sqrt{2} e \sqrt{-\frac{1}{e}} \arctan\left(\frac{\sqrt{2} e \sqrt{-\frac{1}{e}} \arctan\left(\frac{1}{4} \sqrt{2} (3 e x^2 + d) \sqrt{e x^2 + d} \sqrt{-\frac{1}{e}} / (e x^3 + d x)\right) - 2 \sqrt{-e} \arctan(\sqrt{-e} x / \sqrt{e x^2 + d})}{e}\right)}{4 e}, -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/(-e^2*x^4+d^2),x, algorithm="fricas")

[Out] [1/4*(sqrt(2)*sqrt(e)*log((17*e^2*x^4 + 14*d*e*x^2 + d^2 + 4*sqrt(2)*(3*e^2*x^3 + d*e*x)*sqrt(e*x^2 + d)/sqrt(e))/(e^2*x^4 - 2*d*e*x^2 + d^2)) + 2*sqrt(e)*log(-2*e*x^2 + 2*sqrt(e*x^2 + d)*sqrt(e)*x - d))/e, -1/2*(sqrt(2)*e*sqrt(-1/e)*arctan(1/4*sqrt(2)*(3*e*x^2 + d)*sqrt(e*x^2 + d)*sqrt(-1/e)/(e*x^3 + d*x)) - 2*sqrt(-e)*arctan(sqrt(-e)*x/sqrt(e*x^2 + d)))/e]

giac [A] time = 0.25, size = 24, normalized size = 0.39

$$\frac{1}{2} e^{\left(-\frac{1}{2}\right)} \log\left(\left(x e^{\frac{1}{2}} - \sqrt{x^2 e + d}\right)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/(-e^2*x^4+d^2),x, algorithm="giac")

[Out] 1/2*e^(-1/2)*log((x*e^(1/2) - sqrt(x^2*e + d))^2)

maple [B] time = 0.06, size = 1442, normalized size = 23.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)/(-e^2*x^4+d^2),x)

[Out] 1/6*e/((-d*e)^(1/2)+(d*e)^(1/2))/(-(-d*e)^(1/2)+(d*e)^(1/2))/(-d*e)^(1/2)*((x-1/e*(-d*e)^(1/2))^2*e+2*(-d*e)^(1/2)*(x-1/e*(-d*e)^(1/2)))^(3/2)+1/4*e/((-d*e)^(1/2)+(d*e)^(1/2))/(-(-d*e)^(1/2)+(d*e)^(1/2))*((x-1/e*(-d*e)^(1/2))^2*e+2*(-d*e)^(1/2)*(x-1/e*(-d*e)^(1/2)))^(1/2)*x+1/4*e^(1/2)/((-d*e)^(1/2)+(d*e)^(1/2))/(-(-d*e)^(1/2)+(d*e)^(1/2))*d*ln(((x-1/e*(-d*e)^(1/2))*e+(-d*e)^(1/2))/e^(1/2)+((x-1/e*(-d*e)^(1/2))^2*e+2*(-d*e)^(1/2)*(x-1/e*(-d*e)^(1/2)))^(1/2))-1/6*e/(d*e)^(1/2)/((-d*e)^(1/2)+(d*e)^(1/2))/(-(-d*e)^(1/2)+(d*e)^(1/2))*((x-(d*e)^(1/2)/e)^2*e+2*(d*e)^(1/2)*(x-(d*e)^(1/2)/e)+2*d)^(3/2)

$$\begin{aligned}
& -1/4*e/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/(-(-d*e)^{(1/2)}+(d*e)^{(1/2)})*((x-(d*e)^{(1/2)})/e)^{2*e+2*(d*e)^{(1/2)}*(x-(d*e)^{(1/2)})/e+2*d}^{(1/2)}*x^{-5/4*e}^{(1/2)}/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/(-(-d*e)^{(1/2)}+(d*e)^{(1/2)})*d*\ln(((x-(d*e)^{(1/2)})/e)*e+(d*e)^{(1/2)})/e^{(1/2)}+((x-(d*e)^{(1/2)})/e)^{2*e+2*(d*e)^{(1/2)}*(x-(d*e)^{(1/2)})/e+2*d}^{(1/2)}-e/(d*e)^{(1/2)}/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/(-(-d*e)^{(1/2)}+(d*e)^{(1/2)})*d*((x-(d*e)^{(1/2)})/e)^{2*e+2*(d*e)^{(1/2)}*(x-(d*e)^{(1/2)})/e+2*d}^{(1/2)}+e/(d*e)^{(1/2)}/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/(-(-d*e)^{(1/2)}+(d*e)^{(1/2)})*d^{(3/2)}*2^{(1/2)}*\ln((4*d+2*(d*e)^{(1/2)}*(x-(d*e)^{(1/2)})/e)+2*2^{(1/2)}*d^{(1/2)}*((x-(d*e)^{(1/2)})/e)^{2*e+2*(d*e)^{(1/2)}*(x-(d*e)^{(1/2)})/e+2*d}^{(1/2)})/(x-(d*e)^{(1/2)})/e)) \\
& -1/6*e/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/(-(-d*e)^{(1/2)}+(d*e)^{(1/2)})/(-d*e)^{(1/2)}*((x+1/e*(-d*e)^{(1/2)})^{2*e-2*(-d*e)^{(1/2)}*(x+1/e*(-d*e)^{(1/2)})}^{(3/2)}+1/4*e/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/(-(-d*e)^{(1/2)}+(d*e)^{(1/2)})*((x+1/e*(-d*e)^{(1/2)})^{2*e-2*(-d*e)^{(1/2)}*(x+1/e*(-d*e)^{(1/2)})}^{(1/2)}*x+1/4*e^{(1/2)}/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/(-(-d*e)^{(1/2)}+(d*e)^{(1/2)})*d*\ln(((x+1/e*(-d*e)^{(1/2)})*e-(-d*e)^{(1/2)})/e^{(1/2)}+((x+1/e*(-d*e)^{(1/2)})^{2*e-2*(-d*e)^{(1/2)}*(x+1/e*(-d*e)^{(1/2)})}^{(1/2)}+1/6*e/(d*e)^{(1/2)}/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/(-(-d*e)^{(1/2)}+(d*e)^{(1/2)})*((x+(d*e)^{(1/2)})/e)^{2*e-2*(d*e)^{(1/2)}*(x+(d*e)^{(1/2)})/e+2*d}^{(3/2)}-1/4*e/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/(-(-d*e)^{(1/2)}+(d*e)^{(1/2)})*((x+(d*e)^{(1/2)})/e)^{2*e-2*(d*e)^{(1/2)}*(x+(d*e)^{(1/2)})/e+2*d}^{(1/2)}*x^{-5/4*e}^{(1/2)}/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/(-(-d*e)^{(1/2)}+(d*e)^{(1/2)})*d*\ln(((x+(d*e)^{(1/2)})/e)*e-(d*e)^{(1/2)})/e^{(1/2)}+((x+(d*e)^{(1/2)})/e)^{2*e-2*(d*e)^{(1/2)}*(x+(d*e)^{(1/2)})/e+2*d}^{(1/2)}+e/(d*e)^{(1/2)}/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/(-(-d*e)^{(1/2)}+(d*e)^{(1/2)})*d*((x+(d*e)^{(1/2)})/e)^{2*e-2*(d*e)^{(1/2)}*(x+(d*e)^{(1/2)})/e+2*d}^{(1/2)}-e/(d*e)^{(1/2)}/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/(-(-d*e)^{(1/2)}+(d*e)^{(1/2)})*d^{(3/2)}*2^{(1/2)}*\ln((4*d-2*(d*e)^{(1/2)}*(x+(d*e)^{(1/2)})/e)+2*2^{(1/2)}*d^{(1/2)}*((x+(d*e)^{(1/2)})/e)^{2*e-2*(d*e)^{(1/2)}*(x+(d*e)^{(1/2)})/e+2*d}^{(1/2)})/(x+(d*e)^{(1/2)})/e))
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{(ex^2 + d)^{\frac{3}{2}}}{e^2x^4 - d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/(-e^2*x^4+d^2),x, algorithm="maxima")

[Out] -integrate((e*x^2 + d)^(3/2)/(e^2*x^4 - d^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(ex^2 + d)^{3/2}}{d^2 - e^2x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^2)^(3/2)/(d^2 - e^2*x^4),x)
```

```
[Out] int((d + e*x^2)^(3/2)/(d^2 - e^2*x^4), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{\sqrt{d+ex^2}}{-d+ex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**(3/2)/(-e**2*x**4+d**2),x)
```

```
[Out] -Integral(sqrt(d + e*x**2)/(-d + e*x**2), x)
```

$$3.196 \quad \int \frac{\sqrt{d+ex^2}}{d^2-e^2x^4} dx$$

Optimal. Leaf size=38

$$\frac{\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d+ex^2}}\right)}{\sqrt{2}d\sqrt{e}}$$

[Out] $1/2*\operatorname{arctanh}(x*2^{(1/2)}*e^{(1/2)}/(e*x^2+d)^{(1/2)})/d*2^{(1/2)}/e^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {1150, 377, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d+ex^2}}\right)}{\sqrt{2}d\sqrt{e}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[d + e*x^2]/(d^2 - e^2*x^4), x]`

[Out] `ArcTanh[(Sqrt[2]*Sqrt[e]*x)/Sqrt[d + e*x^2]]/(Sqrt[2]*d*Sqrt[e])`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 377

`Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]`

Rule 1150

`Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, c, d, e, q}, x] && EqQ[c*d^2 + a*e^2, 0] && IntegerQ[p]`

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{d+ex^2}}{d^2-e^2x^4} dx &= \int \frac{1}{(d-ex^2)\sqrt{d+ex^2}} dx \\ &= \text{Subst} \left(\int \frac{1}{d-2dex^2} dx, x, \frac{x}{\sqrt{d+ex^2}} \right) \\ &= \frac{\tanh^{-1} \left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d+ex^2}} \right)}{\sqrt{2}d\sqrt{e}} \end{aligned}$$

Mathematica [A] time = 0.15, size = 38, normalized size = 1.00

$$\frac{\tanh^{-1} \left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d+ex^2}} \right)}{\sqrt{2}d\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e*x^2]/(d^2 - e^2*x^4), x]

[Out] ArcTanh[(Sqrt[2]*Sqrt[e]*x)/Sqrt[d + e*x^2]]/(Sqrt[2]*d*Sqrt[e])

fricas [A] time = 0.62, size = 138, normalized size = 3.63

$$\left[\frac{\sqrt{2} \log \left(\frac{17e^2x^4 + 14dex^2 + 4\sqrt{2}(3ex^3 + dx)\sqrt{ex^2+d}\sqrt{e+d^2}}{e^2x^4 - 2dex^2 + d^2} \right)}{8d\sqrt{e}}, -\frac{\sqrt{2}\sqrt{-e} \arctan \left(\frac{\sqrt{2}(3ex^2+d)\sqrt{ex^2+d}\sqrt{-e}}{4(e^2x^3+dex)} \right)}{4de} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/(-e^2*x^4+d^2), x, algorithm="fricas")

[Out] [1/8*sqrt(2)*log((17*e^2*x^4 + 14*d*e*x^2 + 4*sqrt(2)*(3*e*x^3 + d*x)*sqrt(e*x^2 + d)*sqrt(e) + d^2)/(e^2*x^4 - 2*d*e*x^2 + d^2))/(d*sqrt(e)), -1/4*sqrt(2)*sqrt(-e)*arctan(1/4*sqrt(2)*(3*e*x^2 + d)*sqrt(e*x^2 + d)*sqrt(-e)/(e^2*x^3 + d*e*x))/(d*e)]

giac [B] time = 0.53, size = 131, normalized size = 3.45

$$\frac{\left(\sqrt{2}i \arctan \left(\frac{e^{\frac{1}{2}}}{\sqrt{-\frac{de+\sqrt{d^2}e}{d}}} \right) e^{\frac{1}{2}} - \sqrt{2}i \arctan \left(\frac{e^{\frac{1}{2}}}{\sqrt{-\frac{de-\sqrt{d^2}e}{d}}} \right) e^{\frac{1}{2}} \right) e^{(-1)\text{sgn}(x)} + \sqrt{2}i \arctan \left(\frac{\sqrt{\frac{d}{x^2}+e}}{\sqrt{-\frac{\text{desgn}(x)+\sqrt{d^2}e}{\text{dsgn}(x)}}}} \right) e^{\left(-\frac{1}{2}\right)}}{4|d| + 2|d||\text{sgn}(x)|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/(-e^2*x^4+d^2),x, algorithm="giac")

[Out]
$$-1/4*(\sqrt{2}*i*\arctan(e^{1/2}/\sqrt{-(d*e + \sqrt{d^2}*e)/d})*e^{1/2} - \sqrt{2}*i*\arctan(e^{1/2}/\sqrt{-(d*e - \sqrt{d^2}*e)/d})*e^{1/2})*e^{-1}*sgn(x)/abs(d) + 1/2*\sqrt{2}*i*\arctan(\sqrt{d/x^2 + e}/\sqrt{-(d*e*sgn(x) + \sqrt{d^2}*e)/(d*sgn(x))})*e^{-1/2}/(abs(d)*abs(sgn(x)))$$

maple [B] time = 0.02, size = 986, normalized size = 25.95

$$\frac{\sqrt{2} \sqrt{d} e \ln \left(\frac{4d+2\sqrt{2} \sqrt{2d+\left(x-\frac{\sqrt{de}}{e}\right)^2} e+2\sqrt{de} \left(x-\frac{\sqrt{de}}{e}\right) \sqrt{d}+2\sqrt{de} \left(x-\frac{\sqrt{de}}{e}\right)}{x-\frac{\sqrt{de}}{e}} \right)}{2\sqrt{de} (\sqrt{-de} + \sqrt{de}) (\sqrt{-de} - \sqrt{de})} + \frac{\sqrt{2} \sqrt{d} e \ln \left(\frac{4d+2\sqrt{2} \sqrt{2d+\left(x+\frac{\sqrt{de}}{e}\right)^2} e-2\sqrt{de} \left(x+\frac{\sqrt{de}}{e}\right) \sqrt{d}+2\sqrt{de} \left(x+\frac{\sqrt{de}}{e}\right)}{x+\frac{\sqrt{de}}{e}} \right)}{2\sqrt{de} (\sqrt{-de} + \sqrt{de}) (\sqrt{-de} - \sqrt{de})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(1/2)/(-e^2*x^4+d^2),x)

[Out]
$$-1/2*e/((-d*e)^{1/2}+(d*e)^{1/2})/((-d*e)^{1/2}-(d*e)^{1/2})/(-d*e)^{1/2}*(x-(-d*e)^{1/2}/e)^2*e+2*(-d*e)^{1/2}*(x-(-d*e)^{1/2}/e)^{1/2}-1/2*e^{1/2}/((-d*e)^{1/2}+(d*e)^{1/2})/((-d*e)^{1/2}-(d*e)^{1/2})*\ln((x-(-d*e)^{1/2}/e)*e+(-d*e)^{1/2})/e^{1/2}+((x-(-d*e)^{1/2}/e)^2*e+2*(-d*e)^{1/2}*(x-(-d*e)^{1/2}/e)^{1/2})+1/2*e/(d*e)^{1/2}/((-d*e)^{1/2}+(d*e)^{1/2})/((-d*e)^{1/2}-(d*e)^{1/2})*(2*d+(x-(d*e)^{1/2}/e)^2*e+2*(d*e)^{1/2}*(x-(d*e)^{1/2}/e))^{1/2}+1/2*e^{1/2}/((-d*e)^{1/2}+(d*e)^{1/2})/((-d*e)^{1/2}-(d*e)^{1/2})*\ln((x-(d*e)^{1/2}/e)*e+(d*e)^{1/2})/e^{1/2}+(2*d+(x-(d*e)^{1/2}/e)^2*e+2*(d*e)^{1/2}*(x-(d*e)^{1/2}/e))^{1/2}-1/2*e/(d*e)^{1/2}/((-d*e)^{1/2}+(d*e)^{1/2})/((-d*e)^{1/2}-(d*e)^{1/2})*d^{1/2}*2^{1/2}*\ln((4*d+2*2^{1/2})*(2*d+(x-(d*e)^{1/2}/e)^2*e+2*(d*e)^{1/2}*(x-(d*e)^{1/2}/e))^{1/2}*d^{1/2}+2*(d*e)^{1/2}*(x-(d*e)^{1/2}/e))/((x-(d*e)^{1/2}/e)/(x-(d*e)^{1/2}/e))+1/2*e/((-d*e)^{1/2}+(d*e)^{1/2})/((-d*e)^{1/2}-(d*e)^{1/2})/(-d*e)^{1/2}*((x+(-d*e)^{1/2}/e)^2*e-2*(-d*e)^{1/2}*(x+(-d*e)^{1/2}/e))^{1/2}-1/2*e^{1/2}/((-d*e)^{1/2}+(d*e)^{1/2})/((-d*e)^{1/2}-(d*e)^{1/2})*\ln((x+(-d*e)^{1/2}/e)*e-(-d*e)^{1/2})/e^{1/2}+((x+(-d*e)^{1/2}/e)^2*e-2*(-d*e)^{1/2}*(x+(-d*e)^{1/2}/e))^{1/2}-1/2*e/(d*e)^{1/2}/((-d*e)^{1/2}+(d*e)^{1/2})/((-d*e)^{1/2}-(d*e)^{1/2})*(2*d+(x+(d*e)^{1/2}/e)^2*e-2*(d*e)^{1/2}*(x+(d*e)^{1/2}/e))^{1/2}+1/2*e^{1/2}/((-d*e)^{1/2}+(d*e)^{1/2})/((-d*e)^{1/2}-(d*e)^{1/2})*\ln((x+(d*e)^{1/2}/e)*e-(d*e)^{1/2})/e^{1/2}+(2*d+(x+(d*e)^{1/2}/e)^2*e-2*(d*e)^{1/2}*(x+(d*e)^{1/2}/e))^{1/2}+1/2*e/(d*e)^{1/2}/((-d*e)^{1/2}+(d*e)^{1/2})/((-d*e)^{1/2}-(d*e)^{1/2})*d^{1/2}*2^{1/2}*\ln((4*d+2*2^{1/2})*(2*d+(x+(d*e)^{1/2}/e)^2*e-2*(d*e)^{1/2}*(x+(d*e)^{1/2}/e))^{1/2}*d^{1/2}-2*(d*e)^{1/2}*(x+(d*e)^{1/2}/e))/((x+(d*e)^{1/2}/e)/e))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{\sqrt{ex^2 + d}}{e^2x^4 - d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/(-e^2*x^4+d^2),x, algorithm="maxima")

[Out] -integrate(sqrt(e*x^2 + d)/(e^2*x^4 - d^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\sqrt{ex^2 + d}}{d^2 - e^2x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(1/2)/(d^2 - e^2*x^4),x)

[Out] int((d + e*x^2)^(1/2)/(d^2 - e^2*x^4), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{1}{-d\sqrt{d + ex^2} + ex^2\sqrt{d + ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(1/2)/(-e**2*x**4+d**2),x)

[Out] -Integral(1/(-d*sqrt(d + e*x**2) + e*x**2*sqrt(d + e*x**2)), x)

$$3.197 \quad \int \frac{1}{\sqrt{d+ex^2} (d^2-e^2x^4)} dx$$

Optimal. Leaf size=61

$$\frac{x}{2d^2\sqrt{d+ex^2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d+ex^2}}\right)}{2\sqrt{2}d^2\sqrt{e}}$$

[Out] $1/4*\operatorname{arctanh}(x*2^{(1/2)}*e^{(1/2)}/(e*x^2+d)^{(1/2)})/d^2*2^{(1/2)}/e^{(1/2)}+1/2*x/d^{2/(e*x^2+d)^{(1/2)}}$

Rubi [A] time = 0.04, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1150, 382, 377, 208}

$$\frac{x}{2d^2\sqrt{d+ex^2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d+ex^2}}\right)}{2\sqrt{2}d^2\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[d + e*x^2]*(d^2 - e^2*x^4)),x]

[Out] $x/(2*d^2*\operatorname{Sqrt}[d + e*x^2]) + \operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[d + e*x^2]]/(2*\operatorname{Sqrt}[2]*d^2*\operatorname{Sqrt}[e])$

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 382

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p+1)*(c + d*x^n)^(q+1))/(a*n*(p+1)*(b*c - a*d)), x] + Dist[(b*c + n*(p+1)*(b*c - a*d))/(a*n*(p+1)*(b*c - a*d)], Int[(a + b*x^n)^(p+1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p+q+2)+1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]

Rule 1150

```
Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, c, d, e, q}, x] && EqQ[c*d^2 + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{d+ex^2} (d^2 - e^2x^4)} dx &= \int \frac{1}{(d-ex^2)(d+ex^2)^{3/2}} dx \\ &= \frac{x}{2d^2\sqrt{d+ex^2}} + \frac{\int \frac{1}{(d-ex^2)\sqrt{d+ex^2}} dx}{2d} \\ &= \frac{x}{2d^2\sqrt{d+ex^2}} + \frac{\text{Subst}\left(\int \frac{1}{d-2dex^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{2d} \\ &= \frac{x}{2d^2\sqrt{d+ex^2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d+ex^2}}\right)}{2\sqrt{2}d^2\sqrt{e}} \end{aligned}$$

Mathematica [A] time = 0.13, size = 108, normalized size = 1.77

$$\frac{\frac{4x}{\sqrt{d+ex^2}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{d}-\sqrt{ex}}{\sqrt{2}\sqrt{d+ex^2}}\right)}{\sqrt{e}} + \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{d}+\sqrt{ex}}{\sqrt{2}\sqrt{d+ex^2}}\right)}{\sqrt{e}}}{8d^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[d + e*x^2]*(d^2 - e^2*x^4)), x]

[Out] ((4*x)/Sqrt[d + e*x^2] - (Sqrt[2]*ArcTanh[(Sqrt[d] - Sqrt[e]*x)/(Sqrt[2]*Sqrt[d + e*x^2])])/Sqrt[e] + (Sqrt[2]*ArcTanh[(Sqrt[d] + Sqrt[e]*x)/(Sqrt[2]*Sqrt[d + e*x^2])])/Sqrt[e])/(8*d^2)

fricas [B] time = 0.61, size = 209, normalized size = 3.43

$$\left[\frac{\sqrt{2}(ex^2 + d)\sqrt{e} \log\left(\frac{17e^2x^4 + 14dex^2 + 4\sqrt{2}(3ex^3 + dx)\sqrt{ex^2 + d}\sqrt{e + d^2}}{e^2x^4 - 2dex^2 + d^2}\right) + 8\sqrt{ex^2 + d}ex}{16(d^2e^2x^2 + d^3e)}, -\frac{\sqrt{2}(ex^2 + d)\sqrt{-e} \arctan\left(\frac{\sqrt{2}(3ex^3 + dx)\sqrt{e + d^2}}{d^2e^2x^2 + d^3e}\right)}{8(d^2e^2x^2 + d^3e)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(1/2)/(-e^2*x^4+d^2),x, algorithm="fricas")

[Out] [1/16*(sqrt(2)*(e*x^2 + d)*sqrt(e)*log((17*e^2*x^4 + 14*d*e*x^2 + 4*sqrt(2)*(3*e*x^3 + d*x)*sqrt(e*x^2 + d)*sqrt(e) + d^2)/(e^2*x^4 - 2*d*e*x^2 + d^2)) + 8*sqrt(e*x^2 + d)*e*x)/(d^2*e^2*x^2 + d^3*e), -1/8*(sqrt(2)*(e*x^2 + d)*sqrt(-e)*arctan(1/4*sqrt(2)*(3*e*x^2 + d)*sqrt(e*x^2 + d)*sqrt(-e)/(e^2*x^3 + d*e*x)) - 4*sqrt(e*x^2 + d)*e*x)/(d^2*e^2*x^2 + d^3*e)]

giac [A] time = 0.33, size = 1, normalized size = 0.02

+∞

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(1/2)/(-e^2*x^4+d^2),x, algorithm="giac")

[Out] +Infinity

maple [B] time = 0.02, size = 441, normalized size = 7.23

$$\frac{\sqrt{2} e \ln \left(\frac{4d+2\sqrt{2} \sqrt{2d+\left(x-\frac{\sqrt{de}}{e}\right)^2} e+2\sqrt{de} \left(x-\frac{\sqrt{de}}{e}\right) \sqrt{d+2\sqrt{de} \left(x-\frac{\sqrt{de}}{e}\right)}}{x-\frac{\sqrt{de}}{e}} \right)}{4\sqrt{de} (\sqrt{-de} + \sqrt{de}) (\sqrt{-de} - \sqrt{de}) \sqrt{d}} + \frac{\sqrt{2} e \ln \left(\frac{4d+2\sqrt{2} \sqrt{2d+\left(x+\frac{\sqrt{de}}{e}\right)^2} e-2\sqrt{de} \left(x+\frac{\sqrt{de}}{e}\right) \sqrt{d-2\sqrt{de} \left(x+\frac{\sqrt{de}}{e}\right)}}{x+\frac{\sqrt{de}}{e}} \right)}{4\sqrt{de} (\sqrt{-de} + \sqrt{de}) (\sqrt{-de} - \sqrt{de}) \sqrt{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)^(1/2)/(-e^2*x^4+d^2),x)

[Out] -1/2/((-d*e)^(1/2)+(d*e)^(1/2))/((-d*e)^(1/2)-(d*e)^(1/2))/d/(x-(-d*e)^(1/2)/e)*((x-(-d*e)^(1/2)/e)^2*e+2*(-d*e)^(1/2)*(x-(-d*e)^(1/2)/e))^(1/2)-1/4*e/(d*e)^(1/2)/((-d*e)^(1/2)+(d*e)^(1/2))/((-d*e)^(1/2)-(d*e)^(1/2))*2^(1/2)/d^(1/2)*ln((4*d+2*2^(1/2)*(2*d+(x-(d*e)^(1/2)/e)^2*e+2*(d*e)^(1/2)*(x-(d*e)^(1/2)/e))^(1/2)*d^(1/2)+2*(d*e)^(1/2)*(x-(d*e)^(1/2)/e))/(x-(d*e)^(1/2)/e)-1/2/((-d*e)^(1/2)+(d*e)^(1/2))/((-d*e)^(1/2)-(d*e)^(1/2))/d/(x+(-d*e)^(1/2)/e)*((x+(-d*e)^(1/2)/e)^2*e-2*(-d*e)^(1/2)*(x+(-d*e)^(1/2)/e))^(1/2)+1/4*e/(d*e)^(1/2)/((-d*e)^(1/2)+(d*e)^(1/2))/((-d*e)^(1/2)-(d*e)^(1/2))*2^(1/2)/d^(1/2)*ln((4*d+2*2^(1/2)*(2*d+(x+(d*e)^(1/2)/e)^2*e-2*(d*e)^(1/2)*(x+(d*e)^(1/2)/e))^(1/2)*d^(1/2)-2*(d*e)^(1/2)*(x+(d*e)^(1/2)/e))/(x+(d*e)^(1/2)/e))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{1}{(e^2x^4 - d^2)\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(1/2)/(-e^2*x^4+d^2),x, algorithm="maxima")

[Out] -integrate(1/((e^2*x^4 - d^2)*sqrt(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{(d^2 - e^2 x^4) \sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d^2 - e^2*x^4)*(d + e*x^2)^(1/2)),x)

[Out] int(1/((d^2 - e^2*x^4)*(d + e*x^2)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{1}{-d^2 \sqrt{d + e x^2} + e^2 x^4 \sqrt{d + e x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)**(1/2)/(-e**2*x**4+d**2),x)

[Out] -Integral(1/(-d**2*sqrt(d + e*x**2) + e**2*x**4*sqrt(d + e*x**2)), x)

$$3.198 \quad \int \frac{1}{(d+ex^2)^{3/2}(d^2-e^2x^4)} dx$$

Optimal. Leaf size=80

$$\frac{7x}{12d^3\sqrt{d+ex^2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d+ex^2}}\right)}{4\sqrt{2}d^3\sqrt{e}} + \frac{x}{6d^2(d+ex^2)^{3/2}}$$

[Out] $1/6*x/d^2/(e*x^2+d)^{(3/2)}+1/8*\operatorname{arctanh}(x*2^{(1/2)}*e^{(1/2)/(e*x^2+d)^{(1/2)})}/d^3*2^{(1/2)}/e^{(1/2)}+7/12*x/d^3/(e*x^2+d)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1150, 414, 527, 12, 377, 208}

$$\frac{7x}{12d^3\sqrt{d+ex^2}} + \frac{x}{6d^2(d+ex^2)^{3/2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d+ex^2}}\right)}{4\sqrt{2}d^3\sqrt{e}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[1/((d + e*x^2)^{(3/2)}*(d^2 - e^2*x^4)), x]$

[Out] $x/(6*d^2*(d + e*x^2)^{(3/2)}) + (7*x)/(12*d^3*\operatorname{Sqrt}[d + e*x^2]) + \operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[d + e*x^2]]/(4*\operatorname{Sqrt}[2]*d^3*\operatorname{Sqrt}[e])$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 208

$\operatorname{Int}[(a_*) + (b_*)(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rule 377

$\operatorname{Int}[(a_*) + (b_*)(x_)^{(n_*)})^{(p_*)}/((c_*) + (d_*)(x_)^{(n_*)}), x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 414

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]

```

Rule 527

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

```

Rule 1150

```

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> I
nt[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, c, d, e, q}, x]
&& EqQ[c*d^2 + a*e^2, 0] && IntegerQ[p]

```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)^{3/2}(d^2-e^2x^4)} dx &= \int \frac{1}{(d-ex^2)(d+ex^2)^{5/2}} dx \\
&= \frac{x}{6d^2(d+ex^2)^{3/2}} - \frac{\int \frac{-5de+2e^2x^2}{(d-ex^2)(d+ex^2)^{3/2}} dx}{6d^2e} \\
&= \frac{x}{6d^2(d+ex^2)^{3/2}} + \frac{7x}{12d^3\sqrt{d+ex^2}} + \frac{\int \frac{3d^2e^2}{(d-ex^2)\sqrt{d+ex^2}} dx}{12d^4e^2} \\
&= \frac{x}{6d^2(d+ex^2)^{3/2}} + \frac{7x}{12d^3\sqrt{d+ex^2}} + \frac{\int \frac{1}{(d-ex^2)\sqrt{d+ex^2}} dx}{4d^2} \\
&= \frac{x}{6d^2(d+ex^2)^{3/2}} + \frac{7x}{12d^3\sqrt{d+ex^2}} + \frac{\text{Subst}\left(\int \frac{1}{d-2dex^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{4d^2} \\
&= \frac{x}{6d^2(d+ex^2)^{3/2}} + \frac{7x}{12d^3\sqrt{d+ex^2}} + \frac{\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{d+ex^2}}\right)}{4\sqrt{2}d^3\sqrt{e}}
\end{aligned}$$

Mathematica [C] time = 3.34, size = 345, normalized size = 4.31

$$\frac{384e^4x^8(d+ex^2)^2 {}_3F_2\left(2,2,2;1,\frac{9}{2};-\frac{2ex^2}{d-ex^2}\right)}{ex^2-d} + \frac{384e^4x^8(4d^2+7dex^2+3e^2x^4) {}_2F_1\left(2,2;\frac{9}{2};-\frac{2ex^2}{d-ex^2}\right)}{ex^2-d} + \frac{35\sqrt{2}\sqrt{\frac{ex^2}{ex^2-d}}(-15d^3-5d^2ex^2+12de^2x^4+8e^3x^6)\left(\sqrt{2}\right)}{2520d^5e^3x^5\sqrt{d+ex^2}\left(1-\frac{e^2x^4}{d^2}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((d + e*x^2)^(3/2)*(d^2 - e^2*x^4)),x]

[Out] ((35*Sqrt[2]*Sqrt[(e*x^2)/(-d + e*x^2)]*(-15*d^3 - 5*d^2*e*x^2 + 12*d*e^2*x^4 + 8*e^3*x^6)*(Sqrt[2]*Sqrt[(e*x^2)/(-d + e*x^2)]*Sqrt[(d + e*x^2)/(d - e*x^2)]*(-3*d^2 - 2*d*e*x^2 + 5*e^2*x^4) + 3*(d + e*x^2)^2*ArcSin[Sqrt[2]*Sqrt[(e*x^2)/(-d + e*x^2)]])/Sqrt[(d + e*x^2)/(d - e*x^2)] + (384*e^4*x^8*(4*d^2 + 7*d*e*x^2 + 3*e^2*x^4)*Hypergeometric2F1[2, 2, 9/2, (-2*e*x^2)/(d - e*x^2)]/(-d + e*x^2) + (384*e^4*x^8*(d + e*x^2)^2*HypergeometricPFQ[{2, 2, 2}, {1, 9/2}, (-2*e*x^2)/(d - e*x^2)]/(-d + e*x^2))/(2520*d^5*e^3*x^5*Sqrt[d + e*x^2]*(1 - (e^2*x^4)/d^2))

fricas [B] time = 0.77, size = 279, normalized size = 3.49

$$\frac{3\sqrt{2}(e^2x^4 + 2dex^2 + d^2)\sqrt{e} \log\left(\frac{17e^2x^4 + 14dex^2 + 4\sqrt{2}(3ex^3 + dx)\sqrt{ex^2 + d}\sqrt{e + d^2}}{e^2x^4 - 2dex^2 + d^2}\right) + 8(7e^2x^3 + 9dex)\sqrt{ex^2 + d}}{96(d^3e^3x^4 + 2d^4e^2x^2 + d^5e)}, - \frac{3\sqrt{2}}{96(d^3e^3x^4 + 2d^4e^2x^2 + d^5e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(3/2)/(-e^2*x^4+d^2),x, algorithm="fricas")

[Out] [1/96*(3*sqrt(2)*(e^2*x^4 + 2*d*e*x^2 + d^2)*sqrt(e)*log((17*e^2*x^4 + 14*d*e*x^2 + 4*sqrt(2)*(3*e*x^3 + d*x)*sqrt(e*x^2 + d)*sqrt(e) + d^2)/(e^2*x^4 - 2*d*e*x^2 + d^2)) + 8*(7*e^2*x^3 + 9*d*e*x)*sqrt(e*x^2 + d))/(d^3*e^3*x^4 + 2*d^4*e^2*x^2 + d^5*e), -1/48*(3*sqrt(2)*(e^2*x^4 + 2*d*e*x^2 + d^2)*sqrt(-e)*arctan(1/4*sqrt(2)*(3*e*x^2 + d)*sqrt(e*x^2 + d)*sqrt(-e)/(e^2*x^3 + d*e*x)) - 4*(7*e^2*x^3 + 9*d*e*x)*sqrt(e*x^2 + d))/(d^3*e^3*x^4 + 2*d^4*e^2*x^2 + d^5*e)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(3/2)/(-e^2*x^4+d^2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:Unable to transpose Error: Bad Argument Value

maple [B] time = 0.03, size = 911, normalized size = 11.39

$$\frac{\sqrt{2} e \ln\left(\frac{4d+2\sqrt{2} \sqrt{2d+\left(x-\frac{\sqrt{de}}{e}\right)^2} e+2\sqrt{de} \left(x-\frac{\sqrt{de}}{e}\right) \sqrt{d}+2\sqrt{de} \left(x-\frac{\sqrt{de}}{e}\right)}{x-\frac{\sqrt{de}}{e}}\right)}{8\sqrt{de} (\sqrt{-de} + \sqrt{de}) (\sqrt{-de} - \sqrt{de}) d^{\frac{3}{2}}} + \frac{\sqrt{2} e \ln\left(\frac{4d+2\sqrt{2} \sqrt{2d+\left(x+\frac{\sqrt{de}}{e}\right)^2} e-2\sqrt{de} \left(x+\frac{\sqrt{de}}{e}\right) \sqrt{d}-2\sqrt{de} \left(x+\frac{\sqrt{de}}{e}\right)}{x+\frac{\sqrt{de}}{e}}\right)}{8\sqrt{de} (\sqrt{-de} + \sqrt{de}) (\sqrt{-de} - \sqrt{de}) d^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)^(3/2)/(-e^2*x^4+d^2),x)

[Out] -1/6/((-d*e)^(1/2)+(d*e)^(1/2))/((-d*e)^(1/2)-(d*e)^(1/2))/d/(x-(-d*e)^(1/2)/e)/((x-(-d*e)^(1/2)/e)^2*e+2*(-d*e)^(1/2)*(x-(-d*e)^(1/2)/e))^(1/2)-1/3*e

$$\frac{((-d*e)^{(1/2)}+(d*e)^{(1/2)})/((-d*e)^{(1/2)}-(d*e)^{(1/2)})/d^2/((x-(-d*e)^{(1/2)})/e)^{2*e+2*(-d*e)^{(1/2)}*(x-(-d*e)^{(1/2)})/e)^{(1/2)}*x+1/4*e/(d*e)^{(1/2)}/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/((-d*e)^{(1/2)}-(d*e)^{(1/2)})/d/(2*d+(x-(d*e)^{(1/2)})/e)^{2*e+2*(d*e)^{(1/2)}*(x-(d*e)^{(1/2)})/e)^{(1/2)}-1/4*e/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/((-d*e)^{(1/2)}-(d*e)^{(1/2)})/d^2/(2*d+(x-(d*e)^{(1/2)})/e)^{2*e+2*(d*e)^{(1/2)}*(x-(d*e)^{(1/2)})/e)^{(1/2)}*x-1/8*e/(d*e)^{(1/2)}/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/((-d*e)^{(1/2)}-(d*e)^{(1/2)})/d^{(3/2)}*2^{(1/2)}*\ln((4*d+2*2^{(1/2)}*(2*d+(x-(d*e)^{(1/2)})/e)^{2*e+2*(d*e)^{(1/2)}*(x-(d*e)^{(1/2)})/e})^{(1/2)}*d^{(1/2)}+2*(d*e)^{(1/2)}*(x-(d*e)^{(1/2)})/e)/((x-(d*e)^{(1/2)})/e)-1/6/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/((-d*e)^{(1/2)}-(d*e)^{(1/2)})/d/(x+(-d*e)^{(1/2)})/e/((x+(-d*e)^{(1/2)})/e)^{2*e-2*(-d*e)^{(1/2)}*(x+(-d*e)^{(1/2)})/e)^{(1/2)}-1/3*e/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/((-d*e)^{(1/2)}-(d*e)^{(1/2)})/d^2/((x+(-d*e)^{(1/2)})/e)^{2*e-2*(-d*e)^{(1/2)}*(x+(-d*e)^{(1/2)})/e)^{(1/2)}*x-1/4*e/(d*e)^{(1/2)}/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/((-d*e)^{(1/2)}-(d*e)^{(1/2)})/d/(2*d+(x+(d*e)^{(1/2)})/e)^{2*e-2*(d*e)^{(1/2)}*(x+(d*e)^{(1/2)})/e)^{(1/2)}-1/4*e/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/((-d*e)^{(1/2)}-(d*e)^{(1/2)})/d^2/(2*d+(x+(d*e)^{(1/2)})/e)^{2*e-2*(d*e)^{(1/2)}*(x+(d*e)^{(1/2)})/e)^{(1/2)}*x+1/8*e/(d*e)^{(1/2)}/((-d*e)^{(1/2)}+(d*e)^{(1/2)})/((-d*e)^{(1/2)}-(d*e)^{(1/2)})/d^{(3/2)}*2^{(1/2)}*\ln((4*d+2*2^{(1/2)}*(2*d+(x+(d*e)^{(1/2)})/e)^{2*e-2*(d*e)^{(1/2)}*(x+(d*e)^{(1/2)})/e})^{(1/2)}*d^{(1/2)}-2*(d*e)^{(1/2)}*(x+(d*e)^{(1/2)})/e)/((x+(d*e)^{(1/2)})/e)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{1}{(e^2x^4 - d^2)(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(3/2)/(-e^2*x^4+d^2),x, algorithm="maxima")

[Out] -integrate(1/((e^2*x^4 - d^2)*(e*x^2 + d)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(d^2 - e^2x^4)(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d^2 - e^2*x^4)*(d + e*x^2)^(3/2)),x)

[Out] int(1/((d^2 - e^2*x^4)*(d + e*x^2)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{1}{-d^3\sqrt{d+ex^2} - d^2ex^2\sqrt{d+ex^2} + de^2x^4\sqrt{d+ex^2} + e^3x^6\sqrt{d+ex^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x**2+d)**(3/2)/(-e**2*x**4+d**2),x)
```

```
[Out] -Integral(1/(-d**3*sqrt(d + e*x**2) - d**2*e*x**2*sqrt(d + e*x**2) + d*e**2*x**4*sqrt(d + e*x**2) + e**3*x**6*sqrt(d + e*x**2)), x)
```


$$3.199 \quad \int \frac{(a+bx^2)^{5/2}}{\sqrt{a^2-b^2x^4}} dx$$

Optimal. Leaf size=153

$$-\frac{9ax(a-bx^2)\sqrt{a+bx^2}}{8\sqrt{a^2-b^2x^4}} - \frac{x(a-bx^2)(a+bx^2)^{3/2}}{4\sqrt{a^2-b^2x^4}} + \frac{19a^2\sqrt{a-bx^2}\sqrt{a+bx^2}\tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a-bx^2}}\right)}{8\sqrt{b}\sqrt{a^2-b^2x^4}}$$

[Out] $-1/4*x*(-b*x^2+a)*(b*x^2+a)^{(3/2)/(-b^2*x^4+a^2)^{(1/2)}-9/8*a*x*(-b*x^2+a)*(b*x^2+a)^{(1/2)/(-b^2*x^4+a^2)^{(1/2)}+19/8*a^2*\arctan(x*b^{(1/2)/(-b*x^2+a)^{(1/2)})*(-b*x^2+a)^{(1/2)*(b*x^2+a)^{(1/2)/b^{(1/2)/(-b^2*x^4+a^2)^{(1/2)}}$

Rubi [A] time = 0.05, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$, Rules used = {1152, 416, 388, 217, 203}

$$-\frac{9ax(a-bx^2)\sqrt{a+bx^2}}{8\sqrt{a^2-b^2x^4}} - \frac{x(a-bx^2)(a+bx^2)^{3/2}}{4\sqrt{a^2-b^2x^4}} + \frac{19a^2\sqrt{a-bx^2}\sqrt{a+bx^2}\tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a-bx^2}}\right)}{8\sqrt{b}\sqrt{a^2-b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)^(5/2)/Sqrt[a^2 - b^2*x^4], x]

[Out] $(-9*a*x*(a-b*x^2)*\text{Sqrt}[a+b*x^2])/(8*\text{Sqrt}[a^2-b^2*x^4]) - (x*(a-b*x^2)*(a+b*x^2)^{(3/2)})/(4*\text{Sqrt}[a^2-b^2*x^4]) + (19*a^2*\text{Sqrt}[a-b*x^2]*\text{Sqrt}[a+b*x^2]*\text{ArcTan}[(\text{Sqrt}[b]*x)/\text{Sqrt}[a-b*x^2]])/(8*\text{Sqrt}[b]*\text{Sqrt}[a^2-b^2*x^4])$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(

$(p + 1) + 1) / (b * (n * (p + 1) + 1))$, Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 416

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(d*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(b*(n*(p + q) + 1)), x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q - 1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

Rule 1152

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] :> Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d + (c*x^2)/e)^FracPart[p]), Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c, d, e, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + bx^2)^{5/2}}{\sqrt{a^2 - b^2x^4}} dx &= \frac{(\sqrt{a - bx^2} \sqrt{a + bx^2}) \int \frac{(a + bx^2)^2}{\sqrt{a - bx^2}} dx}{\sqrt{a^2 - b^2x^4}} \\
 &= -\frac{x(a - bx^2)(a + bx^2)^{3/2}}{4\sqrt{a^2 - b^2x^4}} - \frac{(\sqrt{a - bx^2} \sqrt{a + bx^2}) \int \frac{-5a^2b - 9ab^2x^2}{\sqrt{a - bx^2}} dx}{4b\sqrt{a^2 - b^2x^4}} \\
 &= -\frac{9ax(a - bx^2)\sqrt{a + bx^2}}{8\sqrt{a^2 - b^2x^4}} - \frac{x(a - bx^2)(a + bx^2)^{3/2}}{4\sqrt{a^2 - b^2x^4}} + \frac{(19a^2\sqrt{a - bx^2} \sqrt{a + bx^2}) \int \frac{1}{\sqrt{a - bx^2}} dx}{8\sqrt{a^2 - b^2x^4}} \\
 &= -\frac{9ax(a - bx^2)\sqrt{a + bx^2}}{8\sqrt{a^2 - b^2x^4}} - \frac{x(a - bx^2)(a + bx^2)^{3/2}}{4\sqrt{a^2 - b^2x^4}} + \frac{(19a^2\sqrt{a - bx^2} \sqrt{a + bx^2}) \text{Subst}\left(\int \frac{1}{\sqrt{a - bx^2}} dx\right)}{8\sqrt{a^2 - b^2x^4}} \\
 &= -\frac{9ax(a - bx^2)\sqrt{a + bx^2}}{8\sqrt{a^2 - b^2x^4}} - \frac{x(a - bx^2)(a + bx^2)^{3/2}}{4\sqrt{a^2 - b^2x^4}} + \frac{19a^2\sqrt{a - bx^2} \sqrt{a + bx^2} \tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a - bx^2}}\right)}{8\sqrt{b}\sqrt{a^2 - b^2x^4}}
 \end{aligned}$$

Mathematica [C] time = 0.17, size = 98, normalized size = 0.64

$$-\frac{(11ax + 2bx^3)\sqrt{a^2 - b^2x^4}}{8\sqrt{a + bx^2}} + \frac{19ia^2 \log\left(\frac{2\sqrt{a^2 - b^2x^4}}{\sqrt{a + bx^2}} - 2i\sqrt{b}x\right)}{8\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)^(5/2)/Sqrt[a^2 - b^2*x^4], x]

[Out] -1/8*((11*a*x + 2*b*x^3)*Sqrt[a^2 - b^2*x^4])/Sqrt[a + b*x^2] + (((19*I)/8)*a^2*Log[(-2*I)*Sqrt[b]*x + (2*Sqrt[a^2 - b^2*x^4])/Sqrt[a + b*x^2]])/Sqrt[b]

fricas [A] time = 0.73, size = 251, normalized size = 1.64

$$\left[\frac{19(a^2bx^2 + a^3)\sqrt{-b} \log\left(-\frac{2b^2x^4 + abx^2 - 2\sqrt{-b^2x^4 + a^2}\sqrt{bx^2 + a}\sqrt{-bx - a^2}}{bx^2 + a}\right) + 2\sqrt{-b^2x^4 + a^2}(2b^2x^3 + 11abx)\sqrt{bx^2 + a}}{16(b^2x^2 + ab)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2), x, algorithm="fricas")

[Out] [-1/16*(19*(a^2*b*x^2 + a^3)*sqrt(-b)*log(-(2*b^2*x^4 + a*b*x^2 - 2*sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)*sqrt(-b)*x - a^2)/(b*x^2 + a)) + 2*sqrt(-b^2*x^4 + a^2)*(2*b^2*x^3 + 11*a*b*x)*sqrt(b*x^2 + a))/(b^2*x^2 + a*b), -1/8*(19*(a^2*b*x^2 + a^3)*sqrt(b)*arctan(sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)*sqrt(b)/(b^2*x^3 + a*b*x)) + sqrt(-b^2*x^4 + a^2)*(2*b^2*x^3 + 11*a*b*x)*sqrt(b*x^2 + a))/(b^2*x^2 + a*b)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^2 + a)^{\frac{5}{2}}}{\sqrt{-b^2x^4 + a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2), x, algorithm="giac")

[Out] integrate((b*x^2 + a)^(5/2)/sqrt(-b^2*x^4 + a^2), x)

maple [A] time = 0.07, size = 132, normalized size = 0.86

$$\frac{\sqrt{-b^2x^4 + a^2} \left(2\sqrt{-bx^2 + a} b^{\frac{3}{2}}x^3 - 32a^2 \arctan\left(\frac{\sqrt{b}x}{\sqrt{\frac{(-bx + \sqrt{ab})(bx + \sqrt{ab})}{b}}}\right) + 13a^2 \arctan\left(\frac{\sqrt{b}x}{\sqrt{-bx^2 + a}}\right) + 11\sqrt{-bx^2 + a} \right)}{8\sqrt{bx^2 + a} \sqrt{-bx^2 + a} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2), x)

[Out] -1/8*(-b^2*x^4+a^2)^(1/2)*(2*x^3*b^(3/2)*(-b*x^2+a)^(1/2)+11*(-b*x^2+a)^(1/2)*b^(1/2)*x*a+13*arctan(1/(-b*x^2+a)^(1/2)*b^(1/2)*x)*a^2-32*arctan(b^(1/2)*x/((-b*x+(a*b)^(1/2))/b*(b*x+(a*b)^(1/2))))^(1/2))*a^2/(b*x^2+a)^(1/2)/(-b*x^2+a)^(1/2)/b^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^2 + a)^{\frac{5}{2}}}{\sqrt{-b^2x^4 + a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2), x, algorithm="maxima")

[Out] integrate((b*x^2 + a)^(5/2)/sqrt(-b^2*x^4 + a^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(bx^2 + a)^{5/2}}{\sqrt{a^2 - b^2x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)^(5/2)/(a^2 - b^2*x^4)^(1/2), x)

[Out] int((a + b*x^2)^(5/2)/(a^2 - b^2*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^2)^{\frac{5}{2}}}{\sqrt{-(-a + bx^2)(a + bx^2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)**(5/2)/(-b**2*x**4+a**2)**(1/2),x)

[Out] Integral((a + b*x**2)**(5/2)/sqrt(-(-a + b*x**2)*(a + b*x**2)), x)

$$3.200 \quad \int \frac{(a+bx^2)^{3/2}}{\sqrt{a^2-b^2x^4}} dx$$

Optimal. Leaf size=110

$$\frac{3a\sqrt{a-bx^2}\sqrt{a+bx^2}\tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a-bx^2}}\right)}{2\sqrt{b}\sqrt{a^2-b^2x^4}} - \frac{x(a-bx^2)\sqrt{a+bx^2}}{2\sqrt{a^2-b^2x^4}}$$

[Out] $-1/2*x*(-b*x^2+a)*(b*x^2+a)^{(1/2)/(-b^2*x^4+a^2)^{(1/2)+3/2*a*\arctan(x*b^{(1/2)}/(-b*x^2+a)^{(1/2)))*(-b*x^2+a)^{(1/2)*(b*x^2+a)^{(1/2)/b^{(1/2)/(-b^2*x^4+a^2)^{(1/2)}}$

Rubi [A] time = 0.03, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1152, 388, 217, 203}

$$\frac{3a\sqrt{a-bx^2}\sqrt{a+bx^2}\tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a-bx^2}}\right)}{2\sqrt{b}\sqrt{a^2-b^2x^4}} - \frac{x(a-bx^2)\sqrt{a+bx^2}}{2\sqrt{a^2-b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)^(3/2)/Sqrt[a^2 - b^2*x^4], x]

[Out] $-(x*(a - b*x^2)*\text{Sqrt}[a + b*x^2])/(2*\text{Sqrt}[a^2 - b^2*x^4]) + (3*a*\text{Sqrt}[a - b*x^2]*\text{Sqrt}[a + b*x^2]*\text{ArcTan}[(\text{Sqrt}[b]*x)/\text{Sqrt}[a - b*x^2]])/(2*\text{Sqrt}[b]*\text{Sqrt}[a^2 - b^2*x^4])$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,

$c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[n*(p + 1) + 1, 0]$

Rule 1152

$\text{Int}[(d_ + (e_)*(x_)^2)^{(q_)}*((a_ + (c_)*(x_)^4)^{(p_)}], x_Symbol] \rightarrow \text{Dis}$
 $\text{t}[(a + c*x^4)^{\text{FracPart}[p]} / ((d + e*x^2)^{\text{FracPart}[p]} * (a/d + (c*x^2)/e)^{\text{FracPa}}$
 $\text{rt}[p]), \text{Int}[(d + e*x^2)^{(p + q)} * (a/d + (c*x^2)/e)^p, x], x] /;$ $\text{FreeQ}[\{a, c,$
 $d, e, p, q\}, x] \&\& \text{EqQ}[c*d^2 + a*e^2, 0] \&\& \text{!IntegerQ}[p]$

Rubi steps

$$\int \frac{(a + bx^2)^{3/2}}{\sqrt{a^2 - b^2x^4}} dx = \frac{(\sqrt{a - bx^2} \sqrt{a + bx^2}) \int \frac{a+bx^2}{\sqrt{a-bx^2}} dx}{\sqrt{a^2 - b^2x^4}}$$

$$= -\frac{x(a - bx^2) \sqrt{a + bx^2}}{2\sqrt{a^2 - b^2x^4}} + \frac{(3a\sqrt{a - bx^2} \sqrt{a + bx^2}) \int \frac{1}{\sqrt{a-bx^2}} dx}{2\sqrt{a^2 - b^2x^4}}$$

$$= -\frac{x(a - bx^2) \sqrt{a + bx^2}}{2\sqrt{a^2 - b^2x^4}} + \frac{(3a\sqrt{a - bx^2} \sqrt{a + bx^2}) \text{Subst}\left(\int \frac{1}{1+bx^2} dx, x, \frac{x}{\sqrt{a-bx^2}}\right)}{2\sqrt{a^2 - b^2x^4}}$$

$$= -\frac{x(a - bx^2) \sqrt{a + bx^2}}{2\sqrt{a^2 - b^2x^4}} + \frac{3a\sqrt{a - bx^2} \sqrt{a + bx^2} \tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a-bx^2}}\right)}{2\sqrt{b} \sqrt{a^2 - b^2x^4}}$$

Mathematica [C] time = 0.07, size = 86, normalized size = 0.78

$$-\frac{x\sqrt{a^2 - b^2x^4}}{2\sqrt{a + bx^2}} + \frac{3ia \log\left(\frac{2\sqrt{a^2 - b^2x^4}}{\sqrt{a+bx^2}} - 2i\sqrt{b}x\right)}{2\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)^(3/2)/Sqrt[a^2 - b^2*x^4], x]

[Out] -1/2*(x*Sqrt[a^2 - b^2*x^4])/Sqrt[a + b*x^2] + (((3*I)/2)*a*Log[(-2*I)*Sqrt[b]*x + (2*Sqrt[a^2 - b^2*x^4])/Sqrt[a + b*x^2]])/Sqrt[b]

fricas [A] time = 0.72, size = 223, normalized size = 2.03

$$\left[\frac{2\sqrt{-b^2x^4 + a^2} \sqrt{bx^2 + a} bx + 3(abx^2 + a^2)\sqrt{-b} \log\left(\frac{2b^2x^4 + abx^2 - 2\sqrt{-b^2x^4 + a^2} \sqrt{bx^2 + a} \sqrt{-bx - a^2}}{bx^2 + a}\right)}{4(b^2x^2 + ab)}, \sqrt{-b^2x^4 + a^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="fricas")

[Out] [-1/4*(2*sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)*b*x + 3*(a*b*x^2 + a^2)*sqrt(-b)*log(-(2*b^2*x^4 + a*b*x^2 - 2*sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)*sqrt(-b)*x - a^2)/(b*x^2 + a)))/(b^2*x^2 + a*b), -1/2*(sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)*b*x + 3*(a*b*x^2 + a^2)*sqrt(b)*arctan(sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)*sqrt(b)/(b^2*x^3 + a*b*x)))/(b^2*x^2 + a*b)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^2 + a)^{\frac{3}{2}}}{\sqrt{-b^2x^4 + a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="giac")

[Out] integrate((b*x^2 + a)^(3/2)/sqrt(-b^2*x^4 + a^2), x)

maple [A] time = 0.02, size = 107, normalized size = 0.97

$$\frac{\sqrt{-b^2x^4 + a^2} \left(-4a \arctan \left(\frac{\sqrt{b} x}{\sqrt{\frac{(-bx + \sqrt{ab})(bx + \sqrt{ab})}{b}}} \right) + a \arctan \left(\frac{\sqrt{b} x}{\sqrt{-bx^2 + a}} \right) + \sqrt{-bx^2 + a} \sqrt{b} x \right)}{2\sqrt{bx^2 + a} \sqrt{-bx^2 + a} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x)

[Out] -1/2/(b*x^2+a)^(1/2)*(-b^2*x^4+a^2)^(1/2)*(x*(-b*x^2+a)^(1/2)*b^(1/2)+a*arctan(1/(-b*x^2+a)^(1/2)*b^(1/2)*x)-4*arctan(1/((-b*x+(a*b)^(1/2))*(b*x+(a*b)^(1/2))/b)^(1/2)*b^(1/2)*x)*a)/(-b*x^2+a)^(1/2)/b^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^2 + a)^{\frac{3}{2}}}{\sqrt{-b^2x^4 + a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="maxima")

[Out] integrate((b*x^2 + a)^(3/2)/sqrt(-b^2*x^4 + a^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(bx^2 + a)^{3/2}}{\sqrt{a^2 - b^2x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)^(3/2)/(a^2 - b^2*x^4)^(1/2), x)

[Out] int((a + b*x^2)^(3/2)/(a^2 - b^2*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^2)^{\frac{3}{2}}}{\sqrt{-(-a + bx^2)(a + bx^2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)**(3/2)/(-b**2*x**4+a**2)**(1/2), x)

[Out] Integral((a + b*x**2)**(3/2)/sqrt(-(-a + b*x**2)*(a + b*x**2)), x)

$$3.201 \quad \int \frac{\sqrt{a+bx^2}}{\sqrt{a^2-b^2x^4}} dx$$

Optimal. Leaf size=65

$$\frac{\sqrt{a-bx^2} \sqrt{a+bx^2} \tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a-bx^2}}\right)}{\sqrt{b} \sqrt{a^2-b^2x^4}}$$

[Out] $\arctan(x*b^{(1/2)/(-b*x^2+a)^{(1/2)})*(-b*x^2+a)^{(1/2)}*(b*x^2+a)^{(1/2)}/b^{(1/2)}/(-b^2*x^4+a^2)^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.107$, Rules used = {1152, 217, 203}

$$\frac{\sqrt{a-bx^2} \sqrt{a+bx^2} \tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a-bx^2}}\right)}{\sqrt{b} \sqrt{a^2-b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*x^2]/Sqrt[a^2 - b^2*x^4], x]

[Out] (Sqrt[a - b*x^2]*Sqrt[a + b*x^2]*ArcTan[(Sqrt[b]*x)/Sqrt[a - b*x^2]])/(Sqrt[b]*Sqrt[a^2 - b^2*x^4])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 1152

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d + (c*x^2)/e)^FracPart[p]), Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c, d, e, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+bx^2}}{\sqrt{a^2-b^2x^4}} dx &= \frac{(\sqrt{a-bx^2}\sqrt{a+bx^2}) \int \frac{1}{\sqrt{a-bx^2}} dx}{\sqrt{a^2-b^2x^4}} \\
&= \frac{(\sqrt{a-bx^2}\sqrt{a+bx^2}) \operatorname{Subst}\left(\int \frac{1}{1+bx^2} dx, x, \frac{x}{\sqrt{a-bx^2}}\right)}{\sqrt{a^2-b^2x^4}} \\
&= \frac{\sqrt{a-bx^2}\sqrt{a+bx^2} \tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a-bx^2}}\right)}{\sqrt{b}\sqrt{a^2-b^2x^4}}
\end{aligned}$$

Mathematica [C] time = 0.04, size = 50, normalized size = 0.77

$$\frac{i \log\left(\frac{2\sqrt{a^2-b^2x^4}}{\sqrt{a+bx^2}} - 2i\sqrt{b}x\right)}{\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*x^2]/Sqrt[a^2 - b^2*x^4], x]

[Out] (I*Log[(-2*I)*Sqrt[b]*x + (2*Sqrt[a^2 - b^2*x^4])/Sqrt[a + b*x^2]])/Sqrt[b]

fricas [A] time = 0.85, size = 121, normalized size = 1.86

$$\left[\frac{\sqrt{-b} \log\left(-\frac{2b^2x^4+abx^2-2\sqrt{-b^2x^4+a^2}\sqrt{bx^2+a}\sqrt{-b}x-a^2}{bx^2+a}\right)}{2b}, \frac{\arctan\left(\frac{\sqrt{-b^2x^4+a^2}\sqrt{bx^2+a}\sqrt{b}}{b^2x^3+abx}\right)}{\sqrt{b}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2), x, algorithm="fricas")

[Out] [-1/2*sqrt(-b)*log(-(2*b^2*x^4 + a*b*x^2 - 2*sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)*sqrt(-b)*x - a^2)/(b*x^2 + a))/b, -arctan(sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)*sqrt(b)/(b^2*x^3 + a*b*x))/sqrt(b)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^2+a}}{\sqrt{-b^2x^4+a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*x^2 + a)/sqrt(-b^2*x^4 + a^2), x)

maple [A] time = 0.02, size = 69, normalized size = 1.06

$$\frac{\sqrt{-b^2x^4 + a^2} \arctan\left(\frac{\sqrt{b} x}{\sqrt{\frac{(-bx + \sqrt{ab})(bx + \sqrt{ab})}{b}}}\right)}{\sqrt{bx^2 + a} \sqrt{-bx^2 + a} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2),x)

[Out] 1/(b*x^2+a)^(1/2)*(-b^2*x^4+a^2)^(1/2)*arctan(1/((-b*x+(a*b)^(1/2))*(b*x+(a*b)^(1/2))/b)^(1/2)*b^(1/2)*x)/(-b*x^2+a)^(1/2)/b^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{bx^2 + a}}{\sqrt{-b^2x^4 + a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b*x^2 + a)/sqrt(-b^2*x^4 + a^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{bx^2 + a}}{\sqrt{a^2 - b^2x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2)^(1/2)/(a^2 - b^2*x^4)^(1/2),x)

[Out] int((a + b*x^2)^(1/2)/(a^2 - b^2*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + bx^2}}{\sqrt{-(-a + bx^2)(a + bx^2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**2+a)**(1/2)/(-b**2*x**4+a**2)**(1/2), x)
```

```
[Out] Integral(sqrt(a + b*x**2)/sqrt(-(-a + b*x**2)*(a + b*x**2)), x)
```

$$3.202 \quad \int \frac{1}{\sqrt{a+bx^2} \sqrt{a^2-b^2x^4}} dx$$

Optimal. Leaf size=78

$$\frac{\sqrt{a-bx^2} \sqrt{a+bx^2} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a-bx^2}}\right)}{\sqrt{2}a\sqrt{b}\sqrt{a^2-b^2x^4}}$$

[Out] $1/2*\arctan(x*2^{(1/2)}*b^{(1/2)/(-b*x^2+a)^{(1/2)})*(-b*x^2+a)^{(1/2)}*(b*x^2+a)^{(1/2)}/a*2^{(1/2)}/b^{(1/2)/(-b^2*x^4+a^2)^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.107$, Rules used = {1152, 377, 205}

$$\frac{\sqrt{a-bx^2} \sqrt{a+bx^2} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a-bx^2}}\right)}{\sqrt{2}a\sqrt{b}\sqrt{a^2-b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[a + b*x^2]*Sqrt[a^2 - b^2*x^4]), x]

[Out] (Sqrt[a - b*x^2]*Sqrt[a + b*x^2]*ArcTan[(Sqrt[2]*Sqrt[b]*x)/Sqrt[a - b*x^2]])/(Sqrt[2]*a*Sqrt[b]*Sqrt[a^2 - b^2*x^4])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 1152

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d + (c*x^2)/e)^FracPart[p]), Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c, d, e, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{a+bx^2}\sqrt{a^2-b^2x^4}} dx &= \frac{(\sqrt{a-bx^2}\sqrt{a+bx^2}) \int \frac{1}{\sqrt{a-bx^2}(a+bx^2)} dx}{\sqrt{a^2-b^2x^4}} \\
&= \frac{(\sqrt{a-bx^2}\sqrt{a+bx^2}) \operatorname{Subst}\left(\int \frac{1}{a+2abx^2} dx, x, \frac{x}{\sqrt{a-bx^2}}\right)}{\sqrt{a^2-b^2x^4}} \\
&= \frac{\sqrt{a-bx^2}\sqrt{a+bx^2} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a-bx^2}}\right)}{\sqrt{2}a\sqrt{b}\sqrt{a^2-b^2x^4}}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 78, normalized size = 1.00

$$\frac{\sqrt{a^2-b^2x^4} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a-bx^2}}\right)}{\sqrt{2}a\sqrt{b}\sqrt{a-bx^2}\sqrt{a+bx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[a + b*x^2]*Sqrt[a^2 - b^2*x^4]), x]

[Out] (Sqrt[a^2 - b^2*x^4]*ArcTan[(Sqrt[2]*Sqrt[b]*x)/Sqrt[a - b*x^2]])/(Sqrt[2]*a*Sqrt[b]*Sqrt[a - b*x^2]*Sqrt[a + b*x^2])

fricas [A] time = 0.99, size = 152, normalized size = 1.95

$$\left[\frac{\sqrt{2}\sqrt{-b} \log\left(-\frac{3b^2x^4+2abx^2-2\sqrt{2}\sqrt{-b^2x^4+a^2}\sqrt{bx^2+a}\sqrt{-bx-a^2}}{b^2x^4+2abx^2+a^2}\right)}{4ab}, \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}\sqrt{-b^2x^4+a^2}\sqrt{bx^2+a}\sqrt{b}}{2(b^2x^3+abx)}\right)}{2a\sqrt{b}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2), x, algorithm="fricas")

[Out] [-1/4*sqrt(2)*sqrt(-b)*log(-(3*b^2*x^4 + 2*a*b*x^2 - 2*sqrt(2)*sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)*sqrt(-b)*x - a^2)/(b^2*x^4 + 2*a*b*x^2 + a^2))/(a*b), -1/2*sqrt(2)*arctan(1/2*sqrt(2)*sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)*sqrt(b)/(b^2*x^3 + a*b*x))/(a*sqrt(b))]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-b^2x^4+a^2}\sqrt{bx^2+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2), x, algorithm="giac")

[Out] integrate(1/(sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)), x)

maple [B] time = 0.06, size = 249, normalized size = 3.19

$$\frac{\sqrt{-b^2x^4 + a^2} \left(\sqrt{2} \sqrt{a} \sqrt{b} \ln \left(\frac{2(a - \sqrt{-ab} x + \sqrt{2} \sqrt{-bx^2 + a} \sqrt{a})b}{bx - \sqrt{-ab}} \right) - \sqrt{2} \sqrt{a} \sqrt{b} \ln \left(\frac{2(a + \sqrt{-ab} x + \sqrt{2} \sqrt{-bx^2 + a} \sqrt{a})b}{bx + \sqrt{-ab}} \right) - 2\sqrt{-ab} \right)}{2\sqrt{bx^2 + a} \sqrt{-bx^2 + a} (\sqrt{-ab} + \sqrt{ab})(\sqrt{-ab} - \sqrt{ab})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2), x)

[Out] 1/2*(-b^2*x^4+a^2)^(1/2)*b^(1/2)*(a^(1/2)*2^(1/2)*ln(2*b*(2^(1/2)*a^(1/2)*(-b*x^2+a)^(1/2)-(-a*b)^(1/2)*x+a)/(b*x-(-a*b)^(1/2))) * b^(1/2)-a^(1/2)*2^(1/2)*ln(2*b*(2^(1/2)*a^(1/2)*(-b*x^2+a)^(1/2)+(-a*b)^(1/2)*x+a)/(b*x+(-a*b)^(1/2))) * b^(1/2)-2*(-a*b)^(1/2)*arctan(1/((-b*x+(a*b)^(1/2))*(b*x+(a*b)^(1/2)))/b)^(1/2)*b^(1/2)*x+2*(-a*b)^(1/2)*arctan(1/(-b*x^2+a)^(1/2)*b^(1/2)*x)/(b*x^2+a)^(1/2)/(-b*x^2+a)^(1/2)/((-a*b)^(1/2)+(a*b)^(1/2))/((-a*b)^(1/2)-(a*b)^(1/2))/(-a*b)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-b^2x^4 + a^2} \sqrt{bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2), x, algorithm="maxima")

[Out] integrate(1/(sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{a^2 - b^2x^4} \sqrt{bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a^2 - b^2*x^4)^(1/2)*(a + b*x^2)^(1/2)), x)

[Out] int(1/((a^2 - b^2*x^4)^(1/2)*(a + b*x^2)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-(-a + bx^2)(a + bx^2)} \sqrt{a + bx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**2+a)**(1/2)/(-b**2*x**4+a**2)**(1/2), x)

[Out] Integral(1/(sqrt(-(-a + b*x**2)*(a + b*x**2))*sqrt(a + b*x**2)), x)

$$3.203 \quad \int \frac{1}{(a+bx^2)^{3/2} \sqrt{a^2-b^2x^4}} dx$$

Optimal. Leaf size=125

$$\frac{x(a-bx^2)}{4a^2\sqrt{a+bx^2}\sqrt{a^2-b^2x^4}} + \frac{3\sqrt{a+bx^2}\sqrt{a-bx^2}\tan^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a-bx^2}}\right)}{4\sqrt{2}a^2\sqrt{b}\sqrt{a^2-b^2x^4}}$$

[Out] $1/4*x*(-b*x^2+a)/a^2/(b*x^2+a)^{(1/2)/(-b^2*x^4+a^2)^{(1/2)}+3/8*\arctan(x*2^{(1/2)*b^{(1/2)/(-b*x^2+a)^{(1/2)}}*(-b*x^2+a)^{(1/2)*(b*x^2+a)^{(1/2)/a^2*2^{(1/2)/b^{(1/2)/(-b^2*x^4+a^2)^{(1/2)}}$

Rubi [A] time = 0.05, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1152, 382, 377, 205}

$$\frac{x(a-bx^2)}{4a^2\sqrt{a+bx^2}\sqrt{a^2-b^2x^4}} + \frac{3\sqrt{a+bx^2}\sqrt{a-bx^2}\tan^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a-bx^2}}\right)}{4\sqrt{2}a^2\sqrt{b}\sqrt{a^2-b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^2)^(3/2)*Sqrt[a^2 - b^2*x^4]), x]

[Out] $(x*(a - b*x^2))/(4*a^2*Sqrt[a + b*x^2]*Sqrt[a^2 - b^2*x^4]) + (3*Sqrt[a - b*x^2]*Sqrt[a + b*x^2]*ArcTan[(Sqrt[2]*Sqrt[b]*x)/Sqrt[a - b*x^2]])/(4*Sqrt[2]*a^2*Sqrt[b]*Sqrt[a^2 - b^2*x^4])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 382

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p+1)*(c + d*x^n)^(q+1))/(a*n*(p+1)*(b*c - a*d)), x] + Dist[(b*c + n*(p+1)*(b*c - a*d))/(a*n*(p+1)*(b*c - a*d)), Int[(a + b*x^n)^(p+1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x]

] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]

Rule 1152

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d + (c*x^2)/e)^FracPart[p]), Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c, d, e, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + bx^2)^{3/2} \sqrt{a^2 - b^2x^4}} dx &= \frac{\left(\sqrt{a - bx^2} \sqrt{a + bx^2}\right) \int \frac{1}{\sqrt{a - bx^2} (a + bx^2)^2} dx}{\sqrt{a^2 - b^2x^4}} \\ &= \frac{x(a - bx^2)}{4a^2 \sqrt{a + bx^2} \sqrt{a^2 - b^2x^4}} + \frac{\left(3\sqrt{a - bx^2} \sqrt{a + bx^2}\right) \int \frac{1}{\sqrt{a - bx^2} (a + bx^2)} dx}{4a \sqrt{a^2 - b^2x^4}} \\ &= \frac{x(a - bx^2)}{4a^2 \sqrt{a + bx^2} \sqrt{a^2 - b^2x^4}} + \frac{\left(3\sqrt{a - bx^2} \sqrt{a + bx^2}\right) \text{Subst}\left(\int \frac{1}{a + 2abx^2} dx, x, \frac{x}{\sqrt{a - bx^2}}\right)}{4a \sqrt{a^2 - b^2x^4}} \\ &= \frac{x(a - bx^2)}{4a^2 \sqrt{a + bx^2} \sqrt{a^2 - b^2x^4}} + \frac{3\sqrt{a - bx^2} \sqrt{a + bx^2} \tan^{-1}\left(\frac{\sqrt{2} \sqrt{bx}}{\sqrt{a - bx^2}}\right)}{4\sqrt{2} a^2 \sqrt{b} \sqrt{a^2 - b^2x^4}} \end{aligned}$$

Mathematica [A] time = 0.08, size = 111, normalized size = 0.89

$$\frac{\sqrt{a^2 - b^2x^4} \left(2\sqrt{b} x \sqrt{a - bx^2} + 3\sqrt{2} (a + bx^2) \tan^{-1}\left(\frac{\sqrt{2} \sqrt{bx}}{\sqrt{a - bx^2}}\right)\right)}{8a^2 \sqrt{b} \sqrt{a - bx^2} (a + bx^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^2)^(3/2)*Sqrt[a^2 - b^2*x^4]), x]

[Out] (Sqrt[a^2 - b^2*x^4]*(2*Sqrt[b]*x*Sqrt[a - b*x^2] + 3*Sqrt[2]*(a + b*x^2)*ArcTan[(Sqrt[2]*Sqrt[b]*x)/Sqrt[a - b*x^2]]))/(8*a^2*Sqrt[b]*Sqrt[a - b*x^2]*(a + b*x^2)^(3/2))

fricas [A] time = 0.91, size = 297, normalized size = 2.38

$$\left[\frac{4 \sqrt{-b^2 x^4 + a^2} \sqrt{b x^2 + a} b x - 3 \sqrt{2} (b^2 x^4 + 2 a b x^2 + a^2) \sqrt{-b} \log \left(-\frac{3 b^2 x^4 + 2 a b x^2 - 2 \sqrt{2} \sqrt{-b^2 x^4 + a^2} \sqrt{b x^2 + a} \sqrt{-b} x - a^2}{b^2 x^4 + 2 a b x^2 + a^2} \right)}{16 (a^2 b^3 x^4 + 2 a^3 b^2 x^2 + a^4 b)}, 2 \sqrt{-b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="fricas")

[Out] [1/16*(4*sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)*b*x - 3*sqrt(2)*(b^2*x^4 + 2*a*b*x^2 + a^2)*sqrt(-b)*log(-(3*b^2*x^4 + 2*a*b*x^2 - 2*sqrt(2)*sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)*sqrt(-b)*x - a^2)/(b^2*x^4 + 2*a*b*x^2 + a^2)))/(a^2*b^3*x^4 + 2*a^3*b^2*x^2 + a^4*b), 1/8*(2*sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)*b*x - 3*sqrt(2)*(b^2*x^4 + 2*a*b*x^2 + a^2)*sqrt(b)*arctan(1/2*sqrt(2)*sqrt(-b^2*x^4 + a^2)*sqrt(b*x^2 + a)*sqrt(b)/(b^2*x^3 + a*b*x)))/(a^2*b^3*x^4 + 2*a^3*b^2*x^2 + a^4*b)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-b^2 x^4 + a^2} (b x^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-b^2*x^4 + a^2)*(b*x^2 + a)^(3/2)), x)

maple [B] time = 0.06, size = 488, normalized size = 3.90

$$\sqrt{-b^2 x^4 + a^2} \left(3 \sqrt{2} \sqrt{a} b^{\frac{3}{2}} x^2 \ln \left(\frac{2(a - \sqrt{-ab} x + \sqrt{2} \sqrt{-b x^2 + a} \sqrt{a}) b}{b x - \sqrt{-ab}} \right) - 3 \sqrt{2} \sqrt{a} b^{\frac{3}{2}} x^2 \ln \left(\frac{2(a + \sqrt{-ab} x + \sqrt{2} \sqrt{-b x^2 + a} \sqrt{a}) b}{b x + \sqrt{-ab}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x)

[Out] -1/4*(-b^2*x^4+a^2)^(1/2)*b^(5/2)*(3*2^(1/2)*ln(2*(a-(-a*b)^(1/2)*x+2^(1/2)*(-b*x^2+a)^(1/2)*a^(1/2))/(b*x-(-a*b)^(1/2))*b)*x^2*b^(3/2)*a^(1/2)-3*2^(1/2)*ln(2*(a+(-a*b)^(1/2)*x+2^(1/2)*(-b*x^2+a)^(1/2)*a^(1/2))/(b*x+(-a*b)^(1/2))

$$\frac{1}{2}) * b) * x^2 * b^{(3/2)} * a^{(1/2)} + 3 * 2^{(1/2)} * \ln(2 * (a - (-a * b)^{(1/2)} * x + 2^{(1/2)} * (-b * x^2 + a)^{(1/2)} * a^{(1/2)}) / (b * x - (-a * b)^{(1/2)}) * b) * a^{(3/2)} * b^{(1/2)} - 3 * 2^{(1/2)} * \ln(2 * (a + (-a * b)^{(1/2)} * x + 2^{(1/2)} * (-b * x^2 + a)^{(1/2)} * a^{(1/2)}) / (b * x + (-a * b)^{(1/2)}) * b) * a^{(3/2)} * b^{(1/2)} + 4 * \arctan(1 / (-b * x^2 + a)^{(1/2)} * b^{(1/2)} * x) * x^2 * b * (-a * b)^{(1/2)} - 4 * \arctan(1 / ((-b * x + (a * b)^{(1/2)}) * (b * x + (a * b)^{(1/2)})) / b)^{(1/2)} * b^{(1/2)} * x) * x^2 * b * (-a * b)^{(1/2)} - 4 * b^{(1/2)} * (-a * b)^{(1/2)} * (-b * x^2 + a)^{(1/2)} * x + 4 * \arctan(1 / (-b * x^2 + a)^{(1/2)} * b^{(1/2)} * x) * a * (-a * b)^{(1/2)} - 4 * \arctan(1 / ((-b * x + (a * b)^{(1/2)}) * (b * x + (a * b)^{(1/2)})) / b)^{(1/2)} * b^{(1/2)} * x) * a * (-a * b)^{(1/2)} / (b * x^2 + a)^{(1/2)} / (-b * x^2 + a)^{(1/2)} / ((-a * b)^{(1/2)} + (a * b)^{(1/2)})^2 / ((-a * b)^{(1/2)} - (a * b)^{(1/2)})^2 / (-a * b)^{(1/2)} / (b * x + (-a * b)^{(1/2)}) / (b * x - (-a * b)^{(1/2)})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-b^2 x^4 + a^2} (bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-b^2*x^4 + a^2)*(b*x^2 + a)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{a^2 - b^2 x^4} (bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a^2 - b^2*x^4)^(1/2)*(a + b*x^2)^(3/2)),x)

[Out] int(1/((a^2 - b^2*x^4)^(1/2)*(a + b*x^2)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-(-a + bx^2)(a + bx^2)} (a + bx^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**2+a)**(3/2)/(-b**2*x**4+a**2)**(1/2),x)

[Out] Integral(1/(sqrt(-(-a + b*x**2)*(a + b*x**2))*(a + b*x**2)**(3/2)), x)

$$3.204 \quad \int \frac{1}{(a+bx^2)^{5/2} \sqrt{a^2-b^2x^4}} dx$$

Optimal. Leaf size=168

$$\frac{x(a-bx^2)}{8a^2(a+bx^2)^{3/2}\sqrt{a^2-b^2x^4}} + \frac{9x(a-bx^2)}{32a^3\sqrt{a+bx^2}\sqrt{a^2-b^2x^4}} + \frac{19\sqrt{a+bx^2}\sqrt{a-bx^2}\tan^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a-bx^2}}\right)}{32\sqrt{2}a^3\sqrt{b}\sqrt{a^2-b^2x^4}}$$

[Out] 1/8*x*(-b*x^2+a)/a^2/(b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2)+9/32*x*(-b*x^2+a)/a^3/(b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2)+19/64*arctan(x*2^(1/2)*b^(1/2)/(-b*x^2+a)^(1/2))*(-b*x^2+a)^(1/2)*(b*x^2+a)^(1/2)/a^3*2^(1/2)/b^(1/2)/(-b^2*x^4+a^2)^(1/2)

Rubi [A] time = 0.09, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {1152, 414, 527, 12, 377, 205}

$$\frac{9x(a-bx^2)}{32a^3\sqrt{a+bx^2}\sqrt{a^2-b^2x^4}} + \frac{x(a-bx^2)}{8a^2(a+bx^2)^{3/2}\sqrt{a^2-b^2x^4}} + \frac{19\sqrt{a+bx^2}\sqrt{a-bx^2}\tan^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a-bx^2}}\right)}{32\sqrt{2}a^3\sqrt{b}\sqrt{a^2-b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*x^2)^(5/2)*Sqrt[a^2 - b^2*x^4]), x]

[Out] (x*(a - b*x^2))/(8*a^2*(a + b*x^2)^(3/2)*Sqrt[a^2 - b^2*x^4]) + (9*x*(a - b*x^2))/(32*a^3*Sqrt[a + b*x^2]*Sqrt[a^2 - b^2*x^4]) + (19*Sqrt[a - b*x^2]*Sqrt[a + b*x^2]*ArcTan[(Sqrt[2]*Sqrt[b]*x)/Sqrt[a - b*x^2]])/(32*Sqrt[2]*a^3*Sqrt[b]*Sqrt[a^2 - b^2*x^4])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b,

, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 414

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && !(IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c, d, n, p, q, x]

Rule 527

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

Rule 1152

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] :> Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d + (c*x^2)/e)^FracPart[p]), Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c, d, e, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a+bx^2)^{5/2} \sqrt{a^2-b^2x^4}} dx &= \frac{(\sqrt{a-bx^2} \sqrt{a+bx^2}) \int \frac{1}{\sqrt{a-bx^2} (a+bx^2)^3} dx}{\sqrt{a^2-b^2x^4}} \\
&= \frac{x(a-bx^2)}{8a^2(a+bx^2)^{3/2} \sqrt{a^2-b^2x^4}} - \frac{(\sqrt{a-bx^2} \sqrt{a+bx^2}) \int \frac{-7ab+2b^2x^2}{\sqrt{a-bx^2} (a+bx^2)^2} dx}{8a^2b \sqrt{a^2-b^2x^4}} \\
&= \frac{x(a-bx^2)}{8a^2(a+bx^2)^{3/2} \sqrt{a^2-b^2x^4}} + \frac{9x(a-bx^2)}{32a^3 \sqrt{a+bx^2} \sqrt{a^2-b^2x^4}} + \frac{(\sqrt{a-bx^2} \sqrt{a+bx^2})}{32a^4 b^2 \sqrt{a^2-b^2x^4}} \\
&= \frac{x(a-bx^2)}{8a^2(a+bx^2)^{3/2} \sqrt{a^2-b^2x^4}} + \frac{9x(a-bx^2)}{32a^3 \sqrt{a+bx^2} \sqrt{a^2-b^2x^4}} + \frac{(19\sqrt{a-bx^2} \sqrt{a+bx^2})}{32a^2 \sqrt{a^2-b^2x^4}} \\
&= \frac{x(a-bx^2)}{8a^2(a+bx^2)^{3/2} \sqrt{a^2-b^2x^4}} + \frac{9x(a-bx^2)}{32a^3 \sqrt{a+bx^2} \sqrt{a^2-b^2x^4}} + \frac{(19\sqrt{a-bx^2} \sqrt{a+bx^2})}{32a^2 \sqrt{a^2-b^2x^4}} \\
&= \frac{x(a-bx^2)}{8a^2(a+bx^2)^{3/2} \sqrt{a^2-b^2x^4}} + \frac{9x(a-bx^2)}{32a^3 \sqrt{a+bx^2} \sqrt{a^2-b^2x^4}} + \frac{19\sqrt{a-bx^2} \sqrt{a+bx^2}}{32\sqrt{2} a^3 \sqrt{b}}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 123, normalized size = 0.73

$$\frac{\sqrt{a^2-b^2x^4} \left(2\sqrt{b} x \sqrt{a-bx^2} (13a+9bx^2) + 19\sqrt{2} (a+bx^2)^2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt{bx}}{\sqrt{a-bx^2}} \right) \right)}{64a^3 \sqrt{b} \sqrt{a-bx^2} (a+bx^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b*x^2)^(5/2)*Sqrt[a^2 - b^2*x^4]), x]

[Out] (Sqrt[a^2 - b^2*x^4]*(2*Sqrt[b]*x*Sqrt[a - b*x^2]*(13*a + 9*b*x^2) + 19*Sqrt[2]*(a + b*x^2)^2*ArcTan[(Sqrt[2]*Sqrt[b]*x)/Sqrt[a - b*x^2]]))/(64*a^3*Sqrt[b]*Sqrt[a - b*x^2]*(a + b*x^2)^(5/2))

fricas [A] time = 0.93, size = 365, normalized size = 2.17

$$\left[\frac{19\sqrt{2}(b^3x^6 + 3ab^2x^4 + 3a^2bx^2 + a^3)\sqrt{-b} \log\left(-\frac{3b^2x^4 + 2abx^2 - 2\sqrt{2}\sqrt{-b^2x^4 + a^2}\sqrt{bx^2 + a}\sqrt{-bx - a^2}}{b^2x^4 + 2abx^2 + a^2}\right) - 4\sqrt{-b^2x^4 + a^2}(9a^3b^4x^6 + 3a^4b^3x^4 + 3a^5b^2x^2 + a^6b)}{128(a^3b^4x^6 + 3a^4b^3x^4 + 3a^5b^2x^2 + a^6b)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/128*(19*\sqrt{2}*(b^3*x^6 + 3*a*b^2*x^4 + 3*a^2*b*x^2 + a^3)*\sqrt{-b})* \\ & \log(-(3*b^2*x^4 + 2*a*b*x^2 - 2*\sqrt{2})*\sqrt{-b^2*x^4 + a^2}*\sqrt{b*x^2 + a}* \\ & \sqrt{-b}*x - a^2)/(b^2*x^4 + 2*a*b*x^2 + a^2)) - 4*\sqrt{-b^2*x^4 + a^2}*(9* \\ & b^2*x^3 + 13*a*b*x)*\sqrt{b*x^2 + a}]/(a^3*b^4*x^6 + 3*a^4*b^3*x^4 + 3*a^5*b^2*x^2 + a^6*b), \\ & -1/64*(19*\sqrt{2}*(b^3*x^6 + 3*a*b^2*x^4 + 3*a^2*b*x^2 + a^3)*\sqrt{b}* \\ & \arctan(1/2*\sqrt{2})*\sqrt{-b^2*x^4 + a^2}*\sqrt{b*x^2 + a}*\sqrt{b} \\ & / (b^2*x^3 + a*b*x)) - 2*\sqrt{-b^2*x^4 + a^2}*(9*b^2*x^3 + 13*a*b*x)*\sqrt{b* \\ & x^2 + a}]/(a^3*b^4*x^6 + 3*a^4*b^3*x^4 + 3*a^5*b^2*x^2 + a^6*b)] \end{aligned}$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-b^2x^4 + a^2} (bx^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-b^2*x^4 + a^2)*(b*x^2 + a)^(5/2)), x)

maple [B] time = 0.06, size = 711, normalized size = 4.23

$$\sqrt{-b^2x^4 + a^2} \left(19\sqrt{2} \sqrt{a} b^{\frac{5}{2}} x^4 \ln \left(\frac{2(a - \sqrt{-ab} x + \sqrt{2} \sqrt{-bx^2 + a} \sqrt{a}) b}{bx - \sqrt{-ab}} \right) - 19\sqrt{2} \sqrt{a} b^{\frac{5}{2}} x^4 \ln \left(\frac{2(a + \sqrt{-ab} x + \sqrt{2} \sqrt{-bx^2 + a} \sqrt{a})}{bx + \sqrt{-ab}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2),x)

[Out]
$$\begin{aligned} & -1/16*(-b^2*x^4+a^2)^(1/2)*b^(9/2)*(19*2^(1/2)*\ln(2*(a-(-a*b)^(1/2)*x+2^(1/2) \\ & 2)*(-b*x^2+a)^(1/2)*a^(1/2))/(b*x-(-a*b)^(1/2))*b*x^4*b^(5/2)*a^(1/2)-19*2 \\ & ^{(1/2)*\ln(2*(a+(-a*b)^(1/2)*x+2^(1/2)*(-b*x^2+a)^(1/2)*a^(1/2))/(b*x+(-a*b) \\ & ^{(1/2))*b)*x^4*b^(5/2)*a^(1/2)+38*2^(1/2)*\ln(2*(a-(-a*b)^(1/2)*x+2^(1/2)*(- \\ & b*x^2+a)^(1/2)*a^(1/2))/(b*x-(-a*b)^(1/2))*b)*x^2*a^(3/2)*b^(3/2)-38*2^(1/2) \\ &)*\ln(2*(a+(-a*b)^(1/2)*x+2^(1/2)*(-b*x^2+a)^(1/2)*a^(1/2))/(b*x+(-a*b)^(1/2) \\ &))*b)*x^2*a^(3/2)*b^(3/2)+16*\arctan(1/(-b*x^2+a)^(1/2)*b^(1/2)*x)*x^4*b^2*(\\ & -a*b)^(1/2)-16*\arctan(1/((-b*x+(a*b)^(1/2))*b*x+(a*b)^(1/2))/b)^(1/2)*b^(1 \\ & /2)*x)*x^4*b^2*(-a*b)^(1/2)-36*b^(3/2)*(-a*b)^(1/2)*(-b*x^2+a)^(1/2)*x^3+19 \\ & *2^(1/2)*\ln(2*(a-(-a*b)^(1/2)*x+2^(1/2)*(-b*x^2+a)^(1/2)*a^(1/2))/(b*x-(-a* \end{aligned}$$

$b^{1/2}) * b) * a^{5/2} * b^{1/2} - 19 * 2^{1/2} * \ln(2 * (a + (-a * b)^{1/2} * x + 2^{1/2}) * (-b * x^2 + a)^{1/2} * a^{1/2}) / (b * x + (-a * b)^{1/2}) * b) * a^{5/2} * b^{1/2} + 32 * \arctan(1 / (-b * x^2 + a)^{1/2} * b^{1/2} * x) * x^2 * a * b * (-a * b)^{1/2} - 32 * \arctan(1 / ((-b * x + (a * b)^{1/2}) * (b * x + (a * b)^{1/2})) / b)^{1/2} * b^{1/2} * x) * x^2 * a * b * (-a * b)^{1/2} - 52 * a * (-a * b)^{1/2} * b^{1/2} * (-b * x^2 + a)^{1/2} * x + 16 * \arctan(1 / (-b * x^2 + a)^{1/2} * b^{1/2} * x) * a^2 * (-a * b)^{1/2} - 16 * \arctan(1 / ((-b * x + (a * b)^{1/2}) * (b * x + (a * b)^{1/2})) / b)^{1/2} * b^{1/2} * x) * a^2 * (-a * b)^{1/2}) / (b * x^2 + a)^{1/2} / (-b * x^2 + a)^{1/2} / (-a * b)^{1/2} / ((-a * b)^{1/2} + (a * b)^{1/2})^3 / (-(-a * b)^{1/2} + (a * b)^{1/2})^3 / (b * x + (-a * b)^{1/2})^2 / (b * x - (-a * b)^{1/2})^2$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-b^2 x^4 + a^2} (b x^2 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-b^2*x^4 + a^2)*(b*x^2 + a)^(5/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{a^2 - b^2 x^4} (b x^2 + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a^2 - b^2*x^4)^(1/2)*(a + b*x^2)^(5/2)),x)

[Out] int(1/((a^2 - b^2*x^4)^(1/2)*(a + b*x^2)^(5/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-(-a + b x^2) (a + b x^2)} (a + b x^2)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(b*x**2+a)**(5/2)/(-b**2*x**4+a**2)**(1/2),x)

[Out] Integral(1/(sqrt(-(-a + b*x**2)*(a + b*x**2))*(a + b*x**2)**(5/2)), x)

$$3.205 \quad \int \frac{(a-bx^2)^{5/2}}{\sqrt{a^2-b^2x^4}} dx$$

Optimal. Leaf size=152

$$-\frac{9ax\sqrt{a-bx^2}(a+bx^2)}{8\sqrt{a^2-b^2x^4}} - \frac{x(a-bx^2)^{3/2}(a+bx^2)}{4\sqrt{a^2-b^2x^4}} + \frac{19a^2\sqrt{a-bx^2}\sqrt{a+bx^2}\tanh^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a+bx^2}}\right)}{8\sqrt{b}\sqrt{a^2-b^2x^4}}$$

[Out] $-1/4*x*(-b*x^2+a)^{(3/2)}*(b*x^2+a)/(-b^2*x^4+a^2)^{(1/2)}-9/8*a*x*(b*x^2+a)*(-b*x^2+a)^{(1/2)}/(-b^2*x^4+a^2)^{(1/2)}+19/8*a^2*\operatorname{arctanh}(x*b^{(1/2)}/(b*x^2+a)^{(1/2)})*(-b*x^2+a)^{(1/2)}*(b*x^2+a)^{(1/2)}/b^{(1/2)}/(-b^2*x^4+a^2)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1152, 416, 388, 217, 206}

$$-\frac{9ax\sqrt{a-bx^2}(a+bx^2)}{8\sqrt{a^2-b^2x^4}} - \frac{x(a-bx^2)^{3/2}(a+bx^2)}{4\sqrt{a^2-b^2x^4}} + \frac{19a^2\sqrt{a-bx^2}\sqrt{a+bx^2}\tanh^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a+bx^2}}\right)}{8\sqrt{b}\sqrt{a^2-b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^2)^(5/2)/Sqrt[a^2 - b^2*x^4], x]

[Out] $(-9*a*x*\operatorname{Sqrt}[a - b*x^2]*(a + b*x^2))/(8*\operatorname{Sqrt}[a^2 - b^2*x^4]) - (x*(a - b*x^2)^{(3/2)}*(a + b*x^2))/(4*\operatorname{Sqrt}[a^2 - b^2*x^4]) + (19*a^2*\operatorname{Sqrt}[a - b*x^2]*\operatorname{Sqrt}[a + b*x^2]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x)/\operatorname{Sqrt}[a + b*x^2]])/(8*\operatorname{Sqrt}[b]*\operatorname{Sqrt}[a^2 - b^2*x^4])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(

$(p + 1) + 1) / (b * (n * (p + 1) + 1))$, Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 416

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(d*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(b*(n*(p + q) + 1)), x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q - 1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

Rule 1152

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d + (c*x^2)/e)^FracPart[p]), Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c, d, e, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{(a - bx^2)^{5/2}}{\sqrt{a^2 - b^2x^4}} dx &= \frac{\left(\sqrt{a - bx^2} \sqrt{a + bx^2}\right) \int \frac{(a - bx^2)^2}{\sqrt{a + bx^2}} dx}{\sqrt{a^2 - b^2x^4}} \\ &= -\frac{x(a - bx^2)^{3/2}(a + bx^2)}{4\sqrt{a^2 - b^2x^4}} + \frac{\left(\sqrt{a - bx^2} \sqrt{a + bx^2}\right) \int \frac{5a^2b - 9ab^2x^2}{\sqrt{a + bx^2}} dx}{4b\sqrt{a^2 - b^2x^4}} \\ &= -\frac{9ax\sqrt{a - bx^2}(a + bx^2)}{8\sqrt{a^2 - b^2x^4}} - \frac{x(a - bx^2)^{3/2}(a + bx^2)}{4\sqrt{a^2 - b^2x^4}} + \frac{\left(19a^2\sqrt{a - bx^2} \sqrt{a + bx^2}\right) \int \frac{1}{\sqrt{a + bx^2}} dx}{8\sqrt{a^2 - b^2x^4}} \\ &= -\frac{9ax\sqrt{a - bx^2}(a + bx^2)}{8\sqrt{a^2 - b^2x^4}} - \frac{x(a - bx^2)^{3/2}(a + bx^2)}{4\sqrt{a^2 - b^2x^4}} + \frac{\left(19a^2\sqrt{a - bx^2} \sqrt{a + bx^2}\right) \text{Subst}\left(\int \frac{1}{\sqrt{a + bx^2}} dx\right)}{8\sqrt{a^2 - b^2x^4}} \\ &= -\frac{9ax\sqrt{a - bx^2}(a + bx^2)}{8\sqrt{a^2 - b^2x^4}} - \frac{x(a - bx^2)^{3/2}(a + bx^2)}{4\sqrt{a^2 - b^2x^4}} + \frac{19a^2\sqrt{a - bx^2} \sqrt{a + bx^2} \tanh^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a + bx^2}}\right)}{8\sqrt{b}\sqrt{a^2 - b^2x^4}} \end{aligned}$$

Mathematica [A] time = 0.20, size = 123, normalized size = 0.81

$$\frac{1}{8} \left(\frac{x(2bx^2 - 11a) \sqrt{a^2 - b^2x^4}}{\sqrt{a - bx^2}} + \frac{19a^2 \log\left(\sqrt{b} \sqrt{a - bx^2} \sqrt{a^2 - b^2x^4} + abx - b^2x^3\right)}{\sqrt{b}} - \frac{19a^2 \log(bx^2 - a)}{\sqrt{b}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^2)^(5/2)/Sqrt[a^2 - b^2*x^4], x]

[Out] ((x*(-11*a + 2*b*x^2)*Sqrt[a^2 - b^2*x^4])/Sqrt[a - b*x^2] - (19*a^2*Log[-a + b*x^2])/Sqrt[b] + (19*a^2*Log[a*b*x - b^2*x^3 + Sqrt[b]*Sqrt[a - b*x^2]*Sqrt[a^2 - b^2*x^4]])/Sqrt[b])/8

fricas [A] time = 0.95, size = 265, normalized size = 1.74

$$\frac{19(a^2bx^2 - a^3)\sqrt{b} \log\left(\frac{2b^2x^4 - abx^2 - 2\sqrt{-b^2x^4 + a^2}\sqrt{-bx^2 + a}\sqrt{bx - a^2}}{bx^2 - a}\right) - 2\sqrt{-b^2x^4 + a^2}(2b^2x^3 - 11abx)\sqrt{-bx^2 + a}}{16(b^2x^2 - ab)},$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2), x, algorithm="fricas")

[Out] [1/16*(19*(a^2*b*x^2 - a^3)*sqrt(b)*log((2*b^2*x^4 - a*b*x^2 - 2*sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*sqrt(b)*x - a^2)/(b*x^2 - a)) - 2*sqrt(-b^2*x^4 + a^2)*(2*b^2*x^3 - 11*a*b*x)*sqrt(-b*x^2 + a))/(b^2*x^2 - a*b), 1/8*(19*(a^2*b*x^2 - a^3)*sqrt(-b)*arctan(sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*sqrt(-b)/(b^2*x^3 - a*b*x)) - sqrt(-b^2*x^4 + a^2)*(2*b^2*x^3 - 11*a*b*x)*sqrt(-b*x^2 + a))/(b^2*x^2 - a*b)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-bx^2 + a)^{\frac{5}{2}}}{\sqrt{-b^2x^4 + a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2), x, algorithm="giac")

[Out] integrate((-b*x^2 + a)^(5/2)/sqrt(-b^2*x^4 + a^2), x)

maple [A] time = 0.02, size = 105, normalized size = 0.69

$$\frac{\sqrt{-bx^2 + a} \sqrt{-b^2x^4 + a^2} \left(2\sqrt{bx^2 + a} b^{\frac{3}{2}}x^3 + 19a^2 \ln\left(\sqrt{b} x + \sqrt{bx^2 + a}\right) - 11\sqrt{bx^2 + a} a\sqrt{b} x \right)}{8(bx^2 - a)\sqrt{bx^2 + a}\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2),x)`

[Out] $-1/8*(-b*x^2+a)^{(1/2)}*(-b^2*x^4+a^2)^{(1/2)}*(2*x^3*b^{(3/2)}*(b*x^2+a)^{(1/2)}-11*x*a*b^{(1/2)}*(b*x^2+a)^{(1/2)}+19*\ln(b^{(1/2)}*x+(b*x^2+a)^{(1/2)})*a^2)/(b*x^2-a)/(b*x^2+a)^{(1/2)}/b^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-bx^2 + a)^{\frac{5}{2}}}{\sqrt{-b^2x^4 + a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="maxima")`

[Out] `integrate((-b*x^2 + a)^(5/2)/sqrt(-b^2*x^4 + a^2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a - bx^2)^{5/2}}{\sqrt{a^2 - b^2x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a - b*x^2)^(5/2)/(a^2 - b^2*x^4)^(1/2),x)`

[Out] `int((a - b*x^2)^(5/2)/(a^2 - b^2*x^4)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a - bx^2)^{\frac{5}{2}}}{\sqrt{-(-a + bx^2)(a + bx^2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-b*x**2+a)**(5/2)/(-b**2*x**4+a**2)**(1/2),x)`

[Out] `Integral((a - b*x**2)**(5/2)/sqrt(-(-a + b*x**2)*(a + b*x**2)), x)`

$$3.206 \quad \int \frac{(a-bx^2)^{3/2}}{\sqrt{a^2-b^2x^4}} dx$$

Optimal. Leaf size=109

$$\frac{3a\sqrt{a-bx^2}\sqrt{a+bx^2}\tanh^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a+bx^2}}\right)}{2\sqrt{b}\sqrt{a^2-b^2x^4}} - \frac{x\sqrt{a-bx^2}(a+bx^2)}{2\sqrt{a^2-b^2x^4}}$$

[Out] $-1/2*x*(b*x^2+a)*(-b*x^2+a)^{(1/2)/(-b^2*x^4+a^2)^{(1/2)+3/2*a*\operatorname{arctanh}(x*b^{(1/2)/(b*x^2+a)^{(1/2)})*(-b*x^2+a)^{(1/2)*(b*x^2+a)^{(1/2)/b^{(1/2)/(-b^2*x^4+a^2)^{(1/2)}}$

Rubi [A] time = 0.04, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1152, 388, 217, 206}

$$\frac{3a\sqrt{a-bx^2}\sqrt{a+bx^2}\tanh^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a+bx^2}}\right)}{2\sqrt{b}\sqrt{a^2-b^2x^4}} - \frac{x\sqrt{a-bx^2}(a+bx^2)}{2\sqrt{a^2-b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(a - b*x^2)^(3/2)/Sqrt[a^2 - b^2*x^4], x]

[Out] $-(x*\operatorname{Sqrt}[a - b*x^2]*(a + b*x^2))/(2*\operatorname{Sqrt}[a^2 - b^2*x^4]) + (3*a*\operatorname{Sqrt}[a - b*x^2]*\operatorname{Sqrt}[a + b*x^2]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*x)/\operatorname{Sqrt}[a + b*x^2]])/(2*\operatorname{Sqrt}[b]*\operatorname{Sqrt}[a^2 - b^2*x^4])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,

c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 1152

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d + (c*x^2)/e)^FracPart[p]), Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c, d, e, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{(a - bx^2)^{3/2}}{\sqrt{a^2 - b^2x^4}} dx &= \frac{(\sqrt{a - bx^2} \sqrt{a + bx^2}) \int \frac{a - bx^2}{\sqrt{a + bx^2}} dx}{\sqrt{a^2 - b^2x^4}} \\ &= -\frac{x\sqrt{a - bx^2} (a + bx^2)}{2\sqrt{a^2 - b^2x^4}} + \frac{(3a\sqrt{a - bx^2} \sqrt{a + bx^2}) \int \frac{1}{\sqrt{a + bx^2}} dx}{2\sqrt{a^2 - b^2x^4}} \\ &= -\frac{x\sqrt{a - bx^2} (a + bx^2)}{2\sqrt{a^2 - b^2x^4}} + \frac{(3a\sqrt{a - bx^2} \sqrt{a + bx^2}) \text{Subst}\left(\int \frac{1}{1 - bx^2} dx, x, \frac{x}{\sqrt{a + bx^2}}\right)}{2\sqrt{a^2 - b^2x^4}} \\ &= -\frac{x\sqrt{a - bx^2} (a + bx^2)}{2\sqrt{a^2 - b^2x^4}} + \frac{3a\sqrt{a - bx^2} \sqrt{a + bx^2} \tanh^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a + bx^2}}\right)}{2\sqrt{b} \sqrt{a^2 - b^2x^4}} \end{aligned}$$

Mathematica [A] time = 0.11, size = 110, normalized size = 1.01

$$\frac{1}{2} \left(-\frac{x\sqrt{a^2 - b^2x^4}}{\sqrt{a - bx^2}} + \frac{3a \log\left(\sqrt{b} \sqrt{a - bx^2} \sqrt{a^2 - b^2x^4} + abx - b^2x^3\right)}{\sqrt{b}} - \frac{3a \log(bx^2 - a)}{\sqrt{b}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a - b*x^2)^(3/2)/Sqrt[a^2 - b^2*x^4], x]

[Out] (-((x*Sqrt[a^2 - b^2*x^4])/Sqrt[a - b*x^2]) - (3*a*Log[-a + b*x^2])/Sqrt[b] + (3*a*Log[a*b*x - b^2*x^3 + Sqrt[b]*Sqrt[a - b*x^2]*Sqrt[a^2 - b^2*x^4]])/Sqrt[b])/2

fricas [A] time = 1.01, size = 236, normalized size = 2.17

$$\left[\frac{2 \sqrt{-b^2 x^4 + a^2} \sqrt{-b x^2 + a} b x + 3 (a b x^2 - a^2) \sqrt{b} \log \left(\frac{2 b^2 x^4 - a b x^2 - 2 \sqrt{-b^2 x^4 + a^2} \sqrt{-b x^2 + a} \sqrt{b} x - a^2}{b x^2 - a} \right)}{4 (b^2 x^2 - a b)}, \frac{\sqrt{-b^2 x^4 + a^2} \sqrt{-b x^2 + a}}{b x^2 - a} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="fricas")

[Out] [1/4*(2*sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*b*x + 3*(a*b*x^2 - a^2)*sqrt(b)*log((2*b^2*x^4 - a*b*x^2 - 2*sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*sqrt(b)*x - a^2)/(b*x^2 - a)))/(b^2*x^2 - a*b), 1/2*(sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*b*x + 3*(a*b*x^2 - a^2)*sqrt(-b)*arctan(sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*sqrt(-b)/(b^2*x^3 - a*b*x)))/(b^2*x^2 - a*b)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-b x^2 + a)^{\frac{3}{2}}}{\sqrt{-b^2 x^4 + a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="giac")

[Out] integrate((-b*x^2 + a)^(3/2)/sqrt(-b^2*x^4 + a^2), x)

maple [A] time = 0.01, size = 85, normalized size = 0.78

$$\frac{\sqrt{-b x^2 + a} \sqrt{-b^2 x^4 + a^2} \left(3 a \ln \left(\sqrt{b} x + \sqrt{b x^2 + a} \right) - \sqrt{b x^2 + a} \sqrt{b} x \right)}{2 (b x^2 - a) \sqrt{b x^2 + a} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x)

[Out] -1/2*(-b*x^2+a)^(1/2)*(-b^2*x^4+a^2)^(1/2)*(-x*(b*x^2+a)^(1/2)*b^(1/2)+3*ln(b^(1/2)*x+(b*x^2+a)^(1/2))*a)/(b*x^2-a)/(b*x^2+a)^(1/2)/b^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-b x^2 + a)^{\frac{3}{2}}}{\sqrt{-b^2 x^4 + a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="maxima")

[Out] integrate((-b*x^2 + a)^(3/2)/sqrt(-b^2*x^4 + a^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a - bx^2)^{3/2}}{\sqrt{a^2 - b^2 x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - b*x^2)^(3/2)/(a^2 - b^2*x^4)^(1/2),x)

[Out] int((a - b*x^2)^(3/2)/(a^2 - b^2*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a - bx^2)^{\frac{3}{2}}}{\sqrt{-(-a + bx^2)(a + bx^2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x**2+a)**(3/2)/(-b**2*x**4+a**2)**(1/2),x)

[Out] Integral((a - b*x**2)**(3/2)/sqrt(-(-a + b*x**2)*(a + b*x**2)), x)

$$3.207 \quad \int \frac{\sqrt{a-bx^2}}{\sqrt{a^2-b^2x^4}} dx$$

Optimal. Leaf size=64

$$\frac{\sqrt{a-bx^2} \sqrt{a+bx^2} \tanh^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a+bx^2}}\right)}{\sqrt{b} \sqrt{a^2-b^2x^4}}$$

[Out] arctanh(x*b^(1/2)/(b*x^2+a)^(1/2))*(-b*x^2+a)^(1/2)*(b*x^2+a)^(1/2)/b^(1/2)/(-b^2*x^4+a^2)^(1/2)

Rubi [A] time = 0.03, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {1152, 217, 206}

$$\frac{\sqrt{a-bx^2} \sqrt{a+bx^2} \tanh^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a+bx^2}}\right)}{\sqrt{b} \sqrt{a^2-b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a - b*x^2]/Sqrt[a^2 - b^2*x^4], x]

[Out] (Sqrt[a - b*x^2]*Sqrt[a + b*x^2]*ArcTanh[(Sqrt[b]*x)/Sqrt[a + b*x^2]])/(Sqrt[b]*Sqrt[a^2 - b^2*x^4])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 1152

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d + (c*x^2)/e)^FracPart[p]), Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c, d, e, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a-bx^2}}{\sqrt{a^2-b^2x^4}} dx &= \frac{(\sqrt{a-bx^2} \sqrt{a+bx^2}) \int \frac{1}{\sqrt{a+bx^2}} dx}{\sqrt{a^2-b^2x^4}} \\
&= \frac{(\sqrt{a-bx^2} \sqrt{a+bx^2}) \text{Subst}\left(\int \frac{1}{1-bx^2} dx, x, \frac{x}{\sqrt{a+bx^2}}\right)}{\sqrt{a^2-b^2x^4}} \\
&= \frac{\sqrt{a-bx^2} \sqrt{a+bx^2} \tanh^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a+bx^2}}\right)}{\sqrt{b} \sqrt{a^2-b^2x^4}}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 67, normalized size = 1.05

$$\frac{\log\left(\sqrt{b} \sqrt{a-bx^2} \sqrt{a^2-b^2x^4} + abx - b^2x^3\right) - \log(bx^2 - a)}{\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a - b*x^2]/Sqrt[a^2 - b^2*x^4], x]

[Out] (-Log[-a + b*x^2] + Log[a*b*x - b^2*x^3 + Sqrt[b]*Sqrt[a - b*x^2]*Sqrt[a^2 - b^2*x^4]])/Sqrt[b]

fricas [A] time = 0.94, size = 125, normalized size = 1.95

$$\left[\frac{\log\left(\frac{2b^2x^4 - abx^2 - 2\sqrt{-b^2x^4+a^2}\sqrt{-bx^2+a}\sqrt{bx-a^2}}{bx^2-a}\right)}{2\sqrt{b}}, \frac{\sqrt{-b} \arctan\left(\frac{\sqrt{-b^2x^4+a^2}\sqrt{-bx^2+a}\sqrt{-b}}{b^2x^3-abx}\right)}{b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2), x, algorithm="fricas")

[Out] [1/2*log((2*b^2*x^4 - a*b*x^2 - 2*sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*sqrt(b)*x - a^2)/(b*x^2 - a))/sqrt(b), sqrt(-b)*arctan(sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*sqrt(-b)/(b^2*x^3 - a*b*x))/b]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-bx^2 + a}}{\sqrt{-b^2x^4 + a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-b*x^2 + a)/sqrt(-b^2*x^4 + a^2), x)

maple [A] time = 0.01, size = 54, normalized size = 0.84

$$\frac{\sqrt{-b^2x^4 + a^2} \ln\left(\sqrt{b} x + \sqrt{bx^2 + a}\right)}{\sqrt{-bx^2 + a} \sqrt{bx^2 + a} \sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2),x)

[Out] 1/(-b*x^2+a)^(1/2)/(b*x^2+a)^(1/2)/b^(1/2)*(-b^2*x^4+a^2)^(1/2)*ln(b^(1/2)*x+(b*x^2+a)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-bx^2 + a}}{\sqrt{-b^2x^4 + a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-b*x^2 + a)/sqrt(-b^2*x^4 + a^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{a - bx^2}}{\sqrt{a^2 - b^2x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - b*x^2)^(1/2)/(a^2 - b^2*x^4)^(1/2),x)

[Out] int((a - b*x^2)^(1/2)/(a^2 - b^2*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a - bx^2}}{\sqrt{-(-a + bx^2)(a + bx^2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-b*x**2+a)**(1/2)/(-b**2*x**4+a**2)**(1/2),x)
```

```
[Out] Integral(sqrt(a - b*x**2)/sqrt(-(-a + b*x**2)*(a + b*x**2)), x)
```

$$3.208 \quad \int \frac{1}{\sqrt{a-bx^2} \sqrt{a^2-b^2x^4}} dx$$

Optimal. Leaf size=77

$$\frac{\sqrt{a-bx^2} \sqrt{a+bx^2} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a+bx^2}}\right)}{\sqrt{2}a\sqrt{b}\sqrt{a^2-b^2x^4}}$$

[Out] $1/2*\operatorname{arctanh}(x*2^{(1/2)}*b^{(1/2)}/(b*x^2+a)^{(1/2)})*(-b*x^2+a)^{(1/2)}*(b*x^2+a)^{(1/2)}/a*2^{(1/2)}/b^{(1/2)}/(-b^2*x^4+a^2)^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {1152, 377, 208}

$$\frac{\sqrt{a-bx^2} \sqrt{a+bx^2} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a+bx^2}}\right)}{\sqrt{2}a\sqrt{b}\sqrt{a^2-b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[a - b*x^2]*Sqrt[a^2 - b^2*x^4]), x]

[Out] (Sqrt[a - b*x^2]*Sqrt[a + b*x^2]*ArcTanh[(Sqrt[2]*Sqrt[b]*x)/Sqrt[a + b*x^2]])/(Sqrt[2]*a*Sqrt[b]*Sqrt[a^2 - b^2*x^4])

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 1152

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d + (c*x^2)/e)^FracPart[p]), Int[(d + e*x^2)^(p+q)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c, d, e, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{a-bx^2}\sqrt{a^2-b^2x^4}} dx &= \frac{\left(\sqrt{a-bx^2}\sqrt{a+bx^2}\right) \int \frac{1}{(a-bx^2)\sqrt{a+bx^2}} dx}{\sqrt{a^2-b^2x^4}} \\
&= \frac{\left(\sqrt{a-bx^2}\sqrt{a+bx^2}\right) \text{Subst}\left(\int \frac{1}{a-2abx^2} dx, x, \frac{x}{\sqrt{a+bx^2}}\right)}{\sqrt{a^2-b^2x^4}} \\
&= \frac{\sqrt{a-bx^2}\sqrt{a+bx^2} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a+bx^2}}\right)}{\sqrt{2}a\sqrt{b}\sqrt{a^2-b^2x^4}}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 77, normalized size = 1.00

$$\frac{\sqrt{a^2-b^2x^4} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a+bx^2}}\right)}{\sqrt{2}a\sqrt{b}\sqrt{a-bx^2}\sqrt{a+bx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[a - b*x^2]*Sqrt[a^2 - b^2*x^4]), x]

[Out] (Sqrt[a^2 - b^2*x^4]*ArcTanh[(Sqrt[2]*Sqrt[b]*x)/Sqrt[a + b*x^2]])/(Sqrt[2]*a*Sqrt[b]*Sqrt[a - b*x^2]*Sqrt[a + b*x^2])

fricas [A] time = 0.74, size = 155, normalized size = 2.01

$$\left[\frac{\sqrt{2} \log\left(\frac{3b^2x^4 - 2abx^2 - 2\sqrt{2}\sqrt{-b^2x^4+a^2}\sqrt{-bx^2+a}\sqrt{bx-a^2}}{b^2x^4 - 2abx^2 + a^2}\right)}{4a\sqrt{b}}, \frac{\sqrt{2}\sqrt{-b} \arctan\left(\frac{\sqrt{2}\sqrt{-b^2x^4+a^2}\sqrt{-bx^2+a}\sqrt{-b}}{2(b^2x^3-abx)}\right)}{2ab} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2), x, algorithm="fricas")

[Out] [1/4*sqrt(2)*log(-(3*b^2*x^4 - 2*a*b*x^2 - 2*sqrt(2)*sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*sqrt(b)*x - a^2)/(b^2*x^4 - 2*a*b*x^2 + a^2))/(a*sqrt(b)), 1/2*sqrt(2)*sqrt(-b)*arctan(1/2*sqrt(2)*sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*sqrt(-b)/(b^2*x^3 - a*b*x))/(a*b)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-b^2x^4 + a^2}\sqrt{-bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)), x)

maple [B] time = 0.06, size = 267, normalized size = 3.47

$$\frac{\sqrt{-bx^2+a} \sqrt{-b^2x^4+a^2} \left(\sqrt{2} \sqrt{a} \sqrt{b} \ln \left(\frac{2(a-\sqrt{ab}x+\sqrt{2}\sqrt{bx^2+a}\sqrt{a})b}{bx+\sqrt{ab}} \right) - \sqrt{2} \sqrt{a} \sqrt{b} \ln \left(\frac{2(a+\sqrt{ab}x+\sqrt{2}\sqrt{bx^2+a}\sqrt{a})b}{bx-\sqrt{ab}} \right) \right)}{2(bx^2-a)\sqrt{bx^2+a}(\sqrt{-ab}+\sqrt{ab})(-\sqrt{-ab}+\sqrt{-ab})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2),x)

[Out] 1/2*(-b*x^2+a)^(1/2)*(-b^2*x^4+a^2)^(1/2)*b^(1/2)*(a^(1/2)*2^(1/2)*ln(2*b*(2^(1/2)*a^(1/2)*(b*x^2+a)^(1/2)-(a*b)^(1/2)*x+a)/(b*x+(a*b)^(1/2))))*b^(1/2)-a^(1/2)*2^(1/2)*ln(2*b*(2^(1/2)*a^(1/2)*(b*x^2+a)^(1/2)+(a*b)^(1/2)*x+a)/(b*x-(a*b)^(1/2))))*b^(1/2)-2*(a*b)^(1/2)*ln((b^(1/2)*(-b*x+(-a*b)^(1/2))/b*(-b*x+(-a*b)^(1/2)))^(1/2)+b*x)/b^(1/2))+2*(a*b)^(1/2)*ln((b^(1/2)*(b*x^2+a)^(1/2)+b*x)/b^(1/2)))/(b*x^2-a)/(b*x^2+a)^(1/2)/((-a*b)^(1/2)+(a*b)^(1/2))/(-(-a*b)^(1/2)+(a*b)^(1/2))/(a*b)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-b^2x^4+a^2}\sqrt{-bx^2+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{a^2-b^2x^4}\sqrt{a-bx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a^2-b^2*x^4)^(1/2)*(a-b*x^2)^(1/2)),x)

[Out] int(1/((a^2-b^2*x^4)^(1/2)*(a-b*x^2)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-(-a + bx^2)(a + bx^2)} \sqrt{a - bx^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-b*x**2+a)**(1/2)/(-b**2*x**4+a**2)**(1/2), x)

[Out] Integral(1/(sqrt(-(-a + b*x**2)*(a + b*x**2))*sqrt(a - b*x**2)), x)

$$3.209 \quad \int \frac{1}{(a-bx^2)^{3/2} \sqrt{a^2-b^2x^4}} dx$$

Optimal. Leaf size=124

$$\frac{x(a+bx^2)}{4a^2\sqrt{a-bx^2}\sqrt{a^2-b^2x^4}} + \frac{3\sqrt{a-bx^2}\sqrt{a+bx^2}\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a+bx^2}}\right)}{4\sqrt{2}a^2\sqrt{b}\sqrt{a^2-b^2x^4}}$$

[Out] $1/4*x*(b*x^2+a)/a^2/(-b*x^2+a)^{(1/2)/(-b^2*x^4+a^2)^{(1/2)}+3/8*\operatorname{arctanh}(x*2^{(1/2)*b^{(1/2)/(b*x^2+a)^{(1/2)}*(-b*x^2+a)^{(1/2)*(b*x^2+a)^{(1/2)/a^2*2^{(1/2)/b^{(1/2)/(-b^2*x^4+a^2)^{(1/2)}}$

Rubi [A] time = 0.05, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1152, 382, 377, 208}

$$\frac{x(a+bx^2)}{4a^2\sqrt{a-bx^2}\sqrt{a^2-b^2x^4}} + \frac{3\sqrt{a-bx^2}\sqrt{a+bx^2}\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a+bx^2}}\right)}{4\sqrt{2}a^2\sqrt{b}\sqrt{a^2-b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[1/((a - b*x^2)^(3/2)*Sqrt[a^2 - b^2*x^4]), x]

[Out] $(x*(a + b*x^2))/(4*a^2*Sqrt[a - b*x^2]*Sqrt[a^2 - b^2*x^4]) + (3*Sqrt[a - b*x^2]*Sqrt[a + b*x^2]*ArcTanh[(Sqrt[2]*Sqrt[b]*x)/Sqrt[a + b*x^2]])/(4*Sqrt[2]*a^2*Sqrt[b]*Sqrt[a^2 - b^2*x^4])$

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 377

Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 382

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p+1)*(c + d*x^n)^(q+1))/(a*n*(p+1)*(b*c - a*d)), x] + Dist[(b*c + n*(p+1)*(b*c - a*d))/(a*n*(p+1)*(b*c - a*d)), Int[(a + b*x^n)^(p+1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x]

] && NeQ[b*c - a*d, 0] && EqQ[n*(p + q + 2) + 1, 0] && (LtQ[p, -1] || !LtQ[q, -1]) && NeQ[p, -1]

Rule 1152

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d + (c*x^2)/e)^FracPart[p]), Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c, d, e, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{1}{(a - bx^2)^{3/2} \sqrt{a^2 - b^2x^4}} dx &= \frac{\left(\sqrt{a - bx^2} \sqrt{a + bx^2}\right) \int \frac{1}{(a - bx^2)^2 \sqrt{a + bx^2}} dx}{\sqrt{a^2 - b^2x^4}} \\ &= \frac{x(a + bx^2)}{4a^2 \sqrt{a - bx^2} \sqrt{a^2 - b^2x^4}} + \frac{\left(3\sqrt{a - bx^2} \sqrt{a + bx^2}\right) \int \frac{1}{(a - bx^2) \sqrt{a + bx^2}} dx}{4a \sqrt{a^2 - b^2x^4}} \\ &= \frac{x(a + bx^2)}{4a^2 \sqrt{a - bx^2} \sqrt{a^2 - b^2x^4}} + \frac{\left(3\sqrt{a - bx^2} \sqrt{a + bx^2}\right) \text{Subst}\left(\int \frac{1}{a - 2abx^2} dx, x, \frac{x}{\sqrt{a + bx^2}}\right)}{4a \sqrt{a^2 - b^2x^4}} \\ &= \frac{x(a + bx^2)}{4a^2 \sqrt{a - bx^2} \sqrt{a^2 - b^2x^4}} + \frac{3\sqrt{a - bx^2} \sqrt{a + bx^2} \tanh^{-1}\left(\frac{\sqrt{2} \sqrt{bx}}{\sqrt{a + bx^2}}\right)}{4\sqrt{2} a^2 \sqrt{b} \sqrt{a^2 - b^2x^4}} \end{aligned}$$

Mathematica [A] time = 0.08, size = 110, normalized size = 0.89

$$\frac{\sqrt{a^2 - b^2x^4} \left(2\sqrt{b} x \sqrt{a + bx^2} + 3\sqrt{2} (a - bx^2) \tanh^{-1}\left(\frac{\sqrt{2} \sqrt{bx}}{\sqrt{a + bx^2}}\right)\right)}{8a^2 \sqrt{b} (a - bx^2)^{3/2} \sqrt{a + bx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a - b*x^2)^(3/2)*Sqrt[a^2 - b^2*x^4]), x]

[Out] (Sqrt[a^2 - b^2*x^4]*(2*Sqrt[b]*x*Sqrt[a + b*x^2] + 3*Sqrt[2]*(a - b*x^2)*ArcTanh[(Sqrt[2]*Sqrt[b]*x)/Sqrt[a + b*x^2]])/(8*a^2*Sqrt[b]*(a - b*x^2)^(3/2)*Sqrt[a + b*x^2])

fricas [A] time = 0.65, size = 302, normalized size = 2.44

$$\frac{4\sqrt{-bx^2+a}\sqrt{-b^2x^4+a^2}bx + 3\sqrt{2}(b^2x^4 - 2abx^2 + a^2)\sqrt{b}\log\left(\frac{-3b^2x^4 - 2abx^2 - 2\sqrt{2}\sqrt{-b^2x^4+a^2}\sqrt{-bx^2+a}\sqrt{bx-a^2}}{b^2x^4 - 2abx^2 + a^2}\right)}{16(a^2b^3x^4 - 2a^3b^2x^2 + a^4b)},$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="fricas")

[Out] [1/16*(4*sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*b*x + 3*sqrt(2)*(b^2*x^4 - 2*a*b*x^2 + a^2)*sqrt(b)*log(-(3*b^2*x^4 - 2*a*b*x^2 - 2*sqrt(2)*sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*sqrt(b)*x - a^2)/(b^2*x^4 - 2*a*b*x^2 + a^2)))/(a^2*b^3*x^4 - 2*a^3*b^2*x^2 + a^4*b), 1/8*(2*sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*b*x + 3*sqrt(2)*(b^2*x^4 - 2*a*b*x^2 + a^2)*sqrt(-b)*arctan(1/2*sqrt(2)*sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*sqrt(-b)/(b^2*x^3 - a*b*x)))/(a^2*b^3*x^4 - 2*a^3*b^2*x^2 + a^4*b)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-b^2x^4 + a^2}(-bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-b^2*x^4 + a^2)*(-b*x^2 + a)^(3/2)), x)

maple [B] time = 0.04, size = 510, normalized size = 4.11

$$\frac{\sqrt{-bx^2+a}\sqrt{-b^2x^4+a^2}\left(3\sqrt{2}\sqrt{a}b^{\frac{3}{2}}x^2\ln\left(\frac{2(a-\sqrt{ab}x+\sqrt{2}\sqrt{bx^2+a}\sqrt{a})b}{bx+\sqrt{ab}}\right)-3\sqrt{2}\sqrt{a}b^{\frac{3}{2}}x^2\ln\left(\frac{2(a+\sqrt{ab}x+\sqrt{2}\sqrt{bx^2+a}\sqrt{a})b}{bx-\sqrt{ab}}\right)\right)}{16(a^2b^3x^4 - 2a^3b^2x^2 + a^4b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x)

[Out] 1/4*(-b*x^2+a)^(1/2)*(-b^2*x^4+a^2)^(1/2)*b^(5/2)*(3*2^(1/2)*ln(2*(a-(a*b)^(1/2)*x+2^(1/2)*(b*x^2+a)^(1/2)*a^(1/2)))/(b*x+(a*b)^(1/2))*b*x^2*b^(3/2)*a^(1/2)-3*2^(1/2)*ln(2*(a+(a*b)^(1/2)*x+2^(1/2)*(b*x^2+a)^(1/2)*a^(1/2)))/(b*

$$x - (a*b)^{(1/2)} * b * x^2 * b^{(3/2)} * a^{(1/2)} - 3 * 2^{(1/2)} * \ln(2 * (a - (a*b)^{(1/2)} * x + 2^{(1/2)} * (b*x^2 + a)^{(1/2)} * a^{(1/2)}) / (b*x + (a*b)^{(1/2)} * b) * a^{(3/2)} * b^{(1/2)} + 3 * 2^{(1/2)} * \ln(2 * (a + (a*b)^{(1/2)} * x + 2^{(1/2)} * (b*x^2 + a)^{(1/2)} * a^{(1/2)}) / (b*x - (a*b)^{(1/2)} * b) * a^{(3/2)} * b^{(1/2)} + 4 * \ln((b*x + (b*x^2 + a)^{(1/2)} * b^{(1/2)}) / b^{(1/2)}) * x^2 * b * (a*b)^{(1/2)} - 4 * \ln((b*x + (-b*x + (-a*b)^{(1/2)}) * (-b*x + (-a*b)^{(1/2)}) / b^{(1/2)} * b^{(1/2)}) / b^{(1/2)}) * x^2 * b * (a*b)^{(1/2)} + 4 * b^{(1/2)} * (a*b)^{(1/2)} * (b*x^2 + a)^{(1/2)} * x - 4 * \ln((b*x + (b*x^2 + a)^{(1/2)} * b^{(1/2)}) / b^{(1/2)}) * a * (a*b)^{(1/2)} + 4 * \ln((b*x + (-b*x + (-a*b)^{(1/2)}) * (-b*x + (-a*b)^{(1/2)}) / b^{(1/2)} * b^{(1/2)}) / b^{(1/2)}) * a * (a*b)^{(1/2)}) / (b*x^2 - a) / (b*x^2 + a)^{(1/2)} / ((-a*b)^{(1/2)} + (a*b)^{(1/2)})^2 / ((-a*b)^{(1/2)} - (a*b)^{(1/2)})^2 / (a*b)^{(1/2)} / (b*x - (a*b)^{(1/2)}) / (b*x + (a*b)^{(1/2)})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-b^2 x^4 + a^2} (-b x^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-b^2*x^4 + a^2)*(-b*x^2 + a)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{a^2 - b^2 x^4} (a - b x^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a^2 - b^2*x^4)^(1/2)*(a - b*x^2)^(3/2)),x)

[Out] int(1/((a^2 - b^2*x^4)^(1/2)*(a - b*x^2)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-(-a + b x^2)(a + b x^2)} (a - b x^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-b*x**2+a)**(3/2)/(-b**2*x**4+a**2)**(1/2),x)

[Out] Integral(1/(sqrt(-(-a + b*x**2)*(a + b*x**2))*(a - b*x**2)**(3/2)), x)

$$3.210 \quad \int \frac{1}{(a-bx^2)^{5/2} \sqrt{a^2-b^2x^4}} dx$$

Optimal. Leaf size=167

$$\frac{x(a+bx^2)}{8a^2(a-bx^2)^{3/2}\sqrt{a^2-b^2x^4}} + \frac{9x(a+bx^2)}{32a^3\sqrt{a-bx^2}\sqrt{a^2-b^2x^4}} + \frac{19\sqrt{a-bx^2}\sqrt{a+bx^2}\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a+bx^2}}\right)}{32\sqrt{2}a^3\sqrt{b}\sqrt{a^2-b^2x^4}}$$

[Out] 1/8*x*(b*x^2+a)/a^2/(-b*x^2+a)^(3/2)/(-b^2*x^4+a^2)^(1/2)+9/32*x*(b*x^2+a)/a^3/(-b*x^2+a)^(1/2)/(-b^2*x^4+a^2)^(1/2)+19/64*arctanh(x*2^(1/2)*b^(1/2)/(b*x^2+a)^(1/2))*(-b*x^2+a)^(1/2)*(b*x^2+a)^(1/2)/a^3*2^(1/2)/b^(1/2)/(-b^2*x^4+a^2)^(1/2)

Rubi [A] time = 0.09, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1152, 414, 527, 12, 377, 208}

$$\frac{9x(a+bx^2)}{32a^3\sqrt{a-bx^2}\sqrt{a^2-b^2x^4}} + \frac{x(a+bx^2)}{8a^2(a-bx^2)^{3/2}\sqrt{a^2-b^2x^4}} + \frac{19\sqrt{a-bx^2}\sqrt{a+bx^2}\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{a+bx^2}}\right)}{32\sqrt{2}a^3\sqrt{b}\sqrt{a^2-b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[1/((a - b*x^2)^(5/2)*Sqrt[a^2 - b^2*x^4]), x]

[Out] (x*(a + b*x^2))/(8*a^2*(a - b*x^2)^(3/2)*Sqrt[a^2 - b^2*x^4]) + (9*x*(a + b*x^2))/(32*a^3*Sqrt[a - b*x^2]*Sqrt[a^2 - b^2*x^4]) + (19*Sqrt[a - b*x^2]*Sqrt[a + b*x^2]*ArcTanh[(Sqrt[2]*Sqrt[b]*x)/Sqrt[a + b*x^2]])/(32*Sqrt[2]*a^3*Sqrt[b]*Sqrt[a^2 - b^2*x^4])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b

, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 414

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c -
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

Rule 527

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f
_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 1152

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] :> Dis
t[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d + (c*x^2)/e)^FracPa
rt[p]), Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c,
d, e, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a-bx^2)^{5/2} \sqrt{a^2-b^2x^4}} dx &= \frac{\left(\sqrt{a-bx^2} \sqrt{a+bx^2}\right) \int \frac{1}{(a-bx^2)^3 \sqrt{a+bx^2}} dx}{\sqrt{a^2-b^2x^4}} \\
&= \frac{x(a+bx^2)}{8a^2(a-bx^2)^{3/2} \sqrt{a^2-b^2x^4}} + \frac{\left(\sqrt{a-bx^2} \sqrt{a+bx^2}\right) \int \frac{7ab+2b^2x^2}{(a-bx^2)^2 \sqrt{a+bx^2}} dx}{8a^2b\sqrt{a^2-b^2x^4}} \\
&= \frac{x(a+bx^2)}{8a^2(a-bx^2)^{3/2} \sqrt{a^2-b^2x^4}} + \frac{9x(a+bx^2)}{32a^3\sqrt{a-bx^2} \sqrt{a^2-b^2x^4}} + \frac{\left(\sqrt{a-bx^2} \sqrt{a+bx^2}\right) \int \frac{19\sqrt{a-bx^2} \sqrt{a+bx^2}}{32a^4b^2 \sqrt{a+bx^2}} dx}{32a^4b^2\sqrt{a^2-b^2x^4}} \\
&= \frac{x(a+bx^2)}{8a^2(a-bx^2)^{3/2} \sqrt{a^2-b^2x^4}} + \frac{9x(a+bx^2)}{32a^3\sqrt{a-bx^2} \sqrt{a^2-b^2x^4}} + \frac{\left(19\sqrt{a-bx^2} \sqrt{a+bx^2}\right) \int \frac{19\sqrt{a-bx^2} \sqrt{a+bx^2}}{32a^4b^2 \sqrt{a+bx^2}} dx}{32a^4b^2\sqrt{a^2-b^2x^4}} \\
&= \frac{x(a+bx^2)}{8a^2(a-bx^2)^{3/2} \sqrt{a^2-b^2x^4}} + \frac{9x(a+bx^2)}{32a^3\sqrt{a-bx^2} \sqrt{a^2-b^2x^4}} + \frac{\left(19\sqrt{a-bx^2} \sqrt{a+bx^2}\right) \int \frac{19\sqrt{a-bx^2} \sqrt{a+bx^2}}{32a^4b^2 \sqrt{a+bx^2}} dx}{32a^4b^2\sqrt{a^2-b^2x^4}} \\
&= \frac{x(a+bx^2)}{8a^2(a-bx^2)^{3/2} \sqrt{a^2-b^2x^4}} + \frac{9x(a+bx^2)}{32a^3\sqrt{a-bx^2} \sqrt{a^2-b^2x^4}} + \frac{19\sqrt{a-bx^2} \sqrt{a+bx^2}}{32\sqrt{2} a^3 \sqrt{a^2-b^2x^4}}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 122, normalized size = 0.73

$$\frac{\sqrt{a^2-b^2x^4} \left(2\sqrt{b}x(13a-9bx^2)\sqrt{a+bx^2} + 19\sqrt{2}(a-bx^2)^2 \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{b}x}{\sqrt{a+bx^2}}\right)\right)}{64a^3\sqrt{b}(a-bx^2)^{5/2}\sqrt{a+bx^2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a - b*x^2)^(5/2)*Sqrt[a^2 - b^2*x^4]), x]

[Out] (Sqrt[a^2 - b^2*x^4]*(2*Sqrt[b]*x*(13*a - 9*b*x^2)*Sqrt[a + b*x^2] + 19*Sqrt[2]*(a - b*x^2)^2*ArcTanh[(Sqrt[2]*Sqrt[b]*x)/Sqrt[a + b*x^2]])/(64*a^3*Sqrt[b]*(a - b*x^2)^(5/2)*Sqrt[a + b*x^2])

fricas [A] time = 0.96, size = 376, normalized size = 2.25

$$\left[\frac{19\sqrt{2}(b^3x^6 - 3ab^2x^4 + 3a^2bx^2 - a^3)\sqrt{b} \log\left(-\frac{3b^2x^4 - 2abx^2 - 2\sqrt{2}\sqrt{-b^2x^4+a^2}\sqrt{-bx^2+a}\sqrt{b}x - a^2}{b^2x^4 - 2abx^2 + a^2}\right) + 4\sqrt{-b^2x^4+a^2}(9b^2x^4 - 6abx^2 + 3a^2)}{128(a^3b^4x^6 - 3a^4b^3x^4 + 3a^5b^2x^2 - a^6b)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="fricas")

[Out] [1/128*(19*sqrt(2)*(b^3*x^6 - 3*a*b^2*x^4 + 3*a^2*b*x^2 - a^3)*sqrt(b)*log(- (3*b^2*x^4 - 2*a*b*x^2 - 2*sqrt(2)*sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*sqrt(b)*x - a^2)/(b^2*x^4 - 2*a*b*x^2 + a^2)) + 4*sqrt(-b^2*x^4 + a^2)*(9*b^2*x^3 - 13*a*b*x)*sqrt(-b*x^2 + a))/(a^3*b^4*x^6 - 3*a^4*b^3*x^4 + 3*a^5*b^2*x^2 - a^6*b), 1/64*(19*sqrt(2)*(b^3*x^6 - 3*a*b^2*x^4 + 3*a^2*b*x^2 - a^3)*sqrt(-b)*arctan(1/2*sqrt(2)*sqrt(-b^2*x^4 + a^2)*sqrt(-b*x^2 + a)*sqrt(-b)/(b^2*x^3 - a*b*x)) + 2*sqrt(-b^2*x^4 + a^2)*(9*b^2*x^3 - 13*a*b*x)*sqrt(-b*x^2 + a))/(a^3*b^4*x^6 - 3*a^4*b^3*x^4 + 3*a^5*b^2*x^2 - a^6*b)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-b^2x^4 + a^2} (-bx^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-b^2*x^4 + a^2)*(-b*x^2 + a)^(5/2)), x)

maple [B] time = 0.05, size = 739, normalized size = 4.43

$$\sqrt{-bx^2 + a} \sqrt{-b^2x^4 + a^2} \left(19\sqrt{2} \sqrt{a} b^{\frac{5}{2}} x^4 \ln \left(\frac{2(a - \sqrt{ab}x + \sqrt{2} \sqrt{bx^2 + a} \sqrt{a})b}{bx + \sqrt{ab}} \right) - 19\sqrt{2} \sqrt{a} b^{\frac{5}{2}} x^4 \ln \left(\frac{2(a + \sqrt{ab}x + \sqrt{2} \sqrt{bx^2 + a} \sqrt{a})b}{bx - \sqrt{ab}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2),x)

[Out] 1/16*(-b*x^2+a)^(1/2)*(-b^2*x^4+a^2)^(1/2)*b^(9/2)*(19*ln(2*(a-(a*b)^(1/2)*x+2^(1/2)*(b*x^2+a)^(1/2)*a^(1/2))/(b*x+(a*b)^(1/2))*b)*2^(1/2)*x^4*b^(5/2)*a^(1/2)-19*ln(2*(a+(a*b)^(1/2)*x+2^(1/2)*(b*x^2+a)^(1/2)*a^(1/2))/(b*x-(a*b)^(1/2))*b)*2^(1/2)*x^4*b^(5/2)*a^(1/2)+16*ln((b*x+(b*x^2+a)^(1/2)*b^(1/2))/b^(1/2))*x^4*b^2*(a*b)^(1/2)-16*ln((b*x+(-(b*x+(-a*b)^(1/2))*(-b*x+(-a*b)^(1/2))/b)^(1/2)*b^(1/2))/b^(1/2))*x^4*b^2*(a*b)^(1/2)-38*ln(2*(a-(a*b)^(1/2)*x+2^(1/2)*(b*x^2+a)^(1/2)*a^(1/2))/(b*x-(a*b)^(1/2))*b)*2^(1/2)*x^2*a^(3/2)*b^(3/2)+36*b^(3/2)*(a*b)^(1/2)*(b*x^2+a)^(1/2)*x^3-32*ln((b*x+(b*x^2+a)^(1/2)*b^(1/2))/b^(1/2))*x^2*a*b*(a*b)^(1/2)

)+32*ln((b*x+(-(b*x+(-a*b)^(1/2))*(-b*x+(-a*b)^(1/2)))/b)^(1/2)*b^(1/2))/b^(1/2))*x^2*a*b*(a*b)^(1/2)+19*ln(2*(a-(a*b)^(1/2))*x+2^(1/2)*(b*x^2+a)^(1/2)*a^(1/2))/(b*x+(a*b)^(1/2))*b)*2^(1/2)*a^(5/2)*b^(1/2)-19*ln(2*(a+(a*b)^(1/2))*x+2^(1/2)*(b*x^2+a)^(1/2)*a^(1/2))/(b*x-(a*b)^(1/2))*b)*2^(1/2)*a^(5/2)*b^(1/2)-52*a*(a*b)^(1/2)*(b*x^2+a)^(1/2)*b^(1/2)*x+16*ln((b*x+(b*x^2+a)^(1/2))*b^(1/2))/b^(1/2))*a^2*(a*b)^(1/2)-16*ln((b*x+(-(b*x+(-a*b)^(1/2))*(-b*x+(-a*b)^(1/2)))/b)^(1/2)*b^(1/2))/b^(1/2))*a^2*(a*b)^(1/2))/(b*x^2-a)/(b*x^2+a)^(1/2)/((-a*b)^(1/2)+(a*b)^(1/2))^3/(-(-a*b)^(1/2)+(a*b)^(1/2))^3/(a*b)^(1/2)/(b*x-(a*b)^(1/2))^2/(b*x+(a*b)^(1/2))^2

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-b^2x^4 + a^2} (-bx^2 + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-b*x^2+a)^(5/2)/(-b^2*x^4+a^2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-b^2*x^4 + a^2)*(-b*x^2 + a)^(5/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{a^2 - b^2x^4} (a - bx^2)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a^2 - b^2*x^4)^(1/2)*(a - b*x^2)^(5/2)),x)

[Out] int(1/((a^2 - b^2*x^4)^(1/2)*(a - b*x^2)^(5/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-(-a + bx^2)(a + bx^2)} (a - bx^2)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-b*x**2+a)**(5/2)/(-b**2*x**4+a**2)**(1/2),x)

[Out] Integral(1/(sqrt(-(-a + b*x**2)*(a + b*x**2))*(a - b*x**2)**(5/2)), x)

$$3.211 \quad \int \frac{\sqrt{-1+x^2}}{\sqrt{-1+x^4}} dx$$

Optimal. Leaf size=30

$$\frac{\sqrt{x^2-1} \sqrt{x^2+1} \sinh^{-1}(x)}{\sqrt{x^4-1}}$$

[Out] arcsinh(x)*(x^2-1)^(1/2)*(x^2+1)^(1/2)/(x^4-1)^(1/2)

Rubi [A] time = 0.01, antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {1152, 215}

$$\frac{\sqrt{x^2-1} \sqrt{x^2+1} \sinh^{-1}(x)}{\sqrt{x^4-1}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-1 + x^2]/Sqrt[-1 + x^4], x]

[Out] (Sqrt[-1 + x^2]*Sqrt[1 + x^2]*ArcSinh[x])/Sqrt[-1 + x^4]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 1152

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d + (c*x^2)/e)^FracPart[p]), Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c, d, e, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{-1+x^2}}{\sqrt{-1+x^4}} dx &= \frac{\left(\sqrt{-1+x^2} \sqrt{1+x^2}\right) \int \frac{1}{\sqrt{1+x^2}} dx}{\sqrt{-1+x^4}} \\ &= \frac{\sqrt{-1+x^2} \sqrt{1+x^2} \sinh^{-1}(x)}{\sqrt{-1+x^4}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 38, normalized size = 1.27

$$\log\left(x^3 + \sqrt{x^2 - 1} \sqrt{x^4 - 1} - x\right) - \log(1 - x^2)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-1 + x^2]/Sqrt[-1 + x^4], x]

[Out] -Log[1 - x^2] + Log[-x + x^3 + Sqrt[-1 + x^2]*Sqrt[-1 + x^4]]

fricas [B] time = 0.95, size = 73, normalized size = 2.43

$$\frac{1}{2} \log\left(\frac{x^3 + \sqrt{x^4 - 1} \sqrt{x^2 - 1} - x}{x^3 - x}\right) - \frac{1}{2} \log\left(-\frac{x^3 - \sqrt{x^4 - 1} \sqrt{x^2 - 1} - x}{x^3 - x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2-1)^(1/2)/(x^4-1)^(1/2), x, algorithm="fricas")

[Out] 1/2*log((x^3 + sqrt(x^4 - 1)*sqrt(x^2 - 1) - x)/(x^3 - x)) - 1/2*log(-(x^3 - sqrt(x^4 - 1)*sqrt(x^2 - 1) - x)/(x^3 - x))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^2 - 1}}{\sqrt{x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2-1)^(1/2)/(x^4-1)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(x^2 - 1)/sqrt(x^4 - 1), x)

maple [A] time = 0.01, size = 25, normalized size = 0.83

$$\frac{\sqrt{x^4 - 1} \operatorname{arcsinh}(x)}{\sqrt{x^2 - 1} \sqrt{x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2-1)^(1/2)/(x^4-1)^(1/2), x)

[Out] 1/(x^2-1)^(1/2)*(x^4-1)^(1/2)/(x^2+1)^(1/2)*arcsinh(x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^2 - 1}}{\sqrt{x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2-1)^(1/2)/(x^4-1)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^2 - 1)/sqrt(x^4 - 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\sqrt{x^2 - 1}}{\sqrt{x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 - 1)^(1/2)/(x^4 - 1)^(1/2),x)

[Out] int((x^2 - 1)^(1/2)/(x^4 - 1)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(x-1)(x+1)}}{\sqrt{(x-1)(x+1)(x^2+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2-1)**(1/2)/(x**4-1)**(1/2),x)

[Out] Integral(sqrt((x - 1)*(x + 1))/sqrt((x - 1)*(x + 1)*(x**2 + 1)), x)

$$3.212 \quad \int \frac{\sqrt{1+x^2}}{\sqrt{-1+x^4}} dx$$

Optimal. Leaf size=24

$$-\frac{\sqrt{x^4-1} \sin^{-1}(x)}{\sqrt{1-x^4}}$$

[Out] $-\arcsin(x) \cdot (x^4-1)^{(1/2)} / (-x^4+1)^{(1/2)}$

Rubi [A] time = 0.01, antiderivative size = 40, normalized size of antiderivative = 1.67, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1152, 217, 206}

$$\frac{\sqrt{x^2-1} \sqrt{x^2+1} \tanh^{-1}\left(\frac{x}{\sqrt{x^2-1}}\right)}{\sqrt{x^4-1}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + x^2]/Sqrt[-1 + x^4], x]

[Out] (Sqrt[-1 + x^2]*Sqrt[1 + x^2]*ArcTanh[x/Sqrt[-1 + x^2]])/Sqrt[-1 + x^4]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 1152

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d + (c*x^2)/e)^FracPart[p]), Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c, d, e, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{1+x^2}}{\sqrt{-1+x^4}} dx &= \frac{\left(\sqrt{-1+x^2} \sqrt{1+x^2}\right) \int \frac{1}{\sqrt{-1+x^2}} dx}{\sqrt{-1+x^4}} \\
&= \frac{\left(\sqrt{-1+x^2} \sqrt{1+x^2}\right) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \frac{x}{\sqrt{-1+x^2}}\right)}{\sqrt{-1+x^4}} \\
&= \frac{\sqrt{-1+x^2} \sqrt{1+x^2} \tanh^{-1}\left(\frac{x}{\sqrt{-1+x^2}}\right)}{\sqrt{-1+x^4}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 34, normalized size = 1.42

$$\log\left(x^3 + \sqrt{x^2+1} \sqrt{x^4-1} + x\right) - \log\left(x^2+1\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + x^2]/Sqrt[-1 + x^4], x]

[Out] -Log[1 + x^2] + Log[x + x^3 + Sqrt[1 + x^2]*Sqrt[-1 + x^4]]

fricas [B] time = 0.88, size = 65, normalized size = 2.71

$$\frac{1}{2} \log\left(\frac{x^3 + \sqrt{x^4-1} \sqrt{x^2+1} + x}{x^3 + x}\right) - \frac{1}{2} \log\left(-\frac{x^3 - \sqrt{x^4-1} \sqrt{x^2+1} + x}{x^3 + x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^(1/2)/(x^4-1)^(1/2), x, algorithm="fricas")

[Out] 1/2*log((x^3 + sqrt(x^4 - 1)*sqrt(x^2 + 1) + x)/(x^3 + x)) - 1/2*log(-(x^3 - sqrt(x^4 - 1)*sqrt(x^2 + 1) + x)/(x^3 + x))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^2+1}}{\sqrt{x^4-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^(1/2)/(x^4-1)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(x^2 + 1)/sqrt(x^4 - 1), x)

maple [A] time = 0.01, size = 33, normalized size = 1.38

$$\frac{\sqrt{x^4 - 1} \ln\left(x + \sqrt{x^2 - 1}\right)}{\sqrt{x^2 + 1} \sqrt{x^2 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)^(1/2)/(x^4-1)^(1/2), x)

[Out] 1/(x^2+1)^(1/2)*(x^4-1)^(1/2)/(x^2-1)^(1/2)*ln(x+(x^2-1)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^2 + 1}}{\sqrt{x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^(1/2)/(x^4-1)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(x^2 + 1)/sqrt(x^4 - 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sqrt{x^2 + 1}}{\sqrt{x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)^(1/2)/(x^4 - 1)^(1/2), x)

[Out] int((x^2 + 1)^(1/2)/(x^4 - 1)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^2 + 1}}{\sqrt{(x - 1)(x + 1)(x^2 + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)**(1/2)/(x**4-1)**(1/2), x)

[Out] Integral(sqrt(x**2 + 1)/sqrt((x - 1)*(x + 1)*(x**2 + 1)), x)

$$3.213 \quad \int \frac{-\sqrt{-1+x^2} + \sqrt{1+x^2}}{\sqrt{-1+x^4}} dx$$

Optimal. Leaf size=73

$$\frac{\sqrt{x^2-1} \sqrt{x^4-1} \sinh^{-1}(x)}{(1-x^2) \sqrt{x^2+1}} - \frac{\sqrt{x^4-1} \sin^{-1}(x)}{\sqrt{1-x^2} \sqrt{x^2+1}}$$

[Out] $-\arcsin(x) \cdot (x^4-1)^{(1/2)} / (-x^2+1)^{(1/2)} / (x^2+1)^{(1/2)} + \operatorname{arcsinh}(x) \cdot (x^2-1)^{(1/2)} / (x^4-1)^{(1/2)} / (-x^2+1) / (x^2+1)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 72, normalized size of antiderivative = 0.99, number of steps used = 7, number of rules used = 5, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$, Rules used = {6742, 1152, 215, 217, 206}

$$\frac{\sqrt{x^2-1} \sqrt{x^2+1} \tanh^{-1}\left(\frac{x}{\sqrt{x^2-1}}\right)}{\sqrt{x^4-1}} - \frac{\sqrt{x^2-1} \sqrt{x^2+1} \sinh^{-1}(x)}{\sqrt{x^4-1}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(-\operatorname{Sqrt}[-1+x^2] + \operatorname{Sqrt}[1+x^2]) / \operatorname{Sqrt}[-1+x^4], x]$

[Out] $-\left(\frac{\operatorname{Sqrt}[-1+x^2] \operatorname{Sqrt}[1+x^2] \operatorname{ArcSinh}[x]}{\operatorname{Sqrt}[-1+x^4]} + \frac{\operatorname{Sqrt}[-1+x^2] \operatorname{Sqrt}[1+x^2] \operatorname{ArcTanh}[x / \operatorname{Sqrt}[-1+x^2]]}{\operatorname{Sqrt}[-1+x^4]}\right)$

Rule 206

$\operatorname{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1 \cdot \operatorname{ArcTanh}[\operatorname{Rt}[-b, 2] \cdot x] / \operatorname{Rt}[a, 2]) / (\operatorname{Rt}[a, 2] \cdot \operatorname{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 215

$\operatorname{Int}[1 / \operatorname{Sqrt}[(a_ + (b_ \cdot)(x_)^2)], x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSinh}[\operatorname{Rt}[b, 2] \cdot x] / \operatorname{Sqrt}[a] / \operatorname{Rt}[b, 2], x] /;$ FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 217

$\operatorname{Int}[1 / \operatorname{Sqrt}[(a_ + (b_ \cdot)(x_)^2)], x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1 / (1 - b \cdot x^2), x], x, x / \operatorname{Sqrt}[a + b \cdot x^2]] /;$ FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 1152

$\operatorname{Int}[(d_ + (e_ \cdot)(x_)^2)^{q_} \cdot (a_ + (c_ \cdot)(x_)^4)^{p_}], x_Symbol] \rightarrow \operatorname{Dist}[(a + c \cdot x^4)^{\operatorname{FracPart}[p]} / ((d + e \cdot x^2)^{\operatorname{FracPart}[p]} \cdot (a/d + (c \cdot x^2)/e)^{\operatorname{FracPart}[p]})$

rt[p]), Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c, d, e, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
 \int \frac{-\sqrt{-1+x^2} + \sqrt{1+x^2}}{\sqrt{-1+x^4}} dx &= \int \left(-\frac{\sqrt{-1+x^2}}{\sqrt{-1+x^4}} + \frac{\sqrt{1+x^2}}{\sqrt{-1+x^4}} \right) dx \\
 &= -\int \frac{\sqrt{-1+x^2}}{\sqrt{-1+x^4}} dx + \int \frac{\sqrt{1+x^2}}{\sqrt{-1+x^4}} dx \\
 &= \frac{\left(\sqrt{-1+x^2} \sqrt{1+x^2}\right) \int \frac{1}{\sqrt{-1+x^2}} dx}{\sqrt{-1+x^4}} - \frac{\left(\sqrt{-1+x^2} \sqrt{1+x^2}\right) \int \frac{1}{\sqrt{1+x^2}} dx}{\sqrt{-1+x^4}} \\
 &= -\frac{\sqrt{-1+x^2} \sqrt{1+x^2} \sinh^{-1}(x)}{\sqrt{-1+x^4}} + \frac{\left(\sqrt{-1+x^2} \sqrt{1+x^2}\right) \text{Subst}\left(\int \frac{1}{1-x^2} dx, x, \frac{x}{\sqrt{-1+x^2}}\right)}{\sqrt{-1+x^4}} \\
 &= -\frac{\sqrt{-1+x^2} \sqrt{1+x^2} \sinh^{-1}(x)}{\sqrt{-1+x^4}} + \frac{\sqrt{-1+x^2} \sqrt{1+x^2} \tanh^{-1}\left(\frac{x}{\sqrt{-1+x^2}}\right)}{\sqrt{-1+x^4}}
 \end{aligned}$$

Mathematica [A] time = 0.06, size = 71, normalized size = 0.97

$$\log(1-x^2) - \log(x^2+1) - \log\left(x^3 + \sqrt{x^2-1} \sqrt{x^4-1} - x\right) + \log\left(x^3 + \sqrt{x^2+1} \sqrt{x^4-1} + x\right)$$

Antiderivative was successfully verified.

[In] Integrate[(-Sqrt[-1 + x^2] + Sqrt[1 + x^2])/Sqrt[-1 + x^4], x]

[Out] Log[1 - x^2] - Log[1 + x^2] - Log[-x + x^3 + Sqrt[-1 + x^2]*Sqrt[-1 + x^4]] + Log[x + x^3 + Sqrt[1 + x^2]*Sqrt[-1 + x^4]]

fricas [B] time = 1.38, size = 137, normalized size = 1.88

$$\frac{1}{2} \log\left(\frac{x^3 + \sqrt{x^4-1} \sqrt{x^2+1} + x}{x^3 + x}\right) - \frac{1}{2} \log\left(-\frac{x^3 - \sqrt{x^4-1} \sqrt{x^2+1} + x}{x^3 + x}\right) - \frac{1}{2} \log\left(\frac{x^3 + \sqrt{x^4-1} \sqrt{x^2-1} - x}{x^3 - x}\right) + \frac{1}{2} \log\left(\frac{x^3 - \sqrt{x^4-1} \sqrt{x^2-1} + x}{x^3 - x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2-1)^(1/2)+(x^2+1)^(1/2))/(x^4-1)^(1/2),x, algorithm="fricas")

[Out] 1/2*log((x^3 + sqrt(x^4 - 1)*sqrt(x^2 + 1) + x)/(x^3 + x)) - 1/2*log(-(x^3 - sqrt(x^4 - 1)*sqrt(x^2 + 1) + x)/(x^3 + x)) - 1/2*log((x^3 + sqrt(x^4 - 1)*sqrt(x^2 - 1) - x)/(x^3 - x)) + 1/2*log(-(x^3 - sqrt(x^4 - 1)*sqrt(x^2 - 1) - x)/(x^3 - x))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^2+1} - \sqrt{x^2-1}}{\sqrt{x^4-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2-1)^(1/2)+(x^2+1)^(1/2))/(x^4-1)^(1/2),x, algorithm="giac")

[Out] integrate((sqrt(x^2 + 1) - sqrt(x^2 - 1))/sqrt(x^4 - 1), x)

maple [A] time = 0.00, size = 59, normalized size = 0.81

$$-\frac{\sqrt{x^4-1} \operatorname{arcsinh}(x)}{\sqrt{x^2-1} \sqrt{x^2+1}} + \frac{\sqrt{x^4-1} \ln(x + \sqrt{x^2-1})}{\sqrt{x^2+1} \sqrt{x^2-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2-1)^(1/2)+(x^2+1)^(1/2))/(x^4-1)^(1/2),x)

[Out] -1/(x^2-1)^(1/2)*(x^4-1)^(1/2)/(x^2+1)^(1/2)*arcsinh(x)+1/(x^2+1)^(1/2)*(x^4-1)^(1/2)/(x^2-1)^(1/2)*ln(x+(x^2-1)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^2+1} - \sqrt{x^2-1}}{\sqrt{x^4-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2-1)^(1/2)+(x^2+1)^(1/2))/(x^4-1)^(1/2),x, algorithm="maxima")

[Out] integrate((sqrt(x^2 + 1) - sqrt(x^2 - 1))/sqrt(x^4 - 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int -\frac{\sqrt{x^2-1} - \sqrt{x^2+1}}{\sqrt{x^4-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-((x^2 - 1)^(1/2) - (x^2 + 1)^(1/2))/(x^4 - 1)^(1/2), x)`

[Out] `int(-((x^2 - 1)^(1/2) - (x^2 + 1)^(1/2))/(x^4 - 1)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{-\sqrt{x^2-1} + \sqrt{x^2+1}}{\sqrt{(x-1)(x+1)(x^2+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((- (x**2-1)**(1/2) + (x**2+1)**(1/2)) / (x**4-1)**(1/2), x)`

[Out] `Integral((-sqrt(x**2 - 1) + sqrt(x**2 + 1)) / sqrt((x - 1)*(x + 1)*(x**2 + 1)), x)`

$$3.214 \quad \int \frac{(d+ex^2)^4}{-cd^2+bde+be^2x^2+ce^2x^4} dx$$

Optimal. Leaf size=121

$$\frac{x(b^2e^2 - 5bcde + 7c^2d^2)}{c^3} - \frac{(2cd - be)^3 \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{cd-be}}\right)}{c^{7/2}\sqrt{e}\sqrt{cd-be}} + \frac{ex^3(4cd - be)}{3c^2} + \frac{e^2x^5}{5c}$$

[Out] (b^2*e^2-5*b*c*d*e+7*c^2*d^2)*x/c^3+1/3*e*(-b*e+4*c*d)*x^3/c^2+1/5*e^2*x^5/c-(-b*e+2*c*d)^3*arctanh(x*c^(1/2)*e^(1/2)/(-b*e+c*d)^(1/2))/c^(7/2)/e^(1/2)/(-b*e+c*d)^(1/2)

Rubi [A] time = 0.16, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$, Rules used = {1149, 390, 208}

$$\frac{x(b^2e^2 - 5bcde + 7c^2d^2)}{c^3} + \frac{ex^3(4cd - be)}{3c^2} - \frac{(2cd - be)^3 \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{cd-be}}\right)}{c^{7/2}\sqrt{e}\sqrt{cd-be}} + \frac{e^2x^5}{5c}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^4/(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4), x]

[Out] ((7*c^2*d^2 - 5*b*c*d*e + b^2*e^2)*x)/c^3 + (e*(4*c*d - b*e)*x^3)/(3*c^2) + (e^2*x^5)/(5*c) - ((2*c*d - b*e)^3*ArcTanh[(Sqrt[c]*Sqrt[e]*x)/Sqrt[c*d - b*e]]/(c^(7/2)*Sqrt[e]*Sqrt[c*d - b*e])

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 390

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

Rule 1149

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[(d + e*x^2)^(p+q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]

&& IntegerQ[p]

Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex^2)^4}{-cd^2 + bde + be^2x^2 + ce^2x^4} dx &= \int \frac{(d + ex^2)^3}{\frac{-cd^2 + bde}{d} + cex^2} dx \\
 &= \int \left(\frac{7c^2d^2 - 5bcde + b^2e^2}{c^3} + \frac{e(4cd - be)x^2}{c^2} + \frac{e^2x^4}{c} + \frac{8c^3d^3 - 12bc^2d^2e + 6b^2cde^2 - b^3e^3}{c^3(-cd + be + cex^2)} \right) dx \\
 &= \frac{(7c^2d^2 - 5bcde + b^2e^2)x}{c^3} + \frac{e(4cd - be)x^3}{3c^2} + \frac{e^2x^5}{5c} + \frac{(2cd - be)^3 \int \frac{1}{-cd + be + cex^2} dx}{c^3} \\
 &= \frac{(7c^2d^2 - 5bcde + b^2e^2)x}{c^3} + \frac{e(4cd - be)x^3}{3c^2} + \frac{e^2x^5}{5c} - \frac{(2cd - be)^3 \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{be - cd}}\right)}{c^{7/2}\sqrt{e}\sqrt{be - cd}}
 \end{aligned}$$

Mathematica [A] time = 0.07, size = 121, normalized size = 1.00

$$-\frac{x(-b^2e^2 + 5bcde - 7c^2d^2)}{c^3} - \frac{(be - 2cd)^3 \tan^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{be - cd}}\right)}{c^{7/2}\sqrt{e}\sqrt{be - cd}} - \frac{ex^3(be - 4cd)}{3c^2} + \frac{e^2x^5}{5c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^4/(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4), x]

[Out] -(((-7*c^2*d^2 + 5*b*c*d*e - b^2*e^2)*x)/c^3) - (e*(-4*c*d + b*e)*x^3)/(3*c^2) + (e^2*x^5)/(5*c) - ((-2*c*d + b*e)^3*ArcTan[(Sqrt[c]*Sqrt[e]*x)/Sqrt[-(c*d) + b*e]])/(c^(7/2)*Sqrt[e]*Sqrt[-(c*d) + b*e])

fricas [B] time = 0.75, size = 446, normalized size = 3.69

$$\left[\frac{6(c^4de^3 - bc^3e^4)x^5 + 10(4c^4d^2e^2 - 5bc^3de^3 + b^2c^2e^4)x^3 - 15(8c^3d^3 - 12bc^2d^2e + 6b^2cde^2 - b^3e^3)\sqrt{c^2de - bc^2d^2}}{30(c^5de - bc^4e^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2), x, algorithm="fricas")

```
[Out] [1/30*(6*(c^4*d*e^3 - b*c^3*e^4)*x^5 + 10*(4*c^4*d^2*e^2 - 5*b*c^3*d*e^3 +
b^2*c^2*e^4)*x^3 - 15*(8*c^3*d^3 - 12*b*c^2*d^2*e + 6*b^2*c*d*e^2 - b^3*e^3
)*sqrt(c^2*d*e - b*c*e^2)*log((c*e*x^2 + c*d - b*e + 2*sqrt(c^2*d*e - b*c*e
^2)*x)/(c*e*x^2 - c*d + b*e)) + 30*(7*c^4*d^3*e - 12*b*c^3*d^2*e^2 + 6*b^2*
c^2*d*e^3 - b^3*c*e^4)*x)/(c^5*d*e - b*c^4*e^2), 1/15*(3*(c^4*d*e^3 - b*c^3
*e^4)*x^5 + 5*(4*c^4*d^2*e^2 - 5*b*c^3*d*e^3 + b^2*c^2*e^4)*x^3 - 15*(8*c^3
*d^3 - 12*b*c^2*d^2*e + 6*b^2*c*d*e^2 - b^3*e^3)*sqrt(-c^2*d*e + b*c*e^2)*a
rctan(-sqrt(-c^2*d*e + b*c*e^2)*x/(c*d - b*e)) + 15*(7*c^4*d^3*e - 12*b*c^3
*d^2*e^2 + 6*b^2*c^2*d*e^3 - b^3*c*e^4)*x)/(c^5*d*e - b*c^4*e^2)]
```

giac [B] time = 5.85, size = 10312, normalized size = 85.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^4/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="giac"
)
```

```
[Out] -1/8*(128*b*c^10*d^6*e^10 - 64*sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b
^2*e^4)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b
*c^8*d^6*e^6 - 384*b^2*c^9*d^5*e^11 + 192*sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*b*
c*d*e^3 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^
4)*c*e^2)*b^2*c^7*d^5*e^7 + 480*b^3*c^8*d^4*e^12 - 240*sqrt(2)*sqrt(4*c^2*d
^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d
*e^3 + b^2*e^4)*c*e^2)*b^3*c^6*d^4*e^8 + 32*sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*
b*c*d*e^3 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*
e^4)*c*e^2)*b^2*c^7*d^4*e^8 - 16*sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 +
b^2*e^4)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)
*b*c^8*d^4*e^8 - 320*b^4*c^7*d^3*e^13 - 32*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b
^2*e^4)*b*c^8*d^4*e^8 + 160*sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*
e^4)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b^4*
c^5*d^3*e^9 - 64*sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*sqrt(b
*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b^3*c^6*d^3*e^9
+ 32*sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*sqrt(b*c*e^4 + sq
rt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b^2*c^7*d^3*e^9 + 120*b^5*
c^6*d^2*e^14 + 64*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^2*c^7*d^3*e^9 -
60*sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*sqrt(b*c*e^4 + sqrt
(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b^5*c^4*d^2*e^10 + 48*sqrt(2
)*sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2
*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b^4*c^5*d^2*e^10 - 24*sqrt(2)*sqrt(4*c
^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b
*c*d*e^3 + b^2*e^4)*c*e^2)*b^3*c^6*d^2*e^10 - 24*b^6*c^5*d*e^15 - 48*(4*c^2
*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^3*c^6*d^2*e^10 + 12*sqrt(2)*sqrt(4*c^2*
d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*
d*e^3 + b^2*e^4)*c*e^2)*b^6*c^3*d*e^11 - 16*sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*
```


$$\begin{aligned}
& b^2 c^2 d^2 e^3 + b^2 e^4) \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} \\
& c^2 e^2) b^5 c^4 d^2 e^{11} + 8 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \\
& \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} c^2 e^2) b^4 c^5 d^2 e^{11} \\
& + 2 b^7 c^4 e^{16} + 16 (4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4) b^4 c^5 d^2 e^{11} \\
& - \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} \\
& c^2 e^2) b^7 c^2 e^{12} + 2 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} \\
& c^2 e^2) b^6 c^3 e^{12} - \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} \\
& c^2 e^2) b^5 c^4 e^{12} - 2 (4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4) b^5 c^4 e^{12} + (256 c^9 d^7 e^9 - 128 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}) \\
& \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} c^2 e^2) c^7 d^7 e^5 - 896 b^2 c^8 d^6 e^{10} + 448 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \\
& \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} c^2 e^2) b^2 c^6 d^6 e^6 + 1344 b^2 c^7 d^5 e^{11} - 672 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \\
& \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} c^2 e^2) b^2 c^5 d^5 e^7 + 64 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} \\
& c^2 e^2) b^2 c^6 d^5 e^7 - 32 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} c^2 e^2) \\
& c^7 d^5 e^7 - 1120 b^3 c^6 d^4 e^{12} - 64 (4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4) c^7 d^5 e^7 + 560 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \\
& \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} c^2 e^2) b^3 c^4 d^4 e^8 - 160 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} \\
& c^2 e^2) b^2 c^5 d^4 e^8 + 80 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} c^2 e^2) b^2 c^6 d^4 e^8 + 560 \\
& b^4 c^5 d^3 e^{13} + 160 (4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4) b^2 c^6 d^4 e^8 - 280 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} \\
& c^2 e^2) b^4 c^3 d^3 e^9 + 160 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} c^2 e^2) b^3 c^4 d^3 e^9 - 80 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \\
& \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} c^2 e^2) b^2 c^5 d^3 e^9 - 168 b^5 c^4 d^2 e^{14} - 160 (4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4) b^2 c^5 d^3 e^9 + 84 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \\
& \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} c^2 e^2) b^5 c^2 d^2 e^{10} - 80 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} \\
& c^2 e^2) b^4 c^3 d^2 e^{10} + 40 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} c^2 e^2) b^3 c^4 d^2 e^{10} + 28 b^6 c^3 d^2 e^{15} + 80 (4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4) \\
& b^3 c^4 d^2 e^{10} - 14 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} c^2 e^2) b^6 c^3 d^2 e^{10} + 20 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \\
& \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} c^2 e^2) b^5 c^4 d^2 e^{10} + 20 \sqrt{2} \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4} \sqrt{b^2 c^2 e^4 + \sqrt{4 c^2 d^2 e^2 - 4 b^2 c^2 d^2 e^3 + b^2 e^4}} c^2 e^2) b^5 c^4 d^2 e^{10}
\end{aligned}$$

$$\begin{aligned}
& ^2*d*e^{11} - 10*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c} \\
& *e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b^4*c^3*d*e^{11} - \\
& 2*b^7*c^2*e^{16} - 20*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^4*c^3*d*e^{11} \\
& + \sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4* \\
& c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b^7*e^{12} - 2*\sqrt{2}*\sqrt{4*c^ \\
& 2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b* \\
& c*d*e^3 + b^2*e^4}*c*e^2)*b^6*c*e^{12} + \sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d \\
& *e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}* \\
& c*e^2)*b^5*c^2*e^{12} + 2*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^5*c^2*e^{1 \\
& 2}*c^2 - 2*(256*c^{10}*d^8*e^8 - 128*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^ \\
& 2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*c^9*d^8*e^6 - 896*b*c^9*d^7*e^9 + 448*\sqrt{ \\
& 2}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b*c^ \\
& 8*d^7*e^7 + 1344*b^2*c^8*d^6*e^{10} - 672*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d \\
& ^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b^2*c^7*d^6*e^8 + 64*\sqrt{2}*\sqrt{b* \\
& c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b*c^8*d^6*e^8 - \\
& 32*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2} \\
&)*c^9*d^6*e^8 - 1120*b^3*c^7*d^5*e^{11} + 560*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{4*c \\
& ^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b^3*c^6*d^5*e^9 - 160*\sqrt{2}*\sqrt{ \\
& b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b^2*c^7*d^5 \\
& *e^9 + 80*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
&)*c*e^2)*b*c^8*d^5*e^9 - 64*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c^8*d^6 \\
& *e^6 + 560*b^4*c^6*d^4*e^{12} - 280*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 \\
& - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b^4*c^5*d^4*e^{10} + 160*\sqrt{2}*\sqrt{b*c*e^ \\
& 4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b^3*c^6*d^4*e^{10} - 8 \\
& 0*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2} \\
&)*b^2*c^7*d^4*e^{10} + 160*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b*c^7*d^5*e \\
& ^7 - 168*b^5*c^5*d^3*e^{13} + 84*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - \\
& 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b^5*c^4*d^3*e^{11} - 80*\sqrt{2}*\sqrt{b*c*e^4 + \\
& \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b^4*c^5*d^3*e^{11} + 40*\sqrt{ \\
& 2}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b^3 \\
& *c^6*d^3*e^{11} - 160*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^2*c^6*d^4*e^8 \\
& + 28*b^6*c^4*d^2*e^{14} - 14*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b \\
& *c*d*e^3 + b^2*e^4}*c*e^2)*b^6*c^3*d^2*e^{12} + 20*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{ \\
& 4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b^5*c^4*d^2*e^{12} - 10*\sqrt{2} \\
&)*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b^4*c^ \\
& 5*d^2*e^{12} + 80*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^3*c^5*d^3*e^9 - 2 \\
& *b^7*c^3*d*e^{15} + \sqrt{2}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + \\
& b^2*e^4}*c*e^2)*b^7*c^2*d*e^{13} - 2*\sqrt{2}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e \\
& ^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b^6*c^3*d*e^{13} + \sqrt{2}*\sqrt{b*c*e^4 + \\
& \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*c*e^2)*b^5*c^4*d*e^{13} - 20*(4*c \\
& ^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^4*c^4*d^2*e^{10} + 2*(4*c^2*d^2*e^2 - 4 \\
& *b*c*d*e^3 + b^2*e^4)*b^5*c^3*d*e^{11})*\text{abs}(c))*\arctan(2*\sqrt{1/2}*x*e^6/\sqrt{ \\
& ((b*c^5*e^{12} + \sqrt{b^2*c^{10}*e^{24} + 4*(c^6*d^2*e^{10} - b*c^5*d*e^{11})*c^6*e^{1 \\
& 2}))/c^6}))/((16*c^{10}*d^6*e^8 - 48*b*c^9*d^5*e^9 + 56*b^2*c^8*d^4*e^{10} - 8*b* \\
& c^9*d^4*e^{10} + 4*c^{10}*d^4*e^{10} - 32*b^3*c^7*d^3*e^{11} + 16*b^2*c^8*d^3*e^{11}
\end{aligned}$$

$$\begin{aligned}
& - 8*b*c^9*d^3*e^{11} + 9*b^4*c^6*d^2*e^{12} - 10*b^3*c^7*d^2*e^{12} + 5*b^2*c^8*d^2*e^{12} - b^5*c^5*d*e^{13} + 2*b^4*c^6*d*e^{13} - b^3*c^7*d*e^{13})*c^2) + 1/8*(1 \\
& 28*b*c^{10}*d^6*e^{10} - 64*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b*c^8*d^6 \\
& *e^6 - 384*b^2*c^9*d^5*e^{11} + 192*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2) \\
& *b^2*c^7*d^5*e^7 + 480*b^3*c^8*d^4*e^{12} - 240*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2) \\
& *b^3*c^6*d^4*e^8 + 32*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c \\
& *e^2)*b^2*c^7*d^4*e^8 - 16*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2) \\
& *b*c^8*d^4*e^8 - 320*b^4*c^7*d^3*e^{13} - 32*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4) \\
& *b*c^8*d^4*e^8 + 160*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2) \\
& *b^4*c^5*d^3*e^9 - 64*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2) \\
& *b^3*c^6*d^3*e^9 + 32*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2) \\
& *b^2*c^7*d^3*e^9 + 120*b^5*c^6*d^2*e^{14} + 64*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4) \\
& *b^2*c^7*d^3*e^9 - 60*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2) \\
& *b^5*c^4*d^2*e^{10} + 48*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2) \\
& *b^4*c^5*d^2*e^{10} - 24*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2) \\
& *b^3*c^6*d^2*e^{10} - 24*b^6*c^5*d*e^{15} - 48*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4) \\
& *b^3*c^6*d^2*e^{10} + 12*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2) \\
& *b^6*c^3*d*e^{11} - 16*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c \\
& *e^2)*b^5*c^4*d*e^{11} + 8*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2) \\
& *b^4*c^5*d*e^{11} + 2*b^7*c^4*e^{16} + 16*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4) \\
& *b^4*c^5*d*e^{11} - \sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2) \\
& *b^7*c^2*e^{12} + 2*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2) \\
& *b^6*c^3*e^{12} - \sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c \\
& *e^2)*b^5*c^4*e^{12} - 2*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4) \\
& *b^5*c^4*e^{12} + (256*c^9*d^7*e^9 - 128*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b \\
& *c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *c*e^2)*c^7*d^7*e^5 - 896*b*c^8*d^6*e^{10} + 448*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b \\
& *c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4} \\
& *c*e^2) \\
& *b*c^6*d^6*e^6 + 1344*b^2*c^7*d^5*e^{11} - 672*\sqrt{2}*\sqrt{4 \\
& *c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4
\end{aligned}$$

$$\begin{aligned}
& *b*c*d*e^3 + b^2*e^4)*c*e^2)*b^2*c^5*d^5*e^7 + 64*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^3*c^4*d^4*e^8 - 160*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^2*c^5*d^4*e^8 + 80*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^4*c^3*d^3*e^9 + 160*\sqrt{2})*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^3*c^4*d^3*e^9 - 80*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^2*c^5*d^3*e^9 - 168*b^5*c^4*d^2*e^14 - 160*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^2*c^5*d^3*e^9 + 84*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^5*c^2*d^2*e^10 - 80*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^4*c^3*d^2*e^10 + 40*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^3*c^4*d^2*e^10 + 28*b^6*c^3*d*e^15 + 80*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^3*c^4*d^2*e^10 - 14*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^6*c*d*e^11 + 20*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^5*c^2*d*e^11 - 10*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^4*c^3*d*e^11 - 2*b^7*c^2*e^16 - 20*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^4*c^3*d*e^11 + \sqrt{2})*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^7*e^12 - 2*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^6*c*e^12 + \sqrt{2})*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^5*c^2*e^12 + 2*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^5*c^2*e^12)*c^2 - 2*(256*c^10*d^8*e^8 + 128*\sqrt{2})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*c^9*d^8*e^6 - 896*b*c^9*d^7*e^9 - 448*\sqrt{2})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b*c^8*d^7*e^7 + 1344*b^2*c^8*d^6*e^10 + 672*\sqrt{2})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^2*c^7*d^6*e^8 - 64*\sqrt{2})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b*c^8*d^6*e^8 + 32*\sqrt{2})*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*c^9*d
\end{aligned}$$

```

^6*e^8 - 1120*b^3*c^7*d^5*e^11 - 560*sqrt(2)*sqrt(b*c*e^4 - sqrt(4*c^2*d^2*
e^2 - 4*b*c*d*e^3 + b^2*e^4))*c*e^2)*b^3*c^6*d^5*e^9 + 160*sqrt(2)*sqrt(b*c*
e^4 - sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c*e^2)*b^2*c^7*d^5*e^9 -
80*sqrt(2)*sqrt(b*c*e^4 - sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c*e^2
)*b*c^8*d^5*e^9 - 64*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c^8*d^6*e^6 +
560*b^4*c^6*d^4*e^12 + 280*sqrt(2)*sqrt(b*c*e^4 - sqrt(4*c^2*d^2*e^2 - 4*b*
c*d*e^3 + b^2*e^4))*c*e^2)*b^4*c^5*d^4*e^10 - 160*sqrt(2)*sqrt(b*c*e^4 - sqr
t(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c*e^2)*b^3*c^6*d^4*e^10 + 80*sqrt(
2)*sqrt(b*c*e^4 - sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c*e^2)*b^2*c^
7*d^4*e^10 + 160*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b*c^7*d^5*e^7 - 16
8*b^5*c^5*d^3*e^13 - 84*sqrt(2)*sqrt(b*c*e^4 - sqrt(4*c^2*d^2*e^2 - 4*b*c*d
*e^3 + b^2*e^4))*c*e^2)*b^5*c^4*d^3*e^11 + 80*sqrt(2)*sqrt(b*c*e^4 - sqrt(4*
c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c*e^2)*b^4*c^5*d^3*e^11 - 40*sqrt(2)*s
qrt(b*c*e^4 - sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c*e^2)*b^3*c^6*d^
3*e^11 - 160*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^2*c^6*d^4*e^8 + 28*b
^6*c^4*d^2*e^14 + 14*sqrt(2)*sqrt(b*c*e^4 - sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^
3 + b^2*e^4))*c*e^2)*b^6*c^3*d^2*e^12 - 20*sqrt(2)*sqrt(b*c*e^4 - sqrt(4*c^2
*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c*e^2)*b^5*c^4*d^2*e^12 + 10*sqrt(2)*sqrt
(b*c*e^4 - sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c*e^2)*b^4*c^5*d^2*e
^12 + 80*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^3*c^5*d^3*e^9 - 2*b^7*c^
3*d*e^15 - sqrt(2)*sqrt(b*c*e^4 - sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^
4))*c*e^2)*b^7*c^2*d*e^13 + 2*sqrt(2)*sqrt(b*c*e^4 - sqrt(4*c^2*d^2*e^2 - 4*
b*c*d*e^3 + b^2*e^4))*c*e^2)*b^6*c^3*d*e^13 - sqrt(2)*sqrt(b*c*e^4 - sqrt(4*
c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c*e^2)*b^5*c^4*d*e^13 - 20*(4*c^2*d^2*
e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^4*c^4*d^2*e^10 + 2*(4*c^2*d^2*e^2 - 4*b*c*d*
e^3 + b^2*e^4)*b^5*c^3*d*e^11)*abs(c))*arctan(2*sqrt(1/2)*x*e^6/sqrt((b*c^5
*e^12 - sqrt(b^2*c^10*e^24 + 4*(c^6*d^2*e^10 - b*c^5*d*e^11)*c^6*e^12))/c^6
)))/((16*c^10*d^6*e^8 - 48*b*c^9*d^5*e^9 + 56*b^2*c^8*d^4*e^10 - 8*b*c^9*d^4
*e^10 + 4*c^10*d^4*e^10 - 32*b^3*c^7*d^3*e^11 + 16*b^2*c^8*d^3*e^11 - 8*b*c
^9*d^3*e^11 + 9*b^4*c^6*d^2*e^12 - 10*b^3*c^7*d^2*e^12 + 5*b^2*c^8*d^2*e^12
- b^5*c^5*d*e^13 + 2*b^4*c^6*d*e^13 - b^3*c^7*d*e^13)*c^2) + 1/15*(3*c^4*x
^5*e^12 + 20*c^4*d*x^3*e^11 - 5*b*c^3*x^3*e^12 + 105*c^4*d^2*x*e^10 - 75*b*
c^3*d*x*e^11 + 15*b^2*c^2*x*e^12)*e^(-10)/c^5

```

maple [B] time = 0.01, size = 226, normalized size = 1.87

$$\frac{e^2 x^5}{5c} - \frac{b^3 e^3 \arctan\left(\frac{cex}{\sqrt{(be-cd)ce}}\right)}{\sqrt{(be-cd)ce} c^3} + \frac{6b^2 d e^2 \arctan\left(\frac{cex}{\sqrt{(be-cd)ce}}\right)}{\sqrt{(be-cd)ce} c^2} - \frac{12b d^2 e \arctan\left(\frac{cex}{\sqrt{(be-cd)ce}}\right)}{\sqrt{(be-cd)ce} c} - \frac{b e^2 x^3}{3c^2} + \frac{4d e x^3}{3c} + \frac{8d^3 \arctan\left(\frac{cex}{\sqrt{(be-cd)ce}}\right)}{\sqrt{(be-cd)ce}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^4/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2), x)

[Out] 1/5*e^2*x^5/c-1/3/c^2*x^3*b*e^2+4/3/c*x^3*d*e+1/c^3*b^2*e^2*x-5/c^2*b*d*e*x+7/c*d^2*x-1/c^3/((b*e-c*d)*c*e)^(1/2)*arctan(c*e*x/((b*e-c*d)*c*e)^(1/2))*

$b^3e^3+6/c^2/((b*e-c*d)*c*e)^{(1/2)}*\arctan(c*e*x/((b*e-c*d)*c*e)^{(1/2)})*b^2*d*e^2-12/c/((b*e-c*d)*c*e)^{(1/2)}*\arctan(c*e*x/((b*e-c*d)*c*e)^{(1/2)})*b*d^2*e+8/((b*e-c*d)*c*e)^{(1/2)}*\arctan(c*e*x/((b*e-c*d)*c*e)^{(1/2)})*d^3$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(b*e-c*d>0)', see 'assume?' for more details)Is b*e-c*d positive or negative?

mupad [B] time = 4.53, size = 182, normalized size = 1.50

$$x \left(\frac{3d^2}{c} + \frac{\left(\frac{e(b e - c d)}{c^2} - \frac{3 d e}{c} \right) (b e - c d)}{c e} \right) - x^3 \left(\frac{e(b e - c d)}{3 c^2} - \frac{d e}{c} \right) + \frac{e^2 x^5}{5 c} - \frac{\operatorname{atan} \left(\frac{\sqrt{c} e x (b e - 2 c d)^3}{\sqrt{b e^2 - c d e} (b^3 e^3 - 6 b^2 c d e^2 + 12 b c^2 d^2 e - 8 c^3 d^3)} \right)}{c^{7/2} \sqrt{b e^2 - c d e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^4/(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e),x)

[Out] $x * \left(\frac{3*d^2}{c} + \left(\frac{e*(b*e - c*d)}{c^2} - \frac{3*d*e}{c} \right) * (b*e - c*d) / (c*e) \right) - x^3 * \left(\frac{e*(b*e - c*d)}{3*c^2} - \frac{d*e}{c} \right) + \frac{e^2*x^5}{5*c} - \frac{\operatorname{atan} \left(\frac{c^{1/2} * e * (b*e - 2*c*d)^3}{(b*e^2 - c*d*e)^{1/2} * (b^3*e^3 - 8*c^3*d^3 + 12*b*c^2*d^2*e - 6*b^2*c*d*e^2)} \right) * (b*e - 2*c*d)^3}{c^{7/2} * (b*e^2 - c*d*e)^{1/2}}$

sympy [B] time = 1.00, size = 345, normalized size = 2.85

$$x^3 \left(-\frac{b e^2}{3 c^2} + \frac{4 d e}{3 c} \right) + x \left(\frac{b^2 e^2}{c^3} - \frac{5 b d e}{c^2} + \frac{7 d^2}{c} \right) + \frac{\sqrt{-\frac{1}{c^7 e (b e - c d)}} (b e - 2 c d)^3 \log \left(x + \frac{-b c^3 e \sqrt{-\frac{1}{c^7 e (b e - c d)}} (b e - 2 c d)^3 + c^4 d \sqrt{-\frac{1}{c^7 e (b e - c d)}}}{b^3 e^3 - 6 b^2 c d e^2 + 12 b c^2 d^2 e - 8 c^3 d^3} \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**4/(c***2*x**4+b***2*x**2+b*d*e-c*d**2),x)

[Out] $x**3*(-b***2/(3*c**2) + 4*d*e/(3*c)) + x*(b**2*e**2/c**3 - 5*b*d*e/c**2 + 7*d**2/c) + \operatorname{sqrt}(-1/(c**7*e*(b*e - c*d)))*(b*e - 2*c*d)**3*\log(x + (-b*c**3$

$$\begin{aligned}
& e \sqrt{-1/(c^{**7}e*(b*e - c*d))}*(b*e - 2*c*d)^{**3} + c^{**4}*d*\sqrt{-1/(c^{**7}e* \\
& (b*e - c*d))}*(b*e - 2*c*d)^{**3}/(b^{**3}*e^{**3} - 6*b^{**2}*c*d*e^{**2} + 12*b*c^{**2}*d* \\
& *2*e - 8*c^{**3}*d^{**3})/2 - \sqrt{-1/(c^{**7}e*(b*e - c*d))}*(b*e - 2*c*d)^{**3}*\log \\
& (x + (b*c^{**3}*e*\sqrt{-1/(c^{**7}e*(b*e - c*d))}*(b*e - 2*c*d)^{**3} - c^{**4}*d*\sqrt{-1/(c^{**7}e*(b*e - c*d))}*(b*e - 2*c*d)^{**3})/(b^{**3}*e^{**3} - 6*b^{**2}*c*d*e^{**2} + 12*b*c^{**2}*d^{**2}*e - 8*c^{**3}*d^{**3}))/2 + e^{**2}*x^{**5}/(5*c)
\end{aligned}$$

$$3.215 \quad \int \frac{(d+ex^2)^3}{-cd^2+bde+be^2x^2+ce^2x^4} dx$$

Optimal. Leaf size=86

$$-\frac{(2cd-be)^2 \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{cd-be}}\right)}{c^{5/2}\sqrt{e}\sqrt{cd-be}} + \frac{x(3cd-be)}{c^2} + \frac{ex^3}{3c}$$

[Out] $(-b*e+3*c*d)*x/c^2+1/3*e*x^3/c-(-b*e+2*c*d)^2*\operatorname{arctanh}(x*c^{(1/2)}*e^{(1/2)/(-b*e+c*d)^{(1/2)})/c^{(5/2)}/e^{(1/2)/(-b*e+c*d)^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$, Rules used = {1149, 390, 208}

$$\frac{x(3cd-be)}{c^2} - \frac{(2cd-be)^2 \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{cd-be}}\right)}{c^{5/2}\sqrt{e}\sqrt{cd-be}} + \frac{ex^3}{3c}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^3/(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4),x]

[Out] $((3*c*d - b*e)*x)/c^2 + (e*x^3)/(3*c) - ((2*c*d - b*e)^2*\operatorname{ArcTanh}[(\operatorname{Sqrt}[c]*\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[c*d - b*e]])/(c^{(5/2)}*\operatorname{Sqrt}[e]*\operatorname{Sqrt}[c*d - b*e])$

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 390

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Int[PolynomialDivide[(a + b*x^n)^p, (c + d*x^n)^(-q), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && IGtQ[p, 0] && ILtQ[q, 0] && GeQ[p, -q]

Rule 1149

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[(d + e*x^2)^(p+q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^3}{-cd^2 + bde + be^2x^2 + ce^2x^4} dx &= \int \frac{(d + ex^2)^2}{\frac{-cd^2 + bde}{d} + cex^2} dx \\
&= \int \left(\frac{3cd - be}{c^2} + \frac{ex^2}{c} + \frac{4c^2d^2 - 4bcde + b^2e^2}{c^2(-cd + be + cex^2)} \right) dx \\
&= \frac{(3cd - be)x}{c^2} + \frac{ex^3}{3c} + \frac{(2cd - be)^2 \int \frac{1}{-cd + be + cex^2} dx}{c^2} \\
&= \frac{(3cd - be)x}{c^2} + \frac{ex^3}{3c} - \frac{(2cd - be)^2 \tanh^{-1} \left(\frac{\sqrt{c} \sqrt{ex}}{\sqrt{cd - be}} \right)}{c^{5/2} \sqrt{e} \sqrt{cd - be}}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 84, normalized size = 0.98

$$\frac{(be - 2cd)^2 \tan^{-1} \left(\frac{\sqrt{c} \sqrt{ex}}{\sqrt{be - cd}} \right)}{c^{5/2} \sqrt{e} \sqrt{be - cd}} - \frac{x(be - 3cd)}{c^2} + \frac{ex^3}{3c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^3/(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4),x]

[Out] -(((-3*c*d + b*e)*x)/c^2) + (e*x^3)/(3*c) + ((-2*c*d + b*e)^2*ArcTan[(Sqrt[c]*Sqrt[e]*x)/Sqrt[-(c*d) + b*e]])/(c^(5/2)*Sqrt[e]*Sqrt[-(c*d) + b*e])

fricas [A] time = 0.95, size = 311, normalized size = 3.62

$$\left[\frac{2(c^3de^2 - bc^2e^3)x^3 + 3(4c^2d^2 - 4bcde + b^2e^2)\sqrt{c^2de - bce^2} \log\left(\frac{cex^2 + cd - be - 2\sqrt{c^2de - bce^2}x}{cex^2 - cd + be}\right) + 6(3c^3d^2e - 4bc^2de)}{6(c^4de - bc^3e^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="fricas")

[Out] [1/6*(2*(c^3*d*e^2 - b*c^2*e^3)*x^3 + 3*(4*c^2*d^2 - 4*b*c*d*e + b^2*e^2)*sqrt(c^2*d*e - b*c*e^2)*log((c*e*x^2 + c*d - b*e - 2*sqrt(c^2*d*e - b*c*e^2)*x)/(c*e*x^2 - c*d + b*e)) + 6*(3*c^3*d^2*e - 4*b*c^2*d*e^2 + b^2*c*e^3)*x]

$$\frac{1}{3} \left(\frac{(c^3 d e^2 - b c^2 e^3) x^3 - 3(4 c^2 d^2 - 4 b c d e + b^2 e^2) \sqrt{-c^2 d e + b c e^2} \arctan(-\sqrt{-c^2 d e + b c e^2}) x}{(c d - b e)} + 3(3 c^3 d^2 e - 4 b c^2 d e^2 + b^2 c e^3) x \right) / (c^4 d e - b c^3 e^2)$$

giac [B] time = 5.30, size = 8680, normalized size = 100.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8*(64*b*c^9*d^5*e^8 - 32*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b*c^7*d^5*e^4 \\ & - 160*b^2*c^8*d^4*e^9 + 80*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^2*c^6*d^4*e^5 \\ & + 160*b^3*c^7*d^3*e^{10} - 80*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^3*c^5*d^3*e^6 \\ & + 16*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^2*c^6*d^3*e^6 \\ & - 8*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b*c^7*d^3*e^6 \\ & - 80*b^4*c^6*d^2*e^{11} - 16*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b*c^7*d^3*e^6 + 40*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^4*c^4*d^2*e^7 \\ & - 24*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^3*c^5*d^2*e^7 + 12*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^2*c^6*d^2*e^7 \\ & + 20*b^5*c^5*d*e^{12} + 24*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^2*c^6*d^2*e^7 - 10*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^5*c^3*d*e^8 \\ & + 12*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^4*c^4*d*e^8 - 6*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^3*c^5*d*e^8 \\ & - 2*b^6*c^4*e^{13} - 12*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^3*c^5*d*e^8 + \sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^6*c^2*e^9 \\ & - 2*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^5*c^3*e^9 + \sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^4*c^4*e^9 \\ & + 2*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^4*c^4*e^9 + (128*c^8*d^6*e^7 - 64*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4}*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2)*b^4*c^4*e^9 \end{aligned}$$

$$\begin{aligned}
& 7 + 32\sqrt{2}\sqrt{b^2c^2e^4 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 \\
& * b^7d^4e^7 - 32(4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4)c^7d^5e^4 \\
& + 120b^4c^5d^3e^{10} - 60\sqrt{2}\sqrt{b^2c^2e^4 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 \\
& * b^4c^4d^3e^8 + 48\sqrt{2}\sqrt{b^2c^2e^4 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 \\
& * b^3c^5d^3e^8 - 24\sqrt{2}\sqrt{b^2c^2e^4 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 \\
& * b^2c^6d^3e^8 + 64(4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4)b^6c^6d^4e^5 - 24b^5c^4d^2e^{11} \\
& + 12\sqrt{2}\sqrt{b^2c^2e^4 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^5c^3d^2e^9 \\
& - 16\sqrt{2}\sqrt{b^2c^2e^4 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^4c^4d^2e^9 \\
& + 8\sqrt{2}\sqrt{b^2c^2e^4 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^3c^5d^2e^9 \\
& - 48(4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4)b^2c^5d^3e^6 + 2b^6c^3d^2e^{12} \\
& - \sqrt{2}\sqrt{b^2c^2e^4 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^6c^2d^2e^{10} \\
& + 2\sqrt{2}\sqrt{b^2c^2e^4 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^5c^3d^2e^{10} \\
& - \sqrt{2}\sqrt{b^2c^2e^4 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^4c^4d^2e^{10} \\
& + 16(4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4)b^3c^4d^2e^7 - 2(4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4) \\
& * b^4c^3d^2e^8 * \text{abs}(c) * \arctan(2\sqrt{1/2} * x^4 / \sqrt{(b^3c^3e^8 + \sqrt{b^2c^6e^{16} + 4(c^4d^2e^6 - b^3c^3d^2e^7)c^4e^8}) / c^4}) / ((16c^9d^6e^6 - 48b^2c^8d^5e^7 + 56b^2c^7d^4e^8 - 8b^2c^8d^4e^8 + 4c^9d^4e^8 - 32b^3c^6d^3e^9 + 16b^2c^7d^3e^9 - 8b^2c^8d^3e^9 + 9b^4c^5d^2e^{10} - 10b^3c^6d^2e^{10} + 5b^2c^7d^2e^{10} - b^5c^4d^2e^{11} + 2b^4c^5d^2e^{11} - b^3c^6d^2e^{11})c^2) + 1/8(64b^2c^9d^5e^8 - 32\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4})\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^2c^6d^4e^5 + 160b^3c^7d^3e^{10} - 80\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4})\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^3c^5d^3e^6 + 16\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4})\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^2c^6d^3e^6 - 8\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4})\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^2c^6d^3e^6 - 80b^4c^6d^2e^{11} - 16(4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4)b^2c^7d^3e^6 + 40\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4})\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^4c^4d^2e^7 - 24\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4})\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^3c^5d^2e^7 + 12\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4})\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^2c^6d^2e^7 + 20b^5c^5d^2e^{12} + 24(4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4)b^2c^6d^2e^7 - 10\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4})\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^5c^3d^2e^8 + 12\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4})\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4}}c^2e^2 * b^4c^4d^2e^8 - 6\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^3 + b^2e^4})\sqrt{b^2c^2e^4 - s
\end{aligned}$$

$$\begin{aligned}
& \text{qrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2 * b^3c^5d^8e^8 - 2b^6c^4e^{13} - 12(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * b^3c^5d^8e^8 + \text{sqrt}(2) * \\
& \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^6c^2e^9 - 2 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \\
& \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^5c^3e^9 + \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * \\
& b^4c^4e^9 + 2(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * b^4c^4e^9 + (128c^8d^6e^7 - 64 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * c^6d^6e^3 - \\
& 384 * b^7c^5d^5e^8 + 192 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^5c^5d^5e^4 + 480 * b^2c^6d^4e^9 - 240 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \\
& \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^2c^4d^4e^5 + 32 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^5c^5d^4e^5 - \\
& 16 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * c^6d^4e^5 - 320 * b^3c^5d^3e^{10} - 32 * (4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^6d^4e^5 + 160 * \\
& \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^3c^3d^3e^6 - 64 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^2c^4d^3e^6 + \\
& 32 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^2c^4d^3e^6 + 120 * b^4c^4d^2e^{11} + 64 * (4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * b^5c^5d^3e^6 - 60 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \\
& \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^4c^2d^2e^7 + 48 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^3c^3d^2e^7 - 24 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \\
& \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^2c^4d^2e^7 - 24 * b^5c^3d^2e^{12} - 48 * (4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * b^2c^4d^2e^7 + 12 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^5c^5d^8e^8 - \\
& 16 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^4c^2d^8e^8 + 8 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^3c^3d^8e^8 + 2 * b^6c^2e^{13} + 16 * (4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * b^3c^3d^8e^8 - \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^6e^9 + 2 * \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^5c^5e^9 - \text{sqrt}(2) * \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * \text{sqrt}(b^2c^2e^4 - \text{sqrt}(4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * c^2e^2) * b^4c^2e^9 - 2 * (4c^2d^2e^2 - 4b^2c^2d^2e^2 + b^2e^4) * b^4c^2e^9) * c^2 - 2 * (128c^9d^7e^6 +
\end{aligned}$$

$$\begin{aligned}
& 64\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^8d^7e^4 - 384b^2c^8d^6e^7 - 192\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2 \\
& + 240\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2b^2c^6d^5e^6 - 32\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2b^2c^7d^5e^6 + 16\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2 \\
& + 320b^3c^6d^4e^9 - 160\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2b^3c^5d^4e^7 + 64\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2b^2c^6d^4e^7 - 32\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2 \\
& + 120b^4c^5d^3e^{10} + 60\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2b^4c^4d^3e^8 - 48\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2b^3c^5d^3e^8 + 24\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2 \\
& + 64(4c^2d^2e^2 - 4b^2cde^3 + b^2e^4)b^2c^6d^3e^8 + 64(4c^2d^2e^2 - 4b^2cde^3 + b^2e^4)b^2c^6d^4e^5 - 24b^5c^4d^2e^{11} - 12\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2b^5c^3d^2e^9 \\
& + 16\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2b^4c^4d^2e^9 - 8\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2b^3c^5d^2e^9 - 48(4c^2d^2e^2 - 4b^2cde^3 + b^2e^4)b^2c^5d^3e^6 + 2b^6c^3d^2e^{12} + \sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2 \\
& + 2\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2b^6c^2d^2e^{10} - 2\sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2b^5c^3d^2e^{10} + \sqrt{2}\sqrt{b^2c^2e^4 - \sqrt{4c^2d^2e^2 - 4b^2cde^3 + b^2e^4}}c^2e^2 \\
& + 16(4c^2d^2e^2 - 4b^2cde^3 + b^2e^4)b^3c^4d^2e^7 - 2(4c^2d^2e^2 - 4b^2cde^3 + b^2e^4)b^4c^3d^2e^8) \operatorname{arctan}\left(\frac{2\sqrt{1/2}x^4/\sqrt{(b^2c^3e^8 - \sqrt{b^2c^6e^{16} + 4(c^4d^2e^6 - b^2c^3d^2e^7)c^4e^8})/c^4}}{(16c^9d^6e^6 - 48b^2c^8d^5e^7 + 56b^2c^7d^4e^8 - 8b^2c^8d^4e^8 + 4c^9d^4e^8 - 32b^3c^6d^3e^9 + 16b^2c^7d^3e^9 - 8b^2c^8d^3e^9 + 9b^4c^5d^2e^{10} - 10b^3c^6d^2e^{10} + 5b^2c^7d^2e^{10} - b^5c^4d^2e^{11} + 2b^4c^5d^2e^{11} - b^3c^6d^2e^{11})c^2} + 1/3(c^2x^3e^7 + 9c^2dx^2e^6 - 3b^2cx^2e^7)e^{-6}/c^3}\right)
\end{aligned}$$

maple [A] time = 0.00, size = 142, normalized size = 1.65

$$\frac{b^2e^2 \operatorname{arctan}\left(\frac{cex}{\sqrt{(be-cd)ce}}\right)}{\sqrt{(be-cd)ce}c^2} - \frac{4bde \operatorname{arctan}\left(\frac{cex}{\sqrt{(be-cd)ce}}\right)}{\sqrt{(be-cd)ce}c} + \frac{ex^3}{3c} + \frac{4d^2 \operatorname{arctan}\left(\frac{cex}{\sqrt{(be-cd)ce}}\right)}{\sqrt{(be-cd)ce}} - \frac{bex}{c^2} + \frac{3dx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^3/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2), x)

[Out] 1/3*e*x^3/c-1/c^2*b*e*x+3/c*d*x+1/c^2/((b*e-c*d)*c*e)^(1/2)*arctan(1/((b*e-c*d)*c*e)^(1/2)*c*e*x)*b^2*e^2-4/c/((b*e-c*d)*c*e)^(1/2)*arctan(1/((b*e-c*d)*c*e)^(1/2)*c*e*x)

) $\cdot c \cdot e$)^(1/2) $\cdot c \cdot e \cdot x$) $\cdot b \cdot d \cdot e + 4 / ((b \cdot e - c \cdot d) \cdot c \cdot e)$)^(1/2) $\cdot \arctan(1 / ((b \cdot e - c \cdot d) \cdot c \cdot e)$)^(1/2) $\cdot c \cdot e \cdot x$) $\cdot d^2$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation may help (example of legal syntax is 'assume(b*e-c*d>0)', see 'assume?' for more details) Is b*e-c*d positive or negative?

mupad [B] time = 4.52, size = 113, normalized size = 1.31

$$x \left(\frac{2d}{c} - \frac{be - cd}{c^2} \right) + \frac{ex^3}{3c} + \frac{\operatorname{atan} \left(\frac{\sqrt{c} e x (be - 2cd)^2}{\sqrt{be^2 - cde} (b^2 e^2 - 4bcde + 4c^2 d^2)} \right) (be - 2cd)^2}{c^{5/2} \sqrt{be^2 - cde}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^3/(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e),x)

[Out] x*((2*d)/c - (b*e - c*d)/c^2) + (e*x^3)/(3*c) + (atan((c^(1/2))*e*x*(b*e - 2*c*d)^2)/((b*e^2 - c*d*e)^(1/2)*(b^2*e^2 + 4*c^2*d^2 - 4*b*c*d*e)))*(b*e - 2*c*d)^2/(c^(5/2)*(b*e^2 - c*d*e)^(1/2))

sympy [B] time = 0.72, size = 275, normalized size = 3.20

$$x \left(-\frac{be}{c^2} + \frac{3d}{c} \right) - \frac{\sqrt{-\frac{1}{c^5 e (be - cd)}} (be - 2cd)^2 \log \left(x + \frac{-bc^2 e \sqrt{-\frac{1}{c^5 e (be - cd)}} (be - 2cd)^2 + c^3 d \sqrt{-\frac{1}{c^5 e (be - cd)}} (be - 2cd)^2}{b^2 e^2 - 4bcde + 4c^2 d^2} \right)}{2} + \frac{\sqrt{-\frac{1}{c^5 e (be - cd)}} (be - 2cd)^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**3/(c**5*e*(b*e - c*d)),x)

[Out] x*(-b*e/c**2 + 3*d/c) - sqrt(-1/(c**5*e*(b*e - c*d)))*(b*e - 2*c*d)**2*log(x + (-b*c**2*e*sqrt(-1/(c**5*e*(b*e - c*d)))*(b*e - 2*c*d)**2 + c**3*d*sqrt(-1/(c**5*e*(b*e - c*d)))*(b*e - 2*c*d)**2)/(b**2*e**2 - 4*b*c*d*e + 4*c**2*d**2))/2 + sqrt(-1/(c**5*e*(b*e - c*d)))*(b*e - 2*c*d)**2*log(x + (b*c**2*e*sqrt(-1/(c**5*e*(b*e - c*d)))*(b*e - 2*c*d)**2 - c**3*d*sqrt(-1/(c**5*e*(b*e - c*d)))*(b*e - 2*c*d)**2)/(b**2*e**2 - 4*b*c*d*e + 4*c**2*d**2))/2 + e*x**3/(3*c)

$$3.216 \quad \int \frac{(d+ex^2)^2}{-cd^2+bde+be^2x^2+ce^2x^4} dx$$

Optimal. Leaf size=64

$$\frac{x}{c} - \frac{(2cd - be) \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{cd-be}}\right)}{c^{3/2}\sqrt{e}\sqrt{cd-be}}$$

[Out] $x/c - (-b*e+2*c*d)*\operatorname{arctanh}(x*c^{(1/2)}*e^{(1/2)/(-b*e+c*d)^{(1/2)})/c^{(3/2)}/e^{(1/2)}/(-b*e+c*d)^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$, Rules used = {1149, 388, 208}

$$\frac{x}{c} - \frac{(2cd - be) \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{cd-be}}\right)}{c^{3/2}\sqrt{e}\sqrt{cd-be}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d + e*x^2)^2/(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4), x]$

[Out] $x/c - ((2*c*d - b*e)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[c]*\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[c*d - b*e]])/(c^{(3/2)}*\operatorname{Sqrt}[e]*\operatorname{Sqrt}[c*d - b*e])$

Rule 208

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b]$

Rule 388

$\operatorname{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}*((c_ + (d_)*(x_)^{(n_)}), x_Symbol] \rightarrow \operatorname{Simp}[(d*x*(a + b*x^n)^{(p+1)}/(b*(n*(p+1)+1)), x] - \operatorname{Dist}[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), \operatorname{Int}[(a + b*x^n)^p, x], x] /; \operatorname{FreeQ}\{a, b, c, d, n\}, x] \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{NeQ}[n*(p+1)+1, 0]$

Rule 1149

$\operatorname{Int}[(d_ + (e_)*(x_)^2)^{(q_)}*((a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \operatorname{Int}[(d + e*x^2)^{(p+q)}*(a/d + (c*x^2)/e)^p, x] /; \operatorname{FreeQ}\{a, b, c, d, e, q\}, x] \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0] \ \&\& \operatorname{EqQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \operatorname{IntegerQ}[p]$

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2}{-cd^2 + bde + be^2x^2 + ce^2x^4} dx &= \int \frac{d + ex^2}{\frac{-cd^2 + bde}{d} + cex^2} dx \\
&= \frac{x}{c} - \frac{\left(-cde + \frac{e(-cd^2 + bde)}{d}\right) \int \frac{1}{\frac{-cd^2 + bde}{d} + cex^2} dx}{ce} \\
&= \frac{x}{c} - \frac{(2cd - be) \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{cd - be}}\right)}{c^{3/2}\sqrt{e}\sqrt{cd - be}}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 63, normalized size = 0.98

$$\frac{x}{c} - \frac{(be - 2cd) \tan^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{be - cd}}\right)}{c^{3/2}\sqrt{e}\sqrt{be - cd}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2/(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4), x]

[Out] x/c - ((-2*c*d + b*e)*ArcTan[(Sqrt[c]*Sqrt[e]*x)/Sqrt[-(c*d) + b*e]]/(c^(3/2)*Sqrt[e]*Sqrt[-(c*d) + b*e])

fricas [A] time = 1.01, size = 210, normalized size = 3.28

$$\left[\frac{\sqrt{c^2de - bce^2} (2cd - be) \log\left(\frac{cex^2 + cd - be + 2\sqrt{c^2de - bce^2}x}{cex^2 - cd + be}\right) - 2(c^2de - bce^2)x}{2(c^3de - bc^2e^2)}, -\frac{\sqrt{-c^2de + bce^2} (2cd - be) \arctan\left(\frac{x}{\sqrt{cd - be}}\right)}{c^3de - bc^2e^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2), x, algorithm="fricas")

[Out] [-1/2*(sqrt(c^2*d*e - b*c*e^2)*(2*c*d - b*e)*log((c*e*x^2 + c*d - b*e + 2*sqrt(c^2*d*e - b*c*e^2)*x)/(c*e*x^2 - c*d + b*e)) - 2*(c^2*d*e - b*c*e^2)*x/(c^3*d*e - b*c^2*e^2), -(sqrt(-c^2*d*e + b*c*e^2)*(2*c*d - b*e)*arctan(-sqrt(-c^2*d*e + b*c*e^2)*x/(c*d - b*e)) - (c^2*d*e - b*c*e^2)*x)/(c^3*d*e - b*c^2*e^2)]

giac [B] time = 4.82, size = 7051, normalized size = 110.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="giac")

[Out] $x/c - 1/8*(32*b*c^8*d^4*e^8 - 16*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2$
 $*b*c^6*d^4*e^4 - 64*b^2*c^7*d^3*e^9 + 32*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2$
 $*b^2*c^5*d^3*e^5 + 48*b^3*c^6*d^2*e^{10} - 24*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2$
 $*b^3*c^4*d^2*e^6 + 8*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2$
 $*b^2*c^5*d^2*e^6 - 4*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2$
 $*b^3*c^4*d^2*e^6 + 8*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2$
 $*b^4*c^3*d^2*e^7 - 8*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2$
 $*b^5*c^2*d^2*e^8 + 2*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2$
 $*b^4*c^3*d^2*e^8 - \sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2$
 $*b^3*c^4*d^2*e^8 + (64*c^7*d^5*e^7 - 32*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c^5*d^5*e^3$
 $- 160*b*c^6*d^4*e^8 + 80*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2$
 $*b*c^4*d^4*e^4 + 160*b^2*c^5*d^3*e^9 - 80*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2$
 $*b^2*c^3*d^3*e^5 + 16*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c*e^2$
 $*b^3*c^4*d^3*e^5 - 8*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c^5*d^3*e^5$
 $- 80*b^3*c^4*d^2*e^{10} - 16*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c^5*d^3*e^5 + 40*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c^5*d^3*e^5$
 $+ 40*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*\sqrt{b*c*e^4 + \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4})*c^5*d^3*e^5$

$$\begin{aligned}
& + b^2e^4)c^2e^2)b^3c^2d^2e^6 - 24\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2} \\
& *c^2e^2)b^2c^3d^2e^6 + 12\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2} \\
& *c^2e^2)\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} *c^2e^2)b^2c^3d^2e^6 \\
& + 20b^4c^3d^2e^11 + 24(4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2) \\
& *b^2c^3d^2e^6 - 10\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2} \\
& *c^2e^2)b^4c^3d^2e^7 + 12\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2} \\
& *c^2e^2)\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} *c^2e^2)b^3c^2d^2e^7 \\
& - 6\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2} \\
& *c^2e^2)\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} *c^2e^2)b^2c^3d^2e^7 \\
& - 2b^5c^2e^12 - 12(4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2) \\
& *b^2c^3d^2e^7 + \sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2} \\
& *c^2e^2)\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} *c^2e^2)b^5e^8 \\
& - 2\sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2} \\
& *c^2e^2)\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} *c^2e^2)b^4c^3d^2e^8 \\
& + \sqrt{2}\sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2} \\
& *c^2e^2)\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} *c^2e^2)b^3c^2e^8 \\
& + 2(4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2) \\
& *b^3c^2e^8)c^2 - 2(64c^8d^6e^6 - 32\sqrt{2}\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} \\
& *c^2e^2) \\
& *c^7d^6e^4 - 160b^2c^7d^5e^7 + 80\sqrt{2}\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} \\
& *c^2e^2) \\
& *b^2c^6d^5e^5 + 160b^2c^6d^4e^8 - 80\sqrt{2}\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} \\
& *c^2e^2) \\
&) \\
& *b^2c^5d^4e^6 + 16\sqrt{2}\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} \\
& *c^2e^2) \\
& *b^2c^6d^4e^6 - 8\sqrt{2}\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} \\
& *c^2e^2) \\
& *c^7d^4e^6 - 80b^3c^5d^3e^9 + 40\sqrt{2}\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} \\
& *c^2e^2) \\
& *b^3c^4d^3e^7 - 24\sqrt{2}\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} \\
& *c^2e^2) \\
& *b^2c^5d^3e^7 + 12\sqrt{2}\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} \\
& *c^2e^2) \\
& *b^2c^6d^3e^7 - 16(4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2) \\
& *c^6d^4e^4 + 20b^4c^4d^2e^10 - 10\sqrt{2}\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} \\
& *c^2e^2) \\
& *b^4c^3d^2e^8 + 12\sqrt{2}\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} \\
& *c^2e^2) \\
& *b^3c^4d^2e^8 - 6\sqrt{2}\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} \\
& *c^2e^2) \\
& *b^2c^5d^2e^8 + 24(4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2) \\
& *b^2c^5d^3e^5 - 2b^5c^3d^2e^11 + \sqrt{2}\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} \\
& *c^2e^2) \\
& *b^5c^2d^2e^9 - 2\sqrt{2}\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} \\
& *c^2e^2) \\
& *b^4c^3d^2e^9 + \sqrt{2}\sqrt{b^2c^2d^2e^2 + \sqrt{4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2}} \\
& *c^2e^2) \\
& *b^3c^4d^2e^9 - 12(4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2) \\
& *b^2c^4d^2e^6 + 2(4c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2 - 4b^2c^2d^2e^2) \\
& *b^3c^3d^2e^7) \\
& *c^2) \\
& * \arctan(2\sqrt{1/2} * x * e^2 / \sqrt{(b^2c^2e^8 + 4(c^2d^2e^2 - b^2c^2d^2e^2) * c^2e^4) / c^2}) / ((16c^8d^6e^6 - 48b^2c^7d^5e^7 + 56b^2c^6d^4e^8 - 8b^2c^7d^4e^8 + 4c^8d^4e^8 - 32b^3c^5d^3e^9 + 16b^2c^6d^3e^9 - 8b^2c^7d^3e^9 + 9b^4c^4d^2e^10 - 10b^3c^5d^2e^10 + 5b^2c^6d^2e^10 - b^5c^3d^2e^11 + 2b^4c^4d^2e^11 - b^3c^5d^2e^11) * c^2) +
\end{aligned}$$

$$\begin{aligned}
& *c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^2*d^2*e^2 - 4 \\
& *b*c*d*e^3 + b^2*e^4)*c*e^2)*b^2*c^3*d*e^7 - 2*b^5*c^2*e^{12} - 12*(4*c^2*d^2 \\
& *e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^2*c^3*d*e^7 + \text{sqrt}(2)*\text{sqrt}(4*c^2*d^2*e^2 - \\
& 4*b*c*d*e^3 + b^2*e^4)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^ \\
& 2*e^4)*c*e^2)*b^5*e^8 - 2*\text{sqrt}(2)*\text{sqrt}(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^ \\
& 4)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b^4*c* \\
& e^8 + \text{sqrt}(2)*\text{sqrt}(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*\text{sqrt}(b*c*e^4 - \text{sq} \\
& \text{rt}(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b^3*c^2*e^8 + 2*(4*c^2*d^2 \\
& *e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^3*c^2*e^8)*c^2 - 2*(64*c^8*d^6*e^6 + 32*\text{sq} \\
& \text{rt}(2)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*c^7* \\
& d^6*e^4 - 160*b*c^7*d^5*e^7 - 80*\text{sqrt}(2)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^2*d^2*e^2 \\
& - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b*c^6*d^5*e^5 + 160*b^2*c^6*d^4*e^8 + 80*\text{sq} \\
& \text{rt}(2)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b^2 \\
& *c^5*d^4*e^6 - 16*\text{sqrt}(2)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + \\
& b^2*e^4)*c*e^2)*b*c^6*d^4*e^6 + 8*\text{sqrt}(2)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^2*d^2*e^ \\
& 2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*c^7*d^4*e^6 - 80*b^3*c^5*d^3*e^9 - 40*\text{sq} \\
& \text{rt}(2)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b^3* \\
& c^4*d^3*e^7 + 24*\text{sqrt}(2)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + \\
& b^2*e^4)*c*e^2)*b^2*c^5*d^3*e^7 - 12*\text{sqrt}(2)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^2*d^2* \\
& e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b*c^6*d^3*e^7 - 16*(4*c^2*d^2*e^2 - 4*b \\
& *c*d*e^3 + b^2*e^4)*c^6*d^4*e^4 + 20*b^4*c^4*d^2*e^{10} + 10*\text{sqrt}(2)*\text{sqrt}(b*c \\
& *e^4 - \text{sqrt}(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b^4*c^3*d^2*e^8 - \\
& 12*\text{sqrt}(2)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^ \\
& 2)*b^3*c^4*d^2*e^8 + 6*\text{sqrt}(2)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^2*d^2*e^2 - 4*b*c*d* \\
& e^3 + b^2*e^4)*c*e^2)*b^2*c^5*d^2*e^8 + 24*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b \\
& ^2*e^4)*b*c^5*d^3*e^5 - 2*b^5*c^3*d*e^{11} - \text{sqrt}(2)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^ \\
& 2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b^5*c^2*d*e^9 + 2*\text{sqrt}(2)*\text{sqrt}(b* \\
& c*e^4 - \text{sqrt}(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b^4*c^3*d*e^9 - \\
& \text{sqrt}(2)*\text{sqrt}(b*c*e^4 - \text{sqrt}(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b \\
& ^3*c^4*d*e^9 - 12*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^2*c^4*d^2*e^6 + \\
& 2*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b^3*c^3*d*e^7)*\text{abs}(c))*\text{arctan}(2* \\
& \text{sqrt}(1/2)*x*e^2/\text{sqrt}((b*c*e^4 - \text{sqrt}(b^2*c^2*e^8 + 4*(c^2*d^2*e^2 - b*c*d*e \\
& ^3)*c^2*e^4))/c^2))/((16*c^8*d^6*e^6 - 48*b*c^7*d^5*e^7 + 56*b^2*c^6*d^4*e^ \\
& 8 - 8*b*c^7*d^4*e^8 + 4*c^8*d^4*e^8 - 32*b^3*c^5*d^3*e^9 + 16*b^2*c^6*d^3*e \\
& ^9 - 8*b*c^7*d^3*e^9 + 9*b^4*c^4*d^2*e^{10} - 10*b^3*c^5*d^2*e^{10} + 5*b^2*c^6 \\
& *d^2*e^{10} - b^5*c^3*d*e^{11} + 2*b^4*c^4*d*e^{11} - b^3*c^5*d*e^{11})*c^2)
\end{aligned}$$

maple [A] time = 0.00, size = 79, normalized size = 1.23

$$-\frac{be \arctan\left(\frac{cex}{\sqrt{(be-cd)ce}}\right)}{\sqrt{(be-cd)ce} c} + \frac{2d \arctan\left(\frac{cex}{\sqrt{(be-cd)ce}}\right)}{\sqrt{(be-cd)ce}} + \frac{x}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2), x)

[Out] $1/c*x-1/c/((b*e-c*d)*c*e)^{(1/2)}*\arctan(1/((b*e-c*d)*c*e)^{(1/2)}*c*e*x)*b*e+2/((b*e-c*d)*c*e)^{(1/2)}*\arctan(1/((b*e-c*d)*c*e)^{(1/2)}*c*e*x)*d$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^2/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(b*e-c*d>0)', see 'assume?' for more details)Is b*e-c*d positive or negative?

mupad [B] time = 0.07, size = 52, normalized size = 0.81

$$\frac{x}{c} - \frac{\operatorname{atan}\left(\frac{\sqrt{c} e x}{\sqrt{b e^2 - c d e}}\right) (b e - 2 c d)}{c^{3/2} \sqrt{b e^2 - c d e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)^2/(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e),x)`

[Out] $x/c - (\operatorname{atan}((c^{1/2}*e*x)/(b*e^2 - c*d*e)^{(1/2)})*(b*e - 2*c*d))/(c^{3/2}*(b*e^2 - c*d*e)^{(1/2)})$

sympy [B] time = 0.49, size = 212, normalized size = 3.31

$$\frac{\sqrt{-\frac{1}{c^3 e (b e - c d)}} (b e - 2 c d) \log\left(x + \frac{-b c e \sqrt{-\frac{1}{c^3 e (b e - c d)}} (b e - 2 c d) + c^2 d \sqrt{-\frac{1}{c^3 e (b e - c d)}} (b e - 2 c d)}{b e - 2 c d}\right) - \sqrt{-\frac{1}{c^3 e (b e - c d)}} (b e - 2 c d) \log\left(x + \frac{b c e \sqrt{-\frac{1}{c^3 e (b e - c d)}} (b e - 2 c d)}{b e - 2 c d}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2/(c*e**2*x**4+b*e**2*x**2+b*d*e-c*d**2),x)`

[Out] $\sqrt{-1/(c**3*e*(b*e - c*d))}*(b*e - 2*c*d)*\log(x + (-b*c*e*\sqrt{-1/(c**3*e*(b*e - c*d))}*(b*e - 2*c*d) + c**2*d*\sqrt{-1/(c**3*e*(b*e - c*d))}*(b*e - 2*c*d))/(b*e - 2*c*d))/2 - \sqrt{-1/(c**3*e*(b*e - c*d))}*(b*e - 2*c*d)*\log(x + (b*c*e*\sqrt{-1/(c**3*e*(b*e - c*d))}*(b*e - 2*c*d) - c**2*d*\sqrt{-1/(c**3*e*(b*e - c*d))}*(b*e - 2*c*d))/(b*e - 2*c*d))/2 + x/c$

$$3.217 \quad \int \frac{d+ex^2}{-cd^2+bde+be^2x^2+ce^2x^4} dx$$

Optimal. Leaf size=49

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c}\sqrt{e}x}{\sqrt{cd-be}}\right)}{\sqrt{c}\sqrt{e}\sqrt{cd-be}}$$

[Out] $-\operatorname{arctanh}(x*c^{(1/2)}*e^{(1/2)/(-b*e+c*d)^{(1/2)})/c^{(1/2)}/e^{(1/2)/(-b*e+c*d)^{(1/2)}}$

Rubi [A] time = 0.03, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.054$, Rules used = {1149, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{c}\sqrt{e}x}{\sqrt{cd-be}}\right)}{\sqrt{c}\sqrt{e}\sqrt{cd-be}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d + e*x^2)/(-c*d^2 + b*d*e + b*e^2*x^2 + c*e^2*x^4), x]$

[Out] $-(\operatorname{ArcTanh}[(\operatorname{Sqrt}[c]*\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[c*d - b*e]]/(\operatorname{Sqrt}[c]*\operatorname{Sqrt}[e]*\operatorname{Sqrt}[c*d - b*e]))$

Rule 208

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b]$

Rule 1149

$\operatorname{Int}[(d_ + (e_)*(x_)^2)^{(q_)}*((a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \operatorname{Int}[(d + e*x^2)^{(p + q)}*(a/d + (c*x^2)/e)^p, x] /; \operatorname{FreeQ}\{a, b, c, d, e, q\}, x] \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0] \ \&\& \operatorname{EqQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \operatorname{IntegerQ}[p]$

Rubi steps

$$\int \frac{d + ex^2}{-cd^2 + bde + be^2x^2 + ce^2x^4} dx = \int \frac{1}{\frac{-cd^2 + bde}{d} + cex^2} dx$$

$$= -\frac{\tanh^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{cd-be}}\right)}{\sqrt{c}\sqrt{e}\sqrt{cd-be}}$$

Mathematica [A] time = 0.01, size = 48, normalized size = 0.98

$$\frac{\tan^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{be-cd}}\right)}{\sqrt{c}\sqrt{e}\sqrt{be-cd}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4), x]

[Out] ArcTan[(Sqrt[c]*Sqrt[e]*x)/Sqrt[-(c*d) + b*e]]/(Sqrt[c]*Sqrt[e]*Sqrt[-(c*d) + b*e])

fricas [A] time = 0.90, size = 134, normalized size = 2.73

$$\left[\frac{\log\left(\frac{cex^2+cd-be-2\sqrt{c^2de-bce^2}x}{cex^2-cd+be}\right)}{2\sqrt{c^2de-bce^2}}, -\frac{\sqrt{-c^2de+bce^2}\arctan\left(-\frac{\sqrt{-c^2de+bce^2}x}{cd-be}\right)}{c^2de-bce^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2), x, algorithm="fricas")

[Out] [1/2*log((c*e*x^2 + c*d - b*e - 2*sqrt(c^2*d*e - b*c*e^2)*x)/(c*e*x^2 - c*d + b*e))/sqrt(c^2*d*e - b*c*e^2), -sqrt(-c^2*d*e + b*c*e^2)*arctan(-sqrt(-c^2*d*e + b*c*e^2)*x/(c*d - b*e))/(c^2*d*e - b*c*e^2)]

giac [B] time = 6.09, size = 3276, normalized size = 66.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2), x, algorithm="giac")


```
[Out] 1/4*(32*c^5*d^4*e^4 - 16*sqrt(2)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^4*d^4*e^2 - 64*b*c^4*d^3*e^5 - 16*c^5*d^3*e^5 + 3
2*sqrt(2)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*b*c^3*d^3*e^3 + 8*sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*sqrt
(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^3*d^3*e + 4
8*b^2*c^3*d^2*e^6 + 24*b*c^4*d^2*e^6 - 24*sqrt(2)*sqrt(b*c*e^4 + sqrt(4*c^2
*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*b^2*c^2*d^2*e^4 + 8*sqrt(2)*sqrt(b
*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*b*c^3*d^2*e^4 -
4*sqrt(2)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2
)*c^4*d^2*e^4 - 12*sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*sqrt
(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*b*c^2*d^2*e^2
- 16*b^3*c^2*d*e^7 - 12*b^2*c^3*d*e^7 + 8*sqrt(2)*sqrt(b*c*e^4 + sqrt(4*c^
2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*b^3*c*d*e^5 - 8*sqrt(2)*sqrt(b*c*
e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*b^2*c^2*d*e^5 + 4*
sqrt(2)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*b
*c^3*d*e^5 - 8*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c^3*d^2*e^2 + 6*sqrt
(2)*sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(4*c^2*d
^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*b^2*c*d*e^3 - 4*sqrt(2)*sqrt(4*c^2*d
^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d
*e^3 + b^2*e^4))*c^2)*b*c^2*d*e^3 + 2*sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*b*c*d
*e^3 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*
c^2)*c^3*d*e^3 + 2*b^4*c*e^8 + 2*b^3*c^2*e^8 - sqrt(2)*sqrt(b*c*e^4 + sqr
t(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*b^4*e^6 + 2*sqrt(2)*sqrt(b*
c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*b^3*c*e^6 - sqrt
(2)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*b^2*c
^2*e^6 + 8*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b*c^2*d*e^3 + 4*(4*c^2*d
^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c^3*d*e^3 - sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*
b*c*d*e^3 + b^2*e^4)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*
e^4))*c^2)*b^3*e^4 + 2*sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)
)*sqrt(b*c*e^4 + sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*b^2*c*e^
4 - sqrt(2)*sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*sqrt(b*c*e^4 + sqrt
(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*b*c^2*e^4 - 2*(4*c^2*d^2*e^2
- 4*b*c*d*e^3 + b^2*e^4)*b^2*c*e^4 - 2*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*
e^4)*b*c^2*e^4)*arctan(2*sqrt(1/2)*x*e/sqrt((b*e^2 + sqrt(b^2*e^4 + 4*(c*d^
2 - b*d*e)*c*e^2))/c))/((16*c^5*d^5*e^4 - 48*b*c^4*d^4*e^5 + 56*b^2*c^3*d^3
*e^6 - 8*b*c^4*d^3*e^6 + 4*c^5*d^3*e^6 - 32*b^3*c^2*d^2*e^7 + 16*b^2*c^3*d^
2*e^7 - 8*b*c^4*d^2*e^7 + 9*b^4*c*d*e^8 - 10*b^3*c^2*d*e^8 + 5*b^2*c^3*d*e^
8 - b^5*e^9 + 2*b^4*c*e^9 - b^3*c^2*e^9)*abs(c)) - 1/4*(32*c^5*d^4*e^4 + 16
*sqrt(2)*sqrt(b*c*e^4 - sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*
c^4*d^4*e^2 - 64*b*c^4*d^3*e^5 - 16*c^5*d^3*e^5 - 32*sqrt(2)*sqrt(b*c*e^4 -
sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*b*c^3*d^3*e^3 + 8*sqrt(
2)*sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*sqrt(b*c*e^4 - sqrt(4*c^2*d^
2*e^2 - 4*b*c*d*e^3 + b^2*e^4))*c^2)*c^3*d^3*e + 48*b^2*c^3*d^2*e^6 + 24*b
*c^4*d^2*e^6 + 24*sqrt(2)*sqrt(b*c*e^4 - sqrt(4*c^2*d^2*e^2 - 4*b*c*d*e^3 +
b^2*e^4))*c^2)*b^2*c^2*d^2*e^4 - 8*sqrt(2)*sqrt(b*c*e^4 - sqrt(4*c^2*d^2*
```

$$\begin{aligned}
& e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b*c^3*d^2*e^4 + 4*\sqrt{2}*\sqrt{b*c*e^4} \\
& - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*c^4*d^2*e^4 - 12*\sqrt{2}*\sqrt{4*c^2*d^2*e^2} \\
& - 4*b*c*d*e^3 + b^2*e^4)*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)}*b*c^2*d^2*e^2 \\
& - 16*b^3*c^2*d*e^7 - 12*b^2*c^3*d*e^7 - 8*\sqrt{2}*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)}*b^3*c*d*e^5 \\
& + 8*\sqrt{2}*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)}*b^2*c^2*d*e^5 - 4*\sqrt{2}*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2} \\
& - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b*c^3*d*e^5 - 8*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c^3*d^2*e^2 + 6*\sqrt{2}*\sqrt{4*c^2*d^2*e^2} \\
& - 4*b*c*d*e^3 + b^2*e^4)*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)}*b^2*c*d*e^3 - 4*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)}*b \\
& *c^2*d*e^3 + 2*\sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)}*c^3*d*e^3 + 2*b^4 \\
& *c*e^8 + 2*b^3*c^2*e^8 + \sqrt{2}*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)}*b^4*e^6 - 2*\sqrt{2}*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2} \\
& - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)*b^3*c*e^6 + \sqrt{2}*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)}*b^2*c^2*e^6 + 8*(4*c^2*d^2*e^2 \\
& - 4*b*c*d*e^3 + b^2*e^4)*b*c^2*d*e^3 + 4*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c^3*d*e^3 - \sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)}*b^3*e^4 + 2* \\
& \sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)}*b^2*c*e^4 - \sqrt{2}*\sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*\sqrt{b*c*e^4 - \sqrt{4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*c*e^2)}*b*c^2*e^4 - 2*(4*c^2*d^2*e^2 - 4*b*c*d*e^3 + b^2*e^4)*b*c^2*e^4)*\arctan(2 \\
& *\sqrt{1/2}*x*e/\sqrt{(b*e^2 - \sqrt{b^2*e^4 + 4*(c*d^2 - b*d*e)*c*e^2}))/c)/((16*c^5*d^5*e^4 - 48*b*c^4*d^4*e^5 + 56*b^2*c^3*d^3*e^6 - 8*b*c^4*d^3*e^6 + 4*c^5*d^3*e^6 - 32*b^3*c^2*d^2*e^7 + 16*b^2*c^3*d^2*e^7 - 8*b*c^4*d^2*e^7 + 9*b^4*c*d*e^8 - 10*b^3*c^2*d*e^8 + 5*b^2*c^3*d*e^8 - b^5*e^9 + 2*b^4*c*e^9 - b^3*c^2*e^9)*\text{abs}(c))
\end{aligned}$$

maple [A] time = 0.00, size = 33, normalized size = 0.67

$$\frac{\arctan\left(\frac{cex}{\sqrt{(be-cd)ce}}\right)}{\sqrt{(be-cd)ce}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x)

[Out] 1/((b*e-c*d)*c*e)^(1/2)*arctan(1/((b*e-c*d)*c*e)^(1/2)*c*e*x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(b*e-c*d>0)', see `assume?` for more
details)Is b*e-c*d positive or negative?
```

mupad [B] time = 4.49, size = 38, normalized size = 0.78

$$\frac{\operatorname{atan}\left(\frac{cex}{\sqrt{bce^2-c^2de}}\right)}{\sqrt{bce^2-c^2de}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^2)/(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e),x)
```

```
[Out] atan((c*e*x)/(b*c*e^2 - c^2*d*e)^(1/2))/(b*c*e^2 - c^2*d*e)^(1/2)
```

sympy [B] time = 0.32, size = 124, normalized size = 2.53

$$\frac{\sqrt{-\frac{1}{ce(be-cd)}} \log\left(-be\sqrt{-\frac{1}{ce(be-cd)}} + cd\sqrt{-\frac{1}{ce(be-cd)}} + x\right)}{2} + \frac{\sqrt{-\frac{1}{ce(be-cd)}} \log\left(be\sqrt{-\frac{1}{ce(be-cd)}} - cd\sqrt{-\frac{1}{ce(be-cd)}} + x\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)/(c*e**2*x**4+b*e**2*x**2+b*d*e-c*d**2),x)
```

```
[Out] -sqrt(-1/(c*e*(b*e - c*d)))*log(-b*e*sqrt(-1/(c*e*(b*e - c*d)))) + c*d*sqrt(
-1/(c*e*(b*e - c*d))) + x)/2 + sqrt(-1/(c*e*(b*e - c*d)))*log(b*e*sqrt(-1/(
c*e*(b*e - c*d)))) - c*d*sqrt(-1/(c*e*(b*e - c*d))) + x)/2
```

$$3.218 \quad \int \frac{1}{(d+ex^2)(-cd^2+bde+be^2x^2+ce^2x^4)} dx$$

Optimal. Leaf size=136

$$-\frac{c^{3/2} \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{cd-be}}\right)}{\sqrt{e}\sqrt{cd-be}(2cd-be)^2} - \frac{(4cd-be) \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{2d^{3/2}\sqrt{e}(2cd-be)^2} - \frac{x}{2d(d+ex^2)(2cd-be)}$$

[Out] $-1/2*x/d/(-b*e+2*c*d)/(e*x^2+d)-1/2*(-b*e+4*c*d)*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(3/2)}/(-b*e+2*c*d)^2/e^{(1/2)}-c^{(3/2)*\operatorname{arctanh}(x*c^{(1/2)*e^{(1/2)}}/(-b*e+c*d)^{(1/2)})}/(-b*e+2*c*d)^2/e^{(1/2)}/(-b*e+c*d)^{(1/2)}$

Rubi [A] time = 0.18, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {1149, 414, 522, 205, 208}

$$-\frac{c^{3/2} \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{cd-be}}\right)}{\sqrt{e}\sqrt{cd-be}(2cd-be)^2} - \frac{(4cd-be) \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{2d^{3/2}\sqrt{e}(2cd-be)^2} - \frac{x}{2d(d+ex^2)(2cd-be)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*(-c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4), x]

[Out] $-x/(2*d*(2*c*d - b*e)*(d + e*x^2)) - ((4*c*d - b*e)*\operatorname{ArcTan}[(\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[d]])/(2*d^{(3/2)*\operatorname{Sqrt}[e]*(2*c*d - b*e)^2} - (c^{(3/2)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[c]*\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[c*d - b*e]])/(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[c*d - b*e]*(2*c*d - b*e)^2)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 414

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]

&& !(!IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c, d, n, p, q, x]

Rule 522

Int[((e_) + (f_)*(x_)^(n_))/(((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(n_))), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x] - Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

Rule 1149

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[(d + e*x^2)^(p+q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{1}{(d+ex^2)(-cd^2+bde+be^2x^2+ce^2x^4)} dx &= \int \frac{1}{(d+ex^2)^2 \left(\frac{-cd^2+bde}{d} + cex^2 \right)} dx \\ &= -\frac{x}{2d(2cd-be)(d+ex^2)} + \frac{\int \frac{e(3cd-be)-ce^2x^2}{(d+ex^2)\left(\frac{-cd^2+bde}{d}+cex^2\right)} dx}{2de(2cd-be)} \\ &= -\frac{x}{2d(2cd-be)(d+ex^2)} + \frac{c^2 \int \frac{1}{\frac{-cd^2+bde}{d}+cex^2} dx}{(2cd-be)^2} - \frac{(4cd-be) \int \frac{1}{d} dx}{2d(2cd-be)} \\ &= -\frac{x}{2d(2cd-be)(d+ex^2)} - \frac{(4cd-be) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{3/2}\sqrt{e}(2cd-be)^2} - \frac{c^{3/2} \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{cd-b}}\right)}{\sqrt{e}\sqrt{cd-b}} \end{aligned}$$

Mathematica [A] time = 0.20, size = 133, normalized size = 0.98

$$\frac{c^{3/2} \tan^{-1}\left(\frac{\sqrt{c}\sqrt{ex}}{\sqrt{be-cd}}\right)}{\sqrt{e}(be-2cd)^2\sqrt{be-cd}} + \frac{(be-4cd) \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{2d^{3/2}\sqrt{e}(2cd-be)^2} - \frac{x}{2d(d+ex^2)(2cd-be)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4)),x]

[Out]
$$-1/2*x/(d*(2*c*d - b*e)*(d + e*x^2)) + ((-4*c*d + b*e)*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(2*d^{3/2}*\text{Sqrt}[e]*(2*c*d - b*e)^2) + (c^{3/2}*\text{ArcTan}[(\text{Sqrt}[c]*\text{Sqrt}[e]*x)/\text{Sqrt}[-(c*d) + b*e]])/(\text{Sqrt}[e]*(-2*c*d + b*e)^2*\text{Sqrt}[-(c*d) + b*e])$$

fricas [A] time = 1.53, size = 895, normalized size = 6.58

$$\frac{2 \left(cd^2 e^2 x^2 + cd^3 e \right) \sqrt{\frac{c}{cde - be^2}} \log \left(\frac{cex^2 - 2(cde - be^2)x \sqrt{\frac{c}{cde - be^2}} + cd - be}{cex^2 - cd + be} \right) + \left(4cd^2 - bde + (4cde - be^2)x^2 \right) \sqrt{-de} \log \left(\frac{ex^2 - 2\sqrt{de}x + d}{ex^2} \right)}{4 \left(4c^2 d^5 e - 4bcd^4 e^2 + b^2 d^3 e^3 + (4c^2 d^4 e^2 - 4bcd^3 e^3 + b^2 d^2 e^4)x^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*(2*(c*d^2*e^2*x^2 + c*d^3*e)*\text{sqrt}(c/(c*d*e - b*e^2))*\log((c*e*x^2 - 2*(c*d*e - b*e^2)*x*\text{sqrt}(c/(c*d*e - b*e^2)) + c*d - b*e)/(c*e*x^2 - c*d + b*e)) \\ & + (4*c*d^2 - b*d*e + (4*c*d*e - b*e^2)*x^2)*\text{sqrt}(-d*e)*\log((e*x^2 - 2*\text{sqrt}(-d*e)*x - d)/(e*x^2 + d)) - 2*(2*c*d^2*e - b*d*e^2)*x/(4*c^2*d^5*e - 4*b*c*d^4*e^2 \\ & + b^2*d^3*e^3 + (4*c^2*d^4*e^2 - 4*b*c*d^3*e^3 + b^2*d^2*e^4)*x^2), -1/2*((4*c*d^2 - b*d*e + (4*c*d*e - b*e^2)*x^2)*\text{sqrt}(d*e)*\text{arctan}(\text{sqrt}(d*e)*x/d) \\ & - (c*d^2*e^2*x^2 + c*d^3*e)*\text{sqrt}(c/(c*d*e - b*e^2))*\log((c*e*x^2 - 2*(c*d*e - b*e^2)*x*\text{sqrt}(c/(c*d*e - b*e^2)) + c*d - b*e)/(c*e*x^2 - c*d + b*e)) \\ & + (2*c*d^2*e - b*d*e^2)*x/(4*c^2*d^5*e - 4*b*c*d^4*e^2 + b^2*d^3*e^3 + (4*c^2*d^4*e^2 - 4*b*c*d^3*e^3 + b^2*d^2*e^4)*x^2), 1/4*(4*(c*d^2*e^2*x^2 \\ & + c*d^3*e)*\text{sqrt}(-c/(c*d*e - b*e^2))*\text{arctan}(e*x*\text{sqrt}(-c/(c*d*e - b*e^2))) + (4*c*d^2 - b*d*e + (4*c*d*e - b*e^2)*x^2)*\text{sqrt}(-d*e)*\log((e*x^2 - 2*\text{sqrt}(-d*e)*x - d)/(e*x^2 + d)) \\ & - 2*(2*c*d^2*e - b*d*e^2)*x/(4*c^2*d^5*e - 4*b*c*d^4*e^2 + b^2*d^3*e^3 + (4*c^2*d^4*e^2 - 4*b*c*d^3*e^3 + b^2*d^2*e^4)*x^2), 1/2*(2*(c*d^2*e^2*x^2 + c*d^3*e)*\text{sqrt}(-c/(c*d*e - b*e^2))*\text{arctan}(e*x*\text{sqrt}(-c/(c*d*e - b*e^2))) \\ & - (4*c*d^2 - b*d*e + (4*c*d*e - b*e^2)*x^2)*\text{sqrt}(d*e)*\text{arctan}(\text{sqrt}(d*e)*x/d) - (2*c*d^2*e - b*d*e^2)*x/(4*c^2*d^5*e - 4*b*c*d^4*e^2 + b^2*d^3*e^3 + (4*c^2*d^4*e^2 - 4*b*c*d^3*e^3 + b^2*d^2*e^4)*x^2)] \end{aligned}$$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x);OUTPUT:Warning, need to choose a branch for the root
 of a polynomial with parameters. This might be wrong.The choice was done
 assuming [b,c,d,exp(1),exp(2)]=[-95,-68,60,-66,8]Warning, need to choose a
 branch for the root of a polynomial with parameters. This might be wrong.Th
 e choice was done assuming [b,c,d,exp(1),exp(2)]=[79,32,2,-92,39]sym2poly/r
 2sym(const gen & e,const index_m & i,const vecteur & l) Error: Bad Argument
 Valuesym2poly/r2sym(const gen & e,const index_m & i,const vecteur & l) Err
 or: Bad Argument Valuesym2poly/r2sym(const gen & e,const index_m & i,const
 vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e,const in
 dex_m & i,const vecteur & l) Error: Bad Argument ValueEvaluation time: 10.7
 7Done

maple [A] time = 0.01, size = 155, normalized size = 1.14

$$\frac{c^2 \arctan\left(\frac{cex}{\sqrt{(be-cd)ce}}\right)}{(be-2cd)^2 \sqrt{(be-cd)ce}} + \frac{bex}{2(be-2cd)^2 (ex^2+d)d} + \frac{be \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2(be-2cd)^2 \sqrt{de}d} - \frac{cx}{(be-2cd)^2 (ex^2+d)} - \frac{2c \arctan\left(\frac{ex}{\sqrt{a}}\right)}{(be-2cd)^2 \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x)

[Out] c^2/(b*e-2*c*d)^2/((b*e-c*d)*c*e)^(1/2)*arctan(1/((b*e-c*d)*c*e)^(1/2)*c*e*x)+1/2/(b*e-2*c*d)^2/d*x/(e*x^2+d)*b*e-1/(b*e-2*c*d)^2*x/(e*x^2+d)*c+1/2/(b*e-2*c*d)^2/d/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*b*e-2/(b*e-2*c*d)^2/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*c

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(b*e-c*d>0)', see `assume?` for more details)Is b*e-c*d positive or negative?

mupad [B] time = 5.40, size = 3901, normalized size = 28.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^2)*(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e)),x)

[Out]
$$-x/(2*(d + e*x^2)*(2*c*d^2 - b*d*e)) - \text{atan}\left(\frac{\left(\frac{(96*c^7*d^6*e^6 - 224*b*c^6*d^5*e^7 - 2*b^5*c^2*d*e^{11} + 208*b^2*c^5*d^4*e^8 - 96*b^3*c^4*d^3*e^9 + 22*b^4*c^3*d^2*e^{10})}{(2*(8*c^3*d^5 - b^3*d^2*e^3 + 6*b^2*c*d^3*e^2 - 12*b*c^2*d^4*e))} - (x*(-c^3*e*(b*e - c*d))^{1/2}*(256*b*c^6*d^6*e^8 - 512*b^2*c^5*d^5*e^9 + 384*b^3*c^4*d^4*e^{10} - 128*b^4*c^3*d^3*e^{11} + 16*b^5*c^2*d^2*e^{12}))}{(8*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e)*(b^3*e^4 - 4*c^3*d^3*e + 8*b*c^2*d^2*e^2 - 5*b^2*c*d*e^3))}*(-c^3*e*(b*e - c*d))^{1/2}\right)/(2*(b^3*e^4 - 4*c^3*d^3*e + 8*b*c^2*d^2*e^2 - 5*b^2*c*d*e^3)) - (x*(b^2*c^3*e^8 + 20*c^5*d^2*e^6 - 8*b*c^4*d*e^7))/(4*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e))*(-c^3*e*(b*e - c*d))^{1/2}*i)/(b^3*e^4 - 4*c^3*d^3*e + 8*b*c^2*d^2*e^2 - 5*b^2*c*d*e^3) - \left(\frac{(96*c^7*d^6*e^6 - 224*b*c^6*d^5*e^7 - 2*b^5*c^2*d*e^{11} + 208*b^2*c^5*d^4*e^8 - 96*b^3*c^4*d^3*e^9 + 22*b^4*c^3*d^2*e^{10})}{(2*(8*c^3*d^5 - b^3*d^2*e^3 + 6*b^2*c*d^3*e^2 - 12*b*c^2*d^4*e))} + (x*(-c^3*e*(b*e - c*d))^{1/2}*(256*b*c^6*d^6*e^8 - 512*b^2*c^5*d^5*e^9 + 384*b^3*c^4*d^4*e^{10} - 128*b^4*c^3*d^3*e^{11} + 16*b^5*c^2*d^2*e^{12}))}{(8*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e)*(b^3*e^4 - 4*c^3*d^3*e + 8*b*c^2*d^2*e^2 - 5*b^2*c*d*e^3))}*(-c^3*e*(b*e - c*d))^{1/2}\right)/(2*(b^3*e^4 - 4*c^3*d^3*e + 8*b*c^2*d^2*e^2 - 5*b^2*c*d*e^3)) + (x*(b^2*c^3*e^8 + 20*c^5*d^2*e^6 - 8*b*c^4*d*e^7))/(4*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e))*(-c^3*e*(b*e - c*d))^{1/2}*i)/(b^3*e^4 - 4*c^3*d^3*e + 8*b*c^2*d^2*e^2 - 5*b^2*c*d*e^3) - \left(\frac{(96*c^7*d^6*e^6 - 224*b*c^6*d^5*e^7 - 2*b^5*c^2*d*e^{11} + 208*b^2*c^5*d^4*e^8 - 96*b^3*c^4*d^3*e^9 + 22*b^4*c^3*d^2*e^{10})}{(2*(8*c^3*d^5 - b^3*d^2*e^3 + 6*b^2*c*d^3*e^2 - 12*b*c^2*d^4*e))} - (x*(-c^3*e*(b*e - c*d))^{1/2}*(256*b*c^6*d^6*e^8 - 512*b^2*c^5*d^5*e^9 + 384*b^3*c^4*d^4*e^{10} - 128*b^4*c^3*d^3*e^{11} + 16*b^5*c^2*d^2*e^{12}))}{(8*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e)*(b^3*e^4 - 4*c^3*d^3*e + 8*b*c^2*d^2*e^2 - 5*b^2*c*d*e^3))}*(-c^3*e*(b*e - c*d))^{1/2}\right)/(2*(b^3*e^4 - 4*c^3*d^3*e + 8*b*c^2*d^2*e^2 - 5*b^2*c*d*e^3)) - (x*(b^2*c^3*e^8 + 20*c^5*d^2*e^6 - 8*b*c^4*d*e^7))/(4*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e))*(-c^3*e*(b*e - c*d))^{1/2}*i)/(b^3*e^4 - 4*c^3*d^3*e + 8*b*c^2*d^2*e^2 - 5*b^2*c*d*e^3) - \left(\frac{(b*c^4*e^6)/2 - 2*c^5*d*e^5}{(8*c^3*d^5 - b^3*d^2*e^3 + 6*b^2*c*d^3*e^2 - 12*b*c^2*d^4*e)} + \left(\frac{(96*c^7*d^6*e^6 - 224*b*c^6*d^5*e^7 - 2*b^5*c^2*d*e^{11} + 208*b^2*c^5*d^4*e^8 - 96*b^3*c^4*d^3*e^9 + 22*b^4*c^3*d^2*e^{10})}{(2*(8*c^3*d^5 - b^3*d^2*e^3 + 6*b^2*c*d^3*e^2 - 12*b*c^2*d^4*e))} + (x*(-c^3*e*(b*e - c*d))^{1/2}*(256*b*c^6*d^6*e^8 - 512*b^2*c^5*d^5*e^9 + 384*b^3*c^4*d^4*e^{10} - 128*b^4*c^3*d^3*e^{11} + 16*b^5*c^2*d^2*e^{12}))}{(8*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e)*(b^3*e^4 - 4*c^3*d^3*e + 8*b*c^2*d^2*e^2 - 5*b^2*c*d*e^3))}*(-c^3*e*(b*e - c*d))^{1/2}\right)/(2*(b^3*e^4 - 4*c^3*d^3*e + 8*b*c^2*d^2*e^2 - 5*b^2*c*d*e^3)) + (x*(b^2*c^3*e^8 + 20*c^5*d^2*e^6 - 8*b*c^4*d*e^7))/(4*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e))*(-c^3*e*(b*e - c*d))^{1/2}*i)/(b^3*e^4 - 4*c^3*d^3*e + 8*b*c^2*d^2*e^2 - 5*b^2*c*d*e^3) - \text{atan}\left(\frac{(x*(b^2*c^3*e^8 + 20*c^5*d^2*e^6 - 8*b*c^4*d*e^7))/(2*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e))}{(-d^3*e)^{1/2}}*(96*c^7*d^6*e^6 -$$

$$\begin{aligned}
& 224*b*c^6*d^5*e^7 - 2*b^5*c^2*d*e^11 + 208*b^2*c^5*d^4*e^8 - 96*b^3*c^4*d^3*e^9 + 22*b^4*c^3*d^2*e^10)/(8*c^3*d^5 - b^3*d^2*e^3 + 6*b^2*c*d^3*e^2 - 1 \\
& 2*b*c^2*d^4*e) - (x*(-d^3*e)^(1/2)*(b*e - 4*c*d)*(256*b*c^6*d^6*e^8 - 512*b^2*c^5*d^5*e^9 + 384*b^3*c^4*d^4*e^10 - 128*b^4*c^3*d^3*e^11 + 16*b^5*c^2*d^2*e^12))/ \\
& (8*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e)*(4*c^2*d^5*e + b^2*d^3*e^3 - 4*b*c*d^4*e^2)))*(b*e - 4*c*d))/(4*(4*c^2*d^5*e + b^2*d^3*e^3 - 4*b*c*d^4*e^2)) \\
& *(-d^3*e)^(1/2)*(b*e - 4*c*d)*1i)/(4*(4*c^2*d^5*e + b^2*d^3*e^3 - 4*b*c*d^4*e^2)) + (((x*(b^2*c^3*e^8 + 20*c^5*d^2*e^6 - 8*b*c^4*d*e^7))/(2*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e)) + ((-d^3*e)^(1/2)*((96*c^7*d^6*e^6 - 224*b*c^6*d^5*e^7 - 2*b^5*c^2*d*e^11 + 208*b^2*c^5*d^4*e^8 - 96*b^3*c^4*d^3*e^9 + 22*b^4*c^3*d^2*e^10)/(8*c^3*d^5 - b^3*d^2*e^3 + 6*b^2*c*d^3*e^2 - 12*b*c^2*d^4*e) + (x*(-d^3*e)^(1/2)*(b*e - 4*c*d)*(256*b*c^6*d^6*e^8 - 512*b^2*c^5*d^5*e^9 + 384*b^3*c^4*d^4*e^10 - 128*b^4*c^3*d^3*e^11 + 16*b^5*c^2*d^2*e^12))/ \\
& (8*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e)*(4*c^2*d^5*e + b^2*d^3*e^3 - 4*b*c*d^4*e^2)))*(b*e - 4*c*d))/(4*(4*c^2*d^5*e + b^2*d^3*e^3 - 4*b*c*d^4*e^2)))*(-d^3*e)^(1/2)*(b*e - 4*c*d)*1i)/(4*(4*c^2*d^5*e + b^2*d^3*e^3 - 4*b*c*d^4*e^2)))/(((b*c^4*e^6)/2 - 2*c^5*d*e^5)/(8*c^3*d^5 - b^3*d^2*e^3 + 6*b^2*c*d^3*e^2 - 12*b*c^2*d^4*e) + (((x*(b^2*c^3*e^8 + 20*c^5*d^2*e^6 - 8*b*c^4*d*e^7))/(2*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e)) - ((-d^3*e)^(1/2)*((96*c^7*d^6*e^6 - 224*b*c^6*d^5*e^7 - 2*b^5*c^2*d*e^11 + 208*b^2*c^5*d^4*e^8 - 96*b^3*c^4*d^3*e^9 + 22*b^4*c^3*d^2*e^10)/(8*c^3*d^5 - b^3*d^2*e^3 + 6*b^2*c*d^3*e^2 - 12*b*c^2*d^4*e) - (x*(-d^3*e)^(1/2)*(b*e - 4*c*d)*(256*b*c^6*d^6*e^8 - 512*b^2*c^5*d^5*e^9 + 384*b^3*c^4*d^4*e^10 - 128*b^4*c^3*d^3*e^11 + 16*b^5*c^2*d^2*e^12))/ \\
& (8*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e)*(4*c^2*d^5*e + b^2*d^3*e^3 - 4*b*c*d^4*e^2)))*(b*e - 4*c*d))/(4*(4*c^2*d^5*e + b^2*d^3*e^3 - 4*b*c*d^4*e^2)))*(-d^3*e)^(1/2)*(b*e - 4*c*d))/(4*(4*c^2*d^5*e + b^2*d^3*e^3 - 4*b*c*d^4*e^2)) - (((x*(b^2*c^3*e^8 + 20*c^5*d^2*e^6 - 8*b*c^4*d*e^7))/(2*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e)) + ((-d^3*e)^(1/2)*((96*c^7*d^6*e^6 - 224*b*c^6*d^5*e^7 - 2*b^5*c^2*d*e^11 + 208*b^2*c^5*d^4*e^8 - 96*b^3*c^4*d^3*e^9 + 22*b^4*c^3*d^2*e^10)/(8*c^3*d^5 - b^3*d^2*e^3 + 6*b^2*c*d^3*e^2 - 12*b*c^2*d^4*e) + (x*(-d^3*e)^(1/2)*(b*e - 4*c*d)*(256*b*c^6*d^6*e^8 - 512*b^2*c^5*d^5*e^9 + 384*b^3*c^4*d^4*e^10 - 128*b^4*c^3*d^3*e^11 + 16*b^5*c^2*d^2*e^12))/ \\
& (8*(4*c^2*d^4 + b^2*d^2*e^2 - 4*b*c*d^3*e)*(4*c^2*d^5*e + b^2*d^3*e^3 - 4*b*c*d^4*e^2)))*(b*e - 4*c*d))/(4*(4*c^2*d^5*e + b^2*d^3*e^3 - 4*b*c*d^4*e^2)))*(-d^3*e)^(1/2)*(b*e - 4*c*d))/(4*(4*c^2*d^5*e + b^2*d^3*e^3 - 4*b*c*d^4*e^2)))*(-d^3*e)^(1/2)*(b*e - 4*c*d)*1i)/(2*(4*c^2*d^5*e + b^2*d^3*e^3 - 4*b*c*d^4*e^2))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)/(c*e**2*x**4+b*e**2*x**2+b*d*e-c*d**2),x)

[Out] Timed out

$$3.219 \quad \int \frac{1}{(d+ex^2)^2(-cd^2+bde+be^2x^2+ce^2x^4)} dx$$

Optimal. Leaf size=187

$$\frac{(3b^2e^2 - 16bcde + 28c^2d^2) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) - c^{5/2} \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{e}x}{\sqrt{cd-be}}\right) - \frac{x(10cd - 3be)}{8d^2(d+ex^2)(2cd-be)^2} - \frac{x}{4d(d+ex^2)^2(2c}}{8d^{5/2}\sqrt{e}(2cd-be)^3 \sqrt{e}\sqrt{cd-be}(2cd-be)^3}$$

[Out] $-1/4*x/d/(-b*e+2*c*d)/(e*x^2+d)^2-1/8*(-3*b*e+10*c*d)*x/d^2/(-b*e+2*c*d)^2/(e*x^2+d)-1/8*(3*b^2*e^2-16*b*c*d*e+28*c^2*d^2)*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(5/2)}/(-b*e+2*c*d)^3/e^{(1/2)}-c^{(5/2)}*\operatorname{arctanh}(x*c^{(1/2)}*e^{(1/2)}/(-b*e+c*d)^{(1/2)})/(-b*e+2*c*d)^3/e^{(1/2)}/(-b*e+c*d)^{(1/2)}$

Rubi [A] time = 0.28, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 39, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1149, 414, 527, 522, 205, 208}

$$\frac{(3b^2e^2 - 16bcde + 28c^2d^2) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) - c^{5/2} \tanh^{-1}\left(\frac{\sqrt{c}\sqrt{e}x}{\sqrt{cd-be}}\right) - \frac{x(10cd - 3be)}{8d^2(d+ex^2)(2cd-be)^2} - \frac{x}{4d(d+ex^2)^2(2c}}{8d^{5/2}\sqrt{e}(2cd-be)^3 \sqrt{e}\sqrt{cd-be}(2cd-be)^3}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^2*(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4)),x]

[Out] $-x/(4*d*(2*c*d - b*e)*(d + e*x^2)^2) - ((10*c*d - 3*b*e)*x)/(8*d^2*(2*c*d - b*e)^2*(d + e*x^2)) - ((28*c^2*d^2 - 16*b*c*d*e + 3*b^2*e^2)*\operatorname{ArcTan}[\operatorname{Sqrt}[e]*x/\operatorname{Sqrt}[d]])/(8*d^{(5/2)}*\operatorname{Sqrt}[e]*(2*c*d - b*e)^3) - (c^{(5/2)}*\operatorname{ArcTanh}[\operatorname{Sqrt}[c]*\operatorname{Sqrt}[e]*x/\operatorname{Sqrt}[c*d - b*e]])/(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[c*d - b*e]*(2*c*d - b*e)^3)$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 414

Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p+1)*(c + d*x^n)^(q+1))/(a*n*(p+1)*(b*c -

```
a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c +
d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x]
, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1]
&& !( !IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c,
d, n, p, q, x]
```

Rule 522

```
Int[((e_) + (f_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_))*((c_) + (d_)*(x_)^(
n_)), x_Symbol] :> Dist[(b*e - a*f)/(b*c - a*d), Int[1/(a + b*x^n), x], x]
- Dist[(d*e - c*f)/(b*c - a*d), Int[1/(c + d*x^n), x], x] /; FreeQ[{a, b,
c, d, e, f, n}, x]
```

Rule 527

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_)*((e_) + (f
_)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c +
d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p
+ 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c
- a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ
[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]
```

Rule 1149

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_),
x_Symbol] :> Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a,
b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)^2(-cd^2+bde+be^2x^2+ce^2x^4)} dx &= \int \frac{1}{(d+ex^2)^3 \left(\frac{-cd^2+bde}{d} + cex^2 \right)} dx \\
&= -\frac{x}{4d(2cd-be)(d+ex^2)^2} + \frac{\int \frac{e(7cd-3be)-3ce^2x^2}{(d+ex^2)^2 \left(\frac{-cd^2+bde}{d} + cex^2 \right)} dx}{4de(2cd-be)} \\
&= -\frac{x}{4d(2cd-be)(d+ex^2)^2} - \frac{(10cd-3be)x}{8d^2(2cd-be)^2(d+ex^2)} + \frac{\int \frac{e^2(18c}{(d+ex^2)^2} dx}{(2cd-be)^2} \\
&= -\frac{x}{4d(2cd-be)(d+ex^2)^2} - \frac{(10cd-3be)x}{8d^2(2cd-be)^2(d+ex^2)} + \frac{c^3 \int \frac{-cd}{(d+ex^2)^2} dx}{(2cd-be)^2} \\
&= -\frac{x}{4d(2cd-be)(d+ex^2)^2} - \frac{(10cd-3be)x}{8d^2(2cd-be)^2(d+ex^2)} - \frac{(28c^2d}{(d+ex^2)^2}
\end{aligned}$$

Mathematica [A] time = 0.41, size = 177, normalized size = 0.95

$$\frac{1}{8} \left(\frac{(3b^2e^2 - 16bcde + 28c^2d^2) \tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{d^{5/2} \sqrt{e} (2cd - be)^3} - \frac{\frac{8c^{5/2} \tan^{-1} \left(\frac{\sqrt{c} \sqrt{e}x}{\sqrt{be-cd}} \right)}{\sqrt{e} \sqrt{be-cd}} + \frac{x(be-2cd)(2cd(7d+5ex^2)-be(5d+3ex^2))}{d^2(d+ex^2)^2}}{(be-2cd)^3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)^2*(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4)),x]

[Out] (-(((28*c^2*d^2 - 16*b*c*d*e + 3*b^2*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(d^(5/2)*Sqrt[e]*(2*c*d - b*e)^3)) - (((-2*c*d + b*e)*x*(-(b*e*(5*d + 3*e*x^2)) + 2*c*d*(7*d + 5*e*x^2)))/(d^2*(d + e*x^2)^2) + (8*c^(5/2)*ArcTan[(Sqrt[c]*Sqrt[e]*x)/Sqrt[-(c*d) + b*e]]/(Sqrt[e]*Sqrt[-(c*d) + b*e]))/(-2*c*d + b*e)^3)/8

fricas [B] time = 2.91, size = 1765, normalized size = 9.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x^2+d)^2/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="fricas")
```

```
[Out] [-1/16*(2*(20*c^2*d^3*e^2 - 16*b*c*d^2*e^3 + 3*b^2*d*e^4)*x^3 + 8*(c^2*d^3*e^3*x^4 + 2*c^2*d^4*e^2*x^2 + c^2*d^5*e)*sqrt(c/(c*d*e - b*e^2))*log((c*e*x^2 + 2*(c*d*e - b*e^2)*x*sqrt(c/(c*d*e - b*e^2)) + c*d - b*e)/(c*e*x^2 - c*d + b*e)) - (28*c^2*d^4 - 16*b*c*d^3*e + 3*b^2*d^2*e^2 + (28*c^2*d^2*e^2 - 16*b*c*d*e^3 + 3*b^2*e^4)*x^4 + 2*(28*c^2*d^3*e - 16*b*c*d^2*e^2 + 3*b^2*d*e^3)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) + 2*(28*c^2*d^4*e - 24*b*c*d^3*e^2 + 5*b^2*d^2*e^3)*x)/(8*c^3*d^8*e - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6*e^3 - b^3*d^5*e^4 + (8*c^3*d^6*e^3 - 12*b*c^2*d^5*e^4 + 6*b^2*c*d^4*e^5 - b^3*d^3*e^6)*x^4 + 2*(8*c^3*d^7*e^2 - 12*b*c^2*d^6*e^3 + 6*b^2*c*d^5*e^4 - b^3*d^4*e^5)*x^2), -1/8*((20*c^2*d^3*e^2 - 16*b*c*d^2*e^3 + 3*b^2*d*e^4)*x^3 + (28*c^2*d^4 - 16*b*c*d^3*e + 3*b^2*d^2*e^2 + (28*c^2*d^2*e^2 - 16*b*c*d*e^3 + 3*b^2*e^4)*x^4 + 2*(28*c^2*d^3*e - 16*b*c*d^2*e^2 + 3*b^2*d*e^3)*x^2)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) + 4*(c^2*d^3*e^3*x^4 + 2*c^2*d^4*e^2*x^2 + c^2*d^5*e)*sqrt(c/(c*d*e - b*e^2))*log((c*e*x^2 + 2*(c*d*e - b*e^2)*x*sqrt(c/(c*d*e - b*e^2)) + c*d - b*e)/(c*e*x^2 - c*d + b*e)) + (28*c^2*d^4*e - 24*b*c*d^3*e^2 + 5*b^2*d^2*e^3)*x)/(8*c^3*d^8*e - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6*e^3 - b^3*d^5*e^4 + (8*c^3*d^6*e^3 - 12*b*c^2*d^5*e^4 + 6*b^2*c*d^4*e^5 - b^3*d^3*e^6)*x^4 + 2*(8*c^3*d^7*e^2 - 12*b*c^2*d^6*e^3 + 6*b^2*c*d^5*e^4 - b^3*d^4*e^5)*x^2), -1/16*(2*(20*c^2*d^3*e^2 - 16*b*c*d^2*e^3 + 3*b^2*d*e^4)*x^3 - 16*(c^2*d^3*e^3*x^4 + 2*c^2*d^4*e^2*x^2 + c^2*d^5*e)*sqrt(-c/(c*d*e - b*e^2))*arctan(e*x*sqrt(-c/(c*d*e - b*e^2))) - (28*c^2*d^4 - 16*b*c*d^3*e + 3*b^2*d^2*e^2 + (28*c^2*d^2*e^2 - 16*b*c*d*e^3 + 3*b^2*e^4)*x^4 + 2*(28*c^2*d^3*e - 16*b*c*d^2*e^2 + 3*b^2*d*e^3)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) + 2*(28*c^2*d^4*e - 24*b*c*d^3*e^2 + 5*b^2*d^2*e^3)*x)/(8*c^3*d^8*e - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6*e^3 - b^3*d^5*e^4 + (8*c^3*d^6*e^3 - 12*b*c^2*d^5*e^4 + 6*b^2*c*d^4*e^5 - b^3*d^3*e^6)*x^4 + 2*(8*c^3*d^7*e^2 - 12*b*c^2*d^6*e^3 + 6*b^2*c*d^5*e^4 - b^3*d^4*e^5)*x^2), -1/8*((20*c^2*d^3*e^2 - 16*b*c*d^2*e^3 + 3*b^2*d*e^4)*x^3 - 8*(c^2*d^3*e^3*x^4 + 2*c^2*d^4*e^2*x^2 + c^2*d^5*e)*sqrt(-c/(c*d*e - b*e^2))*arctan(e*x*sqrt(-c/(c*d*e - b*e^2))) + (28*c^2*d^4 - 16*b*c*d^3*e + 3*b^2*d^2*e^2 + (28*c^2*d^2*e^2 - 16*b*c*d*e^3 + 3*b^2*e^4)*x^4 + 2*(28*c^2*d^3*e - 16*b*c*d^2*e^2 + 3*b^2*d*e^3)*x^2)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) + (28*c^2*d^4*e - 24*b*c*d^3*e^2 + 5*b^2*d^2*e^3)*x)/(8*c^3*d^8*e - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6*e^3 - b^3*d^5*e^4 + (8*c^3*d^6*e^3 - 12*b*c^2*d^5*e^4 + 6*b^2*c*d^4*e^5 - b^3*d^3*e^6)*x^4 + 2*(8*c^3*d^7*e^2 - 12*b*c^2*d^6*e^3 + 6*b^2*c*d^5*e^4 - b^3*d^4*e^5)*x^2)]
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: NotImplementedError

$$\begin{aligned}
& p(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)) * exp(1)^2 * exp(2)^3 - 2*b^2*c^3*d*sqrt(2)* \\
& sqrt(b*c*exp(2)^2 - c*sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2) \\
&) * exp(2)) * exp(2)^4 + 24*b^2*c^2*d^2*sqrt(2)*sqrt(b*c*exp(2)^2 - c*sqrt(b^2*exp(\\
& 2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)) * sqrt(b^2*exp(2)^2 + 4*c^ \\
& 2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(1)^3 * exp(2) + 24*b^2*c^2*d^2*sqrt(2)* \\
& sqrt(b*c*exp(2)^2 - c*sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2) \\
&)) * exp(2)) * sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(1) \\
& * exp(2)^2 + 12*b^2*c^2*d*sqrt(2)*sqrt(b*c*exp(2)^2 - c*sqrt(b^2*exp(2)^2 + 4*c^2*d^ \\
& 2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)) * sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) \\
&) - 4*b*c*d*exp(1)*exp(2)) * exp(1)^2 * exp(2)^2 + 4*b^2*c^2*d*sqrt(2)*sqrt(b*c*exp \\
& (2)^2 - c*sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)) * s \\
& sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)^3 + 20*b^2*c^ \\
& 2*d*(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(1)^2 * exp(2)^2 \\
& + 4*b^2*c^2*d*(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)^3 \\
& + 2*b^2*c^2*sqrt(2)*sqrt(b*c*exp(2)^2 - c*sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4 \\
& *b*c*d*exp(1)*exp(2)) * exp(2)) * sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*ex \\
& p(1)*exp(2)) * exp(1)*exp(2)^3 + 4*b^2*c^2*(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c \\
& *d*exp(1)*exp(2)) * exp(1)*exp(2)^3 + 128*b*c^5*d^4*exp(1)^3 * exp(2)^2 + 192*b*c^5 \\
& *d^4*exp(1)*exp(2)^3 + 112*b*c^5*d^3*exp(1)^2 * exp(2)^3 + 16*b*c^5*d^3*exp(2)^4 + \\
& 64*b*c^4*d^4*sqrt(2)*sqrt(b*c*exp(2)^2 - c*sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) \\
& - 4*b*c*d*exp(1)*exp(2)) * exp(2)) * exp(1)^3 * exp(2) + 96*b*c^4*d^4*sqrt(2)*sqrt(b \\
& *c*exp(2)^2 - c*sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp \\
& (2)) * exp(1)*exp(2)^2 + 16*b*c^4*d^3*sqrt(2)*sqrt(b*c*exp(2)^2 - c*sqrt(b^2*exp(\\
& 2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)) * exp(1)^2 * exp(2)^2 + 16*b \\
& *c^4*d^3*sqrt(2)*sqrt(b*c*exp(2)^2 - c*sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b \\
& *c*d*exp(1)*exp(2)) * exp(2)) * exp(2)^3 + 8*b*c^4*d^2*sqrt(2)*sqrt(b*c*exp(2)^2 - \\
& c*sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)) * exp(1)^ \\
& 3 * exp(2)^2 + 16*b*c^4*d^2*sqrt(2)*sqrt(b*c*exp(2)^2 - c*sqrt(b^2*exp(2)^2 + 4*c^2 \\
& *d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)) * exp(1)*exp(2)^3 - 56*b*c^3*d^3*sq \\
& rt(2)*sqrt(b*c*exp(2)^2 - c*sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)* \\
& exp(2)) * exp(2)) * sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * e \\
& xp(1)^2 * exp(2) - 8*b*c^3*d^3*sqrt(2)*sqrt(b*c*exp(2)^2 - c*sqrt(b^2*exp(2)^2 + 4* \\
& c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)) * sqrt(b^2*exp(2)^2 + 4*c^2*d^2* \\
& xp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)^2 - 16*b*c^3*d^2*sqrt(2)*sqrt(b*c*exp(2)^ \\
& 2 - c*sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)) * sqrt(\\
& b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(1)*exp(2)^2 - 16*b*c \\
& ^3*d^2*(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(1)^3 * exp(2) \\
&) - 32*b*c^3*d^2*(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(1) \\
& * exp(2)^2 - 6*b*c^3*d*sqrt(2)*sqrt(b*c*exp(2)^2 - c*sqrt(b^2*exp(2)^2 + 4*c^2*d^2 \\
& *exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)) * sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4 \\
& *b*c*d*exp(1)*exp(2)) * exp(1)^2 * exp(2)^2 - 2*b*c^3*d*sqrt(2)*sqrt(b*c*exp(2)^2 \\
& - c*sqrt(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)) * sqrt(b \\
& ^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)^3 - 12*b*c^3*d*(b^ \\
& 2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(1)^2 * exp(2)^2 - 4*b*c^ \\
& 3*d*(b^2*exp(2)^2 + 4*c^2*d^2*exp(2) - 4*b*c*d*exp(1)*exp(2)) * exp(2)^3 - 64*c^6*d
\end{aligned}$$

$$\begin{aligned}
& ^5\exp(1)^2\exp(2)^2-64*c^6*d^5*\exp(2)^3-64*c^6*d^4*\exp(1)*\exp(2)^3-32*c^5*d^5*\sqrt{2}*\sqrt{b*c*\exp(2)^2-c*\sqrt{b^2*\exp(2)^2+4*c^2*d^2*\exp(2)-4*b*c*d*\exp(1)*\exp(2)}}*\exp(2))*\exp(1)^2*\exp(2)^3-32*c^5*d^5*\sqrt{2}*\sqrt{b*c*\exp(2)^2-c*\sqrt{b^2*\exp(2)^2+4*c^2*d^2*\exp(2)-4*b*c*d*\exp(1)*\exp(2)}}*\exp(2))*\exp(2)) \\
& ^2-8*c^5*d^3*\sqrt{2}*\sqrt{b*c*\exp(2)^2-c*\sqrt{b^2*\exp(2)^2+4*c^2*d^2*\exp(2)-4*b*c*d*\exp(1)*\exp(2)}}*\exp(2))*\exp(1)^2*\exp(2)^2-8*c^5*d^3*\sqrt{2}*\sqrt{b*c*\exp(2)^2-c*\sqrt{b^2*\exp(2)^2+4*c^2*d^2*\exp(2)-4*b*c*d*\exp(1)*\exp(2)}}*\exp(1)*\exp(2))*\exp(2)) \\
& ^2+32*c^4*d^4*\sqrt{2}*\sqrt{b*c*\exp(2)^2-c*\sqrt{b^2*\exp(2)^2+4*c^2*d^2*\exp(2)-4*b*c*d*\exp(1)*\exp(2)}}*\exp(2))*\sqrt{b^2*\exp(2)^2+4*c^2*d^2*\exp(2)-4*b*c*d*\exp(1)*\exp(2))}*\exp(1)*\exp(2)+16*c^4*d^3*(b^2*\exp(2)^2+4*c^2*d^2*\exp(2)-4*b*c*d*\exp(1)*\exp(2))*\exp(1)^2*\exp(2)+16*c^4*d^3*(b^2*\exp(2)^2+4*c^2*d^2*\exp(2)-4*b*c*d*\exp(1)*\exp(2))*\exp(2)^2+8*c^4*d^2*\sqrt{2}*\sqrt{b*c*\exp(2)^2-c*\sqrt{b^2*\exp(2)^2+4*c^2*d^2*\exp(2)-4*b*c*d*\exp(1)*\exp(2)}}*\exp(2)) \\
& * \sqrt{b^2*\exp(2)^2+4*c^2*d^2*\exp(2)-4*b*c*d*\exp(1)*\exp(2)}*\exp(1)*\exp(2)^2+16*c^4*d^2*(b^2*\exp(2)^2+4*c^2*d^2*\exp(2)-4*b*c*d*\exp(1)*\exp(2))*\exp(1)*\exp(2))^2)/(8*b^6*d^3*\exp(1)^6*\exp(2)^3-16*b^6*d^3*\exp(1)^4*\exp(2)^4+8*b^6*d^3*\exp(1)^2*\exp(2)^5-64*b^5*c*d^4*\exp(1)^7*\exp(2)^2+112*b^5*c*d^4*\exp(1)^5*\exp(2)^3-32*b^5*c*d^4*\exp(1)^3*\exp(2)^4-16*b^5*c*d^4*\exp(1)*\exp(2)^5-16*b^5*c*d^3*\exp(1)^6*\exp(2)^3+32*b^5*c*d^3*\exp(1)^4*\exp(2)^4-16*b^5*c*d^3*\exp(1)^2*\exp(2)^5+128*b^4*c^2*d^5*\exp(1)^8*\exp(2)-64*b^4*c^2*d^5*\exp(1)^6*\exp(2)^2-248*b^4*c^2*d^5*\exp(1)^4*\exp(2)^3+176*b^4*c^2*d^5*\exp(1)^2*\exp(2)^4+8*b^4*c^2*d^5*\exp(2)^5+64*b^4*c^2*d^4*\exp(1)^7*\exp(2)^2-96*b^4*c^2*d^4*\exp(1)^5*\exp(2)^3+32*b^4*c^2*d^4*\exp(1)*\exp(2)^5+8*b^4*c^2*d^3*\exp(1)^6*\exp(2)^3-16*b^4*c^2*d^3*\exp(1)^4*\exp(2)^4+8*b^4*c^2*d^3*\exp(1)^2*\exp(2)^5-512*b^3*c^3*d^6*\exp(1)^7*\exp(2)+832*b^3*c^3*d^6*\exp(1)^5*\exp(2)^2-128*b^3*c^3*d^6*\exp(1)^3*\exp(2)^3-192*b^3*c^3*d^6*\exp(1)*\exp(2)^4-192*b^3*c^3*d^5*\exp(1)^6*\exp(2)^2+368*b^3*c^3*d^5*\exp(1)^4*\exp(2)^3-160*b^3*c^3*d^5*\exp(1)^2*\exp(2)^4-16*b^3*c^3*d^5*\exp(2)^5-32*b^3*c^3*d^4*\exp(1)^7*\exp(2)^2+48*b^3*c^3*d^4*\exp(1)^5*\exp(2)^3-16*b^3*c^3*d^4*\exp(1)*\exp(2)^5+768*b^2*c^4*d^7*\exp(1)^6*\exp(2)-1472*b^2*c^4*d^7*\exp(1)^4*\exp(2)^2+640*b^2*c^4*d^7*\exp(1)^2*\exp(2)^3+64*b^2*c^4*d^7*\exp(2)^4+192*b^2*c^4*d^6*\exp(1)^5*\exp(2)^2-384*b^2*c^4*d^6*\exp(1)^3*\exp(2)^3+192*b^2*c^4*d^6*\exp(1)*\exp(2)^4+96*b^2*c^4*d^5*\exp(1)^6*\exp(2)^2-184*b^2*c^4*d^5*\exp(1)^4*\exp(2)^3+80*b^2*c^4*d^5*\exp(1)^2*\exp(2)^4+8*b^2*c^4*d^5*\exp(2)^5-512*b*c^5*d^8*\exp(1)^5*\exp(2)+1024*b*c^5*d^8*\exp(1)^3*\exp(2)^2-512*b*c^5*d^8*\exp(1)*\exp(2)^3-64*b*c^5*d^7*\exp(1)^4*\exp(2)^2+128*b*c^5*d^7*\exp(1)^2*\exp(2)^3-64*b*c^5*d^7*\exp(2)^4-96*b*c^5*d^6*\exp(1)^5*\exp(2)^2+192*b*c^5*d^6*\exp(1)^3*\exp(2)^3-96*b*c^5*d^6*\exp(1)*\exp(2)^4+128*c^6*d^9*\exp(1)^4*\exp(2)-256*c^6*d^9*\exp(1)^2*\exp(2)^2+128*c^6*d^9*\exp(2)^3+32*c^6*d^7*\exp(1)^4*\exp(2)^2-64*c^6*d^7*\exp(1)^2*\exp(2)^3+32*c^6*d^7*\exp(2)^4)/abs(c)*atan(x/sqrt(-(c^2*\exp(2)^3*b*d^4-2*c^2*\exp(2)^2*b*d^4*\exp(1)^2+c^2*\exp(2)*b*d^4*\exp(1)^4-2*c*\exp(2)^3*b^2*d^3*\exp(1)+4*c*\exp(2)^2*b^2*d^3*\exp(1)^3-2*c*\exp(2)*b^2*d^3*\exp(1)^5+\exp(2)^3*b^3*d^2*\exp(1)^2-2*\exp(2)^2*b^3*d^2*\exp(1)^4+\exp(2)*b^3*d^2*\exp(1)^6+\sqrt{(-c^2*\exp(2)^3*b*d^4+2*c^2*\exp(2)^2*b*d^4*\exp(1)^2-c^2*\exp(2)*b*d^4*\exp(1)^4+2*c*\exp(2)^3*b^2*d^3*\exp(1)-4*c*\exp(2)^2*b^2*d^3*\exp(1)^3+2*c*\exp(2)*b^2*d^3*\exp(1)^5-\exp(2)^3*b^3*d^2*\exp(1)^2+2*\exp(2)
\end{aligned}$$

$$\begin{aligned}
& p(2) - 4*b*c*d*exp(1)*exp(2))*exp(2))*exp(1)^4*exp(2) + 112*b^2*c^3*d^3*sqrt(2) \\
& *sqrt(b*c*exp(2)^2+c*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2)) \\
& *exp(2))*exp(1)^2*exp(2)^2+16*b^2*c^3*d^3*sqrt(2)*sqrt(b*c*exp(2)^2+c*sqrt \\
& (b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(2))*exp(2)^3+16 \\
& *b^2*c^3*d^2*sqrt(2)*sqrt(b*c*exp(2)^2+c*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2) \\
& -4*b*c*d*exp(1)*exp(2))*exp(2))*exp(1)^3*exp(2)^2+32*b^2*c^3*d^2*sqrt(2)*sq \\
& rt(b*c*exp(2)^2+c*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2)) \\
& *exp(2))*exp(1)*exp(2)^3+10*b^2*c^3*d*sqrt(2)*sqrt(b*c*exp(2)^2+c*sqrt(b^2* \\
& exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(2))*exp(1)^2*exp(2)^3+ \\
& 2*b^2*c^3*d*sqrt(2)*sqrt(b*c*exp(2)^2+c*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)- \\
& 4*b*c*d*exp(1)*exp(2))*exp(2))*exp(2)^4+24*b^2*c^2*d^2*sqrt(2)*sqrt(b*c*exp \\
& (2)^2+c*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(2))*s \\
& qrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(1)^3*exp(2)+24 \\
& *b^2*c^2*d^2*sqrt(2)*sqrt(b*c*exp(2)^2+c*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2) \\
& -4*b*c*d*exp(1)*exp(2))*exp(2))*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d* \\
& exp(1)*exp(2))*exp(1)*exp(2)^2+12*b^2*c^2*d*sqrt(2)*sqrt(b*c*exp(2)^2+c*sqrt \\
& (b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(2))*sqrt(b^2*exp \\
& (2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(1)^2*exp(2)^2+4*b^2*c^2*d \\
& *sqrt(2)*sqrt(b*c*exp(2)^2+c*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp \\
& (1)*exp(2))*exp(2))*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2) \\
&))*exp(2)^3+20*b^2*c^2*d*(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2)) \\
& *exp(1)^2*exp(2)^2+4*b^2*c^2*d*(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp \\
& (1)*exp(2))*exp(2)^3+2*b^2*c^2*sqrt(2)*sqrt(b*c*exp(2)^2+c*sqrt(b^2*exp(2) \\
& ^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(2))*sqrt(b^2*exp(2)^2+4*c^2* \\
& d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(1)*exp(2)^3+4*b^2*c^2*(b^2*exp(2)^2+4 \\
& *c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(1)*exp(2)^3+128*b*c^5*d^4*exp(1) \\
& ^3*exp(2)^2+192*b*c^5*d^4*exp(1)*exp(2)^3+112*b*c^5*d^3*exp(1)^2*exp(2)^3+1 \\
& 6*b*c^5*d^3*exp(2)^4-64*b*c^4*d^4*sqrt(2)*sqrt(b*c*exp(2)^2+c*sqrt(b^2*exp(2) \\
& ^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(2))*exp(1)^3*exp(2)-96*b*c \\
& ^4*d^4*sqrt(2)*sqrt(b*c*exp(2)^2+c*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c \\
& *d*exp(1)*exp(2))*exp(2))*exp(1)*exp(2)^2-16*b*c^4*d^3*sqrt(2)*sqrt(b*c*exp \\
& (2)^2+c*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(2))*e \\
& xp(1)^2*exp(2)^2-16*b*c^4*d^3*sqrt(2)*sqrt(b*c*exp(2)^2+c*sqrt(b^2*exp(2)^2 \\
& +4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(2))*exp(2)^3-8*b*c^4*d^2*sqrt(\\
& 2)*sqrt(b*c*exp(2)^2+c*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*ex \\
& p(2))*exp(2))*exp(1)^3*exp(2)^2-16*b*c^4*d^2*sqrt(2)*sqrt(b*c*exp(2)^2+c*sqrt \\
& (b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(2))*exp(1)*exp(\\
& 2)^3-56*b*c^3*d^3*sqrt(2)*sqrt(b*c*exp(2)^2+c*sqrt(b^2*exp(2)^2+4*c^2*d^2* \\
& exp(2)-4*b*c*d*exp(1)*exp(2))*exp(2))*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b \\
& *c*d*exp(1)*exp(2))*exp(1)^2*exp(2)-8*b*c^3*d^3*sqrt(2)*sqrt(b*c*exp(2)^2+c \\
& *sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(2))*sqrt(b^2 \\
& *exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*exp(2)^2-16*b*c^3*d^2*sqrt \\
& (2)*sqrt(b*c*exp(2)^2+c*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)* \\
& exp(2))*exp(2))*sqrt(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*exp(2))*e \\
& xp(1)*exp(2)^2-16*b*c^3*d^2*(b^2*exp(2)^2+4*c^2*d^2*exp(2)-4*b*c*d*exp(1)*e
\end{aligned}$$

$$\begin{aligned}
& xp(2)) * exp(1)^3 * exp(2) - 32 * b * c^3 * d^2 * (b^2 * exp(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * \\
& exp(1) * exp(2)) * exp(1) * exp(2)^2 - 6 * b * c^3 * d * sqrt(2) * sqrt(b * c * exp(2)^2 + c * sqrt(b \\
& ^2 * exp(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp(1) * exp(2)) * exp(2)) * sqrt(b^2 * exp(2) \\
& ^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp(1) * exp(2)) * exp(1)^2 * exp(2)^2 - 2 * b * c^3 * d * sqrt \\
& (2) * sqrt(b * c * exp(2)^2 + c * sqrt(b^2 * exp(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp(1) * e \\
& xp(2)) * exp(2)) * sqrt(b^2 * exp(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp(1) * exp(2)) * ex \\
& p(2)^3 - 12 * b * c^3 * d * (b^2 * exp(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp(1) * exp(2)) * exp \\
& (1)^2 * exp(2)^2 - 4 * b * c^3 * d * (b^2 * exp(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp(1) * exp(\\
& 2)) * exp(2)^3 - 64 * c^6 * d^5 * exp(1)^2 * exp(2)^2 - 64 * c^6 * d^5 * exp(2)^3 - 64 * c^6 * d^4 * ex \\
& p(1) * exp(2)^3 + 32 * c^5 * d^5 * sqrt(2) * sqrt(b * c * exp(2)^2 + c * sqrt(b^2 * exp(2)^2 + 4 * c^ \\
& 2 * d^2 * exp(2) - 4 * b * c * d * exp(1) * exp(2)) * exp(2)) * exp(1)^2 * exp(2) + 32 * c^5 * d^5 * sqrt \\
& (2) * sqrt(b * c * exp(2)^2 + c * sqrt(b^2 * exp(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp(1) * e \\
& xp(2)) * exp(2)) * exp(2)^2 + 8 * c^5 * d^3 * sqrt(2) * sqrt(b * c * exp(2)^2 + c * sqrt(b^2 * exp(\\
& 2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp(1) * exp(2)) * exp(2)) * exp(1)^2 * exp(2)^2 + 8 * c^ \\
& 5 * d^3 * sqrt(2) * sqrt(b * c * exp(2)^2 + c * sqrt(b^2 * exp(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * \\
& d * exp(1) * exp(2)) * exp(2)) * exp(2)^3 + 32 * c^4 * d^4 * sqrt(2) * sqrt(b * c * exp(2)^2 + c * sq \\
& rt(b^2 * exp(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp(1) * exp(2)) * exp(2)) * sqrt(b^2 * ex \\
& p(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp(1) * exp(2)) * exp(1) * exp(2) + 16 * c^4 * d^3 * (b^ \\
& 2 * exp(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp(1) * exp(2)) * exp(1)^2 * exp(2) + 16 * c^4 * d \\
& ^3 * (b^2 * exp(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp(1) * exp(2)) * exp(2)^2 + 8 * c^4 * d^2 \\
& * sqrt(2) * sqrt(b * c * exp(2)^2 + c * sqrt(b^2 * exp(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp \\
& (1) * exp(2)) * exp(2)) * sqrt(b^2 * exp(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp(1) * exp(2) \\
&)) * exp(1) * exp(2)^2 + 16 * c^4 * d^2 * (b^2 * exp(2)^2 + 4 * c^2 * d^2 * exp(2) - 4 * b * c * d * exp(1) \\
& * exp(2)) * exp(1) * exp(2)^2) / (8 * b^6 * d^3 * exp(1)^6 * exp(2)^3 - 16 * b^6 * d^3 * exp(1)^4 * \\
& exp(2)^4 + 8 * b^6 * d^3 * exp(1)^2 * exp(2)^5 - 64 * b^5 * c * d^4 * exp(1)^7 * exp(2)^2 + 112 * b^5 \\
& * c * d^4 * exp(1)^5 * exp(2)^3 - 32 * b^5 * c * d^4 * exp(1)^3 * exp(2)^4 - 16 * b^5 * c * d^4 * exp(1) \\
& * exp(2)^5 - 16 * b^5 * c * d^3 * exp(1)^6 * exp(2)^3 + 32 * b^5 * c * d^3 * exp(1)^4 * exp(2)^4 - 16 * \\
& b^5 * c * d^3 * exp(1)^2 * exp(2)^5 + 128 * b^4 * c^2 * d^5 * exp(1)^8 * exp(2) - 64 * b^4 * c^2 * d^5 * \\
& exp(1)^6 * exp(2)^2 - 248 * b^4 * c^2 * d^5 * exp(1)^4 * exp(2)^3 + 176 * b^4 * c^2 * d^5 * exp(1)^ \\
& 2 * exp(2)^4 + 8 * b^4 * c^2 * d^5 * exp(2)^5 + 64 * b^4 * c^2 * d^4 * exp(1)^7 * exp(2)^2 - 96 * b^4 * c \\
& ^2 * d^4 * exp(1)^5 * exp(2)^3 + 32 * b^4 * c^2 * d^4 * exp(1) * exp(2)^5 + 8 * b^4 * c^2 * d^3 * exp(1) \\
&)^6 * exp(2)^3 - 16 * b^4 * c^2 * d^3 * exp(1)^4 * exp(2)^4 + 8 * b^4 * c^2 * d^3 * exp(1)^2 * exp(2) \\
& ^5 - 512 * b^3 * c^3 * d^6 * exp(1)^7 * exp(2) + 832 * b^3 * c^3 * d^6 * exp(1)^5 * exp(2)^2 - 128 * b^ \\
& 3 * c^3 * d^6 * exp(1)^3 * exp(2)^3 - 192 * b^3 * c^3 * d^6 * exp(1) * exp(2)^4 - 192 * b^3 * c^3 * d^5 \\
& * exp(1)^6 * exp(2)^2 + 368 * b^3 * c^3 * d^5 * exp(1)^4 * exp(2)^3 - 160 * b^3 * c^3 * d^5 * exp(1) \\
& ^2 * exp(2)^4 - 16 * b^3 * c^3 * d^5 * exp(2)^5 - 32 * b^3 * c^3 * d^4 * exp(1)^7 * exp(2)^2 + 48 * b^3 \\
& * c^3 * d^4 * exp(1)^5 * exp(2)^3 - 16 * b^3 * c^3 * d^4 * exp(1) * exp(2)^5 + 768 * b^2 * c^4 * d^7 * e \\
& xp(1)^6 * exp(2) - 1472 * b^2 * c^4 * d^7 * exp(1)^4 * exp(2)^2 + 640 * b^2 * c^4 * d^7 * exp(1)^2 * \\
& exp(2)^3 + 64 * b^2 * c^4 * d^7 * exp(2)^4 + 192 * b^2 * c^4 * d^6 * exp(1)^5 * exp(2)^2 - 384 * b^2 * \\
& c^4 * d^6 * exp(1)^3 * exp(2)^3 + 192 * b^2 * c^4 * d^6 * exp(1) * exp(2)^4 + 96 * b^2 * c^4 * d^5 * ex \\
& p(1)^6 * exp(2)^2 - 184 * b^2 * c^4 * d^5 * exp(1)^4 * exp(2)^3 + 80 * b^2 * c^4 * d^5 * exp(1)^2 * e \\
& xp(2)^4 + 8 * b^2 * c^4 * d^5 * exp(2)^5 - 512 * b * c^5 * d^8 * exp(1)^5 * exp(2) + 1024 * b * c^5 * d^8 \\
& * exp(1)^3 * exp(2)^2 - 512 * b * c^5 * d^8 * exp(1) * exp(2)^3 - 64 * b * c^5 * d^7 * exp(1)^4 * exp(\\
& 2)^2 + 128 * b * c^5 * d^7 * exp(1)^2 * exp(2)^3 - 64 * b * c^5 * d^7 * exp(2)^4 - 96 * b * c^5 * d^6 * exp \\
& (1)^5 * exp(2)^2 + 192 * b * c^5 * d^6 * exp(1)^3 * exp(2)^3 - 96 * b * c^5 * d^6 * exp(1) * exp(2)^4
\end{aligned}$$

+128*c^6*d^9*exp(1)^4*exp(2)-256*c^6*d^9*exp(1)^2*exp(2)^2+128*c^6*d^9*exp(2)^3+32*c^6*d^7*exp(1)^4*exp(2)^2-64*c^6*d^7*exp(1)^2*exp(2)^3+32*c^6*d^7*exp(2)^4)/abs(c)*atan(x/sqrt(-(c^2*exp(2)^3*b*d^4-2*c^2*exp(2)^2*b*d^4*exp(1)^2+c^2*exp(2)*b*d^4*exp(1)^4-2*c*exp(2)^3*b^2*d^3*exp(1)+4*c*exp(2)^2*b^2*d^3*exp(1)^3-2*c*exp(2)*b^2*d^3*exp(1)^5+exp(2)^3*b^3*d^2*exp(1)^2-2*exp(2)^2*b^3*d^2*exp(1)^4+exp(2)*b^3*d^2*exp(1)^6-sqrt((-c^2*exp(2)^3*b*d^4+2*c^2*exp(2)^2*b*d^4*exp(1)^2-c^2*exp(2)*b*d^4*exp(1)^4+2*c*exp(2)^3*b^2*d^3*exp(1)-4*c*exp(2)^2*b^2*d^3*exp(1)^3+2*c*exp(2)*b^2*d^3*exp(1)^5-exp(2)^3*b^3*d^2*exp(1)^2+2*exp(2)^2*b^3*d^2*exp(1)^4-exp(2)*b^3*d^2*exp(1)^6))*(-c^2*exp(2)^3*b*d^4+2*c^2*exp(2)^2*b*d^4*exp(1)^2-c^2*exp(2)*b*d^4*exp(1)^4+2*c*exp(2)^3*b^2*d^3*exp(1)-4*c*exp(2)^2*b^2*d^3*exp(1)^3+2*c*exp(2)*b^2*d^3*exp(1)^5-exp(2)^3*b^3*d^2*exp(1)^2+2*exp(2)^2*b^3*d^2*exp(1)^4-exp(2)*b^3*d^2*exp(1)^6)-4*(-c^3*exp(2)^3*d^4+2*c^3*exp(2)^2*d^4*exp(1)^2-c^3*exp(2)*d^4*exp(1)^4+2*c^2*exp(2)^3*b*d^3*exp(1)-4*c^2*exp(2)^2*b*d^3*exp(1)^3+2*c^2*exp(2)*b*d^3*exp(1)^5-c*exp(2)^3*b^2*d^2*exp(1)^2+2*c*exp(2)^2*b^2*d^2*exp(1)^4-c*exp(2)*b^2*d^2*exp(1)^6)*(c^3*exp(2)^2*d^6-2*c^3*exp(2)*d^6*exp(1)^2+c^3*d^6*exp(1)^4-3*c^2*exp(2)^2*b*d^5*exp(1)+6*c^2*exp(2)*b*d^5*exp(1)^3-3*c^2*b*d^5*exp(1)^5+3*c*exp(2)^2*b^2*d^4*exp(1)^2-6*c*exp(2)*b^2*d^4*exp(1)^4+3*c*b^2*d^4*exp(1)^6-exp(2)^2*b^3*d^3*exp(1)^3+2*exp(2)*b^3*d^3*exp(1)^5-b^3*d^3*exp(1)^7)))/2/(-c^3*exp(2)^3*d^4+2*c^3*exp(2)^2*d^4*exp(1)^2-c^3*exp(2)*d^4*exp(1)^4+2*c^2*exp(2)^3*b*d^3*exp(1)-4*c^2*exp(2)^2*b*d^3*exp(1)^3+2*c^2*exp(2)*b*d^3*exp(1)^5-c*exp(2)^3*b^2*d^2*exp(1)^2+2*c*exp(2)^2*b^2*d^2*exp(1)^4-c*exp(2)*b^2*d^2*exp(1)^6)))+(-5*c*exp(2)*d*exp(1)^2+c*d*exp(1)^4+3*exp(2)*b*exp(1)^3-b*exp(1)^5)*1/2/(-c^2*exp(2)^2*d^4+2*c^2*exp(2)*d^4*exp(1)^2-c^2*d^4*exp(1)^4+2*c*exp(2)^2*b*d^3*exp(1)-4*c*exp(2)*b*d^3*exp(1)^3+2*c*b*d^3*exp(1)^5-exp(2)^2*b^2*d^2*exp(1)^2+2*exp(2)*b^2*d^2*exp(1)^4-b^2*d^2*exp(1)^6)/sqrt(d*exp(1))*atan(x*exp(1)/sqrt(d*exp(1)))-x*exp(1)^2/(-2*c*exp(2)*d^3+2*c*d^3*exp(1)^2+2*exp(2)*b*d^2*exp(1)-2*b*d^2*exp(1)^3)/(x^2*exp(1)+d)

maple [A] time = 0.01, size = 319, normalized size = 1.71

$$\frac{3b^2e^3x^3}{8(be-2cd)^3(e x^2+d)^2d^2} - \frac{2bc e^2x^3}{(be-2cd)^3(e x^2+d)^2d} + \frac{5c^2e x^3}{2(be-2cd)^3(e x^2+d)^2} + \frac{5b^2e^2x}{8(be-2cd)^3(e x^2+d)^2d} - \frac{be}{(be-2cd)^3(e x^2+d)^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)^2/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2), x)

[Out] -c^3/(b*e-2*c*d)^3/((b*e-c*d)*c*e)^(1/2)*arctan(1/((b*e-c*d)*c*e)^(1/2)*c*e*x)+3/8/(b*e-2*c*d)^3/(e*x^2+d)^2*e^3/d^2*x^3*b^2-2/(b*e-2*c*d)^3/(e*x^2+d)^2*e^2/d*x^3*b*c+5/2/(b*e-2*c*d)^3/(e*x^2+d)^2*e*x^3*c^2+5/8/(b*e-2*c*d)^3/(e*x^2+d)^2/d*x*b^2*e^2-3/(b*e-2*c*d)^3/(e*x^2+d)^2*x*b*c*e+7/2/(b*e-2*c*d)^3/(e*x^2+d)^2*d*x*c^2+3/8/(b*e-2*c*d)^3/d^2/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*c*e*x)

$2) * e * x) * b^2 * e^2 - 2 / (b * e - 2 * c * d)^3 / d / (d * e)^{(1/2)} * \arctan(1 / (d * e)^{(1/2)} * e * x) * b * c * e + 7 / 2 / (b * e - 2 * c * d)^3 / (d * e)^{(1/2)} * \arctan(1 / (d * e)^{(1/2)} * e * x) * c^2$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(b*e-c*d>0)', see `assume?` for more details)Is b*e-c*d positive or negative?

mupad [B] time = 6.45, size = 6267, normalized size = 33.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^2)^2*(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e)),x)

[Out]
$$\begin{aligned} & ((x*(5*b*e - 14*c*d))/(8*d*(b^2*e^2 + 4*c^2*d^2 - 4*b*c*d*e)) + (e*x^3*(3*b*e - 10*c*d))/(8*d^2*(b^2*e^2 + 4*c^2*d^2 - 4*b*c*d*e)))/(d^2 + e^2*x^4 + 2*d*e*x^2) \\ & - (\operatorname{atan}(\frac{(x*(9*b^4*c^3*e^{10} + 848*c^7*d^4*e^6 - 896*b*c^6*d^3*e^7 - 96*b^3*c^4*d*e^9 + 424*b^2*c^5*d^2*e^8))}{(64*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e)) - ((576*c^{10}*d^{10}*e^6 - 2144*b*c^9*d^9*e^7 + 3504*b^2*c^8*d^8*e^8 - 3288*b^3*c^7*d^7*e^9 + 1940*b^4*c^6*d^6*e^{10} - 738*b^5*c^5*d^5*e^{11} + 177*b^6*c^4*d^4*e^{12} - (49*b^7*c^3*d^3*e^{13})/2 + (3*b^8*c^2*d^2*e^{14})/2)/(2*(64*c^6*d^{10} + b^6*d^4*e^6 - 12*b^5*c*d^5*e^5 + 240*b^2*c^4*d^8*e^2 - 160*b^3*c^3*d^7*e^3 + 60*b^4*c^2*d^6*e^4 - 192*b*c^5*d^9*e)) - (x*(-c^5*e*(b*e - c*d))^{(1/2)}*(16384*b*c^8*d^{10}*e^8 - 49152*b^2*c^7*d^9*e^9 + 61440*b^3*c^6*d^8*e^{10} - 40960*b^4*c^5*d^7*e^{11} + 15360*b^5*c^4*d^6*e^{12} - 3072*b^6*c^3*d^5*e^{13} + 256*b^7*c^2*d^4*e^{14})}{(128*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e)*(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4))}*(-c^5*e*(b*e - c*d))^{(1/2)})/(2*(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4)))*(-c^5*e*(b*e - c*d))^{(1/2)}*i)/(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4) \\ & + ((x*(9*b^4*c^3*e^{10} + 848*c^7*d^4*e^6 - 896*b*c^6*d^3*e^7 - 96*b^3*c^4*d*e^9 + 424*b^2*c^5*d^2*e^8))/(64*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e)) + ((576*c^{10}*d^{10}*e^6 - 2144*b*c^9*d^9*e^7 + 3504*b^2*c^8*d^8*e^8 - 3288*b^3*c^7*d^7*e^9 + 1940*b^4*c^6*d^6*e^{10} - 738*b^5*c^5*d^5*e^{11} + 177*b^6*c^4*d^4*e^{12} - (49*b^7*c^3*d^3*e^{13})/2 + (3*b^8*c^2*d^2*e^{14})/2)/(2*(64*c^6*d^{10} + b^6*d^4*e^6 - 12*b^5*c*d^5*e^5 + 240*b^2*c^4*d^8*e^2 - 160*b^3*c^3*d^7*e^3 + 60*b^4*c^2*d^6*e^4 - 192*b*c^5*d^9*e)) - (x*(-c^5*e*(b*e - c*d))^{(1/2)}*(16384*b*c^8*d^{10}*e^8 - 49152*b^2*c^7*d^9*e^9 + 61440*b^3*c^6*d^8*e^{10} - 40960*b^4*c^5*d^7*e^{11} + 15360*b^5*c^4*d^6*e^{12} - 3072*b^6*c^3*d^5*e^{13} + 256*b^7*c^2*d^4*e^{14})}{(128*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e)*(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4))}*(-c^5*e*(b*e - c*d))^{(1/2)})/(2*(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4)))*(-c^5*e*(b*e - c*d))^{(1/2)}*i)/(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4) \end{aligned}$$

$$\begin{aligned}
& 12 - (49*b^7*c^3*d^3*e^13)/2 + (3*b^8*c^2*d^2*e^14)/2)/(2*(64*c^6*d^10 + b^6*d^4*e^6 - 12*b^5*c*d^5*e^5 + 240*b^2*c^4*d^8*e^2 - 160*b^3*c^3*d^7*e^3 + 60*b^4*c^2*d^6*e^4 - 192*b*c^5*d^9*e)) + (x*(-c^5*e*(b*e - c*d))^(1/2))*(16384*b*c^8*d^10*e^8 - 49152*b^2*c^7*d^9*e^9 + 61440*b^3*c^6*d^8*e^10 - 40960*b^4*c^5*d^7*e^11 + 15360*b^5*c^4*d^6*e^12 - 3072*b^6*c^3*d^5*e^13 + 256*b^7*c^2*d^4*e^14))/(128*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e)*(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4)))*(-c^5*e*(b*e - c*d))^(1/2))/(2*(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4)))*(-c^5*e*(b*e - c*d))^(1/2)*1i)/(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4))/(((9*b^3*c^5*e^8)/32 - (35*c^8*d^3*e^5)/4 + (61*b*c^7*d^2*e^6)/8 - (39*b^2*c^6*d*e^7)/16)/(64*c^6*d^10 + b^6*d^4*e^6 - 12*b^5*c*d^5*e^5 + 240*b^2*c^4*d^8*e^2 - 160*b^3*c^3*d^7*e^3 + 60*b^4*c^2*d^6*e^4 - 192*b*c^5*d^9*e) + (((x*(9*b^4*c^3*e^10 + 848*c^7*d^4*e^6 - 896*b*c^6*d^3*e^7 - 96*b^3*c^4*d*e^9 + 424*b^2*c^5*d^2*e^8)))/(64*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e)) - (((576*c^10*d^10*e^6 - 2144*b*c^9*d^9*e^7 + 3504*b^2*c^8*d^8*e^8 - 3288*b^3*c^7*d^7*e^9 + 1940*b^4*c^6*d^6*e^10 - 738*b^5*c^5*d^5*e^11 + 177*b^6*c^4*d^4*e^12 - (49*b^7*c^3*d^3*e^13)/2 + (3*b^8*c^2*d^2*e^14)/2)/(2*(64*c^6*d^10 + b^6*d^4*e^6 - 12*b^5*c*d^5*e^5 + 240*b^2*c^4*d^8*e^2 - 160*b^3*c^3*d^7*e^3 + 60*b^4*c^2*d^6*e^4 - 192*b*c^5*d^9*e)) - (x*(-c^5*e*(b*e - c*d))^(1/2))*(16384*b*c^8*d^10*e^8 - 49152*b^2*c^7*d^9*e^9 + 61440*b^3*c^6*d^8*e^10 - 40960*b^4*c^5*d^7*e^11 + 15360*b^5*c^4*d^6*e^12 - 3072*b^6*c^3*d^5*e^13 + 256*b^7*c^2*d^4*e^14))/(128*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e)*(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4)))*(-c^5*e*(b*e - c*d))^(1/2))/(2*(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4)))*(-c^5*e*(b*e - c*d))^(1/2))/(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4) - (((x*(9*b^4*c^3*e^10 + 848*c^7*d^4*e^6 - 896*b*c^6*d^3*e^7 - 96*b^3*c^4*d*e^9 + 424*b^2*c^5*d^2*e^8)))/(64*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e)) + (((576*c^10*d^10*e^6 - 2144*b*c^9*d^9*e^7 + 3504*b^2*c^8*d^8*e^8 - 3288*b^3*c^7*d^7*e^9 + 1940*b^4*c^6*d^6*e^10 - 738*b^5*c^5*d^5*e^11 + 177*b^6*c^4*d^4*e^12 - (49*b^7*c^3*d^3*e^13)/2 + (3*b^8*c^2*d^2*e^14)/2)/(2*(64*c^6*d^10 + b^6*d^4*e^6 - 12*b^5*c*d^5*e^5 + 240*b^2*c^4*d^8*e^2 - 160*b^3*c^3*d^7*e^3 + 60*b^4*c^2*d^6*e^4 - 192*b*c^5*d^9*e)) + (x*(-c^5*e*(b*e - c*d))^(1/2))*(16384*b*c^8*d^10*e^8 - 49152*b^2*c^7*d^9*e^9 + 61440*b^3*c^6*d^8*e^10 - 40960*b^4*c^5*d^7*e^11 + 15360*b^5*c^4*d^6*e^12 - 3072*b^6*c^3*d^5*e^13 + 256*b^7*c^2*d^4*e^14))/(128*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e)*(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4)))*(-c^5*e*(b*e - c*d))^(1/2))/(2*(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4)))*(-c^5*e*(b*e - c*d))^(1/2)*1i)/(b^4*e^5 + 8*c^4*d^4*e - 20*b*c^3*d^3*e^2 + 18*b^2*c^2*d^2*e^3 - 7*b^3*c*d*e^4)
\end{aligned}$$

$$\begin{aligned}
& *e^4) - (\operatorname{atan}(\frac{((x*(9*b^4*c^3*e^{10} + 848*c^7*d^4*e^6 - 896*b*c^6*d^3*e^7 - 96*b^3*c^4*d*e^9 + 424*b^2*c^5*d^2*e^8))}{(32*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e))} - ((576*c^{10}*d^{10}*e^6 - 2144*b*c^9*d^9*e^7 + 3504*b^2*c^8*d^8*e^8 - 3288*b^3*c^7*d^7*e^9 + 1940*b^4*c^6*d^6*e^{10} - 738*b^5*c^5*d^5*e^{11} + 177*b^6*c^4*d^4*e^{12} - (49*b^7*c^3*d^3*e^{13})/2 + (3*b^8*c^2*d^2*e^{14})/2) + (3*b^8*c^2*d^2*e^{14})/2) / (64*c^6*d^{10} + b^6*d^4*e^6 - 12*b^5*c*d^5*e^5 + 240*b^2*c^4*d^8*e^2 - 160*b^3*c^3*d^7*e^3 + 60*b^4*c^2*d^6*e^4 - 192*b*c^5*d^9*e) - (x*(-d^5*e)^{(1/2)}*(3*b^2*e^2 + 28*c^2*d^2 - 16*b*c*d*e))*(16384*b*c^8*d^{10}*e^8 - 49152*b^2*c^7*d^9*e^9 + 61440*b^3*c^6*d^8*e^{10} - 40960*b^4*c^5*d^7*e^{11} + 15360*b^5*c^4*d^6*e^{12} - 3072*b^6*c^3*d^5*e^{13} + 256*b^7*c^2*d^4*e^{14})) / (512*(8*c^3*d^8*e - b^3*d^5*e^4 - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6*e^3)*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e)))*(-d^5*e)^{(1/2)}*(3*b^2*e^2 + 28*c^2*d^2 - 16*b*c*d*e)) / (16*(8*c^3*d^8*e - b^3*d^5*e^4 - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6*e^3))) * (-d^5*e)^{(1/2)}*(3*b^2*e^2 + 28*c^2*d^2 - 16*b*c*d*e)*1i) / (16*(8*c^3*d^8*e - b^3*d^5*e^4 - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6*e^3)) + (((x*(9*b^4*c^3*e^{10} + 848*c^7*d^4*e^6 - 896*b*c^6*d^3*e^7 - 96*b^3*c^4*d*e^9 + 424*b^2*c^5*d^2*e^8)) / (32*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e)) + (((576*c^{10}*d^{10}*e^6 - 2144*b*c^9*d^9*e^7 + 3504*b^2*c^8*d^8*e^8 - 3288*b^3*c^7*d^7*e^9 + 1940*b^4*c^6*d^6*e^{10} - 738*b^5*c^5*d^5*e^{11} + 177*b^6*c^4*d^4*e^{12} - (49*b^7*c^3*d^3*e^{13})/2 + (3*b^8*c^2*d^2*e^{14})/2) / (64*c^6*d^{10} + b^6*d^4*e^6 - 12*b^5*c*d^5*e^5 + 240*b^2*c^4*d^8*e^2 - 160*b^3*c^3*d^7*e^3 + 60*b^4*c^2*d^6*e^4 - 192*b*c^5*d^9*e) + (x*(-d^5*e)^{(1/2)}*(3*b^2*e^2 + 28*c^2*d^2 - 16*b*c*d*e))*(16384*b*c^8*d^{10}*e^8 - 49152*b^2*c^7*d^9*e^9 + 61440*b^3*c^6*d^8*e^{10} - 40960*b^4*c^5*d^7*e^{11} + 15360*b^5*c^4*d^6*e^{12} - 3072*b^6*c^3*d^5*e^{13} + 256*b^7*c^2*d^4*e^{14})) / (512*(8*c^3*d^8*e - b^3*d^5*e^4 - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6*e^3)*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e)))*(-d^5*e)^{(1/2)}*(3*b^2*e^2 + 28*c^2*d^2 - 16*b*c*d*e)) / (16*(8*c^3*d^8*e - b^3*d^5*e^4 - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6*e^3))) * (-d^5*e)^{(1/2)}*(3*b^2*e^2 + 28*c^2*d^2 - 16*b*c*d*e)*1i) / (16*(8*c^3*d^8*e - b^3*d^5*e^4 - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6*e^3))) / (((9*b^3*c^5*e^8)/32 - (35*c^8*d^3*e^5)/4 + (61*b*c^7*d^2*e^6)/8 - (39*b^2*c^6*d^7*e^7)/16) / (64*c^6*d^{10} + b^6*d^4*e^6 - 12*b^5*c*d^5*e^5 + 240*b^2*c^4*d^8*e^2 - 160*b^3*c^3*d^7*e^3 + 60*b^4*c^2*d^6*e^4 - 192*b*c^5*d^9*e) + (((x*(9*b^4*c^3*e^{10} + 848*c^7*d^4*e^6 - 896*b*c^6*d^3*e^7 - 96*b^3*c^4*d*e^9 + 424*b^2*c^5*d^2*e^8)) / (32*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e)) - (((576*c^{10}*d^{10}*e^6 - 2144*b*c^9*d^9*e^7 + 3504*b^2*c^8*d^8*e^8 - 3288*b^3*c^7*d^7*e^9 + 1940*b^4*c^6*d^6*e^{10} - 738*b^5*c^5*d^5*e^{11} + 177*b^6*c^4*d^4*e^{12} - (49*b^7*c^3*d^3*e^{13})/2 + (3*b^8*c^2*d^2*e^{14})/2) / (64*c^6*d^{10} + b^6*d^4*e^6 - 12*b^5*c*d^5*e^5 + 240*b^2*c^4*d^8*e^2 - 160*b^3*c^3*d^7*e^3 + 60*b^4*c^2*d^6*e^4 - 192*b*c^5*d^9*e) - (x*(-d^5*e)^{(1/2)}*(3*b^2*e^2 + 28*c^2*d^2 - 16*b*c*d*e))*(16384*b*c^8*d^{10}*e^8 - 49152*b^2*c^7*d^9*e^9 + 61440*b^3*c^6*d^8*e^{10} - 40960*b^4*c^5*d^7*e^{11} + 15360*b^5*c^4*d^6*e^{12} - 3072*b^6*c^3*d^5*e^{13} + 256*b^7*c^2*d^4*e^{14})) / (512*(8*c^3*d^8*e - b^3*d^5*e^4 - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6*e^3))
\end{aligned}$$

$$\begin{aligned}
& 2*d^7*e^2 + 6*b^2*c*d^6*e^3)*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + \\
& 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7*e)))*(-d^5*e)^{(1/2)}*(3*b^2*e^2 + 28*c^2*d \\
& ^2 - 16*b*c*d*e))/(16*(8*c^3*d^8*e - b^3*d^5*e^4 - 12*b*c^2*d^7*e^2 + 6*b^2 \\
& *c*d^6*e^3)))*(-d^5*e)^{(1/2)}*(3*b^2*e^2 + 28*c^2*d^2 - 16*b*c*d*e))/(16*(8* \\
& c^3*d^8*e - b^3*d^5*e^4 - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6*e^3)) - (((x*(9*b^ \\
& 4*c^3*e^10 + 848*c^7*d^4*e^6 - 896*b*c^6*d^3*e^7 - 96*b^3*c^4*d*e^9 + 424*b \\
& ^2*c^5*d^2*e^8))/(32*(16*c^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c \\
& ^2*d^6*e^2 - 32*b*c^3*d^7*e)) + (((576*c^10*d^10*e^6 - 2144*b*c^9*d^9*e^7 + \\
& 3504*b^2*c^8*d^8*e^8 - 3288*b^3*c^7*d^7*e^9 + 1940*b^4*c^6*d^6*e^10 - 738* \\
& b^5*c^5*d^5*e^11 + 177*b^6*c^4*d^4*e^12 - (49*b^7*c^3*d^3*e^13)/2 + (3*b^8* \\
& c^2*d^2*e^14)/2)/(64*c^6*d^10 + b^6*d^4*e^6 - 12*b^5*c*d^5*e^5 + 240*b^2*c^ \\
& 4*d^8*e^2 - 160*b^3*c^3*d^7*e^3 + 60*b^4*c^2*d^6*e^4 - 192*b*c^5*d^9*e) + (\\
& x*(-d^5*e)^{(1/2)}*(3*b^2*e^2 + 28*c^2*d^2 - 16*b*c*d*e)*(16384*b*c^8*d^10*e^ \\
& 8 - 49152*b^2*c^7*d^9*e^9 + 61440*b^3*c^6*d^8*e^10 - 40960*b^4*c^5*d^7*e^11 \\
& + 15360*b^5*c^4*d^6*e^12 - 3072*b^6*c^3*d^5*e^13 + 256*b^7*c^2*d^4*e^14))/ \\
& (512*(8*c^3*d^8*e - b^3*d^5*e^4 - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6*e^3))*(16*c \\
& ^4*d^8 + b^4*d^4*e^4 - 8*b^3*c*d^5*e^3 + 24*b^2*c^2*d^6*e^2 - 32*b*c^3*d^7* \\
& e))*(-d^5*e)^{(1/2)}*(3*b^2*e^2 + 28*c^2*d^2 - 16*b*c*d*e))/(16*(8*c^3*d^8*e \\
& - b^3*d^5*e^4 - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6*e^3)))*(-d^5*e)^{(1/2)}*(3*b^ \\
& 2*e^2 + 28*c^2*d^2 - 16*b*c*d*e))/(16*(8*c^3*d^8*e - b^3*d^5*e^4 - 12*b*c^2 \\
& *d^7*e^2 + 6*b^2*c*d^6*e^3)))*(-d^5*e)^{(1/2)}*(3*b^2*e^2 + 28*c^2*d^2 - 16* \\
& b*c*d*e)*1i)/(8*(8*c^3*d^8*e - b^3*d^5*e^4 - 12*b*c^2*d^7*e^2 + 6*b^2*c*d^6 \\
& *e^3))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)**2/(c*e**2*x**4+b*e**2*x**2+b*d*e-c*d**2), x)

[Out] Timed out

$$3.220 \quad \int \frac{(d+ex^2)^{5/2}}{-cd^2+bde+be^2x^2+ce^2x^4} dx$$

Optimal. Leaf size=139

$$-\frac{(2cd-be)^{3/2} \tanh^{-1}\left(\frac{\sqrt{e}x\sqrt{2cd-be}}{\sqrt{d+ex^2}\sqrt{cd-be}}\right)}{c^2\sqrt{e}\sqrt{cd-be}} + \frac{(5cd-2be) \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{2c^2\sqrt{e}} + \frac{x\sqrt{d+ex^2}}{2c}$$

[Out] $1/2*(-2*b*e+5*c*d)*\operatorname{arctanh}(x*e^{1/2}/(e*x^2+d)^{1/2})/c^2/e^{1/2}-(-b*e+2*c*d)^{3/2}*\operatorname{arctanh}(x*e^{1/2}*(-b*e+2*c*d)^{1/2}/(-b*e+c*d)^{1/2}/(e*x^2+d)^{1/2})/c^2/e^{1/2}/(-b*e+c*d)^{1/2}+1/2*x*(e*x^2+d)^{1/2}/c$

Rubi [A] time = 0.28, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$, Rules used = {1149, 416, 523, 217, 206, 377, 208}

$$-\frac{(2cd-be)^{3/2} \tanh^{-1}\left(\frac{\sqrt{e}x\sqrt{2cd-be}}{\sqrt{d+ex^2}\sqrt{cd-be}}\right)}{c^2\sqrt{e}\sqrt{cd-be}} + \frac{(5cd-2be) \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{2c^2\sqrt{e}} + \frac{x\sqrt{d+ex^2}}{2c}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d+e*x^2)^{5/2}/(-(c*d^2)+b*d*e+b*e^2*x^2+c*e^2*x^4),x]$

[Out] $(x*\operatorname{Sqrt}[d+e*x^2])/(2*c) + ((5*c*d-2*b*e)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[d+e*x^2]])/(2*c^2*\operatorname{Sqrt}[e]) - ((2*c*d-b*e)^{3/2}*\operatorname{ArcTanh}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[2*c*d-b*e]*x)/(\operatorname{Sqrt}[c*d-b*e]*\operatorname{Sqrt}[d+e*x^2])])/(c^2*\operatorname{Sqrt}[e]*\operatorname{Sqrt}[c*d-b*e])$

Rule 206

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 208

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b]$

Rule 217

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_+ + (b_+)*(x_+)^2], x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(1-b*x^2), x], x, x/\operatorname{Sqrt}[a+b*x^2]] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \ !\operatorname{GtQ}[a, 0]$

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 416

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(d*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q - 1))/(b*(n*(p + q) + 1)), x] + Dist[1/(b*(n*(p + q) + 1)), Int[(a + b*x^n)^p*(c + d*x^n)^(q - 2)*Simp[c*(b*c*(n*(p + q) + 1) - a*d) + d*(b*c*(n*(p + 2*q - 1) + 1) - a*d*(n*(q - 1) + 1))*x^n, x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && GtQ[q, 1] && NeQ[n*(p + q) + 1, 0] && !IGtQ[p, 1] && IntBinomialQ[a, b, c, d, n, p, q, x]

Rule 523

Int[((e_) + (f_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_))*Sqrt[(c_) + (d_.)*(x_)^(n_)], x_Symbol] :> Dist[f/b, Int[1/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/((a + b*x^n)*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]

Rule 1149

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^{5/2}}{-cd^2+bde+be^2x^2+ce^2x^4} dx &= \int \frac{(d+ex^2)^{3/2}}{\frac{-cd^2+bde}{d}+ce^2x^2} dx \\
&= \frac{x\sqrt{d+ex^2}}{2c} + \frac{\int \frac{de(3cd-be)+e^2(5cd-2be)x^2}{\sqrt{d+ex^2}\left(\frac{-cd^2+bde}{d}+ce^2x^2\right)} dx}{2ce} \\
&= \frac{x\sqrt{d+ex^2}}{2c} + \frac{(5cd-2be) \int \frac{1}{\sqrt{d+ex^2}} dx}{2c^2} + \frac{(2cd-be)^2 \int \frac{1}{\sqrt{d+ex^2}\left(\frac{-cd^2+bde}{d}+ce^2x^2\right)} dx}{c^2} \\
&= \frac{x\sqrt{d+ex^2}}{2c} + \frac{(5cd-2be) \operatorname{Subst}\left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{2c^2} + \frac{(2cd-be)^2 \operatorname{Subst}\left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{c^2} \\
&= \frac{x\sqrt{d+ex^2}}{2c} + \frac{(5cd-2be) \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{2c^2\sqrt{e}} - \frac{(2cd-be)^{3/2} \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{2cd-be}}{\sqrt{d+ex^2}\sqrt{cd-be}}\right)}{c^2\sqrt{e}\sqrt{cd-be}}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 134, normalized size = 0.96

$$\frac{(2be-5cd) \log\left(\sqrt{e}\sqrt{d+ex^2}+ex\right)}{\sqrt{e}} - \frac{2(be-2cd)^{3/2} \tanh^{-1}\left(\frac{\sqrt{e}x\sqrt{be-2cd}}{\sqrt{d+ex^2}\sqrt{be-cd}}\right)}{\sqrt{e}\sqrt{be-cd}} - cx\sqrt{d+ex^2}$$

$$\frac{\quad}{2c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^(5/2)/(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4), x]

[Out] -1/2*(-(c*x*Sqrt[d + e*x^2]) - (2*(-2*c*d + b*e)^(3/2)*ArcTanh[(Sqrt[e]*Sqrt[-2*c*d + b*e]*x)/(Sqrt[-(c*d) + b*e]*Sqrt[d + e*x^2])])/(Sqrt[e]*Sqrt[-(c*d) + b*e]) + ((-5*c*d + 2*b*e)*Log[e*x + Sqrt[e]*Sqrt[d + e*x^2]])/Sqrt[e])/c^2

fricas [A] time = 1.97, size = 1079, normalized size = 7.76

$$\left[\frac{2\sqrt{ex^2+d}cex - (5cd-2be)\sqrt{e} \log\left(-2ex^2 + 2\sqrt{ex^2+d}\sqrt{e}x - d\right) - (2cde-be^2)\sqrt{\frac{2cd-be}{cde-be^2}} \log\left(\frac{c^2d^4-2bcd^3e+b^2d^2}{4cd-be^2}\right)}{4cd-be^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(5/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="fricas")

[Out] [1/4*(2*sqrt(e*x^2 + d)*c*e*x - (5*c*d - 2*b*e)*sqrt(e)*log(-2*e*x^2 + 2*sqrt(e*x^2 + d)*sqrt(e)*x - d) - (2*c*d*e - b*e^2)*sqrt((2*c*d - b*e)/(c*d*e - b*e^2))*log((c^2*d^4 - 2*b*c*d^3*e + b^2*d^2*e^2 + (17*c^2*d^2*e^2 - 24*b*c*d*e^3 + 8*b^2*e^4)*x^4 + 2*(7*c^2*d^3*e - 11*b*c*d^2*e^2 + 4*b^2*d*e^3)*x^2 + 4*((3*c^2*d^2*e^2 - 5*b*c*d*e^3 + 2*b^2*e^4)*x^3 + (c^2*d^3*e - 2*b*c*d^2*e^2 + b^2*d*e^3)*x)*sqrt(e*x^2 + d)*sqrt((2*c*d - b*e)/(c*d*e - b*e^2)))/(c^2*e^2*x^4 + c^2*d^2 - 2*b*c*d*e + b^2*e^2 - 2*(c^2*d*e - b*c*e^2)*x^2)))/(c^2*e), 1/4*(2*sqrt(e*x^2 + d)*c*e*x - 2*(5*c*d - 2*b*e)*sqrt(-e)*arctan(sqrt(-e)*x/sqrt(e*x^2 + d)) - (2*c*d*e - b*e^2)*sqrt((2*c*d - b*e)/(c*d*e - b*e^2))*log((c^2*d^4 - 2*b*c*d^3*e + b^2*d^2*e^2 + (17*c^2*d^2*e^2 - 24*b*c*d*e^3 + 8*b^2*e^4)*x^4 + 2*(7*c^2*d^3*e - 11*b*c*d^2*e^2 + 4*b^2*d*e^3)*x^2 + 4*((3*c^2*d^2*e^2 - 5*b*c*d*e^3 + 2*b^2*e^4)*x^3 + (c^2*d^3*e - 2*b*c*d^2*e^2 + b^2*d*e^3)*x)*sqrt(e*x^2 + d)*sqrt((2*c*d - b*e)/(c*d*e - b*e^2)))/(c^2*e^2*x^4 + c^2*d^2 - 2*b*c*d*e + b^2*e^2 - 2*(c^2*d*e - b*c*e^2)*x^2)))/(c^2*e), 1/4*(2*sqrt(e*x^2 + d)*c*e*x + 2*(2*c*d*e - b*e^2)*sqrt(-(2*c*d - b*e)/(c*d*e - b*e^2))*arctan(1/2*(c*d^2 - b*d*e + (3*c*d*e - 2*b*e^2)*x^2)*sqrt(e*x^2 + d)*sqrt(-(2*c*d - b*e)/(c*d*e - b*e^2)))/((2*c*d*e - b*e^2)*x^3 + (2*c*d^2 - b*d*e)*x)) - (5*c*d - 2*b*e)*sqrt(e)*log(-2*e*x^2 + 2*sqrt(e*x^2 + d)*sqrt(e)*x - d))/(c^2*e), 1/2*(sqrt(e*x^2 + d)*c*e*x - (5*c*d - 2*b*e)*sqrt(-e)*arctan(sqrt(-e)*x/sqrt(e*x^2 + d)) + (2*c*d*e - b*e^2)*sqrt(-(2*c*d - b*e)/(c*d*e - b*e^2))*arctan(1/2*(c*d^2 - b*d*e + (3*c*d*e - 2*b*e^2)*x^2)*sqrt(e*x^2 + d)*sqrt(-(2*c*d - b*e)/(c*d*e - b*e^2)))/((2*c*d*e - b*e^2)*x^3 + (2*c*d^2 - b*d*e)*x)))/(c^2*e)]

giac [A] time = 2.39, size = 54, normalized size = 0.39

$$\frac{(5cd - 2be)e^{\left(-\frac{1}{2}\right)} \log\left(\left(xe^{\frac{1}{2}} - \sqrt{x^2e + d}\right)^2\right)}{4c^2} + \frac{\sqrt{x^2e + d}x}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(5/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="giac")

[Out] -1/4*(5*c*d - 2*b*e)*e^(-1/2)*log((x*e^(1/2) - sqrt(x^2*e + d))^2)/c^2 + 1/2*sqrt(x^2*e + d)*x/c

maple [B] time = 0.06, size = 7043, normalized size = 50.67

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(5/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x)`

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^{\frac{5}{2}}}{ce^2x^4 + be^2x^2 - cd^2 + bde} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(5/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d)^(5/2)/(c*e^2*x^4 + b*e^2*x^2 - c*d^2 + b*d*e), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(ex^2 + d)^{5/2}}{-cd^2 + bde + ce^2x^4 + be^2x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)^(5/2)/(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e),x)`

[Out] `int((d + e*x^2)^(5/2)/(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^2)^{\frac{3}{2}}}{be - cd + cex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**(5/2)/(c*e**2*x**4+b*e**2*x**2+b*d*e-c*d**2),x)`

[Out] `Integral((d + e*x**2)**(3/2)/(b*e - c*d + c*e*x**2), x)`

$$3.221 \quad \int \frac{(d+ex^2)^{3/2}}{-cd^2+bde+be^2x^2+ce^2x^4} dx$$

Optimal. Leaf size=108

$$\frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{c\sqrt{e}} - \frac{\sqrt{2cd-be} \tanh^{-1}\left(\frac{\sqrt{e}x\sqrt{2cd-be}}{\sqrt{d+ex^2}\sqrt{cd-be}}\right)}{c\sqrt{e}\sqrt{cd-be}}$$

[Out] arctanh(x*e^(1/2)/(e*x^2+d)^(1/2))/c/e^(1/2)-arctanh(x*e^(1/2)*(-b*e+2*c*d)^(1/2)/(-b*e+c*d)^(1/2)/(e*x^2+d)^(1/2))*(-b*e+2*c*d)^(1/2)/c/e^(1/2)/(-b*e+c*d)^(1/2)

Rubi [A] time = 0.13, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {1149, 402, 217, 206, 377, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{c\sqrt{e}} - \frac{\sqrt{2cd-be} \tanh^{-1}\left(\frac{\sqrt{e}x\sqrt{2cd-be}}{\sqrt{d+ex^2}\sqrt{cd-be}}\right)}{c\sqrt{e}\sqrt{cd-be}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^(3/2)/(-c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4),x]

[Out] ArcTanh[(Sqrt[e]*x)/Sqrt[d + e*x^2]]/(c*Sqrt[e]) - (Sqrt[2*c*d - b*e]*ArcTanh[(Sqrt[e]*Sqrt[2*c*d - b*e]*x)/(Sqrt[c*d - b*e]*Sqrt[d + e*x^2])])/(c*Sqrt[e]*Sqrt[c*d - b*e])

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 377

Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 402

Int[((a_) + (b_)*(x_)^2)^(p_)/((c_) + (d_)*(x_)^2), x_Symbol] := Dist[b/d, Int[(a + b*x^2)^(p - 1), x], x] - Dist[(b*c - a*d)/d, Int[(a + b*x^2)^(p - 1)/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4])

Rule 1149

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex^2)^{3/2}}{-cd^2 + bde + be^2x^2 + ce^2x^4} dx &= \int \frac{\sqrt{d + ex^2}}{\frac{-cd^2 + bde}{d} + cex^2} dx \\
 &= \frac{\int \frac{1}{\sqrt{d + ex^2}} dx}{c} - \frac{\left(-cde + \frac{e(-cd^2 + bde)}{d}\right) \int \frac{1}{\sqrt{d + ex^2} \left(\frac{-cd^2 + bde}{d} + cex^2\right)} dx}{ce} \\
 &= \frac{\text{Subst}\left(\int \frac{1}{1 - ex^2} dx, x, \frac{x}{\sqrt{d + ex^2}}\right)}{c} - \frac{\left(-cde + \frac{e(-cd^2 + bde)}{d}\right) \text{Subst}\left(\int \frac{1}{\frac{-cd^2 + bde}{d} - \left(-cde + \frac{e(-cd^2 + bde)}{d}\right)} dx\right)}{ce} \\
 &= \frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d + ex^2}}\right)}{c\sqrt{e}} - \frac{\sqrt{2cd - be} \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{2cd - be}x}{\sqrt{cd - be}\sqrt{d + ex^2}}\right)}{c\sqrt{e}\sqrt{cd - be}}
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 103, normalized size = 0.95

$$\frac{\frac{\sqrt{be - 2cd} \tanh^{-1}\left(\frac{\sqrt{e}x\sqrt{be - 2cd}}{\sqrt{d + ex^2}\sqrt{be - cd}}\right)}{\sqrt{be - cd}} - \log\left(\sqrt{e}\sqrt{d + ex^2} + ex\right)}{c\sqrt{e}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^(3/2)/(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4),x]

[Out] -(((Sqrt[-2*c*d + b*e]*ArcTanh[(Sqrt[e]*Sqrt[-2*c*d + b*e]*x)/(Sqrt[-(c*d + b*e)*Sqrt[d + e*x^2]])]/Sqrt[-(c*d) + b*e] - Log[e*x + Sqrt[e]*Sqrt[d + e*x^2]])/(c*Sqrt[e]))

fricas [A] time = 1.22, size = 940, normalized size = 8.70

$$\left[\frac{e \sqrt{\frac{2cd-be}{cde-be^2}} \log \left(\frac{c^2d^4 - 2bcd^3e + b^2d^2e^2 + (17c^2d^2e^2 - 24bcde^3 + 8b^2e^4)x^4 + 2(7c^2d^3e - 11bcd^2e^2 + 4b^2de^3)x^2 - 4((3c^2d^2e^2 - 5bcde^3 + 2b^2e^4)x^3 + (c^2d^3e - 2b^2d^2e^2 + b^2d^2e^3)x)}{c^2e^2x^4 + c^2d^2 - 2bcde + b^2e^2 - 2(c^2de - bce^2)x^2}}{4ce} \right)}{4ce} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="fricas")

[Out] [1/4*(e*sqrt((2*c*d - b*e)/(c*d*e - b*e^2))*log((c^2*d^4 - 2*b*c*d^3*e + b^2*d^2*e^2 + (17*c^2*d^2*e^2 - 24*b*c*d^2*e^3 + 8*b^2*e^4)*x^4 + 2*(7*c^2*d^3*e - 11*b*c*d^2*e^2 + 4*b^2*d^2*e^3)*x^2 - 4*((3*c^2*d^2*e^2 - 5*b*c*d^2*e^3 + 2*b^2*d^2*e^4)*x^3 + (c^2*d^3*e - 2*b*c*d^2*e^2 + b^2*d^2*e^3)*x)*sqrt(e*x^2 + d)*sqrt((2*c*d - b*e)/(c*d*e - b*e^2)))/(c^2*e^2*x^4 + c^2*d^2 - 2*b*c*d*e + b^2*e^2 - 2*(c^2*d*e - b*c*e^2)*x^2)) + 2*sqrt(e)*log(-2*e*x^2 - 2*sqrt(e*x^2 + d)*sqrt(e)*x - d))/(c*e), 1/4*(e*sqrt((2*c*d - b*e)/(c*d*e - b*e^2))*log((c^2*d^4 - 2*b*c*d^3*e + b^2*d^2*e^2 + (17*c^2*d^2*e^2 - 24*b*c*d^2*e^3 + 8*b^2*e^4)*x^4 + 2*(7*c^2*d^3*e - 11*b*c*d^2*e^2 + 4*b^2*d^2*e^3)*x^2 - 4*((3*c^2*d^2*e^2 - 5*b*c*d^2*e^3 + 2*b^2*d^2*e^4)*x^3 + (c^2*d^3*e - 2*b*c*d^2*e^2 + b^2*d^2*e^3)*x)*sqrt(e*x^2 + d)*sqrt((2*c*d - b*e)/(c*d*e - b*e^2)))/(c^2*e^2*x^4 + c^2*d^2 - 2*b*c*d*e + b^2*e^2 - 2*(c^2*d*e - b*c*e^2)*x^2)) - 4*sqrt(-e)*arctan(sqrt(-e)*x/sqrt(e*x^2 + d))/(c*e), 1/2*(e*sqrt(-(2*c*d - b*e)/(c*d*e - b*e^2))*arctan(1/2*(c*d^2 - b*d*e + (3*c*d*e - 2*b*e^2)*x^2)*sqrt(e*x^2 + d)*sqrt(-(2*c*d - b*e)/(c*d*e - b*e^2)))/((2*c*d*e - b*e^2)*x^3 + (2*c*d^2 - b*d*e)*x)) + sqrt(e)*log(-2*e*x^2 - 2*sqrt(e*x^2 + d)*sqrt(e)*x - d))/(c*e), 1/2*(e*sqrt(-(2*c*d - b*e)/(c*d*e - b*e^2))*arctan(1/2*(c*d^2 - b*d*e + (3*c*d*e - 2*b*e^2)*x^2)*sqrt(e*x^2 + d)*sqrt(-(2*c*d - b*e)/(c*d*e - b*e^2)))/((2*c*d*e - b*e^2)*x^3 + (2*c*d^2 - b*d*e)*x)) - 2*sqrt(-e)*arctan(sqrt(-e)*x/sqrt(e*x^2 + d))/(c*e)]

giac [A] time = 2.39, size = 27, normalized size = 0.25

$$\frac{e^{\left(-\frac{1}{2}\right)} \log\left(\left(xe^{\frac{1}{2}} - \sqrt{x^2e + d}\right)^2\right)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="giac")

[Out] -1/2*e^(-1/2)*log((x*e^(1/2) - sqrt(x^2*e + d))^2)/c

maple [B] time = 0.02, size = 4308, normalized size = 39.89

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x)

[Out] -1/6*c^2*e/((-d*e)^(1/2)*c+(-(b*e-c*d)*c*e)^(1/2))/((-d*e)^(1/2)*c+(-(b*e-c*d)*c*e)^(1/2))/(-(b*e-c*d)*c*e)^(1/2)*((x+(-(b*e-c*d)*c*e)^(1/2)/c/e)^2*e-2*(-(b*e-c*d)*c*e)^(1/2)/c*(x+(-(b*e-c*d)*c*e)^(1/2)/c/e)-(b*e-2*c*d)/c)^(3/2)+1/4*c*e/((-d*e)^(1/2)*c+(-(b*e-c*d)*c*e)^(1/2))/((-d*e)^(1/2)*c+(-(b*e-c*d)*c*e)^(1/2))*((x+(-(b*e-c*d)*c*e)^(1/2)/c/e)^2*e-2*(-(b*e-c*d)*c*e)^(1/2)/c*(x+(-(b*e-c*d)*c*e)^(1/2)/c/e)-(b*e-2*c*d)/c)^(1/2)*x+5/4*c*e^(1/2)/((-d*e)^(1/2)*c+(-(b*e-c*d)*c*e)^(1/2))/((-d*e)^(1/2)*c+(-(b*e-c*d)*c*e)^(1/2))*ln((-(-(b*e-c*d)*c*e)^(1/2)/c+(x+(-(b*e-c*d)*c*e)^(1/2)/c/e)*e)/e^(1/2)+((x+(-(b*e-c*d)*c*e)^(1/2)/c/e)^2*e-2*(-(b*e-c*d)*c*e)^(1/2)/c*(x+(-(b*e-c*d)*c*e)^(1/2)/c/e)-(b*e-2*c*d)/c)^(1/2))*d+1/2*c*e^2/((-d*e)^(1/2)*c+(-(b*e-c*d)*c*e)^(1/2))/((-d*e)^(1/2)*c+(-(b*e-c*d)*c*e)^(1/2))/(-(b*e-c*d)*c*e)^(1/2)*((x+(-(b*e-c*d)*c*e)^(1/2)/c/e)^2*e-2*(-(b*e-c*d)*c*e)^(1/2)/c*(x+(-(b*e-c*d)*c*e)^(1/2)/c/e)-(b*e-2*c*d)/c)^(1/2)*b-c^2*e/((-d*e)^(1/2)*c+(-(b*e-c*d)*c*e)^(1/2))/((-d*e)^(1/2)*c+(-(b*e-c*d)*c*e)^(1/2))/(-(b*e-c*d)*c*e)^(1/2)*((x+(-(b*e-c*d)*c*e)^(1/2)/c/e)^2*e-2*(-(b*e-c*d)*c*e)^(1/2)/c*(x+(-(b*e-c*d)*c*e)^(1/2)/c/e)-(b*e-2*c*d)/c)^(1/2)*b+1/2*e^3/((-d*e)^(1/2)*c+(-(b*e-c*d)*c*e)^(1/2))/((-d*e)^(1/2)*c+(-(b*e-c*d)*c*e)^(1/2))/(-(b*e-c*d)*c*e)^(1/2)/(-(b*e-2*c*d)/c)^(1/2)*ln((-2*(b*e-2*c*d)/c-2*(-(b*e-c*d)*c*e)^(1/2)/c*(x+(-(b*e-c*d)*c*e)^(1/2)/c/e)+2*(-(b*e-2*c*d)/c)^(1/2))*((x+(-(b*e-c*d)*c*e)^(1/2)/c/e)^2*e-2*(-(b*e-c*d)*c*e)^(1/2)/c*(x+(-(b*e-c*d)*c*e)^(1/2)/c/e)-(b*e-2*c*d)/c)^(1/2))/(x+(-(b*e-c*d)*c*e)^(1/2)/c/e)*b^2-2*c*e^2/((-d*e)^(1/2)*

$$\begin{aligned}
& c+(-b^*e-c*d)*c^*e)^{(1/2)}/(-(-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}/(-b^*e-c \\
& *d)*c^*e)^{(1/2)}/(-b^*e-2*c*d)/c)^{(1/2)}*\ln((-2*(b^*e-2*c*d)/c-2*(-b^*e-c*d)*c^* \\
& e)^{(1/2)}/c*(x+(-b^*e-c*d)*c^*e)^{(1/2)}/c/e)+2*(-b^*e-2*c*d)/c)^{(1/2)}*((x+(-b \\
& *e-c*d)*c^*e)^{(1/2)}/c/e)^{2*e-2*(-b^*e-c*d)*c^*e)^{(1/2)}/c*(x+(-b^*e-c*d)*c^*e)^{ \\
& (1/2)}/c/e)-(b^*e-2*c*d)/c)^{(1/2)})/(x+(-b^*e-c*d)*c^*e)^{(1/2)}/c/e)*b*d+2*c^{2* \\
& e}/((-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}/(-(-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e) \\
& ^{(1/2)})/(-b^*e-c*d)*c^*e)^{(1/2)}/(-b^*e-2*c*d)/c)^{(1/2)}*\ln((-2*(b^*e-2*c*d)/c- \\
& 2*(-b^*e-c*d)*c^*e)^{(1/2)}/c*(x+(-b^*e-c*d)*c^*e)^{(1/2)}/c/e)+2*(-b^*e-2*c*d)/c \\
&)^{(1/2)}*((x+(-b^*e-c*d)*c^*e)^{(1/2)}/c/e)^{2*e-2*(-b^*e-c*d)*c^*e)^{(1/2)}/c*(x+(\\
& -b^*e-c*d)*c^*e)^{(1/2)}/c/e)-(b^*e-2*c*d)/c)^{(1/2)})/(x+(-b^*e-c*d)*c^*e)^{(1/2)}/ \\
& c/e))*d^{2-1/6}*c^*e/(-d^*e)^{(1/2)}/((-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}/(-(- \\
& d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}*((x-(-d^*e)^{(1/2)}/e)^{2*e+2*(-d^*e)^{(1/2)} \\
& *(x-(-d^*e)^{(1/2)}/e))^{(3/2)}-1/4*c^*e/((-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}/ \\
& (-(-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}*((x-(-d^*e)^{(1/2)}/e)^{2*e+2*(-d^*e)^{(1/2)} \\
& (1/2)}*(x-(-d^*e)^{(1/2)}/e))^{(1/2)}*x-1/4*c^*e)^{(1/2)}/((-d^*e)^{(1/2)}*c+(-b^*e-c*d)* \\
& c^*e)^{(1/2)}/(-(-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}*d*\ln(((x-(-d^*e)^{(1/2)}/ \\
& e)*e+(-d^*e)^{(1/2)}/e)^{(1/2)}+(x-(-d^*e)^{(1/2)}/e)^{2*e+2*(-d^*e)^{(1/2)}*(x-(-d^*e) \\
& ^{(1/2)}/e))^{(1/2)}+1/6*c^*e/(-d^*e)^{(1/2)}/((-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/ \\
& 2)})/(-(-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}*((x+(-d^*e)^{(1/2)}/e)^{2*e-2*(-d^* \\
& e)^{(1/2)}*(x+(-d^*e)^{(1/2)}/e))^{(3/2)}-1/4*c^*e/((-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e) \\
& ^{(1/2)}/(-(-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}*((x+(-d^*e)^{(1/2)}/e)^{2*e-2* \\
& (-d^*e)^{(1/2)}*(x+(-d^*e)^{(1/2)}/e))^{(1/2)}*x-1/4*c^*e)^{(1/2)}/((-d^*e)^{(1/2)}*c+(-b \\
& *e-c*d)*c^*e)^{(1/2)}/(-(-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}*d*\ln(((x+(-d^*e \\
&)^{(1/2)}/e)*e-(-d^*e)^{(1/2)}/e)^{(1/2)}+(x+(-d^*e)^{(1/2)}/e)^{2*e-2*(-d^*e)^{(1/2)}*(\\
& x+(-d^*e)^{(1/2)}/e))^{(1/2)}+1/6*c^{2*e}/((-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}) \\
& /(-(-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}/(-b^*e-c*d)*c^*e)^{(1/2)}*((x-(-b^*e \\
& -c*d)*c^*e)^{(1/2)}/c/e)^{2*e+2*(-b^*e-c*d)*c^*e)^{(1/2)}/c*(x-(-b^*e-c*d)*c^*e)^{(1 \\
& /2)}/c/e)-(b^*e-2*c*d)/c)^{(3/2)}+1/4*c^*e/((-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2 \\
&)}/(-(-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}*((x-(-b^*e-c*d)*c^*e)^{(1/2)}/c/e) \\
& ^{2*e+2*(-b^*e-c*d)*c^*e)^{(1/2)}/c*(x-(-b^*e-c*d)*c^*e)^{(1/2)}/c/e)-(b^*e-2*c*d)/ \\
& c)^{(1/2)}*x+5/4*c^*e)^{(1/2)}/((-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}/(-(-d^*e)^{(\\
& 1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}*\ln(((b^*e-c*d)*c^*e)^{(1/2)}/c+(x-(-b^*e-c*d)* \\
& c^*e)^{(1/2)}/c/e)*e)/e^{(1/2)}+(x-(-b^*e-c*d)*c^*e)^{(1/2)}/c/e)^{2*e+2*(-b^*e-c*d) \\
&)*c^*e)^{(1/2)}/c*(x-(-b^*e-c*d)*c^*e)^{(1/2)}/c/e)-(b^*e-2*c*d)/c)^{(1/2)}*d-1/2*c \\
& *e^2/((-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}/(-(-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c \\
& *e)^{(1/2)}/(-b^*e-c*d)*c^*e)^{(1/2)}*((x-(-b^*e-c*d)*c^*e)^{(1/2)}/c/e)^{2*e+2*(-(\\
& b^*e-c*d)*c^*e)^{(1/2)}/c*(x-(-b^*e-c*d)*c^*e)^{(1/2)}/c/e)-(b^*e-2*c*d)/c)^{(1/2)}*b \\
& +c^{2*e}/((-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}/(-(-d^*e)^{(1/2)}*c+(-b^*e-c*d) \\
& *c^*e)^{(1/2)}/(-b^*e-c*d)*c^*e)^{(1/2)}*((x-(-b^*e-c*d)*c^*e)^{(1/2)}/c/e)^{2*e+2*(\\
& -b^*e-c*d)*c^*e)^{(1/2)}/c*(x-(-b^*e-c*d)*c^*e)^{(1/2)}/c/e)-(b^*e-2*c*d)/c)^{(1/2)} \\
& *d-1/2*e^{(3/2)}/((-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}/(-(-d^*e)^{(1/2)}*c+(- \\
& b^*e-c*d)*c^*e)^{(1/2)}*\ln(((b^*e-c*d)*c^*e)^{(1/2)}/c+(x-(-b^*e-c*d)*c^*e)^{(1/2) \\
& /c/e)*e)/e^{(1/2)}+(x-(-b^*e-c*d)*c^*e)^{(1/2)}/c/e)^{2*e+2*(-b^*e-c*d)*c^*e)^{(1/ \\
& 2)}/c*(x-(-b^*e-c*d)*c^*e)^{(1/2)}/c/e)-(b^*e-2*c*d)/c)^{(1/2)}*b-1/2*e^3/((-d^*e) \\
& ^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}/(-(-d^*e)^{(1/2)}*c+(-b^*e-c*d)*c^*e)^{(1/2)}/(
\end{aligned}$$

$$\begin{aligned}
& - (b*e-c*d)*c*e)^{(1/2)} / (- (b*e-2*c*d)/c)^{(1/2)} * \ln \left(\frac{-2*(b*e-2*c*d)/c + 2*(-(b*e-c*d)*c*e)^{(1/2)}/c}{x - (-(b*e-c*d)*c*e)^{(1/2)}/c/e} + 2*(-(b*e-2*c*d)/c)^{(1/2)} * \right. \\
& \left. (x - (-(b*e-c*d)*c*e)^{(1/2)}/c/e)^2 + 2*(-(b*e-c*d)*c*e)^{(1/2)}/c * (x - (-(b*e-c*d)*c*e)^{(1/2)}/c/e) - (b*e-2*c*d)/c)^{(1/2)} \right) / \left(x - (-(b*e-c*d)*c*e)^{(1/2)}/c/e \right) * b^2 \\
& + 2*c*e^2 / ((-d*e)^{(1/2)} * c + (-(b*e-c*d)*c*e)^{(1/2)}) / ((-d*e)^{(1/2)} * c + (-(b*e-c*d)*c*e)^{(1/2)}) / (- (b*e-2*c*d)/c)^{(1/2)} * \ln \left(\frac{-2*(b*e-2*c*d)/c + 2*(-(b*e-c*d)*c*e)^{(1/2)}/c}{x - (-(b*e-c*d)*c*e)^{(1/2)}/c/e} + 2*(-(b*e-2*c*d)/c)^{(1/2)} * \right. \\
& \left. (x - (-(b*e-c*d)*c*e)^{(1/2)}/c/e)^2 + 2*(-(b*e-c*d)*c*e)^{(1/2)}/c * (x - (-(b*e-c*d)*c*e)^{(1/2)}/c/e) - (b*e-2*c*d)/c)^{(1/2)} \right) / \left(x - (-(b*e-c*d)*c*e)^{(1/2)}/c/e \right) * b*d - 2*c^2*e / ((-d*e)^{(1/2)} * c + (-(b*e-c*d)*c*e)^{(1/2)}) / ((-d*e)^{(1/2)} * c + (-(b*e-c*d)*c*e)^{(1/2)}) / (- (b*e-2*c*d)/c)^{(1/2)} * \ln \left(\frac{-2*(b*e-2*c*d)/c + 2*(-(b*e-c*d)*c*e)^{(1/2)}/c}{x - (-(b*e-c*d)*c*e)^{(1/2)}/c/e} + 2*(-(b*e-2*c*d)/c)^{(1/2)} * \right. \\
& \left. (x - (-(b*e-c*d)*c*e)^{(1/2)}/c/e)^2 + 2*(-(b*e-c*d)*c*e)^{(1/2)}/c * (x - (-(b*e-c*d)*c*e)^{(1/2)}/c/e) - (b*e-2*c*d)/c)^{(1/2)} \right) / \left(x - (-(b*e-c*d)*c*e)^{(1/2)}/c/e \right) * d^2
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}}{ce^2x^4 + be^2x^2 - cd^2 + bde} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^(3/2)/(c*e^2*x^4 + b*e^2*x^2 - c*d^2 + b*d*e), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(ex^2 + d)^{3/2}}{-cd^2 + bde + ce^2x^4 + be^2x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(3/2)/(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e), x)

[Out] int((d + e*x^2)^(3/2)/(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d + ex^2}}{be - cd + cex^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**(3/2)/(c*e**2*x**4+b*e**2*x**2+b*d*e-c*d**2),x)
```

```
[Out] Integral(sqrt(d + e*x**2)/(b*e - c*d + c*e*x**2), x)
```

$$3.222 \quad \int \frac{\sqrt{d+ex^2}}{-cd^2+bde+be^2x^2+ce^2x^4} dx$$

Optimal. Leaf size=76

$$\frac{\tanh^{-1}\left(\frac{\sqrt{e}x\sqrt{2cd-be}}{\sqrt{d+ex^2}\sqrt{cd-be}}\right)}{\sqrt{e}\sqrt{cd-be}\sqrt{2cd-be}}$$

[Out] $-\operatorname{arctanh}(x\sqrt{e}(-b\sqrt{e}+2\sqrt{c}d)^{1/2}/(-b\sqrt{e}+c\sqrt{d})^{1/2}/(e\sqrt{x^2+d})^{1/2})/\sqrt{e}(-b\sqrt{e}+c\sqrt{d})^{1/2}/(-b\sqrt{e}+2\sqrt{c}d)^{1/2}$

Rubi [A] time = 0.07, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {1149, 377, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{e}x\sqrt{2cd-be}}{\sqrt{d+ex^2}\sqrt{cd-be}}\right)}{\sqrt{e}\sqrt{cd-be}\sqrt{2cd-be}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e*x^2]/(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4), x]

[Out] $-(\operatorname{ArcTanh}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[2*c*d - b*e]*x)/(\operatorname{Sqrt}[c*d - b*e]*\operatorname{Sqrt}[d + e*x^2])]) / (\operatorname{Sqrt}[e]*\operatorname{Sqrt}[c*d - b*e]*\operatorname{Sqrt}[2*c*d - b*e])$

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 1149

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[(d + e*x^2)^(p+q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\int \frac{\sqrt{d+ex^2}}{-cd^2+bde+be^2x^2+ce^2x^4} dx = \int \frac{1}{\sqrt{d+ex^2} \left(\frac{-cd^2+bde}{d} + cex^2 \right)} dx$$

$$= \text{Subst} \left(\int \frac{1}{\frac{-cd^2+bde}{d} - \left(-cde + \frac{e(-cd^2+bde)}{d} \right) x^2} dx, x, \frac{x}{\sqrt{d+ex^2}} \right)$$

$$= -\frac{\tanh^{-1} \left(\frac{\sqrt{e} \sqrt{2cd-be} x}{\sqrt{cd-be} \sqrt{d+ex^2}} \right)}{\sqrt{e} \sqrt{cd-be} \sqrt{2cd-be}}$$

Mathematica [A] time = 0.07, size = 76, normalized size = 1.00

$$-\frac{\tanh^{-1} \left(\frac{\sqrt{e} x \sqrt{2cd-be}}{\sqrt{d+ex^2} \sqrt{cd-be}} \right)}{\sqrt{e} \sqrt{cd-be} \sqrt{2cd-be}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e*x^2]/(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4), x]

[Out] -(ArcTanh[(Sqrt[e]*Sqrt[2*c*d - b*e]*x)/(Sqrt[c*d - b*e]*Sqrt[d + e*x^2])]/(Sqrt[e]*Sqrt[c*d - b*e]*Sqrt[2*c*d - b*e]))

fricas [B] time = 0.80, size = 432, normalized size = 5.68

$$\left[\frac{\log \left(\frac{c^2 d^4 - 2 b c d^3 e + b^2 d^2 e^2 + (17 c^2 d^2 e^2 - 24 b c d e^3 + 8 b^2 e^4) x^4 + 2 (7 c^2 d^3 e - 11 b c d^2 e^2 + 4 b^2 d e^3) x^2 - 4 \sqrt{2 c^2 d^2 e - 3 b c d e^2 + b^2 e^3} ((3 c d e - 2 b e^2) x^3 + (c d^2 - b d e) x) \sqrt{e x^2 + d}}{c^2 e^2 x^4 + c^2 d^2 - 2 b c d e + b^2 e^2 - 2 (c^2 d e - b c e^2) x^2} \right)}{4 \sqrt{2 c^2 d^2 e - 3 b c d e^2 + b^2 e^3}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2), x, algorithm="fricas")

[Out] [1/4*log((c^2*d^4 - 2*b*c*d^3*e + b^2*d^2*e^2 + (17*c^2*d^2*e^2 - 24*b*c*d*e^3 + 8*b^2*e^4)*x^4 + 2*(7*c^2*d^3*e - 11*b*c*d^2*e^2 + 4*b^2*d*e^3)*x^2 - 4*sqrt(2*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3)*((3*c*d*e - 2*b*e^2)*x^3 + (c*d^2 - b*d*e)*x)*sqrt(e*x^2 + d))/(c^2*e^2*x^4 + c^2*d^2 - 2*b*c*d*e + b^2*e^2 - 2*(c^2*d*e - b*c*e^2)*x^2))/sqrt(2*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3),

$$\begin{aligned} & \left. \frac{1}{2} \right) / e) \wedge (1/2)) + 1/2 * c * e / (-d * e) \wedge (1/2) / ((-d * e) \wedge (1/2) * c + (- (b * e - c * d) * c * e) \wedge (1/2) \\ &) / (- (d * e) \wedge (1/2) * c + (- (b * e - c * d) * c * e) \wedge (1/2)) * ((x + (-d * e) \wedge (1/2) / e) \wedge 2 * e - 2 * (-d * e) \\ & \wedge (1/2) * (x + (-d * e) \wedge (1/2) / e)) \wedge (1/2) - 1/2 * c * e \wedge (1/2) / ((-d * e) \wedge (1/2) * c + (- (b * e - c * d) * \\ & c * e) \wedge (1/2)) / (- (d * e) \wedge (1/2) * c + (- (b * e - c * d) * c * e) \wedge (1/2)) * \ln(((x + (-d * e) \wedge (1/2) / e) \\ & * e - (-d * e) \wedge (1/2)) / e \wedge (1/2) + ((x + (-d * e) \wedge (1/2) / e) \wedge 2 * e - 2 * (-d * e) \wedge (1/2) * (x + (-d * e) \wedge \\ & (1/2) / e)) \wedge (1/2) + 1/2 * c \wedge 2 * e / ((-d * e) \wedge (1/2) * c + (- (b * e - c * d) * c * e) \wedge (1/2)) / (- (d * e) \wedge \\ & (1/2) * c + (- (b * e - c * d) * c * e) \wedge (1/2)) / (- (b * e - c * d) * c * e) \wedge (1/2) * ((x - (- (b * e - c * d) * c * e) \\ & \wedge (1/2) / c / e) \wedge 2 * e + 2 * (- (b * e - c * d) * c * e) \wedge (1/2) / c * (x - (- (b * e - c * d) * c * e) \wedge (1/2) / c / e) - (\\ & b * e - 2 * c * d) / c) \wedge (1/2) + 1/2 * c * e \wedge (1/2) / ((-d * e) \wedge (1/2) * c + (- (b * e - c * d) * c * e) \wedge (1/2)) / (\\ & - (-d * e) \wedge (1/2) * c + (- (b * e - c * d) * c * e) \wedge (1/2)) * \ln(((- (b * e - c * d) * c * e) \wedge (1/2) / c + (x - (- (\\ & b * e - c * d) * c * e) \wedge (1/2) / c / e) * e) / e \wedge (1/2) + ((x - (- (b * e - c * d) * c * e) \wedge (1/2) / c / e) \wedge 2 * e + 2 * (\\ & - (b * e - c * d) * c * e) \wedge (1/2) / c * (x - (- (b * e - c * d) * c * e) \wedge (1/2) / c / e) - (b * e - 2 * c * d) / c) \wedge (1/2) \\ &) + 1/2 * c * e \wedge 2 / ((-d * e) \wedge (1/2) * c + (- (b * e - c * d) * c * e) \wedge (1/2)) / (- (d * e) \wedge (1/2) * c + (- (b * e \\ & - c * d) * c * e) \wedge (1/2)) / (- (b * e - c * d) * c * e) \wedge (1/2) / (- (b * e - 2 * c * d) / c) \wedge (1/2) * \ln((- 2 * (b * e \\ & - 2 * c * d) / c + 2 * (- (b * e - c * d) * c * e) \wedge (1/2) / c * (x - (- (b * e - c * d) * c * e) \wedge (1/2) / c / e) + 2 * (- (b * \\ & e - 2 * c * d) / c) \wedge (1/2) * ((x - (- (b * e - c * d) * c * e) \wedge (1/2) / c / e) \wedge 2 * e + 2 * (- (b * e - c * d) * c * e) \wedge (1 \\ & / 2) / c * (x - (- (b * e - c * d) * c * e) \wedge (1/2) / c / e) - (b * e - 2 * c * d) / c) \wedge (1/2)) / (x - (- (b * e - c * d) * c \\ & * e) \wedge (1/2) / c / e) * b - c \wedge 2 * e / ((-d * e) \wedge (1/2) * c + (- (b * e - c * d) * c * e) \wedge (1/2)) / (- (d * e) \wedge (1 \\ & / 2) * c + (- (b * e - c * d) * c * e) \wedge (1/2)) / (- (b * e - c * d) * c * e) \wedge (1/2) / (- (b * e - 2 * c * d) / c) \wedge (1/2) \\ & * \ln((- 2 * (b * e - 2 * c * d) / c + 2 * (- (b * e - c * d) * c * e) \wedge (1/2) / c * (x - (- (b * e - c * d) * c * e) \wedge (1/2) / \\ & c / e) + 2 * (- (b * e - 2 * c * d) / c) \wedge (1/2) * ((x - (- (b * e - c * d) * c * e) \wedge (1/2) / c / e) \wedge 2 * e + 2 * (- (b * e - \\ & c * d) * c * e) \wedge (1/2) / c * (x - (- (b * e - c * d) * c * e) \wedge (1/2) / c / e) - (b * e - 2 * c * d) / c) \wedge (1/2)) / (x - (\\ & - (b * e - c * d) * c * e) \wedge (1/2) / c / e) * d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex^2 + d}}{ce^2x^4 + be^2x^2 - cd^2 + bde} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="maxima")

[Out] integrate(sqrt(e*x^2 + d)/(c*e^2*x^4 + b*e^2*x^2 - c*d^2 + b*d*e), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{ex^2 + d}}{-cd^2 + bde + ce^2x^4 + be^2x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(1/2)/(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e),x)

[Out] int((d + e*x^2)^(1/2)/(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{d + ex^2} (be - cd + cex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(1/2)/(c*e**2*x**4+b*e**2*x**2+b*d*e-c*d**2),x)

[Out] Integral(1/(sqrt(d + e*x**2)*(b*e - c*d + c*e*x**2)), x)

$$3.223 \quad \int \frac{1}{\sqrt{d+ex^2}(-cd^2+bde+be^2x^2+ce^2x^4)} dx$$

Optimal. Leaf size=106

$$\frac{x}{d\sqrt{d+ex^2}(2cd-be)} - \frac{c \tanh^{-1}\left(\frac{\sqrt{e}x\sqrt{2cd-be}}{\sqrt{d+ex^2}\sqrt{cd-be}}\right)}{\sqrt{e}\sqrt{cd-be}(2cd-be)^{3/2}}$$

[Out] $-c \cdot \operatorname{arctanh}\left(\frac{x \cdot e^{1/2} \cdot (-b \cdot e + 2 \cdot c \cdot d)^{1/2}}{(-b \cdot e + c \cdot d)^{1/2} \cdot (e \cdot x^2 + d)^{1/2}}\right) / (-b \cdot e + 2 \cdot c \cdot d)^{3/2} / e^{1/2} / (-b \cdot e + c \cdot d)^{1/2} - x / d / (-b \cdot e + 2 \cdot c \cdot d) / (e \cdot x^2 + d)^{1/2}$

Rubi [A] time = 0.12, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {1149, 382, 377, 208}

$$\frac{x}{d\sqrt{d+ex^2}(2cd-be)} - \frac{c \tanh^{-1}\left(\frac{\sqrt{e}x\sqrt{2cd-be}}{\sqrt{d+ex^2}\sqrt{cd-be}}\right)}{\sqrt{e}\sqrt{cd-be}(2cd-be)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[d + e*x^2]*(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4)),x]

[Out] $-(x/(d*(2*c*d - b*e)*Sqrt[d + e*x^2])) - (c*ArcTanh[(Sqrt[e]*Sqrt[2*c*d - b*e]*x)/(Sqrt[c*d - b*e]*Sqrt[d + e*x^2])])/(Sqrt[e]*Sqrt[c*d - b*e]*(2*c*d - b*e)^{3/2})$

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 382

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := -Simp[(b*x*(a + b*x^n)^(p+1)*(c + d*x^n)^(q+1))/(a*n*(p+1)*(b*c - a*d)), x] + Dist[(b*c + n*(p+1)*(b*c - a*d))/(a*n*(p+1)*(b*c - a*d)), Int[(a + b*x^n)^(p+1)*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && EqQ[n*(p+q+2)+1, 0] && (LtQ[p, -1] || !LtQ

[q, -1]) && NeQ[p, -1]

Rule 1149

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_),
x_Symbol] :> Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a,
b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0]
&& IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{d+ex^2}(-cd^2+bde+be^2x^2+ce^2x^4)} dx &= \int \frac{1}{(d+ex^2)^{3/2}\left(\frac{-cd^2+bde}{d}+cex^2\right)} dx \\ &= -\frac{x}{d(2cd-be)\sqrt{d+ex^2}} + \frac{c \int \frac{1}{\sqrt{d+ex^2}\left(\frac{-cd^2+bde}{d}+cex^2\right)} dx}{2cd-be} \\ &= -\frac{x}{d(2cd-be)\sqrt{d+ex^2}} + \frac{c \operatorname{Subst}\left(\int \frac{1}{\frac{-cd^2+bde}{d}-\left(-cde+\frac{e(-cd^2+bde)}{d}\right)x^2} dx}{2cd-be}\right)}{2cd-be} \\ &= -\frac{x}{d(2cd-be)\sqrt{d+ex^2}} - \frac{c \tanh^{-1}\left(\frac{\sqrt{e}\sqrt{2cd-be}x}{\sqrt{cd-be}\sqrt{d+ex^2}}\right)}{\sqrt{e}\sqrt{cd-be}(2cd-be)^{3/2}} \end{aligned}$$

Mathematica [C] time = 1.05, size = 418, normalized size = 3.94

$$\frac{x \left(-\frac{2cex^2 \left(\frac{ex^2(be-2cd)}{(d+ex^2)(be-cd)} \right)^{5/2} {}_2F_1\left(2, \frac{5}{2}; \frac{7}{2}; \frac{e(be-2cd)x^2}{(be-cd)(ex^2+d)}\right)}{cd-be} + 2 \left(\frac{ex^2(be-2cd)}{(d+ex^2)(be-cd)} \right)^{5/2} {}_2F_1\left(2, \frac{5}{2}; \frac{7}{2}; \frac{e(be-2cd)x^2}{(be-cd)(ex^2+d)}\right) + \frac{10cex^2 \sqrt{\frac{ex^2(be-2cd)}{(d+ex^2)(be-cd)}}}{cd-be} \right)}{5(d+ex^2)^{3/2}(cd-be) \left(\frac{ex^2(be-2cd)}{(d+ex^2)(be-cd)} \right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Sqrt[d + e*x^2]*(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4)),x]

[Out] -1/5*(x*(-15*Sqrt[(e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)]) + (1
0*c*e*x^2*Sqrt[(e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)])/(c*d -

$$b*e) + 15*\text{ArcTanh}[\text{Sqrt}[(e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)]] - (10*c*e*x^2*\text{ArcTanh}[\text{Sqrt}[(e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)]])/(c*d - b*e) + 2*((e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2))^(5/2)*\text{Hypergeometric2F1}[2, 5/2, 7/2, (e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)] - (2*c*e*x^2*((e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2))^(5/2)*\text{Hypergeometric2F1}[2, 5/2, 7/2, (e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)])/(c*d - b*e))/((c*d - b*e)*((e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2))^(3/2)*(d + e*x^2)^(3/2))$$

fricas [B] time = 1.17, size = 701, normalized size = 6.61

$$\left[\frac{4(2c^2d^2e - 3bcde^2 + b^2e^3)\sqrt{ex^2 + d}x + \sqrt{2c^2d^2e - 3bcde^2 + b^2e^3}(cdex^2 + cd^2)\log\left(\frac{c^2d^4 - 2bcd^3e + b^2d^2e^2 + (17c^2d^2e - 11bcd^2e^2 + 4b^2d^2e^3)x^2 + 2*(7c^2d^3e - 11bcd^2e^2 + 4b^2d^2e^3)x^2 + 4*\sqrt{2c^2d^2e - 3bcde^2 + b^2e^3}*((3c^2d^2e - 2b^2e^2)*x^3 + (c^2d^2 - b^2d^2e)*x)*\sqrt{ex^2 + d}}{4c^3d^5e - 8b^2c^2d^4e^2 + 5b^2c^2d^3e^3 - b^3d^2e^4 + (4c^3d^4e^2 - 8b^2c^2d^3e^3 + 5b^2c^2d^2e^4 - b^3d^2e^5)x^2}\right)}{4(4c^3d^5e - 8b^2c^2d^4e^2 + 5b^2c^2d^3e^3 - b^3d^2e^4 + (4c^3d^4e^2 - 8b^2c^2d^3e^3 + 5b^2c^2d^2e^4 - b^3d^2e^5)x^2)}, -1/2*(2*(2c^2d^2e - 3bcde^2 + b^2e^3)*\sqrt{ex^2 + d}x + \sqrt{-2c^2d^2e + 3bcde^2 - b^2e^3}*(cd^2 - b^2d^2e)*\arctan(-1/2*\sqrt{-2c^2d^2e + 3bcde^2 - b^2e^3}*(cd^2 - b^2d^2e + (3c^2d^2e - 2b^2e^2)*x^2)*\sqrt{ex^2 + d})/((2c^2d^2e^2 - 3bcde^3 + b^2e^4)*x^3 + (2c^2d^3e - 3bcde^2 + b^2d^2e^3)*x))/((4c^3d^5e - 8b^2c^2d^4e^2 + 5b^2c^2d^3e^3 - b^3d^2e^4 + (4c^3d^4e^2 - 8b^2c^2d^3e^3 + 5b^2c^2d^2e^4 - b^3d^2e^5)x^2)]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(1/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="fricas")

[Out] [-1/4*(4*(2*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3)*sqrt(e*x^2 + d)*x + sqrt(2*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3)*(c*d*e*x^2 + c*d^2)*log((c^2*d^4 - 2*b*c*d^3*e + b^2*d^2*e^2 + (17*c^2*d^2*e^2 - 24*b*c*d*e^3 + 8*b^2*e^4)*x^4 + 2*(7*c^2*d^3*e - 11*b*c*d^2*e^2 + 4*b^2*d^2*e^3)*x^2 + 4*sqrt(2*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3)*((3*c^2*d^2*e - 2*b^2*e^2)*x^3 + (c^2*d^2 - b^2*d^2e)*x)*sqrt(e*x^2 + d))/(c^2*e^2*x^4 + c^2*d^2 - 2*b*c*d*e + b^2*e^2 - 2*(c^2*d^2e - b*c*e^2)*x^2)))/(4*c^3*d^5*e - 8*b*c^2*d^4*e^2 + 5*b^2*c^2*d^3*e^3 - b^3*d^2*e^4 + (4*c^3*d^4*e^2 - 8*b*c^2*d^3*e^3 + 5*b^2*c^2*d^2*e^4 - b^3*d^2*e^5)*x^2), -1/2*(2*(2*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3)*sqrt(e*x^2 + d)*x + sqrt(-2*c^2*d^2*e + 3*b*c*d*e^2 - b^2*e^3)*(c*d^2 - b^2d^2e)*arctan(-1/2*sqrt(-2*c^2*d^2*e + 3*b*c*d*e^2 - b^2*e^3)*(c*d^2 - b^2d^2e + (3*c^2*d^2e - 2*b^2e^2)*x^2)*sqrt(e*x^2 + d)/((2*c^2*d^2*e^2 - 3*b*c*d*e^3 + b^2*e^4)*x^3 + (2*c^2*d^3e - 3*b*c*d^2e^2 + b^2*d^2e^3)*x))/((4*c^3*d^5e - 8*b*c^2*d^4e^2 + 5*b^2*c^2*d^3e^3 - b^3*d^2e^4 + (4*c^3*d^4e^2 - 8*b*c^2*d^3e^3 + 5*b^2*c^2*d^2e^4 - b^3*d^2e^5)*x^2)]

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(1/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.02, size = 771, normalized size = 7.27

$$\frac{c^2 e \ln \left(\frac{-\frac{2(be-2cd)}{c} + \frac{2\sqrt{-(be-cd)ce} \left(x - \frac{\sqrt{-(be-cd)ce}}{ce} \right)}{c} + 2\sqrt{-\frac{be-2cd}{c}} \sqrt{\left(x - \frac{\sqrt{-(be-cd)ce}}{ce} \right)^2 + \frac{2\sqrt{-(be-cd)ce} \left(x - \frac{\sqrt{-(be-cd)ce}}{ce} \right) - \frac{be-2cd}{c}}}{x - \frac{\sqrt{-(be-cd)ce}}{ce}} \right)}{2 \left(\sqrt{-de} c + \sqrt{-(be-cd)ce} \right) \left(-\sqrt{-de} c + \sqrt{-(be-cd)ce} \right) \sqrt{-(be-cd)ce} \sqrt{-\frac{be-2cd}{c}}} \right) + \frac{c^2 e \ln \left(\frac{-\frac{2(be-2cd)}{c}}{c} \right)}{2 \left(\sqrt{-de} c + \sqrt{-(be-cd)ce} \right) \left(-\sqrt{-de} c + \sqrt{-(be-cd)ce} \right) \sqrt{-(be-cd)ce} \sqrt{-\frac{be-2cd}{c}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)^(1/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2), x)

[Out] $\frac{1}{2} c^2 e / \left((-d e)^{1/2} c + (-b e - c d) c e^{1/2} \right) / \left((-d e)^{1/2} c + (-b e - c d) c e^{1/2} \right) / \left((-b e - c d) c e^{1/2} \right) / \left((-b e - 2 c d) / c \right)^{1/2} \ln \left(\frac{-2 (b e - 2 c d) / c - 2 (-b e - c d) c e^{1/2} (x + (-b e - c d) c e^{1/2} / c / e) / c + 2 (-b e - 2 c d) / c}{(-b e - c d) c e^{1/2} (x + (-b e - c d) c e^{1/2} / c / e) / c - (b e - 2 c d) / c} \right) / \left(x + (-b e - c d) c e^{1/2} / c / e \right) - \frac{1}{2} c / d / \left((-d e)^{1/2} c + (-b e - c d) c e^{1/2} \right) / \left((-d e)^{1/2} c + (-b e - c d) c e^{1/2} \right) / \left(x - (-d e)^{1/2} / e \right) * \left(x - (-d e)^{1/2} / e \right)^2 e + 2 (-d e)^{1/2} (x - (-d e)^{1/2} / e)^{1/2} - \frac{1}{2} c / d / \left((-d e)^{1/2} c + (-b e - c d) c e^{1/2} \right) / \left((-d e)^{1/2} c + (-b e - c d) c e^{1/2} \right) / \left(x + (-d e)^{1/2} / e \right) * \left(x + (-d e)^{1/2} / e \right)^2 e - 2 (-d e)^{1/2} (x + (-d e)^{1/2} / e)^{1/2} - \frac{1}{2} c^2 e / \left((-d e)^{1/2} c + (-b e - c d) c e^{1/2} \right) / \left((-d e)^{1/2} c + (-b e - c d) c e^{1/2} \right) / \left((-b e - c d) c e^{1/2} \right) / \left((-b e - 2 c d) / c \right)^{1/2} \ln \left(\frac{-2 (b e - 2 c d) / c + 2 (-b e - c d) c e^{1/2} (x - (-b e - c d) c e^{1/2} / c / e) / c + 2 (-b e - 2 c d) / c}{(x - (-b e - c d) c e^{1/2} / c / e)^2 e + 2 (-b e - c d) c e^{1/2} (x - (-b e - c d) c e^{1/2} / c / e) / c - (b e - 2 c d) / c} \right) / \left(x - (-b e - c d) c e^{1/2} / c / e \right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(c e^2 x^4 + b e^2 x^2 - c d^2 + b d e) \sqrt{e x^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(1/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2), x, algorithm="maxima")

[Out] integrate(1/((c*e^2*x^4 + b*e^2*x^2 - c*d^2 + b*d*e)*sqrt(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{e x^2 + d} (-c d^2 + b d e + c e^2 x^4 + b e^2 x^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((d + e*x^2)^(1/2)*(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e)),x)`

[Out] `int(1/((d + e*x^2)^(1/2)*(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex^2)^{\frac{3}{2}} (be - cd + cex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x**2+d)**(1/2)/(c*e**2*x**4+b*e**2*x**2+b*d*e-c*d**2),x)`

[Out] `Integral(1/((d + e*x**2)**(3/2)*(b*e - c*d + c*e*x**2)), x)`

$$3.224 \quad \int \frac{1}{(d+ex^2)^{3/2}(-cd^2+bde+be^2x^2+ce^2x^4)} dx$$

Optimal. Leaf size=149

$$\frac{c^2 \tanh^{-1}\left(\frac{\sqrt{e}x\sqrt{2cd-be}}{\sqrt{d+ex^2}\sqrt{cd-be}}\right)}{\sqrt{e}\sqrt{cd-be}(2cd-be)^{5/2}} - \frac{x(7cd-2be)}{3d^2\sqrt{d+ex^2}(2cd-be)^2} - \frac{x}{3d(d+ex^2)^{3/2}(2cd-be)}$$

[Out] $-1/3*x/d/(-b*e+2*c*d)/(e*x^2+d)^{(3/2)}-c^2*\operatorname{arctanh}(x*e^{(1/2)}*(-b*e+2*c*d)^{(1/2)}/(-b*e+c*d)^{(1/2)}/(e*x^2+d)^{(1/2)})/(-b*e+2*c*d)^{(5/2)}/e^{(1/2)}/(-b*e+c*d)^{(1/2)}-1/3*(-2*b*e+7*c*d)*x/d^2/(-b*e+2*c*d)^2/(e*x^2+d)^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 41, $\frac{\text{number of rules}}{\text{integrand size}} = 0.146$, Rules used = {1149, 414, 527, 12, 377, 208}

$$\frac{c^2 \tanh^{-1}\left(\frac{\sqrt{e}x\sqrt{2cd-be}}{\sqrt{d+ex^2}\sqrt{cd-be}}\right)}{\sqrt{e}\sqrt{cd-be}(2cd-be)^{5/2}} - \frac{x(7cd-2be)}{3d^2\sqrt{d+ex^2}(2cd-be)^2} - \frac{x}{3d(d+ex^2)^{3/2}(2cd-be)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[1/((d+e*x^2)^{(3/2)}*(-(c*d^2)+b*d*e+b*e^2*x^2+c*e^2*x^4)),x]$

[Out] $-x/(3*d*(2*c*d-b*e)*(d+e*x^2)^{(3/2)})-((7*c*d-2*b*e)*x)/(3*d^2*(2*c*d-b*e)^2*\operatorname{Sqrt}[d+e*x^2])-(c^2*\operatorname{ArcTanh}[(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[2*c*d-b*e]*x)/(\operatorname{Sqrt}[c*d-b*e]*\operatorname{Sqrt}[d+e*x^2])])/(\operatorname{Sqrt}[e]*\operatorname{Sqrt}[c*d-b*e]*(2*c*d-b*e)^{(5/2)})$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] := \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 208

$\operatorname{Int}[(a_)+(b_.)*(x_)^2)^{-1}, x_Symbol] := \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /;$ FreeQ[{a, b}, x] && NegQ[a/b]

Rule 377

$\operatorname{Int}[(a_)+(b_.)*(x_)^{(n_)})^{(p_)}/((c_)+(d_.)*(x_)^{(n_)}), x_Symbol] := \operatorname{Sbst}[\operatorname{Int}[1/(c-(b*c-a*d)*x^n), x], x, x/(a+b*x^n)^{(1/n)}] /;$ FreeQ[{a, b

, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 414

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> -Simp[(b*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(p + 1)*(b*c - a*d)), x] + Dist[1/(a*n*(p + 1)*(b*c - a*d)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[b*c + n*(p + 1)*(b*c - a*d) + d*b*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, n, q}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && !(!IntegerQ[p] && IntegerQ[q] && LtQ[q, -1]) && IntBinomialQ[a, b, c, d, n, p, q, x]

Rule 527

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*e - a*f)*x*(a + b*x^n)^(p + 1)*(c + d*x^n)^(q + 1))/(a*n*(b*c - a*d)*(p + 1)), x] + Dist[1/(a*n*(b*c - a*d)*(p + 1)), Int[(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(b*e - a*f) + e*n*(b*c - a*d)*(p + 1) + d*(b*e - a*f)*(n*(p + q + 2) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, n, q}, x] && LtQ[p, -1]

Rule 1149

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[(d + e*x^2)^(p + q)*(a/d + (c*x^2)/e)^p, x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)^{3/2}(-cd^2+bde+be^2x^2+ce^2x^4)} dx &= \int \frac{1}{(d+ex^2)^{5/2} \left(\frac{-cd^2+bde}{d} + cex^2 \right)} dx \\
&= -\frac{x}{3d(2cd-be)(d+ex^2)^{3/2}} + \frac{\int \frac{e(5cd-2be)-2ce^2x^2}{(d+ex^2)^{3/2} \left(\frac{-cd^2+bde}{d} + cex^2 \right)} dx}{3de(2cd-be)} \\
&= -\frac{x}{3d(2cd-be)(d+ex^2)^{3/2}} - \frac{(7cd-2be)x}{3d^2(2cd-be)^2\sqrt{d+ex^2}} + \frac{\int \frac{e(5cd-2be)-2ce^2x^2}{(d+ex^2)^{3/2} \left(\frac{-cd^2+bde}{d} + cex^2 \right)} dx}{3de(2cd-be)} \\
&= -\frac{x}{3d(2cd-be)(d+ex^2)^{3/2}} - \frac{(7cd-2be)x}{3d^2(2cd-be)^2\sqrt{d+ex^2}} + \frac{c^2 \int \frac{e(5cd-2be)-2ce^2x^2}{(d+ex^2)^{3/2} \left(\frac{-cd^2+bde}{d} + cex^2 \right)} dx}{3de(2cd-be)} \\
&= -\frac{x}{3d(2cd-be)(d+ex^2)^{3/2}} - \frac{(7cd-2be)x}{3d^2(2cd-be)^2\sqrt{d+ex^2}} + \frac{c^2 \text{Subst} \left(\int \frac{e(5cd-2be)-2ce^2x^2}{(d+ex^2)^{3/2} \left(\frac{-cd^2+bde}{d} + cex^2 \right)} dx, \sqrt{d+ex^2}, x \right)}{3de(2cd-be)} \\
&= -\frac{x}{3d(2cd-be)(d+ex^2)^{3/2}} - \frac{(7cd-2be)x}{3d^2(2cd-be)^2\sqrt{d+ex^2}} - \frac{c^2 \tan^{-1} \left(\frac{e(5cd-2be)-2ce^2x^2}{\sqrt{d+ex^2}} \right)}{\sqrt{e} \sqrt{d+ex^2}}
\end{aligned}$$

Mathematica [C] time = 4.14, size = 1058, normalized size = 7.10

$$x \left(-\frac{56c^2e^2 \left(\frac{e(be-2cd)x^2}{(be-cd)(ex^2+d)} \right)^{3/2}}{(cd-be)^2} + \frac{168c^2e^2 \tanh^{-1} \left(\sqrt{\frac{e(be-2cd)x^2}{(be-cd)(ex^2+d)}} \right)}{(cd-be)^2} + \frac{36c^2e^2 \left(\frac{e(be-2cd)x^2}{(be-cd)(ex^2+d)} \right)^{7/2}}{(cd-be)^2} + \frac{12c^2e^2 \left(\frac{e(be-2cd)x^2}{(be-cd)(ex^2+d)} \right)^{9/2}}{(cd-be)^2} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((d + e*x^2)^(3/2)*(-(c*d^2) + b*d*e + b*e^2*x^2 + c*e^2*x^4)), x]

[Out] -1/63*(x*(-315*sqrt[(e*(-2*c*d + b*e))*x^2]/((-c*d) + b*e)*(d + e*x^2)) + (420*c*e*x^2*sqrt[(e*(-2*c*d + b*e))*x^2]/((-c*d) + b*e)*(d + e*x^2)))/(c*

$$d - b*e) - (168*c^2*e^2*x^4*\text{Sqrt}[(e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)])/(c*d - b*e)^2 - 105*((e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2))^(3/2) + (140*c*e*x^2*((e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2))^(3/2))/(c*d - b*e) - (56*c^2*e^2*x^4*((e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2))^(3/2))/(c*d - b*e)^2 + 315*\text{ArcTanh}[\text{Sqrt}[(e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)]] - (420*c*e*x^2*\text{ArcTanh}[\text{Sqrt}[(e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)]])/(c*d - b*e) + (168*c^2*e^2*x^4*\text{ArcTanh}[\text{Sqrt}[(e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)]])/(c*d - b*e)^2 + 48*((e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2))^(7/2)*\text{Hypergeometric2F1}[2, 7/2, 9/2, (e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)] - (84*c*e*x^2*((e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2))^(7/2)*\text{Hypergeometric2F1}[2, 7/2, 9/2, (e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)]]/(c*d - b*e) + (36*c^2*e^2*x^4*((e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2))^(7/2)*\text{Hypergeometric2F1}[2, 7/2, 9/2, (e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)]]/(c*d - b*e)^2 + 12*((e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2))^(7/2)*\text{HypergeometricPFQ}[\{2, 2, 7/2\}, \{1, 9/2\}, (e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)] - (24*c*e*x^2*((e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2))^(7/2)*\text{HypergeometricPFQ}[\{2, 2, 7/2\}, \{1, 9/2\}, (e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)]]/(c*d - b*e) + (12*c^2*e^2*x^4*((e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2))^(7/2)*\text{HypergeometricPFQ}[\{2, 2, 7/2\}, \{1, 9/2\}, (e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2)]]/(c*d - b*e)^2)/((c*d - b*e)*((e*(-2*c*d + b*e)*x^2)/((-c*d) + b*e)*(d + e*x^2))^(5/2)*(d + e*x^2)^(5/2))$$

fricas [B] time = 2.64, size = 1063, normalized size = 7.13

$$\left[\frac{3(c^2d^2e^2x^4 + 2c^2d^3ex^2 + c^2d^4)\sqrt{2c^2d^2e - 3bcde^2 + b^2e^3} \log\left(\frac{c^2d^4 - 2bcd^3e + b^2d^2e^2 + (17c^2d^2e^2 - 24bcde^3 + 8b^2e^4)x^4 + 2(7c^2d^3e - 11bcd^2e^2 + 4b^2d^2e^3)x^2 - 4\sqrt{2c^2d^2e - 3bcde^2 + b^2e^3}((3c^2d^2e - 2b^2e^2)x^3 + (c^2d^2 - b^2d^2e)x)\sqrt{e^2x^2 + d}}{c^2e^2x^4 + \dots}}{12(8c^4d^8e - 20bc^3d^7e^2 + 18b^2c^2d^6e^3 - 7b^3cd^5e^4 + b^4d^4e^5 \dots)} \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(3/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="fricas")

[Out] [1/12*(3*(c^2*d^2*e^2*x^4 + 2*c^2*d^3*e*x^2 + c^2*d^4)*sqrt(2*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3)*log((c^2*d^4 - 2*b*c*d^3*e + b^2*d^2*e^2 + (17*c^2*d^2*e^2 - 24*b*c*d^3*e + 8*b^2*d^2*e^3)*x^4 + 2*(7*c^2*d^3*e - 11*b*c*d^2*e^2 + 4*b^2*d^2*e^3)*x^2 - 4*sqrt(2*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3)*((3*c^2*d^2*e - 2*b^2*e^2)*x^3 + (c*d^2 - b*d^2*e)*x)*sqrt(e*x^2 + d))/(c^2*e^2*x^4 + c^2*d^2 - 2*b*c*d*e + b^2*e^2 - 2*(c^2*d*e - b*c*e^2)*x^2) - 4*((14*c^3*d^3*e^2 - 25*b*c^2*d^2*e^3 + 13*b^2*c*d^2*e^4 - 2*b^3*e^5)*x^3 + 3*(6*c^3*d^4*e - 11*b*c^2*d^3*e^2 + 6*b^2*c*d^2*e^3 - b^3*d^2*e^4)*x)*sqrt(e*x^2 + d))/(8*c^4*d^8*e -

$$20*b*c^3*d^7*e^2 + 18*b^2*c^2*d^6*e^3 - 7*b^3*c*d^5*e^4 + b^4*d^4*e^5 + (8*c^4*d^6*e^3 - 20*b*c^3*d^5*e^4 + 18*b^2*c^2*d^4*e^5 - 7*b^3*c*d^3*e^6 + b^4*d^2*e^7)*x^4 + 2*(8*c^4*d^7*e^2 - 20*b*c^3*d^6*e^3 + 18*b^2*c^2*d^5*e^4 - 7*b^3*c*d^4*e^5 + b^4*d^3*e^6)*x^2), -1/6*(3*(c^2*d^2*e^2*x^4 + 2*c^2*d^3*e*x^2 + c^2*d^4)*sqrt(-2*c^2*d^2*e + 3*b*c*d*e^2 - b^2*e^3)*arctan(-1/2*sqrt(-2*c^2*d^2*e + 3*b*c*d*e^2 - b^2*e^3)*(c*d^2 - b*d*e + (3*c*d*e - 2*b*e^2)*x^2)*sqrt(e*x^2 + d)/((2*c^2*d^2*e^2 - 3*b*c*d*e^3 + b^2*e^4)*x^3 + (2*c^2*d^3*e - 3*b*c*d^2*e^2 + b^2*d*e^3)*x)) + 2*((14*c^3*d^3*e^2 - 25*b*c^2*d^2*e^3 + 13*b^2*c*d*e^4 - 2*b^3*e^5)*x^3 + 3*(6*c^3*d^4*e - 11*b*c^2*d^3*e^2 + 6*b^2*c*d^2*e^3 - b^3*d*e^4)*x)*sqrt(e*x^2 + d))/(8*c^4*d^8*e - 20*b*c^3*d^7*e^2 + 18*b^2*c^2*d^6*e^3 - 7*b^3*c*d^5*e^4 + b^4*d^4*e^5 + (8*c^4*d^6*e^3 - 20*b*c^3*d^5*e^4 + 18*b^2*c^2*d^4*e^5 - 7*b^3*c*d^3*e^6 + b^4*d^2*e^7)*x^4 + 2*(8*c^4*d^7*e^2 - 20*b*c^3*d^6*e^3 + 18*b^2*c^2*d^5*e^4 - 7*b^3*c*d^4*e^5 + b^4*d^3*e^6)*x^2)]$$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(3/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INPUT:sage2:=int(sage0,x):;OUTPUT:Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.The choice was done assuming [b,c,d,exp(1),exp(2)]=[-21,-18,-46,11,70]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.The choice was done assuming [b,c,d,exp(1),exp(2)]=[72,91,-18,-31,46]Evaluation time: 2.06Unable to transpose Error: Bad Argument Value

maple [B] time = 0.02, size = 1637, normalized size = 10.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)^(3/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x)

[Out] $\frac{1}{2}c^3e/((-d*e)^{(1/2)}*c+(-(b*e-c*d)*c*e)^{(1/2)})/((-d*e)^{(1/2)}*c+(-(b*e-c*d)*c*e)^{(1/2)})/(-(b*e-c*d)*c*e)^{(1/2)}/(b*e-2*c*d)/((x+(-(b*e-c*d)*c*e)^{(1/2)}/c/e)^2*e-2*(-(b*e-c*d)*c*e)^{(1/2)}*(x+(-(b*e-c*d)*c*e)^{(1/2)}/c/e)/c-(b*e-2*c*d)/c)^{(1/2)}+1/2*c^2*e/((-d*e)^{(1/2)}*c+(-(b*e-c*d)*c*e)^{(1/2)})/((-d*e)^{(1/2)}*c+(-(b*e-c*d)*c*e)^{(1/2)})/(b*e-2*c*d)/d/((x+(-(b*e-c*d)*c*e)^{(1/2)}/c/e)^2*e-2*(-(b*e-c*d)*c*e)^{(1/2)}*(x+(-(b*e-c*d)*c*e)^{(1/2)}/c/e)/c-(b*e-2*c*d)$

$$\frac{1}{c} \int \frac{x^{-1/2} c^3 e / ((-d e)^{1/2} c + (-b e - c d) c e)^{1/2}}{(-(-d e)^{1/2} c + (-b e - c d) c e)^{1/2} / (-b e - c d) c e)^{1/2} / (b e - 2 c d) / (-b e - 2 c d) / c)^{1/2} \ln \left(\frac{-2 (b e - 2 c d) / c - 2 (-b e - c d) c e)^{1/2} (x + (-b e - c d) c e)^{1/2} / c / e}{c + 2 (-b e - 2 c d) / c)^{1/2} ((x + (-b e - c d) c e)^{1/2} / c / e)^{2 e - 2 (-b e - c d) c e)^{1/2} (x + (-b e - c d) c e)^{1/2} / c / e} - (b e - 2 c d) / c)^{1/2} \right)}{(x + (-b e - c d) c e)^{1/2} / c / e) - 1/6 c d / ((-d e)^{1/2} c + (-b e - c d) c e)^{1/2}} / (-(-d e)^{1/2} c + (-b e - c d) c e)^{1/2} / (x - (-d e)^{1/2} / e) / ((x - (-d e)^{1/2} / e)^{2 e + 2 (-d e)^{1/2} (x - (-d e)^{1/2} / e))^{1/2} - 1/3 c e / d^2 / ((-d e)^{1/2} c + (-b e - c d) c e)^{1/2}} / (-(-d e)^{1/2} c + (-b e - c d) c e)^{1/2} / ((x - (-d e)^{1/2} / e)^{2 e + 2 (-d e)^{1/2} (x - (-d e)^{1/2} / e))^{1/2} x^{-1/6} c d / ((-d e)^{1/2} c + (-b e - c d) c e)^{1/2}} / (-(-d e)^{1/2} c + (-b e - c d) c e)^{1/2} / (x + (-d e)^{1/2} / e) / ((x + (-d e)^{1/2} / e)^{2 e - 2 (-d e)^{1/2} (x + (-d e)^{1/2} / e))^{1/2} - 1/3 c e / d^2 / ((-d e)^{1/2} c + (-b e - c d) c e)^{1/2}} / (-(-d e)^{1/2} c + (-b e - c d) c e)^{1/2} / ((x + (-d e)^{1/2} / e)^{2 e - 2 (-d e)^{1/2} (x + (-d e)^{1/2} / e))^{1/2} x^{-1/2} c^3 e / ((-d e)^{1/2} c + (-b e - c d) c e)^{1/2}} / (-(-d e)^{1/2} c + (-b e - c d) c e)^{1/2} / (b e - 2 c d) / ((x - (-b e - c d) c e)^{1/2} / c / e)^{2 e + 2 (-b e - c d) c e)^{1/2} (x - (-b e - c d) c e)^{1/2} / c / e} - (b e - 2 c d) / c)^{1/2} + 1/2 c^2 e / ((-d e)^{1/2} c + (-b e - c d) c e)^{1/2}} / (-(-d e)^{1/2} c + (-b e - c d) c e)^{1/2} / (b e - 2 c d) / d / ((x - (-b e - c d) c e)^{1/2} / c / e)^{2 e + 2 (-b e - c d) c e)^{1/2} (x - (-b e - c d) c e)^{1/2} / c / e} - (b e - 2 c d) / c)^{1/2} x + 1/2 c^3 e / ((-d e)^{1/2} c + (-b e - c d) c e)^{1/2}} / (-(-d e)^{1/2} c + (-b e - c d) c e)^{1/2} / (-b e - c d) c e)^{1/2} / (b e - 2 c d) / (-b e - 2 c d) / c)^{1/2} \ln \left(\frac{-2 (b e - 2 c d) / c + 2 (-b e - c d) c e)^{1/2} (x - (-b e - c d) c e)^{1/2} / c / e}{c + 2 (-b e - 2 c d) / c)^{1/2} ((x - (-b e - c d) c e)^{1/2} / c / e)^{2 e + 2 (-b e - c d) c e)^{1/2} (x - (-b e - c d) c e)^{1/2} / c / e} - (b e - 2 c d) / c)^{1/2} \right)}{(x - (-b e - c d) c e)^{1/2} / c / e)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(c e^2 x^4 + b e^2 x^2 - c d^2 + b d e) (e x^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(3/2)/(c*e^2*x^4+b*e^2*x^2+b*d*e-c*d^2),x, algorithm="maxima")

[Out] integrate(1/((c*e^2*x^4 + b*e^2*x^2 - c*d^2 + b*d*e)*(e*x^2 + d)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(e x^2 + d)^{3/2} (-c d^2 + b d e + c e^2 x^4 + b e^2 x^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((d + e*x^2)^(3/2)*(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e)), x)`

[Out] `int(1/((d + e*x^2)^(3/2)*(b*e^2*x^2 - c*d^2 + c*e^2*x^4 + b*d*e)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex^2)^{\frac{5}{2}} (be - cd + cex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x**2+d)**(3/2)/(c*e**2*x**4+b*e**2*x**2+b*d*e-c*d**2), x)`

[Out] `Integral(1/((d + e*x**2)**(5/2)*(b*e - c*d + c*e*x**2)), x)`

3.225 $\int (1 + x^2)^3 \sqrt{1 + x^2 + x^4} dx$

Optimal. Leaf size=183

$$\frac{1}{3} (x^4 + x^2 + 1)^{3/2} x + \frac{2}{45} (6x^2 + 7) \sqrt{x^4 + x^2 + 1} x + \frac{26\sqrt{x^4 + x^2 + 1} x}{45(x^2 + 1)} + \frac{7(x^2 + 1) \sqrt{\frac{x^4 + x^2 + 1}{(x^2 + 1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{15\sqrt{x^4 + x^2 + 1}}$$

[Out] $\frac{1}{3} x (x^4 + x^2 + 1)^{3/2} + \frac{1}{9} x^3 (x^4 + x^2 + 1)^{3/2} + \frac{26}{45} x (x^4 + x^2 + 1)^{1/2} / (x^2 + 1) + \frac{2}{45} x (6x^2 + 7) (x^4 + x^2 + 1)^{1/2} - \frac{26}{45} (x^2 + 1) (\cos(2 \arctan(x)))^2 / \cos(2 \arctan(x)) \operatorname{EllipticE}(\sin(2 \arctan(x)), 1/2) * ((x^4 + x^2 + 1) / (x^2 + 1)^2)^{1/2} / (x^4 + x^2 + 1)^{1/2} + \frac{7}{15} (x^2 + 1) (\cos(2 \arctan(x)))^2 / \cos(2 \arctan(x)) \operatorname{EllipticF}(\sin(2 \arctan(x)), 1/2) * ((x^4 + x^2 + 1) / (x^2 + 1)^2)^{1/2} / (x^4 + x^2 + 1)^{1/2}$

Rubi [A] time = 0.09, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1206, 1679, 1176, 1197, 1103, 1195}

$$\frac{1}{9} (x^4 + x^2 + 1)^{3/2} x^3 + \frac{1}{3} (x^4 + x^2 + 1)^{3/2} x + \frac{2}{45} (6x^2 + 7) \sqrt{x^4 + x^2 + 1} x + \frac{26\sqrt{x^4 + x^2 + 1} x}{45(x^2 + 1)} + \frac{7(x^2 + 1) \sqrt{\frac{x^4 + x^2 + 1}{(x^2 + 1)^2}}}{15\sqrt{x^4 + x^2 + 1}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 + x^2)^3 \sqrt{1 + x^2 + x^4}, x]$

[Out] $\frac{26x \sqrt{1 + x^2 + x^4}}{45(1 + x^2)} + \frac{(2x(7 + 6x^2) \sqrt{1 + x^2 + x^4})}{45} + \frac{x(1 + x^2 + x^4)^{3/2}}{3} + \frac{x^3(1 + x^2 + x^4)^{3/2}}{9} - \frac{26(1 + x^2) \sqrt{(1 + x^2 + x^4)/(1 + x^2)^2} \operatorname{EllipticE}[2 \operatorname{ArcTan}[x], 1/4]}{45 \sqrt{1 + x^2 + x^4}} + \frac{7(1 + x^2) \sqrt{(1 + x^2 + x^4)/(1 + x^2)^2} \operatorname{EllipticF}[2 \operatorname{ArcTan}[x], 1/4]}{15 \sqrt{1 + x^2 + x^4}}$

Rule 1103

$\text{Int}[1/\sqrt{(a_) + (b_)(x_)^2 + (c_)(x_)^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, \text{Simp}[\frac{(1 + q^2 x^2) \sqrt{(a + b x^2 + c x^4)}}{(a(1 + q^2 x^2)^2)} * \operatorname{EllipticF}[2 \operatorname{ArcTan}[q x], 1/2 - (b q^2)/(4c)] / (2 q \sqrt{a + b x^2 + c x^4}), x]] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4ac, 0] \&\& \text{PosQ}[c/a]$

Rule 1176

$\text{Int}[\frac{(d_) + (e_)(x_)^2}{(a_) + (b_)(x_)^2 + (c_)(x_)^4} (p_), x_Symbol] \rightarrow \text{Simp}[(x(2b e p + c d(4p + 3) + c e(4p + 1)x^2)(a + b x^2 + c$

```
*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^
2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^
2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c
*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 -
4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4
], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; Ne
Q[e + d*q, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[
c/a]
```

Rule 1206

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x
_Symbol] :> Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*
q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandT
oSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p
+ 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /;
FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e +
a*e^2, 0] && IGtQ[q, 1]
```

Rule 1679

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> With[{q =
Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(
a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p
+ 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*
q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*
x^(2*q), x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[P
q, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int (1+x^2)^3 \sqrt{1+x^2+x^4} dx &= \frac{1}{9}x^3(1+x^2+x^4)^{3/2} + \frac{1}{9} \int \sqrt{1+x^2+x^4} (9+24x^2+21x^4) dx \\
&= \frac{1}{3}x(1+x^2+x^4)^{3/2} + \frac{1}{9}x^3(1+x^2+x^4)^{3/2} + \frac{1}{63} \int (42+84x^2) \sqrt{1+x^2+x^4} dx \\
&= \frac{2}{45}x(7+6x^2) \sqrt{1+x^2+x^4} + \frac{1}{3}x(1+x^2+x^4)^{3/2} + \frac{1}{9}x^3(1+x^2+x^4)^{3/2} + \frac{1}{945} \int \sqrt{1+x^2+x^4} dx \\
&= \frac{2}{45}x(7+6x^2) \sqrt{1+x^2+x^4} + \frac{1}{3}x(1+x^2+x^4)^{3/2} + \frac{1}{9}x^3(1+x^2+x^4)^{3/2} - \frac{26}{45} \int \sqrt{1+x^2+x^4} dx \\
&= \frac{26x\sqrt{1+x^2+x^4}}{45(1+x^2)} + \frac{2}{45}x(7+6x^2) \sqrt{1+x^2+x^4} + \frac{1}{3}x(1+x^2+x^4)^{3/2} + \frac{1}{9}x^3(1+x^2+x^4)^{3/2} - \frac{26}{45} \int \sqrt{1+x^2+x^4} dx
\end{aligned}$$

Mathematica [C] time = 0.32, size = 169, normalized size = 0.92

$$\frac{2(-1)^{5/6} (4\sqrt{3} + 9i) \sqrt{\sqrt[3]{-1}x^2 + 1} \sqrt{1 - (-1)^{2/3}x^2} F(i \sinh^{-1}((-1)^{5/6}x) | (-1)^{2/3}) + 26\sqrt[3]{-1} \sqrt{\sqrt[3]{-1}x^2 + 1} \sqrt{1 - (-1)^{2/3}x^2}}{45\sqrt{x^4 + x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)^3*Sqrt[1 + x^2 + x^4], x]

[Out] (x*(29 + 61*x^2 + 81*x^4 + 57*x^6 + 25*x^8 + 5*x^10) + 26*(-1)^(1/3)*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticE[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] + 2*(-1)^(5/6)*(9*I + 4*Sqrt[3])*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticF[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)])/(45*Sqrt[1 + x^2 + x^4])

fricas [F] time = 0.86, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(x^6 + 3x^4 + 3x^2 + 1\right)\sqrt{x^4 + x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^3*(x^4+x^2+1)^(1/2), x, algorithm="fricas")

[Out] integral((x^6 + 3*x^4 + 3*x^2 + 1)*sqrt(x^4 + x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + x^2 + 1} (x^2 + 1)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^3*(x^4+x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + x^2 + 1)*(x^2 + 1)^3, x)

maple [C] time = 0.16, size = 263, normalized size = 1.44

$$\frac{\sqrt{x^4 + x^2 + 1} x^7}{9} + \frac{4\sqrt{x^4 + x^2 + 1} x^5}{9} + \frac{32\sqrt{x^4 + x^2 + 1} x^3}{45} + \frac{29\sqrt{x^4 + x^2 + 1} x}{45} + \frac{32\sqrt{-\left(-\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1} \sqrt{-\left(-\frac{1}{2} - \frac{i\sqrt{3}}{2}\right)x^2 + 1}}{45\sqrt{-2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)^3*(x^4+x^2+1)^(1/2),x)

[Out] 1/9*x^7*(x^4+x^2+1)^(1/2)+4/9*x^5*(x^4+x^2+1)^(1/2)+32/45*x^3*(x^4+x^2+1)^(1/2)+29/45*x*(x^4+x^2+1)^(1/2)+32/45/(-2+2*I*3^(1/2))^(1/2)*(1-(-1/2+1/2*I*3^(1/2))*x^2)^(1/2)*(1-(-1/2-1/2*I*3^(1/2))*x^2)^(1/2)/(x^4+x^2+1)^(1/2)*EllipticF(1/2*x*(-2+2*I*3^(1/2))^(1/2),1/2*(-2+2*I*3^(1/2))^(1/2))-104/45/(-2+2*I*3^(1/2))^(1/2)*(1-(-1/2+1/2*I*3^(1/2))*x^2)^(1/2)*(1-(-1/2-1/2*I*3^(1/2))*x^2)^(1/2)/(x^4+x^2+1)^(1/2)/(1+I*3^(1/2))*(EllipticF(1/2*x*(-2+2*I*3^(1/2))^(1/2),1/2*(-2+2*I*3^(1/2))^(1/2))-EllipticE(1/2*x*(-2+2*I*3^(1/2))^(1/2),1/2*(-2+2*I*3^(1/2))^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + x^2 + 1} (x^2 + 1)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^3*(x^4+x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + x^2 + 1)*(x^2 + 1)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (x^2 + 1)^3 \sqrt{x^4 + x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)^3*(x^2 + x^4 + 1)^(1/2),x)

[Out] int((x^2 + 1)^3*(x^2 + x^4 + 1)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{(x^2 - x + 1)(x^2 + x + 1)} (x^2 + 1)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**2+1)**3*(x**4+x**2+1)**(1/2), x)
```

```
[Out] Integral(sqrt((x**2 - x + 1)*(x**2 + x + 1))*(x**2 + 1)**3, x)
```

3.226 $\int (1 + x^2)^2 \sqrt{1 + x^2 + x^4} dx$

Optimal. Leaf size=164

$$\frac{1}{7}x(x^4 + x^2 + 1)^{3/2} + \frac{2}{21}x(3x^2 + 4)\sqrt{x^4 + x^2 + 1} + \frac{2x\sqrt{x^4 + x^2 + 1}}{3(x^2 + 1)} + \frac{4(x^2 + 1)\sqrt{\frac{x^4 + x^2 + 1}{(x^2 + 1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{7\sqrt{x^4 + x^2 + 1}} - \frac{2(x^2 + 1)}{7\sqrt{x^4 + x^2 + 1}}$$

[Out] $\frac{1}{7}x(x^4+x^2+1)^{3/2} + \frac{2}{21}x(3x^2+4)\sqrt{x^4+x^2+1} + \frac{2x\sqrt{x^4+x^2+1}}{3(x^2+1)} + \frac{4(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{7\sqrt{x^4+x^2+1}} - \frac{2(x^2+1)}{7\sqrt{x^4+x^2+1}}$

Rubi [A] time = 0.06, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1206, 1176, 1197, 1103, 1195}

$$\frac{1}{7}x(x^4 + x^2 + 1)^{3/2} + \frac{2}{21}x(3x^2 + 4)\sqrt{x^4 + x^2 + 1} + \frac{2x\sqrt{x^4 + x^2 + 1}}{3(x^2 + 1)} + \frac{4(x^2 + 1)\sqrt{\frac{x^4 + x^2 + 1}{(x^2 + 1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{7\sqrt{x^4 + x^2 + 1}} - \frac{2(x^2 + 1)}{7\sqrt{x^4 + x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)^2*Sqrt[1 + x^2 + x^4],x]

[Out] $\frac{(2*x*\text{Sqrt}[1 + x^2 + x^4])}{(3*(1 + x^2))} + \frac{(2*x*(4 + 3*x^2)*\text{Sqrt}[1 + x^2 + x^4])}{21} + \frac{(x*(1 + x^2 + x^4)^{3/2})}{7} - \frac{(2*(1 + x^2)*\text{Sqrt}[(1 + x^2 + x^4)/(1 + x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x], 1/4])}{(3*\text{Sqrt}[1 + x^2 + x^4])} + \frac{(4*(1 + x^2)*\text{Sqrt}[(1 + x^2 + x^4)/(1 + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x], 1/4])}{(7*\text{Sqrt}[1 + x^2 + x^4])}$

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[(((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1176

Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c

```
*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol
1] :=> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^
2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^
2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c
*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 -
4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol
1] :=> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4
], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; Ne
Q[e + d*q, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[
c/a]
```

Rule 1206

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x
_Symbol] :=> Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*
q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandT
oSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p
+ 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /;
FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e +
a*e^2, 0] && IGtQ[q, 1]
```

Rubi steps

$$\begin{aligned}
\int (1+x^2)^2 \sqrt{1+x^2+x^4} dx &= \frac{1}{7}x(1+x^2+x^4)^{3/2} + \frac{1}{7} \int (6+10x^2) \sqrt{1+x^2+x^4} dx \\
&= \frac{2}{21}x(4+3x^2) \sqrt{1+x^2+x^4} + \frac{1}{7}x(1+x^2+x^4)^{3/2} + \frac{1}{105} \int \frac{50+70x^2}{\sqrt{1+x^2+x^4}} dx \\
&= \frac{2}{21}x(4+3x^2) \sqrt{1+x^2+x^4} + \frac{1}{7}x(1+x^2+x^4)^{3/2} - \frac{2}{3} \int \frac{1-x^2}{\sqrt{1+x^2+x^4}} dx + \frac{8}{7} \int \frac{2(1+x^2)}{\sqrt{1+x^2+x^4}} dx \\
&= \frac{2x\sqrt{1+x^2+x^4}}{3(1+x^2)} + \frac{2}{21}x(4+3x^2) \sqrt{1+x^2+x^4} + \frac{1}{7}x(1+x^2+x^4)^{3/2} - \frac{8}{7} \int \frac{2(1+x^2)}{\sqrt{1+x^2+x^4}} dx
\end{aligned}$$

Mathematica [C] time = 0.16, size = 162, normalized size = 0.99

$$\frac{2\sqrt[3]{-1} (5\sqrt[3]{-1} - 7) \sqrt{\sqrt[3]{-1}x^2 + 1} \sqrt{1 - (-1)^{2/3}x^2} F(i \sinh^{-1}((-1)^{5/6}x) | (-1)^{2/3}) + 14\sqrt[3]{-1} \sqrt{\sqrt[3]{-1}x^2 + 1} \sqrt{1 - (-1)^{2/3}x^2}}{21\sqrt{x^4 + x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)^2*Sqrt[1 + x^2 + x^4], x]

[Out] (x*(11 + 20*x^2 + 23*x^4 + 12*x^6 + 3*x^8) + 14*(-1)^(1/3)*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticE[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] + 2*(-1)^(1/3)*(-7 + 5*(-1)^(1/3))*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticF[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)]/(21*Sqrt[1 + x^2 + x^4])

fricas [F] time = 0.94, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(x^4 + 2x^2 + 1\right)\sqrt{x^4 + x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^2*(x^4+x^2+1)^(1/2), x, algorithm="fricas")

[Out] integral((x^4 + 2*x^2 + 1)*sqrt(x^4 + x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + x^2 + 1} (x^2 + 1)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^2*(x^4+x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + x^2 + 1)*(x^2 + 1)^2, x)

maple [C] time = 0.01, size = 248, normalized size = 1.51

$$\frac{\sqrt{x^4 + x^2 + 1} x^5}{7} + \frac{3\sqrt{x^4 + x^2 + 1} x^3}{7} + \frac{11\sqrt{x^4 + x^2 + 1} x}{21} + \frac{20\sqrt{-\left(-\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1} \sqrt{-\left(-\frac{1}{2} - \frac{i\sqrt{3}}{2}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{1}{2}, -2+2i\sqrt{3}, \sqrt{x^4 + x^2 + 1}\right)}{21\sqrt{-2 + 2i\sqrt{3}} \sqrt{x^4 + x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)^2*(x^4+x^2+1)^(1/2),x)

[Out] 1/7*(x^4+x^2+1)^(1/2)*x^5+3/7*(x^4+x^2+1)^(1/2)*x^3+11/21*(x^4+x^2+1)^(1/2)*x+20/21/(-2+2*I*3^(1/2))^(1/2)*(-(-1/2+1/2*I*3^(1/2))*x^2+1)^(1/2)*(-(-1/2-1/2*I*3^(1/2))*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)*EllipticF(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2))-8/3/(-2+2*I*3^(1/2))^(1/2)*(-(-1/2+1/2*I*3^(1/2))*x^2+1)^(1/2)*(-(-1/2-1/2*I*3^(1/2))*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)/(1+I*3^(1/2))*EllipticF(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2))-EllipticE(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + x^2 + 1} (x^2 + 1)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^2*(x^4+x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + x^2 + 1)*(x^2 + 1)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (x^2 + 1)^2 \sqrt{x^4 + x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)^2*(x^2 + x^4 + 1)^(1/2),x)

[Out] int((x^2 + 1)^2*(x^2 + x^4 + 1)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{(x^2 - x + 1)(x^2 + x + 1)} (x^2 + 1)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**2+1)**2*(x**4+x**2+1)**(1/2),x)
```

```
[Out] Integral(sqrt((x**2 - x + 1)*(x**2 + x + 1))*(x**2 + 1)**2, x)
```


$$3.227 \quad \int (1 + x^2) \sqrt{1 + x^2 + x^4} dx$$

Optimal. Leaf size=145

$$\frac{1}{5} (x^2 + 2) \sqrt{x^4 + x^2 + 1} x + \frac{3\sqrt{x^4 + x^2 + 1} x}{5(x^2 + 1)} + \frac{3(x^2 + 1) \sqrt{\frac{x^4 + x^2 + 1}{(x^2 + 1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{5\sqrt{x^4 + x^2 + 1}} - \frac{3(x^2 + 1) \sqrt{\frac{x^4 + x^2 + 1}{(x^2 + 1)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{5\sqrt{x^4 + x^2 + 1}}$$

[Out] 3/5*x*(x^4+x^2+1)^(1/2)/(x^2+1)+1/5*x*(x^2+2)*(x^4+x^2+1)^(1/2)-3/5*(x^2+1)*(cos(2*arctan(x))^2)^(1/2)/cos(2*arctan(x))*EllipticE(sin(2*arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^(1/2)/(x^4+x^2+1)^(1/2)+3/5*(x^2+1)*(cos(2*arctan(x))^2)^(1/2)/cos(2*arctan(x))*EllipticF(sin(2*arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^(1/2)/(x^4+x^2+1)^(1/2)

Rubi [A] time = 0.04, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1176, 1197, 1103, 1195}

$$\frac{1}{5} (x^2 + 2) \sqrt{x^4 + x^2 + 1} x + \frac{3\sqrt{x^4 + x^2 + 1} x}{5(x^2 + 1)} + \frac{3(x^2 + 1) \sqrt{\frac{x^4 + x^2 + 1}{(x^2 + 1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{5\sqrt{x^4 + x^2 + 1}} - \frac{3(x^2 + 1) \sqrt{\frac{x^4 + x^2 + 1}{(x^2 + 1)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{5\sqrt{x^4 + x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)*Sqrt[1 + x^2 + x^4], x]

[Out] (3*x*Sqrt[1 + x^2 + x^4])/(5*(1 + x^2)) + (x*(2 + x^2)*Sqrt[1 + x^2 + x^4])/5 - (3*(1 + x^2)*Sqrt[(1 + x^2 + x^4)/(1 + x^2)^2]*EllipticE[2*ArcTan[x], 1/4])/(5*Sqrt[1 + x^2 + x^4]) + (3*(1 + x^2)*Sqrt[(1 + x^2 + x^4)/(1 + x^2)^2]*EllipticF[2*ArcTan[x], 1/4])/(5*Sqrt[1 + x^2 + x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1176

Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),

```
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
  b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^
2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^
2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c
*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 -
4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4
], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; Ne
Q[e + d*q, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[
c/a]
```

Rubi steps

$$\begin{aligned} \int (1+x^2) \sqrt{1+x^2+x^4} dx &= \frac{1}{5}x(2+x^2) \sqrt{1+x^2+x^4} + \frac{1}{15} \int \frac{9+9x^2}{\sqrt{1+x^2+x^4}} dx \\ &= \frac{1}{5}x(2+x^2) \sqrt{1+x^2+x^4} - \frac{3}{5} \int \frac{1-x^2}{\sqrt{1+x^2+x^4}} dx + \frac{6}{5} \int \frac{1}{\sqrt{1+x^2+x^4}} dx \\ &= \frac{3x\sqrt{1+x^2+x^4}}{5(1+x^2)} + \frac{1}{5}x(2+x^2) \sqrt{1+x^2+x^4} - \frac{3(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x)\right)}{5\sqrt{1+x^2+x^4}} \end{aligned}$$

Mathematica [C] time = 0.18, size = 168, normalized size = 1.16

$$\frac{x^7 + 3x^5 + 3x^3 + \frac{3}{2}\sqrt{2 + (1 - i\sqrt{3})x^2} \sqrt{2 + (1 + i\sqrt{3})x^2} F\left(\sin^{-1}\left(\frac{1}{2}(i\sqrt{3}x + x)\right) \middle| \frac{1}{2}i(i + \sqrt{3})\right) + 3\sqrt[3]{-1} \sqrt{\sqrt[3]{-1}x}}{5\sqrt{x^4 + x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)*Sqrt[1 + x^2 + x^4], x]

[Out] (2*x + 3*x^3 + 3*x^5 + x^7 + 3*(-1)^(1/3)*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticE[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] + (3*Sqrt[2 + (1 - I*Sqrt[3])*x^2]*Sqrt[2 + (1 + I*Sqrt[3])*x^2]*EllipticF[ArcSin[(x + I*Sqrt[3]*x)/2], (I/2)*(I + Sqrt[3])])/2)/(5*Sqrt[1 + x^2 + x^4])

fricas [F] time = 0.83, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{x^4 + x^2 + 1}(x^2 + 1), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)*(x^4+x^2+1)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(x^4 + x^2 + 1)*(x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + x^2 + 1}(x^2 + 1) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)*(x^4+x^2+1)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(x^4 + x^2 + 1)*(x^2 + 1), x)

maple [C] time = 0.00, size = 233, normalized size = 1.61

$$\frac{\sqrt{x^4 + x^2 + 1} x^3}{5} + \frac{2\sqrt{x^4 + x^2 + 1} x}{5} + \frac{6\sqrt{-\left(-\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1} \sqrt{-\left(-\frac{1}{2} - \frac{i\sqrt{3}}{2}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-2+2i\sqrt{3}} x}{2}, \sqrt{-\frac{1}{2} + \frac{i\sqrt{3}}{2}}\right)}{5\sqrt{-2 + 2i\sqrt{3}} \sqrt{x^4 + x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)*(x^4+x^2+1)^(1/2), x)

[Out] 1/5*(x^4+x^2+1)^(1/2)*x^3+2/5*(x^4+x^2+1)^(1/2)*x+6/5/(-2+2*I*3^(1/2))^(1/2)*(-(-1/2+1/2*I*3^(1/2))*x^2+1)^(1/2)*(-(-1/2-1/2*I*3^(1/2))*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)*EllipticF(1/2*(-2+2*I*3^(1/2))^(1/2)*x, 1/2*(-2+2*I*3^(1/2))^(1/2))-12/5/(-2+2*I*3^(1/2))^(1/2)*(-(-1/2+1/2*I*3^(1/2))*x^2+1)^(1/2)*(-(-1/2-1/2*I*3^(1/2))*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)/(1+I*3^(1/2))*(EllipticF(1/2*(-2+2*I*3^(1/2))^(1/2)*x, 1/2*(-2+2*I*3^(1/2))^(1/2))-EllipticE(1/2*(-2+2*I*3^(1/2))^(1/2)*x, 1/2*(-2+2*I*3^(1/2))^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + x^2 + 1} (x^2 + 1) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)*(x^4+x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + x^2 + 1)*(x^2 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (x^2 + 1) \sqrt{x^4 + x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)*(x^2 + x^4 + 1)^(1/2),x)

[Out] int((x^2 + 1)*(x^2 + x^4 + 1)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{(x^2 - x + 1)(x^2 + x + 1)} (x^2 + 1) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)*(x**4+x**2+1)**(1/2),x)

[Out] Integral(sqrt((x**2 - x + 1)*(x**2 + x + 1))*(x**2 + 1), x)

$$3.228 \quad \int \frac{\sqrt{1+x^2+x^4}}{1+x^2} dx$$

Optimal. Leaf size=137

$$\frac{\sqrt{x^4+x^2+1}x}{x^2+1} + \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) + \frac{3(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{x^4+x^2+1}} - \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{\sqrt{x^4+x^2+1}}$$

[Out] $\frac{1}{2} \arctan\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) + \frac{x\sqrt{x^4+x^2+1}}{(x^2+1)\sqrt{x^4+x^2+1}} - \frac{(x^2+1)\cos(2\arctan(x))\sqrt{x^4+x^2+1}}{(x^2+1)^2\sqrt{x^4+x^2+1}} + \frac{3(x^2+1)\cos(2\arctan(x))\sqrt{x^4+x^2+1}}{4(x^2+1)\sqrt{x^4+x^2+1}} - \frac{(x^2+1)\cos(2\arctan(x))\sqrt{x^4+x^2+1}}{(x^2+1)\sqrt{x^4+x^2+1}}$

Rubi [A] time = 0.09, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1208, 1139, 1103, 1195, 1210, 1698, 203}

$$\frac{\sqrt{x^4+x^2+1}x}{x^2+1} + \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) + \frac{3(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{x^4+x^2+1}} - \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + x^2 + x^4]/(1 + x^2), x]

[Out] $\frac{x\sqrt{1+x^2+x^4}}{(1+x^2)} + \frac{\text{ArcTan}\left[\frac{x}{\sqrt{1+x^2+x^4}}\right]}{2} - \frac{\cos(2\text{ArcTan}\left[\frac{x}{\sqrt{1+x^2+x^4}}\right])\sqrt{1+x^2+x^4}}{(1+x^2)\sqrt{1+x^2+x^4}} + \frac{3\cos(2\text{ArcTan}\left[\frac{x}{\sqrt{1+x^2+x^4}}\right])\sqrt{1+x^2+x^4}}{4(1+x^2)\sqrt{1+x^2+x^4}}$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1139

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[1/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[1/q, I
nt[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x]] /; FreeQ[{a, b, c}, x] && NeQ[
eQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:= With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^
2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^
2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c
*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 -
4*a*c, 0] && PosQ[c/a]
```

Rule 1208

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_)/((d_) + (e_.)*(x_)^2), x_Symbol]
:= -Dist[(e^2)^(-1), Int[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^(p -
1), x], x] + Dist[(c*d^2 - b*d*e + a*e^2)/e^2, Int[(a + b*x^2 + c*x^4)^(p
- 1)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0]
&& NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p + 1/2, 0]
```

Rule 1210

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol]
:= Dist[1/(2*d), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[1/(2*d), Int[(d - e*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0]
```

Rule 1698

```
Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4]), x_Symbol] := Dist[A, Subst[Int[1/(d - (b*d - 2*a*e)*x^2),
x], x, x/Sqrt[a + b*x^2 + c*x^4]], x] /; FreeQ[{a, b, c, d, e, A, B}, x] &&
NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2,
0] && EqQ[B*d + A*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{1+x^2+x^4}}{1+x^2} dx &= \int \frac{x^2}{\sqrt{1+x^2+x^4}} dx + \int \frac{1}{(1+x^2)\sqrt{1+x^2+x^4}} dx \\
&= \frac{1}{2} \int \frac{1}{\sqrt{1+x^2+x^4}} dx + \frac{1}{2} \int \frac{1-x^2}{(1+x^2)\sqrt{1+x^2+x^4}} dx + \int \frac{1}{\sqrt{1+x^2+x^4}} dx - \int \frac{1}{\sqrt{1+x^2+x^4}} dx \\
&= \frac{x\sqrt{1+x^2+x^4}}{1+x^2} - \frac{(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{\sqrt{1+x^2+x^4}} + \frac{3(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}} \\
&= \frac{x\sqrt{1+x^2+x^4}}{1+x^2} + \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) - \frac{(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{\sqrt{1+x^2+x^4}} + \frac{3(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.09, size = 117, normalized size = 0.85

$$\frac{\sqrt[3]{-1} \sqrt{\sqrt[3]{-1} x^2 + 1} \sqrt{1 - (-1)^{2/3} x^2} \left(-F\left(i \sinh^{-1}\left((-1)^{5/6} x\right) \middle| (-1)^{2/3}\right) + E\left(i \sinh^{-1}\left((-1)^{5/6} x\right) \middle| (-1)^{2/3}\right) + \sqrt[3]{-1} \Pi\left(\frac{x}{\sqrt{x^4 + x^2 + 1}} \middle| (-1)^{2/3}\right) \right)}{\sqrt{x^4 + x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + x^2 + x^4]/(1 + x^2), x]

[Out] $((-1)^{1/3} \sqrt{1 + (-1)^{1/3} x^2} \sqrt{1 - (-1)^{2/3} x^2} (\text{EllipticE}[I \text{ArcSinh}[(-1)^{5/6} x], (-1)^{2/3}] - \text{EllipticF}[I \text{ArcSinh}[(-1)^{5/6} x], (-1)^{2/3}] + (-1)^{1/3} \text{EllipticPi}[(-1)^{1/3}, I \text{ArcSinh}[(-1)^{5/6} x], (-1)^{2/3}])) / \text{Sqrt}[1 + x^2 + x^4]$

fricas [F] time = 0.97, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + x^2 + 1}}{x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^2+1)^(1/2)/(x^2+1), x, algorithm="fricas")

[Out] integral(sqrt(x^4 + x^2 + 1)/(x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + x^2 + 1}}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^2+1)^(1/2)/(x^2+1),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + x^2 + 1)/(x^2 + 1), x)

maple [C] time = 0.11, size = 293, normalized size = 2.14

$$\frac{4\sqrt{\frac{x^2}{2} - \frac{i\sqrt{3}x^2}{2} + 1} \sqrt{\frac{x^2}{2} + \frac{i\sqrt{3}x^2}{2} + 1} \operatorname{EllipticE}\left(\frac{\sqrt{-2+2i\sqrt{3}}x}{2}, \frac{\sqrt{-2+2i\sqrt{3}}}{2}\right) + 4\sqrt{\frac{x^2}{2} - \frac{i\sqrt{3}x^2}{2} + 1} \sqrt{\frac{x^2}{2} + \frac{i\sqrt{3}x^2}{2} + 1} \operatorname{EllipticE}\left(\frac{\sqrt{-2+2i\sqrt{3}}x}{2}, \frac{\sqrt{-2+2i\sqrt{3}}}{2}\right)}{\sqrt{-2+2i\sqrt{3}} \sqrt{x^4+x^2+1} (1+i\sqrt{3})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+x^2+1)^(1/2)/(x^2+1),x)

[Out]
$$\frac{-4/(-2+2*I*3^{(1/2)})^{(1/2)}*(1+1/2*x^2-1/2*I*x^2*3^{(1/2)})^{(1/2)}*(1+1/2*x^2+1/2*I*x^2*3^{(1/2)})^{(1/2)}/(x^4+x^2+1)^{(1/2)}/(1+I*3^{(1/2)})*EllipticF(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)})+4/(-2+2*I*3^{(1/2)})^{(1/2)}*(1+1/2*x^2-1/2*I*x^2*3^{(1/2)})^{(1/2)}*(1+1/2*x^2+1/2*I*x^2*3^{(1/2)})^{(1/2)}/(x^4+x^2+1)^{(1/2)}/(1+I*3^{(1/2)})*EllipticE(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)})+1/(-1/2+1/2*I*3^{(1/2)})^{(1/2)}*(1+1/2*x^2-1/2*I*x^2*3^{(1/2)})^{(1/2)}*(1+1/2*x^2+1/2*I*x^2*3^{(1/2)})^{(1/2)}/(x^4+x^2+1)^{(1/2)}*EllipticPi((-1/2+1/2*I*3^{(1/2)})^{(1/2)}*x, -1/(-1/2+1/2*I*3^{(1/2)}), (-1/2-1/2*I*3^{(1/2)})^{(1/2)})/(-1/2+1/2*I*3^{(1/2)})^{(1/2)}}{1}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + x^2 + 1}}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^2+1)^(1/2)/(x^2+1),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + x^2 + 1)/(x^2 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{x^4 + x^2 + 1}}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + x^4 + 1)^(1/2)/(x^2 + 1),x)


```
[Out] int((x^2 + x^4 + 1)^(1/2)/(x^2 + 1), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\sqrt{(x^2 - x + 1)(x^2 + x + 1)}}{x^2 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**4+x**2+1)**(1/2)/(x**2+1), x)
```

```
[Out] Integral(sqrt((x**2 - x + 1)*(x**2 + x + 1))/(x**2 + 1), x)
```

$$3.229 \quad \int \frac{\sqrt{1+x^2+x^4}}{(1+x^2)^2} dx$$

Optimal. Leaf size=49

$$\frac{(x^2 + 1) \sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{x^4 + x^2 + 1}}$$

[Out] 1/2*(x^2+1)*(cos(2*arctan(x))^2)^(1/2)/cos(2*arctan(x))*EllipticE(sin(2*arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^(1/2)/(x^4+x^2+1)^(1/2)

Rubi [A] time = 0.01, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1225}

$$\frac{(x^2 + 1) \sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{x^4 + x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + x^2 + x^4]/(1 + x^2)^2,x]

[Out] ((1 + x^2)*Sqrt[(1 + x^2 + x^4)/(1 + x^2)^2]*EllipticE[2*ArcTan[x], 1/4])/ (2*Sqrt[1 + x^2 + x^4])

Rule 1225

Int[Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]/((d_) + (e_.)*(x_)^2)^2, x_Symbol] :> With[{q = Rt[e/d, 2]}, Simp[(c*(d + e*x^2)*Sqrt[(e^2*(a + b*x^2 + c*x^4))/(c*(d + e*x^2)^2)]*EllipticE[2*ArcTan[q*x], (2*c*d - b*e)/(4*c*d)]/(2*d*e^2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0] && PosQ[e/d]

Rubi steps

$$\int \frac{\sqrt{1+x^2+x^4}}{(1+x^2)^2} dx = \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{1+x^2+x^4}}$$

Mathematica [C] time = 0.35, size = 164, normalized size = 3.35

$$\frac{(-1)^{2/3} \sqrt{\sqrt[3]{-1} x^2 + 1} \sqrt{1 - (-1)^{2/3} x^2} F\left(i \sinh^{-1}\left(\frac{(-1)^{5/6} x}{\sqrt{\sqrt[3]{-1} x^2 + 1}}\right) | (-1)^{2/3}\right) + \sqrt[3]{-1} \sqrt{\sqrt[3]{-1} x^2 + 1} \sqrt{1 - (-1)^{2/3} x^2} \left(F\left(i \sinh^{-1}\left(\frac{(-1)^{5/6} x}{\sqrt{\sqrt[3]{-1} x^2 + 1}}\right) | (-1)^{2/3}\right) + \sqrt[3]{-1} \sqrt{\sqrt[3]{-1} x^2 + 1} \sqrt{1 - (-1)^{2/3} x^2}\right)}{2\sqrt{x^4 + x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + x^2 + x^4]/(1 + x^2)^2, x]

[Out] ((x + x^3 + x^5)/(1 + x^2) + (-1)^(2/3)*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticF[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] + (-1)^(1/3)*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*(-EllipticE[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] + EllipticF[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)]))/(2*Sqrt[1 + x^2 + x^4])

fricas [F] time = 0.94, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + x^2 + 1}}{x^4 + 2x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^2+1)^(1/2)/(x^2+1)^2,x, algorithm="fricas")

[Out] integral(sqrt(x^4 + x^2 + 1)/(x^4 + 2*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + x^2 + 1}}{(x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^2+1)^(1/2)/(x^2+1)^2,x, algorithm="giac")

[Out] integrate(sqrt(x^4 + x^2 + 1)/(x^2 + 1)^2, x)

maple [C] time = 0.02, size = 224, normalized size = 4.57

$$\frac{\sqrt{x^4 + x^2 + 1} x}{2x^2 + 2} + \frac{\sqrt{-\left(-\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1} \sqrt{-\left(-\frac{1}{2} - \frac{i\sqrt{3}}{2}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-2+2i\sqrt{3}} x}{2}, \frac{\sqrt{-2+2i\sqrt{3}}}{2}\right)}{\sqrt{-2+2i\sqrt{3}} \sqrt{x^4 + x^2 + 1}} + \frac{2\sqrt{-\left(-\frac{1}{2} - \frac{i\sqrt{3}}{2}\right)x^2 + 1}}{\sqrt{-2+2i\sqrt{3}} \sqrt{x^4 + x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+x^2+1)^(1/2)/(x^2+1)^2,x)

[Out] 1/2*x*(x^4+x^2+1)^(1/2)/(x^2+1)+1/(-2+2*I*3^(1/2))^(1/2)*(-(-1/2+1/2*I*3^(1/2))*x^2+1)^(1/2)*(-(-1/2-1/2*I*3^(1/2))*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)*EllipticF(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2))+2/(-2+2*I*3^(1/2))^(1/2)*(-(-1/2+1/2*I*3^(1/2))*x^2+1)^(1/2)*(-(-1/2-1/2*I*3^(1/2))*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)/(1+I*3^(1/2))*(EllipticF(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2))-EllipticE(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + x^2 + 1}}{(x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^2+1)^(1/2)/(x^2+1)^2,x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + x^2 + 1)/(x^2 + 1)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{x^4 + x^2 + 1}}{(x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + x^4 + 1)^(1/2)/(x^2 + 1)^2,x)

[Out] int((x^2 + x^4 + 1)^(1/2)/(x^2 + 1)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(x^2 - x + 1)(x^2 + x + 1)}}{(x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+x**2+1)**(1/2)/(x**2+1)**2,x)

[Out] Integral(sqrt((x**2 - x + 1)*(x**2 + x + 1))/(x**2 + 1)**2, x)

$$3.230 \quad \int \frac{\sqrt{1+x^2+x^4}}{(1+x^2)^3} dx$$

Optimal. Leaf size=93

$$\frac{\sqrt{x^4+x^2+1}x}{4(x^2+1)^2} + \frac{1}{4} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} E\left(2 \tan^{-1}(x)\middle|\frac{1}{4}\right)}{4\sqrt{x^4+x^2+1}}$$

[Out] 1/4*arctan(x/(x^4+x^2+1)^(1/2))+1/4*x*(x^4+x^2+1)^(1/2)/(x^2+1)^2+1/4*(x^2+1)*(cos(2*arctan(x))^2)^(1/2)/cos(2*arctan(x))*EllipticE(sin(2*arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^(1/2)/(x^4+x^2+1)^(1/2)

Rubi [A] time = 0.51, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 13, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.650$, Rules used = {1228, 1223, 1696, 1593, 1712, 1195, 1700, 1103, 1698, 203, 12, 1317, 1210}

$$\frac{\sqrt{x^4+x^2+1}x}{4(x^2+1)^2} + \frac{1}{4} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} E\left(2 \tan^{-1}(x)\middle|\frac{1}{4}\right)}{4\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + x^2 + x^4]/(1 + x^2)^3,x]

[Out] (x*Sqrt[1 + x^2 + x^4])/(4*(1 + x^2)^2) + ArcTan[x/Sqrt[1 + x^2 + x^4]]/4 + ((1 + x^2)*Sqrt[(1 + x^2 + x^4)/(1 + x^2)^2]*EllipticE[2*ArcTan[x], 1/4])/(4*Sqrt[1 + x^2 + x^4])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1210

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := Dist[1/(2*d), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[1/(2*d), Int[(d - e*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0]
```

Rule 1223

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]
```

Rule 1228

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + c*c*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb -> b, cc -> c}, x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]
```

Rule 1317

```
Int[(x_)^2/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := Dist[d/(2*d*e), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[d/(2*d*e), Int[(d - e*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /
```

; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && PosQ[c/a] && EqQ[c*d^2 - a*e^2, 0]

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1696

Int[((P4x_)*((d_) + (e_.)*(x_)^2)^(q_))/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d - B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b*e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e + A*e^2)*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, -1]

Rule 1698

Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := Dist[A, Subst[Int[1/(d - (b*d - 2*a*e)*x^2), x], x, x/Sqrt[a + b*x^2 + c*x^4]], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0] && EqQ[B*d + A*e, 0]

Rule 1700

Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := Dist[(B*d + A*e)/(2*d*e), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(B*d - A*e)/(2*d*e), Int[(d - e*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0] && NeQ[B*d + A*e, 0]

Rule 1712

Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[C/e^2, Int[(d - e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[1/e^2, Int[(C*d^2 + A*e^2 + B*e^2*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 +

`c*x^4)), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0]`

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{1+x^2+x^4}}{(1+x^2)^3} dx &= \int \left(\frac{1}{(1+x^2)^3 \sqrt{1+x^2+x^4}} - \frac{1}{(1+x^2)^2 \sqrt{1+x^2+x^4}} + \frac{1}{(1+x^2) \sqrt{1+x^2+x^4}} \right) dx \\
 &= \int \frac{1}{(1+x^2)^3 \sqrt{1+x^2+x^4}} dx - \int \frac{1}{(1+x^2)^2 \sqrt{1+x^2+x^4}} dx + \int \frac{1}{(1+x^2) \sqrt{1+x^2+x^4}} dx \\
 &= \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} - \frac{x\sqrt{1+x^2+x^4}}{2(1+x^2)} - \frac{1}{4} \int \frac{-3+2x^2-x^4}{(1+x^2)^2 \sqrt{1+x^2+x^4}} dx + \frac{1}{2} \int \frac{1}{\sqrt{1+x^2+x^4}} dx \\
 &= \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)} + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}} + \frac{1}{8} \int \frac{-10x^2}{(1+x^2) \sqrt{1+x^2+x^4}} dx \\
 &= \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{3x\sqrt{1+x^2+x^4}}{4(1+x^2)} + \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) - \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{1+x^2+x^4}} \\
 &= \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{3x\sqrt{1+x^2+x^4}}{4(1+x^2)} + \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) - \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{1+x^2+x^4}} \\
 &= \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}} + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}} \\
 &= \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}} + \frac{1}{4} \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, \frac{x}{\sqrt{1+x^2+x^4}}\right) \\
 &= \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{1}{4} \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}}
 \end{aligned}$$

Mathematica [C] time = 0.30, size = 176, normalized size = 1.89

$$\frac{2(-1)^{2/3} \sqrt{\sqrt[3]{-1} x^2 + 1} \sqrt{1 - (-1)^{2/3} x^2} \Pi\left(\sqrt[3]{-1}; i \sinh^{-1}\left((-1)^{5/6} x\right) | (-1)^{2/3}\right) + \sqrt[3]{-1} \sqrt{\sqrt[3]{-1} x^2 + 1} \sqrt{1 - (-1)^{2/3} x^2}}{4\sqrt{x^4 + x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + x^2 + x^4]/(1 + x^2)^3, x]

[Out] $((x*(2 + x^2)*(1 + x^2 + x^4))/(1 + x^2)^2 + (-1)^{(1/3)}*\text{Sqrt}[1 + (-1)^{(1/3)}*x^2]*\text{Sqrt}[1 - (-1)^{(2/3)}*x^2]*(-\text{EllipticE}[I*\text{ArcSinh}[(-1)^{(5/6)}*x], (-1)^{(2/3)}] + \text{EllipticF}[I*\text{ArcSinh}[(-1)^{(5/6)}*x], (-1)^{(2/3)}]) + 2*(-1)^{(2/3)}*\text{Sqrt}[1 + (-1)^{(1/3)}*x^2]*\text{Sqrt}[1 - (-1)^{(2/3)}*x^2]*\text{EllipticPi}[(-1)^{(1/3)}, I*\text{ArcSinh}[(-1)^{(5/6)}*x], (-1)^{(2/3)}])/(4*\text{Sqrt}[1 + x^2 + x^4])$

fricas [F] time = 0.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + x^2 + 1}}{x^6 + 3x^4 + 3x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^2+1)^(1/2)/(x^2+1)^3,x, algorithm="fricas")

[Out] integral(sqrt(x^4 + x^2 + 1)/(x^6 + 3*x^4 + 3*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + x^2 + 1}}{(x^2 + 1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^2+1)^(1/2)/(x^2+1)^3,x, algorithm="giac")

[Out] integrate(sqrt(x^4 + x^2 + 1)/(x^2 + 1)^3, x)

maple [C] time = 0.02, size = 333, normalized size = 3.58

$$\frac{\sqrt{x^4 + x^2 + 1} x}{4(x^2 + 1)^2} + \frac{\sqrt{x^4 + x^2 + 1} x}{4x^2 + 4} - \frac{\sqrt{\frac{x^2}{2} - \frac{i\sqrt{3}x^2}{2} + 1} \sqrt{\frac{x^2}{2} + \frac{i\sqrt{3}x^2}{2} + 1} \text{EllipticE}\left(\frac{\sqrt{-2+2i\sqrt{3}} x}{2}, \frac{\sqrt{-2+2i\sqrt{3}}}{2}\right)}{\sqrt{-2+2i\sqrt{3}} \sqrt{x^4 + x^2 + 1} (1 + i\sqrt{3})} + \frac{\sqrt{x^2}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4+x^2+1)^(1/2)/(x^2+1)^3,x)`

[Out] $\frac{1}{4}x(x^4+x^2+1)^{1/2}/(x^2+1)^2 + \frac{1}{4}(x^4+x^2+1)^{1/2}/(x^2+1)x + \frac{1}{(-2+2i\sqrt{3})^{1/2}} \left(\frac{1}{2}x^2 - \frac{1}{2}i\sqrt{3} \right)^{1/2} (x^2+1)^{1/2} \frac{1}{2}x^2 + \frac{1}{2}i\sqrt{3} \left(\frac{1}{2}x^2 + 1 \right)^{1/2} / (x^4+x^2+1)^{1/2} / (1+i\sqrt{3})^{1/2} \text{EllipticF} \left(\frac{1}{2}(-2+2i\sqrt{3})^{1/2} \right)^{1/2} x, \frac{1}{2}(-2+2i\sqrt{3})^{1/2} \right)^{1/2} - \frac{1}{(-2+2i\sqrt{3})^{1/2}} \left(\frac{1}{2}x^2 - \frac{1}{2}i\sqrt{3} \right)^{1/2} (x^2+1)^{1/2} \frac{1}{2}x^2 + \frac{1}{2}i\sqrt{3} \left(\frac{1}{2}x^2 + 1 \right)^{1/2} / (x^4+x^2+1)^{1/2} / (1+i\sqrt{3})^{1/2} \text{EllipticE} \left(\frac{1}{2}(-2+2i\sqrt{3})^{1/2} \right)^{1/2} x, \frac{1}{2}(-2+2i\sqrt{3})^{1/2} \right)^{1/2} + \frac{1}{2} / (-1/2 + 1/2i\sqrt{3})^{1/2} \left(\frac{1}{2}x^2 - \frac{1}{2}i\sqrt{3} \right)^{1/2} (x^2+1)^{1/2} \frac{1}{2}x^2 + \frac{1}{2}i\sqrt{3} \left(\frac{1}{2}x^2 + 1 \right)^{1/2} / (x^4+x^2+1)^{1/2} \text{EllipticPi} \left(\frac{-1/2 + 1/2i\sqrt{3}}{(-1/2 + 1/2i\sqrt{3})^{1/2}} \right)^{1/2} x, -\frac{1}{(-1/2 + 1/2i\sqrt{3})^{1/2}}, \left(\frac{-1/2 - 1/2i\sqrt{3}}{(-1/2 + 1/2i\sqrt{3})^{1/2}} \right)^{1/2} / (-1/2 + 1/2i\sqrt{3})^{1/2} \right)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + x^2 + 1}}{(x^2 + 1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+x^2+1)^(1/2)/(x^2+1)^3,x, algorithm="maxima")`

[Out] `integrate(sqrt(x^4 + x^2 + 1)/(x^2 + 1)^3, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{x^4 + x^2 + 1}}{(x^2 + 1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2 + x^4 + 1)^(1/2)/(x^2 + 1)^3,x)`

[Out] `int((x^2 + x^4 + 1)^(1/2)/(x^2 + 1)^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(x^2 - x + 1)(x^2 + x + 1)}}{(x^2 + 1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**4+x**2+1)**(1/2)/(x**2+1)**3,x)`

[Out] `Integral(sqrt((x**2 - x + 1)*(x**2 + x + 1))/(x**2 + 1)**3, x)`

$$3.231 \quad \int \frac{\sqrt{1+x^2+x^4}}{(1+x^2)^4} dx$$

Optimal. Leaf size=166

$$\frac{\sqrt{x^4+x^2+1}x}{6(x^2+1)^2} + \frac{\sqrt{x^4+x^2+1}x}{6(x^2+1)^3} + \frac{1}{4} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) - \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{8\sqrt{x^4+x^2+1}} + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}}{3\sqrt{x^4+x^2+1}}$$

[Out] $\frac{1}{4} \arctan\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) + \frac{1}{6} x \sqrt{x^4+x^2+1} / (x^2+1)^3 + \frac{1}{6} x \sqrt{x^4+x^2+1} / (x^2+1)^2 + \frac{1}{3} (x^2+1) \cos(2 \arctan(x))^2 / \cos(2 \arctan(x)) \operatorname{EllipticE}(\sin(2 \arctan(x)), 1/2) \left(\frac{x^4+x^2+1}{(x^2+1)^2}\right)^{1/2} / (x^4+x^2+1)^{1/2} - \frac{1}{8} (x^2+1) \cos(2 \arctan(x))^2 / \cos(2 \arctan(x)) \operatorname{EllipticF}(\sin(2 \arctan(x)), 1/2) \left(\frac{x^4+x^2+1}{(x^2+1)^2}\right)^{1/2} / (x^4+x^2+1)^{1/2}$

Rubi [A] time = 0.62, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 26, number of rules used = 14, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {1228, 1223, 1696, 1586, 1197, 1103, 1195, 1593, 1712, 1700, 1698, 203, 12, 1317}

$$\frac{\sqrt{x^4+x^2+1}x}{6(x^2+1)^2} + \frac{\sqrt{x^4+x^2+1}x}{6(x^2+1)^3} + \frac{1}{4} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) - \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{8\sqrt{x^4+x^2+1}} + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}}{3\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + x^2 + x^4]/(1 + x^2)^4, x]

[Out] $\frac{x \sqrt{1+x^2+x^4}}{6(1+x^2)^3} + \frac{x \sqrt{1+x^2+x^4}}{6(1+x^2)^2} + \frac{\operatorname{ArcTan}[x/\sqrt{1+x^2+x^4}]}{4} + \frac{((1+x^2)\sqrt{1+x^2+x^4}) \operatorname{EllipticE}[2 \operatorname{ArcTan}[x], 1/4]}{(3\sqrt{1+x^2+x^4})} - \frac{((1+x^2)\sqrt{1+x^2+x^4}) \operatorname{EllipticF}[2 \operatorname{ArcTan}[x], 1/4]}{(8\sqrt{1+x^2+x^4})}$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a

, 0] || GtQ[b, 0])

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1223

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]
```

Rule 1228

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + c*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb -> b, cc -> c}, x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]
```

Rule 1317

Int[(x_)^2/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := Dist[d/(2*d*e), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[d/(2*d*e), Int[(d - e*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] / ; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && PosQ[c/a] && EqQ[c*d^2 - a*e^2, 0]

Rule 1586

Int[(u_)*(Px_)^(p_)*(Qx_)^(q_), x_Symbol] := Int[u*PolynomialQuotient[Px, Qx, x]^p*Qx^(p + q), x] / ; FreeQ[q, x] && PolyQ[Px, x] && PolyQ[Qx, x] && EqQ[PolynomialRemainder[Px, Qx, x], 0] && IntegerQ[p] && LtQ[p*q, 0]

Rule 1593

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] / ; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1696

Int[((P4x)*((d_) + (e_)*(x_)^2)^(q_))/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d - B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b*e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e + A*e^2)*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] / ; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, -1]

Rule 1698

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := Dist[A, Subst[Int[1/(d - (b*d - 2*a*e)*x^2), x], x, x/Sqrt[a + b*x^2 + c*x^4]], x] / ; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0] && EqQ[B*d + A*e, 0]

Rule 1700

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := Dist[(B*d + A*e)/(2*d*e), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x]

```

2 + c*x^4], x], x] - Dist[(B*d - A*e)/(2*d*e), Int[(d - e*x^2)/((d + e*x^2)
*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0]
&& NeQ[B*d + A*e, 0]

```

Rule 1712

```

Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4])
, x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[
P4x, x, 4]}, -Dist[C/e^2, Int[(d - e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] +
Dist[1/e^2, Int[(C*d^2 + A*e^2 + B*e^2*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 +
c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[
b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{1+x^2+x^4}}{(1+x^2)^4} dx &= \int \left(\frac{1}{(1+x^2)^4 \sqrt{1+x^2+x^4}} - \frac{1}{(1+x^2)^3 \sqrt{1+x^2+x^4}} + \frac{1}{(1+x^2)^2 \sqrt{1+x^2+x^4}} \right) dx \\
&= \int \frac{1}{(1+x^2)^4 \sqrt{1+x^2+x^4}} dx - \int \frac{1}{(1+x^2)^3 \sqrt{1+x^2+x^4}} dx + \int \frac{1}{(1+x^2)^2 \sqrt{1+x^2+x^4}} dx \\
&= \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)^3} - \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{x\sqrt{1+x^2+x^4}}{2(1+x^2)} - \frac{1}{6} \int \frac{-5+2x^2-3x^4}{(1+x^2)^3 \sqrt{1+x^2+x^4}} dx + \dots \\
&= \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)^3} + \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)^2} - \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)} + \frac{1}{24} \int \frac{10-8x^2+10x^4}{(1+x^2)^2 \sqrt{1+x^2+x^4}} dx - \dots \\
&= \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)^3} + \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)^2} - \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)} + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{1+x^2+x^4}} \\
&= \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)^3} + \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)^2} - \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)} + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{1+x^2+x^4}} \\
&= \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)^3} + \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)^2} + \frac{7x\sqrt{1+x^2+x^4}}{12(1+x^2)} - \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{1+x^2+x^4}} \\
&= \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)^3} + \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)^2} + \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{3\sqrt{1+x^2+x^4}} \\
&= \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)^3} + \frac{x\sqrt{1+x^2+x^4}}{6(1+x^2)^2} + \frac{1}{4} \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{3\sqrt{1+x^2+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.41, size = 240, normalized size = 1.45

$$-(-1)^{2/3} \sqrt[3]{-1 x^2 + 1} \sqrt{1 - (-1)^{2/3} x^2} F\left(i \sinh^{-1}\left((-1)^{5/6} x\right) \middle| (-1)^{2/3}\right) + 3(-1)^{2/3} \sqrt[3]{-1 x^2 + 1} \sqrt{1 - (-1)^{2/3} x^2} \Pi\left(3 \sqrt[3]{-1 x^2 + 1} \middle| (-1)^{2/3}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + x^2 + x^4]/(1 + x^2)^4,x]

[Out] ((x*(1 + x^2 + x^4)*(4 + 5*x^2 + 2*x^4))/(1 + x^2)^3 - 2*(-1)^(1/3)*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*(EllipticE[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] - EllipticF[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)]) - (-1)^(2/3)*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticF[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] + 3*(-1)^(2/3)*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticPi[(-1)^(1/3), I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)])/(6*Sqrt[1 + x^2 + x^4])

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + x^2 + 1}}{x^8 + 4x^6 + 6x^4 + 4x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^2+1)^(1/2)/(x^2+1)^4,x, algorithm="fricas")

[Out] integral(sqrt(x^4 + x^2 + 1)/(x^8 + 4*x^6 + 6*x^4 + 4*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + x^2 + 1}}{(x^2 + 1)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+x^2+1)^(1/2)/(x^2+1)^4,x, algorithm="giac")

[Out] integrate(sqrt(x^4 + x^2 + 1)/(x^2 + 1)^4, x)

maple [C] time = 0.03, size = 438, normalized size = 2.64

$$\frac{\sqrt{x^4 + x^2 + 1} x}{6(x^2 + 1)^3} + \frac{\sqrt{x^4 + x^2 + 1} x}{6(x^2 + 1)^2} + \frac{\sqrt{x^4 + x^2 + 1} x}{3x^2 + 3} - \frac{4\sqrt{\frac{x^2}{2} - \frac{i\sqrt{3}x^2}{2} + 1} \sqrt{\frac{x^2}{2} + \frac{i\sqrt{3}x^2}{2} + 1} \text{EllipticE}\left(\frac{\sqrt{-2+2i\sqrt{3}} x}{2}, \sqrt{-2+2i\sqrt{3}}\right)}{3\sqrt{-2+2i\sqrt{3}} \sqrt{x^4 + x^2 + 1} (1 + i\sqrt{3})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+x^2+1)^(1/2)/(x^2+1)^4,x)


```
[Out] 1/6*x*(x^4+x^2+1)^(1/2)/(x^2+1)^3+1/6*(x^4+x^2+1)^(1/2)/(x^2+1)^2*x+1/3*(x^4+x^2+1)^(1/2)/(x^2+1)*x-1/3/(-2+2*I*3^(1/2))^(1/2)*(1/2*x^2-1/2*I*3^(1/2)*x^2+1)^(1/2)*(1/2*x^2+1/2*I*3^(1/2)*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)*EllipticF(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2))+4/3/(-2+2*I*3^(1/2))^(1/2)*(1/2*x^2-1/2*I*3^(1/2)*x^2+1)^(1/2)*(1/2*x^2+1/2*I*3^(1/2)*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)/(1+I*3^(1/2))*EllipticF(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2))-4/3/(-2+2*I*3^(1/2))^(1/2)*(1/2*x^2-1/2*I*3^(1/2)*x^2+1)^(1/2)*(1/2*x^2+1/2*I*3^(1/2)*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)/(1+I*3^(1/2))*EllipticE(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2))+1/2/(-1/2+1/2*I*3^(1/2))^(1/2)*(1/2*x^2-1/2*I*3^(1/2)*x^2+1)^(1/2)*(1/2*x^2+1/2*I*3^(1/2)*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)*EllipticPi((-1/2+1/2*I*3^(1/2))^(1/2)*x,-1/(-1/2+1/2*I*3^(1/2)),(-1/2-1/2*I*3^(1/2))^(1/2)/(-1/2+1/2*I*3^(1/2))^(1/2))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + x^2 + 1}}{(x^2 + 1)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x^4+x^2+1)^(1/2)/(x^2+1)^4,x, algorithm="maxima")
```

```
[Out] integrate(sqrt(x^4 + x^2 + 1)/(x^2 + 1)^4, x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{x^4 + x^2 + 1}}{(x^2 + 1)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^2 + x^4 + 1)^(1/2)/(x^2 + 1)^4,x)
```

```
[Out] int((x^2 + x^4 + 1)^(1/2)/(x^2 + 1)^4, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(x^2 - x + 1)(x^2 + x + 1)}}{(x^2 + 1)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**4+x**2+1)**(1/2)/(x**2+1)**4,x)
```

```
[Out] Integral(sqrt((x**2 - x + 1)*(x**2 + x + 1))/(x**2 + 1)**4, x)
```

$$3.232 \quad \int \frac{(1+x^2)^3}{\sqrt{1+x^2+x^4}} dx$$

Optimal. Leaf size=159

$$\frac{14\sqrt{x^4+x^2+1}x}{15(x^2+1)} + \frac{11\sqrt{x^4+x^2+1}x^3}{15} + \frac{3(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}F\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{5\sqrt{x^4+x^2+1}} - \frac{14(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}E\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{15\sqrt{x^4+x^2+1}}$$

[Out] 11/15*x*(x^4+x^2+1)^(1/2)+1/5*x^3*(x^4+x^2+1)^(1/2)+14/15*x*(x^4+x^2+1)^(1/2)/(x^2+1)-14/15*(x^2+1)*(cos(2*arctan(x))^2)^(1/2)/cos(2*arctan(x))*EllipticE(sin(2*arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^(1/2)/(x^4+x^2+1)^(1/2)+3/5*(x^2+1)*(cos(2*arctan(x))^2)^(1/2)/cos(2*arctan(x))*EllipticF(sin(2*arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^(1/2)/(x^4+x^2+1)^(1/2)

Rubi [A] time = 0.07, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1206, 1679, 1197, 1103, 1195}

$$\frac{1}{5}\sqrt{x^4+x^2+1}x^3 + \frac{14\sqrt{x^4+x^2+1}x}{15(x^2+1)} + \frac{11\sqrt{x^4+x^2+1}x^3}{15} + \frac{3(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}F\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{5\sqrt{x^4+x^2+1}} - \frac{14(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}E\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{15\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)^3/Sqrt[1 + x^2 + x^4], x]

[Out] (11*x*Sqrt[1 + x^2 + x^4])/15 + (x^3*Sqrt[1 + x^2 + x^4])/5 + (14*x*Sqrt[1 + x^2 + x^4])/(15*(1 + x^2)) - (14*(1 + x^2)*Sqrt[(1 + x^2 + x^4)/(1 + x^2)^2]*EllipticE[2*ArcTan[x], 1/4])/(15*Sqrt[1 + x^2 + x^4]) + (3*(1 + x^2)*Sqrt[(1 + x^2 + x^4)/(1 + x^2)^2]*EllipticF[2*ArcTan[x], 1/4])/(5*Sqrt[1 + x^2 + x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[(((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2))], x]]

$2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2 - (b*q^2)/(4*c)]/(q*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$

Rule 1197

$\text{Int}[(d + (e_*)*(x_)^2)/\text{Sqrt}[(a_) + (b_*)*(x_)^2 + (c_*)*(x_)^4], x_Symbol] := \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$

Rule 1206

$\text{Int}[(d + (e_*)*(x_)^2)^{q_1}*((a_) + (b_*)*(x_)^2 + (c_*)*(x_)^4)^{p_1}, x_Symbol] := \text{Simp}[(e^{q_1}*x^{(2*q_1 - 3)*(a + b*x^2 + c*x^4)^{p_1}})/(c*(4*p_1 + 2*q_1 + 1)), x] + \text{Dist}[1/(c*(4*p_1 + 2*q_1 + 1)), \text{Int}[(a + b*x^2 + c*x^4)^{p_1}*\text{ExpandToSum}[c*(4*p_1 + 2*q_1 + 1)*(d + e*x^2)^{q_1} - a*(2*q_1 - 3)*e^{q_1}*x^{(2*q_1 - 4)} - b*(2*p_1 + 2*q_1 - 1)*e^{q_1}*x^{(2*q_1 - 2)} - c*(4*p_1 + 2*q_1 + 1)*e^{q_1}*x^{(2*q_1)}, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, p\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{IGtQ}[q, 1]$

Rule 1679

$\text{Int}[(Pq_*)*((a_) + (b_*)*(x_)^2 + (c_*)*(x_)^4)^{p_1}, x_Symbol] := \text{With}[\{q = \text{Expon}[Pq, x^2], e = \text{Coeff}[Pq, x^2, \text{Expon}[Pq, x^2]]\}, \text{Simp}[(e*x^{(2*q - 3)*(a + b*x^2 + c*x^4)^{p_1}})/(c*(2*q + 4*p_1 + 1)), x] + \text{Dist}[1/(c*(2*q + 4*p_1 + 1)), \text{Int}[(a + b*x^2 + c*x^4)^{p_1}*\text{ExpandToSum}[c*(2*q + 4*p_1 + 1)*Pq - a*e*(2*q - 3)*x^{(2*q - 4)} - b*e*(2*q + 2*p_1 - 1)*x^{(2*q - 2)} - c*e*(2*q + 4*p_1 + 1)*x^{(2*q)}, x], x], x] /; \text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{PolyQ}[Pq, x^2] \&\& \text{Expon}[Pq, x^2] > 1 \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& !\text{LtQ}[p, -1]$

Rubi steps

$$\begin{aligned}
\int \frac{(1+x^2)^3}{\sqrt{1+x^2+x^4}} dx &= \frac{1}{5}x^3\sqrt{1+x^2+x^4} + \frac{1}{5} \int \frac{5+12x^2+11x^4}{\sqrt{1+x^2+x^4}} dx \\
&= \frac{11}{15}x\sqrt{1+x^2+x^4} + \frac{1}{5}x^3\sqrt{1+x^2+x^4} + \frac{1}{15} \int \frac{4+14x^2}{\sqrt{1+x^2+x^4}} dx \\
&= \frac{11}{15}x\sqrt{1+x^2+x^4} + \frac{1}{5}x^3\sqrt{1+x^2+x^4} - \frac{14}{15} \int \frac{1-x^2}{\sqrt{1+x^2+x^4}} dx + \frac{6}{5} \int \frac{1}{\sqrt{1+x^2+x^4}} dx \\
&= \frac{11}{15}x\sqrt{1+x^2+x^4} + \frac{1}{5}x^3\sqrt{1+x^2+x^4} + \frac{14x\sqrt{1+x^2+x^4}}{15(1+x^2)} - \frac{14(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \arctan\left(\frac{\sqrt{1+x^2+x^4}}{1+x^2}\right)\right)}{15\sqrt{1+x^2+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.17, size = 157, normalized size = 0.99

$$\frac{2\sqrt[3]{-1} (2\sqrt[3]{-1} - 7) \sqrt{\sqrt[3]{-1}x^2 + 1} \sqrt{1 - (-1)^{2/3}x^2} F\left(i \sinh^{-1}\left(\frac{(-1)^{5/6}x}{(-1)^{2/3}}\right) \mid (-1)^{2/3}\right) + 14\sqrt[3]{-1} \sqrt{\sqrt[3]{-1}x^2 + 1} \sqrt{1 - (-1)^{2/3}x^2}}{15\sqrt{x^4 + x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)^3/Sqrt[1 + x^2 + x^4], x]

[Out] (x*(11 + 14*x^2 + 14*x^4 + 3*x^6) + 14*(-1)^(1/3)*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticE[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] + 2*(-1)^(1/3)*(-7 + 2*(-1)^(1/3))*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticF[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)]/(15*Sqrt[1 + x^2 + x^4])

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^6 + 3x^4 + 3x^2 + 1}{\sqrt{x^4 + x^2 + 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^3/(x^4+x^2+1)^(1/2), x, algorithm="fricas")

[Out] integral((x^6 + 3*x^4 + 3*x^2 + 1)/sqrt(x^4 + x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^2 + 1)^3}{\sqrt{x^4 + x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^3/(x^4+x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate((x^2 + 1)^3/sqrt(x^4 + x^2 + 1), x)

maple [C] time = 0.03, size = 233, normalized size = 1.47

$$\frac{\sqrt{x^4 + x^2 + 1} x^3}{5} + \frac{11\sqrt{x^4 + x^2 + 1} x}{15} + \frac{8\sqrt{-\left(-\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1} \sqrt{-\left(-\frac{1}{2} - \frac{i\sqrt{3}}{2}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-2+2i\sqrt{3}} x}{2}, \sqrt{\dots}\right)}{15\sqrt{-2+2i\sqrt{3}} \sqrt{x^4 + x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)^3/(x^4+x^2+1)^(1/2),x)

[Out] 1/5*(x^4+x^2+1)^(1/2)*x^3+11/15*(x^4+x^2+1)^(1/2)*x+8/15/(-2+2*I*3^(1/2))^(1/2)*(-(-1/2+1/2*I*3^(1/2))*x^2+1)^(1/2)*(-(-1/2-1/2*I*3^(1/2))*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)*EllipticF(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2))-56/15/(-2+2*I*3^(1/2))^(1/2)*(-(-1/2+1/2*I*3^(1/2))*x^2+1)^(1/2)*(-(-1/2-1/2*I*3^(1/2))*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)/(1+I*3^(1/2))*(EllipticF(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2))-EllipticE(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^2 + 1)^3}{\sqrt{x^4 + x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^3/(x^4+x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate((x^2 + 1)^3/sqrt(x^4 + x^2 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(x^2 + 1)^3}{\sqrt{x^4 + x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)^3/(x^2 + x^4 + 1)^(1/2),x)

[Out] int((x^2 + 1)^3/(x^2 + x^4 + 1)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^2 + 1)^3}{\sqrt{(x^2 - x + 1)(x^2 + x + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)**3/(x**4+x**2+1)**(1/2),x)

[Out] Integral((x**2 + 1)**3/sqrt((x**2 - x + 1)*(x**2 + x + 1)), x)

$$3.233 \quad \int \frac{(1+x^2)^2}{\sqrt{1+x^2+x^4}} dx$$

Optimal. Leaf size=137

$$\frac{4\sqrt{x^4+x^2+1}x}{3(x^2+1)} + \frac{1}{3}\sqrt{x^4+x^2+1}x + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}F\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{\sqrt{x^4+x^2+1}} - \frac{4(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}E\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{3\sqrt{x^4+x^2+1}}$$

[Out] $1/3*x*(x^4+x^2+1)^{(1/2)}+4/3*x*(x^4+x^2+1)^{(1/2)}/(x^2+1)-4/3*(x^2+1)*(\cos(2*\arctan(x))^2)^{(1/2)}/\cos(2*\arctan(x))*\text{EllipticE}(\sin(2*\arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^{(1/2)}/(x^4+x^2+1)^{(1/2)}+(x^2+1)*(\cos(2*\arctan(x))^2)^{(1/2)}/\cos(2*\arctan(x))*\text{EllipticF}(\sin(2*\arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^{(1/2)}/(x^4+x^2+1)^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1206, 1197, 1103, 1195}

$$\frac{4\sqrt{x^4+x^2+1}x}{3(x^2+1)} + \frac{1}{3}\sqrt{x^4+x^2+1}x + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}F\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{\sqrt{x^4+x^2+1}} - \frac{4(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}E\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{3\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)^2/Sqrt[1 + x^2 + x^4], x]

[Out] $(x*\text{Sqrt}[1 + x^2 + x^4])/3 + (4*x*\text{Sqrt}[1 + x^2 + x^4])/(3*(1 + x^2)) - (4*(1 + x^2)*\text{Sqrt}[(1 + x^2 + x^4)/(1 + x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x], 1/4])/(3*\text{Sqrt}[1 + x^2 + x^4]) + ((1 + x^2)*\text{Sqrt}[(1 + x^2 + x^4)/(1 + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x], 1/4])/\text{Sqrt}[1 + x^2 + x^4]$

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)) - (e*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)^2)], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

$2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2 - (b*q^2)/(4*c)]/(q*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$

Rule 1197

$\text{Int}[\{(d_) + (e_)*(x_)^2\}/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$

Rule 1206

$\text{Int}[\{(d_) + (e_)*(x_)^2\}^{(q_)}*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}, x_Symbol] :> \text{Simp}[(e^q*x^{(2*q - 3)}*(a + b*x^2 + c*x^4)^{(p + 1)})/(c*(4*p + 2*q + 1)), x] + \text{Dist}[1/(c*(4*p + 2*q + 1)), \text{Int}[(a + b*x^2 + c*x^4)^p*\text{ExpandToSum}[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^{(2*q - 4)} - b*(2*p + 2*q - 1)*e^q*x^{(2*q - 2)} - c*(4*p + 2*q + 1)*e^q*x^{(2*q)}, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, p\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{IGtQ}[q, 1]$

Rubi steps

$$\begin{aligned} \int \frac{(1+x^2)^2}{\sqrt{1+x^2+x^4}} dx &= \frac{1}{3}x\sqrt{1+x^2+x^4} + \frac{1}{3} \int \frac{2+4x^2}{\sqrt{1+x^2+x^4}} dx \\ &= \frac{1}{3}x\sqrt{1+x^2+x^4} - \frac{4}{3} \int \frac{1-x^2}{\sqrt{1+x^2+x^4}} dx + 2 \int \frac{1}{\sqrt{1+x^2+x^4}} dx \\ &= \frac{1}{3}x\sqrt{1+x^2+x^4} + \frac{4x\sqrt{1+x^2+x^4}}{3(1+x^2)} - \frac{4(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{3\sqrt{1+x^2+x^4}} + \frac{(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}}}{3\sqrt{1+x^2+x^4}} \end{aligned}$$

Mathematica [C] time = 0.14, size = 143, normalized size = 1.04

$$\frac{x^5 + x^3 + 2\sqrt[3]{-1} \left(\sqrt[3]{-1} - 2\right) \sqrt{\sqrt[3]{-1}x^2 + 1} \sqrt{1 - (-1)^{2/3}x^2} F\left(i \sinh^{-1}\left((-1)^{5/6}x\right) \middle| (-1)^{2/3}\right) + 4\sqrt[3]{-1} \sqrt{\sqrt[3]{-1}x^2 + 1} \sqrt{1 - (-1)^{2/3}x^2}}{3\sqrt{x^4 + x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)^2/Sqrt[1 + x^2 + x^4], x]

[Out] (x + x^3 + x^5 + 4*(-1)^(1/3)*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticE[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] + 2*(-1)^(1/3)*(-2 + (-1)^(1/3))*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticF[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)]/(3*Sqrt[1 + x^2 + x^4])

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^4 + 2x^2 + 1}{\sqrt{x^4 + x^2 + 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^2/(x^4+x^2+1)^(1/2), x, algorithm="fricas")

[Out] integral((x^4 + 2*x^2 + 1)/sqrt(x^4 + x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^2 + 1)^2}{\sqrt{x^4 + x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^2/(x^4+x^2+1)^(1/2), x, algorithm="giac")

[Out] integrate((x^2 + 1)^2/sqrt(x^4 + x^2 + 1), x)

maple [C] time = 0.01, size = 218, normalized size = 1.59

$$\frac{\sqrt{x^4 + x^2 + 1} x}{3} + \frac{4\sqrt{-\left(\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1} \sqrt{-\left(\frac{1}{2} - \frac{i\sqrt{3}}{2}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-2+2i\sqrt{3}} x}{2}, \frac{\sqrt{-2+2i\sqrt{3}}}{2}\right) + 16\sqrt{-\left(\frac{1}{2} - \frac{i\sqrt{3}}{2}\right)x^2 + 1}}{3\sqrt{-2 + 2i\sqrt{3}} \sqrt{x^4 + x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)^2/(x^4+x^2+1)^(1/2), x)

[Out] 1/3*(x^4+x^2+1)^(1/2)*x+4/3/(-2+2*I*3^(1/2))^(1/2)*(-(-1/2+1/2*I*3^(1/2))*x^2+1)^(1/2)*(-(-1/2-1/2*I*3^(1/2))*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)*EllipticF(1/2*(-2+2*I*3^(1/2))^(1/2)*x, 1/2*(-2+2*I*3^(1/2))^(1/2))-16/3/(-2+2*I*3^(1/2))^(1/2)*(-(-1/2+1/2*I*3^(1/2))*x^2+1)^(1/2)*(-(-1/2-1/2*I*3^(1/2))*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)/(1+I*3^(1/2))*(EllipticF(1/2*(-2+2*I*3^(1/2))^(1/2)*x, 1/2*(-2+2*I*3^(1/2))^(1/2))-EllipticE(1/2*(-2+2*I*3^(1/2))^(1/2)*x, 1/2*(-2+2*I*3^(1/2))^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^2 + 1)^2}{\sqrt{x^4 + x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^2/(x^4+x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate((x^2 + 1)^2/sqrt(x^4 + x^2 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(x^2 + 1)^2}{\sqrt{x^4 + x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)^2/(x^2 + x^4 + 1)^(1/2),x)

[Out] int((x^2 + 1)^2/(x^2 + x^4 + 1)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^2 + 1)^2}{\sqrt{(x^2 - x + 1)(x^2 + x + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)**2/(x**4+x**2+1)**(1/2),x)

[Out] Integral((x**2 + 1)**2/sqrt((x**2 - x + 1)*(x**2 + x + 1)), x)

$$3.234 \quad \int \frac{1+x^2}{\sqrt{1+x^2+x^4}} dx$$

Optimal. Leaf size=115

$$\frac{\sqrt{x^4+x^2+1}x}{x^2+1} + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}F\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{\sqrt{x^4+x^2+1}} - \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}E\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{\sqrt{x^4+x^2+1}}$$

[Out] $x*(x^4+x^2+1)^{(1/2)}/(x^2+1)-(x^2+1)*(\cos(2*\arctan(x)))^{(1/2)}/\cos(2*\arctan(x))*\text{EllipticE}(\sin(2*\arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^{(1/2)}/(x^4+x^2+1)^{(1/2)}+(x^2+1)*(\cos(2*\arctan(x)))^{(1/2)}/\cos(2*\arctan(x))*\text{EllipticF}(\sin(2*\arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^{(1/2)}/(x^4+x^2+1)^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1197, 1103, 1195}

$$\frac{\sqrt{x^4+x^2+1}x}{x^2+1} + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}F\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{\sqrt{x^4+x^2+1}} - \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}E\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)/Sqrt[1 + x^2 + x^4], x]

[Out] $(x*\text{Sqrt}[1 + x^2 + x^4])/(1 + x^2) - ((1 + x^2)*\text{Sqrt}[(1 + x^2 + x^4)/(1 + x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x], 1/4])/\text{Sqrt}[1 + x^2 + x^4] + ((1 + x^2)*\text{Sqrt}[(1 + x^2 + x^4)/(1 + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x], 1/4])/\text{Sqrt}[1 + x^2 + x^4]$

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 -

$4*a*c, 0] \ \&\& \ \text{PosQ}[c/a]$

Rule 1197

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (b_)*(x_)^2 + (c_)*(x_)^4)], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{PosQ}[c/a]$

Rubi steps

$$\int \frac{1+x^2}{\sqrt{1+x^2+x^4}} dx = 2 \int \frac{1}{\sqrt{1+x^2+x^4}} dx - \int \frac{1-x^2}{\sqrt{1+x^2+x^4}} dx$$

$$= \frac{x\sqrt{1+x^2+x^4}}{1+x^2} - \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{\sqrt{1+x^2+x^4}} + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{\sqrt{1+x^2+x^4}}$$

Mathematica [C] time = 0.07, size = 94, normalized size = 0.82

$$\frac{\sqrt[3]{-1} \sqrt{\sqrt[3]{-1} x^2 + 1} \sqrt{1 - (-1)^{2/3} x^2} \left((\sqrt[3]{-1} - 1) F\left(i \sinh^{-1}\left((-1)^{5/6} x\right) \middle| (-1)^{2/3}\right) + E\left(i \sinh^{-1}\left((-1)^{5/6} x\right) \middle| (-1)^{2/3}\right) \right)}{\sqrt{x^4 + x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)/Sqrt[1 + x^2 + x^4], x]

[Out] $((-1)^{1/3} \text{Sqrt}[1 + (-1)^{1/3} x^2] \text{Sqrt}[1 - (-1)^{2/3} x^2] (\text{EllipticE}[I \text{ArcSinh}[(-1)^{5/6} x], (-1)^{2/3}] + (-1 + (-1)^{1/3}) \text{EllipticF}[I \text{ArcSinh}[(-1)^{5/6} x], (-1)^{2/3}])) / \text{Sqrt}[1 + x^2 + x^4]$

fricas [F] time = 0.80, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^2 + 1}{\sqrt{x^4 + x^2 + 1}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+x^2+1)^(1/2), x, algorithm="fricas")

[Out] integral((x^2 + 1)/sqrt(x^4 + x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + 1}{\sqrt{x^4 + x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate((x^2 + 1)/sqrt(x^4 + x^2 + 1), x)

maple [C] time = 0.01, size = 205, normalized size = 1.78

$$\frac{2\sqrt{-\left(-\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1} \sqrt{-\left(-\frac{1}{2} - \frac{i\sqrt{3}}{2}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-2+2i\sqrt{3}}x}{2}, \frac{\sqrt{-2+2i\sqrt{3}}}{2}\right) + 4\sqrt{-\left(-\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1} \sqrt{-\left(-\frac{1}{2} - \frac{i\sqrt{3}}{2}\right)x^2 + 1}}{\sqrt{-2+2i\sqrt{3}} \sqrt{x^4 + x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)/(x^4+x^2+1)^(1/2),x)

[Out] $-4/(-2+2*I*3^{(1/2)})^{(1/2)}*(-(-1/2+1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}*(-(-1/2-1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}/(x^4+x^2+1)^{(1/2)}/(1+I*3^{(1/2)})*(\operatorname{EllipticF}(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)})-\operatorname{EllipticE}(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)})))+2/(-2+2*I*3^{(1/2)})^{(1/2)}*(-(-1/2+1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}*(-(-1/2-1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}/(x^4+x^2+1)^{(1/2)}*\operatorname{EllipticF}(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + 1}{\sqrt{x^4 + x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate((x^2 + 1)/sqrt(x^4 + x^2 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 + 1}{\sqrt{x^4 + x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^2 + 1)/(x^2 + x^4 + 1)^(1/2), x)
```

```
[Out] int((x^2 + 1)/(x^2 + x^4 + 1)^(1/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + 1}{\sqrt{(x^2 - x + 1)(x^2 + x + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**2+1)/(x**4+x**2+1)**(1/2), x)
```

```
[Out] Integral((x**2 + 1)/sqrt((x**2 - x + 1)*(x**2 + x + 1)), x)
```

$$3.235 \quad \int \frac{1}{(1+x^2)\sqrt{1+x^2+x^4}} dx$$

Optimal. Leaf size=69

$$\frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x)\middle|\frac{1}{4}\right)}{4\sqrt{x^4+x^2+1}}$$

[Out] $1/2*\arctan(x/(x^4+x^2+1)^{(1/2)})+1/4*(x^2+1)*(\cos(2*\arctan(x))^2)^{(1/2)}/\cos(2*\arctan(x))*\text{EllipticF}(\sin(2*\arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^{(1/2)}/(x^4+x^2+1)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1210, 1103, 1698, 203}

$$\frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x)\middle|\frac{1}{4}\right)}{4\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[1/((1 + x^2)*Sqrt[1 + x^2 + x^4]),x]

[Out] ArcTan[x/Sqrt[1 + x^2 + x^4]]/2 + ((1 + x^2)*Sqrt[(1 + x^2 + x^4)/(1 + x^2)^2]*EllipticF[2*ArcTan[x], 1/4])/(4*Sqrt[1 + x^2 + x^4])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1210

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := Dist[1/(2*d), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[1/(2*d

), Int[(d - e*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0]

Rule 1698

Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := Dist[A, Subst[Int[1/(d - (b*d - 2*a*e)*x^2), x], x, x/Sqrt[a + b*x^2 + c*x^4]], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0] && EqQ[B*d + A*e, 0]

Rubi steps

$$\begin{aligned} \int \frac{1}{(1+x^2)\sqrt{1+x^2+x^4}} dx &= \frac{1}{2} \int \frac{1}{\sqrt{1+x^2+x^4}} dx + \frac{1}{2} \int \frac{1-x^2}{(1+x^2)\sqrt{1+x^2+x^4}} dx \\ &= \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}} + \frac{1}{2} \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, \frac{x}{\sqrt{1+x^2+x^4}}\right) \\ &= \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}} \end{aligned}$$

Mathematica [C] time = 0.07, size = 72, normalized size = 1.04

$$\frac{(-1)^{2/3} \sqrt{\sqrt[3]{-1} x^2 + 1} \sqrt{1 - (-1)^{2/3} x^2} \Pi\left(\sqrt[3]{-1}; i \sinh^{-1}\left((-1)^{5/6} x\right) \middle| (-1)^{2/3}\right)}{\sqrt{x^4 + x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((1 + x^2)*Sqrt[1 + x^2 + x^4]), x]

[Out] ((-1)^(2/3)*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticPi[(-1)^(1/3), I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)]/Sqrt[1 + x^2 + x^4]

fricas [F] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + x^2 + 1}}{x^6 + 2x^4 + 2x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)/(x^4+x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + x^2 + 1)/(x^6 + 2*x^4 + 2*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + x^2 + 1}(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)/(x^4+x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(x^4 + x^2 + 1)*(x^2 + 1)), x)

maple [C] time = 0.02, size = 104, normalized size = 1.51

$$\frac{\sqrt{\frac{x^2}{2} - \frac{i\sqrt{3}x^2}{2} + 1} \sqrt{\frac{x^2}{2} + \frac{i\sqrt{3}x^2}{2} + 1} \operatorname{EllipticPi}\left(\sqrt{-\frac{1}{2} + \frac{i\sqrt{3}}{2}} x, -\frac{1}{-\frac{1}{2} + \frac{i\sqrt{3}}{2}}, \frac{\sqrt{-\frac{1}{2} - \frac{i\sqrt{3}}{2}}}{\sqrt{-\frac{1}{2} + \frac{i\sqrt{3}}{2}}}\right)}{\sqrt{-\frac{1}{2} + \frac{i\sqrt{3}}{2}} \sqrt{x^4 + x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2+1)/(x^4+x^2+1)^(1/2),x)

[Out] 1/(-1/2+1/2*I*3^(1/2))^(1/2)*(1/2*x^2-1/2*I*3^(1/2)*x^2+1)^(1/2)*(1/2*x^2+1/2*I*3^(1/2)*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)*EllipticPi((-1/2+1/2*I*3^(1/2))^(1/2)*x,-1/(-1/2+1/2*I*3^(1/2)),(-1/2-1/2*I*3^(1/2))^(1/2)/(-1/2+1/2*I*3^(1/2))^(1/2))^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + x^2 + 1}(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)/(x^4+x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(x^4 + x^2 + 1)*(x^2 + 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(x^2 + 1) \sqrt{x^4 + x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((x^2 + 1)*(x^2 + x^4 + 1)^(1/2)), x)

[Out] int(1/((x^2 + 1)*(x^2 + x^4 + 1)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{(x^2 - x + 1)(x^2 + x + 1)}(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x**2+1)/(x**4+x**2+1)**(1/2), x)

[Out] Integral(1/(sqrt((x**2 - x + 1)*(x**2 + x + 1))*(x**2 + 1)), x)

$$3.236 \quad \int \frac{1}{(1+x^2)^2 \sqrt{1+x^2+x^4}} dx$$

Optimal. Leaf size=118

$$\frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) - \frac{(x^2+1) \sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{x^4+x^2+1}} + \frac{(x^2+1) \sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{x^4+x^2+1}}$$

[Out] $\frac{1}{2} \arctan(x/(x^4+x^2+1)^{(1/2)}) + 1/2 * (x^2+1) * (\cos(2 \arctan(x))^2)^{(1/2)} / \cos(2 \arctan(x)) * \text{EllipticE}(\sin(2 \arctan(x)), 1/2) * ((x^4+x^2+1)/(x^2+1)^2)^{(1/2)} / (x^4+x^2+1)^{(1/2)} - 1/4 * (x^2+1) * (\cos(2 \arctan(x))^2)^{(1/2)} / \cos(2 \arctan(x)) * \text{EllipticF}(\sin(2 \arctan(x)), 1/2) * ((x^4+x^2+1)/(x^2+1)^2)^{(1/2)} / (x^4+x^2+1)^{(1/2)}$

Rubi [A] time = 0.14, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1223, 1712, 1195, 12, 1317, 1103, 1698, 203}

$$\frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) - \frac{(x^2+1) \sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{x^4+x^2+1}} + \frac{(x^2+1) \sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[1/((1 + x^2)^2*Sqrt[1 + x^2 + x^4]),x]

[Out] ArcTan[x/Sqrt[1 + x^2 + x^4]]/2 + ((1 + x^2)*Sqrt[(1 + x^2 + x^4)/(1 + x^2)^2]*EllipticE[2*ArcTan[x], 1/4])/(2*Sqrt[1 + x^2 + x^4]) - ((1 + x^2)*Sqrt[(1 + x^2 + x^4)/(1 + x^2)^2]*EllipticF[2*ArcTan[x], 1/4])/(4*Sqrt[1 + x^2 + x^4])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1103

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1223

```
Int[((d_) + (e_)*(x_)^2)^(q_)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]
```

Rule 1317

```
Int[(x_)^2/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := Dist[d/(2*d*e), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[d/(2*d*e), Int[(d - e*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && PosQ[c/a] && EqQ[c*d^2 - a*e^2, 0]
```

Rule 1698

```
Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := Dist[A, Subst[Int[1/(d - (b*d - 2*a*e)*x^2), x], x, x/Sqrt[a + b*x^2 + c*x^4]], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0] && EqQ[B*d + A*e, 0]
```

Rule 1712

```
Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[C/e^2, Int[(d - e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] +
```

Dist[1/e^2, Int[(C*d^2 + A*e^2 + B*e^2*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{(1+x^2)^2 \sqrt{1+x^2+x^4}} dx &= \frac{x\sqrt{1+x^2+x^4}}{2(1+x^2)} - \frac{1}{2} \int \frac{-1+2x^2+x^4}{(1+x^2)\sqrt{1+x^2+x^4}} dx \\
 &= \frac{x\sqrt{1+x^2+x^4}}{2(1+x^2)} + \frac{1}{2} \int \frac{1-x^2}{\sqrt{1+x^2+x^4}} dx - \frac{1}{2} \int \frac{2x^2}{(1+x^2)\sqrt{1+x^2+x^4}} dx \\
 &= \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{1+x^2+x^4}} - \int \frac{x^2}{(1+x^2)\sqrt{1+x^2+x^4}} dx \\
 &= \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{1+x^2+x^4}} - \frac{1}{2} \int \frac{1}{\sqrt{1+x^2+x^4}} dx + \frac{1}{2} \int \frac{1-x^2}{(1+x^2)\sqrt{1+x^2+x^4}} dx \\
 &= \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{1+x^2+x^4}} - \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}} + \frac{1}{2} \int \frac{1-x^2}{(1+x^2)\sqrt{1+x^2+x^4}} dx \\
 &= \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{1+x^2+x^4}} - \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}}
 \end{aligned}$$

Mathematica [C] time = 0.40, size = 226, normalized size = 1.92

$$\frac{-(-1)^{2/3} \sqrt{\sqrt[3]{-1} x^2 + 1} \sqrt{1 - (-1)^{2/3} x^2} F\left(i \sinh^{-1}\left((-1)^{5/6} x\right) \middle| (-1)^{2/3}\right) + 2(-1)^{2/3} \sqrt{\sqrt[3]{-1} x^2 + 1} \sqrt{1 - (-1)^{2/3} x^2} \Pi\left(\sqrt[3]{-1} x \middle| (-1)^{2/3}\right)}{4\sqrt{1+x^2+x^4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((1 + x^2)^2*Sqrt[1 + x^2 + x^4]),x]

[Out] ((x + x^3 + x^5)/(1 + x^2) - (-1)^(2/3)*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticF[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] + (-1)^(1/3)*

$\text{Sqrt}[1 + (-1)^{(1/3)}x^2] \text{Sqrt}[1 - (-1)^{(2/3)}x^2] * (-\text{EllipticE}[I \text{ArcSinh}[(-1)^{(5/6)}x], (-1)^{(2/3)}] + \text{EllipticF}[I \text{ArcSinh}[(-1)^{(5/6)}x], (-1)^{(2/3)}]) + 2 * (-1)^{(2/3)} \text{Sqrt}[1 + (-1)^{(1/3)}x^2] \text{Sqrt}[1 - (-1)^{(2/3)}x^2] \text{EllipticPi}[(-1)^{(1/3)}, I \text{ArcSinh}[(-1)^{(5/6)}x], (-1)^{(2/3)}] / (2 * \text{Sqrt}[1 + x^2 + x^4])$

fricas [F] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{x^4 + x^2 + 1}}{x^8 + 3x^6 + 4x^4 + 3x^2 + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)^2/(x^4+x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + x^2 + 1)/(x^8 + 3*x^6 + 4*x^4 + 3*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + x^2 + 1} (x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)^2/(x^4+x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(x^4 + x^2 + 1)*(x^2 + 1)^2), x)

maple [C] time = 0.02, size = 397, normalized size = 3.36

$$\frac{\sqrt{x^4 + x^2 + 1} x}{2x^2 + 2} - \frac{2\sqrt{\frac{x^2}{2} - \frac{i\sqrt{3}x^2}{2} + 1} \sqrt{\frac{x^2}{2} + \frac{i\sqrt{3}x^2}{2} + 1} \text{EllipticE}\left(\frac{\sqrt{-2+2i\sqrt{3}}x}{2}, \frac{\sqrt{-2+2i\sqrt{3}}}{2}\right) \sqrt{\frac{x^2}{2} - \frac{i\sqrt{3}x^2}{2} + 1} \sqrt{\frac{x^2}{2} + \frac{i\sqrt{3}x^2}{2} + 1}}{\sqrt{-2+2i\sqrt{3}} \sqrt{x^4 + x^2 + 1} (1 + i\sqrt{3})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2+1)^2/(x^4+x^2+1)^(1/2),x)

[Out] $\frac{1}{2} * (x^4 + x^2 + 1)^{(1/2)} / (x^2 + 1) * x - 1 / (-2 + 2 * I * 3^{(1/2)})^{(1/2)} * (1/2 * x^2 - 1/2 * I * 3^{(1/2)} * x^2 + 1)^{(1/2)} * (1/2 * x^2 + 1/2 * I * 3^{(1/2)} * x^2 + 1)^{(1/2)} / (x^4 + x^2 + 1)^{(1/2)} * \text{EllipticF}(1/2 * (-2 + 2 * I * 3^{(1/2)})^{(1/2)} * x, 1/2 * (-2 + 2 * I * 3^{(1/2)})^{(1/2)} + 2 / (-2 + 2 * I * 3^{(1/2)})^{(1/2)} * (1/2 * x^2 - 1/2 * I * 3^{(1/2)} * x^2 + 1)^{(1/2)} * (1/2 * x^2 + 1/2 * I * 3^{(1/2)} * x^2 + 1)^{(1/2)} / (x^4 + x^2 + 1)^{(1/2)} / (1 + I * 3^{(1/2)}) * \text{EllipticF}(1/2 * (-2 + 2 * I * 3^{(1/2)})^{(1/2)} * x, 1/2 * (-2 + 2 * I * 3^{(1/2)})^{(1/2)} - 2 / (-2 + 2 * I * 3^{(1/2)})^{(1/2)} * (1/2 * x^2 - 1/2 * I * 3^{(1/2)} * x^2 + 1)^{(1/2)} * (1/2 * x^2 + 1/2 * I * 3^{(1/2)} * x^2 + 1)^{(1/2)} / (x^4 + x^2 + 1)^{(1/2)} / (1 + I * 3^{(1/2)})$

$3^{1/2}x^{2+1}^{1/2}*(1/2*x^{2+1/2}*I*3^{1/2}*x^{2+1}^{1/2})/(x^4+x^{2+1})^{1/2}/$
 $(1+I*3^{1/2})*\text{EllipticE}(1/2*(-2+2*I*3^{1/2})^{1/2}*x, 1/2*(-2+2*I*3^{1/2})^{1/2})^{1/2})+1/(-1/2+1/2*I*3^{1/2})^{1/2}*(1/2*x^{2-1/2}*I*3^{1/2}*x^{2+1}^{1/2}*(1/2$
 $*x^{2+1/2}*I*3^{1/2}*x^{2+1}^{1/2})/(x^4+x^{2+1})^{1/2}*\text{EllipticPi}((-1/2+1/2*I*3^{1/2})^{1/2}*x, -1/(-1/2+1/2*I*3^{1/2}), (-1/2-1/2*I*3^{1/2})^{1/2}/(-1/2+1/2$
 $*I*3^{1/2})^{1/2})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + x^2 + 1} (x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)^2/(x^4+x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(x^4 + x^2 + 1)*(x^2 + 1)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(x^2 + 1)^2 \sqrt{x^4 + x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((x^2 + 1)^2*(x^2 + x^4 + 1)^(1/2)),x)

[Out] int(1/((x^2 + 1)^2*(x^2 + x^4 + 1)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{(x^2 - x + 1)(x^2 + x + 1)} (x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x**2+1)**2/(x**4+x**2+1)**(1/2),x)

[Out] Integral(1/(sqrt((x**2 - x + 1)*(x**2 + x + 1))*(x**2 + 1)**2), x)

$$3.237 \quad \int \frac{1}{(1+x^2)^3 \sqrt{1+x^2+x^4}} dx$$

Optimal. Leaf size=142

$$\frac{\sqrt{x^4+x^2+1}x}{4(x^2+1)^2} + \frac{1}{4} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) - \frac{(x^2+1) \sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{x^4+x^2+1}} + \frac{3(x^2+1) \sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} E\left(2 \tan^{-1}(x)\right)}{4\sqrt{x^4+x^2+1}}$$

[Out] 1/4*arctan(x/(x^4+x^2+1)^(1/2))+1/4*x*(x^4+x^2+1)^(1/2)/(x^2+1)^2+3/4*(x^2+1)*(cos(2*arctan(x))^2)^(1/2)/cos(2*arctan(x))*EllipticE(sin(2*arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^(1/2)/(x^4+x^2+1)^(1/2)-1/2*(x^2+1)*(cos(2*arctan(x))^2)^(1/2)/cos(2*arctan(x))*EllipticF(sin(2*arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^(1/2)/(x^4+x^2+1)^(1/2)

Rubi [A] time = 0.28, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.450$, Rules used = {1223, 1696, 1593, 1712, 1195, 1700, 1103, 1698, 203}

$$\frac{\sqrt{x^4+x^2+1}x}{4(x^2+1)^2} + \frac{1}{4} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) - \frac{(x^2+1) \sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{x^4+x^2+1}} + \frac{3(x^2+1) \sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} E\left(2 \tan^{-1}(x)\right)}{4\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[1/((1+x^2)^3*Sqrt[1+x^2+x^4]),x]

[Out] (x*Sqrt[1+x^2+x^4])/(4*(1+x^2)^2) + ArcTan[x/Sqrt[1+x^2+x^4]]/4 + (3*(1+x^2)*Sqrt[(1+x^2+x^4)/(1+x^2)^2]*EllipticE[2*ArcTan[x],1/4])/(4*Sqrt[1+x^2+x^4]) - ((1+x^2)*Sqrt[(1+x^2+x^4)/(1+x^2)^2]*EllipticF[2*ArcTan[x],1/4])/(2*Sqrt[1+x^2+x^4])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4])

), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1223

Int[((d_) + (e_)*(x_)^2)^(q_)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x]]/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]

Rule 1593

Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rule 1696

Int[((P4x_)*((d_) + (e_)*(x_)^2)^(q_))/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x^2)^(q + 1)*Simp[a*d*(C*d - B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b*e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e + A*e^2)*(2*q + 5)*x^4, x]]/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, -1]

Rule 1698

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := Dist[A, Subst[Int[1/(d - (b*d - 2*a*e)*x^2), x], x, x/Sqrt[a + b*x^2 + c*x^4]], x] /; FreeQ[{a, b, c, d, e, A, B}, x] &&

NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0] && EqQ[B*d + A*e, 0]

Rule 1700

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := Dist[(B*d + A*e)/(2*d*e), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(B*d - A*e)/(2*d*e), Int[(d - e*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0] && NeQ[B*d + A*e, 0]

Rule 1712

Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[C/e^2, Int[(d - e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[1/e^2, Int[(C*d^2 + A*e^2 + B*e^2*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(1+x^2)^3 \sqrt{1+x^2+x^4}} dx &= \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} - \frac{1}{4} \int \frac{-3+2x^2-x^4}{(1+x^2)^2 \sqrt{1+x^2+x^4}} dx \\
&= \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{3x\sqrt{1+x^2+x^4}}{4(1+x^2)} + \frac{1}{8} \int \frac{-10x^2-6x^4}{(1+x^2)\sqrt{1+x^2+x^4}} dx \\
&= \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{3x\sqrt{1+x^2+x^4}}{4(1+x^2)} + \frac{1}{8} \int \frac{x^2(-10-6x^2)}{(1+x^2)\sqrt{1+x^2+x^4}} dx \\
&= \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{3x\sqrt{1+x^2+x^4}}{4(1+x^2)} + \frac{1}{8} \int \frac{-6-10x^2}{(1+x^2)\sqrt{1+x^2+x^4}} dx + \frac{3}{4} \int \frac{1}{\sqrt{1+x^2+x^4}} dx \\
&= \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{3(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}} + \frac{1}{4} \int \frac{1-x^2}{(1+x^2)\sqrt{1+x^2+x^4}} dx \\
&= \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{3(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}} - \frac{(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{2\sqrt{1+x^2+x^4}} \\
&= \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{1}{4} \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) + \frac{3(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.34, size = 235, normalized size = 1.65

$$-2(-1)^{2/3} \sqrt[3]{\sqrt{-1}x^2+1} \sqrt{1-(-1)^{2/3}x^2} F\left(i \sinh^{-1}\left((-1)^{5/6}x\right) \middle| (-1)^{2/3}\right) + 2(-1)^{2/3} \sqrt[3]{\sqrt{-1}x^2+1} \sqrt{1-(-1)^{2/3}x^2} \Pi\left(\frac{x}{\sqrt{1+x^2+x^4}} \middle| \frac{1}{4}\right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((1+x^2)^3*Sqrt[1+x^2+x^4]),x]

[Out] ((x*(4+3*x^2)*(1+x^2+x^4))/(1+x^2)^2 - 3*(-1)^(1/3)*Sqrt[1+(-1)^(1/3)*x^2]*Sqrt[1-(-1)^(2/3)*x^2]*(EllipticE[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] - EllipticF[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)]) - 2*(-1)^(2/3)*Sqrt[1+(-1)^(1/3)*x^2]*Sqrt[1-(-1)^(2/3)*x^2]*EllipticF[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] + 2*(-1)^(2/3)*Sqrt[1+(-1)^(1/3)*x^2]*Sqrt[1-(-1)^(2/3)*x^2]*EllipticPi[x/Sqrt[1+x^2+x^4], (-1)^(2/3)]

$2/3*x^2]*\text{EllipticPi}[(-1)^{(1/3)}, I*\text{ArcSinh}[(-1)^{(5/6)*x}], (-1)^{(2/3)]}/(4*\text{qrt}[1 + x^2 + x^4])$

fricas [F] time = 0.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + x^2 + 1}}{x^{10} + 4x^8 + 7x^6 + 7x^4 + 4x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)^3/(x^4+x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + x^2 + 1)/(x^10 + 4*x^8 + 7*x^6 + 7*x^4 + 4*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + x^2 + 1} (x^2 + 1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)^3/(x^4+x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(x^4 + x^2 + 1)*(x^2 + 1)^3), x)

maple [C] time = 0.02, size = 418, normalized size = 2.94

$$\frac{\sqrt{x^4 + x^2 + 1} x}{4(x^2 + 1)^2} + \frac{3\sqrt{x^4 + x^2 + 1} x}{4(x^2 + 1)} - \frac{3\sqrt{\frac{x^2}{2} - \frac{i\sqrt{3}x^2}{2} + 1} \sqrt{\frac{x^2}{2} + \frac{i\sqrt{3}x^2}{2} + 1} \text{EllipticE}\left(\frac{\sqrt{-2+2i\sqrt{3}} x}{2}, \frac{\sqrt{-2+2i\sqrt{3}}}{2}\right)}{\sqrt{-2+2i\sqrt{3}} \sqrt{x^4 + x^2 + 1} (1 + i\sqrt{3})} - \frac{\sqrt{x^4 + x^2 + 1}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2+1)^3/(x^4+x^2+1)^(1/2),x)

[Out] $1/4*(x^4+x^2+1)^{(1/2)}/(x^2+1)^2*x+3/4*(x^4+x^2+1)^{(1/2)}/(x^2+1)*x-1/(-2+2*I*3^{(1/2)})^{(1/2)}*(1/2*x^2-1/2*I*3^{(1/2)}*x^2+1)^{(1/2)}*(1/2*x^2+1/2*I*3^{(1/2)}*x^2+1)^{(1/2)}/(x^4+x^2+1)^{(1/2)}*\text{EllipticF}(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)})+3/(-2+2*I*3^{(1/2)})^{(1/2)}*(1/2*x^2-1/2*I*3^{(1/2)}*x^2+1)^{(1/2)}*(1/2*x^2+1/2*I*3^{(1/2)}*x^2+1)^{(1/2)}/(x^4+x^2+1)^{(1/2)}/(1+I*3^{(1/2)})*\text{EllipticF}(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)})-3/(-2+2*I*3^{(1/2)})^{(1/2)}*(1/2*x^2-1/2*I*3^{(1/2)}*x^2+1)^{(1/2)}*(1/2*x^2+1/2*I*3^{(1/2)}*x^2+1)^{(1/2)}/(x^4+x^2+1)^{(1/2)}/(1+I*3^{(1/2)})*\text{EllipticE}(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)})$

2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2))+1/2/(-1/2+1/2*I*3^(1/2))^(1/2)*(1/2*x^2-1/2*I*3^(1/2)*x^2+1)^(1/2)*(1/2*x^2+1/2*I*3^(1/2)*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)*EllipticPi((-1/2+1/2*I*3^(1/2))^(1/2)*x,-1/(-1/2+1/2*I*3^(1/2)),(-1/2-1/2*I*3^(1/2))^(1/2)/(-1/2+1/2*I*3^(1/2))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + x^2 + 1} (x^2 + 1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)^3/(x^4+x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(x^4 + x^2 + 1)*(x^2 + 1)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(x^2 + 1)^3 \sqrt{x^4 + x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((x^2 + 1)^3*(x^2 + x^4 + 1)^(1/2)),x)

[Out] int(1/((x^2 + 1)^3*(x^2 + x^4 + 1)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{(x^2 - x + 1)(x^2 + x + 1)} (x^2 + 1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x**2+1)**3/(x**4+x**2+1)**(1/2),x)

[Out] Integral(1/(sqrt((x**2 - x + 1)*(x**2 + x + 1))*(x**2 + 1)**3), x)

$$3.238 \quad \int \frac{(1+x^2)^3}{(1+x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=144

$$\frac{2\sqrt{x^4+x^2+1}x}{3(x^2+1)} - \frac{(1-x^2)x}{3\sqrt{x^4+x^2+1}} + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{\sqrt{x^4+x^2+1}} - \frac{2(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} E\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{3\sqrt{x^4+x^2+1}}$$

[Out] $-1/3*x*(-x^2+1)/(x^4+x^2+1)^{(1/2)}+2/3*x*(x^4+x^2+1)^{(1/2)}/(x^2+1)-2/3*(x^2+1)*(\cos(2*\arctan(x))^2)^{(1/2)}/\cos(2*\arctan(x))*\text{EllipticE}(\sin(2*\arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^{(1/2)}/(x^4+x^2+1)^{(1/2)}+(x^2+1)*(\cos(2*\arctan(x)))^2)^{(1/2)}/\cos(2*\arctan(x))*\text{EllipticF}(\sin(2*\arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^{(1/2)}/(x^4+x^2+1)^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1205, 1197, 1103, 1195}

$$\frac{2\sqrt{x^4+x^2+1}x}{3(x^2+1)} - \frac{(1-x^2)x}{3\sqrt{x^4+x^2+1}} + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{\sqrt{x^4+x^2+1}} - \frac{2(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} E\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{3\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)^3/(1 + x^2 + x^4)^(3/2), x]

[Out] $-(x*(1-x^2))/(3*\text{Sqrt}[1+x^2+x^4])+(2*x*\text{Sqrt}[1+x^2+x^4])/(3*(1+x^2))-2*(1+x^2)*\text{Sqrt}[(1+x^2+x^4)/(1+x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x],1/4]/(3*\text{Sqrt}[1+x^2+x^4])+((1+x^2)*\text{Sqrt}[(1+x^2+x^4)/(1+x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x],1/4])/\text{Sqrt}[1+x^2+x^4]$

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)) + (e*(1 + q^2*x^2) + d*x^2)/Sqrt[a + b*x^2 + c*x^4]], x]

2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1205

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{f = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*g - f*(b^2 - 2*a*c) - c*(b*f - 2*a*g)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[(d + e*x^2)^q, a + b*x^2 + c*x^4, x] + b^2*f*(2*p + 3) - 2*a*c*f*(4*p + 5) - a*b*g + c*(4*p + 7)*(b*f - 2*a*g)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1] && LtQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{(1+x^2)^3}{(1+x^2+x^4)^{3/2}} dx &= -\frac{x(1-x^2)}{3\sqrt{1+x^2+x^4}} + \frac{1}{3} \int \frac{4+2x^2}{\sqrt{1+x^2+x^4}} dx \\ &= -\frac{x(1-x^2)}{3\sqrt{1+x^2+x^4}} - \frac{2}{3} \int \frac{1-x^2}{\sqrt{1+x^2+x^4}} dx + 2 \int \frac{1}{\sqrt{1+x^2+x^4}} dx \\ &= -\frac{x(1-x^2)}{3\sqrt{1+x^2+x^4}} + \frac{2x\sqrt{1+x^2+x^4}}{3(1+x^2)} - \frac{2(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{3\sqrt{1+x^2+x^4}} + \frac{(1+x^2)}{\sqrt{1+x^2+x^4}} \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(1 + x^2)^3/(1 + x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(x^6 + 3x^4 + 3x^2 + 1)\sqrt{x^4 + x^2 + 1}}{x^8 + 2x^6 + 3x^4 + 2x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^3/(x^4+x^2+1)^(3/2), x, algorithm="fricas")

[Out] integral((x^6 + 3*x^4 + 3*x^2 + 1)*sqrt(x^4 + x^2 + 1)/(x^8 + 2*x^6 + 3*x^4 + 2*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^2 + 1)^3}{(x^4 + x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^3/(x^4+x^2+1)^(3/2), x, algorithm="giac")

[Out] integrate((x^2 + 1)^3/(x^4 + x^2 + 1)^(3/2), x)

maple [C] time = 0.04, size = 268, normalized size = 1.86

$$\frac{8\sqrt{-\left(-\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1} \sqrt{-\left(-\frac{1}{2} - \frac{i\sqrt{3}}{2}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-2+2i\sqrt{3}}x}{2}, \frac{\sqrt{-2+2i\sqrt{3}}}{2}\right) + 4\left(\frac{1}{6}x^3 - \frac{1}{6}x\right) + 8\sqrt{-\left(-\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1}}{3\sqrt{-2+2i\sqrt{3}} \sqrt{x^4 + x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)^3/(x^4+x^2+1)^(3/2), x)

[Out] $-4*(-1/6*x+1/6*x^3)/(x^4+x^2+1)^{(1/2)}+8/3/(-2+2*I*3^{(1/2)})^{(1/2)}*(-(-1/2+1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}*(-(-1/2-1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}/(x^4+x^2+1)^{(1/2)}*EllipticF(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)})-8/3/(-2+2*I*3^{(1/2)})^{(1/2)}*(-(-1/2+1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}*(-(-1/2-1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}/(x^4+x^2+1)^{(1/2)}/(1+I*3^{(1/2)})*(EllipticF(1/2*(-2+2*I$

$*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)}-EllipticE(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)})-6*(1/6*x^3+1/3*x)/(x^4+x^2+1)^{(1/2)}-6*(-1/3*x^3-1/6*x)/(x^4+x^2+1)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^2 + 1)^3}{(x^4 + x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^3/(x^4+x^2+1)^(3/2), x, algorithm="maxima")

[Out] integrate((x^2 + 1)^3/(x^4 + x^2 + 1)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(x^2 + 1)^3}{(x^4 + x^2 + 1)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)^3/(x^2 + x^4 + 1)^(3/2), x)

[Out] int((x^2 + 1)^3/(x^2 + x^4 + 1)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^2 + 1)^3}{((x^2 - x + 1)(x^2 + x + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)**3/(x**4+x**2+1)**(3/2), x)

[Out] Integral((x**2 + 1)**3/((x**2 - x + 1)*(x**2 + x + 1))**(3/2), x)

$$3.239 \quad \int \frac{(1+x^2)^2}{(1+x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=98

$$-\frac{2\sqrt{x^4+x^2+1}x}{3(x^2+1)} + \frac{(2x^2+1)x}{3\sqrt{x^4+x^2+1}} + \frac{2(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} E\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{3\sqrt{x^4+x^2+1}}$$

[Out] $1/3*x*(2*x^2+1)/(x^4+x^2+1)^{(1/2)}-2/3*x*(x^4+x^2+1)^{(1/2)}/(x^2+1)+2/3*(x^2+1)*(\cos(2*\arctan(x))^2)^{(1/2)}/\cos(2*\arctan(x))*\text{EllipticE}(\sin(2*\arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^{(1/2)}/(x^4+x^2+1)^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1205, 1195}

$$-\frac{2\sqrt{x^4+x^2+1}x}{3(x^2+1)} + \frac{(2x^2+1)x}{3\sqrt{x^4+x^2+1}} + \frac{2(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} E\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{3\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] `Int[(1 + x^2)^2/(1 + x^2 + x^4)^(3/2),x]`

[Out] `(x*(1 + 2*x^2))/(3*sqrt[1 + x^2 + x^4]) - (2*x*sqrt[1 + x^2 + x^4])/(3*(1 + x^2)) + (2*(1 + x^2)*sqrt[(1 + x^2 + x^4)/(1 + x^2)^2]*EllipticE[2*ArcTan[x], 1/4])/(3*sqrt[1 + x^2 + x^4])`

Rule 1195

`Int[((d_) + (e_.)*(x_)^2)/sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]`

Rule 1205

`Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{f = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 +`

```
c*x^4, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 +
c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*g - f*(b^2 - 2*
a*c) - c*(b*f - 2*a*g)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*
(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p
+ 1)*(b^2 - 4*a*c)*PolynomialQuotient[(d + e*x^2)^q, a + b*x^2 + c*x^4, x]
+ b^2*f*(2*p + 3) - 2*a*c*f*(4*p + 5) - a*b*g + c*(4*p + 7)*(b*f - 2*a*g)*x
^2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[
c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1] && LtQ[p, -1]
```

Rubi steps

$$\int \frac{(1+x^2)^2}{(1+x^2+x^4)^{3/2}} dx = \frac{x(1+2x^2)}{3\sqrt{1+x^2+x^4}} + \frac{1}{3} \int \frac{2-2x^2}{\sqrt{1+x^2+x^4}} dx$$

$$= \frac{x(1+2x^2)}{3\sqrt{1+x^2+x^4}} - \frac{2x\sqrt{1+x^2+x^4}}{3(1+x^2)} + \frac{2(1+x^2)}{3\sqrt{1+x^2+x^4}} \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(1 + x^2)^2/(1 + x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(x^4 + 2x^2 + 1)\sqrt{x^4 + x^2 + 1}}{x^8 + 2x^6 + 3x^4 + 2x^2 + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^2/(x^4+x^2+1)^(3/2), x, algorithm="fricas")

[Out] integral((x^4 + 2*x^2 + 1)*sqrt(x^4 + x^2 + 1)/(x^8 + 2*x^6 + 3*x^4 + 2*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^2 + 1)^2}{(x^4 + x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^2/(x^4+x^2+1)^(3/2),x, algorithm="giac")

[Out] integrate((x^2 + 1)^2/(x^4 + x^2 + 1)^(3/2), x)

maple [C] time = 0.01, size = 268, normalized size = 2.73

$$\frac{4\sqrt{-\left(-\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1} \sqrt{-\left(-\frac{1}{2} - \frac{i\sqrt{3}}{2}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-2+2i\sqrt{3}}x}{2}, \frac{\sqrt{-2+2i\sqrt{3}}}{2}\right) - 2\left(\frac{1}{6}x^3 + \frac{1}{3}x\right) + 8\sqrt{-\left(-\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1}}{3\sqrt{-2+2i\sqrt{3}} \sqrt{x^4 + x^2 + 1}} + \frac{8\sqrt{-\left(-\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1}}{\sqrt{x^4 + x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)^2/(x^4+x^2+1)^(3/2),x)

[Out] $-2*(1/6*x^3+1/3*x)/(x^4+x^2+1)^{(1/2)}+4/3/(-2+2*I*3^{(1/2)})^{(1/2)}*(-(-1/2+1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}*(-(-1/2-1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}/(x^4+x^2+1)^{(1/2)}*EllipticF(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x,1/2*(-2+2*I*3^{(1/2)})^{(1/2)})+8/3/(-2+2*I*3^{(1/2)})^{(1/2)}*(-(-1/2+1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}*(-(-1/2-1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}/(x^4+x^2+1)^{(1/2)}/(1+I*3^{(1/2)})*(EllipticF(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x,1/2*(-2+2*I*3^{(1/2)})^{(1/2)})-EllipticE(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x,1/2*(-2+2*I*3^{(1/2)})^{(1/2)}))-4*(-1/3*x^3-1/6*x)/(x^4+x^2+1)^{(1/2)}-2*(1/6*x^3-1/6*x)/(x^4+x^2+1)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^2 + 1)^2}{(x^4 + x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)^2/(x^4+x^2+1)^(3/2),x, algorithm="maxima")

[Out] integrate((x^2 + 1)^2/(x^4 + x^2 + 1)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(x^2 + 1)^2}{(x^4 + x^2 + 1)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)^2/(x^2 + x^4 + 1)^(3/2), x)

[Out] int((x^2 + 1)^2/(x^2 + x^4 + 1)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^2 + 1)^2}{((x^2 - x + 1)(x^2 + x + 1))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)**2/(x**4+x**2+1)**(3/2), x)

[Out] Integral((x**2 + 1)**2/((x**2 - x + 1)*(x**2 + x + 1))**(3/2), x)

$$3.240 \quad \int \frac{1+x^2}{(1+x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=96

$$-\frac{\sqrt{x^4+x^2+1}x}{3(x^2+1)} + \frac{(x^2+2)x}{3\sqrt{x^4+x^2+1}} + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}E\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{3\sqrt{x^4+x^2+1}}$$

[Out] 1/3*x*(x^2+2)/(x^4+x^2+1)^(1/2)-1/3*x*(x^4+x^2+1)^(1/2)/(x^2+1)+1/3*(x^2+1)*(cos(2*arctan(x))^2)^(1/2)/cos(2*arctan(x))*EllipticE(sin(2*arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^(1/2)/(x^4+x^2+1)^(1/2)

Rubi [A] time = 0.02, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1178, 1195}

$$-\frac{\sqrt{x^4+x^2+1}x}{3(x^2+1)} + \frac{(x^2+2)x}{3\sqrt{x^4+x^2+1}} + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}E\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{3\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)/(1 + x^2 + x^4)^(3/2), x]

[Out] (x*(2 + x^2))/(3*Sqrt[1 + x^2 + x^4]) - (x*Sqrt[1 + x^2 + x^4])/(3*(1 + x^2)) + ((1 + x^2)*Sqrt[(1 + x^2 + x^4)/(1 + x^2)^2]*EllipticE[2*ArcTan[x], 1/4])/(3*Sqrt[1 + x^2 + x^4])

Rule 1178

Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]

Rule 1195

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^

2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rubi steps

$$\int \frac{1+x^2}{(1+x^2+x^4)^{3/2}} dx = \frac{x(2+x^2)}{3\sqrt{1+x^2+x^4}} + \frac{1}{3} \int \frac{1-x^2}{\sqrt{1+x^2+x^4}} dx$$

$$= \frac{x(2+x^2)}{3\sqrt{1+x^2+x^4}} - \frac{x\sqrt{1+x^2+x^4}}{3(1+x^2)} + \frac{(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{3\sqrt{1+x^2+x^4}}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(1 + x^2)/(1 + x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{x^4 + x^2 + 1} (x^2 + 1)}{x^8 + 2x^6 + 3x^4 + 2x^2 + 1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+x^2+1)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(x^4 + x^2 + 1)*(x^2 + 1)/(x^8 + 2*x^6 + 3*x^4 + 2*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + 1}{(x^4 + x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+x^2+1)^(3/2),x, algorithm="giac")

[Out] integrate((x^2 + 1)/(x^4 + x^2 + 1)^(3/2), x)

maple [C] time = 0.01, size = 247, normalized size = 2.57

$$\frac{2\sqrt{-\left(-\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1} \sqrt{-\left(-\frac{1}{2} - \frac{i\sqrt{3}}{2}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-2+2i\sqrt{3}}x}{2}, \frac{\sqrt{-2+2i\sqrt{3}}}{2}\right) - 2\left(-\frac{1}{3}x^3 - \frac{1}{6}x\right) + 4\sqrt{-\left(-\frac{1}{2} + \frac{i\sqrt{3}}{2}\right)x^2 + 1}}{3\sqrt{-2+2i\sqrt{3}} \sqrt{x^4 + x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)/(x^4+x^2+1)^(3/2),x)

[Out] $-2*(-1/3*x^3-1/6*x)/(x^4+x^2+1)^{(1/2)}+2/3/(-2+2*I*3^{(1/2)})^{(1/2)}*(-(-1/2+1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}*(-(-1/2-1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}/(x^4+x^2+1)^{(1/2)}*EllipticF(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)})+4/3/(-2+2*I*3^{(1/2)})^{(1/2)}*(-(-1/2+1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}*(-(-1/2-1/2*I*3^{(1/2)})*x^2+1)^{(1/2)}/(x^4+x^2+1)^{(1/2)}/(1+I*3^{(1/2)})*(EllipticF(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)})-EllipticE(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)}))-2*(1/6*x^3-1/6*x)/(x^4+x^2+1)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + 1}{(x^4 + x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)/(x^4+x^2+1)^(3/2),x, algorithm="maxima")

[Out] integrate((x^2 + 1)/(x^4 + x^2 + 1)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 + 1}{(x^4 + x^2 + 1)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)/(x^2 + x^4 + 1)^(3/2),x)

[Out] int((x^2 + 1)/(x^2 + x^4 + 1)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 + 1}{((x^2 - x + 1)(x^2 + x + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)/(x**4+x**2+1)**(3/2), x)

[Out] Integral((x**2 + 1)/((x**2 - x + 1)*(x**2 + x + 1))**3/2, x)

$$3.241 \quad \int \frac{1}{(1+x^2)(1+x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=166

$$\frac{2\sqrt{x^4+x^2+1}x}{3(x^2+1)} - \frac{(2x^2+1)x}{3\sqrt{x^4+x^2+1}} + \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) + \frac{3(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{x^4+x^2+1}} - \frac{2(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}}{3\sqrt{x^4+x^2+1}}$$

[Out] $\frac{1}{2} \arctan\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) - \frac{1}{3} x \frac{(2x^2+1)}{\sqrt{x^4+x^2+1}} + \frac{2}{3} x \frac{(x^4+x^2+1)^{1/2}}{\sqrt{x^4+x^2+1}} - \frac{2}{3} \frac{(x^2+1) \cos(2 \arctan(x))^{1/2}}{\cos(2 \arctan(x))} \operatorname{EllipticE}\left(\sin(2 \arctan(x)), \frac{1}{2}\right) \frac{(x^4+x^2+1)^{1/2}}{(x^2+1)^2} + \frac{3}{4} \frac{(x^2+1) \cos(2 \arctan(x))^{1/2}}{\cos(2 \arctan(x))} \operatorname{EllipticF}\left(\sin(2 \arctan(x)), \frac{1}{2}\right) \frac{(x^4+x^2+1)^{1/2}}{(x^2+1)^2} - \frac{2}{3} \frac{(x^2+1) \sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}}{\sqrt{x^4+x^2+1}}$

Rubi [A] time = 0.10, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1221, 1119, 1197, 1103, 1195, 1210, 1698, 203}

$$\frac{2\sqrt{x^4+x^2+1}x}{3(x^2+1)} - \frac{(2x^2+1)x}{3\sqrt{x^4+x^2+1}} + \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) + \frac{3(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{x^4+x^2+1}} - \frac{2(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}}{3\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[1/((1+x^2)*(1+x^2+x^4)^(3/2)),x]

[Out] $-\frac{x(1+2x^2)}{3\sqrt{1+x^2+x^4}} + \frac{2x\sqrt{1+x^2+x^4}}{3(1+x^2)} + \frac{\operatorname{ArcTan}\left[\frac{x}{\sqrt{1+x^2+x^4}}\right]}{2} - \frac{2(1+x^2)\sqrt{1+x^2+x^4}}{(1+x^2)^2} \operatorname{EllipticE}\left[2 \operatorname{ArcTan}[x], \frac{1}{4}\right] + \frac{3(1+x^2)\sqrt{1+x^2+x^4}}{(1+x^2)^2} \operatorname{EllipticF}\left[2 \operatorname{ArcTan}[x], \frac{1}{4}\right] - \frac{2\sqrt{1+x^2+x^4}}{3\sqrt{1+x^2+x^4}}$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[(((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)])*

EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1119

Int[((d_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> Simp[(d*(d*x)^(m - 1)*(b + 2*c*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*(p + 1)*(b^2 - 4*a*c)), x] - Dist[d^2/(2*(p + 1)*(b^2 - 4*a*c)), Int[(d*x)^(m - 2)*(b*(m - 1) + 2*c*(m + 4*p + 5)*x^2)*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && GtQ[m, 1] && LeQ[m, 3] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1195

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1210

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] :> Dist[1/(2*d), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[1/(2*d), Int[(d - e*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0]

Rule 1221

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_)/((d_) + (e_.)*(x_)^2), x_Symbol] :> Dist[1/(c*d^2 - b*d*e + a*e^2), Int[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^p, x], x] + Dist[e^2/(c*d^2 - b*d*e + a*e^2), Int[(a + b*x^2 + c*x^4)^(p + 1)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[p + 1/2, 0]

Rule 1698

```
Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4]), x_Symbol] := Dist[A, Subst[Int[1/(d - (b*d - 2*a*e)*x^2),
x], x, x/Sqrt[a + b*x^2 + c*x^4]], x] /; FreeQ[{a, b, c, d, e, A, B}, x] &&
NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2,
0] && EqQ[B*d + A*e, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(1+x^2)(1+x^2+x^4)^{3/2}} dx &= - \int \frac{x^2}{(1+x^2+x^4)^{3/2}} dx + \int \frac{1}{(1+x^2)\sqrt{1+x^2+x^4}} dx \\ &= -\frac{x(1+2x^2)}{3\sqrt{1+x^2+x^4}} + \frac{1}{3} \int \frac{1+2x^2}{\sqrt{1+x^2+x^4}} dx + \frac{1}{2} \int \frac{1}{\sqrt{1+x^2+x^4}} dx + \frac{1}{2} \int \frac{1}{(1+x^2)\sqrt{1+x^2+x^4}} dx \\ &= -\frac{x(1+2x^2)}{3\sqrt{1+x^2+x^4}} + \frac{(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{4\sqrt{1+x^2+x^4}} + \frac{1}{2} \text{Subst}\left(\int \frac{1}{1+x^2} dx, x, \frac{x}{\sqrt{1+x^2+x^4}}\right) \\ &= -\frac{x(1+2x^2)}{3\sqrt{1+x^2+x^4}} + \frac{2x\sqrt{1+x^2+x^4}}{3(1+x^2)} + \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) - \frac{2(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}}}{3\sqrt{1+x^2+x^4}} \end{aligned}$$

Mathematica [C] time = 0.21, size = 204, normalized size = 1.23

$$\frac{-2x^3 + \sqrt[3]{-1} (\sqrt[3]{-1} - 2) \sqrt{\sqrt[3]{-1} x^2 + 1} \sqrt{1 - (-1)^{2/3} x^2} F\left(i \sinh^{-1}\left((-1)^{5/6} x\right) \middle| (-1)^{2/3}\right) + 2\sqrt[3]{-1} \sqrt{\sqrt[3]{-1} x^2 + 1} \sqrt{1 - (-1)^{2/3} x^2}}{3\sqrt{1+x^2+x^4}}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((1 + x^2)*(1 + x^2 + x^4)^(3/2)), x]
```

```
[Out] (-x - 2*x^3 + 2*(-1)^(1/3)*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]
*EllipticE[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] + (-1)^(1/3)*(-2 + (-1)^(1/3))
*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticF[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] + 3*(-1)^(2/3)*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*EllipticPi[(-1)^(1/3), I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)]/(3*Sqrt[1 + x^2 + x^4])
```

fricas [F] time = 0.57, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + x^2 + 1}}{x^{10} + 3x^8 + 5x^6 + 5x^4 + 3x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)/(x^4+x^2+1)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + x^2 + 1)/(x^10 + 3*x^8 + 5*x^6 + 5*x^4 + 3*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + x^2 + 1)^2 (x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)/(x^4+x^2+1)^(3/2),x, algorithm="giac")

[Out] integrate(1/((x^4 + x^2 + 1)^(3/2)*(x^2 + 1)), x)

maple [C] time = 0.02, size = 398, normalized size = 2.40

$$\frac{8\sqrt{\frac{x^2}{2} - \frac{i\sqrt{3}x^2}{2} + 1}\sqrt{\frac{x^2}{2} + \frac{i\sqrt{3}x^2}{2} + 1}\text{EllipticE}\left(\frac{\sqrt{-2+2i\sqrt{3}}x}{2}, \frac{\sqrt{-2+2i\sqrt{3}}}{2}\right) + 2\sqrt{\frac{x^2}{2} - \frac{i\sqrt{3}x^2}{2} + 1}\sqrt{\frac{x^2}{2} + \frac{i\sqrt{3}x^2}{2} + 1}}{3\sqrt{-2+2i\sqrt{3}}\sqrt{x^4+x^2+1}(1+i\sqrt{3})} + \frac{2\sqrt{\frac{x^2}{2} - \frac{i\sqrt{3}x^2}{2} + 1}\sqrt{\frac{x^2}{2} + \frac{i\sqrt{3}x^2}{2} + 1}}{3\sqrt{-2+2i\sqrt{3}}\sqrt{x^4+x^2+1}(1+i\sqrt{3})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2+1)/(x^4+x^2+1)^(3/2),x)

[Out]
$$\begin{aligned} & -2*(1/3*x^3+1/6*x)/(x^4+x^2+1)^(1/2)+2/3/(-2+2*I*3^(1/2))^(1/2)*(1/2*x^2-1/ \\ & 2*I*3^(1/2)*x^2+1)^(1/2)*(1/2*x^2+1/2*I*3^(1/2)*x^2+1)^(1/2)/(x^4+x^2+1)^(1 \\ & /2)*\text{EllipticF}(1/2*(-2+2*I*3^(1/2))^(1/2)*x, 1/2*(-2+2*I*3^(1/2))^(1/2))-8/3/ \\ & (-2+2*I*3^(1/2))^(1/2)*(1/2*x^2-1/2*I*3^(1/2)*x^2+1)^(1/2)*(1/2*x^2+1/2*I*3 \\ & ^{(1/2)*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)/(1+I*3^(1/2))*\text{EllipticF}(1/2*(-2+2*I*3 \\ & ^{(1/2))^(1/2)*x, 1/2*(-2+2*I*3^(1/2))^(1/2))+8/3/(-2+2*I*3^(1/2))^(1/2)*(1/2 \\ & *x^2-1/2*I*3^(1/2)*x^2+1)^(1/2)*(1/2*x^2+1/2*I*3^(1/2)*x^2+1)^(1/2)/(x^4+x^ \\ & 2+1)^(1/2)/(1+I*3^(1/2))*\text{EllipticE}(1/2*(-2+2*I*3^(1/2))^(1/2)*x, 1/2*(-2+2*I \\ & *3^(1/2))^(1/2))+1/(-1/2+1/2*I*3^(1/2))^(1/2)*(1/2*x^2-1/2*I*3^(1/2)*x^2+1) \\ & ^{(1/2)*(1/2*x^2+1/2*I*3^(1/2)*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)*\text{EllipticPi}((-1 \end{aligned}$$

$/2+1/2*I*3^{(1/2)})^{(1/2)*x}, -1/(-1/2+1/2*I*3^{(1/2)}), (-1/2-1/2*I*3^{(1/2)})^{(1/2)}/(-1/2+1/2*I*3^{(1/2)})^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + x^2 + 1)^{\frac{3}{2}}(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)/(x^4+x^2+1)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((x^4 + x^2 + 1)^(3/2)*(x^2 + 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(x^2 + 1)(x^4 + x^2 + 1)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((x^2 + 1)*(x^2 + x^4 + 1)^(3/2)),x)

[Out] int(1/((x^2 + 1)*(x^2 + x^4 + 1)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{((x^2 - x + 1)(x^2 + x + 1))^{\frac{3}{2}}(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x**2+1)/(x**4+x**2+1)**(3/2),x)

[Out] Integral(1/(((x**2 - x + 1)*(x**2 + x + 1))**(3/2)*(x**2 + 1)), x)

$$3.242 \quad \int \frac{1}{(1+x^2)^2(1+x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=111

$$\frac{\sqrt{x^4+x^2+1}x}{3(x^2+1)} - \frac{(x^2+2)x}{3\sqrt{x^4+x^2+1}} + \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}E\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{6\sqrt{x^4+x^2+1}}$$

[Out] arctan(x/(x^4+x^2+1)^(1/2))-1/3*x*(x^2+2)/(x^4+x^2+1)^(1/2)+1/3*x*(x^4+x^2+1)^(1/2)/(x^2+1)+1/6*(x^2+1)*(cos(2*arctan(x))^2)^(1/2)/cos(2*arctan(x))*EllipticE(sin(2*arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^(1/2)/(x^4+x^2+1)^(1/2)

Rubi [A] time = 0.28, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 11, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.550$, Rules used = {1228, 1178, 1195, 1223, 1712, 12, 1317, 1103, 1698, 203, 1210}

$$\frac{\sqrt{x^4+x^2+1}x}{3(x^2+1)} - \frac{(x^2+2)x}{3\sqrt{x^4+x^2+1}} + \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) + \frac{(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}}E\left(2\tan^{-1}(x)\middle|\frac{1}{4}\right)}{6\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[1/((1 + x^2)^2*(1 + x^2 + x^4)^(3/2)),x]

[Out] -(x*(2 + x^2))/(3*Sqrt[1 + x^2 + x^4]) + (x*Sqrt[1 + x^2 + x^4])/(3*(1 + x^2)) + ArcTan[x/Sqrt[1 + x^2 + x^4]] + ((1 + x^2)*Sqrt[(1 + x^2 + x^4)/(1 + x^2)^2]*EllipticE[2*ArcTan[x], 1/4])/(6*Sqrt[1 + x^2 + x^4])

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1178

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1210

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := Dist[1/(2*d), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[1/(2*d), Int[(d - e*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0]
```

Rule 1223

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]
```

Rule 1228

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x
```



```
_Symbol] := Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + c
c*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb
-> b, cc -> c}, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]
```

Rule 1317

```
Int[(x_)^2/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4])
, x_Symbol] := Dist[d/(2*d*e), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist
[d/(2*d*e), Int[(d - e*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /
; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a
*e^2, 0] && PosQ[c/a] && EqQ[c*d^2 - a*e^2, 0]
```

Rule 1698

```
Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 +
(c_)*(x_)^4]), x_Symbol] := Dist[A, Subst[Int[1/(d - (b*d - 2*a*e)*x^2),
x], x, x/Sqrt[a + b*x^2 + c*x^4]], x] /; FreeQ[{a, b, c, d, e, A, B}, x] &&
NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2,
0] && EqQ[B*d + A*e, 0]
```

Rule 1712

```
Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4])
, x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[
P4x, x, 4]}, -Dist[C/e^2, Int[(d - e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] +
Dist[1/e^2, Int[(C*d^2 + A*e^2 + B*e^2*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 +
c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[
b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(1+x^2)^2(1+x^2+x^4)^{3/2}} dx &= \int \left(\frac{-1-x^2}{(1+x^2+x^4)^{3/2}} + \frac{1}{(1+x^2)^2 \sqrt{1+x^2+x^4}} + \frac{1}{(1+x^2) \sqrt{1+x^2+x^4}} \right) dx \\
&= \int \frac{-1-x^2}{(1+x^2+x^4)^{3/2}} dx + \int \frac{1}{(1+x^2)^2 \sqrt{1+x^2+x^4}} dx + \int \frac{1}{(1+x^2) \sqrt{1+x^2+x^4}} dx \\
&= -\frac{x(2+x^2)}{3\sqrt{1+x^2+x^4}} + \frac{x\sqrt{1+x^2+x^4}}{2(1+x^2)} + \frac{1}{3} \int \frac{-1+x^2}{\sqrt{1+x^2+x^4}} dx + \frac{1}{2} \int \frac{1}{\sqrt{1+x^2+x^4}} dx \\
&= -\frac{x(2+x^2)}{3\sqrt{1+x^2+x^4}} + \frac{5x\sqrt{1+x^2+x^4}}{6(1+x^2)} - \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}} E\left(2 \tan^{-1}(x) \middle| \frac{1}{4}\right)}{3\sqrt{1+x^2+x^4}} + \dots \\
&= -\frac{x(2+x^2)}{3\sqrt{1+x^2+x^4}} + \frac{x\sqrt{1+x^2+x^4}}{3(1+x^2)} + \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}}}{6\sqrt{1+x^2+x^4}} \\
&= -\frac{x(2+x^2)}{3\sqrt{1+x^2+x^4}} + \frac{x\sqrt{1+x^2+x^4}}{3(1+x^2)} + \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}}}{6\sqrt{1+x^2+x^4}} \\
&= -\frac{x(2+x^2)}{3\sqrt{1+x^2+x^4}} + \frac{x\sqrt{1+x^2+x^4}}{3(1+x^2)} + \frac{1}{2} \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}}}{6\sqrt{1+x^2+x^4}} \\
&= -\frac{x(2+x^2)}{3\sqrt{1+x^2+x^4}} + \frac{x\sqrt{1+x^2+x^4}}{3(1+x^2)} + \tan^{-1}\left(\frac{x}{\sqrt{1+x^2+x^4}}\right) + \frac{(1+x^2) \sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}}}{6\sqrt{1+x^2+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.38, size = 168, normalized size = 1.51

$$\frac{-2x(x^2+1)(x^2+2) - \sqrt[3]{-1}(x^2+1)\sqrt{\sqrt[3]{-1}x^2+1}\sqrt{1-(-1)^{2/3}x^2} \left((5\sqrt[3]{-1}-1) F\left(i \sinh^{-1}\left((-1)^{5/6}x\right) \middle| (-1)^{2/3}\right) + \dots \right)}{6(x^2+1)\sqrt{x^4+x^2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((1+x^2)^2*(1+x^2+x^4)^(3/2)),x]

[Out] $(-2*x*(1 + x^2)*(2 + x^2) + 3*x*(1 + x^2 + x^4) - (-1)^{(1/3)}*(1 + x^2)*\text{Sqrt}[1 + (-1)^{(1/3)}*x^2]*\text{Sqrt}[1 - (-1)^{(2/3)}*x^2]*(\text{EllipticE}[I*\text{ArcSinh}[(-1)^{(5/6)}*x], (-1)^{(2/3)}] + (-1 + 5*(-1)^{(1/3)})*\text{EllipticF}[I*\text{ArcSinh}[(-1)^{(5/6)}*x], (-1)^{(2/3)}] - 12*(-1)^{(1/3)}*\text{EllipticPi}[(-1)^{(1/3)}, I*\text{ArcSinh}[(-1)^{(5/6)}*x], (-1)^{(2/3)}]))/(6*(1 + x^2)*\text{Sqrt}[1 + x^2 + x^4])$

fricas [F] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + x^2 + 1}}{x^{12} + 4x^{10} + 8x^8 + 10x^6 + 8x^4 + 4x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x^2+1)^2/(x^4+x^2+1)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^4 + x^2 + 1)/(x^12 + 4*x^10 + 8*x^8 + 10*x^6 + 8*x^4 + 4*x^2 + 1), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + x^2 + 1)^{\frac{3}{2}}(x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x^2+1)^2/(x^4+x^2+1)^(3/2),x, algorithm="giac")`

[Out] `integrate(1/((x^4 + x^2 + 1)^(3/2)*(x^2 + 1)^2), x)`

maple [C] time = 0.03, size = 419, normalized size = 3.77

$$\frac{\sqrt{x^4 + x^2 + 1} x}{2x^2 + 2} \frac{2\sqrt{\frac{x^2}{2} - \frac{i\sqrt{3}x^2}{2} + 1} \sqrt{\frac{x^2}{2} + \frac{i\sqrt{3}x^2}{2} + 1} \text{EllipticE}\left(\frac{\sqrt{-2+2i\sqrt{3}}x}{2}, \frac{\sqrt{-2+2i\sqrt{3}}}{2}\right) - 5\sqrt{\frac{x^2}{2} - \frac{i\sqrt{3}x^2}{2} + 1}}{3\sqrt{-2+2i\sqrt{3}} \sqrt{x^4 + x^2 + 1} (1 + i\sqrt{3})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2+1)^2/(x^4+x^2+1)^(3/2),x)`

[Out] $\frac{1}{2}*(x^4+x^2+1)^{(1/2)}/(x^2+1)*x-2*(1/6*x^3+1/3*x)/(x^4+x^2+1)^{(1/2)}-5/3/(-2+2*I*3^{(1/2)})^{(1/2)}*(1/2*x^2-1/2*I*3^{(1/2)}*x^2+1)^{(1/2)}*(1/2*x^2+1/2*I*3^{(1/2)}*(1/2)*x^2+1)^{(1/2)}/(x^4+x^2+1)^{(1/2)}*\text{EllipticF}(1/2*(-2+2*I*3^{(1/2)})^{(1/2)}*x, 1/2*(-2+2*I*3^{(1/2)})^{(1/2)})+2/3/(-2+2*I*3^{(1/2)})^{(1/2)}*(1/2*x^2-1/2*I*3^{(1/2)}$

$$) * x^2 + 1)^{(1/2)} * (1/2 * x^2 + 1/2 * I * 3^{(1/2)} * x^2 + 1)^{(1/2)} / (x^4 + x^2 + 1)^{(1/2)} / (1 + I * 3^{(1/2)}) * \text{EllipticF}(1/2 * (-2 + 2 * I * 3^{(1/2)})^{(1/2)} * x, 1/2 * (-2 + 2 * I * 3^{(1/2)})^{(1/2)}) - 2/3 / (-2 + 2 * I * 3^{(1/2)})^{(1/2)} * (1/2 * x^2 - 1/2 * I * 3^{(1/2)} * x^2 + 1)^{(1/2)} * (1/2 * x^2 + 1/2 * I * 3^{(1/2)} * x^2 + 1)^{(1/2)} / (x^4 + x^2 + 1)^{(1/2)} / (1 + I * 3^{(1/2)}) * \text{EllipticE}(1/2 * (-2 + 2 * I * 3^{(1/2)})^{(1/2)} * x, 1/2 * (-2 + 2 * I * 3^{(1/2)})^{(1/2)}) + 2 / (-1/2 + 1/2 * I * 3^{(1/2)})^{(1/2)} * (1/2 * x^2 - 1/2 * I * 3^{(1/2)} * x^2 + 1)^{(1/2)} * (1/2 * x^2 + 1/2 * I * 3^{(1/2)} * x^2 + 1)^{(1/2)} / (x^4 + x^2 + 1)^{(1/2)} * \text{EllipticPi}((-1/2 + 1/2 * I * 3^{(1/2)})^{(1/2)} * x, -1 / (-1/2 + 1/2 * I * 3^{(1/2)})^{(1/2)}), (-1/2 - 1/2 * I * 3^{(1/2)})^{(1/2)} / (-1/2 + 1/2 * I * 3^{(1/2)})^{(1/2)})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + x^2 + 1)^{\frac{3}{2}} (x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)^2/(x^4+x^2+1)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((x^4 + x^2 + 1)^(3/2)*(x^2 + 1)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(x^2 + 1)^2 (x^4 + x^2 + 1)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((x^2 + 1)^2*(x^2 + x^4 + 1)^(3/2)),x)

[Out] int(1/((x^2 + 1)^2*(x^2 + x^4 + 1)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{((x^2 - x + 1)(x^2 + x + 1))^{\frac{3}{2}} (x^2 + 1)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x**2+1)**2/(x**4+x**2+1)**(3/2),x)

[Out] Integral(1/(((x**2 - x + 1)*(x**2 + x + 1))**(3/2)*(x**2 + 1)**2), x)

$$3.243 \quad \int \frac{1}{(1+x^2)^3 (1+x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=190

$$-\frac{\sqrt{x^4+x^2+1}x}{3(x^2+1)} + \frac{\sqrt{x^4+x^2+1}x}{4(x^2+1)^2} - \frac{(1-x^2)x}{3\sqrt{x^4+x^2+1}} + \frac{3}{4} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) - \frac{5(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x)\right)}{4\sqrt{x^4+x^2+1}}$$

[Out] $3/4*\arctan(x/(x^4+x^2+1)^{(1/2)})-1/3*x*(-x^2+1)/(x^4+x^2+1)^{(1/2)}+1/4*x*(x^4+x^2+1)^{(1/2)/(x^2+1)^2}-1/3*x*(x^4+x^2+1)^{(1/2)/(x^2+1)}+19/12*(x^2+1)*(cos(2*\arctan(x))^2)^{(1/2)/cos(2*\arctan(x))*EllipticE(sin(2*\arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^{(1/2)/(x^4+x^2+1)^{(1/2)}-5/4*(x^2+1)*(cos(2*\arctan(x))^2)^{(1/2)/cos(2*\arctan(x))*EllipticF(sin(2*\arctan(x)),1/2)*((x^4+x^2+1)/(x^2+1)^2)^{(1/2)/(x^4+x^2+1)^{(1/2)}$

Rubi [A] time = 0.57, antiderivative size = 190, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 14, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {1228, 1092, 1197, 1103, 1195, 1223, 1696, 1593, 1712, 1700, 1698, 203, 12, 1317}

$$-\frac{\sqrt{x^4+x^2+1}x}{3(x^2+1)} + \frac{\sqrt{x^4+x^2+1}x}{4(x^2+1)^2} - \frac{(1-x^2)x}{3\sqrt{x^4+x^2+1}} + \frac{3}{4} \tan^{-1}\left(\frac{x}{\sqrt{x^4+x^2+1}}\right) - \frac{5(x^2+1)\sqrt{\frac{x^4+x^2+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x)\right)}{4\sqrt{x^4+x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[1/((1 + x^2)^3*(1 + x^2 + x^4)^(3/2)),x]

[Out] $-(x*(1-x^2))/(3*\text{Sqrt}[1+x^2+x^4])+(x*\text{Sqrt}[1+x^2+x^4])/(4*(1+x^2)^2)-(x*\text{Sqrt}[1+x^2+x^4])/(3*(1+x^2))+(3*\text{ArcTan}[x/\text{Sqrt}[1+x^2+x^4]])/4+(19*(1+x^2)*\text{Sqrt}[(1+x^2+x^4)/(1+x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x],1/4])/(12*\text{Sqrt}[1+x^2+x^4])-(5*(1+x^2)*\text{Sqrt}[(1+x^2+x^4)/(1+x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x],1/4])/(4*\text{Sqrt}[1+x^2+x^4])$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 203

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a

, 0] || GtQ[b, 0])

Rule 1092

Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := -Simp[(x*(b^2 - 2*a*c + b*c*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(b^2 - 2*a*c + 2*(p + 1)*(b^2 - 4*a*c) + b*c*(4*p + 7)*x^2)*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && IntegerQ[2*p]

Rule 1103

Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1223

Int[((d_) + (e_)*(x_)^2)^(q_)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]

Rule 1228

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x
_Symbol] := Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + c
c*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb
-> b, cc -> c}, x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]
```

Rule 1317

```
Int[(x_)^2/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4])
, x_Symbol] := Dist[d/(2*d*e), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist
[d/(2*d*e), Int[(d - e*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /
; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a
*e^2, 0] && PosQ[c/a] && EqQ[c*d^2 - a*e^2, 0]
```

Rule 1593

```
Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] := Int[u*x
^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] &&
PosQ[q - p]
```

Rule 1696

```
Int[((P4x_)*((d_) + (e_)*(x_)^2)^(q_))/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x
_)^4], x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = C
oeff[P4x, x, 4]}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt
[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*
d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d
- B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b*
e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e
+ A*e^2)*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b
, c, d, e}, x] && PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[b^2 - 4*a
*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, -1]
```

Rule 1698

```
Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 +
(c_)*(x_)^4]), x_Symbol] := Dist[A, Subst[Int[1/(d - (b*d - 2*a*e)*x^2),
x], x, x/Sqrt[a + b*x^2 + c*x^4]], x] /; FreeQ[{a, b, c, d, e, A, B}, x] &&
NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2,
0] && EqQ[B*d + A*e, 0]
```

Rule 1700

```
Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4]), x_Symbol] := Dist[(B*d + A*e)/(2*d*e), Int[1/Sqrt[a + b*x^
2 + c*x^4], x], x] - Dist[(B*d - A*e)/(2*d*e), Int[(d - e*x^2)/((d + e*x^2)
*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0]
&& NeQ[B*d + A*e, 0]
```

Rule 1712

```
Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4])
, x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[
P4x, x, 4]}, -Dist[C/e^2, Int[(d - e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] +
Dist[1/e^2, Int[(C*d^2 + A*e^2 + B*e^2*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 +
c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[
b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[c*d^2 - a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(1+x^2)^3 (1+x^2+x^4)^{3/2}} dx &= \int \left(-\frac{1}{(1+x^2+x^4)^{3/2}} + \frac{1}{(1+x^2)^3 \sqrt{1+x^2+x^4}} + \frac{1}{(1+x^2)^2 \sqrt{1+x^2+x^4}} \right) dx \\
&= -\int \frac{1}{(1+x^2+x^4)^{3/2}} dx + \int \frac{1}{(1+x^2)^3 \sqrt{1+x^2+x^4}} dx + \int \frac{1}{(1+x^2)^2 \sqrt{1+x^2+x^4}} dx \\
&= -\frac{x(1-x^2)}{3\sqrt{1+x^2+x^4}} + \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{x\sqrt{1+x^2+x^4}}{2(1+x^2)} - \frac{1}{4} \int \frac{-3+2x^2-x^4}{(1+x^2)^2 \sqrt{1+x^2+x^4}} dx \\
&= -\frac{x(1-x^2)}{3\sqrt{1+x^2+x^4}} + \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{5x\sqrt{1+x^2+x^4}}{4(1+x^2)} + \frac{1}{8} \int \frac{-10x^2-6x^4-1}{(1+x^2)\sqrt{1+x^2+x^4}} dx \\
&= -\frac{x(1-x^2)}{3\sqrt{1+x^2+x^4}} + \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{5x\sqrt{1+x^2+x^4}}{12(1+x^2)} + \frac{5(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}}}{6\sqrt{1+x^2+x^4}} \\
&= -\frac{x(1-x^2)}{3\sqrt{1+x^2+x^4}} + \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} + \frac{5x\sqrt{1+x^2+x^4}}{12(1+x^2)} + \frac{5(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}}}{6\sqrt{1+x^2+x^4}} \\
&= -\frac{x(1-x^2)}{3\sqrt{1+x^2+x^4}} + \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} - \frac{x\sqrt{1+x^2+x^4}}{3(1+x^2)} + \frac{19(1+x^2)\sqrt{\frac{1+x^2+x^4}{(1+x^2)^2}}}{12\sqrt{1+x^2+x^4}} \\
&= -\frac{x(1-x^2)}{3\sqrt{1+x^2+x^4}} + \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} - \frac{x\sqrt{1+x^2+x^4}}{3(1+x^2)} + \frac{1}{2} \tan^{-1} \left(\frac{x}{\sqrt{1+x^2+x^4}} \right) \\
&= -\frac{x(1-x^2)}{3\sqrt{1+x^2+x^4}} + \frac{x\sqrt{1+x^2+x^4}}{4(1+x^2)^2} - \frac{x\sqrt{1+x^2+x^4}}{3(1+x^2)} + \frac{3}{4} \tan^{-1} \left(\frac{x}{\sqrt{1+x^2+x^4}} \right)
\end{aligned}$$

Mathematica [C] time = 0.34, size = 192, normalized size = 1.01

$$\frac{4x(x^2-1)(x^2+1)^2 - \sqrt[3]{-1} \sqrt{\sqrt[3]{-1}x^2+1} \sqrt{1-(-1)^{2/3}x^2} (x^2+1)^2}{(-9+10i\sqrt{3}) F(i \sinh^{-1}((-1)^{5/6}x)) | (-1)^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((1 + x^2)^3*(1 + x^2 + x^4)^(3/2)),x]

[Out] (4*x*(-1 + x^2)*(1 + x^2)^2 + 3*x*(1 + x^2 + x^4) + 15*x*(1 + x^2)*(1 + x^2 + x^4) - (-1)^(1/3)*(1 + x^2)^2*Sqrt[1 + (-1)^(1/3)*x^2]*Sqrt[1 - (-1)^(2/3)*x^2]*(19*EllipticE[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] + (-9 + (10*I)*Sqrt[3])*EllipticF[I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)] - 18*(-1)^(1/3)*EllipticPi[(-1)^(1/3), I*ArcSinh[(-1)^(5/6)*x], (-1)^(2/3)])/(12*(1 + x^2)^2*Sqrt[1 + x^2 + x^4])

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + x^2 + 1}}{x^{14} + 5x^{12} + 12x^{10} + 18x^8 + 18x^6 + 12x^4 + 5x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)^3/(x^4+x^2+1)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + x^2 + 1)/(x^14 + 5*x^12 + 12*x^10 + 18*x^8 + 18*x^6 + 12*x^4 + 5*x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + x^2 + 1)^{\frac{3}{2}}(x^2 + 1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^2+1)^3/(x^4+x^2+1)^(3/2),x, algorithm="giac")

[Out] integrate(1/((x^4 + x^2 + 1)^(3/2)*(x^2 + 1)^3), x)

maple [C] time = 0.03, size = 439, normalized size = 2.31

$$\frac{\sqrt{x^4 + x^2 + 1} x}{4(x^2 + 1)^2} + \frac{5\sqrt{x^4 + x^2 + 1} x}{4(x^2 + 1)} - \frac{19\sqrt{\frac{x^2}{2} - \frac{i\sqrt{3}x^2}{2}} + 1 \sqrt{\frac{x^2}{2} + \frac{i\sqrt{3}x^2}{2}} \text{EllipticE}\left(\frac{\sqrt{-2+2i\sqrt{3}} x}{2}, \frac{\sqrt{-2+2i\sqrt{3}}}{2}\right)}{3\sqrt{-2+2i\sqrt{3}} \sqrt{x^4 + x^2 + 1} (1 + i\sqrt{3})} - 10$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2+1)^3/(x^4+x^2+1)^(3/2),x)

```
[Out] 1/4*(x^4+x^2+1)^(1/2)/(x^2+1)^2*x+5/4*(x^4+x^2+1)^(1/2)/(x^2+1)*x-2*(1/6*x-1/6*x^3)/(x^4+x^2+1)^(1/2)-10/3/(-2+2*I*3^(1/2))^(1/2)*(1/2*x^2-1/2*I*3^(1/2)*x^2+1)^(1/2)*(1/2*x^2+1/2*I*3^(1/2)*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)*EllipticF(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2))+19/3/(-2+2*I*3^(1/2))^(1/2)*(1/2*x^2-1/2*I*3^(1/2)*x^2+1)^(1/2)*(1/2*x^2+1/2*I*3^(1/2)*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)/(1+I*3^(1/2))*EllipticF(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2))-19/3/(-2+2*I*3^(1/2))^(1/2)*(1/2*x^2-1/2*I*3^(1/2)*x^2+1)^(1/2)*(1/2*x^2+1/2*I*3^(1/2)*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)/(1+I*3^(1/2))*EllipticE(1/2*(-2+2*I*3^(1/2))^(1/2)*x,1/2*(-2+2*I*3^(1/2))^(1/2))+3/2/(-1/2+1/2*I*3^(1/2))^(1/2)*(1/2*x^2-1/2*I*3^(1/2)*x^2+1)^(1/2)*(1/2*x^2+1/2*I*3^(1/2)*x^2+1)^(1/2)/(x^4+x^2+1)^(1/2)*EllipticPi((-1/2+1/2*I*3^(1/2))^(1/2)*x,-1/(-1/2+1/2*I*3^(1/2)),(-1/2-1/2*I*3^(1/2))^(1/2)/(-1/2+1/2*I*3^(1/2))^(1/2))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + x^2 + 1)^{\frac{3}{2}} (x^2 + 1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(x^2+1)^3/(x^4+x^2+1)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate(1/((x^4 + x^2 + 1)^(3/2)*(x^2 + 1)^3), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(x^2 + 1)^3 (x^4 + x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((x^2 + 1)^3*(x^2 + x^4 + 1)^(3/2)),x)
```

```
[Out] int(1/((x^2 + 1)^3*(x^2 + x^4 + 1)^(3/2)), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{((x^2 - x + 1)(x^2 + x + 1))^{\frac{3}{2}} (x^2 + 1)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(x**2+1)**3/(x**4+x**2+1)**(3/2),x)
```

```
[Out] Integral(1/(((x**2 - x + 1)*(x**2 + x + 1))**(3/2)*(x**2 + 1)**3), x)
```

3.244 $\int (d + ex^2)^4 (a + bx^2 + cx^4) dx$

Optimal. Leaf size=135

$$\frac{1}{9}e^2x^9(e(ae + 4bd) + 6cd^2) + \frac{1}{5}d^2x^5(6ae^2 + 4bde + cd^2) + \frac{2}{7}dex^7(e(2ae + 3bd) + 2cd^2) + \frac{1}{3}d^3x^3(4ae + bd) + ad^4x + \frac{1}{11}$$

[Out] a*d^4*x+1/3*d^3*(4*a*e+b*d)*x^3+1/5*d^2*(6*a*e^2+4*b*d*e+c*d^2)*x^5+2/7*d*e*(2*c*d^2+e*(2*a*e+3*b*d))*x^7+1/9*e^2*(6*c*d^2+e*(a*e+4*b*d))*x^9+1/11*e^3*(b*e+4*c*d)*x^11+1/13*c*e^4*x^13

Rubi [A] time = 0.13, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {1153}

$$\frac{1}{9}e^2x^9(e(ae + 4bd) + 6cd^2) + \frac{1}{5}d^2x^5(6ae^2 + 4bde + cd^2) + \frac{2}{7}dex^7(e(2ae + 3bd) + 2cd^2) + \frac{1}{3}d^3x^3(4ae + bd) + ad^4x + \frac{1}{11}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^4*(a + b*x^2 + c*x^4),x]

[Out] a*d^4*x + (d^3*(b*d + 4*a*e)*x^3)/3 + (d^2*(c*d^2 + 4*b*d*e + 6*a*e^2)*x^5)/5 + (2*d*e*(2*c*d^2 + e*(3*b*d + 2*a*e))*x^7)/7 + (e^2*(6*c*d^2 + e*(4*b*d + a*e))*x^9)/9 + (e^3*(4*c*d + b*e)*x^11)/11 + (c*e^4*x^13)/13

Rule 1153

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (d + ex^2)^4 (a + bx^2 + cx^4) dx &= \int (ad^4 + d^3(bd + 4ae)x^2 + d^2(cd^2 + 4bde + 6ae^2)x^4 + 2de(2cd^2 + e(3bd + 2ae))x^6 + d^3x^3(4ae + bd) + ad^4x + \frac{1}{11}e^3x^{11}) dx \\ &= ad^4x + \frac{1}{3}d^3(bd + 4ae)x^3 + \frac{1}{5}d^2(cd^2 + 4bde + 6ae^2)x^5 + \frac{2}{7}de(2cd^2 + e(3bd + 2ae))x^7 + \frac{1}{11}e^3x^{11} \end{aligned}$$

Mathematica [A] time = 0.04, size = 135, normalized size = 1.00

$$\frac{1}{9}e^2x^9(ae^2 + 4bde + 6cd^2) + \frac{2}{7}dex^7(2ae^2 + 3bde + 2cd^2) + \frac{1}{5}d^2x^5(6ae^2 + 4bde + cd^2) + \frac{1}{3}d^3x^3(4ae + bd) + ad^4x + \frac{1}{11}e^3x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^4*(a + b*x^2 + c*x^4), x]

[Out] a*d^4*x + (d^3*(b*d + 4*a*e)*x^3)/3 + (d^2*(c*d^2 + 4*b*d*e + 6*a*e^2)*x^5)/5 + (2*d*e*(2*c*d^2 + 3*b*d*e + 2*a*e^2)*x^7)/7 + (e^2*(6*c*d^2 + 4*b*d*e + a*e^2)*x^9)/9 + (e^3*(4*c*d + b*e)*x^11)/11 + (c*e^4*x^13)/13

fricas [A] time = 0.68, size = 148, normalized size = 1.10

$$\frac{1}{13}x^{13}e^4c + \frac{4}{11}x^{11}e^3dc + \frac{1}{11}x^{11}e^4b + \frac{2}{3}x^9e^2d^2c + \frac{4}{9}x^9e^3db + \frac{1}{9}x^9e^4a + \frac{4}{7}x^7ed^3c + \frac{6}{7}x^7e^2d^2b + \frac{4}{7}x^7e^3da + \frac{1}{5}x^5d^4c + \frac{4}{5}x^5ed^3b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4*(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] 1/13*x^13*e^4*c + 4/11*x^11*e^3*d*c + 1/11*x^11*e^4*b + 2/3*x^9*e^2*d^2*c + 4/9*x^9*e^3*d*b + 1/9*x^9*e^4*a + 4/7*x^7*e*d^3*c + 6/7*x^7*e^2*d^2*b + 4/7*x^7*e^3*d*a + 1/5*x^5*d^4*c + 4/5*x^5*e*d^3*b + 6/5*x^5*e^2*d^2*a + 1/3*x^3*d^4*b + 4/3*x^3*e*d^3*a + x*d^4*a

giac [A] time = 0.15, size = 142, normalized size = 1.05

$$\frac{1}{13}cx^{13}e^4 + \frac{4}{11}cdx^{11}e^3 + \frac{1}{11}bx^{11}e^4 + \frac{2}{3}cd^2x^9e^2 + \frac{4}{9}bdx^9e^3 + \frac{4}{7}cd^3x^7e + \frac{1}{9}ax^9e^4 + \frac{6}{7}bd^2x^7e^2 + \frac{1}{5}cd^4x^5 + \frac{4}{7}adx^7e^3 + \frac{4}{5}bd^4x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4*(c*x^4+b*x^2+a), x, algorithm="giac")

[Out] 1/13*c*x^13*e^4 + 4/11*c*d*x^11*e^3 + 1/11*b*x^11*e^4 + 2/3*c*d^2*x^9*e^2 + 4/9*b*d*x^9*e^3 + 4/7*c*d^3*x^7*e + 1/9*a*x^9*e^4 + 6/7*b*d^2*x^7*e^2 + 1/5*c*d^4*x^5 + 4/7*a*d*x^7*e^3 + 4/5*b*d^3*x^5*e + 6/5*a*d^2*x^5*e^2 + 1/3*b*d^4*x^3 + 4/3*a*d^3*x^3*e + a*d^4*x

maple [A] time = 0.00, size = 136, normalized size = 1.01

$$\frac{c e^4 x^{13}}{13} + \frac{(e^4 b + 4 d e^3 c) x^{11}}{11} + \frac{(e^4 a + 4 d e^3 b + 6 d^2 e^2 c) x^9}{9} + \frac{(4 d e^3 a + 6 d^2 e^2 b + 4 d^3 e c) x^7}{7} + a d^4 x + \frac{(6 d^2 e^2 a + 4 d^3 e b + 4 d^4 c) x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^4*(c*x^4+b*x^2+a), x)

[Out] 1/13*c*e^4*x^13+1/11*(b*e^4+4*c*d*e^3)*x^11+1/9*(a*e^4+4*b*d*e^3+6*c*d^2*e^2)*x^9+1/7*(4*a*d*e^3+6*b*d^2*e^2+4*c*d^3*e)*x^7+1/5*(6*a*d^2*e^2+4*b*d^3*e+c*d^4)*x^5+1/3*(4*a*d^3*e+b*d^4)*x^3+a*d^4*x

maxima [A] time = 0.96, size = 135, normalized size = 1.00

$$\frac{1}{13} ce^4 x^{13} + \frac{1}{11} (4cde^3 + be^4)x^{11} + \frac{1}{9} (6cd^2e^2 + 4bde^3 + ae^4)x^9 + \frac{2}{7} (2cd^3e + 3bd^2e^2 + 2ade^3)x^7 + ad^4x + \frac{1}{5} (cd^4 + 4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4*(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] 1/13*c*e^4*x^13 + 1/11*(4*c*d*e^3 + b*e^4)*x^11 + 1/9*(6*c*d^2*e^2 + 4*b*d*e^3 + a*e^4)*x^9 + 2/7*(2*c*d^3*e + 3*b*d^2*e^2 + 2*a*d*e^3)*x^7 + a*d^4*x + 1/5*(c*d^4 + 4*b*d^3*e + 6*a*d^2*e^2)*x^5 + 1/3*(b*d^4 + 4*a*d^3*e)*x^3

mupad [B] time = 0.06, size = 131, normalized size = 0.97

$$x^3 \left(\frac{bd^4}{3} + \frac{4aed^3}{3} \right) + x^{11} \left(\frac{be^4}{11} + \frac{4cde^3}{11} \right) + x^5 \left(\frac{cd^4}{5} + \frac{4bd^3e}{5} + \frac{6ad^2e^2}{5} \right) + x^9 \left(\frac{2cd^2e^2}{3} + \frac{4bde^3}{9} + \frac{ae^4}{9} \right) + \frac{ce^4}{5} + \frac{ad^4}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^4*(a + b*x^2 + c*x^4),x)

[Out] x^3*((b*d^4)/3 + (4*a*d^3*e)/3) + x^11*((b*e^4)/11 + (4*c*d*e^3)/11) + x^5*((c*d^4)/5 + (6*a*d^2*e^2)/5 + (4*b*d^3*e)/5) + x^9*((a*e^4)/9 + (2*c*d^2*e^2)/3 + (4*b*d*e^3)/9) + (c*e^4*x^13)/13 + a*d^4*x + (2*d*e*x^7*(2*a*e^2 + 2*c*d^2 + 3*b*d*e))/7

sympy [A] time = 0.11, size = 156, normalized size = 1.16

$$ad^4x + \frac{ce^4x^{13}}{13} + x^{11} \left(\frac{be^4}{11} + \frac{4cde^3}{11} \right) + x^9 \left(\frac{ae^4}{9} + \frac{4bde^3}{9} + \frac{2cd^2e^2}{3} \right) + x^7 \left(\frac{4ade^3}{7} + \frac{6bd^2e^2}{7} + \frac{4cd^3e}{7} \right) + x^5 \left(\frac{6ad^2e^2}{5} + \frac{4bd^3e}{5} \right) + \frac{ce^4}{5} + \frac{ad^4}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**4*(c*x**4+b*x**2+a),x)

[Out] a*d**4*x + c*e**4*x**13/13 + x**11*(b*e**4/11 + 4*c*d*e**3/11) + x**9*(a*e**4/9 + 4*b*d*e**3/9 + 2*c*d**2*e**2/3) + x**7*(4*a*d*e**3/7 + 6*b*d**2*e**2/7 + 4*c*d**3*e/7) + x**5*(6*a*d**2*e**2/5 + 4*b*d**3*e/5 + c*d**4/5) + x**3*(4*a*d**3*e/3 + b*d**4/3)

$$3.245 \quad \int (d + ex^2)^3 (a + bx^2 + cx^4) dx$$

Optimal. Leaf size=103

$$\frac{1}{7}ex^7(eae + 3bd) + 3cd^2 + \frac{1}{5}dx^5(3e(ae + bd) + cd^2) + \frac{1}{3}d^2x^3(3ae + bd) + ad^3x + \frac{1}{9}e^2x^9(be + 3cd) + \frac{1}{11}ce^3x^{11}$$

[Out] a*d^3*x+1/3*d^2*(3*a*e+b*d)*x^3+1/5*d*(c*d^2+3*e*(a*e+b*d))*x^5+1/7*e*(3*c*d^2+e*(a*e+3*b*d))*x^7+1/9*e^2*(b*e+3*c*d)*x^9+1/11*c*e^3*x^11

Rubi [A] time = 0.10, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {1153}

$$\frac{1}{7}ex^7(eae + 3bd) + 3cd^2 + \frac{1}{5}dx^5(3e(ae + bd) + cd^2) + \frac{1}{3}d^2x^3(3ae + bd) + ad^3x + \frac{1}{9}e^2x^9(be + 3cd) + \frac{1}{11}ce^3x^{11}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^3*(a + b*x^2 + c*x^4), x]

[Out] a*d^3*x + (d^2*(b*d + 3*a*e)*x^3)/3 + (d*(c*d^2 + 3*e*(b*d + a*e))*x^5)/5 + (e*(3*c*d^2 + e*(3*b*d + a*e))*x^7)/7 + (e^2*(3*c*d + b*e)*x^9)/9 + (c*e^3*x^11)/11

Rule 1153

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (d + ex^2)^3 (a + bx^2 + cx^4) dx &= \int (ad^3 + d^2(bd + 3ae)x^2 + d(cd^2 + 3e(bd + ae))x^4 + e(3cd^2 + e(3bd + ae))) dx \\ &= ad^3x + \frac{1}{3}d^2(bd + 3ae)x^3 + \frac{1}{5}d(cd^2 + 3e(bd + ae))x^5 + \frac{1}{7}e(3cd^2 + e(3bd + ae))x^7 + \frac{1}{9}e^2(3cd + be)x^9 + \frac{1}{11}ce^3x^{11} \end{aligned}$$

Mathematica [A] time = 0.03, size = 104, normalized size = 1.01

$$\frac{1}{7}ex^7(ae^2 + 3bde + 3cd^2) + \frac{1}{5}dx^5(3ae^2 + 3bde + cd^2) + \frac{1}{3}d^2x^3(3ae + bd) + ad^3x + \frac{1}{9}e^2x^9(be + 3cd) + \frac{1}{11}ce^3x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^3*(a + b*x^2 + c*x^4), x]

[Out] a*d^3*x + (d^2*(b*d + 3*a*e)*x^3)/3 + (d*(c*d^2 + 3*b*d*e + 3*a*e^2)*x^5)/5 + (e*(3*c*d^2 + 3*b*d*e + a*e^2)*x^7)/7 + (e^2*(3*c*d + b*e)*x^9)/9 + (c*e^3*x^11)/11

fricas [A] time = 0.59, size = 111, normalized size = 1.08

$$\frac{1}{11}x^{11}e^3c + \frac{1}{3}x^9e^2dc + \frac{1}{9}x^9e^3b + \frac{3}{7}x^7ed^2c + \frac{3}{7}x^7e^2db + \frac{1}{7}x^7e^3a + \frac{1}{5}x^5d^3c + \frac{3}{5}x^5ed^2b + \frac{3}{5}x^5e^2da + \frac{1}{3}x^3d^3b + x^3ed^2a + xd^3a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3*(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] 1/11*x^11*e^3*c + 1/3*x^9*e^2*d*c + 1/9*x^9*e^3*b + 3/7*x^7*e*d^2*c + 3/7*x^7*e^2*d*b + 1/7*x^7*e^3*a + 1/5*x^5*d^3*c + 3/5*x^5*e*d^2*b + 3/5*x^5*e^2*d*a + 1/3*x^3*d^3*b + x^3*e*d^2*a + x*d^3*a

giac [A] time = 0.16, size = 108, normalized size = 1.05

$$\frac{1}{11}cx^{11}e^3 + \frac{1}{3}cdx^9e^2 + \frac{1}{9}bx^9e^3 + \frac{3}{7}cd^2x^7e + \frac{3}{7}bdx^7e^2 + \frac{1}{5}cd^3x^5 + \frac{1}{7}ax^7e^3 + \frac{3}{5}bd^2x^5e + \frac{3}{5}adx^5e^2 + \frac{1}{3}bd^3x^3 + ad^2x^3e + ad^3x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3*(c*x^4+b*x^2+a), x, algorithm="giac")

[Out] 1/11*c*x^11*e^3 + 1/3*c*d*x^9*e^2 + 1/9*b*x^9*e^3 + 3/7*c*d^2*x^7*e + 3/7*b*d*x^7*e^2 + 1/5*c*d^3*x^5 + 1/7*a*x^7*e^3 + 3/5*b*d^2*x^5*e + 3/5*a*d*x^5*e^2 + 1/3*b*d^3*x^3 + a*d^2*x^3*e + a*d^3*x

maple [A] time = 0.00, size = 103, normalized size = 1.00

$$\frac{ce^3x^{11}}{11} + \frac{(e^3b + 3de^2c)x^9}{9} + \frac{(ae^3 + 3de^2b + 3cd^2e)x^7}{7} + ad^3x + \frac{(3de^2a + 3d^2eb + d^3c)x^5}{5} + \frac{(3d^2ea + d^3b)x^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^3*(c*x^4+b*x^2+a), x)

[Out] 1/11*c*e^3*x^11 + 1/9*(b*e^3 + 3*c*d*e^2)*x^9 + 1/7*(a*e^3 + 3*b*d*e^2 + 3*c*d^2*e)*x^7 + 1/5*(3*a*d*e^2 + 3*b*d^2*e + c*d^3)*x^5 + 1/3*(3*a*d^2*e + b*d^3)*x^3 + a*d^3*x

maxima [A] time = 1.03, size = 102, normalized size = 0.99

$$\frac{1}{11}ce^3x^{11} + \frac{1}{9}(3cde^2 + be^3)x^9 + \frac{1}{7}(3cd^2e + 3bde^2 + ae^3)x^7 + \frac{1}{5}(cd^3 + 3bd^2e + 3ade^2)x^5 + ad^3x + \frac{1}{3}(bd^3 + 3ad^2e)x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3*(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] 1/11*c*e^3*x^11 + 1/9*(3*c*d*e^2 + b*e^3)*x^9 + 1/7*(3*c*d^2*e + 3*b*d*e^2 + a*e^3)*x^7 + 1/5*(c*d^3 + 3*b*d^2*e + 3*a*d*e^2)*x^5 + a*d^3*x + 1/3*(b*d^3 + 3*a*d^2*e)*x^3

mupad [B] time = 4.63, size = 101, normalized size = 0.98

$$x^3 \left(\frac{bd^3}{3} + aed^2 \right) + x^9 \left(\frac{be^3}{9} + \frac{cde^2}{3} \right) + x^5 \left(\frac{cd^3}{5} + \frac{3bd^2e}{5} + \frac{3ade^2}{5} \right) + x^7 \left(\frac{3cd^2e}{7} + \frac{3bde^2}{7} + \frac{ae^3}{7} \right) + \frac{ce^3x^{11}}{11} + a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^3*(a + b*x^2 + c*x^4),x)

[Out] x^3*((b*d^3)/3 + a*d^2*e) + x^9*((b*e^3)/9 + (c*d*e^2)/3) + x^5*((c*d^3)/5 + (3*a*d*e^2)/5 + (3*b*d^2*e)/5) + x^7*((a*e^3)/7 + (3*b*d*e^2)/7 + (3*c*d^2*e)/7) + (c*e^3*x^11)/11 + a*d^3*x

sympy [A] time = 0.29, size = 112, normalized size = 1.09

$$ad^3x + \frac{ce^3x^{11}}{11} + x^9 \left(\frac{be^3}{9} + \frac{cde^2}{3} \right) + x^7 \left(\frac{ae^3}{7} + \frac{3bde^2}{7} + \frac{3cd^2e}{7} \right) + x^5 \left(\frac{3ade^2}{5} + \frac{3bd^2e}{5} + \frac{cd^3}{5} \right) + x^3 \left(ad^2e + \frac{bd^3}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**3*(c*x**4+b*x**2+a),x)

[Out] a*d**3*x + c*e**3*x**11/11 + x**9*(b*e**3/9 + c*d*e**2/3) + x**7*(a*e**3/7 + 3*b*d*e**2/7 + 3*c*d**2*e/7) + x**5*(3*a*d*e**2/5 + 3*b*d**2*e/5 + c*d**3/5) + x**3*(a*d**2*e + b*d**3/3)

$$3.246 \quad \int (d + ex^2)^2 (a + bx^2 + cx^4) dx$$

Optimal. Leaf size=73

$$\frac{1}{5}x^5(e(ae + 2bd) + cd^2) + \frac{1}{3}dx^3(2ae + bd) + ad^2x + \frac{1}{7}ex^7(be + 2cd) + \frac{1}{9}ce^2x^9$$

[Out] $a*d^2*x+1/3*d*(2*a*e+b*d)*x^3+1/5*(c*d^2+e*(a*e+2*b*d))*x^5+1/7*e*(b*e+2*c*d)*x^7+1/9*c*e^2*x^9$

Rubi [A] time = 0.06, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {1153}

$$\frac{1}{5}x^5(e(ae + 2bd) + cd^2) + \frac{1}{3}dx^3(2ae + bd) + ad^2x + \frac{1}{7}ex^7(be + 2cd) + \frac{1}{9}ce^2x^9$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^2*(a + b*x^2 + c*x^4), x]

[Out] $a*d^2*x + (d*(b*d + 2*a*e)*x^3)/3 + ((c*d^2 + e*(2*b*d + a*e))*x^5)/5 + (e*(2*c*d + b*e)*x^7)/7 + (c*e^2*x^9)/9$

Rule 1153

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (d + ex^2)^2 (a + bx^2 + cx^4) dx &= \int (ad^2 + d(bd + 2ae)x^2 + (cd^2 + e(2bd + ae))x^4 + e(2cd + be)x^6 + ce^2x^8) dx \\ &= ad^2x + \frac{1}{3}d(bd + 2ae)x^3 + \frac{1}{5}(cd^2 + e(2bd + ae))x^5 + \frac{1}{7}e(2cd + be)x^7 + \frac{1}{9}ce^2x^9 \end{aligned}$$

Mathematica [A] time = 0.02, size = 73, normalized size = 1.00

$$\frac{1}{5}x^5(ae^2 + 2bde + cd^2) + \frac{1}{3}dx^3(2ae + bd) + ad^2x + \frac{1}{7}ex^7(be + 2cd) + \frac{1}{9}ce^2x^9$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2*(a + b*x^2 + c*x^4),x]

[Out] a*d^2*x + (d*(b*d + 2*a*e)*x^3)/3 + ((c*d^2 + 2*b*d*e + a*e^2)*x^5)/5 + (e*(2*c*d + b*e)*x^7)/7 + (c*e^2*x^9)/9

fricas [A] time = 0.49, size = 76, normalized size = 1.04

$$\frac{1}{9}x^9e^2c + \frac{2}{7}x^7edc + \frac{1}{7}x^7e^2b + \frac{1}{5}x^5d^2c + \frac{2}{5}x^5edb + \frac{1}{5}x^5e^2a + \frac{1}{3}x^3d^2b + \frac{2}{3}x^3eda + xd^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] 1/9*x^9*e^2*c + 2/7*x^7*e*d*c + 1/7*x^7*e^2*b + 1/5*x^5*d^2*c + 2/5*x^5*e*d*b + 1/5*x^5*e^2*a + 1/3*x^3*d^2*b + 2/3*x^3*e*d*a + x*d^2*a

giac [A] time = 0.15, size = 76, normalized size = 1.04

$$\frac{1}{9}cx^9e^2 + \frac{2}{7}cdx^7e + \frac{1}{7}bx^7e^2 + \frac{1}{5}cd^2x^5 + \frac{2}{5}bdx^5e + \frac{1}{5}ax^5e^2 + \frac{1}{3}bd^2x^3 + \frac{2}{3}adx^3e + ad^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] 1/9*c*x^9*e^2 + 2/7*c*d*x^7*e + 1/7*b*x^7*e^2 + 1/5*c*d^2*x^5 + 2/5*b*d*x^5*e + 1/5*a*x^5*e^2 + 1/3*b*d^2*x^3 + 2/3*a*d*x^3*e + a*d^2*x

maple [A] time = 0.00, size = 70, normalized size = 0.96

$$\frac{ce^2x^9}{9} + \frac{(be^2 + 2dce)x^7}{7} + \frac{(ae^2 + 2bde + cd^2)x^5}{5} + ad^2x + \frac{(2dea + bd^2)x^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(c*x^4+b*x^2+a),x)

[Out] 1/9*c*e^2*x^9+1/7*(b*e^2+2*c*d*e)*x^7+1/5*(a*e^2+2*b*d*e+c*d^2)*x^5+1/3*(2*a*d*e+b*d^2)*x^3+a*d^2*x

maxima [A] time = 1.07, size = 69, normalized size = 0.95

$$\frac{1}{9}ce^2x^9 + \frac{1}{7}(2cde + be^2)x^7 + \frac{1}{5}(cd^2 + 2bde + ae^2)x^5 + ad^2x + \frac{1}{3}(bd^2 + 2ade)x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] $\frac{1}{9}c^2e^2x^9 + \frac{1}{7}(2cd^2e + b^2e^2)x^7 + \frac{1}{5}(cd^2 + 2bd^2e + a^2e^2)x^5 + ad^2x + \frac{1}{3}(bd^2 + 2ad^2e)x^3$

mupad [B] time = 4.59, size = 70, normalized size = 0.96

$$x^5 \left(\frac{cd^2}{5} + \frac{2bde}{5} + \frac{ae^2}{5} \right) + x^3 \left(\frac{bd^2}{3} + \frac{2aed}{3} \right) + x^7 \left(\frac{be^2}{7} + \frac{2cde}{7} \right) + \frac{ce^2x^9}{9} + ad^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)^2*(a + b*x^2 + c*x^4),x)`

[Out] $x^5*((a^2e^2)/5 + (c^2d^2)/5 + (2*b*d^2*e)/5) + x^3*((b^2d^2)/3 + (2*a*d^2*e)/3) + x^7*((b^2e^2)/7 + (2*c*d^2*e)/7) + (c^2e^2*x^9)/9 + ad^2*x$

sympy [A] time = 0.11, size = 78, normalized size = 1.07

$$ad^2x + \frac{ce^2x^9}{9} + x^7 \left(\frac{be^2}{7} + \frac{2cde}{7} \right) + x^5 \left(\frac{ae^2}{5} + \frac{2bde}{5} + \frac{cd^2}{5} \right) + x^3 \left(\frac{2ade}{3} + \frac{bd^2}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2*(c*x**4+b*x**2+a),x)`

[Out] $a*d**2*x + c*e**2*x**9/9 + x**7*(b*e**2/7 + 2*c*d*e/7) + x**5*(a*e**2/5 + 2*b*d*e/5 + c*d**2/5) + x**3*(2*a*d*e/3 + b*d**2/3)$

$$3.247 \quad \int (d + ex^2)(a + bx^2 + cx^4) dx$$

Optimal. Leaf size=42

$$\frac{1}{3}x^3(ae + bd) + adx + \frac{1}{5}x^5(be + cd) + \frac{1}{7}cex^7$$

[Out] a*d*x+1/3*(a*e+b*d)*x^3+1/5*(b*e+c*d)*x^5+1/7*c*e*x^7

Rubi [A] time = 0.03, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1153}

$$\frac{1}{3}x^3(ae + bd) + adx + \frac{1}{5}x^5(be + cd) + \frac{1}{7}cex^7$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)*(a + b*x^2 + c*x^4),x]

[Out] a*d*x + ((b*d + a*e)*x^3)/3 + ((c*d + b*e)*x^5)/5 + (c*e*x^7)/7

Rule 1153

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (d + ex^2)(a + bx^2 + cx^4) dx &= \int (ad + (bd + ae)x^2 + (cd + be)x^4 + cex^6) dx \\ &= adx + \frac{1}{3}(bd + ae)x^3 + \frac{1}{5}(cd + be)x^5 + \frac{1}{7}cex^7 \end{aligned}$$

Mathematica [A] time = 0.01, size = 42, normalized size = 1.00

$$\frac{1}{3}x^3(ae + bd) + adx + \frac{1}{5}x^5(be + cd) + \frac{1}{7}cex^7$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)*(a + b*x^2 + c*x^4),x]

[Out] $a*d*x + ((b*d + a*e)*x^3)/3 + ((c*d + b*e)*x^5)/5 + (c*e*x^7)/7$

fricas [A] time = 0.48, size = 40, normalized size = 0.95

$$\frac{1}{7}x^7ec + \frac{1}{5}x^5dc + \frac{1}{5}x^5eb + \frac{1}{3}x^3db + \frac{1}{3}x^3ea + xda$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(c*x^4+b*x^2+a),x, algorithm="fricas")`

[Out] $1/7*x^7*e*c + 1/5*x^5*d*c + 1/5*x^5*e*b + 1/3*x^3*d*b + 1/3*x^3*e*a + x*d*a$

giac [A] time = 0.15, size = 43, normalized size = 1.02

$$\frac{1}{7}cx^7e + \frac{1}{5}cdx^5 + \frac{1}{5}bx^5e + \frac{1}{3}bdx^3 + \frac{1}{3}ax^3e + adx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(c*x^4+b*x^2+a),x, algorithm="giac")`

[Out] $1/7*c*x^7*e + 1/5*c*d*x^5 + 1/5*b*x^5*e + 1/3*b*d*x^3 + 1/3*a*x^3*e + a*d*x$

maple [A] time = 0.00, size = 37, normalized size = 0.88

$$\frac{ce x^7}{7} + \frac{(be + cd)x^5}{5} + adx + \frac{(ae + bd)x^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(c*x^4+b*x^2+a),x)`

[Out] $a*d*x+1/3*(a*e+b*d)*x^3+1/5*(b*e+c*d)*x^5+1/7*c*e*x^7$

maxima [A] time = 0.90, size = 36, normalized size = 0.86

$$\frac{1}{7}cex^7 + \frac{1}{5}(cd + be)x^5 + \frac{1}{3}(bd + ae)x^3 + adx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] $1/7*c*e*x^7 + 1/5*(c*d + b*e)*x^5 + 1/3*(b*d + a*e)*x^3 + a*d*x$

mupad [B] time = 0.04, size = 38, normalized size = 0.90

$$\frac{ce x^7}{7} + \left(\frac{be}{5} + \frac{cd}{5}\right)x^5 + \left(\frac{ae}{3} + \frac{bd}{3}\right)x^3 + adx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)*(a + b*x^2 + c*x^4), x)`

[Out] $x^3*((a*e)/3 + (b*d)/3) + x^5*((b*e)/5 + (c*d)/5) + a*d*x + (c*e*x^7)/7$

sympy [A] time = 0.10, size = 39, normalized size = 0.93

$$adx + \frac{cex^7}{7} + x^5\left(\frac{be}{5} + \frac{cd}{5}\right) + x^3\left(\frac{ae}{3} + \frac{bd}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(c*x**4+b*x**2+a), x)`

[Out] $a*d*x + c*e*x**7/7 + x**5*(b*e/5 + c*d/5) + x**3*(a*e/3 + b*d/3)$

$$3.248 \quad \int \frac{a+bx^2+cx^4}{d+ex^2} dx$$

Optimal. Leaf size=66

$$\frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(ae^2 - bde + cd^2)}{\sqrt{d}e^{5/2}} - \frac{x(cd - be)}{e^2} + \frac{cx^3}{3e}$$

[Out] $-(b*e+c*d)*x/e^2+1/3*c*x^3/e+(a*e^2-b*d*e+c*d^2)*\arctan(x*e^{(1/2)}/d^{(1/2)})/e^{(5/2)}/d^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1153, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(ae^2 - bde + cd^2)}{\sqrt{d}e^{5/2}} - \frac{x(cd - be)}{e^2} + \frac{cx^3}{3e}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(d + e*x^2),x]

[Out] $-(((c*d - b*e)*x)/e^2) + (c*x^3)/(3*e) + ((c*d^2 - b*d*e + a*e^2)*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(\text{Sqrt}[d]*e^{(5/2)})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1153

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2 + cx^4}{d + ex^2} dx &= \int \left(-\frac{cd - be}{e^2} + \frac{cx^2}{e} + \frac{cd^2 - bde + ae^2}{e^2(d + ex^2)} \right) dx \\
&= -\frac{(cd - be)x}{e^2} + \frac{cx^3}{3e} + \frac{(cd^2 - bde + ae^2) \int \frac{1}{d+ex^2} dx}{e^2} \\
&= -\frac{(cd - be)x}{e^2} + \frac{cx^3}{3e} + \frac{(cd^2 - bde + ae^2) \tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{\sqrt{d} e^{5/2}}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 65, normalized size = 0.98

$$\frac{\tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right) (ae^2 - bde + cd^2)}{\sqrt{d} e^{5/2}} + \frac{x(be - cd)}{e^2} + \frac{cx^3}{3e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(d + e*x^2), x]

[Out] ((-(c*d) + b*e)*x)/e^2 + (c*x^3)/(3*e) + ((c*d^2 - b*d*e + a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(Sqrt[d]*e^(5/2))

fricas [A] time = 0.61, size = 159, normalized size = 2.41

$$\left[\frac{2cde^2x^3 - 3(cd^2 - bde + ae^2)\sqrt{-de} \log\left(\frac{ex^2 - 2\sqrt{-de}x - d}{ex^2 + d}\right) - 6(cd^2e - bde^2)x}{6de^3}, \frac{cde^2x^3 + 3(cd^2 - bde + ae^2)\sqrt{de}}{3de^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d), x, algorithm="fricas")

[Out] [1/6*(2*c*d*e^2*x^3 - 3*(c*d^2 - b*d*e + a*e^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) - 6*(c*d^2*e - b*d*e^2)*x)/(d*e^3), 1/3*(c*d*e^2*x^3 + 3*(c*d^2 - b*d*e + a*e^2)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) - 3*(c*d^2*e - b*d*e^2)*x)/(d*e^3)]

giac [A] time = 0.15, size = 56, normalized size = 0.85

$$\frac{(cd^2 - bde + ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{5}{2}\right)}}{\sqrt{d}} + \frac{1}{3} (cx^3e^2 - 3cdxe + 3bxe^2)e^{(-3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d),x, algorithm="giac")

[Out] (c*d^2 - b*d*e + a*e^2)*arctan(x*e^(1/2)/sqrt(d))*e^(-5/2)/sqrt(d) + 1/3*(c*x^3*e^2 - 3*c*d*x*e + 3*b*x*e^2)*e^(-3)

maple [A] time = 0.00, size = 84, normalized size = 1.27

$$\frac{c x^3}{3e} + \frac{a \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de}} - \frac{bd \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de} e} + \frac{c d^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de} e^2} + \frac{bx}{e} - \frac{cdx}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/(e*x^2+d),x)

[Out] 1/3*c/e*x^3+1/e*b*x-c*d/e^2*x+1/(d*e)^(1/2)*a*arctan(1/(d*e)^(1/2)*e*x)-1/e/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*b*d+1/(d*e)^(1/2)*c*d^2/e^2*arctan(1/(d*e)^(1/2)*e*x)

maxima [A] time = 2.41, size = 58, normalized size = 0.88

$$\frac{(cd^2 - bde + ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de} e^2} + \frac{cex^3 - 3(cd - be)x}{3e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d),x, algorithm="maxima")

[Out] (c*d^2 - b*d*e + a*e^2)*arctan(e*x/sqrt(d*e))/(sqrt(d*e)*e^2) + 1/3*(c*e*x^3 - 3*(c*d - b*e)*x)/e^2

mupad [B] time = 0.09, size = 57, normalized size = 0.86

$$x \left(\frac{b}{e} - \frac{cd}{e^2} \right) + \frac{cx^3}{3e} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) (cd^2 - bde + ae^2)}{\sqrt{d} e^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)/(d + e*x^2),x)

[Out] x*(b/e - (c*d)/e^2) + (c*x^3)/(3*e) + (atan((e^(1/2)*x)/d^(1/2))*(a*e^2 + c*d^2 - b*d*e))/(d^(1/2)*e^(5/2))

sympy [B] time = 0.73, size = 117, normalized size = 1.77

$$\frac{cx^3}{3e} + x \left(\frac{b}{e} - \frac{cd}{e^2} \right) - \frac{\sqrt{-\frac{1}{de^5}} (ae^2 - bde + cd^2) \log\left(-de^2 \sqrt{-\frac{1}{de^5}} + x\right)}{2} + \frac{\sqrt{-\frac{1}{de^5}} (ae^2 - bde + cd^2) \log\left(de^2 \sqrt{-\frac{1}{de^5}} + x\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)/(e*x**2+d),x)

[Out] c*x**3/(3*e) + x*(b/e - c*d/e**2) - sqrt(-1/(d*e**5))*(a*e**2 - b*d*e + c*d**2)*log(-d*e**2*sqrt(-1/(d*e**5)) + x)/2 + sqrt(-1/(d*e**5))*(a*e**2 - b*d*e + c*d**2)*log(d*e**2*sqrt(-1/(d*e**5)) + x)/2

$$3.249 \quad \int \frac{a+bx^2+cx^4}{(d+ex^2)^2} dx$$

Optimal. Leaf size=83

$$-\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(3cd^2 - e(ae + bd))}{2d^{3/2}e^{5/2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{2d(d+ex^2)} + \frac{cx}{e^2}$$

[Out] $c*x/e^2+1/2*(a+d*(-b*e+c*d)/e^2)*x/d/(e*x^2+d)^{-1/2}*(3*c*d^2-e*(a*e+b*d))*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(3/2)}/e^{(5/2)}$

Rubi [A] time = 0.09, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1157, 388, 205}

$$-\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(3cd^2 - e(ae + bd))}{2d^{3/2}e^{5/2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{2d(d+ex^2)} + \frac{cx}{e^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(d + e*x^2)^2,x]

[Out] $(c*x)/e^2 + ((a + (d*(c*d - b*e))/e^2)*x)/(2*d*(d + e*x^2)) - ((3*c*d^2 - e*(b*d + a*e))*\text{ArcTan}[\text{Sqrt}[e]*x]/\text{Sqrt}[d])/(2*d^{(3/2)}*e^{(5/2)})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p+1)/(b*(n*(p+1)+1)), x] - Dist[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p+1)+1, 0]

Rule 1157

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x, 0]}, -Simp[(R*x*(d + e*x^2)^(q+1))/(2*d*(q+1)), x] + Dist[1/(2*d*(q +

1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{(d + ex^2)^2} dx &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{2d(d + ex^2)} - \frac{\int \frac{\frac{cd^2 - e(bd+ae)}{e^2} - \frac{2cdx^2}{e}}{d+ex^2} dx}{2d} \\ &= \frac{cx}{e^2} + \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{2d(d + ex^2)} - \frac{(3cd^2 - e(bd + ae)) \int \frac{1}{d+ex^2} dx}{2de^2} \\ &= \frac{cx}{e^2} + \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{2d(d + ex^2)} - \frac{(3cd^2 - e(bd + ae)) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{3/2}e^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 88, normalized size = 1.06

$$\frac{x(ae^2 - bde + cd^2)}{2de^2(d + ex^2)} - \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(-ae^2 - bde + 3cd^2)}{2d^{3/2}e^{5/2}} + \frac{cx}{e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(d + e*x^2)^2, x]

[Out] (c*x)/e^2 + ((c*d^2 - b*d*e + a*e^2)*x)/(2*d*e^2*(d + e*x^2)) - ((3*c*d^2 - b*d*e - a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*d^(3/2)*e^(5/2))

fricas [A] time = 0.75, size = 268, normalized size = 3.23

$$\frac{4cd^2e^2x^3 + (3cd^3 - bd^2e - ade^2 + (3cd^2e - bde^2 - ae^3)x^2)\sqrt{-de} \log\left(\frac{ex^2 - 2\sqrt{-de}x - d}{ex^2 + d}\right) + 2(3cd^3e - bd^2e^2 + ade^3)}{4(d^2e^4x^2 + d^3e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="fricas")

[Out] [1/4*(4*c*d^2*e^2*x^3 + (3*c*d^3 - b*d^2*e - a*d*e^2 + (3*c*d^2*e - b*d*e^2 - a*e^3)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) + 2

$(3cd^2 - bde - ae^2)x / (d^2e^4x^2 + d^3e^3), 1/2(2cd^2e^2x^3 - (3cd^2 - bde - ae^2)x^2) \sqrt{de} \arctan(\sqrt{de}x/d) + (3cd^2e^2 - bde - ae^2)x / (d^2e^4x^2 + d^3e^3)$

giac [A] time = 0.17, size = 75, normalized size = 0.90

$$cxe^{(-2)} - \frac{(3cd^2 - bde - ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{5}{2}\right)}}{2d^{\frac{3}{2}}} + \frac{(cd^2x - bdx + axe^2)e^{(-2)}}{2(x^2e + d)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="giac")

[Out] $cxe^{(-2)} - 1/2(3cd^2 - bde - ae^2) \arctan(xe^{(1/2)}/\sqrt{d})e^{(-5/2)}/d^{(3/2)} + 1/2(c*d^2*x - b*d*x*e + a*x*e^2)*e^{(-2)}/((x^2*e + d)*d)$

maple [A] time = 0.01, size = 118, normalized size = 1.42

$$\frac{ax}{2(e x^2 + d) d} + \frac{a \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de} d} - \frac{bx}{2(e x^2 + d) e} + \frac{b \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de} e} + \frac{cdx}{2(e x^2 + d) e^2} - \frac{3cd \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de} e^2} + \frac{cx}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/(e*x^2+d)^2,x)

[Out] $c/e^2x+1/2/(e*x^2+d)*a/d*x-1/2/e*x/(e*x^2+d)*b+1/2/(e*x^2+d)*c*d/e^2*x+1/2/(d*e)^{(1/2)}*a/d*\arctan(1/(d*e)^{(1/2)}*e*x)+1/2/e/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*b-3/2/(d*e)^{(1/2)}*c*d/e^2*\arctan(1/(d*e)^{(1/2)}*e*x)$

maxima [A] time = 2.25, size = 84, normalized size = 1.01

$$\frac{(cd^2 - bde + ae^2)x}{2(de^3x^2 + d^2e^2)} + \frac{cx}{e^2} - \frac{(3cd^2 - bde - ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}de^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="maxima")

[Out] $1/2*(c*d^2 - b*d*e + a*e^2)*x/(d*e^3*x^2 + d^2*e^2) + c*x/e^2 - 1/2*(3*c*d^2 - b*d*e - a*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d*e^2)$

mupad [B] time = 4.67, size = 77, normalized size = 0.93

$$\frac{cx}{e^2} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) (-3cd^2 + bde + ae^2)}{2d^{3/2}e^{5/2}} + \frac{x(cd^2 - bde + ae^2)}{2d(e^3x^2 + de^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2 + c*x^4)/(d + e*x^2)^2,x)`

[Out] $(c*x)/e^2 + (\operatorname{atan}((e^{1/2}*x)/d^{1/2})*(a*e^2 - 3*c*d^2 + b*d*e))/(2*d^{3/2}*e^{5/2}) + (x*(a*e^2 + c*d^2 - b*d*e))/(2*d*(d*e^2 + e^3*x^2))$

sympy [B] time = 1.23, size = 153, normalized size = 1.84

$$\frac{cx}{e^2} + \frac{x(ae^2 - bde + cd^2)}{2d^2e^2 + 2de^3x^2} - \frac{\sqrt{-\frac{1}{d^3e^5}}(ae^2 + bde - 3cd^2)\log\left(-d^2e^2\sqrt{-\frac{1}{d^3e^5}} + x\right)}{4} + \frac{\sqrt{-\frac{1}{d^3e^5}}(ae^2 + bde - 3cd^2)\log\left(d^2e^2\sqrt{-\frac{1}{d^3e^5}} + x\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**4+b*x**2+a)/(e*x**2+d)**2,x)`

[Out] $c*x/e**2 + x*(a*e**2 - b*d*e + c*d**2)/(2*d**2*e**2 + 2*d*e**3*x**2) - \operatorname{sqrt}(-1/(d**3*e**5))*(a*e**2 + b*d*e - 3*c*d**2)*\log(-d**2*e**2*\operatorname{sqrt}(-1/(d**3*e**5)) + x)/4 + \operatorname{sqrt}(-1/(d**3*e**5))*(a*e**2 + b*d*e - 3*c*d**2)*\log(d**2*e**2*\operatorname{sqrt}(-1/(d**3*e**5)) + x)/4$

$$3.250 \quad \int \frac{a+bx^2+cx^4}{(d+ex^2)^3} dx$$

Optimal. Leaf size=115

$$-\frac{x(5cd^2 - e(3ae + bd))}{8d^2e^2(d + ex^2)} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(e(3ae + bd) + 3cd^2)}{8d^{5/2}e^{5/2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{4d(d + ex^2)^2}$$

[Out] 1/4*(a+d*(-b*e+c*d)/e^2)*x/d/(e*x^2+d)^2-1/8*(5*c*d^2-e*(3*a*e+b*d))*x/d^2/e^2/(e*x^2+d)+1/8*(3*c*d^2+e*(3*a*e+b*d))*arctan(x*e^(1/2)/d^(1/2))/d^(5/2)/e^(5/2)

Rubi [A] time = 0.11, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1157, 385, 205}

$$-\frac{x(5cd^2 - e(3ae + bd))}{8d^2e^2(d + ex^2)} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(e(3ae + bd) + 3cd^2)}{8d^{5/2}e^{5/2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{4d(d + ex^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(d + e*x^2)^3,x]

[Out] ((a + (d*(c*d - b*e))/e^2)*x)/(4*d*(d + e*x^2)^2) - ((5*c*d^2 - e*(b*d + 3*a*e))*x)/(8*d^2*e^2*(d + e*x^2)) + ((3*c*d^2 + e*(b*d + 3*a*e))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*d^(5/2)*e^(5/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 1157


```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_),
x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2
, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x
, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{(d + ex^2)^3} dx &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{4d(d + ex^2)^2} - \frac{\int \frac{-3a + \frac{d(cd-be)}{e^2} - \frac{4cdx^2}{e}}{(d+ex^2)^2} dx}{4d} \\ &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{4d(d + ex^2)^2} - \frac{(5cd^2 - e(bd + 3ae))x}{8d^2e^2(d + ex^2)} - \frac{\left(-\frac{4cd^2}{e} + e\left(-3a + \frac{d(cd-be)}{e^2}\right)\right) \int \frac{1}{d+ex^2} dx}{8d^2e} \\ &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{4d(d + ex^2)^2} - \frac{(5cd^2 - e(bd + 3ae))x}{8d^2e^2(d + ex^2)} + \frac{(3cd^2 + e(bd + 3ae)) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{8d^{5/2}e^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.10, size = 110, normalized size = 0.96

$$\frac{x \left(e \left(a e \left(5d + 3ex^2 \right) + bd \left(ex^2 - d \right) \right) - cd^2 \left(3d + 5ex^2 \right) \right)}{8d^2e^2 \left(d + ex^2 \right)^2} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) \left(e \left(3ae + bd \right) + 3cd^2 \right)}{8d^{5/2}e^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(d + e*x^2)^3, x]

[Out] (x*(-(c*d^2*(3*d + 5*e*x^2)) + e*(b*d*(-d + e*x^2) + a*e*(5*d + 3*e*x^2))))/(8*d^2*e^2*(d + e*x^2)^2) + ((3*c*d^2 + e*(b*d + 3*a*e))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*d^(5/2)*e^(5/2))

fricas [A] time = 0.59, size = 391, normalized size = 3.40

$$\left[\frac{2 \left(5cd^3e^2 - bd^2e^3 - 3ade^4 \right) x^3 + \left(3cd^4 + bd^3e + 3ad^2e^2 + \left(3cd^2e^2 + bde^3 + 3ae^4 \right) x^4 + 2 \left(3cd^3e + bd^2e^2 + 3ae^3 \right) x^5}{16 \left(d^3e^5x^4 + 2d^4e^4x^2 + d^5e^3 \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/16*(2*(5*c*d^3*e^2 - b*d^2*e^3 - 3*a*d*e^4)*x^3 + (3*c*d^4 + b*d^3*e + \\ & 3*a*d^2*e^2 + (3*c*d^2*e^2 + b*d*e^3 + 3*a*e^4)*x^4 + 2*(3*c*d^3*e + b*d^2* \\ & e^2 + 3*a*d*e^3)*x^2)*\sqrt{-d*e}*\log((e*x^2 - 2*\sqrt{-d*e}*x - d)/(e*x^2 + \\ & d)) + 2*(3*c*d^4*e + b*d^3*e^2 - 5*a*d^2*e^3)*x)/(d^3*e^5*x^4 + 2*d^4*e^4*x \\ & ^2 + d^5*e^3), -1/8*((5*c*d^3*e^2 - b*d^2*e^3 - 3*a*d*e^4)*x^3 - (3*c*d^4 + \\ & b*d^3*e + 3*a*d^2*e^2 + (3*c*d^2*e^2 + b*d*e^3 + 3*a*e^4)*x^4 + 2*(3*c*d^3 \\ & *e + b*d^2*e^2 + 3*a*d*e^3)*x^2)*\sqrt{d*e}*\arctan(\sqrt{d*e}*x/d) + (3*c*d^4 \\ & *e + b*d^3*e^2 - 5*a*d^2*e^3)*x)/(d^3*e^5*x^4 + 2*d^4*e^4*x^2 + d^5*e^3)] \end{aligned}$$

giac [A] time = 0.23, size = 101, normalized size = 0.88

$$\frac{(3cd^2 + bde + 3ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{5}{2}\right)} (5cd^2x^3e - bdx^3e^2 + 3cd^3x - 3ax^3e^3 + bd^2xe - 5adx^2e^2)e^{(-2)}}{8d^{\frac{5}{2}} \cdot 8(x^2e + d)^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & 1/8*(3*c*d^2 + b*d*e + 3*a*e^2)*\arctan(x*e^{(1/2)}/\sqrt{d})*e^{(-5/2)}/d^{(5/2)} \\ & - 1/8*(5*c*d^2*x^3*e - b*d*x^3*e^2 + 3*c*d^3*x - 3*a*x^3*e^3 + b*d^2*x*e - \\ & 5*a*d*x*e^2)*e^{(-2)}/((x^2*e + d)^2*d^2) \end{aligned}$$

maple [A] time = 0.01, size = 131, normalized size = 1.14

$$\frac{3a \arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de} d^2} + \frac{b \arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de} de} + \frac{3c \arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de} e^2} + \frac{(3ae^2 + bde - 5cd^2)x^3}{8d^2e} + \frac{(5ae^2 - bde - 3cd^2)x}{8de^2} (ex^2 + d)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/(e*x^2+d)^3,x)

[Out]
$$\begin{aligned} & (1/8*(3*a*e^2+b*d*e-5*c*d^2)/d^2/e*x^3+1/8*(5*a*e^2-b*d*e-3*c*d^2)/d/e^2*x) \\ & /((e*x^2+d)^2+3/8/(d*e)^{(1/2)}*a/d^2*\arctan(1/(d*e)^{(1/2)}*e*x)+1/8/d/e/(d*e)^{(1/2)} \\ & *\arctan(1/(d*e)^{(1/2)}*e*x)*b+3/8/(d*e)^{(1/2)}*c/e^2*\arctan(1/(d*e)^{(1/2)} \\ &)*e*x) \end{aligned}$$

maxima [A] time = 2.25, size = 121, normalized size = 1.05

$$-\frac{(5cd^2e - bde^2 - 3ae^3)x^3 + (3cd^3 + bd^2e - 5ade^2)x}{8(d^2e^4x^4 + 2d^3e^3x^2 + d^4e^2)} + \frac{(3cd^2 + bde + 3ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de} d^2 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^3,x, algorithm="maxima")

[Out]
$$-1/8*((5*c*d^2*e - b*d*e^2 - 3*a*e^3)*x^3 + (3*c*d^3 + b*d^2*e - 5*a*d*e^2)*x)/(d^2*e^4*x^4 + 2*d^3*e^3*x^2 + d^4*e^2) + 1/8*(3*c*d^2 + b*d*e + 3*a*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d^2*e^2)$$

mupad [B] time = 4.85, size = 112, normalized size = 0.97

$$\frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(3cd^2 + bde + 3ae^2)}{8d^{5/2}e^{5/2}} - \frac{x(3cd^2 + bde - 5ae^2)}{8de^2} - \frac{x^3(-5cd^2 + bde + 3ae^2)}{8d^2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)/(d + e*x^2)^3,x)

[Out]
$$\left(\operatorname{atan}\left(\frac{e^{1/2}x}{d^{1/2}}\right)(3ae^2 + 3cd^2 + bde)\right)/(8d^{5/2}e^{5/2}) - \left(\frac{x(3cd^2 - 5ae^2 + bde)}{8d^2e} - \frac{x^3(3ae^2 - 5cd^2 + bde)}{8d^2e}\right)/(d^2 + e^2x^4 + 2d^2ex^2)$$

sympy [A] time = 2.27, size = 196, normalized size = 1.70

$$-\frac{\sqrt{-\frac{1}{d^5e^5}}(3ae^2 + bde + 3cd^2)\log\left(-d^3e^2\sqrt{-\frac{1}{d^5e^5}} + x\right)}{16} + \frac{\sqrt{-\frac{1}{d^5e^5}}(3ae^2 + bde + 3cd^2)\log\left(d^3e^2\sqrt{-\frac{1}{d^5e^5}} + x\right)}{16} + x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)/(e*x**2+d)**3,x)

[Out]
$$-\sqrt{-1/(d**5*e**5)}*(3*a*e**2 + b*d*e + 3*c*d**2)*\log(-d**3*e**2*\sqrt{-1/(d**5*e**5)} + x)/16 + \sqrt{-1/(d**5*e**5)}*(3*a*e**2 + b*d*e + 3*c*d**2)*\log(d**3*e**2*\sqrt{-1/(d**5*e**5)} + x)/16 + (x**3*(3*a*e**3 + b*d*e**2 - 5*c*d**2*e) + x*(5*a*d*e**2 - b*d**2*e - 3*c*d**3))/(8*d**4*e**2 + 16*d**3*e**3*x**2 + 8*d**2*e**4*x**4)$$

$$3.251 \quad \int \frac{a+bx^2+cx^4}{(d+ex^2)^4} dx$$

Optimal. Leaf size=150

$$-\frac{x(7cd^2 - e(5ae + bd))}{24d^2e^2(d+ex^2)^2} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(e(5ae + bd) + cd^2)}{16d^{7/2}e^{5/2}} + \frac{x(e(5ae + bd) + cd^2)}{16d^3e^2(d+ex^2)} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{6d(d+ex^2)^3}$$

[Out] 1/6*(a+d*(-b*e+c*d)/e^2)*x/d/(e*x^2+d)^3-1/24*(7*c*d^2-e*(5*a*e+b*d))*x/d^2/e^2/(e*x^2+d)^2+1/16*(c*d^2+e*(5*a*e+b*d))*x/d^3/e^2/(e*x^2+d)+1/16*(c*d^2+e*(5*a*e+b*d))*arctan(x*e^(1/2)/d^(1/2))/d^(7/2)/e^(5/2)

Rubi [A] time = 0.21, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1157, 385, 199, 205}

$$\frac{x(e(5ae + bd) + cd^2)}{16d^3e^2(d+ex^2)} - \frac{x(7cd^2 - e(5ae + bd))}{24d^2e^2(d+ex^2)^2} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(e(5ae + bd) + cd^2)}{16d^{7/2}e^{5/2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{6d(d+ex^2)^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(d + e*x^2)^4,x]

[Out] ((a + (d*(c*d - b*e))/e^2)*x)/(6*d*(d + e*x^2)^3) - ((7*c*d^2 - e*(b*d + 5*a*e))*x)/(24*d^2*e^2*(d + e*x^2)^2) + ((c*d^2 + e*(b*d + 5*a*e))*x)/(16*d^3*e^2*(d + e*x^2)) + ((c*d^2 + e*(b*d + 5*a*e))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(16*d^(7/2)*e^(5/2))

Rule 199

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])
```

Rule 1157

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q + 1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{(d + ex^2)^4} dx &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{6d(d + ex^2)^3} - \frac{\int \frac{-5a + \frac{d(cd-be)}{e^2} - \frac{6cdx^2}{e}}{(d+ex^2)^3} dx}{6d} \\ &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{6d(d + ex^2)^3} - \frac{(7cd^2 - e(bd + 5ae))x}{24d^2e^2(d + ex^2)^2} + \frac{(cd^2 + e(bd + 5ae)) \int \frac{1}{(d+ex^2)^2} dx}{8d^2e^2} \\ &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{6d(d + ex^2)^3} - \frac{(7cd^2 - e(bd + 5ae))x}{24d^2e^2(d + ex^2)^2} + \frac{(cd^2 + e(bd + 5ae))x}{16d^3e^2(d + ex^2)} + \frac{(cd^2 + e(bd + 5ae))}{16d^3e^2} \int \frac{1}{d+ex^2} dx \\ &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{6d(d + ex^2)^3} - \frac{(7cd^2 - e(bd + 5ae))x}{24d^2e^2(d + ex^2)^2} + \frac{(cd^2 + e(bd + 5ae))x}{16d^3e^2(d + ex^2)} + \frac{(cd^2 + e(bd + 5ae))}{16d^{7/2}e^{5/2}} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right) \end{aligned}$$

Mathematica [A] time = 0.13, size = 142, normalized size = 0.95

$$\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(e(5ae + bd) + cd^2)}{16d^{7/2}e^{5/2}} + \frac{x(e(ae(33d^2 + 40dex^2 + 15e^2x^4)) + bd(-3d^2 + 8dex^2 + 3e^2x^4)) + cd^2(-3d^2 + 8dex^2 + 3e^2x^4)}{48d^3e^2(d + ex^2)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(d + e*x^2)^4,x]

[Out] (x*(c*d^2*(-3*d^2 - 8*d*e*x^2 + 3*e^2*x^4) + e*(b*d*(-3*d^2 + 8*d*e*x^2 + 3*e^2*x^4) + a*e*(33*d^2 + 40*d*e*x^2 + 15*e^2*x^4)))/(48*d^3*e^2*(d + e*x^2)^3) + ((c*d^2 + e*(b*d + 5*a*e))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(16*d^(7/2)*e^(5/2))

fricas [A] time = 0.57, size = 530, normalized size = 3.53

$$\frac{6(cd^3e^3 + bd^2e^4 + 5ade^5)x^5 - 16(cd^4e^2 - bd^3e^3 - 5ad^2e^4)x^3 - 3((cd^2e^3 + bde^4 + 5ae^5)x^6 + cd^5 + bd^4e + 5ad^3e^2)}{96(d^4e^6x^6 + 3ad^5e^5x^4 + 3bd^4e^4x^2 + d^7e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^4,x, algorithm="fricas")

[Out] [1/96*(6*(c*d^3*e^3 + b*d^2*e^4 + 5*a*d*e^5)*x^5 - 16*(c*d^4*e^2 - b*d^3*e^3 - 5*a*d^2*e^4)*x^3 - 3*((c*d^2*e^3 + b*d*e^4 + 5*a*e^5)*x^6 + c*d^5 + b*d^4*e + 5*a*d^3*e^2 + 3*(c*d^3*e^2 + b*d^2*e^3 + 5*a*d*e^4)*x^4 + 3*(c*d^4*e + b*d^3*e^2 + 5*a*d^2*e^3)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) - 6*(c*d^5*e + b*d^4*e^2 - 11*a*d^3*e^3)*x/(d^4*e^6*x^6 + 3*d^5*e^5*x^4 + 3*d^6*e^4*x^2 + d^7*e^3), 1/48*(3*(c*d^3*e^3 + b*d^2*e^4 + 5*a*d*e^5)*x^5 - 8*(c*d^4*e^2 - b*d^3*e^3 - 5*a*d^2*e^4)*x^3 + 3*((c*d^2*e^3 + b*d*e^4 + 5*a*e^5)*x^6 + c*d^5 + b*d^4*e + 5*a*d^3*e^2 + 3*(c*d^3*e^2 + b*d^2*e^3 + 5*a*d*e^4)*x^4 + 3*(c*d^4*e + b*d^3*e^2 + 5*a*d^2*e^3)*x^2)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) - 3*(c*d^5*e + b*d^4*e^2 - 11*a*d^3*e^3)*x/(d^4*e^6*x^6 + 3*d^5*e^5*x^4 + 3*d^6*e^4*x^2 + d^7*e^3)]

giac [A] time = 0.16, size = 134, normalized size = 0.89

$$\frac{(cd^2 + bde + 5ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{5}{2}\right)}}{16d^{\frac{7}{2}}} + \frac{(3cd^2x^5e^2 + 3bdx^5e^3 - 8cd^3x^3e + 15ax^5e^4 + 8bd^2x^3e^2 - 3cd^4x + 40ad^3e^2)}{48(x^2e + d)^3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^4,x, algorithm="giac")

[Out] 1/16*(c*d^2 + b*d*e + 5*a*e^2)*arctan(x*e^(1/2)/sqrt(d))*e^(-5/2)/d^(7/2) + 1/48*(3*c*d^2*x^5*e^2 + 3*b*d*x^5*e^3 - 8*c*d^3*x^3*e + 15*a*x^5*e^4 + 8*b*d^2*x^3*e^2 - 3*c*d^4*x + 40*a*d*x^3*e^3 - 3*b*d^3*x*e + 33*a*d^2*x*e^2)*e^(-2)/((x^2*e + d)^3*d^3)

maple [A] time = 0.01, size = 158, normalized size = 1.05

$$\frac{5a \arctan\left(\frac{ex}{\sqrt{de}}\right)}{16\sqrt{de} d^3} + \frac{b \arctan\left(\frac{ex}{\sqrt{de}}\right)}{16\sqrt{de} d^2 e} + \frac{c \arctan\left(\frac{ex}{\sqrt{de}}\right)}{16\sqrt{de} d e^2} + \frac{\frac{(5a e^2 + bde + c d^2)x^5}{16d^3} + \frac{(5a e^2 + bde - c d^2)x^3}{6d^2 e} + \frac{(11a e^2 - bde - c d^2)x}{16d e^2}}{(e x^2 + d)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/(e*x^2+d)^4,x)

[Out] (1/16*(5*a*e^2+b*d*e+c*d^2)/d^3*x^5+1/6*(5*a*e^2+b*d*e-c*d^2)/d^2/e*x^3+1/16*(11*a*e^2-b*d*e-c*d^2)/d/e^2*x)/(e*x^2+d)^3+5/16/(d*e)^(1/2)*a/d^3*arctan(1/(d*e)^(1/2)*e*x)+1/16/d^2/e/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*b+1/16/(d*e)^(1/2)*c/d/e^2*arctan(1/(d*e)^(1/2)*e*x)

maxima [A] time = 2.51, size = 162, normalized size = 1.08

$$\frac{3(cd^2e^2 + bde^3 + 5ae^4)x^5 - 8(cd^3e - bd^2e^2 - 5ade^3)x^3 - 3(cd^4 + bd^3e - 11ad^2e^2)x}{48(d^3e^5x^6 + 3d^4e^4x^4 + 3d^5e^3x^2 + d^6e^2)} + \frac{(cd^2 + bde + 5ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{16\sqrt{de} d^3 e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^4,x, algorithm="maxima")

[Out] 1/48*(3*(c*d^2*e^2 + b*d*e^3 + 5*a*e^4)*x^5 - 8*(c*d^3*e - b*d^2*e^2 - 5*a*d*e^3)*x^3 - 3*(c*d^4 + b*d^3*e - 11*a*d^2*e^2)*x)/(d^3*e^5*x^6 + 3*d^4*e^4*x^4 + 3*d^5*e^3*x^2 + d^6*e^2) + 1/16*(c*d^2 + b*d*e + 5*a*e^2)*arctan(e*x/sqrt(d*e))/(sqrt(d*e)*d^3*e^2)

mupad [B] time = 4.51, size = 144, normalized size = 0.96

$$\frac{\frac{x^5(cd^2+bde+5ae^2)}{16d^3} - \frac{x(cd^2+bde-11ae^2)}{16de^2} + \frac{x^3(-cd^2+bde+5ae^2)}{6d^2e}}{d^3 + 3d^2ex^2 + 3de^2x^4 + e^3x^6} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(cd^2 + bde + 5ae^2)}{16d^{7/2}e^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)/(d + e*x^2)^4,x)

[Out] ((x^5*(5*a*e^2 + c*d^2 + b*d*e))/(16*d^3) - (x*(c*d^2 - 11*a*e^2 + b*d*e)))/(16*d*e^2) + (x^3*(5*a*e^2 - c*d^2 + b*d*e))/(6*d^2*e))/(d^3 + e^3*x^6 + 3*d^2*e*x^2 + 3*d*e^2*x^4) + (atan((e^(1/2)*x)/d^(1/2))*(5*a*e^2 + c*d^2 + b*d*e))/(16*d^(7/2)*e^(5/2))

sympy [A] time = 4.41, size = 241, normalized size = 1.61

$$\frac{\sqrt{-\frac{1}{d^7e^5}}(5ae^2 + bde + cd^2) \log\left(-d^4e^2\sqrt{-\frac{1}{d^7e^5}} + x\right)}{32} + \frac{\sqrt{-\frac{1}{d^7e^5}}(5ae^2 + bde + cd^2) \log\left(d^4e^2\sqrt{-\frac{1}{d^7e^5}} + x\right)}{32} + \frac{x^5(1}{32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**4+b*x**2+a)/(e*x**2+d)**4,x)`

[Out] $-\sqrt{-1/(d**7*e**5)}*(5*a*e**2 + b*d*e + c*d**2)*\log(-d**4*e**2*\sqrt{-1/(d**7*e**5)} + x)/32 + \sqrt{-1/(d**7*e**5)}*(5*a*e**2 + b*d*e + c*d**2)*\log(d**4*e**2*\sqrt{-1/(d**7*e**5)} + x)/32 + (x**5*(15*a*e**4 + 3*b*d*e**3 + 3*c*d**2*e**2) + x**3*(40*a*d*e**3 + 8*b*d**2*e**2 - 8*c*d**3*e) + x*(33*a*d**2*e**2 - 3*b*d**3*e - 3*c*d**4))/(48*d**6*e**2 + 144*d**5*e**3*x**2 + 144*d**4*e**4*x**4 + 48*d**3*e**5*x**6)$

$$3.252 \quad \int (d + ex^2)^3 (a + bx^2 + cx^4)^2 dx$$

Optimal. Leaf size=223

$$\frac{1}{7}x^7 (a^2e^3 + 6abde^2 + 6acd^2e + 3b^2d^2e + 2bcd^3) + a^2d^3x + \frac{1}{11}ex^{11} (2ce(ae + 3bd) + b^2e^2 + 3c^2d^2) + \frac{1}{5}dx^5 (6abde +$$

```
[Out] a^2*d^3*x+1/3*a*d^2*(3*a*e+2*b*d)*x^3+1/5*d*(b^2*d^2+6*a*b*d*e+a*(3*a*e^2+2*c*d^2))*x^5+1/7*(a^2*e^3+6*a*b*d*e^2+6*a*c*d^2*e+3*b^2*d^2*e+2*b*c*d^3)*x^7+1/9*(c^2*d^3+6*c*d*e*(a*e+b*d)+b*e^2*(2*a*e+3*b*d))*x^9+1/11*e*(3*c^2*d^2+b^2*e^2+2*c*e*(a*e+3*b*d))*x^11+1/13*c*e^2*(2*b*e+3*c*d)*x^13+1/15*c^2*e^3*x^15
```

Rubi [A] time = 0.20, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$, Rules used = {1153}

$$\frac{1}{7}x^7 (a^2e^3 + 6abde^2 + 6acd^2e + 3b^2d^2e + 2bcd^3) + a^2d^3x + \frac{1}{11}ex^{11} (2ce(ae + 3bd) + b^2e^2 + 3c^2d^2) + \frac{1}{5}dx^5 (6abde +$$

Antiderivative was successfully verified.

```
[In] Int[(d + e*x^2)^3*(a + b*x^2 + c*x^4)^2,x]
```

```
[Out] a^2*d^3*x + (a*d^2*(2*b*d + 3*a*e)*x^3)/3 + (d*(b^2*d^2 + 6*a*b*d*e + a*(2*c*d^2 + 3*a*e^2))*x^5)/5 + ((2*b*c*d^3 + 3*b^2*d^2*e + 6*a*c*d^2*e + 6*a*b*d*e^2 + a^2*e^3)*x^7)/7 + ((c^2*d^3 + 6*c*d*e*(b*d + a*e) + b*e^2*(3*b*d + 2*a*e))*x^9)/9 + (e*(3*c^2*d^2 + b^2*e^2 + 2*c*e*(3*b*d + a*e))*x^11)/11 + (c*e^2*(3*c*d + 2*b*e)*x^13)/13 + (c^2*e^3*x^15)/15
```

Rule 1153

```
Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

Rubi steps

$$\begin{aligned} \int (d + ex^2)^3 (a + bx^2 + cx^4)^2 dx &= \int (a^2d^3 + ad^2(2bd + 3ae)x^2 + d(b^2d^2 + 6abde + a(2cd^2 + 3ae^2)))x^4 + (2bd^3 + a^2d^3)x^2 + \frac{1}{3}ad^2(2bd + 3ae)x^3 + \frac{1}{5}d(b^2d^2 + 6abde + a(2cd^2 + 3ae^2))x^5 + \frac{1}{7}(6abde + a^2d^3e^3 + 6abde^2 + 6acd^2e + 3b^2d^2e + 2bcd^3) \end{aligned}$$

Mathematica [A] time = 0.09, size = 223, normalized size = 1.00

$$\frac{1}{7}x^7(a^2e^3 + 6abde^2 + 6acd^2e + 3b^2d^2e + 2bcd^3) + a^2d^3x + \frac{1}{11}ex^{11}(2ce(ae + 3bd) + b^2e^2 + 3c^2d^2) + \frac{1}{5}dx^5(6abde + a$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^3*(a + b*x^2 + c*x^4)^2,x]

[Out] a^2*d^3*x + (a*d^2*(2*b*d + 3*a*e)*x^3)/3 + (d*(b^2*d^2 + 6*a*b*d*e + a*(2*c*d^2 + 3*a*e^2))*x^5)/5 + ((2*b*c*d^3 + 3*b^2*d^2*e + 6*a*c*d^2*e + 6*a*b*d*e^2 + a^2*e^3)*x^7)/7 + ((c^2*d^3 + 6*c*d*e*(b*d + a*e) + b*e^2*(3*b*d + 2*a*e))*x^9)/9 + (e*(3*c^2*d^2 + b^2*e^2 + 2*c*e*(3*b*d + a*e))*x^11)/11 + (c*e^2*(3*c*d + 2*b*e)*x^13)/13 + (c^2*e^3*x^15)/15

fricas [A] time = 0.44, size = 261, normalized size = 1.17

$$\frac{1}{15}x^{15}e^3c^2 + \frac{3}{13}x^{13}e^2dc^2 + \frac{2}{13}x^{13}e^3cb + \frac{3}{11}x^{11}ed^2c^2 + \frac{6}{11}x^{11}e^2dcb + \frac{1}{11}x^{11}e^3b^2 + \frac{2}{11}x^{11}e^3ca + \frac{1}{9}x^9d^3c^2 + \frac{2}{3}x^9ed^2cb + \frac{1}{3}x^9e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3*(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out] 1/15*x^15*e^3*c^2 + 3/13*x^13*e^2*d*c^2 + 2/13*x^13*e^3*c*b + 3/11*x^11*e*d^2*c^2 + 6/11*x^11*e^2*d*c*b + 1/11*x^11*e^3*b^2 + 2/11*x^11*e^3*c*a + 1/9*x^9*d^3*c^2 + 2/3*x^9*e*d^2*c*b + 1/3*x^9*e^2*d*b^2 + 2/3*x^9*e^2*d*c*a + 2/9*x^9*e^3*b*a + 2/7*x^7*d^3*c*b + 3/7*x^7*e*d^2*b^2 + 6/7*x^7*e*d^2*c*a + 6/7*x^7*e^2*d*b*a + 1/7*x^7*e^3*a^2 + 1/5*x^5*d^3*b^2 + 2/5*x^5*d^3*c*a + 6/5*x^5*e*d^2*b*a + 3/5*x^5*e^2*d*a^2 + 2/3*x^3*d^3*b*a + x^3*e*d^2*a^2 + x*d^3*a^2

giac [A] time = 0.16, size = 255, normalized size = 1.14

$$\frac{1}{15}c^2x^{15}e^3 + \frac{3}{13}c^2dx^{13}e^2 + \frac{2}{13}bcx^{13}e^3 + \frac{3}{11}c^2d^2x^{11}e + \frac{6}{11}bcdx^{11}e^2 + \frac{1}{9}c^2d^3x^9 + \frac{1}{11}b^2x^{11}e^3 + \frac{2}{11}acx^{11}e^3 + \frac{2}{3}bcd^2x^9e + \frac{1}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3*(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out] 1/15*c^2*x^15*e^3 + 3/13*c^2*d*x^13*e^2 + 2/13*b*c*x^13*e^3 + 3/11*c^2*d^2*x^11*e + 6/11*b*c*d*x^11*e^2 + 1/9*c^2*d^3*x^9 + 1/11*b^2*x^11*e^3 + 2/11*a*c*x^11*e^3 + 2/3*b*c*d^2*x^9*e + 1/3*b^2*d*x^9*e^2 + 2/3*a*c*d*x^9*e^2 + 2/7*b*c*d^3*x^7 + 2/9*a*b*x^9*e^3 + 3/7*b^2*d^2*x^7*e + 6/7*a*c*d^2*x^7*e + 6/7*a*b*d*x^7*e^2 + 1/5*b^2*d^3*x^5 + 2/5*a*c*d^3*x^5 + 1/7*a^2*x^7*e^3 + 6/5*a*b*d^2*x^5*e + 3/5*a^2*d*x^5*e^2 + 2/3*a*b*d^3*x^3 + a^2*d^2*x^3*e + a^2*d^3*x

maple [A] time = 0.00, size = 219, normalized size = 0.98

$$\frac{c^2 e^3 x^{15}}{15} + \frac{(2e^3 bc + 3d e^2 c^2) x^{13}}{13} + \frac{(6bcd e^2 + 3c^2 d^2 e + (2ac + b^2) e^3) x^{11}}{11} + \frac{(2ab e^3 + 6bc d^2 e + c^2 d^3 + 3(2ac + b^2))}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^3*(c*x^4+b*x^2+a)^2,x)`

[Out] $1/15*c^2*e^3*x^{15}+1/13*(2*b*c*e^3+3*c^2*d*e^2)*x^{13}+1/11*(3*d^2*e*c^2+6*d*e^2*b*c+e^3*(2*a*c+b^2))*x^{11}+1/9*(c^2*d^3+6*d^2*e*b*c+3*d*e^2*(2*a*c+b^2)+2*e^3*a*b)*x^9+1/7*(2*b*c*d^3+3*d^2*e*(2*a*c+b^2)+6*a*b*d*e^2+a^2*e^3)*x^7+1/5*(d^3*(2*a*c+b^2)+6*d^2*e*a*b+3*d*e^2*a^2)*x^5+1/3*(3*a^2*d^2*e+2*a*b*d^3)*x^3+a^2*d^3*x$

maxima [A] time = 1.04, size = 218, normalized size = 0.98

$$\frac{1}{15} c^2 e^3 x^{15} + \frac{1}{13} (3 c^2 d e^2 + 2 b c e^3) x^{13} + \frac{1}{11} (3 c^2 d^2 e + 6 b c d e^2 + (b^2 + 2 a c) e^3) x^{11} + \frac{1}{9} (c^2 d^3 + 6 b c d^2 e + 2 a b e^3 + 3 (2 a c + b^2) e^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^3*(c*x^4+b*x^2+a)^2,x, algorithm="maxima")`

[Out] $1/15*c^2*e^3*x^{15} + 1/13*(3*c^2*d*e^2 + 2*b*c*e^3)*x^{13} + 1/11*(3*c^2*d^2*e + 6*b*c*d*e^2 + (b^2 + 2*a*c)*e^3)*x^{11} + 1/9*(c^2*d^3 + 6*b*c*d^2*e + 2*a*b*e^3 + 3*(b^2 + 2*a*c)*d^2*e)*x^9 + 1/7*(2*b*c*d^3 + 6*a*b*d*e^2 + a^2*e^3 + 3*(b^2 + 2*a*c)*d^2*e)*x^7 + a^2*d^3*x + 1/5*(6*a*b*d^2*e + 3*a^2*d^2*e + (b^2 + 2*a*c)*d^3)*x^5 + 1/3*(2*a*b*d^3 + 3*a^2*d^2*e)*x^3$

mupad [B] time = 4.48, size = 220, normalized size = 0.99

$$x^7 \left(\frac{a^2 e^3}{7} + \frac{6 a b d e^2}{7} + \frac{6 c a d^2 e}{7} + \frac{3 b^2 d^2 e}{7} + \frac{2 c b d^3}{7} \right) + x^9 \left(\frac{b^2 d e^2}{3} + \frac{2 b c d^2 e}{3} + \frac{2 a b e^3}{9} + \frac{c^2 d^3}{9} + \frac{2 a c d e^2}{3} \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)^3*(a + b*x^2 + c*x^4)^2,x)`

[Out] $x^7*((a^2*e^3)/7 + (3*b^2*d^2*e)/7 + (2*b*c*d^3)/7 + (6*a*b*d*e^2)/7 + (6*a*c*d^2*e)/7) + x^9*((c^2*d^3)/9 + (b^2*d^2*e^2)/3 + (2*a*b*e^3)/9 + (2*a*c*d^2*e^2)/3 + (2*b*c*d^2*e)/3) + x^5*((b^2*d^3)/5 + (3*a^2*d^2*e^2)/5 + (2*a*c*d^3)/5 + (6*a*b*d^2*e)/5) + x^11*((b^2*e^3)/11 + (3*c^2*d^2*e)/11 + (2*a*c*e^3)/11 + (6*b*c*d^2*e^2)/11) + a^2*d^3*x + (c^2*e^3*x^15)/15 + (a*d^2*x^3*(3*a*e + 2*b*d))/3 + (c*e^2*x^13*(2*b*e + 3*c*d))/13$

sympy [A] time = 0.22, size = 272, normalized size = 1.22

$$a^2 d^3 x + \frac{c^2 e^3 x^{15}}{15} + x^{13} \left(\frac{2bce^3}{13} + \frac{3c^2 de^2}{13} \right) + x^{11} \left(\frac{2ace^3}{11} + \frac{b^2 e^3}{11} + \frac{6bcde^2}{11} + \frac{3c^2 d^2 e}{11} \right) + x^9 \left(\frac{2abe^3}{9} + \frac{2acde^2}{3} + \frac{b^2 de^2}{3} + \frac{2}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**3*(c*x**4+b*x**2+a)**2,x)

[Out] a**2*d**3*x + c**2*e**3*x**15/15 + x**13*(2*b*c*e**3/13 + 3*c**2*d*e**2/13) + x**11*(2*a*c*e**3/11 + b**2*e**3/11 + 6*b*c*d*e**2/11 + 3*c**2*d**2*e/11) + x**9*(2*a*b*e**3/9 + 2*a*c*d*e**2/3 + b**2*d*e**2/3 + 2*b*c*d**2*e/3 + c**2*d**3/9) + x**7*(a**2*e**3/7 + 6*a*b*d*e**2/7 + 6*a*c*d**2*e/7 + 3*b**2*d**2*e/7 + 2*b*c*d**3/7) + x**5*(3*a**2*d*e**2/5 + 6*a*b*d**2*e/5 + 2*a*c*d**3/5 + b**2*d**3/5) + x**3*(a**2*d**2*e + 2*a*b*d**3/3)

$$3.253 \quad \int (d + ex^2)^2 (a + bx^2 + cx^4)^2 dx$$

Optimal. Leaf size=155

$$a^2d^2x + \frac{1}{9}x^9(2ce(ae + 2bd) + b^2e^2 + c^2d^2) + \frac{2}{7}x^7(abe^2 + 2acde + b^2de + bcd^2) + \frac{1}{5}x^5(4abde + a(ae^2 + 2cd^2) + b^2d^2)$$

[Out] $a^2d^2x + \frac{2}{3}ad(ae + bd)x^3 + \frac{1}{5}(b^2d^2 + 4abde + a^2e^2 + 2cd^2)x^5 + \frac{2}{7}(abcde + b^2de + bcd^2)x^7 + \frac{1}{9}(c^2d^2 + b^2e^2 + 2c^2e^2 + 2b^2d^2)x^9 + \frac{2}{11}c^2e^2x^{11} + \frac{1}{13}c^2e^2x^{13}$

Rubi [A] time = 0.14, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$, Rules used = {1153}

$$a^2d^2x + \frac{1}{9}x^9(2ce(ae + 2bd) + b^2e^2 + c^2d^2) + \frac{2}{7}x^7(abe^2 + 2acde + b^2de + bcd^2) + \frac{1}{5}x^5(4abde + a(ae^2 + 2cd^2) + b^2d^2)$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^2*(a + b*x^2 + c*x^4)^2,x]

[Out] $a^2d^2x + \frac{2}{3}ad(bd + ae)x^3 + \frac{1}{5}(b^2d^2 + 4abde + a^2e^2 + 2cd^2)x^5 + \frac{2}{7}(abcde + b^2de + bcd^2)x^7 + \frac{1}{9}(c^2d^2 + b^2e^2 + 2c^2e^2 + 2b^2d^2)x^9 + \frac{2}{11}c^2e^2x^{11} + \frac{1}{13}c^2e^2x^{13}$

Rule 1153

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (d + ex^2)^2 (a + bx^2 + cx^4)^2 dx &= \int (a^2d^2 + 2ad(bd + ae)x^2 + (b^2d^2 + 4abde + a(2cd^2 + ae^2))x^4 + 2(bcd^2 + abde + a^2e^2)x^6 + (c^2d^2 + b^2e^2 + 2c^2e^2 + 2b^2d^2)x^8) dx \\ &= a^2d^2x + \frac{2}{3}ad(bd + ae)x^3 + \frac{1}{5}(b^2d^2 + 4abde + a(2cd^2 + ae^2))x^5 + \frac{2}{7}(bcd^2 + abde + a^2e^2)x^7 + \frac{1}{9}(c^2d^2 + b^2e^2 + 2c^2e^2 + 2b^2d^2)x^9 \end{aligned}$$

Mathematica [A] time = 0.05, size = 156, normalized size = 1.01

$$\frac{1}{5}x^5(a^2e^2 + 4abde + 2acd^2 + b^2d^2) + a^2d^2x + \frac{1}{9}x^9(2ace^2 + b^2e^2 + 4bcde + c^2d^2) + \frac{2}{7}x^7(abe^2 + 2acde + b^2de + bcd^2)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2*(a + b*x^2 + c*x^4)^2,x]

[Out] $a^2*d^2*x + (2*a*d*(b*d + a*e)*x^3)/3 + ((b^2*d^2 + 2*a*c*d^2 + 4*a*b*d*e + a^2*e^2)*x^5)/5 + (2*(b*c*d^2 + b^2*d*e + 2*a*c*d*e + a*b*e^2)*x^7)/7 + ((c^2*d^2 + 4*b*c*d*e + b^2*e^2 + 2*a*c*e^2)*x^9)/9 + (2*c*e*(c*d + b*e)*x^{11})/11 + (c^2*e^2*x^{13})/13$

fricas [A] time = 0.50, size = 181, normalized size = 1.17

$$\frac{1}{13}x^{13}e^2c^2 + \frac{2}{11}x^{11}edc^2 + \frac{2}{11}x^{11}e^2cb + \frac{1}{9}x^9d^2c^2 + \frac{4}{9}x^9edcb + \frac{1}{9}x^9e^2b^2 + \frac{2}{9}x^9e^2ca + \frac{2}{7}x^7d^2cb + \frac{2}{7}x^7edb^2 + \frac{4}{7}x^7edca + \frac{2}{7}x^7e^2ba$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out] $1/13*x^{13}*e^2*c^2 + 2/11*x^{11}*e*d*c^2 + 2/11*x^{11}*e^2*c*b + 1/9*x^9*d^2*c^2 + 4/9*x^9*e*d*c*b + 1/9*x^9*e^2*b^2 + 2/9*x^9*e^2*c*a + 2/7*x^7*d^2*c*b + 2/7*x^7*e*d*b^2 + 4/7*x^7*e*d*c*a + 2/7*x^7*e^2*b*a + 1/5*x^5*d^2*b^2 + 2/5*x^5*d^2*c*a + 4/5*x^5*e*d*b*a + 1/5*x^5*e^2*a^2 + 2/3*x^3*d^2*b*a + 2/3*x^3*e*d*a^2 + x*d^2*a^2$

giac [A] time = 0.17, size = 181, normalized size = 1.17

$$\frac{1}{13}c^2x^{13}e^2 + \frac{2}{11}c^2dx^{11}e + \frac{2}{11}bcx^{11}e^2 + \frac{1}{9}c^2d^2x^9 + \frac{4}{9}bcdx^9e + \frac{1}{9}b^2x^9e^2 + \frac{2}{9}acx^9e^2 + \frac{2}{7}bcd^2x^7 + \frac{2}{7}b^2dx^7e + \frac{4}{7}acdx^7e + \frac{2}{7}a^2d^2x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out] $1/13*c^2*x^{13}*e^2 + 2/11*c^2*d*x^{11}*e + 2/11*b*c*x^{11}*e^2 + 1/9*c^2*d^2*x^9 + 4/9*b*c*d*x^9*e + 1/9*b^2*x^9*e^2 + 2/9*a*c*x^9*e^2 + 2/7*b*c*d^2*x^7 + 2/7*b^2*d*x^7*e + 4/7*a*c*d*x^7*e + 2/7*a*b*x^7*e^2 + 1/5*b^2*d^2*x^5 + 2/5*a*c*d^2*x^5 + 4/5*a*b*d*x^5*e + 1/5*a^2*x^5*e^2 + 2/3*a*b*d^2*x^3 + 2/3*a^2*d*x^3*e + a^2*d^2*x$

maple [A] time = 0.00, size = 155, normalized size = 1.00

$$\frac{c^2e^2x^{13}}{13} + \frac{(2bc e^2 + 2c^2de)x^{11}}{11} + \frac{(4bcde + c^2d^2 + (2ac + b^2)e^2)x^9}{9} + \frac{(2ab e^2 + 2bc d^2 + 2(2ac + b^2)de)x^7}{7} + a^2d^2x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(c*x^4+b*x^2+a)^2,x)

[Out] $\frac{1}{13}c^2e^2x^{13} + \frac{1}{11}(2b^2c^2e^2 + 2c^2d^2e^2)x^{11} + \frac{1}{9}(c^2d^2 + 4d^2e^2b^2c^2 + 2(2ac + b^2))x^9 + \frac{1}{7}(2b^2c^2d^2 + 2d^2e^2(2ac + b^2) + 2ab^2e^2)x^7 + \frac{1}{5}(d^2(2ac + b^2) + 4ab^2d^2e^2 + e^2a^2)x^5 + \frac{1}{3}(2a^2d^2e^2 + 2ab^2d^2)x^3 + a^2d^2x$

maxima [A] time = 1.14, size = 147, normalized size = 0.95

$$\frac{1}{13}c^2e^2x^{13} + \frac{2}{11}(c^2de + bce^2)x^{11} + \frac{1}{9}(c^2d^2 + 4bcde + (b^2 + 2ac)e^2)x^9 + \frac{2}{7}(bcd^2 + abe^2 + (b^2 + 2ac)de)x^7 + \frac{1}{5}(4ab^2d^2e^2 + a^2e^2 + (b^2 + 2ac)d^2)x^5 + a^2d^2x + \frac{2}{3}(ab^2d^2 + a^2d^2e^2)x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{13}c^2e^2x^{13} + \frac{2}{11}(c^2d^2e^2 + b^2c^2e^2)x^{11} + \frac{1}{9}(c^2d^2 + 4b^2c^2d^2e^2 + (b^2 + 2ac)e^2)x^9 + \frac{2}{7}(b^2c^2d^2 + a^2b^2e^2 + (b^2 + 2ac)d^2e^2)x^7 + \frac{1}{5}(4a^2b^2d^2e^2 + a^2e^2 + (b^2 + 2ac)d^2)x^5 + a^2d^2x + \frac{2}{3}(ab^2d^2 + a^2d^2e^2)x^3$

mupad [B] time = 4.52, size = 148, normalized size = 0.95

$$x^5 \left(\frac{a^2e^2}{5} + \frac{4abde}{5} + \frac{2cad^2}{5} + \frac{b^2d^2}{5} \right) + x^9 \left(\frac{b^2e^2}{9} + \frac{4bcde}{9} + \frac{c^2d^2}{9} + \frac{2ace^2}{9} \right) + x^7 \left(\frac{2b^2de}{7} + \frac{2cbd^2}{7} + \frac{2ab^2e^2}{7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^2*(a + b*x^2 + c*x^4)^2,x)

[Out] $x^5 \left(\frac{a^2e^2}{5} + \frac{b^2d^2}{5} + \frac{2a^2c^2d^2}{5} + \frac{4a^2b^2d^2e^2}{5} \right) + x^9 \left(\frac{b^2e^2}{9} + \frac{c^2d^2}{9} + \frac{2a^2c^2e^2}{9} + \frac{4b^2c^2d^2e^2}{9} \right) + x^7 \left(\frac{2a^2b^2e^2}{7} + \frac{2b^2c^2d^2}{7} + \frac{2b^2d^2e^2}{7} + \frac{4a^2c^2d^2e^2}{7} \right) + a^2d^2x + \frac{c^2e^2x^{13}}{13} + \frac{2a^2d^2x^3(ae + bd)}{3} + \frac{2c^2e^2x^{11}(be + cd)}{11}$

sympy [A] time = 0.16, size = 192, normalized size = 1.24

$$a^2d^2x + \frac{c^2e^2x^{13}}{13} + x^{11} \left(\frac{2bce^2}{11} + \frac{2c^2de}{11} \right) + x^9 \left(\frac{2ace^2}{9} + \frac{b^2e^2}{9} + \frac{4bcde}{9} + \frac{c^2d^2}{9} \right) + x^7 \left(\frac{2abe^2}{7} + \frac{4acde}{7} + \frac{2b^2de}{7} + \frac{2bcd^2e^2}{7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(c*x**4+b*x**2+a)**2,x)

[Out] $a^2d^2x + \frac{c^2e^2x^{13}}{13} + x^{11} \left(\frac{2b^2c^2e^2}{11} + \frac{2c^2d^2e^2}{11} \right) + x^9 \left(\frac{2a^2c^2e^2}{9} + \frac{b^2e^2}{9} + \frac{4b^2c^2d^2e^2}{9} + \frac{c^2d^2e^2}{9} \right) + x^7 \left(\frac{2a^2b^2e^2}{7} + \frac{4a^2c^2d^2e^2}{7} + \frac{2b^2d^2e^2}{7} + \frac{2b^2c^2d^2e^2}{7} \right) + x^5 \left(\frac{a^2e^2}{5} + \frac{4a^2b^2d^2e^2}{5} + \frac{2a^2c^2d^2e^2}{5} + \frac{b^2d^2e^2}{5} \right) + x^3 \left(\frac{2a^2d^2e^2}{3} + \frac{2a^2b^2d^2e^2}{3} \right)$

$$3.254 \quad \int (d + ex^2) (a + bx^2 + cx^4)^2 dx$$

Optimal. Leaf size=96

$$a^2 dx + \frac{1}{7} x^7 (2ace + b^2 e + 2bcd) + \frac{1}{5} x^5 (2abe + 2acd + b^2 d) + \frac{1}{3} ax^3 (ae + 2bd) + \frac{1}{9} cx^9 (2be + cd) + \frac{1}{11} c^2 ex^{11}$$

[Out] $a^2 d x + 1/3 a (a e + 2 b d) x^3 + 1/5 (2 a b e + 2 a c d + b^2 d) x^5 + 1/7 (2 a c e + b^2 e + 2 b c d) x^7 + 1/9 c (2 b e + c d) x^9 + 1/11 c^2 e x^{11}$

Rubi [A] time = 0.07, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {1153}

$$a^2 dx + \frac{1}{7} x^7 (2ace + b^2 e + 2bcd) + \frac{1}{5} x^5 (2abe + 2acd + b^2 d) + \frac{1}{3} ax^3 (ae + 2bd) + \frac{1}{9} cx^9 (2be + cd) + \frac{1}{11} c^2 ex^{11}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)*(a + b*x^2 + c*x^4)^2,x]

[Out] $a^2 d x + (a (2 b d + a e) x^3) / 3 + ((b^2 d + 2 a c d + 2 a b e) x^5) / 5 + ((2 b c d + b^2 e + 2 a c e) x^7) / 7 + (c (c d + 2 b e) x^9) / 9 + (c^2 e x^{11}) / 11$

Rule 1153

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (d + ex^2) (a + bx^2 + cx^4)^2 dx &= \int (a^2 d + a(2bd + ae)x^2 + (b^2 d + 2acd + 2abe) x^4 + (2bcd + b^2 e + 2ace) x^6 + \\ &= a^2 dx + \frac{1}{3} a(2bd + ae)x^3 + \frac{1}{5} (b^2 d + 2acd + 2abe) x^5 + \frac{1}{7} (2bcd + b^2 e + 2ace) x^7 \end{aligned}$$

Mathematica [A] time = 0.02, size = 96, normalized size = 1.00

$$a^2 dx + \frac{1}{7} x^7 (2ace + b^2 e + 2bcd) + \frac{1}{5} x^5 (2abe + 2acd + b^2 d) + \frac{1}{3} ax^3 (ae + 2bd) + \frac{1}{9} cx^9 (2be + cd) + \frac{1}{11} c^2 ex^{11}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)*(a + b*x^2 + c*x^4)^2,x]

[Out] $a^2*d*x + (a*(2*b*d + a*e))*x^3/3 + ((b^2*d + 2*a*c*d + 2*a*b*e))*x^5/5 + ((2*b*c*d + b^2*e + 2*a*c*e))*x^7/7 + (c*(c*d + 2*b*e))*x^9/9 + (c^2*e*x^11)/11$

fricas [A] time = 0.53, size = 100, normalized size = 1.04

$$\frac{1}{11}x^{11}ec^2 + \frac{1}{9}x^9dc^2 + \frac{2}{9}x^9ecb + \frac{2}{7}x^7dcb + \frac{1}{7}x^7eb^2 + \frac{2}{7}x^7eca + \frac{1}{5}x^5db^2 + \frac{2}{5}x^5dca + \frac{2}{5}x^5eba + \frac{2}{3}x^3dba + \frac{1}{3}x^3ea^2 + xda^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out] $1/11*x^{11}*e*c^2 + 1/9*x^9*d*c^2 + 2/9*x^9*e*c*b + 2/7*x^7*d*c*b + 1/7*x^7*e*b^2 + 2/7*x^7*e*c*a + 1/5*x^5*d*b^2 + 2/5*x^5*d*c*a + 2/5*x^5*e*b*a + 2/3*x^3*d*b*a + 1/3*x^3*e*a^2 + x*d*a^2$

giac [A] time = 0.17, size = 106, normalized size = 1.10

$$\frac{1}{11}c^2x^{11}e + \frac{1}{9}c^2dx^9 + \frac{2}{9}bcx^9e + \frac{2}{7}bcdx^7 + \frac{1}{7}b^2x^7e + \frac{2}{7}acx^7e + \frac{1}{5}b^2dx^5 + \frac{2}{5}acdx^5 + \frac{2}{5}abx^5e + \frac{2}{3}abdx^3 + \frac{1}{3}a^2x^3e + a^2dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out] $1/11*c^2*x^{11}*e + 1/9*c^2*d*x^9 + 2/9*b*c*x^9*e + 2/7*b*c*d*x^7 + 1/7*b^2*x^7*e + 2/7*a*c*x^7*e + 1/5*b^2*d*x^5 + 2/5*a*c*d*x^5 + 2/5*a*b*x^5*e + 2/3*a*b*d*x^3 + 1/3*a^2*x^3*e + a^2*d*x$

maple [A] time = 0.00, size = 91, normalized size = 0.95

$$\frac{c^2ex^{11}}{11} + \frac{(2ebc + dc^2)x^9}{9} + \frac{(2bcd + (2ac + b^2)e)x^7}{7} + \frac{(2abe + (2ac + b^2)d)x^5}{5} + a^2dx + \frac{(ea^2 + 2dab)x^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(c*x^4+b*x^2+a)^2,x)

[Out] $1/11*c^2*e*x^{11} + 1/9*(2*b*c*e + c^2*d)*x^9 + 1/7*(2*b*c*d + e*(2*a*c + b^2))*x^7 + 1/5*(d*(2*a*c + b^2) + 2*a*b*e)*x^5 + 1/3*(a^2*e + 2*a*b*d)*x^3 + a^2*d*x$

maxima [A] time = 1.01, size = 90, normalized size = 0.94

$$\frac{1}{11}c^2ex^{11} + \frac{1}{9}(c^2d + 2bce)x^9 + \frac{1}{7}(2bcd + (b^2 + 2ac)e)x^7 + \frac{1}{5}(2abe + (b^2 + 2ac)d)x^5 + a^2dx + \frac{1}{3}(2abd + a^2e)x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] 1/11*c^2*e*x^11 + 1/9*(c^2*d + 2*b*c*e)*x^9 + 1/7*(2*b*c*d + (b^2 + 2*a*c)*e)*x^7 + 1/5*(2*a*b*e + (b^2 + 2*a*c)*d)*x^5 + a^2*d*x + 1/3*(2*a*b*d + a^2*e)*x^3

mupad [B] time = 0.04, size = 90, normalized size = 0.94

$$x^5 \left(\frac{db^2}{5} + \frac{2aeb}{5} + \frac{2acd}{5} \right) + x^7 \left(\frac{eb^2}{7} + \frac{2cdb}{7} + \frac{2ace}{7} \right) + x^3 \left(\frac{ea^2}{3} + \frac{2bda}{3} \right) + x^9 \left(\frac{dc^2}{9} + \frac{2bec}{9} \right) + \frac{c^2ex^{11}}{11} + a^2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)*(a + b*x^2 + c*x^4)^2,x)

[Out] x^5*((b^2*d)/5 + (2*a*b*e)/5 + (2*a*c*d)/5) + x^7*((b^2*e)/7 + (2*a*c*e)/7 + (2*b*c*d)/7) + x^3*((a^2*e)/3 + (2*a*b*d)/3) + x^9*((c^2*d)/9 + (2*b*c*e)/9) + (c^2*e*x^11)/11 + a^2*d*x

sympy [A] time = 0.25, size = 107, normalized size = 1.11

$$a^2dx + \frac{c^2ex^{11}}{11} + x^9 \left(\frac{2bce}{9} + \frac{c^2d}{9} \right) + x^7 \left(\frac{2ace}{7} + \frac{b^2e}{7} + \frac{2bcd}{7} \right) + x^5 \left(\frac{2abe}{5} + \frac{2acd}{5} + \frac{b^2d}{5} \right) + x^3 \left(\frac{a^2e}{3} + \frac{2abd}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(c*x**4+b*x**2+a)**2,x)

[Out] a**2*d*x + c**2*e*x**11/11 + x**9*(2*b*c*e/9 + c**2*d/9) + x**7*(2*a*c*e/7 + b**2*e/7 + 2*b*c*d/7) + x**5*(2*a*b*e/5 + 2*a*c*d/5 + b**2*d/5) + x**3*(a**2*e/3 + 2*a*b*d/3)

$$3.255 \quad \int (a + bx^2 + cx^4)^2 dx$$

Optimal. Leaf size=49

$$a^2x + \frac{1}{5}x^5(2ac + b^2) + \frac{2}{3}abx^3 + \frac{2}{7}bcx^7 + \frac{c^2x^9}{9}$$

[Out] $a^2x + 2/3*a*b*x^3 + 1/5*(2*a*c + b^2)*x^5 + 2/7*b*c*x^7 + 1/9*c^2*x^9$

Rubi [A] time = 0.02, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1090}

$$a^2x + \frac{1}{5}x^5(2ac + b^2) + \frac{2}{3}abx^3 + \frac{2}{7}bcx^7 + \frac{c^2x^9}{9}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)^2, x]

[Out] $a^2x + (2*a*b*x^3)/3 + ((b^2 + 2*a*c)*x^5)/5 + (2*b*c*x^7)/7 + (c^2*x^9)/9$

Rule 1090

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^2 + cx^4)^2 dx &= \int \left(a^2 + 2abx^2 + b^2 \left(1 + \frac{2ac}{b^2} \right) x^4 + 2bcx^6 + c^2x^8 \right) dx \\ &= a^2x + \frac{2}{3}abx^3 + \frac{1}{5}(b^2 + 2ac)x^5 + \frac{2}{7}bcx^7 + \frac{c^2x^9}{9} \end{aligned}$$

Mathematica [A] time = 0.01, size = 49, normalized size = 1.00

$$a^2x + \frac{1}{5}x^5(2ac + b^2) + \frac{2}{3}abx^3 + \frac{2}{7}bcx^7 + \frac{c^2x^9}{9}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)^2, x]

[Out] $a^2x + (2abx^3)/3 + ((b^2 + 2ac)x^5)/5 + (2bcx^7)/7 + (c^2x^9)/9$

fricas [A] time = 0.47, size = 43, normalized size = 0.88

$$\frac{1}{9}x^9c^2 + \frac{2}{7}x^7cb + \frac{1}{5}x^5b^2 + \frac{2}{5}x^5ca + \frac{2}{3}x^3ba + xa^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)^2,x, algorithm="fricas")`

[Out] $1/9*x^9*c^2 + 2/7*x^7*c*b + 1/5*x^5*b^2 + 2/5*x^5*c*a + 2/3*x^3*b*a + x*a^2$

giac [A] time = 0.14, size = 43, normalized size = 0.88

$$\frac{1}{9}c^2x^9 + \frac{2}{7}bcx^7 + \frac{1}{5}b^2x^5 + \frac{2}{5}acx^5 + \frac{2}{3}abx^3 + a^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)^2,x, algorithm="giac")`

[Out] $1/9*c^2*x^9 + 2/7*b*c*x^7 + 1/5*b^2*x^5 + 2/5*a*c*x^5 + 2/3*a*b*x^3 + a^2*x$

maple [A] time = 0.00, size = 42, normalized size = 0.86

$$\frac{c^2x^9}{9} + \frac{2bcx^7}{7} + \frac{2abx^3}{3} + \frac{(2ac + b^2)x^5}{5} + a^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^4+b*x^2+a)^2,x)`

[Out] $1/9*c^2*x^9+2/7*b*c*x^7+2/3*a*b*x^3+1/5*(2*a*c+b^2)*x^5+a^2*x$

maxima [A] time = 1.10, size = 45, normalized size = 0.92

$$\frac{1}{9}c^2x^9 + \frac{2}{7}bcx^7 + \frac{1}{5}b^2x^5 + a^2x + \frac{2}{15}(3cx^5 + 5bx^3)a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)^2,x, algorithm="maxima")`

[Out] $1/9*c^2*x^9 + 2/7*b*c*x^7 + 1/5*b^2*x^5 + a^2*x + 2/15*(3*c*x^5 + 5*b*x^3)*a$

mupad [B] time = 0.02, size = 42, normalized size = 0.86

$$a^2x + x^5 \left(\frac{b^2}{5} + \frac{2ac}{5} \right) + \frac{c^2x^9}{9} + \frac{2abx^3}{3} + \frac{2bcx^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2 + c*x^4)^2,x)`

[Out] $a^2x + x^5*((2ac)/5 + b^2/5) + (c^2x^9)/9 + (2abx^3)/3 + (2bcx^7)/7$

sympy [A] time = 0.15, size = 48, normalized size = 0.98

$$a^2x + \frac{2abx^3}{3} + \frac{2bcx^7}{7} + \frac{c^2x^9}{9} + x^5 \left(\frac{2ac}{5} + \frac{b^2}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**4+b*x**2+a)**2,x)`

[Out] $a**2*x + 2*a*b*x**3/3 + 2*b*c*x**7/7 + c**2*x**9/9 + x**5*(2*a*c/5 + b**2/5)$

$$3.256 \quad \int \frac{(a+bx^2+cx^4)^2}{d+ex^2} dx$$

Optimal. Leaf size=143

$$\frac{x^3(-2ce(bd-ae)+b^2e^2+c^2d^2)}{3e^3} - \frac{x(cd-be)(cd^2-e(bd-2ae))}{e^4} + \frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(ae^2-bde+cd^2)^2}{\sqrt{d}e^{9/2}} - \frac{cx^5(cd-2be)}{5e^2}$$

[Out] $-(-b*e+c*d)*(c*d^2-e*(-2*a*e+b*d))*x/e^4+1/3*(c^2*d^2+b^2*e^2-2*c*e*(-a*e+b*d))*x^3/e^3-1/5*c*(-2*b*e+c*d)*x^5/e^2+1/7*c^2*x^7/e+(a*e^2-b*d*e+c*d^2)^2*\arctan(x*e^{(1/2)}/d^{(1/2)})/e^{(9/2)}/d^{(1/2)}$

Rubi [A] time = 0.14, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {1153, 205}

$$\frac{x^3(-2ce(bd-ae)+b^2e^2+c^2d^2)}{3e^3} - \frac{x(cd-be)(cd^2-e(bd-2ae))}{e^4} + \frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(ae^2-bde+cd^2)^2}{\sqrt{d}e^{9/2}} - \frac{cx^5(cd-2be)}{5e^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)^2/(d + e*x^2), x]

[Out] $-(((c*d - b*e)*(c*d^2 - e*(b*d - 2*a*e))*x)/e^4) + ((c^2*d^2 + b^2*e^2 - 2*c*e*(b*d - a*e))*x^3)/(3*e^3) - (c*(c*d - 2*b*e)*x^5)/(5*e^2) + (c^2*x^7)/(7*e) + ((c*d^2 - b*d*e + a*e^2)^2*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(\text{Sqrt}[d]*e^{(9/2)})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1153

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\int \frac{(a + bx^2 + cx^4)^2}{d + ex^2} dx = \int \left(-\frac{(cd - be)(cd^2 - e(bd - 2ae))}{e^4} + \frac{(c^2d^2 + b^2e^2 - 2ce(bd - ae))x^2}{e^3} - \frac{c(cd - 2be)x^4}{e^2} + \dots \right)$$

$$= -\frac{(cd - be)(cd^2 - e(bd - 2ae))x}{e^4} + \frac{(c^2d^2 + b^2e^2 - 2ce(bd - ae))x^3}{3e^3} - \frac{c(cd - 2be)x^5}{5e^2} + \dots$$

$$= -\frac{(cd - be)(cd^2 - e(bd - 2ae))x}{e^4} + \frac{(c^2d^2 + b^2e^2 - 2ce(bd - ae))x^3}{3e^3} - \frac{c(cd - 2be)x^5}{5e^2} + \dots$$

Mathematica [A] time = 0.07, size = 144, normalized size = 1.01

$$\frac{x^3(2ace^2 + b^2e^2 - 2bcde + c^2d^2)}{3e^3} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(ae^2 - bde + cd^2)^2}{\sqrt{d}e^{9/2}} + \frac{x(be - cd)(2ae^2 - bde + cd^2)}{e^4} + \frac{cx^5(2be - cd)}{5e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)^2/(d + e*x^2), x]

[Out] ((-(c*d) + b*e)*(c*d^2 - b*d*e + 2*a*e^2)*x)/e^4 + ((c^2*d^2 - 2*b*c*d*e + b^2*e^2 + 2*a*c*e^2)*x^3)/(3*e^3) + (c*(-(c*d) + 2*b*e)*x^5)/(5*e^2) + (c^2*x^7)/(7*e) + ((c*d^2 - b*d*e + a*e^2)^2*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(Sqrt[d]*e^(9/2))

fricas [A] time = 0.69, size = 406, normalized size = 2.84

$$\left[\frac{30c^2de^4x^7 - 42(c^2d^2e^3 - 2bcde^4)x^5 + 70(c^2d^3e^2 - 2bcd^2e^3 + (b^2 + 2ac)de^4)x^3 - 105(c^2d^4 - 2bcd^3e - 2abde^4)x - 210de^5}{210de^5} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d), x, algorithm="fricas")

[Out] [1/210*(30*c^2*d*e^4*x^7 - 42*(c^2*d^2*e^3 - 2*b*c*d*e^4)*x^5 + 70*(c^2*d^3*e^2 - 2*b*c*d^2*e^3 + (b^2 + 2*a*c)*d*e^4)*x^3 - 105*(c^2*d^4 - 2*b*c*d^3*e - 2*a*b*d*e^3 + a^2*e^4 + (b^2 + 2*a*c)*d^2*e^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) - 210*(c^2*d^4*e - 2*b*c*d^3*e^2 - 2*a*b*d*e^4 + (b^2 + 2*a*c)*d^2*e^3)*x)/(d*e^5), 1/105*(15*c^2*d*e^4*x^7 - 21*(c^2*d^2*e^3 - 2*b*c*d*e^4)*x^5 + 35*(c^2*d^3*e^2 - 2*b*c*d^2*e^3 + (b^2 + 2*a*c)*d*e^4)*x^3 + 105*(c^2*d^4 - 2*b*c*d^3*e - 2*a*b*d*e^3 + a^2*e^4 + (b^2 +

$$2ac*d^2*e^2)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) - 105*(c^2*d^4*e - 2*b*c*d^3*e^2 - 2*a*b*d*e^4 + (b^2 + 2*a*c)*d^2*e^3)*x)/(d*e^5)]$$

giac [A] time = 0.16, size = 185, normalized size = 1.29

$$\frac{(c^2d^4 - 2bcd^3e + b^2d^2e^2 + 2acd^2e^2 - 2abde^3 + a^2e^4) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{9}{2}\right)}}{\sqrt{d}} + \frac{1}{105} (15c^2x^7e^6 - 21c^2dx^5e^5 + 42bcx^5e^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d),x, algorithm="giac")

[Out] (c^2*d^4 - 2*b*c*d^3*e + b^2*d^2*e^2 + 2*a*c*d^2*e^2 - 2*a*b*d*e^3 + a^2*e^4)*arctan(x*e^(1/2)/sqrt(d))*e^(-9/2)/sqrt(d) + 1/105*(15*c^2*x^7*e^6 - 21*c^2*d*x^5*e^5 + 42*b*c*x^5*e^6 + 35*c^2*d^2*x^3*e^4 - 70*b*c*d*x^3*e^5 - 10*5*c^2*d^3*x*e^3 + 35*b^2*x^3*e^6 + 70*a*c*x^3*e^6 + 210*b*c*d^2*x*e^4 - 105*b^2*d*x*e^5 - 210*a*c*d*x*e^5 + 210*a*b*x*e^6)*e^(-7)

maple [B] time = 0.00, size = 267, normalized size = 1.87

$$\frac{c^2x^7}{7e} + \frac{2bcx^5}{5e} - \frac{c^2dx^5}{5e^2} + \frac{2acx^3}{3e} + \frac{b^2x^3}{3e} - \frac{2bcdx^3}{3e^2} + \frac{c^2d^2x^3}{3e^3} + \frac{a^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de}} - \frac{2abd \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de} e} + \frac{2ac d^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de} e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)^2/(e*x^2+d),x)

[Out] 1/7*c^2/e*x^7+2/5/e*x^5*b*c-1/5*c^2*d/e^2*x^5+2/3*a*c/e*x^3+1/3/e*x^3*b^2-2/3/e^2*x^3*b*c*d+1/3*c^2*d^2/e^3*x^3+2/e*a*b*x-2*a*c*d/e^2*x-1/e^2*b^2*d*x+2/e^3*b*c*d^2*x-c^2*d^3/e^4*x+1/(d*e)^(1/2)*a^2*arctan(1/(d*e)^(1/2)*e*x)-2/e/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*a*b*d+2/(d*e)^(1/2)*a*c*d^2/e^2*arctan(1/(d*e)^(1/2)*e*x)+1/e^2/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*b^2*d^2-2/e^3/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*b*c*d^3+1/(d*e)^(1/2)*c^2*d^4/e^4*arctan(1/(d*e)^(1/2)*e*x)

maxima [A] time = 2.38, size = 176, normalized size = 1.23

$$\frac{(c^2d^4 - 2bcd^3e - 2abde^3 + a^2e^4 + (b^2 + 2ac)d^2e^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de} e^4} + \frac{15c^2e^3x^7 - 21(c^2de^2 - 2bce^3)x^5 + 35(c^2d^2e -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d),x, algorithm="maxima")

[Out] $(c^2*d^4 - 2*b*c*d^3*e - 2*a*b*d*e^3 + a^2*e^4 + (b^2 + 2*a*c)*d^2*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*e^4) + 1/105*(15*c^2*e^3*x^7 - 21*(c^2*d*e^2 - 2*b*c*e^3)*x^5 + 35*(c^2*d^2*e - 2*b*c*d*e^2 + (b^2 + 2*a*c)*e^3)*x^3 - 105*(c^2*d^3 - 2*b*c*d^2*e - 2*a*b*d*e^3 + (b^2 + 2*a*c)*d*e^2)*x)/e^4$

mupad [B] time = 4.47, size = 229, normalized size = 1.60

$$x^3 \left(\frac{b^2 + 2ac}{3e} + \frac{d \left(\frac{c^2 d}{e^2} - \frac{2bc}{e} \right)}{3e} \right) - x \left(\frac{d \left(\frac{b^2 + 2ac}{e} + \frac{d \left(\frac{c^2 d}{e^2} - \frac{2bc}{e} \right)}{e} \right)}{e} - \frac{2ab}{e} \right) - x^5 \left(\frac{c^2 d}{5e^2} - \frac{2bc}{5e} \right) + \frac{c^2 x^7}{7e} + \frac{\arctan \left(\frac{x}{\sqrt{d} \sqrt{a^2 e^4 - \dots}} \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a + b*x^2 + c*x^4)^2/(d + e*x^2), x)$

[Out] $x^3*((2*a*c + b^2)/(3*e) + (d*((c^2*d)/e^2 - (2*b*c)/e))/(3*e)) - x*((d*((2*a*c + b^2)/e + (d*((c^2*d)/e^2 - (2*b*c)/e))/e) - (2*a*b)/e) - x^5*((c^2*d)/(5*e^2) - (2*b*c)/(5*e)) + (c^2*x^7)/(7*e) + (\arctan((e^{1/2})*x*(a*e^2 + c*d^2 - b*d*e)^2)/(d^{1/2}*(a^2*e^4 + c^2*d^4 + b^2*d^2*e^2 - 2*a*b*d*e^3 - 2*b*c*d^3*e + 2*a*c*d^2*e^2)))*(a*e^2 + c*d^2 - b*d*e)^2)/(d^{1/2}*e^{9/2}))$

sympy [B] time = 1.53, size = 371, normalized size = 2.59

$$\frac{c^2 x^7}{7e} + x^5 \left(\frac{2bc}{5e} - \frac{c^2 d}{5e^2} \right) + x^3 \left(\frac{2ac}{3e} + \frac{b^2}{3e} - \frac{2bcd}{3e^2} + \frac{c^2 d^2}{3e^3} \right) + x \left(\frac{2ab}{e} - \frac{2acd}{e^2} - \frac{b^2 d}{e^2} + \frac{2bcd^2}{e^3} - \frac{c^2 d^3}{e^4} \right) - \frac{\sqrt{-\frac{1}{de^9}} (ae^2 - ba)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((c*x**4+b*x**2+a)**2/(e*x**2+d), x)$

[Out] $c**2*x**7/(7*e) + x**5*(2*b*c/(5*e) - c**2*d/(5*e**2)) + x**3*(2*a*c/(3*e) + b**2/(3*e) - 2*b*c*d/(3*e**2) + c**2*d**2/(3*e**3)) + x*(2*a*b/e - 2*a*c*d/e**2 - b**2*d/e**2 + 2*b*c*d**2/e**3 - c**2*d**3/e**4) - \sqrt{-1/(d*e**9)}*(a*e**2 - b*d*e + c*d**2)**2*\log(-d*e**4*\sqrt{-1/(d*e**9)}*(a*e**2 - b*d*e + c*d**2)**2/(a**2*e**4 - 2*a*b*d*e**3 + 2*a*c*d**2*e**2 + b**2*d**2*e**2 - 2*b*c*d**3*e + c**2*d**4) + x)/2 + \sqrt{-1/(d*e**9)}*(a*e**2 - b*d*e + c*d**2)**2*\log(d*e**4*\sqrt{-1/(d*e**9)}*(a*e**2 - b*d*e + c*d**2)**2/(a**2*e**4 - 2*a*b*d*e**3 + 2*a*c*d**2*e**2 + b**2*d**2*e**2 - 2*b*c*d**3*e + c**2*d**4) + x)/2$

$$3.257 \quad \int \frac{(a+bx^2+cx^4)^2}{(d+ex^2)^2} dx$$

Optimal. Leaf size=166

$$\frac{x(-2ce(2bd-ae) + b^2e^2 + 3c^2d^2)}{e^4} + \frac{x(ae^2 - bde + cd^2)^2}{2de^4(d+ex^2)} - \frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(ae^2 - bde + cd^2)(7cd^2 - e(ae + 3bd))}{2d^{3/2}e^{9/2}} - \frac{2c}{e^4}$$

[Out] (3*c^2*d^2+b^2*e^2-2*c*e*(-a*e+2*b*d))*x/e^4-2/3*c*(-b*e+c*d)*x^3/e^3+1/5*c^2*x^5/e^2+1/2*(a*e^2-b*d*e+c*d^2)^2*x/d/e^4/(e*x^2+d)-1/2*(a*e^2-b*d*e+c*d^2)*(7*c*d^2-e*(a*e+3*b*d))*arctan(x*e^(1/2)/d^(1/2))/d^(3/2)/e^(9/2)

Rubi [A] time = 0.30, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1157, 1810, 205}

$$\frac{x(-2ce(2bd-ae) + b^2e^2 + 3c^2d^2)}{e^4} + \frac{x(ae^2 - bde + cd^2)^2}{2de^4(d+ex^2)} - \frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(ae^2 - bde + cd^2)(7cd^2 - e(ae + 3bd))}{2d^{3/2}e^{9/2}} - \frac{2c}{e^4}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)^2/(d + e*x^2)^2,x]

[Out] ((3*c^2*d^2 + b^2*e^2 - 2*c*e*(2*b*d - a*e))*x)/e^4 - (2*c*(c*d - b*e)*x^3)/(3*e^3) + (c^2*x^5)/(5*e^2) + ((c*d^2 - b*d*e + a*e^2)^2*x)/(2*d*e^4*(d + e*x^2)) - ((c*d^2 - b*d*e + a*e^2)*(7*c*d^2 - e*(3*b*d + a*e))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*d^(3/2)*e^(9/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1157

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q + 1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]

Rule 1810

$\text{Int}[(Pq_*)*((a_) + (b_)*(x_)^2)^{(p_.)}, x_Symbol] \text{ :> Int[ExpandIntegrand[Pq*}$
 $(a + b*x^2)^p, x], x] \text{ /; FreeQ}[\{a, b\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[p, -2]$

Rubi steps

$$\int \frac{(a + bx^2 + cx^4)^2}{(d + ex^2)^2} dx = \frac{(cd^2 - bde + ae^2)^2 x}{2de^4 (d + ex^2)} - \frac{\int \frac{\frac{c^2 d^4 - 2cd^2 e(bd - ae) + e^2(b^2 d^2 - 2abde - a^2 e^2)}{e^4} - \frac{2d(c^2 d^2 + b^2 e^2 - 2ce(bd - ae))x^2}{e^3} + \frac{2cd(cd - 2be)x^4}{e^2}}{d + ex^2} dx}{2d}$$

$$= \frac{(cd^2 - bde + ae^2)^2 x}{2de^4 (d + ex^2)} - \frac{\int \left(-\frac{2d(3c^2 d^2 + b^2 e^2 - 2ce(2bd - ae))}{e^4} + \frac{4cd(cd - be)x^2}{e^3} - \frac{2c^2 dx^4}{e^2} + \frac{7c^2 d^4 - 10bcd^3}{e^2} \right) dx}{2d}$$

$$= \frac{(3c^2 d^2 + b^2 e^2 - 2ce(2bd - ae)) x}{e^4} - \frac{2c(cd - be)x^3}{3e^3} + \frac{c^2 x^5}{5e^2} + \frac{(cd^2 - bde + ae^2)^2 x}{2de^4 (d + ex^2)} - \frac{(7c^2 d^4 - 10bcd^3)}{e^2}$$

$$= \frac{(3c^2 d^2 + b^2 e^2 - 2ce(2bd - ae)) x}{e^4} - \frac{2c(cd - be)x^3}{3e^3} + \frac{c^2 x^5}{5e^2} + \frac{(cd^2 - bde + ae^2)^2 x}{2de^4 (d + ex^2)} - \frac{(7c^2 d^4 - 10bcd^3)}{e^2}$$

Mathematica [A] time = 0.10, size = 183, normalized size = 1.10

$$\frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) \left(-e^2(a^2 e^2 + 2abde - 3b^2 d^2) + 2cd^2 e(3ae - 5bd) + 7c^2 d^4\right) x(2ce(ae - 2bd) + b^2 e^2 + 3c^2 d^2) x(e^2 d^2 + b^2 e^2 + 3c^2 d^2)}{2d^{3/2}e^{9/2}} + \frac{x(2ce(ae - 2bd) + b^2 e^2 + 3c^2 d^2)}{e^4} + \frac{x(e^2 d^2 + b^2 e^2 + 3c^2 d^2)}{e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)^2/(d + e*x^2)^2,x]

[Out] ((3*c^2*d^2 + b^2*e^2 + 2*c*e*(-2*b*d + a*e))*x)/e^4 + (2*c*(-(c*d) + b*e)*x^3)/(3*e^3) + (c^2*x^5)/(5*e^2) + ((c*d^2 + e*(-(b*d) + a*e))^2*x)/(2*d*e^4*(d + e*x^2)) - ((7*c^2*d^4 + 2*c*d^2*e*(-5*b*d + 3*a*e) - e^2*(-3*b^2*d^2 + 2*a*b*d*e + a^2*e^2))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*d^(3/2)*e^(9/2))

fricas [A] time = 0.79, size = 600, normalized size = 3.61

$$\frac{12c^2d^2e^4x^7 - 4(7c^2d^3e^3 - 10bcd^2e^4)x^5 + 20(7c^2d^4e^2 - 10bcd^3e^3 + 3(b^2 + 2ac)d^2e^4)x^3 + 15(7c^2d^5 - 10bcd^4e^2 - 5cd^3e^3 + 3a^2d^2e^2)x}{e^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d)^2,x, algorithm="fricas")

[Out] [1/60*(12*c^2*d^2*e^4*x^7 - 4*(7*c^2*d^3*e^3 - 10*b*c*d^2*e^4)*x^5 + 20*(7*c^2*d^4*e^2 - 10*b*c*d^3*e^3 + 3*(b^2 + 2*a*c)*d^2*e^4)*x^3 + 15*(7*c^2*d^5 - 10*b*c*d^4*e - 2*a*b*d^2*e^3 - a^2*d*e^4 + 3*(b^2 + 2*a*c)*d^3*e^2 + (7*c^2*d^4*e - 10*b*c*d^3*e^2 - 2*a*b*d*e^4 - a^2*e^5 + 3*(b^2 + 2*a*c)*d^2*e^3)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) + 30*(7*c^2*d^5*e - 10*b*c*d^4*e^2 - 2*a*b*d^2*e^4 + a^2*d*e^5 + 3*(b^2 + 2*a*c)*d^3*e^3)*x)/(d^2*e^6*x^2 + d^3*e^5), 1/30*(6*c^2*d^2*e^4*x^7 - 2*(7*c^2*d^3*e^3 - 10*b*c*d^2*e^4)*x^5 + 10*(7*c^2*d^4*e^2 - 10*b*c*d^3*e^3 + 3*(b^2 + 2*a*c)*d^2*e^4)*x^3 - 15*(7*c^2*d^5 - 10*b*c*d^4*e - 2*a*b*d^2*e^3 - a^2*d*e^4 + 3*(b^2 + 2*a*c)*d^3*e^2 + (7*c^2*d^4*e - 10*b*c*d^3*e^2 - 2*a*b*d*e^4 - a^2*e^5 + 3*(b^2 + 2*a*c)*d^2*e^3)*x^2)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) + 15*(7*c^2*d^5*e - 10*b*c*d^4*e^2 - 2*a*b*d^2*e^4 + a^2*d*e^5 + 3*(b^2 + 2*a*c)*d^3*e^3)*x)/(d^2*e^6*x^2 + d^3*e^5)]

giac [A] time = 0.18, size = 207, normalized size = 1.25

$$\frac{1}{15} \left(3c^2x^5e^8 - 10c^2dx^3e^7 + 10bcx^3e^8 + 45c^2d^2xe^6 - 60bcdxe^7 + 15b^2xe^8 + 30acxe^8 \right) e^{(-10)} - \frac{(7c^2d^4 - 10bcd^3e + \dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d)^2,x, algorithm="giac")

[Out] 1/15*(3*c^2*x^5*e^8 - 10*c^2*d*x^3*e^7 + 10*b*c*x^3*e^8 + 45*c^2*d^2*x*e^6 - 60*b*c*d*x*e^7 + 15*b^2*x*e^8 + 30*a*c*x*e^8)*e^(-10) - 1/2*(7*c^2*d^4 - 10*b*c*d^3*e + 3*b^2*d^2*e^2 + 6*a*c*d^2*e^2 - 2*a*b*d*e^3 - a^2*e^4)*arctan(x*e^(1/2)/sqrt(d))*e^(-9/2)/d^(3/2) + 1/2*(c^2*d^4*x - 2*b*c*d^3*x*e + b^2*d^2*x*e^2 + 2*a*c*d^2*x*e^2 - 2*a*b*d*x*e^3 + a^2*x*e^4)*e^(-4)/((x^2*e + d)*d)

maple [B] time = 0.01, size = 320, normalized size = 1.93

$$\frac{c^2x^5}{5e^2} + \frac{2bcx^3}{3e^2} - \frac{2c^2dx^3}{3e^3} + \frac{a^2x}{2(e^2x^2 + d)d} + \frac{a^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d} - \frac{abx}{(e^2x^2 + d)e} + \frac{ab \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de}e} + \frac{acdx}{(e^2x^2 + d)e^2} - \frac{3acd \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{de}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)^2/(e*x^2+d)^2,x)

[Out] $\frac{1}{5}c^2/e^2x^5 + \frac{2}{3}e^2x^3bc - \frac{2}{3}c^2d/e^3x^3 + 2ac/e^2x + 1/e^2b^2x - 4/e^3b^2cdx + 3c^2d^2/e^4x + 1/2/(ex^2+d)a^2/dx - 1/ex/(ex^2+d)ab + 1/(ex^2+d)acd/e^2x + 1/2/e^2dx/(ex^2+d)b^2 - 1/e^3d^2x/(ex^2+d)bc + 1/2/(ex^2+d)c^2d^3/e^4x + 1/2/(d^2e)^{1/2}a^2/d \arctan(1/(d^2e)^{1/2}ex) + 1/e/(d^2e)^{1/2} \arctan(1/(d^2e)^{1/2}ex)ab - 3/(d^2e)^{1/2}acd/e^2 \arctan(1/(d^2e)^{1/2}ex) - 3/2/e^2d/(d^2e)^{1/2} \arctan(1/(d^2e)^{1/2}ex)b^2 + 5/e^3d^2/(d^2e)^{1/2} \arctan(1/(d^2e)^{1/2}ex)bc - 7/2/(d^2e)^{1/2}c^2d^3/e^4 \arctan(1/(d^2e)^{1/2}ex)$

maxima [A] time = 2.42, size = 205, normalized size = 1.23

$$\frac{(c^2d^4 - 2bcd^3e - 2abde^3 + a^2e^4 + (b^2 + 2ac)d^2e^2)x}{2(d^5x^2 + d^2e^4)} + \frac{3c^2e^2x^5 - 10(c^2de - bce^2)x^3 + 15(3c^2d^2 - 4bcde + (b^2 + 2ac)d^2e^2)x}{15e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d)^2,x, algorithm="maxima")

[Out] $\frac{1}{2}(c^2d^4 - 2b^2cd^3e - 2a^2bd^2e^3 + a^2e^4 + (b^2 + 2ac)d^2e^2)x/(d^5x^2 + d^2e^4) + \frac{1}{15}(3c^2e^2x^5 - 10(c^2de - bce^2)x^3 + 15(3c^2d^2 - 4bcde + (b^2 + 2ac)d^2e^2)x)/e^4 - \frac{1}{2}(7c^2d^4 - 10b^2cd^3e - 2a^2bd^2e^3 - a^2e^4 + 3(b^2 + 2ac)d^2e^2) \arctan(ex/\sqrt{d^2e})/(\sqrt{d^2e}d^2e^4)$

mupad [B] time = 4.56, size = 293, normalized size = 1.77

$$x \left(\frac{b^2 + 2ac}{e^2} + \frac{2d \left(\frac{2c^2d}{e^3} - \frac{2bc}{e^2} \right)}{e} - \frac{c^2d^2}{e^4} \right) x^3 \left(\frac{2c^2d}{3e^3} - \frac{2bc}{3e^2} \right) + \frac{c^2x^5}{5e^2} + \frac{x(a^2e^4 - 2abde^3 + 2acd^2e^2 + b^2d^2e^2)}{2d(e^5x^2 + d^2e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)^2/(d + e*x^2)^2,x)

[Out] $x((2ac + b^2)/e^2 + (2d((2c^2d)/e^3 - (2bc)/e^2))/e - (c^2d^2)/e^4 - x^3((2c^2d)/(3e^3) - (2bc)/(3e^2)) + (c^2x^5)/(5e^2) + (x(a^2e^4 + c^2d^4 + b^2d^2e^2 - 2abd^3e - 2b^2cd^3e + 2acd^2e^2))/(2d(d^5x^2 + d^2e^4)) + (\operatorname{atan}((e^{1/2}xx(ae^2 + cd^2 - bde)))(ae^2 - 7cd^2 + 3bde))/(d^{1/2}(a^2e^4 - 7c^2d^4 - 3b^2d^2e^2 + 2abd^3e + 10b^2cd^3e - 6acd^2e^2))(ae^2 + cd^2 - bde)(ae^2 - 7cd^2 + 3bde))/(2d^{3/2}e^{9/2})$

sympy [B] time = 3.79, size = 484, normalized size = 2.92

$$\frac{c^2x^5}{5e^2} + x^3 \left(\frac{2bc}{3e^2} - \frac{2c^2d}{3e^3} \right) + x \left(\frac{2ac}{e^2} + \frac{b^2}{e^2} - \frac{4bcd}{e^3} + \frac{3c^2d^2}{e^4} \right) + \frac{x(a^2e^4 - 2abde^3 + 2acd^2e^2 + b^2d^2e^2 - 2bcd^3e + c^2d^4)}{2d^2e^4 + 2de^5x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)**2/(e*x**2+d)**2,x)

[Out] c**2*x**5/(5*e**2) + x**3*(2*b*c/(3*e**2) - 2*c**2*d/(3*e**3)) + x*(2*a*c/e**2 + b**2/e**2 - 4*b*c*d/e**3 + 3*c**2*d**2/e**4) + x*(a**2*e**4 - 2*a*b*d*e**3 + 2*a*c*d**2*e**2 + b**2*d**2*e**2 - 2*b*c*d**3*e + c**2*d**4)/(2*d**2*e**4 + 2*d*e**5*x**2) - sqrt(-1/(d**3*e**9))*(a*e**2 - b*d*e + c*d**2)*(a*e**2 + 3*b*d*e - 7*c*d**2)*log(-d**2*e**4*sqrt(-1/(d**3*e**9))*(a*e**2 - b*d*e + c*d**2)*(a*e**2 + 3*b*d*e - 7*c*d**2)/(a**2*e**4 + 2*a*b*d*e**3 - 6*a*c*d**2*e**2 - 3*b**2*d**2*e**2 + 10*b*c*d**3*e - 7*c**2*d**4) + x)/4 + sqrt(-1/(d**3*e**9))*(a*e**2 - b*d*e + c*d**2)*(a*e**2 + 3*b*d*e - 7*c*d**2)*log(d**2*e**4*sqrt(-1/(d**3*e**9))*(a*e**2 - b*d*e + c*d**2)*(a*e**2 + 3*b*d*e - 7*c*d**2)/(a**2*e**4 + 2*a*b*d*e**3 - 6*a*c*d**2*e**2 - 3*b**2*d**2*e**2 + 10*b*c*d**3*e - 7*c**2*d**4) + x)/4

$$3.258 \quad \int \frac{(a+bx^2+cx^4)^2}{(d+ex^2)^3} dx$$

Optimal. Leaf size=201

$$\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)\left(e^2(3a^2e^2+2abde+3b^2d^2)-6cd^2e(5bd-ae)+35c^2d^4\right)}{8d^{5/2}e^{9/2}} - \frac{x(-3ae^2-5bde+13cd^2)(ae^2-bde+cd^2)}{8d^2e^4(d+ex^2)}$$

[Out] $-c*(-2*b*e+3*c*d)*x/e^4+1/3*c^2*x^3/e^3+1/4*(a*e^2-b*d*e+c*d^2)^2*x/d/e^4/(e*x^2+d)^2-1/8*(-3*a*e^2-5*b*d*e+13*c*d^2)*(a*e^2-b*d*e+c*d^2)*x/d^2/e^4/(e*x^2+d)+1/8*(35*c^2*d^4-6*c*d^2*e*(-a*e+5*b*d)+e^2*(3*a^2*e^2+2*a*b*d*e+3*b^2*d^2))*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(5/2)}/e^{(9/2)}$

Rubi [A] time = 0.42, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1157, 1814, 1153, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)\left(e^2(3a^2e^2+2abde+3b^2d^2)-6cd^2e(5bd-ae)+35c^2d^4\right)}{8d^{5/2}e^{9/2}} - \frac{x(-3ae^2-5bde+13cd^2)(ae^2-bde+cd^2)}{8d^2e^4(d+ex^2)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)^2/(d + e*x^2)^3, x]

[Out] $-\left(\frac{c*(3*c*d-2*b*e)*x}{e^4}\right) + \frac{c^2*x^3}{(3*e^3)} + \frac{(c*d^2-b*d*e+a*e^2)^2*x}{(4*d*e^4*(d+e*x^2)^2)} - \frac{(13*c*d^2-5*b*d*e-3*a*e^2)*(c*d^2-b*d*e+a*e^2)*x}{(8*d^2*e^4*(d+e*x^2))} + \frac{(35*c^2*d^4-6*c*d^2*e*(5*b*d-a*e)+e^2*(3*b^2*d^2+2*a*b*d*e+3*a^2*e^2))*\text{ArcTan}[\text{Sqrt}[e]*x]/\text{Sqrt}[d]}{(8*d^{(5/2)}*e^{(9/2)})}$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1153

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rule 1157

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2
, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x
, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rule 1814

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuot
ient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x,
0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 1]}, Simp[((a*g -
b*f*x)*(a + b*x^2)^(p + 1))/(2*a*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int
[(a + b*x^2)^(p + 1)*ExpandToSum[2*a*(p + 1)*Q + f*(2*p + 3), x], x], x]] /
; FreeQ[{a, b}, x] && PolyQ[Pq, x] && LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^2 + cx^4)^2}{(d + ex^2)^3} dx &= \frac{(cd^2 - bde + ae^2)^2 x}{4de^4 (d + ex^2)^2} - \frac{\int \frac{\frac{(cd^2 - bde - ae^2)(cd^2 - bde + 3ae^2)}{e^4} - \frac{4d(c^2d^2 + b^2e^2 - 2ce(bd - ae))x^2}{e^3} + \frac{4cd(cd - 2be)x^4}{e^2} - \frac{4c^2dx^6}{e}}{(d + ex^2)^2} dx}{4d} \\
&= \frac{(cd^2 - bde + ae^2)^2 x}{4de^4 (d + ex^2)^2} - \frac{(13cd^2 - 5bde - 3ae^2)(cd^2 - bde + ae^2)x}{8d^2e^4 (d + ex^2)} + \frac{\int \frac{11c^2d^4 - 2cd^2e(7bd - 3ae) + e^5}{e^4} dx}{8d^2e^4} \\
&= \frac{(cd^2 - bde + ae^2)^2 x}{4de^4 (d + ex^2)^2} - \frac{(13cd^2 - 5bde - 3ae^2)(cd^2 - bde + ae^2)x}{8d^2e^4 (d + ex^2)} + \frac{\int \left(-\frac{8cd^2(3cd - 2be)}{e^4} + \frac{11c^2d^4 - 2cd^2e(7bd - 3ae) + e^5}{e^4} \right) dx}{8d^2e^4} \\
&= -\frac{c(3cd - 2be)x}{e^4} + \frac{c^2x^3}{3e^3} + \frac{(cd^2 - bde + ae^2)^2 x}{4de^4 (d + ex^2)^2} - \frac{(13cd^2 - 5bde - 3ae^2)(cd^2 - bde + ae^2)x}{8d^2e^4 (d + ex^2)} \\
&= -\frac{c(3cd - 2be)x}{e^4} + \frac{c^2x^3}{3e^3} + \frac{(cd^2 - bde + ae^2)^2 x}{4de^4 (d + ex^2)^2} - \frac{(13cd^2 - 5bde - 3ae^2)(cd^2 - bde + ae^2)x}{8d^2e^4 (d + ex^2)}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 217, normalized size = 1.08

$$\frac{x \left(e^2 \left(-3a^2e^2 - 2abde + 5b^2d^2 \right) - 2cd^2e(9bd - 5ae) + 13c^2d^4 \right)}{8d^2e^4(d + ex^2)} + \frac{\tan^{-1} \left(\frac{\sqrt{ex}}{\sqrt{d}} \right) \left(e^2 \left(3a^2e^2 + 2abde + 3b^2d^2 \right) + 6cd \right)}{8d^{5/2}e^{9/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)^2/(d + e*x^2)^3,x]

[Out] (c*(-3*c*d + 2*b*e)*x)/e^4 + (c^2*x^3)/(3*e^3) + ((c*d^2 + e*(-(b*d) + a*e))^2*x)/(4*d*e^4*(d + e*x^2)^2) - ((13*c^2*d^4 - 2*c*d^2*e*(9*b*d - 5*a*e) + e^2*(5*b^2*d^2 - 2*a*b*d*e - 3*a^2*e^2))*x)/(8*d^2*e^4*(d + e*x^2)) + ((35*c^2*d^4 + 6*c*d^2*e*(-5*b*d + a*e) + e^2*(3*b^2*d^2 + 2*a*b*d*e + 3*a^2*e^2))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*d^(5/2)*e^(9/2))

fricas [B] time = 0.65, size = 794, normalized size = 3.95

$$\left[\frac{16c^2d^3e^4x^7 - 16(7c^2d^4e^3 - 6bcd^3e^4)x^5 - 2(175c^2d^5e^2 - 150bcd^4e^3 - 6abd^2e^5 - 9a^2de^6 + 15(b^2 + 2ac)d^3e^4)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d)^3,x, algorithm="fricas")

[Out] [1/48*(16*c^2*d^3*e^4*x^7 - 16*(7*c^2*d^4*e^3 - 6*b*c*d^3*e^4)*x^5 - 2*(175*c^2*d^5*e^2 - 150*b*c*d^4*e^3 - 6*a*b*d^2*e^5 - 9*a^2*d*e^6 + 15*(b^2 + 2*a*c)*d^3*e^4)*x^3 - 3*(35*c^2*d^6 - 30*b*c*d^5*e + 2*a*b*d^3*e^3 + 3*a^2*d^2*e^4 + 3*(b^2 + 2*a*c)*d^4*e^2 + (35*c^2*d^4*e^2 - 30*b*c*d^3*e^3 + 2*a*b*d*e^5 + 3*a^2*e^6 + 3*(b^2 + 2*a*c)*d^2*e^4)*x^4 + 2*(35*c^2*d^5*e - 30*b*c*d^4*e^2 + 2*a*b*d^2*e^4 + 3*a^2*d*e^5 + 3*(b^2 + 2*a*c)*d^3*e^3)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) - 6*(35*c^2*d^6*e - 30*b*c*d^5*e^2 + 2*a*b*d^3*e^4 - 5*a^2*d^2*e^5 + 3*(b^2 + 2*a*c)*d^4*e^3)*x)/(d^3*e^7*x^4 + 2*d^4*e^6*x^2 + d^5*e^5), 1/24*(8*c^2*d^3*e^4*x^7 - 8*(7*c^2*d^4*e^3 - 6*b*c*d^3*e^4)*x^5 - (175*c^2*d^5*e^2 - 150*b*c*d^4*e^3 - 6*a*b*d^2*e^5 - 9*a^2*d*e^6 + 15*(b^2 + 2*a*c)*d^3*e^4)*x^3 + 3*(35*c^2*d^6 - 30*b*c*d^5*e + 2*a*b*d^3*e^3 + 3*a^2*d^2*e^4 + 3*(b^2 + 2*a*c)*d^4*e^2 + (35*c^2*d^4*e^2 - 30*b*c*d^3*e^3 + 2*a*b*d*e^5 + 3*a^2*e^6 + 3*(b^2 + 2*a*c)*d^2*e^4)*x^4 + 2*(35*c^2*d^5*e - 30*b*c*d^4*e^2 + 2*a*b*d^2*e^4 + 3*a^2*d*e^5 + 3*(b^2 + 2*a*c)*d^3*e^3)*x^2)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) - 3*(35*c^2*d^6*e - 30*b*c*d^5*e^2 + 2*a*b*d^3*e^4 - 5*a^2*d^2*e^5 + 3*(b^2 + 2*a*c)*d^4*e^3)*x)/(d^3*e^7*x^4 + 2*d^4*e^6*x^2 + d^5*e^5)]

giac [A] time = 0.18, size = 244, normalized size = 1.21

$$\frac{1}{3} \left(c^2 x^3 e^6 - 9 c^2 d x e^5 + 6 b c x e^6 \right) e^{(-9)} + \frac{\left(35 c^2 d^4 - 30 b c d^3 e + 3 b^2 d^2 e^2 + 6 a c d^2 e^2 + 2 a b d e^3 + 3 a^2 e^4 \right) \arctan \left(\frac{x e^{\frac{1}{2}}}{\sqrt{d}} \right) e^{\frac{1}{2}}}{8 d^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d)^3,x, algorithm="giac")

[Out] 1/3*(c^2*x^3*e^6 - 9*c^2*d*x*e^5 + 6*b*c*x*e^6)*e^(-9) + 1/8*(35*c^2*d^4 - 30*b*c*d^3*e + 3*b^2*d^2*e^2 + 6*a*c*d^2*e^2 + 2*a*b*d*e^3 + 3*a^2*e^4)*arctan(x*e^(1/2)/sqrt(d))*e^(-9/2)/d^(5/2) - 1/8*(13*c^2*d^4*x^3*e - 18*b*c*d^3*x^3*e^2 + 11*c^2*d^5*x + 5*b^2*d^2*x^3*e^3 + 10*a*c*d^2*x^3*e^3 - 14*b*c*d^4*x*e - 2*a*b*d*x^3*e^4 + 3*b^2*d^3*x*e^2 + 6*a*c*d^3*x*e^2 - 3*a^2*x^3*e^5 + 2*a*b*d^2*x*e^3 - 5*a^2*d*x*e^4)*e^(-4)/((x^2*e + d)^2*d^2)

maple [B] time = 0.01, size = 402, normalized size = 2.00

$$\frac{3a^2ex^3}{8(e^2x^2+d)^2d^2} + \frac{abx^3}{4(e^2x^2+d)^2d} - \frac{5acx^3}{4(e^2x^2+d)^2e} - \frac{5b^2x^3}{8(e^2x^2+d)^2e} + \frac{9bcdx^3}{4(e^2x^2+d)^2e^2} - \frac{13c^2d^2x^3}{8(e^2x^2+d)^2e^3} + \frac{5a^2x}{8(e^2x^2+d)^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)^2/(e*x^2+d)^3,x)

[Out] 1/3*c^2/e^3*x^3+2*c/e^3*b*x-3*c^2*d/e^4*x+3/8/(e*x^2+d)^2*a^2/d^2*e*x^3+1/4/(e*x^2+d)^2/d*x^3*a*b-5/4/(e*x^2+d)^2*a*c/e*x^3-5/8/e/(e*x^2+d)^2*x^3*b^2+9/4/e^2/(e*x^2+d)^2*x^3*b*c*d-13/8/(e*x^2+d)^2*c^2*d^2/e^3*x^3+5/8/(e*x^2+d)^2*a^2/d*x-1/4/e/(e*x^2+d)^2*a*b*x-3/4/(e*x^2+d)^2*a*c*d/e^2*x-3/8/e^2/(e*x^2+d)^2*b^2*d*x+7/4/e^3/(e*x^2+d)^2*b*c*d^2*x-11/8/(e*x^2+d)^2*c^2*d^3/e^4*x+3/8/(d*e)^(1/2)*a^2/d^2*arctan(1/(d*e)^(1/2)*e*x)+1/4/e/d/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*a*b+3/4/(d*e)^(1/2)*a*c/e^2*arctan(1/(d*e)^(1/2)*e*x)+3/8/e^2/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*b^2-15/4/e^3*d/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*b*c+35/8/(d*e)^(1/2)*c^2*d^2/e^4*arctan(1/(d*e)^(1/2)*e*x)

maxima [A] time = 2.36, size = 245, normalized size = 1.22

$$\frac{\left(13 c^2 d^4 e - 18 b c d^3 e^2 - 2 a b d e^4 - 3 a^2 e^5 + 5 (b^2 + 2 a c) d^2 e^3 \right) x^3 + \left(11 c^2 d^5 - 14 b c d^4 e + 2 a b d^2 e^3 - 5 a^2 d e^4 + 3 (b^2 + 2 a c) d^3 e^2 \right) \arctan \left(\frac{x e^{\frac{1}{2}}}{\sqrt{d}} \right) e^{\frac{1}{2}}}{8 \left(d^2 e^6 x^4 + 2 d^3 e^5 x^2 + d^4 e^4 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d)^3,x, algorithm="maxima")

[Out]
$$-1/8*((13*c^2*d^4*e - 18*b*c*d^3*e^2 - 2*a*b*d*e^4 - 3*a^2*e^5 + 5*(b^2 + 2*a*c)*d^2*e^3)*x^3 + (11*c^2*d^5 - 14*b*c*d^4*e + 2*a*b*d^2*e^3 - 5*a^2*d*e^4 + 3*(b^2 + 2*a*c)*d^3*e^2)*x)/(d^2*e^6*x^4 + 2*d^3*e^5*x^2 + d^4*e^4) + 1/3*(c^2*e*x^3 - 3*(3*c^2*d - 2*b*c*e)*x)/e^4 + 1/8*(35*c^2*d^4 - 30*b*c*d^3*e + 2*a*b*d*e^3 + 3*a^2*e^4 + 3*(b^2 + 2*a*c)*d^2*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d^2*e^4)$$

mupad [B] time = 0.12, size = 257, normalized size = 1.28

$$\frac{c^2 x^3}{3e^3} - x \left(\frac{3c^2 d}{e^4} - \frac{2bc}{e^3} \right) - \frac{x(-5a^2e^4 + 2abde^3 + 6acd^2e^2 + 3b^2d^2e^2 - 14bcd^3e + 11c^2d^4)}{8d} - \frac{x^3(3a^2e^5 + 2abde^4 - 10acd^2e^3 - 5b^2d^2e^3 + 18acd^3e^2 - 10a^2c^2d^2e^2 + 3a^2c^2d^2e^2)}{8d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)^2/(d + e*x^2)^3,x)

[Out]
$$\frac{c^2*x^3}{3*e^3} - x*((3*c^2*d)/e^4 - (2*b*c)/e^3) - ((x*(11*c^2*d^4 - 5*a^2*e^4 + 3*b^2*d^2*e^2 + 2*a*b*d*e^3 - 14*b*c*d^3*e + 6*a*c*d^2*e^2))/(8*d) - (x^3*(3*a^2*e^5 - 13*c^2*d^4*e - 5*b^2*d^2*e^3 + 2*a*b*d*e^4 - 10*a*c*d^2*e^3 + 18*b*c*d^3*e^2))/(8*d^2))/(d^2*e^4 + e^6*x^4 + 2*d*e^5*x^2) + (\operatorname{atan}((e^{1/2}*x)/d^{1/2})*(3*a^2*e^4 + 35*c^2*d^4 + 3*b^2*d^2*e^2 + 2*a*b*d*e^3 - 30*b*c*d^3*e + 6*a*c*d^2*e^2))/(8*d^{5/2}*e^{9/2})$$

sympy [A] time = 17.72, size = 398, normalized size = 1.98

$$\frac{c^2 x^3}{3e^3} + x \left(\frac{2bc}{e^3} - \frac{3c^2 d}{e^4} \right) - \frac{\sqrt{-\frac{1}{d^5 e^9}} (3a^2 e^4 + 2abde^3 + 6acd^2 e^2 + 3b^2 d^2 e^2 - 30bcd^3 e + 35c^2 d^4) \log\left(-d^3 e^4 \sqrt{-\frac{1}{d^5 e^9}} + \sqrt{-\frac{1}{d^5 e^9}}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)**2/(e*x**2+d)**3,x)

[Out]
$$c**2*x**3/(3*e**3) + x*(2*b*c/e**3 - 3*c**2*d/e**4) - \sqrt{-1/(d**5*e**9)}*(3*a**2*e**4 + 2*a*b*d*e**3 + 6*a*c*d**2*e**2 + 3*b**2*d**2*e**2 - 30*b*c*d**3*e + 35*c**2*d**4)*\log(-d**3*e**4*\sqrt{-1/(d**5*e**9)} + x)/16 + \sqrt{-1/(d**5*e**9)}*(3*a**2*e**4 + 2*a*b*d*e**3 + 6*a*c*d**2*e**2 + 3*b**2*d**2*e**2 - 30*b*c*d**3*e + 35*c**2*d**4)*\log(d**3*e**4*\sqrt{-1/(d**5*e**9)} + x)/16 + (x**3*(3*a**2*e**5 + 2*a*b*d*e**4 - 10*a*c*d**2*e**3 - 5*b**2*d**2*e**3 + 18*b*c*d**3*e**2 - 13*c**2*d**4*e) + x*(5*a**2*d*e**4 - 2*a*b*d**2*e**3 - 6*a*c*d**3*e**2 - 3*b**2*d**3*e**2 + 14*b*c*d**4*e - 11*c**2*d**5))/(8*d**4*e**4 + 16*d**3*e**5*x**2 + 8*d**2*e**6*x**4)$$

$$3.259 \quad \int \frac{(a+bx^2+cx^4)^2}{(d+ex^2)^4} dx$$

Optimal. Leaf size=250

$$\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)\left(-e^2(5a^2e^2+2abde+b^2d^2)-2cd^2e(ae+5bd)+35c^2d^4\right)}{16d^{7/2}e^{9/2}} + \frac{x\left(e^2(5a^2e^2+2abde+b^2d^2)-2cd^2e(11bd-ae)+29c^2d^4\right)}{16d^3e^4(d+ex^2)}$$

[Out] $c^2*x/e^4+1/6*(a*e^2-b*d*e+c*d^2)^2*x/d/e^4/(e*x^2+d)^3-1/24*(-5*a*e^2-7*b*d*e+19*c*d^2)*(a*e^2-b*d*e+c*d^2)*x/d^2/e^4/(e*x^2+d)^2+1/16*(29*c^2*d^4-2*c*d^2*e*(-a*e+11*b*d)+e^2*(5*a^2*e^2+2*a*b*d*e+b^2*d^2))*x/d^3/e^4/(e*x^2+d)-1/16*(35*c^2*d^4-2*c*d^2*e*(a*e+5*b*d)-e^2*(5*a^2*e^2+2*a*b*d*e+b^2*d^2))*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(7/2)}/e^{(9/2)}$

Rubi [A] time = 0.54, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1157, 1814, 388, 205}

$$\frac{x\left(e^2(5a^2e^2+2abde+b^2d^2)-2cd^2e(11bd-ae)+29c^2d^4\right)}{16d^3e^4(d+ex^2)} - \frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)\left(-e^2(5a^2e^2+2abde+b^2d^2)-2cd^2e(ae+5bd)+35c^2d^4\right)}{16d^{7/2}e^{9/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)^2/(d + e*x^2)^4,x]

[Out] $(c^2*x)/e^4 + ((c*d^2 - b*d*e + a*e^2)^2*x)/(6*d*e^4*(d + e*x^2)^3) - ((19*c*d^2 - 7*b*d*e - 5*a*e^2)*(c*d^2 - b*d*e + a*e^2)*x)/(24*d^2*e^4*(d + e*x^2)^2) + ((29*c^2*d^4 - 2*c*d^2*e*(11*b*d - a*e) + e^2*(b^2*d^2 + 2*a*b*d*e + 5*a^2*e^2))*x)/(16*d^3*e^4*(d + e*x^2)) - ((35*c^2*d^4 - 2*c*d^2*e*(5*b*d + a*e) - e^2*(b^2*d^2 + 2*a*b*d*e + 5*a^2*e^2))*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(16*d^{(7/2)}*e^{(9/2)})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,

$c, d, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[n*(p + 1) + 1, 0]$

Rule 1157

$\text{Int}[(d_ + (e_)*(x_)^2)^{(q_)}*((a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \text{With}[\{Qx = \text{PolynomialQuotient}[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], R = \text{Coeff}[\text{PolynomialRemainder}[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x, 0]\}, -\text{Simp}[(R*x*(d + e*x^2)^{(q + 1)})/(2*d*(q + 1)), x] + \text{Dist}[1/(2*d*(q + 1)), \text{Int}[(d + e*x^2)^{(q + 1)}*\text{ExpandToSum}[2*d*(q + 1)*Qx + R*(2*q + 3), x], x], x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{IGtQ}[p, 0] \&\& \text{LtQ}[q, -1]$

Rule 1814

$\text{Int}[(Pq_)*((a_ + (b_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow \text{With}[\{Q = \text{PolynomialQuotient}[Pq, a + b*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x^2, x], x, 1]\}, \text{Simp}[(a*g - b*f*x)*(a + b*x^2)^{(p + 1)})/(2*a*b*(p + 1)), x] + \text{Dist}[1/(2*a*(p + 1)), \text{Int}[(a + b*x^2)^{(p + 1)}*\text{ExpandToSum}[2*a*(p + 1)*Q + f*(2*p + 3), x], x], x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{LtQ}[p, -1]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^2 + cx^4)^2}{(d + ex^2)^4} dx &= \frac{(cd^2 - bde + ae^2)^2 x}{6de^4 (d + ex^2)^3} - \frac{\int \frac{\frac{c^2 d^4 - 2cd^2 e(bd - ae) + e^2(b^2 d^2 - 2abde - 5a^2 e^2)}{e^4} - \frac{6d(c^2 d^2 + b^2 e^2 - 2ce(bd - ae))x^2}{e^3} + \frac{6cd(cd - 2be)x^4}{e^2} - 6}{(d + ex^2)^3}}{6d} \\
&= \frac{(cd^2 - bde + ae^2)^2 x}{6de^4 (d + ex^2)^3} - \frac{(19cd^2 - 7bde - 5ae^2)(cd^2 - bde + ae^2)x}{24d^2 e^4 (d + ex^2)^2} + \frac{\int \frac{3(5c^2 d^4 - 2cd^2 e(3bd - ae) + e^2(b^2 d^2 - 2abde - 5a^2 e^2))}{e^4}}{6d} \\
&= \frac{(cd^2 - bde + ae^2)^2 x}{6de^4 (d + ex^2)^3} - \frac{(19cd^2 - 7bde - 5ae^2)(cd^2 - bde + ae^2)x}{24d^2 e^4 (d + ex^2)^2} + \frac{(29c^2 d^4 - 2cd^2 e(11bd - 5ae^2))x}{24d^2 e^4 (d + ex^2)^2} \\
&= \frac{c^2 x}{e^4} + \frac{(cd^2 - bde + ae^2)^2 x}{6de^4 (d + ex^2)^3} - \frac{(19cd^2 - 7bde - 5ae^2)(cd^2 - bde + ae^2)x}{24d^2 e^4 (d + ex^2)^2} + \frac{(29c^2 d^4 - 2cd^2 e(11bd - 5ae^2))x}{24d^2 e^4 (d + ex^2)^2} \\
&= \frac{c^2 x}{e^4} + \frac{(cd^2 - bde + ae^2)^2 x}{6de^4 (d + ex^2)^3} - \frac{(19cd^2 - 7bde - 5ae^2)(cd^2 - bde + ae^2)x}{24d^2 e^4 (d + ex^2)^2} + \frac{(29c^2 d^4 - 2cd^2 e(11bd - 5ae^2))x}{24d^2 e^4 (d + ex^2)^2}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 267, normalized size = 1.07

$$\frac{x \left(e^2 (-5a^2 e^2 - 2abde + 7b^2 d^2) + 2cd^2 e(7ae - 13bd) + 19c^2 d^4 \right) \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right) \left(-e^2 (5a^2 e^2 + 2abde + b^2 d^2) - 2cd^2 e \right)}{24d^2 e^4 (d + ex^2)^2} - \frac{16d^{7/2} e^{9/2}}{24d^2 e^4 (d + ex^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)^2/(d + e*x^2)^4,x]

[Out] (c^2*x)/e^4 + ((c*d^2 + e*(-(b*d) + a*e))^2*x)/(6*d*e^4*(d + e*x^2)^3) - ((19*c^2*d^4 + 2*c*d^2*e*(-13*b*d + 7*a*e) + e^2*(7*b^2*d^2 - 2*a*b*d*e - 5*a^2*e^2))*x)/(24*d^2*e^4*(d + e*x^2)^2) + ((29*c^2*d^4 + 2*c*d^2*e*(-11*b*d + a*e) + e^2*(b^2*d^2 + 2*a*b*d*e + 5*a^2*e^2))*x)/(16*d^3*e^4*(d + e*x^2)) - ((35*c^2*d^4 - 2*c*d^2*e*(5*b*d + a*e) - e^2*(b^2*d^2 + 2*a*b*d*e + 5*a^2*e^2))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(16*d^(7/2)*e^(9/2))

fricas [B] time = 0.58, size = 1016, normalized size = 4.06

$$\left[\frac{96c^2 d^4 e^4 x^7 + 6(77c^2 d^5 e^3 - 22bcd^4 e^4 + 2abd^2 e^6 + 5a^2 de^7 + (b^2 + 2ac)d^3 e^5)x^5 + 16(35c^2 d^6 e^2 - 10bcd^5 e^3 + 2cd^4 e^4)}{24d^2 e^4 (d + ex^2)^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d)^4,x, algorithm="fricas")

[Out] [1/96*(96*c^2*d^4*e^4*x^7 + 6*(77*c^2*d^5*e^3 - 22*b*c*d^4*e^4 + 2*a*b*d^2*e^6 + 5*a^2*d*e^7 + (b^2 + 2*a*c)*d^3*e^5)*x^5 + 16*(35*c^2*d^6*e^2 - 10*b*c*d^5*e^3 + 2*a*b*d^3*e^5 + 5*a^2*d^2*e^6 - (b^2 + 2*a*c)*d^4*e^4)*x^3 + 3*(35*c^2*d^7 - 10*b*c*d^6*e - 2*a*b*d^4*e^3 - 5*a^2*d^3*e^4 - (b^2 + 2*a*c)*d^5*e^2 + (35*c^2*d^4*e^3 - 10*b*c*d^3*e^4 - 2*a*b*d*e^6 - 5*a^2*e^7 - (b^2 + 2*a*c)*d^2*e^5)*x^6 + 3*(35*c^2*d^5*e^2 - 10*b*c*d^4*e^3 - 2*a*b*d^2*e^5 - 5*a^2*d*e^6 - (b^2 + 2*a*c)*d^3*e^4)*x^4 + 3*(35*c^2*d^6*e - 10*b*c*d^5*e^2 - 2*a*b*d^3*e^4 - 5*a^2*d^2*e^5 - (b^2 + 2*a*c)*d^4*e^3)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) + 6*(35*c^2*d^7*e - 10*b*c*d^6*e^2 - 2*a*b*d^4*e^4 + 11*a^2*d^3*e^5 - (b^2 + 2*a*c)*d^5*e^3)*x)/(d^4*e^8*x^6 + 3*d^5*e^7*x^4 + 3*d^6*e^6*x^2 + d^7*e^5), 1/48*(48*c^2*d^4*e^4*x^7 + 3*(77*c^2*d^5*e^3 - 22*b*c*d^4*e^4 + 2*a*b*d^2*e^6 + 5*a^2*d*e^7 + (b^2 + 2*a*c)*d^3*e^5)*x^5 + 8*(35*c^2*d^6*e^2 - 10*b*c*d^5*e^3 + 2*a*b*d^3*e^5 + 5*a^2*d^2*e^6 - (b^2 + 2*a*c)*d^4*e^4)*x^3 - 3*(35*c^2*d^7 - 10*b*c*d^6*e - 2*a*b*d^4*e^3 - 5*a^2*d^3*e^4 - (b^2 + 2*a*c)*d^5*e^2 + (35*c^2*d^4*e^3 - 10*b*c*d^3*e^4 - 2*a*b*d*e^6 - 5*a^2*e^7 - (b^2 + 2*a*c)*d^2*e^5)*x^6 + 3*(35*c^2*d^5*e^2 - 10*b*c*d^4*e^3 - 2*a*b*d^2*e^5 - 5*a^2*d*e^6 - (b^2 + 2*a*c)*d^3*e^4)*x^4 + 3*(35*c^2*d^6*e - 10*b*c*d^5*e^2 - 2*a*b*d^3*e^4 - 5*a^2*d^2*e^5 - (b^2 + 2*a*c)*d^4*e^3)*x^2)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) + 3*(35*c^2*d^7*e - 10*b*c*d^6*e^2 - 2*a*b*d^4*e^4 + 11*a^2*d^3*e^5 - (b^2 + 2*a*c)*d^5*e^3)*x)/(d^4*e^8*x^6 + 3*d^5*e^7*x^4 + 3*d^6*e^6*x^2 + d^7*e^5)]

giac [A] time = 0.18, size = 296, normalized size = 1.18

$$c^2 x e^{(-4)} - \frac{(35 c^2 d^4 - 10 b c d^3 e - b^2 d^2 e^2 - 2 a c d^2 e^2 - 2 a b d e^3 - 5 a^2 e^4) \arctan\left(\frac{x e^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{9}{2}\right)}}{16 d^{\frac{7}{2}}} + \frac{(87 c^2 d^4 x^5 e^2 - 66 b c d^3 x^5 e^3 + 136 c^2 d^5 x^3 e + 3 b^2 d^2 x^5 e^4 + 6 a c d^2 x^5 e^4 - 80 b c d^4 x^3 e^2 + 57 c^2 d^6 x + 6 a b d x^5 e^5 - 8 b^2 d^3 x^3 e^3 - 16 a c d^3 x^3 e^3 - 30 b c d^5 x e + 15 a^2 x^5 e^6 + 16 a b d^2 x^3 e^4 - 3 b^2 d^4 x e^2 - 6 a c d^4 x e^2 + 40 a^2 d x^3 e^5 - 6 a b d^3 x e^3 + 33 a^2 d^2 x e^4) e^{(-4)}}{(x^2 e + d)^3 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d)^4,x, algorithm="giac")

[Out] c^2*x*e^(-4) - 1/16*(35*c^2*d^4 - 10*b*c*d^3*e - b^2*d^2*e^2 - 2*a*c*d^2*e^2 - 2*a*b*d*e^3 - 5*a^2*e^4)*arctan(x*e^(1/2)/sqrt(d))*e^(-9/2)/d^(7/2) + 1/48*(87*c^2*d^4*x^5*e^2 - 66*b*c*d^3*x^5*e^3 + 136*c^2*d^5*x^3*e + 3*b^2*d^2*x^5*e^4 + 6*a*c*d^2*x^5*e^4 - 80*b*c*d^4*x^3*e^2 + 57*c^2*d^6*x + 6*a*b*d*x^5*e^5 - 8*b^2*d^3*x^3*e^3 - 16*a*c*d^3*x^3*e^3 - 30*b*c*d^5*x*e + 15*a^2*x^5*e^6 + 16*a*b*d^2*x^3*e^4 - 3*b^2*d^4*x*e^2 - 6*a*c*d^4*x*e^2 + 40*a^2*d*x^3*e^5 - 6*a*b*d^3*x*e^3 + 33*a^2*d^2*x*e^4)*e^(-4)/((x^2*e + d)^3*d^3)

maple [B] time = 0.01, size = 506, normalized size = 2.02

$$\frac{5a^2e^2x^5}{16(e^2x^2+d)^3d^3} + \frac{abex^5}{8(e^2x^2+d)^3d^2} + \frac{acx^5}{8(e^2x^2+d)^3d} + \frac{b^2x^5}{16(e^2x^2+d)^3d} - \frac{11bcx^5}{8(e^2x^2+d)^3e} + \frac{29c^2dx^5}{16(e^2x^2+d)^3e^2} + \frac{5a^2ex^5}{6(e^2x^2+d)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)^2/(e*x^2+d)^4,x)

[Out] $c^2/e^4*x-1/6/e/(e*x^2+d)^3*x^3*b^2+1/16/(e*x^2+d)^3/d*x^5*b^2+11/16/(e*x^2+d)^3*a^2/d*x+5/16/(d*e)^{(1/2)}*a^2/d^3*\arctan(1/(d*e)^{(1/2)}*e*x)-1/8/(e*x^2+d)^3*a*c*d/e^2*x+1/8/(d*e)^{(1/2)}*a*c/d/e^2*\arctan(1/(d*e)^{(1/2)}*e*x)+1/8*e/(e*x^2+d)^3/d^2*x^5*a*b-5/3/e^2/(e*x^2+d)^3*x^3*b*c*d-5/8/e^3/(e*x^2+d)^3*b*c*d^2*x+1/8/e/d^2/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*a*b-11/8/e/(e*x^2+d)^3*x^5*b*c-1/8/e/(e*x^2+d)^3*a*b*x-1/16/e^2/(e*x^2+d)^3*b^2*d*x+1/16/e^2/d/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*b^2+5/8/e^3/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*b*c+1/3/(e*x^2+d)^3/d*x^3*a*b+29/16/(e*x^2+d)^3*c^2*d/e^2*x^5+5/6/(e*x^2+d)^3*a^2/d^2*e*x^3-1/3/(e*x^2+d)^3*a*c/e*x^3+17/6/(e*x^2+d)^3*c^2*d^2/e^3*x^3+19/16/(e*x^2+d)^3*c^2*d^3/e^4*x-35/16/(d*e)^{(1/2)}*c^2*d/e^4*\arctan(1/(d*e)^{(1/2)}*e*x)+5/16/(e*x^2+d)^3*a^2/d^3*e^2*x^5+1/8/(e*x^2+d)^3*a*c/d*x^5$

maxima [A] time = 2.39, size = 300, normalized size = 1.20

$$\frac{3(29c^2d^4e^2 - 22bcd^3e^3 + 2abde^5 + 5a^2e^6 + (b^2 + 2ac)d^2e^4)x^5 + 8(17c^2d^5e - 10bcd^4e^2 + 2abd^2e^4 + 5a^2de^5 - 10cd^3e^3 + 2a^2d^2e^4 + 2abde^5 + 5a^2e^6 + (b^2 + 2ac)d^2e^4)x^5}{48(d^3e^7x^6 + 3d^4e^6x^4 + 3d^5e^5x^2 + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d)^4,x, algorithm="maxima")

[Out] $1/48*(3*(29*c^2*d^4*e^2 - 22*b*c*d^3*e^3 + 2*a*b*d*e^5 + 5*a^2*e^6 + (b^2 + 2*a*c)*d^2*e^4)*x^5 + 8*(17*c^2*d^5*e - 10*b*c*d^4*e^2 + 2*a*b*d^2*e^4 + 5*a^2*d*e^5 - (b^2 + 2*a*c)*d^3*e^3)*x^3 + 3*(19*c^2*d^6 - 10*b*c*d^5*e - 2*a*b*d^3*e^3 + 11*a^2*d^2*e^4 - (b^2 + 2*a*c)*d^4*e^2)*x)/(d^3*e^7*x^6 + 3*d^4*e^6*x^4 + 3*d^5*e^5*x^2 + d^6*e^4) + c^2*x/e^4 - 1/16*(35*c^2*d^4 - 10*b*c*d^3*e - 2*a*b*d*e^3 - 5*a^2*e^4 - (b^2 + 2*a*c)*d^2*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e})*d^3*e^4$

mupad [B] time = 4.60, size = 308, normalized size = 1.23

$$\frac{x^5(5a^2e^6+2abde^5+2acd^2e^4+b^2d^2e^4-22bcd^3e^3+29c^2d^4e^2)}{16d^3} - \frac{x(-11a^2e^4+2abde^3+2acd^2e^2+b^2d^2e^2+10bcd^3e-19c^2d^4)}{16d} + \frac{x^3(5a^2e^5+2abde^4+2acd^2e^3+b^2d^2e^3-11cd^3e^2+5a^2de^4)}{d^3e^4 + 3d^2e^5x^2 + 3de^6x^4 + e^7x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2 + c*x^4)^2/(d + e*x^2)^4,x)`

[Out]
$$\frac{(x^5(5a^2e^6 + b^2d^2e^4 + 29c^2d^4e^2 + 2abde^5 + 2acd^2e^4 - 22bcd^3e^3))/(16d^3) - (x(b^2d^2e^2 - 19c^2d^4 - 11a^2e^4 + 2abd^3e^3 + 10bcd^3e + 2acd^2e^2))/(16d) + (x^3(5a^2e^5 + 17c^2d^4e - b^2d^2e^3 + 2abd^4e - 2acd^2e^3 - 10bcd^3e^2))/(6d^2)}{(d^3e^4 + e^7x^6 + 3d^2e^6x^4 + 3d^2e^5x^2) + (c^2x)/e^4 + (\operatorname{atan}((e^{1/2}x)/d^{1/2})*(5a^2e^4 - 35c^2d^4 + b^2d^2e^2 + 2abd^3e^3 + 10bcd^3e + 2acd^2e^2))/(16d^{7/2}e^{9/2})}$$

sympy [A] time = 94.00, size = 457, normalized size = 1.83

$$\frac{c^2x}{e^4} \frac{\sqrt{-\frac{1}{d^7e^9}} (5a^2e^4 + 2abde^3 + 2acd^2e^2 + b^2d^2e^2 + 10bcd^3e - 35c^2d^4) \log\left(-d^4e^4\sqrt{-\frac{1}{d^7e^9}} + x\right)}{32} + \frac{\sqrt{-\frac{1}{d^7e^9}} (5a^2e^4)}{32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**4+b*x**2+a)**2/(e*x**2+d)**4,x)`

[Out]
$$\frac{c^2x}{e^4} - \frac{\sqrt{-1/(d^7e^9)}(5a^2e^4 + 2abde^3 + 2acd^2e^2 + b^2d^2e^2 + 10bcd^3e - 35c^2d^4) \log(-d^4e^4\sqrt{-1/(d^7e^9)} + x)}{32} + \frac{\sqrt{-1/(d^7e^9)}(5a^2e^4 + 2abde^3 + 2acd^2e^2 + b^2d^2e^2 + 10bcd^3e - 35c^2d^4) \log(d^4e^4\sqrt{-1/(d^7e^9)} + x)}{32} + \frac{x^5(15a^2e^6 + 6abd^5e + 6acd^2e^4 + 3b^2d^2e^4 - 66bcd^3e^3 + 87c^2d^4e^2) + x^3(40a^2de^5 + 16abd^2e^4 - 16acd^3e^3 - 8b^2d^3e^3 - 80bcd^4e^2 + 136c^2d^5e) + x(33a^2d^2e^4 - 6abd^3e^3 - 6acd^4e^2 - 3b^2d^4e^2 - 30bcd^5e + 57c^2d^6)}{(48d^6e^4 + 144d^5e^5x^2 + 144d^4e^6x^4 + 48d^3e^7x^6)}$$

$$3.260 \quad \int \frac{(a+bx^2+cx^4)^2}{(d+ex^2)^5} dx$$

Optimal. Leaf size=317

$$\frac{x(-e^2(35a^2e^2 + 10abde + 3b^2d^2) - 2cd^2e(3ae + 5bd) + 93c^2d^4)}{128d^4e^4(d + ex^2)} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(e^2(35a^2e^2 + 10abde + 3b^2d^2) + 192cd^2e(3ae + 5bd) - 93c^2d^4)}{128d^{9/2}e^{9/2}}$$

[Out] 1/8*(a*e^2-b*d*e+c*d^2)^2*x/d/e^4/(e*x^2+d)^4-1/48*(-7*a*e^2-9*b*d*e+25*c*d^2)*(a*e^2-b*d*e+c*d^2)*x/d^2/e^4/(e*x^2+d)^3+1/192*(163*c^2*d^4-2*c*d^2*e*(-3*a*e+59*b*d)+e^2*(35*a^2*e^2+10*a*b*d*e+3*b^2*d^2))*x/d^3/e^4/(e*x^2+d)^2-1/128*(93*c^2*d^4-2*c*d^2*e*(3*a*e+5*b*d)-e^2*(35*a^2*e^2+10*a*b*d*e+3*b^2*d^2))*x/d^4/e^4/(e*x^2+d)+1/128*(35*c^2*d^4+2*c*d^2*e*(3*a*e+5*b*d)+e^2*(35*a^2*e^2+10*a*b*d*e+3*b^2*d^2))*arctan(x*e^(1/2)/d^(1/2))/d^(9/2)/e^(9/2)

Rubi [A] time = 0.65, antiderivative size = 317, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1157, 1814, 385, 205}

$$\frac{x(-e^2(35a^2e^2 + 10abde + 3b^2d^2) - 2cd^2e(3ae + 5bd) + 93c^2d^4)}{128d^4e^4(d + ex^2)} + \frac{x(e^2(35a^2e^2 + 10abde + 3b^2d^2) - 2cd^2e(59bae + 5bd) + 93c^2d^4)}{192d^3e^4(d + ex^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)^2/(d + e*x^2)^5,x]

[Out] ((c*d^2 - b*d*e + a*e^2)^2*x)/(8*d*e^4*(d + e*x^2)^4) - ((25*c*d^2 - 9*b*d*e - 7*a*e^2)*(c*d^2 - b*d*e + a*e^2)*x)/(48*d^2*e^4*(d + e*x^2)^3) + ((163*c^2*d^4 - 2*c*d^2*e*(59*b*d - 3*a*e) + e^2*(3*b^2*d^2 + 10*a*b*d*e + 35*a^2*e^2))*x)/(192*d^3*e^4*(d + e*x^2)^2) - ((93*c^2*d^4 - 2*c*d^2*e*(5*b*d + 3*a*e) - e^2*(3*b^2*d^2 + 10*a*b*d*e + 35*a^2*e^2))*x)/(128*d^4*e^4*(d + e*x^2)^2) + ((35*c^2*d^4 + 2*c*d^2*e*(5*b*d + 3*a*e) + e^2*(3*b^2*d^2 + 10*a*b*d*e + 35*a^2*e^2))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(128*d^(9/2)*e^(9/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b

```
*c*(n*(p + 1) + 1)/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])
```

Rule 1157

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q + 1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rule 1814

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(a + b*x^2)^(p + 1)*ExpandToSum[2*a*(p + 1)*Q + f*(2*p + 3), x], x], x]] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^2 + cx^4)^2}{(d + ex^2)^5} dx &= \frac{(cd^2 - bde + ae^2)^2 x}{8de^4 (d + ex^2)^4} - \frac{\int \frac{\frac{c^2 d^4 - 2cd^2 e(bd - ae) + e^2(b^2 d^2 - 2abde - 7a^2 e^2)}{e^4} - \frac{8d(c^2 d^2 + b^2 e^2 - 2ce(bd - ae))x^2}{e^3} + \frac{8cd(cd - 2be)x^4}{e^2} - 8}{(d + ex^2)^4} dx}{8d} \\
&= \frac{(cd^2 - bde + ae^2)^2 x}{8de^4 (d + ex^2)^4} - \frac{(25cd^2 - 9bde - 7ae^2)(cd^2 - bde + ae^2)x}{48d^2 e^4 (d + ex^2)^3} + \frac{\int \frac{19c^2 d^4 - 2cd^2 e(11bd - 3ae) + 8cd^2 e^2(5b^2 d^2 - 2abde - 7a^2 e^2)}{e^4} dx}{48d^2 e^4 (d + ex^2)^3} \\
&= \frac{(cd^2 - bde + ae^2)^2 x}{8de^4 (d + ex^2)^4} - \frac{(25cd^2 - 9bde - 7ae^2)(cd^2 - bde + ae^2)x}{48d^2 e^4 (d + ex^2)^3} + \frac{(163c^2 d^4 - 2cd^2 e(5b^2 d^2 - 2abde - 7a^2 e^2))x}{48d^2 e^4 (d + ex^2)^3} \\
&= \frac{(cd^2 - bde + ae^2)^2 x}{8de^4 (d + ex^2)^4} - \frac{(25cd^2 - 9bde - 7ae^2)(cd^2 - bde + ae^2)x}{48d^2 e^4 (d + ex^2)^3} + \frac{(163c^2 d^4 - 2cd^2 e(5b^2 d^2 - 2abde - 7a^2 e^2))x}{48d^2 e^4 (d + ex^2)^3} \\
&= \frac{(cd^2 - bde + ae^2)^2 x}{8de^4 (d + ex^2)^4} - \frac{(25cd^2 - 9bde - 7ae^2)(cd^2 - bde + ae^2)x}{48d^2 e^4 (d + ex^2)^3} + \frac{(163c^2 d^4 - 2cd^2 e(5b^2 d^2 - 2abde - 7a^2 e^2))x}{48d^2 e^4 (d + ex^2)^3}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 345, normalized size = 1.09

$$\frac{3\sqrt{d}\sqrt{e}x(-e^2(35a^2e^2+10abde+3b^2d^2)-2cd^2e(3ae+5bd)+93c^2d^4)}{d+ex^2} + 3 \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(e^2(35a^2e^2+10abde+3b^2d^2)+2cd^2e(3ae+5bd))$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)^2/(d + e*x^2)^5,x]

[Out] ((48*d^(7/2)*Sqrt[e]*(c*d^2 + e*(-(b*d) + a*e))^2*x)/(d + e*x^2)^4 - (8*d^(5/2)*Sqrt[e]*(25*c^2*d^4 + 2*c*d^2*e*(-17*b*d + 9*a*e) + e^2*(9*b^2*d^2 - 2*a*b*d*e - 7*a^2*e^2))*x)/(d + e*x^2)^3 + (2*d^(3/2)*Sqrt[e]*(163*c^2*d^4 + 2*c*d^2*e*(-59*b*d + 3*a*e) + e^2*(3*b^2*d^2 + 10*a*b*d*e + 35*a^2*e^2))*x)/(d + e*x^2)^2 - (3*Sqrt[d]*Sqrt[e]*(93*c^2*d^4 - 2*c*d^2*e*(5*b*d + 3*a*e) - e^2*(3*b^2*d^2 + 10*a*b*d*e + 35*a^2*e^2))*x)/(d + e*x^2) + 3*(35*c^2*d^4 + 2*c*d^2*e*(5*b*d + 3*a*e) + e^2*(3*b^2*d^2 + 10*a*b*d*e + 35*a^2*e^2))*ArcTan[(Sqrt[e]*x)/Sqrt[d]]/(384*d^(9/2)*e^(9/2))

fricas [B] time = 0.74, size = 1266, normalized size = 3.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d)^5,x, algorithm="fricas")

[Out] [-1/768*(6*(93*c^2*d^5*e^4 - 10*b*c*d^4*e^5 - 10*a*b*d^2*e^7 - 35*a^2*d*e^8 - 3*(b^2 + 2*a*c)*d^3*e^6)*x^7 + 2*(511*c^2*d^6*e^3 + 146*b*c*d^5*e^4 - 110*a*b*d^3*e^6 - 385*a^2*d^2*e^7 - 33*(b^2 + 2*a*c)*d^4*e^5)*x^5 + 2*(385*c^2*d^7*e^2 + 110*b*c*d^6*e^3 - 146*a*b*d^4*e^5 - 511*a^2*d^3*e^6 + 33*(b^2 + 2*a*c)*d^5*e^4)*x^3 + 3*(35*c^2*d^8 + 10*b*c*d^7*e + 10*a*b*d^5*e^3 + 35*a^2*d^4*e^4 + 3*(b^2 + 2*a*c)*d^6*e^2 + (35*c^2*d^4*e^4 + 10*b*c*d^3*e^5 + 10*a*b*d*e^7 + 35*a^2*e^8 + 3*(b^2 + 2*a*c)*d^2*e^6)*x^8 + 4*(35*c^2*d^5*e^3 + 10*b*c*d^4*e^4 + 10*a*b*d^2*e^6 + 35*a^2*d*e^7 + 3*(b^2 + 2*a*c)*d^3*e^5)*x^6 + 6*(35*c^2*d^6*e^2 + 10*b*c*d^5*e^3 + 10*a*b*d^3*e^5 + 35*a^2*d^2*e^6 + 3*(b^2 + 2*a*c)*d^4*e^4)*x^4 + 4*(35*c^2*d^7*e + 10*b*c*d^6*e^2 + 10*a*b*d^4*e^4 + 35*a^2*d^3*e^5 + 3*(b^2 + 2*a*c)*d^5*e^3)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) + 6*(35*c^2*d^8*e + 10*b*c*d^7*e^2 + 10*a*b*d^5*e^4 - 93*a^2*d^4*e^5 + 3*(b^2 + 2*a*c)*d^6*e^3)*x)/(d^5*e^9*x^8 + 4*d^6*e^8*x^6 + 6*d^7*e^7*x^4 + 4*d^8*e^6*x^2 + d^9*e^5), -1/384*(3*(93*c^2*d^5*e^4 - 10*b*c*d^4*e^5 - 10*a*b*d^2*e^7 - 35*a^2*d*e^8 - 3*(b^2 + 2*a*c)*d^3*e^6)*x^7 + (511*c^2*d^6*e^3 + 146*b*c*d^5*e^4 - 110*a*b*d^3*e^6 - 385*a^2*d^2*e^7 - 33*(b^2 + 2*a*c)*d^4*e^5)*x^5 + (385*c^2*d^7*e^2 + 110*b*c*d^6*e^3 - 146*a*b*d^4*e^5 - 511*a^2*d^3*e^6 + 33*(b^2 + 2*a*c)*d^5*e^4)*x^3 - 3*(35*c^2*d^8 + 10*b*c*d^7*e + 10*a*b*d^5*e^3 + 35*a^2*d^4*e^4 + 3*(b^2 + 2*a*c)*d^6*e^2 + (35*c^2*d^4*e^4 + 10*b*c*d^3*e^5 + 10*a*b*d*e^7 + 35*a^2*e^8 + 3*(b^2 + 2*a*c)*d^2*e^6)*x^8 + 4*(35*c^2*d^5*e^3 + 10*b*c*d^4*e^4 + 10*a*b*d^2*e^6 + 35*a^2*d*e^7 + 3*(b^2 + 2*a*c)*d^3*e^5)*x^6 + 6*(35*c^2*d^6*e^2 + 10*b*c*d^5*e^3 + 10*a*b*d^3*e^5 + 35*a^2*d^2*e^6 + 3*(b^2 + 2*a*c)*d^4*e^4)*x^4 + 4*(35*c^2*d^7*e + 10*b*c*d^6*e^2 + 10*a*b*d^4*e^4 + 35*a^2*d^3*e^5 + 3*(b^2 + 2*a*c)*d^5*e^3)*x^2)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) + 3*(35*c^2*d^8*e + 10*b*c*d^7*e^2 + 10*a*b*d^5*e^4 - 93*a^2*d^4*e^5 + 3*(b^2 + 2*a*c)*d^6*e^3)*x)/(d^5*e^9*x^8 + 4*d^6*e^8*x^6 + 6*d^7*e^7*x^4 + 4*d^8*e^6*x^2 + d^9*e^5)]

giac [A] time = 0.19, size = 364, normalized size = 1.15

$$\frac{(35c^2d^4 + 10bcd^3e + 3b^2d^2e^2 + 6acd^2e^2 + 10abde^3 + 35a^2e^4) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{9}{2}\right)}}{128d^{\frac{9}{2}}} - \frac{(279c^2d^4x^7e^3 - 30bcd^3x^7e^4)}{128d^{\frac{9}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d)^5,x, algorithm="giac")

[Out] 1/128*(35*c^2*d^4 + 10*b*c*d^3*e + 3*b^2*d^2*e^2 + 6*a*c*d^2*e^2 + 10*a*b*d*e^3 + 35*a^2*e^4)*arctan(x*e^(1/2)/sqrt(d))*e^(-9/2)/d^(9/2) - 1/384*(279*

$$c^2d^4x^7e^3 - 30b^2cd^3x^7e^4 + 511c^2d^5x^5e^2 - 9b^2d^2x^7e^5 - 18a^2cd^2x^7e^5 + 146b^2cd^4x^5e^3 + 385c^2d^6x^3e - 30a^2bd^2x^7e^6 - 33b^2d^3x^5e^4 - 66a^2cd^3x^5e^4 + 110b^2cd^5x^3e^2 + 105c^2d^7x - 105a^2d^7x^7e^7 - 110a^2bd^2x^5e^5 + 33b^2d^4x^3e^3 + 66a^2cd^4x^3e^3 + 30b^2cd^6x^5e - 385a^2d^2x^5e^6 - 146a^2bd^3x^3e^4 + 9b^2d^5x^5e^2 + 18a^2cd^5x^5e^2 - 511a^2d^2x^3e^5 + 30a^2bd^4x^5e^3 - 279a^2d^3x^5e^4)e^{-4}/((x^2e + d)^4d^4)$$

maple [A] time = 0.01, size = 412, normalized size = 1.30

$$\frac{35a^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{128\sqrt{de} d^4} + \frac{5ab \arctan\left(\frac{ex}{\sqrt{de}}\right)}{64\sqrt{de} d^3e} + \frac{3ac \arctan\left(\frac{ex}{\sqrt{de}}\right)}{64\sqrt{de} d^2e^2} + \frac{3b^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{128\sqrt{de} d^2e^2} + \frac{5bc \arctan\left(\frac{ex}{\sqrt{de}}\right)}{64\sqrt{de} d e^3} + \frac{35c^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{128\sqrt{de} e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)^2/(e*x^2+d)^5,x)

[Out] (1/128*(35*a^2*e^4+10*a*b*d*e^3+6*a*c*d^2*e^2+3*b^2*d^2*e^2+10*b*c*d^3*e-93*c^2*d^4)/d^4/e*x^7+1/384*(385*a^2*e^4+110*a*b*d*e^3+66*a*c*d^2*e^2+33*b^2*d^2*e^2-146*b*c*d^3*e-511*c^2*d^4)/d^3/e^2*x^5+1/384*(511*a^2*e^4+146*a*b*d*e^3-66*a*c*d^2*e^2-33*b^2*d^2*e^2-110*b*c*d^3*e-385*c^2*d^4)/d^2/e^3*x^3+1/128*(93*a^2*e^4-10*a*b*d*e^3-6*a*c*d^2*e^2-3*b^2*d^2*e^2-10*b*c*d^3*e-35*c^2*d^4)/d/e^4*x)/(e*x^2+d)^4+35/128/(d*e)^(1/2)*a^2/d^4*arctan(1/(d*e)^(1/2)*e*x)+5/64/d^3/e/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*a*b+3/64/(d*e)^(1/2)*a*c/d^2/e^2*arctan(1/(d*e)^(1/2)*e*x)+3/128/d^2/e^2/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*b^2+5/64/d/e^3/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*b*c+35/128/(d*e)^(1/2)*c^2/e^4*arctan(1/(d*e)^(1/2)*e*x)

maxima [A] time = 2.52, size = 366, normalized size = 1.15

$$\frac{3(93c^2d^4e^3 - 10bcd^3e^4 - 10abde^6 - 35a^2e^7 - 3(b^2 + 2ac)d^2e^5)x^7 + (511c^2d^5e^2 + 146bcd^4e^3 - 110abd^2e^5 - 35c^2d^4e^3 - 10b^2cd^3e^4 - 10a^2bd^2e^6 - 35a^2e^7 - 3(b^2 + 2ac)d^2e^5)x^5 + (385c^2d^6e + 110b^2cd^5e^2 - 146a^2bd^3e^4 - 511a^2d^2e^5 + 33(b^2 + 2ac)d^4e^3 - 33b^2d^3e^4 - 35c^2d^4e^3 - 10b^2cd^3e^4 - 110abd^2e^5)x^3 + 3(35c^2d^7 + 10b^2cd^6e + 10a^2bd^4e^3 - 93a^2d^3e^4 + 3(b^2 + 2ac)d^5e^2)x}{(d^4e^8x^8 + 4d^5e^7x^6 + 6d^6e^6x^4 + 4d^7e^5x^2 + d^8e^4)} + \frac{1}{128} \frac{35c^2d^4 + 10b^2cd^3e + 10a^2bd^2e^6 - 35c^2d^4e^3 - 10b^2cd^3e^4 - 110abd^2e^5 - 35c^2d^4e^3 - 10b^2cd^3e^4 - 110abd^2e^5}{d^4e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^2/(e*x^2+d)^5,x, algorithm="maxima")

[Out] -1/384*(3*(93*c^2*d^4*e^3 - 10*b*c*d^3*e^4 - 10*a*b*d*e^6 - 35*a^2*e^7 - 3*(b^2 + 2*a*c)*d^2*e^5)*x^7 + (511*c^2*d^5*e^2 + 146*b*c*d^4*e^3 - 110*a*b*d^2*e^5 - 385*a^2*d*e^6 - 33*(b^2 + 2*a*c)*d^3*e^4)*x^5 + (385*c^2*d^6*e + 110*b*c*d^5*e^2 - 146*a*b*d^3*e^4 - 511*a^2*d^2*e^5 + 33*(b^2 + 2*a*c)*d^4*e^3 - 33*b^2*d^3*e^4 - 35*c^2*d^4*e^3 - 10*b^2*c*d^3*e^4 - 110*a*b*d^2*e^6 - 35*a^2*e^7 - 3*(b^2 + 2*a*c)*d^2*e^5)*x)/(d^4*e^8*x^8 + 4*d^5*e^7*x^6 + 6*d^6*e^6*x^4 + 4*d^7*e^5*x^2 + d^8*e^4) + 1/128*(35*c^2*d^4 + 10*b*c*d^3*e + 10*a*b*d*e^6 - 35*c^2*d^4*e^3 - 10*b^2*c*d^3*e^4 - 110*a*b*d^2*e^5 - 35*c^2*d^4*e^3 - 10*b^2*c*d^3*e^4 - 110*a*b*d^2*e^5)/d^4/e^4

+ 35*a^2*e^4 + 3*(b^2 + 2*a*c)*d^2*e^2)*arctan(e*x/sqrt(d*e))/(sqrt(d*e)*d^4*e^4)

mupad [B] time = 4.57, size = 375, normalized size = 1.18

$$\frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)\left(35a^2e^4 + 10abd e^3 + 6acd^2e^2 + 3b^2d^2e^2 + 10bcd^3e + 35c^2d^4\right)}{128d^{9/2}e^{9/2}} - \frac{x(-93a^2e^4 + 10abde^3 + 6acd^2e^2 + 3b^2d^2e^2 + 10bcd^3e + 35c^2d^4)}{128de^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)^2/(d + e*x^2)^5,x)

[Out] (atan((e^(1/2)*x)/d^(1/2))*(35*a^2*e^4 + 35*c^2*d^4 + 3*b^2*d^2*e^2 + 10*a*b*d*e^3 + 10*b*c*d^3*e + 6*a*c*d^2*e^2))/(128*d^(9/2)*e^(9/2)) - ((x*(35*c^2*d^4 - 93*a^2*e^4 + 3*b^2*d^2*e^2 + 10*a*b*d*e^3 + 10*b*c*d^3*e + 6*a*c*d^2*e^2))/(128*d*e^4) - (x^7*(35*a^2*e^4 - 93*c^2*d^4 + 3*b^2*d^2*e^2 + 10*a*b*d*e^3 + 10*b*c*d^3*e + 6*a*c*d^2*e^2))/(128*d^4*e) + (x^3*(385*c^2*d^4 - 511*a^2*e^4 + 33*b^2*d^2*e^2 - 146*a*b*d*e^3 + 110*b*c*d^3*e + 66*a*c*d^2*e^2))/(384*d^2*e^3) - (x^5*(385*a^2*e^4 - 511*c^2*d^4 + 33*b^2*d^2*e^2 + 110*a*b*d*e^3 - 146*b*c*d^3*e + 66*a*c*d^2*e^2))/(384*d^3*e^2))/(d^4 + e^4*x^8 + 4*d^3*e*x^2 + 4*d*e^3*x^6 + 6*d^2*e^2*x^4)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)**2/(e*x**2+d)**5,x)

[Out] Timed out

$$3.261 \quad \int \frac{a+bx^2+cx^4}{(d+ex^2)^2} dx$$

Optimal. Leaf size=83

$$-\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(3cd^2 - e(ae + bd))}{2d^{3/2}e^{5/2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{2d(d+ex^2)} + \frac{cx}{e^2}$$

[Out] $c*x/e^2+1/2*(a+d*(-b*e+c*d)/e^2)*x/d/(e*x^2+d)-1/2*(3*c*d^2-e*(a*e+b*d))*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(3/2)}/e^{(5/2)}$

Rubi [A] time = 0.09, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1157, 388, 205}

$$-\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(3cd^2 - e(ae + bd))}{2d^{3/2}e^{5/2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{2d(d+ex^2)} + \frac{cx}{e^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(d + e*x^2)^2,x]

[Out] $(c*x)/e^2 + ((a + (d*(c*d - b*e))/e^2)*x)/(2*d*(d + e*x^2)) - ((3*c*d^2 - e*(b*d + a*e))*\text{ArcTan}[\text{Sqrt}[e]*x]/\text{Sqrt}[d])/(2*d^{(3/2)}*e^{(5/2)})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p+1)/(b*(n*(p+1)+1)), x] - Dist[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p+1)+1, 0]

Rule 1157

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x, 0]}, -Simp[(R*x*(d + e*x^2)^(q+1))/(2*d*(q+1)), x] + Dist[1/(2*d*(q +

1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{(d + ex^2)^2} dx &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{2d(d + ex^2)} - \int \frac{\frac{cd^2 - e(bd+ae)}{e^2} - \frac{2cdx^2}{e}}{d+ex^2} dx \\ &= \frac{cx}{e^2} + \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{2d(d + ex^2)} - \frac{(3cd^2 - e(bd + ae)) \int \frac{1}{d+ex^2} dx}{2de^2} \\ &= \frac{cx}{e^2} + \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{2d(d + ex^2)} - \frac{(3cd^2 - e(bd + ae)) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{3/2}e^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 88, normalized size = 1.06

$$\frac{x(ae^2 - bde + cd^2)}{2de^2(d + ex^2)} - \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(-ae^2 - bde + 3cd^2)}{2d^{3/2}e^{5/2}} + \frac{cx}{e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(d + e*x^2)^2, x]

[Out] (c*x)/e^2 + ((c*d^2 - b*d*e + a*e^2)*x)/(2*d*e^2*(d + e*x^2)) - ((3*c*d^2 - b*d*e - a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*d^(3/2)*e^(5/2))

fricas [A] time = 0.68, size = 268, normalized size = 3.23

$$\frac{4cd^2e^2x^3 + (3cd^3 - bd^2e - ade^2 + (3cd^2e - bde^2 - ae^3)x^2)\sqrt{-de} \log\left(\frac{ex^2 - 2\sqrt{-de}x - d}{ex^2 + d}\right) + 2(3cd^3e - bd^2e^2 + ade^3)}{4(d^2e^4x^2 + d^3e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="fricas")

[Out] [1/4*(4*c*d^2*e^2*x^3 + (3*c*d^3 - b*d^2*e - a*d*e^2 + (3*c*d^2*e - b*d*e^2 - a*e^3)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) + 2

$(3cd^3e - bd^2e^2 + ade^3)x / (d^2e^4x^2 + d^3e^3), 1/2(2cd^2e^2x^3 - (3cd^3 - bd^2e - ade^2 + (3cd^2e - bde^2 - ae^3)x^2) \sqrt{de}) \arctan(\sqrt{de}x/d) + (3cd^3e - bd^2e^2 + ade^3)x / (d^2e^4x^2 + d^3e^3]$

giac [A] time = 0.16, size = 75, normalized size = 0.90

$$cxe^{(-2)} - \frac{(3cd^2 - bde - ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{5}{2}\right)}}{2d^{\frac{3}{2}}} + \frac{(cd^2x - bdx + axe^2)e^{(-2)}}{2(x^2e + d)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="giac")

[Out] $cxe^{(-2)} - 1/2(3cd^2 - bde - ae^2) \arctan(xe^{(1/2)}/\sqrt{d})e^{(-5/2)}/d^{(3/2)} + 1/2(cd^2x - bdx + axe^2)e^{(-2)}/((x^2e + d)d)$

maple [A] time = 0.00, size = 118, normalized size = 1.42

$$\frac{ax}{2(e^2x^2 + d)d} + \frac{a \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d} - \frac{bx}{2(e^2x^2 + d)e} + \frac{b \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e} + \frac{cdx}{2(e^2x^2 + d)e^2} - \frac{3cd \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e^2} + \frac{cx}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/(e*x^2+d)^2,x)

[Out] $1/2/(e^2x^2+d)*a/d*x + 1/2/(d*e)^{(1/2)}*a/d*\arctan(1/(d*e)^{(1/2)}*e*x) - 1/2/(e^2x^2+d)*b/e*x + 1/2/(d*e)^{(1/2)}*b/e*\arctan(1/(d*e)^{(1/2)}*e*x) + 1/2/(e^2x^2+d)*c*d/e^2*x - 3/2/(d*e)^{(1/2)}*c*d/e^2*\arctan(1/(d*e)^{(1/2)}*e*x) + c/e^2*x$

maxima [A] time = 2.34, size = 84, normalized size = 1.01

$$\frac{(cd^2 - bde + ae^2)x}{2(de^3x^2 + d^2e^2)} + \frac{cx}{e^2} - \frac{(3cd^2 - bde - ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}de^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="maxima")

[Out] $1/2(c*d^2 - b*d*e + a*e^2)*x/(d*e^3*x^2 + d^2*e^2) + c*x/e^2 - 1/2(3*c*d^2 - b*d*e - a*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d*e^2)$

mupad [B] time = 0.00, size = 77, normalized size = 0.93

$$\frac{cx}{e^2} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) (-3cd^2 + bde + ae^2)}{2d^{3/2}e^{5/2}} + \frac{x(cd^2 - bde + ae^2)}{2d(e^3x^2 + de^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2 + c*x^4)/(d + e*x^2)^2,x)`

[Out] $(c*x)/e^2 + (\operatorname{atan}((e^{1/2}*x)/d^{1/2})*(a*e^2 - 3*c*d^2 + b*d*e))/(2*d^{3/2}*e^{5/2}) + (x*(a*e^2 + c*d^2 - b*d*e))/(2*d*(d*e^2 + e^3*x^2))$

sympy [B] time = 0.82, size = 153, normalized size = 1.84

$$\frac{cx}{e^2} + \frac{x(ae^2 - bde + cd^2)}{2d^2e^2 + 2de^3x^2} - \frac{\sqrt{-\frac{1}{d^3e^5}}(ae^2 + bde - 3cd^2)\log\left(-d^2e^2\sqrt{-\frac{1}{d^3e^5}} + x\right)}{4} + \frac{\sqrt{-\frac{1}{d^3e^5}}(ae^2 + bde - 3cd^2)\log\left(d^2e^2\sqrt{-\frac{1}{d^3e^5}} + x\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**4+b*x**2+a)/(e*x**2+d)**2,x)`

[Out] $c*x/e**2 + x*(a*e**2 - b*d*e + c*d**2)/(2*d**2*e**2 + 2*d*e**3*x**2) - \operatorname{sqrt}(-1/(d**3*e**5))*(a*e**2 + b*d*e - 3*c*d**2)*\log(-d**2*e**2*\operatorname{sqrt}(-1/(d**3*e**5)) + x)/4 + \operatorname{sqrt}(-1/(d**3*e**5))*(a*e**2 + b*d*e - 3*c*d**2)*\log(d**2*e**2*\operatorname{sqrt}(-1/(d**3*e**5)) + x)/4$

$$3.262 \quad \int \frac{a+x^2(b+cx^2)}{(d+ex^2)^2} dx$$

Optimal. Leaf size=83

$$-\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(3cd^2 - e(ae + bd))}{2d^{3/2}e^{5/2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{2d(d+ex^2)} + \frac{cx}{e^2}$$

[Out] $c*x/e^2+1/2*(a+d*(-b*e+c*d)/e^2)*x/d/(e*x^2+d)-1/2*(3*c*d^2-e*(a*e+b*d))*\arctan(x*\sqrt{e}/\sqrt{d})/\sqrt{d}/e^{5/2}$

Rubi [A] time = 0.08, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$, Rules used = {1814, 388, 205}

$$-\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(3cd^2 - e(ae + bd))}{2d^{3/2}e^{5/2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{2d(d+ex^2)} + \frac{cx}{e^2}$$

Antiderivative was successfully verified.

[In] Int[(a + x^2*(b + c*x^2))/(d + e*x^2)^2,x]

[Out] $(c*x)/e^2 + ((a + (d*(c*d - b*e))/e^2)*x)/(2*d*(d + e*x^2)) - ((3*c*d^2 - e*(b*d + a*e))*\text{ArcTan}[\text{Sqrt}[e]*x/\text{Sqrt}[d]])/(2*d^{3/2}*e^{5/2})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p+1))/(b*(n*(p+1)+1)), x] - Dist[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p+1)+1, 0]

Rule 1814

Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 1]}, Simp[(a*g - b*f*x)*(a + b*x^2)^(p+1)/(2*a*b*(p+1)), x] + Dist[1/(2*a*(p+1)), Int

$[(a + b*x^2)^{(p + 1)}*ExpandToSum[2*a*(p + 1)*Q + f*(2*p + 3), x], x], x] /$
 $; FreeQ[{a, b}, x] \&\& PolyQ[Pq, x] \&\& LtQ[p, -1]$

Rubi steps

$$\begin{aligned} \int \frac{a + x^2(b + cx^2)}{(d + ex^2)^2} dx &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{2d(d + ex^2)} - \frac{\int \frac{cd^2 - e(bd+ae) - 2cdx^2}{e^2(d+ex^2)} dx}{2d} \\ &= \frac{cx}{e^2} + \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{2d(d + ex^2)} - \frac{(3cd^2 - e(bd + ae)) \int \frac{1}{d+ex^2} dx}{2de^2} \\ &= \frac{cx}{e^2} + \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{2d(d + ex^2)} - \frac{(3cd^2 - e(bd + ae)) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{3/2}e^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 88, normalized size = 1.06

$$\frac{x(ae^2 - bde + cd^2)}{2de^2(d + ex^2)} - \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(-ae^2 - bde + 3cd^2)}{2d^{3/2}e^{5/2}} + \frac{cx}{e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + x^2*(b + c*x^2))/(d + e*x^2)^2,x]

[Out] (c*x)/e^2 + ((c*d^2 - b*d*e + a*e^2)*x)/(2*d*e^2*(d + e*x^2)) - ((3*c*d^2 - b*d*e - a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*d^(3/2)*e^(5/2))

fricas [A] time = 0.61, size = 268, normalized size = 3.23

$$\left[\frac{4cd^2e^2x^3 + (3cd^3 - bd^2e - ade^2 + (3cd^2e - bde^2 - ae^3)x^2)\sqrt{-de} \log\left(\frac{ex^2 - 2\sqrt{-de}x - d}{ex^2 + d}\right) + 2(3cd^3e - bd^2e^2 + ade^3)}{4(d^2e^4x^2 + d^3e^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+x^2*(c*x^2+b))/(e*x^2+d)^2,x, algorithm="fricas")

[Out] [1/4*(4*c*d^2*e^2*x^3 + (3*c*d^3 - b*d^2*e - a*d*e^2 + (3*c*d^2*e - b*d*e^2 - a*e^3)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) + 2*(3*c*d^3*e - b*d^2*e^2 + a*d*e^3)*x)/(d^2*e^4*x^2 + d^3*e^3), 1/2*(2*c*d^2

$*e^2*x^3 - (3*c*d^3 - b*d^2*e - a*d*e^2 + (3*c*d^2*e - b*d*e^2 - a*e^3)*x^2) * \sqrt{d*e} * \arctan(\sqrt{d*e}*x/d) + (3*c*d^3*e - b*d^2*e^2 + a*d*e^3)*x / (d^2*e^4*x^2 + d^3*e^3]$

giac [A] time = 0.15, size = 75, normalized size = 0.90

$$cxe^{(-2)} - \frac{(3cd^2 - bde - ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{5}{2}\right)}}{2d^{\frac{3}{2}}} + \frac{(cd^2x - bdx + axe^2)e^{(-2)}}{2(x^2e + d)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+x^2*(c*x^2+b))/(e*x^2+d)^2,x, algorithm="giac")

[Out] $c*x*e^{(-2)} - 1/2*(3*c*d^2 - b*d*e - a*e^2)*\arctan(x*e^{(1/2)}/\sqrt{d})*e^{(-5/2)}/d^{(3/2)} + 1/2*(c*d^2*x - b*d*x*e + a*x*e^2)*e^{(-2)}/((x^2*e + d)*d)$

maple [A] time = 0.01, size = 118, normalized size = 1.42

$$\frac{ax}{2(e^2x^2 + d)d} + \frac{a \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d} - \frac{bx}{2(e^2x^2 + d)e} + \frac{b \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e} + \frac{cdx}{2(e^2x^2 + d)e^2} - \frac{3cd \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e^2} + \frac{cx}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+x^2*(c*x^2+b))/(e*x^2+d)^2,x)

[Out] $1/2/(e*x^2+d)*a/d*x + 1/2/(d*e)^{(1/2)}*a/d*\arctan(1/(d*e)^{(1/2)}*e*x) - 1/2/(e*x^2+d)*b/e*x + 1/2/(d*e)^{(1/2)}*b/e*\arctan(1/(d*e)^{(1/2)}*e*x) + 1/2/(e*x^2+d)*c*d/e^2*x - 3/2/(d*e)^{(1/2)}*c*d/e^2*\arctan(1/(d*e)^{(1/2)}*e*x) + c/e^2*x$

maxima [A] time = 2.37, size = 84, normalized size = 1.01

$$\frac{(cd^2 - bde + ae^2)x}{2(de^3x^2 + d^2e^2)} + \frac{cx}{e^2} - \frac{(3cd^2 - bde - ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}de^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+x^2*(c*x^2+b))/(e*x^2+d)^2,x, algorithm="maxima")

[Out] $1/2*(c*d^2 - b*d*e + a*e^2)*x/(d*e^3*x^2 + d^2*e^2) + c*x/e^2 - 1/2*(3*c*d^2 - b*d*e - a*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d*e^2)$

mupad [B] time = 0.11, size = 77, normalized size = 0.93

$$\frac{cx}{e^2} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) (-3cd^2 + bde + ae^2)}{2d^{3/2}e^{5/2}} + \frac{x(cd^2 - bde + ae^2)}{2d(e^3x^2 + de^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + x^2*(b + c*x^2))/(d + e*x^2)^2,x)`

[Out] $(c*x)/e^2 + (\operatorname{atan}((e^{1/2}*x)/d^{1/2})*(a*e^2 - 3*c*d^2 + b*d*e))/(2*d^{3/2}) * e^{5/2} + (x*(a*e^2 + c*d^2 - b*d*e))/(2*d*(d*e^2 + e^3*x^2))$

sympy [B] time = 0.86, size = 153, normalized size = 1.84

$$\frac{cx}{e^2} + \frac{x(ae^2 - bde + cd^2)}{2d^2e^2 + 2de^3x^2} - \frac{\sqrt{-\frac{1}{d^3e^5}}(ae^2 + bde - 3cd^2) \log\left(-d^2e^2\sqrt{-\frac{1}{d^3e^5}} + x\right)}{4} + \frac{\sqrt{-\frac{1}{d^3e^5}}(ae^2 + bde - 3cd^2) \log\left(\dots\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+x**2*(c*x**2+b))/(e*x**2+d)**2,x)`

[Out] $c*x/e^{**2} + x*(a*e^{**2} - b*d*e + c*d^{**2})/(2*d^{**2}*e^{**2} + 2*d*e^{**3}*x^{**2}) - \operatorname{sqrt}(-1/(d^{**3}*e^{**5})) * (a*e^{**2} + b*d*e - 3*c*d^{**2}) * \log(-d^{**2}*e^{**2} * \operatorname{sqrt}(-1/(d^{**3}*e^{**5})) + x)/4 + \operatorname{sqrt}(-1/(d^{**3}*e^{**5})) * (a*e^{**2} + b*d*e - 3*c*d^{**2}) * \log(d^{**2}*e^{**2} * \operatorname{sqrt}(-1/(d^{**3}*e^{**5})) + x)/4$

$$3.263 \quad \int \frac{(d+ex^2)^4}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=459

$$\frac{\left(\frac{2c^2e^2(a^2e^2+6abde+3b^2d^2)-4b^2ce^3(ae+bd)-4c^3d^2e(3ae+bd)+b^4e^4+2c^4d^4}{\sqrt{b^2-4ac}} + e(2cd - be) \left(-2ce(ae + bd) + b^2e^2 + 2c^2d^2 \right) \right) \tan^{-1} \left(\frac{y}{\sqrt{b-4ac}} \right)}{\sqrt{2} c^{7/2} \sqrt{b - \sqrt{b^2 - 4ac}}}$$

[Out] $e^2(6c^2d^2+b^2e^2-c*(a+4*b*d))*x/c^3+1/3*e^3*(-b*e+4*c*d)*x^3/c^2+1/5*e^4*x^5/c+1/2*arctan(x*2^(1/2)*c^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2))*(e*(-b*e+2*c*d)*(2*c^2*d^2+b^2*e^2-2*c*(a+b*d))+(2*c^4*d^4+b^4*e^4-4*b^2*c*e^3*(a+b*d)-4*c^3*d^2*e*(3*a+3*b*d)+2*c^2*e^2*(a^2*e^2+6*a*b*d*e+3*b^2*d^2)))/(-4*a*c+b^2)^(1/2))/c^(7/2)*2^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2)+1/2*arctan(x*2^(1/2)*c^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2))*(e*(-b*e+2*c*d)*(2*c^2*d^2+b^2*e^2-2*c*(a+b*d))+(-2*c^4*d^4-b^4*e^4+4*b^2*c*e^3*(a+b*d)+4*c^3*d^2*e*(3*a+3*b*d)-2*c^2*e^2*(a^2*e^2+6*a*b*d*e+3*b^2*d^2)))/(-4*a*c+b^2)^(1/2))/c^(7/2)*2^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2)$

Rubi [A] time = 1.54, antiderivative size = 459, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1170, 1166, 205}

$$\frac{\left(\frac{2c^2e^2(a^2e^2+6abde+3b^2d^2)-4b^2ce^3(ae+bd)-4c^3d^2e(3ae+bd)+b^4e^4+2c^4d^4}{\sqrt{b^2-4ac}} + e(2cd - be) \left(-2ce(ae + bd) + b^2e^2 + 2c^2d^2 \right) \right) \tan^{-1} \left(\frac{y}{\sqrt{b-4ac}} \right)}{\sqrt{2} c^{7/2} \sqrt{b - \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^4/(a + b*x^2 + c*x^4), x]

[Out] $(e^2(6c^2d^2 + b^2e^2 - c*(4*b*d + a*e))*x)/c^3 + (e^3(4*c*d - b*e)*x^3)/(3*c^2) + (e^4*x^5)/(5*c) + ((e*(2*c*d - b*e)*(2*c^2*d^2 + b^2*e^2 - 2*c*(b*d + a*e)) + (2*c^4*d^4 + b^4*e^4 - 4*b^2*c*e^3*(b*d + a*e) - 4*c^3*d^2*e*(b*d + 3*a*e) + 2*c^2*e^2*(3*b^2*d^2 + 6*a*b*d*e + a^2*e^2)))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*c^(7/2)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + ((e*(2*c*d - b*e)*(2*c^2*d^2 + b^2*e^2 - 2*c*(b*d + a*e)) - (2*c^4*d^4 + b^4*e^4 - 4*b^2*c*e^3*(b*d + a*e) - 4*c^3*d^2*e*(b*d + 3*a*e) + 2*c^2*e^2*(3*b^2*d^2 + 6*a*b*d*e + a^2*e^2)))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*c^(7/2)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1170

Int[((d_) + (e_)*(x_)^2)^(q_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^4}{a + bx^2 + cx^4} dx &= \int \left(\frac{e^2(6c^2d^2 + b^2e^2 - ce(4bd + ae))}{c^3} + \frac{e^3(4cd - be)x^2}{c^2} + \frac{e^4x^4}{c} + \frac{c^3d^4 - 6ac^2d^2e^2 - ab^2e^4}{c^3d^4 - 6ac^2d^2e^2 - ab^2e^4 + ace^3(4bd + ae)} \right) dx \\ &= \frac{e^2(6c^2d^2 + b^2e^2 - ce(4bd + ae))x}{c^3} + \frac{e^3(4cd - be)x^3}{3c^2} + \frac{e^4x^5}{5c} + \frac{\int \frac{c^3d^4 - 6ac^2d^2e^2 - ab^2e^4}{c^3d^4 - 6ac^2d^2e^2 - ab^2e^4 + ace^3(4bd + ae)} dx}{c^3d^4 - 6ac^2d^2e^2 - ab^2e^4 + ace^3(4bd + ae)} \\ &= \frac{e^2(6c^2d^2 + b^2e^2 - ce(4bd + ae))x}{c^3} + \frac{e^3(4cd - be)x^3}{3c^2} + \frac{e^4x^5}{5c} + \frac{\left(e(2cd - be)(2c^2d^2 + b^2e^2) \right)}{c^3d^4 - 6ac^2d^2e^2 - ab^2e^4 + ace^3(4bd + ae)} \\ &= \frac{e^2(6c^2d^2 + b^2e^2 - ce(4bd + ae))x}{c^3} + \frac{e^3(4cd - be)x^3}{3c^2} + \frac{e^4x^5}{5c} + \frac{\left(e(2cd - be)(2c^2d^2 + b^2e^2) \right)}{c^3d^4 - 6ac^2d^2e^2 - ab^2e^4 + ace^3(4bd + ae)} \end{aligned}$$

Mathematica [A] time = 0.69, size = 570, normalized size = 1.24

$$\frac{e^2x(-ce(ae + 4bd) + b^2e^2 + 6c^2d^2)}{c^3} + \frac{\left(4c^3d^2e(d\sqrt{b^2 - 4ac} - 3ae - bd) + 2c^2e^2(-3bd(d\sqrt{b^2 - 4ac} - 2ae) + ae) \right)}{c^3d^4 - 6ac^2d^2e^2 - ab^2e^4 + ace^3(4bd + ae)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^2)^4/(a + b*x^2 + c*x^4),x]
```

```
[Out] (e^2*(6*c^2*d^2 + b^2*e^2 - c*e*(4*b*d + a*e))*x)/c^3 + (e^3*(4*c*d - b*e)*
x^3)/(3*c^2) + (e^4*x^5)/(5*c) + ((2*c^4*d^4 + b^3*(b - Sqrt[b^2 - 4*a*c])*
e^4 + 4*c^3*d^2*e*(-(b*d) + Sqrt[b^2 - 4*a*c]*d - 3*a*e) + 2*b*c*e^3*(-2*b^
2*d + 2*b*Sqrt[b^2 - 4*a*c]*d - 2*a*b*e + a*Sqrt[b^2 - 4*a*c]*e) + 2*c^2*e^
2*(3*b^2*d^2 - 3*b*d*(Sqrt[b^2 - 4*a*c]*d - 2*a*e) + a*e*(-2*Sqrt[b^2 - 4*a
*c]*d + a*e)))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(Sq
rt[2]*c^(7/2)*Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - ((2*c^4*d^4
+ b^3*(b + Sqrt[b^2 - 4*a*c])*e^4 - 4*c^3*d^2*e*(b*d + Sqrt[b^2 - 4*a*c]*d
+ 3*a*e) - 2*b*c*e^3*(2*b^2*d + a*Sqrt[b^2 - 4*a*c]*e + 2*b*(Sqrt[b^2 - 4*a
*c]*d + a*e)) + 2*c^2*e^2*(3*b^2*d^2 + a*e*(2*Sqrt[b^2 - 4*a*c]*d + a*e) +
3*b*d*(Sqrt[b^2 - 4*a*c]*d + 2*a*e)))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + S
qrt[b^2 - 4*a*c]])/(Sqrt[2]*c^(7/2)*Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 -
4*a*c]])
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^4/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [B] time = 1.63, size = 9285, normalized size = 20.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^4/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] 1/8*(4*(2*b^4*c^5 - 16*a*b^2*c^6 + 32*a^2*c^7 - sqrt(2)*sqrt(b^2 - 4*a*c))*s
qrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^4*c^3 + 8*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b
*c - sqrt(b^2 - 4*a*c)*c)*a*b^2*c^4 + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c
- sqrt(b^2 - 4*a*c)*c)*b^3*c^4 - 16*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sq
rt(b^2 - 4*a*c)*c)*a^2*c^5 - 8*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^
2 - 4*a*c)*c)*a*b*c^5 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a
*c)*c)*b^2*c^5 + 4*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c
)*a*c^6 - 2*(b^2 - 4*a*c)*b^2*c^5 + 8*(b^2 - 4*a*c)*a*c^6)*c^2*d^3*e + 2*(s
qrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^4*c^5 - 8*sqrt(2)*sqrt(b*c - sqrt(
b^2 - 4*a*c)*c)*a*b^2*c^6 - 2*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^3*c
^6 + 2*b^4*c^6 + 16*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^2*c^7 + 8*sq
```

$$\begin{aligned}
& t(2) \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}} a^2 b^2 c^7 + \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \\
& - 4ac \sqrt{bc - \sqrt{b^2 - 4ac}} b^2 c^7 - 16 a^2 b^2 c^7 - 4 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \\
& * c \sqrt{bc - \sqrt{b^2 - 4ac}} a^2 c^8 + 32 a^2 c^8 - 2 (b^2 - 4ac) b^2 c^6 + 8 (b^2 - 4ac) a^2 c^7 * d \\
& ^4 \operatorname{abs}(c) - 6 (2 b^5 c^4 - 16 a^2 b^3 c^5 + 32 a^2 b^2 c^6 - \sqrt{2} \sqrt{b^2 - 4ac} \\
& * \sqrt{bc - \sqrt{b^2 - 4ac}} a^2 b^3 c^3 + 2 \sqrt{2} \sqrt{b^2 - 4ac} * \\
& \sqrt{bc - \sqrt{b^2 - 4ac}} a^2 b^4 c^3 - 16 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} \\
& * a^2 b^2 c^4 - 8 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2 b^2 c^4 - \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} \\
& * b^3 c^4 + 4 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2 b^2 c^4 - \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} \\
& * a^2 b^2 c^5 - 2 (b^2 - 4ac) b^3 c^4 + 8 (b^2 - 4ac) a^2 b^2 c^5) \\
& * c^2 d^2 e^2 + 2 (2 b^3 c^8 - 8 a^2 b^2 c^9 - \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} \\
& * b^3 c^6 + 4 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2 b^2 c^7 + 2 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} \\
& * b^2 c^7 - \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2 b^2 c^8 - 2 (b^2 - 4ac) b^2 c^8) d^4 + 4 (2 b^6 c^3 - 18 a^2 b^4 c^4 + \\
& 48 a^2 b^2 c^5 - 32 a^3 c^6 - \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * b^6 c + 9 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} \\
& * a^2 b^4 c^2 + 2 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) b^5 c^2 - 24 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2 b^2 c^3 - 10 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2 b^2 c^3 - 10 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2 b^2 c^3 - \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * b^4 c^3 + 16 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2 b^2 c^4 + 8 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2 b^2 c^4 + 5 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2 b^2 c^4 - 4 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2 c^5 - 2 (b^2 - 4ac) b^4 c^3 + 10 (b^2 - 4ac) a^2 b^2 c^4 - 8 (b^2 - 4ac) a^2 c^5) c^2 d e^3 - 12 (\sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} a^2 b^4 c^4 - 8 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} a^2 b^2 c^5 - 2 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} a^2 b^2 c^5 + 2 a^2 b^4 c^5 + 16 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} a^3 c^6 + 8 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} a^2 b^2 c^6 + \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} a^2 b^2 c^6 - 16 a^2 b^2 c^6 - 4 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} a^2 c^7 + 32 a^3 c^7 - 2 (b^2 - 4ac) a^2 b^2 c^5 + 8 (b^2 - 4ac) a^2 c^6) d^2 \operatorname{abs}(c) e^2 - 4 (2 b^4 c^7 - 8 a^2 b^2 c^8 - \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} b^4 c^5 + 4 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} a^2 b^2 c^6 + 2 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} b^3 c^6 - \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} b^2 c^7 - 2 (b^2 - 4ac) b^2 c^7) d^3 e - (2 b^7 c^2 - 20 a^2 b^5 c^3 + 64 a^2 b^3 c^4 - 64 a^3 b^2 c^5 - \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} b^7 + 10 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} a^2 b^5 c + 2 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} b^6 c - 32 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} a^2 b^3 c^2 - 12 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} a^2 b^4 c^2 - \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} b^5 c^2 + 32 \sqrt{2} \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} *
\end{aligned}$$

$$\begin{aligned}
& b*c - \sqrt{b^2 - 4*a*c}*c)*a^3*b*c^3 + 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\
& - \sqrt{b^2 - 4*a*c}*c)*a^2*b^2*c^3 + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\
& - \sqrt{b^2 - 4*a*c}*c)*a*b^3*c^3 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\
& - \sqrt{b^2 - 4*a*c}*c)*a^2*b*c^4 - 2*(b^2 - 4*a*c)*b^5*c^2 + 12*(b^2 - 4*a*c) \\
& *a*b^3*c^3 - 16*(b^2 - 4*a*c)*a^2*b*c^4)*c^2*e^4 + 8*(\sqrt{2}*\sqrt{b*c} - \sqrt{2} \\
& *\sqrt{b^2 - 4*a*c}*c)*a*b^5*c^3 - 8*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a^2 \\
& *b^3*c^4 - 2*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a*b^4*c^4 + 2*a*b^5*c^4 \\
& + 16*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a^3*b*c^5 + 8*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c} \\
& *c)*a^2*b^2*c^5 + \sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a^3*b*c^5 - 16*a^2*b^3*c^5 - 4*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c} \\
& *c)*a^2*b*c^6 + 32*a^3*b*c^6 - 2*(b^2 - 4*a*c)*a*b^3*c^4 + 8*(b^2 - 4*a*c)*a^2 \\
& *b*c^5)*d*abs(c)*e^3 + 6*(2*b^5*c^6 - 12*a*b^3*c^7 + 16*a^2*b*c^8 - \sqrt{2} \\
&)*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*b^5*c^4 + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c} \\
& *\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a*b^3*c^5 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c} \\
& *c)*b^4*c^5 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a^2*b*c^6 - 4*\sqrt{2}*\sqrt{b^2 - 4*a*c} \\
& *\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a*b^2*c^6 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c} \\
& *c)*b^3*c^6 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a*b*c^7 - 2*(b^2 - 4*a*c)*b^3*c^6 + 4*(b^2 - 4*a*c) \\
& *a*b*c^7)*d^2*e^2 - 2*(\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a*b^6*c^2 - 9*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c} \\
& *c)*a^2*b^4*c^3 - 2*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a*b^5*c^3 + 2*a*b^6*c^3 + 24*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c} \\
& *c)*a^3*b^2*c^4 + 10*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a^2*b^3*c^4 + \sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c} \\
& *c)*a*b^4*c^4 - 18*a^2*b^4*c^4 - 16*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a^4*c^5 - 8*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c} \\
& *c)*a^3*b*c^5 - 5*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a^2*b^2*c^5 + 48*a^3*b^2*c^5 + 4*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c} \\
& *c)*a^3*c^6 - 32*a^4*c^6 - 2*(b^2 - 4*a*c)*a*b^4*c^3 + 10*(b^2 - 4*a*c)*a^2*b^2*c^4 - 8*(b^2 - 4*a*c)*a^3*c^5)*abs(c)*e^4 - 4*(2*b^6*c^5 - 14*a*b^4*c^6 + 24*a^2*b^2*c^7 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*b^6*c^3 + 7*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a*b^4*c^4 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*b^5*c^4 - 12*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a^2*b^2*c^5 - 6*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a*b^3*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*b^4*c^5 + 3*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a*b^2*c^6 - 2*(b^2 - 4*a*c)*b^4*c^5 + 6*(b^2 - 4*a*c)*a*b^2*c^6)*d*e^3 + (2*b^7*c^4 - 16*a*b^5*c^5 + 36*a^2*b^3*c^6 - 16*a^3*b*c^7 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*b^7*c^2 + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a*b^5*c^3 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*b^6*c^3 - 18*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a^2*b^3*c^4 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a*b^4*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*b^5*c^4 + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a^3*b*c^5 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c}*c)*a^
\end{aligned}$$

$$\begin{aligned}
& 2*b^2*c^5 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b \\
& ^3*c^5 - 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b \\
& c^6 - 2*(b^2 - 4*a*c)*b^5*c^4 + 8*(b^2 - 4*a*c)*a*b^3*c^5 - 4*(b^2 - 4*a*c) \\
& *a^2*b*c^6)*e^4)*\arctan(2*\sqrt{1/2}*x/\sqrt{(b*c^5 + \sqrt{b^2*c^{10} - 4*a*c^11} \\
& 1))/c^6))/((a*b^4*c^5 - 8*a^2*b^2*c^6 - 2*a*b^3*c^6 + 16*a^3*c^7 + 8*a^2*b* \\
& c^7 + a*b^2*c^7 - 4*a^2*c^8)*c^2) - 1/8*(4*(2*b^4*c^5 - 16*a*b^2*c^6 + 32*a \\
& ^2*c^7 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b^4*c^3 \\
& + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*b^2*c^4 + 2 \\
& *\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b^3*c^4 - 16*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^2*c^5 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c} \\
& *\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*b*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c} \\
& *b^2*c^5 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*c^6 - 2*(b^2 - 4*a*c) \\
& *b^2*c^5 + 8*(b^2 - 4*a*c)*a*c^6)*c^2*d^3*e - 2*(\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})* \\
& b^4*c^5 - 8*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*b^2*c^6 - 2*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c} \\
& *b^3*c^6 - 2*b^4*c^6 + 16*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^2*c^7 + 8*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a* \\
& b*c^7 + \sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b^2*c^7 + 16*a*b^2*c^7 - 4* \\
& \sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*c^8 - 32*a^2*c^8 + 2*(b^2 - 4*a*c) \\
& *b^2*c^6 - 8*(b^2 - 4*a*c)*a*c^7)*d^4*abs(c) - 6*(2*b^5*c^4 - 16*a*b^3*c^5 \\
& + 32*a^2*b*c^6 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})* \\
& b^5*c^2 + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*b^3 \\
& c^3 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b^4*c^3 \\
& - 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^2*b*c^4 - \\
& 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*b^2*c^4 - \sqrt{2} \\
& *\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b^3*c^4 + 4*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*b*c^5 - 2*(b^2 - 4*a*c) \\
& *b^3*c^4 + 8*(b^2 - 4*a*c)*a*b*c^5)*c^2*d^2*e^2 + 2*(2*b^3*c^8 - 8*a*b*c^9 \\
& - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b^3*c^6 + 4*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*b*c^7 + 2*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b^2*c^7 - \sqrt{2}*\sqrt{b^2 - 4*a*c} \\
& *\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b*c^8 - 2*(b^2 - 4*a*c)*b*c^8)* \\
& d^4 + 4*(2*b^6*c^3 - 18*a*b^4*c^4 + 48*a^2*b^2*c^5 - 32*a^3*c^6 - \sqrt{2})*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b^6*c + 9*\sqrt{2}*\sqrt{b^2 - 4*a*c} \\
& *\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*b^4*c^2 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c} \\
& *\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b^5*c^2 - 24*\sqrt{2}*\sqrt{b^2 - 4*a*c} \\
& *\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^2*b^2*c^3 - 10*\sqrt{2}*\sqrt{b^2 - 4*a*c} \\
& *\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*b^3*c^3 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c} \\
& *b^4*c^3 + 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^2*b*c^4 + 5*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*b^2*c^4 - 4*\sqrt{2}*\sqrt{b^2 - 4*a*c} \\
& *\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^2*c^5 - 2*(b^2 - 4*a*c)*b^4*c^3 + 10*(b^2 - 4*a*c) \\
& *a*b^2*c^4 - 8*(b^2 - 4*a*c)*a^2*c^5)*c^2*d*e^3 + 12*(\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})* \\
& a*b^4*c^4 - 8*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^2*b^2*c^
\end{aligned}$$

$$\begin{aligned}
& 5 - 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^3 c^5 - 2a^2 b^4 c^5 + 16\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^3 c^6 + 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^3 c^6 + \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^2 c^6 + 16a^2 b^2 c^6 - 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 c^7 - 32a^3 c^7 + 2(b^2 - 4ac)a^2 b^2 c^5 - 8(b^2 - 4ac)a^2 c^6 * d^2 \operatorname{abs}(c) * e^2 - 4(2b^4 c^7 - 8a^2 b^2 c^8 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * b^4 c^5 + 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^2 c^6 + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * b^3 c^6 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * b^2 c^7 - 2(b^2 - 4ac)b^2 c^7) * d^3 e - (2b^7 c^2 - 20a^2 b^5 c^3 + 64a^2 b^3 c^4 - 64a^3 b^2 c^5 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * b^7 + 10\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^5 c + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * b^6 c - 32\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^3 c^2 - 12\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^4 c^2 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * b^5 c^2 + 32\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^3 b^2 c^3 + 16\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^2 c^3 + 6\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^3 c^3 - 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^4 c^3 - 2(b^2 - 4ac)b^5 c^2 + 12(b^2 - 4ac)a^2 b^3 c^3 - 16(b^2 - 4ac)a^2 b^2 c^4) * c^2 e^4 - 8(\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^5 c^3 - 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^3 c^4 - 2\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^4 c^4 - 2a^2 b^5 c^4 + 16\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^3 b^2 c^5 + 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^2 c^5 + \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^3 c^5 + 16a^2 b^3 c^5 - 4\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^2 c^6 - 32a^3 b^2 c^6 + 2(b^2 - 4ac)a^2 b^3 c^4 - 8(b^2 - 4ac)a^2 b^2 c^5) * d \operatorname{abs}(c) * e^3 + 6(2b^5 c^6 - 12a^2 b^3 c^7 + 16a^2 b^2 c^8 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * b^5 c^4 + 6\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^3 c^5 + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * b^4 c^5 - 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^2 c^6 - 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^3 c^6 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * b^3 c^6 + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^2 c^7 - 2(b^2 - 4ac)b^3 c^6 + 4(b^2 - 4ac)a^2 b^2 c^7) * d^2 e^2 + 2(\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^6 c^2 - 9\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^4 c^3 - 2\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^5 c^3 - 2a^2 b^6 c^3 + 24\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^3 b^2 c^4 + 10\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^3 c^4 + \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^4 c^4 + 18a^2 b^4 c^4 - 16\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^4 c^5 - 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^3 b^2 c^5 - 5\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^2 b^2 c^5 - 48a^3 b^2 c^5 + 4\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}\sqrt{c} * a^3 c^6 + 32a^4 c^6 + 2(b^2 - 4ac)a^2 b^4 c^3 - 10(b^2 - 4ac)a^2 b^2 c^4 + 8(b^2 - 4ac)a^3 c^5) * a
\end{aligned}$$

$$\begin{aligned}
& bs(c) * e^4 - 4 * (2 * b^6 * c^5 - 14 * a * b^4 * c^6 + 24 * a^2 * b^2 * c^7 - \sqrt{2} * \sqrt{b^2 - 4 * a * c}) * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * b^6 * c^3 + 7 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * a * b^4 * c^4 + 2 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * b^5 * c^4 - 12 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * a^2 * b^2 * c^5 - 6 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * a * b^3 * c^5 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * b^4 * c^5 + 3 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * a * b^2 * c^6 - 2 * (b^2 - 4 * a * c) * b^4 * c^5 + 6 * (b^2 - 4 * a * c) * a * b^2 * c^6 * d * e^3 + (2 * b^7 * c^4 - 16 * a * b^5 * c^5 + 36 * a^2 * b^3 * c^6 - 16 * a^3 * b * c^7 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * b^7 * c^2 + 8 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * a * b^5 * c^3 + 2 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * b^6 * c^3 - 18 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * a^2 * b^3 * c^4 - 8 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * a * b^4 * c^4 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * b^5 * c^4 + 8 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * a^3 * b * c^5 + 4 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * a^2 * b^2 * c^5 + 4 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * a * b^3 * c^5 - 2 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c * a^2 * b * c^6 - 2 * (b^2 - 4 * a * c) * b^5 * c^4 + 8 * (b^2 - 4 * a * c) * a * b^3 * c^5 - 4 * (b^2 - 4 * a * c) * a^2 * b * c^6) * e^4 * \arctan(2 * \sqrt{1/2} * x / \sqrt{(b * c^5 - \sqrt{b^2 * c^{10} - 4 * a * c^{11}}) / c^6}) / ((a * b^4 * c^5 - 8 * a^2 * b^2 * c^6 - 2 * a * b^3 * c^6 + 16 * a^3 * c^7 + 8 * a^2 * b * c^7 + a * b^2 * c^7 - 4 * a^2 * c^8) * c^2) + 1/15 * (3 * c^4 * x^5 * e^4 + 20 * c^4 * d * x^3 * e^3 - 5 * b * c^3 * x^3 * e^4 + 90 * c^4 * d^2 * x * e^2 - 60 * b * c^3 * d * x * e^3 + 15 * b^2 * c^2 * x * e^4 - 15 * a * c^3 * x * e^4) / c^5
\end{aligned}$$

maple [B] time = 0.05, size = 1888, normalized size = 4.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e^{x^2+d})^4/(c*x^4+b*x^2+a), x)$

[Out] $4/3/c*d*e^3*x^3-1/3*e^4/c^2*x^3*b+e^4/c^3*b^2*x-a/c^2*e^4*x+6/c*d^2*e^2*x-4*e^3/c^2*b*d*x-2*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*d^3*e-6/c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*b*d*e^3-6/c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*b*d*e^3+1/2/c^3*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^3*e^4-1/2/c^3*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^3*e^4-c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*d^4-c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*d^4-3/c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}$

$$\begin{aligned} & 1/2) * \arctan(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * b^2 * d^2 * e^2 + 2/c^2 \\ & / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / \\ & ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * a * b^2 * e^4 + 6 / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} \\ & / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) \\ & * a * d^2 * e^2 + 2 / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * d^3 * e * b + 6 / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * a * d^2 * e^2 + 2 / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * d^3 * e * b - 1/c^2 * 2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * a * b * e^4 - 1/c / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * a^2 * e^4 - 1/2/c^3 / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * b^4 * e^4 - 1/c / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * a^2 * e^4 - 1/2/c^3 / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * b^4 * e^4 + 2/c * 2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * a * d * e^3 - 2/c^2 * 2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * b^2 * d * e^3 + 3/c * 2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * b * d^2 * e^2 + 1/c^2 * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * a * b * e^4 - 2/c * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * a * d * e^3 + 2/c^2 * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * b^2 * d * e^3 - 3/c * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * b * d^2 * e^2 + 2/c^2 / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * b^3 * d * e^3 - 3/c / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * b^2 * d^2 * e^2 + 2/c^2 / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * a * b^2 * e^4 + 2/c^2 / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * b^3 * d * e^3 + 2 * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c*x) * d^3 * e + 1/5/c * e^4 * x^5 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^4/(c*x^4+b*x^2+a),x, algorithm="maxima")


```
[Out] 1/15*(3*c^2*e^4*x^5 + 5*(4*c^2*d*e^3 - b*c*e^4)*x^3 + 15*(6*c^2*d^2*e^2 - 4
*b*c*d*e^3 + (b^2 - a*c)*e^4)*x)/c^3 + integrate((c^3*d^4 - 6*a*c^2*d^2*e^2
+ 4*a*b*c*d*e^3 - (a*b^2 - a^2*c)*e^4 + (4*c^3*d^3*e - 6*b*c^2*d^2*e^2 + 4
*(b^2*c - a*c^2)*d*e^3 - (b^3 - 2*a*b*c)*e^4)*x^2)/(c*x^4 + b*x^2 + a), x)/
c^3
```

mupad [B] time = 9.31, size = 29551, normalized size = 64.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^2)^4/(a + b*x^2 + c*x^4), x)
```

```
[Out] x*((b*((b*e^4)/c^2 - (4*d*e^3)/c))/c - (a*e^4)/c^2 + (6*d^2*e^2)/c) - x^3*(
(b*e^4)/(3*c^2) - (4*d*e^3)/(3*c)) + atan((((16*a*c^8*d^4 + 16*a^3*c^6*e^4
- 4*b^2*c^7*d^4 + 4*a*b^4*c^4*e^4 - 20*a^2*b^2*c^5*e^4 - 96*a^2*c^7*d^2*e^
2 - 16*a*b^3*c^5*d*e^3 + 64*a^2*b*c^6*d*e^3 + 24*a*b^2*c^6*d^2*e^2)/c^5 - (
2*x*(4*b^3*c^7 - 16*a*b*c^8)*(-(a*b^9*e^8 + b^3*c^7*d^8 + c^7*d^8*(-(4*a*c
- b^2)^3)^(1/2) - a*b^6*e^8*(-(4*a*c - b^2)^3)^(1/2) - 11*a^2*b^7*c*e^8 + 2
8*a^5*b*c^4*e^8 + 64*a^2*c^8*d^7*e - 64*a^5*c^5*d*e^7 + 42*a^3*b^5*c^2*e^8
- 63*a^4*b^3*c^3*e^8 + a^4*c^3*e^8*(-(4*a*c - b^2)^3)^(1/2) - 448*a^3*c^7*d
^5*e^3 + 448*a^4*c^6*d^3*e^5 - 4*a*b*c^8*d^8 - 8*a*b^8*c*d*e^7 - 6*a^3*b^2*
c^2*e^8*(-(4*a*c - b^2)^3)^(1/2) + 336*a^2*b^2*c^6*d^5*e^3 - 490*a^2*b^3*c^
5*d^4*e^4 + 448*a^2*b^4*c^4*d^3*e^5 - 252*a^2*b^5*c^3*d^2*e^6 - 1008*a^3*b^
2*c^5*d^3*e^5 + 700*a^3*b^3*c^4*d^2*e^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c - b^2
)^3)^(1/2) - 28*a^3*c^4*d^2*e^6*(-(4*a*c - b^2)^3)^(1/2) - 16*a*b^2*c^7*d^7
*e + 5*a^2*b^4*c*e^8*(-(4*a*c - b^2)^3)^(1/2) + 28*a*b^3*c^6*d^6*e^2 - 56*a
*b^4*c^5*d^5*e^3 + 70*a*b^5*c^4*d^4*e^4 - 56*a*b^6*c^3*d^3*e^5 + 28*a*b^7*c
^2*d^2*e^6 - 112*a^2*b*c^7*d^6*e^2 + 80*a^2*b^6*c^2*d*e^7 + 840*a^3*b*c^6*d
^4*e^4 - 264*a^3*b^4*c^3*d*e^7 - 560*a^4*b*c^5*d^2*e^6 + 304*a^4*b^2*c^4*d*
e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c - b^2)^3)^(1/2) + 56*a*b*c^5*d^5*e^3*(-(4*a
*c - b^2)^3)^(1/2) + 24*a^3*b*c^3*d*e^7*(-(4*a*c - b^2)^3)^(1/2) - 70*a*b^2
*c^4*d^4*e^4*(-(4*a*c - b^2)^3)^(1/2) + 56*a*b^3*c^3*d^3*e^5*(-(4*a*c - b^2
)^3)^(1/2) - 28*a*b^4*c^2*d^2*e^6*(-(4*a*c - b^2)^3)^(1/2) - 112*a^2*b*c^4*
d^3*e^5*(-(4*a*c - b^2)^3)^(1/2) - 32*a^2*b^3*c^2*d*e^7*(-(4*a*c - b^2)^3)^(
1/2) + 8*a*b^5*c*d*e^7*(-(4*a*c - b^2)^3)^(1/2) + 84*a^2*b^2*c^3*d^2*e^6*(
-(4*a*c - b^2)^3)^(1/2))/(8*(16*a^3*c^9 + a*b^4*c^7 - 8*a^2*b^2*c^8)))^(1/2
))/c^5)*(-(a*b^9*e^8 + b^3*c^7*d^8 + c^7*d^8*(-(4*a*c - b^2)^3)^(1/2) - a*b
^6*e^8*(-(4*a*c - b^2)^3)^(1/2) - 11*a^2*b^7*c*e^8 + 28*a^5*b*c^4*e^8 + 64*
a^2*c^8*d^7*e - 64*a^5*c^5*d*e^7 + 42*a^3*b^5*c^2*e^8 - 63*a^4*b^3*c^3*e^8
+ a^4*c^3*e^8*(-(4*a*c - b^2)^3)^(1/2) - 448*a^3*c^7*d^5*e^3 + 448*a^4*c^6*
d^3*e^5 - 4*a*b*c^8*d^8 - 8*a*b^8*c*d*e^7 - 6*a^3*b^2*c^2*e^8*(-(4*a*c - b^
2)^3)^(1/2) + 336*a^2*b^2*c^6*d^5*e^3 - 490*a^2*b^3*c^5*d^4*e^4 + 448*a^2*b
^4*c^4*d^3*e^5 - 252*a^2*b^5*c^3*d^2*e^6 - 1008*a^3*b^2*c^5*d^3*e^5 + 700*a
^3*b^3*c^4*d^2*e^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c - b^2)^3)^(1/2) - 28*a^3*c
```

$$\begin{aligned}
& ^4d^2e^6*(-(4ac - b^2)^3)^{(1/2)} - 16ab^2c^7d^7e + 5a^2b^4c^8e^8 \\
& (-(4ac - b^2)^3)^{(1/2)} + 28ab^3c^6d^6e^2 - 56ab^4c^5d^5e^3 + 70 \\
& ab^5c^4d^4e^4 - 56ab^6c^3d^3e^5 + 28ab^7c^2d^2e^6 - 112a^2b^4 \\
& b^7c^6d^6e^2 + 80a^2b^6c^2d^5e^7 + 840a^3b^3c^6d^4e^4 - 264a^3b^4c^3 \\
& d^3e^7 - 560a^4b^2c^5d^2e^6 + 304a^4b^2c^4d^4e^7 - 28a^2c^6d^6e^2 \\
& 2*(-(4ac - b^2)^3)^{(1/2)} + 56ab^3c^5d^5e^3*(-(4ac - b^2)^3)^{(1/2)} + \\
& 24a^3b^3c^3d^3e^7*(-(4ac - b^2)^3)^{(1/2)} - 70ab^2c^4d^4e^4*(-(4ac \\
& - b^2)^3)^{(1/2)} + 56ab^3c^3d^3e^5*(-(4ac - b^2)^3)^{(1/2)} - 28ab^4 \\
& c^2d^2e^6*(-(4ac - b^2)^3)^{(1/2)} - 112a^2b^3c^4d^3e^5*(-(4ac - b^2 \\
&)^3)^{(1/2)} - 32a^2b^3c^2d^2e^7*(-(4ac - b^2)^3)^{(1/2)} + 8ab^5c^4d^4e^7 \\
& 7*(-(4ac - b^2)^3)^{(1/2)} + 84a^2b^2c^3d^2e^6*(-(4ac - b^2)^3)^{(1/ \\
& 2)))/(8*(16a^3c^9 + ab^4c^7 - 8a^2b^2c^8)))^{(1/2)} - (2*x*(b^8e^8 + 2 \\
& c^8d^8 + 2a^4c^4e^8 - 56a^2c^7d^6e^2 + 20a^2b^4c^2e^8 - 16a^3b^2 \\
& c^3e^8 + 140a^2c^6d^4e^4 - 56a^3c^5d^2e^6 + 28b^2c^6d^6e^2 \\
& - 56b^3c^5d^5e^3 + 70b^4c^4d^4e^4 - 56b^5c^3d^3e^5 + 28b^6c^2d^2 \\
& e^6 - 8ab^6c^8e^8 - 8b^7c^7d^7e - 8b^7c^7d^7e - 8b^7c^7d^7e + 252a^2b^2c^4 \\
& d^2e^6 + 168ab^3c^6d^5e^3 + 56ab^5c^2d^2e^7 + 56a^3b^3c^4d^4e^7 - 2 \\
& 80ab^2c^5d^4e^4 + 280ab^3c^4d^3e^5 - 168ab^4c^3d^2e^6 - 280a^2 \\
& b^2c^5d^3e^5 - 112a^2b^3c^3d^2e^7))/c^5)*(-(ab^9e^8 + b^3c^7d^8 \\
& + c^7d^8*(-(4ac - b^2)^3)^{(1/2)} - ab^6e^8*(-(4ac - b^2)^3)^{(1/2)} - \\
& 11a^2b^7c^8e^8 + 28a^5b^3c^4e^8 + 64a^2c^8d^7e - 64a^5c^5d^5e^7 + \\
& 42a^3b^5c^2e^8 - 63a^4b^3c^3e^8 + a^4c^3e^8*(-(4ac - b^2)^3)^{(\\
& 1/2)} - 448a^3c^7d^5e^3 + 448a^4c^6d^3e^5 - 4ab^8c^8d^8 - 8ab^8c \\
& c^8d^8 - 6a^3b^2c^2e^8*(-(4ac - b^2)^3)^{(1/2)} + 336a^2b^2c^6d^5e^3 \\
& e^3 - 490a^2b^3c^5d^4e^4 + 448a^2b^4c^4d^3e^5 - 252a^2b^5c^3d^2 \\
& e^6 - 1008a^3b^2c^5d^3e^5 + 700a^3b^3c^4d^2e^6 + 70a^2c^5d^4 \\
& e^4*(-(4ac - b^2)^3)^{(1/2)} - 28a^3c^4d^2e^6*(-(4ac - b^2)^3)^{(1/2)} \\
&) - 16ab^2c^7d^7e + 5a^2b^4c^8e^8*(-(4ac - b^2)^3)^{(1/2)} + 28ab^3 \\
& c^6d^6e^2 - 56ab^4c^5d^5e^3 + 70ab^5c^4d^4e^4 - 56ab^6c^3d^3e^5 \\
& + 28ab^7c^2d^2e^6 - 112a^2b^3c^7d^6e^2 + 80a^2b^6c^2d^2e^7 \\
& + 840a^3b^3c^6d^4e^4 - 264a^3b^4c^3d^3e^7 - 560a^4b^2c^5d^2e^6 \\
& + 304a^4b^2c^4d^4e^7 - 28a^2c^6d^6e^2*(-(4ac - b^2)^3)^{(1/2)} + 56ab^3 \\
& b^3c^5d^5e^3*(-(4ac - b^2)^3)^{(1/2)} + 24a^3b^3c^3d^3e^7*(-(4ac - b^2) \\
&)^3)^{(1/2)} - 70ab^2c^4d^4e^4*(-(4ac - b^2)^3)^{(1/2)} + 56ab^3c^3d^3 \\
& e^5*(-(4ac - b^2)^3)^{(1/2)} - 28ab^4c^2d^2e^6*(-(4ac - b^2)^3)^{(1 \\
& /2)} - 112a^2b^3c^4d^3e^5*(-(4ac - b^2)^3)^{(1/2)} - 32a^2b^3c^2d^2e^7 \\
& *(-(4ac - b^2)^3)^{(1/2)} + 8ab^5c^4d^4e^7*(-(4ac - b^2)^3)^{(1/2)} + 84a^2 \\
& b^2c^3d^2e^6*(-(4ac - b^2)^3)^{(1/2)))/(8*(16a^3c^9 + ab^4c^7 - 8 \\
& a^2b^2c^8)))^{(1/2)}*1i - (((16a^2c^8d^4 + 16a^3c^6e^4 - 4b^2c^7d^4 \\
& + 4ab^4c^4e^4 - 20a^2b^2c^5e^4 - 96a^2c^7d^2e^2 - 16ab^3c^5 \\
& d^2e^3 + 64a^2b^3c^6d^2e^3 + 24ab^2c^6d^2e^2)/c^5 + (2*x*(4b^3c^7 - \\
& 16ab^3c^8)*(-(ab^9e^8 + b^3c^7d^8 + c^7d^8*(-(4ac - b^2)^3)^{(1/2)} \\
& - ab^6e^8*(-(4ac - b^2)^3)^{(1/2)} - 11a^2b^7c^8e^8 + 28a^5b^3c^4e^8 \\
& + 64a^2c^8d^7e - 64a^5c^5d^5e^7 + 42a^3b^5c^2e^8 - 63a^4b^3c^3 \\
& e^8 + a^4c^3e^8*(-(4ac - b^2)^3)^{(1/2)} - 448a^3c^7d^5e^3 + 448a^4
\end{aligned}$$

$$\begin{aligned}
& *c^6*d^3*e^5 - 4*a*b*c^8*d^8 - 8*a*b^8*c*d*e^7 - 6*a^3*b^2*c^2*e^8*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + 336*a^2*b^2*c^6*d^5*e^3 - 490*a^2*b^3*c^5*d^4*e^4 + 448* \\
& a^2*b^4*c^4*d^3*e^5 - 252*a^2*b^5*c^3*d^2*e^6 - 1008*a^3*b^2*c^5*d^3*e^5 + \\
& 700*a^3*b^3*c^4*d^2*e^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 28* \\
& a^3*c^4*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a*b^2*c^7*d^7*e + 5*a^2*b^4*c \\
& *e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a*b^3*c^6*d^6*e^2 - 56*a*b^4*c^5*d^5*e^3 \\
& + 70*a*b^5*c^4*d^4*e^4 - 56*a*b^6*c^3*d^3*e^5 + 28*a*b^7*c^2*d^2*e^6 - 112 \\
& *a^2*b*c^7*d^6*e^2 + 80*a^2*b^6*c^2*d*e^7 + 840*a^3*b*c^6*d^4*e^4 - 264*a^3 \\
& *b^4*c^3*d*e^7 - 560*a^4*b*c^5*d^2*e^6 + 304*a^4*b^2*c^4*d*e^7 - 28*a*c^6*d \\
& ^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b*c^5*d^5*e^3*(-(4*a*c - b^2)^3)^{(1/ \\
& 2)} + 24*a^3*b*c^3*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} - 70*a*b^2*c^4*d^4*e^4*(-(\\
& 4*a*c - b^2)^3)^{(1/2)} + 56*a*b^3*c^3*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 28* \\
& a*b^4*c^2*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 112*a^2*b*c^4*d^3*e^5*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 32*a^2*b^3*c^2*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^5*c \\
& *d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 84*a^2*b^2*c^3*d^2*e^6*(-(4*a*c - b^2)^3 \\
&)^{(1/2)})/(8*(16*a^3*c^9 + a*b^4*c^7 - 8*a^2*b^2*c^8))^{(1/2)}/c^5)*(-(a*b^9 \\
& *e^8 + b^3*c^7*d^8 + c^7*d^8*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^6*e^8*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 11*a^2*b^7*c*e^8 + 28*a^5*b*c^4*e^8 + 64*a^2*c^8*d^7*e - \\
& 64*a^5*c^5*d*e^7 + 42*a^3*b^5*c^2*e^8 - 63*a^4*b^3*c^3*e^8 + a^4*c^3*e^8*(- \\
& (4*a*c - b^2)^3)^{(1/2)} - 448*a^3*c^7*d^5*e^3 + 448*a^4*c^6*d^3*e^5 - 4*a*b* \\
& c^8*d^8 - 8*a*b^8*c*d*e^7 - 6*a^3*b^2*c^2*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 33 \\
& 6*a^2*b^2*c^6*d^5*e^3 - 490*a^2*b^3*c^5*d^4*e^4 + 448*a^2*b^4*c^4*d^3*e^5 - \\
& 252*a^2*b^5*c^3*d^2*e^6 - 1008*a^3*b^2*c^5*d^3*e^5 + 700*a^3*b^3*c^4*d^2*e \\
& ^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - 16*a*b^2*c^7*d^7*e + 5*a^2*b^4*c*e^8*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} + 28*a*b^3*c^6*d^6*e^2 - 56*a*b^4*c^5*d^5*e^3 + 70*a*b^5*c^4*d^4*e \\
& ^4 - 56*a*b^6*c^3*d^3*e^5 + 28*a*b^7*c^2*d^2*e^6 - 112*a^2*b*c^7*d^6*e^2 + \\
& 80*a^2*b^6*c^2*d*e^7 + 840*a^3*b*c^6*d^4*e^4 - 264*a^3*b^4*c^3*d*e^7 - 560* \\
& a^4*b*c^5*d^2*e^6 + 304*a^4*b^2*c^4*d*e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c - b^2 \\
&)^3)^{(1/2)} + 56*a*b*c^5*d^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*b*c^3*d*e \\
& ^7*(-(4*a*c - b^2)^3)^{(1/2)} - 70*a*b^2*c^4*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 56*a*b^3*c^3*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^4*c^2*d^2*e^6*(-(\\
& 4*a*c - b^2)^3)^{(1/2)} - 112*a^2*b*c^4*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 32 \\
& *a^2*b^3*c^2*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^5*c*d*e^7*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} + 84*a^2*b^2*c^3*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c \\
& ^9 + a*b^4*c^7 - 8*a^2*b^2*c^8))^{(1/2)} + (2*x*(b^8*e^8 + 2*c^8*d^8 + 2*a^4 \\
& *c^4*e^8 - 56*a*c^7*d^6*e^2 + 20*a^2*b^4*c^2*e^8 - 16*a^3*b^2*c^3*e^8 + 140 \\
& *a^2*c^6*d^4*e^4 - 56*a^3*c^5*d^2*e^6 + 28*b^2*c^6*d^6*e^2 - 56*b^3*c^5*d^5 \\
& *e^3 + 70*b^4*c^4*d^4*e^4 - 56*b^5*c^3*d^3*e^5 + 28*b^6*c^2*d^2*e^6 - 8*a*b \\
& ^6*c*e^8 - 8*b*c^7*d^7*e - 8*b^7*c*d*e^7 + 252*a^2*b^2*c^4*d^2*e^6 + 168*a* \\
& b*c^6*d^5*e^3 + 56*a*b^5*c^2*d*e^7 + 56*a^3*b*c^4*d*e^7 - 280*a*b^2*c^5*d^4 \\
& *e^4 + 280*a*b^3*c^4*d^3*e^5 - 168*a*b^4*c^3*d^2*e^6 - 280*a^2*b*c^5*d^3*e^ \\
& 5 - 112*a^2*b^3*c^3*d*e^7)/c^5)*(-(a*b^9*e^8 + b^3*c^7*d^8 + c^7*d^8*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - a*b^6*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a^2*b^7*c*e^8 \\
& + 28*a^5*b*c^4*e^8 + 64*a^2*c^8*d^7*e - 64*a^5*c^5*d*e^7 + 42*a^3*b^5*c^2*
\end{aligned}$$

$$\begin{aligned}
& 5e^3 - 490a^2b^3c^5d^4e^4 + 448a^2b^4c^4d^3e^5 - 252a^2b^5c^3d^2e^6 - 1008a^3b^2c^5d^3e^5 + 700a^3b^3c^4d^2e^6 + 70a^2c^5d^4e^4(-4ac - b^2)^3)^{(1/2)} - 28a^3c^4d^2e^6(-4ac - b^2)^3)^{(1/2)} - 16ab^2c^7d^7e + 5a^2b^4c^5e^8(-4ac - b^2)^3)^{(1/2)} + 28ab^3c^6d^6e^2 - 56ab^4c^5d^5e^3 + 70ab^5c^4d^4e^4 - 56ab^6c^3d^3e^5 + 28ab^7c^2d^2e^6 - 112a^2b^3c^7d^6e^2 + 80a^2b^6c^2d^5e^7 + 840a^3b^3c^6d^4e^4 - 264a^3b^4c^3d^5e^7 - 560a^4b^3c^5d^2e^6 + 304a^4b^2c^4d^5e^7 - 28a^3c^6d^6e^2(-4ac - b^2)^3)^{(1/2)} + 56ab^3c^5d^5e^3(-4ac - b^2)^3)^{(1/2)} + 24a^3b^3c^3d^5e^7(-4ac - b^2)^3)^{(1/2)} - 70ab^2c^4d^4e^4(-4ac - b^2)^3)^{(1/2)} + 56ab^3c^3d^3e^5(-4ac - b^2)^3)^{(1/2)} - 28ab^4c^2d^2e^6(-4ac - b^2)^3)^{(1/2)} - 112a^2b^3c^4d^3e^5(-4ac - b^2)^3)^{(1/2)} - 32a^2b^3c^2d^5e^7(-4ac - b^2)^3)^{(1/2)} + 8ab^5c^3d^5e^7(-4ac - b^2)^3)^{(1/2)} + 84a^2b^2c^3d^2e^6(-4ac - b^2)^3)^{(1/2))}/(8(16a^3c^9 + ab^4c^7 - 8a^2b^2c^8)))^{(1/2)} - (2x*(b^8e^8 + 2c^8d^8 + 2a^4c^4e^8 - 56a^3c^7d^6e^2 + 20a^2b^4c^2e^8 - 16a^3b^2c^3e^8 + 140a^2c^6d^4e^4 - 56a^3c^5d^2e^6 + 28b^2c^6d^6e^2 - 56b^3c^5d^5e^3 + 70b^4c^4d^4e^4 - 56b^5c^3d^3e^5 + 28b^6c^2d^2e^6 - 8ab^6c^5e^8 - 8b^3c^7d^7e - 8b^7c^3d^3e^5 + 252a^2b^2c^4d^2e^6 + 168ab^3c^6d^5e^3 + 56ab^5c^2d^5e^7 + 56a^3b^3c^4d^5e^7 - 280ab^2c^5d^4e^4 + 280ab^3c^4d^3e^5 - 168ab^4c^3d^2e^6 - 280a^2b^3c^5d^3e^5 - 112a^2b^3c^3d^5e^7))/c^5)*(-ab^9e^8 + b^3c^7d^8 + c^7d^8(-4ac - b^2)^3)^{(1/2)} - ab^6e^8(-4ac - b^2)^3)^{(1/2)} - 11a^2b^7c^5e^8 + 28a^5b^3c^4e^8 + 64a^2c^8d^7e - 64a^5c^5d^5e^7 + 42a^3b^5c^2e^8 - 63a^4b^3c^3e^8 + a^4c^3e^8(-4ac - b^2)^3)^{(1/2)} - 448a^3c^7d^5e^3 + 448a^4c^6d^3e^5 - 4ab^3c^8d^8 - 8ab^8c^3d^5e^7 - 6a^3b^2c^2e^8(-4ac - b^2)^3)^{(1/2)} + 336a^2b^2c^6d^5e^3 - 490a^2b^3c^5d^4e^4 + 448a^2b^4c^4d^3e^5 - 252a^2b^5c^3d^2e^6 - 1008a^3b^2c^5d^3e^5 + 700a^3b^3c^4d^2e^6 + 70a^2c^5d^4e^4(-4ac - b^2)^3)^{(1/2)} - 28a^3c^4d^2e^6(-4ac - b^2)^3)^{(1/2)} - 16ab^2c^7d^7e + 5a^2b^4c^5e^8(-4ac - b^2)^3)^{(1/2)} + 28ab^3c^6d^6e^2 - 56ab^4c^5d^5e^3 + 70ab^5c^4d^4e^4 - 56ab^6c^3d^3e^5 + 28ab^7c^2d^2e^6 - 112a^2b^3c^7d^6e^2 + 80a^2b^6c^2d^5e^7 + 840a^3b^3c^6d^4e^4 - 264a^3b^4c^3d^5e^7 - 560a^4b^3c^5d^2e^6 + 304a^4b^2c^4d^5e^7 - 28a^3c^6d^6e^2(-4ac - b^2)^3)^{(1/2)} + 56ab^3c^5d^5e^3(-4ac - b^2)^3)^{(1/2)} + 24a^3b^3c^3d^5e^7(-4ac - b^2)^3)^{(1/2)} - 70ab^2c^4d^4e^4(-4ac - b^2)^3)^{(1/2)} + 56ab^3c^3d^3e^5(-4ac - b^2)^3)^{(1/2)} - 28ab^4c^2d^2e^6(-4ac - b^2)^3)^{(1/2)} - 112a^2b^3c^4d^3e^5(-4ac - b^2)^3)^{(1/2)} - 32a^2b^3c^2d^5e^7(-4ac - b^2)^3)^{(1/2)} + 8ab^5c^3d^5e^7(-4ac - b^2)^3)^{(1/2)} + 84a^2b^2c^3d^2e^6(-4ac - b^2)^3)^{(1/2))}/(8(16a^3c^9 + ab^4c^7 - 8a^2b^2c^8)))^{(1/2)} - (2(a^4b^3e^12 - 4c^7d^11e + b^7d^4e^8 - 4ab^6d^3e^9 - 4a^3b^4d^5e^11 - 12a^3c^6d^9e^3 + 4a^5c^2d^5e^11 + 22b^3c^6d^10e^2 - 8b^6c^3d^5e^7 + 6a^2b^5d^2e^10 - 8a^2c^5d^7e^5 + 8a^3c^4d^5e^7 + 12a^4c^3d^3e^9 - 52b^2c^5d^9e^3 + 69b^3c^4d^8e^4 - 56b^4c^3d^7e^5 + 28
\end{aligned}$$

$$\begin{aligned}
& *b^5*c^2*d^6*e^6 - 2*a^5*b*c*e^{12} - 48*a^2*b^2*c^3*d^5*e^7 + 50*a^2*b^3*c^2 \\
& *d^4*e^8 + 8*a^3*b^2*c^2*d^3*e^9 + 54*a*b*c^5*d^8*e^4 + 26*a*b^5*c*d^4*e^8 \\
& + 4*a^4*b^2*c*d*e^{11} - 104*a*b^2*c^4*d^7*e^5 + 112*a*b^3*c^3*d^6*e^6 - 72*a \\
& *b^4*c^2*d^5*e^7 + 28*a^2*b*c^4*d^6*e^6 - 28*a^2*b^4*c*d^3*e^9 - 20*a^3*b*c \\
& ^3*d^4*e^8 + 8*a^3*b^3*c*d^2*e^{10} - 18*a^4*b*c^2*d^2*e^{10})) / c^5 + (((16*a*c \\
& ^8*d^4 + 16*a^3*c^6*e^4 - 4*b^2*c^7*d^4 + 4*a*b^4*c^4*e^4 - 20*a^2*b^2*c^5* \\
& e^4 - 96*a^2*c^7*d^2*e^2 - 16*a*b^3*c^5*d*e^3 + 64*a^2*b*c^6*d*e^3 + 24*a*b \\
& ^2*c^6*d^2*e^2) / c^5 + (2*x*(4*b^3*c^7 - 16*a*b*c^8)*(-(a*b^9*e^8 + b^3*c^7* \\
& d^8 + c^7*d^8*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^6*e^8*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 11*a^2*b^7*c*e^8 + 28*a^5*b*c^4*e^8 + 64*a^2*c^8*d^7*e - 64*a^5*c^5*d*e^ \\
& 7 + 42*a^3*b^5*c^2*e^8 - 63*a^4*b^3*c^3*e^8 + a^4*c^3*e^8*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} - 448*a^3*c^7*d^5*e^3 + 448*a^4*c^6*d^3*e^5 - 4*a*b*c^8*d^8 - 8*a*b \\
& ^8*c*d*e^7 - 6*a^3*b^2*c^2*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 336*a^2*b^2*c^6*d \\
& ^5*e^3 - 490*a^2*b^3*c^5*d^4*e^4 + 448*a^2*b^4*c^4*d^3*e^5 - 252*a^2*b^5*c^ \\
& 3*d^2*e^6 - 1008*a^3*b^2*c^5*d^3*e^5 + 700*a^3*b^3*c^4*d^2*e^6 + 70*a^2*c^5 \\
& *d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6*(-(4*a*c - b^2)^3)^{(\\
& 1/2)} - 16*a*b^2*c^7*d^7*e + 5*a^2*b^4*c*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a \\
& *b^3*c^6*d^6*e^2 - 56*a*b^4*c^5*d^5*e^3 + 70*a*b^5*c^4*d^4*e^4 - 56*a*b^6*c \\
& ^3*d^3*e^5 + 28*a*b^7*c^2*d^2*e^6 - 112*a^2*b*c^7*d^6*e^2 + 80*a^2*b^6*c^2* \\
& d*e^7 + 840*a^3*b*c^6*d^4*e^4 - 264*a^3*b^4*c^3*d*e^7 - 560*a^4*b*c^5*d^2*e \\
& ^6 + 304*a^4*b^2*c^4*d*e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 56 \\
& *a*b*c^5*d^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*b*c^3*d*e^7*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} - 70*a*b^2*c^4*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b^3*c^3 \\
& *d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^4*c^2*d^2*e^6*(-(4*a*c - b^2)^3) \\
& ^{(1/2)} - 112*a^2*b*c^4*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 32*a^2*b^3*c^2*d* \\
& e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^5*c*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 8 \\
& 4*a^2*b^2*c^3*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)) / (8*(16*a^3*c^9 + a*b^4*c^7 \\
& - 8*a^2*b^2*c^8)))^{(1/2)) / c^5)*(-(a*b^9*e^8 + b^3*c^7*d^8 + c^7*d^8*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - a*b^6*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a^2*b^7*c*e^8 + \\
& 28*a^5*b*c^4*e^8 + 64*a^2*c^8*d^7*e - 64*a^5*c^5*d*e^7 + 42*a^3*b^5*c^2*e^ \\
& 8 - 63*a^4*b^3*c^3*e^8 + a^4*c^3*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 448*a^3*c^7 \\
& *d^5*e^3 + 448*a^4*c^6*d^3*e^5 - 4*a*b*c^8*d^8 - 8*a*b^8*c*d*e^7 - 6*a^3*b^ \\
& 2*c^2*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 336*a^2*b^2*c^6*d^5*e^3 - 490*a^2*b^3* \\
& c^5*d^4*e^4 + 448*a^2*b^4*c^4*d^3*e^5 - 252*a^2*b^5*c^3*d^2*e^6 - 1008*a^3* \\
& b^2*c^5*d^3*e^5 + 700*a^3*b^3*c^4*d^2*e^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a*b^2*c^7*d \\
& ^7*e + 5*a^2*b^4*c*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a*b^3*c^6*d^6*e^2 - 56 \\
& *a*b^4*c^5*d^5*e^3 + 70*a*b^5*c^4*d^4*e^4 - 56*a*b^6*c^3*d^3*e^5 + 28*a*b^7 \\
& *c^2*d^2*e^6 - 112*a^2*b*c^7*d^6*e^2 + 80*a^2*b^6*c^2*d*e^7 + 840*a^3*b*c^6 \\
& *d^4*e^4 - 264*a^3*b^4*c^3*d*e^7 - 560*a^4*b*c^5*d^2*e^6 + 304*a^4*b^2*c^4* \\
& d*e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b*c^5*d^5*e^3*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} + 24*a^3*b*c^3*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} - 70*a*b \\
& ^2*c^4*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b^3*c^3*d^3*e^5*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} - 28*a*b^4*c^2*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 112*a^2*b*c^ \\
& 4*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 32*a^2*b^3*c^2*d*e^7*(-(4*a*c - b^2)^3
\end{aligned}$$

$$\begin{aligned}
&)^{(1/2)} + 8*a*b^5*c*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 84*a^2*b^2*c^3*d^2*e^6 \\
& *(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c^9 + a*b^4*c^7 - 8*a^2*b^2*c^8))^{(1/2)} + (2*x*(b^8*e^8 + 2*c^8*d^8 + 2*a^4*c^4*e^8 - 56*a*c^7*d^6*e^2 + 20*a^2 \\
& *b^4*c^2*e^8 - 16*a^3*b^2*c^3*e^8 + 140*a^2*c^6*d^4*e^4 - 56*a^3*c^5*d^2*e^6 + 28*b^2*c^6*d^6*e^2 - 56*b^3*c^5*d^5*e^3 + 70*b^4*c^4*d^4*e^4 - 56*b^5*c \\
& ^3*d^3*e^5 + 28*b^6*c^2*d^2*e^6 - 8*a*b^6*c*e^8 - 8*b*c^7*d^7*e - 8*b^7*c*d \\
& *e^7 + 252*a^2*b^2*c^4*d^2*e^6 + 168*a*b*c^6*d^5*e^3 + 56*a*b^5*c^2*d*e^7 + \\
& 56*a^3*b*c^4*d*e^7 - 280*a*b^2*c^5*d^4*e^4 + 280*a*b^3*c^4*d^3*e^5 - 168*a \\
& *b^4*c^3*d^2*e^6 - 280*a^2*b*c^5*d^3*e^5 - 112*a^2*b^3*c^3*d*e^7))/c^5)*(- \\
& a*b^9*e^8 + b^3*c^7*d^8 + c^7*d^8*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^6*e^8*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} - 11*a^2*b^7*c*e^8 + 28*a^5*b*c^4*e^8 + 64*a^2*c^8*d^7 \\
& *e - 64*a^5*c^5*d*e^7 + 42*a^3*b^5*c^2*e^8 - 63*a^4*b^3*c^3*e^8 + a^4*c^3*e \\
& ^8*(-(4*a*c - b^2)^3)^{(1/2)} - 448*a^3*c^7*d^5*e^3 + 448*a^4*c^6*d^3*e^5 - 4 \\
& *a*b*c^8*d^8 - 8*a*b^8*c*d*e^7 - 6*a^3*b^2*c^2*e^8*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 336*a^2*b^2*c^6*d^5*e^3 - 490*a^2*b^3*c^5*d^4*e^4 + 448*a^2*b^4*c^4*d^3* \\
& e^5 - 252*a^2*b^5*c^3*d^2*e^6 - 1008*a^3*b^2*c^5*d^3*e^5 + 700*a^3*b^3*c^4* \\
& d^2*e^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6* \\
& (- (4*a*c - b^2)^3)^{(1/2)} - 16*a*b^2*c^7*d^7*e + 5*a^2*b^4*c*e^8*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 28*a*b^3*c^6*d^6*e^2 - 56*a*b^4*c^5*d^5*e^3 + 70*a*b^5*c^4* \\
& d^4*e^4 - 56*a*b^6*c^3*d^3*e^5 + 28*a*b^7*c^2*d^2*e^6 - 112*a^2*b*c^7*d^6*e \\
& ^2 + 80*a^2*b^6*c^2*d*e^7 + 840*a^3*b*c^6*d^4*e^4 - 264*a^3*b^4*c^3*d*e^7 - \\
& 560*a^4*b*c^5*d^2*e^6 + 304*a^4*b^2*c^4*d*e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + 56*a*b*c^5*d^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*b*c^ \\
& 3*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} - 70*a*b^2*c^4*d^4*e^4*(-(4*a*c - b^2)^3)^{ \\
& (1/2)} + 56*a*b^3*c^3*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^4*c^2*d^2*e^ \\
& 6*(-(4*a*c - b^2)^3)^{(1/2)} - 112*a^2*b*c^4*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 32*a^2*b^3*c^2*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^5*c*d*e^7*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + 84*a^2*b^2*c^3*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16* \\
& a^3*c^9 + a*b^4*c^7 - 8*a^2*b^2*c^8))^{(1/2)})*(-(a*b^9*e^8 + b^3*c^7*d^8 + \\
& c^7*d^8*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^6*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 11 \\
& *a^2*b^7*c*e^8 + 28*a^5*b*c^4*e^8 + 64*a^2*c^8*d^7*e - 64*a^5*c^5*d*e^7 + 4 \\
& 2*a^3*b^5*c^2*e^8 - 63*a^4*b^3*c^3*e^8 + a^4*c^3*e^8*(-(4*a*c - b^2)^3)^{(1/ \\
& 2)} - 448*a^3*c^7*d^5*e^3 + 448*a^4*c^6*d^3*e^5 - 4*a*b*c^8*d^8 - 8*a*b^8*c* \\
& d*e^7 - 6*a^3*b^2*c^2*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 336*a^2*b^2*c^6*d^5*e^ \\
& 3 - 490*a^2*b^3*c^5*d^4*e^4 + 448*a^2*b^4*c^4*d^3*e^5 - 252*a^2*b^5*c^3*d^2 \\
& *e^6 - 1008*a^3*b^2*c^5*d^3*e^5 + 700*a^3*b^3*c^4*d^2*e^6 + 70*a^2*c^5*d^4* \\
& e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 16*a*b^2*c^7*d^7*e + 5*a^2*b^4*c*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a*b^3* \\
& c^6*d^6*e^2 - 56*a*b^4*c^5*d^5*e^3 + 70*a*b^5*c^4*d^4*e^4 - 56*a*b^6*c^3*d^ \\
& 3*e^5 + 28*a*b^7*c^2*d^2*e^6 - 112*a^2*b*c^7*d^6*e^2 + 80*a^2*b^6*c^2*d*e^7 \\
& + 840*a^3*b*c^6*d^4*e^4 - 264*a^3*b^4*c^3*d*e^7 - 560*a^4*b*c^5*d^2*e^6 + \\
& 304*a^4*b^2*c^4*d*e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b* \\
& c^5*d^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*b*c^3*d*e^7*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} - 70*a*b^2*c^4*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b^3*c^3*d^3* \\
& e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^4*c^2*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
&) - 112*a^2*b*c^4*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 32*a^2*b^3*c^2*d*e^7*(\\
& -(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^5*c*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 84*a^2 \\
& *b^2*c^3*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2))/(8*(16*a^3*c^9 + a*b^4*c^7 - 8*a \\
& ^2*b^2*c^8)))^{(1/2)}*2i + \operatorname{atan}((((16*a*c^8*d^4 + 16*a^3*c^6*e^4 - 4*b^2*c^7 \\
& *d^4 + 4*a*b^4*c^4*e^4 - 20*a^2*b^2*c^5*e^4 - 96*a^2*c^7*d^2*e^2 - 16*a*b^3 \\
& *c^5*d*e^3 + 64*a^2*b*c^6*d*e^3 + 24*a*b^2*c^6*d^2*e^2)/c^5 - (2*x*(4*b^3*c \\
& ^7 - 16*a*b*c^8))*((c^7*d^8*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^7*d^8 - a*b^9*e \\
& ^8 - a*b^6*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 11*a^2*b^7*c*e^8 - 28*a^5*b*c^4*e \\
& ^8 - 64*a^2*c^8*d^7*e + 64*a^5*c^5*d*e^7 - 42*a^3*b^5*c^2*e^8 + 63*a^4*b^3*c \\
& ^3*e^8 + a^4*c^3*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 448*a^3*c^7*d^5*e^3 - 448* \\
& a^4*c^6*d^3*e^5 + 4*a*b*c^8*d^8 + 8*a*b^8*c*d*e^7 - 6*a^3*b^2*c^2*e^8*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - 336*a^2*b^2*c^6*d^5*e^3 + 490*a^2*b^3*c^5*d^4*e^4 - 4 \\
& 48*a^2*b^4*c^4*d^3*e^5 + 252*a^2*b^5*c^3*d^2*e^6 + 1008*a^3*b^2*c^5*d^3*e^5 \\
& - 700*a^3*b^3*c^4*d^2*e^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 28*a^3*c^4*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a*b^2*c^7*d^7*e + 5*a^2*b^ \\
& 4*c*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^3*c^6*d^6*e^2 + 56*a*b^4*c^5*d^5* \\
& e^3 - 70*a*b^5*c^4*d^4*e^4 + 56*a*b^6*c^3*d^3*e^5 - 28*a*b^7*c^2*d^2*e^6 + \\
& 112*a^2*b*c^7*d^6*e^2 - 80*a^2*b^6*c^2*d*e^7 - 840*a^3*b*c^6*d^4*e^4 + 264* \\
& a^3*b^4*c^3*d*e^7 + 560*a^4*b*c^5*d^2*e^6 - 304*a^4*b^2*c^4*d*e^7 - 28*a*c^ \\
& 6*d^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b*c^5*d^5*e^3*(-(4*a*c - b^2)^3)^ \\
& (1/2) + 24*a^3*b*c^3*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} - 70*a*b^2*c^4*d^4*e^4* \\
& (- (4*a*c - b^2)^3)^{(1/2)} + 56*a*b^3*c^3*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 28*a*b^4*c^2*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 112*a^2*b*c^4*d^3*e^5*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - 32*a^2*b^3*c^2*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b \\
& ^5*c*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 84*a^2*b^2*c^3*d^2*e^6*(-(4*a*c - b^2 \\
&)^3)^{(1/2))/(8*(16*a^3*c^9 + a*b^4*c^7 - 8*a^2*b^2*c^8)))^{(1/2)}/c^5)*((c^7 \\
& *d^8*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^7*d^8 - a*b^9*e^8 - a*b^6*e^8*(-(4*a* \\
& c - b^2)^3)^{(1/2)} + 11*a^2*b^7*c*e^8 - 28*a^5*b*c^4*e^8 - 64*a^2*c^8*d^7*e \\
& + 64*a^5*c^5*d*e^7 - 42*a^3*b^5*c^2*e^8 + 63*a^4*b^3*c^3*e^8 + a^4*c^3*e^8* \\
& (- (4*a*c - b^2)^3)^{(1/2)} + 448*a^3*c^7*d^5*e^3 - 448*a^4*c^6*d^3*e^5 + 4*a* \\
& b*c^8*d^8 + 8*a*b^8*c*d*e^7 - 6*a^3*b^2*c^2*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 336*a^2*b^2*c^6*d^5*e^3 + 490*a^2*b^3*c^5*d^4*e^4 - 448*a^2*b^4*c^4*d^3*e^5 \\
& + 252*a^2*b^5*c^3*d^2*e^6 + 1008*a^3*b^2*c^5*d^3*e^5 - 700*a^3*b^3*c^4*d^2 \\
& *e^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6*(-(\\
& 4*a*c - b^2)^3)^{(1/2)} + 16*a*b^2*c^7*d^7*e + 5*a^2*b^4*c*e^8*(-(4*a*c - b^2 \\
&)^3)^{(1/2)} - 28*a*b^3*c^6*d^6*e^2 + 56*a*b^4*c^5*d^5*e^3 - 70*a*b^5*c^4*d^4 \\
& *e^4 + 56*a*b^6*c^3*d^3*e^5 - 28*a*b^7*c^2*d^2*e^6 + 112*a^2*b*c^7*d^6*e^2 \\
& - 80*a^2*b^6*c^2*d*e^7 - 840*a^3*b*c^6*d^4*e^4 + 264*a^3*b^4*c^3*d*e^7 + 56 \\
& 0*a^4*b*c^5*d^2*e^6 - 304*a^4*b^2*c^4*d*e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} + 56*a*b*c^5*d^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*b*c^3*d \\
& *e^7*(-(4*a*c - b^2)^3)^{(1/2)} - 70*a*b^2*c^4*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/ \\
& 2)} + 56*a*b^3*c^3*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^4*c^2*d^2*e^6*(\\
& -(4*a*c - b^2)^3)^{(1/2)} - 112*a^2*b*c^4*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 32*a^2*b^3*c^2*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^5*c*d*e^7*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 84*a^2*b^2*c^3*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2))/(8*(16*a^3
\end{aligned}$$

$$\begin{aligned}
& *c^9 + a*b^4*c^7 - 8*a^2*b^2*c^8)))^{(1/2)} - (2*x*(b^8*e^8 + 2*c^8*d^8 + 2*a \\
& ^4*c^4*e^8 - 56*a*c^7*d^6*e^2 + 20*a^2*b^4*c^2*e^8 - 16*a^3*b^2*c^3*e^8 + 1 \\
& 40*a^2*c^6*d^4*e^4 - 56*a^3*c^5*d^2*e^6 + 28*b^2*c^6*d^6*e^2 - 56*b^3*c^5*d \\
& ^5*e^3 + 70*b^4*c^4*d^4*e^4 - 56*b^5*c^3*d^3*e^5 + 28*b^6*c^2*d^2*e^6 - 8*a \\
& *b^6*c*e^8 - 8*b*c^7*d^7*e - 8*b^7*c*d*e^7 + 252*a^2*b^2*c^4*d^2*e^6 + 168* \\
& a*b*c^6*d^5*e^3 + 56*a*b^5*c^2*d*e^7 + 56*a^3*b*c^4*d*e^7 - 280*a*b^2*c^5*d \\
& ^4*e^4 + 280*a*b^3*c^4*d^3*e^5 - 168*a*b^4*c^3*d^2*e^6 - 280*a^2*b*c^5*d^3* \\
& e^5 - 112*a^2*b^3*c^3*d*e^7))/c^5)*((c^7*d^8*(-(4*a*c - b^2)^3)^{(1/2)} - b^3 \\
& *c^7*d^8 - a*b^9*e^8 - a*b^6*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 11*a^2*b^7*c*e^ \\
& 8 - 28*a^5*b*c^4*e^8 - 64*a^2*c^8*d^7*e + 64*a^5*c^5*d*e^7 - 42*a^3*b^5*c^2 \\
& *e^8 + 63*a^4*b^3*c^3*e^8 + a^4*c^3*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 448*a^3* \\
& c^7*d^5*e^3 - 448*a^4*c^6*d^3*e^5 + 4*a*b*c^8*d^8 + 8*a*b^8*c*d*e^7 - 6*a^3 \\
& *b^2*c^2*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 336*a^2*b^2*c^6*d^5*e^3 + 490*a^2*b \\
& ^3*c^5*d^4*e^4 - 448*a^2*b^4*c^4*d^3*e^5 + 252*a^2*b^5*c^3*d^2*e^6 + 1008*a \\
& ^3*b^2*c^5*d^3*e^5 - 700*a^3*b^3*c^4*d^2*e^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a*b^2*c^ \\
& 7*d^7*e + 5*a^2*b^4*c*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^3*c^6*d^6*e^2 + \\
& 56*a*b^4*c^5*d^5*e^3 - 70*a*b^5*c^4*d^4*e^4 + 56*a*b^6*c^3*d^3*e^5 - 28*a* \\
& b^7*c^2*d^2*e^6 + 112*a^2*b*c^7*d^6*e^2 - 80*a^2*b^6*c^2*d*e^7 - 840*a^3*b* \\
& c^6*d^4*e^4 + 264*a^3*b^4*c^3*d*e^7 + 560*a^4*b*c^5*d^2*e^6 - 304*a^4*b^2*c \\
& ^4*d*e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b*c^5*d^5*e^3*(\\
& -(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*b*c^3*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} - 70* \\
& a*b^2*c^4*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b^3*c^3*d^3*e^5*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 28*a*b^4*c^2*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 112*a^2*b \\
& *c^4*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 32*a^2*b^3*c^2*d*e^7*(-(4*a*c - b^2 \\
&)^3)^{(1/2)} + 8*a*b^5*c*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 84*a^2*b^2*c^3*d^2* \\
& e^6*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^3*c^9 + a*b^4*c^7 - 8*a^2*b^2*c^8))) \\
& ^{(1/2)}*i - (((16*a*c^8*d^4 + 16*a^3*c^6*e^4 - 4*b^2*c^7*d^4 + 4*a*b^4*c^4* \\
& e^4 - 20*a^2*b^2*c^5*e^4 - 96*a^2*c^7*d^2*e^2 - 16*a*b^3*c^5*d*e^3 + 64*a^2 \\
& *b*c^6*d*e^3 + 24*a*b^2*c^6*d^2*e^2)/c^5 + (2*x*(4*b^3*c^7 - 16*a*b*c^8))*((\\
& c^7*d^8*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^7*d^8 - a*b^9*e^8 - a*b^6*e^8*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} + 11*a^2*b^7*c*e^8 - 28*a^5*b*c^4*e^8 - 64*a^2*c^8*d^7 \\
& *e + 64*a^5*c^5*d*e^7 - 42*a^3*b^5*c^2*e^8 + 63*a^4*b^3*c^3*e^8 + a^4*c^3*e \\
& ^8*(-(4*a*c - b^2)^3)^{(1/2)} + 448*a^3*c^7*d^5*e^3 - 448*a^4*c^6*d^3*e^5 + 4 \\
& *a*b*c^8*d^8 + 8*a*b^8*c*d*e^7 - 6*a^3*b^2*c^2*e^8*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 336*a^2*b^2*c^6*d^5*e^3 + 490*a^2*b^3*c^5*d^4*e^4 - 448*a^2*b^4*c^4*d^3* \\
& e^5 + 252*a^2*b^5*c^3*d^2*e^6 + 1008*a^3*b^2*c^5*d^3*e^5 - 700*a^3*b^3*c^4* \\
& d^2*e^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6* \\
& (- (4*a*c - b^2)^3)^{(1/2)} + 16*a*b^2*c^7*d^7*e + 5*a^2*b^4*c*e^8*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 28*a*b^3*c^6*d^6*e^2 + 56*a*b^4*c^5*d^5*e^3 - 70*a*b^5*c^4* \\
& d^4*e^4 + 56*a*b^6*c^3*d^3*e^5 - 28*a*b^7*c^2*d^2*e^6 + 112*a^2*b*c^7*d^6*e \\
& ^2 - 80*a^2*b^6*c^2*d*e^7 - 840*a^3*b*c^6*d^4*e^4 + 264*a^3*b^4*c^3*d*e^7 + \\
& 560*a^4*b*c^5*d^2*e^6 - 304*a^4*b^2*c^4*d*e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + 56*a*b*c^5*d^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*b*c^ \\
& 3*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} - 70*a*b^2*c^4*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& (1/2) + 56*a*b^3*c^3*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^4*c^2*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 112*a^2*b*c^4*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 32*a^2*b^3*c^2*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^5*c*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 84*a^2*b^2*c^3*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^3*c^9 + a*b^4*c^7 - 8*a^2*b^2*c^8)))^{(1/2)}/c^5)*((c^7*d^8*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^7*d^8 - a*b^9*e^8 - a*b^6*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 11*a^2*b^7*c*e^8 - 28*a^5*b*c^4*e^8 - 64*a^2*c^8*d^7*e + 64*a^5*c^5*d*e^7 - 42*a^3*b^5*c^2*e^8 + 63*a^4*b^3*c^3*e^8 + a^4*c^3*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 448*a^3*c^7*d^5*e^3 - 448*a^4*c^6*d^3*e^5 + 4*a*b*c^8*d^8 + 8*a*b^8*c*d*e^7 - 6*a^3*b^2*c^2*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 336*a^2*b^2*c^6*d^5*e^3 + 490*a^2*b^3*c^5*d^4*e^4 - 448*a^2*b^4*c^4*d^3*e^5 + 252*a^2*b^5*c^3*d^2*e^6 + 1008*a^3*b^2*c^5*d^3*e^5 - 700*a^3*b^3*c^4*d^2*e^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a*b^2*c^7*d^7*e + 5*a^2*b^4*c*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^3*c^6*d^6*e^2 + 56*a*b^4*c^5*d^5*e^3 - 70*a*b^5*c^4*d^4*e^4 + 56*a*b^6*c^3*d^3*e^5 - 28*a*b^7*c^2*d^2*e^6 + 112*a^2*b*c^7*d^6*e^2 - 80*a^2*b^6*c^2*d*e^7 - 840*a^3*b*c^6*d^4*e^4 + 264*a^3*b^4*c^3*d*e^7 + 560*a^4*b*c^5*d^2*e^6 - 304*a^4*b^2*c^4*d*e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b*c^5*d^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*b*c^3*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} - 70*a*b^2*c^4*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b^3*c^3*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^4*c^2*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 112*a^2*b*c^4*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 32*a^2*b^3*c^2*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^5*c*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 84*a^2*b^2*c^3*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^3*c^9 + a*b^4*c^7 - 8*a^2*b^2*c^8)))^{(1/2)} + (2*x*(b^8*e^8 + 2*c^8*d^8 + 2*a^4*c^4*e^8 - 56*a*c^7*d^6*e^2 + 20*a^2*b^4*c^2*e^8 - 16*a^3*b^2*c^3*e^8 + 140*a^2*c^6*d^4*e^4 - 56*a^3*c^5*d^2*e^6 + 28*b^2*c^6*d^6*e^2 - 56*b^3*c^5*d^5*e^3 + 70*b^4*c^4*d^4*e^4 - 56*b^5*c^3*d^3*e^5 + 28*b^6*c^2*d^2*e^6 - 8*a*b^6*c*e^8 - 8*b*c^7*d^7*e - 8*b^7*c*d*e^7 + 252*a^2*b^2*c^4*d^2*e^6 + 168*a*b*c^6*d^5*e^3 + 56*a*b^5*c^2*d*e^7 + 56*a^3*b*c^4*d*e^7 - 280*a*b^2*c^5*d^4*e^4 + 280*a*b^3*c^4*d^3*e^5 - 168*a*b^4*c^3*d^2*e^6 - 280*a^2*b*c^5*d^3*e^5 - 112*a^2*b^3*c^3*d*e^7))/c^5)*((c^7*d^8*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^7*d^8 - a*b^9*e^8 - a*b^6*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 11*a^2*b^7*c*e^8 - 28*a^5*b*c^4*e^8 - 64*a^2*c^8*d^7*e + 64*a^5*c^5*d*e^7 - 42*a^3*b^5*c^2*e^8 + 63*a^4*b^3*c^3*e^8 + a^4*c^3*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 448*a^3*c^7*d^5*e^3 - 448*a^4*c^6*d^3*e^5 + 4*a*b*c^8*d^8 + 8*a*b^8*c*d*e^7 - 6*a^3*b^2*c^2*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 336*a^2*b^2*c^6*d^5*e^3 + 490*a^2*b^3*c^5*d^4*e^4 - 448*a^2*b^4*c^4*d^3*e^5 + 252*a^2*b^5*c^3*d^2*e^6 + 1008*a^3*b^2*c^5*d^3*e^5 - 700*a^3*b^3*c^4*d^2*e^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a*b^2*c^7*d^7*e + 5*a^2*b^4*c*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^3*c^6*d^6*e^2 + 56*a*b^4*c^5*d^5*e^3 - 70*a*b^5*c^4*d^4*e^4 + 56*a*b^6*c^3*d^3*e^5 - 28*a*b^7*c^2*d^2*e^6 + 112*a^2*b*c^7*d^6*e^2 - 80*a^2*b^6*c^2*d*e^7 - 840*a^3*b*c^6*d^4*e^4 + 264*a^3*b^4*c^3*d*e^7 + 560*a^4*b*c^5*d^2*e^6 - 304*a^4*b^2*c^4*d*e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b*c^5*d^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& 1/2) + 24*a^3*b*c^3*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} - 70*a*b^2*c^4*d^4*e^4*(\\
& -(4*a*c - b^2)^3)^{(1/2)} + 56*a*b^3*c^3*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 2 \\
& 8*a*b^4*c^2*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 112*a^2*b*c^4*d^3*e^5*(-(4*a \\
& *c - b^2)^3)^{(1/2)} - 32*a^2*b^3*c^2*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^ \\
& 5*c*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 84*a^2*b^2*c^3*d^2*e^6*(-(4*a*c - b^2) \\
& ^3)^{(1/2)})/(8*(16*a^3*c^9 + a*b^4*c^7 - 8*a^2*b^2*c^8))^{(1/2)}*1i)/((((16*a \\
& *c^8*d^4 + 16*a^3*c^6*e^4 - 4*b^2*c^7*d^4 + 4*a*b^4*c^4*e^4 - 20*a^2*b^2*c^ \\
& 5*e^4 - 96*a^2*c^7*d^2*e^2 - 16*a*b^3*c^5*d*e^3 + 64*a^2*b*c^6*d*e^3 + 24*a \\
& *b^2*c^6*d^2*e^2)/c^5 - (2*x*(4*b^3*c^7 - 16*a*b*c^8)*((c^7*d^8*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - b^3*c^7*d^8 - a*b^9*e^8 - a*b^6*e^8*(-(4*a*c - b^2)^3)^{(1/2} \\
&) + 11*a^2*b^7*c*e^8 - 28*a^5*b*c^4*e^8 - 64*a^2*c^8*d^7*e + 64*a^5*c^5*d*e \\
& ^7 - 42*a^3*b^5*c^2*e^8 + 63*a^4*b^3*c^3*e^8 + a^4*c^3*e^8*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} + 448*a^3*c^7*d^5*e^3 - 448*a^4*c^6*d^3*e^5 + 4*a*b*c^8*d^8 + 8*a* \\
& b^8*c*d*e^7 - 6*a^3*b^2*c^2*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 336*a^2*b^2*c^6* \\
& d^5*e^3 + 490*a^2*b^3*c^5*d^4*e^4 - 448*a^2*b^4*c^4*d^3*e^5 + 252*a^2*b^5*c \\
& ^3*d^2*e^6 + 1008*a^3*b^2*c^5*d^3*e^5 - 700*a^3*b^3*c^4*d^2*e^6 + 70*a^2*c^ \\
& 5*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6*(-(4*a*c - b^2)^3)^ \\
& (1/2) + 16*a*b^2*c^7*d^7*e + 5*a^2*b^4*c*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 28* \\
& a*b^3*c^6*d^6*e^2 + 56*a*b^4*c^5*d^5*e^3 - 70*a*b^5*c^4*d^4*e^4 + 56*a*b^6* \\
& c^3*d^3*e^5 - 28*a*b^7*c^2*d^2*e^6 + 112*a^2*b*c^7*d^6*e^2 - 80*a^2*b^6*c^2 \\
& *d*e^7 - 840*a^3*b*c^6*d^4*e^4 + 264*a^3*b^4*c^3*d*e^7 + 560*a^4*b*c^5*d^2* \\
& e^6 - 304*a^4*b^2*c^4*d*e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5 \\
& 6*a*b*c^5*d^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*b*c^3*d*e^7*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 70*a*b^2*c^4*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b^3*c^ \\
& 3*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^4*c^2*d^2*e^6*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} - 112*a^2*b*c^4*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 32*a^2*b^3*c^2*d \\
& *e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^5*c*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 84*a^2*b^2*c^3*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c^9 + a*b^4*c^7 \\
& - 8*a^2*b^2*c^8))^{(1/2)}/c^5)*((c^7*d^8*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^ \\
& 7*d^8 - a*b^9*e^8 - a*b^6*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 11*a^2*b^7*c*e^8 - \\
& 28*a^5*b*c^4*e^8 - 64*a^2*c^8*d^7*e + 64*a^5*c^5*d*e^7 - 42*a^3*b^5*c^2*e^ \\
& 8 + 63*a^4*b^3*c^3*e^8 + a^4*c^3*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 448*a^3*c^7 \\
& *d^5*e^3 - 448*a^4*c^6*d^3*e^5 + 4*a*b*c^8*d^8 + 8*a*b^8*c*d*e^7 - 6*a^3*b^ \\
& 2*c^2*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 336*a^2*b^2*c^6*d^5*e^3 + 490*a^2*b^3* \\
& c^5*d^4*e^4 - 448*a^2*b^4*c^4*d^3*e^5 + 252*a^2*b^5*c^3*d^2*e^6 + 1008*a^3* \\
& b^2*c^5*d^3*e^5 - 700*a^3*b^3*c^4*d^2*e^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a*b^2*c^7*d \\
& ^7*e + 5*a^2*b^4*c*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^3*c^6*d^6*e^2 + 56 \\
& *a*b^4*c^5*d^5*e^3 - 70*a*b^5*c^4*d^4*e^4 + 56*a*b^6*c^3*d^3*e^5 - 28*a*b^7 \\
& *c^2*d^2*e^6 + 112*a^2*b*c^7*d^6*e^2 - 80*a^2*b^6*c^2*d*e^7 - 840*a^3*b*c^6 \\
& *d^4*e^4 + 264*a^3*b^4*c^3*d*e^7 + 560*a^4*b*c^5*d^2*e^6 - 304*a^4*b^2*c^4* \\
& d*e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b*c^5*d^5*e^3*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} + 24*a^3*b*c^3*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} - 70*a*b \\
& ^2*c^4*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b^3*c^3*d^3*e^5*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} - 28*a*b^4*c^2*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 112*a^2*b*c^
\end{aligned}$$

$$\begin{aligned}
& 4*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 32*a^2*b^3*c^2*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^5*c*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 84*a^2*b^2*c^3*d^2*e^6 \\
& *(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^3*c^9 + a*b^4*c^7 - 8*a^2*b^2*c^8))^{(1/2)} - (2*x*(b^8*e^8 + 2*c^8*d^8 + 2*a^4*c^4*e^8 - 56*a*c^7*d^6*e^2 + 20*a^2 \\
& *b^4*c^2*e^8 - 16*a^3*b^2*c^3*e^8 + 140*a^2*c^6*d^4*e^4 - 56*a^3*c^5*d^2*e^6 + 28*b^2*c^6*d^6*e^2 - 56*b^3*c^5*d^5*e^3 + 70*b^4*c^4*d^4*e^4 - 56*b^5*c \\
& ^3*d^3*e^5 + 28*b^6*c^2*d^2*e^6 - 8*a*b^6*c*e^8 - 8*b*c^7*d^7*e - 8*b^7*c*d \\
& *e^7 + 252*a^2*b^2*c^4*d^2*e^6 + 168*a*b*c^6*d^5*e^3 + 56*a*b^5*c^2*d*e^7 + 56*a^3*b*c^4*d*e^7 - 280*a*b^2*c^5*d^4*e^4 + 280*a*b^3*c^4*d^3*e^5 - 168*a \\
& *b^4*c^3*d^2*e^6 - 280*a^2*b*c^5*d^3*e^5 - 112*a^2*b^3*c^3*d*e^7))/c^5)*((c \\
& ^7*d^8*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^7*d^8 - a*b^9*e^8 - a*b^6*e^8*(-(4* \\
& a*c - b^2)^3)^{(1/2)} + 11*a^2*b^7*c*e^8 - 28*a^5*b*c^4*e^8 - 64*a^2*c^8*d^7* \\
& e + 64*a^5*c^5*d*e^7 - 42*a^3*b^5*c^2*e^8 + 63*a^4*b^3*c^3*e^8 + a^4*c^3*e^ \\
& 8*(-(4*a*c - b^2)^3)^{(1/2)} + 448*a^3*c^7*d^5*e^3 - 448*a^4*c^6*d^3*e^5 + 4* \\
& a*b*c^8*d^8 + 8*a*b^8*c*d*e^7 - 6*a^3*b^2*c^2*e^8*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 336*a^2*b^2*c^6*d^5*e^3 + 490*a^2*b^3*c^5*d^4*e^4 - 448*a^2*b^4*c^4*d^3*e \\
& ^5 + 252*a^2*b^5*c^3*d^2*e^6 + 1008*a^3*b^2*c^5*d^3*e^5 - 700*a^3*b^3*c^4*d \\
& ^2*e^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6*(\\
& -(4*a*c - b^2)^3)^{(1/2)} + 16*a*b^2*c^7*d^7*e + 5*a^2*b^4*c*e^8*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} - 28*a*b^3*c^6*d^6*e^2 + 56*a*b^4*c^5*d^5*e^3 - 70*a*b^5*c^4*d \\
& ^4*e^4 + 56*a*b^6*c^3*d^3*e^5 - 28*a*b^7*c^2*d^2*e^6 + 112*a^2*b*c^7*d^6*e^ \\
& 2 - 80*a^2*b^6*c^2*d*e^7 - 840*a^3*b*c^6*d^4*e^4 + 264*a^3*b^4*c^3*d*e^7 + \\
& 560*a^4*b*c^5*d^2*e^6 - 304*a^4*b^2*c^4*d*e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 56*a*b*c^5*d^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*b*c^3 \\
& *d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} - 70*a*b^2*c^4*d^4*e^4*(-(4*a*c - b^2)^3)^{(\\
& 1/2)} + 56*a*b^3*c^3*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^4*c^2*d^2*e^6 \\
& *(-(4*a*c - b^2)^3)^{(1/2)} - 112*a^2*b*c^4*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 32*a^2*b^3*c^2*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^5*c*d*e^7*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + 84*a^2*b^2*c^3*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a \\
& ^3*c^9 + a*b^4*c^7 - 8*a^2*b^2*c^8))^{(1/2)} - (2*(a^4*b^3*e^12 - 4*c^7*d^11 \\
& *e + b^7*d^4*e^8 - 4*a*b^6*d^3*e^9 - 4*a^3*b^4*d*e^11 - 12*a*c^6*d^9*e^3 + \\
& 4*a^5*c^2*d*e^11 + 22*b*c^6*d^10*e^2 - 8*b^6*c*d^5*e^7 + 6*a^2*b^5*d^2*e^10 \\
& - 8*a^2*c^5*d^7*e^5 + 8*a^3*c^4*d^5*e^7 + 12*a^4*c^3*d^3*e^9 - 52*b^2*c^5* \\
& d^9*e^3 + 69*b^3*c^4*d^8*e^4 - 56*b^4*c^3*d^7*e^5 + 28*b^5*c^2*d^6*e^6 - 2* \\
& a^5*b*c*e^12 - 48*a^2*b^2*c^3*d^5*e^7 + 50*a^2*b^3*c^2*d^4*e^8 + 8*a^3*b^2* \\
& c^2*d^3*e^9 + 54*a*b*c^5*d^8*e^4 + 26*a*b^5*c*d^4*e^8 + 4*a^4*b^2*c*d*e^11 \\
& - 104*a*b^2*c^4*d^7*e^5 + 112*a*b^3*c^3*d^6*e^6 - 72*a*b^4*c^2*d^5*e^7 + 28 \\
& *a^2*b*c^4*d^6*e^6 - 28*a^2*b^4*c*d^3*e^9 - 20*a^3*b*c^3*d^4*e^8 + 8*a^3*b^ \\
& 3*c*d^2*e^10 - 18*a^4*b*c^2*d^2*e^10))/c^5 + (((16*a*c^8*d^4 + 16*a^3*c^6*e \\
& ^4 - 4*b^2*c^7*d^4 + 4*a*b^4*c^4*e^4 - 20*a^2*b^2*c^5*e^4 - 96*a^2*c^7*d^2* \\
& e^2 - 16*a*b^3*c^5*d*e^3 + 64*a^2*b*c^6*d*e^3 + 24*a*b^2*c^6*d^2*e^2)/c^5 + \\
& (2*x*(4*b^3*c^7 - 16*a*b*c^8)*((c^7*d^8*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^7 \\
& *d^8 - a*b^9*e^8 - a*b^6*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 11*a^2*b^7*c*e^8 - \\
& 28*a^5*b*c^4*e^8 - 64*a^2*c^8*d^7*e + 64*a^5*c^5*d*e^7 - 42*a^3*b^5*c^2*e^8 \\
& + 63*a^4*b^3*c^3*e^8 + a^4*c^3*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 448*a^3*c^7*
\end{aligned}$$

$$\begin{aligned}
& d^5 e^3 - 448 a^4 c^6 d^3 e^5 + 4 a^* b^* c^8 d^8 + 8 a^* b^8 c^* d^* e^7 - 6 a^3 b^2 \\
& * c^2 e^8 (-4 a^* c - b^2)^3)^{(1/2)} - 336 a^2 b^2 c^6 d^5 e^3 + 490 a^2 b^3 c^5 d^4 e^4 - 448 a^2 b^4 c^4 d^3 e^5 + 252 a^2 b^5 c^3 d^2 e^6 + 1008 a^3 b^2 c^5 d^3 e^5 - 700 a^3 b^3 c^4 d^2 e^6 + 70 a^2 c^5 d^4 e^4 (-4 a^* c - b^2)^3)^{(1/2)} - 28 a^3 c^4 d^2 e^6 (-4 a^* c - b^2)^3)^{(1/2)} + 16 a^* b^2 c^7 d^7 e + 5 a^2 b^4 c^* e^8 (-4 a^* c - b^2)^3)^{(1/2)} - 28 a^* b^3 c^6 d^6 e^2 + 56 a^* b^4 c^5 d^5 e^3 - 70 a^* b^5 c^4 d^4 e^4 + 56 a^* b^6 c^3 d^3 e^5 - 28 a^* b^7 c^2 d^2 e^6 + 112 a^2 b^* c^7 d^6 e^2 - 80 a^2 b^6 c^2 d^* e^7 - 840 a^3 b^* c^6 d^4 e^4 + 264 a^3 b^4 c^3 d^* e^7 + 560 a^4 b^* c^5 d^2 e^6 - 304 a^4 b^2 c^4 d^* e^7 - 28 a^* c^6 d^6 e^2 (-4 a^* c - b^2)^3)^{(1/2)} + 56 a^* b^* c^5 d^5 e^3 (-4 a^* c - b^2)^3)^{(1/2)} + 24 a^3 b^* c^3 d^* e^7 (-4 a^* c - b^2)^3)^{(1/2)} - 70 a^* b^2 c^4 d^4 e^4 (-4 a^* c - b^2)^3)^{(1/2)} + 56 a^* b^3 c^3 d^3 e^5 (-4 a^* c - b^2)^3)^{(1/2)} - 28 a^* b^4 c^2 d^2 e^6 (-4 a^* c - b^2)^3)^{(1/2)} - 112 a^2 b^* c^4 d^3 e^5 (-4 a^* c - b^2)^3)^{(1/2)} - 32 a^2 b^3 c^2 d^* e^7 (-4 a^* c - b^2)^3)^{(1/2)} + 8 a^* b^5 c^* d^* e^7 (-4 a^* c - b^2)^3)^{(1/2)} + 84 a^2 b^2 c^3 d^2 e^6 (-4 a^* c - b^2)^3)^{(1/2)} / (8 * (16 a^3 c^9 + a^* b^4 c^7 - 8 a^2 b^2 c^8)))^{(1/2)} / c^5 * ((c^7 d^8 (-4 a^* c - b^2)^3)^{(1/2)} - b^3 c^7 d^8 - a^* b^9 e^8 - a^* b^6 e^8 (-4 a^* c - b^2)^3)^{(1/2)} + 11 a^2 b^7 c^* e^8 - 28 a^5 b^* c^4 e^8 - 64 a^2 c^8 d^7 e + 64 a^5 c^5 d^* e^7 - 42 a^3 b^5 c^2 e^8 + 63 a^4 b^3 c^3 e^8 + a^4 c^3 e^8 (-4 a^* c - b^2)^3)^{(1/2)} + 448 a^3 c^7 d^5 e^3 - 448 a^4 c^6 d^3 e^5 + 4 a^* b^* c^8 d^8 + 8 a^* b^8 c^* d^* e^7 - 6 a^3 b^2 c^2 e^8 (-4 a^* c - b^2)^3)^{(1/2)} - 336 a^2 b^2 c^6 d^5 e^3 + 490 a^2 b^3 c^5 d^4 e^4 - 448 a^2 b^4 c^4 d^3 e^5 + 252 a^2 b^5 c^3 d^2 e^6 + 1008 a^3 b^2 c^5 d^3 e^5 - 700 a^3 b^3 c^4 d^2 e^6 + 70 a^2 c^5 d^4 e^4 (-4 a^* c - b^2)^3)^{(1/2)} - 28 a^3 c^4 d^2 e^6 (-4 a^* c - b^2)^3)^{(1/2)} + 16 a^* b^2 c^7 d^7 e + 5 a^2 b^4 c^* e^8 (-4 a^* c - b^2)^3)^{(1/2)} - 28 a^* b^3 c^6 d^6 e^2 + 56 a^* b^4 c^5 d^5 e^3 - 70 a^* b^5 c^4 d^4 e^4 + 56 a^* b^6 c^3 d^3 e^5 - 28 a^* b^7 c^2 d^2 e^6 + 112 a^2 b^* c^7 d^6 e^2 - 80 a^2 b^6 c^2 d^* e^7 - 840 a^3 b^* c^6 d^4 e^4 + 264 a^3 b^4 c^3 d^* e^7 + 560 a^4 b^* c^5 d^2 e^6 - 304 a^4 b^2 c^4 d^* e^7 - 28 a^* c^6 d^6 e^2 (-4 a^* c - b^2)^3)^{(1/2)} + 56 a^* b^* c^5 d^5 e^3 (-4 a^* c - b^2)^3)^{(1/2)} + 24 a^3 b^* c^3 d^* e^7 (-4 a^* c - b^2)^3)^{(1/2)} - 70 a^* b^2 c^4 d^4 e^4 (-4 a^* c - b^2)^3)^{(1/2)} + 56 a^* b^3 c^3 d^3 e^5 (-4 a^* c - b^2)^3)^{(1/2)} - 28 a^* b^4 c^2 d^2 e^6 (-4 a^* c - b^2)^3)^{(1/2)} - 112 a^2 b^* c^4 d^3 e^5 (-4 a^* c - b^2)^3)^{(1/2)} - 32 a^2 b^3 c^2 d^* e^7 (-4 a^* c - b^2)^3)^{(1/2)} + 8 a^* b^5 c^* d^* e^7 (-4 a^* c - b^2)^3)^{(1/2)} + 84 a^2 b^2 c^3 d^2 e^6 (-4 a^* c - b^2)^3)^{(1/2)} / (8 * (16 a^3 c^9 + a^* b^4 c^7 - 8 a^2 b^2 c^8)))^{(1/2)} + (2 * x * (b^8 e^8 + 2 * c^8 d^8 + 2 a^4 c^4 e^8 - 56 a^* c^7 d^6 e^2 + 20 a^2 b^4 c^2 e^8 - 16 a^3 b^2 c^3 e^8 + 140 a^2 c^6 d^4 e^4 - 56 a^3 c^5 d^2 e^6 + 28 b^2 c^6 d^6 e^2 - 56 b^3 c^5 d^5 e^3 + 70 b^4 c^4 d^4 e^4 - 56 b^5 c^3 d^3 e^5 + 28 b^6 c^2 d^2 e^6 - 8 a^* b^6 c^* e^8 - 8 b^* c^7 d^7 e - 8 b^7 c^* d^* e^7 + 252 a^2 b^2 c^4 d^2 e^6 + 168 a^* b^* c^6 d^5 e^3 + 56 a^* b^5 c^2 d^* e^7 + 56 a^3 b^* c^4 d^* e^7 - 280 a^* b^2 c^5 d^4 e^4 + 280 a^* b^3 c^4 d^3 e^5 - 168 a^* b^4 c^3 d^2 e^6 - 280 a^2 b^* c^5 d^3 e^5 - 112 a^2 b^3 c^3 d^* e^7)) / c^5 * ((c^7 d^8 (-4 a^* c - b^2)^3)^{(1/2)} - b^3 c^7 d^8 - a^* b^9 e^8 - a^* b^6 e^8 (-4 a^* c - b^2)^3)^{(1/2)} + 11 a^2 b^7 c^* e^8 - 28 a^5 b^* c^4 e^8 - 64 a^2 c^8 d^7 e + 64 a^5 c^5 d^* e^7 -
\end{aligned}$$

$$\begin{aligned}
& 42*a^3*b^5*c^2*e^8 + 63*a^4*b^3*c^3*e^8 + a^4*c^3*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 448*a^3*c^7*d^5*e^3 - 448*a^4*c^6*d^3*e^5 + 4*a*b*c^8*d^8 + 8*a*b^8*c \\
& *d*e^7 - 6*a^3*b^2*c^2*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 336*a^2*b^2*c^6*d^5*e^3 + 490*a^2*b^3*c^5*d^4*e^4 - 448*a^2*b^4*c^4*d^3*e^5 + 252*a^2*b^5*c^3*d^2 \\
& *e^6 + 1008*a^3*b^2*c^5*d^3*e^5 - 700*a^3*b^3*c^4*d^2*e^6 + 70*a^2*c^5*d^4 \\
& *e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 16*a*b^2*c^7*d^7*e + 5*a^2*b^4*c*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^3 \\
& *c^6*d^6*e^2 + 56*a*b^4*c^5*d^5*e^3 - 70*a*b^5*c^4*d^4*e^4 + 56*a*b^6*c^3*d^3 \\
& *e^5 - 28*a*b^7*c^2*d^2*e^6 + 112*a^2*b*c^7*d^6*e^2 - 80*a^2*b^6*c^2*d*e^7 - 840*a^3*b*c^6*d^4*e^4 + 264*a^3*b^4*c^3*d*e^7 + 560*a^4*b*c^5*d^2*e^6 - \\
& 304*a^4*b^2*c^4*d*e^7 - 28*a*c^6*d^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b \\
& *c^5*d^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*b*c^3*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} - 70*a*b^2*c^4*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b^3*c^3*d^3 \\
& *e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^4*c^2*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 112*a^2*b*c^4*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 32*a^2*b^3*c^2*d*e^7* \\
& (- (4*a*c - b^2)^3)^{(1/2)} + 8*a*b^5*c*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 84*a^2 \\
& *b^2*c^3*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^3*c^9 + a*b^4*c^7 - 8* \\
& a^2*b^2*c^8)))^{(1/2)))*((c^7*d^8*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^7*d^8 - a \\
& *b^9*e^8 - a*b^6*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 11*a^2*b^7*c*e^8 - 28*a^5*b \\
& *c^4*e^8 - 64*a^2*c^8*d^7*e + 64*a^5*c^5*d*e^7 - 42*a^3*b^5*c^2*e^8 + 63*a^4 \\
& *b^3*c^3*e^8 + a^4*c^3*e^8*(-(4*a*c - b^2)^3)^{(1/2)} + 448*a^3*c^7*d^5*e^3 \\
& - 448*a^4*c^6*d^3*e^5 + 4*a*b*c^8*d^8 + 8*a*b^8*c*d*e^7 - 6*a^3*b^2*c^2*e^8 \\
& *(-(4*a*c - b^2)^3)^{(1/2)} - 336*a^2*b^2*c^6*d^5*e^3 + 490*a^2*b^3*c^5*d^4*e^4 - 448*a^2*b^4*c^4*d^3*e^5 + 252*a^2*b^5*c^3*d^2*e^6 + 1008*a^3*b^2*c^5*d \\
& ^3*e^5 - 700*a^3*b^3*c^4*d^2*e^6 + 70*a^2*c^5*d^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a^3*c^4*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a*b^2*c^7*d^7*e + 5* \\
& a^2*b^4*c*e^8*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^3*c^6*d^6*e^2 + 56*a*b^4*c^5 \\
& *d^5*e^3 - 70*a*b^5*c^4*d^4*e^4 + 56*a*b^6*c^3*d^3*e^5 - 28*a*b^7*c^2*d^2* \\
& e^6 + 112*a^2*b*c^7*d^6*e^2 - 80*a^2*b^6*c^2*d*e^7 - 840*a^3*b*c^6*d^4*e^4 \\
& + 264*a^3*b^4*c^3*d*e^7 + 560*a^4*b*c^5*d^2*e^6 - 304*a^4*b^2*c^4*d*e^7 - 2 \\
& 8*a*c^6*d^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b*c^5*d^5*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a^3*b*c^3*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} - 70*a*b^2*c^4*d^4 \\
& *e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 56*a*b^3*c^3*d^3*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 28*a*b^4*c^2*d^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 112*a^2*b*c^4*d^3*e^5 \\
& *(-(4*a*c - b^2)^3)^{(1/2)} - 32*a^2*b^3*c^2*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 8*a*b^5*c*d*e^7*(-(4*a*c - b^2)^3)^{(1/2)} + 84*a^2*b^2*c^3*d^2*e^6*(-(4*a*c \\
& - b^2)^3)^{(1/2)))/(8*(16*a^3*c^9 + a*b^4*c^7 - 8*a^2*b^2*c^8)))^{(1/2)}*2i + \\
& (e^4*x^5)/(5*c)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**4/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.264 \quad \int \frac{(d+ex^2)^3}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=316

$$\frac{\left(e(-ce(ae+3bd)+b^2e^2+3c^2d^2) + \frac{(2cd-be)(-ce(3ae+bd)+b^2e^2+c^2d^2)}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}} \right) + \left(e(-ce(ae+3bd)+b^2e^2+3c^2d^2) + \frac{(2cd-be)(-ce(3ae+bd)+b^2e^2+c^2d^2)}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b+\sqrt{b^2-4ac}}} \right)}{\sqrt{2}c^{5/2}\sqrt{b-\sqrt{b^2-4ac}} + \sqrt{2}c^{5/2}\sqrt{b+\sqrt{b^2-4ac}}}$$

[Out] $e^2(-b^2e+3c^2d)x/c^2+1/3e^3x^3/c+1/2\arctan(x^2^{(1/2)}c^{(1/2)/(b-(-4ac+b^2)^{(1/2)})^{(1/2)}}*(e*(3c^2d^2+b^2e^2-c^2e*(ae+3bd))+(-b^2e+2cd)*(c^2d^2+b^2e^2-c^2e*(3ae+bd)))/(-4ac+b^2)^{(1/2)})/c^{(5/2)}*2^{(1/2)/(b-(-4ac+b^2)^{(1/2)})^{(1/2)}}+1/2\arctan(x^2^{(1/2)}c^{(1/2)/(b+(-4ac+b^2)^{(1/2)})^{(1/2)}}*(e*(3c^2d^2+b^2e^2-c^2e*(ae+3bd))-(-b^2e+2cd)*(c^2d^2+b^2e^2-c^2e*(3ae+bd)))/(-4ac+b^2)^{(1/2)})/c^{(5/2)}*2^{(1/2)/(b+(-4ac+b^2)^{(1/2)})^{(1/2)}}$

Rubi [A] time = 0.79, antiderivative size = 316, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1170, 1166, 205}

$$\frac{\left(e(-ce(ae+3bd)+b^2e^2+3c^2d^2) + \frac{(2cd-be)(-ce(3ae+bd)+b^2e^2+c^2d^2)}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}} \right) + \left(e(-ce(ae+3bd)+b^2e^2+3c^2d^2) + \frac{(2cd-be)(-ce(3ae+bd)+b^2e^2+c^2d^2)}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b+\sqrt{b^2-4ac}}} \right)}{\sqrt{2}c^{5/2}\sqrt{b-\sqrt{b^2-4ac}} + \sqrt{2}c^{5/2}\sqrt{b+\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^3/(a + b*x^2 + c*x^4), x]

[Out] $(e^2*(3*c*d - b*e)*x)/c^2 + (e^3*x^3)/(3*c) + ((e*(3*c^2*d^2 + b^2*e^2 - c^2*e*(3*b*d + a*e)) + ((2*c*d - b*e)*(c^2*d^2 + b^2*e^2 - c^2*e*(b*d + 3*a*e)))/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(Sqrt[2]*c^{(5/2)}*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + ((e*(3*c^2*d^2 + b^2*e^2 - c^2*e*(3*b*d + a*e)) - ((2*c*d - b*e)*(c^2*d^2 + b^2*e^2 - c^2*e*(b*d + 3*a*e)))/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(Sqrt[2]*c^{(5/2)}*Sqrt[b + Sqrt[b^2 - 4*a*c]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166


```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1170

```
Int[((d_) + (e_)*(x_)^2)^(q_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symb
ol] :> Int[ExpandIntegrand[(d + e*x^2)^q/(a + b*x^2 + c*x^4), x], x] /; Fre
eQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2,
0] && IntegerQ[q]
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^3}{a + bx^2 + cx^4} dx &= \int \left(\frac{e^2(3cd - be)}{c^2} + \frac{e^3x^2}{c} + \frac{c^2d^3 - 3acde^2 + abe^3 + e(3c^2d^2 + b^2e^2 - ce(3bd + ae))x^2}{c^2(a + bx^2 + cx^4)} \right) dx \\ &= \frac{e^2(3cd - be)x}{c^2} + \frac{e^3x^3}{3c} + \frac{\int \frac{c^2d^3 - 3acde^2 + abe^3 + e(3c^2d^2 + b^2e^2 - ce(3bd + ae))x^2}{a + bx^2 + cx^4} dx}{c^2} \\ &= \frac{e^2(3cd - be)x}{c^2} + \frac{e^3x^3}{3c} + \frac{\left(e(3c^2d^2 + b^2e^2 - ce(3bd + ae)) - \frac{(2cd - be)(c^2d^2 + b^2e^2 - ce(bd + 3ae))}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{a + bx^2 + cx^4} dx}{2c^2} \\ &= \frac{e^2(3cd - be)x}{c^2} + \frac{e^3x^3}{3c} + \frac{\left(e(3c^2d^2 + b^2e^2 - ce(3bd + ae)) + \frac{(2cd - be)(c^2d^2 + b^2e^2 - ce(bd + 3ae))}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}c^{5/2}\sqrt{b - \sqrt{b^2 - 4ac}}} \end{aligned}$$

Mathematica [A] time = 0.55, size = 402, normalized size = 1.27

$$\frac{3\sqrt{2}\left(3c^2de\left(d\sqrt{b^2-4ac}-2ae-bd\right)+ce^2\left(-3bd\sqrt{b^2-4ac}-ae\sqrt{b^2-4ac}+3abe+3b^2d\right)+b^2e^3\left(\sqrt{b^2-4ac}-b\right)+2c^3d^3\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)+3\sqrt{2}\left(3c^2de\left(d\sqrt{b^2-4ac}-2ae-bd\right)+ce^2\left(-3bd\sqrt{b^2-4ac}-ae\sqrt{b^2-4ac}+3abe+3b^2d\right)+b^2e^3\left(\sqrt{b^2-4ac}-b\right)+2c^3d^3\right)}{\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^2)^3/(a + b*x^2 + c*x^4), x]
```

```
[Out] (6*sqrt[c]*e^2*(3*c*d - b*e)*x + 2*c^(3/2)*e^3*x^3 + (3*sqrt[2]*(2*c^3*d^3
+ b^2*(-b + sqrt[b^2 - 4*a*c]))*e^3 + 3*c^2*d*e*(-(b*d) + sqrt[b^2 - 4*a*c]*
```

$$d - 2*a*e) + c*e^2*(3*b^2*d - 3*b*\text{Sqrt}[b^2 - 4*a*c]*d + 3*a*b*e - a*\text{Sqrt}[b^2 - 4*a*c]*e))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + (3*\text{Sqrt}[2]*(-2*c^3*d^3 + b^2*(b + \text{Sqrt}[b^2 - 4*a*c])*e^3 + 3*c^2*d*e*(b*d + \text{Sqrt}[b^2 - 4*a*c]*d + 2*a*e) - c*e^2*(3*b^2*d + a*\text{Sqrt}[b^2 - 4*a*c]*e + 3*b*(\text{Sqrt}[b^2 - 4*a*c]*d + a*e)))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]))/(6*c^(5/2))$$

fricas [B] time = 29.06, size = 9584, normalized size = 30.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] $\frac{1}{6}*(2*c*e^3*x^3 + 3*\text{sqrt}(1/2)*c^2*\text{sqrt}(-(b*c^5*d^6 - 12*a*c^5*d^5*e + 15*a*b*c^4*d^4*e^2 - 20*(a*b^2*c^3 - 2*a^2*c^4)*d^3*e^3 + 15*(a*b^3*c^2 - 3*a^2*b*c^3)*d^2*e^4 - 6*(a*b^4*c - 4*a^2*b^2*c^2 + 2*a^3*c^3)*d*e^5 + (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e^6 + (a*b^2*c^5 - 4*a^2*c^6)*\text{sqrt}((c^10*d^12 - 30*a*c^9*d^10*e^2 + 40*a*b*c^8*d^9*e^3 - 15*(2*a*b^2*c^7 - 17*a^2*c^8)*d^8*e^4 + 12*(a*b^3*c^6 - 52*a^2*b*c^7)*d^7*e^5 - 2*(a*b^4*c^5 - 428*a^2*b^2*c^6 + 226*a^3*c^7)*d^6*e^6 - 60*(13*a^2*b^3*c^5 - 16*a^3*b*c^6)*d^5*e^7 + 15*(33*a^2*b^4*c^4 - 68*a^3*b^2*c^5 + 17*a^4*c^6)*d^4*e^8 - 20*(11*a^2*b^5*c^3 - 33*a^3*b^3*c^4 + 20*a^4*b*c^5)*d^3*e^9 + 6*(11*a^2*b^6*c^2 - 44*a^3*b^4*c^3 + 44*a^4*b^2*c^4 - 5*a^5*c^5)*d^2*e^10 - 12*(a^2*b^7*c - 5*a^3*b^5*c^2 + 7*a^4*b^3*c^3 - 2*a^5*b*c^4)*d*e^11 + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^12)/(a^2*b^2*c^10 - 4*a^3*c^11)))/((a*b^2*c^5 - 4*a^2*c^6)*\log(-2*(c^8*d^12 - 3*b*c^7*d^11*e + 3*(b^2*c^6 - 4*a*c^7)*d^10*e^2 - (b^3*c^5 - 59*a*b*c^6)*d^9*e^3 - 9*(13*a*b^2*c^5 + 3*a^2*c^6)*d^8*e^4 + 18*(7*a*b^3*c^4 + 5*a^2*b*c^5)*d^7*e^5 - 42*(2*a*b^4*c^3 + 3*a^2*b^2*c^4)*d^6*e^6 + 18*(2*a*b^5*c^2 + 6*a^2*b^3*c^3 - a^3*b*c^4)*d^5*e^7 - 9*(a*b^6*c + 7*a^2*b^4*c^2 - 2*a^3*b^2*c^3 - 3*a^4*c^4)*d^4*e^8 + (a*b^7 + 21*a^2*b^5*c + 10*a^3*b^3*c^2 - 55*a^4*b*c^3)*d^3*e^9 - 3*(a^2*b^6 + 4*a^3*b^4*c - 9*a^4*b^2*c^2 - 4*a^5*c^3)*d^2*e^10 + 3*(a^3*b^5 - a^4*b^3*c - 3*a^5*b*c^2)*d*e^11 - (a^4*b^4 - 3*a^5*b^2*c + a^6*c^2)*e^12)*x + \text{sqrt}(1/2)*((b^2*c^7 - 4*a*c^8)*d^9 - 18*(a*b^2*c^6 - 4*a^2*c^7)*d^7*e^2 + 21*(a*b^3*c^5 - 4*a^2*b*c^6)*d^6*e^3 - 15*(a*b^4*c^4 - 8*a^2*b^2*c^5 + 16*a^3*c^6)*d^5*e^4 + 3*(2*a*b^5*c^3 - 37*a^2*b^3*c^4 + 116*a^3*b*c^5)*d^4*e^5 - (a*b^6*c^2 - 7*2*a^2*b^4*c^3 + 318*a^3*b^2*c^4 - 184*a^4*c^5)*d^3*e^6 - 3*(11*a^2*b^5*c^2 - 61*a^3*b^3*c^3 + 68*a^4*b*c^4)*d^2*e^7 + 3*(3*a^2*b^6*c - 19*a^3*b^4*c^2 + 29*a^4*b^2*c^3 - 4*a^5*c^4)*d*e^8 - (a^2*b^7 - 7*a^3*b^5*c + 13*a^4*b^3*c^2 - 4*a^5*b*c^3)*e^9 - ((a*b^3*c^7 - 4*a^2*b*c^8)*d^3 - 6*(a^2*b^2*c^7 - 4*a^3*c^8)*d^2*e + 3*(a^2*b^3*c^6 - 4*a^3*b*c^7)*d*e^2 - (a^2*b^4*c^5 - 6*a^3*b^2*c^6 + 8*a^4*c^7)*e^3)*\text{sqrt}((c^10*d^12 - 30*a*c^9*d^10*e^2 + 40*a*b*c^8*d^9*e^3 - 15*(2*a*b^2*c^7 - 17*a^2*c^8)*d^8*e^4 + 12*(a*b^3*c^6 - 52*a^2*$

$$\begin{aligned}
& b^7c^7)d^7e^5 - 2*(a^4b^4c^5 - 428a^2b^2c^6 + 226a^3c^7)d^6e^6 - 60 \\
& *(13a^2b^3c^5 - 16a^3b^3c^6)d^5e^7 + 15*(33a^2b^4c^4 - 68a^3b^2c^5 \\
& c^5 + 17a^4c^6)d^4e^8 - 20*(11a^2b^5c^3 - 33a^3b^3c^4 + 20a^4b^3c^5) \\
& d^3e^9 + 6*(11a^2b^6c^2 - 44a^3b^4c^3 + 44a^4b^2c^4 - 5a^5c^5) \\
& d^2e^{10} - 12*(a^2b^7c - 5a^3b^5c^2 + 7a^4b^3c^3 - 2a^5b^3c^4) \\
& d^1e^{11} + (a^2b^8 - 6a^3b^6c + 11a^4b^4c^2 - 6a^5b^2c^3 + a^6c^4) \\
& e^{12}/(a^2b^2c^{10} - 4a^3c^{11}))\sqrt{-(b^5c^5d^6 - 12a^5c^5d^5e + \\
& 15a^4b^3c^4d^4e^2 - 20*(a^2b^2c^3 - 2a^2c^4)d^3e^3 + 15*(a^2b^3c^2 - 3 \\
& a^2b^3c^3)d^2e^4 - 6*(a^2b^4c - 4a^2b^2c^2 + 2a^3c^3)d^1e^5 + (a^2b^5 \\
& - 5a^2b^3c + 5a^3b^3c^2)e^6 + (a^2b^2c^5 - 4a^2c^6)\sqrt{(c^{10}d^{12} \\
& - 30a^9c^9d^{10}e^2 + 40a^8b^8c^8d^9e^3 - 15*(2a^2b^2c^7 - 17a^2c^8) \\
& d^8e^4 + 12*(a^2b^3c^6 - 52a^2b^3c^7)d^7e^5 - 2*(a^2b^4c^5 - 428a^2b^2 \\
& c^6 + 226a^3c^7)d^6e^6 - 60*(13a^2b^3c^5 - 16a^3b^3c^6)d^5e^7 + \\
& 15*(33a^2b^4c^4 - 68a^3b^2c^5 + 17a^4c^6)d^4e^8 - 20*(11a^2b^5 \\
& c^3 - 33a^3b^3c^4 + 20a^4b^3c^5)d^3e^9 + 6*(11a^2b^6c^2 - 44a^3b^4 \\
& c^3 + 44a^4b^2c^4 - 5a^5c^5)d^2e^{10} - 12*(a^2b^7c - 5a^3b^5c^2 + 7a^4b^3 \\
& c^3 - 2a^5b^3c^4)d^1e^{11} + (a^2b^8 - 6a^3b^6c + 11a^4b^4c^2 - 6a^5b^2c^3 + a^6c^4) \\
& e^{12}/(a^2b^2c^{10} - 4a^3c^{11})))/(a^2b^2c^5 - 4a^2c^6)) - 3\sqrt{1/2} \\
& c^2\sqrt{-(b^5c^5d^6 - 12a^5c^5d^5e + 15a^4b^3c^4d^4e^2 - 20*(a^2b^2c^3 - 2a^2c^4) \\
& d^3e^3 + 15*(a^2b^3c^2 - 3a^2b^3c^3)d^2e^4 - 6*(a^2b^4c - 4a^2b^2c^2 + 2a^3c^3) \\
& d^1e^5 + (a^2b^5 - 5a^2b^3c + 5a^3b^3c^2)e^6 + (a^2b^2c^5 - 4a^2c^6)\sqrt{(c^{10}d^{12} \\
& - 30a^9c^9d^{10}e^2 + 40a^8b^8c^8d^9e^3 - 15*(2a^2b^2c^7 - 17a^2c^8) \\
&)d^8e^4 + 12*(a^2b^3c^6 - 52a^2b^3c^7)d^7e^5 - 2*(a^2b^4c^5 - 428a^2b^2 \\
& c^6 + 226a^3c^7)d^6e^6 - 60*(13a^2b^3c^5 - 16a^3b^3c^6)d^5e^7 + \\
& 15*(33a^2b^4c^4 - 68a^3b^2c^5 + 17a^4c^6)d^4e^8 - 20*(11a^2b^5 \\
& c^3 - 33a^3b^3c^4 + 20a^4b^3c^5)d^3e^9 + 6*(11a^2b^6c^2 - 44a^3b^4 \\
& c^3 + 44a^4b^2c^4 - 5a^5c^5)d^2e^{10} - 12*(a^2b^7c - 5a^3b^5c^2 + 7a^4b^3 \\
& c^3 - 2a^5b^3c^4)d^1e^{11} + (a^2b^8 - 6a^3b^6c + 11a^4b^4c^2 - 6a^5b^2c^3 + a^6c^4) \\
& e^{12}/(a^2b^2c^{10} - 4a^3c^{11})))/(a^2b^2c^5 - 4a^2c^6))*\log(-2*(c^8d^{12} - 3b^8c^7d^{11}e + 3*(b^2c^6 - 4 \\
& a^2c^7)d^{10}e^2 - (b^3c^5 - 59a^2b^3c^6)d^9e^3 - 9*(13a^2b^2c^5 + 3a^2c^6) \\
& d^8e^4 + 18*(7a^2b^3c^4 + 5a^2b^3c^5)d^7e^5 - 42*(2a^2b^4c^3 + 3 \\
& a^2b^2c^4)d^6e^6 + 18*(2a^2b^5c^2 + 6a^2b^3c^3 - a^3b^3c^4)d^5e^7 - 9*(a^2b^6c + 7a^2b^4c^2 - 2a^3b^2c^3 - 3a^4c^4) \\
& d^4e^8 + (a^2b^7 + 21a^2b^5c + 10a^3b^3c^2 - 55a^4b^3c^3)d^3e^9 - 3*(a^2b^6 + 4a^3b^4c - 9a^4b^2c^2 - 4a^5c^3) \\
& d^2e^{10} + 3*(a^3b^5 - a^4b^3c - 3a^5b^3c^2)d^1e^{11} - (a^4b^4 - 3a^5b^2c + a^6c^2)e^{12})x - \sqrt{1/2} \\
& *((b^2c^7 - 4a^2c^8)d^9 - 18*(a^2b^2c^6 - 4a^2c^7)d^7e^2 + 21*(a^2b^3c^5 - 4a^2b^3c^6)d^6e^3 - 15*(a^2b^4c^4 - 8a^2b^2c^5 + 16a^3c^6) \\
& d^5e^4 + 3*(2a^2b^5c^3 - 37a^2b^3c^4 + 116a^3b^3c^5)d^4e^5 - (a^2b^6c^2 - 72a^2b^4c^3 + 318a^3b^2c^4 - 184a^4c^5) \\
& d^3e^6 - 3*(11a^2b^5c^2 - 61a^3b^3c^3 + 68a^4b^3c^4)d^2e^7 + 3*(3a^2b^6c - 19a^3b^4c^2 + 29a^4b^2c^3 - 4a^5c^4) \\
& d^1e^8 - (a^2b^7 - 7a^3b^5c + 13a^4b^3c^2 - 4a^5b^3c^3)e^9 - ((a^2b^3c^7 - 4a^2b^3c^8)d^3 - 6*(a^2b^2c^8) \\
& d^2 - 3*(a^2b^3c^7 - 4a^2b^3c^8)d^3 - 6*(a^2b^2c^8) \\
\end{aligned}$$

$$\begin{aligned}
& ^7 - 4*a^3*c^8)*d^2*e + 3*(a^2*b^3*c^6 - 4*a^3*b*c^7)*d*e^2 - (a^2*b^4*c^5 \\
& - 6*a^3*b^2*c^6 + 8*a^4*c^7)*e^3)*\text{sqrt}((c^{10}*d^{12} - 30*a*c^9*d^{10}*e^2 + 40* \\
& a*b*c^8*d^9*e^3 - 15*(2*a*b^2*c^7 - 17*a^2*c^8)*d^8*e^4 + 12*(a*b^3*c^6 - 5 \\
& 2*a^2*b*c^7)*d^7*e^5 - 2*(a*b^4*c^5 - 428*a^2*b^2*c^6 + 226*a^3*c^7)*d^6*e^6 \\
& - 60*(13*a^2*b^3*c^5 - 16*a^3*b*c^6)*d^5*e^7 + 15*(33*a^2*b^4*c^4 - 68*a^ \\
& 3*b^2*c^5 + 17*a^4*c^6)*d^4*e^8 - 20*(11*a^2*b^5*c^3 - 33*a^3*b^3*c^4 + 20* \\
& a^4*b*c^5)*d^3*e^9 + 6*(11*a^2*b^6*c^2 - 44*a^3*b^4*c^3 + 44*a^4*b^2*c^4 - \\
& 5*a^5*c^5)*d^2*e^{10} - 12*(a^2*b^7*c - 5*a^3*b^5*c^2 + 7*a^4*b^3*c^3 - 2*a^5 \\
& *b*c^4)*d*e^{11} + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + \\
& a^6*c^4)*e^{12})/(a^2*b^2*c^{10} - 4*a^3*c^{11})))*\text{sqrt}(-(b*c^5*d^6 - 12*a*c^5*d^ \\
& 5*e + 15*a*b*c^4*d^4*e^2 - 20*(a*b^2*c^3 - 2*a^2*c^4)*d^3*e^3 + 15*(a*b^3*c \\
& ^2 - 3*a^2*b*c^3)*d^2*e^4 - 6*(a*b^4*c - 4*a^2*b^2*c^2 + 2*a^3*c^3)*d*e^5 + \\
& (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e^6 + (a*b^2*c^5 - 4*a^2*c^6)*\text{sqrt}((c^ \\
& 10*d^{12} - 30*a*c^9*d^{10}*e^2 + 40*a*b*c^8*d^9*e^3 - 15*(2*a*b^2*c^7 - 17*a^2 \\
& *c^8)*d^8*e^4 + 12*(a*b^3*c^6 - 52*a^2*b*c^7)*d^7*e^5 - 2*(a*b^4*c^5 - 428* \\
& a^2*b^2*c^6 + 226*a^3*c^7)*d^6*e^6 - 60*(13*a^2*b^3*c^5 - 16*a^3*b*c^6)*d^5 \\
& *e^7 + 15*(33*a^2*b^4*c^4 - 68*a^3*b^2*c^5 + 17*a^4*c^6)*d^4*e^8 - 20*(11*a \\
& ^2*b^5*c^3 - 33*a^3*b^3*c^4 + 20*a^4*b*c^5)*d^3*e^9 + 6*(11*a^2*b^6*c^2 - 4 \\
& 4*a^3*b^4*c^3 + 44*a^4*b^2*c^4 - 5*a^5*c^5)*d^2*e^{10} - 12*(a^2*b^7*c - 5*a^ \\
& 3*b^5*c^2 + 7*a^4*b^3*c^3 - 2*a^5*b*c^4)*d*e^{11} + (a^2*b^8 - 6*a^3*b^6*c + \\
& 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^{12})/(a^2*b^2*c^{10} - 4*a^3*c^{11} \\
&))/(a*b^2*c^5 - 4*a^2*c^6))) + 3*\text{sqrt}(1/2)*c^2*\text{sqrt}(-(b*c^5*d^6 - 12*a*c^5* \\
& d^5*e + 15*a*b*c^4*d^4*e^2 - 20*(a*b^2*c^3 - 2*a^2*c^4)*d^3*e^3 + 15*(a*b^3 \\
& *c^2 - 3*a^2*b*c^3)*d^2*e^4 - 6*(a*b^4*c - 4*a^2*b^2*c^2 + 2*a^3*c^3)*d*e^5 \\
& + (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e^6 - (a*b^2*c^5 - 4*a^2*c^6)*\text{sqrt}((\\
& c^{10}*d^{12} - 30*a*c^9*d^{10}*e^2 + 40*a*b*c^8*d^9*e^3 - 15*(2*a*b^2*c^7 - 17*a \\
& ^2*c^8)*d^8*e^4 + 12*(a*b^3*c^6 - 52*a^2*b*c^7)*d^7*e^5 - 2*(a*b^4*c^5 - 42 \\
& 8*a^2*b^2*c^6 + 226*a^3*c^7)*d^6*e^6 - 60*(13*a^2*b^3*c^5 - 16*a^3*b*c^6)*d \\
& ^5*e^7 + 15*(33*a^2*b^4*c^4 - 68*a^3*b^2*c^5 + 17*a^4*c^6)*d^4*e^8 - 20*(11 \\
& *a^2*b^5*c^3 - 33*a^3*b^3*c^4 + 20*a^4*b*c^5)*d^3*e^9 + 6*(11*a^2*b^6*c^2 - \\
& 44*a^3*b^4*c^3 + 44*a^4*b^2*c^4 - 5*a^5*c^5)*d^2*e^{10} - 12*(a^2*b^7*c - 5* \\
& a^3*b^5*c^2 + 7*a^4*b^3*c^3 - 2*a^5*b*c^4)*d*e^{11} + (a^2*b^8 - 6*a^3*b^6*c \\
& + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^{12})/(a^2*b^2*c^{10} - 4*a^3*c^{1 \\
& 1}))/((a*b^2*c^5 - 4*a^2*c^6))*\log(-2*(c^8*d^{12} - 3*b*c^7*d^{11}*e + 3*(b^2*c^ \\
& 6 - 4*a*c^7)*d^{10}*e^2 - (b^3*c^5 - 59*a*b*c^6)*d^9*e^3 - 9*(13*a*b^2*c^5 + \\
& 3*a^2*c^6)*d^8*e^4 + 18*(7*a*b^3*c^4 + 5*a^2*b*c^5)*d^7*e^5 - 42*(2*a*b^4*c \\
& ^3 + 3*a^2*b^2*c^4)*d^6*e^6 + 18*(2*a*b^5*c^2 + 6*a^2*b^3*c^3 - a^3*b*c^4)* \\
& d^5*e^7 - 9*(a*b^6*c + 7*a^2*b^4*c^2 - 2*a^3*b^2*c^3 - 3*a^4*c^4)*d^4*e^8 + \\
& (a*b^7 + 21*a^2*b^5*c + 10*a^3*b^3*c^2 - 55*a^4*b*c^3)*d^3*e^9 - 3*(a^2*b^ \\
& 6 + 4*a^3*b^4*c - 9*a^4*b^2*c^2 - 4*a^5*c^3)*d^2*e^{10} + 3*(a^3*b^5 - a^4*b^ \\
& 3*c - 3*a^5*b*c^2)*d*e^{11} - (a^4*b^4 - 3*a^5*b^2*c + a^6*c^2)*e^{12})*x + \text{sqr} \\
& t(1/2)*((b^2*c^7 - 4*a*c^8)*d^9 - 18*(a*b^2*c^6 - 4*a^2*c^7)*d^7*e^2 + 21*(\\
& a*b^3*c^5 - 4*a^2*b*c^6)*d^6*e^3 - 15*(a*b^4*c^4 - 8*a^2*b^2*c^5 + 16*a^3*c \\
& ^6)*d^5*e^4 + 3*(2*a*b^5*c^3 - 37*a^2*b^3*c^4 + 116*a^3*b*c^5)*d^4*e^5 - (a \\
& *b^6*c^2 - 72*a^2*b^4*c^3 + 318*a^3*b^2*c^4 - 184*a^4*c^5)*d^3*e^6 - 3*(11*
\end{aligned}$$

$$\begin{aligned}
& a^2b^5c^2 - 61a^3b^3c^3 + 68a^4b^2c^4) * d^2e^7 + 3*(3a^2b^6c - 19a^3b^4c^2 + 29a^4b^2c^3 - 4a^5c^4) * d^2e^8 - (a^2b^7 - 7a^3b^5c + 13a^4b^3c^2 - 4a^5b^2c^3) * e^9 + ((a^2b^3c^7 - 4a^2b^2c^8) * d^3 - 6(a^2b^2c^7 - 4a^3c^8) * d^2e + 3(a^2b^3c^6 - 4a^3b^2c^7) * d^2e^2 - (a^2b^4c^5 - 6a^3b^2c^6 + 8a^4c^7) * e^3) * \sqrt{(c^{10}d^{12} - 30a^2c^9d^{10}e^2 + 40a^2b^2c^8d^9e^3 - 15(2a^2b^2c^7 - 17a^2c^8) * d^8e^4 + 12(a^2b^3c^6 - 52a^2b^2c^7) * d^7e^5 - 2(a^2b^4c^5 - 428a^2b^2c^6 + 226a^3c^7) * d^6e^6 - 60(13a^2b^3c^5 - 16a^3b^2c^6) * d^5e^7 + 15(33a^2b^4c^4 - 68a^3b^2c^5 + 17a^4c^6) * d^4e^8 - 20(11a^2b^5c^3 - 33a^3b^3c^4 + 20a^4b^2c^5) * d^3e^9 + 6(11a^2b^6c^2 - 44a^3b^4c^3 + 44a^4b^2c^4 - 5a^5c^5) * d^2e^{10} - 12(a^2b^7c - 5a^3b^5c^2 + 7a^4b^3c^3 - 2a^5b^2c^4) * d^2e^{11} + (a^2b^8 - 6a^3b^6c + 11a^4b^4c^2 - 6a^5b^2c^3 + a^6c^4) * e^{12}) / (a^2b^2c^{10} - 4a^3c^{11}) * \sqrt{-(b^2c^5d^6 - 12a^2c^5d^5e + 15a^2b^2c^4d^4e^2 - 20(a^2b^2c^3 - 2a^2c^4) * d^3e^3 + 15(a^2b^3c^2 - 3a^2b^2c^3) * d^2e^4 - 6(a^2b^4c - 4a^2b^2c^2 + 2a^3c^3) * d^2e^5 + (a^2b^5 - 5a^2b^3c + 5a^3b^2c^2) * e^6 - (a^2b^2c^5 - 4a^2c^6) * \sqrt{(c^{10}d^{12} - 30a^2c^9d^{10}e^2 + 40a^2b^2c^8d^9e^3 - 15(2a^2b^2c^7 - 17a^2c^8) * d^8e^4 + 12(a^2b^3c^6 - 52a^2b^2c^7) * d^7e^5 - 2(a^2b^4c^5 - 428a^2b^2c^6 + 226a^3c^7) * d^6e^6 - 60(13a^2b^3c^5 - 16a^3b^2c^6) * d^5e^7 + 15(33a^2b^4c^4 - 68a^3b^2c^5 + 17a^4c^6) * d^4e^8 - 20(11a^2b^5c^3 - 33a^3b^3c^4 + 20a^4b^2c^5) * d^3e^9 + 6(11a^2b^6c^2 - 44a^3b^4c^3 + 44a^4b^2c^4 - 5a^5c^5) * d^2e^{10} - 12(a^2b^7c - 5a^3b^5c^2 + 7a^4b^3c^3 - 2a^5b^2c^4) * d^2e^{11} + (a^2b^8 - 6a^3b^6c + 11a^4b^4c^2 - 6a^5b^2c^3 + a^6c^4) * e^{12}) / (a^2b^2c^{10} - 4a^3c^{11}) * \sqrt{-(b^2c^5d^6 - 12a^2c^5d^5e + 15a^2b^2c^4d^4e^2 - 20(a^2b^2c^3 - 2a^2c^4) * d^3e^3 + 15(a^2b^3c^2 - 3a^2b^2c^3) * d^2e^4 - 6(a^2b^4c - 4a^2b^2c^2 + 2a^3c^3) * d^2e^5 + (a^2b^5 - 5a^2b^3c + 5a^3b^2c^2) * e^6 - (a^2b^2c^5 - 4a^2c^6) * \sqrt{(c^{10}d^{12} - 30a^2c^9d^{10}e^2 + 40a^2b^2c^8d^9e^3 - 15(2a^2b^2c^7 - 17a^2c^8) * d^8e^4 + 12(a^2b^3c^6 - 52a^2b^2c^7) * d^7e^5 - 2(a^2b^4c^5 - 428a^2b^2c^6 + 226a^3c^7) * d^6e^6 - 60(13a^2b^3c^5 - 16a^3b^2c^6) * d^5e^7 + 15(33a^2b^4c^4 - 68a^3b^2c^5 + 17a^4c^6) * d^4e^8 - 20(11a^2b^5c^3 - 33a^3b^3c^4 + 20a^4b^2c^5) * d^3e^9 + 6(11a^2b^6c^2 - 44a^3b^4c^3 + 44a^4b^2c^4 - 5a^5c^5) * d^2e^{10} - 12(a^2b^7c - 5a^3b^5c^2 + 7a^4b^3c^3 - 2a^5b^2c^4) * d^2e^{11} + (a^2b^8 - 6a^3b^6c + 11a^4b^4c^2 - 6a^5b^2c^3 + a^6c^4) * e^{12}) / (a^2b^2c^{10} - 4a^3c^{11}) * \log(-2(c^8d^{12} - 3b^2c^7d^{11}e + 3(b^2c^6 - 4a^2c^7) * d^{10}e^2 - (b^3c^5 - 59a^2b^2c^6) * d^9e^3 - 9(13a^2b^2c^5 + 3a^2c^6) * d^8e^4 + 18(7a^2b^3c^4 + 5a^2b^2c^5) * d^7e^5 - 42(2a^2b^4c^3 + 3a^2b^2c^4) * d^6e^6 + 18(2a^2b^5c^2 + 6a^2b^3c^3 - a^3b^2c^4) * d^5e^7 - 9(a^2b^6c + 7a^2b^4c^2 - 2a^3b^2c^3 - 3a^4c^4) * d^4e^8 + (a^2b^7 + 21a^2b^5c + 10a^3b^3c^2 - 55a^4b^2c^3) * d^3e^9 - 3(a^2b^6 + 4a^3b^4c - 9a^4b^2c^2 - 4a^5c^3) * d^2e^{10} + 3(a^3b^5 - a^4b^3c - 3a^5b^2c^2) * d^2e^{11} - (a^4b^4 - 3a^5b^2c + a^6c^2) * e^{12}) * x - \sqrt{1/2} * ((b^2c^7 - 4a^2c^8) * d^9 - 18(a^2b^2c^6 - 4a^2c^7) * d^7e^2
\end{aligned}$$

$$\begin{aligned}
& + 21*(a*b^3*c^5 - 4*a^2*b*c^6)*d^6*e^3 - 15*(a*b^4*c^4 - 8*a^2*b^2*c^5 + 16 \\
& *a^3*c^6)*d^5*e^4 + 3*(2*a*b^5*c^3 - 37*a^2*b^3*c^4 + 116*a^3*b*c^5)*d^4*e^5 - (a*b^6*c^2 - 72*a^2*b^4*c^3 + 318*a^3*b^2*c^4 - 184*a^4*c^5)*d^3*e^6 - \\
& 3*(11*a^2*b^5*c^2 - 61*a^3*b^3*c^3 + 68*a^4*b*c^4)*d^2*e^7 + 3*(3*a^2*b^6*c - 19*a^3*b^4*c^2 + 29*a^4*b^2*c^3 - 4*a^5*c^4)*d*e^8 - (a^2*b^7 - 7*a^3*b^5*c + 13*a^4*b^3*c^2 - 4*a^5*b*c^3)*e^9 + ((a*b^3*c^7 - 4*a^2*b*c^8)*d^3 - \\
& 6*(a^2*b^2*c^7 - 4*a^3*c^8)*d^2*e + 3*(a^2*b^3*c^6 - 4*a^3*b*c^7)*d*e^2 - (a^2*b^4*c^5 - 6*a^3*b^2*c^6 + 8*a^4*c^7)*e^3)*sqrt((c^10*d^12 - 30*a*c^9*d^10*e^2 + 40*a*b*c^8*d^9*e^3 - 15*(2*a*b^2*c^7 - 17*a^2*c^8)*d^8*e^4 + 12*(a \\
& *b^3*c^6 - 52*a^2*b*c^7)*d^7*e^5 - 2*(a*b^4*c^5 - 428*a^2*b^2*c^6 + 226*a^3*c^7)*d^6*e^6 - 60*(13*a^2*b^3*c^5 - 16*a^3*b*c^6)*d^5*e^7 + 15*(33*a^2*b^4*c^4 - 68*a^3*b^2*c^5 + 17*a^4*c^6)*d^4*e^8 - 20*(11*a^2*b^5*c^3 - 33*a^3*b^3*c^4 + 20*a^4*b*c^5)*d^3*e^9 + 6*(11*a^2*b^6*c^2 - 44*a^3*b^4*c^3 + 44*a^4*b^2*c^4 - 5*a^5*c^5)*d^2*e^10 - 12*(a^2*b^7*c - 5*a^3*b^5*c^2 + 7*a^4*b^3*c^3 - 2*a^5*b*c^4)*d*e^11 + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^12)/(a^2*b^2*c^10 - 4*a^3*c^11))*sqrt(-(b*c^5*d^6 - 12*a*c^5*d^5*e + 15*a*b*c^4*d^4*e^2 - 20*(a*b^2*c^3 - 2*a^2*c^4)*d^3*e^3 + 15*(a*b^3*c^2 - 3*a^2*b*c^3)*d^2*e^4 - 6*(a*b^4*c - 4*a^2*b^2*c^2 + 2*a^3*c^3)*d*e^5 + (a*b^5 - 5*a^2*b^3*c + 5*a^3*b*c^2)*e^6 - (a*b^2*c^5 - 4*a^2*c^6)*sqrt((c^10*d^12 - 30*a*c^9*d^10*e^2 + 40*a*b*c^8*d^9*e^3 - 15*(2*a*b^2*c^7 - 17*a^2*c^8)*d^8*e^4 + 12*(a*b^3*c^6 - 52*a^2*b*c^7)*d^7*e^5 - 2*(a*b^4*c^5 - 428*a^2*b^2*c^6 + 226*a^3*c^7)*d^6*e^6 - 60*(13*a^2*b^3*c^5 - 16*a^3*b*c^6)*d^5*e^7 + 15*(33*a^2*b^4*c^4 - 68*a^3*b^2*c^5 + 17*a^4*c^6)*d^4*e^8 - 20*(11*a^2*b^5*c^3 - 33*a^3*b^3*c^4 + 20*a^4*b*c^5)*d^3*e^9 + 6*(11*a^2*b^6*c^2 - 44*a^3*b^4*c^3 + 44*a^4*b^2*c^4 - 5*a^5*c^5)*d^2*e^10 - 12*(a^2*b^7*c - 5*a^3*b^5*c^2 + 7*a^4*b^3*c^3 - 2*a^5*b*c^4)*d*e^11 + (a^2*b^8 - 6*a^3*b^6*c + 11*a^4*b^4*c^2 - 6*a^5*b^2*c^3 + a^6*c^4)*e^12)/(a^2*b^2*c^10 - 4*a^3*c^11)))/(a*b^2*c^5 - 4*a^2*c^6))) + 6*(3*c*d*e^2 - b*e^3)*x)/c^2
\end{aligned}$$

giac [B] time = 1.35, size = 6407, normalized size = 20.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $\frac{1}{8}*(3*(2*b^4*c^4 - 16*a*b^2*c^5 + 32*a^2*c^6 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*b^4*c^2 + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*a*b^2*c^3 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*b^3*c^3 - 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*a^2*c^4 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*a*b*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*b^2*c^4 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*a*c^5 - 2*(b^2 - 4*a*c)*b^2*c^4 + 8*(b^2 - 4*a*c)*a*c^5)*c^2*d^2*e + 2*(\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*b^4*c^4 - 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}$

$$\begin{aligned}
& b^2 - 4ac) * c) * a * b^2 * c^5 - 2 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * b^3 * c^5 \\
& + 2 * b^4 * c^5 + 16 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a^2 * c^6 + 8 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * b * c^6 \\
& + \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * b^2 * c^6 - 16 * a * b^2 * c^6 - 4 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * c^7 \\
& + 32 * a^2 * c^7 - 2 * (b^2 - 4ac) * b^2 * c^5 + 8 * (b^2 - 4ac) * a * c^6) * d^3 * \text{abs}(c) - 3 * (2 * b^5 * c^3 - 16 * a * b^3 * c^4 \\
& + 32 * a^2 * b * c^5 - \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * b^5 * c + 8 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * b^3 * c^2 \\
& + 2 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * b^4 * c^2 - 16 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a^2 * b * c^3 \\
& - 8 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * b^2 * c^3 - \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * b^3 * c^3 \\
& + 4 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * b * c^4 - 2 * (b^2 - 4ac) * b^3 * c^3 + 8 * (b^2 - 4ac) * a * b * c^4) * c^2 * d * e^2 \\
& + 2 * (2 * b^3 * c^7 - 8 * a * b * c^8 - \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * b^3 * c^5 + 4 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * b * c^6 \\
& + 2 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * b^2 * c^6 - \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * b * c^7 - 2 * (b^2 - 4ac) * b * c^7) * d^3 \\
& + (2 * b^6 * c^2 - 18 * a * b^4 * c^3 + 48 * a^2 * b^2 * c^4 - 32 * a^3 * c^5 - \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * b^6 + 9 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * b^4 * c \\
& + 2 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * b^5 * c - 24 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a^2 * b^2 * c^2 - 10 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * b^3 * c^2 - \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * b^4 * c^2 + 16 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a^3 * c^3 + 8 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a^2 * b * c^3 + 5 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * b^2 * c^3 - 4 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a^2 * c^4 - 2 * (b^2 - 4ac) * b^4 * c^2 + 10 * (b^2 - 4ac) * a * b^2 * c^3 - 8 * (b^2 - 4ac) * a^2 * c^4) * c^2 * e^3 - 6 * (\sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * b^4 * c^3 - 8 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a^2 * b^2 * c^4 - 2 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * b^3 * c^4 + 2 * a * b^4 * c^4 + 16 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a^3 * c^5 + 8 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a^2 * b * c^5 + \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * b^2 * c^5 - 16 * a^2 * b^2 * c^5 - 4 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a^2 * c^6 + 32 * a^3 * c^6 - 2 * (b^2 - 4ac) * a * b^2 * c^4 + 8 * (b^2 - 4ac) * a^2 * c^5) * d * \text{abs}(c) * e^2 - 3 * (2 * b^4 * c^6 - 8 * a * b^2 * c^7 - \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * b^4 * c^4 + 4 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * b^2 * c^5 + 2 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * b^3 * c^5 - \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * b^2 * c^6 - 2 * (b^2 - 4ac) * b^2 * c^6) * d^2 * e + 2 * (\sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a^2 * b^3 * c^3 - 2 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * b^4 * c^3 + 2 * a * b^5 * c^3 + 16 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a^3 * b * c^4 + 8 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a^2 * b^2 * c^4 + \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) * a * b^3 * c^4 - 16 * a^2 * b^3 * c^4 - 4 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c) *
\end{aligned}$$

$$\begin{aligned}
& \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^5 c^5 + 32a^3 b^5 c^5 - 2(b^2 - 4ac) \cdot a \cdot b^3 c^3 + \\
& 8(b^2 - 4ac) \cdot a^2 b^4 c^4 \cdot \operatorname{abs}(c) \cdot e^3 + 3(2b^5 c^5 - 12a b^3 c^6 + 16a^2 b^4 c^7 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c) \cdot b^5 c^3 \\
& + 6\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^3 c^4 + \\
& 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^4 c^4 - 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^5 c^5 - \\
& 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^2 c^5 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot b^3 c^5 + \\
& 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^3 c^6 - 2(b^2 - 4ac) \cdot b^3 c^5 + 4(b^2 - 4ac) \cdot a \cdot b^4 c^6 \cdot d \cdot e^2 - (2b^6 c^4 - 14a b^4 c^5 + 24a^2 b^2 c^6 - \\
& \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c) \cdot b^6 c^2 + 7\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^4 c^3 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot b^5 c^3 - \\
& 12\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^2 c^4 - 6\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^3 c^4 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot b^4 c^4 + 3\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^2 c^5 - 2(b^2 - 4ac) \cdot b^4 c^4 + 6(b^2 - 4ac) \cdot a \cdot b^2 c^5 \cdot e^3 \cdot \arctan(2\sqrt{1/2} \cdot x / \sqrt{(b^2 c^3 + \sqrt{b^2 c^6 - 4a^2 c^7}) / c^4}) / ((a \cdot b^4 c^4 - 8a^2 b^2 c^5 - 2a \cdot b^3 c^5 + 16a^3 c^6 + 8a^2 b^2 c^6 + a \cdot b^2 c^6 - 4a^2 c^7) \cdot c^2) - 1/8 \cdot (3(2b^4 c^4 - 16a \cdot b^2 c^5 + 32a^2 c^6 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c) \cdot b^4 c^2 + 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^2 c^3 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot b^3 c^3 - 16\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^2 c^4 - 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^4 c^4 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot b^2 c^4 + 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot c^5 - 2(b^2 - 4ac) \cdot b^2 c^4 + 8(b^2 - 4ac) \cdot a \cdot c^5 \cdot c^2 \cdot d^2 \cdot e - 2(\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c) \cdot b^4 c^4 - 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^2 c^5 - 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot b^3 c^5 - 2b^4 c^5 + 16\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^2 c^6 + 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^2 c^6 + \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot b^2 c^6 + 16a \cdot b^2 c^6 - 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot c^7 - 32a^2 c^7 + 2(b^2 - 4ac) \cdot b^2 c^5 - 8(b^2 - 4ac) \cdot a \cdot c^6 \cdot d^3 \cdot \operatorname{abs}(c) - 3(2b^5 c^3 - 16a \cdot b^3 c^4 + 32a^2 b^5 c^5 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c) \cdot b^5 c + 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^3 c^2 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot b^4 c^2 - 16\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^2 c^3 - 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^2 c^3 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot b^3 c^3 + 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^4 c^4 - 2(b^2 - 4ac) \cdot b^3 c^3 + 8(b^2 - 4ac) \cdot a \cdot b^4 c^4 \cdot c^2 \cdot d \cdot e^2 + 2(2b^3 c^7 - 8a \cdot b^3 c^8 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c) \cdot b^3 c^5 + 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^4 c^6 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot b^2 c^6 -
\end{aligned}$$

$$\begin{aligned}
& \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) b^7 c^7 - 2(b^2 - 4ac) b^7 c^7 d^3 + (2b^6 c^2 - 18a^2 b^4 c^3 + 48a^2 b^2 c^4 - 32a^3 c^5 \\
& - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) b^6 + 9\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^4 c^2 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) b^5 c^2 - 24\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^2 c^2 - 10\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^3 c^2 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) b^4 c^2 + 16\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^3 c^3 + 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^2 c^3 + 5\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^2 c^3 - 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 c^4 - 2(b^2 - 4ac) b^4 c^2 + 10(b^2 - 4ac) a^2 b^2 c^3 - 8(b^2 - 4ac) a^2 c^4) c^2 e^3 + 6(\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^4 c^3 - 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^2 c^4 - 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^3 c^4 - 2a^2 b^4 c^4 + 16\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^3 c^5 + 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^2 c^5 + \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^2 c^5 + 16a^2 b^2 c^5 - 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 c^6 - 32a^3 c^6 + 2(b^2 - 4ac) a^2 b^2 c^4 - 8(b^2 - 4ac) a^2 c^5) d \operatorname{abs}(c) e^2 - 3(2b^4 c^6 - 8a^2 b^2 c^7 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) b^4 c^4 + 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^2 c^5 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) b^2 c^6 - 2(b^2 - 4ac) b^2 c^6) d^2 e - 2(\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^5 c^2 - 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^3 c^3 - 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^4 c^3 - 2a^2 b^5 c^3 + 16\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^3 b^2 c^4 + 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^2 c^4 + \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^3 c^4 + 16a^2 b^3 c^4 - 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^2 c^5 - 32a^3 b^2 c^5 + 2(b^2 - 4ac) a^2 b^3 c^3 - 8(b^2 - 4ac) a^2 b^2 c^4) \operatorname{abs}(c) e^3 + 3(2b^5 c^5 - 12a^2 b^3 c^6 + 16a^2 b^2 c^7 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) b^5 c^3 + 6\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^3 c^4 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) b^4 c^4 - 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^2 c^5 - 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^2 c^5 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^2 c^5 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) b^3 c^5 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^2 c^6 - 2(b^2 - 4ac) b^3 c^5 + 4(b^2 - 4ac) a^2 b^2 c^6) d e^2 - (2b^6 c^4 - 14a^2 b^4 c^5 + 24a^2 b^2 c^6 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) b^6 c^2 + 7\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^4 c^3 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) b^5 c^3 - 12\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^2 c^4 - 6\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) a^2 b^3 c^4 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c) b^4 c^4 + 3\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} c)
\end{aligned}$$

$$\sqrt{b^2 - 4ac} \cdot c \cdot a \cdot b^2 \cdot c^5 - 2 \cdot (b^2 - 4ac) \cdot b^4 \cdot c^4 + 6 \cdot (b^2 - 4ac) \cdot a \cdot b^2 \cdot c^5 \cdot e^3 \cdot \arctan\left(\frac{2\sqrt{1/2} \cdot x / \sqrt{(b \cdot c^3 - \sqrt{b^2 \cdot c^6 - 4a \cdot c^7}) / c^4}}{(a \cdot b^4 \cdot c^4 - 8a^2 \cdot b^2 \cdot c^5 - 2a \cdot b^3 \cdot c^5 + 16a^3 \cdot c^6 + 8a^2 \cdot b \cdot c^6 + a \cdot b^2 \cdot c^6 - 4a^2 \cdot c^7) \cdot c^2} + \frac{1}{3} \cdot (c^2 \cdot x^3 \cdot e^3 + 9c^2 \cdot d \cdot x \cdot e^2 - 3b \cdot c \cdot x \cdot e^3) / c^3\right)$$

maple [B] time = 0.04, size = 1211, normalized size = 3.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^3/(c*x^4+b*x^2+a), x)`

[Out] $\frac{1}{3} \cdot \frac{c \cdot e^3 \cdot x^3 - e^3 / c^2 \cdot b \cdot x + 3 / c \cdot d \cdot e^2 \cdot x + 1/2 \cdot c^2 \cdot (1/2)}{((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot a \cdot e^{3-1/2} / c^2 \cdot 2^{1/2} / ((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot b^2 \cdot e^3 + 3/2 \cdot c^2 \cdot (1/2) / ((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot b \cdot d \cdot e^{2-3/2} \cdot 2^{1/2} / ((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot d^2 \cdot e^{-3/2} / c / (-4ac + b^2)^{1/2} \cdot 2^{1/2} / ((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot a \cdot b \cdot e^{3+3/2} / (-4ac + b^2)^{1/2} \cdot 2^{1/2} / ((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot a \cdot d \cdot e^{2+1/2} / c^2 / (-4ac + b^2)^{1/2} \cdot 2^{1/2} / ((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot b^3 \cdot e^{3-3/2} / c / (-4ac + b^2)^{1/2} \cdot 2^{1/2} / ((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot b^2 \cdot d \cdot e^{2+3/2} / (-4ac + b^2)^{1/2} \cdot 2^{1/2} / ((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot d^2 \cdot e \cdot b - c / (-4ac + b^2)^{1/2} \cdot 2^{1/2} / ((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot d^3 - 1/2 \cdot c^2 \cdot (1/2) / ((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctan}\left(\frac{2^{1/2}}{((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot a \cdot e^{3+1/2} / c^2 \cdot 2^{1/2} / ((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctan}\left(\frac{2^{1/2}}{((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot b^2 \cdot e^3 - 3/2 \cdot c^2 \cdot (1/2) / ((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctan}\left(\frac{2^{1/2}}{((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot b \cdot d \cdot e^{2+3/2} \cdot 2^{1/2} / ((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctan}\left(\frac{2^{1/2}}{((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot d^2 \cdot e^{-3/2} / c / (-4ac + b^2)^{1/2} \cdot 2^{1/2} / ((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctan}\left(\frac{2^{1/2}}{((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot a \cdot b \cdot e^{3+3/2} / (-4ac + b^2)^{1/2} \cdot 2^{1/2} / ((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctan}\left(\frac{2^{1/2}}{((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot a \cdot d \cdot e^{2+1/2} / c^2 / (-4ac + b^2)^{1/2} \cdot 2^{1/2} / ((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctan}\left(\frac{2^{1/2}}{((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot b^3 \cdot e^{3-3/2} / c / (-4ac + b^2)^{1/2} \cdot 2^{1/2} / ((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctan}\left(\frac{2^{1/2}}{((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot b^2 \cdot d \cdot e^{2+3/2} / (-4ac + b^2)^{1/2} \cdot 2^{1/2} / ((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2} \cdot \operatorname{arctan}\left(\frac{2^{1/2}}{((b + (-4ac + b^2))^{1/2}) \cdot c^{1/2}} \cdot c \cdot x\right) \cdot d^2 \cdot e \cdot b - c / (-4ac + b^2)^{1/2} \cdot$

$$\frac{1}{2} * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * d^3$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{ce^3x^3 + 3(3cde^2 - be^3)x}{3c^2} - \int \frac{c^2d^3 - 3acde^2 + abe^3 + (3c^2d^2e - 3bcde^2 + (b^2 - ac)e^3)x^2}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] 1/3*(c*e^3*x^3 + 3*(3*c*d*e^2 - b*e^3)*x)/c^2 - integrate(-(c^2*d^3 - 3*a*c*d*e^2 + a*b*e^3 + (3*c^2*d^2*e - 3*b*c*d*e^2 + (b^2 - a*c)*e^3)*x^2)/(c*x^4 + b*x^2 + a), x)/c^2

mupad [B] time = 7.29, size = 17954, normalized size = 56.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^3/(a + b*x^2 + c*x^4),x)

[Out] atan((((16*a*c^6*d^3 - 4*b^2*c^5*d^3 - 4*a*b^3*c^3*e^3 + 16*a^2*b*c^4*e^3 - 48*a^2*c^5*d*e^2 + 12*a*b^2*c^4*d*e^2)/c^3 - (2*x*(4*b^3*c^5 - 16*a*b*c^6)*(-(a*b^7*e^6 + b^3*c^5*d^6 - c^5*d^6*(-(4*a*c - b^2)^3)^(1/2) + a*b^4*e^6*(-(4*a*c - b^2)^3)^(1/2) - 9*a^2*b^5*c*e^6 - 20*a^4*b*c^3*e^6 + 48*a^2*c^6*d^5*e + 48*a^4*c^4*d*e^5 + 25*a^3*b^3*c^2*e^6 + a^3*c^2*e^6*(-(4*a*c - b^2)^3)^(1/2) - 160*a^3*c^5*d^3*e^3 - 4*a*b*c^6*d^6 - 6*a*b^6*c*d*e^5 + 120*a^2*b^2*c^4*d^3*e^3 - 105*a^2*b^3*c^3*d^2*e^4 - 15*a^2*c^3*d^2*e^4*(-(4*a*c - b^2)^3)^(1/2) - 12*a*b^2*c^5*d^5*e - 3*a^2*b^2*c*e^6*(-(4*a*c - b^2)^3)^(1/2) + 15*a*b^3*c^4*d^4*e^2 - 20*a*b^4*c^3*d^3*e^3 + 15*a*b^5*c^2*d^2*e^4 - 60*a^2*b*c^5*d^4*e^2 + 48*a^2*b^4*c^2*d*e^5 + 180*a^3*b*c^4*d^2*e^4 - 108*a^3*b^2*c^3*d*e^5 + 15*a*c^4*d^4*e^2*(-(4*a*c - b^2)^3)^(1/2) - 20*a*b*c^3*d^3*e^3*(-(4*a*c - b^2)^3)^(1/2) + 12*a^2*b*c^2*d*e^5*(-(4*a*c - b^2)^3)^(1/2) + 15*a*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^3)^(1/2) - 6*a*b^3*c*d*e^5*(-(4*a*c - b^2)^3)^(1/2))/(8*(16*a^3*c^7 + a*b^4*c^5 - 8*a^2*b^2*c^6)))^(1/2))/c^3)*(-(a*b^7*e^6 + b^3*c^5*d^6 - c^5*d^6*(-(4*a*c - b^2)^3)^(1/2) + a*b^4*e^6*(-(4*a*c - b^2)^3)^(1/2) - 9*a^2*b^5*c*e^6 - 20*a^4*b*c^3*e^6 + 48*a^2*c^6*d^5*e + 48*a^4*c^4*d*e^5 + 25*a^3*b^3*c^2*e^6 + a^3*c^2*e^6*(-(4*a*c - b^2)^3)^(1/2) - 160*a^3*c^5*d^3*e^3 - 4*a*b*c^6*d^6 - 6*a*b^6*c*d*e^5 + 120*a^2*b^2*c^4*d^3*e^3 - 105*a^2*b^3*c^3*d^2*e^4 - 15*a^2*c^3*d^2*e^4*(-(4*a*c - b^2)^3)^(1/2) - 12*a*b^2*c^5*d^5*e - 3*a^2*b^2*c*e^6*(-(4*a*c - b^2)^3)^(1/2) + 15*a*b^3*c^4*d^4*e^2 - 20*a*b^4*c^3*d^3*e^3 + 15*a*b^5*c^2*d^2*e^4 - 60*a^2*b*c^5*d^4*e^2 + 48*a^2*b^4*c^2*d*e^5 + 180*a^3*b*c^4*d^2*e^4 - 108*

$$\begin{aligned}
& a^3 b^2 c^3 d e^5 + 15 a^4 c^4 d^4 e^2 (-4 a^2 c - b^2)^3)^{(1/2)} - 20 a^2 b^3 c^3 d^3 e^3 (-4 a^2 c - b^2)^3)^{(1/2)} + 12 a^2 b^2 c^2 d^2 e^4 (-4 a^2 c - b^2)^3)^{(1/2)} - 6 a^2 b^3 c^3 d^3 e^5 (-4 a^2 c - b^2)^3)^{(1/2)} / (8 (16 a^3 c^7 + a^4 b^4 c^5 - 8 a^2 b^2 c^6))^{(1/2)} - \\
& (2 x (b^6 e^6 + 2 c^6 d^6 - 2 a^3 c^3 e^6 - 30 a^5 c^5 d^4 e^2 + 9 a^2 b^2 c^2 e^6 + 30 a^2 c^4 d^2 e^4 + 15 b^2 c^4 d^4 e^2 - 20 b^3 c^3 d^3 e^3 + 15 b^4 c^2 d^2 e^4 - 6 a^2 b^4 c^2 e^6 - 6 b^5 c^5 d^5 e - 6 b^5 c^3 d^3 e^5 + 60 a^2 b^3 c^4 d^3 e^3 + 30 a^2 b^3 c^2 d^2 e^5 - 30 a^2 b^2 c^3 d^2 e^5 - 60 a^2 b^2 c^3 d^2 e^4)) / c^3 * (- (a^7 b^7 e^6 + b^3 c^5 d^6 - c^5 d^6 (-4 a^2 c - b^2)^3)^{(1/2)} + a^4 b^4 e^6 (-4 a^2 c - b^2)^3)^{(1/2)} - 9 a^2 b^5 c^2 e^6 - 20 a^4 b^3 c^3 e^6 + 48 a^2 c^6 d^5 e + 48 a^4 c^4 d^4 e^5 + 25 a^3 b^3 c^2 e^6 + a^3 c^2 e^6 (-4 a^2 c - b^2)^3)^{(1/2)} - 160 a^3 c^5 d^3 e^3 - 4 a^2 b^3 c^6 d^6 - 6 a^2 b^6 c^3 d^2 e^5 + 120 a^2 b^2 c^4 d^3 e^3 - 105 a^2 b^3 c^3 d^2 e^4 - 15 a^2 c^3 d^2 e^4 (-4 a^2 c - b^2)^3)^{(1/2)} - 12 a^2 b^2 c^5 d^5 e - 3 a^2 b^2 c^2 e^6 (-4 a^2 c - b^2)^3)^{(1/2)} + 15 a^2 b^3 c^4 d^4 e^2 - 20 a^2 b^4 c^3 d^3 e^3 + 15 a^2 b^5 c^2 d^2 e^4 - 60 a^2 b^2 c^5 d^4 e^2 + 48 a^2 b^4 c^2 d^2 e^5 + 180 a^3 b^3 c^4 d^2 e^4 - 108 a^3 b^2 c^3 d^2 e^5 + 15 a^4 c^4 d^4 e^2 (-4 a^2 c - b^2)^3)^{(1/2)} - 20 a^2 b^3 c^3 d^3 e^3 (-4 a^2 c - b^2)^3)^{(1/2)} + 12 a^2 b^2 c^2 d^2 e^5 (-4 a^2 c - b^2)^3)^{(1/2)} + 15 a^2 b^2 c^2 d^2 e^4 (-4 a^2 c - b^2)^3)^{(1/2)} - 6 a^2 b^3 c^3 d^2 e^5 (-4 a^2 c - b^2)^3)^{(1/2)} / (8 (16 a^3 c^7 + a^4 b^4 c^5 - 8 a^2 b^2 c^6))^{(1/2)} * i - \\
& (((16 a^6 c^6 d^3 - 4 b^2 c^5 d^3 - 4 a^2 b^3 c^3 e^3 + 16 a^2 b^2 c^4 e^3 - 48 a^2 c^5 d^2 e^2 + 12 a^2 b^2 c^4 d^2 e^2) / c^3 + (2 x (4 b^3 c^5 - 16 a^2 b^3 c^6)) * (- (a^7 b^7 e^6 + b^3 c^5 d^6 - c^5 d^6 (-4 a^2 c - b^2)^3)^{(1/2)} + a^4 b^4 e^6 (-4 a^2 c - b^2)^3)^{(1/2)} - 9 a^2 b^5 c^2 e^6 - 20 a^4 b^3 c^3 e^6 + 48 a^2 c^6 d^5 e + 48 a^4 c^4 d^4 e^5 + 25 a^3 b^3 c^2 e^6 + a^3 c^2 e^6 (-4 a^2 c - b^2)^3)^{(1/2)} - 160 a^3 c^5 d^3 e^3 - 4 a^2 b^3 c^6 d^6 - 6 a^2 b^6 c^3 d^2 e^5 + 120 a^2 b^2 c^4 d^3 e^3 - 105 a^2 b^3 c^3 d^2 e^4 - 15 a^2 c^3 d^2 e^4 (-4 a^2 c - b^2)^3)^{(1/2)} - 12 a^2 b^2 c^5 d^5 e - 3 a^2 b^2 c^2 e^6 (-4 a^2 c - b^2)^3)^{(1/2)} + 15 a^2 b^3 c^4 d^4 e^2 - 20 a^2 b^4 c^3 d^3 e^3 + 15 a^2 b^5 c^2 d^2 e^4 - 60 a^2 b^2 c^5 d^4 e^2 + 48 a^2 b^4 c^2 d^2 e^5 + 180 a^3 b^3 c^4 d^2 e^4 - 108 a^3 b^2 c^3 d^2 e^5 + 15 a^4 c^4 d^4 e^2 (-4 a^2 c - b^2)^3)^{(1/2)} - 20 a^2 b^3 c^3 d^3 e^3 (-4 a^2 c - b^2)^3)^{(1/2)} + 12 a^2 b^2 c^2 d^2 e^5 (-4 a^2 c - b^2)^3)^{(1/2)} + 15 a^2 b^2 c^2 d^2 e^4 (-4 a^2 c - b^2)^3)^{(1/2)} - 6 a^2 b^3 c^3 d^2 e^5 (-4 a^2 c - b^2)^3)^{(1/2)} / (8 (16 a^3 c^7 + a^4 b^4 c^5 - 8 a^2 b^2 c^6))^{(1/2)} / c^3 * (- (a^7 b^7 e^6 + b^3 c^5 d^6 - c^5 d^6 (-4 a^2 c - b^2)^3)^{(1/2)} + a^4 b^4 e^6 (-4 a^2 c - b^2)^3)^{(1/2)} - 9 a^2 b^5 c^2 e^6 - 20 a^4 b^3 c^3 e^6 + 48 a^2 c^6 d^5 e + 48 a^4 c^4 d^4 e^5 + 25 a^3 b^3 c^2 e^6 + a^3 c^2 e^6 (-4 a^2 c - b^2)^3)^{(1/2)} - 160 a^3 c^5 d^3 e^3 - 4 a^2 b^3 c^6 d^6 - 6 a^2 b^6 c^3 d^2 e^5 + 120 a^2 b^2 c^4 d^3 e^3 - 105 a^2 b^3 c^3 d^2 e^4 - 15 a^2 c^3 d^2 e^4 (-4 a^2 c - b^2)^3)^{(1/2)} - 12 a^2 b^2 c^5 d^5 e - 3 a^2 b^2 c^2 e^6 (-4 a^2 c - b^2)^3)^{(1/2)} + 15 a^2 b^3 c^4 d^4 e^2 - 20 a^2 b^4 c^3 d^3 e^3 + 15 a^2 b^5 c^2 d^2 e^4 - 60 a^2 b^2 c^5 d^4 e^2 + 48 a^2 b^4 c^2 d^2 e^5 + 180 a^3 b^3 c^4 d^2 e^4 - 108 a^3 b^2 c^3 d^2 e^5 + 15 a^4 c^4 d^4 e^2 (-4 a^2 c - b^2)^3)^{(1/2)} - 20 a^2 b^3 c^3 d^3 e^3 (-4 a^2 c - b^2)^3)^{(1/2)} + 12 a^2 b^2 c^2 d^2 e^5 (-4 a^2 c - b^2)^3)^{(1/2)} + 15 a^2 b^2 c^2 d^2 e^4 (-4 a^2 c - b^2)^3)^{(1/2)} - 6 a^2 b^3 c^3 d^2 e^5 (-4 a^2 c - b^2)^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& a*c - b^2)^3)^{(1/2)) / (8*(16*a^3*c^7 + a*b^4*c^5 - 8*a^2*b^2*c^6)))^{(1/2)} + \\
& (2*x*(b^6*e^6 + 2*c^6*d^6 - 2*a^3*c^3*e^6 - 30*a*c^5*d^4*e^2 + 9*a^2*b^2*c^ \\
& 2*e^6 + 30*a^2*c^4*d^2*e^4 + 15*b^2*c^4*d^4*e^2 - 20*b^3*c^3*d^3*e^3 + 15*b \\
& ^4*c^2*d^2*e^4 - 6*a*b^4*c*e^6 - 6*b*c^5*d^5*e - 6*b^5*c*d*e^5 + 60*a*b*c^4 \\
& *d^3*e^3 + 30*a*b^3*c^2*d*e^5 - 30*a^2*b*c^3*d*e^5 - 60*a*b^2*c^3*d^2*e^4)) \\
& /c^3)*(-(a*b^7*e^6 + b^3*c^5*d^6 - c^5*d^6*(-(4*a*c - b^2)^3)^{(1/2)} + a*b^4 \\
& *e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b^5*c*e^6 - 20*a^4*b*c^3*e^6 + 48*a^2 \\
& *c^6*d^5*e + 48*a^4*c^4*d*e^5 + 25*a^3*b^3*c^2*e^6 + a^3*c^2*e^6*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 160*a^3*c^5*d^3*e^3 - 4*a*b*c^6*d^6 - 6*a*b^6*c*d*e^5 + 12 \\
& 0*a^2*b^2*c^4*d^3*e^3 - 105*a^2*b^3*c^3*d^2*e^4 - 15*a^2*c^3*d^2*e^4*(-(4*a \\
& *c - b^2)^3)^{(1/2)} - 12*a*b^2*c^5*d^5*e - 3*a^2*b^2*c*e^6*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} + 15*a*b^3*c^4*d^4*e^2 - 20*a*b^4*c^3*d^3*e^3 + 15*a*b^5*c^2*d^2*e^ \\
& 4 - 60*a^2*b*c^5*d^4*e^2 + 48*a^2*b^4*c^2*d*e^5 + 180*a^3*b*c^4*d^2*e^4 - 1 \\
& 08*a^3*b^2*c^3*d*e^5 + 15*a*c^4*d^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a*b*c \\
& ^3*d^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d*e^5*(-(4*a*c - b^2)^3) \\
& ^{(1/2)} + 15*a*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^3*c*d*e^5*(- \\
& (4*a*c - b^2)^3)^{(1/2)) / (8*(16*a^3*c^7 + a*b^4*c^5 - 8*a^2*b^2*c^6)))^{(1/2)} \\
& *1i) / ((2*(3*c^5*d^8*e - a^4*c*e^9 + a^3*b^2*e^9 - b^5*d^3*e^6 + 3*a*b^4*d^2 \\
& *e^7 - 3*a^2*b^3*d*e^8 + 8*a*c^4*d^6*e^3 - 12*b*c^4*d^7*e^2 + 6*b^4*c*d^4*e \\
& ^5 + 6*a^2*c^3*d^4*e^5 + 19*b^2*c^3*d^6*e^3 - 15*b^3*c^2*d^5*e^4 - 24*a*b*c \\
& ^3*d^5*e^4 - 14*a*b^3*c*d^3*e^6 + 27*a*b^2*c^2*d^4*e^5 - 12*a^2*b*c^2*d^3*e \\
& ^6 + 9*a^2*b^2*c*d^2*e^7)) / c^3 + (((16*a*c^6*d^3 - 4*b^2*c^5*d^3 - 4*a*b^3*c \\
& ^3*e^3 + 16*a^2*b*c^4*e^3 - 48*a^2*c^5*d*e^2 + 12*a*b^2*c^4*d*e^2) / c^3 - (\\
& 2*x*(4*b^3*c^5 - 16*a*b*c^6)*(-(a*b^7*e^6 + b^3*c^5*d^6 - c^5*d^6*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + a*b^4*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b^5*c*e^6 - 20 \\
& *a^4*b*c^3*e^6 + 48*a^2*c^6*d^5*e + 48*a^4*c^4*d*e^5 + 25*a^3*b^3*c^2*e^6 + \\
& a^3*c^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 160*a^3*c^5*d^3*e^3 - 4*a*b*c^6*d^6 \\
& - 6*a*b^6*c*d*e^5 + 120*a^2*b^2*c^4*d^3*e^3 - 105*a^2*b^3*c^3*d^2*e^4 - 15 \\
& *a^2*c^3*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a*b^2*c^5*d^5*e - 3*a^2*b^2*c \\
& *e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^3*c^4*d^4*e^2 - 20*a*b^4*c^3*d^3*e^ \\
& 3 + 15*a*b^5*c^2*d^2*e^4 - 60*a^2*b*c^5*d^4*e^2 + 48*a^2*b^4*c^2*d*e^5 + 18 \\
& 0*a^3*b*c^4*d^2*e^4 - 108*a^3*b^2*c^3*d*e^5 + 15*a*c^4*d^4*e^2*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} - 20*a*b*c^3*d^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d \\
& *e^5*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/ \\
& 2)} - 6*a*b^3*c*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)) / (8*(16*a^3*c^7 + a*b^4*c^5 - \\
& 8*a^2*b^2*c^6)))^{(1/2)) / c^3)*(-(a*b^7*e^6 + b^3*c^5*d^6 - c^5*d^6*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + a*b^4*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b^5*c*e^6 - 2 \\
& 0*a^4*b*c^3*e^6 + 48*a^2*c^6*d^5*e + 48*a^4*c^4*d*e^5 + 25*a^3*b^3*c^2*e^6 \\
& + a^3*c^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 160*a^3*c^5*d^3*e^3 - 4*a*b*c^6*d^ \\
& 6 - 6*a*b^6*c*d*e^5 + 120*a^2*b^2*c^4*d^3*e^3 - 105*a^2*b^3*c^3*d^2*e^4 - 1 \\
& 5*a^2*c^3*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a*b^2*c^5*d^5*e - 3*a^2*b^2 \\
& *c*e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^3*c^4*d^4*e^2 - 20*a*b^4*c^3*d^3*e \\
& ^3 + 15*a*b^5*c^2*d^2*e^4 - 60*a^2*b*c^5*d^4*e^2 + 48*a^2*b^4*c^2*d*e^5 + 1 \\
& 80*a^3*b*c^4*d^2*e^4 - 108*a^3*b^2*c^3*d*e^5 + 15*a*c^4*d^4*e^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 20*a*b*c^3*d^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*
\end{aligned}$$

$$\begin{aligned}
& 5*d^4*e^2 + 9*a^2*b^2*c^2*e^6 + 30*a^2*c^4*d^2*e^4 + 15*b^2*c^4*d^4*e^2 - 2 \\
& 0*b^3*c^3*d^3*e^3 + 15*b^4*c^2*d^2*e^4 - 6*a*b^4*c*e^6 - 6*b*c^5*d^5*e - 6* \\
& b^5*c*d*e^5 + 60*a*b*c^4*d^3*e^3 + 30*a*b^3*c^2*d*e^5 - 30*a^2*b*c^3*d*e^5 \\
& - 60*a*b^2*c^3*d^2*e^4)/c^3)*(-(a*b^7*e^6 + b^3*c^5*d^6 - c^5*d^6*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + a*b^4*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b^5*c*e^6 - 2 \\
& 0*a^4*b*c^3*e^6 + 48*a^2*c^6*d^5*e + 48*a^4*c^4*d*e^5 + 25*a^3*b^3*c^2*e^6 \\
& + a^3*c^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 160*a^3*c^5*d^3*e^3 - 4*a*b*c^6*d^ \\
& 6 - 6*a*b^6*c*d*e^5 + 120*a^2*b^2*c^4*d^3*e^3 - 105*a^2*b^3*c^3*d^2*e^4 - 1 \\
& 5*a^2*c^3*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a*b^2*c^5*d^5*e - 3*a^2*b^2 \\
& *c*e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^3*c^4*d^4*e^2 - 20*a*b^4*c^3*d^3*e \\
& ^3 + 15*a*b^5*c^2*d^2*e^4 - 60*a^2*b*c^5*d^4*e^2 + 48*a^2*b^4*c^2*d*e^5 + 1 \\
& 80*a^3*b*c^4*d^2*e^4 - 108*a^3*b^2*c^3*d*e^5 + 15*a*c^4*d^4*e^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 20*a*b*c^3*d^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2* \\
& d*e^5*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 6*a*b^3*c*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^3*c^7 + a*b^4*c^5 \\
& - 8*a^2*b^2*c^6)))^{(1/2))*(-(a*b^7*e^6 + b^3*c^5*d^6 - c^5*d^6*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + a*b^4*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b^5*c*e^6 - 20*a \\
& ^4*b*c^3*e^6 + 48*a^2*c^6*d^5*e + 48*a^4*c^4*d*e^5 + 25*a^3*b^3*c^2*e^6 + a \\
& ^3*c^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 160*a^3*c^5*d^3*e^3 - 4*a*b*c^6*d^6 - \\
& 6*a*b^6*c*d*e^5 + 120*a^2*b^2*c^4*d^3*e^3 - 105*a^2*b^3*c^3*d^2*e^4 - 15*a \\
& ^2*c^3*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a*b^2*c^5*d^5*e - 3*a^2*b^2*c* \\
& e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^3*c^4*d^4*e^2 - 20*a*b^4*c^3*d^3*e^3 \\
& + 15*a*b^5*c^2*d^2*e^4 - 60*a^2*b*c^5*d^4*e^2 + 48*a^2*b^4*c^2*d*e^5 + 180* \\
& a^3*b*c^4*d^2*e^4 - 108*a^3*b^2*c^3*d*e^5 + 15*a*c^4*d^4*e^2*(-(4*a*c - b^2 \\
&)^3)^{(1/2)} - 20*a*b*c^3*d^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d*e \\
& ^5*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 6*a*b^3*c*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^3*c^7 + a*b^4*c^5 - 8 \\
& *a^2*b^2*c^6)))^{(1/2)}*2i + \operatorname{atan}(\frac{((16*a*c^6*d^3 - 4*b^2*c^5*d^3 - 4*a*b^3*c^3*e^3 + 16*a^2*b*c^4*e^3 - 48*a^2*c^5*d*e^2 + 12*a*b^2*c^4*d*e^2)/c^3 - (2*x*(4*b^3*c^5 - 16*a*b*c^6)*(-(a*b^7*e^6 + b^3*c^5*d^6 + c^5*d^6*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^4*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b^5*c*e^6 - 20*a^4*b*c^3*e^6 + 48*a^2*c^6*d^5*e + 48*a^4*c^4*d*e^5 + 25*a^3*b^3*c^2*e^6 - a^3*c^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 160*a^3*c^5*d^3*e^3 - 4*a*b*c^6*d^6 - 6*a*b^6*c*d*e^5 + 120*a^2*b^2*c^4*d^3*e^3 - 105*a^2*b^3*c^3*d^2*e^4 + 15*a^2*c^3*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a*b^2*c^5*d^5*e + 3*a^2*b^2*c*e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^3*c^4*d^4*e^2 - 20*a*b^4*c^3*d^3*e^3 + 15*a*b^5*c^2*d^2*e^4 - 60*a^2*b*c^5*d^4*e^2 + 48*a^2*b^4*c^2*d*e^5 + 180*a^3*b*c^4*d^2*e^4 - 108*a^3*b^2*c^3*d*e^5 - 15*a*c^4*d^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a*b*c^3*d^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a^2*b*c^2*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^3*c*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^3*c^7 + a*b^4*c^5 - 8*a^2*b^2*c^6)))^{(1/2))}{c^3)*(-(a*b^7*e^6 + b^3*c^5*d^6 + c^5*d^6*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^4*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b^5*c*e^6 - 20*a^4*b*c^3*e^6 + 48*a^2*c^6*d^5*e + 48*a^4*c^4*d*e^5 + 25*a^3*b^3*c^2*e^6 - a^3*c^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 160*a^3*c^5*d^3*e^3 - 4*a*b*c^6*d^6 - 6*a*b^6*c*d*e^5 + 120*a^2*b^2*c^4*d^3*e^3 - 105*a^2*b^3*c^3*d^2*e^4 + 15*a^2*c^3*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a*b^2*c^5*d^5*e + 3*a^2*b^2*c*e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^3*c^4*d^4*e^2 - 20*a*b^4*c^3*d^3*e^3 + 15*a*b^5*c^2*d^2*e^4 - 60*a^2*b*c^5*d^4*e^2 + 48*a^2*b^4*c^2*d*e^5 + 180*a^3*b*c^4*d^2*e^4 - 108*a^3*b^2*c^3*d*e^5 - 15*a*c^4*d^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a*b*c^3*d^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a^2*b*c^2*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^3*c*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^3*c^7 + a*b^4*c^5 - 8*a^2*b^2*c^6)))^{(1/2))}
\end{aligned}$$

$$\begin{aligned}
&^3 + 15*a*b^5*c^2*d^2*e^4 - 60*a^2*b*c^5*d^4*e^2 + 48*a^2*b^4*c^2*d*e^5 + 1 \\
&80*a^3*b*c^4*d^2*e^4 - 108*a^3*b^2*c^3*d*e^5 - 15*a*c^4*d^4*e^2*(-(4*a*c - \\
&b^2)^3)^{(1/2)} + 20*a*b*c^3*d^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a^2*b*c^2* \\
&d*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^3)^{(1 \\
&/2)} + 6*a*b^3*c*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c^7 + a*b^4*c^5 \\
&- 8*a^2*b^2*c^6)))^{(1/2)} + (2*x*(b^6*e^6 + 2*c^6*d^6 - 2*a^3*c^3*e^6 - 30*a \\
&*c^5*d^4*e^2 + 9*a^2*b^2*c^2*e^6 + 30*a^2*c^4*d^2*e^4 + 15*b^2*c^4*d^4*e^2 \\
&- 20*b^3*c^3*d^3*e^3 + 15*b^4*c^2*d^2*e^4 - 6*a*b^4*c*e^6 - 6*b*c^5*d^5*e - \\
&6*b^5*c*d*e^5 + 60*a*b*c^4*d^3*e^3 + 30*a*b^3*c^2*d*e^5 - 30*a^2*b*c^3*d*e \\
&^5 - 60*a*b^2*c^3*d^2*e^4))/c^3)*(-(a*b^7*e^6 + b^3*c^5*d^6 + c^5*d^6*(-(4* \\
&a*c - b^2)^3)^{(1/2)} - a*b^4*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b^5*c*e^6 \\
&- 20*a^4*b*c^3*e^6 + 48*a^2*c^6*d^5*e + 48*a^4*c^4*d*e^5 + 25*a^3*b^3*c^2*e \\
&^6 - a^3*c^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 160*a^3*c^5*d^3*e^3 - 4*a*b*c^6 \\
&*d^6 - 6*a*b^6*c*d*e^5 + 120*a^2*b^2*c^4*d^3*e^3 - 105*a^2*b^3*c^3*d^2*e^4 \\
&+ 15*a^2*c^3*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a*b^2*c^5*d^5*e + 3*a^2* \\
&b^2*c*e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^3*c^4*d^4*e^2 - 20*a*b^4*c^3*d^ \\
&3*e^3 + 15*a*b^5*c^2*d^2*e^4 - 60*a^2*b*c^5*d^4*e^2 + 48*a^2*b^4*c^2*d*e^5 \\
&+ 180*a^3*b*c^4*d^2*e^4 - 108*a^3*b^2*c^3*d*e^5 - 15*a*c^4*d^4*e^2*(-(4*a*c \\
&- b^2)^3)^{(1/2)} + 20*a*b*c^3*d^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a^2*b*c \\
&^2*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^3) \\
&^{(1/2)} + 6*a*b^3*c*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c^7 + a*b^4*c \\
&^5 - 8*a^2*b^2*c^6)))^{(1/2)}*i)/((2*(3*c^5*d^8*e - a^4*c*e^9 + a^3*b^2*e^9 \\
&- b^5*d^3*e^6 + 3*a*b^4*d^2*e^7 - 3*a^2*b^3*d*e^8 + 8*a*c^4*d^6*e^3 - 12*b* \\
&c^4*d^7*e^2 + 6*b^4*c*d^4*e^5 + 6*a^2*c^3*d^4*e^5 + 19*b^2*c^3*d^6*e^3 - 15 \\
&*b^3*c^2*d^5*e^4 - 24*a*b*c^3*d^5*e^4 - 14*a*b^3*c*d^3*e^6 + 27*a*b^2*c^2*d \\
&^4*e^5 - 12*a^2*b*c^2*d^3*e^6 + 9*a^2*b^2*c*d^2*e^7))/c^3 + (((16*a*c^6*d^3 \\
&- 4*b^2*c^5*d^3 - 4*a*b^3*c^3*e^3 + 16*a^2*b*c^4*e^3 - 48*a^2*c^5*d*e^2 + \\
&12*a*b^2*c^4*d*e^2))/c^3 - (2*x*(4*b^3*c^5 - 16*a*b*c^6)*(-(a*b^7*e^6 + b^3* \\
&c^5*d^6 + c^5*d^6*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^4*e^6*(-(4*a*c - b^2)^3)^{(\\
&1/2)} - 9*a^2*b^5*c*e^6 - 20*a^4*b*c^3*e^6 + 48*a^2*c^6*d^5*e + 48*a^4*c^4*d \\
&*e^5 + 25*a^3*b^3*c^2*e^6 - a^3*c^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 160*a^3* \\
&c^5*d^3*e^3 - 4*a*b*c^6*d^6 - 6*a*b^6*c*d*e^5 + 120*a^2*b^2*c^4*d^3*e^3 - 1 \\
&05*a^2*b^3*c^3*d^2*e^4 + 15*a^2*c^3*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a \\
&*b^2*c^5*d^5*e + 3*a^2*b^2*c*e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^3*c^4*d^ \\
&4*e^2 - 20*a*b^4*c^3*d^3*e^3 + 15*a*b^5*c^2*d^2*e^4 - 60*a^2*b*c^5*d^4*e^2 \\
&+ 48*a^2*b^4*c^2*d*e^5 + 180*a^3*b*c^4*d^2*e^4 - 108*a^3*b^2*c^3*d*e^5 - 15 \\
&*a*c^4*d^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a*b*c^3*d^3*e^3*(-(4*a*c - b^2 \\
&)^3)^{(1/2)} - 12*a^2*b*c^2*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a*b^2*c^2*d^2 \\
&*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^3*c*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)})/(\\
&8*(16*a^3*c^7 + a*b^4*c^5 - 8*a^2*b^2*c^6)))^{(1/2)})/c^3)*(-(a*b^7*e^6 + b^3 \\
&*c^5*d^6 + c^5*d^6*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^4*e^6*(-(4*a*c - b^2)^3)^ \\
&(1/2)} - 9*a^2*b^5*c*e^6 - 20*a^4*b*c^3*e^6 + 48*a^2*c^6*d^5*e + 48*a^4*c^4* \\
&d*e^5 + 25*a^3*b^3*c^2*e^6 - a^3*c^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 160*a^3 \\
&*c^5*d^3*e^3 - 4*a*b*c^6*d^6 - 6*a*b^6*c*d*e^5 + 120*a^2*b^2*c^4*d^3*e^3 - \\
&105*a^2*b^3*c^3*d^2*e^4 + 15*a^2*c^3*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 12*
\end{aligned}$$

$$\begin{aligned}
& *c^4*d^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a*b*c^3*d^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a^2*b*c^2*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^3*c*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c^7 + a*b^4*c^5 - 8*a^2*b^2*c^6))^{(1/2)} + (2*x*(b^6*e^6 + 2*c^6*d^6 - 2*a^3*c^3*e^6 - 30*a*c^5*d^4*e^2 + 9*a^2*b^2*c^2*e^6 + 30*a^2*c^4*d^2*e^4 + 15*b^2*c^4*d^4*e^2 - 20*b^3*c^3*d^3*e^3 + 15*b^4*c^2*d^2*e^4 - 6*a*b^4*c*e^6 - 6*b*c^5*d^5*e - 6*b^5*c*d*e^5 + 60*a*b*c^4*d^3*e^3 + 30*a*b^3*c^2*d*e^5 - 30*a^2*b*c^3*d*e^5 - 60*a*b^2*c^3*d^2*e^4))/c^3)*(-(a*b^7*e^6 + b^3*c^5*d^6 + c^5*d^6*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^4*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b^5*c*e^6 - 20*a^4*b*c^3*e^6 + 48*a^2*c^6*d^5*e + 48*a^4*c^4*d*e^5 + 25*a^3*b^3*c^2*e^6 - a^3*c^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 160*a^3*c^5*d^3*e^3 - 4*a*b*c^6*d^6 - 6*a*b^6*c*d*e^5 + 120*a^2*b^2*c^4*d^3*e^3 - 105*a^2*b^3*c^3*d^2*e^4 + 15*a^2*c^3*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a*b^2*c^5*d^5*e + 3*a^2*b^2*c*e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^3*c^4*d^4*e^2 - 20*a*b^4*c^3*d^3*e^3 + 15*a*b^5*c^2*d^2*e^4 - 60*a^2*b*c^5*d^4*e^2 + 48*a^2*b^4*c^2*d*e^5 + 180*a^3*b*c^4*d^2*e^4 - 108*a^3*b^2*c^3*d*e^5 - 15*a*c^4*d^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a*b*c^3*d^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a^2*b*c^2*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^3*c*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c^7 + a*b^4*c^5 - 8*a^2*b^2*c^6))^{(1/2)})))*(-(a*b^7*e^6 + b^3*c^5*d^6 + c^5*d^6*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^4*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a^2*b^5*c*e^6 - 20*a^4*b*c^3*e^6 + 48*a^2*c^6*d^5*e + 48*a^4*c^4*d*e^5 + 25*a^3*b^3*c^2*e^6 - a^3*c^2*e^6*(-(4*a*c - b^2)^3)^{(1/2)} - 160*a^3*c^5*d^3*e^3 - 4*a*b*c^6*d^6 - 6*a*b^6*c*d*e^5 + 120*a^2*b^2*c^4*d^3*e^3 - 105*a^2*b^3*c^3*d^2*e^4 + 15*a^2*c^3*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a*b^2*c^5*d^5*e + 3*a^2*b^2*c*e^6*(-(4*a*c - b^2)^3)^{(1/2)} + 15*a*b^3*c^4*d^4*e^2 - 20*a*b^4*c^3*d^3*e^3 + 15*a*b^5*c^2*d^2*e^4 - 60*a^2*b*c^5*d^4*e^2 + 48*a^2*b^4*c^2*d*e^5 + 180*a^3*b*c^4*d^2*e^4 - 108*a^3*b^2*c^3*d*e^5 - 15*a*c^4*d^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a*b*c^3*d^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 12*a^2*b*c^2*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)} - 15*a*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^3*c*d*e^5*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c^7 + a*b^4*c^5 - 8*a^2*b^2*c^6))^{(1/2)}*2i - x*((b*e^3)/c^2 - (3*d*e^2)/c) + (e^3*x^3)/(3*c)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**3/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.265 \quad \int \frac{(d+ex^2)^2}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=238

$$\frac{\left(\frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} + e(2cd - be)\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right) + \left(e(2cd - be) - \frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}} + \sqrt{2}c^{3/2}\sqrt{\sqrt{b^2-4ac}+b}}$$

[Out] $e^2x/c + 1/2 \arctan(x^{1/2}c^{1/2}/(b - (-4ac + b^2)^{1/2}))^{1/2} * (e(-be + 2cd) + (2c^2d^2 + b^2e^2 - 2ce(ae + bd)) / (-4ac + b^2)^{1/2}) / c^{3/2} * 2^{1/2} / (b - (-4ac + b^2)^{1/2})^{1/2} + 1/2 \arctan(x^{1/2}c^{1/2}/(b + (-4ac + b^2)^{1/2}))^{1/2} * (e(-be + 2cd) + (-2c^2d^2 - b^2e^2 + 2ce(ae + bd)) / (-4ac + b^2)^{1/2}) / c^{3/2} * 2^{1/2} / (b + (-4ac + b^2)^{1/2})^{1/2}$

Rubi [A] time = 0.64, antiderivative size = 238, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1170, 1166, 205}

$$\frac{\left(\frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} + e(2cd - be)\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right) + \left(e(2cd - be) - \frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}} + \sqrt{2}c^{3/2}\sqrt{\sqrt{b^2-4ac}+b}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^2/(a + b*x^2 + c*x^4), x]

[Out] $(e^2x)/c + ((e(2cd - be) + (2c^2d^2 + b^2e^2 - 2ce(ae + bd)) / \sqrt{b^2 - 4ac}) * \text{ArcTan}[\sqrt{2}\sqrt{cx} / \sqrt{b - \sqrt{b^2 - 4ac}}]) / (\sqrt{2}c^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}) + ((e(2cd - be) - (2c^2d^2 + b^2e^2 - 2ce(ae + bd)) / \sqrt{b^2 - 4ac}) * \text{ArcTan}[\sqrt{2}\sqrt{cx} / \sqrt{b + \sqrt{b^2 - 4ac}}]) / (\sqrt{2}c^{3/2}\sqrt{b + \sqrt{b^2 - 4ac}})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4ac, 2]}, Dist[e/2 + (2cd - be)/(2q), Int[1/(b/2

- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1170

Int[((d_) + (e_)*(x_)^2)^(q_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^2}{a + bx^2 + cx^4} dx &= \int \left(\frac{e^2}{c} + \frac{cd^2 - ae^2 + e(2cd - be)x^2}{c(a + bx^2 + cx^4)} \right) dx \\ &= \frac{e^2 x}{c} + \frac{\int \frac{cd^2 - ae^2 + e(2cd - be)x^2}{a + bx^2 + cx^4} dx}{c} \\ &= \frac{e^2 x}{c} + \frac{\left(e(2cd - be) - \frac{2c^2 d^2 + b^2 e^2 - 2ce(bd + ae)}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2} \sqrt{b^2 - 4ac} + cx^2} dx}{2c} + \frac{\left(e(2cd - be) + \frac{2c^2 d^2 + b^2 e^2}{\sqrt{b^2 - 4ac}} \right)}{\sqrt{b^2 - 4ac}} \\ &= \frac{e^2 x}{c} + \frac{\left(e(2cd - be) + \frac{2c^2 d^2 + b^2 e^2 - 2ce(bd + ae)}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2} c^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left(e(2cd - be) - \frac{2c^2 d^2 + b^2 e^2}{\sqrt{b^2 - 4ac}} \right)}{\sqrt{2} c^{3/2} \sqrt{b + \sqrt{b^2 - 4ac}}} \end{aligned}$$

Mathematica [A] time = 0.32, size = 269, normalized size = 1.13

$$\frac{\sqrt{2} \left(-2ce \left(-d \sqrt{b^2 - 4ac} + ae + bd \right) + be^2 \left(b - \sqrt{b^2 - 4ac} \right) + 2c^2 d^2 \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\sqrt{2} \left(-2ce \left(d \sqrt{b^2 - 4ac} + ae + bd \right) + be^2 \left(\sqrt{b^2 - 4ac} + b \right) + 2c^2 d^2 \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b^2 - 4ac} \sqrt{b + \sqrt{b^2 - 4ac}}}}{2c^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2/(a + b*x^2 + c*x^4), x]

[Out] (2*Sqrt[c]*e^2*x + (Sqrt[2]*(2*c^2*d^2 + b*(b - Sqrt[b^2 - 4*a*c]))*e^2 - 2*c*e*(b*d - Sqrt[b^2 - 4*a*c]*d + a*e))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - (Sqr

$$\begin{aligned} &^3 - (a^3b^4c - 11a^2b^2c^2 + 28a^3c^3)d^2e^4 - 4(a^2b^3c - 4a^3 \\ & * b^2c^2)d^2e^5 + (a^2b^4 - 5a^3b^2c + 4a^4c^2)e^6 + ((a^3b^3c^4 - 4a^2 \\ & ^2b^2c^5)d^2 - 4(a^2b^2c^4 - 4a^3c^5)d^2e + (a^2b^3c^3 - 4a^3b^2c^4) \\ & * e^2) * \sqrt{(c^6d^8 - 12a^3c^5d^6e^2 + 8a^2b^3c^4d^5e^3 - 48a^2b^2c^3 \\ & * d^3e^5 - 2(a^2b^2c^3 - 19a^2c^4)d^4e^4 + 4(7a^2b^2c^2 - 3a^3c^3) \\ & * d^2e^6 - 8(a^2b^3c - a^3b^2c^2)d^2e^7 + (a^2b^4 - 2a^3b^2c + a^4 \\ & * c^2)e^8) / (a^2b^2c^6 - 4a^3c^7)) * \sqrt{-(b^3c^3d^4 - 8a^3c^3d^3e + 6 \\ & * a^2b^2c^2d^2e^2 - 4(a^2b^2c - 2a^2c^2)d^2e^3 + (a^2b^3 - 3a^2b^2c) \\ & * e^4 - (a^2b^2c^3 - 4a^2c^4) * \sqrt{(c^6d^8 - 12a^3c^5d^6e^2 + 8a^2b^3c^4d^5e^3 \\ & * e^3 - 48a^2b^2c^3d^3e^5 - 2(a^2b^2c^3 - 19a^2c^4)d^4e^4 + 4(7a^2b^2 \\ & * b^2c^2 - 3a^3c^3) * d^2e^6 - 8(a^2b^3c - a^3b^2c^2)d^2e^7 + (a^2b^4 - \\ & 2a^3b^2c + a^4c^2)e^8) / (a^2b^2c^6 - 4a^3c^7))} / (a^2b^2c^3 - 4a^2 \\ & * c^4)) / c \end{aligned}$$

giac [B] time = 1.14, size = 4107, normalized size = 17.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $x^2e^2/c + 1/8(2(2b^4c^3 - 16a^2b^2c^4 + 32a^2c^5 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} * b^4c + 8\sqrt{2}\sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2c^2 + 2\sqrt{2}\sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * b^3c^2 - 16\sqrt{2}\sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2c^3 - 8\sqrt{2}\sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2c^3 - \sqrt{2}\sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * b^2c^3 + 4\sqrt{2}\sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2c^4 - 2(b^2 - 4ac) * b^2c^3 + 8(b^2 - 4ac) * a^2c^4) * c^2d + 2(\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}} * b^4c^3 - 8\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}} * a^2b^2c^4 - 2\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}} * b^3c^4 + 2b^4c^4 + 16\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}} * a^2c^5 + 8\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}} * a^2b^2c^5 + \sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}} * b^2c^5 - 16a^2b^2c^5 - 4\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}} * a^2c^6 + 32a^2c^6 - 2(b^2 - 4ac) * b^2c^4 + 8(b^2 - 4ac) * a^2c^5) * d^2 * \text{abs}(c) - (2b^5c^2 - 16a^2b^3c^3 + 32a^2b^2c^4 - \sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}} * b^5 + 8\sqrt{2}\sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2b^3c + 2\sqrt{2}\sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * b^4c - 16\sqrt{2}\sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2b^2c^2 - 8\sqrt{2}\sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2b^2c^2 - \sqrt{2}\sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * b^3c^2 + 4\sqrt{2}\sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2b^2c^3 - 2(b^2 - 4ac) * b^3c^2 + 8(b^2 - 4ac) * a^2b^2c^3) * c^2 * e^2 + 2(2b^3c^6 - 8a^2b^2c^7 - \sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}} * b^3c^4 + 4\sqrt{2}\sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}}$

$$\begin{aligned}
& - 4*a*c)*c)*a*b*c^5 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}* \\
& *c)*b^2*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}* \\
& b*c^6 - 2*(b^2 - 4*a*c)*b*c^6)*d^2 - 2*(\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}* \\
&)*c)*a*b^4*c^2 - 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^2*b^2*c^3 - 2* \\
& \sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^3*c^3 + 2*a*b^4*c^3 + 16*\sqrt{2} \\
&)*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^3*c^4 + 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - \\
& 4*a*c}}*c)*a^2*b*c^4 + \sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c^4 - \\
& 16*a^2*b^2*c^4 - 4*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^2*c^5 + 32*a^3 \\
& *c^5 - 2*(b^2 - 4*a*c)*a*b^2*c^3 + 8*(b^2 - 4*a*c)*a^2*c^4)*abs(c)*e^2 - 2* \\
& (2*b^4*c^5 - 8*a*b^2*c^6 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - \\
& 4*a*c}}*c)*b^4*c^3 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}} \\
&)*c)*a*b^2*c^4 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c \\
&)*b^3*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b^2*c \\
& ^5 - 2*(b^2 - 4*a*c)*b^2*c^5)*d*e + (2*b^5*c^4 - 12*a*b^3*c^5 + 16*a^2*b*c^ \\
& 6 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b^5*c^2 + 6*s \\
& \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^3*c^3 + 2*\sqrt{2} \\
&)*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b^4*c^3 - 8*\sqrt{2})*s \\
& \sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^2*b*c^4 - 4*\sqrt{2})*\sqrt{ \\
& b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c^4 - \sqrt{2})*\sqrt{b^2 \\
& - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b^3*c^4 + 2*\sqrt{2})*\sqrt{b^2 - 4*a \\
& *c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b*c^5 - 2*(b^2 - 4*a*c)*b^3*c^4 + 4*(\\
& b^2 - 4*a*c)*a*b*c^5)*e^2)*arctan(2*\sqrt{1/2}*x/\sqrt{(b*c + \sqrt{b^2*c^2 - \\
& 4*a*c^3}))/c^2))/((a*b^4*c^3 - 8*a^2*b^2*c^4 - 2*a*b^3*c^4 + 16*a^3*c^5 + 8* \\
& a^2*b*c^5 + a*b^2*c^5 - 4*a^2*c^6)*c^2) - 1/8*(2*(2*b^4*c^3 - 16*a*b^2*c^4 \\
& + 32*a^2*c^5 - \sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^ \\
& 4*c + 8*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c^2 \\
& + 2*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^3*c^2 - 16 \\
& *\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*c^3 - 8*\sqrt{2} \\
&)*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b*c^3 - \sqrt{2})*\sqrt{ \\
& b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^2*c^3 + 4*\sqrt{2})*\sqrt{b^2 \\
& - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*c^4 - 2*(b^2 - 4*a*c)*b^2*c^3 + \\
& 8*(b^2 - 4*a*c)*a*c^4)*c^2*d*e - 2*(\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c \\
&)*b^4*c^3 - 8*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c^4 - 2*\sqrt{2} \\
&)*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^3*c^4 - 2*b^4*c^4 + 16*\sqrt{2})*\sqrt{b*c \\
& + \sqrt{b^2 - 4*a*c}}*c)*a^2*c^5 + 8*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)* \\
& a*b*c^5 + \sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^2*c^5 + 16*a*b^2*c^5 - \\
& 4*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*c^6 - 32*a^2*c^6 + 2*(b^2 - 4*a \\
& *c)*b^2*c^4 - 8*(b^2 - 4*a*c)*a*c^5)*d^2*abs(c) - (2*b^5*c^2 - 16*a*b^3*c^3 \\
& + 32*a^2*b*c^4 - \sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c) \\
& *b^5 + 8*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^3*c \\
& + 2*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^4*c - 16*\sqrt{2} \\
&)*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b*c^2 - 8*\sqrt{2})*\sqrt{ \\
& b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^3*c^2 + 4*\sqrt{2})*\sqrt{b^2 \\
& - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b*c^3 - 2*(b^2 - 4*a*c)*b^3*c^
\end{aligned}$$

$2 + 8*(b^2 - 4*a*c)*a*b*c^3)*c^2*e^2 + 2*(2*b^3*c^6 - 8*a*b*c^7 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*b^3*c^4 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a*b*c^5 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*b^2*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*b*c^6 - 2*(b^2 - 4*a*c)*b*c^6)*d^2 + 2*(\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a*b^4*c^2 - 8*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a^2*b^2*c^3 - 2*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a*b^3*c^3 - 2*a*b^4*c^3 + 16*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a^3*c^4 + 8*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a^2*b*c^4 + \sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a*b^2*c^4 + 16*a^2*b^2*c^4 - 4*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a^2*c^5 - 32*a^3*c^5 + 2*(b^2 - 4*a*c)*a*b^2*c^3 - 8*(b^2 - 4*a*c)*a^2*c^4)*abs(c)*e^2 - 2*(2*b^4*c^5 - 8*a*b^2*c^6 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*b^4*c^3 + 4*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a*b^2*c^4 + 2*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*b^3*c^4 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*b^2*c^5 - 2*(b^2 - 4*a*c)*b^2*c^5)*d*e + (2*b^5*c^4 - 12*a*b^3*c^5 + 16*a^2*b*c^6 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*b^5*c^2 + 6*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a*b^3*c^3 + 2*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*b^4*c^3 - 8*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a^2*b*c^4 - 4*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a*b^2*c^4 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*b^3*c^4 + 2*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a*b*c^5 - 2*(b^2 - 4*a*c)*b^3*c^4 + 4*(b^2 - 4*a*c)*a*b*c^5)*e^2)*\arctan(2*\sqrt{1/2})*x/\sqrt{((b*c - \sqrt{b^2*c^2 - 4*a*c^3}))/c^2)} / ((a*b^4*c^3 - 8*a^2*b^2*c^4 - 2*a*b^3*c^4 + 16*a^3*c^5 + 8*a^2*b*c^5 + a*b^2*c^5 - 4*a^2*c^6)*c^2)$

maple [B] time = 0.03, size = 695, normalized size = 2.92

$$\frac{\sqrt{2} a e^2 \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{(-b + \sqrt{-4ac + b^2})c}}\right) + \sqrt{2} a e^2 \operatorname{arctan}\left(\frac{\sqrt{2} c x}{\sqrt{(b + \sqrt{-4ac + b^2})c}}\right) - \sqrt{2} b^2 e^2 \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{(-b + \sqrt{-4ac + b^2})c}}\right)}{\sqrt{-4ac + b^2} \sqrt{(-b + \sqrt{-4ac + b^2})c} + \sqrt{-4ac + b^2} \sqrt{(b + \sqrt{-4ac + b^2})c} - 2\sqrt{-4ac + b^2} \sqrt{(-b + \sqrt{-4ac + b^2})c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2/(c*x^4+b*x^2+a),x)

[Out] $1/c*e^2*x+1/2/c*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*e^2-2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*d*e+1/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*e^2-1/2/c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)$

$$\begin{aligned} & *c)^{(1/2)} *c*x) *b^2 *e^{2+1/(-4*a*c+b^2)^{(1/2)} *2^{(1/2)} / ((-b+(-4*a*c+b^2)^{(1/2)})) *c)^{(1/2)} *c*x) *b*d*e-c/ \\ & (-4*a*c+b^2)^{(1/2)} *2^{(1/2)} / ((-b+(-4*a*c+b^2)^{(1/2)})) *c)^{(1/2)} *c*x) *d^2-1/2/c *2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)})) *c)^{(1/2)} *c*x) *d*e+1/(-4*a*c+b^2)^{(1/2)} *2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)})) *c)^{(1/2)} *c*x) *d*e+1/(-4*a*c+b^2)^{(1/2)} *2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)})) *c)^{(1/2)} *c*x) *a*e^{2-1/2/c} \\ & /(-4*a*c+b^2)^{(1/2)} *2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)})) *c)^{(1/2)} *c*x) *b^2 *e^{2+1/(-4*a*c+b^2)^{(1/2)} *2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)})) *c)^{(1/2)} *c*x) *b*d*e-c/(-4*a*c+b^2)^{(1/2)} *2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)})) *c)^{(1/2)} *c*x) *d^2 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{e^2 x}{c} - \int \frac{cd^2 - ae^2 + (2cde - be^2)x^2}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] e^2*x/c - integrate(-(c*d^2 - a*e^2 + (2*c*d*e - b*e^2)*x^2)/(c*x^4 + b*x^2 + a), x)/c

mupad [B] time = 6.48, size = 9600, normalized size = 40.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^2/(a + b*x^2 + c*x^4),x)

$$\begin{aligned} & [Out] \operatorname{atan}\left(\frac{\left(\left(\left(16*a*c^4*d^2 - 16*a^2*c^3*e^2 - 4*b^2*c^3*d^2 + 4*a*b^2*c^2*e^2\right)/c - \left(2*x*(4*b^3*c^3 - 16*a*b*c^4)\right)*\left(-\left(a*b^5*e^4 + b^3*c^3*d^4 + c^3*d^4*\left(-\left(4*a*c - b^2\right)^3\right)^{1/2} - a*b^2*e^4*\left(-\left(4*a*c - b^2\right)^3\right)^{1/2} - 7*a^2*b^3*c*e^4 + 12*a^3*b*c^2*e^4 + a^2*c*e^4*\left(-\left(4*a*c - b^2\right)^3\right)^{1/2} + 32*a^2*c^4*d^3*e - 32*a^3*c^3*d*e^3 - 4*a*b*c^4*d^4 - 4*a*b^4*c*d*e^3 - 8*a*b^2*c^3*d^3*e + 6*a*b^3*c^2*d^2*e^2 - 24*a^2*b*c^3*d^2*e^2 + 24*a^2*b^2*c^2*d*e^3 - 6*a*c^2*d^2*e^2*\left(-\left(4*a*c - b^2\right)^3\right)^{1/2} + 4*a*b*c*d*e^3*\left(-\left(4*a*c - b^2\right)^3\right)^{1/2}\right)}{\left(8*\left(16*a^3*c^5 + a*b^4*c^3 - 8*a^2*b^2*c^4\right)\right)^{1/2}}\right)/c*\left(-\left(a*b^5*e^4 + b^3*c^3*d^4 + c^3*d^4*\left(-\left(4*a*c - b^2\right)^3\right)^{1/2} - a*b^2*e^4*\left(-\left(4*a*c - b^2\right)^3\right)^{1/2} - 7*a^2*b^3*c*e^4 + 12*a^3*b*c^2*e^4 + a^2*c*e^4*\left(-\left(4*a*c - b^2\right)^3\right)^{1/2} + 32*a^2*c^4*d^3*e - 32*a^3*c^3*d*e^3 - 4*a*b*c^4*d^4 - 4*a*b^4*c*d*e^3 - 8*a*b^2*c^3*d^3*e + 6*a*b^3*c^2*d^2*e^2 - 24*a^2*b*c^3*d^2*e^2 + 24*a^2*b^2*c^2*d^2*e^2 + 24*a^2\right)}\right) \end{aligned}$$

$$\begin{aligned}
& *b^2*c^2*d*e^3 - 6*a*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b*c*d*e^3*(\\
& -(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^3*c^5 + a*b^4*c^3 - 8*a^2*b^2*c^4))^{(1/2)} \\
&) - (2*x*(b^4*e^4 + 2*c^4*d^4 + 2*a^2*c^2*e^4 - 12*a*c^3*d^2*e^2 + 6*b^2*c^ \\
& 2*d^2*e^2 - 4*a*b^2*c*e^4 - 4*b*c^3*d^3*e - 4*b^3*c*d*e^3 + 12*a*b*c^2*d*e^ \\
& 3))/c*(-(a*b^5*e^4 + b^3*c^3*d^4 + c^3*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^ \\
& 2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e^4 + 12*a^3*b*c^2*e^4 + a^2*c \\
& *e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 32*a^2*c^4*d^3*e - 32*a^3*c^3*d*e^3 - 4*a*b \\
& *c^4*d^4 - 4*a*b^4*c*d*e^3 - 8*a*b^2*c^3*d^3*e + 6*a*b^3*c^2*d^2*e^2 - 24*a \\
& ^2*b*c^3*d^2*e^2 + 24*a^2*b^2*c^2*d*e^3 - 6*a*c^2*d^2*e^2*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} + 4*a*b*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c^5 + a*b^4*c^ \\
& 3 - 8*a^2*b^2*c^4))^{(1/2)}*1i - (((16*a*c^4*d^2 - 16*a^2*c^3*e^2 - 4*b^2*c^ \\
& 3*d^2 + 4*a*b^2*c^2*e^2)/c + (2*x*(4*b^3*c^3 - 16*a*b*c^4)*(-(a*b^5*e^4 + b \\
& ^3*c^3*d^4 + c^3*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^2*e^4*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} - 7*a^2*b^3*c*e^4 + 12*a^3*b*c^2*e^4 + a^2*c*e^4*(-(4*a*c - b^2)^3) \\
& ^{(1/2)} + 32*a^2*c^4*d^3*e - 32*a^3*c^3*d*e^3 - 4*a*b*c^4*d^4 - 4*a*b^4*c*d* \\
& e^3 - 8*a*b^2*c^3*d^3*e + 6*a*b^3*c^2*d^2*e^2 - 24*a^2*b*c^3*d^2*e^2 + 24*a \\
& ^2*b^2*c^2*d*e^3 - 6*a*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b*c*d*e^3 \\
& *(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c^5 + a*b^4*c^3 - 8*a^2*b^2*c^4))^{(1 \\
& /2))/c*(-(a*b^5*e^4 + b^3*c^3*d^4 + c^3*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - a*b \\
& ^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e^4 + 12*a^3*b*c^2*e^4 + a^2* \\
& c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 32*a^2*c^4*d^3*e - 32*a^3*c^3*d*e^3 - 4*a* \\
& b*c^4*d^4 - 4*a*b^4*c*d*e^3 - 8*a*b^2*c^3*d^3*e + 6*a*b^3*c^2*d^2*e^2 - 24* \\
& a^2*b*c^3*d^2*e^2 + 24*a^2*b^2*c^2*d*e^3 - 6*a*c^2*d^2*e^2*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} + 4*a*b*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c^5 + a*b^4*c \\
& ^3 - 8*a^2*b^2*c^4))^{(1/2)} + (2*x*(b^4*e^4 + 2*c^4*d^4 + 2*a^2*c^2*e^4 - 1 \\
& 2*a*c^3*d^2*e^2 + 6*b^2*c^2*d^2*e^2 - 4*a*b^2*c*e^4 - 4*b*c^3*d^3*e - 4*b^3 \\
& *c*d*e^3 + 12*a*b*c^2*d*e^3))/c*(-(a*b^5*e^4 + b^3*c^3*d^4 + c^3*d^4*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - a*b^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e^4 \\
& + 12*a^3*b*c^2*e^4 + a^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 32*a^2*c^4*d^3*e \\
& - 32*a^3*c^3*d*e^3 - 4*a*b*c^4*d^4 - 4*a*b^4*c*d*e^3 - 8*a*b^2*c^3*d^3*e + \\
& 6*a*b^3*c^2*d^2*e^2 - 24*a^2*b*c^3*d^2*e^2 + 24*a^2*b^2*c^2*d*e^3 - 6*a*c^2 \\
& *d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)}) \\
& /((8*(16*a^3*c^5 + a*b^4*c^3 - 8*a^2*b^2*c^4))^{(1/2)}*1i)/((2*(2*c^3*d^5*e \\
& - a^2*b*e^6 - b^3*d^2*e^4 + 4*a*c^2*d^3*e^3 - 5*b*c^2*d^4*e^2 + 4*b^2*c*d^3* \\
& e^3 + 2*a*b^2*d*e^5 + 2*a^2*c*d*e^5 - 6*a*b*c*d^2*e^4))/c + (((16*a*c^4*d^2 \\
& - 16*a^2*c^3*e^2 - 4*b^2*c^3*d^2 + 4*a*b^2*c^2*e^2)/c - (2*x*(4*b^3*c^3 - \\
& 16*a*b*c^4)*(-(a*b^5*e^4 + b^3*c^3*d^4 + c^3*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& a*b^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e^4 + 12*a^3*b*c^2*e^4 + \\
& a^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 32*a^2*c^4*d^3*e - 32*a^3*c^3*d*e^3 - \\
& 4*a*b*c^4*d^4 - 4*a*b^4*c*d*e^3 - 8*a*b^2*c^3*d^3*e + 6*a*b^3*c^2*d^2*e^2 - \\
& 24*a^2*b*c^3*d^2*e^2 + 24*a^2*b^2*c^2*d*e^3 - 6*a*c^2*d^2*e^2*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} + 4*a*b*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c^5 + a*b \\
& ^4*c^3 - 8*a^2*b^2*c^4))^{(1/2)}/c*(-(a*b^5*e^4 + b^3*c^3*d^4 + c^3*d^4*(- \\
& (4*a*c - b^2)^3)^{(1/2)} - a*b^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e \\
& ^4 + 12*a^3*b*c^2*e^4 + a^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 32*a^2*c^4*d^3
\end{aligned}$$

$$\begin{aligned}
& *e - 32*a^3*c^3*d*e^3 - 4*a*b*c^4*d^4 - 4*a*b^4*c*d*e^3 - 8*a*b^2*c^3*d^3*e \\
& + 6*a*b^3*c^2*d^2*e^2 - 24*a^2*b*c^3*d^2*e^2 + 24*a^2*b^2*c^2*d*e^3 - 6*a* \\
& c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)} \\
&)/(8*(16*a^3*c^5 + a*b^4*c^3 - 8*a^2*b^2*c^4))^{(1/2)} - (2*x*(b^4*e^4 + 2 \\
& *c^4*d^4 + 2*a^2*c^2*e^4 - 12*a*c^3*d^2*e^2 + 6*b^2*c^2*d^2*e^2 - 4*a*b^2*c \\
& *e^4 - 4*b*c^3*d^3*e - 4*b^3*c*d*e^3 + 12*a*b*c^2*d*e^3))/c*(-(a*b^5*e^4 + \\
& b^3*c^3*d^4 + c^3*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^2*e^4*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} - 7*a^2*b^3*c*e^4 + 12*a^3*b*c^2*e^4 + a^2*c*e^4*(-(4*a*c - b^2)^ \\
& ^3)^{(1/2)} + 32*a^2*c^4*d^3*e - 32*a^3*c^3*d*e^3 - 4*a*b*c^4*d^4 - 4*a*b^4*c* \\
& d*e^3 - 8*a*b^2*c^3*d^3*e + 6*a*b^3*c^2*d^2*e^2 - 24*a^2*b*c^3*d^2*e^2 + 24 \\
& *a^2*b^2*c^2*d*e^3 - 6*a*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b*c*d*e \\
& ^3*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^3*c^5 + a*b^4*c^3 - 8*a^2*b^2*c^4))^{(1/2)} + (((16*a*c^4*d^2 - 16*a^2*c^3*e^2 - 4*b^2*c^3*d^2 + 4*a*b^2*c^2*e^2) \\
& /c + (2*x*(4*b^3*c^3 - 16*a*b*c^4)*(-(a*b^5*e^4 + b^3*c^3*d^4 + c^3*d^4*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} - a*b^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e^ \\
& 4 + 12*a^3*b*c^2*e^4 + a^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 32*a^2*c^4*d^3*e \\
& - 32*a^3*c^3*d*e^3 - 4*a*b*c^4*d^4 - 4*a*b^4*c*d*e^3 - 8*a*b^2*c^3*d^3*e \\
& + 6*a*b^3*c^2*d^2*e^2 - 24*a^2*b*c^3*d^2*e^2 + 24*a^2*b^2*c^2*d*e^3 - 6*a*c \\
& ^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)} \\
&))/(8*(16*a^3*c^5 + a*b^4*c^3 - 8*a^2*b^2*c^4))^{(1/2)}/c*(-(a*b^5*e^4 + b \\
& ^3*c^3*d^4 + c^3*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^2*e^4*(-(4*a*c - b^2)^3) \\
&)^{(1/2)} - 7*a^2*b^3*c*e^4 + 12*a^3*b*c^2*e^4 + a^2*c*e^4*(-(4*a*c - b^2)^3) \\
& ^{(1/2)} + 32*a^2*c^4*d^3*e - 32*a^3*c^3*d*e^3 - 4*a*b*c^4*d^4 - 4*a*b^4*c*d* \\
& e^3 - 8*a*b^2*c^3*d^3*e + 6*a*b^3*c^2*d^2*e^2 - 24*a^2*b*c^3*d^2*e^2 + 24*a \\
& ^2*b^2*c^2*d*e^3 - 6*a*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b*c*d*e^3 \\
& *(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^3*c^5 + a*b^4*c^3 - 8*a^2*b^2*c^4))^{(1 \\
& /2)} + (2*x*(b^4*e^4 + 2*c^4*d^4 + 2*a^2*c^2*e^4 - 12*a*c^3*d^2*e^2 + 6*b^2*c \\
& ^2*d^2*e^2 - 4*a*b^2*c*e^4 - 4*b*c^3*d^3*e - 4*b^3*c*d*e^3 + 12*a*b*c^2*d* \\
& e^3))/c*(-(a*b^5*e^4 + b^3*c^3*d^4 + c^3*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - a* \\
& b^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e^4 + 12*a^3*b*c^2*e^4 + a^2 \\
& *c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 32*a^2*c^4*d^3*e - 32*a^3*c^3*d*e^3 - 4*a \\
& *b*c^4*d^4 - 4*a*b^4*c*d*e^3 - 8*a*b^2*c^3*d^3*e + 6*a*b^3*c^2*d^2*e^2 - 24 \\
& *a^2*b*c^3*d^2*e^2 + 24*a^2*b^2*c^2*d*e^3 - 6*a*c^2*d^2*e^2*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} + 4*a*b*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^3*c^5 + a*b^4* \\
& c^3 - 8*a^2*b^2*c^4))^{(1/2)))*(-(a*b^5*e^4 + b^3*c^3*d^4 + c^3*d^4*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - a*b^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e^4 + \\
& 12*a^3*b*c^2*e^4 + a^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 32*a^2*c^4*d^3*e - \\
& 32*a^3*c^3*d*e^3 - 4*a*b*c^4*d^4 - 4*a*b^4*c*d*e^3 - 8*a*b^2*c^3*d^3*e + 6* \\
& a*b^3*c^2*d^2*e^2 - 24*a^2*b*c^3*d^2*e^2 + 24*a^2*b^2*c^2*d*e^3 - 6*a*c^2*d \\
& ^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)))/(\\
& 8*(16*a^3*c^5 + a*b^4*c^3 - 8*a^2*b^2*c^4))^{(1/2)}*2i + atan((((16*a*c^4*d \\
& ^2 - 16*a^2*c^3*e^2 - 4*b^2*c^3*d^2 + 4*a*b^2*c^2*e^2)/c - (2*x*(4*b^3*c^3 \\
& - 16*a*b*c^4)*((c^3*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^3*d^4 - a*b^5*e^4 \\
& - a*b^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a^2*b^3*c*e^4 - 12*a^3*b*c^2*e^4 + \\
& a^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 32*a^2*c^4*d^3*e + 32*a^3*c^3*d*e^3 +
\end{aligned}$$

$$\begin{aligned}
& 4*a*b*c^4*d^4 + 4*a*b^4*c*d*e^3 + 8*a*b^2*c^3*d^3*e - 6*a*b^3*c^2*d^2*e^2 \\
& + 24*a^2*b*c^3*d^2*e^2 - 24*a^2*b^2*c^2*d*e^3 - 6*a*c^2*d^2*e^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 4*a*b*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^3*c^5 + a* \\
& b^4*c^3 - 8*a^2*b^2*c^4))^{(1/2)}/c*((c^3*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - b \\
& ^3*c^3*d^4 - a*b^5*e^4 - a*b^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a^2*b^3*c*e \\
& ^4 - 12*a^3*b*c^2*e^4 + a^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 32*a^2*c^4*d^3 \\
& *e + 32*a^3*c^3*d*e^3 + 4*a*b*c^4*d^4 + 4*a*b^4*c*d*e^3 + 8*a*b^2*c^3*d^3*e \\
& - 6*a*b^3*c^2*d^2*e^2 + 24*a^2*b*c^3*d^2*e^2 - 24*a^2*b^2*c^2*d*e^3 - 6*a* \\
& c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/ \\
& 2)}/(8*(16*a^3*c^5 + a*b^4*c^3 - 8*a^2*b^2*c^4))^{(1/2)} - (2*x*(b^4*e^4 + 2 \\
& *c^4*d^4 + 2*a^2*c^2*e^4 - 12*a*c^3*d^2*e^2 + 6*b^2*c^2*d^2*e^2 - 4*a*b^2*c \\
& *e^4 - 4*b*c^3*d^3*e - 4*b^3*c*d*e^3 + 12*a*b*c^2*d*e^3))/c*((c^3*d^4*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} - b^3*c^3*d^4 - a*b^5*e^4 - a*b^2*e^4*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} + 7*a^2*b^3*c*e^4 - 12*a^3*b*c^2*e^4 + a^2*c*e^4*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} - 32*a^2*c^4*d^3*e + 32*a^3*c^3*d*e^3 + 4*a*b*c^4*d^4 + 4*a*b^4*c*d \\
& *e^3 + 8*a*b^2*c^3*d^3*e - 6*a*b^3*c^2*d^2*e^2 + 24*a^2*b*c^3*d^2*e^2 - 24* \\
& a^2*b^2*c^2*d*e^3 - 6*a*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b*c*d*e^ \\
& 3*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^3*c^5 + a*b^4*c^3 - 8*a^2*b^2*c^4))^{(\\
& 1/2)}*i - (((16*a*c^4*d^2 - 16*a^2*c^3*e^2 - 4*b^2*c^3*d^2 + 4*a*b^2*c^2*e^ \\
& 2)/c + (2*x*(4*b^3*c^3 - 16*a*b*c^4))*((c^3*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - b \\
& ^3*c^3*d^4 - a*b^5*e^4 - a*b^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a^2*b^3*c*e \\
& ^4 - 12*a^3*b*c^2*e^4 + a^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 32*a^2*c^4*d^3 \\
& *e + 32*a^3*c^3*d*e^3 + 4*a*b*c^4*d^4 + 4*a*b^4*c*d*e^3 + 8*a*b^2*c^3*d^3*e \\
& - 6*a*b^3*c^2*d^2*e^2 + 24*a^2*b*c^3*d^2*e^2 - 24*a^2*b^2*c^2*d*e^3 - 6*a* \\
& c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/ \\
& 2)}/(8*(16*a^3*c^5 + a*b^4*c^3 - 8*a^2*b^2*c^4))^{(1/2)}/c*((c^3*d^4*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - b^3*c^3*d^4 - a*b^5*e^4 - a*b^2*e^4*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} + 7*a^2*b^3*c*e^4 - 12*a^3*b*c^2*e^4 + a^2*c*e^4*(-(4*a*c - b^2)^3) \\
& ^{(1/2)} - 32*a^2*c^4*d^3*e + 32*a^3*c^3*d*e^3 + 4*a*b*c^4*d^4 + 4*a*b^4*c*d* \\
& e^3 + 8*a*b^2*c^3*d^3*e - 6*a*b^3*c^2*d^2*e^2 + 24*a^2*b*c^3*d^2*e^2 - 24*a \\
& ^2*b^2*c^2*d*e^3 - 6*a*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b*c*d*e^3 \\
& *(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^3*c^5 + a*b^4*c^3 - 8*a^2*b^2*c^4))^{(1 \\
& /2)} + (2*x*(b^4*e^4 + 2*c^4*d^4 + 2*a^2*c^2*e^4 - 12*a*c^3*d^2*e^2 + 6*b^2* \\
& c^2*d^2*e^2 - 4*a*b^2*c*e^4 - 4*b*c^3*d^3*e - 4*b^3*c*d*e^3 + 12*a*b*c^2*d* \\
& e^3))/c*((c^3*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^3*d^4 - a*b^5*e^4 - a*b \\
& ^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 7*a^2*b^3*c*e^4 - 12*a^3*b*c^2*e^4 + a^2* \\
& c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 32*a^2*c^4*d^3*e + 32*a^3*c^3*d*e^3 + 4*a* \\
& b*c^4*d^4 + 4*a*b^4*c*d*e^3 + 8*a*b^2*c^3*d^3*e - 6*a*b^3*c^2*d^2*e^2 + 24* \\
& a^2*b*c^3*d^2*e^2 - 24*a^2*b^2*c^2*d*e^3 - 6*a*c^2*d^2*e^2*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} + 4*a*b*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^3*c^5 + a*b^4*c \\
& ^3 - 8*a^2*b^2*c^4))^{(1/2)}*i)/((2*(2*c^3*d^5*e - a^2*b*e^6 - b^3*d^2*e^4 \\
& + 4*a*c^2*d^3*e^3 - 5*b*c^2*d^4*e^2 + 4*b^2*c*d^3*e^3 + 2*a*b^2*d*e^5 + 2*a \\
& ^2*c*d*e^5 - 6*a*b*c*d^2*e^4))/c + (((16*a*c^4*d^2 - 16*a^2*c^3*e^2 - 4*b^2 \\
& *c^3*d^2 + 4*a*b^2*c^2*e^2)/c - (2*x*(4*b^3*c^3 - 16*a*b*c^4))*((c^3*d^4*(-(\\
& 4*a*c - b^2)^3)^{(1/2)} - b^3*c^3*d^4 - a*b^5*e^4 - a*b^2*e^4*(-(4*a*c - b^2)
\end{aligned}$$

$$+ 4*a*b^4*c*d*e^3 + 8*a*b^2*c^3*d^3*e - 6*a*b^3*c^2*d^2*e^2 + 24*a^2*b*c^3*d^2*e^2 - 24*a^2*b^2*c^2*d*e^3 - 6*a*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 4*a*b*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^3*c^5 + a*b^4*c^3 - 8*a^2*b^2*c^4))^{(1/2)*2i} + (e^{2*x})/c$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.266 \quad \int \frac{d+ex^2}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=174

$$\frac{\left(\frac{2cd-be}{\sqrt{b^2-4ac}} + e\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\left(e - \frac{2cd-be}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{2}\sqrt{c}\sqrt{\sqrt{b^2-4ac}+b}}$$

[Out] $1/2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2}))^{(1/2)})*(e+(-b*e+2*c*d)/(-4*a*c+b^2)^{(1/2)})*2^{(1/2)}/c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2}))^{(1/2)}+1/2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2}))^{(1/2)})*(e+(b*e-2*c*d)/(-4*a*c+b^2)^{(1/2)})*2^{(1/2)}/c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2}))^{(1/2)}$

Rubi [A] time = 0.20, antiderivative size = 174, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1166, 205}

$$\frac{\left(\frac{2cd-be}{\sqrt{b^2-4ac}} + e\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\left(e - \frac{2cd-be}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{2}\sqrt{c}\sqrt{\sqrt{b^2-4ac}+b}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(a + b*x^2 + c*x^4), x]

[Out] $((e + (2*c*d - b*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]])/(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + ((e - (2*c*d - b*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]])/(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rubi steps

$$\int \frac{d + ex^2}{a + bx^2 + cx^4} dx = \frac{1}{2} \left(e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx + \frac{1}{2} \left(e + \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac}} dx$$

$$= \frac{\left(e + \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2} \sqrt{c} \sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left(e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2} \sqrt{c} \sqrt{b + \sqrt{b^2 - 4ac}}}$$

Mathematica [A] time = 0.14, size = 172, normalized size = 0.99

$$\frac{\left(e(\sqrt{b^2 - 4ac} - b) + 2cd \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left(e(\sqrt{b^2 - 4ac} + b) - 2cd \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b + \sqrt{b^2 - 4ac}}}$$

$$\frac{\hspace{10em}}{\sqrt{2} \sqrt{c} \sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/(a + b*x^2 + c*x^4),x]

[Out] (((2*c*d + (-b + Sqrt[b^2 - 4*a*c]))*e)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]])/Sqrt[b - Sqrt[b^2 - 4*a*c]] + ((-2*c*d + (b + Sqrt[b^2 - 4*a*c]))*e)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]])/Sqrt[b + Sqrt[b^2 - 4*a*c]]/(Sqrt[2]*Sqrt[c]*Sqrt[b^2 - 4*a*c])

fricas [B] time = 0.91, size = 1525, normalized size = 8.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] 1/2*sqrt(1/2)*sqrt(-(b*c*d^2 - 4*a*c*d*e + a*b*e^2 + (a*b^2*c - 4*a^2*c^2)*sqrt((c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^2*b^2*c^2 - 4*a^3*c^3)))/(a*b^2*c - 4*a^2*c^2))*log(-2*(c^2*d^4 - b*c*d^3*e + a*b*d*e^3 - a^2*e^4)*x + sqrt(1/2)*((b^2*c - 4*a*c^2)*d^3 - (a*b^2 - 4*a^2*c)*d*e^2 - ((a*b^3*c - 4*a^2*b*c^2)*d - 2*(a^2*b^2*c - 4*a^3*c^2)*e)*sqrt((c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^2*b^2*c^2 - 4*a^3*c^3)))*sqrt(-(b*c*d^2 - 4*a*c*d*e + a*b*e^2 + (a*b^2*c - 4*a^2*c^2)*sqrt((c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^2*b^2*c^2 - 4*a^3*c^3)))/(a*b^2*c - 4*a^2*c^2)) - 1/2*sqrt(1/2)*sqrt(-(b*c*d^2 - 4*a

$$\begin{aligned}
& *c*d*e + a*b*e^2 + (a*b^2*c - 4*a^2*c^2)*\sqrt{(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^2*b^2*c^2 - 4*a^3*c^3)))/(a*b^2*c - 4*a^2*c^2))*\log(-2*(c^2*d^4 - \\
& b*c*d^3*e + a*b*d*e^3 - a^2*e^4)*x - \sqrt{1/2}*((b^2*c - 4*a*c^2)*d^3 - (a \\
& *b^2 - 4*a^2*c)*d*e^2 - ((a*b^3*c - 4*a^2*b*c^2)*d - 2*(a^2*b^2*c - 4*a^3*c \\
& ^2)*e)*\sqrt{(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^2*b^2*c^2 - 4*a^3*c^3)) \\
& *\sqrt{-(b*c*d^2 - 4*a*c*d*e + a*b*e^2 + (a*b^2*c - 4*a^2*c^2)*\sqrt{(c^2*d^4 \\
& - 2*a*c*d^2*e^2 + a^2*e^4)/(a^2*b^2*c^2 - 4*a^3*c^3)))/(a*b^2*c - 4*a^2*c^2 \\
& 2)) + 1/2*\sqrt{1/2}*\sqrt{-(b*c*d^2 - 4*a*c*d*e + a*b*e^2 - (a*b^2*c - 4*a^2 \\
& *c^2)*\sqrt{(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^2*b^2*c^2 - 4*a^3*c^3))} \\
& / (a*b^2*c - 4*a^2*c^2))*\log(-2*(c^2*d^4 - b*c*d^3*e + a*b*d*e^3 - a^2*e^4)* \\
& x + \sqrt{1/2}*((b^2*c - 4*a*c^2)*d^3 - (a*b^2 - 4*a^2*c)*d*e^2 + ((a*b^3*c \\
& - 4*a^2*b*c^2)*d - 2*(a^2*b^2*c - 4*a^3*c^2)*e)*\sqrt{(c^2*d^4 - 2*a*c*d^2*e \\
& ^2 + a^2*e^4)/(a^2*b^2*c^2 - 4*a^3*c^3)))*\sqrt{-(b*c*d^2 - 4*a*c*d*e + a*b* \\
& e^2 - (a*b^2*c - 4*a^2*c^2)*\sqrt{(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^2*b \\
& ^2*c^2 - 4*a^3*c^3)))/(a*b^2*c - 4*a^2*c^2)) - 1/2*\sqrt{1/2}*\sqrt{-(b*c*d^ \\
& 2 - 4*a*c*d*e + a*b*e^2 - (a*b^2*c - 4*a^2*c^2)*\sqrt{(c^2*d^4 - 2*a*c*d^2*e \\
& ^2 + a^2*e^4)/(a^2*b^2*c^2 - 4*a^3*c^3)))/(a*b^2*c - 4*a^2*c^2))*\log(-2*(c^ \\
& 2*d^4 - b*c*d^3*e + a*b*d*e^3 - a^2*e^4)*x - \sqrt{1/2}*((b^2*c - 4*a*c^2)*d \\
& ^3 - (a*b^2 - 4*a^2*c)*d*e^2 + ((a*b^3*c - 4*a^2*b*c^2)*d - 2*(a^2*b^2*c - \\
& 4*a^3*c^2)*e)*\sqrt{(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^2*b^2*c^2 - 4*a^3 \\
& *c^3)))*\sqrt{-(b*c*d^2 - 4*a*c*d*e + a*b*e^2 - (a*b^2*c - 4*a^2*c^2)*\sqrt{(c \\
& ^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a^2*b^2*c^2 - 4*a^3*c^3)))/(a*b^2*c - 4 \\
& *a^2*c^2))
\end{aligned}$$

giac [B] time = 0.87, size = 1402, normalized size = 8.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $1/4*((\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^4 - 8*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c - 2*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^3*c - 2*b^4*c + 16*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*c^2 + 8*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b*c^2 + \sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^2*c^2 + 16*a*b^2*c^2 + 2*b^3*c^2 - 4*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*c^3 - 32*a^2*c^3 - 8*a*b*c^3 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^3 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^2*c - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b*c^2 + 2*(b^2 - 4*a*c)*b^2*c - 8*(b^2 - 4*a*c)*a*c^2 - 2*(b^2 - 4*a*c)*b*c^2)*d - 2*(2*a*b^2*c^2 - 8*a^2*c^3 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^2 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b*c - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)$

```

*a*c^2 - 2*(b^2 - 4*a*c)*a*c^2)*e)*arctan(2*sqrt(1/2)*x/sqrt((b + sqrt(b^2
- 4*a*c))/c))/((a*b^4 - 8*a^2*b^2*c - 2*a*b^3*c + 16*a^3*c^2 + 8*a^2*b*c^2
+ a*b^2*c^2 - 4*a^2*c^3)*abs(c)) + 1/4*((sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*
c)*c)*b^4 - 8*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b^2*c - 2*sqrt(2)*s
qrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^3*c + 2*b^4*c + 16*sqrt(2)*sqrt(b*c - sqrt
(b^2 - 4*a*c)*c)*a^2*c^2 + 8*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b*c^
2 + sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^2*c^2 - 16*a*b^2*c^2 - 2*b^3*
c^2 - 4*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*c^3 + 32*a^2*c^3 + 8*a*b*
c^3 + sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^3 - 4*sqrt
(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b*c - 2*sqrt(2)*sqrt
(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^2*c + sqrt(2)*sqrt(b^2 -
4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b*c^2 - 2*(b^2 - 4*a*c)*b^2*c + 8*(b
^2 - 4*a*c)*a*c^2 + 2*(b^2 - 4*a*c)*b*c^2)*d + 2*(2*a*b^2*c^2 - 8*a^2*c^3 -
sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b^2 + 4*sqrt(2
)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^2*c + 2*sqrt(2)*sqrt(
b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b*c - sqrt(2)*sqrt(b^2 - 4*a
*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*c^2 - 2*(b^2 - 4*a*c)*a*c^2)*e)*arcta
n(2*sqrt(1/2)*x/sqrt((b - sqrt(b^2 - 4*a*c))/c))/((a*b^4 - 8*a^2*b^2*c - 2*
a*b^3*c + 16*a^3*c^2 + 8*a^2*b*c^2 + a*b^2*c^2 - 4*a^2*c^3)*abs(c))

```

maple [B] time = 0.02, size = 328, normalized size = 1.89

$$\frac{\sqrt{2} b e \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{(-b + \sqrt{-4ac + b^2})c}}\right)}{2\sqrt{-4ac + b^2} \sqrt{(-b + \sqrt{-4ac + b^2})c}} + \frac{\sqrt{2} b e \operatorname{arctan}\left(\frac{\sqrt{2} c x}{\sqrt{(b + \sqrt{-4ac + b^2})c}}\right)}{2\sqrt{-4ac + b^2} \sqrt{(b + \sqrt{-4ac + b^2})c}} - \frac{\sqrt{2} c d \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{(-b + \sqrt{-4ac + b^2})c}}\right)}{\sqrt{-4ac + b^2} \sqrt{(-b + \sqrt{-4ac + b^2})c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(c*x^4+b*x^2+a),x)

```

[Out] -1/2*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c
+b^2)^(1/2))*c)^(1/2)*c*x)*e+1/2/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^
2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b
*e-c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2
^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*d+1/2*2^(1/2)/((b+(-4*a*c+b^2
)^(1/2))*c)^(1/2)*arctan(2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*e+1/
2/(-4*a*c+b^2)^(1/2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(2^(1/2
)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b*e-c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((
b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1
/2)*c*x)*d

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{cx^4 + bx^2 + a} dx$$

$$c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(16*a^3*c^3 - 8*a^2*b^2*c^2 + a*b^4*c))^{(1/2)} + x*(4*c^3*d^2 - 4*a*c^2*e^2 + 2*b^2*c*e^2 - 4*b*c^2*d*e)*(-(a*b^3*e^2 - a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 + c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(16*a^3*c^3 - 8*a^2*b^2*c^2 + a*b^4*c))^{(1/2)} + 2*c^2*d^2*e + 2*a*c*e^3 - 2*b*c*d*e^2)*(-(a*b^3*e^2 - a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 + c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(16*a^3*c^3 - 8*a^2*b^2*c^2 + a*b^4*c))^{(1/2)})*2i$$

sympy [A] time = 20.95, size = 314, normalized size = 1.80

$$\text{RootSum}\left(t^4(256a^3c^3 - 128a^2b^2c^2 + 16ab^4c) + t^2(-16a^2bce^2 + 64a^2c^2de + 4ab^3e^2 - 16ab^2cde - 16abc^2d^2 + 4b^3c^2d^2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(c*x**4+b*x**2+a),x)

[Out] RootSum(_t**4*(256*a**3*c**3 - 128*a**2*b**2*c**2 + 16*a*b**4*c) + _t**2*(-16*a**2*b*c*e**2 + 64*a**2*c**2*d*e + 4*a*b**3*e**2 - 16*a*b**2*c*d*e - 16*a*b*c**2*d**2 + 4*b**3*c*d**2) + a**2*e**4 - 2*a*b*d*e**3 + 2*a*c*d**2*e**2 + b**2*d**2*e**2 - 2*b*c*d**3*e + c**2*d**4, Lambda(_t, _t*log(x + (64*_t**3*a**3*c**2*e - 16*_t**3*a**2*b**2*c*e - 32*_t**3*a**2*b*c**2*d + 8*_t**3*a*b**3*c*d - 2*_t*a**2*b*e**3 + 12*_t*a**2*c*d*e**2 - 6*_t*a*b*c*d**2*e - 4*_t*a*c**2*d**3 + 2*_t*b**2*c*d**3)/(a**2*e**4 - a*b*d*e**3 + b*c*d**3*e - c**2*d**4))))

$$3.267 \quad \int \frac{1}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=150

$$\frac{\sqrt{2} \sqrt{c} \tan^{-1}\left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{b^2-4ac} \sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{2} \sqrt{c} \tan^{-1}\left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{b^2-4ac} \sqrt{\sqrt{b^2-4ac}+b}}$$

[Out] arctan(x*2^(1/2)*c^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2))*2^(1/2)*c^(1/2)/(-4*a*c+b^2)^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2)-arctan(x*2^(1/2)*c^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2))*2^(1/2)*c^(1/2)/(-4*a*c+b^2)^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2)

Rubi [A] time = 0.10, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1093, 205}

$$\frac{\sqrt{2} \sqrt{c} \tan^{-1}\left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{b^2-4ac} \sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{2} \sqrt{c} \tan^{-1}\left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{b^2-4ac} \sqrt{\sqrt{b^2-4ac}+b}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)^(-1), x]

[Out] (Sqrt[2]*Sqrt[c]*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]])/(Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - (Sqrt[2]*Sqrt[c]*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]])/(Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 - 4*a*c]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1093

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]

Rubi steps

$$\int \frac{1}{a + bx^2 + cx^4} dx = \frac{c \int \frac{1}{\frac{b}{2} - \frac{1}{2} \sqrt{b^2 - 4ac} + cx^2} dx}{\sqrt{b^2 - 4ac}} - \frac{c \int \frac{1}{\frac{b}{2} + \frac{1}{2} \sqrt{b^2 - 4ac} + cx^2} dx}{\sqrt{b^2 - 4ac}}$$

$$= \frac{\sqrt{2} \sqrt{c} \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\sqrt{2} \sqrt{c} \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b^2 - 4ac} \sqrt{b + \sqrt{b^2 - 4ac}}}$$

Mathematica [A] time = 0.09, size = 129, normalized size = 0.86

$$\frac{\sqrt{2} \sqrt{c} \left(\frac{\tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b^2 - 4ac} + b} \right)}{\sqrt{b^2 - 4ac} + b} \right)}{\sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)^(-1), x]

[Out] (Sqrt[2]*Sqrt[c]*(ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]])/Sqrt[b - Sqrt[b^2 - 4*a*c]] - ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]])/Sqrt[b + Sqrt[b^2 - 4*a*c]]/Sqrt[b^2 - 4*a*c]

fricas [B] time = 0.74, size = 613, normalized size = 4.09

$$-\frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{-\frac{b + \frac{ab^2 - 4a^2c}{\sqrt{a^2b^2 - 4a^3c}}}{ab^2 - 4a^2c}} \log \left(2cx + \sqrt{\frac{1}{2}} \left(b^2 - 4ac - \frac{ab^3 - 4a^2bc}{\sqrt{a^2b^2 - 4a^3c}} \right) \sqrt{-\frac{b + \frac{ab^2 - 4a^2c}{\sqrt{a^2b^2 - 4a^3c}}}{ab^2 - 4a^2c}} \right) + \frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{-\frac{b + \frac{ab^2 - 4a^2c}{\sqrt{a^2b^2 - 4a^3c}}}{ab^2 - 4a^2c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] -1/2*sqrt(1/2)*sqrt(-(b + (a*b^2 - 4*a^2*c)/sqrt(a^2*b^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c))*log(2*c*x + sqrt(1/2)*(b^2 - 4*a*c - (a*b^3 - 4*a^2*b*c)/sqrt(a^2*b^2 - 4*a^3*c))*sqrt(-(b + (a*b^2 - 4*a^2*c)/sqrt(a^2*b^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c))) + 1/2*sqrt(1/2)*sqrt(-(b + (a*b^2 - 4*a^2*c)/sqrt(a^2*b^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c))*log(2*c*x - sqrt(1/2)*(b^2 - 4*a*c - (a*b^3 - 4*a^2*b*c)/sqrt(a^2*b^2 - 4*a^3*c))*sqrt(-(b + (a*b^2 - 4*a^2*c)/sqrt(a^2*b^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c)))

$$\begin{aligned} & 3 - 4a^2bc)/\sqrt{a^2b^2 - 4a^3c})\sqrt{-(b + (ab^2 - 4a^2c)/\sqrt{a^2b^2 - 4a^3c})/(ab^2 - 4a^2c))} - 1/2\sqrt{1/2}\sqrt{-(b - (ab^2 - 4a^2c)/\sqrt{a^2b^2 - 4a^3c})/(ab^2 - 4a^2c))}\log(2cx + \sqrt{1/2}(b^2 - 4ac + (ab^3 - 4a^2bc)/\sqrt{a^2b^2 - 4a^3c})\sqrt{-(b - (ab^2 - 4a^2c)/\sqrt{a^2b^2 - 4a^3c})/(ab^2 - 4a^2c))} + 1/2\sqrt{1/2}\sqrt{-(b - (ab^2 - 4a^2c)/\sqrt{a^2b^2 - 4a^3c})/(ab^2 - 4a^2c))}\log(2cx - \sqrt{1/2}(b^2 - 4ac + (ab^3 - 4a^2bc)/\sqrt{a^2b^2 - 4a^3c})\sqrt{-(b - (ab^2 - 4a^2c)/\sqrt{a^2b^2 - 4a^3c})/(ab^2 - 4a^2c))}) \end{aligned}$$

giac [B] time = 0.60, size = 1024, normalized size = 6.83

$$\left(\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c b^4 - 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c ab^2c - 2\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c b^3c - 2b^4c + 16\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $\frac{1}{4}(\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)b^4 - 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c ab^2c - 2\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c b^3c - 2b^4c + 16\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c a^2c^2 + 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c ab^2c^2 + \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c b^2c^2 + 16ab^2c^2 - 2b^3c^2 - 4\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c a^2c^3 - 32a^2c^3 + 8ab^2c^3 + \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c b^3 - 4\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c ab^2c - 2\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c ab^2c + \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c ab^2c + \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c b^2c + 2(b^2 - 4ac)b^2c - 8(b^2 - 4ac)a^2c^2 + 2(b^2 - 4ac)b^2c^2)\arctan(2\sqrt{1/2}x/\sqrt{(b + \sqrt{b^2 - 4ac})/c})/((ab^4 - 8a^2b^2c - 2ab^3c + 16a^3c^2 + 8a^2b^2c^2 + ab^2c^2 - 4a^2c^3)\text{abs}(c)) + \frac{1}{4}(\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)b^4 - 8\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c ab^2c - 2\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c b^3c + 2b^4c + 16\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c a^2c^2 + 8\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c ab^2c^2 + \sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c b^2c^2 - 16ab^2c^2 - 2b^3c^2 - 4\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c a^2c^3 + 32a^2c^3 + 8ab^2c^3 + \sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c b^3 - 4\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c ab^2c - 2\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c ab^2c + \sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c ab^2c + \sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c b^2c + 2(b^2 - 4ac)b^2c + 8(b^2 - 4ac)a^2c^2 + 2(b^2 - 4ac)b^2c^2)\arctan(2\sqrt{1/2}x/\sqrt{(b - \sqrt{b^2 - 4ac})/c})/((ab^4 - 8a^2b^2c - 2ab^3c + 16a^3c^2 + 8a^2b^2c^2 + ab^2c^2 - 4a^2c^3)\text{abs}(c))$

$$- 8*a^2*b^2*c - 2*a*b^3*c + 16*a^3*c^2 + 8*a^2*b*c^2 + a*b^2*c^2 - 4*a^2*c^3)*abs(c))$$

maple [A] time = 0.01, size = 116, normalized size = 0.77

$$-\frac{\sqrt{2} c \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{\left(-b+\sqrt{-4 a c+b^2}\right) c}}\right)}{\sqrt{-4 a c+b^2} \sqrt{\left(-b+\sqrt{-4 a c+b^2}\right) c}}-\frac{\sqrt{2} c \operatorname{arctan}\left(\frac{\sqrt{2} c x}{\sqrt{\left(b+\sqrt{-4 a c+b^2}\right) c}}\right)}{\sqrt{-4 a c+b^2} \sqrt{\left(b+\sqrt{-4 a c+b^2}\right) c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(c*x^4+b*x^2+a), x)

[Out] $-c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)-c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{c x^4 + b x^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x^4+b*x^2+a), x, algorithm="maxima")

[Out] integrate(1/(c*x^4 + b*x^2 + a), x)

mupad [B] time = 0.51, size = 763, normalized size = 5.09

$$-\operatorname{atan}\left(\frac{b^4 x 1 i + b x \sqrt{-64 a^3 c^3 + 48 a^2 b^2 c^2 - 12 a b^4 c + b^6} 1 i + a^2 c^2 x 16 i}{4 a b^4 \sqrt{\frac{b^3 + \sqrt{-64 a^3 c^3 + 48 a^2 b^2 c^2 - 12 a b^4 c + b^6} - 4 a b c}{128 a^3 c^2 - 64 a^2 b^2 c + 8 a b^4}} + 64 a^3 c^2 \sqrt{\frac{b^3 + \sqrt{-64 a^3 c^3 + 48 a^2 b^2 c^2 - 12 a b^4 c + b^6} - 4 a b c}{128 a^3 c^2 - 64 a^2 b^2 c + 8 a b^4}} - 32}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b*x^2 + c*x^4), x)

[Out] $-\operatorname{atan}\left(\frac{(b^4*x^2*i + b*x*(b^6 - 64*a^3*c^3 + 48*a^2*b^2*c^2 - 12*a*b^4*c))^{(1/2)}*i + a^2*c^2*x*16i - a*b^2*c*x*8i}{(4*a*b^4*(-(b^3 + (b^6 - 64*a^3*c^3 + 48*a^2*b^2*c^2 - 12*a*b^4*c))^{(1/2)} - 4*a*b*c))/(8*a*b^4 + 128*a^3*c^2 - 64*a^2*b^2*c)}\right)^{(1/2)} + 64*a^3*c^2*(-(b^3 + (b^6 - 64*a^3*c^3 + 48*a^2*b^2*c^2 - 12*a*b^4*c))^{(1/2)} + 4*a*b*c)/(8*a*b^4 + 128*a^3*c^2 - 64*a^2*b^2*c)}\right)$

$$\begin{aligned}
& - 12ab^4c)^{1/2} - 4abc)/(8ab^4 + 128a^3c^2 - 64a^2b^2c)^{1/2} \\
& - 32a^2b^2c(-b^3 + (b^6 - 64a^3c^3 + 48a^2b^2c^2 - 12ab^4c)^{1/2} - 4abc)/(8ab^4 + 128a^3c^2 - 64a^2b^2c)^{1/2})) * (-b^3 + (b^6 - 64a^3c^3 + 48a^2b^2c^2 - 12ab^4c)^{1/2} - 4abc)/(8ab^4 + 128a^3c^2 - 64a^2b^2c)^{1/2} * 2i - \operatorname{atan}\left(\frac{b^4x + 128a^3c^2 - 64a^2b^2c}{b^4x + 128a^3c^2 - 64a^2b^2c} - \frac{b^4x + 128a^3c^2 - 64a^2b^2c}{b^4x + 128a^3c^2 - 64a^2b^2c} + \frac{a^2c^2x + 16i}{b^4x + 128a^3c^2 - 64a^2b^2c} - \frac{ab^2cx + 8i}{b^4x + 128a^3c^2 - 64a^2b^2c}\right) \\
& / (4ab^4 * ((b^6 - 64a^3c^3 + 48a^2b^2c^2 - 12ab^4c)^{1/2} - b^3 + 4abc)/(8ab^4 + 128a^3c^2 - 64a^2b^2c)^{1/2} + 64a^3c^2 * ((b^6 - 64a^3c^3 + 48a^2b^2c^2 - 12ab^4c)^{1/2} - b^3 + 4abc)/(8ab^4 + 128a^3c^2 - 64a^2b^2c)^{1/2} - 32a^2b^2c * ((b^6 - 64a^3c^3 + 48a^2b^2c^2 - 12ab^4c)^{1/2} - b^3 + 4abc)/(8ab^4 + 128a^3c^2 - 64a^2b^2c)^{1/2})) * ((b^6 - 64a^3c^3 + 48a^2b^2c^2 - 12ab^4c)^{1/2} - b^3 + 4abc)/(8ab^4 + 128a^3c^2 - 64a^2b^2c)^{1/2} * 2i
\end{aligned}$$

sympy [A] time = 1.27, size = 87, normalized size = 0.58

$$\operatorname{RootSum}\left(t^4(256a^3c^2 - 128a^2b^2c + 16ab^4) + t^2(-16abc + 4b^3) + c, \left(t \mapsto t \log\left(x + \frac{32t^3a^2bc - 8t^3ab^3 + 4tac - c}{c}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x**4+b*x**2+a),x)

[Out] RootSum(_t**4*(256*a**3*c**2 - 128*a**2*b**2*c + 16*a*b**4) + _t**2*(-16*a*b*c + 4*b**3) + c, Lambda(_t, _t*log(x + (32*_t**3*a**2*b*c - 8*_t**3*a*b**3 + 4*_t*a*c - 2*_t*b**2)/c)))

$$3.268 \quad \int \frac{1}{(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=254

$$\frac{\sqrt{c} \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}} \right) - \sqrt{c} \left(\frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{\sqrt{b^2-4ac}+b}} \right) + \frac{e^{3/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{\sqrt{d} (ae^2 - bde + cd^2)}}{\sqrt{2} \sqrt{b - \sqrt{b^2 - 4ac}} (ae^2 - bde + cd^2) - \sqrt{2} \sqrt{\sqrt{b^2 - 4ac} + b} (ae^2 - bde + cd^2)}$$

[Out] $e^{3/2} \arctan(x e^{1/2} / d^{1/2}) / (a e^2 - b d e + c d^2) / d^{1/2} - 1/2 \arctan(x 2^{1/2} c^{1/2} / (b - (-4 a c + b^2)^{1/2}))^{1/2} c^{1/2} (e + (b e - 2 c d) / (-4 a c + b^2)^{1/2}) / (a e^2 - b d e + c d^2) 2^{1/2} / (b - (-4 a c + b^2)^{1/2})^{1/2} - 1/2 \arctan(x 2^{1/2} c^{1/2} / (b + (-4 a c + b^2)^{1/2}))^{1/2} c^{1/2} (e + (-b e + 2 c d) / (-4 a c + b^2)^{1/2}) / (a e^2 - b d e + c d^2) 2^{1/2} / (b + (-4 a c + b^2)^{1/2})^{1/2}$

Rubi [A] time = 0.59, antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1170, 205, 1166}

$$\frac{\sqrt{c} \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}} \right) - \sqrt{c} \left(\frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{\sqrt{b^2-4ac}+b}} \right) + \frac{e^{3/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{\sqrt{d} (ae^2 - bde + cd^2)}}{\sqrt{2} \sqrt{b - \sqrt{b^2 - 4ac}} (ae^2 - bde + cd^2) - \sqrt{2} \sqrt{\sqrt{b^2 - 4ac} + b} (ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*(a + b*x^2 + c*x^4)),x]

[Out] $-((\text{Sqrt}[c] * (e - (2 * c * d - b * e) / \text{Sqrt}[b^2 - 4 * a * c]) * \text{ArcTan}[(\text{Sqrt}[2] * \text{Sqrt}[c] * x) / \text{Sqrt}[b - \text{Sqrt}[b^2 - 4 * a * c]])]) / (\text{Sqrt}[2] * \text{Sqrt}[b - \text{Sqrt}[b^2 - 4 * a * c]]) * (c * d^2 - b * d * e + a * e^2)) - (\text{Sqrt}[c] * (e + (2 * c * d - b * e) / \text{Sqrt}[b^2 - 4 * a * c]) * \text{ArcTan}[(\text{Sqrt}[2] * \text{Sqrt}[c] * x) / \text{Sqrt}[b + \text{Sqrt}[b^2 - 4 * a * c]])]) / (\text{Sqrt}[2] * \text{Sqrt}[b + \text{Sqrt}[b^2 - 4 * a * c]]) * (c * d^2 - b * d * e + a * e^2)) + (e^{3/2} * \text{ArcTan}[(\text{Sqrt}[e] * x) / \text{Sqrt}[d]]) / (\text{Sqrt}[d] * (c * d^2 - b * d * e + a * e^2))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2

- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1170

Int[((d_) + (e_.)*(x_)^2)^(q_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^2)(a + bx^2 + cx^4)} dx &= \int \left(\frac{e^2}{(cd^2 - bde + ae^2)(d + ex^2)} + \frac{cd - be - cex^2}{(cd^2 - bde + ae^2)(a + bx^2 + cx^4)} \right) dx \\ &= \frac{\int \frac{cd - be - cex^2}{a + bx^2 + cx^4} dx}{cd^2 - bde + ae^2} + \frac{e^2 \int \frac{1}{d + ex^2} dx}{cd^2 - bde + ae^2} \\ &= \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}(cd^2 - bde + ae^2)} - \frac{\left(c\left(e - \frac{2cd - be}{\sqrt{b^2 - 4ac}}\right)\right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{2(cd^2 - bde + ae^2)} - \frac{c\left(e + \frac{2cd - be}{\sqrt{b^2 - 4ac}}\right)}{2(cd^2 - bde + ae^2)} \\ &= \frac{\sqrt{c}\left(e - \frac{2cd - be}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}\sqrt{b - \sqrt{b^2 - 4ac}}(cd^2 - bde + ae^2)} - \frac{\sqrt{c}\left(e + \frac{2cd - be}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}\sqrt{b + \sqrt{b^2 - 4ac}}(cd^2 - bde + ae^2)} \end{aligned}$$

Mathematica [A] time = 0.27, size = 274, normalized size = 1.08

$$\frac{\sqrt{c}\left(e\sqrt{b^2 - 4ac} + be - 2cd\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b - \sqrt{b^2 - 4ac}}(-ae^2 + bde - cd^2)} + \frac{\sqrt{c}\left(e\sqrt{b^2 - 4ac} - be + 2cd\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b^2 - 4ac} + b}\right)}{\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{\sqrt{b^2 - 4ac} + b}(-ae^2 + bde - cd^2)} + \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}(ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*(a + b*x^2 + c*x^4)), x]

[Out] (Sqrt[c]*(-2*c*d + b*e + Sqrt[b^2 - 4*a*c]*e)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]]/(Sqrt[2]*Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]])*(-(c*d^2) + b*d*e - a*e^2) + (Sqrt[c]*(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/(Sqrt[b^2 - 4*a*c] + b)]/(Sqrt[2]*Sqrt[b^2 - 4*a*c]*Sqrt[Sqrt[b^2 - 4*a*c] + b])*(-(c*d^2) + b*d*e - a*e^2) + e^(3/2)*ArcTan[Sqrt[e]*x/Sqrt[d]]/Sqrt[d]

$$a*c]*e)*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])*(-(c*d^2) + b*d*e - a*e^2)) + (e^{(3/2)}*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(\text{Sqrt}[d]*(c*d^2 - b*d*e + a*e^2))$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 2.53, size = 7650, normalized size = 30.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $\frac{1}{8}*(2*(2*b^3*c^5 - 8*a*b*c^6 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^3*c^3 + 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b*c^4 + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^2*c^4 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b*c^5 - 2*(b^2 - 4*a*c)*b*c^5)*d^5 - 5*(2*b^4*c^4 - 8*a*b^2*c^5 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^4*c^2 + 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^2*c^3 + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^3*c^3 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^2*c^4 - 2*(b^2 - 4*a*c)*b^2*c^4)*d^4*e + 2*(\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^4*c^2 - 8*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^2*c^3 - 2*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^3*c^3 - 2*b^4*c^3 + 16*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*c^4 + 8*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b*c^4 + \text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^2*c^4 + 16*a*b^2*c^4 - 4*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*c^5 - 32*a^2*c^5 + 2*(b^2 - 4*a*c)*b^2*c^3 - 8*(b^2 - 4*a*c)*a*c^4)*d^3*abs(c*d^2 - b*d*e + a*e^2) + 4*(2*b^5*c^3 - 6*a*b^3*c^4 - 8*a^2*b*c^5 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^5*c + 3*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^3*c^2 + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^4*c^2 + 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b*c^3 + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^2*c^3 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^3*c^3 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b*c^4 - 2*(b^2 - 4*a*c)*b^3*c^3 - 2*(b^2 - 4*a*c)*a*b*c^4)*d^3*e^2 - 4*(\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^5*c - 8*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^3*c^2 - 2*\text{sqrt}(2)*\text{sqrt}(b*$

$$\begin{aligned}
& c + \sqrt{b^2 - 4ac} \cdot c \cdot b^4 c^2 - 2b^5 c^2 + 16\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^3 c^3 + 8\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^2 c^3 \\
& + \sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot b^3 c^3 + 16a^2 b^3 c^3 - 4\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^3 c^4 - 32a^2 b^3 c^4 + 2(b^2 - 4ac) \cdot b^3 c^2 \\
& - 8(b^2 - 4ac) \cdot a^2 b^3 c^3 \cdot d^2 \cdot \text{abs}(c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2) \cdot e - (2b^6 c^2 + 4a^2 b^4 c^3 - 48a^2 b^2 c^4 - \sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot b^6 \\
& - 2\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot b^6 + 2\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^4 c^2 + 24\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^2 c^2 \\
& + 12\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^3 c^2 - \sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot b^4 c^2 - 6\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^2 c^3 \\
& - 2(b^2 - 4ac) \cdot b^4 c^2 - 12(b^2 - 4ac) \cdot a^2 b^2 c^3 \cdot d^2 \cdot e^3 + 2(\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot b^6 - 7\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^4 c^2 \\
& - 2\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot b^5 c^2 - 2b^6 c^2 + 8\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^2 c^2 + 6\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^3 c^2 \\
& + \sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^4 c^2 + 14a^2 b^4 c^2 + 16\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^3 c^3 + 8\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^3 c^3 \\
& - 3\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^2 c^3 - 16a^2 b^2 c^3 - 4\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 c^4 - 32a^3 c^4 + 2(b^2 - 4ac) \cdot b^4 c^2 - 6(b^2 - 4ac) \cdot a^2 b^2 c^2 \\
& - 8(b^2 - 4ac) \cdot a^2 c^3 \cdot d \cdot \text{abs}(c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2) \cdot e^2 - (2b^4 c^2 - 16a^2 b^2 c^3 + 32a^2 c^4 - \sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot b^4 \\
& + 8\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot b^4 + 8\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^2 c^2 + 2\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot b^3 c^2 - 16\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 c^2 \\
& - 8\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^2 c^2 - \sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 c^2 + 4\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 c^3 \\
& - 2(b^2 - 4ac) \cdot b^2 c^2 + 8(b^2 - 4ac) \cdot a^2 c^3 \cdot (c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2)^2 \cdot e + 2(2a^2 b^5 c^2 - 6a^2 b^3 c^3 - 8a^3 b^3 c^4 - \sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^5 \\
& + 3\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^3 c^2 + 2\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^4 c^2 + 4\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^3 b^3 c^2 \\
& + 2\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^2 c^2 - \sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^2 c^2 + 4\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^3 c^2 \\
& - \sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^3 c^3 - 2(b^2 - 4ac) \cdot a^2 b^3 c^2 - 2(b^2 - 4ac) \cdot a^2 b^3 c^3 \cdot d \cdot e^4 - 2(\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^5 \\
& - 8\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^3 c^2 - 2\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^3 c^3 - 2\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^4 c^2 \\
& - 2a^2 b^5 c^2 + 16\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^3 b^3 c^2 + 8\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^2 c^2 + \sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^3 c^2 \\
& + 16a^2 b^3 c^2 - 4\sqrt{2} \cdot \sqrt{b^2 - 4ac} \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^3 c^3 - 32a^3 b^3 c^3 + 2(b^2 - 4ac) \cdot a^2 b^3 c^3 - 8(b^2 - 4ac) \cdot a^2 b^3 c^2 \cdot \text{abs}(c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2) \cdot e^3 \\
& - (2a^2
\end{aligned}$$

$$\begin{aligned}
& 4*a*c)*c)*a*b*c^4 + 32*a^2*b*c^4 - 2*(b^2 - 4*a*c)*b^3*c^2 + 8*(b^2 - 4*a*c) \\
& *a*b*c^3)*d^2*abs(c*d^2 - b*d*e + a*e^2)*e - (2*b^6*c^2 + 4*a*b^4*c^3 - 4 \\
& 8*a^2*b^2*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*b \\
& ^6 - 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^4*c + \\
& 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*b^5*c + 24*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b^2*c^2 + 12*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^3*c^2 - \sqrt{2}*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*b^4*c^2 - 6*\sqrt{2}*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^2*c^3 - 2*(b^2 - 4*a*c)*b^4 \\
& *c^2 - 12*(b^2 - 4*a*c)*a*b^2*c^3)*d^2*e^3 - 2*(\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c) \\
& *b^6 - 7*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^4*c - 2*\sqrt{2} \\
& *\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*b^5*c + 2*b^6*c + 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c) \\
& *a^2*b^2*c^2 + 6*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^3*c^2 + \sqrt{2}*\sqrt{2} \\
& *\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*b^4*c^2 - 14*a*b^4*c^2 + 16*\sqrt{2}*\sqrt{2} \\
& *\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^3*c^3 + 8*\sqrt{2}*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c) \\
& *a^2*b*c^3 - 3*\sqrt{2}*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^2*c^3 + 16*a^2*b^2*c^3 - 4*\sqrt{2} \\
& *\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*c^4 + 32*a^3*c^4 - 2*(b^2 - 4*a*c)*b^4*c + 6*(b^2 - 4*a*c) \\
& *a*b^2*c^2 + 8*(b^2 - 4*a*c)*a^2*c^3)*d*abs(c*d^2 - b*d*e + a*e^2)*e^2 - (2*b^4*c^2 - 1 \\
& 6*a*b^2*c^3 + 32*a^2*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c) \\
& *b^4 + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c) \\
& *a*b^2*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*b^3*c - 16*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*c^2 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c) \\
& *a*b*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*b^2*c^2 + 4*\sqrt{2}*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*c^3 - 2*(b^2 - 4*a*c)*b^2 \\
& *c^2 + 8*(b^2 - 4*a*c)*a*c^3)*(c*d^2 - b*d*e + a*e^2)^2*e + 2*(2*a*b^5*c^2 - 6*a^2*b^3*c^3 - 8*a^3*b*c^4 - \sqrt{2} \\
& *\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^5 + 3*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c) \\
& *a^2*b^3*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^4*c + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c) \\
& *a^3*b*c^2 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2 \\
& *b^2*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^3*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c) \\
& *a^2*b*c^3 - 2*(b^2 - 4*a*c)*a*b^3*c^2 - 2*(b^2 - 4*a*c)*a^2*b*c^3)*d*e^4 + 2*(\sqrt{2})*\sqrt{2} \\
& *\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^5 - 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c) \\
& *a^2*b^3*c - 2*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^4*c + 2*a*b^5*c + 16*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c) \\
& *a^3*b*c^2 + 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b^2*c^2 + \sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c) \\
& *a*b^3*c^2 - 16*a^2*b^3*c^2 - 4*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b*c^3 + 32*a^3*b*c^3 - 2*(b^2 - 4*a*c) \\
& *a*b^3*c + 8*(b^2 - 4*a*c)*a^2*b*c^2)*abs(c*d^2 - b*d*e + a*e^2)*e^3 - (2*a^2*b^4*c^2 - 8*a^3*b^2*c^3 - \sqrt{2} \\
& *\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b^4 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c) \\
& *a^3*b^2*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b^3*c - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c) \\
& *a^2*b^3*c - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)
\end{aligned}$$

$(b^2 - 4ac) \sqrt{bc - \sqrt{b^2 - 4ac}} c a^2 b^2 c^2 - 2(b^2 - 4ac) a^2 b^2 c^2 e^5 \arctan(2\sqrt{1/2} x / \sqrt{(bc d^2 - b^2 d e + a b e^2 - \sqrt{(bc d^2 - b^2 d e + a b e^2)^2 - 4(ac d^2 - a b d e + a^2 e^2)(c^2 d^2 - b c d e + a c e^2)}) / (c^2 d^2 - b c d e + a c e^2)}) / ((a b^4 c^2 - 8 a^2 b^2 c^3 - 2 a b^3 c^3 + 16 a^3 c^4 + 8 a^2 b c^4 + a b^2 c^4 - 4 a^2 c^5) d^4 \text{abs}(c d^2 - b d e + a e^2) \text{abs}(c) - 2(a b^5 c - 8 a^2 b^3 c^2 - 2 a b^4 c^2 + 16 a^3 b c^3 + 8 a^2 b^2 c^3 + a b^3 c^3 - 4 a^2 b c^4) d^3 \text{abs}(c d^2 - b d e + a e^2) \text{abs}(c) e + (a b^6 - 6 a^2 b^4 c - 2 a b^5 c + 4 a^2 b^3 c^2 + a b^4 c^2 + 32 a^4 c^3 + 16 a^3 b c^3 - 2 a^2 b^2 c^3 - 8 a^3 c^4) d^2 \text{abs}(c d^2 - b d e + a e^2) \text{abs}(c) e^2 - 2(a^2 b^5 - 8 a^3 b^3 c - 2 a^2 b^4 c + 16 a^4 b c^2 + 8 a^3 b^2 c^2 + a^2 b^3 c^2 - 4 a^3 b c^3) d \text{abs}(c d^2 - b d e + a e^2) \text{abs}(c) e^3 + (a^3 b^4 - 8 a^4 b^2 c - 2 a^3 b^3 c + 16 a^5 c^2 + 8 a^4 b c^2 + a^3 b^2 c^2 - 4 a^4 c^3) \text{abs}(c d^2 - b d e + a e^2) \text{abs}(c) e^4) + \arctan(x e^{1/2} / \sqrt{d}) e^{3/2} / ((c d^2 - b d e + a e^2) \sqrt{d})$

maple [B] time = 0.02, size = 480, normalized size = 1.89

$$\frac{\sqrt{2} b c e \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{(-b + \sqrt{-4ac + b^2})c}}\right)}{2(ae^2 - bde + cd^2)\sqrt{-4ac + b^2}\sqrt{(-b + \sqrt{-4ac + b^2})c}} + \frac{\sqrt{2} b c e \arctan\left(\frac{\sqrt{2} c x}{\sqrt{(b + \sqrt{-4ac + b^2})c}}\right)}{2(ae^2 - bde + cd^2)\sqrt{-4ac + b^2}\sqrt{(b + \sqrt{-4ac + b^2})c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x^2+d)/(c*x^4+b*x^2+a),x)`

[Out] $e^2/(ae^2 - bde + cd^2)/(d e)^{1/2} \arctan(1/(d e)^{1/2} e x) + 1/2/(ae^2 - bde + cd^2) c^2^{1/2} / ((-b + (-4ac + b^2)^{1/2}) c)^{1/2} \operatorname{arctanh}(2^{1/2} / ((-b + (-4ac + b^2)^{1/2}) c)^{1/2} c x) e + 1/2/(ae^2 - bde + cd^2) c / (-4ac + b^2)^{1/2} 2^{1/2} / ((-b + (-4ac + b^2)^{1/2}) c)^{1/2} \operatorname{arctanh}(2^{1/2} / ((-b + (-4ac + b^2)^{1/2}) c)^{1/2} c x) b e - 1/(ae^2 - bde + cd^2) c^2 / (-4ac + b^2)^{1/2} 2^{1/2} / ((-b + (-4ac + b^2)^{1/2}) c)^{1/2} \operatorname{arctan}(2^{1/2} / ((b + (-4ac + b^2)^{1/2}) c)^{1/2} c x) e + 1/2/(ae^2 - bde + cd^2) c / (-4ac + b^2)^{1/2} 2^{1/2} / ((b + (-4ac + b^2)^{1/2}) c)^{1/2} \operatorname{arctan}(2^{1/2} / ((b + (-4ac + b^2)^{1/2}) c)^{1/2} c x) b e - 1/(ae^2 - bde + cd^2) c^2 / (-4ac + b^2)^{1/2} 2^{1/2} / ((b + (-4ac + b^2)^{1/2}) c)^{1/2} \operatorname{arctan}(2^{1/2} / ((b + (-4ac + b^2)^{1/2}) c)^{1/2} c x) d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] $e^2 \arctan(e x / \sqrt{d e}) / ((c d^2 - b d e + a e^2) \sqrt{d e}) - \int (c e x^2 - c d + b e) / (c x^4 + b x^2 + a), x / (c d^2 - b d e + a e^2)$

mupad [B] time = 9.45, size = 23640, normalized size = 93.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^2)*(a + b*x^2 + c*x^4)),x)

[Out] $\operatorname{atan}\left(\frac{\left(-b^5 e^2 + b^3 c^2 d^2 + b^2 e^2 (-4 a c - b^2)^3\right)^{1/2} + c^2 d^2 \left(-4 a c - b^2\right)^3\right)^{1/2} + 12 a^2 b c^2 e^2 - 2 b^4 c d e - 4 a b c^3 d^2 - 7 a b^3 c e^2 - a c e^2 (-4 a c - b^2)^3\right)^{1/2} - 16 a^2 c^3 d e + 12 a b^2 c^2 d e - 2 b c d e (-4 a c - b^2)^3\right)^{1/2}}{(8 (a^3 b^4 e^4 + 16 a^3 c^4 d^4 + 16 a^5 c^2 e^4 + a b^4 c^2 d^4 - 8 a^4 b^2 c e^4 + a b^6 d^2 e^2 - 2 a^2 b^5 d e^3 - 8 a^2 b^2 c^3 d^4 + 32 a^4 c^3 d^2 e^2 - 2 a b^5 c d^3 e - 32 a^3 b c^3 d^3 e + 16 a^3 b^3 c d e^3 - 32 a^4 b c^2 d e^3 + 16 a^2 b^3 c^2 d^3 e - 6 a^2 b^4 c d^2 e^2))^{1/2}} \cdot \left((x (16 b^5 c^2 e^7 + 16 c^7 d^5 e^2 - 112 a b^3 c^3 e^7 + 192 a^2 b c^4 e^7 + 32 a c^6 d^3 e^4 - 240 a^2 c^5 d e^6 - 32 b c^6 d^4 e^3 - 32 b^4 c^3 d e^6 + 16 b^2 c^5 d^3 e^4 + 16 b^3 c^4 d^2 e^5 - 96 a b c^5 d^2 e^5 + 192 a b^2 c^4 d e^6) - (-b^5 e^2 + b^3 c^2 d^2 + b^2 e^2 (-4 a c - b^2)^3)^{1/2} + c^2 d^2 (-4 a c - b^2)^3\right)^{1/2} + 12 a^2 b c^2 e^2 - 2 b^4 c d e - 4 a b c^3 d^2 - 7 a b^3 c e^2 - a c e^2 (-4 a c - b^2)^3\right)^{1/2} - 16 a^2 c^3 d e + 12 a b^2 c^2 d e - 2 b c d e (-4 a c - b^2)^3\right)^{1/2}}{(8 (a^3 b^4 e^4 + 16 a^3 c^4 d^4 + 16 a^5 c^2 e^4 + a b^4 c^2 d^4 - 8 a^4 b^2 c e^4 + a b^6 d^2 e^2 - 2 a^2 b^5 d e^3 - 8 a^2 b^2 c^3 d^4 + 32 a^4 c^3 d^2 e^2 - 2 a b^5 c d^3 e - 32 a^3 b c^3 d^3 e + 16 a^3 b^3 c d e^3 - 32 a^4 b c^2 d e^3 + 16 a^2 b^3 c^2 d^3 e - 6 a^2 b^4 c d^2 e^2))^{1/2}} \cdot \left(x (-b^5 e^2 + b^3 c^2 d^2 + b^2 e^2 (-4 a c - b^2)^3)^{1/2} + c^2 d^2 (-4 a c - b^2)^3\right)^{1/2} + 12 a^2 b c^2 e^2 - 2 b^4 c d e - 4 a b c^3 d^2 - 7 a b^3 c e^2 - a c e^2 (-4 a c - b^2)^3\right)^{1/2} - 16 a^2 c^3 d e + 12 a b^2 c^2 d e - 2 b c d e (-4 a c - b^2)^3\right)^{1/2}}{(8 (a^3 b^4 e^4 + 16 a^3 c^4 d^4 + 16 a^5 c^2 e^4 + a b^4 c^2 d^4 - 8 a^4 b^2 c e^4 + a b^6 d^2 e^2 - 2 a^2 b^5 d e^3 - 8 a^2 b^2 c^3 d^4 + 32 a^4 c^3 d^2 e^2 - 2 a b^5 c d^3 e - 32 a^3 b c^3 d^3 e + 16 a^3 b^3 c d e^3 - 32 a^4 b c^2 d e^3 + 16 a^2 b^3 c^2 d^3 e - 6 a^2 b^4 c d^2 e^2))^{1/2}} \cdot (256 a^4 b^2 c^3 e^9 - 32 a^3 b^4 c^2 e^9 - 512 a^5 c^4 e^9 + 512 a^2 c^7 d^6 e^3 + 512 a^3 c^6 d^4 e^5 - 512 a^4 c^5 d^2 e^7 - 32 b^3 c^6 d^7 e^2 + 128 b^4 c^5 d^6 e^3 - 192 b^5 c^4 d^5 e^4 + 128 b^6 c^3 d^4 e^5 - 32 b^7 c^2 d^3 e^6 + 512 a^2 b^2 c^5 d^4 e^5 + 288 a^2 b^3 c^4 d^3 e^6 - 192 a^2 b^4 c^3 d^2 e^7 + 384 a^3 b^2 c^4 d^2 e^7 + 128 a b c^7 d^7 e^2 + 640 a^4 b c^4 d e^8 - 640 a b^2 c^6 d^6 e^3 + 1056 a b^3 c^5 d^5 e^4 - 672 a b^4 c^4 d^4 e^5 + 96 a b^5 c^3 d^3 e^6 + 32 a b^6 c^2 d^2 e^7 - 1152 a^2 b c^6 d^5 e^4 + 32 a^2$

$$\begin{aligned}
& *b^5*c^2*d*e^8 - 640*a^3*b*c^5*d^3*e^6 - 288*a^3*b^3*c^3*d*e^8) - 256*a^4*c^4*e^8 + 64*a*c^7*d^6*e^2 - 16*a^2*b^4*c^2*e^8 + 128*a^3*b^2*c^3*e^8 - 128*a^2*c^6*d^4*e^4 - 448*a^3*c^5*d^2*e^6 - 16*b^2*c^6*d^6*e^2 + 64*b^3*c^5*d^5*e^3 - 96*b^4*c^4*d^4*e^4 + 64*b^5*c^3*d^3*e^5 - 16*b^6*c^2*d^2*e^6 + 240*a^2*b^2*c^4*d^2*e^6 - 256*a*b*c^6*d^5*e^3 + 32*a*b^5*c^2*d*e^7 + 384*a^3*b*c^4*d*e^7 + 416*a*b^2*c^5*d^4*e^4 - 288*a*b^3*c^4*d^3*e^5 + 32*a*b^4*c^3*d^2*e^6 + 128*a^2*b*c^5*d^3*e^5 - 224*a^2*b^3*c^3*d*e^7)) * (- (b^5*e^2 + b^3*c^2*d^2 + b^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)}) / (8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} - 4*b^3*c^3*e^6 - 4*c^6*d^3*e^3 + 4*b*c^5*d^2*e^4 + 4*b^2*c^4*d*e^5 + 16*a*b*c^4*e^6 - 20*a*c^5*d*e^5) + 6*c^5*e^5*x) * (- (b^5*e^2 + b^3*c^2*d^2 + b^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)}) / (8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} * i + ((- (b^5*e^2 + b^3*c^2*d^2 + b^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)}) / (8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} * ((x*(16*b^5*c^2*e^7 + 16*c^7*d^5*e^2 - 112*a*b^3*c^3*e^7 + 192*a^2*b*c^4*e^7 + 32*a*c^6*d^3*e^4 - 240*a^2*c^5*d*e^6 - 32*b*c^6*d^4*e^3 - 32*b^4*c^3*d*e^6 + 16*b^2*c^5*d^3*e^4 + 16*b^3*c^4*d^2*e^5 - 96*a*b*c^5*d^2*e^5 + 192*a*b^2*c^4*d*e^6) - (- (b^5*e^2 + b^3*c^2*d^2 + b^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)}) / (8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} * (256*a^4*c^4*e^8 + x * (- (b^5*e^2 + b^3*c^2*d^2 + b^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e
\end{aligned}$$

$$\begin{aligned}
& - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16 \\
& *a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5* \\
& d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b \\
& *c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e \\
& - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)}*(256*a^4*b^2*c^3*e^9 - 32*a^3*b^4*c^2*e^9 - \\
& 512*a^5*c^4*e^9 + 512*a^2*c^7*d^6*e^3 + 512*a^3*c^6*d^4*e^5 - 512*a^4*c^5* \\
& d^2*e^7 - 32*b^3*c^6*d^7*e^2 + 128*b^4*c^5*d^6*e^3 - 192*b^5*c^4*d^5*e^4 + \\
& 128*b^6*c^3*d^4*e^5 - 32*b^7*c^2*d^3*e^6 + 512*a^2*b^2*c^5*d^4*e^5 + 288*a^ \\
& 2*b^3*c^4*d^3*e^6 - 192*a^2*b^4*c^3*d^2*e^7 + 384*a^3*b^2*c^4*d^2*e^7 + 128 \\
& *a*b*c^7*d^7*e^2 + 640*a^4*b*c^4*d*e^8 - 640*a*b^2*c^6*d^6*e^3 + 1056*a*b^3 \\
& *c^5*d^5*e^4 - 672*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3*d^3*e^6 + 32*a*b^6*c^2* \\
& d^2*e^7 - 1152*a^2*b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d*e^8 - 640*a^3*b*c^5*d^3 \\
& *e^6 - 288*a^3*b^3*c^3*d*e^8) - 64*a*c^7*d^6*e^2 + 16*a^2*b^4*c^2*e^8 - 128 \\
& *a^3*b^2*c^3*e^8 + 128*a^2*c^6*d^4*e^4 + 448*a^3*c^5*d^2*e^6 + 16*b^2*c^6*d \\
& ^6*e^2 - 64*b^3*c^5*d^5*e^3 + 96*b^4*c^4*d^4*e^4 - 64*b^5*c^3*d^3*e^5 + 16* \\
& b^6*c^2*d^2*e^6 - 240*a^2*b^2*c^4*d^2*e^6 + 256*a*b*c^6*d^5*e^3 - 32*a*b^5* \\
& c^2*d*e^7 - 384*a^3*b*c^4*d*e^7 - 416*a*b^2*c^5*d^4*e^4 + 288*a*b^3*c^4*d^3 \\
& *e^5 - 32*a*b^4*c^3*d^2*e^6 - 128*a^2*b*c^5*d^3*e^5 + 224*a^2*b^3*c^3*d*e^7 \\
&))*(-(b^5*e^2 + b^3*c^2*d^2 + b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + c^2*d^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7 \\
& *a*b^3*c*e^2 - a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2 \\
& *c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a^3*c^4 \\
& *d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2 \\
& *a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - \\
& 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c \\
& ^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} + 4*b^3*c^3*e^6 + 4*c^6*d^3*e^3 - \\
& 4*b*c^5*d^2*e^4 - 4*b^2*c^4*d*e^5 - 16*a*b*c^4*e^6 + 20*a*c^5*d*e^5) + 6*c^ \\
& 5*e^5*x)*(-(b^5*e^2 + b^3*c^2*d^2 + b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + c^2* \\
& d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d \\
& ^2 - 7*a*b^3*c*e^2 - a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12 \\
& *a*b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a \\
& ^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e \\
& ^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d \\
& ^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^ \\
& 2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)}*1i)/(((-(b^5*e^2 + b^3*c^2*d \\
& ^2 + b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4 \\
& *a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a \\
& *b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^ \\
& 2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16* \\
& a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d \\
& ^2*e^2)))^{(1/2)}*((x*(16*b^5*c^2*e^7 + 16*c^7*d^5*e^2 - 112*a*b^3*c^3*e^7 + \\
& 192*a^2*b*c^4*e^7 + 32*a*c^6*d^3*e^4 - 240*a^2*c^5*d*e^6 - 32*b*c^6*d^4*e^3 \\
& - 32*b^4*c^3*d*e^6 + 16*b^2*c^5*d^3*e^4 + 16*b^3*c^4*d^2*e^5 - 96*a*b*c^5*
\end{aligned}$$

$$\begin{aligned}
& d^2 e^5 + 192 a b^2 c^4 d e^6) - ((b^5 e^2 + b^3 c^2 d^2 + b^2 e^2 (-4 a c - b^2)^3)^{(1/2)} + c^2 d^2 (-4 a c - b^2)^3)^{(1/2)} + 12 a^2 b c^2 e^2 - 2 \\
& * b^4 c d e - 4 a b c^3 d^2 - 7 a b^3 c e^2 - a c e^2 (-4 a c - b^2)^3)^{(1/2)} - 16 a^2 c^3 d e + 12 a b^2 c^2 d e - 2 b c d e (-4 a c - b^2)^3)^{(1/2)} \\
&) / (8 (a^3 b^4 e^4 + 16 a^3 c^4 d^4 + 16 a^5 c^2 e^4 + a b^4 c^2 d^4 - 8 a^4 \\
& * b^2 c e^4 + a b^6 d^2 e^2 - 2 a^2 b^5 d e^3 - 8 a^2 b^2 c^3 d^4 + 32 a^4 c^3 \\
& * d^2 e^2 - 2 a b^5 c d^3 e - 32 a^3 b c^3 d^3 e + 16 a^3 b^3 c d e^3 - 32 \\
& * a^4 b c^2 d e^3 + 16 a^2 b^3 c^2 d^3 e - 6 a^2 b^4 c d^2 e^2))^{(1/2)} * (x (\\
& - (b^5 e^2 + b^3 c^2 d^2 + b^2 e^2 (-4 a c - b^2)^3)^{(1/2)} + c^2 d^2 (-4 a \\
& * c - b^2)^3)^{(1/2)} + 12 a^2 b c^2 e^2 - 2 b^4 c d e - 4 a b c^3 d^2 - 7 a b \\
& ^3 c e^2 - a c e^2 (-4 a c - b^2)^3)^{(1/2)} - 16 a^2 c^3 d e + 12 a b^2 c^2 \\
& * d e - 2 b c d e (-4 a c - b^2)^3)^{(1/2)} / (8 (a^3 b^4 e^4 + 16 a^3 c^4 d^4 \\
& + 16 a^5 c^2 e^4 + a b^4 c^2 d^4 - 8 a^4 b^2 c e^4 + a b^6 d^2 e^2 - 2 a^2 \\
& * b^5 d e^3 - 8 a^2 b^2 c^3 d^4 + 32 a^4 c^3 d^2 e^2 - 2 a b^5 c d^3 e - 32 \\
& a^3 b c^3 d^3 e + 16 a^3 b^3 c d e^3 - 32 a^4 b c^2 d e^3 + 16 a^2 b^3 c^2 \\
& * d^3 e - 6 a^2 b^4 c d^2 e^2))^{(1/2)} * (256 a^4 b^2 c^3 e^9 - 32 a^3 b^4 c^2 \\
& e^9 - 512 a^5 c^4 e^9 + 512 a^2 c^7 d^6 e^3 + 512 a^3 c^6 d^4 e^5 - 512 a^4 \\
& * c^5 d^2 e^7 - 32 b^3 c^6 d^7 e^2 + 128 b^4 c^5 d^6 e^3 - 192 b^5 c^4 d^5 e \\
& ^4 + 128 b^6 c^3 d^4 e^5 - 32 b^7 c^2 d^3 e^6 + 512 a^2 b^2 c^5 d^4 e^5 + 2 \\
& 88 a^2 b^3 c^4 d^3 e^6 - 192 a^2 b^4 c^3 d^2 e^7 + 384 a^3 b^2 c^4 d^2 e^7 \\
& + 128 a b c^7 d^7 e^2 + 640 a^4 b c^4 d e^8 - 640 a b^2 c^6 d^6 e^3 + 1056 \\
& a b^3 c^5 d^5 e^4 - 672 a b^4 c^4 d^4 e^5 + 96 a b^5 c^3 d^3 e^6 + 32 a b^6 \\
& * c^2 d^2 e^7 - 1152 a^2 b c^6 d^5 e^4 + 32 a^2 b^5 c^2 d e^8 - 640 a^3 b c^5 \\
& * d^3 e^6 - 288 a^3 b^3 c^3 d e^8) - 256 a^4 c^4 e^8 + 64 a c^7 d^6 e^2 - 1 \\
& 6 a^2 b^4 c^2 e^8 + 128 a^3 b^2 c^3 e^8 - 128 a^2 c^6 d^4 e^4 - 448 a^3 c^5 \\
& * d^2 e^6 - 16 b^2 c^6 d^6 e^2 + 64 b^3 c^5 d^5 e^3 - 96 b^4 c^4 d^4 e^4 + 6 \\
& 4 b^5 c^3 d^3 e^5 - 16 b^6 c^2 d^2 e^6 + 240 a^2 b^2 c^4 d^2 e^6 - 256 a b \\
& * c^6 d^5 e^3 + 32 a b^5 c^2 d e^7 + 384 a^3 b c^4 d e^7 + 416 a b^2 c^5 d^4 \\
& e^4 - 288 a b^3 c^4 d^3 e^5 + 32 a b^4 c^3 d^2 e^6 + 128 a^2 b c^5 d^3 e^5 \\
& - 224 a^2 b^3 c^3 d e^7) * (- (b^5 e^2 + b^3 c^2 d^2 + b^2 e^2 (-4 a c - b^2 \\
&)^3)^{(1/2)} + c^2 d^2 (-4 a c - b^2)^3)^{(1/2)} + 12 a^2 b c^2 e^2 - 2 b^4 c \\
& * d e - 4 a b c^3 d^2 - 7 a b^3 c e^2 - a c e^2 (-4 a c - b^2)^3)^{(1/2)} - 16 \\
& a^2 c^3 d e + 12 a b^2 c^2 d e - 2 b c d e (-4 a c - b^2)^3)^{(1/2)} / (8 (a \\
& ^3 b^4 e^4 + 16 a^3 c^4 d^4 + 16 a^5 c^2 e^4 + a b^4 c^2 d^4 - 8 a^4 b^2 c \\
& e^4 + a b^6 d^2 e^2 - 2 a^2 b^5 d e^3 - 8 a^2 b^2 c^3 d^4 + 32 a^4 c^3 d^2 \\
& e^2 - 2 a b^5 c d^3 e - 32 a^3 b c^3 d^3 e + 16 a^3 b^3 c d e^3 - 32 a^4 b \\
& * c^2 d e^3 + 16 a^2 b^3 c^2 d^3 e - 6 a^2 b^4 c d^2 e^2))^{(1/2)} - 4 b^3 c^3 \\
& * e^6 - 4 c^6 d^3 e^3 + 4 b c^5 d^2 e^4 + 4 b^2 c^4 d e^5 + 16 a b c^4 e^6 - \\
& 20 a c^5 d e^5) + 6 c^5 e^5 x) * (- (b^5 e^2 + b^3 c^2 d^2 + b^2 e^2 (-4 a c \\
& - b^2)^3)^{(1/2)} + c^2 d^2 (-4 a c - b^2)^3)^{(1/2)} + 12 a^2 b c^2 e^2 - 2 \\
& b^4 c d e - 4 a b c^3 d^2 - 7 a b^3 c e^2 - a c e^2 (-4 a c - b^2)^3)^{(1/2)} \\
&) - 16 a^2 c^3 d e + 12 a b^2 c^2 d e - 2 b c d e (-4 a c - b^2)^3)^{(1/2)} \\
&) / (8 (a^3 b^4 e^4 + 16 a^3 c^4 d^4 + 16 a^5 c^2 e^4 + a b^4 c^2 d^4 - 8 a^4 \\
& b^2 c e^4 + a b^6 d^2 e^2 - 2 a^2 b^5 d e^3 - 8 a^2 b^2 c^3 d^4 + 32 a^4 c^3 \\
& * d^2 e^2 - 2 a b^5 c d^3 e - 32 a^3 b c^3 d^3 e + 16 a^3 b^3 c d e^3 - 32
\end{aligned}$$

$$\begin{aligned}
& a^4 b^2 c^2 d^2 e^3 + 16 a^2 b^3 c^2 d^3 e - 6 a^2 b^4 c^2 d^2 e^2))^{(1/2)} - ((- \\
& (b^5 e^2 + b^3 c^2 d^2 + b^2 e^2 (-4 a^2 c - b^2)^3)^{(1/2)} + c^2 d^2 (-4 a^2 c \\
& - b^2)^3)^{(1/2)} + 12 a^2 b^2 c^2 e^2 - 2 b^4 c^2 d^2 e - 4 a^2 b^2 c^3 d^2 - 7 a^2 b^3 \\
& c^2 e^2 - a^2 c^2 e^2 (-4 a^2 c - b^2)^3)^{(1/2)} - 16 a^2 c^3 d^2 e + 12 a^2 b^2 c^2 d^2 \\
& e - 2 b^2 c^2 d^2 e (-4 a^2 c - b^2)^3)^{(1/2)}) / (8 (a^3 b^4 e^4 + 16 a^3 c^4 d^4 \\
& + 16 a^5 c^2 e^4 + a^2 b^4 c^2 d^4 - 8 a^4 b^2 c^2 e^4 + a^2 b^6 d^2 e^2 - 2 a^2 b^5 \\
& d^2 e^3 - 8 a^2 b^2 c^3 d^4 + 32 a^4 c^3 d^2 e^2 - 2 a^2 b^5 c^2 d^3 e - 32 a^3 \\
& b^2 c^3 d^3 e + 16 a^3 b^3 c^2 d^2 e^3 - 32 a^4 b^2 c^2 d^2 e^3 + 16 a^2 b^3 c^2 d^2 \\
& e^3 - 6 a^2 b^4 c^2 d^2 e^2))^{(1/2)} * ((x (16 b^5 c^2 e^7 + 16 c^7 d^5 e^2 - \\
& 112 a^2 b^3 c^3 e^7 + 192 a^2 b^2 c^4 e^7 + 32 a^2 c^6 d^3 e^4 - 240 a^2 c^5 d^2 e^6 \\
& - 32 b^2 c^6 d^4 e^3 - 32 b^4 c^3 d^2 e^6 + 16 b^2 c^5 d^3 e^4 + 16 b^3 c^4 d^2 \\
& e^5 - 96 a^2 b^2 c^5 d^2 e^5 + 192 a^2 b^2 c^4 d^2 e^6) - (- (b^5 e^2 + b^3 c^2 d^2 \\
& + b^2 e^2 (-4 a^2 c - b^2)^3)^{(1/2)} + c^2 d^2 (-4 a^2 c - b^2)^3)^{(1/2)} + \\
& 12 a^2 b^2 c^2 e^2 - 2 b^4 c^2 d^2 e - 4 a^2 b^2 c^3 d^2 - 7 a^2 b^3 c^2 e^2 - a^2 c^2 e^2 (- \\
& (4 a^2 c - b^2)^3)^{(1/2)} - 16 a^2 c^3 d^2 e + 12 a^2 b^2 c^2 d^2 e - 2 b^2 c^2 d^2 e (-4 \\
& a^2 c - b^2)^3)^{(1/2)}) / (8 (a^3 b^4 e^4 + 16 a^3 c^4 d^4 + 16 a^5 c^2 e^4 + a^2 \\
& b^4 c^2 d^4 - 8 a^4 b^2 c^2 e^4 + a^2 b^6 d^2 e^2 - 2 a^2 b^5 d^2 e^3 - 8 a^2 b^2 \\
& c^3 d^4 + 32 a^4 c^3 d^2 e^2 - 2 a^2 b^5 c^2 d^3 e - 32 a^3 b^2 c^3 d^3 e + 16 \\
& a^3 b^3 c^2 d^2 e^3 - 32 a^4 b^2 c^2 d^2 e^3 + 16 a^2 b^3 c^2 d^3 e - 6 a^2 b^4 c^2 d^2 \\
& e^2))^{(1/2)} * (256 a^4 c^4 e^8 + x (- (b^5 e^2 + b^3 c^2 d^2 + b^2 e^2 (-4 \\
& a^2 c - b^2)^3)^{(1/2)} + c^2 d^2 (-4 a^2 c - b^2)^3)^{(1/2)} + 12 a^2 b^2 c^2 e^2 \\
& - 2 b^4 c^2 d^2 e - 4 a^2 b^2 c^3 d^2 - 7 a^2 b^3 c^2 e^2 - a^2 c^2 e^2 (-4 a^2 c - b^2)^3)^{(1/2)} \\
& - 16 a^2 c^3 d^2 e + 12 a^2 b^2 c^2 d^2 e - 2 b^2 c^2 d^2 e (-4 a^2 c - b^2)^3)^{(1/2)}) / (8 (a^3 b^4 e^4 + 16 a^3 c^4 d^4 + 16 a^5 c^2 e^4 + a^2 \\
& b^4 c^2 d^4 - 8 a^4 b^2 c^2 e^4 + a^2 b^6 d^2 e^2 - 2 a^2 b^5 d^2 e^3 - 8 a^2 b^2 c^3 d^4 + 32 a^4 \\
& c^3 d^2 e^2 - 2 a^2 b^5 c^2 d^3 e - 32 a^3 b^2 c^3 d^3 e + 16 a^3 b^3 c^2 d^2 e^3 \\
& - 32 a^4 b^2 c^2 d^2 e^3 + 16 a^2 b^3 c^2 d^3 e - 6 a^2 b^4 c^2 d^2 e^2))^{(1/2)} * \\
& (256 a^4 b^2 c^3 e^9 - 32 a^3 b^4 c^2 e^9 - 512 a^5 c^4 e^9 + 512 a^2 c^7 d^6 e^3 + 512 a^3 c^6 d^4 e^5 \\
& - 512 a^4 c^5 d^2 e^7 - 32 b^3 c^6 d^7 e^2 + 128 b^4 c^5 d^6 e^3 - 192 b^5 c^4 d^5 e^4 + 128 b^6 c^3 d^4 e^5 \\
& - 32 b^7 c^2 d^3 e^6 + 512 a^2 b^2 c^5 d^4 e^5 + 288 a^2 b^3 c^4 d^3 e^6 - 192 a^2 b^4 c^3 d^2 e^7 \\
& + 384 a^3 b^2 c^4 d^2 e^7 + 128 a^2 b^2 c^4 d^2 e^7 + 128 a^2 b^2 c^4 d^2 e^7 + 640 a^4 b^2 c^4 \\
& d^2 e^8 - 640 a^2 b^2 c^6 d^6 e^3 + 1056 a^2 b^3 c^5 d^5 e^4 - 672 a^2 b^4 c^4 d^4 \\
& e^5 + 96 a^2 b^5 c^3 d^3 e^6 + 32 a^2 b^6 c^2 d^2 e^7 - 1152 a^2 b^2 c^6 d^5 e^4 + 32 a^2 b^5 c^2 d^2 e^8 \\
& - 640 a^3 b^2 c^5 d^3 e^6 - 288 a^3 b^3 c^3 d^2 e^8) - 64 a^2 c^7 d^6 e^2 + 16 a^2 b^4 c^2 e^8 \\
& - 128 a^3 b^2 c^3 e^8 + 128 a^2 c^6 d^4 e^4 + 448 a^3 c^5 d^2 e^6 + 16 b^2 c^6 d^6 e^2 - 64 b^3 c^5 d^5 e^3 \\
& + 96 b^4 c^4 d^4 e^4 - 64 b^5 c^3 d^3 e^5 + 16 b^6 c^2 d^2 e^6 - 240 a^2 b^2 c^4 d^2 e^6 \\
& + 256 a^2 b^2 c^6 d^5 e^3 - 32 a^2 b^5 c^2 d^2 e^7 - 384 a^3 b^2 c^4 d^2 e^7 - 416 a^2 b^2 c^5 d^4 e^4 \\
& + 288 a^2 b^3 c^4 d^3 e^5 - 32 a^2 b^4 c^3 d^2 e^6 - 128 a^2 b^2 c^5 d^3 e^5 + 224 a^2 b^3 c^3 d^2 e^7) * (- (b^5 e^2 + b^3 c^2 d^2 + b^2 \\
& e^2 (-4 a^2 c - b^2)^3)^{(1/2)} + c^2 d^2 (-4 a^2 c - b^2)^3)^{(1/2)} + 12 a^2 b^2 c^2 e^2 \\
& - 2 b^4 c^2 d^2 e - 4 a^2 b^2 c^3 d^2 - 7 a^2 b^3 c^2 e^2 - a^2 c^2 e^2 (-4 a^2 c - b^2)^3)^{(1/2)} \\
& - 16 a^2 c^3 d^2 e + 12 a^2 b^2 c^2 d^2 e - 2 b^2 c^2 d^2 e (-4 a^2 c - b^2)^3)^{(1/2)}) / (8 (a^3 b^4 e^4 + 16 a^3 c^4 d^4 + 16 a^5 c^2 e^4 + a^2 b^4 c^2
\end{aligned}$$

$$\begin{aligned}
& 2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d \\
& ^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3 \\
& *c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2) \\
&)^{(1/2)} + 4*b^3*c^3*e^6 + 4*c^6*d^3*e^3 - 4*b*c^5*d^2*e^4 - 4*b^2*c^4*d*e^5 \\
& - 16*a*b*c^4*e^6 + 20*a*c^5*d*e^5) + 6*c^5*e^5*x)*(-(b^5*e^2 + b^3*c^2*d^ \\
& ^2 + b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 1 \\
& 2*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2*(-(\\
& 4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4* \\
& a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a* \\
& b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2 \\
& *c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a \\
& ^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^ \\
& ^2*e^2))^{(1/2)}))*(-(b^5*e^2 + b^3*c^2*d^2 + b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
&) + c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a \\
& *b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3* \\
& d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^ \\
& ^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b \\
& ^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a \\
& *b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 \\
& + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2))^{(1/2)}*2i + \operatorname{atan}((((-(b^5*e \\
& ^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^ \\
& ^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^ \\
& ^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + \\
& 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a \\
& ^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d* \\
& e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c \\
& ^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - \\
& 6*a^2*b^4*c*d^2*e^2))^{(1/2)}*((x*(16*b^5*c^2*e^7 + 16*c^7*d^5*e^2 - 112*a* \\
& b^3*c^3*e^7 + 192*a^2*b*c^4*e^7 + 32*a*c^6*d^3*e^4 - 240*a^2*c^5*d*e^6 - 32 \\
& *b*c^6*d^4*e^3 - 32*b^4*c^3*d*e^6 + 16*b^2*c^5*d^3*e^4 + 16*b^3*c^4*d^2*e^5 \\
& - 96*a*b*c^5*d^2*e^5 + 192*a*b^2*c^4*d*e^6) - (-(b^5*e^2 + b^3*c^2*d^2 - b \\
& ^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2 \\
& *b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - \\
& b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c \\
& ^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3* \\
& d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^ \\
& 3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2 \\
&))^{(1/2)}*(x*(-(b^5*e^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c \\
& ^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e \\
& + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + \\
& 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d \\
& ^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5 \\
& *c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 1
\end{aligned}$$

$$\begin{aligned}
& (6a^2b^3c^2d^3e - 6a^2b^4c^2d^2e^2))^{(1/2)} * (256a^4b^2c^3e^9 - 3 \\
& 2a^3b^4c^2e^9 - 512a^5c^4e^9 + 512a^2c^7d^6e^3 + 512a^3c^6d^4 \\
& *e^5 - 512a^4c^5d^2e^7 - 32b^3c^6d^7e^2 + 128b^4c^5d^6e^3 - 192 \\
& *b^5c^4d^5e^4 + 128b^6c^3d^4e^5 - 32b^7c^2d^3e^6 + 512a^2b^2c \\
& ^5d^4e^5 + 288a^2b^3c^4d^3e^6 - 192a^2b^4c^3d^2e^7 + 384a^3b^2 \\
& *c^4d^2e^7 + 128a*b*c^7d^7e^2 + 640a^4b*b*c^4d*e^8 - 640a*b^2c^6d \\
& ^6e^3 + 1056a*b^3c^5d^5e^4 - 672a*b^4c^4d^4e^5 + 96a*b^5c^3d^3 \\
& *e^6 + 32a*b^6c^2d^2e^7 - 1152a^2b*b*c^6d^5e^4 + 32a^2b^5c^2d*e^8 \\
& - 640a^3b*c^5d^3e^6 - 288a^3b^3c^3d*e^8) - 256a^4c^4e^8 + 64a*c \\
& ^7d^6e^2 - 16a^2b^4c^2e^8 + 128a^3b^2c^3e^8 - 128a^2c^6d^4e^4 \\
& - 448a^3c^5d^2e^6 - 16b^2c^6d^6e^2 + 64b^3c^5d^5e^3 - 96b^4c \\
& ^4d^4e^4 + 64b^5c^3d^3e^5 - 16b^6c^2d^2e^6 + 240a^2b^2c^4d^2* \\
& e^6 - 256a*b*c^6d^5e^3 + 32a*b^5c^2d*e^7 + 384a^3b*c^4d*e^7 + 416* \\
& a*b^2c^5d^4e^4 - 288a*b^3c^4d^3e^5 + 32a*b^4c^3d^2e^6 + 128a^2* \\
& b*c^5d^3e^5 - 224a^2b^3c^3d*e^7)) * (- (b^5e^2 + b^3c^2d^2 - b^2e^2 * \\
& (- (4ac - b^2)^3)^{(1/2)} - c^2d^2 * (- (4ac - b^2)^3)^{(1/2)} + 12a^2b*b*c^2* \\
& e^2 - 2b^4c*d*e - 4a*b*c^3d^2 - 7a*b^3c*e^2 + a*c*e^2 * (- (4ac - b^2) \\
& ^3)^{(1/2)} - 16a^2c^3d*e + 12a*b^2c^2d*e + 2b*c*d*e * (- (4ac - b^2)^3 \\
&)^{(1/2)}) / (8(a^3b^4e^4 + 16a^3c^4d^4 + 16a^5c^2e^4 + a*b^4c^2d^4 \\
& - 8a^4b^2c*e^4 + a*b^6d^2e^2 - 2a^2b^5d*e^3 - 8a^2b^2c^3d^4 + 3 \\
& 2a^4c^3d^2e^2 - 2a*b^5c*d^3e - 32a^3b*c^3d^3e + 16a^3b^3c*d*e \\
& ^3 - 32a^4b*c^2d*e^3 + 16a^2b^3c^2d^3e - 6a^2b^4c*d^2e^2))^{(1/ \\
& 2)} - 4b^3c^3e^6 - 4c^6d^3e^3 + 4b*c^5d^2e^4 + 4b^2c^4d*e^5 + 16 \\
& *a*b*c^4e^6 - 20a*c^5d*e^5) + 6c^5e^5*x) * (- (b^5e^2 + b^3c^2d^2 - b^ \\
& 2e^2 * (- (4ac - b^2)^3)^{(1/2)} - c^2d^2 * (- (4ac - b^2)^3)^{(1/2)} + 12a^2b \\
& *c^2e^2 - 2b^4c*d*e - 4a*b*c^3d^2 - 7a*b^3c*e^2 + a*c*e^2 * (- (4ac - \\
& b^2)^3)^{(1/2)} - 16a^2c^3d*e + 12a*b^2c^2d*e + 2b*c*d*e * (- (4ac - \\
& b^2)^3)^{(1/2)}) / (8(a^3b^4e^4 + 16a^3c^4d^4 + 16a^5c^2e^4 + a*b^4c^ \\
& 2d^4 - 8a^4b^2c*e^4 + a*b^6d^2e^2 - 2a^2b^5d*e^3 - 8a^2b^2c^3d^ \\
& ^4 + 32a^4c^3d^2e^2 - 2a*b^5c*d^3e - 32a^3b*c^3d^3e + 16a^3b^3 \\
& *c*d*e^3 - 32a^4b*c^2d*e^3 + 16a^2b^3c^2d^3e - 6a^2b^4c*d^2e^2) \\
&))^{(1/2)} * i + ((- (b^5e^2 + b^3c^2d^2 - b^2e^2 * (- (4ac - b^2)^3)^{(1/2)} \\
& - c^2d^2 * (- (4ac - b^2)^3)^{(1/2)} + 12a^2b*b*c^2e^2 - 2b^4c*d*e - 4a*b \\
& *c^3d^2 - 7a*b^3c*e^2 + a*c*e^2 * (- (4ac - b^2)^3)^{(1/2)} - 16a^2c^3d* \\
& e + 12a*b^2c^2d*e + 2b*c*d*e * (- (4ac - b^2)^3)^{(1/2)}) / (8(a^3b^4e^4 \\
& + 16a^3c^4d^4 + 16a^5c^2e^4 + a*b^4c^2d^4 - 8a^4b^2c*e^4 + a*b^6 \\
& *d^2e^2 - 2a^2b^5d*e^3 - 8a^2b^2c^3d^4 + 32a^4c^3d^2e^2 - 2a*b \\
& ^5c*d^3e - 32a^3b*c^3d^3e + 16a^3b^3c*d*e^3 - 32a^4b*c^2d*e^3 + \\
& 16a^2b^3c^2d^3e - 6a^2b^4c*d^2e^2))^{(1/2)} * ((x*(16b^5c^2e^7 + \\
& 16c^7d^5e^2 - 112a*b^3c^3e^7 + 192a^2b*b*c^4e^7 + 32a*c^6d^3e^4 - \\
& 240a^2c^5d*e^6 - 32b*c^6d^4e^3 - 32b^4c^3d*e^6 + 16b^2c^5d^3e \\
& ^4 + 16b^3c^4d^2e^5 - 96a*b*c^5d^2e^5 + 192a*b^2c^4d*e^6) - (- (b^ \\
& 5e^2 + b^3c^2d^2 - b^2e^2 * (- (4ac - b^2)^3)^{(1/2)} - c^2d^2 * (- (4ac - \\
& b^2)^3)^{(1/2)} + 12a^2b*b*c^2e^2 - 2b^4c*d*e - 4a*b*c^3d^2 - 7a*b^3c \\
& *e^2 + a*c*e^2 * (- (4ac - b^2)^3)^{(1/2)} - 16a^2c^3d*e + 12a*b^2c^2d*e
\end{aligned}$$

$$\begin{aligned}
& + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2))^{(1/2)}*(256*a^4*c^4*e^8 + x*(-(b^5*e^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2))^{(1/2)}*(256*a^4*b^2*c^3*e^9 - 32*a^3*b^4*c^2*e^9 - 512*a^5*c^4*e^9 + 512*a^2*c^7*d^6*e^3 + 512*a^3*c^6*d^4*e^5 - 512*a^4*c^5*d^2*e^7 - 32*b^3*c^6*d^7*e^2 + 128*b^4*c^5*d^6*e^3 - 192*b^5*c^4*d^5*e^4 + 128*b^6*c^3*d^4*e^5 - 32*b^7*c^2*d^3*e^6 + 512*a^2*b^2*c^5*d^4*e^5 + 288*a^2*b^3*c^4*d^3*e^6 - 192*a^2*b^4*c^3*d^2*e^7 + 384*a^3*b^2*c^4*d^2*e^7 + 128*a*b*c^7*d^7*e^2 + 640*a^4*b*c^4*d*e^8 - 640*a*b^2*c^6*d^6*e^3 + 1056*a*b^3*c^5*d^5*e^4 - 672*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3*d^3*e^6 + 32*a*b^6*c^2*d^2*e^7 - 1152*a^2*b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d*e^8 - 640*a^3*b*c^5*d^3*e^6 - 288*a^3*b^3*c^3*d*e^8) - 64*a*c^7*d^6*e^2 + 16*a^2*b^4*c^2*e^8 - 128*a^3*b^2*c^3*e^8 + 128*a^2*c^6*d^4*e^4 + 448*a^3*c^5*d^2*e^6 + 16*b^2*c^6*d^6*e^2 - 64*b^3*c^5*d^5*e^3 + 96*b^4*c^4*d^4*e^4 - 64*b^5*c^3*d^3*e^5 + 16*b^6*c^2*d^2*e^6 - 240*a^2*b^2*c^4*d^2*e^6 + 256*a*b*c^6*d^5*e^3 - 32*a*b^5*c^2*d*e^7 - 384*a^3*b*c^4*d*e^7 - 416*a*b^2*c^5*d^4*e^4 + 288*a*b^3*c^4*d^3*e^5 - 32*a*b^4*c^3*d^2*e^6 - 128*a^2*b*c^5*d^3*e^5 + 224*a^2*b^3*c^3*d*e^7))*(-(b^5*e^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2))^{(1/2)} + 4*b^3*c^3*e^6 + 4*c^6*d^3*e^3 - 4*b*c^5*d^2*e^4 - 4*b^2*c^4*d*e^5 - 16*a*b*c^4*e^6 + 20*a*c^5*d*e^5) + 6*c^5*e^5*x))*(-(b^5*e^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2))^{(1/2)}*i)/(((b^5*e^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2))^{(1/2)}*i)
\end{aligned}$$

$$\begin{aligned}
&)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - \\
& 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 \\
& - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} * ((x*(16*b^5*c^2*e^7 + 16*c^7*d^5*e^2 - 112*a*b^3*c^3*e^7 + 192*a^2*b*c^4*e^7 + 32*a*c^6*d^3*e^4 - 240*a^2*c^5*d*e^6 - 32*b*c^6*d^4*e^3 - 32*b^4*c^3*d \\
& *e^6 + 16*b^2*c^5*d^3*e^4 + 16*b^3*c^4*d^2*e^5 - 96*a*b*c^5*d^2*e^5 + 192*a*b^2*c^4*d*e^6) - (-(b^5*e^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a \\
& b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} * (x*(-(b^5*e^2 + b^3 \\
& *c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c \\
& e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a \\
& b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} * (256*a^4*b^2*c^3*e^9 - 32*a^3*b^4*c^2*e^9 - 512*a^5*c^4*e^9 + 512*a^2*c^7*d^6*e^3 + 512*a^3*c^6*d^4*e^5 - 512*a^4*c^5*d^2*e^7 - \\
& 32*b^3*c^6*d^7*e^2 + 128*b^4*c^5*d^6*e^3 - 192*b^5*c^4*d^5*e^4 + 128*b^6*c^3*d^4*e^5 - 32*b^7*c^2*d^3*e^6 + 512*a^2*b^2*c^5*d^4*e^5 + 288*a^2*b^3*c^4 \\
& d^3*e^6 - 192*a^2*b^4*c^3*d^2*e^7 + 384*a^3*b^2*c^4*d^2*e^7 + 128*a*b*c^7*d^7*e^2 + 640*a^4*b*c^4*d*e^8 - 640*a*b^2*c^6*d^6*e^3 + 1056*a*b^3*c^5*d^5*e^4 - 672*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3*d^3*e^6 + 32*a*b^6*c^2*d^2*e^7 - \\
& 1152*a^2*b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d*e^8 - 640*a^3*b*c^5*d^3*e^6 - 288 \\
& *a^3*b^3*c^3*d*e^8) - 256*a^4*c^4*e^8 + 64*a*c^7*d^6*e^2 - 16*a^2*b^4*c^2*e^8 + 128*a^3*b^2*c^3*e^8 - 128*a^2*c^6*d^4*e^4 - 448*a^3*c^5*d^2*e^6 - 16*b^2*c^6*d^6*e^2 + 64*b^3*c^5*d^5*e^3 - 96*b^4*c^4*d^4*e^4 + 64*b^5*c^3*d^3*e^5 - 16*b^6*c^2*d^2*e^6 + 240*a^2*b^2*c^4*d^2*e^6 - 256*a*b*c^6*d^5*e^3 + 3 \\
& 2*a*b^5*c^2*d*e^7 + 384*a^3*b*c^4*d*e^7 + 416*a*b^2*c^5*d^4*e^4 - 288*a*b^3 \\
& *c^4*d^3*e^5 + 32*a*b^4*c^3*d^2*e^6 + 128*a^2*b*c^5*d^3*e^5 - 224*a^2*b^3*c^3*d*e^7)) * (-(b^5*e^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3 \\
& *d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(a^3*b^4*e^4 + 16 \\
& *a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2 \\
& *e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c \\
& *d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16 \\
& *a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} - 4*b^3*c^3*e^6 - 4*c^6*d^
\end{aligned}$$

$$\begin{aligned}
& 3e^3 + 4b^5c^5d^2e^4 + 4b^2c^4d^2e^5 + 16a^5b^5c^4e^6 - 20a^5c^5d^2e^5 \\
&) + 6c^5e^5x * (- (b^5e^2 + b^3c^2d^2 - b^2e^2 * (- (4ac - b^2)^3)^{1/2} \\
&) - c^2d^2 * (- (4ac - b^2)^3)^{1/2} + 12a^2b^5c^2e^2 - 2b^4c^2d^2e - 4a \\
& * b^5c^3d^2 - 7a^5b^3c^2e^2 + a^5c^2 * (- (4ac - b^2)^3)^{1/2} - 16a^2c^3 \\
& d^2e + 12a^5b^2c^2d^2e + 2b^5c^2d^2e * (- (4ac - b^2)^3)^{1/2}) / (8(a^3b^4e^4 \\
& + 16a^3c^4d^4 + 16a^5c^2e^4 + a^5b^4c^2d^4 - 8a^4b^2c^2e^4 + a^5b \\
& ^6d^2e^2 - 2a^2b^5d^2e^3 - 8a^2b^2c^3d^4 + 32a^4c^3d^2e^2 - 2a \\
& * b^5c^2d^3e - 32a^3b^3c^3d^3e + 16a^3b^3c^2d^3e - 32a^4b^2c^2d^3e \\
& + 16a^2b^3c^2d^3e - 6a^2b^4c^2d^2e^2))^{1/2} - ((- (b^5e^2 + b^3c^2 \\
& d^2 - b^2e^2 * (- (4ac - b^2)^3)^{1/2} - c^2d^2 * (- (4ac - b^2)^3)^{1/2} \\
& + 12a^2b^5c^2e^2 - 2b^4c^2d^2e - 4a^5b^3c^2e^2 + a^5c^2 * (- (4ac - b^2)^3)^{1/2} \\
& - 16a^2c^3d^2e + 12a^5b^2c^2d^2e + 2b^5c^2d^2e * (- (4ac - b^2)^3)^{1/2}) / (8(a^3b^4e^4 \\
& + 16a^3c^4d^4 + 16a^5c^2e^4 + a^5b^4c^2d^4 - 8a^4b^2c^2e^4 + a^5b^6d^2e^2 - 2a^2b^5d^2e^3 - 8a \\
& ^2b^2c^3d^4 + 32a^4c^3d^2e^2 - 2a^5b^5c^2d^3e - 32a^3b^3c^3d^3e \\
& + 16a^3b^3c^2d^3e - 32a^4b^2c^2d^3e + 16a^2b^3c^2d^3e - 6a^2b^4c^2d^2e^2))^{1/2} * ((x(16b^5c^2e^7 + 16c^7d^5e^2 - 112a^5b^3c^3e \\
& ^7 + 192a^2b^5c^4e^7 + 32a^5c^6d^3e^4 - 240a^2c^5d^2e^6 - 32b^5c^6d^4e^3 - 32b^4c^3d^2e^6 + 16b^2c^5d^3e^4 + 16b^3c^4d^2e^5 - 96a^5b \\
& * c^5d^2e^5 + 192a^5b^2c^4d^2e^6) - (- (b^5e^2 + b^3c^2d^2 - b^2e^2 * (- (4ac - b^2)^3)^{1/2} - c^2d^2 * (- (4ac - b^2)^3)^{1/2} + 12a^2b^5c^2e^2 \\
& - 2b^4c^2d^2e - 4a^5b^3c^2e^2 + a^5c^2 * (- (4ac - b^2)^3)^{1/2})^{1/2} - 16a^2c^3d^2e + 12a^5b^2c^2d^2e + 2b^5c^2d^2e * (- (4ac - b^2)^3)^{1/2}) / (8(a^3b^4e^4 + 16a^3c^4d^4 + 16a^5c^2e^4 + a^5b^4c^2d^4 - 8a^4b^2c^2e^4 + a^5b^6d^2e^2 - 2a^2b^5d^2e^3 - 8a^2b^2c^3d^4 + 32a^4c^3d^2e^2 - 2a^5b^5c^2d^3e - 32a^3b^3c^3d^3e + 16a^3b^3c^2d^3e - 32a^4b^2c^2d^3e + 16a^2b^3c^2d^3e - 6a^2b^4c^2d^2e^2))^{1/2} * (256a^4c^4e^8 + x * (- (b^5e^2 + b^3c^2d^2 - b^2e^2 * (- (4ac - b^2)^3)^{1/2} - c^2d^2 * (- (4ac - b^2)^3)^{1/2} + 12a^2b^5c^2e^2 - 2b^4c^2d^2e - 4a^5b^3c^2e^2 + a^5c^2 * (- (4ac - b^2)^3)^{1/2} - 16a^2c^3d^2e + 12a^5b^2c^2d^2e + 2b^5c^2d^2e * (- (4ac - b^2)^3)^{1/2}) / (8(a^3b^4e^4 + 16a^3c^4d^4 + 16a^5c^2e^4 + a^5b^4c^2d^4 - 8a^4b^2c^2e^4 + a^5b^6d^2e^2 - 2a^2b^5d^2e^3 - 8a^2b^2c^3d^4 + 32a^4c^3d^2e^2 - 2a^5b^5c^2d^3e - 32a^3b^3c^3d^3e + 16a^3b^3c^2d^3e - 32a^4b^2c^2d^3e + 16a^2b^3c^2d^3e - 6a^2b^4c^2d^2e^2))^{1/2} * (256a^4b^2c^3e^9 - 32a^3b^4c^2e^9 - 512a^5c^4e^9 + 512a^2c^7d^6e^3 + 512a^3c^6d^4e^5 - 512a^4c^5d^2e^7 - 32b^3c^6d^7e^2 + 128b^4c^5d^6e^3 - 192b^5c^4d^5e^4 + 128b^6c^3d^4e^5 - 32b^7c^2d^3e^6 + 512a^2b^2c^5d^4e^5 + 288a^2b^3c^4d^3e^6 - 192a^2b^4c^3d^2e^7 + 384a^3b^2c^4d^2e^7 + 128a^5b^3c^7d^7e^2 + 640a^4b^3c^4d^2e^8 - 640a^5b^2c^6d^6e^3 + 1056a^5b^3c^5d^5e^4 - 672a^5b^4c^4d^4e^5 + 96a^5b^5c^3d^3e^6 + 32a^5b^6c^2d^2e^7 - 1152a^2b^3c^6d^5e^4 + 32a^2b^5c^2d^2e^8 - 640a^3b^3c^5d^3e^6 - 288a^3b^3c^3d^2e^8) - 64a^5c^7d^6e^2 + 16a^2b^4c^2e^8 - 128a^3b^2c^3e^8 + 128a^2c^6d^4e^4 + 448a^3c^5d^2e^6 + 16b^2c^6d^6e^2 - 64b^3c^5d^5e^3 + 96b^4c^4d^4e^4
\end{aligned}$$

$$\begin{aligned}
& 4 - 64*b^5*c^3*d^3*e^5 + 16*b^6*c^2*d^2*e^6 - 240*a^2*b^2*c^4*d^2*e^6 + 256 \\
& *a*b*c^6*d^5*e^3 - 32*a*b^5*c^2*d*e^7 - 384*a^3*b*c^4*d*e^7 - 416*a*b^2*c^5 \\
& *d^4*e^4 + 288*a*b^3*c^4*d^3*e^5 - 32*a*b^4*c^3*d^2*e^6 - 128*a^2*b*c^5*d^3 \\
& *e^5 + 224*a^2*b^3*c^3*d*e^7)) * (- (b^5*e^2 + b^3*c^2*d^2 - b^2*e^2 * (- (4*a*c \\
& - b^2)^3)^{(1/2)} - c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b \\
& ^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} \\
& - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)}) / \\
& (8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b \\
& ^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3 \\
& *d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a \\
& ^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} + 4*b^ \\
& 3*c^3*e^6 + 4*c^6*d^3*e^3 - 4*b*c^5*d^2*e^4 - 4*b^2*c^4*d*e^5 - 16*a*b*c^4* \\
& e^6 + 20*a*c^5*d*e^5) + 6*c^5*e^5*x) * (- (b^5*e^2 + b^3*c^2*d^2 - b^2*e^2 * (- (\\
& 4*a*c - b^2)^3)^{(1/2)} - c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 \\
& - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2 * (- (4*a*c - b^2)^3) \\
& ^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e * (- (4*a*c - b^2)^3)^{(\\
& 1/2)}) / (8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8 \\
& *a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a \\
& ^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 \\
& - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)}) \\
&) * (- (b^5*e^2 + b^3*c^2*d^2 - b^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - c^2*d^2 * (- (\\
& 4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7* \\
& a*b^3*c*e^2 + a*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2* \\
& c^2*d*e + 2*b*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)}) / (8*(a^3*b^4*e^4 + 16*a^3*c^4* \\
& d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2* \\
& a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - \\
& 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c \\
& ^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} * 2i - (\log(b^5*d*(-d*e^3)^{(5/2)} - b^ \\
& 5*d^3*e^8*x + c^5*d^8*e^3*x + 2*a*c^4*d^5*(-d*e^3)^{(3/2)} - 16*a^3*c^2*e*(-d \\
& *e^3)^{(5/2)} - c^5*d^8*e*(-d*e^3)^{(1/2)} + b^2*c^3*d^5*(-d*e^3)^{(3/2)} - a*b^4 \\
& *e*(-d*e^3)^{(5/2)} - 7*a*b^3*c*d*(-d*e^3)^{(5/2)} + 17*a^2*c^3*d^3*e^2*(-d*e^3 \\
&)^{(3/2)} + a*b^4*d^2*e^9*x + 2*a*c^4*d^6*e^5*x - 2*b*c^4*d^7*e^4*x + 2*b^4*c \\
& *d^4*e^7*x + 12*a^2*b*c^2*d*(-d*e^3)^{(5/2)} + 8*a^2*b^2*c*e*(-d*e^3)^{(5/2)} + \\
& 17*a^2*c^3*d^4*e^7*x + 16*a^3*c^2*d^2*e^9*x + b^2*c^3*d^6*e^5*x - b^3*c^2* \\
& d^5*e^6*x - b^3*c^2*d^4*e*(-d*e^3)^{(3/2)} + 2*b^4*c*d^3*e^2*(-d*e^3)^{(3/2)} + \\
& 2*b*c^4*d^7*e^2*(-d*e^3)^{(1/2)} - 12*a*b^2*c^2*d^4*e^7*x - 12*a^2*b*c^2*d^3 \\
& *e^8*x - 8*a^2*b^2*c*d^2*e^9*x - 12*a*b^2*c^2*d^3*e^2*(-d*e^3)^{(3/2)} + 2*a* \\
& b*c^3*d^5*e^6*x + 7*a*b^3*c*d^3*e^8*x + 2*a*b*c^3*d^4*e*(-d*e^3)^{(3/2)}) * (-d \\
& *e^3)^{(1/2)}) / (2*(c*d^3 + a*d*e^2 - b*d^2*e)) + (\log(b^5*d*(-d*e^3)^{(5/2)} + \\
& b^5*d^3*e^8*x - c^5*d^8*e^3*x + 2*a*c^4*d^5*(-d*e^3)^{(3/2)} - 16*a^3*c^2*e*(- \\
& d*e^3)^{(5/2)} - c^5*d^8*e*(-d*e^3)^{(1/2)} + b^2*c^3*d^5*(-d*e^3)^{(3/2)} - a*b \\
& ^4*e*(-d*e^3)^{(5/2)} - 7*a*b^3*c*d*(-d*e^3)^{(5/2)} + 17*a^2*c^3*d^3*e^2*(-d*e \\
& ^3)^{(3/2)} - a*b^4*d^2*e^9*x - 2*a*c^4*d^6*e^5*x + 2*b*c^4*d^7*e^4*x - 2*b^4 \\
& *c*d^4*e^7*x + 12*a^2*b*c^2*d*(-d*e^3)^{(5/2)} + 8*a^2*b^2*c*e*(-d*e^3)^{(5/2)} \\
& - 17*a^2*c^3*d^4*e^7*x - 16*a^3*c^2*d^2*e^9*x - b^2*c^3*d^6*e^5*x + b^3*c^
\end{aligned}$$

$$\begin{aligned}
& 2*d^5*e^6*x - b^3*c^2*d^4*e*(-d*e^3)^{(3/2)} + 2*b^4*c*d^3*e^2*(-d*e^3)^{(3/2)} \\
& + 2*b*c^4*d^7*e^2*(-d*e^3)^{(1/2)} + 12*a*b^2*c^2*d^4*e^7*x + 12*a^2*b*c^2*d^3*e^8*x + 8*a^2*b^2*c*d^2*e^9*x \\
& - 12*a*b^2*c^2*d^3*e^2*(-d*e^3)^{(3/2)} - 2*a*b*c^3*d^5*e^6*x - 7*a*b^3*c*d^3*e^8*x + 2*a*b*c^3*d^4*e*(-d*e^3)^{(3/2)} * (-d*e^3)^{(1/2)} \\
& / (2*c*d^3 + 2*a*d*e^2 - 2*b*d^2*e)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.269 \quad \int \frac{1}{(d+ex^2)^2(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=429

$$\frac{\sqrt{c} \left(-2ce \left(d\sqrt{b^2 - 4ac} + ae + bd \right) + be^2 \left(\sqrt{b^2 - 4ac} + b \right) + 2c^2 d^2 \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) \sqrt{c} \left(-2ce \left(-d\sqrt{b^2 - 4ac} \right) \right)}{\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}} (ae^2 - bde + cd^2)^2} \sqrt{2} \sqrt{b^2 - 4ac}$$

[Out] $\frac{1}{2} e^{2x/d} / (a e^{2-b*d*e+c*d^2}) / (e*x^2+d) + 1/2 e^{(3/2)*\arctan(x*e^{(1/2)/d^{(1/2)}}/d^{(3/2)}) / (a e^{2-b*d*e+c*d^2}) + e^{(3/2)*(-b*e+2*c*d)*\arctan(x*e^{(1/2)/d^{(1/2)}}/d^{(1/2)}) / (a e^{2-b*d*e+c*d^2})^{2/d^{(1/2)}} + 1/2 \arctan(x^2^{(1/2)}*c^{(1/2)} / (b - (-4*a*c + b^2)^{(1/2)})^{(1/2)}) * c^{(1/2)} * (2*c^2*d^2 + b*e^2*(b + (-4*a*c + b^2)^{(1/2)}) - 2*c*e*(b*d + a*e + d*(-4*a*c + b^2)^{(1/2)})) / (a e^{2-b*d*e+c*d^2})^{2*2^{(1/2)}} / (-4*a*c + b^2)^{(1/2)} / (b - (-4*a*c + b^2)^{(1/2)})^{(1/2)} - 1/2 \arctan(x^2^{(1/2)}*c^{(1/2)} / (b + (-4*a*c + b^2)^{(1/2)})^{(1/2)}) * c^{(1/2)} * (2*c^2*d^2 + b*e^2*(b - (-4*a*c + b^2)^{(1/2)}) - 2*c*e*(b*d + a*e - d*(-4*a*c + b^2)^{(1/2)})) / (a e^{2-b*d*e+c*d^2})^{2*2^{(1/2)}} / (-4*a*c + b^2)^{(1/2)} / (b + (-4*a*c + b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 1.41, antiderivative size = 429, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1170, 199, 205, 1166}

$$\frac{\sqrt{c} \left(-2ce \left(d\sqrt{b^2 - 4ac} + ae + bd \right) + be^2 \left(\sqrt{b^2 - 4ac} + b \right) + 2c^2 d^2 \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) \sqrt{c} \left(-2ce \left(-d\sqrt{b^2 - 4ac} \right) \right)}{\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}} (ae^2 - bde + cd^2)^2} \sqrt{2} \sqrt{b^2 - 4ac}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^2*(a + b*x^2 + c*x^4)),x]

[Out] $(e^{2x}) / (2*d*(c*d^2 - b*d*e + a*e^2)*(d + e*x^2)) + (\text{Sqrt}[c]*(2*c^2*d^2 + b*(b + \text{Sqrt}[b^2 - 4*a*c])*e^2 - 2*c*e*(b*d + \text{Sqrt}[b^2 - 4*a*c]*d + a*e))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) / (\text{Sqrt}[2]*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*(c*d^2 - b*d*e + a*e^2)^2) - (\text{Sqrt}[c]*(2*c^2*d^2 + b*(b - \text{Sqrt}[b^2 - 4*a*c])*e^2 - 2*c*e*(b*d - \text{Sqrt}[b^2 - 4*a*c]*d + a*e))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) / (\text{Sqrt}[2]*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*(c*d^2 - b*d*e + a*e^2)^2) + (e^{(3/2)}*(2*c*d - b*e)*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]]) / (\text{Sqrt}[d]*(c*d^2 - b*d*e + a*e^2)^2) + (e^{(3/2)}*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]]) / (2*d^{(3/2)}*(c*d^2 - b*d*e + a*e^2))$

Rule 199


```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)
)/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(
(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (Integer
Q[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denomin
ator[p + 1/n] < Denominator[p])
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1170

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symb
ol] := Int[ExpandIntegrand[(d + e*x^2)^q/(a + b*x^2 + c*x^4), x], x] /; Fre
eQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2,
0] && IntegerQ[q]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)^2(a+bx^2+cx^4)} dx &= \int \left(\frac{e^2}{(cd^2-bde+ae^2)(d+ex^2)^2} - \frac{e^2(-2cd+be)}{(cd^2-bde+ae^2)^2(d+ex^2)} + \frac{c^2d^2+b^2e^2}{(cd^2-bde+ae^2)^2} \right) dx \\
&= \frac{\int \frac{c^2d^2+b^2e^2-ce(2bd+ae)-ce(2cd-be)x^2}{a+bx^2+cx^4} dx}{(cd^2-bde+ae^2)^2} + \frac{(e^2(2cd-be)) \int \frac{1}{d+ex^2} dx}{(cd^2-bde+ae^2)^2} + \frac{e^2 \int \frac{1}{(d+ex^2)^2} dx}{cd^2-bde+ae^2} \\
&= \frac{e^2x}{2d(cd^2-bde+ae^2)(d+ex^2)} + \frac{e^{3/2}(2cd-be) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{d}(cd^2-bde+ae^2)^2} + \frac{e^2 \int \frac{1}{d+ex^2} dx}{2d(cd^2-bde+ae^2)} \\
&= \frac{e^2x}{2d(cd^2-bde+ae^2)(d+ex^2)} + \frac{\sqrt{c}\left(2c^2d^2+b\left(b+\sqrt{b^2-4ac}\right)e^2-2ce\left(bd+\sqrt{b^2-4ac}\right)\right)}{\sqrt{2}\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}(cd^2-bde+ae^2)^2}
\end{aligned}$$

Mathematica [A] time = 0.75, size = 354, normalized size = 0.83

$$\frac{\sqrt{2}\sqrt{c}\left(-2ce\left(d\sqrt{b^2-4ac}+ae+bd\right)+be^2\left(\sqrt{b^2-4ac}+b\right)+2c^2d^2\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\sqrt{2}\sqrt{c}\left(2ce\left(-d\sqrt{b^2-4ac}+ae+bd\right)+be^2\left(\sqrt{b^2-4ac}-b\right)-2c^2d^2\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{b^2-4ac}\sqrt{b+\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)^2*(a + b*x^2 + c*x^4)), x]

[Out] ((e^2*(c*d^2 + e*(-(b*d) + a*e))*x)/(d*(d + e*x^2)) + (Sqrt[2]*Sqrt[c]*(2*c^2*d^2 + b*(b + Sqrt[b^2 - 4*a*c])*e^2 - 2*c*e*(b*d + Sqrt[b^2 - 4*a*c]*d + a*e))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]]/(Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (Sqrt[2]*Sqrt[c]*(-2*c^2*d^2 + b*(-b + Sqrt[b^2 - 4*a*c])*e^2 + 2*c*e*(b*d - Sqrt[b^2 - 4*a*c]*d + a*e))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]]/(Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 - 4*a*c]]) + (e^(3/2)*(5*c*d^2 + e*(-3*b*d + a*e))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/d^(3/2))/(2*(c*d^2 + e*(-(b*d) + a*e))^2)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x^2+d)^2/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [B] time = 2.51, size = 13225, normalized size = 30.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x^2+d)^2/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] 1/2*(5*c*d^2*e^2 - 3*b*d*e^3 + a*e^4)*arctan(x*e^(1/2)/sqrt(d))*e^(-1/2)/((
c^2*d^5 - 2*b*c*d^4*e + b^2*d^3*e^2 + 2*a*c*d^3*e^2 - 2*a*b*d^2*e^3 + a^2*d
*e^4)*sqrt(d)) - 2*(2*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*c)*b^6*c^3 - b^7
*c^3 - 24*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^4*c^4 - 11*sqrt(2)*sq
rt(b*c + sqrt(b^2 - 4*a*c))*b^5*c^4 + 12*a*b^5*c^4 + 3*b^6*c^4 + 96*sqrt(
2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^2*b^2*c^5 + 88*sqrt(2)*sqrt(b*c + sqrt
(b^2 - 4*a*c))*a*b^3*c^5 - 48*a^2*b^3*c^5 + 16*sqrt(2)*sqrt(b*c + sqrt(b^
2 - 4*a*c))*b^4*c^5 - 28*a*b^4*c^5 + 5*b^5*c^5 - 128*sqrt(2)*sqrt(b*c + s
qrt(b^2 - 4*a*c))*a^3*c^6 - 176*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a
^2*b*c^6 + 64*a^3*b*c^6 - 80*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^2*
c^6 + 80*a^2*b^2*c^6 - 7*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*b^3*c^6 -
24*a*b^3*c^6 - 11*b^4*c^6 + 64*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^2*
c^7 - 64*a^3*c^7 + 44*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b*c^7 + 16*
a^2*b*c^7 - 8*a*b^2*c^7 - 8*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*c^8 +
80*a^2*c^8 + 16*a*b*c^8 - 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2
- 4*a*c))*b^5*c^3 + sqrt(b^2 - 4*a*c)*b^6*c^3 + 16*sqrt(2)*sqrt(b^2 - 4*a
*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^3*c^4 + 11*sqrt(2)*sqrt(b^2 - 4*a*c
)*sqrt(b*c + sqrt(b^2 - 4*a*c))*b^4*c^4 - 12*sqrt(b^2 - 4*a*c)*a*b^4*c^4
- 5*sqrt(b^2 - 4*a*c)*b^5*c^4 - 32*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqr
t(b^2 - 4*a*c))*a^2*b*c^5 - 56*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(
b^2 - 4*a*c))*a*b^2*c^5 + 48*sqrt(b^2 - 4*a*c)*a^2*b^2*c^5 - 16*sqrt(2)*s
qrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*b^3*c^5 + 40*sqrt(b^2 - 4*
a*c)*a*b^3*c^5 + 7*sqrt(b^2 - 4*a*c)*b^4*c^5 + 48*sqrt(2)*sqrt(b^2 - 4*a*c
)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^2*c^6 - 64*sqrt(b^2 - 4*a*c)*a^3*c^6 + 3
2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b*c^6 - 80*sq
rt(b^2 - 4*a*c)*a^2*b*c^6 + 7*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2
- 4*a*c))*b^2*c^6 - 56*sqrt(b^2 - 4*a*c)*a*b^2*c^6 - 3*sqrt(b^2 - 4*a*c)
*b^3*c^6 - 12*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*c
^7 + 112*sqrt(b^2 - 4*a*c)*a^2*c^7 + 60*sqrt(b^2 - 4*a*c)*a*b*c^7 - 24*sqrt
(b^2 - 4*a*c)*a*c^8 + 2*(b^2 - 4*a*c)*b^4*c^4 - 16*(b^2 - 4*a*c)*a*b^2*c^5
- 12*(b^2 - 4*a*c)*b^3*c^5 + 32*(b^2 - 4*a*c)*a^2*c^6 + 48*(b^2 - 4*a*c)*a
*b*c^6 + 14*(b^2 - 4*a*c)*b^2*c^6 + 8*(b^2 - 4*a*c)*a*c^7)*arctan(2*sqrt(1/2
)*x/sqrt((b*c^2*d^4 - 2*b^2*c*d^3*e + b^3*d^2*e^2 + 2*a*b*c*d^2*e^2 - 2*a*b
^2*d*e^3 + a^2*b*e^4 + sqrt((b*c^2*d^4 - 2*b^2*c*d^3*e + b^3*d^2*e^2 + 2*a*
```

$$\begin{aligned}
& b^2 c^2 d^2 e^2 - 2 a b^2 d^2 e^3 + a^2 b^2 e^4)^2 - 4 (a^2 c^2 d^4 - 2 a b^2 c^2 d^3 e + \\
& a^2 b^2 d^2 e^2 + 2 a^2 c^2 d^2 e^2 - 2 a^2 b^2 d^2 e^3 + a^3 e^4) (c^3 d^4 - 2 b^2 c^2 d^3 e + b^2 c^2 d^2 e^2 + 2 a^2 c^2 d^2 e^2 - 2 a b^2 c^2 d^2 e^3 + a^2 c^2 e^4)) / \\
& (c^3 d^4 - 2 b^2 c^2 d^3 e + b^2 c^2 d^2 e^2 + 2 a^2 c^2 d^2 e^2 - 2 a b^2 c^2 d^2 e^3 + a^2 c^2 e^4)) / ((\sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 b^8 c - 16 \sqrt{2} \\
& \sqrt{b^2 c + b^2 - 4 a c})^2 a b^6 c^2 - 5 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 b^7 c^2 - 2 b^8 c^2 + 96 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 \\
& a^2 b^4 c^3 + 60 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a b^5 c^3 + 7 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 b^6 c^3 + 16 a b^6 c^3 + 8 b^7 c^3 - \\
& 256 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a^3 b^2 c^4 - 240 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a^2 b^3 c^4 - 84 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 \\
& a^2 b^4 c^4 - 3 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 b^5 c^4 - 32 a b^5 c^4 - 6 b^6 c^4 + 256 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a^4 c^5 + 320 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 \\
& a^3 b^2 c^5 + 336 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a^2 b^2 c^5 - 256 a^3 b^2 c^5 + 72 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a b^3 c^5 - 128 a^2 b^3 c^5 - 24 a b^4 c^5 - 4 \\
& 48 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a^3 c^6 + 512 a^4 c^6 - 240 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a^2 b^2 c^6 + 512 a^3 b^2 c^6 - 24 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 \\
& a b^2 c^6 + 224 a^2 b^2 c^6 + 96 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a^2 c^7 - 128 a^3 c^7 - 16 a b^2 c^7 + 64 a^2 c^8 - \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 \\
& \sqrt{b^2 c + b^2 - 4 a c})^2 b^7 c + 12 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a b^5 c^2 + 5 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 b^6 c^2 - 48 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 \\
& a^2 b^3 c^3 - 52 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a b^4 c^3 - 7 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 b^5 c^3 + 64 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 \\
& a^3 b^2 c^4 + 176 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a^2 b^2 c^4 + 72 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a b^3 c^4 + 3 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 \\
& b^4 c^4 - 24 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a b^4 c^4 - 192 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a^3 c^5 - 176 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 \\
& a^2 b^2 c^5 + 48 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a b^2 c^5 + 192 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a^2 b^2 c^5 + 32 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a b^3 c^5 + 48 \\
& \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a^2 c^6 - 384 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a^3 c^6 + 16 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 \\
& a b^2 c^6 + 96 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a^2 c^7 - 16 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a b^2 c^7 + 2 (b^2 - 4 a c) b^6 c^2 - 24 (b^2 - 4 a c) a b^4 c^3 - 8 (b^2 - 4 a c) b^5 c^3 + 96 (b^2 - 4 a c) a^2 b^2 c^4 + 64 (b^2 - 4 a c) a b^3 c^4 + 6 (b^2 - 4 a c) b^4 c^4 - 128 (b^2 - 4 a c) a^3 c^5 - 128 (b^2 - 4 a c) a^2 b^2 c^5 - 48 (b^2 - 4 a c) a b^2 c^5 + 96 (b^2 - 4 a c) a^2 c^6 + 64 (b^2 - 4 a c) a b^2 c^6) d^2 \operatorname{abs}(c) + 4 (3 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a b^6 c^2 + 4 a b^7 c^2 - 36 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a^2 b^4 c^3 - 4 \sqrt{2} \sqrt{b^2 c + b^2 - 4 a c})^2 a b^5 c^3 - 48 a^2 b^5 c^3 - 10 a b^
\end{aligned}$$

$$\begin{aligned}
& 6c^3 + 144\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^3 b^2 c^4 + 32\sqrt{2} \\
&)\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^3 c^4 + 192a^3 b^3 c^4 - \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^4 c^4 + 56a^2 b^4 c^4 + 8a^2 b^5 c^4 - 1 \\
& 92\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^4 c^5 - 64\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^3 b^2 c^5 - 256a^4 b^2 c^5 - 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^2 c^5 + 32a^3 b^2 c^5 + 2\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^3 c^5 - 6a^2 b^4 c^5 + 48\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^3 c^6 - 384a^4 c^6 - 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^2 c^6 - 128a^3 b^2 c^6 + 16a^2 b^2 c^6 + 8a^2 b^3 c^6 + 32a^3 c^7 - 32a^2 b^2 c^7 + \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^3 c^7 + 32a^3 c^7 - 32a^2 b^2 c^7 + \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^4 c^2 - 2\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^5 c^2 + 4\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^6 c^2 + 48\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^3 b^2 c^3 + 16\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^3 c^3 + 3\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^4 c^3 - 48\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^4 c^3 - 10\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^5 c^3 - 64\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^4 c^3 + \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^4 c^4 - 32\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^3 b^2 c^4 - 40\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^2 c^4 + 192\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^3 b^2 c^4 - 4\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^3 c^4 + 80\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^3 c^4 + 16\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^4 c^4 + 112\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^3 c^5 - 256\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^4 c^5 + 48\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^2 c^5 - 160\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^3 b^2 c^5 + 2\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^2 c^5 - 96\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^2 c^5 - 18\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^3 c^5 - 24\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^3 c^5 + 128\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^3 c^6 + 40\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^2 c^6 + 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^2 c^6 - 16\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 c^7 + 8(b^2 - 4ac) a^2 b^3 c^4 - 32(b^2 - 4ac) a^2 b^2 c^5 - 12(b^2 - 4ac) a^2 b^2 c^5 - 16(b^2 - 4ac) a^2 c^6) d \operatorname{abs}(c) e - (\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^8 - 16\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^6 c + \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^7 c + 6a^2 b^8 c + 96\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^3 b^4 c^2 - 12\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^5 c^2 - \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^6 c^2 - 80a^2 b^6 c^2 - 12a^2 b^7 c^2 - 256\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^4 b^2 c^3 + 48\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^3 b^3 c^3 - 20\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^4 c^3 + 384a^3 b^4 c^3 - 5\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^5 c^3 + 80a^2 b^5 c^3 + 10a^2 b^6 c^3 + 256\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^5 c^4 - 64\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^4 b^2 c^4 + 208\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^3 b^2 c^4 - 768a^4 b^2 c^4 + 56\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^3 c^4 - 64a^3 b^3 c^4 + 4\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^2 b^4 c^4 - 24a^2 b^4 c^4 - 12a^2 b^5 c^4 - 448\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) a^4 c^5 + 512a^5 c^5 - 144\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)
\end{aligned}$$

$$\begin{aligned}
&^2 - 4*a*c)*c)*a^3*b*c^5 - 256*a^4*b*c^5 - 40*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^2*c^5 - 32*a^3*b^2*c^5 + 32*a^2*b^3*c^5 + 16*a*b^4*c^5 + 9 \\
&6*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*c^6 - 128*a^4*c^6 + 64*a^3*b*c^6 - 80*a^2*b^2*c^6 + 64*a^3*c^7 + \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^7 - 12*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^5*c + \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^6*c + 8*\sqrt{b^2 - 4*a*c})*a*b^7*c + 48*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^3*c^2 - 20*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^4*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^5*c^2 - 96*\sqrt{b^2 - 4*a*c})*a^2*b^5*c^2 - 20*\sqrt{b^2 - 4*a*c})*a*b^6*c^2 - 64*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4*b*c^3 + 112*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^2*c^3 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^3*c^3 + 384*\sqrt{b^2 - 4*a*c})*a^3*b^3*c^3 - 5*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^4*c^3 + 136*\sqrt{b^2 - 4*a*c})*a^2*b^4*c^3 + 32*\sqrt{b^2 - 4*a*c})*a*b^5*c^3 - 192*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4*c^4 + 48*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b*c^4 - 512*\sqrt{b^2 - 4*a*c})*a^4*b*c^4 + 40*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^2*c^4 - 128*\sqrt{b^2 - 4*a*c})*a^3*b^2*c^4 + 4*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^3*c^4 - 160*\sqrt{b^2 - 4*a*c})*a^2*b^3*c^4 - 36*\sqrt{b^2 - 4*a*c})*a*b^4*c^4 + 48*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*c^5 - 384*\sqrt{b^2 - 4*a*c})*a^4*c^5 - 32*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b*c^5 + 128*\sqrt{b^2 - 4*a*c})*a^3*b*c^5 + 88*\sqrt{b^2 - 4*a*c})*a^2*b^2*c^5 + 16*\sqrt{b^2 - 4*a*c})*a*b^3*c^5 + 96*\sqrt{b^2 - 4*a*c})*a^3*c^6 - 48*\sqrt{b^2 - 4*a*c})*a^2*b*c^6 + 2*(b^2 - 4*a*c)*a*b^6*c - 24*(b^2 - 4*a*c)*a^2*b^4*c^2 - 8*(b^2 - 4*a*c)*a*b^5*c^2 + 96*(b^2 - 4*a*c)*a^3*b^2*c^3 + 64*(b^2 - 4*a*c)*a^2*b^3*c^3 + 22*(b^2 - 4*a*c)*a*b^4*c^3 - 128*(b^2 - 4*a*c)*a^4*c^4 - 128*(b^2 - 4*a*c)*a^3*b*c^4 - 112*(b^2 - 4*a*c)*a^2*b^2*c^4 - 24*(b^2 - 4*a*c)*a*b^3*c^4 + 96*(b^2 - 4*a*c)*a^3*c^5 + 32*(b^2 - 4*a*c)*a^2*b*c^5)*abs(c)*e^2) + 2*(2*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b^6*c^3 + b^7*c^3 - 24*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^4*c^4 - 11*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b^5*c^4 - 12*a*b^5*c^4 - 3*b^6*c^4 + 96*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^2*b^2*c^5 + 88*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^3*c^5 + 48*a^2*b^3*c^5 + 16*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b^4*c^5 + 28*a*b^4*c^5 - 5*b^5*c^5 - 128*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^3*c^6 - 176*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^2*b*c^6 - 64*a^3*b*c^6 - 80*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c^6 - 80*a^2*b^2*c^6 - 7*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b^3*c^6 + 24*a*b^3*c^6 + 11*b^4*c^6 + 64*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^2*c^7 + 64*a^3*c^7 + 44*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b*c^7 - 16*a^2*b*c^7 + 8*a*b^2*c^7 - 8*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*c^8 - 80*a^2*c^8 - 16*a*b*c^8 + 2*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b^5*c^3 + \sqrt{b^2 - 4*a*c})*b^6*c^3 - 16*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*
\end{aligned}$$

$$\begin{aligned}
& c - \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^2 c^4 - 72 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^4 - 3 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot b^4 c^4 - 24 \sqrt{b^2 - 4ac} \cdot a^2 b^4 c^4 + 192 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^3 c^5 + 176 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b c^5 + 56 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^2 c^5 + 192 \sqrt{b^2 - 4ac} \cdot a^2 b^2 c^5 + 32 \sqrt{b^2 - 4ac} \cdot a^2 b^3 c^5 - 48 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 c^6 - 384 \sqrt{b^2 - 4ac} \cdot a^3 c^6 - 16 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b c^6 - 128 \sqrt{b^2 - 4ac} \cdot a^2 b c^6 + 8 \sqrt{b^2 - 4ac} \cdot a^2 b^2 c^6 + 96 \sqrt{b^2 - 4ac} \cdot a^2 c^7 - 16 \sqrt{b^2 - 4ac} \cdot a^2 b c^7 - 2 \cdot (b^2 - 4ac) \cdot b^6 c^2 + 24 \cdot (b^2 - 4ac) \cdot a^2 b^4 c^3 + 8 \cdot (b^2 - 4ac) \cdot b^5 c^3 - 96 \cdot (b^2 - 4ac) \cdot a^2 b^2 c^4 - 64 \cdot (b^2 - 4ac) \cdot a^2 b^3 c^4 - 6 \cdot (b^2 - 4ac) \cdot b^4 c^4 + 128 \cdot (b^2 - 4ac) \cdot a^3 c^5 + 128 \cdot (b^2 - 4ac) \cdot a^2 b c^5 + 48 \cdot (b^2 - 4ac) \cdot a^2 b^2 c^5 - 96 \cdot (b^2 - 4ac) \cdot a^2 c^6 - 64 \cdot (b^2 - 4ac) \cdot a^2 b c^6 \cdot d^2 \cdot \text{abs}(c) + 4 \cdot (3 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^6 c^2 - 4 a^2 b^7 c^2 - 36 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^4 c^3 - 4 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^5 c^3 + 48 a^2 b^5 c^3 + 10 a^2 b^6 c^3 + 144 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^3 b^2 c^4 + 32 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^4 - 192 a^3 b^3 c^4 - \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^4 c^4 - 56 a^2 b^4 c^4 - 8 a^2 b^5 c^4 - 192 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^4 c^5 - 64 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^3 b c^5 + 256 a^4 b c^5 - 8 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^2 c^5 - 32 a^3 b^2 c^5 + 2 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^5 + 6 a^2 b^4 c^5 + 48 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^3 c^6 + 384 a^4 c^6 - 8 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b c^6 + 128 a^3 b c^6 - 16 a^2 b^2 c^6 - 8 a^2 b^3 c^6 - 32 a^3 c^7 + 32 a^2 b c^7 - \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^6 c + 12 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^4 c^2 + 2 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^5 c^2 + 4 \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^6 c^2 - 48 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^3 b^2 c^3 - 16 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^3 - 3 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^4 c^3 - 48 \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^4 c^3 - 10 \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^5 c^3 + 64 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^4 c^4 + 32 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^3 b c^4 + 40 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^2 c^4 + 192 \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^3 b^2 c^4 + 4 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^4 + 80 \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^4 + 16 \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^4 c^4 - 112 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^3 c^5 - 256 \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^4 c^5 - 48 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b c^5 - 160 \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^3 b c^5 - 2 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^2 c^5 - 18 \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^5 + 24 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 c^6 + 128 \cdot
\end{aligned}$$

$$\begin{aligned}
& \sqrt{b^2 - 4ac} a^3 c^6 + 40 \sqrt{b^2 - 4ac} a^2 b c^6 + 8 \sqrt{b^2 - 4ac} a b^2 c^6 - 16 \sqrt{b^2 - 4ac} a^2 c^7 - 8 (b^2 - 4ac) a b^3 c^4 \\
& + 32 (b^2 - 4ac) a^2 b c^5 + 12 (b^2 - 4ac) a b^2 c^5 + 16 (b^2 - 4ac) a^2 c^6) d \operatorname{abs}(c) e - (\sqrt{2} \sqrt{b^2 - 4ac} a^2 b^8 - 16 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^6 c \\
& + \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^7 c - 6 a^2 b^8 c + 96 \sqrt{2} \sqrt{b^2 - 4ac} a^3 b^4 c^2 - 12 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^5 c^2 - \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^6 c^2 + 80 a^2 b^6 c^2 + 12 \\
& a^2 b^7 c^2 - 256 \sqrt{2} \sqrt{b^2 - 4ac} a^4 b^2 c^3 + 48 \sqrt{2} \sqrt{b^2 - 4ac} a^3 b^3 c^3 - 20 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^4 c^3 - 384 a^3 b^4 c^3 - 5 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^5 c^3 - 80 a^2 b^5 c^3 - 10 a^2 b^6 c^3 + 256 \sqrt{2} \\
& \sqrt{b^2 - 4ac} a^5 c^4 - 64 \sqrt{2} \sqrt{b^2 - 4ac} a^4 b c^4 + 208 \sqrt{2} \sqrt{b^2 - 4ac} a^3 b^2 c^4 + 768 a^4 b^2 c^4 + 56 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^3 c^4 + 64 a^3 b^3 c^4 + 4 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^4 c^4 \\
& + 24 a^2 b^4 c^4 + 12 a^2 b^5 c^4 - 448 \sqrt{2} \sqrt{b^2 - 4ac} a^4 c^5 - 512 a^5 c^5 - 144 \sqrt{2} \sqrt{b^2 - 4ac} a^3 b c^5 + 256 a^4 b c^5 - 40 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^2 c^5 + 32 a^3 b^2 c^5 - 32 a^2 b^3 c^5 - 16 a^2 b^4 c^5 + 96 \sqrt{2} \sqrt{b^2 - 4ac} \\
& \sqrt{b^2 - 4ac} a^3 c^6 + 128 a^4 c^6 - 64 a^3 b c^6 + 80 a^2 b^2 c^6 - 64 a^3 c^7 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} a^2 b^7 + 12 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} a^2 b^5 c - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} a^2 b^6 c + 8 \\
& \sqrt{b^2 - 4ac} a^2 b^7 c - 48 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} a^3 b^3 c^2 + 20 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} a^2 b^4 c^2 + \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} a^2 b^5 c^2 - 96 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^5 c^2 - 20 \sqrt{2} \sqrt{b^2 - 4ac} \\
& a^2 b^6 c^2 + 64 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} a^4 b c^3 - 112 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} a^3 b^2 c^3 + 8 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} a^2 b^3 c^3 + 384 \sqrt{2} \sqrt{b^2 - 4ac} a^3 b^3 c^3 + 5 \sqrt{2} \sqrt{b^2 - 4ac} \\
& \sqrt{b^2 - 4ac} a^2 b^4 c^3 + 136 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^4 c^3 + 32 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^5 c^3 + 192 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} a^4 c^4 - 48 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} a^3 b c^4 - 512 \sqrt{2} \sqrt{b^2 - 4ac} a^4 b c^4 - 40 \sqrt{2} \sqrt{b^2 - 4ac} \\
& \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} a^2 b^2 c^4 - 128 \sqrt{2} \sqrt{b^2 - 4ac} a^3 b^2 c^4 - 4 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} a^2 b^3 c^4 - 160 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^3 c^4 - 36 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^4 c^4 - 48 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} a^3 c^5 - 384 \sqrt{2} \sqrt{b^2 - 4ac} a^4 c^5 + 32 \sqrt{2} \sqrt{b^2 - 4ac} \\
& \sqrt{b^2 - 4ac} a^2 b c^5 + 128 \sqrt{2} \sqrt{b^2 - 4ac} a^3 b c^5 + 88 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^2 c^5 + 16 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b^3 c^5 + 96 \sqrt{2} \sqrt{b^2 - 4ac} a^3 c^6 - 48 \sqrt{2} \sqrt{b^2 - 4ac} a^2 b c^6 - 2 (b^2 - 4ac) a^2 b^6 c + 24 (b^2 - 4ac) a^2 b^4 c^2 + 8 (b^2 - 4ac) a^2 b^5 c^2 -
\end{aligned}$$

$96*(b^2 - 4*a*c)*a^3*b^2*c^3 - 64*(b^2 - 4*a*c)*a^2*b^3*c^3 - 22*(b^2 - 4*a*c)*a*b^4*c^3 + 128*(b^2 - 4*a*c)*a^4*c^4 + 128*(b^2 - 4*a*c)*a^3*b*c^4 + 12*(b^2 - 4*a*c)*a^2*b^2*c^4 + 24*(b^2 - 4*a*c)*a*b^3*c^4 - 96*(b^2 - 4*a*c)*a^3*c^5 - 32*(b^2 - 4*a*c)*a^2*b*c^5)*abs(c)*e^2) + 1/2*x*e^2/((c*d^3 - b*d^2*e + a*d*e^2)*(x^2*e + d))$

maple [B] time = 0.03, size = 1141, normalized size = 2.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x^2+d)^2/(c*x^4+b*x^2+a), x)`

[Out] $\frac{1}{2}e^4/(a^2e-bd^2e+c^2d^2)^2/d*x/(e*x^2+d)*a^{-1/2}e^3/(a^2e-bd^2e+c^2d^2)^2*x/(e*x^2+d)*b+1/2e^2/(a^2e-bd^2e+c^2d^2)^2*d*x/(e*x^2+d)*c+1/2e^4/(a^2e-bd^2e+c^2d^2)^2/d/(d^2e)^{1/2}*\arctan(1/(d^2e)^{1/2}*e*x)*a^{-3/2}e^3/(a^2e-bd^2e+c^2d^2)^2/(d^2e)^{1/2}*\arctan(1/(d^2e)^{1/2}*e*x)*b+5/2e^2/(a^2e-bd^2e+c^2d^2)^2*d/(d^2e)^{1/2}*\arctan(1/(d^2e)^{1/2}*e*x)*c-1/2/(a^2e-bd^2e+c^2d^2)^2*c^2^{1/2}/((-b+(-4*a*c+b^2)^{1/2})*c)^{1/2}*\operatorname{arctanh}(2^{1/2}/((-b+(-4*a*c+b^2)^{1/2})*c)^{1/2})*c*x)*b*e^2+1/(a^2e-bd^2e+c^2d^2)^2*c^2*2^{1/2}/((-b+(-4*a*c+b^2)^{1/2})*c)^{1/2}*\operatorname{arctanh}(2^{1/2}/((-b+(-4*a*c+b^2)^{1/2})*c)^{1/2})*c*x)*d^2e+1/(a^2e-bd^2e+c^2d^2)^2*c^2/(-4*a*c+b^2)^{1/2}*2^{1/2}/((-b+(-4*a*c+b^2)^{1/2})*c)^{1/2}*\operatorname{arctanh}(2^{1/2}/((-b+(-4*a*c+b^2)^{1/2})*c)^{1/2})*c*x)*a^2e-1/2/(a^2e-bd^2e+c^2d^2)^2*c/(-4*a*c+b^2)^{1/2}*2^{1/2}/((-b+(-4*a*c+b^2)^{1/2})*c)^{1/2}*\operatorname{arctanh}(2^{1/2}/((-b+(-4*a*c+b^2)^{1/2})*c)^{1/2})*c*x)*b^2e^2+1/(a^2e-bd^2e+c^2d^2)^2*c^2/(-4*a*c+b^2)^{1/2}*2^{1/2}/((-b+(-4*a*c+b^2)^{1/2})*c)^{1/2}*\operatorname{arctanh}(2^{1/2}/((-b+(-4*a*c+b^2)^{1/2})*c)^{1/2})*c*x)*b*d^2e-1/(a^2e-bd^2e+c^2d^2)^2*c^3/(-4*a*c+b^2)^{1/2}*2^{1/2}/((-b+(-4*a*c+b^2)^{1/2})*c)^{1/2}*\operatorname{arctanh}(2^{1/2}/((-b+(-4*a*c+b^2)^{1/2})*c)^{1/2})*c*x)*d^2+1/2/(a^2e-bd^2e+c^2d^2)^2*c^2^{1/2}/((b+(-4*a*c+b^2)^{1/2})*c)^{1/2}*\arctan(2^{1/2}/((b+(-4*a*c+b^2)^{1/2})*c)^{1/2})*c*x)*b*e^2-1/(a^2e-bd^2e+c^2d^2)^2*c^2*2^{1/2}/((b+(-4*a*c+b^2)^{1/2})*c)^{1/2}*\arctan(2^{1/2}/((b+(-4*a*c+b^2)^{1/2})*c)^{1/2})*c*x)*d^2e+1/(a^2e-bd^2e+c^2d^2)^2*c^2/(-4*a*c+b^2)^{1/2}*2^{1/2}/((b+(-4*a*c+b^2)^{1/2})*c)^{1/2}*\arctan(2^{1/2}/((b+(-4*a*c+b^2)^{1/2})*c)^{1/2})*c*x)*a^2e-1/2/(a^2e-bd^2e+c^2d^2)^2*c/(-4*a*c+b^2)^{1/2}*2^{1/2}/((b+(-4*a*c+b^2)^{1/2})*c)^{1/2}*\arctan(2^{1/2}/((b+(-4*a*c+b^2)^{1/2})*c)^{1/2})*c*x)*b^2e^2+1/(a^2e-bd^2e+c^2d^2)^2*c^2/(-4*a*c+b^2)^{1/2}*2^{1/2}/((b+(-4*a*c+b^2)^{1/2})*c)^{1/2}*\arctan(2^{1/2}/((b+(-4*a*c+b^2)^{1/2})*c)^{1/2})*c*x)*b*d^2e-1/(a^2e-bd^2e+c^2d^2)^2*c^3/(-4*a*c+b^2)^{1/2}*2^{1/2}/((b+(-4*a*c+b^2)^{1/2})*c)^{1/2}*\arctan(2^{1/2}/((b+(-4*a*c+b^2)^{1/2})*c)^{1/2})*c*x)*d^2$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] $\frac{1}{2}e^{2x}/(cd^4 - bd^3e + ad^2e^2 + (cd^3e - bd^2e^2 + ade^3)x^2) + \frac{1}{2}(5cd^2e^2 - 3bd^2e^3 + ae^4)\arctan(e x/\sqrt{de})/((c^2d^5 - 2b^2cd^4e - 2a^2bd^2e^3 + a^2d^2e^4 + (b^2 + 2ac)d^3e^2)\sqrt{de}) + \int \frac{(c^2d^2 - 2b^2cd^2e + (b^2 - ac)e^2 - (2c^2d^2e - b^2c^2e^2)x^2)}{(c^2d^4 - 2b^2cd^3e - 2a^2bd^2e^3 + a^2e^4 + (b^2 + 2ac)d^2e^2)} dx$

mupad [B] time = 10.28, size = 91169, normalized size = 212.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^2)^2*(a + b*x^2 + c*x^4)),x)

[Out] $\left(\operatorname{atan}\left(\frac{(x(54c^9d^6e^5 - 2a^3c^6e^{11} - 22a^2c^8d^4e^7 - 118b^2c^8d^5e^6 + a^2b^2c^5e^{11} - 14a^2c^7d^2e^9 + 107b^2c^7d^4e^7 - 48b^3c^6d^3e^8 + 9b^4c^5d^2e^9 + 20ab^2c^7d^3e^8 - 6a^2b^3c^5d^2e^{10} + 10a^2b^2c^6d^2e^{10} + 4a^2b^2c^6d^2e^9))}{2(c^4d^{10} + a^4d^2e^8 + b^4d^6e^4 - 4a^2b^3d^5e^5 - 4a^3b^2d^3e^7 + 4a^2c^3d^8e^2 + 4a^3c^2d^4e^6 - 4b^3c^2d^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^2c^3d^9e - 12a^2b^2c^2d^7e^3 + 12a^2b^2c^2d^6e^4 - 12a^2b^2c^2d^5e^5)} - \left(\frac{2a^2b^6c^2e^{13} - 200a^2c^9d^8e^5 - 8a^5c^5e^{13} - 14a^3b^4c^3e^{13} + 26a^4b^2c^4e^{13} + 480a^2c^8d^6e^7 + 784a^3c^7d^4e^9 + 96a^4c^6d^2e^{11} + 50b^2c^8d^8e^5 - 240b^3c^7d^7e^6 + 466b^4c^6d^6e^7 - 464b^5c^5d^5e^8 + 246b^6c^4d^4e^9 - 64b^7c^3d^3e^{10} + 6b^8c^2d^2e^{11} + 4a^2b^2c^6d^4e^9 + 672a^2b^3c^5d^3e^{10} - 354a^2b^4c^4d^2e^{11} + 464a^3b^2c^5d^2e^{11} + 960a^2b^2c^8d^7e^6 - 8a^2b^7c^2d^2e^{12} - 96a^4b^2c^5d^2e^{12} - 1984a^2b^2c^7d^6e^7 + 2072a^2b^3c^6d^5e^8 - 1034a^2b^4c^5d^4e^9 + 160a^2b^5c^4d^3e^{10} + 34a^2b^6c^3d^2e^{11} - 864a^2b^2c^7d^5e^8 + 40a^2b^5c^3d^2e^{12} - 1152a^3b^2c^6d^3e^{10} - 8a^3b^3c^4d^2e^{12}}{2(c^4d^{10} + a^4d^2e^8 + b^4d^6e^4 - 4a^2b^3d^5e^5 - 4a^3b^2d^3e^7 + 4a^2c^3d^8e^2 + 4a^3c^2d^4e^6 - 4b^3c^2d^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^2c^3d^9e - 12a^2b^2c^2d^7e^3 + 12a^2b^2c^2d^6e^4 - 12a^2b^2c^2d^5e^5)} - (-d^3e^3)^{1/2}\left(x(32c^{11}d^{13}e^2 + 48a^6b^2c^4e^{15} + 96a^2c^{10}d^{11}e^4 - 64a^6c^5d^5e^{14} - 160b^2c^{10}d^{12}e^3 + 4a^4b^5c^2e^{15} - 28a^5b^3c^3e^{15} - 2048a^2c^9d^9e^6 - 4416a^3c^8d^7e^8 - 2528a^4c^7d^5e^{10} - 288a^5c^6d^3e^{12} + 336b^2c^9d^{11}e^4 - 268b^3c^8d^{10}e^5 - 360b^4c^7d^9e^6 + 1260b^5c^6d^8e^7 - 1568b^6c^5d^7e^8 + 1036b^7c^4d^6e^9 - 360b^8c^3d^5e^{10} + 52b^9c^2d^4e^{11} - 7584a^2b^2c^7d^7e^8 - 536a^2b^3c^6d^6e^8\right)}\right)$

$$\begin{aligned}
& *e^9 + 5936*a^2*b^4*c^5*d^5*e^{10} - 3552*a^2*b^5*c^4*d^4*e^{11} + 464*a^2*b^6*c^3*d^3*e^{12} + 104*a^2*b^7*c^2*d^2*e^{13} - 12768*a^3*b^2*c^6*d^5*e^{10} + 3720 \\
& *a^3*b^3*c^5*d^4*e^{11} + 1280*a^3*b^4*c^4*d^3*e^{12} - 648*a^3*b^5*c^3*d^2*e^{13} - 4272*a^4*b^2*c^5*d^3*e^{12} + 740*a^4*b^3*c^4*d^2*e^{13} - 848*a*b*c^9*d^{10} \\
& *e^5 + 3632*a*b^2*c^8*d^9*e^6 - 7852*a*b^3*c^7*d^8*e^7 + 8864*a*b^4*c^6*d^7 \\
& *e^8 - 4936*a*b^5*c^5*d^6*e^9 + 816*a*b^6*c^4*d^5*e^{10} + 356*a*b^7*c^3*d^4* \\
& e^{11} - 128*a*b^8*c^2*d^3*e^{12} + 7216*a^2*b*c^8*d^8*e^7 + 12896*a^3*b*c^7*d^ \\
& 6*e^9 - 32*a^3*b^6*c^2*d^4*e^{14} + 5696*a^4*b*c^6*d^4*e^{11} + 216*a^4*b^4*c^3*d \\
& *e^{14} + 752*a^5*b*c^5*d^2*e^{13} - 336*a^5*b^2*c^4*d^4*e^{14})) / (2*(c^4*d^{10} + a^ \\
& 4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e \\
& ^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6* \\
& e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d \\
& ^6*e^4 - 12*a^2*b*c*d^5*e^5)) + (((128*a*c^{11}*d^{15}*e^2 - 256*a^8*c^4*d^6*e^{16} \\
& - 256*a^2*c^{10}*d^{13}*e^4 - 3456*a^3*c^9*d^{11}*e^6 - 8960*a^4*c^8*d^9*e^8 - 1 \\
& 0880*a^5*c^7*d^7*e^{10} - 6912*a^6*c^6*d^5*e^{12} - 2176*a^7*c^5*d^3*e^{14} - 32* \\
& b^2*c^{10}*d^{15}*e^2 + 256*b^3*c^9*d^{14}*e^3 - 896*b^4*c^8*d^{13}*e^4 + 1792*b^5* \\
& c^7*d^{12}*e^5 - 2240*b^6*c^6*d^{11}*e^6 + 1792*b^7*c^5*d^{10}*e^7 - 896*b^8*c^4* \\
& d^9*e^8 + 256*b^9*c^3*d^8*e^9 - 32*b^{10}*c^2*d^7*e^{10} + 2848*a^2*b^2*c^8*d^1 \\
& 1*e^6 - 12160*a^2*b^3*c^7*d^{10}*e^7 + 18480*a^2*b^4*c^6*d^9*e^8 - 12864*a^2* \\
& b^5*c^5*d^8*e^9 + 3008*a^2*b^6*c^4*d^7*e^{10} + 832*a^2*b^7*c^3*d^6*e^{11} - 40 \\
& 0*a^2*b^8*c^2*d^5*e^{12} - 17920*a^3*b^2*c^7*d^9*e^8 + 1280*a^3*b^3*c^6*d^8*e \\
& ^9 + 14240*a^3*b^4*c^5*d^7*e^{10} - 9824*a^3*b^5*c^4*d^6*e^{11} + 1120*a^3*b^6* \\
& c^3*d^5*e^{12} + 480*a^3*b^7*c^2*d^4*e^{13} - 33760*a^4*b^2*c^6*d^7*e^{10} + 7680 \\
& *a^4*b^3*c^5*d^6*e^{11} + 7520*a^4*b^4*c^4*d^5*e^{12} - 2880*a^4*b^5*c^3*d^4*e^ \\
& 13 - 320*a^4*b^6*c^2*d^3*e^{14} - 20672*a^5*b^2*c^5*d^5*e^{12} + 896*a^5*b^3*c^ \\
& 4*d^4*e^{13} + 2384*a^5*b^4*c^3*d^3*e^{14} + 112*a^5*b^5*c^2*d^2*e^{15} - 3872*a^ \\
& 6*b^2*c^4*d^3*e^{14} - 896*a^6*b^3*c^3*d^2*e^{15} - 1024*a*b*c^{10}*d^{14}*e^3 + 36 \\
& 48*a*b^2*c^9*d^{13}*e^4 - 7296*a*b^3*c^8*d^{12}*e^5 + 8464*a*b^4*c^7*d^{11}*e^6 - \\
& 5008*a*b^5*c^6*d^{10}*e^7 + 224*a*b^6*c^5*d^9*e^8 + 1632*a*b^7*c^4*d^8*e^9 - \\
& 944*a*b^8*c^3*d^7*e^{10} + 176*a*b^9*c^2*d^6*e^{11} + 512*a^2*b*c^9*d^{12}*e^5 + \\
& 14080*a^3*b*c^8*d^{10}*e^7 + 30720*a^4*b*c^7*d^8*e^9 + 28160*a^5*b*c^6*d^6*e \\
& ^{11} + 11776*a^6*b*c^5*d^4*e^{13} - 16*a^6*b^4*c^2*d^4*e^{16} + 1792*a^7*b*c^4*d^2 \\
& *e^{15} + 128*a^7*b^2*c^3*d^4*e^{16})) / (2*(c^4*d^{10} + a^4*d^2*e^8 + b^4*d^6*e^4 - \\
& 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b \\
& ^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - \\
& 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^ \\
& 5)) - (x*(-d^3*e^3)^{(1/2)}*(a*e^2 + 5*c*d^2 - 3*b*d*e)*(1024*a^2*c^{11}*d^{16}* \\
& e^3 + 5120*a^3*c^{10}*d^{14}*e^5 + 9216*a^4*c^9*d^{12}*e^7 + 5120*a^5*c^8*d^{10}*e^9 \\
& - 5120*a^6*c^7*d^8*e^{11} - 9216*a^7*c^6*d^6*e^{13} - 5120*a^8*c^5*d^4*e^{15} - \\
& 1024*a^9*c^4*d^2*e^{17} - 64*b^3*c^{10}*d^{17}*e^2 + 512*b^4*c^9*d^{16}*e^3 - 1792* \\
& b^5*c^8*d^{15}*e^4 + 3584*b^6*c^7*d^{14}*e^5 - 4480*b^7*c^6*d^{13}*e^6 + 3584*b^8 \\
& *c^5*d^{12}*e^7 - 1792*b^9*c^4*d^{11}*e^8 + 512*b^{10}*c^3*d^{10}*e^9 - 64*b^{11}*c^2 \\
& *d^9*e^{10} + 8192*a^2*b^2*c^9*d^{14}*e^5 + 5056*a^2*b^3*c^8*d^{13}*e^6 - 31104*a \\
& ^2*b^4*c^7*d^{12}*e^7 + 40256*a^2*b^5*c^6*d^{11}*e^8 - 22784*a^2*b^6*c^5*d^{10}*e \\
& ^9 + 3648*a^2*b^7*c^4*d^9*e^{10} + 1664*a^2*b^8*c^3*d^8*e^{11} - 576*a^2*b^9*c^
\end{aligned}$$

$$\begin{aligned}
& 2*d^7*e^{12} + 45312*a^3*b^2*c^8*d^{12}*e^7 - 27840*a^3*b^3*c^7*d^{11}*e^8 - 1376 \\
& 0*a^3*b^4*c^6*d^{10}*e^9 + 27520*a^3*b^5*c^5*d^9*e^{10} - 12416*a^3*b^6*c^4*d^8 \\
& *e^{11} + 1088*a^3*b^7*c^3*d^7*e^{12} + 320*a^3*b^8*c^2*d^6*e^{13} + 53760*a^4*b^ \\
& 2*c^7*d^{10}*e^9 - 30400*a^4*b^3*c^6*d^9*e^{10} + 1280*a^4*b^4*c^5*d^8*e^{11} + 4 \\
& 224*a^4*b^5*c^4*d^7*e^{12} - 1280*a^4*b^6*c^3*d^6*e^{13} + 320*a^4*b^7*c^2*d^5* \\
& e^{14} + 6400*a^5*b^2*c^6*d^8*e^{11} - 2624*a^5*b^3*c^5*d^7*e^{12} + 5952*a^5*b^4 \\
& *c^4*d^6*e^{13} - 2752*a^5*b^5*c^3*d^5*e^{14} - 576*a^5*b^6*c^2*d^4*e^{15} - 2150 \\
& 4*a^6*b^2*c^5*d^6*e^{13} + 832*a^6*b^3*c^4*d^5*e^{14} + 4736*a^6*b^4*c^3*d^4*e^{15} \\
& + 320*a^6*b^5*c^2*d^3*e^{16} - 8448*a^7*b^2*c^4*d^4*e^{15} - 2624*a^7*b^3*c^ \\
& 3*d^3*e^{16} - 64*a^7*b^4*c^2*d^2*e^{17} + 512*a^8*b^2*c^3*d^2*e^{17} + 256*a*b*c \\
& ^{11}*d^{17}*e^2 - 2304*a*b^2*c^{10}*d^{16}*e^3 + 8512*a*b^3*c^9*d^{15}*e^4 - 16704*a \\
& *b^4*c^8*d^{14}*e^5 + 18240*a*b^5*c^7*d^{13}*e^6 - 9536*a*b^6*c^6*d^{12}*e^7 - 57 \\
& 6*a*b^7*c^5*d^{11}*e^8 + 3648*a*b^8*c^4*d^{10}*e^9 - 1856*a*b^9*c^3*d^9*e^{10} + \\
& 320*a*b^{10}*c^2*d^8*e^{11} - 5376*a^2*b*c^{10}*d^{15}*e^4 - 25344*a^3*b*c^9*d^{13}*e \\
& ^6 - 37120*a^4*b*c^8*d^{11}*e^8 - 11520*a^5*b*c^7*d^9*e^{10} + 20736*a^6*b*c^6* \\
& d^7*e^{12} + 20224*a^7*b*c^5*d^5*e^{14} + 5376*a^8*b*c^4*d^3*e^{16}))/((8*(c^2*d^7 \\
& + a^2*d^3*e^4 + b^2*d^5*e^2 - 2*b*c*d^6*e - 2*a*b*d^4*e^3 + 2*a*c*d^5*e^2) \\
& *(c^4*d^{10} + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 \\
& + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + \\
& 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 \\
& + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)))*(-d^3*e^3)^{(1/2)}*(a*e^2 + 5*c \\
& *d^2 - 3*b*d*e))/(4*(c^2*d^7 + a^2*d^3*e^4 + b^2*d^5*e^2 - 2*b*c*d^6*e - 2* \\
& a*b*d^4*e^3 + 2*a*c*d^5*e^2)))*(a*e^2 + 5*c*d^2 - 3*b*d*e))/(4*(c^2*d^7 + a \\
& ^2*d^3*e^4 + b^2*d^5*e^2 - 2*b*c*d^6*e - 2*a*b*d^4*e^3 + 2*a*c*d^5*e^2)))*(- \\
& d^3*e^3)^{(1/2)}*(a*e^2 + 5*c*d^2 - 3*b*d*e))/(4*(c^2*d^7 + a^2*d^3*e^4 + b^ \\
& 2*d^5*e^2 - 2*b*c*d^6*e - 2*a*b*d^4*e^3 + 2*a*c*d^5*e^2)))*(-d^3*e^3)^{(1/2)} \\
& *(a*e^2 + 5*c*d^2 - 3*b*d*e)*1i)/(4*(c^2*d^7 + a^2*d^3*e^4 + b^2*d^5*e^2 - \\
& 2*b*c*d^6*e - 2*a*b*d^4*e^3 + 2*a*c*d^5*e^2)) + (((x*(54*c^9*d^6*e^5 - 2*a^ \\
& 3*c^6*e^{11} - 22*a*c^8*d^4*e^7 - 118*b*c^8*d^5*e^6 + a^2*b^2*c^5*e^{11} - 14*a \\
& ^2*c^7*d^2*e^9 + 107*b^2*c^7*d^4*e^7 - 48*b^3*c^6*d^3*e^8 + 9*b^4*c^5*d^2*e \\
& ^9 + 20*a*b*c^7*d^3*e^8 - 6*a*b^3*c^5*d*e^{10} + 10*a^2*b*c^6*d*e^{10} + 4*a*b^ \\
& 2*c^6*d^2*e^9))/(2*(c^4*d^{10} + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 \\
& - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6 \\
& *a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - \\
& 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) + (((2*a^2*b \\
& ^6*c^2*e^{13} - 200*a*c^9*d^8*e^5 - 8*a^5*c^5*e^{13} - 14*a^3*b^4*c^3*e^{13} + 26 \\
& *a^4*b^2*c^4*e^{13} + 480*a^2*c^8*d^6*e^7 + 784*a^3*c^7*d^4*e^9 + 96*a^4*c^6* \\
& d^2*e^{11} + 50*b^2*c^8*d^8*e^5 - 240*b^3*c^7*d^7*e^6 + 466*b^4*c^6*d^6*e^7 - \\
& 464*b^5*c^5*d^5*e^8 + 246*b^6*c^4*d^4*e^9 - 64*b^7*c^3*d^3*e^{10} + 6*b^8*c^ \\
& 2*d^2*e^{11} + 4*a^2*b^2*c^6*d^4*e^9 + 672*a^2*b^3*c^5*d^3*e^{10} - 354*a^2*b^4 \\
& *c^4*d^2*e^{11} + 464*a^3*b^2*c^5*d^2*e^{11} + 960*a*b*c^8*d^7*e^6 - 8*a*b^7*c^ \\
& 2*d*e^{12} - 96*a^4*b*c^5*d*e^{12} - 1984*a*b^2*c^7*d^6*e^7 + 2072*a*b^3*c^6*d^ \\
& 5*e^8 - 1034*a*b^4*c^5*d^4*e^9 + 160*a*b^5*c^4*d^3*e^{10} + 34*a*b^6*c^3*d^2* \\
& e^{11} - 864*a^2*b*c^7*d^5*e^8 + 40*a^2*b^5*c^3*d*e^{12} - 1152*a^3*b*c^6*d^3*e \\
& ^{10} - 8*a^3*b^3*c^4*d*e^{12}))/((2*(c^4*d^{10} + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*
\end{aligned}$$

$$\begin{aligned}
& b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c \\
& *d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b* \\
& c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5) \\
& + ((-d^3*e^3)^{(1/2)}*((x*(32*c^11*d^13*e^2 + 48*a^6*b*c^4*e^15 + 96*a*c^10*d \\
& ^11*e^4 - 64*a^6*c^5*d*e^14 - 160*b*c^10*d^12*e^3 + 4*a^4*b^5*c^2*e^15 - 28 \\
& *a^5*b^3*c^3*e^15 - 2048*a^2*c^9*d^9*e^6 - 4416*a^3*c^8*d^7*e^8 - 2528*a^4* \\
& c^7*d^5*e^10 - 288*a^5*c^6*d^3*e^12 + 336*b^2*c^9*d^11*e^4 - 268*b^3*c^8*d^ \\
& 10*e^5 - 360*b^4*c^7*d^9*e^6 + 1260*b^5*c^6*d^8*e^7 - 1568*b^6*c^5*d^7*e^8 \\
& + 1036*b^7*c^4*d^6*e^9 - 360*b^8*c^3*d^5*e^10 + 52*b^9*c^2*d^4*e^11 - 7584* \\
& a^2*b^2*c^7*d^7*e^8 - 536*a^2*b^3*c^6*d^6*e^9 + 5936*a^2*b^4*c^5*d^5*e^10 - \\
& 3552*a^2*b^5*c^4*d^4*e^11 + 464*a^2*b^6*c^3*d^3*e^12 + 104*a^2*b^7*c^2*d^2 \\
& *e^13 - 12768*a^3*b^2*c^6*d^5*e^10 + 3720*a^3*b^3*c^5*d^4*e^11 + 1280*a^3*b \\
& ^4*c^4*d^3*e^12 - 648*a^3*b^5*c^3*d^2*e^13 - 4272*a^4*b^2*c^5*d^3*e^12 + 74 \\
& 0*a^4*b^3*c^4*d^2*e^13 - 848*a*b*c^9*d^10*e^5 + 3632*a*b^2*c^8*d^9*e^6 - 78 \\
& 52*a*b^3*c^7*d^8*e^7 + 8864*a*b^4*c^6*d^7*e^8 - 4936*a*b^5*c^5*d^6*e^9 + 81 \\
& 6*a*b^6*c^4*d^5*e^10 + 356*a*b^7*c^3*d^4*e^11 - 128*a*b^8*c^2*d^3*e^12 + 72 \\
& 16*a^2*b*c^8*d^8*e^7 + 12896*a^3*b*c^7*d^6*e^9 - 32*a^3*b^6*c^2*d*e^14 + 56 \\
& 96*a^4*b*c^6*d^4*e^11 + 216*a^4*b^4*c^3*d*e^14 + 752*a^5*b*c^5*d^2*e^13 - 3 \\
& 36*a^5*b^2*c^4*d*e^14))/(2*(c^4*d^10 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3* \\
& d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7 \\
& *e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3* \\
& d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) - ((\\
& (128*a*c^11*d^15*e^2 - 256*a^8*c^4*d*e^16 - 256*a^2*c^10*d^13*e^4 - 3456*a^ \\
& 3*c^9*d^11*e^6 - 8960*a^4*c^8*d^9*e^8 - 10880*a^5*c^7*d^7*e^10 - 6912*a^6*c \\
& ^6*d^5*e^12 - 2176*a^7*c^5*d^3*e^14 - 32*b^2*c^10*d^15*e^2 + 256*b^3*c^9*d^ \\
& 14*e^3 - 896*b^4*c^8*d^13*e^4 + 1792*b^5*c^7*d^12*e^5 - 2240*b^6*c^6*d^11*e \\
& ^6 + 1792*b^7*c^5*d^10*e^7 - 896*b^8*c^4*d^9*e^8 + 256*b^9*c^3*d^8*e^9 - 32 \\
& *b^10*c^2*d^7*e^10 + 2848*a^2*b^2*c^8*d^11*e^6 - 12160*a^2*b^3*c^7*d^10*e^7 \\
& + 18480*a^2*b^4*c^6*d^9*e^8 - 12864*a^2*b^5*c^5*d^8*e^9 + 3008*a^2*b^6*c^4 \\
& *d^7*e^10 + 832*a^2*b^7*c^3*d^6*e^11 - 400*a^2*b^8*c^2*d^5*e^12 - 17920*a^3 \\
& *b^2*c^7*d^9*e^8 + 1280*a^3*b^3*c^6*d^8*e^9 + 14240*a^3*b^4*c^5*d^7*e^10 - \\
& 9824*a^3*b^5*c^4*d^6*e^11 + 1120*a^3*b^6*c^3*d^5*e^12 + 480*a^3*b^7*c^2*d^4 \\
& *e^13 - 33760*a^4*b^2*c^6*d^7*e^10 + 7680*a^4*b^3*c^5*d^6*e^11 + 7520*a^4*b \\
& ^4*c^4*d^5*e^12 - 2880*a^4*b^5*c^3*d^4*e^13 - 320*a^4*b^6*c^2*d^3*e^14 - 20 \\
& 672*a^5*b^2*c^5*d^5*e^12 + 896*a^5*b^3*c^4*d^4*e^13 + 2384*a^5*b^4*c^3*d^3* \\
& e^14 + 112*a^5*b^5*c^2*d^2*e^15 - 3872*a^6*b^2*c^4*d^3*e^14 - 896*a^6*b^3*c \\
& ^3*d^2*e^15 - 1024*a*b*c^10*d^14*e^3 + 3648*a*b^2*c^9*d^13*e^4 - 7296*a*b^3 \\
& *c^8*d^12*e^5 + 8464*a*b^4*c^7*d^11*e^6 - 5008*a*b^5*c^6*d^10*e^7 + 224*a*b \\
& ^6*c^5*d^9*e^8 + 1632*a*b^7*c^4*d^8*e^9 - 944*a*b^8*c^3*d^7*e^10 + 176*a*b^ \\
& 9*c^2*d^6*e^11 + 512*a^2*b*c^9*d^12*e^5 + 14080*a^3*b*c^8*d^10*e^7 + 30720* \\
& a^4*b*c^7*d^8*e^9 + 28160*a^5*b*c^6*d^6*e^11 + 11776*a^6*b*c^5*d^4*e^13 - 1 \\
& 6*a^6*b^4*c^2*d*e^16 + 1792*a^7*b*c^4*d^2*e^15 + 128*a^7*b^2*c^3*d*e^16)/(2 \\
& *(c^4*d^10 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 \\
& + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + \\
& 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3
\end{aligned}$$

$$\begin{aligned}
& + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) + (x*(-d^3*e^3)^{(1/2)}*(a*e^2 + \\
& 5*c*d^2 - 3*b*d*e)*(1024*a^2*c^11*d^16*e^3 + 5120*a^3*c^10*d^14*e^5 + 9216 \\
& *a^4*c^9*d^12*e^7 + 5120*a^5*c^8*d^10*e^9 - 5120*a^6*c^7*d^8*e^11 - 9216*a^ \\
& 7*c^6*d^6*e^13 - 5120*a^8*c^5*d^4*e^15 - 1024*a^9*c^4*d^2*e^17 - 64*b^3*c^1 \\
& 0*d^17*e^2 + 512*b^4*c^9*d^16*e^3 - 1792*b^5*c^8*d^15*e^4 + 3584*b^6*c^7*d^ \\
& 14*e^5 - 4480*b^7*c^6*d^13*e^6 + 3584*b^8*c^5*d^12*e^7 - 1792*b^9*c^4*d^11* \\
& e^8 + 512*b^10*c^3*d^10*e^9 - 64*b^11*c^2*d^9*e^10 + 8192*a^2*b^2*c^9*d^14* \\
& e^5 + 5056*a^2*b^3*c^8*d^13*e^6 - 31104*a^2*b^4*c^7*d^12*e^7 + 40256*a^2*b^ \\
& 5*c^6*d^11*e^8 - 22784*a^2*b^6*c^5*d^10*e^9 + 3648*a^2*b^7*c^4*d^9*e^10 + 1 \\
& 664*a^2*b^8*c^3*d^8*e^11 - 576*a^2*b^9*c^2*d^7*e^12 + 45312*a^3*b^2*c^8*d^1 \\
& 2*e^7 - 27840*a^3*b^3*c^7*d^11*e^8 - 13760*a^3*b^4*c^6*d^10*e^9 + 27520*a^3 \\
& *b^5*c^5*d^9*e^10 - 12416*a^3*b^6*c^4*d^8*e^11 + 1088*a^3*b^7*c^3*d^7*e^12 \\
& + 320*a^3*b^8*c^2*d^6*e^13 + 53760*a^4*b^2*c^7*d^10*e^9 - 30400*a^4*b^3*c^6 \\
& *d^9*e^10 + 1280*a^4*b^4*c^5*d^8*e^11 + 4224*a^4*b^5*c^4*d^7*e^12 - 1280*a^ \\
& 4*b^6*c^3*d^6*e^13 + 320*a^4*b^7*c^2*d^5*e^14 + 6400*a^5*b^2*c^6*d^8*e^11 - \\
& 2624*a^5*b^3*c^5*d^7*e^12 + 5952*a^5*b^4*c^4*d^6*e^13 - 2752*a^5*b^5*c^3*d \\
& ^5*e^14 - 576*a^5*b^6*c^2*d^4*e^15 - 21504*a^6*b^2*c^5*d^6*e^13 + 832*a^6*b \\
& ^3*c^4*d^5*e^14 + 4736*a^6*b^4*c^3*d^4*e^15 + 320*a^6*b^5*c^2*d^3*e^16 - 84 \\
& 48*a^7*b^2*c^4*d^4*e^15 - 2624*a^7*b^3*c^3*d^3*e^16 - 64*a^7*b^4*c^2*d^2*e^ \\
& 17 + 512*a^8*b^2*c^3*d^2*e^17 + 256*a*b*c^11*d^17*e^2 - 2304*a*b^2*c^10*d^1 \\
& 6*e^3 + 8512*a*b^3*c^9*d^15*e^4 - 16704*a*b^4*c^8*d^14*e^5 + 18240*a*b^5*c^ \\
& 7*d^13*e^6 - 9536*a*b^6*c^6*d^12*e^7 - 576*a*b^7*c^5*d^11*e^8 + 3648*a*b^8* \\
& c^4*d^10*e^9 - 1856*a*b^9*c^3*d^9*e^10 + 320*a*b^10*c^2*d^8*e^11 - 5376*a^2 \\
& *b*c^10*d^15*e^4 - 25344*a^3*b*c^9*d^13*e^6 - 37120*a^4*b*c^8*d^11*e^8 - 11 \\
& 520*a^5*b*c^7*d^9*e^10 + 20736*a^6*b*c^6*d^7*e^12 + 20224*a^7*b*c^5*d^5*e^1 \\
& 4 + 5376*a^8*b*c^4*d^3*e^16))/(8*(c^2*d^7 + a^2*d^3*e^4 + b^2*d^5*e^2 - 2*b \\
& *c*d^6*e - 2*a*b*d^4*e^3 + 2*a*c*d^5*e^2))*(c^4*d^10 + a^4*d^2*e^8 + b^4*d^6 \\
& *e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^ \\
& 6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8 \\
& *e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c \\
& *d^5*e^5))*(-d^3*e^3)^{(1/2)}*(a*e^2 + 5*c*d^2 - 3*b*d*e))/(4*(c^2*d^7 + a^2 \\
& *d^3*e^4 + b^2*d^5*e^2 - 2*b*c*d^6*e - 2*a*b*d^4*e^3 + 2*a*c*d^5*e^2))*(a* \\
& e^2 + 5*c*d^2 - 3*b*d*e))/(4*(c^2*d^7 + a^2*d^3*e^4 + b^2*d^5*e^2 - 2*b*c*d^ \\
& ^6*e - 2*a*b*d^4*e^3 + 2*a*c*d^5*e^2))*(-d^3*e^3)^{(1/2)}*(a*e^2 + 5*c*d^2 - \\
& 3*b*d*e))/(4*(c^2*d^7 + a^2*d^3*e^4 + b^2*d^5*e^2 - 2*b*c*d^6*e - 2*a*b*d^ \\
& 4*e^3 + 2*a*c*d^5*e^2))*(-d^3*e^3)^{(1/2)}*(a*e^2 + 5*c*d^2 - 3*b*d*e)*1i)/ \\
& (4*(c^2*d^7 + a^2*d^3*e^4 + b^2*d^5*e^2 - 2*b*c*d^6*e - 2*a*b*d^4*e^3 + 2*a* \\
& c*d^5*e^2)))/((5*c^8*d^3*e^6 - 3*b*c^7*d^2*e^7 + a*c^7*d*e^8)/(c^4*d^10 + a \\
& ^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8* \\
& e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6 \\
& *e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c* \\
& d^6*e^4 - 12*a^2*b*c*d^5*e^5) - (((x*(54*c^9*d^6*e^5 - 2*a^3*c^6*e^11 - 22* \\
& a*c^8*d^4*e^7 - 118*b*c^8*d^5*e^6 + a^2*b^2*c^5*e^11 - 14*a^2*c^7*d^2*e^9 + \\
& 107*b^2*c^7*d^4*e^7 - 48*b^3*c^6*d^3*e^8 + 9*b^4*c^5*d^2*e^9 + 20*a*b*c^7* \\
& d^3*e^8 - 6*a*b^3*c^5*d*e^10 + 10*a^2*b*c^6*d*e^10 + 4*a*b^2*c^6*d^2*e^9)))/
\end{aligned}$$

$$\begin{aligned}
& (2*(c^4*d^{10} + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) - (((2*a^2*b^6*c^2*e^{13} - 20*0*a*c^9*d^8*e^5 - 8*a^5*c^5*e^{13} - 14*a^3*b^4*c^3*e^{13} + 26*a^4*b^2*c^4*e^{13} + 480*a^2*c^8*d^6*e^7 + 784*a^3*c^7*d^4*e^9 + 96*a^4*c^6*d^2*e^{11} + 50*b^2*c^8*d^8*e^5 - 240*b^3*c^7*d^7*e^6 + 466*b^4*c^6*d^6*e^7 - 464*b^5*c^5*d^5*e^8 + 246*b^6*c^4*d^4*e^9 - 64*b^7*c^3*d^3*e^{10} + 6*b^8*c^2*d^2*e^{11} + 4*a^2*b^2*c^6*d^4*e^9 + 672*a^2*b^3*c^5*d^3*e^{10} - 354*a^2*b^4*c^4*d^2*e^{11} + 464*a^3*b^2*c^5*d^2*e^{11} + 960*a*b*c^8*d^7*e^6 - 8*a*b^7*c^2*d*e^{12} - 96*a^4*b*c^5*d*e^{12} - 1984*a*b^2*c^7*d^6*e^7 + 2072*a*b^3*c^6*d^5*e^8 - 1034*a*b^4*c^5*d^4*e^9 + 160*a*b^5*c^4*d^3*e^{10} + 34*a*b^6*c^3*d^2*e^{11} - 864*a^2*b*c^7*d^5*e^8 + 40*a^2*b^5*c^3*d*e^{12} - 1152*a^3*b*c^6*d^3*e^{10} - 8*a^3*b^3*c^4*d*e^{12}))/((2*(c^4*d^{10} + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) - ((-d^3*e^3)^{(1/2)}*((x*(32*c^{11}*d^{13}*e^2 + 48*a^6*b*c^4*e^{15} + 96*a*c^{10}*d^{11}*e^4 - 64*a^6*c^5*d*e^{14} - 160*b*c^{10}*d^{12}*e^3 + 4*a^4*b^5*c^2*e^{15} - 28*a^5*b^3*c^3*e^{15} - 2048*a^2*c^9*d^9*e^6 - 4416*a^3*c^8*d^7*e^8 - 2528*a^4*c^7*d^5*e^{10} - 288*a^5*c^6*d^3*e^{12} + 336*b^2*c^9*d^{11}*e^4 - 268*b^3*c^8*d^{10}*e^5 - 360*b^4*c^7*d^9*e^6 + 1260*b^5*c^6*d^8*e^7 - 1568*b^6*c^5*d^7*e^8 + 1036*b^7*c^4*d^6*e^9 - 360*b^8*c^3*d^5*e^{10} + 52*b^9*c^2*d^4*e^{11} - 7584*a^2*b^2*c^7*d^7*e^8 - 536*a^2*b^3*c^6*d^6*e^9 + 5936*a^2*b^4*c^5*d^5*e^{10} - 3552*a^2*b^5*c^4*d^4*e^{11} + 464*a^2*b^6*c^3*d^3*e^{12} + 104*a^2*b^7*c^2*d^2*e^{13} - 12768*a^3*b^2*c^6*d^5*e^{10} + 3720*a^3*b^3*c^5*d^4*e^{11} + 1280*a^3*b^4*c^4*d^3*e^{12} - 648*a^3*b^5*c^3*d^2*e^{13} - 4272*a^4*b^2*c^5*d^3*e^{12} + 740*a^4*b^3*c^4*d^2*e^{13} - 848*a*b*c^9*d^{10}*e^5 + 3632*a*b^2*c^8*d^9*e^6 - 7852*a*b^3*c^7*d^8*e^7 + 8864*a*b^4*c^6*d^7*e^8 - 4936*a*b^5*c^5*d^6*e^9 + 816*a*b^6*c^4*d^5*e^{10} + 356*a*b^7*c^3*d^4*e^{11} - 128*a*b^8*c^2*d^3*e^{12} + 7216*a^2*b*c^8*d^8*e^7 + 12896*a^3*b*c^7*d^6*e^9 - 32*a^3*b^6*c^2*d*e^{14} + 5696*a^4*b*c^6*d^4*e^{11} + 216*a^4*b^4*c^3*d*e^{14} + 752*a^5*b*c^5*d^2*e^{13} - 336*a^5*b^2*c^4*d*e^{14}))/((2*(c^4*d^{10} + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) + (((128*a*c^{11}*d^{15}*e^2 - 256*a^8*c^4*d*e^{16} - 256*a^2*c^{10}*d^{13}*e^4 - 3456*a^3*c^9*d^{11}*e^6 - 8960*a^4*c^8*d^9*e^8 - 10880*a^5*c^7*d^7*e^{10} - 6912*a^6*c^6*d^5*e^{12} - 2176*a^7*c^5*d^3*e^{14} - 32*b^2*c^{10}*d^{15}*e^2 + 256*b^3*c^9*d^{14}*e^3 - 896*b^4*c^8*d^{13}*e^4 + 1792*b^5*c^7*d^{12}*e^5 - 2240*b^6*c^6*d^{11}*e^6 + 1792*b^7*c^5*d^{10}*e^7 - 896*b^8*c^4*d^9*e^8 + 256*b^9*c^3*d^8*e^9 - 32*b^{10}*c^2*d^7*e^{10} + 2848*a^2*b^2*c^8*d^{11}*e^6 - 12160*a^2*b^3*c^7*d^{10}*e^7 + 18480*a^2*b^4*c^6*d^9*e^8 - 12864*a^2*b^5*c^5*d^8*e^9 + 3008*a^2*b^6*c^4*d^7*e^{10} + 832*a^2*b^7*c^3*d^6*e^{11} - 400*a^2*b^8*c^2*d^5*e^{12} - 17920*a^3*b^2*c^7*d^9*e^8 + 1280*a^3*b^3*c^6*d^8*e^9 + 14240*a^3*b^4*c^5*d^7*e^{10} - 9824*a^3*b^5*c^4
\end{aligned}$$

$$\begin{aligned}
& *d^6e^{11} + 1120a^3b^6c^3d^5e^{12} + 480a^3b^7c^2d^4e^{13} - 33760a^4 \\
& 4b^2c^6d^7e^{10} + 7680a^4b^3c^5d^6e^{11} + 7520a^4b^4c^4d^5e^{12} \\
& - 2880a^4b^5c^3d^4e^{13} - 320a^4b^6c^2d^3e^{14} - 20672a^5b^2c^5 \\
& d^5e^{12} + 896a^5b^3c^4d^4e^{13} + 2384a^5b^4c^3d^3e^{14} + 112a^5b \\
& ^5c^2d^2e^{15} - 3872a^6b^2c^4d^3e^{14} - 896a^6b^3c^3d^2e^{15} - 10 \\
& 24ab^3c^10d^14e^3 + 3648ab^2c^9d^13e^4 - 7296ab^3c^8d^12e^5 + \\
& 8464ab^4c^7d^11e^6 - 5008ab^5c^6d^10e^7 + 224ab^6c^5d^9e^8 + \\
& 1632ab^7c^4d^8e^9 - 944ab^8c^3d^7e^{10} + 176ab^9c^2d^6e^{11} + \\
& 512a^2b^3c^9d^12e^5 + 14080a^3b^3c^8d^10e^7 + 30720a^4b^3c^7d^8e^ \\
& 9 + 28160a^5b^3c^6d^6e^{11} + 11776a^6b^3c^5d^4e^{13} - 16a^6b^4c^2d^* \\
& e^{16} + 1792a^7b^3c^4d^2e^{15} + 128a^7b^2c^3d^*e^{16}) / (2*(c^4d^{10} + a^4 \\
& *d^2e^8 + b^4d^6e^4 - 4ab^3d^5e^5 - 4a^3b^3d^3e^7 + 4a^3c^3d^8e^ \\
& 2 + 4a^3c^3d^4e^6 - 4b^3c^3d^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^ \\
& ^4 + 6b^2c^2d^8e^2 - 4b^3c^3d^9e - 12ab^3c^2d^7e^3 + 12ab^2c^2d^ \\
& 6e^4 - 12a^2b^3c^2d^5e^5)) - (x*(-d^3e^3)^{(1/2)}*(a^2e^2 + 5c^2d^2 - 3b^2d \\
& *e)*(1024a^2c^{11}d^{16}e^3 + 5120a^3c^{10}d^{14}e^5 + 9216a^4c^9d^{12}e^ \\
& 7 + 5120a^5c^8d^{10}e^9 - 5120a^6c^7d^8e^{11} - 9216a^7c^6d^6e^{13} - \\
& 5120a^8c^5d^4e^{15} - 1024a^9c^4d^2e^{17} - 64b^3c^{10}d^{17}e^2 + 512 \\
& *b^4c^9d^{16}e^3 - 1792b^5c^8d^{15}e^4 + 3584b^6c^7d^{14}e^5 - 4480b^ \\
& 7c^6d^{13}e^6 + 3584b^8c^5d^{12}e^7 - 1792b^9c^4d^{11}e^8 + 512b^{10}c^ \\
& ^3d^{10}e^9 - 64b^{11}c^2d^9e^{10} + 8192a^2b^2c^9d^{14}e^5 + 5056a^2b \\
& ^3c^8d^{13}e^6 - 31104a^2b^4c^7d^{12}e^7 + 40256a^2b^5c^6d^{11}e^8 - \\
& 22784a^2b^6c^5d^{10}e^9 + 3648a^2b^7c^4d^9e^{10} + 1664a^2b^8c^3 \\
& d^8e^{11} - 576a^2b^9c^2d^7e^{12} + 45312a^3b^2c^8d^{12}e^7 - 27840a^ \\
& 3b^3c^7d^{11}e^8 - 13760a^3b^4c^6d^{10}e^9 + 27520a^3b^5c^5d^9e^{11} \\
& 0 - 12416a^3b^6c^4d^8e^{11} + 1088a^3b^7c^3d^7e^{12} + 320a^3b^8c^ \\
& 2d^6e^{13} + 53760a^4b^2c^7d^{10}e^9 - 30400a^4b^3c^6d^9e^{10} + 1280 \\
& *a^4b^4c^5d^8e^{11} + 4224a^4b^5c^4d^7e^{12} - 1280a^4b^6c^3d^6e^ \\
& 13 + 320a^4b^7c^2d^5e^{14} + 6400a^5b^2c^6d^8e^{11} - 2624a^5b^3c^ \\
& 5d^7e^{12} + 5952a^5b^4c^4d^6e^{13} - 2752a^5b^5c^3d^5e^{14} - 576a^ \\
& 5b^6c^2d^4e^{15} - 21504a^6b^2c^5d^6e^{13} + 832a^6b^3c^4d^5e^{14} \\
& + 4736a^6b^4c^3d^4e^{15} + 320a^6b^5c^2d^3e^{16} - 8448a^7b^2c^4d^ \\
& ^4e^{15} - 2624a^7b^3c^3d^3e^{16} - 64a^7b^4c^2d^2e^{17} + 512a^8b^2 \\
& *c^3d^2e^{17} + 256ab^3c^{11}d^{17}e^2 - 2304ab^2c^{10}d^{16}e^3 + 8512ab \\
& ^3c^9d^{15}e^4 - 16704ab^4c^8d^{14}e^5 + 18240ab^5c^7d^{13}e^6 - 953 \\
& 6ab^6c^6d^{12}e^7 - 576ab^7c^5d^{11}e^8 + 3648ab^8c^4d^{10}e^9 - 1 \\
& 856ab^9c^3d^9e^{10} + 320ab^{10}c^2d^8e^{11} - 5376a^2b^3c^{10}d^{15}e^4 \\
& - 25344a^3b^3c^9d^{13}e^6 - 37120a^4b^3c^8d^{11}e^8 - 11520a^5b^3c^7d^ \\
& 9e^{10} + 20736a^6b^3c^6d^7e^{12} + 20224a^7b^3c^5d^5e^{14} + 5376a^8b^3c^ \\
& ^4d^3e^{16})) / (8*(c^2d^7 + a^2d^3e^4 + b^2d^5e^2 - 2b^3c^2d^6e - 2ab \\
& *d^4e^3 + 2a^3c^2d^5e^2)*(c^4d^{10} + a^4d^2e^8 + b^4d^6e^4 - 4ab^3d^ \\
& ^5e^5 - 4a^3b^3d^3e^7 + 4a^3c^3d^8e^2 + 4a^3c^3d^4e^6 - 4b^3c^3d^7e^ \\
& ^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^3c^3d^ \\
& ^9e - 12ab^3c^2d^7e^3 + 12ab^2c^2d^6e^4 - 12a^2b^3c^2d^5e^5)) * (-d^ \\
& 3e^3)^{(1/2)}*(a^2e^2 + 5c^2d^2 - 3b^2d^2e^2)) / (4*(c^2d^7 + a^2d^3e^4 + b^2d
\end{aligned}$$

$$\begin{aligned}
& \left(5e^2 - 2b^2cd^6e - 2a^2bd^4e^3 + 2a^2cd^5e^2 \right) \left(ae^2 + 5cd^2 - 3b^2de \right) / \left(4(c^2d^7 + a^2d^3e^4 + b^2d^5e^2 - 2b^2cd^6e - 2a^2bd^4e^3 + 2a^2cd^5e^2) \right) \\
& \left(-d^3e^3 \right)^{1/2} \left(ae^2 + 5cd^2 - 3b^2de \right) / \left(4(c^2d^7 + a^2d^3e^4 + b^2d^5e^2 - 2b^2cd^6e - 2a^2bd^4e^3 + 2a^2cd^5e^2) \right) \\
& \left(-d^3e^3 \right)^{1/2} \left(ae^2 + 5cd^2 - 3b^2de \right) / \left(4(c^2d^7 + a^2d^3e^4 + b^2d^5e^2 - 2b^2cd^6e - 2a^2bd^4e^3 + 2a^2cd^5e^2) \right) + \left((x \right. \\
& \left. (54c^9d^6e^5 - 2a^3c^6e^{11} - 22a^2c^8d^4e^7 - 118b^2c^8d^5e^6 + a^2b^2c^5e^{11} - 14a^2c^7d^2e^9 + 107b^2c^7d^4e^7 - 48b^3c^6d^3e^8 + 9b^4c^5d^2e^9 + 20a^2b^2c^7d^3e^8 - 6a^2b^3c^5d^2e^{10} + 10a^2b^2c^6d^2e^{10} + 4a^2b^2c^6d^2e^9) \right) / \left(2(c^4d^{10} + a^4d^2e^8 + b^4d^6e^4 - 4a^2b^3d^5e^5 - 4a^3b^2d^3e^7 + 4a^2c^3d^8e^2 + 4a^3c^2d^4e^6 - 4b^3c^2d^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^3c^3d^9e - 12a^2b^2c^2d^7e^3 + 12a^2b^2c^2d^6e^4 - 12a^2b^2c^2d^5e^5) \right) + \left((2a^2b^6c^2e^{13} - 200a^2c^9d^8e^5 - 8a^5c^5e^{13} - 14a^3b^4c^3e^{13} + 26a^4b^2c^4e^{13} + 480a^2c^8d^6e^7 + 784a^3c^7d^4e^9 + 96a^4c^6d^2e^{11} + 50b^2c^8d^8e^5 - 240b^3c^7d^7e^6 + 466b^4c^6d^6e^7 - 464b^5c^5d^5e^8 + 246b^6c^4d^4e^9 - 64b^7c^3d^3e^{10} + 6b^8c^2d^2e^{11} + 4a^2b^2c^6d^4e^9 + 672a^2b^3c^5d^3e^{10} - 354a^2b^4c^4d^2e^{11} + 464a^3b^2c^5d^2e^{11} + 960a^2b^3c^8d^7e^6 - 8a^2b^7c^2d^2e^{12} - 96a^4b^2c^5d^2e^{12} - 1984a^2b^2c^7d^6e^7 + 2072a^2b^3c^6d^5e^8 - 1034a^2b^4c^5d^4e^9 + 160a^2b^5c^4d^3e^{10} + 34a^2b^6c^3d^2e^{11} - 864a^2b^2c^7d^5e^8 + 40a^2b^5c^3d^2e^{12} - 1152a^3b^2c^6d^3e^{10} - 8a^3b^3c^4d^2e^{12}) \right) / \left(2(c^4d^{10} + a^4d^2e^8 + b^4d^6e^4 - 4a^2b^3d^5e^5 - 4a^3b^2d^3e^7 + 4a^2c^3d^8e^2 + 4a^3c^2d^4e^6 - 4b^3c^2d^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^3c^3d^9e - 12a^2b^2c^2d^7e^3 + 12a^2b^2c^2d^6e^4 - 12a^2b^2c^2d^5e^5) \right) + \left((-d^3e^3)^{1/2} \left((x \right. \right. \\
& \left. \left. (32c^{11}d^{13}e^2 + 48a^6b^2c^4e^{15} + 96a^2c^{10}d^{11}e^4 - 64a^6c^5d^2e^{14} - 160b^2c^{10}d^{12}e^3 + 4a^4b^5c^2e^{15} - 28a^5b^3c^3e^{15} - 2048a^2c^9d^9e^6 - 4416a^3c^8d^7e^8 - 2528a^4c^7d^5e^{10} - 288a^5c^6d^3e^{12} + 336b^2c^9d^11e^4 - 268b^3c^8d^{10}e^5 - 360b^4c^7d^9e^6 + 1260b^5c^6d^8e^7 - 1568b^6c^5d^7e^8 + 1036b^7c^4d^6e^9 - 360b^8c^3d^5e^{10} + 52b^9c^2d^4e^{11} - 7584a^2b^2c^7d^7e^8 - 536a^2b^3c^6d^6e^9 + 5936a^2b^4c^5d^5e^{10} - 3552a^2b^5c^4d^4e^{11} + 464a^2b^6c^3d^3e^{12} + 104a^2b^7c^2d^2e^{13} - 12768a^3b^2c^6d^5e^{10} + 3720a^3b^3c^5d^4e^{11} + 1280a^3b^4c^4d^3e^{12} - 648a^3b^5c^3d^2e^{13} - 4272a^4b^2c^5d^3e^{12} + 740a^4b^3c^4d^2e^{13} - 848a^2b^2c^9d^{10}e^5 + 3632a^2b^2c^8d^9e^6 - 7852a^2b^3c^7d^8e^7 + 8864a^2b^4c^6d^7e^8 - 4936a^2b^5c^5d^6e^9 + 816a^2b^6c^4d^5e^{10} + 356a^2b^7c^3d^4e^{11} - 128a^2b^8c^2d^3e^{12} + 7216a^2b^2c^8d^8e^7 + 12896a^3b^2c^7d^6e^9 - 32a^3b^6c^2d^2e^{14} + 5696a^4b^2c^6d^4e^{11} + 216a^4b^4c^3d^2e^{14} + 752a^5b^2c^5d^2e^{13} - 336a^5b^2c^4d^2e^{14}) \right) / \left(2(c^4d^{10} + a^4d^2e^8 + b^4d^6e^4 - 4a^2b^3d^5e^5 - 4a^3b^2d^3e^7 + 4a^2c^3d^8e^2 + 4a^3c^2d^4e^6 - 4b^3c^2d^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^3c^3d^9e - 12a^2b^2c^2d^7e^3 + 12a^2b^2c^2d^6e^4 - 12a^2b^2c^2d^5e^5) \right)
\end{aligned}$$

$$\begin{aligned}
& a^2*b*c*d^5*e^5) - (((128*a*c^11*d^15*e^2 - 256*a^8*c^4*d*e^16 - 256*a^2*c^10*d^13*e^4 - 3456*a^3*c^9*d^11*e^6 - 8960*a^4*c^8*d^9*e^8 - 10880*a^5*c^7*d^7*e^10 - 6912*a^6*c^6*d^5*e^12 - 2176*a^7*c^5*d^3*e^14 - 32*b^2*c^10*d^15*e^2 + 256*b^3*c^9*d^14*e^3 - 896*b^4*c^8*d^13*e^4 + 1792*b^5*c^7*d^12*e^5 - 2240*b^6*c^6*d^11*e^6 + 1792*b^7*c^5*d^10*e^7 - 896*b^8*c^4*d^9*e^8 + 256*b^9*c^3*d^8*e^9 - 32*b^10*c^2*d^7*e^10 + 2848*a^2*b^2*c^8*d^11*e^6 - 12160*a^2*b^3*c^7*d^10*e^7 + 18480*a^2*b^4*c^6*d^9*e^8 - 12864*a^2*b^5*c^5*d^8*e^9 + 3008*a^2*b^6*c^4*d^7*e^10 + 832*a^2*b^7*c^3*d^6*e^11 - 400*a^2*b^8*c^2*d^5*e^12 - 17920*a^3*b^2*c^7*d^9*e^8 + 1280*a^3*b^3*c^6*d^8*e^9 + 14240*a^3*b^4*c^5*d^7*e^10 - 9824*a^3*b^5*c^4*d^6*e^11 + 1120*a^3*b^6*c^3*d^5*e^12 + 480*a^3*b^7*c^2*d^4*e^13 - 33760*a^4*b^2*c^6*d^7*e^10 + 7680*a^4*b^3*c^5*d^6*e^11 + 7520*a^4*b^4*c^4*d^5*e^12 - 2880*a^4*b^5*c^3*d^4*e^13 - 320*a^4*b^6*c^2*d^3*e^14 - 20672*a^5*b^2*c^5*d^5*e^12 + 896*a^5*b^3*c^4*d^4*e^13 + 2384*a^5*b^4*c^3*d^3*e^14 + 112*a^5*b^5*c^2*d^2*e^15 - 3872*a^6*b^2*c^4*d^3*e^14 - 896*a^6*b^3*c^3*d^2*e^15 - 1024*a*b*c^10*d^14*e^3 + 3648*a*b^2*c^9*d^13*e^4 - 7296*a*b^3*c^8*d^12*e^5 + 8464*a*b^4*c^7*d^11*e^6 - 5008*a*b^5*c^6*d^10*e^7 + 224*a*b^6*c^5*d^9*e^8 + 1632*a*b^7*c^4*d^8*e^9 - 944*a*b^8*c^3*d^7*e^10 + 176*a*b^9*c^2*d^6*e^11 + 512*a^2*b*c^9*d^12*e^5 + 14080*a^3*b*c^8*d^10*e^7 + 30720*a^4*b*c^7*d^8*e^9 + 28160*a^5*b*c^6*d^6*e^11 + 11776*a^6*b*c^5*d^4*e^13 - 16*a^6*b^4*c^2*d*e^16 + 1792*a^7*b*c^4*d^2*e^15 + 128*a^7*b^2*c^3*d*e^16)/(2*(c^4*d^10 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) + (x*(-d^3*e^3)^(1/2)*(a*e^2 + 5*c*d^2 - 3*b*d*e)*(1024*a^2*c^11*d^16*e^3 + 5120*a^3*c^10*d^14*e^5 + 9216*a^4*c^9*d^12*e^7 + 5120*a^5*c^8*d^10*e^9 - 5120*a^6*c^7*d^8*e^11 - 9216*a^7*c^6*d^6*e^13 - 5120*a^8*c^5*d^4*e^15 - 1024*a^9*c^4*d^2*e^17 - 64*b^3*c^10*d^17*e^2 + 512*b^4*c^9*d^16*e^3 - 1792*b^5*c^8*d^15*e^4 + 3584*b^6*c^7*d^14*e^5 - 4480*b^7*c^6*d^13*e^6 + 3584*b^8*c^5*d^12*e^7 - 1792*b^9*c^4*d^11*e^8 + 512*b^10*c^3*d^10*e^9 - 64*b^11*c^2*d^9*e^10 + 8192*a^2*b^2*c^9*d^14*e^5 + 5056*a^2*b^3*c^8*d^13*e^6 - 31104*a^2*b^4*c^7*d^12*e^7 + 40256*a^2*b^5*c^6*d^11*e^8 - 22784*a^2*b^6*c^5*d^10*e^9 + 3648*a^2*b^7*c^4*d^9*e^10 + 1664*a^2*b^8*c^3*d^8*e^11 - 576*a^2*b^9*c^2*d^7*e^12 + 45312*a^3*b^2*c^8*d^12*e^7 - 27840*a^3*b^3*c^7*d^11*e^8 - 13760*a^3*b^4*c^6*d^10*e^9 + 27520*a^3*b^5*c^5*d^9*e^10 - 12416*a^3*b^6*c^4*d^8*e^11 + 1088*a^3*b^7*c^3*d^7*e^12 + 320*a^3*b^8*c^2*d^6*e^13 + 53760*a^4*b^2*c^7*d^10*e^9 - 30400*a^4*b^3*c^6*d^9*e^10 + 1280*a^4*b^4*c^5*d^8*e^11 + 4224*a^4*b^5*c^4*d^7*e^12 - 1280*a^4*b^6*c^3*d^6*e^13 + 320*a^4*b^7*c^2*d^5*e^14 + 6400*a^5*b^2*c^6*d^8*e^11 - 2624*a^5*b^3*c^5*d^7*e^12 + 5952*a^5*b^4*c^4*d^6*e^13 - 2752*a^5*b^5*c^3*d^5*e^14 - 576*a^5*b^6*c^2*d^4*e^15 - 21504*a^6*b^2*c^5*d^6*e^13 + 832*a^6*b^3*c^4*d^5*e^14 + 4736*a^6*b^4*c^3*d^4*e^15 + 320*a^6*b^5*c^2*d^3*e^16 - 8448*a^7*b^2*c^4*d^4*e^15 - 2624*a^7*b^3*c^3*d^3*e^16 - 64*a^7*b^4*c^2*d^2*e^17 + 512*a^8*b^2*c^3*d^2*e^17 + 256*a*b*c^11*d^17*e^2 - 2304*a*b^2*c^10*d^16*e^3 + 8512*a*b^3*c^9*d^15*e^4 - 16704*a*b^4*c^8*d^14*e^5 + 18240*a*b^5*c^7*d^13*e^6 - 9536*a*b^6*c^6*d^12*e^7 - 576*a*b^7*c^5*
\end{aligned}$$

$$\begin{aligned}
& e^3 + 3648*a*b^2*c^9*d^{13}*e^4 - 7296*a*b^3*c^8*d^{12}*e^5 + 8464*a*b^4*c^7*d^{11}*e^6 - 5008*a*b^5*c^6*d^{10}*e^7 + 224*a*b^6*c^5*d^9*e^8 + 1632*a*b^7*c^4*d^8*e^9 - 944*a*b^8*c^3*d^7*e^{10} + 176*a*b^9*c^2*d^6*e^{11} + 512*a^2*b*c^9*d^{12}*e^5 + 14080*a^3*b*c^8*d^{10}*e^7 + 30720*a^4*b*c^7*d^8*e^9 + 28160*a^5*b*c^6*d^6*e^{11} + 11776*a^6*b*c^5*d^4*e^{13} - 16*a^6*b^4*c^2*d*e^{16} + 1792*a^7*b*c^4*d^2*e^{15} + 128*a^7*b^2*c^3*d*e^{16}) / (2*(c^4*d^{10} + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) - (x*((b^4*e^4*(-(4*a*c - b^2)^3)^(1/2) - b^3*c^4*d^4 - b^7*e^4 + c^4*d^4*(-(4*a*c - b^2)^3)^(1/2) + 20*a^3*b*c^3*e^4 + 32*a^2*c^5*d^3*e - 32*a^3*c^4*d*e^3 + 4*b^4*c^3*d^3*e - 25*a^2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^(1/2) - 6*b^5*c^2*d^2*e^2 + 4*a*b*c^5*d^4 + 9*a*b^5*c*e^4 + 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^(1/2) - 24*a*b^2*c^4*d^3*e - 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^(1/2) - 4*b^3*c*d*e^3*(-(4*a*c - b^2)^3)^(1/2) + 42*a*b^3*c^3*d^2*e^2 - 72*a^2*b*c^4*d^2*e^2 + 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) + 8*a*b*c^2*d*e^3*(-(4*a*c - b^2)^3)^(1/2)))/(8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))^(1/2)*(1024*a^2*c^11*d^16*e^3 + 5120*a^3*c^10*d^14*e^5 + 9216*a^4*c^9*d^12*e^7 + 5120*a^5*c^8*d^10*e^9 - 5120*a^6*c^7*d^8*e^11 - 9216*a^7*c^6*d^6*e^13 - 5120*a^8*c^5*d^4*e^15 - 1024*a^9*c^4*d^2*e^17 - 64*b^3*c^10*d^17*e^2 + 512*b^4*c^9*d^16*e^3 - 1792*b^5*c^8*d^15*e^4 + 3584*b^6*c^7*d^14*e^5 - 4480*b^7*c^6*d^13*e^6 + 3584*b^8*c^5*d^12*e^7 - 1792*b^9*c^4*d^11*e^8 + 512*b^10*c^3*d^10*e^9 - 64*b^11*c^2*d^9*e^10 + 8192*a^2*b^2*c^9*d^14*e^5 + 5056*a^2*b^3*c^8*d^13*e^6 - 31104*a^2*b^4*c^7*d^12*e^7 + 40256*a^2*b^5*c^6*d^11*e^8 - 22784*a^2*b^6*c^5*d^10*e^9 + 3648*a^2*b^7*c^4*d^9*e^10 + 1664*a^2*b^8*c^3*d^8*e^11 - 576*a^2*b^9*c^2*d^7*e^12 + 45312*a^3*b^2*c^8*d^12*e^7 - 27840*a^3*b^3*c^7*d^11*e^8 - 13760*a^3*b^4*c^6*d^10*e^9 + 27520*a^3*b^5*c^5*d^9*e^10 - 12416*a^3*b^6*c^4*d^8*e^11 + 1088*a^3*b^7*c^3*d^7*e^12 + 320*a^3*b^8*c^2*d^6*e^13 + 53760*a^4*b^2*c^7*d^10*e^9 - 30400*a^4*b^3*c^6*d^9*e^10 + 1280*a^4*b^4*c^5*d^8*e^11 + 4224*a^4*b^5*c^4*d^7*e^12 - 1280*a^4*b^6*c^3*d^6*e^13 + 320*a^4*b^7*c^2*d^5*e^14 + 6400*a^5*b^2*c^6*d^8*e^11 - 2624*a^5*b^3*c^5*d^7*e^12 + 5952*a^5*b^4*c^4*d^6*e^13 - 2752*a^5*b^5*c^3*d^5*e^14 - 576*a^5*b^6*c^2*d^4*e^15 - 21504*a^6*b^2*c^5*d^6*e^13 + 832*a^6*b^3*c^4*d^5*e^14 + 4736*a^6*b^4*c^3*d^4*e^15 + 320*a^6*b^5*c^2*d^3*e^16 - 8448*a^7*b^2*c^4*d^4*e^15 - 2624*a^7*b^3*c^3*d^3*e^1
\end{aligned}$$

$$\begin{aligned}
& 6 - 64*a^7*b^4*c^2*d^2*e^17 + 512*a^8*b^2*c^3*d^2*e^17 + 256*a*b*c^11*d^17* \\
& e^2 - 2304*a*b^2*c^10*d^16*e^3 + 8512*a*b^3*c^9*d^15*e^4 - 16704*a*b^4*c^8* \\
& d^14*e^5 + 18240*a*b^5*c^7*d^13*e^6 - 9536*a*b^6*c^6*d^12*e^7 - 576*a*b^7*c \\
& ^5*d^11*e^8 + 3648*a*b^8*c^4*d^10*e^9 - 1856*a*b^9*c^3*d^9*e^10 + 320*a*b^1 \\
& 0*c^2*d^8*e^11 - 5376*a^2*b*c^10*d^15*e^4 - 25344*a^3*b*c^9*d^13*e^6 - 3712 \\
& 0*a^4*b*c^8*d^11*e^8 - 11520*a^5*b*c^7*d^9*e^10 + 20736*a^6*b*c^6*d^7*e^12 \\
& + 20224*a^7*b*c^5*d^5*e^14 + 5376*a^8*b*c^4*d^3*e^16))/(2*(c^4*d^10 + a^4*d \\
& ^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 \\
& + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 \\
& + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6* \\
& e^4 - 12*a^2*b*c*d^5*e^5)))*((b^4*e^4*(-(4*a*c - b^2)^3)^(1/2) - b^3*c^4*d^ \\
& 4 - b^7*e^4 + c^4*d^4*(-(4*a*c - b^2)^3)^(1/2) + 20*a^3*b*c^3*e^4 + 32*a^2* \\
& c^5*d^3*e - 32*a^3*c^4*d*e^3 + 4*b^4*c^3*d^3*e - 25*a^2*b^3*c^2*e^4 + a^2*c \\
& ^2*e^4*(-(4*a*c - b^2)^3)^(1/2) - 6*b^5*c^2*d^2*e^2 + 4*a*b*c^5*d^4 + 9*a*b \\
& ^5*c*e^4 + 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) - 3*a \\
& *b^2*c*e^4*(-(4*a*c - b^2)^3)^(1/2) - 24*a*b^2*c^4*d^3*e - 32*a*b^4*c^2*d*e \\
& ^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^(1/2) - 4*b^3*c*d*e^3*(-(4*a*c - b^2) \\
& ^3)^(1/2) + 42*a*b^3*c^3*d^2*e^2 - 72*a^2*b*c^4*d^2*e^2 + 72*a^2*b^2*c^3*d* \\
& e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) + 8*a*b*c^2*d*e^3*(-(4*a*c - \\
& b^2)^3)^(1/2))/(8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c \\
& ^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5* \\
& d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c \\
& ^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d \\
& ^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d \\
& ^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2* \\
& d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a \\
& ^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4* \\
& d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 \\
& - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))^(1/2) + (x*(32*c^11*d^13* \\
& e^2 + 48*a^6*b*c^4*e^15 + 96*a*c^10*d^11*e^4 - 64*a^6*c^5*d*e^14 - 160*b*c^ \\
& 10*d^12*e^3 + 4*a^4*b^5*c^2*e^15 - 28*a^5*b^3*c^3*e^15 - 2048*a^2*c^9*d^9*e \\
& ^6 - 4416*a^3*c^8*d^7*e^8 - 2528*a^4*c^7*d^5*e^10 - 288*a^5*c^6*d^3*e^12 + \\
& 336*b^2*c^9*d^11*e^4 - 268*b^3*c^8*d^10*e^5 - 360*b^4*c^7*d^9*e^6 + 1260*b^ \\
& 5*c^6*d^8*e^7 - 1568*b^6*c^5*d^7*e^8 + 1036*b^7*c^4*d^6*e^9 - 360*b^8*c^3*d \\
& ^5*e^10 + 52*b^9*c^2*d^4*e^11 - 7584*a^2*b^2*c^7*d^7*e^8 - 536*a^2*b^3*c^6* \\
& d^6*e^9 + 5936*a^2*b^4*c^5*d^5*e^10 - 3552*a^2*b^5*c^4*d^4*e^11 + 464*a^2*b \\
& ^6*c^3*d^3*e^12 + 104*a^2*b^7*c^2*d^2*e^13 - 12768*a^3*b^2*c^6*d^5*e^10 + 3 \\
& 720*a^3*b^3*c^5*d^4*e^11 + 1280*a^3*b^4*c^4*d^3*e^12 - 648*a^3*b^5*c^3*d^2* \\
& e^13 - 4272*a^4*b^2*c^5*d^3*e^12 + 740*a^4*b^3*c^4*d^2*e^13 - 848*a*b*c^9*d \\
& ^10*e^5 + 3632*a*b^2*c^8*d^9*e^6 - 7852*a*b^3*c^7*d^8*e^7 + 8864*a*b^4*c^6* \\
& d^7*e^8 - 4936*a*b^5*c^5*d^6*e^9 + 816*a*b^6*c^4*d^5*e^10 + 356*a*b^7*c^3*d \\
& ^4*e^11 - 128*a*b^8*c^2*d^3*e^12 + 7216*a^2*b*c^8*d^8*e^7 + 12896*a^3*b*c^7 \\
& *d^6*e^9 - 32*a^3*b^6*c^2*d*e^14 + 5696*a^4*b*c^6*d^4*e^11 + 216*a^4*b^4*c^ \\
& 3*d*e^14 + 752*a^5*b*c^5*d^2*e^13 - 336*a^5*b^2*c^4*d*e^14))/(2*(c^4*d^10 + \\
& a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^
\end{aligned}$$

$$\begin{aligned}
& 8e^2 + 4a^3cd^4e^6 - 4b^3cd^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^3c^3d^9e - 12abc^2d^7e^3 + 12ab^2c^2d^6e^4 - 12a^2b^3c^2d^5e^5) \cdot ((b^4e^4(-4ac - b^2)^3)^{1/2} - b^3c^4d^4 - b^7e^4 + c^4d^4(-4ac - b^2)^3)^{1/2} + 20a^3b^3c^3e^4 + 32a^2c^5d^3e - 32a^3c^4d^3e^3 + 4b^4c^3d^3e - 25a^2b^3c^2e^4 + a^2c^2e^4(-4ac - b^2)^3)^{1/2} - 6b^5c^2d^2e^2 + 4ab^5c^5d^4 + 9ab^5c^5e^4 + 4b^6cd^3e^3 + 6b^2c^2d^2e^2(-4ac - b^2)^3)^{1/2} - 3ab^2c^4e^4(-4ac - b^2)^3)^{1/2} - 24ab^2c^4d^3e - 32ab^4c^2d^2e^3 - 4b^3c^3d^3e(-4ac - b^2)^3)^{1/2} - 4b^3cd^3e^3(-4ac - b^2)^3)^{1/2} + 42ab^3c^3d^2e^2 - 72a^2b^3c^4d^2e^2 + 72a^2b^2c^3d^2e^3 - 6ac^3d^2e^2(-4ac - b^2)^3)^{1/2} + 8ab^2c^2d^2e^3(-4ac - b^2)^3)^{1/2} / (8(16a^3c^6d^8 + a^5b^4e^8 + 16a^7c^2e^8 + ab^4c^4d^8 - 8a^6b^2c^4e^8 + ab^8d^4e^4 - 4a^4b^5d^7e^7 - 8a^2b^2c^5d^8 - 4a^2b^7d^3e^5 + 6a^3b^6d^2e^6 + 64a^4c^5d^6e^2 + 96a^5c^4d^4e^4 + 64a^6c^3d^2e^6 - 44a^2b^4c^3d^6e^2 + 20a^2b^5c^2d^5e^3 + 64a^3b^2c^4d^6e^2 + 32a^3b^3c^3d^5e^3 - 74a^3b^4c^2d^4e^4 + 144a^4b^2c^3d^4e^4 + 32a^4b^3c^2d^3e^5 + 64a^5b^2c^2d^2e^6 - 4ab^5c^3d^7e - 4ab^7c^3d^5e^3 - 64a^3b^5c^5d^7e + 32a^5b^3cd^7e - 64a^6b^3c^2d^6e^7 + 6ab^6c^2d^6e^2 + 32a^2b^3c^4d^7e + 4a^2b^6cd^4e^4 + 20a^3b^5cd^3e^5 - 192a^4b^3c^4d^5e^3 - 44a^4b^4cd^2e^6 - 192a^5b^3c^3d^3e^5) \cdot ((b^4e^4(-4ac - b^2)^3)^{1/2} - b^3c^4d^4 - b^7e^4 + c^4d^4(-4ac - b^2)^3)^{1/2} + 20a^3b^3c^3e^4 + 32a^2c^5d^3e - 32a^3c^4d^3e + 4b^4c^3d^3e - 25a^2b^3c^2e^4 + a^2c^2e^4(-4ac - b^2)^3)^{1/2} - 6b^5c^2d^2e^2 + 4ab^5c^5d^4 + 9ab^5c^5e^4 + 4b^6cd^3e^3 + 6b^2c^2d^2e^2(-4ac - b^2)^3)^{1/2} - 3ab^2c^4e^4(-4ac - b^2)^3)^{1/2} - 24ab^2c^4d^3e - 32ab^4c^2d^2e^3 - 4b^3c^3d^3e(-4ac - b^2)^3)^{1/2} - 4b^3cd^3e^3(-4ac - b^2)^3)^{1/2} + 42ab^3c^3d^2e^2 - 72a^2b^3c^4d^2e^2 + 72a^2b^2c^3d^2e^3 - 6ac^3d^2e^2(-4ac - b^2)^3)^{1/2} + 8ab^2c^2d^2e^3(-4ac - b^2)^3)^{1/2} / (8(16a^3c^6d^8 + a^5b^4e^8 + 16a^7c^2e^8 + ab^4c^4d^8 - 8a^6b^2c^4e^8 + ab^8d^4e^4 - 4a^4b^5d^7e^7 - 8a^2b^2c^5d^8 - 4a^2b^7d^3e^5 + 6a^3b^6d^2e^6 + 64a^4c^5d^6e^2 + 96a^5c^4d^4e^4 + 64a^6c^3d^2e^6 - 44a^2b^4c^3d^6e^2 + 20a^2b^5c^2d^5e^3 + 64a^3b^2c^4d^6e^2 + 32a^3b^3c^3d^5e^3 - 74a^3b^4c^2d^4e^4 + 144a^4b^2c^3d^4e^4 + 32a^4b^3c^2d^3e^5 + 64a^5b^2c^2d^2e^6 - 4ab^5c^3d^7e - 4ab^7c^3d^5e^3 - 64a^3b^5c^5d^7e + 32a^5b^3cd^7e - 64a^6b^3c^2d^6e^7 + 6ab^6c^2d^6e^2 + 32a^2b^3c^4d^7e + 4a^2b^6cd^4e^4 + 20a^3b^5cd^3e^5 - 192a^4b^3c^4d^5e^3 - 44a^4b^4cd^2e^6 - 192a^5b^3c^3d^3e^5) \cdot ((x(54c^9d^6e^5 - 2a^3c^6e^11 - 22ac^8d^4e^7 - 118b^3c^8d^5e^6 + a^2b^2c^5e^11 - 14a^2c^7d^2e^9 + 107b^2c^7d^4e^7 - 48b^3c^6d^3e^8 + 9b^4c^5d^2e^9 + 20ab^3c^7d^3e^8 - 6ab^3c^5d^2e^10 + 10a^2b^2c^6d^2e^10 + 4ab^2c^6d^2e^9) / (2(c^4d^10 + a^4d^2e^8 + b^4d^6e^4 - 4ab^3d^5e^5 - 4a^3b^3d^3e^7 + 4ac^3d^8e^2 + 4a^3cd^4e^6 - 4b^3cd^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6
\end{aligned}$$

$$\begin{aligned}
& *e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c^* \\
& d^6*e^4 - 12*a^2*b*c*d^5*e^5)) * ((b^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^ \\
& 4*d^4 - b^7*e^4 + c^4*d^4*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^3*b*c^3*e^4 + 32* \\
& a^2*c^5*d^3*e - 32*a^3*c^4*d*e^3 + 4*b^4*c^3*d^3*e - 25*a^2*b^3*c^2*e^4 + a \\
& ^2*c^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 6*b^5*c^2*d^2*e^2 + 4*a*b*c^5*d^4 + 9 \\
& *a*b^5*c*e^4 + 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^2*c^4*d^3*e - 32*a*b^4*c^2 \\
& *d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*b^3*c*d*e^3*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 42*a*b^3*c^3*d^2*e^2 - 72*a^2*b*c^4*d^2*e^2 + 72*a^2*b^2*c^ \\
& 3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b*c^2*d*e^3*(-(4*a \\
& *c - b^2)^3)^{(1/2)}) / (8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b \\
& ^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2* \\
& c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a \\
& ^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c \\
& ^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c \\
& ^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2* \\
& c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + \\
& 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3* \\
& c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5* \\
& e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5)))^{(1/2)} * i - (((2*a^2*b \\
& ^6*c^2*e^13 - 200*a*c^9*d^8*e^5 - 8*a^5*c^5*e^13 - 14*a^3*b^4*c^3*e^13 + 26 \\
& *a^4*b^2*c^4*e^13 + 480*a^2*c^8*d^6*e^7 + 784*a^3*c^7*d^4*e^9 + 96*a^4*c^6* \\
& d^2*e^11 + 50*b^2*c^8*d^8*e^5 - 240*b^3*c^7*d^7*e^6 + 466*b^4*c^6*d^6*e^7 - \\
& 464*b^5*c^5*d^5*e^8 + 246*b^6*c^4*d^4*e^9 - 64*b^7*c^3*d^3*e^10 + 6*b^8*c^ \\
& 2*d^2*e^11 + 4*a^2*b^2*c^6*d^4*e^9 + 672*a^2*b^3*c^5*d^3*e^10 - 354*a^2*b^4 \\
& *c^4*d^2*e^11 + 464*a^3*b^2*c^5*d^2*e^11 + 960*a*b*c^8*d^7*e^6 - 8*a*b^7*c^ \\
& 2*d*e^12 - 96*a^4*b*c^5*d*e^12 - 1984*a*b^2*c^7*d^6*e^7 + 2072*a*b^3*c^6*d^ \\
& 5*e^8 - 1034*a*b^4*c^5*d^4*e^9 + 160*a*b^5*c^4*d^3*e^10 + 34*a*b^6*c^3*d^2* \\
& e^11 - 864*a^2*b*c^7*d^5*e^8 + 40*a^2*b^5*c^3*d*e^12 - 1152*a^3*b*c^6*d^3*e \\
& ^10 - 8*a^3*b^3*c^4*d*e^12) / (2*(c^4*d^10 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a* \\
& b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c \\
& *d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b* \\
& c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) \\
& - (((128*a*c^11*d^15*e^2 - 256*a^8*c^4*d*e^16 - 256*a^2*c^10*d^13*e^4 - 345 \\
& 6*a^3*c^9*d^11*e^6 - 8960*a^4*c^8*d^9*e^8 - 10880*a^5*c^7*d^7*e^10 - 6912*a \\
& ^6*c^6*d^5*e^12 - 2176*a^7*c^5*d^3*e^14 - 32*b^2*c^10*d^15*e^2 + 256*b^3*c^ \\
& 9*d^14*e^3 - 896*b^4*c^8*d^13*e^4 + 1792*b^5*c^7*d^12*e^5 - 2240*b^6*c^6*d^ \\
& 11*e^6 + 1792*b^7*c^5*d^10*e^7 - 896*b^8*c^4*d^9*e^8 + 256*b^9*c^3*d^8*e^9 \\
& - 32*b^10*c^2*d^7*e^10 + 2848*a^2*b^2*c^8*d^11*e^6 - 12160*a^2*b^3*c^7*d^10 \\
& *e^7 + 18480*a^2*b^4*c^6*d^9*e^8 - 12864*a^2*b^5*c^5*d^8*e^9 + 3008*a^2*b^6 \\
& *c^4*d^7*e^10 + 832*a^2*b^7*c^3*d^6*e^11 - 400*a^2*b^8*c^2*d^5*e^12 - 17920 \\
& *a^3*b^2*c^7*d^9*e^8 + 1280*a^3*b^3*c^6*d^8*e^9 + 14240*a^3*b^4*c^5*d^7*e^1 \\
& 0 - 9824*a^3*b^5*c^4*d^6*e^11 + 1120*a^3*b^6*c^3*d^5*e^12 + 480*a^3*b^7*c^2 \\
& *d^4*e^13 - 33760*a^4*b^2*c^6*d^7*e^10 + 7680*a^4*b^3*c^5*d^6*e^11 + 7520*a \\
& ^4*b^4*c^4*d^5*e^12 - 2880*a^4*b^5*c^3*d^4*e^13 - 320*a^4*b^6*c^2*d^3*e^14
\end{aligned}$$

$$\begin{aligned}
& - 20672a^5b^2c^5d^5e^{12} + 896a^5b^3c^4d^4e^{13} + 2384a^5b^4c^3d^3e^{14} + 112a^5b^5c^2d^2e^{15} - 3872a^6b^2c^4d^3e^{14} - 896a^6b^3c^3d^2e^{15} - 1024a^6b^4c^2d^2e^{15} - 1024a^6b^5c^1d^1e^{15} + 3648a^6b^2c^9d^13e^4 - 7296a^6b^3c^8d^12e^5 + 8464a^6b^4c^7d^11e^6 - 5008a^6b^5c^6d^10e^7 + 224a^6b^6c^5d^9e^8 + 1632a^6b^7c^4d^8e^9 - 944a^6b^8c^3d^7e^{10} + 176a^6b^9c^2d^6e^{11} + 512a^7b^2c^9d^12e^5 + 14080a^7b^3c^8d^10e^7 + 30720a^7b^4c^7d^8e^9 + 28160a^7b^5c^6d^6e^{11} + 11776a^7b^6c^5d^4e^{13} - 16a^8b^4c^2d^2e^{16} + 1792a^8b^5c^4d^2e^{15} + 128a^8b^7c^3d^3e^{16} \\
&) / ((2(c^4d^{10} + a^4d^2e^8 + b^4d^6e^4 - 4a^3b^3d^5e^5 - 4a^3b^2d^3e^7 + 4a^2c^3d^8e^2 + 4a^3c^2d^4e^6 - 4b^3c^2d^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^2c^3d^9e - 12a^2b^2c^2d^7e^3 + 12a^2b^2c^2d^6e^4 - 12a^2b^2c^2d^5e^5) + (x((b^4e^4(-4ac - b^2)^3)^{1/2} - b^3c^4d^4 - b^7e^4 + c^4d^4(-4ac - b^2)^3)^{1/2} + 20a^3b^3c^3e^4 + 32a^2c^5d^3e - 32a^3c^4d^3e^3 + 4b^4c^3d^3e - 25a^2b^3c^2e^4 + a^2c^2e^4(-4ac - b^2)^3)^{1/2} - 6b^5c^2d^2e^2 + 4a^2b^3c^5d^4 + 9a^2b^5c^2e^4 + 4b^6c^2d^2e^3 + 6b^2c^2d^2e^2(-4ac - b^2)^3)^{1/2} - 3a^2b^2c^2e^4(-4ac - b^2)^3)^{1/2} - 24a^2b^2c^4d^3e - 32a^2b^4c^2d^3e^3 - 4b^2c^3d^3e^3(-4ac - b^2)^3)^{1/2} - 4b^3c^2d^3e^3(-4ac - b^2)^3)^{1/2} + 42a^2b^3c^3d^2e^2 - 72a^2b^2c^4d^2e^2 + 72a^2b^2c^3d^2e^3 - 6a^2c^3d^2e^2(-4ac - b^2)^3)^{1/2} + 8a^2b^2c^2d^2e^3(-4ac - b^2)^3)^{1/2}) / ((8(16a^3c^6d^8 + a^5b^4e^8 + 16a^7c^2e^8 + a^2b^4c^4d^8 - 8a^6b^2c^2e^8 + a^2b^8d^4e^4 - 4a^4b^5d^2e^7 - 8a^2b^2c^5d^8 - 4a^2b^7d^3e^5 + 6a^3b^6d^2e^6 + 64a^4c^5d^6e^2 + 96a^5c^4d^4e^4 + 64a^6c^3d^2e^6 - 44a^2b^4c^3d^6e^2 + 20a^2b^5c^2d^5e^3 + 64a^3b^2c^4d^6e^2 + 32a^3b^3c^3d^5e^3 - 74a^3b^4c^2d^4e^4 + 144a^4b^2c^3d^4e^4 + 32a^4b^3c^2d^3e^5 + 64a^5b^2c^2d^2e^6 - 4a^2b^5c^3d^7e - 4a^2b^7c^2d^5e^3 - 64a^3b^2c^5d^7e + 32a^5b^3c^2d^7e - 64a^6b^2c^2d^7e + 6a^2b^6c^2d^6e^2 + 32a^2b^3c^4d^7e + 4a^2b^6c^2d^4e^4 + 20a^3b^5c^2d^3e^5 - 192a^4b^2c^4d^5e^3 - 44a^4b^4c^2d^2e^6 - 192a^5b^2c^3d^3e^5)))^{1/2} * (1024a^2c^{11}d^{16}e^3 + 5120a^3c^{10}d^{14}e^5 + 9216a^4c^9d^{12}e^7 + 5120a^5c^8d^{10}e^9 - 5120a^6c^7d^8e^{11} - 9216a^7c^6d^6e^{13} - 5120a^8c^5d^4e^{15} - 1024a^9c^4d^2e^{17} - 64b^3c^{10}d^{17}e^2 + 512b^4c^9d^{16}e^3 - 1792b^5c^8d^{15}e^4 + 3584b^6c^7d^{14}e^5 - 4480b^7c^6d^{13}e^6 + 3584b^8c^5d^{12}e^7 - 1792b^9c^4d^{11}e^8 + 512b^{10}c^3d^{10}e^9 - 64b^{11}c^2d^9e^{10} + 8192a^2b^2c^9d^{14}e^5 + 5056a^2b^3c^8d^{13}e^6 - 31104a^2b^4c^7d^{12}e^7 + 40256a^2b^5c^6d^{11}e^8 - 22784a^2b^6c^5d^{10}e^9 + 3648a^2b^7c^4d^9e^{10} + 1664a^2b^8c^3d^8e^{11} - 576a^2b^9c^2d^7e^{12} + 45312a^3b^2c^8d^{12}e^7 - 27840a^3b^3c^7d^{11}e^8 - 13760a^3b^4c^6d^{10}e^9 + 27520a^3b^5c^5d^9e^{10} - 12416a^3b^6c^4d^8e^{11} + 1088a^3b^7c^3d^7e^{12} + 320a^3b^8c^2d^6e^{13} + 53760a^4b^2c^7d^{10}e^9 - 30400a^4b^3c^6d^9e^{10} + 1280a^4b^4c^5d^8e^{11} + 4224a^4b^5c^4d^7e^{12} - 1280a^4b^6c^3d^6e^{13} + 320a^4b^7c^2d^5e^{14} + 6400a^5b^2c^6d^8e^{11} - 2624a^5b^3c^5d^7e^{12} + 5952a^5b^4c^4d^6e^{13} - 2752a^5b^5c^3d^5e^{14} - 576
\end{aligned}$$

$$\begin{aligned}
& *a^5*b^6*c^2*d^4*e^{15} - 21504*a^6*b^2*c^5*d^6*e^{13} + 832*a^6*b^3*c^4*d^5*e^{14} + 4736*a^6*b^4*c^3*d^4*e^{15} + 320*a^6*b^5*c^2*d^3*e^{16} - 8448*a^7*b^2*c^4*d^4*e^{15} - 2624*a^7*b^3*c^3*d^3*e^{16} - 64*a^7*b^4*c^2*d^2*e^{17} + 512*a^8*b^2*c^3*d^2*e^{17} + 256*a*b*c^{11}*d^{17}*e^2 - 2304*a*b^2*c^{10}*d^{16}*e^3 + 8512*a*b^3*c^9*d^{15}*e^4 - 16704*a*b^4*c^8*d^{14}*e^5 + 18240*a*b^5*c^7*d^{13}*e^6 - 9536*a*b^6*c^6*d^{12}*e^7 - 576*a*b^7*c^5*d^{11}*e^8 + 3648*a*b^8*c^4*d^{10}*e^9 - 1856*a*b^9*c^3*d^9*e^{10} + 320*a*b^{10}*c^2*d^8*e^{11} - 5376*a^2*b*c^{10}*d^{15}*e^4 - 25344*a^3*b*c^9*d^{13}*e^6 - 37120*a^4*b*c^8*d^{11}*e^8 - 11520*a^5*b*c^7*d^9*e^{10} + 20736*a^6*b*c^6*d^7*e^{12} + 20224*a^7*b*c^5*d^5*e^{14} + 5376*a^8*b*c^4*d^3*e^{16})/(2*(c^4*d^{10} + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)))*((b^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^4*d^4 - b^7*e^4 + c^4*d^4*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^3*b*c^3*e^4 + 32*a^2*c^5*d^3*e - 32*a^3*c^4*d*e^3 + 4*b^4*c^3*d^3*e - 25*a^2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 6*b^5*c^2*d^2*e^2 + 4*a*b*c^5*d^4 + 9*a*b^5*c*e^4 + 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^2*c^4*d^3*e - 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*b^3*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 42*a*b^3*c^3*d^2*e^2 - 72*a^2*b*c^4*d^2*e^2 + 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b*c^2*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))^{(1/2)} - (x*(32*c^{11}*d^{13}*e^2 + 48*a^6*b*c^4*e^{15} + 96*a*c^{10}*d^{11}*e^4 - 64*a^6*c^5*d*e^{14} - 160*b*c^{10}*d^{12}*e^3 + 4*a^4*b^5*c^2*e^{15} - 28*a^5*b^3*c^3*e^{15} - 2048*a^2*c^9*d^9*e^6 - 4416*a^3*c^8*d^7*e^8 - 2528*a^4*c^7*d^5*e^{10} - 288*a^5*c^6*d^3*e^{12} + 336*b^2*c^9*d^{11}*e^4 - 268*b^3*c^8*d^{10}*e^5 - 360*b^4*c^7*d^9*e^6 + 1260*b^5*c^6*d^8*e^7 - 1568*b^6*c^5*d^7*e^8 + 1036*b^7*c^4*d^6*e^9 - 360*b^8*c^3*d^5*e^{10} + 52*b^9*c^2*d^4*e^{11} - 7584*a^2*b^2*c^7*d^7*e^8 - 536*a^2*b^3*c^6*d^6*e^9 + 5936*a^2*b^4*c^5*d^5*e^{10} - 3552*a^2*b^5*c^4*d^4*e^{11} + 464*a^2*b^6*c^3*d^3*e^{12} + 104*a^2*b^7*c^2*d^2*e^{13} - 12768*a^3*b^2*c^6*d^5*e^{10} + 3720*a^3*b^3*c^5*d^4*e^{11} + 1280*a^3*b^4*c^4*d^3*e^{12} - 648*a^3*b^5*c^3*d^2*e^{13} - 4272*a^4*b^2*c^5*d^3*e^{12} + 740*a^4*b^3*c^4*d^2*e^{13} - 848*a*b*c^9*d^{10}*e^5 + 3632*a*b^2*c^8*d^9*e^6 - 7852*a*b^3*c^7*d^8*e^7 + 8864*a*b^4*c^6*d^7*e^8 - 4936*a*b^5*c^5*d^6*e^9 + 816*a*b^6*c^4*d^5*e^{10} + 356*a*b^7*c^3*d^4*e^{11} - 128*a*b^8*c^2*d^3*e^{12} + 7216*a^2*b*c^8*d^8*e^7 + 12896*a^3*b*c^7*d^6*e^9 - 32*a^3*b^6*c^2*d*e^{14} + 569
\end{aligned}$$

$$\begin{aligned}
& 6*a^4*b*c^6*d^4*e^{11} + 216*a^4*b^4*c^3*d*e^{14} + 752*a^5*b*c^5*d^2*e^{13} - 33 \\
& 6*a^5*b^2*c^4*d*e^{14}) / (2*(c^4*d^{10} + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d \\
& ^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7* \\
& e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d \\
& ^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) * ((b^ \\
& 4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^4*d^4 - b^7*e^4 + c^4*d^4*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 20*a^3*b*c^3*e^4 + 32*a^2*c^5*d^3*e - 32*a^3*c^4*d*e^3 + 4 \\
& *b^4*c^3*d^3*e - 25*a^2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 6*b^5*c^2*d^2*e^2 + 4*a*b*c^5*d^4 + 9*a*b^5*c*e^4 + 4*b^6*c*d*e^3 + 6*b^2 \\
& *c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 24*a*b^2*c^4*d^3*e - 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} - 4*b^3*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 42*a*b^3*c^3*d^2*e^2 \\
& - 72*a^2*b*c^4*d^2*e^2 + 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 8*a*b*c^2*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)}) / (8*(16*a^3*c^6*d \\
& ^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8 \\
& *d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3* \\
& b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 \\
& - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 \\
& + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 \\
& + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4* \\
& a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d* \\
& e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20 \\
& *a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5 \\
& *b*c^3*d^3*e^5))^{(1/2)} * ((b^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^4*d^4 - \\
& b^7*e^4 + c^4*d^4*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^3*b*c^3*e^4 + 32*a^2*c^5 \\
& *d^3*e - 32*a^3*c^4*d*e^3 + 4*b^4*c^3*d^3*e - 25*a^2*b^3*c^2*e^4 + a^2*c^2* \\
& e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 6*b^5*c^2*d^2*e^2 + 4*a*b*c^5*d^4 + 9*a*b^5* \\
& c*e^4 + 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^ \\
& 2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^2*c^4*d^3*e - 32*a*b^4*c^2*d*e^3 \\
& - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*b^3*c*d*e^3*(-(4*a*c - b^2)^3) \\
& ^{(1/2)} + 42*a*b^3*c^3*d^2*e^2 - 72*a^2*b*c^4*d^2*e^2 + 72*a^2*b^2*c^3*d*e^3 \\
& - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b*c^2*d*e^3*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)}) / (8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4* \\
& d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 \\
& - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4* \\
& d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5* \\
& e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4* \\
& e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2 \\
& *e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5* \\
& b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7 \\
& *e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 4 \\
& 4*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))^{(1/2)} + (x*(54*c^9*d^6*e^5 - \\
& 2*a^3*c^6*e^{11} - 22*a*c^8*d^4*e^7 - 118*b*c^8*d^5*e^6 + a^2*b^2*c^5*e^{11} - \\
& 14*a^2*c^7*d^2*e^9 + 107*b^2*c^7*d^4*e^7 - 48*b^3*c^6*d^3*e^8 + 9*b^4*c^5* \\
& d^2*e^9 + 20*a*b*c^7*d^3*e^8 - 6*a*b^3*c^5*d*e^{10} + 10*a^2*b*c^6*d*e^{10} + 4
\end{aligned}$$

$$\begin{aligned}
& *a*b^2*c^6*d^2*e^9)/(2*(c^4*d^10 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)))*((b^4*e^4*(-(4*a*c - b^2)^3)^(1/2) - b^3*c^4*d^4 - b^7*e^4 + c^4*d^4*(-(4*a*c - b^2)^3)^(1/2) + 20*a^3*b*c^3*e^4 + 32*a^2*c^5*d^3*e - 32*a^3*c^4*d*e^3 + 4*b^4*c^3*d^3*e - 25*a^2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^(1/2) - 6*b^5*c^2*d^2*e^2 + 4*a*b*c^5*d^4 + 9*a*b^5*c*e^4 + 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^(1/2) - 24*a*b^2*c^4*d^3*e - 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^(1/2) - 4*b^3*c*d*e^3*(-(4*a*c - b^2)^3)^(1/2) + 42*a*b^3*c^3*d^2*e^2 - 72*a^2*b*c^4*d^2*e^2 + 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) + 8*a*b*c^2*d*e^3*(-(4*a*c - b^2)^3)^(1/2))/(8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5)))^(1/2)*ii)/((5*c^8*d^3*e^6 - 3*b*c^7*d^2*e^7 + a*c^7*d*e^8)/(c^4*d^10 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5) + (((2*a^2*b^6*c^2*e^13 - 200*a*c^9*d^8*e^5 - 8*a^5*c^5*e^13 - 14*a^3*b^4*c^3*e^13 + 26*a^4*b^2*c^4*e^13 + 480*a^2*c^8*d^6*e^7 + 784*a^3*c^7*d^4*e^9 + 96*a^4*c^6*d^2*e^11 + 50*b^2*c^8*d^8*e^5 - 240*b^3*c^7*d^7*e^6 + 466*b^4*c^6*d^6*e^7 - 464*b^5*c^5*d^5*e^8 + 246*b^6*c^4*d^4*e^9 - 64*b^7*c^3*d^3*e^10 + 6*b^8*c^2*d^2*e^11 + 4*a^2*b^2*c^6*d^4*e^9 + 672*a^2*b^3*c^5*d^3*e^10 - 354*a^2*b^4*c^4*d^2*e^11 + 464*a^3*b^2*c^5*d^2*e^11 + 960*a*b*c^8*d^7*e^6 - 8*a*b^7*c^2*d*e^12 - 96*a^4*b*c^5*d*e^12 - 1984*a*b^2*c^7*d^6*e^7 + 2072*a*b^3*c^6*d^5*e^8 - 1034*a*b^4*c^5*d^4*e^9 + 160*a*b^5*c^4*d^3*e^10 + 34*a*b^6*c^3*d^2*e^11 - 864*a^2*b*c^7*d^5*e^8 + 40*a^2*b^5*c^3*d*e^12 - 1152*a^3*b*c^6*d^3*e^10 - 8*a^3*b^3*c^4*d*d^12)/(2*(c^4*d^10 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) - (((128*a*c^11*d^15*e^2 - 256*a^8*c^4*d*e^16 - 256*a^2*c^10*d^13*e^4 - 3456*a^3*c^9*d^11*e^6 - 8960*a^4*c^8*d^9*e^8 - 10880*a^5*c^7*d^7*e^10 - 6912*a^6*c^6*d^5*e^12 - 2176*a^7*c^5*d^3*e^14 - 32*b^2*c^10*d^15*e^2 + 256*b^3*c^9*d^14*e^3 - 896*b^4*c^8*d^13*e^4 + 1792*b^5*c^7*d^12*e^5 - 2240*b^6*c^6*d^11*e^6 + 1792*b^7*c^5*d^10*e^7 - 896*b^8*c^4*d^9*e^8 + 256*b^9*c^3*d^8*e^9 - 32*b^10*c^2*d^7*e^
\end{aligned}$$

$$\begin{aligned}
& 2*b^9*c^2*d^7*e^{12} + 45312*a^3*b^2*c^8*d^{12}*e^7 - 27840*a^3*b^3*c^7*d^{11}*e^8 - 13760*a^3*b^4*c^6*d^{10}*e^9 + 27520*a^3*b^5*c^5*d^9*e^{10} - 12416*a^3*b^6*c^4*d^8*e^{11} + 1088*a^3*b^7*c^3*d^7*e^{12} + 320*a^3*b^8*c^2*d^6*e^{13} + 53760*a^4*b^2*c^7*d^{10}*e^9 - 30400*a^4*b^3*c^6*d^9*e^{10} + 1280*a^4*b^4*c^5*d^8*e^{11} + 4224*a^4*b^5*c^4*d^7*e^{12} - 1280*a^4*b^6*c^3*d^6*e^{13} + 320*a^4*b^7*c^2*d^5*e^{14} + 6400*a^5*b^2*c^6*d^8*e^{11} - 2624*a^5*b^3*c^5*d^7*e^{12} + 5952*a^5*b^4*c^4*d^6*e^{13} - 2752*a^5*b^5*c^3*d^5*e^{14} - 576*a^5*b^6*c^2*d^4*e^{15} - 21504*a^6*b^2*c^5*d^6*e^{13} + 832*a^6*b^3*c^4*d^5*e^{14} + 4736*a^6*b^4*c^3*d^4*e^{15} + 320*a^6*b^5*c^2*d^3*e^{16} - 8448*a^7*b^2*c^4*d^4*e^{15} - 2624*a^7*b^3*c^3*d^3*e^{16} - 64*a^7*b^4*c^2*d^2*e^{17} + 512*a^8*b^2*c^3*d^2*e^{17} + 256*a*b*c^{11}*d^{17}*e^2 - 2304*a*b^2*c^{10}*d^{16}*e^3 + 8512*a*b^3*c^9*d^{15}*e^4 - 16704*a*b^4*c^8*d^{14}*e^5 + 18240*a*b^5*c^7*d^{13}*e^6 - 9536*a*b^6*c^6*d^{12}*e^7 - 576*a*b^7*c^5*d^{11}*e^8 + 3648*a*b^8*c^4*d^{10}*e^9 - 1856*a*b^9*c^3*d^9*e^{10} + 320*a*b^{10}*c^2*d^8*e^{11} - 5376*a^2*b*c^{10}*d^{15}*e^4 - 25344*a^3*b*c^9*d^{13}*e^6 - 37120*a^4*b*c^8*d^{11}*e^8 - 11520*a^5*b*c^7*d^9*e^{10} + 20736*a^6*b*c^6*d^7*e^{12} + 20224*a^7*b*c^5*d^5*e^{14} + 5376*a^8*b*c^4*d^3*e^{16}))/((2*(c^4*d^{10} + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)))*((b^4*e^4*(-(4*a*c - b^2)^3)^(1/2) - b^3*c^4*d^4 - b^7*e^4 + c^4*d^4*(-(4*a*c - b^2)^3)^(1/2) + 20*a^3*b*c^3*e^4 + 32*a^2*c^5*d^3*e - 32*a^3*c^4*d*e^3 + 4*b^4*c^3*d^3*e - 25*a^2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^(1/2) - 6*b^5*c^2*d^2*e^2 + 4*a*b*c^5*d^4 + 9*a*b^5*c*e^4 + 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^(1/2) - 24*a*b^2*c^4*d^3*e - 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^(1/2) - 4*b^3*c*d*e^3*(-(4*a*c - b^2)^3)^(1/2) + 42*a*b^3*c^3*d^2*e^2 - 72*a^2*b*c^4*d^2*e^2 + 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) + 8*a*b*c^2*d*e^3*(-(4*a*c - b^2)^3)^(1/2))/(8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))))^(1/2) + (x*(32*c^{11}*d^{13}*e^2 + 48*a^6*b*c^4*e^{15} + 96*a*c^{10}*d^{11}*e^4 - 64*a^6*c^5*d*e^{14} - 160*b*c^{10}*d^{12}*e^3 + 4*a^4*b^5*c^2*e^{15} - 28*a^5*b^3*c^3*e^{15} - 2048*a^2*c^9*d^9*e^6 - 4416*a^3*c^8*d^7*e^8 - 2528*a^4*c^7*d^5*e^{10} - 288*a^5*c^6*d^3*e^{12} + 336*b^2*c^9*d^{11}*e^4 - 268*b^3*c^8*d^{10}*e^5 - 360*b^4*c^7*d^9*e^6 + 1260*b^5*c^6*d^8*e^7 - 1568*b^6*c^5*d^7*e^8 + 1036*b^7*c^4*d^6*e^9 - 360*b^8*c^3*d^5*e^{10} + 52*b^9*c^2*d^4*e^{11} - 7584*a^2*b^2*c^7*d^7*e^8 - 536*a^2*b^3*c^6*d^6*e^9 + 5936*a^2*b^4*c^5*d^5*e^{10} - 3552*a^2*b^5*c^4*d^4
\end{aligned}$$

$$\begin{aligned}
& e^{11} + 464a^2b^6c^3d^3e^{12} + 104a^2b^7c^2d^2e^{13} - 12768a^3b^2 \\
& c^6d^5e^{10} + 3720a^3b^3c^5d^4e^{11} + 1280a^3b^4c^4d^3e^{12} - 648 \\
& a^3b^5c^3d^2e^{13} - 4272a^4b^2c^5d^3e^{12} + 740a^4b^3c^4d^2e^{13} \\
& - 848a^4b^4c^3d^2e^{13} - 848a^4b^5c^2d^2e^{13} + 3632a^4b^2c^8d^9e^6 - 7852a^4b^3c^7d^8e^7 \\
& + 8864a^4b^4c^6d^7e^8 - 4936a^4b^5c^5d^6e^9 + 816a^4b^6c^4d^5e^{10} \\
& + 356a^4b^7c^3d^4e^{11} - 128a^4b^8c^2d^3e^{12} + 7216a^5b^2c^8d^8e^7 \\
& + 12896a^5b^3c^7d^6e^9 - 32a^5b^4c^6d^5e^{10} + 5696a^5b^5c^5d^4e^{11} \\
& + 216a^5b^6c^4d^3e^{12} + 752a^5b^7c^3d^2e^{13} - 336a^5b^8c^2d^2e^{13} \\
&) / ((c^4d^{10} + a^4d^2e^8 + b^4d^6e^4 - 4a^3b^3d^5e^5 - 4a^3b^4d^3e^7 \\
& + 4a^3b^5c^3d^8e^2 + 4a^3b^6c^2d^4e^6 - 4a^3b^7c^2d^7e^3 + 6a^2b^2d^4e^6 \\
& + 6a^2b^3c^2d^6e^4 + 6a^2b^4c^2d^8e^2 - 4a^2b^5c^3d^9e - 12a^2b^6c^2d^7e^3 \\
& + 12a^2b^7c^2d^6e^4 - 12a^2b^8c^2d^5e^5)) * ((b^4e^4 * (- (4ac - b^2)^3)^{1/2} - b^3c^4d^4 - b^7e^4 + c^4d^4 * (- (4ac - b^2)^3)^{1/2} + 20a^3b^3c^3e^4 \\
& + 32a^2c^5d^3e - 32a^3c^4d^3e^3 + 4b^4c^3d^3e - 25a^2b^3c^2e^4 + a^2c^2e^4 * (- (4ac - b^2)^3)^{1/2} - 6b^5c^2d^2e^2 \\
& + 4a^4b^3c^5d^4 + 9a^4b^5c^4e^4 + 4b^6c^2d^2e^2 * (- (4ac - b^2)^3)^{1/2} - 3a^4b^2c^4e^4 * (- (4ac - b^2)^3)^{1/2} - 24a^4b^2c^4d^3e \\
& - 32a^4b^4c^2d^3e^3 - 4b^6c^3d^3e * (- (4ac - b^2)^3)^{1/2} - 4b^7c^3d^3e^3 * (- (4ac - b^2)^3)^{1/2} + 42a^4b^3c^3d^2e^2 - 72a^2b^2c^4d^2e^2 \\
& + 72a^2b^2c^3d^3e^3 - 6a^4c^3d^2e^2 * (- (4ac - b^2)^3)^{1/2} + 8a^4b^3c^2d^3e^3 * (- (4ac - b^2)^3)^{1/2}) / ((8 * (16a^3c^6d^8 + a^5b^4e^8 + 16a^7c^2e^8 \\
& + a^4b^4c^4d^8 - 8a^6b^2c^4e^8 + a^4b^8d^4e^4 - 4a^4b^5d^4e^7 - 8a^2b^2c^5d^8 - 4a^2b^7d^3e^5 + 6a^3b^6d^2e^6 + 64a^4c^5d^6e^2 \\
& + 96a^5c^4d^4e^4 + 64a^6c^3d^2e^6 - 44a^2b^4c^3d^6e^2 + 20a^2b^5c^2d^5e^3 + 64a^3b^2c^4d^6e^2 + 32a^3b^3c^3d^5e^3 - 74a^3b^4c^2d^4e^4 \\
& + 144a^4b^2c^3d^4e^4 + 32a^4b^3c^2d^3e^5 + 64a^5b^2c^2d^2e^6 - 4a^4b^5c^3d^7e - 4a^4b^7c^3d^5e^3 - 64a^3b^6c^5d^7e \\
& + 32a^5b^3c^4d^7e - 64a^6b^2c^2d^7e + 6a^4b^6c^2d^6e^2 + 32a^2b^3c^4d^7e + 4a^2b^6c^4d^4e^4 + 20a^3b^5c^3d^3e^5 - 192a^4b^4c^4d^5e^3 \\
& - 44a^4b^4c^4d^2e^6 - 192a^5b^3c^3d^3e^5)))^{1/2} * ((b^4e^4 * (- (4ac - b^2)^3)^{1/2} - b^3c^4d^4 - b^7e^4 + c^4d^4 * (- (4ac - b^2)^3)^{1/2} + 20a^3b^3c^3e^4 \\
& + 32a^2c^5d^3e - 32a^3c^4d^3e^3 + 4b^4c^3d^3e - 25a^2b^3c^2e^4 + a^2c^2e^4 * (- (4ac - b^2)^3)^{1/2} - 6b^5c^2d^2e^2 + 4a^4b^3c^5d^4 \\
& + 9a^4b^5c^4e^4 + 4b^6c^2d^2e^2 * (- (4ac - b^2)^3)^{1/2} - 3a^4b^2c^4e^4 * (- (4ac - b^2)^3)^{1/2} - 24a^4b^2c^4d^3e - 32a^4b^4c^2d^3e^3 \\
& - 4b^6c^3d^3e * (- (4ac - b^2)^3)^{1/2} - 4b^7c^3d^3e^3 * (- (4ac - b^2)^3)^{1/2} + 42a^4b^3c^3d^2e^2 - 72a^2b^2c^4d^2e^2 + 72a^2b^2c^3d^3e^3 \\
& - 6a^4c^3d^2e^2 * (- (4ac - b^2)^3)^{1/2} + 8a^4b^3c^2d^3e^3 * (- (4ac - b^2)^3)^{1/2}) / ((8 * (16a^3c^6d^8 + a^5b^4e^8 + 16a^7c^2e^8 + a^4b^4c^4d^8 \\
& - 8a^6b^2c^4e^8 + a^4b^8d^4e^4 - 4a^4b^5d^4e^7 - 8a^2b^2c^5d^8 - 4a^2b^7d^3e^5 + 6a^3b^6d^2e^6 + 64a^4c^5d^6e^2 + 96a^5c^4d^4e^4 \\
& + 64a^6c^3d^2e^6 - 44a^2b^4c^3d^6e^2 + 20a^2b^5c^2d^5e^3 + 64a^3b^2c^4d^6e^2 + 32a^3b^3c^3d^5e^3 - 74a^3b^4c^2d^4e^4 + 144a^4b^2c^3d^4e^4 \\
& + 32a^4b^3c^2d^3e^5 + 64a^5b^2c^2d^2e^6 - 4a^4b^5c^3d^7e - 4a^4b^7c^3d^5e^3 - 64a^3b^6c^5d^7e + 32a^5b^3c^4d^7e - 64a^6b^2c^2d^7e \\
& + 6a^4b^6c^2d^6e^2 + 32a^2b^3c^4d^7e + 4a^2b^6c^4d^4e^4 + 20a^3b^5c^3d^3e^5 - 192a^4b^4c^4d^5e^3 - 44a^4b^4c^4d^2e^6 - 192a^5b^3c^3d^3e^5)))^{1/2}
\end{aligned}$$

$$\begin{aligned}
& ^7e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6 \\
& *b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4 \\
& *e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 \\
& - 192*a^5*b*c^3*d^3*e^5))^{(1/2)} - (x*(54*c^9*d^6*e^5 - 2*a^3*c^6*e^11 - 22 \\
& *a*c^8*d^4*e^7 - 118*b*c^8*d^5*e^6 + a^2*b^2*c^5*e^11 - 14*a^2*c^7*d^2*e^9 \\
& + 107*b^2*c^7*d^4*e^7 - 48*b^3*c^6*d^3*e^8 + 9*b^4*c^5*d^2*e^9 + 20*a*b*c^7 \\
& *d^3*e^8 - 6*a*b^3*c^5*d*e^10 + 10*a^2*b*c^6*d*e^10 + 4*a*b^2*c^6*d^2*e^9)) \\
& /((2*(c^4*d^10 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e \\
& ^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^ \\
& 6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7* \\
& e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)))*((b^4*e^4*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} - b^3*c^4*d^4 - b^7*e^4 + c^4*d^4*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^ \\
& 3*b*c^3*e^4 + 32*a^2*c^5*d^3*e - 32*a^3*c^4*d*e^3 + 4*b^4*c^3*d^3*e - 25*a^ \\
& 2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 6*b^5*c^2*d^2*e^2 + \\
& 4*a*b*c^5*d^4 + 9*a*b^5*c*e^4 + 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^2*c^4*d^3 \\
& *e - 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*b^3*c* \\
& d*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 42*a*b^3*c^3*d^2*e^2 - 72*a^2*b*c^4*d^2*e^ \\
& 2 + 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b \\
& *c^2*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16* \\
& a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d \\
& *e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c \\
& ^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e \\
& ^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e \\
& ^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3* \\
& e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a \\
& ^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6* \\
& e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 1 \\
& 92*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))^{(1/2)} \\
&) + (((2*a^2*b^6*c^2*e^13 - 200*a*c^9*d^8*e^5 - 8*a^5*c^5*e^13 - 14*a^3*b^4 \\
& *c^3*e^13 + 26*a^4*b^2*c^4*e^13 + 480*a^2*c^8*d^6*e^7 + 784*a^3*c^7*d^4*e^9 \\
& + 96*a^4*c^6*d^2*e^11 + 50*b^2*c^8*d^8*e^5 - 240*b^3*c^7*d^7*e^6 + 466*b^4 \\
& *c^6*d^6*e^7 - 464*b^5*c^5*d^5*e^8 + 246*b^6*c^4*d^4*e^9 - 64*b^7*c^3*d^3*e \\
& ^10 + 6*b^8*c^2*d^2*e^11 + 4*a^2*b^2*c^6*d^4*e^9 + 672*a^2*b^3*c^5*d^3*e^10 \\
& - 354*a^2*b^4*c^4*d^2*e^11 + 464*a^3*b^2*c^5*d^2*e^11 + 960*a*b*c^8*d^7*e^ \\
& 6 - 8*a*b^7*c^2*d*e^12 - 96*a^4*b*c^5*d*e^12 - 1984*a*b^2*c^7*d^6*e^7 + 207 \\
& 2*a*b^3*c^6*d^5*e^8 - 1034*a*b^4*c^5*d^4*e^9 + 160*a*b^5*c^4*d^3*e^10 + 34* \\
& a*b^6*c^3*d^2*e^11 - 864*a^2*b*c^7*d^5*e^8 + 40*a^2*b^5*c^3*d*e^12 - 1152*a \\
& ^3*b*c^6*d^3*e^10 - 8*a^3*b^3*c^4*d*e^12)/(2*(c^4*d^10 + a^4*d^2*e^8 + b^4* \\
& d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4 \\
& *e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2* \\
& d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2* \\
& b*c*d^5*e^5)) - (((128*a*c^11*d^15*e^2 - 256*a^8*c^4*d*e^16 - 256*a^2*c^10* \\
& d^13*e^4 - 3456*a^3*c^9*d^11*e^6 - 8960*a^4*c^8*d^9*e^8 - 10880*a^5*c^7*d^7 \\
& *e^10 - 6912*a^6*c^6*d^5*e^12 - 2176*a^7*c^5*d^3*e^14 - 32*b^2*c^10*d^15*e^
\end{aligned}$$

$$\begin{aligned}
& 2 + 256*b^3*c^9*d^14*e^3 - 896*b^4*c^8*d^13*e^4 + 1792*b^5*c^7*d^12*e^5 - 2 \\
& 240*b^6*c^6*d^11*e^6 + 1792*b^7*c^5*d^10*e^7 - 896*b^8*c^4*d^9*e^8 + 256*b^ \\
& 9*c^3*d^8*e^9 - 32*b^10*c^2*d^7*e^10 + 2848*a^2*b^2*c^8*d^11*e^6 - 12160*a^ \\
& 2*b^3*c^7*d^10*e^7 + 18480*a^2*b^4*c^6*d^9*e^8 - 12864*a^2*b^5*c^5*d^8*e^9 \\
& + 3008*a^2*b^6*c^4*d^7*e^10 + 832*a^2*b^7*c^3*d^6*e^11 - 400*a^2*b^8*c^2*d^ \\
& 5*e^12 - 17920*a^3*b^2*c^7*d^9*e^8 + 1280*a^3*b^3*c^6*d^8*e^9 + 14240*a^3*b \\
& ^4*c^5*d^7*e^10 - 9824*a^3*b^5*c^4*d^6*e^11 + 1120*a^3*b^6*c^3*d^5*e^12 + 4 \\
& 80*a^3*b^7*c^2*d^4*e^13 - 33760*a^4*b^2*c^6*d^7*e^10 + 7680*a^4*b^3*c^5*d^6 \\
& *e^11 + 7520*a^4*b^4*c^4*d^5*e^12 - 2880*a^4*b^5*c^3*d^4*e^13 - 320*a^4*b^6 \\
& *c^2*d^3*e^14 - 20672*a^5*b^2*c^5*d^5*e^12 + 896*a^5*b^3*c^4*d^4*e^13 + 238 \\
& 4*a^5*b^4*c^3*d^3*e^14 + 112*a^5*b^5*c^2*d^2*e^15 - 3872*a^6*b^2*c^4*d^3*e^ \\
& 14 - 896*a^6*b^3*c^3*d^2*e^15 - 1024*a*b*c^10*d^14*e^3 + 3648*a*b^2*c^9*d^1 \\
& 3*e^4 - 7296*a*b^3*c^8*d^12*e^5 + 8464*a*b^4*c^7*d^11*e^6 - 5008*a*b^5*c^6* \\
& d^10*e^7 + 224*a*b^6*c^5*d^9*e^8 + 1632*a*b^7*c^4*d^8*e^9 - 944*a*b^8*c^3*d \\
& ^7*e^10 + 176*a*b^9*c^2*d^6*e^11 + 512*a^2*b*c^9*d^12*e^5 + 14080*a^3*b*c^8 \\
& *d^10*e^7 + 30720*a^4*b*c^7*d^8*e^9 + 28160*a^5*b*c^6*d^6*e^11 + 11776*a^6* \\
& b*c^5*d^4*e^13 - 16*a^6*b^4*c^2*d*e^16 + 1792*a^7*b*c^4*d^2*e^15 + 128*a^7* \\
& b^2*c^3*d*e^16)/(2*(c^4*d^10 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 \\
& - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6 \\
& *a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - \\
& 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) + (x*((b^4*e \\
& ^4*(-(4*a*c - b^2)^3)^(1/2) - b^3*c^4*d^4 - b^7*e^4 + c^4*d^4*(-(4*a*c - b^ \\
& 2)^3)^(1/2) + 20*a^3*b*c^3*e^4 + 32*a^2*c^5*d^3*e - 32*a^3*c^4*d*e^3 + 4*b^ \\
& 4*c^3*d^3*e - 25*a^2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^(1/2) - 6 \\
& *b^5*c^2*d^2*e^2 + 4*a*b*c^5*d^4 + 9*a*b^5*c*e^4 + 4*b^6*c*d*e^3 + 6*b^2*c^ \\
& 2*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^(1/2) \\
& - 24*a*b^2*c^4*d^3*e - 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^ \\
& 3)^(1/2) - 4*b^3*c*d*e^3*(-(4*a*c - b^2)^3)^(1/2) + 42*a*b^3*c^3*d^2*e^2 - \\
& 72*a^2*b*c^4*d^2*e^2 + 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^ \\
& 2)^3)^(1/2) + 8*a*b*c^2*d*e^3*(-(4*a*c - b^2)^3)^(1/2))/(8*(16*a^3*c^6*d^8 \\
& + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^ \\
& 4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6 \\
& *d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 4 \\
& 4*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 3 \\
& 2*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + \\
& 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b \\
& ^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 \\
& + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^ \\
& 3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b* \\
& c^3*d^3*e^5))^(1/2)*(1024*a^2*c^11*d^16*e^3 + 5120*a^3*c^10*d^14*e^5 + 921 \\
& 6*a^4*c^9*d^12*e^7 + 5120*a^5*c^8*d^10*e^9 - 5120*a^6*c^7*d^8*e^11 - 9216*a \\
& ^7*c^6*d^6*e^13 - 5120*a^8*c^5*d^4*e^15 - 1024*a^9*c^4*d^2*e^17 - 64*b^3*c^ \\
& 10*d^17*e^2 + 512*b^4*c^9*d^16*e^3 - 1792*b^5*c^8*d^15*e^4 + 3584*b^6*c^7*d \\
& ^14*e^5 - 4480*b^7*c^6*d^13*e^6 + 3584*b^8*c^5*d^12*e^7 - 1792*b^9*c^4*d^11 \\
& *e^8 + 512*b^10*c^3*d^10*e^9 - 64*b^11*c^2*d^9*e^10 + 8192*a^2*b^2*c^9*d^14
\end{aligned}$$

$$\begin{aligned}
& *e^5 + 5056*a^2*b^3*c^8*d^13*e^6 - 31104*a^2*b^4*c^7*d^12*e^7 + 40256*a^2*b^5*c^6*d^11*e^8 - 22784*a^2*b^6*c^5*d^10*e^9 + 3648*a^2*b^7*c^4*d^9*e^10 + \\
& 1664*a^2*b^8*c^3*d^8*e^11 - 576*a^2*b^9*c^2*d^7*e^12 + 45312*a^3*b^2*c^8*d^12*e^7 - 27840*a^3*b^3*c^7*d^11*e^8 - 13760*a^3*b^4*c^6*d^10*e^9 + 27520*a^3*b^5*c^5*d^9*e^10 - 12416*a^3*b^6*c^4*d^8*e^11 + 1088*a^3*b^7*c^3*d^7*e^12 \\
& + 320*a^3*b^8*c^2*d^6*e^13 + 53760*a^4*b^2*c^7*d^10*e^9 - 30400*a^4*b^3*c^6*d^9*e^10 + 1280*a^4*b^4*c^5*d^8*e^11 + 4224*a^4*b^5*c^4*d^7*e^12 - 1280*a^4*b^6*c^3*d^6*e^13 + 320*a^4*b^7*c^2*d^5*e^14 + 6400*a^5*b^2*c^6*d^8*e^11 \\
& - 2624*a^5*b^3*c^5*d^7*e^12 + 5952*a^5*b^4*c^4*d^6*e^13 - 2752*a^5*b^5*c^3*d^5*e^14 - 576*a^5*b^6*c^2*d^4*e^15 - 21504*a^6*b^2*c^5*d^6*e^13 + 832*a^6*b^3*c^4*d^5*e^14 + 4736*a^6*b^4*c^3*d^4*e^15 + 320*a^6*b^5*c^2*d^3*e^16 - 8 \\
& 448*a^7*b^2*c^4*d^4*e^15 - 2624*a^7*b^3*c^3*d^3*e^16 - 64*a^7*b^4*c^2*d^2*e^17 + 512*a^8*b^2*c^3*d^2*e^17 + 256*a*b*c^11*d^17*e^2 - 2304*a*b^2*c^10*d^16*e^3 + 8512*a*b^3*c^9*d^15*e^4 - 16704*a*b^4*c^8*d^14*e^5 + 18240*a*b^5*c^7*d^13*e^6 - 9536*a*b^6*c^6*d^12*e^7 - 576*a*b^7*c^5*d^11*e^8 + 3648*a*b^8*c^4*d^10*e^9 - 1856*a*b^9*c^3*d^9*e^10 + 320*a*b^10*c^2*d^8*e^11 - 5376*a^2*b*c^10*d^15*e^4 - 25344*a^3*b*c^9*d^13*e^6 - 37120*a^4*b*c^8*d^11*e^8 - 1 \\
& 1520*a^5*b*c^7*d^9*e^10 + 20736*a^6*b*c^6*d^7*e^12 + 20224*a^7*b*c^5*d^5*e^14 + 5376*a^8*b*c^4*d^3*e^16))/((c^4*d^10 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)))*((b^4*e^4*(-(4*a*c - b^2)^3)^(1/2) - b^3*c^4*d^4 - b^7*e^4 + c^4*d^4*(-(4*a*c - b^2)^3)^(1/2) + 20*a^3*b*c^3*e^4 + 32*a^2*c^5*d^3*e - 32*a^3*c^4*d*e^3 + 4*b^4*c^3*d^3*e - 25*a^2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^(1/2) - 6*b^5*c^2*d^2*e^2 + 4*a*b*c^5*d^4 + 9*a*b^5*c*e^4 + 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^(1/2) - 24*a*b^2*c^4*d^3*e - 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^(1/2) - 4*b^3*c*d*e^3*(-(4*a*c - b^2)^3)^(1/2) + 42*a*b^3*c^3*d^2*e^2 - 72*a^2*b*c^4*d^2*e^2 + 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) + 8*a*b*c^2*d*e^3*(-(4*a*c - b^2)^3)^(1/2)))/(8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))^(1/2) - (x*(32*c^11*d^13*e^2 + 48*a^6*b*c^4*e^15 + 96*a*c^10*d^11*e^4 - 64*a^6*c^5*d*e^14 - 160*b*c^10*d^12*e^3 + 4*a^4*b^5*c^2*e^15 - 28*a^5*b^3*c^3*e^15 - 2048*a^2*c^9*d^9*e^6 - 4416*a^3*c^8*d^7*e^8 - 2528*a^4*c^7*d^5*e^10 - 288*a^5*c^6*d^3*e^12 + 336*b^2*c^9*d^11*e^4 - 268*b^3*c^8*d^10*e^5 - 360*b^4*c^7*d^9*e^6 + 1260*b^5*c^6*d^8*e^7 - 1568*b^6
\end{aligned}$$

$$\begin{aligned}
& *c^5*d^7*e^8 + 1036*b^7*c^4*d^6*e^9 - 360*b^8*c^3*d^5*e^{10} + 52*b^9*c^2*d^4 \\
& *e^{11} - 7584*a^2*b^2*c^7*d^7*e^8 - 536*a^2*b^3*c^6*d^6*e^9 + 5936*a^2*b^4*c \\
& ^5*d^5*e^{10} - 3552*a^2*b^5*c^4*d^4*e^{11} + 464*a^2*b^6*c^3*d^3*e^{12} + 104*a^ \\
& 2*b^7*c^2*d^2*e^{13} - 12768*a^3*b^2*c^6*d^5*e^{10} + 3720*a^3*b^3*c^5*d^4*e^{11} \\
& + 1280*a^3*b^4*c^4*d^3*e^{12} - 648*a^3*b^5*c^3*d^2*e^{13} - 4272*a^4*b^2*c^5* \\
& d^3*e^{12} + 740*a^4*b^3*c^4*d^2*e^{13} - 848*a*b*c^9*d^{10}*e^5 + 3632*a*b^2*c^8 \\
& *d^9*e^6 - 7852*a*b^3*c^7*d^8*e^7 + 8864*a*b^4*c^6*d^7*e^8 - 4936*a*b^5*c^5 \\
& *d^6*e^9 + 816*a*b^6*c^4*d^5*e^{10} + 356*a*b^7*c^3*d^4*e^{11} - 128*a*b^8*c^2* \\
& d^3*e^{12} + 7216*a^2*b*c^8*d^8*e^7 + 12896*a^3*b*c^7*d^6*e^9 - 32*a^3*b^6*c^ \\
& 2*d*e^{14} + 5696*a^4*b*c^6*d^4*e^{11} + 216*a^4*b^4*c^3*d*e^{14} + 752*a^5*b*c^5 \\
& *d^2*e^{13} - 336*a^5*b^2*c^4*d*e^{14})) / ((2*(c^4*d^{10} + a^4*d^2*e^8 + b^4*d^6*e \\
& ^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 \\
& - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e \\
& ^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d \\
& ^5*e^5))) * ((b^4*e^4*(-(4*a*c - b^2)^3)^(1/2) - b^3*c^4*d^4 - b^7*e^4 + c^4* \\
& d^4*(-(4*a*c - b^2)^3)^(1/2) + 20*a^3*b*c^3*e^4 + 32*a^2*c^5*d^3*e - 32*a^3 \\
& *c^4*d*e^3 + 4*b^4*c^3*d^3*e - 25*a^2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - \\
& b^2)^3)^(1/2) - 6*b^5*c^2*d^2*e^2 + 4*a*b*c^5*d^4 + 9*a*b^5*c*e^4 + 4*b^6*c \\
& *d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) - 3*a*b^2*c*e^4*(-(4*a* \\
& c - b^2)^3)^(1/2) - 24*a*b^2*c^4*d^3*e - 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e \\
& *(-(4*a*c - b^2)^3)^(1/2) - 4*b^3*c*d*e^3*(-(4*a*c - b^2)^3)^(1/2) + 42*a*b \\
& ^3*c^3*d^2*e^2 - 72*a^2*b*c^4*d^2*e^2 + 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2* \\
& e^2*(-(4*a*c - b^2)^3)^(1/2) + 8*a*b*c^2*d*e^3*(-(4*a*c - b^2)^3)^(1/2)) / (8 \\
& *(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2 \\
& *c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^ \\
& 3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^ \\
& 6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^ \\
& 2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b \\
& ^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5* \\
& c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 6 \\
& 4*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6* \\
& c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2 \\
& *e^6 - 192*a^5*b*c^3*d^3*e^5)))^(1/2)) * ((b^4*e^4*(-(4*a*c - b^2)^3)^(1/2) - \\
& b^3*c^4*d^4 - b^7*e^4 + c^4*d^4*(-(4*a*c - b^2)^3)^(1/2) + 20*a^3*b*c^3*e^ \\
& 4 + 32*a^2*c^5*d^3*e - 32*a^3*c^4*d*e^3 + 4*b^4*c^3*d^3*e - 25*a^2*b^3*c^2* \\
& e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^(1/2) - 6*b^5*c^2*d^2*e^2 + 4*a*b*c^5* \\
& d^4 + 9*a*b^5*c*e^4 + 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^(\\
& 1/2) - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^(1/2) - 24*a*b^2*c^4*d^3*e - 32*a* \\
& b^4*c^2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^(1/2) - 4*b^3*c*d*e^3*(-(4 \\
& *a*c - b^2)^3)^(1/2) + 42*a*b^3*c^3*d^2*e^2 - 72*a^2*b*c^4*d^2*e^2 + 72*a^2 \\
& *b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) + 8*a*b*c^2*d*e^3 \\
& *(-(4*a*c - b^2)^3)^(1/2)) / (8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^ \\
& 8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a \\
& ^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 \\
& + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^
\end{aligned}$$

$$\begin{aligned}
& 2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))^{(1/2)} + (x*(54*c^9*d^6*e^5 - 2*a^3*c^6*e^11 - 22*a*c^8*d^4*e^7 - 118*b*c^8*d^5*e^6 + a^2*b^2*c^5*e^11 - 14*a^2*c^7*d^2*e^9 + 107*b^2*c^7*d^4*e^7 - 48*b^3*c^6*d^3*e^8 + 9*b^4*c^5*d^2*e^9 + 20*a*b*c^7*d^3*e^8 - 6*a*b^3*c^5*d*e^10 + 10*a^2*b*c^6*d*e^10 + 4*a*b^2*c^6*d^2*e^9))/(2*(c^4*d^10 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)))*((b^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^4*d^4 - b^7*e^4 + c^4*d^4*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^3*b*c^3*e^4 + 32*a^2*c^5*d^3*e - 32*a^3*c^4*d*e^3 + 4*b^4*c^3*d^3*e - 25*a^2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 6*b^5*c^2*d^2*e^2 + 4*a*b*c^5*d^4 + 9*a*b^5*c*e^4 + 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^2*c^4*d^3*e - 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*b^3*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 42*a*b^3*c^3*d^2*e^2 - 72*a^2*b*c^4*d^2*e^2 + 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b*c^2*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))^{(1/2)})*((b^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - b^3*c^4*d^4 - b^7*e^4 + c^4*d^4*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^3*b*c^3*e^4 + 32*a^2*c^5*d^3*e - 32*a^3*c^4*d*e^3 + 4*b^4*c^3*d^3*e - 25*a^2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 6*b^5*c^2*d^2*e^2 + 4*a*b*c^5*d^4 + 9*a*b^5*c*e^4 + 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^2*c^4*d^3*e - 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*b^3*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 42*a*b^3*c^3*d^2*e^2 - 72*a^2*b*c^4*d^2*e^2 + 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b*c^2*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))^{(1/2)}))
\end{aligned}$$

$$\begin{aligned}
& b^4 c^2 d^4 e^4 + 144 a^4 b^2 c^3 d^4 e^4 + 32 a^4 b^3 c^2 d^3 e^5 + 64 a^5 b^2 c^2 d^2 e^6 - 4 a^5 b^5 c^3 d^7 e - 4 a^5 b^7 c^4 d^5 e^3 - 64 a^3 b^3 c^5 d^7 e + 32 a^5 b^3 c^4 d^7 e - 64 a^6 b^3 c^2 d^7 e + 6 a^5 b^6 c^2 d^6 e^2 + 32 a^2 b^3 c^4 d^7 e + 4 a^2 b^6 c^4 d^4 e^4 + 20 a^3 b^5 c^4 d^3 e^5 - 192 a^4 b^3 c^4 d^5 e^3 - 44 a^4 b^4 c^4 d^2 e^6 - 192 a^5 b^3 c^3 d^3 e^5) \Big)^{(1/2)} \cdot 2i - \operatorname{atan} \\
& \left(\left(\left(\left(2 a^2 b^6 c^2 e^{13} - 200 a^5 c^9 d^8 e^5 - 8 a^5 c^5 e^{13} - 14 a^3 b^4 c^3 e^{13} + 26 a^4 b^2 c^4 e^{13} + 480 a^2 c^8 d^6 e^7 + 784 a^3 c^7 d^4 e^9 + 96 a^4 c^6 d^2 e^{11} + 50 b^2 c^8 d^8 e^5 - 240 b^3 c^7 d^7 e^6 + 466 b^4 c^6 d^6 e^7 - 464 b^5 c^5 d^5 e^8 + 246 b^6 c^4 d^4 e^9 - 64 b^7 c^3 d^3 e^{11} \right. \right. \right. \\
& 0 + 6 b^8 c^2 d^2 e^{11} + 4 a^2 b^2 c^6 d^4 e^9 + 672 a^2 b^3 c^5 d^3 e^{10} - 354 a^2 b^4 c^4 d^2 e^{11} + 464 a^3 b^2 c^5 d^2 e^{11} + 960 a^5 b^3 c^8 d^7 e^6 - 8 a^5 b^7 c^2 d^2 e^{12} - 96 a^4 b^3 c^5 d^2 e^{12} - 1984 a^5 b^2 c^7 d^6 e^7 + 2072 a^5 b^3 c^6 d^5 e^8 - 1034 a^5 b^4 c^5 d^4 e^9 + 160 a^5 b^5 c^4 d^3 e^{10} + 34 a^5 b^6 c^3 d^2 e^{11} - 864 a^2 b^3 c^7 d^5 e^8 + 40 a^2 b^5 c^3 d^2 e^{12} - 1152 a^3 b^3 c^6 d^3 e^{10} - 8 a^3 b^3 c^4 d^2 e^{12} \Big) / \left(2 \left(c^4 d^{10} + a^4 d^2 e^8 + b^4 d^6 e^4 - 4 a^3 b^3 d^5 e^5 - 4 a^3 b^3 d^3 e^7 + 4 a^3 c^3 d^8 e^2 + 4 a^3 c^3 d^4 e^6 - 4 b^3 c^3 d^7 e^3 + 6 a^2 b^2 d^4 e^6 + 6 a^2 c^2 d^6 e^4 + 6 b^2 c^2 d^8 e^2 - 4 b^3 c^3 d^9 e - 12 a^2 b^2 c^2 d^7 e^3 + 12 a^2 b^2 c^2 d^6 e^4 - 12 a^2 b^2 c^2 d^5 e^5 \right) \right) - \left(\left(\left(128 a^5 c^{11} d^{15} e^2 - 256 a^8 c^4 d^2 e^{16} - 256 a^2 c^{10} d^{13} e^4 - 3456 a^3 c^9 d^{11} e^6 - 8960 a^4 c^8 d^9 e^8 - 10880 a^5 c^7 d^7 e^{10} - 6912 a^6 c^6 d^5 e^{12} - 2176 a^7 c^5 d^3 e^{14} - 32 b^2 c^{10} d^{15} e^2 + 256 b^3 c^9 d^{14} e^3 - 896 b^4 c^8 d^{13} e^4 + 1792 b^5 c^7 d^{12} e^5 - 2240 b^6 c^6 d^{11} e^6 + 1792 b^7 c^5 d^{10} e^7 - 896 b^8 c^4 d^9 e^8 + 256 b^9 c^3 d^8 e^9 - 32 b^{10} c^2 d^7 e^{10} + 2848 a^2 b^2 c^8 d^{11} e^6 - 12160 a^2 b^3 c^7 d^{10} e^7 + 18480 a^2 b^4 c^6 d^9 e^8 - 12864 a^2 b^5 c^5 d^8 e^9 + 3008 a^2 b^6 c^4 d^7 e^{10} + 832 a^2 b^7 c^3 d^6 e^{11} - 400 a^2 b^8 c^2 d^5 e^{12} - 17920 a^3 b^2 c^7 d^9 e^8 + 1280 a^3 b^3 c^6 d^8 e^9 + 14240 a^3 b^4 c^5 d^7 e^{10} - 9824 a^3 b^5 c^4 d^6 e^{11} + 1120 a^3 b^6 c^3 d^5 e^{12} + 480 a^3 b^7 c^2 d^4 e^{13} - 33760 a^4 b^2 c^6 d^7 e^{10} + 7680 a^4 b^3 c^5 d^6 e^{11} + 7520 a^4 b^4 c^4 d^5 e^{12} - 2880 a^4 b^5 c^3 d^4 e^{13} - 320 a^4 b^6 c^2 d^3 e^{14} - 20672 a^5 b^2 c^5 d^5 e^{12} + 896 a^5 b^3 c^4 d^4 e^{13} + 2384 a^5 b^4 c^3 d^3 e^{14} + 112 a^5 b^5 c^2 d^2 e^{15} - 3872 a^6 b^2 c^4 d^3 e^{14} - 896 a^6 b^3 c^3 d^2 e^{15} - 1024 a^5 b^3 c^3 d^2 e^{15} - 1024 a^5 b^3 c^3 d^2 e^{15} - 1024 a^5 b^3 c^3 d^2 e^{15} + 3648 a^5 b^2 c^9 d^{13} e^4 - 7296 a^5 b^3 c^8 d^{12} e^5 + 8464 a^5 b^4 c^7 d^{11} e^6 - 5008 a^5 b^5 c^6 d^{10} e^7 + 224 a^5 b^6 c^5 d^9 e^8 + 1632 a^5 b^7 c^4 d^8 e^9 - 944 a^5 b^8 c^3 d^7 e^{10} + 176 a^5 b^9 c^2 d^6 e^{11} + 512 a^2 b^3 c^9 d^{12} e^5 + 14080 a^3 b^3 c^8 d^{10} e^7 + 30720 a^4 b^3 c^7 d^8 e^9 + 28160 a^5 b^3 c^6 d^6 e^{11} + 11776 a^6 b^3 c^5 d^4 e^{13} - 16 a^6 b^4 c^2 d^2 e^{16} + 1792 a^7 b^3 c^4 d^2 e^{15} + 128 a^7 b^2 c^3 d^2 e^{16} \Big) / \left(2 \left(c^4 d^{10} + a^4 d^2 e^8 + b^4 d^6 e^4 - 4 a^3 b^3 d^5 e^5 - 4 a^3 b^3 d^3 e^7 + 4 a^3 c^3 d^8 e^2 + 4 a^3 c^3 d^4 e^6 - 4 b^3 c^3 d^7 e^3 + 6 a^2 b^2 d^4 e^6 + 6 a^2 c^2 d^6 e^4 + 6 b^2 c^2 d^8 e^2 - 4 b^3 c^3 d^9 e - 12 a^2 b^2 c^2 d^7 e^3 + 12 a^2 b^2 c^2 d^6 e^4 - 12 a^2 b^2 c^2 d^5 e^5 \right) \right) - \left(x \left(- \left(b^7 e^4 + b^3 c^4 d^4 + b^4 e^4 \left(- \left(4 a^3 c - b^2 \right)^3 \right)^{(1/2)} + c^4 d^4 \left(- \left(4 a^3 c - b^2 \right)^3 \right)^{(1/2)} - 20 a^3 b^3 c^3 e^4 - 32 a^2 c^5 d^3 e + 32 a^3 c^4 d^2 e^3 - 4 b^4 c^3 d^3 e + 25 a^2 b^3 c^2 e^4 + a^2 c^2 e^4 \left(- \left(4 a^3 c - b^2 \right)^3 \right)^{(1/2)} + 6 \right. \right. \right.
\end{aligned}$$

$$\begin{aligned}
& b^5 c^2 d^2 e^2 - 4 a b c^5 d^4 - 9 a^2 b^5 c e^4 - 4 b^6 c d e^3 + 6 b^2 c^2 \\
& * d^2 e^2 * (- (4 a c - b^2)^3)^{(1/2)} - 3 a b^2 c e^4 * (- (4 a c - b^2)^3)^{(1/2)} \\
& + 24 a^2 b^2 c^4 d^3 e + 32 a^2 b^4 c^2 d e^3 - 4 b^3 c^3 d^3 e * (- (4 a c - b^2)^3)^{(1/2)} \\
& - 4 b^3 c d e^3 * (- (4 a c - b^2)^3)^{(1/2)} - 42 a^2 b^3 c^3 d^2 e^2 + 7 \\
& 2 a^2 b^2 c^4 d^2 e^2 - 72 a^2 b^2 c^3 d e^3 - 6 a^2 c^3 d^2 e^2 * (- (4 a c - b^2)^3)^{(1/2)} \\
& + 8 a^2 b c^2 d e^3 * (- (4 a c - b^2)^3)^{(1/2)} / (8 (16 a^3 c^6 d^8 + \\
& a^5 b^4 e^8 + 16 a^7 c^2 e^8 + a b^4 c^4 d^8 - 8 a^6 b^2 c e^8 + a b^8 d^4 \\
& e^4 - 4 a^4 b^5 d e^7 - 8 a^2 b^2 c^5 d^8 - 4 a^2 b^7 d^3 e^5 + 6 a^3 b^6 d^2 e^6 \\
& + 64 a^4 c^5 d^6 e^2 + 96 a^5 c^4 d^4 e^4 + 64 a^6 c^3 d^2 e^6 - 44 \\
& a^2 b^4 c^3 d^6 e^2 + 20 a^2 b^5 c^2 d^5 e^3 + 64 a^3 b^2 c^4 d^6 e^2 + 32 \\
& a^3 b^3 c^3 d^5 e^3 - 74 a^3 b^4 c^2 d^4 e^4 + 144 a^4 b^2 c^3 d^4 e^4 + 3 \\
& 2 a^4 b^3 c^2 d^3 e^5 + 64 a^5 b^2 c^2 d^2 e^6 - 4 a^2 b^5 c^3 d^7 e - 4 a^2 b^7 \\
& c^4 d^5 e^3 - 64 a^3 b^2 c^5 d^7 e + 32 a^5 b^3 c^4 d^7 e - 64 a^6 b^2 c^2 d^7 e \\
& + 6 a^2 b^6 c^2 d^6 e^2 + 32 a^2 b^3 c^4 d^7 e + 4 a^2 b^6 c^4 d^7 e + 20 a^3 \\
& b^5 c^4 d^3 e^5 - 192 a^4 b^2 c^4 d^5 e^3 - 44 a^4 b^4 c^4 d^2 e^6 - 192 a^5 b^2 c^3 \\
& d^3 e^5))^{(1/2)} * (1024 a^2 c^11 d^16 e^3 + 5120 a^3 c^10 d^14 e^5 + 9216 \\
& a^4 c^9 d^12 e^7 + 5120 a^5 c^8 d^10 e^9 - 5120 a^6 c^7 d^8 e^11 - 9216 a^7 \\
& c^6 d^6 e^13 - 5120 a^8 c^5 d^4 e^15 - 1024 a^9 c^4 d^2 e^17 - 64 b^3 c^1 \\
& 0 d^17 e^2 + 512 b^4 c^9 d^16 e^3 - 1792 b^5 c^8 d^15 e^4 + 3584 b^6 c^7 d^14 \\
& e^5 - 4480 b^7 c^6 d^13 e^6 + 3584 b^8 c^5 d^12 e^7 - 1792 b^9 c^4 d^11 \\
& e^8 + 512 b^10 c^3 d^10 e^9 - 64 b^11 c^2 d^9 e^10 + 8192 a^2 b^2 c^9 d^14 \\
& e^5 + 5056 a^2 b^3 c^8 d^13 e^6 - 31104 a^2 b^4 c^7 d^12 e^7 + 40256 a^2 b^5 \\
& c^6 d^11 e^8 - 22784 a^2 b^6 c^5 d^10 e^9 + 3648 a^2 b^7 c^4 d^9 e^10 + 1 \\
& 664 a^2 b^8 c^3 d^8 e^11 - 576 a^2 b^9 c^2 d^7 e^12 + 45312 a^3 b^2 c^8 d^1 \\
& 2 e^7 - 27840 a^3 b^3 c^7 d^11 e^8 - 13760 a^3 b^4 c^6 d^10 e^9 + 27520 a^3 \\
& b^5 c^5 d^9 e^10 - 12416 a^3 b^6 c^4 d^8 e^11 + 1088 a^3 b^7 c^3 d^7 e^12 \\
& + 320 a^3 b^8 c^2 d^6 e^13 + 53760 a^4 b^2 c^7 d^10 e^9 - 30400 a^4 b^3 c^6 \\
& d^9 e^10 + 1280 a^4 b^4 c^5 d^8 e^11 + 4224 a^4 b^5 c^4 d^7 e^12 - 1280 a^4 \\
& b^6 c^3 d^6 e^13 + 320 a^4 b^7 c^2 d^5 e^14 + 6400 a^5 b^2 c^6 d^8 e^11 - \\
& 2624 a^5 b^3 c^5 d^7 e^12 + 5952 a^5 b^4 c^4 d^6 e^13 - 2752 a^5 b^5 c^3 d^5 \\
& e^14 - 576 a^5 b^6 c^2 d^4 e^15 - 21504 a^6 b^2 c^5 d^6 e^13 + 832 a^6 b^3 \\
& c^4 d^5 e^14 + 4736 a^6 b^4 c^3 d^4 e^15 + 320 a^6 b^5 c^2 d^3 e^16 - 84 \\
& 48 a^7 b^2 c^4 d^4 e^15 - 2624 a^7 b^3 c^3 d^3 e^16 - 64 a^7 b^4 c^2 d^2 e^17 \\
& + 512 a^8 b^2 c^3 d^2 e^17 + 256 a^2 b^3 c^11 d^17 e^2 - 2304 a^2 b^2 c^10 d^1 \\
& 6 e^3 + 8512 a^2 b^3 c^9 d^15 e^4 - 16704 a^2 b^4 c^8 d^14 e^5 + 18240 a^2 b^5 c^7 \\
& d^13 e^6 - 9536 a^2 b^6 c^6 d^12 e^7 - 576 a^2 b^7 c^5 d^11 e^8 + 3648 a^2 b^8 c^4 \\
& d^10 e^9 - 1856 a^2 b^9 c^3 d^9 e^10 + 320 a^2 b^10 c^2 d^8 e^11 - 5376 a^2 \\
& b^2 c^10 d^15 e^4 - 25344 a^3 b^2 c^9 d^13 e^6 - 37120 a^4 b^2 c^8 d^11 e^8 - 11 \\
& 520 a^5 b^2 c^7 d^9 e^10 + 20736 a^6 b^2 c^6 d^7 e^12 + 20224 a^7 b^2 c^5 d^5 e^1 \\
& 4 + 5376 a^8 b^2 c^4 d^3 e^16)) / (2 (c^4 d^10 + a^4 d^2 e^8 + b^4 d^6 e^4 - 4 \\
& a^2 b^3 d^5 e^5 - 4 a^3 b^2 d^3 e^7 + 4 a^2 c^3 d^8 e^2 + 4 a^3 c^2 d^4 e^6 - 4 b^3 \\
& c^2 d^7 e^3 + 6 a^2 b^2 d^4 e^6 + 6 a^2 c^2 d^6 e^4 + 6 b^2 c^2 d^8 e^2 - 4 \\
& b^2 c^3 d^9 e - 12 a^2 b^2 c^2 d^7 e^3 + 12 a^2 b^2 c^2 d^6 e^4 - 12 a^2 b^2 c^2 d^5 e^5) \\
&) * (- (b^7 e^4 + b^3 c^4 d^4 + b^4 e^4 * (- (4 a c - b^2)^3)^{(1/2)} + c^4 d^4 * (- \\
& (4 a c - b^2)^3)^{(1/2)} - 20 a^3 b^2 c^3 e^4 - 32 a^2 c^5 d^3 e + 32 a^3 c^4 d
\end{aligned}$$

$$\begin{aligned}
& e^3 - 4b^4c^3d^3e + 25a^2b^3c^2e^4 + a^2c^2e^4(-4ac - b^2)^3 \\
&)^{(1/2)} + 6b^5c^2d^2e^2 - 4a^2b^3c^5d^4 - 9a^2b^5c^2e^4 - 4b^6c^2d^2e^3 \\
& + 6b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^2e^4(-4ac - b^2)^3)^{(1/2)} \\
& + 24a^2b^2c^4d^3e + 32a^2b^4c^2d^2e^3 - 4b^3c^3d^3e(-4ac - b^2)^3)^{(1/2)} \\
& - 4b^3c^3d^3e(-4ac - b^2)^3)^{(1/2)} - 42a^2b^3c^3d^2e^2 + 72a^2b^3c^4d^2e^2 \\
& - 72a^2b^2c^3d^2e^3 - 6a^2c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 8a^2b^3c^2d^2e^3(-4ac - b^2)^3)^{(1/2)} \\
&)/(8(16a^3c^6d^8 + a^5b^4e^8 + 16a^7c^2e^8 + a^2b^4c^4d^8 - 8a^6b^2c^2e^8 \\
& + a^2b^8d^4e^4 - 4a^4b^5d^2e^7 - 8a^2b^2c^5d^8 - 4a^2b^7d^3e^5 + 6a^3b^6d^2e^6 \\
& + 64a^4c^5d^6e^2 + 96a^5c^4d^4e^4 + 64a^6c^3d^2e^6 - 44a^2b^4c^3d^6e^2 \\
& + 20a^2b^5c^2d^5e^3 + 64a^3b^2c^4d^6e^2 + 32a^3b^3c^3d^5e^3 - 74a^3b^4c^2d^4e^4 \\
& + 144a^4b^2c^3d^4e^4 + 32a^4b^3c^2d^3e^5 + 64a^5b^2c^2d^2e^6 - 4a^2b^5c^3d^7e \\
& - 4a^2b^7c^2d^5e^3 - 64a^3b^3c^5d^7e + 32a^5b^3c^2d^7e - 64a^6b^2c^2d^7e \\
& + 6a^2b^6c^2d^6e^2 + 32a^2b^3c^4d^7e + 4a^2b^6c^2d^4e^4 + 20a^3b^5c^2d^3e^5 \\
& - 192a^4b^3c^4d^5e^3 - 44a^4b^4c^2d^2e^6 - 192a^5b^3c^3d^3e^5))^{(1/2)} \\
& + (x(32c^{11}d^{13}e^2 + 48a^6b^3c^4e^{15} + 96a^2c^{10}d^{11}e^4 - 64a^6c^5d^8e^{14} \\
& - 160b^3c^{10}d^{12}e^3 + 4a^4b^5c^2e^{15} - 28a^5b^3c^3e^{15} - 2048a^2c^9d^9e^6 \\
& - 4416a^3c^8d^7e^8 - 2528a^4c^7d^5e^{10} - 288a^5c^6d^3e^{12} + 336b^2c^9d^{11}e^4 \\
& - 268b^3c^8d^{10}e^5 - 360b^4c^7d^9e^6 + 1260b^5c^6d^8e^7 - 1568b^6c^5d^7e^8 \\
& + 1036b^7c^4d^6e^9 - 360b^8c^3d^5e^{10} + 52b^9c^2d^4e^{11} - 7584a^2b^2c^7d^7e^8 \\
& - 536a^2b^3c^6d^6e^9 + 5936a^2b^4c^5d^5e^{10} - 3552a^2b^5c^4d^4e^{11} \\
& + 464a^2b^6c^3d^3e^{12} + 104a^2b^7c^2d^2e^{13} - 12768a^3b^2c^6d^5e^{10} \\
& + 3720a^3b^3c^5d^4e^{11} + 1280a^3b^4c^4d^3e^{12} - 648a^3b^5c^3d^2e^{13} \\
& - 4272a^4b^2c^5d^3e^{12} + 740a^4b^3c^4d^2e^{13} - 848a^2b^3c^9d^{10}e^5 \\
& + 3632a^2b^2c^8d^9e^6 - 7852a^2b^3c^7d^8e^7 + 8864a^2b^4c^6d^7e^8 \\
& - 4936a^2b^5c^5d^6e^9 + 816a^2b^6c^4d^5e^{10} + 356a^2b^7c^3d^4e^{11} \\
& - 128a^2b^8c^2d^3e^{12} + 7216a^2b^3c^8d^8e^7 + 12896a^3b^3c^7d^6e^9 \\
& - 32a^3b^6c^2d^2e^{14} + 5696a^4b^3c^6d^4e^{11} + 216a^4b^4c^3d^2e^{14} \\
& + 752a^5b^3c^5d^2e^{13} - 336a^5b^2c^4d^2e^{14}))/((2(c^4d^{10} + a^4d^2e^8 + b^4d^6e^4 \\
& - 4a^2b^3d^5e^5 - 4a^3b^2d^3e^7 + 4a^2c^3d^8e^2 + 4a^3c^2d^4e^6 - 4b^3c^3d^9e \\
& + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^3c^3d^9e - 12a^2b^2c^2d^7e^3 \\
& + 12a^2b^2c^2d^6e^4 - 12a^2b^2c^2d^5e^5))(-b^7e^4 + b^3c^4d^4 + b^4e^4(-4ac - b^2)^3)^{(1/2)} \\
& + c^4d^4(-4ac - b^2)^3)^{(1/2)} - 20a^3b^3c^3e^4 - 32a^2c^5d^3e + 32a^3c^4d^2e^3 \\
& - 4b^4c^3d^3e + 25a^2b^3c^2e^4 + a^2c^2e^4(-4ac - b^2)^3)^{(1/2)} + 6b^5c^2d^2e^2 \\
& - 4a^2b^3c^5d^4 - 9a^2b^5c^2e^4 - 4b^6c^2d^2e^3 + 6b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} \\
& - 3a^2b^2c^2e^4(-4ac - b^2)^3)^{(1/2)} + 24a^2b^2c^4d^3e + 32a^2b^4c^2d^2e^3 \\
& - 4b^3c^3d^3e(-4ac - b^2)^3)^{(1/2)} - 4b^3c^3d^3e(-4ac - b^2)^3)^{(1/2)} \\
& - 42a^2b^3c^3d^2e^2 + 72a^2b^3c^4d^2e^2 - 72a^2b^2c^3d^2e^3 - 6a^2c^3d^2e^2 \\
& (-4ac - b^2)^3)^{(1/2)} + 8a^2b^3c^2d^2e^3(-4ac - b^2)^3)^{(1/2)} \\
&)/(8(16a^3c^6d^8 + a^5b^4e^8 + 16a^7c^2e^8 + a^2b^4c^4d^8 - 8a^6b^2c^2e^8
\end{aligned}$$

$$\begin{aligned}
& 2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d \\
& ^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a \\
& ^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b \\
& ^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4* \\
& b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5 \\
& *c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - \\
& 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6 \\
& *c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^ \\
& 2*e^6 - 192*a^5*b*c^3*d^3*e^5))^(1/2))*(-(b^7*e^4 + b^3*c^4*d^4 + b^4*e^4* \\
& (-4*a*c - b^2)^3)^(1/2) + c^4*d^4*(-(4*a*c - b^2)^3)^(1/2) - 20*a^3*b*c^3* \\
& e^4 - 32*a^2*c^5*d^3*e + 32*a^3*c^4*d*e^3 - 4*b^4*c^3*d^3*e + 25*a^2*b^3*c^ \\
& 2*e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^(1/2) + 6*b^5*c^2*d^2*e^2 - 4*a*b*c^ \\
& 5*d^4 - 9*a*b^5*c*e^4 - 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3 \\
&)^(1/2) - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^(1/2) + 24*a*b^2*c^4*d^3*e + 32* \\
& a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^(1/2) - 4*b^3*c*d*e^3*(- \\
& (4*a*c - b^2)^3)^(1/2) - 42*a*b^3*c^3*d^2*e^2 + 72*a^2*b*c^4*d^2*e^2 - 72*a \\
& ^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) + 8*a*b*c^2*d*e \\
& ^3*(-(4*a*c - b^2)^3)^(1/2))/(8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2* \\
& e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8 \\
& *a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e \\
& ^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20* \\
& a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74* \\
& a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64 \\
& *a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5 \\
& *d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32 \\
& *a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b \\
& *c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))^(1/2) - (x*(\\
& 54*c^9*d^6*e^5 - 2*a^3*c^6*e^11 - 22*a*c^8*d^4*e^7 - 118*b*c^8*d^5*e^6 + a^ \\
& 2*b^2*c^5*e^11 - 14*a^2*c^7*d^2*e^9 + 107*b^2*c^7*d^4*e^7 - 48*b^3*c^6*d^3* \\
& e^8 + 9*b^4*c^5*d^2*e^9 + 20*a*b*c^7*d^3*e^8 - 6*a*b^3*c^5*d*e^10 + 10*a^2* \\
& b*c^6*d*e^10 + 4*a*b^2*c^6*d^2*e^9))/(2*(c^4*d^10 + a^4*d^2*e^8 + b^4*d^6*e \\
& ^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 \\
& - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e \\
& ^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d \\
& ^5*e^5)))*(-(b^7*e^4 + b^3*c^4*d^4 + b^4*e^4*(-(4*a*c - b^2)^3)^(1/2) + c^4 \\
& *d^4*(-(4*a*c - b^2)^3)^(1/2) - 20*a^3*b*c^3*e^4 - 32*a^2*c^5*d^3*e + 32*a^ \\
& 3*c^4*d*e^3 - 4*b^4*c^3*d^3*e + 25*a^2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - \\
& b^2)^3)^(1/2) + 6*b^5*c^2*d^2*e^2 - 4*a*b*c^5*d^4 - 9*a*b^5*c*e^4 - 4*b^6* \\
& c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^(1/2) - 3*a*b^2*c*e^4*(-(4*a \\
& *c - b^2)^3)^(1/2) + 24*a*b^2*c^4*d^3*e + 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3* \\
& e*(-(4*a*c - b^2)^3)^(1/2) - 4*b^3*c*d*e^3*(-(4*a*c - b^2)^3)^(1/2) - 42*a* \\
& b^3*c^3*d^2*e^2 + 72*a^2*b*c^4*d^2*e^2 - 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2 \\
& *e^2*(-(4*a*c - b^2)^3)^(1/2) + 8*a*b*c^2*d*e^3*(-(4*a*c - b^2)^3)^(1/2))/(\\
& 8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^ \\
& 2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d
\end{aligned}$$

$$\begin{aligned}
&^3e^5 + 6a^3b^6d^2e^6 + 64a^4c^5d^6e^2 + 96a^5c^4d^4e^4 + 64a^6c^3d^2e^6 - 44a^2b^4c^3d^6e^2 + 20a^2b^5c^2d^5e^3 + 64a^3b^2c^4d^6e^2 + 32a^3b^3c^3d^5e^3 - 74a^3b^4c^2d^4e^4 + 144a^4b^2c^3d^4e^4 + 32a^4b^3c^2d^3e^5 + 64a^5b^2c^2d^2e^6 - 4a^ab^5c^3d^7e - 4a^ab^7c^d^5e^3 - 64a^3b^c^5d^7e + 32a^5b^3c^d^e^7 - 64a^6b^c^2d^e^7 + 6a^ab^6c^2d^6e^2 + 32a^2b^3c^4d^7e + 4a^2b^6c^d^4e^4 + 20a^3b^5c^d^3e^5 - 192a^4b^c^4d^5e^3 - 44a^4b^4c^d^2e^6 - 192a^5b^c^3d^3e^5))^{(1/2)} * i - (((2a^2b^6c^2e^13 - 200a^c^9d^8e^5 - 8a^5c^5e^13 - 14a^3b^4c^3e^13 + 26a^4b^2c^4e^13 + 480a^2c^8d^6e^7 + 784a^3c^7d^4e^9 + 96a^4c^6d^2e^11 + 50b^2c^8d^8e^5 - 240b^3c^7d^7e^6 + 466b^4c^6d^6e^7 - 464b^5c^5d^5e^8 + 246b^6c^4d^4e^9 - 64b^7c^3d^3e^10 + 6b^8c^2d^2e^11 + 4a^2b^2c^6d^4e^9 + 672a^2b^3c^5d^3e^10 - 354a^2b^4c^4d^2e^11 + 464a^3b^2c^5d^2e^11 + 960a^ab^c^8d^7e^6 - 8a^ab^7c^2d^e^12 - 96a^4b^c^5d^e^12 - 1984a^ab^2c^7d^6e^7 + 2072a^ab^3c^6d^5e^8 - 1034a^ab^4c^5d^4e^9 + 160a^ab^5c^4d^3e^10 + 34a^ab^6c^3d^2e^11 - 864a^2b^c^7d^5e^8 + 40a^2b^5c^3d^e^12 - 1152a^3b^c^6d^3e^10 - 8a^3b^3c^4d^e^12)/(2*(c^4d^10 + a^4d^2e^8 + b^4d^6e^4 - 4a^ab^3d^5e^5 - 4a^3b^d^3e^7 + 4a^c^3d^8e^2 + 4a^3c^d^4e^6 - 4b^3c^d^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^c^3d^9e - 12a^b^c^2d^7e^3 + 12a^ab^2c^d^6e^4 - 12a^2b^c^d^5e^5)) - (((128a^c^11d^15e^2 - 256a^8c^4d^e^16 - 256a^2c^10d^13e^4 - 3456a^3c^9d^11e^6 - 8960a^4c^8d^9e^8 - 10880a^5c^7d^7e^10 - 6912a^6c^6d^5e^12 - 2176a^7c^5d^3e^14 - 32b^2c^10d^15e^2 + 256b^3c^9d^14e^3 - 896b^4c^8d^13e^4 + 1792b^5c^7d^12e^5 - 2240b^6c^6d^11e^6 + 1792b^7c^5d^10e^7 - 896b^8c^4d^9e^8 + 256b^9c^3d^8e^9 - 32b^10c^2d^7e^10 + 2848a^2b^2c^8d^11e^6 - 12160a^2b^3c^7d^10e^7 + 18480a^2b^4c^6d^9e^8 - 12864a^2b^5c^5d^8e^9 + 3008a^2b^6c^4d^7e^10 + 832a^2b^7c^3d^6e^11 - 400a^2b^8c^2d^5e^12 - 17920a^3b^2c^7d^9e^8 + 1280a^3b^3c^6d^8e^9 + 14240a^3b^4c^5d^7e^10 - 9824a^3b^5c^4d^6e^11 + 1120a^3b^6c^3d^5e^12 + 480a^3b^7c^2d^4e^13 - 33760a^4b^2c^6d^7e^10 + 7680a^4b^3c^5d^6e^11 + 7520a^4b^4c^4d^5e^12 - 2880a^4b^5c^3d^4e^13 - 320a^4b^6c^2d^3e^14 - 20672a^5b^2c^5d^5e^12 + 896a^5b^3c^4d^4e^13 + 2384a^5b^4c^3d^3e^14 + 112a^5b^5c^2d^2e^15 - 3872a^6b^2c^4d^3e^14 - 896a^6b^3c^3d^2e^15 - 1024a^ab^c^10d^14e^3 + 3648a^ab^2c^9d^13e^4 - 7296a^ab^3c^8d^12e^5 + 8464a^ab^4c^7d^11e^6 - 5008a^ab^5c^6d^10e^7 + 224a^ab^6c^5d^9e^8 + 1632a^ab^7c^4d^8e^9 - 944a^ab^8c^3d^7e^10 + 176a^ab^9c^2d^6e^11 + 512a^2b^c^9d^12e^5 + 14080a^3b^c^8d^10e^7 + 30720a^4b^c^7d^8e^9 + 28160a^5b^c^6d^6e^11 + 11776a^6b^c^5d^4e^13 - 16a^6b^4c^2d^e^16 + 1792a^7b^c^4d^2e^15 + 128a^7b^2c^3d^e^16)/(2*(c^4d^10 + a^4d^2e^8 + b^4d^6e^4 - 4a^ab^3d^5e^5 - 4a^3b^d^3e^7 + 4a^c^3d^8e^2 + 4a^3c^d^4e^6 - 4b^3c^d^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^c^3d^9e - 12a^b^c^2d^7e^3 + 12a^ab^2c^d^6e^4 - 12a^2b^c^d^5e^5)) + (x*(-(b^7e^4 + b^3c^4d^4 + b^4e^4*(-(4a^a
\end{aligned}$$

$$\begin{aligned}
& c - b^2)^3)^{(1/2)} + c^4*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^4 - 3 \\
& 2*a^2*c^5*d^3*e + 32*a^3*c^4*d^3*e^3 - 4*b^4*c^3*d^3*e + 25*a^2*b^3*c^2*e^4 + \\
& a^2*c^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 6*b^5*c^2*d^2*e^2 - 4*a*b*c^5*d^4 - \\
& 9*a*b^5*c*e^4 - 4*b^6*c*d^3*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a*b^2*c^4*d^3*e + 32*a*b^4*c \\
& ^2*d^3*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 42*a*b^3*c^3*d^2*e^2 + 72*a^2*b*c^4*d^2*e^2 - 72*a^2*b^2* \\
& c^3*d^3*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} / (8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a \\
& *b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d^3*e^7 - 8*a^2*b^ \\
& 2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96 \\
& *a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5 \\
& *c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4 \\
& *c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^ \\
& 2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e \\
& + 32*a^5*b^3*c*d^7*e - 64*a^6*b*c^2*d^7*e + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^ \\
& 3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^ \\
& 5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))^{(1/2)} * (1024*a^2*c^1 \\
& 1*d^16*e^3 + 5120*a^3*c^10*d^14*e^5 + 9216*a^4*c^9*d^12*e^7 + 5120*a^5*c^8* \\
& d^10*e^9 - 5120*a^6*c^7*d^8*e^11 - 9216*a^7*c^6*d^6*e^13 - 5120*a^8*c^5*d^4 \\
& *e^15 - 1024*a^9*c^4*d^2*e^17 - 64*b^3*c^10*d^17*e^2 + 512*b^4*c^9*d^16*e^3 \\
& - 1792*b^5*c^8*d^15*e^4 + 3584*b^6*c^7*d^14*e^5 - 4480*b^7*c^6*d^13*e^6 + \\
& 3584*b^8*c^5*d^12*e^7 - 1792*b^9*c^4*d^11*e^8 + 512*b^10*c^3*d^10*e^9 - 64* \\
& b^11*c^2*d^9*e^10 + 8192*a^2*b^2*c^9*d^14*e^5 + 5056*a^2*b^3*c^8*d^13*e^6 - \\
& 31104*a^2*b^4*c^7*d^12*e^7 + 40256*a^2*b^5*c^6*d^11*e^8 - 22784*a^2*b^6*c^ \\
& 5*d^10*e^9 + 3648*a^2*b^7*c^4*d^9*e^10 + 1664*a^2*b^8*c^3*d^8*e^11 - 576*a^ \\
& 2*b^9*c^2*d^7*e^12 + 45312*a^3*b^2*c^8*d^12*e^7 - 27840*a^3*b^3*c^7*d^11*e^ \\
& 8 - 13760*a^3*b^4*c^6*d^10*e^9 + 27520*a^3*b^5*c^5*d^9*e^10 - 12416*a^3*b^6 \\
& *c^4*d^8*e^11 + 1088*a^3*b^7*c^3*d^7*e^12 + 320*a^3*b^8*c^2*d^6*e^13 + 5376 \\
& 0*a^4*b^2*c^7*d^10*e^9 - 30400*a^4*b^3*c^6*d^9*e^10 + 1280*a^4*b^4*c^5*d^8* \\
& e^11 + 4224*a^4*b^5*c^4*d^7*e^12 - 1280*a^4*b^6*c^3*d^6*e^13 + 320*a^4*b^7* \\
& c^2*d^5*e^14 + 6400*a^5*b^2*c^6*d^8*e^11 - 2624*a^5*b^3*c^5*d^7*e^12 + 5952 \\
& *a^5*b^4*c^4*d^6*e^13 - 2752*a^5*b^5*c^3*d^5*e^14 - 576*a^5*b^6*c^2*d^4*e^1 \\
& 5 - 21504*a^6*b^2*c^5*d^6*e^13 + 832*a^6*b^3*c^4*d^5*e^14 + 4736*a^6*b^4*c^ \\
& 3*d^4*e^15 + 320*a^6*b^5*c^2*d^3*e^16 - 8448*a^7*b^2*c^4*d^4*e^15 - 2624*a^ \\
& 7*b^3*c^3*d^3*e^16 - 64*a^7*b^4*c^2*d^2*e^17 + 512*a^8*b^2*c^3*d^2*e^17 + 2 \\
& 56*a*b*c^11*d^17*e^2 - 2304*a*b^2*c^10*d^16*e^3 + 8512*a*b^3*c^9*d^15*e^4 - \\
& 16704*a*b^4*c^8*d^14*e^5 + 18240*a*b^5*c^7*d^13*e^6 - 9536*a*b^6*c^6*d^12* \\
& e^7 - 576*a*b^7*c^5*d^11*e^8 + 3648*a*b^8*c^4*d^10*e^9 - 1856*a*b^9*c^3*d^9 \\
& *e^10 + 320*a*b^10*c^2*d^8*e^11 - 5376*a^2*b*c^10*d^15*e^4 - 25344*a^3*b*c^ \\
& 9*d^13*e^6 - 37120*a^4*b*c^8*d^11*e^8 - 11520*a^5*b*c^7*d^9*e^10 + 20736*a^ \\
& 6*b*c^6*d^7*e^12 + 20224*a^7*b*c^5*d^5*e^14 + 5376*a^8*b*c^4*d^3*e^16)) / (2* \\
& (c^4*d^10 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + \\
& 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + \\
& 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3
\end{aligned}$$

$$\begin{aligned}
& + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) * (- (b^7*e^4 + b^3*c^4*d^4 + b^4 \\
& *e^4 * (- (4*a*c - b^2)^3)^{(1/2)} + c^4*d^4 * (- (4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b \\
& *c^3*e^4 - 32*a^2*c^5*d^3*e + 32*a^3*c^4*d*e^3 - 4*b^4*c^3*d^3*e + 25*a^2*b \\
& ^3*c^2*e^4 + a^2*c^2*e^4 * (- (4*a*c - b^2)^3)^{(1/2)} + 6*b^5*c^2*d^2*e^2 - 4*a \\
& *b*c^5*d^4 - 9*a*b^5*c*e^4 - 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2 * (- (4*a*c - b \\
& ^2)^3)^{(1/2)} - 3*a*b^2*c*e^4 * (- (4*a*c - b^2)^3)^{(1/2)} + 24*a*b^2*c^4*d^3*e \\
& + 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e * (- (4*a*c - b^2)^3)^{(1/2)} - 4*b^3*c*d*e \\
& ^3 * (- (4*a*c - b^2)^3)^{(1/2)} - 42*a*b^3*c^3*d^2*e^2 + 72*a^2*b*c^4*d^2*e^2 - \\
& 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 8*a*b*c^ \\
& 2*d*e^3 * (- (4*a*c - b^2)^3)^{(1/2)}) / (8 * (16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7 \\
& *c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^ \\
& 7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5* \\
& d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 \\
& + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 \\
& - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 \\
& + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3* \\
& b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 \\
& + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192* \\
& a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))^{(1/2)} - \\
& (x * (32*c^11*d^13*e^2 + 48*a^6*b*c^4*e^15 + 96*a*c^10*d^11*e^4 - 64*a^6*c^5 \\
& *d*e^14 - 160*b*c^10*d^12*e^3 + 4*a^4*b^5*c^2*e^15 - 28*a^5*b^3*c^3*e^15 - \\
& 2048*a^2*c^9*d^9*e^6 - 4416*a^3*c^8*d^7*e^8 - 2528*a^4*c^7*d^5*e^10 - 288*a \\
& ^5*c^6*d^3*e^12 + 336*b^2*c^9*d^11*e^4 - 268*b^3*c^8*d^10*e^5 - 360*b^4*c^7 \\
& *d^9*e^6 + 1260*b^5*c^6*d^8*e^7 - 1568*b^6*c^5*d^7*e^8 + 1036*b^7*c^4*d^6*e \\
& ^9 - 360*b^8*c^3*d^5*e^10 + 52*b^9*c^2*d^4*e^11 - 7584*a^2*b^2*c^7*d^7*e^8 \\
& - 536*a^2*b^3*c^6*d^6*e^9 + 5936*a^2*b^4*c^5*d^5*e^10 - 3552*a^2*b^5*c^4*d^ \\
& 4*e^11 + 464*a^2*b^6*c^3*d^3*e^12 + 104*a^2*b^7*c^2*d^2*e^13 - 12768*a^3*b^ \\
& 2*c^6*d^5*e^10 + 3720*a^3*b^3*c^5*d^4*e^11 + 1280*a^3*b^4*c^4*d^3*e^12 - 64 \\
& 8*a^3*b^5*c^3*d^2*e^13 - 4272*a^4*b^2*c^5*d^3*e^12 + 740*a^4*b^3*c^4*d^2*e^ \\
& 13 - 848*a*b*c^9*d^10*e^5 + 3632*a*b^2*c^8*d^9*e^6 - 7852*a*b^3*c^7*d^8*e^7 \\
& + 8864*a*b^4*c^6*d^7*e^8 - 4936*a*b^5*c^5*d^6*e^9 + 816*a*b^6*c^4*d^5*e^10 \\
& + 356*a*b^7*c^3*d^4*e^11 - 128*a*b^8*c^2*d^3*e^12 + 7216*a^2*b*c^8*d^8*e^7 \\
& + 12896*a^3*b*c^7*d^6*e^9 - 32*a^3*b^6*c^2*d*e^14 + 5696*a^4*b*c^6*d^4*e^1 \\
& 1 + 216*a^4*b^4*c^3*d*e^14 + 752*a^5*b*c^5*d^2*e^13 - 336*a^5*b^2*c^4*d*e^1 \\
& 4)) / (2 * (c^4*d^10 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^ \\
& 3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4 \\
& *e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d \\
& ^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) * (- (b^7*e^4 + b^3*c^4*d^ \\
& 4 + b^4*e^4 * (- (4*a*c - b^2)^3)^{(1/2)} + c^4*d^4 * (- (4*a*c - b^2)^3)^{(1/2)} - 2 \\
& 0*a^3*b*c^3*e^4 - 32*a^2*c^5*d^3*e + 32*a^3*c^4*d*e^3 - 4*b^4*c^3*d^3*e + 2 \\
& 5*a^2*b^3*c^2*e^4 + a^2*c^2*e^4 * (- (4*a*c - b^2)^3)^{(1/2)} + 6*b^5*c^2*d^2*e^ \\
& 2 - 4*a*b*c^5*d^4 - 9*a*b^5*c*e^4 - 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2 * (- (4* \\
& a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e^4 * (- (4*a*c - b^2)^3)^{(1/2)} + 24*a*b^2*c^4 \\
& *d^3*e + 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e * (- (4*a*c - b^2)^3)^{(1/2)} - 4*b^ \\
& 3*c*d*e^3 * (- (4*a*c - b^2)^3)^{(1/2)} - 42*a*b^3*c^3*d^2*e^2 + 72*a^2*b*c^4*d^
\end{aligned}$$

$$\begin{aligned}
& 2e^2 - 72a^2b^2c^3d^3e^3 - 6a^2c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 8 \\
& *ab^2c^2d^3e^3(-4ac - b^2)^3)^{(1/2)} / (8(16a^3c^6d^8 + a^5b^4e^8 + \\
& 16a^7c^2e^8 + ab^4c^4d^8 - 8a^6b^2c^2e^8 + ab^8d^4e^4 - 4a^4b^5d^7e^7 - 8a^2b^2c^5d^8 - 4a^2b^7d^3e^5 \\
& + 6a^3b^6d^2e^6 + 64a^4c^5d^6e^2 + 96a^5c^4d^4e^4 + 64a^6c^3d^2e^6 - 44a^2b^4c^3d^6e^2 + 20a^2b^5c^2d^5e^3 + 64a^3b^2c^4d^6e^2 \\
& + 32a^3b^3c^3d^5e^3 - 74a^3b^4c^2d^4e^4 + 144a^4b^2c^3d^4e^4 + 32a^4b^3c^2d^3e^5 + 64a^5b^2c^2d^2e^6 - 4a^2b^5c^3d^7e \\
& - 4a^2b^7c^4d^5e^3 - 64a^3b^2c^5d^7e + 32a^5b^3c^4d^7e - 64a^6b^2c^2d^6e^2 + 6a^2b^6c^2d^6e^2 + 32a^2b^3c^4d^7e \\
& + 4a^2b^6c^3d^4e^4 + 20a^3b^5c^3d^3e^5 - 192a^4b^2c^4d^5e^3 - 44a^4b^4c^3d^2e^6 - 192a^5b^2c^3d^3e^5))^{(1/2)} * \\
& (-b^7e^4 + b^3c^4d^4 + b^4e^4(-4ac - b^2)^3)^{(1/2)} + c^4d^4 * (-4ac - b^2)^3)^{(1/2)} - 20a^3b^2c^3e^4 - 32a^2c^5d^3e + 32a^3c^4d^3e^3 \\
& - 4b^4c^3d^3e + 25a^2b^3c^2e^4 + a^2c^2e^4(-4ac - b^2)^3)^{(1/2)} + 6b^5c^2d^2e^2 - 4a^2b^5c^5d^4 - 9a^2b^5c^5e^4 - 4b^6c^4d^3e^3 \\
& + 6b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^4e^4(-4ac - b^2)^3)^{(1/2)} + 24a^2b^2c^4d^3e + 32a^2b^4c^2d^3e^3 \\
& - 4b^2c^3d^3e * (-4ac - b^2)^3)^{(1/2)} - 4b^3c^3d^3e * (-4ac - b^2)^3)^{(1/2)} - 42a^2b^3c^3d^2e^2 + 72a^2b^2c^4d^2e^2 \\
& - 72a^2b^2c^3d^2e^3 - 6a^2c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 8a^2b^2c^2d^2e^3(-4ac - b^2)^3)^{(1/2)} / (8(16a^3c^6d^8 \\
& + a^5b^4e^8 + 16a^7c^2e^8 + ab^4c^4d^8 - 8a^6b^2c^2e^8 + ab^8d^4e^4 - 4a^4b^5d^7e^7 - 8a^2b^2c^5d^8 - 4a^2b^7d^3e^5 \\
& + 6a^3b^6d^2e^6 + 64a^4c^5d^6e^2 + 96a^5c^4d^4e^4 + 64a^6c^3d^2e^6 - 44a^2b^4c^3d^6e^2 + 20a^2b^5c^2d^5e^3 + 64a^3b^2c^4d^6e^2 \\
& + 32a^3b^3c^3d^5e^3 - 74a^3b^4c^2d^4e^4 + 144a^4b^2c^3d^4e^4 + 32a^4b^3c^2d^3e^5 + 64a^5b^2c^2d^2e^6 - 4a^2b^5c^3d^7e \\
& - 4a^2b^7c^4d^5e^3 - 64a^3b^2c^5d^7e + 32a^5b^3c^4d^7e - 64a^6b^2c^2d^6e^2 + 6a^2b^6c^2d^6e^2 + 32a^2b^3c^4d^7e \\
& + 4a^2b^6c^3d^4e^4 + 20a^3b^5c^3d^3e^5 - 192a^4b^2c^4d^5e^3 - 44a^4b^4c^3d^2e^6 - 192a^5b^2c^3d^3e^5))^{(1/2)} + (x*(54c^9d^6e^5 \\
& - 2a^3c^6e^11 - 22a^2c^8d^4e^7 - 118b^2c^8d^5e^6 + a^2b^2c^5e^11 - 14a^2c^7d^2e^9 + 107b^2c^7d^4e^7 - 48b^3c^6d^3e^8 \\
& + 9b^4c^5d^2e^9 + 20a^2b^3c^7d^3e^8 - 6a^2b^3c^5d^5e^10 + 10a^2b^2c^6d^5e^10 + 4a^2b^2c^6d^2e^9)) / (2(c^4d^10 + a^4d^2e^8 \\
& + b^4d^6e^4 - 4a^2b^3d^5e^5 - 4a^3b^2d^3e^7 + 4a^2c^3d^8e^2 + 4a^3c^3d^4e^6 - 4b^3c^3d^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 \\
& + 6b^2c^2d^8e^2 - 4b^2c^3d^9e - 12a^2b^2c^2d^7e^3 + 12a^2b^2c^2d^6e^4 - 12a^2b^2c^2d^5e^5)) * (-b^7e^4 + b^3c^4d^4 \\
& + b^4e^4(-4ac - b^2)^3)^{(1/2)} + c^4d^4 * (-4ac - b^2)^3)^{(1/2)} - 20a^3b^2c^3e^4 - 32a^2c^5d^3e + 32a^3c^4d^3e^3 \\
& - 4b^4c^3d^3e + 25a^2b^3c^2e^4 + a^2c^2e^4(-4ac - b^2)^3)^{(1/2)} + 6b^5c^2d^2e^2 - 4a^2b^5c^5d^4 - 9a^2b^5c^5e^4 \\
& - 4b^6c^4d^3e^3 + 6b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^4e^4(-4ac - b^2)^3)^{(1/2)} + 24a^2b^2c^4d^3e \\
& + 32a^2b^4c^2d^3e^3 - 4b^2c^3d^3e * (-4ac - b^2)^3)^{(1/2)} - 4b^3c^3d^3e * (-4ac - b^2)^3)^{(1/2)} - 42a^2b^3c^3d^2e^2 \\
& + 72a^2b^2c^4d^2e^2 - 72a^2b^2c^3d^2e^3 - 6a^2c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 8
\end{aligned}$$

$$\begin{aligned}
& a^2 b^2 c^2 d^3 (-4ac - b^2)^3 \sqrt{1/2} / (8(16a^3 c^6 d^8 + a^5 b^4 e^8 + 16a^7 c^2 e^8 + a^2 b^4 c^4 d^8 - 8a^6 b^2 c^2 e^8 + a^2 b^8 d^4 e^4 - 4a^4 b^5 d^2 e^7 - 8a^2 b^2 c^5 d^8 - 4a^2 b^7 d^3 e^5 + 6a^3 b^6 d^2 e^6 + 64a^4 c^5 d^6 e^2 + 96a^5 c^4 d^4 e^4 + 64a^6 c^3 d^2 e^6 - 44a^2 b^4 c^3 d^6 e^2 + 20a^2 b^5 c^2 d^5 e^3 + 64a^3 b^2 c^4 d^6 e^2 + 32a^3 b^3 c^3 d^5 e^3 - 74a^3 b^4 c^2 d^4 e^4 + 144a^4 b^2 c^3 d^4 e^4 + 32a^4 b^3 c^2 d^3 e^5 + 64a^5 b^2 c^2 d^2 e^6 - 4a^2 b^5 c^3 d^7 e - 4a^2 b^7 c^2 d^5 e^3 - 64a^3 b^2 c^5 d^7 e + 32a^5 b^3 c^2 d^7 e - 64a^6 b^2 c^2 d^7 e + 6a^2 b^6 c^2 d^6 e^2 + 32a^2 b^3 c^4 d^7 e + 4a^2 b^6 c^2 d^4 e^4 + 20a^3 b^5 c^2 d^3 e^5 - 192a^4 b^2 c^4 d^5 e^3 - 44a^4 b^4 c^2 d^2 e^6 - 192a^5 b^2 c^3 d^3 e^5)) \sqrt{1/2} \\
& / ((5c^8 d^3 e^6 - 3b^2 c^7 d^2 e^7 + ac^7 d^2 e^8) / (c^4 d^{10} + a^4 d^2 e^8 + b^4 d^6 e^4 - 4a^2 b^3 d^5 e^5 - 4a^3 b^2 d^3 e^7 + 4a^2 c^3 d^8 e^2 + 4a^3 c^2 d^4 e^6 - 4b^3 c^2 d^7 e^3 + 6a^2 b^2 d^4 e^6 + 6a^2 c^2 d^6 e^4 + 6b^2 c^2 d^8 e^2 - 4b^2 c^3 d^9 e - 12a^2 b^2 c^2 d^7 e^3 + 12a^2 b^2 c^2 d^6 e^4 - 12a^2 b^2 c^2 d^5 e^5) + ((2a^2 b^6 c^2 e^{13} - 200a^2 c^9 d^8 e^5 - 8a^5 c^5 e^{13} - 14a^3 b^4 c^3 e^{13} + 26a^4 b^2 c^4 e^{13} + 480a^2 c^8 d^6 e^7 + 784a^3 c^7 d^4 e^9 + 96a^4 c^6 d^2 e^{11} + 50b^2 c^8 d^8 e^5 - 240b^3 c^7 d^7 e^6 + 466b^4 c^6 d^6 e^7 - 464b^5 c^5 d^5 e^8 + 246b^6 c^4 d^4 e^9 - 64b^7 c^3 d^3 e^{10} + 6b^8 c^2 d^2 e^{11} + 4a^2 b^2 c^6 d^4 e^9 + 672a^2 b^3 c^5 d^3 e^{10} - 354a^2 b^4 c^4 d^2 e^{11} + 464a^3 b^2 c^5 d^2 e^{11} + 960a^2 b^3 c^8 d^7 e^6 - 8a^2 b^7 c^2 d^2 e^{12} - 96a^4 b^2 c^5 d^2 e^{12} - 1984a^2 b^2 c^7 d^6 e^7 + 2072a^2 b^3 c^6 d^5 e^8 - 1034a^2 b^4 c^5 d^4 e^9 + 160a^2 b^5 c^4 d^3 e^{10} + 34a^2 b^6 c^3 d^2 e^{11} - 864a^2 b^2 c^7 d^5 e^8 + 40a^2 b^5 c^3 d^2 e^{12} - 1152a^3 b^2 c^6 d^3 e^{10} - 8a^3 b^3 c^4 d^2 e^{12})) / (2(c^4 d^{10} + a^4 d^2 e^8 + b^4 d^6 e^4 - 4a^2 b^3 d^5 e^5 - 4a^3 b^2 d^3 e^7 + 4a^2 c^3 d^8 e^2 + 4a^3 c^2 d^4 e^6 - 4b^3 c^2 d^7 e^3 + 6a^2 b^2 d^4 e^6 + 6a^2 c^2 d^6 e^4 + 6b^2 c^2 d^8 e^2 - 4b^2 c^3 d^9 e - 12a^2 b^2 c^2 d^7 e^3 + 12a^2 b^2 c^2 d^6 e^4 - 12a^2 b^2 c^2 d^5 e^5)) - (((128a^2 c^{11} d^{15} e^2 - 256a^8 c^4 d^2 e^{16} - 256a^2 c^{10} d^{13} e^4 - 3456a^3 c^9 d^{11} e^6 - 8960a^4 c^8 d^9 e^8 - 10880a^5 c^7 d^7 e^{10} - 6912a^6 c^6 d^5 e^{12} - 2176a^7 c^5 d^3 e^{14} - 32b^2 c^{10} d^{15} e^2 + 256b^3 c^9 d^{14} e^3 - 896b^4 c^8 d^{13} e^4 + 1792b^5 c^7 d^{12} e^5 - 2240b^6 c^6 d^{11} e^6 + 1792b^7 c^5 d^{10} e^7 - 896b^8 c^4 d^9 e^8 + 256b^9 c^3 d^8 e^9 - 32b^{10} c^2 d^7 e^{10} + 2848a^2 b^2 c^8 d^{11} e^6 - 12160a^2 b^3 c^7 d^{10} e^7 + 18480a^2 b^4 c^6 d^9 e^8 - 12864a^2 b^5 c^5 d^8 e^9 + 3008a^2 b^6 c^4 d^7 e^{10} + 832a^2 b^7 c^3 d^6 e^{11} - 400a^2 b^8 c^2 d^5 e^{12} - 17920a^3 b^2 c^7 d^9 e^8 + 1280a^3 b^3 c^6 d^8 e^9 + 14240a^3 b^4 c^5 d^7 e^{10} - 9824a^3 b^5 c^4 d^6 e^{11} + 1120a^3 b^6 c^3 d^5 e^{12} + 480a^3 b^7 c^2 d^4 e^{13} - 33760a^4 b^2 c^6 d^7 e^{10} + 7680a^4 b^3 c^5 d^6 e^{11} + 7520a^4 b^4 c^4 d^5 e^{12} - 2880a^4 b^5 c^3 d^4 e^{13} - 320a^4 b^6 c^2 d^3 e^{14} - 20672a^5 b^2 c^5 d^5 e^{12} + 896a^5 b^3 c^4 d^4 e^{13} + 2384a^5 b^4 c^3 d^3 e^{14} + 112a^5 b^5 c^2 d^2 e^{15} - 3872a^6 b^2 c^4 d^3 e^{14} - 896a^6 b^3 c^3 d^2 e^{15} - 1024a^2 b^2 c^{10} d^{14} e^3 + 3648a^2 b^2 c^9 d^{13} e^4 - 7296a^2 b^3 c^8 d^{12} e^5 + 8464a^2 b^4 c^7 d^{11} e^6 - 5008a^2 b^5 c^6 d^{10} e^7 + 224a^2 b^6 c^5 d^9 e^8 + 1632a^2 b^7 c^4 d^8 e^9 - 944a^2 b^8 c^3 d^7 e^{10} + 176a^2 b^9 c^2 d^6 e^{11} + 512a^2 b^2 c^9 d^8 e^9 - 944a^2 b^8 c^3 d^7 e^{10} + 176a^2 b^9 c^2 d^6 e^{11} + 512a^2 b^2 c^9 d^8 e^9
\end{aligned}$$

$$\begin{aligned}
& ^{12}e^5 + 14080a^3b^3c^8d^{10}e^7 + 30720a^4b^3c^7d^8e^9 + 28160a^5b^3c^6d^6e^{11} + 11776a^6b^3c^5d^4e^{13} - 16a^6b^4c^2d^8e^{16} + 1792a^7b^3c^4d^2e^{15} + 128a^7b^2c^3d^4e^{16}) / (2(c^4d^{10} + a^4d^2e^8 + b^4d^6e^4 - 4a^3b^3d^5e^5 - 4a^3b^2d^3e^7 + 4a^3c^3d^8e^2 + 4a^3c^2d^4e^6 - 4b^3c^3d^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^3c^3d^9e - 12a^2b^2c^2d^7e^3 + 12a^2b^2c^2d^6e^4 - 12a^2b^2c^2d^5e^5)) - (x(-(b^7e^4 + b^3c^4d^4 + b^4e^4(-(4ac - b^2)^3)^{1/2}) + c^4d^4(-(4ac - b^2)^3)^{1/2}) - 20a^3b^3c^3e^4 - 32a^2c^5d^3e + 32a^3c^4d^3e^3 - 4b^4c^3d^3e + 25a^2b^3c^2e^4 + a^2c^2e^4(-(4ac - b^2)^3)^{1/2} + 6b^5c^2d^2e^2 - 4a^2b^3c^5d^4 - 9a^2b^5c^2e^4 - 4b^6c^2d^2e^2(-(4ac - b^2)^3)^{1/2} - 3a^2b^2c^2e^4(-(4ac - b^2)^3)^{1/2} + 24a^2b^2c^4d^3e + 32a^2b^4c^2d^3e^3 - 4b^3c^3d^3e(-(4ac - b^2)^3)^{1/2} - 4b^3c^3d^3e(-(4ac - b^2)^3)^{1/2} - 42a^2b^3c^3d^2e^2 + 72a^2b^3c^4d^2e^2 - 72a^2b^2c^3d^3e^3 - 6a^2c^3d^2e^2(-(4ac - b^2)^3)^{1/2} + 8a^2b^2c^2d^3e(-(4ac - b^2)^3)^{1/2})) / (8(16a^3c^6d^8 + a^5b^4e^8 + 16a^7c^2e^8 + a^2b^4c^4d^8 - 8a^6b^2c^2e^8 + a^2b^8d^4e^4 - 4a^4b^5d^7e - 8a^2b^2c^5d^8 - 4a^2b^7d^3e^5 + 6a^3b^6d^2e^6 + 64a^4c^5d^6e^2 + 96a^5c^4d^4e^4 + 64a^6c^3d^2e^6 - 44a^2b^4c^3d^6e^2 + 20a^2b^5c^2d^5e^3 + 64a^3b^2c^4d^6e^2 + 32a^3b^3c^3d^5e^3 - 74a^3b^4c^2d^4e^4 + 144a^4b^2c^3d^4e^4 + 32a^4b^3c^2d^3e^5 + 64a^5b^2c^2d^2e^6 - 4a^2b^5c^3d^7e - 4a^2b^7c^2d^5e^3 - 64a^3b^2c^5d^7e + 32a^5b^3c^2d^7e - 64a^6b^3c^2d^7e + 6a^2b^6c^2d^6e^2 + 32a^2b^3c^4d^7e + 4a^2b^6c^2d^4e^4 + 20a^3b^5c^2d^3e^5 - 192a^4b^3c^4d^5e^3 - 44a^4b^4c^2d^2e^6 - 192a^5b^3c^3d^3e^5))^{1/2} * (1024a^2c^{11}d^{16}e^3 + 5120a^3c^{10}d^{14}e^5 + 9216a^4c^9d^{12}e^7 + 5120a^5c^8d^{10}e^9 - 5120a^6c^7d^8e^{11} - 9216a^7c^6d^6e^{13} - 5120a^8c^5d^4e^{15} - 1024a^9c^4d^2e^{17} - 64b^3c^{10}d^{17}e^2 + 512b^4c^9d^{16}e^3 - 1792b^5c^8d^{15}e^4 + 3584b^6c^7d^{14}e^5 - 4480b^7c^6d^{13}e^6 + 3584b^8c^5d^{12}e^7 - 1792b^9c^4d^{11}e^8 + 512b^{10}c^3d^{10}e^9 - 64b^{11}c^2d^9e^{10} + 8192a^2b^2c^9d^{14}e^5 + 5056a^2b^3c^8d^{13}e^6 - 31104a^2b^4c^7d^{12}e^7 + 40256a^2b^5c^6d^{11}e^8 - 22784a^2b^6c^5d^{10}e^9 + 3648a^2b^7c^4d^9e^{10} + 1664a^2b^8c^3d^8e^{11} - 576a^2b^9c^2d^7e^{12} + 45312a^3b^2c^8d^{12}e^7 - 27840a^3b^3c^7d^{11}e^8 - 13760a^3b^4c^6d^{10}e^9 + 27520a^3b^5c^5d^9e^{10} - 12416a^3b^6c^4d^8e^{11} + 1088a^3b^7c^3d^7e^{12} + 320a^3b^8c^2d^6e^{13} + 53760a^4b^2c^7d^{10}e^9 - 30400a^4b^3c^6d^9e^{10} + 1280a^4b^4c^5d^8e^{11} + 4224a^4b^5c^4d^7e^{12} - 1280a^4b^6c^3d^6e^{13} + 320a^4b^7c^2d^5e^{14} + 6400a^5b^2c^6d^8e^{11} - 2624a^5b^3c^5d^7e^{12} + 5952a^5b^4c^4d^6e^{13} - 2752a^5b^5c^3d^5e^{14} - 576a^5b^6c^2d^4e^{15} - 21504a^6b^2c^5d^6e^{13} + 832a^6b^3c^4d^5e^{14} + 4736a^6b^4c^3d^4e^{15} + 320a^6b^5c^2d^3e^{16} - 8448a^7b^2c^4d^4e^{15} - 2624a^7b^3c^3d^3e^{16} - 64a^7b^4c^2d^2e^{17} + 512a^8b^2c^3d^2e^{17} + 256a^2b^3c^{11}d^17e^2 - 2304a^2b^2c^{10}d^{16}e^3 + 8512a^2b^3c^9d^{15}e^4 - 16704a^2b^4c^8d^{14}e^5 + 18240a^2b^5c^7d^{13}e^6 - 9536a^2b^6c^6d^{12}e^7 - 576a^2b^7
\end{aligned}$$

$$\begin{aligned}
& *c^5*d^{11}*e^8 + 3648*a*b^8*c^4*d^{10}*e^9 - 1856*a*b^9*c^3*d^9*e^{10} + 320*a*b \\
& ^{10}*c^2*d^8*e^{11} - 5376*a^2*b*c^{10}*d^{15}*e^4 - 25344*a^3*b*c^9*d^{13}*e^6 - 37 \\
& 120*a^4*b*c^8*d^{11}*e^8 - 11520*a^5*b*c^7*d^9*e^{10} + 20736*a^6*b*c^6*d^7*e^{11} \\
& 2 + 20224*a^7*b*c^5*d^5*e^{14} + 5376*a^8*b*c^4*d^3*e^{16})) / (2*(c^4*d^{10} + a^4 \\
& *d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3*d^8*e^ \\
& 2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^2*d^6*e \\
& ^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^ \\
& 6*e^4 - 12*a^2*b*c*d^5*e^5)) * (- (b^7*e^4 + b^3*c^4*d^4 + b^4*e^4 * (- (4*a*c - \\
& b^2)^3)^{(1/2)} + c^4*d^4 * (- (4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^4 - 32*a \\
& ^2*c^5*d^3*e + 32*a^3*c^4*d*e^3 - 4*b^4*c^3*d^3*e + 25*a^2*b^3*c^2*e^4 + a^ \\
& 2*c^2*e^4 * (- (4*a*c - b^2)^3)^{(1/2)} + 6*b^5*c^2*d^2*e^2 - 4*a*b*c^5*d^4 - 9* \\
& a*b^5*c*e^4 - 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - \\
& 3*a*b^2*c*e^4 * (- (4*a*c - b^2)^3)^{(1/2)} + 24*a*b^2*c^4*d^3*e + 32*a*b^4*c^2* \\
& d*e^3 - 4*b*c^3*d^3*e * (- (4*a*c - b^2)^3)^{(1/2)} - 4*b^3*c*d*e^3 * (- (4*a*c - b \\
& ^2)^3)^{(1/2)} - 42*a*b^3*c^3*d^2*e^2 + 72*a^2*b*c^4*d^2*e^2 - 72*a^2*b^2*c^3 \\
& *d*e^3 - 6*a*c^3*d^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 8*a*b*c^2*d*e^3 * (- (4*a* \\
& c - b^2)^3)^{(1/2)}) / (8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^ \\
& 4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c \\
& ^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^ \\
& 5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^ \\
& 2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^ \\
& 2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c \\
& ^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 3 \\
& 2*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c \\
& ^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e \\
& ^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))^{(1/2)} + (x*(32*c^{11}*d^ \\
& 13*e^2 + 48*a^6*b*c^4*e^{15} + 96*a*c^{10}*d^{11}*e^4 - 64*a^6*c^5*d*e^{14} - 160*b \\
& *c^{10}*d^{12}*e^3 + 4*a^4*b^5*c^2*e^{15} - 28*a^5*b^3*c^3*e^{15} - 2048*a^2*c^9*d^ \\
& 9*e^6 - 4416*a^3*c^8*d^7*e^8 - 2528*a^4*c^7*d^5*e^{10} - 288*a^5*c^6*d^3*e^{12} \\
& + 336*b^2*c^9*d^{11}*e^4 - 268*b^3*c^8*d^{10}*e^5 - 360*b^4*c^7*d^9*e^6 + 1260 \\
& *b^5*c^6*d^8*e^7 - 1568*b^6*c^5*d^7*e^8 + 1036*b^7*c^4*d^6*e^9 - 360*b^8*c^ \\
& 3*d^5*e^{10} + 52*b^9*c^2*d^4*e^{11} - 7584*a^2*b^2*c^7*d^7*e^8 - 536*a^2*b^3*c \\
& ^6*d^6*e^9 + 5936*a^2*b^4*c^5*d^5*e^{10} - 3552*a^2*b^5*c^4*d^4*e^{11} + 464*a^ \\
& 2*b^6*c^3*d^3*e^{12} + 104*a^2*b^7*c^2*d^2*e^{13} - 12768*a^3*b^2*c^6*d^5*e^{10} \\
& + 3720*a^3*b^3*c^5*d^4*e^{11} + 1280*a^3*b^4*c^4*d^3*e^{12} - 648*a^3*b^5*c^3*d \\
& ^2*e^{13} - 4272*a^4*b^2*c^5*d^3*e^{12} + 740*a^4*b^3*c^4*d^2*e^{13} - 848*a*b*c^ \\
& 9*d^{10}*e^5 + 3632*a*b^2*c^8*d^9*e^6 - 7852*a*b^3*c^7*d^8*e^7 + 8864*a*b^4*c \\
& ^6*d^7*e^8 - 4936*a*b^5*c^5*d^6*e^9 + 816*a*b^6*c^4*d^5*e^{10} + 356*a*b^7*c^ \\
& 3*d^4*e^{11} - 128*a*b^8*c^2*d^3*e^{12} + 7216*a^2*b*c^8*d^8*e^7 + 12896*a^3*b* \\
& c^7*d^6*e^9 - 32*a^3*b^6*c^2*d*e^{14} + 5696*a^4*b*c^6*d^4*e^{11} + 216*a^4*b^4 \\
& *c^3*d*e^{14} + 752*a^5*b*c^5*d^2*e^{13} - 336*a^5*b^2*c^4*d*e^{14})) / (2*(c^4*d^1 \\
& 0 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3 \\
& *d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^ \\
& 2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b \\
& ^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) * (- (b^7*e^4 + b^3*c^4*d^4 + b^4*e^4 * (- (
\end{aligned}$$

$$\begin{aligned}
& 4*a*c - b^2)^3)^{(1/2)} + c^4*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^4 \\
& - 32*a^2*c^5*d^3*e + 32*a^3*c^4*d^3*e^3 - 4*b^4*c^3*d^3*e + 25*a^2*b^3*c^2*e \\
& ^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 6*b^5*c^2*d^2*e^2 - 4*a*b*c^5*d \\
& ^4 - 9*a*b^5*c*e^4 - 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a*b^2*c^4*d^3*e + 32*a*b \\
& ^4*c^2*d^3*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*b^3*c*d^3*e^3*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - 42*a*b^3*c^3*d^2*e^2 + 72*a^2*b*c^4*d^2*e^2 - 72*a^2* \\
& b^2*c^3*d^3*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b*c^2*d^3*e^3 \\
& (- (4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 \\
& + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d^3*e^7 - 8*a^ \\
& 2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 \\
& + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2 \\
& *b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3 \\
& *b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^ \\
& 5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^ \\
& 7*e + 32*a^5*b^3*c*d^7*e - 64*a^6*b*c^2*d^6*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^ \\
& 2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^ \\
& 4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5)))^{(1/2)}*(-(b^7*e \\
& ^4 + b^3*c^4*d^4 + b^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + c^4*d^4*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} - 20*a^3*b*c^3*e^4 - 32*a^2*c^5*d^3*e + 32*a^3*c^4*d^3*e^3 - 4*b^ \\
& 4*c^3*d^3*e + 25*a^2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 6 \\
& *b^5*c^2*d^2*e^2 - 4*a*b*c^5*d^4 - 9*a*b^5*c*e^4 - 4*b^6*c*d^3*e^3 + 6*b^2*c^ \\
& 2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c^4*d^3*e + 32*a*b^4*c^2*d^3*e^3 \\
& - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^{(1/2)} - 42*a*b^3*c^3*d^2*e^2 + \\
& 72*a^2*b*c^4*d^2*e^2 - 72*a^2*b^2*c^3*d^3*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} + 8*a*b*c^2*d^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^3*c^6*d^8 \\
& + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^ \\
& 4*e^4 - 4*a^4*b^5*d^3*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6 \\
& *d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 4 \\
& 4*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 3 \\
& 2*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + \\
& 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b \\
& ^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d^7*e - 64*a^6*b*c^2*d^6*e^7 \\
& + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^ \\
& 3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b* \\
& c^3*d^3*e^5)))^{(1/2)} - (x*(54*c^9*d^6*e^5 - 2*a^3*c^6*e^11 - 22*a*c^8*d^4*e \\
& ^7 - 118*b*c^8*d^5*e^6 + a^2*b^2*c^5*e^11 - 14*a^2*c^7*d^2*e^9 + 107*b^2*c^ \\
& 7*d^4*e^7 - 48*b^3*c^6*d^3*e^8 + 9*b^4*c^5*d^2*e^9 + 20*a*b*c^7*d^3*e^8 - 6 \\
& *a*b^3*c^5*d^3*e^10 + 10*a^2*b*c^6*d^3*e^10 + 4*a*b^2*c^6*d^2*e^9))/(2*(c^4*d^1 \\
& 0 + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d^3*e^7 + 4*a*c^3 \\
& *d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^4*e^6 + 6*a^2*c^ \\
& 2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b \\
& ^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)))*(-(b^7*e^4 + b^3*c^4*d^4 + b^4*e^4*(-(\\
& 4*a*c - b^2)^3)^{(1/2)} + c^4*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^4
\end{aligned}$$

$$\begin{aligned}
& - 32a^2c^5d^3e + 32a^3c^4d^2e^3 - 4b^4c^3d^3e + 25a^2b^3c^2e^4 + a^2c^2e^4(-4ac - b^2)^3)^{(1/2)} + 6b^5c^2d^2e^2 - 4a^2b^3c^5d^4 - 9a^2b^5c^4e^4 - 4b^6c^3d^2e^3 + 6b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3a^2b^2c^4e^4(-4ac - b^2)^3)^{(1/2)} + 24a^2b^2c^4d^3e + 32a^2b^4c^2d^2e^3 - 4b^3c^3d^3e(-4ac - b^2)^3)^{(1/2)} - 4b^3c^3d^2e^3(-4ac - b^2)^3)^{(1/2)} - 42a^2b^3c^3d^2e^2 + 72a^2b^3c^4d^2e^2 - 72a^2b^2c^3d^2e^3 - 6a^2c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 8a^2b^3c^2d^2e^3(-4ac - b^2)^3)^{(1/2)}/(8(16a^3c^6d^8 + a^5b^4e^8 + 16a^7c^2e^8 + a^2b^4c^4d^8 - 8a^6b^2c^2e^8 + a^2b^8d^4e^4 - 4a^4b^5d^2e^7 - 8a^2b^2c^5d^8 - 4a^2b^7d^3e^5 + 6a^3b^6d^2e^6 + 64a^4c^5d^6e^2 + 96a^5c^4d^4e^4 + 64a^6c^3d^2e^6 - 44a^2b^4c^3d^6e^2 + 20a^2b^5c^2d^5e^3 + 64a^3b^2c^4d^6e^2 + 32a^3b^3c^3d^5e^3 - 74a^3b^4c^2d^4e^4 + 144a^4b^2c^3d^4e^4 + 32a^4b^3c^2d^3e^5 + 64a^5b^2c^2d^2e^6 - 4a^2b^5c^3d^7e - 4a^2b^7c^3d^5e^3 - 64a^3b^3c^5d^7e + 32a^5b^3c^3d^7e - 64a^6b^3c^2d^7e + 6a^2b^6c^2d^6e^2 + 32a^2b^3c^4d^7e + 4a^2b^6c^4d^4e^4 + 20a^3b^5c^3d^3e^5 - 192a^4b^3c^4d^5e^3 - 44a^4b^4c^3d^2e^6 - 192a^5b^3c^3d^3e^5))^{(1/2)} + (((2a^2b^6c^2e^13 - 200a^2c^9d^8e^5 - 8a^5c^5e^13 - 14a^3b^4c^3e^13 + 26a^4b^2c^4e^13 + 480a^2c^8d^6e^7 + 784a^3c^7d^4e^9 + 96a^4c^6d^2e^11 + 50b^2c^8d^8e^5 - 240b^3c^7d^7e^6 + 466b^4c^6d^6e^7 - 464b^5c^5d^5e^8 + 246b^6c^4d^4e^9 - 64b^7c^3d^3e^10 + 6b^8c^2d^2e^11 + 4a^2b^2c^6d^4e^9 + 672a^2b^3c^5d^3e^10 - 354a^2b^4c^4d^2e^11 + 464a^3b^2c^5d^2e^11 + 960a^2b^3c^8d^7e^6 - 8a^2b^7c^2d^5e^12 - 96a^4b^3c^5d^5e^12 - 1984a^2b^2c^7d^6e^7 + 2072a^2b^3c^6d^5e^8 - 1034a^2b^4c^5d^4e^9 + 160a^2b^5c^4d^3e^10 + 34a^2b^6c^3d^2e^11 - 864a^2b^3c^7d^5e^8 + 40a^2b^5c^3d^5e^12 - 1152a^3b^3c^6d^3e^10 - 8a^3b^3c^4d^5e^12)/(2(c^4d^10 + a^4d^2e^8 + b^4d^6e^4 - 4a^2b^3d^5e^5 - 4a^3b^2d^3e^7 + 4a^2c^3d^8e^2 + 4a^3c^2d^4e^6 - 4b^3c^2d^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^3c^3d^9e - 12a^2b^3c^2d^7e^3 + 12a^2b^2c^3d^6e^4 - 12a^2b^2c^3d^5e^5)) - (((128a^2c^11d^15e^2 - 256a^8c^4d^5e^16 - 256a^2c^10d^13e^4 - 3456a^3c^9d^11e^6 - 8960a^4c^8d^9e^8 - 10880a^5c^7d^7e^10 - 6912a^6c^6d^5e^12 - 2176a^7c^5d^3e^14 - 32b^2c^10d^15e^2 + 256b^3c^9d^14e^3 - 896b^4c^8d^13e^4 + 1792b^5c^7d^12e^5 - 2240b^6c^6d^11e^6 + 1792b^7c^5d^10e^7 - 896b^8c^4d^9e^8 + 256b^9c^3d^8e^9 - 32b^10c^2d^7e^10 + 2848a^2b^2c^8d^11e^6 - 12160a^2b^3c^7d^10e^7 + 18480a^2b^4c^6d^9e^8 - 12864a^2b^5c^5d^8e^9 + 3008a^2b^6c^4d^7e^10 + 832a^2b^7c^3d^6e^11 - 400a^2b^8c^2d^5e^12 - 17920a^3b^2c^7d^9e^8 + 1280a^3b^3c^6d^8e^9 + 14240a^3b^4c^5d^7e^10 - 9824a^3b^5c^4d^6e^11 + 1120a^3b^6c^3d^5e^12 + 480a^3b^7c^2d^4e^13 - 33760a^4b^2c^6d^7e^10 + 7680a^4b^3c^5d^6e^11 + 7520a^4b^4c^4d^5e^12 - 2880a^4b^5c^3d^4e^13 - 320a^4b^6c^2d^3e^14 - 20672a^5b^2c^5d^5e^12 + 896a^5b^3c^4d^4e^13 + 2384a^5b^4c^3d^3e^14 + 112a^5b^5c^2d^2e^15 - 3872a^6b^2c^4d^3e^14 - 896a^6b^3c^3d^2e^15 - 1024a^2b^3c^10d^14e^3 + 3648a^2b^2c^9d^13e^4 - 729
\end{aligned}$$

$$\begin{aligned}
& 6*a*b^3*c^8*d^12*e^5 + 8464*a*b^4*c^7*d^11*e^6 - 5008*a*b^5*c^6*d^10*e^7 + \\
& 224*a*b^6*c^5*d^9*e^8 + 1632*a*b^7*c^4*d^8*e^9 - 944*a*b^8*c^3*d^7*e^10 + 1 \\
& 76*a*b^9*c^2*d^6*e^11 + 512*a^2*b*c^9*d^12*e^5 + 14080*a^3*b*c^8*d^10*e^7 + \\
& 30720*a^4*b*c^7*d^8*e^9 + 28160*a^5*b*c^6*d^6*e^11 + 11776*a^6*b*c^5*d^4*e \\
& ^{13} - 16*a^6*b^4*c^2*d*e^{16} + 1792*a^7*b*c^4*d^2*e^{15} + 128*a^7*b^2*c^3*d*e \\
& ^{16})/(2*(c^4*d^{10} + a^4*d^2*e^8 + b^4*d^6*e^4 - 4*a*b^3*d^5*e^5 - 4*a^3*b*d \\
& ^3*e^7 + 4*a*c^3*d^8*e^2 + 4*a^3*c*d^4*e^6 - 4*b^3*c*d^7*e^3 + 6*a^2*b^2*d^ \\
& 4*e^6 + 6*a^2*c^2*d^6*e^4 + 6*b^2*c^2*d^8*e^2 - 4*b*c^3*d^9*e - 12*a*b*c^2* \\
& d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) + (x*(-(b^7*e^4 + b^3*c \\
& ^4*d^4 + b^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + c^4*d^4*(-(4*a*c - b^2)^3)^{(1/2)} \\
&) - 20*a^3*b*c^3*e^4 - 32*a^2*c^5*d^3*e + 32*a^3*c^4*d*e^3 - 4*b^4*c^3*d^3* \\
& e + 25*a^2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 6*b^5*c^2*d \\
& ^2*e^2 - 4*a*b*c^5*d^4 - 9*a*b^5*c*e^4 - 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2* \\
& (-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a*b^ \\
& 2*c^4*d^3*e + 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 4*b^3*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 42*a*b^3*c^3*d^2*e^2 + 72*a^2*b*c \\
& ^4*d^2*e^2 - 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
&) + 8*a*b*c^2*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^3*c^6*d^8 + a^5*b^4* \\
& e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4* \\
& a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + \\
& 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4* \\
& c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3* \\
& c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3 \\
& *c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e \\
& ^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6 \\
& *c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^ \\
& 3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^ \\
& 5)))^{(1/2)}*(1024*a^2*c^{11}*d^{16}*e^3 + 5120*a^3*c^{10}*d^{14}*e^5 + 9216*a^4*c^9* \\
& d^{12}*e^7 + 5120*a^5*c^8*d^{10}*e^9 - 5120*a^6*c^7*d^8*e^{11} - 9216*a^7*c^6*d^6 \\
& *e^{13} - 5120*a^8*c^5*d^4*e^{15} - 1024*a^9*c^4*d^2*e^{17} - 64*b^3*c^{10}*d^{17}*e^ \\
& 2 + 512*b^4*c^9*d^{16}*e^3 - 1792*b^5*c^8*d^{15}*e^4 + 3584*b^6*c^7*d^{14}*e^5 - \\
& 4480*b^7*c^6*d^{13}*e^6 + 3584*b^8*c^5*d^{12}*e^7 - 1792*b^9*c^4*d^{11}*e^8 + 512 \\
& *b^{10}*c^3*d^{10}*e^9 - 64*b^{11}*c^2*d^9*e^{10} + 8192*a^2*b^2*c^9*d^{14}*e^5 + 505 \\
& 6*a^2*b^3*c^8*d^{13}*e^6 - 31104*a^2*b^4*c^7*d^{12}*e^7 + 40256*a^2*b^5*c^6*d^{1 \\
& 1}*e^8 - 22784*a^2*b^6*c^5*d^{10}*e^9 + 3648*a^2*b^7*c^4*d^9*e^{10} + 1664*a^2*b \\
& ^8*c^3*d^8*e^{11} - 576*a^2*b^9*c^2*d^7*e^{12} + 45312*a^3*b^2*c^8*d^{12}*e^7 - 2 \\
& 7840*a^3*b^3*c^7*d^{11}*e^8 - 13760*a^3*b^4*c^6*d^{10}*e^9 + 27520*a^3*b^5*c^5* \\
& d^9*e^{10} - 12416*a^3*b^6*c^4*d^8*e^{11} + 1088*a^3*b^7*c^3*d^7*e^{12} + 320*a^3 \\
& *b^8*c^2*d^6*e^{13} + 53760*a^4*b^2*c^7*d^{10}*e^9 - 30400*a^4*b^3*c^6*d^9*e^{10} \\
& + 1280*a^4*b^4*c^5*d^8*e^{11} + 4224*a^4*b^5*c^4*d^7*e^{12} - 1280*a^4*b^6*c^3 \\
& *d^6*e^{13} + 320*a^4*b^7*c^2*d^5*e^{14} + 6400*a^5*b^2*c^6*d^8*e^{11} - 2624*a^5 \\
& *b^3*c^5*d^7*e^{12} + 5952*a^5*b^4*c^4*d^6*e^{13} - 2752*a^5*b^5*c^3*d^5*e^{14} - \\
& 576*a^5*b^6*c^2*d^4*e^{15} - 21504*a^6*b^2*c^5*d^6*e^{13} + 832*a^6*b^3*c^4*d^ \\
& 5*e^{14} + 4736*a^6*b^4*c^3*d^4*e^{15} + 320*a^6*b^5*c^2*d^3*e^{16} - 8448*a^7*b^ \\
& 2*c^4*d^4*e^{15} - 2624*a^7*b^3*c^3*d^3*e^{16} - 64*a^7*b^4*c^2*d^2*e^{17} + 512*
\end{aligned}$$

$$\begin{aligned}
& *d^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^* \\
& c^3d^9e - 12a^*b^*c^2d^7e^3 + 12a^*b^2c^*d^6e^4 - 12a^2b^*c^*d^5e^5)) \\
& *(-(b^7e^4 + b^3c^4d^4 + b^4e^4*(-(4a^*c - b^2)^3)^{(1/2)} + c^4d^4*(-(4 \\
& *a^*c - b^2)^3)^{(1/2)} - 20a^3b^*c^3e^4 - 32a^2c^5d^3e + 32a^3c^4d^*e \\
& ^3 - 4b^4c^3d^3e + 25a^2b^3c^2e^4 + a^2c^2e^4*(-(4a^*c - b^2)^3)^{(1/2)} + 6b^5c^2d^2e^2 - 4a^*b^*c^5d^4 - 9a^*b^5c^*e^4 - 4b^6c^*d^*e^3 + \\
& 6b^2c^2d^2e^2*(-(4a^*c - b^2)^3)^{(1/2)} - 3a^*b^2c^*e^4*(-(4a^*c - b^2) \\
& ^3)^{(1/2)} + 24a^*b^2c^4d^3e + 32a^*b^4c^2d^*e^3 - 4b^*c^3d^3e*(-(4a^*c \\
& c - b^2)^3)^{(1/2)} - 4b^3c^*d^*e^3*(-(4a^*c - b^2)^3)^{(1/2)} - 42a^*b^3c^3d \\
& ^2e^2 + 72a^2b^*c^4d^2e^2 - 72a^2b^2c^3d^*e^3 - 6a^*c^3d^2e^2*(-(4 \\
& *a^*c - b^2)^3)^{(1/2)} + 8a^*b^*c^2d^*e^3*(-(4a^*c - b^2)^3)^{(1/2)))/(8*(16a^3 \\
& *c^6d^8 + a^5b^4e^8 + 16a^7c^2e^8 + a^*b^4c^4d^8 - 8a^6b^2c^*e^8 + \\
& a^*b^8d^4e^4 - 4a^4b^5d^*e^7 - 8a^2b^2c^5d^8 - 4a^2b^7d^3e^5 + \\
& 6a^3b^6d^2e^6 + 64a^4c^5d^6e^2 + 96a^5c^4d^4e^4 + 64a^6c^3d^ \\
& 2e^6 - 44a^2b^4c^3d^6e^2 + 20a^2b^5c^2d^5e^3 + 64a^3b^2c^4d^ \\
& 6e^2 + 32a^3b^3c^3d^5e^3 - 74a^3b^4c^2d^4e^4 + 144a^4b^2c^3d \\
& ^4e^4 + 32a^4b^3c^2d^3e^5 + 64a^5b^2c^2d^2e^6 - 4a^*b^5c^3d^7* \\
& e - 4a^*b^7c^d^5e^3 - 64a^3b^*c^5d^7e + 32a^5b^3c^*d^*e^7 - 64a^6b^* \\
& c^2d^*e^7 + 6a^*b^6c^2d^6e^2 + 32a^2b^3c^4d^7e + 4a^2b^6c^*d^4e^ \\
& 4 + 20a^3b^5c^*d^3e^5 - 192a^4b^*c^4d^5e^3 - 44a^4b^4c^*d^2e^6 - 1 \\
& 92a^5b^*c^3d^3e^5))^{(1/2)}*(-(b^7e^4 + b^3c^4d^4 + b^4e^4*(-(4a^*c \\
& - b^2)^3)^{(1/2)} + c^4d^4*(-(4a^*c - b^2)^3)^{(1/2)} - 20a^3b^*c^3e^4 - 32* \\
& a^2c^5d^3e + 32a^3c^4d^*e^3 - 4b^4c^3d^3e + 25a^2b^3c^2e^4 + a \\
& ^2c^2e^4*(-(4a^*c - b^2)^3)^{(1/2)} + 6b^5c^2d^2e^2 - 4a^*b^*c^5d^4 - 9 \\
& *a^*b^5c^*e^4 - 4b^6c^*d^*e^3 + 6b^2c^2d^2e^2*(-(4a^*c - b^2)^3)^{(1/2)} - \\
& 3a^*b^2c^*e^4*(-(4a^*c - b^2)^3)^{(1/2)} + 24a^*b^2c^4d^3e + 32a^*b^4c^2 \\
& *d^*e^3 - 4b^*c^3d^3e*(-(4a^*c - b^2)^3)^{(1/2)} - 4b^3c^*d^*e^3*(-(4a^*c - \\
& b^2)^3)^{(1/2)} - 42a^*b^3c^3d^2e^2 + 72a^2b^*c^4d^2e^2 - 72a^2b^2c^ \\
& 3d^*e^3 - 6a^*c^3d^2e^2*(-(4a^*c - b^2)^3)^{(1/2)} + 8a^*b^*c^2d^*e^3*(-(4a \\
& *c - b^2)^3)^{(1/2)))/(8*(16a^3c^6d^8 + a^5b^4e^8 + 16a^7c^2e^8 + a^*b \\
& ^4c^4d^8 - 8a^6b^2c^*e^8 + a^*b^8d^4e^4 - 4a^4b^5d^*e^7 - 8a^2b^2* \\
& c^5d^8 - 4a^2b^7d^3e^5 + 6a^3b^6d^2e^6 + 64a^4c^5d^6e^2 + 96a \\
& ^5c^4d^4e^4 + 64a^6c^3d^2e^6 - 44a^2b^4c^3d^6e^2 + 20a^2b^5c \\
& ^2d^5e^3 + 64a^3b^2c^4d^6e^2 + 32a^3b^3c^3d^5e^3 - 74a^3b^4c \\
& ^2d^4e^4 + 144a^4b^2c^3d^4e^4 + 32a^4b^3c^2d^3e^5 + 64a^5b^2* \\
& c^2d^2e^6 - 4a^*b^5c^3d^7e - 4a^*b^7c^*d^5e^3 - 64a^3b^*c^5d^7e + \\
& 32a^5b^3c^*d^*e^7 - 64a^6b^*c^2d^*e^7 + 6a^*b^6c^2d^6e^2 + 32a^2b^3* \\
& c^4d^7e + 4a^2b^6c^*d^4e^4 + 20a^3b^5c^*d^3e^5 - 192a^4b^*c^4d^5* \\
& e^3 - 44a^4b^4c^*d^2e^6 - 192a^5b^*c^3d^3e^5))^{(1/2)} + (x*(54c^9d^ \\
& 6e^5 - 2a^3c^6e^11 - 22a^*c^8d^4e^7 - 118b^*c^8d^5e^6 + a^2b^2c^5 \\
& *e^11 - 14a^2c^7d^2e^9 + 107b^2c^7d^4e^7 - 48b^3c^6d^3e^8 + 9b \\
& ^4c^5d^2e^9 + 20a^*b^*c^7d^3e^8 - 6a^*b^3c^5d^*e^10 + 10a^2b^*c^6d^*e \\
& ^10 + 4a^*b^2c^6d^2e^9))/(2*(c^4d^10 + a^4d^2e^8 + b^4d^6e^4 - 4a^* \\
& b^3d^5e^5 - 4a^3b^*d^3e^7 + 4a^*c^3d^8e^2 + 4a^3c^*d^4e^6 - 4b^3c^* \\
& *d^7e^3 + 6a^2b^2d^4e^6 + 6a^2c^2d^6e^4 + 6b^2c^2d^8e^2 - 4b^*
\end{aligned}$$

$$\begin{aligned}
& c^3*d^9*e - 12*a*b*c^2*d^7*e^3 + 12*a*b^2*c*d^6*e^4 - 12*a^2*b*c*d^5*e^5)) \\
& *(-(b^7*e^4 + b^3*c^4*d^4 + b^4*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + c^4*d^4*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^4 - 32*a^2*c^5*d^3*e + 32*a^3*c^4*d*e \\
& ^3 - 4*b^4*c^3*d^3*e + 25*a^2*b^3*c^2*e^4 + a^2*c^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 6*b^5*c^2*d^2*e^2 - 4*a*b*c^5*d^4 - 9*a*b^5*c*e^4 - 4*b^6*c*d*e^3 + \\
& 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e^4*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} + 24*a*b^2*c^4*d^3*e + 32*a*b^4*c^2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - 4*b^3*c*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)} - 42*a*b^3*c^3*d \\
& ^2*e^2 + 72*a^2*b*c^4*d^2*e^2 - 72*a^2*b^2*c^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} + 8*a*b*c^2*d*e^3*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^3 \\
& *c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a*b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + \\
& a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2*c^5*d^8 - 4*a^2*b^7*d^3*e^5 + \\
& 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96*a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^ \\
& 2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5*c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^ \\
& 6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4*c^2*d^4*e^4 + 144*a^4*b^2*c^3*d \\
& ^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2*c^2*d^2*e^6 - 4*a*b^5*c^3*d^7* \\
& e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + 32*a^5*b^3*c*d*e^7 - 64*a^6*b* \\
& c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3*c^4*d^7*e + 4*a^2*b^6*c*d^4*e^ \\
& 4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5*e^3 - 44*a^4*b^4*c*d^2*e^6 - 1 \\
& 92*a^5*b*c^3*d^3*e^5))^{(1/2)))*(-(b^7*e^4 + b^3*c^4*d^4 + b^4*e^4*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + c^4*d^4*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^4 - 32 \\
& *a^2*c^5*d^3*e + 32*a^3*c^4*d*e^3 - 4*b^4*c^3*d^3*e + 25*a^2*b^3*c^2*e^4 + \\
& a^2*c^2*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 6*b^5*c^2*d^2*e^2 - 4*a*b*c^5*d^4 - \\
& 9*a*b^5*c*e^4 - 4*b^6*c*d*e^3 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 3*a*b^2*c*e^4*(-(4*a*c - b^2)^3)^{(1/2)} + 24*a*b^2*c^4*d^3*e + 32*a*b^4*c^ \\
& 2*d*e^3 - 4*b*c^3*d^3*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*b^3*c*d*e^3*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 42*a*b^3*c^3*d^2*e^2 + 72*a^2*b*c^4*d^2*e^2 - 72*a^2*b^2*c \\
& ^3*d*e^3 - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b*c^2*d*e^3*(-(4* \\
& a*c - b^2)^3)^{(1/2)))/(8*(16*a^3*c^6*d^8 + a^5*b^4*e^8 + 16*a^7*c^2*e^8 + a* \\
& b^4*c^4*d^8 - 8*a^6*b^2*c*e^8 + a*b^8*d^4*e^4 - 4*a^4*b^5*d*e^7 - 8*a^2*b^2 \\
& *c^5*d^8 - 4*a^2*b^7*d^3*e^5 + 6*a^3*b^6*d^2*e^6 + 64*a^4*c^5*d^6*e^2 + 96* \\
& a^5*c^4*d^4*e^4 + 64*a^6*c^3*d^2*e^6 - 44*a^2*b^4*c^3*d^6*e^2 + 20*a^2*b^5* \\
& c^2*d^5*e^3 + 64*a^3*b^2*c^4*d^6*e^2 + 32*a^3*b^3*c^3*d^5*e^3 - 74*a^3*b^4* \\
& c^2*d^4*e^4 + 144*a^4*b^2*c^3*d^4*e^4 + 32*a^4*b^3*c^2*d^3*e^5 + 64*a^5*b^2 \\
& *c^2*d^2*e^6 - 4*a*b^5*c^3*d^7*e - 4*a*b^7*c*d^5*e^3 - 64*a^3*b*c^5*d^7*e + \\
& 32*a^5*b^3*c*d*e^7 - 64*a^6*b*c^2*d*e^7 + 6*a*b^6*c^2*d^6*e^2 + 32*a^2*b^3 \\
& *c^4*d^7*e + 4*a^2*b^6*c*d^4*e^4 + 20*a^3*b^5*c*d^3*e^5 - 192*a^4*b*c^4*d^5 \\
& *e^3 - 44*a^4*b^4*c*d^2*e^6 - 192*a^5*b*c^3*d^3*e^5))^{(1/2)}*2i + (e^2*x)/(\\
& 2*d*(d + e*x^2)*(a*e^2 + c*d^2 - b*d*e))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x**2+d)**2/(c*x**4+b*x**2+a),x)
```

```
[Out] Timed out
```

$$3.270 \quad \int \frac{(d+ex^2)^3}{(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=563

$$\frac{x \left(c \left(-\frac{abe(ae^2+3cd^2)}{c} - 2ad(cd^2 - 3ae^2) + b^2d^3 \right) - x^2 (ab^2e^3 - bcd(3ae^2 + cd^2) + 2ace(3cd^2 - ae^2)) \right)}{2ac(b^2 - 4ac)(a + bx^2 + cx^4)} \quad (ab^3e^3 - b^2$$

[Out] $\frac{1}{2}x(c(b^2d^3 - 2ad(cd^2 - 3ae^2) + b^2d^3) - x^2(ab^2e^3 - bcd(3ae^2 + cd^2) + 2ace(3cd^2 - ae^2)))/2ac(b^2 - 4ac)(a + bx^2 + cx^4)$

Rubi [A] time = 3.52, antiderivative size = 563, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1205, 1166, 205}

$$\frac{\left(-b^2 \left(ae^3 \sqrt{b^2 - 4ac} - 3acde^2 + c^2d^3 \right) + 6ac \left(ae^2 + cd^2 \right) \left(e\sqrt{b^2 - 4ac} + 2cd \right) - bc \left(cd^2 \left(d\sqrt{b^2 - 4ac} + 12ae \right) + \right)}{2\sqrt{2}ac^{3/2}(b^2 - 4ac)^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^3/(a + b*x^2 + c*x^4)^2,x]

[Out] $(x(c(b^2d^3 - 2ad(cd^2 - 3ae^2) + b^2d^3) - x^2(ab^2e^3 - bcd(3ae^2 + cd^2) + 2ace(3cd^2 - ae^2)))/2ac(b^2 - 4ac)(a + bx^2 + cx^4) - ((ab^3e^3 + 6aac(2cd + \sqrt{b^2 - 4ac})e)(cd^2 + ae^2) - b^2(c^2d^3 - 3acd^2e^2 + a\sqrt{b^2 - 4ac}e^3) - b*c*(ae^2*(3\sqrt{b^2 - 4ac}d + 8ae) + cd^2*(\sqrt{b^2 - 4ac}d + 12ae)))*\text{ArcTan}[(\sqrt{2}*\sqrt{c}*x)/\sqrt{b - \sqrt{b^2 - 4ac}}])/(2*\sqrt{2}*ac^{3/2}*(b^2 - 4ac)^{3/2}*\sqrt{b - \sqrt{b^2 - 4ac}}) + ((ab^3e^3 + 6aac(2cd - \sqrt{b^2 - 4ac})e)(cd^2 + ae^2) - b^2*($

$$c^2d^3 - 3acde^2 - a\sqrt{b^2 - 4ac}e^3 + bc(c^2d^2(\sqrt{b^2 - 4ac})d - 12ae) + ae^2(3\sqrt{b^2 - 4ac}d - 8ae)) \cdot \text{ArcTan}\left[\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right] / (2\sqrt{2}ac^{3/2}(b^2 - 4ac)^{3/2}\sqrt{b + \sqrt{b^2 - 4ac}})$$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4ac, 2]}, Dist[e/2 + (2cd - be)/(2q), Int[1/(b/2 - q/2 + cx^2), x], x] + Dist[e/2 - (2cd - be)/(2q), Int[1/(b/2 + q/2 + cx^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4ac, 0] && NeQ[c*d^2 - ae^2, 0] && PosQ[b^2 - 4ac]

Rule 1205

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{f = Coeff[PolynomialRemainder[(d + ex^2)^q, a + bx^2 + cx^4, x], x, 0], g = Coeff[PolynomialRemainder[(d + ex^2)^q, a + bx^2 + cx^4, x], x, 2]}, Simp[(x*(a + bx^2 + cx^4)^(p+1)*(abg - f*(b^2 - 2ac) - c*(bf - 2ag)*x^2))/(2a*(p+1)*(b^2 - 4ac)), x] + Dist[1/(2a*(p+1)*(b^2 - 4ac)), Int[(a + bx^2 + cx^4)^(p+1)*ExpandToSum[2a*(p+1)*(b^2 - 4ac)*PolynomialQuotient[(d + ex^2)^q, a + bx^2 + cx^4, x] + b^2*f*(2p+3) - 2ac*f*(4p+5) - abg + c*(4p+7)*(bf - 2ag)*x^2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4ac, 0] && NeQ[c*d^2 - b*d*e + ae^2, 0] && IGtQ[q, 1] && LtQ[p, -1]

Rubi steps

$$\int \frac{(d + ex^2)^3}{(a + bx^2 + cx^4)^2} dx = \frac{x \left(c \left(b^2 d^3 - 2ad(cd^2 - 3ae^2) - \frac{abe(3cd^2 + ae^2)}{c} \right) - (ab^2 e^3 + 2ace(3cd^2 - ae^2) - bcd(cd^2 + \dots) \right)}{2ac(b^2 - 4ac)(a + bx^2 + cx^4)}$$

$$= \frac{x \left(c \left(b^2 d^3 - 2ad(cd^2 - 3ae^2) - \frac{abe(3cd^2 + ae^2)}{c} \right) - (ab^2 e^3 + 2ace(3cd^2 - ae^2) - bcd(cd^2 + \dots) \right)}{2ac(b^2 - 4ac)(a + bx^2 + cx^4)}$$

$$= \frac{x \left(c \left(b^2 d^3 - 2ad(cd^2 - 3ae^2) - \frac{abe(3cd^2 + ae^2)}{c} \right) - (ab^2 e^3 + 2ace(3cd^2 - ae^2) - bcd(cd^2 + \dots) \right)}{2ac(b^2 - 4ac)(a + bx^2 + cx^4)}$$

Mathematica [A] time = 1.63, size = 540, normalized size = 0.96

$$\frac{2\sqrt{c}x(b(-a^2e^3 - 3acde(d - ex^2) + c^2d^3x^2) + b^2(cd^3 - ae^3x^2) + 2ac(ae^2(3d + ex^2) - cd^2(d + 3ex^2)))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{2}(-ab^3e^3 + b^2(ae^3\sqrt{b^2 - 4ac} - 3acde^2 + c^2d^3) - 6ac(ae^2 + \dots))}{(b^2 - 4ac)(a + bx^2 + cx^4)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^3/(a + b*x^2 + c*x^4)^2,x]

[Out] ((2*sqrt[c]*x*(b^2*(c*d^3 - a*e^3*x^2) + b*(-(a^2*e^3) + c^2*d^3*x^2 - 3*a*c*d*e*(d - e*x^2)) + 2*a*c*(a*e^2*(3*d + e*x^2) - c*d^2*(d + 3*e*x^2))))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (sqrt[2]*(-(a*b^3*e^3) - 6*a*c*(2*c*d + sqrt[b^2 - 4*a*c]*e)*(c*d^2 + a*e^2) + b^2*(c^2*d^3 - 3*a*c*d*e^2 + a*sqrt[b^2 - 4*a*c]*e^3) + b*c*(a*e^2*(3*sqrt[b^2 - 4*a*c]*d + 8*a*e) + c*d^2*(sqrt[b^2 - 4*a*c]*d + 12*a*e)))*ArcTan[(sqrt[2]*sqrt[c]*x)/sqrt[b - sqrt[b^2 - 4*a*c]]])/((b^2 - 4*a*c)^(3/2)*sqrt[b - sqrt[b^2 - 4*a*c]]) + (sqrt[2]*(a*b^3*e^3 + 6*a*c*(2*c*d - sqrt[b^2 - 4*a*c]*e)*(c*d^2 + a*e^2) + b^2*(-(c^2*d^3) + 3*a*c*d*e^2 + a*sqrt[b^2 - 4*a*c]*e^3) + b*c*(c*d^2*(sqrt[b^2 - 4*a*c]*d - 12*a*e) + a*e^2*(3*sqrt[b^2 - 4*a*c]*d - 8*a*e)))*ArcTan[(sqrt[2]*sqrt[c]*x)/sqrt[b + sqrt[b^2 - 4*a*c]]])/((b^2 - 4*a*c)^(3/2)*sqrt[b + sqrt[b^2 - 4*a*c]]))/(4*a*c^(3/2))

fricas [B] time = 84.43, size = 12117, normalized size = 21.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{4} \cdot (2 \cdot (b \cdot c^2 \cdot d^3 - 6 \cdot a \cdot c^2 \cdot d^2 \cdot e + 3 \cdot a \cdot b \cdot c \cdot d \cdot e^2 - (a \cdot b^2 - 2 \cdot a^2 \cdot c) \cdot e^3) \cdot x^3 - \sqrt{1/2} \cdot (a^2 \cdot b^2 \cdot c - 4 \cdot a^3 \cdot c^2 + (a \cdot b^2 \cdot c^2 - 4 \cdot a^2 \cdot c^3) \cdot x^4 + (a \cdot b^3 \cdot c - 4 \cdot a^2 \cdot b \cdot c^2) \cdot x^2) \cdot \sqrt{-(b^5 \cdot c^3 - 15 \cdot a \cdot b^3 \cdot c^4 + 60 \cdot a^2 \cdot b \cdot c^5) \cdot d^6 + 6 \cdot (a \cdot b^4 \cdot c^3 - 6 \cdot a^2 \cdot b^2 \cdot c^4 - 24 \cdot a^3 \cdot c^5) \cdot d^5 \cdot e - 3 \cdot (3 \cdot a^2 \cdot b^3 \cdot c^3 - 92 \cdot a^3 \cdot b \cdot c^4) \cdot d^4 \cdot e^2 - 8 \cdot (11 \cdot a^3 \cdot b^2 \cdot c^3 + 36 \cdot a^4 \cdot c^4) \cdot d^3 \cdot e^3 - 3 \cdot (3 \cdot a^3 \cdot b^3 \cdot c^2 - 92 \cdot a^4 \cdot b \cdot c^3) \cdot d^2 \cdot e^4 + 6 \cdot (a^3 \cdot b^4 \cdot c - 6 \cdot a^4 \cdot b^2 \cdot c^2 - 24 \cdot a^5 \cdot c^3) \cdot d \cdot e^5 + (a^3 \cdot b^5 - 15 \cdot a^4 \cdot b^3 \cdot c + 60 \cdot a^5 \cdot b \cdot c^2) \cdot e^6 + (a^3 \cdot b^6 \cdot c^3 - 12 \cdot a^4 \cdot b^4 \cdot c^4 + 48 \cdot a^5 \cdot b^2 \cdot c^5 - 64 \cdot a^6 \cdot c^6) \cdot \sqrt{-(108 \cdot a^3 \cdot b \cdot c^6 \cdot d^9 \cdot e^3 + 108 \cdot a^6 \cdot b \cdot c^3 \cdot d^3 \cdot e^9 - (b^4 \cdot c^6 - 18 \cdot a \cdot b^2 \cdot c^7 + 81 \cdot a^2 \cdot c^8) \cdot d^{12} - 12 \cdot (a \cdot b^3 \cdot c^6 - 9 \cdot a^2 \cdot b \cdot c^7) \cdot d^{11} \cdot e - 18 \cdot (a^2 \cdot b^2 \cdot c^6 + 9 \cdot a^3 \cdot c^7) \cdot d^{10} \cdot e^2 - 9 \cdot (2 \cdot a^3 \cdot b^2 \cdot c^5 - 9 \cdot a^4 \cdot c^6) \cdot d^8 \cdot e^4 + 12 \cdot (a^3 \cdot b^3 \cdot c^4 - 18 \cdot a^4 \cdot b \cdot c^5) \cdot d^7 \cdot e^5 + 2 \cdot (a^3 \cdot b^4 \cdot c^3 + 18 \cdot a^4 \cdot b^2 \cdot c^4 + 162 \cdot a^5 \cdot c^5) \cdot d^6 \cdot e^6 + 12 \cdot (a^4 \cdot b^3 \cdot c^3 - 18 \cdot a^5 \cdot b \cdot c^4) \cdot d^5 \cdot e^7 - 9 \cdot (2 \cdot a^5 \cdot b^2 \cdot c^3 - 9 \cdot a^6 \cdot c^4) \cdot d^4 \cdot e^8 - 18 \cdot (a^6 \cdot b^2 \cdot c^2 + 9 \cdot a^7 \cdot c^3) \cdot d^2 \cdot e^{10} - 12 \cdot (a^6 \cdot b^3 \cdot c - 9 \cdot a^7 \cdot b \cdot c^2) \cdot d \cdot e^{11} - (a^6 \cdot b^4 - 18 \cdot a^7 \cdot b^2 \cdot c + 81 \cdot a^8 \cdot c^2) \cdot e^{12}) / (a^6 \cdot b^6 \cdot c^6 - 12 \cdot a^7 \cdot b^4 \cdot c^7 + 48 \cdot a^8 \cdot b^2 \cdot c^8 - 64 \cdot a^9 \cdot c^9)) / (a^3 \cdot b^6 \cdot c^3 - 12 \cdot a^4 \cdot b^4 \cdot c^4 + 48 \cdot a^5 \cdot b^2 \cdot c^5 - 64 \cdot a^6 \cdot c^6)) \cdot \log(-((5 \cdot b^4 \cdot c^6 - 81 \cdot a \cdot b^2 \cdot c^7 + 324 \cdot a^2 \cdot c^8) \cdot d^{12} - 3 \cdot (3 \cdot b^5 \cdot c^5 - 65 \cdot a \cdot b^3 \cdot c^6 + 324 \cdot a^2 \cdot b \cdot c^7) \cdot d^{11} \cdot e + 3 \cdot (b^6 \cdot c^4 - 42 \cdot a \cdot b^4 \cdot c^5 + 252 \cdot a^2 \cdot b^2 \cdot c^6 + 432 \cdot a^3 \cdot c^7) \cdot d^{10} \cdot e^2 + (b^7 \cdot c^3 + 3 \cdot a \cdot b^5 \cdot c^4 + 33 \cdot a^2 \cdot b^3 \cdot c^5 - 2916 \cdot a^3 \cdot b \cdot c^6) \cdot d^9 \cdot e^3 + 9 \cdot (a \cdot b^6 \cdot c^3 - 15 \cdot a^2 \cdot b^4 \cdot c^4 + 195 \cdot a^3 \cdot b^2 \cdot c^5 + 180 \cdot a^4 \cdot c^6) \cdot d^8 \cdot e^4 - 162 \cdot (a^3 \cdot b^3 \cdot c^4 + 12 \cdot a^4 \cdot b \cdot c^5) \cdot d^7 \cdot e^5 + 16 \cdot 2 \cdot (a^4 \cdot b^3 \cdot c^3 + 12 \cdot a^5 \cdot b \cdot c^4) \cdot d^5 \cdot e^7 - 9 \cdot (a^3 \cdot b^6 \cdot c - 15 \cdot a^4 \cdot b^4 \cdot c^2 + 19 \cdot 5 \cdot a^5 \cdot b^2 \cdot c^3 + 180 \cdot a^6 \cdot c^4) \cdot d^4 \cdot e^8 - (a^3 \cdot b^7 + 3 \cdot a^4 \cdot b^5 \cdot c + 33 \cdot a^5 \cdot b^3 \cdot c^2 - 2916 \cdot a^6 \cdot b \cdot c^3) \cdot d^3 \cdot e^9 - 3 \cdot (a^4 \cdot b^6 - 42 \cdot a^5 \cdot b^4 \cdot c + 252 \cdot a^6 \cdot b^2 \cdot c^2 + 432 \cdot a^7 \cdot c^3) \cdot d^2 \cdot e^{10} + 3 \cdot (3 \cdot a^5 \cdot b^5 - 65 \cdot a^6 \cdot b^3 \cdot c + 324 \cdot a^7 \cdot b \cdot c^2) \cdot d \cdot e^{11} - (5 \cdot a^6 \cdot b^4 - 81 \cdot a^7 \cdot b^2 \cdot c + 324 \cdot a^8 \cdot c^2) \cdot e^{12}) \cdot x + 1/2 \cdot \sqrt{1/2} \cdot ((b^8 \cdot c^4 - 23 \cdot a \cdot b^6 \cdot c^5 + 190 \cdot a^2 \cdot b^4 \cdot c^6 - 672 \cdot a^3 \cdot b^2 \cdot c^7 + 864 \cdot a^4 \cdot c^8) \cdot d^9 + 9 \cdot (a \cdot b^7 \cdot c^4 - 15 \cdot a^2 \cdot b^5 \cdot c^5 + 72 \cdot a^3 \cdot b^3 \cdot c^6 - 112 \cdot a^4 \cdot b \cdot c^7) \cdot d^8 \cdot e + 3 \cdot (a^2 \cdot b^6 \cdot c^4 + 28 \cdot a^3 \cdot b^4 \cdot c^5 - 272 \cdot a^4 \cdot b^2 \cdot c^6 + 576 \cdot a^5 \cdot c^7) \cdot d^7 \cdot e^2 + (a^2 \cdot b^7 \cdot c^3 - 80 \cdot a^3 \cdot b^5 \cdot c^4 + 592 \cdot a^4 \cdot b^3 \cdot c^5 - 1152 \cdot a^5 \cdot b \cdot c^6) \cdot d^6 \cdot e^3 + 15 \cdot (a^3 \cdot b^6 \cdot c^3 - 8 \cdot a^4 \cdot b^4 \cdot c^4 + 16 \cdot a^5 \cdot b^2 \cdot c^5) \cdot d^5 \cdot e^4 - 6 \cdot (a^3 \cdot b^7 \cdot c^2 - 17 \cdot a^4 \cdot b^5 \cdot c^3 + 88 \cdot a^5 \cdot b^3 \cdot c^4 - 144 \cdot a^6 \cdot b \cdot c^5) \cdot d^4 \cdot e^5 - (a^3 \cdot b^8 \cdot c - 5 \cdot a^4 \cdot b^6 \cdot c^2 + 100 \cdot a^5 \cdot b^4 \cdot c^3 - 816 \cdot a^6 \cdot b^2 \cdot c^4 + 1728 \cdot a^7 \cdot c^5) \cdot d^3 \cdot e^6 - 3 \cdot (a^4 \cdot b^7 \cdot c - 32 \cdot a^5 \cdot b^5 \cdot c^2 + 208 \cdot a^6 \cdot b^3 \cdot c^3 - 384 \cdot a^7 \cdot b \cdot c^4) \cdot d^2 \cdot e^7 - 54 \cdot (a^6 \cdot b^4 \cdot c^2 - 8 \cdot a^7 \cdot b^2 \cdot c^3 + 16 \cdot a^8 \cdot c^4) \cdot d \cdot e^8 - (a^5 \cdot b^7 - 17 \cdot a^6 \cdot b^5 \cdot c + 88 \cdot a^7 \cdot b^3 \cdot c^2 - 144 \cdot a^8 \cdot b \cdot c^3) \cdot e^9 - ((a^3 \cdot b^9 \cdot c^4 - 20 \cdot a^4 \cdot b^7 \cdot c^5 + 144 \cdot a^5 \cdot b^5 \cdot c^6 - 448 \cdot a^6 \cdot b^3 \cdot c^7 + 512 \cdot a^7 \cdot b \cdot c^8) \cdot d^3 + 3 \cdot (a^4 \cdot b^8 \cdot c^4 - 8 \cdot a^5 \cdot b^6 \cdot c^5 + 128 \cdot a^7 \cdot b^2 \cdot c^7 - 256 \cdot a^8 \cdot c^8) \cdot d^2 \cdot e - 12 \cdot (a^5 \cdot b^7 \cdot c^4 - 1 \cdot 2 \cdot a^6 \cdot b^5 \cdot c^5 + 48 \cdot a^7 \cdot b^3 \cdot c^6 - 64 \cdot a^8 \cdot b \cdot c^7) \cdot d \cdot e^2 - (a^5 \cdot b^8 \cdot c^3 - 24 \cdot a^6 \cdot b^6 \cdot c^4 + 192 \cdot a^7 \cdot b^4 \cdot c^5 - 640 \cdot a^8 \cdot b^2 \cdot c^6 + 768 \cdot a^9 \cdot c^7) \cdot e^3) \cdot \sqrt{-(108 \cdot a^3 \cdot b \cdot c^6 \cdot d^9 \cdot e^3 + 108 \cdot a^6 \cdot b \cdot c^3 \cdot d^3 \cdot e^9 - (b^4 \cdot c^6 - 18 \cdot a \cdot b^2 \cdot c^7 + 81 \cdot a^2 \cdot c^8) \cdot d^{12} - 12 \cdot (a \cdot b^3 \cdot c^6 - 9 \cdot a^2 \cdot b \cdot c^7) \cdot d^{11} \cdot e - 18 \cdot (a^2 \cdot b^2 \cdot c^6 + 9 \cdot a^3 \cdot c^7) \cdot d^{10} \cdot e^2 - 9 \cdot (2 \cdot a^3 \cdot b^2 \cdot c^5 - 9 \cdot a^4 \cdot c^6) \cdot d^8 \cdot e^4 + 12 \cdot (a^3 \cdot b^3 \cdot c^4$

$$\begin{aligned}
& b^3c^6 - 112a^4b^2c^7)d^8e + 3(a^2b^6c^4 + 28a^3b^4c^5 - 272a^4b^2c^6 + 576a^5c^7)d^7e^2 + (a^2b^7c^3 - 80a^3b^5c^4 + 592a^4b^3c^5 - 1152a^5b^2c^6)d^6e^3 + 15(a^3b^6c^3 - 8a^4b^4c^4 + 16a^5b^2c^5)d^5e^4 - 6(a^3b^7c^2 - 17a^4b^5c^3 + 88a^5b^3c^4 - 144a^6b^2c^5)d^4e^5 - (a^3b^8c - 5a^4b^6c^2 + 100a^5b^4c^3 - 816a^6b^2c^4 + 1728a^7c^5)d^3e^6 - 3(a^4b^7c - 32a^5b^5c^2 + 208a^6b^3c^3 - 384a^7b^2c^4)d^2e^7 - 54(a^6b^4c^2 - 8a^7b^2c^3 + 16a^8c^4)d^2e^8 - (a^5b^7 - 17a^6b^5c + 88a^7b^3c^2 - 144a^8b^2c^3)e^9 - ((a^3b^9c^4 - 20a^4b^7c^5 + 144a^5b^5c^6 - 448a^6b^3c^7 + 512a^7b^2c^8)d^3 + 3(a^4b^8c^4 - 8a^5b^6c^5 + 128a^7b^2c^7 - 256a^8c^8)d^2e - 12(a^5b^7c^4 - 12a^6b^5c^5 + 48a^7b^3c^6 - 64a^8b^2c^7)d^2e - (a^5b^8c^3 - 24a^6b^6c^4 + 192a^7b^4c^5 - 640a^8b^2c^6 + 768a^9c^7)e^3) \sqrt{-(108a^3b^2c^6d^9e^3 + 108a^6b^2c^3d^3e^9 - (b^4c^6 - 18a^2b^2c^7 + 81a^2c^8)d^12 - 12(a^2b^3c^6 - 9a^2b^2c^7)d^11e - 18(a^2b^2c^6 + 9a^3c^7)d^10e^2 - 9(2a^3b^2c^5 - 9a^4c^6)d^8e^4 + 12(a^3b^3c^4 - 18a^4b^2c^5)d^7e^5 + 2(a^3b^4c^3 + 18a^4b^2c^4 + 162a^5c^5)d^6e^6 + 12(a^4b^3c^3 - 18a^5b^2c^4)d^5e^7 - 9(2a^5b^2c^3 - 9a^6c^4)d^4e^8 - 18(a^6b^2c^2 + 9a^7c^3)d^2e^10 - 12(a^6b^3c - 9a^7b^2c^2)d^2e^11 - (a^6b^4 - 18a^7b^2c + 81a^8c^2)e^12)/(a^6b^6c^6 - 12a^7b^4c^7 + 48a^8b^2c^8 - 64a^9c^9))} \sqrt{-(b^5c^3 - 15a^2b^3c^4 + 60a^2b^2c^5)d^6 + 6(a^2b^4c^3 - 6a^2b^2c^4 - 24a^3c^5)d^5e - 3(3a^2b^3c^3 - 92a^3b^2c^4)d^4e^2 - 8(11a^3b^2c^3 + 36a^4c^4)d^3e^3 - 3(3a^3b^3c^2 - 92a^4b^2c^3)d^2e^4 + 6(a^3b^4c - 6a^4b^2c^2 - 24a^5c^3)d^2e^5 + (a^3b^5 - 15a^4b^3c + 60a^5b^2c^2)e^6 + (a^3b^6c^3 - 12a^4b^4c^4 + 48a^5b^2c^5 - 64a^6c^6) \sqrt{-(108a^3b^2c^6d^9e^3 + 108a^6b^2c^3d^3e^9 - (b^4c^6 - 18a^2b^2c^7 + 81a^2c^8)d^12 - 12(a^2b^3c^6 - 9a^2b^2c^7)d^11e - 18(a^2b^2c^6 + 9a^3c^7)d^10e^2 - 9(2a^3b^2c^5 - 9a^4c^6)d^8e^4 + 12(a^3b^3c^4 - 18a^4b^2c^5)d^7e^5 + 2(a^3b^4c^3 + 18a^4b^2c^4 + 162a^5c^5)d^6e^6 + 12(a^4b^3c^3 - 18a^5b^2c^4)d^5e^7 - 9(2a^5b^2c^3 - 9a^6c^4)d^4e^8 - 18(a^6b^2c^2 + 9a^7c^3)d^2e^10 - 12(a^6b^3c - 9a^7b^2c^2)d^2e^11 - (a^6b^4 - 18a^7b^2c + 81a^8c^2)e^12)/(a^6b^6c^6 - 12a^7b^4c^7 + 48a^8b^2c^8 - 64a^9c^9))} - \sqrt{(1/2)(a^2b^2c - 4a^3c^2 + (a^2b^2c^2 - 4a^2c^3)x^4 + (a^2b^3c - 4a^2b^2c^2)x^2) \sqrt{-(b^5c^3 - 15a^2b^3c^4 + 60a^2b^2c^5)d^6 + 6(a^2b^4c^3 - 6a^2b^2c^4 - 24a^3c^5)d^5e - 3(3a^2b^3c^3 - 92a^3b^2c^4)d^4e^2 - 8(11a^3b^2c^3 + 36a^4c^4)d^3e^3 - 3(3a^3b^3c^2 - 92a^4b^2c^3)d^2e^4 + 6(a^3b^4c - 6a^4b^2c^2 - 24a^5c^3)d^2e^5 + (a^3b^5 - 15a^4b^3c + 60a^5b^2c^2)e^6 - (a^3b^6c^3 - 12a^4b^4c^4 + 48a^5b^2c^5 - 64a^6c^6) \sqrt{-(108a^3b^2c^6d^9e^3 + 108a^6b^2c^3d^3e^9 - (b^4c^6 - 18a^2b^2c^7 + 81a^2c^8)d^12 - 12(a^2b^3c^6 - 9a^2b^2c^7)d^11e - 18(a^2b^2c^6 + 9a^3c^7)d^10e^2 - 9(2a^3b^2c^5 - 9a^4c^6)d^8e^4 + 12(a^3b^3c^4 - 18a^4b^2c^5)d^7e^5 + 2(a^3b^4c^3 + 18a^4b^2c^4 + 162a^5c^5)d^6e^6 + 12(a^4b^3c^3 - 18a^5b^2c^4)
\end{aligned}$$

$$\begin{aligned}
& c^4) * d^5 * e^7 - 9 * (2 * a^5 * b^2 * c^3 - 9 * a^6 * c^4) * d^4 * e^8 - 18 * (a^6 * b^2 * c^2 + 9 * \\
& a^7 * c^3) * d^2 * e^{10} - 12 * (a^6 * b^3 * c - 9 * a^7 * b * c^2) * d * e^{11} - (a^6 * b^4 - 18 * a^7 * \\
& b^2 * c + 81 * a^8 * c^2) * e^{12} / (a^6 * b^6 * c^6 - 12 * a^7 * b^4 * c^7 + 48 * a^8 * b^2 * c^8 - \\
& 64 * a^9 * c^9) / (a^3 * b^6 * c^3 - 12 * a^4 * b^4 * c^4 + 48 * a^5 * b^2 * c^5 - 64 * a^6 * c^6) \\
&) * \log(-((5 * b^4 * c^6 - 81 * a * b^2 * c^7 + 324 * a^2 * c^8) * d^{12} - 3 * (3 * b^5 * c^5 - 65 * a * \\
& b^3 * c^6 + 324 * a^2 * b * c^7) * d^{11} * e + 3 * (b^6 * c^4 - 42 * a * b^4 * c^5 + 252 * a^2 * b^2 * \\
& c^6 + 432 * a^3 * c^7) * d^{10} * e^2 + (b^7 * c^3 + 3 * a * b^5 * c^4 + 33 * a^2 * b^3 * c^5 - 291 \\
& 6 * a^3 * b * c^6) * d^9 * e^3 + 9 * (a * b^6 * c^3 - 15 * a^2 * b^4 * c^4 + 195 * a^3 * b^2 * c^5 + 18 \\
& 0 * a^4 * c^6) * d^8 * e^4 - 162 * (a^3 * b^3 * c^4 + 12 * a^4 * b * c^5) * d^7 * e^5 + 162 * (a^4 * b^ \\
& 3 * c^3 + 12 * a^5 * b * c^4) * d^5 * e^7 - 9 * (a^3 * b^6 * c - 15 * a^4 * b^4 * c^2 + 195 * a^5 * b^2 * \\
& c^3 + 180 * a^6 * c^4) * d^4 * e^8 - (a^3 * b^7 + 3 * a^4 * b^5 * c + 33 * a^5 * b^3 * c^2 - 291 \\
& 6 * a^6 * b * c^3) * d^3 * e^9 - 3 * (a^4 * b^6 - 42 * a^5 * b^4 * c + 252 * a^6 * b^2 * c^2 + 432 * a^ \\
& 7 * c^3) * d^2 * e^{10} + 3 * (3 * a^5 * b^5 - 65 * a^6 * b^3 * c + 324 * a^7 * b * c^2) * d * e^{11} - (5 * \\
& a^6 * b^4 - 81 * a^7 * b^2 * c + 324 * a^8 * c^2) * e^{12} * x + 1/2 * \sqrt{1/2} * ((b^8 * c^4 - 2 \\
& 3 * a * b^6 * c^5 + 190 * a^2 * b^4 * c^6 - 672 * a^3 * b^2 * c^7 + 864 * a^4 * c^8) * d^9 + 9 * (a * b \\
& ^7 * c^4 - 15 * a^2 * b^5 * c^5 + 72 * a^3 * b^3 * c^6 - 112 * a^4 * b * c^7) * d^8 * e + 3 * (a^2 * b^ \\
& 6 * c^4 + 28 * a^3 * b^4 * c^5 - 272 * a^4 * b^2 * c^6 + 576 * a^5 * c^7) * d^7 * e^2 + (a^2 * b^7 * \\
& c^3 - 80 * a^3 * b^5 * c^4 + 592 * a^4 * b^3 * c^5 - 1152 * a^5 * b * c^6) * d^6 * e^3 + 15 * (a^3 * \\
& b^6 * c^3 - 8 * a^4 * b^4 * c^4 + 16 * a^5 * b^2 * c^5) * d^5 * e^4 - 6 * (a^3 * b^7 * c^2 - 17 * a^4 * \\
& b^5 * c^3 + 88 * a^5 * b^3 * c^4 - 144 * a^6 * b * c^5) * d^4 * e^5 - (a^3 * b^8 * c - 5 * a^4 * b^6 * \\
& c^2 + 100 * a^5 * b^4 * c^3 - 816 * a^6 * b^2 * c^4 + 1728 * a^7 * c^5) * d^3 * e^6 - 3 * (a^4 * b^ \\
& ^7 * c - 32 * a^5 * b^5 * c^2 + 208 * a^6 * b^3 * c^3 - 384 * a^7 * b * c^4) * d^2 * e^7 - 54 * (a^6 * \\
& b^4 * c^2 - 8 * a^7 * b^2 * c^3 + 16 * a^8 * c^4) * d * e^8 - (a^5 * b^7 - 17 * a^6 * b^5 * c + 88 * \\
& a^7 * b^3 * c^2 - 144 * a^8 * b * c^3) * e^9 + ((a^3 * b^9 * c^4 - 20 * a^4 * b^7 * c^5 + 144 * a^5 * \\
& b^5 * c^6 - 448 * a^6 * b^3 * c^7 + 512 * a^7 * b * c^8) * d^3 + 3 * (a^4 * b^8 * c^4 - 8 * a^5 * b^ \\
& 6 * c^5 + 128 * a^7 * b^2 * c^7 - 256 * a^8 * c^8) * d^2 * e - 12 * (a^5 * b^7 * c^4 - 12 * a^6 * b^5 * \\
& c^5 + 48 * a^7 * b^3 * c^6 - 64 * a^8 * b * c^7) * d * e^2 - (a^5 * b^8 * c^3 - 24 * a^6 * b^6 * c^4 \\
& + 192 * a^7 * b^4 * c^5 - 640 * a^8 * b^2 * c^6 + 768 * a^9 * c^7) * e^3) * \sqrt{-(108 * a^3 * b * c \\
& ^6 * d^9 * e^3 + 108 * a^6 * b * c^3 * d^3 * e^9 - (b^4 * c^6 - 18 * a * b^2 * c^7 + 81 * a^2 * c^8) * \\
& d^{12} - 12 * (a * b^3 * c^6 - 9 * a^2 * b * c^7) * d^{11} * e - 18 * (a^2 * b^2 * c^6 + 9 * a^3 * c^7) * d \\
& ^{10} * e^2 - 9 * (2 * a^3 * b^2 * c^5 - 9 * a^4 * c^6) * d^8 * e^4 + 12 * (a^3 * b^3 * c^4 - 18 * a^4 * \\
& b * c^5) * d^7 * e^5 + 2 * (a^3 * b^4 * c^3 + 18 * a^4 * b^2 * c^4 + 162 * a^5 * c^5) * d^6 * e^6 + 1 \\
& 2 * (a^4 * b^3 * c^3 - 18 * a^5 * b * c^4) * d^5 * e^7 - 9 * (2 * a^5 * b^2 * c^3 - 9 * a^6 * c^4) * d^4 * \\
& e^8 - 18 * (a^6 * b^2 * c^2 + 9 * a^7 * c^3) * d^2 * e^{10} - 12 * (a^6 * b^3 * c - 9 * a^7 * b * c^2) * \\
& d * e^{11} - (a^6 * b^4 - 18 * a^7 * b^2 * c + 81 * a^8 * c^2) * e^{12} / (a^6 * b^6 * c^6 - 12 * a^7 * \\
& b^4 * c^7 + 48 * a^8 * b^2 * c^8 - 64 * a^9 * c^9) * \sqrt{-(b^5 * c^3 - 15 * a * b^3 * c^4 + 6 \\
& 0 * a^2 * b * c^5) * d^6 + 6 * (a * b^4 * c^3 - 6 * a^2 * b^2 * c^4 - 24 * a^3 * c^5) * d^5 * e - 3 * (3 * \\
& a^2 * b^3 * c^3 - 92 * a^3 * b * c^4) * d^4 * e^2 - 8 * (11 * a^3 * b^2 * c^3 + 36 * a^4 * c^4) * d^3 * e \\
& ^3 - 3 * (3 * a^3 * b^3 * c^2 - 92 * a^4 * b * c^3) * d^2 * e^4 + 6 * (a^3 * b^4 * c - 6 * a^4 * b^2 * c^ \\
& 2 - 24 * a^5 * c^3) * d * e^5 + (a^3 * b^5 - 15 * a^4 * b^3 * c + 60 * a^5 * b * c^2) * e^6 - (a^3 * \\
& b^6 * c^3 - 12 * a^4 * b^4 * c^4 + 48 * a^5 * b^2 * c^5 - 64 * a^6 * c^6) * \sqrt{-(108 * a^3 * b * c^ \\
& 6 * d^9 * e^3 + 108 * a^6 * b * c^3 * d^3 * e^9 - (b^4 * c^6 - 18 * a * b^2 * c^7 + 81 * a^2 * c^8) * d \\
& ^{12} - 12 * (a * b^3 * c^6 - 9 * a^2 * b * c^7) * d^{11} * e - 18 * (a^2 * b^2 * c^6 + 9 * a^3 * c^7) * d \\
& ^{10} * e^2 - 9 * (2 * a^3 * b^2 * c^5 - 9 * a^4 * c^6) * d^8 * e^4 + 12 * (a^3 * b^3 * c^4 - 18 * a^4 * b \\
& * c^5) * d^7 * e^5 + 2 * (a^3 * b^4 * c^3 + 18 * a^4 * b^2 * c^4 + 162 * a^5 * c^5) * d^6 * e^6 + 12
\end{aligned}$$

$$\begin{aligned}
& * (a^4 b^3 c^3 - 18 a^5 b^2 c^4) d^5 e^7 - 9 * (2 a^5 b^2 c^3 - 9 a^6 c^4) d^4 e^8 - 18 * (a^6 b^2 c^2 + 9 a^7 c^3) d^2 e^{10} - 12 * (a^6 b^3 c - 9 a^7 b^2 c^2) d e^{11} - (a^6 b^4 - 18 a^7 b^2 c + 81 a^8 c^2) e^{12} / (a^6 b^6 c^6 - 12 a^7 b^4 c^7 + 48 a^8 b^2 c^8 - 64 a^9 c^9) / (a^3 b^6 c^3 - 12 a^4 b^4 c^4 + 48 a^5 b^2 c^5 - 64 a^6 c^6) + \sqrt{1/2} * (a^2 b^2 c - 4 a^3 c^2 + (a b^2 c^2 - 4 a^2 c^3) x^4 + (a b^3 c - 4 a^2 b c^2) x^2) * \sqrt{-((b^5 c^3 - 15 a b^3 c^4 + 60 a^2 b^2 c^5) d^6 + 6 * (a b^4 c^3 - 6 a^2 b^2 c^4 - 24 a^3 c^5) d^5 e - 3 * (3 a^2 b^3 c^3 - 92 a^3 b^2 c^4) d^4 e^2 - 8 * (11 a^3 b^2 c^3 + 36 a^4 c^4) d^3 e^3 - 3 * (3 a^3 b^3 c^2 - 92 a^4 b^2 c^3) d^2 e^4 + 6 * (a^3 b^4 c - 6 a^4 b^2 c^2 - 24 a^5 c^3) d e^5 + (a^3 b^5 - 15 a^4 b^3 c + 60 a^5 b^2 c^2) e^6 - (a^3 b^6 c^3 - 12 a^4 b^4 c^4 + 48 a^5 b^2 c^5 - 64 a^6 c^6) * \sqrt{-(108 a^3 b^2 c^6 d^9 e^3 + 108 a^6 b^2 c^3 d^3 e^9 - (b^4 c^6 - 18 a b^2 c^7 + 81 a^2 c^8) d^{12} - 12 * (a b^3 c^6 - 9 a^2 b^2 c^7) d^{11} e - 18 * (a^2 b^2 c^6 + 9 a^3 c^7) d^{10} e^2 - 9 * (2 a^3 b^2 c^5 - 9 a^4 c^6) d^8 e^4 + 12 * (a^3 b^3 c^4 - 18 a^4 b^2 c^5) d^7 e^5 + 2 * (a^3 b^4 c^3 + 18 a^4 b^2 c^4 + 162 a^5 c^5) d^6 e^6 + 12 * (a^4 b^3 c^3 - 18 a^5 b^2 c^4) d^5 e^7 - 9 * (2 a^5 b^2 c^3 - 9 a^6 c^4) d^4 e^8 - 18 * (a^6 b^2 c^2 + 9 a^7 c^3) d^2 e^{10} - 12 * (a^6 b^3 c - 9 a^7 b^2 c^2) d e^{11} - (a^6 b^4 - 18 a^7 b^2 c + 81 a^8 c^2) e^{12})} / (a^6 b^6 c^6 - 12 a^7 b^4 c^7 + 48 a^8 b^2 c^8 - 64 a^9 c^9) / (a^3 b^6 c^3 - 12 a^4 b^4 c^4 + 48 a^5 b^2 c^5 - 64 a^6 c^6) * \log(-((5 b^4 c^6 - 81 a b^2 c^7 + 324 a^2 c^8) d^{12} - 3 * (3 b^5 c^5 - 65 a b^3 c^6 + 324 a^2 b^2 c^7) d^{11} e + 3 * (b^6 c^4 - 42 a b^4 c^5 + 252 a^2 b^2 c^6 + 432 a^3 c^7) d^{10} e^2 + (b^7 c^3 + 3 a b^5 c^4 + 33 a^2 b^3 c^5 - 2916 a^3 b^2 c^6) d^9 e^3 + 9 * (a b^6 c^3 - 15 a^2 b^4 c^4 + 195 a^3 b^2 c^5 + 180 a^4 c^6) d^8 e^4 - 162 * (a^3 b^3 c^4 + 12 a^4 b^2 c^5) d^7 e^5 + 162 * (a^4 b^3 c^3 + 12 a^5 b^2 c^4) d^5 e^7 - 9 * (a^3 b^6 c - 15 a^4 b^4 c^2 + 195 a^5 b^2 c^3 + 180 a^6 c^4) d^4 e^8 - (a^3 b^7 + 3 a^4 b^5 c + 33 a^5 b^3 c^2 - 2916 a^6 b^2 c^3) d^3 e^9 - 3 * (a^4 b^6 - 42 a^5 b^4 c + 252 a^6 b^2 c^2 + 432 a^7 c^3) d^2 e^{10} + 3 * (3 a^5 b^5 - 65 a^6 b^3 c + 324 a^7 b^2 c^2) d e^{11} - (5 a^6 b^4 - 81 a^7 b^2 c + 324 a^8 c^2) e^{12}) * x - 1/2 * \sqrt{1/2} * ((b^8 c^4 - 23 a b^6 c^5 + 190 a^2 b^4 c^6 - 672 a^3 b^2 c^7 + 864 a^4 c^8) d^9 + 9 * (a b^7 c^4 - 15 a^2 b^5 c^5 + 72 a^3 b^3 c^6 - 112 a^4 b^2 c^7) d^8 e + 3 * (a^2 b^6 c^4 + 28 a^3 b^4 c^5 - 272 a^4 b^2 c^6 + 576 a^5 c^7) d^7 e^2 + (a^2 b^7 c^3 - 80 a^3 b^5 c^4 + 592 a^4 b^3 c^5 - 1152 a^5 b^2 c^6) d^6 e^3 + 15 * (a^3 b^6 c^3 - 8 a^4 b^4 c^4 + 16 a^5 b^2 c^5) d^5 e^4 - 6 * (a^3 b^7 c^2 - 17 a^4 b^5 c^3 + 88 a^5 b^3 c^4 - 144 a^6 b^2 c^5) d^4 e^5 - (a^3 b^8 c - 5 a^4 b^6 c^2 + 100 a^5 b^4 c^3 - 816 a^6 b^2 c^4 + 1728 a^7 c^5) d^3 e^6 - 3 * (a^4 b^7 c - 32 a^5 b^5 c^2 + 208 a^6 b^3 c^3 - 384 a^7 b^2 c^4) d^2 e^7 - 54 * (a^6 b^4 c^2 - 8 a^7 b^2 c^3 + 16 a^8 c^4) d e^8 - (a^5 b^7 - 17 a^6 b^5 c + 88 a^7 b^3 c^2 - 144 a^8 b^2 c^3) e^9 + ((a^3 b^9 c^4 - 20 a^4 b^7 c^5 + 144 a^5 b^5 c^6 - 448 a^6 b^3 c^7 + 512 a^7 b^2 c^8) d^3 + 3 * (a^4 b^8 c^4 - 8 a^5 b^6 c^5 + 128 a^7 b^2 c^7 - 256 a^8 c^8) d^2 e - 12 * (a^5 b^7 c^4 - 12 a^6 b^5 c^5 + 48 a^7 b^3 c^6 - 64 a^8 b^2 c^7) d e^2 - (a^5 b^8 c^3 - 24 a^6 b^6 c^4 + 192 a^7 b^4 c^5 - 640 a^8 b^2 c^6 + 768 a^9 c^7) e^3) * \sqrt{-(108 a^3 b^2 c^6 d^9 e^3 + 108 a^6 b^2 c^3 d^3 e^9 - (b^4 c^6 - 18 a b^2 c^7 + 81 a^2 c^8) d^{12} - 12 * (a b^3 c^6 - 9 a^2 b^2 c^7) d^{11} e}
\end{aligned}$$

$$\begin{aligned}
& - 18*(a^2*b^2*c^6 + 9*a^3*c^7)*d^{10}*e^2 - 9*(2*a^3*b^2*c^5 - 9*a^4*c^6)*d^8*e^4 + 12*(a^3*b^3*c^4 - 18*a^4*b*c^5)*d^7*e^5 + 2*(a^3*b^4*c^3 + 18*a^4*b^2*c^4 + 162*a^5*c^5)*d^6*e^6 + 12*(a^4*b^3*c^3 - 18*a^5*b*c^4)*d^5*e^7 - 9*(2*a^5*b^2*c^3 - 9*a^6*c^4)*d^4*e^8 - 18*(a^6*b^2*c^2 + 9*a^7*c^3)*d^2*e^{10} - 12*(a^6*b^3*c - 9*a^7*b*c^2)*d*e^{11} - (a^6*b^4 - 18*a^7*b^2*c + 81*a^8*c^2)*e^{12} / ((a^6*b^6*c^6 - 12*a^7*b^4*c^7 + 48*a^8*b^2*c^8 - 64*a^9*c^9)) * \text{sqrt}(-((b^5*c^3 - 15*a*b^3*c^4 + 60*a^2*b*c^5)*d^6 + 6*(a*b^4*c^3 - 6*a^2*b^2*c^4 - 24*a^3*c^5)*d^5*e - 3*(3*a^2*b^3*c^3 - 92*a^3*b*c^4)*d^4*e^2 - 8*(11*a^3*b^2*c^3 + 36*a^4*c^4)*d^3*e^3 - 3*(3*a^3*b^3*c^2 - 92*a^4*b*c^3)*d^2*e^4 + 6*(a^3*b^4*c - 6*a^4*b^2*c^2 - 24*a^5*c^3)*d*e^5 + (a^3*b^5 - 15*a^4*b^3*c + 60*a^5*b*c^2)*e^6 - (a^3*b^6*c^3 - 12*a^4*b^4*c^4 + 48*a^5*b^2*c^5 - 64*a^6*c^6)*\text{sqrt}(-(108*a^3*b*c^6*d^9*e^3 + 108*a^6*b*c^3*d^3*e^9 - (b^4*c^6 - 18*a*b^2*c^7 + 81*a^2*c^8)*d^{12} - 12*(a*b^3*c^6 - 9*a^2*b*c^7)*d^{11}*e - 18*(a^2*b^2*c^6 + 9*a^3*c^7)*d^{10}*e^2 - 9*(2*a^3*b^2*c^5 - 9*a^4*c^6)*d^8*e^4 + 12*(a^3*b^3*c^4 - 18*a^4*b*c^5)*d^7*e^5 + 2*(a^3*b^4*c^3 + 18*a^4*b^2*c^4 + 162*a^5*c^5)*d^6*e^6 + 12*(a^4*b^3*c^3 - 18*a^5*b*c^4)*d^5*e^7 - 9*(2*a^5*b^2*c^3 - 9*a^6*c^4)*d^4*e^8 - 18*(a^6*b^2*c^2 + 9*a^7*c^3)*d^2*e^{10} - 12*(a^6*b^3*c - 9*a^7*b*c^2)*d*e^{11} - (a^6*b^4 - 18*a^7*b^2*c + 81*a^8*c^2)*e^{12} / (a^6*b^6*c^6 - 12*a^7*b^4*c^7 + 48*a^8*b^2*c^8 - 64*a^9*c^9)) / (a^3*b^6*c^3 - 12*a^4*b^4*c^4 + 48*a^5*b^2*c^5 - 64*a^6*c^6)) - 2*(3*a*b*c*d^2*e - 6*a^2*c*d*e^2 + a^2*b*e^3 - (b^2*c - 2*a*c^2)*d^3)*x / (a^2*b^2*c - 4*a^3*c^2 + (a*b^2*c^2 - 4*a^2*c^3)*x^4 + (a*b^3*c - 4*a^2*b*c^2)*x^2)
\end{aligned}$$

giac [B] time = 2.46, size = 8983, normalized size = 15.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out] $1/2*(b*c^2*d^3*x^3 - 6*a*c^2*d^2*x^3*e + 3*a*b*c*d*x^3*e^2 + b^2*c*d^3*x - 2*a*c^2*d^3*x - a*b^2*x^3*e^3 + 2*a^2*c*x^3*e^3 - 3*a*b*c*d^2*x*e + 6*a^2*c*d*x*e^2 - a^2*b*x*e^3) / ((c*x^4 + b*x^2 + a)*(a*b^2*c - 4*a^2*c^2)) + 1/16*((2*b^3*c^4 - 8*a*b*c^5 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^3*c^2 + 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b*c^3 + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^2*c^3 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b*c^4 - 2*(b^2 - 4*a*c)*b*c^4*(a*b^2*c - 4*a^2*c^2)^2*d^3 - 6*(2*a*b^2*c^4 - 8*a^2*c^5 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a*b^2*c^2 + 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*c^3 + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b*c^3 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*c^4 - 2*(b^2 - 4*a*c)*a*c^4*(a*b^2*c - 4*a^2*c^2)^2*d^2*e + 2*(\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^6*c^3 - 14*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^4*c^4 - 2*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^5*c^4 - 2*a*b^6*c^4 + 64*\text{sqrt}$

$$\begin{aligned}
& (2) \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^3 b^2 c^5 + 20 \sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^2 b^3 c^5 + \sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^4 c^5 + 28 a^2 b^4 c^5 - 96 \sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^4 c^6 - 48 \sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^3 b c^6 - 10 \sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^2 b^2 c^6 - 128 a^3 b^2 c^6 + 24 \sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^3 c^7 + 192 a^4 c^7 + 2(b^2 - 4ac) a^4 b^2 c^4 - 20(b^2 - 4ac) a^2 b^2 c^5 + 48(b^2 - 4ac) a^3 c^6) d^3 \operatorname{abs}(a^2 b^2 c - 4a^2 c^2) + 3(2a^2 b^3 c^3 - 8a^2 b^2 c^4 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^3 c + 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^2 c^2 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^2 c^2 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^2 c^2 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^2 c^2 - 2(b^2 - 4ac) a^2 b^2 c^3) (a^2 b^2 c - 4a^2 c^2)^2 d^2 e^2 + 6(\sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^2 b^5 c^3 - 8\sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^3 b^3 c^4 - 2\sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^2 b^4 c^4 - 2a^2 b^5 c^4 + 16\sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^4 b^2 c^5 + 8\sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^3 b^2 c^5 + \sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^2 b^3 c^5 + 16a^3 b^3 c^5 - 4\sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^3 b^2 c^6 - 32a^4 b^2 c^6 + 2(b^2 - 4ac) a^2 b^3 c^4 - 8(b^2 - 4ac) a^3 b^2 c^5) d^2 \operatorname{abs}(a^2 b^2 c - 4a^2 c^2) e + (2a^2 b^7 c^6 - 40a^3 b^5 c^7 + 224a^4 b^3 c^8 - 384a^5 b^2 c^9 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^7 c^4 + 20\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^3 b^5 c^5 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^6 c^5 - 112\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^4 b^3 c^6 - 32\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^3 b^4 c^6 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^5 c^6 + 192\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^5 b^2 c^7 + 96\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^4 b^2 c^7 + 16\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^3 b^3 c^7 - 48\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^4 b^2 c^8 - 2(b^2 - 4ac) a^2 b^5 c^6 + 32(b^2 - 4ac) a^3 b^3 c^7 - 96(b^2 - 4ac) a^4 b^2 c^8) d^3 + (2a^2 b^4 c^2 - 20a^2 b^2 c^3 + 48a^3 c^4 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^4 + 10\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^2 c + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^3 c - 24\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^3 c^2 - 12\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^2 c^2 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^2 c^2 + 6\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^2 c^2 + 6\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 + 4ac} a^2 b^2 c^2 - 2(b^2 - 4ac) a^2 b^2 c^2 + 12(b^2 - 4ac) a^2 b^2 c^3) (a^2 b^2 c - 4a^2 c^2)^2 e^3 - 12(\sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^3 b^4 c^3 - 8\sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^4 b^2 c^4 - 2\sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^3 b^3 c^4 - 2a^3 b^4 c^4 + 16\sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^5 c^5 + 8\sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^4 b^2 c^5 + \sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^3 b^2 c^5 + 16a^4 b^2 c^5 - 4\sqrt{2} \sqrt{b^2 + 4ac} \sqrt{b^2 - 4ac} a^4 c^6
\end{aligned}$$

$$\begin{aligned}
& - 32a^5c^6 + 2(b^2 - 4ac)a^3b^2c^4 - 8(b^2 - 4ac)a^4c^5) * d * ab \\
& s(ab^2c - 4a^2c^2)e^2 + 12(2a^3b^6c^6 - 16a^4b^4c^7 + 32a^5b^ \\
& 2c^8 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^3b^6c \\
& ^4 + 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^4b^4c^ \\
& 5 + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^3b^5c^5 \\
& - 16\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^5b^2c^6 \\
& - 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^4b^3c^6 \\
& - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^3b^4c^6 + 4 \\
& * \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^4b^2c^7 - 2 \\
& (b^2 - 4ac)a^3b^4c^6 + 8(b^2 - 4ac)a^4b^2c^7) * d^2 * e + 2(\sqrt{2} \\
& * \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^3b^5c^2 - 8\sqrt{2}\sqrt{bc + \sqrt{b^ \\
& 2 - 4ac}}c)a^4b^3c^3 - 2\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^3b \\
& ^4c^3 - 2a^3b^5c^3 + 16\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^5b * c \\
& ^4 + 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^4b^2c^4 + \sqrt{2}\sqrt{b \\
& * c + \sqrt{b^2 - 4ac}}c)a^3b^3c^4 + 16a^4b^3c^4 - 4\sqrt{2}\sqrt{bc \\
& + \sqrt{b^2 - 4ac}}c)a^4b * c^5 - 32a^5b * c^5 + 2(b^2 - 4ac)a^3b^3 * \\
& c^3 - 8(b^2 - 4ac)a^4b * c^4) * \text{abs}(ab^2c - 4a^2c^2)e^3 - 3(2a^3b^ \\
& 7c^5 - 8a^4b^5c^6 - 32a^5b^3c^7 + 128a^6b * c^8 - \sqrt{2}\sqrt{b^2 - \\
& 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^3b^7c^3 + 4\sqrt{2}\sqrt{b^2 - \\
& 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^4b^5c^4 + 2\sqrt{2}\sqrt{b^2 - 4 \\
& * ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^3b^6c^4 + 16\sqrt{2}\sqrt{b^2 - 4 \\
& * ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^5b^3c^5 - \sqrt{2}\sqrt{b^2 - 4ac} \\
& c)\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^3b^5c^5 - 64\sqrt{2}\sqrt{b^2 - 4ac} \\
& c)\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^6b * c^6 - 32\sqrt{2}\sqrt{b^2 - 4ac} \\
& * \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^5b^2c^6 + 16\sqrt{2}\sqrt{b^2 - 4ac} \\
& * \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^5b * c^7 - 2(b^2 - 4ac)a^3b^5c^5 + \\
& 32(b^2 - 4ac)a^5b * c^7) * d * e^2 - (2a^3b^8c^4 - 32a^4b^6c^5 + 160a \\
& ^5b^4c^6 - 256a^6b^2c^7 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^ \\
& 2 - 4ac}}c)a^3b^8c^2 + 16\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^ \\
& 2 - 4ac}}c)a^4b^6c^3 + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 \\
& - 4ac}}c)a^3b^7c^3 - 80\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 \\
& - 4ac}}c)a^5b^4c^4 - 24\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 \\
& - 4ac}}c)a^4b^5c^4 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - \\
& 4ac}}c)a^3b^6c^4 + 128\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - \\
& 4ac}}c)a^6b^2c^5 + 64\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - \\
& 4ac}}c)a^5b^3c^5 + 12\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - \\
& 4ac}}c)a^4b^4c^5 - 32\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - \\
& 4ac}}c)a^5b^2c^6 - 2(b^2 - 4ac)a^3b^6c^4 + 24(b^2 - 4ac)a^4 \\
& * b^4c^5 - 64(b^2 - 4ac)a^5b^2c^6)e^3) * \arctan(2\sqrt{1/2} * x / \sqrt{(a \\
& b^3c - 4a^2b * c^2 + \sqrt{(ab^3c - 4a^2b * c^2)^2 - 4(a^2b^2c - 4a^3 \\
& * c^2)(ab^2c^2 - 4a^2c^3)}) / (ab^2c^2 - 4a^2c^3)}) / ((a^3b^6c^3 - 1 \\
& 2a^4b^4c^4 - 2a^3b^5c^4 + 48a^5b^2c^5 + 16a^4b^3c^5 + a^3b^4c \\
& ^5 - 64a^6c^6 - 32a^5b * c^6 - 8a^4b^2c^6 + 16a^5c^7) * \text{abs}(ab^2c - \\
& 4a^2c^2) * \text{abs}(c)) - 1/16 * ((2b^3c^4 - 8a * b * c^5 - \sqrt{2}\sqrt{b^2 - 4ac} \\
& c)\sqrt{bc - \sqrt{b^2 - 4ac}}c) * b^3c^2 + 4\sqrt{2}\sqrt{b^2 - 4ac} * \text{sq}
\end{aligned}$$

$$\begin{aligned}
& \text{rt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b*c^3 + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*b^2*c^3 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*b*c^4 - 2*(b^2 - 4*a*c)*b*c^4)*(a*b^2*c - 4*a^2*c^2)^2*d^3 - 6*(2*a*b^2*c^4 - 8*a^2*c^5 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b^2*c^2 + 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*c^3 + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b*c^3 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*c^4 - 2*(b^2 - 4*a*c)*a*c^4)*(a*b^2*c - 4*a^2*c^2)^2*d^2*e - 2*(\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b^6*c^3 - 14*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^4*c^4 - 2*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b^5*c^4 + 2*a*b^6*c^4 + 64*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b^2*c^5 + 20*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^3*c^5 + \text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b^4*c^5 - 28*a^2*b^4*c^5 - 96*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^4*c^6 - 48*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b*c^6 - 10*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^2*c^6 + 128*a^3*b^2*c^6 + 24*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*c^7 - 192*a^4*c^7 - 2*(b^2 - 4*a*c)*a*b^4*c^4 + 20*(b^2 - 4*a*c)*a^2*b^2*c^5 - 48*(b^2 - 4*a*c)*a^3*c^6)*d^3*\text{abs}(a*b^2*c - 4*a^2*c^2) + 3*(2*a*b^3*c^3 - 8*a^2*b*c^4 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b^3*c + 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b*c^2 + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b^2*c^2 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b*c^3 - 2*(b^2 - 4*a*c)*a*b*c^3)*(a*b^2*c - 4*a^2*c^2)^2*d*e^2 - 6*(\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^5*c^3 - 8*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b^3*c^4 - 2*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^4*c^4 + 2*a^2*b^5*c^4 + 16*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^4*b*c^5 + 8*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b^2*c^5 + \text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^3*c^5 - 16*a^3*b^3*c^5 - 4*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b*c^6 + 32*a^4*b*c^6 - 2*(b^2 - 4*a*c)*a^2*b^3*c^4 + 8*(b^2 - 4*a*c)*a^3*b*c^5)*d^2*\text{abs}(a*b^2*c - 4*a^2*c^2)*e + (2*a^2*b^7*c^6 - 40*a^3*b^5*c^7 + 224*a^4*b^3*c^8 - 384*a^5*b*c^9 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^7*c^4 + 20*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b^5*c^5 + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^6*c^5 - 112*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^4*b^3*c^6 - 32*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b^4*c^6 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^5*c^6 + 192*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^5*b*c^7 + 96*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^4*b^2*c^7 + 16*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b^3*c^7 - 48*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^4*b*c^8 - 2*(b^2 - 4*a*c)*a^2*b^5*c^6 + 32*(b^2 - 4*a*c)*a^3*b^3*c^7 - 96*(b^2 - 4*a*c)*a^4*b*c^8)*d^3 + (2*a*b^4*c^2 - 20*a^2*b^2*c^3 + 48*a^3*c^4 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b^4 + 10*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^2*c + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b^3*c - 24*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b^2*c - 24*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b*c - 24*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*c - 24*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*c - 24*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a - 24*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)
\end{aligned}$$

$$\begin{aligned}
& a^5 c \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} + 12 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \\
& a^4 b^4 c^5 - 32 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \\
& a^5 b^2 c^6 - 2(b^2 - 4ac) a^3 b^6 c^4 + 24(b^2 - 4ac) a^4 b^4 c^5 \\
& - 64(b^2 - 4ac) a^5 b^2 c^6 e^3 \arctan\left(\frac{2\sqrt{1/2} x \sqrt{(a^3 b^3 c - 4a^2 b^2 c^2 - \sqrt{(a^3 b^3 c - 4a^2 b^2 c^2)^2 - 4(a^2 b^2 c - 4a^3 c^2)(a^2 b^2 c^2 - 4a^2 c^3)})}}{(a^3 b^6 c^3 - 12a^4 b^4 c^4 - 2a^3 b^5 c^4 + 48a^5 b^2 c^5 + 16a^4 b^3 c^5 + a^3 b^4 c^5 - 64a^6 c^6 - 32a^5 b^2 c^6 - 8a^4 b^2 c^6 + 16a^5 c^7) \operatorname{abs}(a^2 b^2 c - 4a^2 c^2) \operatorname{abs}(c)}\right)
\end{aligned}$$

maple [B] time = 0.05, size = 1846, normalized size = 3.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (e^{x^2+d})^3 / (c^4 x^4 + b^2 x^2 + a)^2, x$

[Out]
$$\begin{aligned}
& -1/4/a/(4ac-b^2) c^2 (1/2) / ((b+(-4ac+b^2)^{1/2}) c)^{1/2} \arctan(2^{1/2} / ((b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) b^2 d^3 + 2a / (4ac-b^2) / (-4ac+b^2)^{1/2} \\
& 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) c)^{1/2} \arctan(2^{1/2} / ((b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) b^2 e^3 - 1/4 / (4ac-b^2) / c / (-4ac+b^2)^{1/2} 2^{1/2} \\
& / ((b+(-4ac+b^2)^{1/2}) c)^{1/2} \arctan(2^{1/2} / ((b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) b^3 e^3 - 3/4 / (4ac-b^2) / (-4ac+b^2)^{1/2} 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) c)^{1/2} \\
& \arctan(2^{1/2} / ((b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) b^2 d e^2 + 1/4/a / (4ac-b^2) c^2 (1/2) / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} \operatorname{arctanh}(2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) \\
& b^2 d^3 + 2a / (4ac-b^2) / (-4ac+b^2)^{1/2} 2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} \operatorname{arctanh}(2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) b^2 e^3 - 1/4 / (4ac-b^2) / c / (-4ac+b^2)^{1/2} \\
& 2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} \operatorname{arctanh}(2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) b^3 e^3 - 3/4 / (4ac-b^2) / (-4ac+b^2)^{1/2} 2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} \\
& \operatorname{arctanh}(2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) b^2 d e^2 - 3a / (4ac-b^2) c / (-4ac+b^2)^{1/2} 2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} \operatorname{arctanh}(2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) \\
& d e^2 + 3 / (4ac-b^2) c / (-4ac+b^2)^{1/2} 2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} \operatorname{arctanh}(2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) b^2 d^2 e + 1/4/a / (4ac-b^2) c / (-4ac+b^2)^{1/2} 2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} \\
& \operatorname{arctanh}(2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) b^2 d^3 - 3a / (4ac-b^2) c / (-4ac+b^2)^{1/2} 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) c)^{1/2} \arctan(2^{1/2} / ((b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) \\
& d e^2 + 3 / (4ac-b^2) c / (-4ac+b^2)^{1/2} 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) c)^{1/2} \arctan(2^{1/2} / ((b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) b^2 d^2 e + 1/4/a / (4ac-b^2) c / (-4ac+b^2)^{1/2} 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) c)^{1/2} \\
& \arctan(2^{1/2} / ((b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) b^2 d^3 + 1/4 / (4ac-b^2) c^2 (1/2) / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} \operatorname{arctanh}(2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} c x) b^2 e^3 + 3/4 / (4ac-b^2) 2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) c)^{1/2} a
\end{aligned}$$

$$\operatorname{rctanh}\left(2^{1/2}/((-b+(-4ac+b^2)^{1/2})c)^{1/2}cx\right) * b * d * e^{-3/2} / (4ac - b^2) * c^2^{1/2} / ((-b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctanh}\left(2^{1/2}/((-b+(-4ac+b^2)^{1/2})c)^{1/2}cx\right) * d^2 * e^{-3} / (4ac - b^2) * c^2 / (-4ac + b^2)^{1/2} * 2^{1/2} / ((-b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctanh}\left(2^{1/2}/((-b+(-4ac+b^2)^{1/2})c)^{1/2}cx\right) * d^3 - 1/4 / (4ac - b^2) / c^2^{1/2} / ((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}\left(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}cx\right) * b^2 * e^{-3/4} / (4ac - b^2) * 2^{1/2} / ((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}\left(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}cx\right) * b * d * e^{2+3/2} / (4ac - b^2) * c^2^{1/2} / ((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}\left(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}cx\right) * d^2 * e^{-3} / (4ac - b^2) * c^2 / (-4ac + b^2)^{1/2} * 2^{1/2} / ((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}\left(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}cx\right) * d^3 - 3/2 * a / (4ac - b^2) * 2^{1/2} / ((-b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctanh}\left(2^{1/2}/((-b+(-4ac+b^2)^{1/2})c)^{1/2}cx\right) * e^3 + 3/2 * a / (4ac - b^2) * 2^{1/2} / ((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}\left(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}cx\right) * e^3 + (-1/2 * (2a^2 * c * e^3 - a * b^2 * e^3 + 3 * a * b * c * d * e^2 - 6 * a * c^2 * d^2 * e + b * c^2 * d^3) / a / c / (4ac - b^2) * x^3 + 1/2 * c * (a^2 * b * e^3 - 6 * a^2 * c * d * e^2 + 3 * a * b * c * d^2 * e + 2 * a * c^2 * d^3 - b^2 * c * d^3) / (4ac - b^2) / a * x) / (c * x^4 + b * x^2 + a)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bc^2d^3 - 6ac^2d^2e + 3abcde^2 - (ab^2 - 2a^2c)e^3)x^3 - (3abcd^2e - 6a^2cde^2 + a^2be^3 - (b^2c - 2ac^2)d^3)x - \int \frac{3abcd^2}{2(a^2b^2c - 4a^3c^2 + (ab^2c^2 - 4a^2c^3)x^4 + (ab^3c - 4a^2bc^2)x^2)} dx}{2(a^2b^2c - 4a^3c^2 + (ab^2c^2 - 4a^2c^3)x^4 + (ab^3c - 4a^2bc^2)x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] 1/2*((b*c^2*d^3 - 6*a*c^2*d^2*e + 3*a*b*c*d*e^2 - (a*b^2 - 2*a^2*c)*e^3)*x^3 - (3*a*b*c*d^2*e - 6*a^2*c*d*e^2 + a^2*b*e^3 - (b^2*c - 2*a*c^2)*d^3)*x) / (a^2*b^2*c - 4*a^3*c^2 + (a*b^2*c^2 - 4*a^2*c^3)*x^4 + (a*b^3*c - 4*a^2*b*c^2)*x^2) - 1/2*integrate(-(3*a*b*c*d^2*e - 6*a^2*c*d*e^2 + a^2*b*e^3 + (b^2*c - 6*a*c^2)*d^3 + (b*c^2*d^3 - 6*a*c^2*d^2*e + 3*a*b*c*d*e^2 + (a*b^2 - 6*a^2*c)*e^3)*x^2)/(c*x^4 + b*x^2 + a), x)/(a*b^2*c - 4*a^2*c^2)

mupad [B] time = 8.79, size = 29030, normalized size = 51.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^3/(a + b*x^2 + c*x^4)^2,x)

[Out] - ((x^3*(b*c^2*d^3 - a*b^2*e^3 + 2*a^2*c*e^3 - 6*a*c^2*d^2*e + 3*a*b*c*d*e^2) / (2*a*c*(4*a*c - b^2)) - (x*(2*a*c^2*d^3 + a^2*b*e^3 - b^2*c*d^3 - 6*a^2*c*d*e^2 + 3*a*b*c*d^2*e)) / (2*a*c*(4*a*c - b^2))) / (a + b*x^2 + c*x^4) - ata

$$\begin{aligned}
& n((((6144*a^5*c^7*d^3 + 16*a*b^8*c^3*d^3 - 1024*a^6*b*c^5*e^3 + 6144*a^6*c^6*d*e^2 - 288*a^2*b^6*c^4*d^3 + 1920*a^3*b^4*c^5*d^3 - 5632*a^4*b^2*c^6*d^3 + 16*a^3*b^7*c^2*e^3 - 192*a^4*b^5*c^3*e^3 + 768*a^5*b^3*c^4*e^3 - 3072*a^5*b*c^6*d^2*e + 48*a^2*b^7*c^3*d^2*e - 576*a^3*b^5*c^4*d^2*e - 96*a^3*b^6*c^3*d*e^2 + 2304*a^4*b^3*c^5*d^2*e + 1152*a^4*b^4*c^4*d*e^2 - 4608*a^5*b^2*c^5*d*e^2)/(8*(64*a^5*c^4 - a^2*b^6*c + 12*a^3*b^4*c^2 - 48*a^4*b^2*c^3)) - \\
& (x*((27*a*b^9*c^4*d^6 - b^11*c^3*d^6 - a^3*b^11*e^6 + 3840*a^5*b*c^8*d^6 - 9*a*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 27*a^4*b^9*c*e^6 + 3840*a^8*b*c^5*e^6 + 9*a^4*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 9216*a^6*c^8*d^5*e - 9216*a^8*c^6*d*e^5 - 288*a^2*b^7*c^5*d^6 + 1504*a^3*b^5*c^6*d^6 - 3840*a^4*b^3*c^7*d^6 - a^3*b^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 288*a^5*b^7*c^2*e^6 + 1504*a^6*b^5*c^3*e^6 - 3840*a^7*b^3*c^4*e^6 + b^2*c^3*d^6*(-(4*a*c - b^2)^9)^{(1/2)} - 18432*a^7*c^7*d^3*e^3 + 9*a^2*b^9*c^3*d^4*e^2 - 384*a^3*b^7*c^4*d^4*e^2 + 88*a^3*b^8*c^3*d^3*e^3 + 9*a^3*b^9*c^2*d^2*e^4 + 3744*a^4*b^5*c^5*d^4*e^2 - 768*a^4*b^6*c^4*d^3*e^3 - 384*a^4*b^7*c^3*d^2*e^4 - 13824*a^5*b^3*c^6*d^4*e^2 + 768*a^5*b^4*c^5*d^3*e^3 + 3744*a^5*b^5*c^4*d^2*e^4 + 8192*a^6*b^2*c^6*d^3*e^3 - 13824*a^6*b^3*c^5*d^2*e^4 - 9*a^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 9*a^3*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a*b^10*c^3*d^5*e - 6*a^3*b^10*c*d*e^5 + 108*a^2*b^8*c^4*d^5*e - 576*a^3*b^6*c^5*d^5*e + 384*a^4*b^4*c^6*d^5*e + 108*a^4*b^8*c^2*d*e^5 + 4608*a^5*b^2*c^7*d^5*e - 576*a^5*b^6*c^3*d*e^5 + 17664*a^6*b*c^7*d^4*e^2 + 384*a^6*b^4*c^4*d*e^5 + 17664*a^7*b*c^6*d^2*e^4 + 4608*a^7*b^2*c^5*d*e^5 + 6*a*b*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a^3*b*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)))/(32*(4096*a^9*c^9 + a^3*b^12*c^3 - 24*a^4*b^10*c^4 + 240*a^5*b^8*c^5 - 1280*a^6*b^6*c^6 + 3840*a^7*b^4*c^7 - 6144*a^8*b^2*c^8)))^{(1/2)}*(1024*a^5*b*c^6 - 16*a^2*b^7*c^3 + 192*a^3*b^5*c^4 - 768*a^4*b^3*c^5))/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)))*((27*a*b^9*c^4*d^6 - b^11*c^3*d^6 - a^3*b^11*e^6 + 3840*a^5*b*c^8*d^6 - 9*a*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 27*a^4*b^9*c*e^6 + 3840*a^8*b*c^5*e^6 + 9*a^4*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 9216*a^6*c^8*d^5*e - 9216*a^8*c^6*d*e^5 - 288*a^2*b^7*c^5*d^6 + 1504*a^3*b^5*c^6*d^6 - 3840*a^4*b^3*c^7*d^6 - a^3*b^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 288*a^5*b^7*c^2*e^6 + 1504*a^6*b^5*c^3*e^6 - 3840*a^7*b^3*c^4*e^6 + b^2*c^3*d^6*(-(4*a*c - b^2)^9)^{(1/2)} - 18432*a^7*c^7*d^3*e^3 + 9*a^2*b^9*c^3*d^4*e^2 - 384*a^3*b^7*c^4*d^4*e^2 + 88*a^3*b^8*c^3*d^3*e^3 + 9*a^3*b^9*c^2*d^2*e^4 + 3744*a^4*b^5*c^5*d^4*e^2 - 768*a^4*b^6*c^4*d^3*e^3 - 384*a^4*b^7*c^3*d^2*e^4 - 13824*a^5*b^3*c^6*d^4*e^2 + 768*a^5*b^4*c^5*d^3*e^3 + 3744*a^5*b^5*c^4*d^2*e^4 + 8192*a^6*b^2*c^6*d^3*e^3 - 13824*a^6*b^3*c^5*d^2*e^4 - 9*a^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 9*a^3*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a*b^10*c^3*d^5*e - 6*a^3*b^10*c*d*e^5 + 108*a^2*b^8*c^4*d^5*e - 576*a^3*b^6*c^5*d^5*e + 384*a^4*b^4*c^6*d^5*e + 108*a^4*b^8*c^2*d*e^5 + 4608*a^5*b^2*c^7*d^5*e - 576*a^5*b^6*c^3*d*e^5 + 17664*a^6*b*c^7*d^4*e^2 + 384*a^6*b^4*c^4*d*e^5 + 17664*a^7*b*c^6*d^2*e^4 + 4608*a^7*b^2*c^5*d*e^5 + 6*a*b*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a^3*b*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)))/(32*(4096*a^9*c^9 + a^3*b^12*c^3 - 24*a^4*b^10*c^4 + 240*a^5*b^8*c^5 - 1280*a^6*b^6*c^6 + 3840*a^7*b^4*c^7 - 6144*a^8*b^2*c^8)))^{(1/2)} - (x*(72*a^5*c^3*e^6 - 72*a^2*c^6*d^6 -
\end{aligned}$$

$$\begin{aligned}
& a^2b^6e^6 - b^4c^4d^6 + 14a^2b^2c^5d^6 + 16a^3b^4c^4e^6 - 74a^4b^2c^2e^6 - 72a^3c^5d^4e^2 + 72a^4c^4d^2e^4 - 102a^2b^2c^4d^4e^2 \\
& + 44a^2b^3c^3d^3e^3 + 9a^2b^4c^2d^2e^4 - 174a^3b^2c^3d^2e^4 - 6a^2b^3c^4d^5e + 120a^2b^2c^5d^5e - 6a^2b^5c^4d^5e + 24a^4b^3c^3d^5e \\
& + 144a^3b^4c^4d^3e^3 + 42a^3b^3c^2d^5e^5) / (2(16a^4c^3 + a^2b^4c - 8a^3b^2c^2)) * ((27a^2b^9c^4d^6 - b^{11}c^3d^6 - a^3b^{11}e^6 \\
& + 3840a^5b^8c^8d^6 - 9a^2c^4d^6(-4ac - b^2)^9)^{1/2} + 27a^4b^9c^4e^6 + 3840a^8b^8c^5e^6 + 9a^4c^4e^6(-4ac - b^2)^9)^{1/2} - 9216 \\
& a^6c^8d^5e - 9216a^8c^6d^5e - 288a^2b^7c^5d^6 + 1504a^3b^5c^6d^6 - 3840a^4b^3c^7d^6 - a^3b^2e^6(-4ac - b^2)^9)^{1/2} - 288a^5b^7c^2e^6 \\
& + 1504a^6b^5c^3e^6 - 3840a^7b^3c^4e^6 + b^2c^3d^6(-4ac - b^2)^9)^{1/2} - 18432a^7c^7d^3e^3 + 9a^2b^9c^3d^4e^2 - 384a^3b^7c^4d^4e^2 \\
& + 88a^3b^8c^3d^3e^3 + 9a^3b^9c^2d^2e^4 + 3744a^4b^5c^5d^4e^2 - 768a^4b^6c^4d^3e^3 - 384a^4b^7c^3d^2e^4 - 13824a^5b^3c^6d^4e^2 \\
& + 768a^5b^4c^5d^3e^3 + 3744a^5b^5c^4d^2e^4 + 8192a^6b^2c^6d^3e^3 - 13824a^6b^3c^5d^2e^4 - 9a^2c^3d^4e^2(-4ac - b^2)^9)^{1/2} \\
& + 9a^3c^2d^2e^4(-4ac - b^2)^9)^{1/2} - 6a^2b^{10}c^3d^5e - 6a^3b^{10}c^4d^5e + 108a^2b^8c^4d^5e - 576a^3b^6c^5d^5e \\
& + 384a^4b^4c^6d^5e + 108a^4b^8c^2d^5e + 4608a^5b^2c^7d^5e - 576a^5b^6c^3d^5e + 17664a^6b^7c^4d^4e^2 + 384a^6b^4c^4d^4e^5 \\
& + 17664a^7b^6c^6d^2e^4 + 4608a^7b^2c^5d^5e + 6a^2b^3c^5d^5e(-4ac - b^2)^9)^{1/2} - 6a^3b^3c^4d^5e(-4ac - b^2)^9)^{1/2} \\
&) / (32(4096a^9c^9 + a^3b^{12}c^3 - 24a^4b^{10}c^4 + 240a^5b^8c^5 - 1280a^6b^6c^6 + 3840a^7b^4c^7 - 6144a^8b^2c^8))^{1/2} * i - ((6144a^5c^7d^3 \\
& + 16a^2b^8c^3d^3 - 1024a^6b^5c^5e^3 + 6144a^6c^6d^2e^2 - 288a^2b^6c^4d^3 + 1920a^3b^4c^5d^3 - 5632a^4b^2c^6d^3 + 16a^3b^7c^2e^3 \\
& - 192a^4b^5c^3e^3 + 768a^5b^3c^4e^3 - 3072a^5b^6c^6d^2e + 48a^2b^7c^3d^2e - 576a^3b^5c^4d^2e - 96a^3b^6c^3d^2e^2 \\
& + 2304a^4b^3c^5d^2e + 1152a^4b^4c^4d^2e^2 - 4608a^5b^2c^5d^2e^2) / (8(64a^5c^4 - a^2b^6c + 12a^3b^4c^2 - 48a^4b^2c^3)) + (x * ((27a^2b^9c^4d^6 \\
& - b^{11}c^3d^6 - a^3b^{11}e^6 + 3840a^5b^8c^8d^6 - 9a^2c^4d^6(-4ac - b^2)^9)^{1/2} + 27a^4b^9c^4e^6 + 3840a^8b^8c^5e^6 + 9a^4c^4e^6(-4ac - b^2)^9)^{1/2} \\
& - 9216a^6c^8d^5e - 9216a^8c^6d^5e - 288a^2b^7c^5d^6 + 1504a^3b^5c^6d^6 - 3840a^4b^3c^7d^6 - a^3b^2e^6(-4ac - b^2)^9)^{1/2} - 288a^5b^7c^2e^6 \\
& + 1504a^6b^5c^3e^6 - 3840a^7b^3c^4e^6 + b^2c^3d^6(-4ac - b^2)^9)^{1/2} - 18432a^7c^7d^3e^3 + 9a^2b^9c^3d^4e^2 - 384a^3b^7c^4d^4e^2 \\
& + 88a^3b^8c^3d^3e^3 + 9a^3b^9c^2d^2e^4 + 3744a^4b^5c^5d^4e^2 - 768a^4b^6c^4d^3e^3 - 384a^4b^7c^3d^2e^4 - 13824a^5b^3c^6d^4e^2 \\
& + 768a^5b^4c^5d^3e^3 + 3744a^5b^5c^4d^2e^4 + 8192a^6b^2c^6d^3e^3 - 13824a^6b^3c^5d^2e^4 - 9a^2c^3d^4e^2(-4ac - b^2)^9)^{1/2} \\
& + 9a^3c^2d^2e^4(-4ac - b^2)^9)^{1/2} - 6a^2b^{10}c^3d^5e - 6a^3b^{10}c^4d^5e + 108a^2b^8c^4d^5e - 576a^3b^6c^5d^5e + 384a^4b^4c^6d^5e \\
& + 108a^4b^8c^2d^5e + 4608a^5b^2c^7d^5e - 576a^5b^6c^3d^5e + 17664a^6b^7c^4d^4e^2 + 384a^6b^4c^4d^4e^5 + 17664a^7b^6c^6d^2e^4
\end{aligned}$$

$$\begin{aligned}
& e^4 + 4608a^7b^2c^5d^5e^5 + 6a^*b^*c^3d^5e^* * (- (4a^*c - b^2)^9)^{(1/2)} - 6 \\
& a^3b^*c^*d^e^5 * (- (4a^*c - b^2)^9)^{(1/2)} / (32 * (4096a^9c^9 + a^3b^12c^3 - \\
& 24a^4b^10c^4 + 240a^5b^8c^5 - 1280a^6b^6c^6 + 3840a^7b^4c^7 - \\
& 6144a^8b^2c^8)))^{(1/2)} * (1024a^5b^*c^6 - 16a^2b^7c^3 + 192a^3b^5c^4 \\
& - 768a^4b^3c^5) / (2 * (16a^4c^3 + a^2b^4c - 8a^3b^2c^2))) * ((27a^* \\
& b^9c^4d^6 - b^11c^3d^6 - a^3b^11e^6 + 3840a^5b^*c^8d^6 - 9a^*c^4d^ \\
& 6 * (- (4a^*c - b^2)^9)^{(1/2)} + 27a^4b^9c^*e^6 + 3840a^8b^*c^5e^6 + 9a^4* \\
& c^*e^6 * (- (4a^*c - b^2)^9)^{(1/2)} - 9216a^6c^8d^5e - 9216a^8c^6d^*e^5 - \\
& 288a^2b^7c^5d^6 + 1504a^3b^5c^6d^6 - 3840a^4b^3c^7d^6 - a^3b^2 \\
& *e^6 * (- (4a^*c - b^2)^9)^{(1/2)} - 288a^5b^7c^2e^6 + 1504a^6b^5c^3e^6 \\
& - 3840a^7b^3c^4e^6 + b^2c^3d^6 * (- (4a^*c - b^2)^9)^{(1/2)} - 18432a^7c^ \\
& ^7d^3e^3 + 9a^2b^9c^3d^4e^2 - 384a^3b^7c^4d^4e^2 + 88a^3b^8c^ \\
& ^3d^3e^3 + 9a^3b^9c^2d^2e^4 + 3744a^4b^5c^5d^4e^2 - 768a^4b^6 \\
& *c^4d^3e^3 - 384a^4b^7c^3d^2e^4 - 13824a^5b^3c^6d^4e^2 + 768a^ \\
& 5b^4c^5d^3e^3 + 3744a^5b^5c^4d^2e^4 + 8192a^6b^2c^6d^3e^3 - 1 \\
& 3824a^6b^3c^5d^2e^4 - 9a^2c^3d^4e^2 * (- (4a^*c - b^2)^9)^{(1/2)} + 9a^ \\
& ^3c^2d^2e^4 * (- (4a^*c - b^2)^9)^{(1/2)} - 6a^*b^10c^3d^5e - 6a^3b^10c^ \\
& *d^e^5 + 108a^2b^8c^4d^5e - 576a^3b^6c^5d^5e + 384a^4b^4c^6d^ \\
& 5e + 108a^4b^8c^2d^*e^5 + 4608a^5b^2c^7d^5e - 576a^5b^6c^3d^*e^ \\
& 5 + 17664a^6b^*c^7d^4e^2 + 384a^6b^4c^4d^*e^5 + 17664a^7b^*c^6d^2e \\
& ^4 + 4608a^7b^2c^5d^*e^5 + 6a^*b^*c^3d^5e^* * (- (4a^*c - b^2)^9)^{(1/2)} - 6 \\
& a^3b^*c^*d^e^5 * (- (4a^*c - b^2)^9)^{(1/2)} / (32 * (4096a^9c^9 + a^3b^12c^3 - \\
& 24a^4b^10c^4 + 240a^5b^8c^5 - 1280a^6b^6c^6 + 3840a^7b^4c^7 - 6 \\
& 144a^8b^2c^8)))^{(1/2)} + (x * (72a^5c^3e^6 - 72a^2c^6d^6 - a^2b^6e^ \\
& 6 - b^4c^4d^6 + 14a^*b^2c^5d^6 + 16a^3b^4c^*e^6 - 74a^4b^2c^2e^6 \\
& - 72a^3c^5d^4e^2 + 72a^4c^4d^2e^4 - 102a^2b^2c^4d^4e^2 + 44a^ \\
& 2b^3c^3d^3e^3 + 9a^2b^4c^2d^2e^4 - 174a^3b^2c^3d^2e^4 - 6a^*b^ \\
& ^3c^4d^5e + 120a^2b^*c^5d^5e - 6a^2b^5c^*d^e^5 + 24a^4b^*c^3d^*e^5 \\
& + 144a^3b^*c^4d^3e^3 + 42a^3b^3c^2d^*e^5)) / (2 * (16a^4c^3 + a^2b^4c \\
& - 8a^3b^2c^2))) * ((27a^*b^9c^4d^6 - b^11c^3d^6 - a^3b^11e^6 + 384 \\
& 0a^5b^*c^8d^6 - 9a^*c^4d^6 * (- (4a^*c - b^2)^9)^{(1/2)} + 27a^4b^9c^*e^6 + \\
& 3840a^8b^*c^5e^6 + 9a^4c^*e^6 * (- (4a^*c - b^2)^9)^{(1/2)} - 9216a^6c^8d^ \\
& ^5e - 9216a^8c^6d^*e^5 - 288a^2b^7c^5d^6 + 1504a^3b^5c^6d^6 - 38 \\
& 40a^4b^3c^7d^6 - a^3b^2e^6 * (- (4a^*c - b^2)^9)^{(1/2)} - 288a^5b^7c^2 \\
& *e^6 + 1504a^6b^5c^3e^6 - 3840a^7b^3c^4e^6 + b^2c^3d^6 * (- (4a^*c - \\
& b^2)^9)^{(1/2)} - 18432a^7c^7d^3e^3 + 9a^2b^9c^3d^4e^2 - 384a^3b^ \\
& 7c^4d^4e^2 + 88a^3b^8c^3d^3e^3 + 9a^3b^9c^2d^2e^4 + 3744a^4b^ \\
& ^5c^5d^4e^2 - 768a^4b^6c^4d^3e^3 - 384a^4b^7c^3d^2e^4 - 13824a^ \\
& a^5b^3c^6d^4e^2 + 768a^5b^4c^5d^3e^3 + 3744a^5b^5c^4d^2e^4 + \\
& 8192a^6b^2c^6d^3e^3 - 13824a^6b^3c^5d^2e^4 - 9a^2c^3d^4e^2 * (- \\
& (4a^*c - b^2)^9)^{(1/2)} + 9a^3c^2d^2e^4 * (- (4a^*c - b^2)^9)^{(1/2)} - 6a^*b^ \\
& ^10c^3d^5e - 6a^3b^10c^*d^e^5 + 108a^2b^8c^4d^5e - 576a^3b^6c^ \\
& ^5d^5e + 384a^4b^4c^6d^5e + 108a^4b^8c^2d^*e^5 + 4608a^5b^2c^7* \\
& d^5e - 576a^5b^6c^3d^*e^5 + 17664a^6b^*c^7d^4e^2 + 384a^6b^4c^4d^ \\
& *e^5 + 17664a^7b^*c^6d^2e^4 + 4608a^7b^2c^5d^*e^5 + 6a^*b^*c^3d^5e^* (
\end{aligned}$$

$$\begin{aligned}
& - (4ac - b^2)^9)^{(1/2)} - 6a^3b^3c^3d^3e^3(- (4ac - b^2)^9)^{(1/2)}) / (32(4096a^9c^9 + a^3b^{12}c^3 - 24a^4b^{10}c^4 + 240a^5b^8c^5 - 1280a^6b^6c^6 + 3840a^7b^4c^7 - 6144a^8b^2c^8))^{(1/2)} * i) / ((5a^4b^4e^9 + 216a^6c^2e^9 + 5b^3c^5d^9 - 66a^5b^2c^3e^9 + ab^7d^3e^6 - 9a^3b^5d^3e^8 + 216a^2c^6d^8e - 9b^4c^4d^8e + 3a^2b^6d^2e^7 + 864a^3c^5d^6e^3 + 1296a^4c^4d^4e^5 + 864a^5c^3d^2e^7 + 3b^5c^3d^7e^2 + b^6c^2d^6e^3 - 36ab^3c^6d^9 + 624a^2b^2c^4d^6e^3 - 6a^2b^3c^3d^5e^4 - 108a^2b^4c^2d^4e^5 + 1020a^3b^2c^3d^4e^5 + 128a^3b^3c^2d^3e^6 + 384a^4b^2c^2d^2e^7 + 54ab^2c^5d^8e + 6ab^6c^4e^5 + 153a^4b^3c^3d^8e - 612a^5b^2c^2d^8e + 24ab^3c^4d^7e^2 - 46ab^4c^3d^6e^3 - 3ab^5c^2d^5e^4 - 720a^2b^3c^5d^7e^2 - 3a^2b^5c^3d^3e^6 - 1944a^3b^3c^4d^5e^4 - 90a^3b^4c^3d^2e^7 - 1872a^4b^2c^3d^3e^6) / (4(64a^5c^4 - a^2b^6c + 12a^3b^4c^2 - 48a^4b^2c^3)) + (((6144a^5c^7d^3 + 16ab^8c^3d^3 - 1024a^6b^3c^5e^3 + 6144a^6c^6d^2e^2 - 288a^2b^6c^4d^3 + 1920a^3b^4c^5d^3 - 5632a^4b^2c^6d^3 + 16a^3b^7c^2e^3 - 192a^4b^5c^3e^3 + 768a^5b^3c^4e^3 - 3072a^5b^3c^6d^2e + 48a^2b^7c^3d^2e - 576a^3b^5c^4d^2e - 96a^3b^6c^3d^2e^2 + 2304a^4b^3c^5d^2e + 1152a^4b^4c^4d^2e^2 - 4608a^5b^2c^5d^2e^2) / (8(64a^5c^4 - a^2b^6c + 12a^3b^4c^2 - 48a^4b^2c^3)) - (x((27ab^9c^4d^6 - b^{11}c^3d^6 - a^3b^{11}e^6 + 3840a^5b^3c^8d^6 - 9ac^4d^6(- (4ac - b^2)^9)^{(1/2)} + 27a^4b^9c^6e^6 + 3840a^8b^3c^5e^6 + 9a^4c^6e^6(- (4ac - b^2)^9)^{(1/2)} - 9216a^6c^8d^5e - 9216a^8c^6d^5e^5 - 288a^2b^7c^5d^6 + 1504a^3b^5c^6d^6 - 3840a^4b^3c^7d^6 - a^3b^2e^6(- (4ac - b^2)^9)^{(1/2)} - 288a^5b^7c^2e^6 + 1504a^6b^5c^3e^6 - 3840a^7b^3c^4e^6 + b^2c^3d^6(- (4ac - b^2)^9)^{(1/2)} - 18432a^7c^7d^3e^3 + 9a^2b^9c^3d^4e^2 - 384a^3b^7c^4d^4e^2 + 88a^3b^8c^3d^3e^3 + 9a^3b^9c^2d^2e^4 + 3744a^4b^5c^5d^4e^2 - 768a^4b^6c^4d^3e^3 - 384a^4b^7c^3d^2e^4 - 13824a^5b^3c^6d^4e^2 + 768a^5b^4c^5d^3e^3 + 3744a^5b^5c^4d^2e^4 + 8192a^6b^2c^6d^3e^3 - 13824a^6b^3c^5d^2e^4 - 9a^2c^3d^4e^2(- (4ac - b^2)^9)^{(1/2)} + 9a^3c^2d^2e^4(- (4ac - b^2)^9)^{(1/2)} - 6ab^{10}c^3d^5e - 6a^3b^{10}c^3d^5e + 108a^2b^8c^4d^5e - 576a^3b^6c^5d^5e + 384a^4b^4c^6d^5e + 108a^4b^8c^2d^5e + 4608a^5b^2c^7d^5e - 576a^5b^6c^3d^5e + 17664a^6b^3c^7d^4e^2 + 384a^6b^4c^4d^5e + 17664a^7b^2c^6d^2e^4 + 4608a^7b^2c^5d^5e + 6ab^3c^3d^5e(- (4ac - b^2)^9)^{(1/2)} - 6a^3b^3c^3d^5e(- (4ac - b^2)^9)^{(1/2)}) / (32(4096a^9c^9 + a^3b^{12}c^3 - 24a^4b^{10}c^4 + 240a^5b^8c^5 - 1280a^6b^6c^6 + 3840a^7b^4c^7 - 6144a^8b^2c^8))^{(1/2)} * (1024a^5b^3c^6 - 16a^2b^7c^3 + 192a^3b^5c^4 - 768a^4b^3c^5)) / (2(16a^4c^3 + a^2b^4c - 8a^3b^2c^2)) * ((27ab^9c^4d^6 - b^{11}c^3d^6 - a^3b^{11}e^6 + 3840a^5b^3c^8d^6 - 9ac^4d^6(- (4ac - b^2)^9)^{(1/2)} + 27a^4b^9c^6e^6 + 3840a^8b^3c^5e^6 + 9a^4c^6e^6(- (4ac - b^2)^9)^{(1/2)} - 9216a^6c^8d^5e - 9216a^8c^6d^5e^5 - 288a^2b^7c^5d^6 + 1504a^3b^5c^6d^6 - 3840a^4b^3c^7d^6 - a^3b^2e^6(- (4ac - b^2)^9)^{(1/2)} - 288a^5b^7c^2e^6 + 1504a^6b^5c^3e^6 - 3840a^7b^3c^4e^6 + b^2c^3d^6(- (4ac - b^2)^9)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
&) - 18432*a^7*c^7*d^3*e^3 + 9*a^2*b^9*c^3*d^4*e^2 - 384*a^3*b^7*c^4*d^4*e^2 \\
& + 88*a^3*b^8*c^3*d^3*e^3 + 9*a^3*b^9*c^2*d^2*e^4 + 3744*a^4*b^5*c^5*d^4*e^2 \\
& - 768*a^4*b^6*c^4*d^3*e^3 - 384*a^4*b^7*c^3*d^2*e^4 - 13824*a^5*b^3*c^6*d^4*e^2 + 768*a^5*b^4*c^5*d^3*e^3 \\
& + 3744*a^5*b^5*c^4*d^2*e^4 + 8192*a^6*b^2*c^6*d^3*e^3 - 13824*a^6*b^3*c^5*d^2*e^4 - 9*a^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 9*a^3*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a*b^10*c^3*d^5*e - 6*a^3*b^10*c*d*e^5 + 108*a^2*b^8*c^4*d^5*e \\
& - 576*a^3*b^6*c^5*d^5*e + 384*a^4*b^4*c^6*d^5*e + 108*a^4*b^8*c^2*d^5*e + 4608*a^5*b^2*c^7*d^5*e - 576*a^5*b^6*c^3*d^5*e \\
& + 17664*a^6*b*c^7*d^4*e^2 + 384*a^6*b^4*c^4*d^5*e + 17664*a^7*b*c^6*d^2*e^4 + 4608*a^7*b^2*c^5*d^5*e \\
& + 6*a*b*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a^3*b*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(4096*a^9*c^9 + a^3*b^12*c^3 \\
& - 24*a^4*b^10*c^4 + 240*a^5*b^8*c^5 - 1280*a^6*b^6*c^6 + 3840*a^7*b^4*c^7 - 6144*a^8*b^2*c^8)))^{(1/2)} - (x*(72*a^5*c^3*e^6 - 72*a^2*c^6*d^6 \\
& - a^2*b^6*e^6 - b^4*c^4*d^6 + 14*a*b^2*c^5*d^6 + 16*a^3*b^4*c*e^6 - 74*a^4*b^2*c^2*e^6 - 72*a^3*c^5*d^4*e^2 \\
& + 72*a^4*c^4*d^2*e^4 - 102*a^2*b^2*c^4*d^4*e^2 + 44*a^2*b^3*c^3*d^3*e^3 + 9*a^2*b^4*c^2*d^2*e^4 - 174*a^3*b^2*c^3*d^2*e^4 \\
& - 6*a*b^3*c^4*d^5*e + 120*a^2*b*c^5*d^5*e - 6*a^2*b^5*c*d^5*e + 24*a^4*b*c^3*d^5*e + 144*a^3*b*c^4*d^3*e^3 \\
& + 42*a^3*b^3*c^2*d^5*e))/((2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)))*((27*a*b^9*c^4*d^6 - b^11*c^3*d^6 - a^3*b^11*e^6 \\
& + 3840*a^5*b*c^8*d^6 - 9*a*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 27*a^4*b^9*c^6 + 3840*a^8*b*c^5*e^6 \\
& + 9*a^4*c^6*(-(4*a*c - b^2)^9)^{(1/2)} - 9216*a^6*c^8*d^5*e - 9216*a^8*c^6*d^5*e - 288*a^2*b^7*c^5*d^6 \\
& + 1504*a^3*b^5*c^6*d^6 - 3840*a^4*b^3*c^7*d^6 - a^3*b^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 288*a^5*b^7*c^2*e^6 \\
& + 1504*a^6*b^5*c^3*e^6 - 3840*a^7*b^3*c^4*e^6 + b^2*c^3*d^6*(-(4*a*c - b^2)^9)^{(1/2)} - 18432*a^7*c^7*d^3*e^3 \\
& + 9*a^2*b^9*c^3*d^4*e^2 - 384*a^3*b^7*c^4*d^4*e^2 + 88*a^3*b^8*c^3*d^3*e^3 + 9*a^3*b^9*c^2*d^2*e^4 \\
& + 3744*a^4*b^5*c^5*d^4*e^2 - 768*a^4*b^6*c^4*d^3*e^3 - 384*a^4*b^7*c^3*d^2*e^4 - 13824*a^5*b^3*c^6*d^4*e^2 \\
& + 768*a^5*b^4*c^5*d^3*e^3 + 3744*a^5*b^5*c^4*d^2*e^4 + 8192*a^6*b^2*c^6*d^3*e^3 - 13824*a^6*b^3*c^5*d^2*e^4 \\
& - 9*a^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 9*a^3*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a*b^10*c^3*d^5*e \\
& - 6*a^3*b^10*c*d^5*e + 108*a^2*b^8*c^4*d^5*e - 576*a^3*b^6*c^5*d^5*e + 384*a^4*b^4*c^6*d^5*e \\
& + 108*a^4*b^8*c^2*d^5*e + 4608*a^5*b^2*c^7*d^5*e - 576*a^5*b^6*c^3*d^5*e + 17664*a^6*b*c^7*d^4*e^2 \\
& + 384*a^6*b^4*c^4*d^5*e + 17664*a^7*b*c^6*d^2*e^4 + 4608*a^7*b^2*c^5*d^5*e + 6*a*b*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 6*a^3*b*c*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(4096*a^9*c^9 + a^3*b^12*c^3 - 24*a^4*b^10*c^4 + 240*a^5*b^8*c^5 \\
& - 1280*a^6*b^6*c^6 + 3840*a^7*b^4*c^7 - 6144*a^8*b^2*c^8)))^{(1/2)} + (((6144*a^5*c^7*d^3 + 16*a*b^8*c^3*d^3 \\
& - 1024*a^6*b*c^5*e^3 + 6144*a^6*c^6*d^2 - 288*a^2*b^6*c^4*d^3 + 1920*a^3*b^4*c^5*d^3 - 5632*a^4*b^2*c^6*d^3 \\
& + 16*a^3*b^7*c^2*e^3 - 192*a^4*b^5*c^3*e^3 + 768*a^5*b^3*c^4*e^3 - 3072*a^5*b*c^6*d^2*e + 48*a^2*b^7*c^3*d^2*e \\
& - 576*a^3*b^5*c^4*d^2*e - 96*a^3*b^6*c^3*d^2*e + 2304*a^4*b^3*c^5*d^2*e + 1152*a^4*b^4*c^4*d^2*e - 4608*a^5*b^2*c^5*d^2*e \\
&)/(8*(64*a^5*c^4 - a^2*b^6*c + 12*a^3*b^4*c^2 - 48*a^4*b^2*c^3)) + (x*((27*a*b^9*c^4*d^6 - b^11*c^3*d^6 \\
& - a^3*b^11*e^6 + 3840*a^5*b*c^8*d^6 - 9*a*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 27*a^4*b^9*c^6 + 3840*a^8*b*c^5*e^6 \\
& + 9*a
\end{aligned}$$

$$\begin{aligned}
& ^4*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 9216*a^6*c^8*d^5*e - 9216*a^8*c^6*d*e^5 \\
& - 288*a^2*b^7*c^5*d^6 + 1504*a^3*b^5*c^6*d^6 - 3840*a^4*b^3*c^7*d^6 - a^3* \\
& b^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 288*a^5*b^7*c^2*e^6 + 1504*a^6*b^5*c^3*e \\
& ^6 - 3840*a^7*b^3*c^4*e^6 + b^2*c^3*d^6*(-(4*a*c - b^2)^9)^{(1/2)} - 18432*a^ \\
& 7*c^7*d^3*e^3 + 9*a^2*b^9*c^3*d^4*e^2 - 384*a^3*b^7*c^4*d^4*e^2 + 88*a^3*b^ \\
& 8*c^3*d^3*e^3 + 9*a^3*b^9*c^2*d^2*e^4 + 3744*a^4*b^5*c^5*d^4*e^2 - 768*a^4* \\
& b^6*c^4*d^3*e^3 - 384*a^4*b^7*c^3*d^2*e^4 - 13824*a^5*b^3*c^6*d^4*e^2 + 768 \\
& *a^5*b^4*c^5*d^3*e^3 + 3744*a^5*b^5*c^4*d^2*e^4 + 8192*a^6*b^2*c^6*d^3*e^3 \\
& - 13824*a^6*b^3*c^5*d^2*e^4 - 9*a^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 9*a^3*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a*b^10*c^3*d^5*e - 6*a^3*b^1 \\
& 0*c*d*e^5 + 108*a^2*b^8*c^4*d^5*e - 576*a^3*b^6*c^5*d^5*e + 384*a^4*b^4*c^6 \\
& *d^5*e + 108*a^4*b^8*c^2*d*e^5 + 4608*a^5*b^2*c^7*d^5*e - 576*a^5*b^6*c^3*d \\
& *e^5 + 17664*a^6*b*c^7*d^4*e^2 + 384*a^6*b^4*c^4*d*e^5 + 17664*a^7*b*c^6*d^ \\
& 2*e^4 + 4608*a^7*b^2*c^5*d*e^5 + 6*a*b*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 6*a^3*b*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(4096*a^9*c^9 + a^3*b^12*c^3 \\
& - 24*a^4*b^10*c^4 + 240*a^5*b^8*c^5 - 1280*a^6*b^6*c^6 + 3840*a^7*b^4*c^7 \\
& - 6144*a^8*b^2*c^8)))^{(1/2)}*(1024*a^5*b*c^6 - 16*a^2*b^7*c^3 + 192*a^3*b^5* \\
& c^4 - 768*a^4*b^3*c^5))/(2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)))*((27* \\
& a*b^9*c^4*d^6 - b^11*c^3*d^6 - a^3*b^11*e^6 + 3840*a^5*b*c^8*d^6 - 9*a*c^4* \\
& d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 27*a^4*b^9*c*e^6 + 3840*a^8*b*c^5*e^6 + 9*a^ \\
& 4*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 9216*a^6*c^8*d^5*e - 9216*a^8*c^6*d*e^5 \\
& - 288*a^2*b^7*c^5*d^6 + 1504*a^3*b^5*c^6*d^6 - 3840*a^4*b^3*c^7*d^6 - a^3*b \\
& ^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 288*a^5*b^7*c^2*e^6 + 1504*a^6*b^5*c^3*e^ \\
& 6 - 3840*a^7*b^3*c^4*e^6 + b^2*c^3*d^6*(-(4*a*c - b^2)^9)^{(1/2)} - 18432*a^7 \\
& *c^7*d^3*e^3 + 9*a^2*b^9*c^3*d^4*e^2 - 384*a^3*b^7*c^4*d^4*e^2 + 88*a^3*b^8 \\
& *c^3*d^3*e^3 + 9*a^3*b^9*c^2*d^2*e^4 + 3744*a^4*b^5*c^5*d^4*e^2 - 768*a^4*b \\
& ^6*c^4*d^3*e^3 - 384*a^4*b^7*c^3*d^2*e^4 - 13824*a^5*b^3*c^6*d^4*e^2 + 768* \\
& a^5*b^4*c^5*d^3*e^3 + 3744*a^5*b^5*c^4*d^2*e^4 + 8192*a^6*b^2*c^6*d^3*e^3 - \\
& 13824*a^6*b^3*c^5*d^2*e^4 - 9*a^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 9 \\
& *a^3*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a*b^10*c^3*d^5*e - 6*a^3*b^10 \\
& *c*d*e^5 + 108*a^2*b^8*c^4*d^5*e - 576*a^3*b^6*c^5*d^5*e + 384*a^4*b^4*c^6* \\
& d^5*e + 108*a^4*b^8*c^2*d*e^5 + 4608*a^5*b^2*c^7*d^5*e - 576*a^5*b^6*c^3*d* \\
& e^5 + 17664*a^6*b*c^7*d^4*e^2 + 384*a^6*b^4*c^4*d*e^5 + 17664*a^7*b*c^6*d^2 \\
& *e^4 + 4608*a^7*b^2*c^5*d*e^5 + 6*a*b*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 6*a^3*b*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(4096*a^9*c^9 + a^3*b^12*c^3 \\
& - 24*a^4*b^10*c^4 + 240*a^5*b^8*c^5 - 1280*a^6*b^6*c^6 + 3840*a^7*b^4*c^7 - \\
& 6144*a^8*b^2*c^8)))^{(1/2)} + (x*(72*a^5*c^3*e^6 - 72*a^2*c^6*d^6 - a^2*b^6* \\
& e^6 - b^4*c^4*d^6 + 14*a*b^2*c^5*d^6 + 16*a^3*b^4*c*e^6 - 74*a^4*b^2*c^2*e^ \\
& 6 - 72*a^3*c^5*d^4*e^2 + 72*a^4*c^4*d^2*e^4 - 102*a^2*b^2*c^4*d^4*e^2 + 44* \\
& a^2*b^3*c^3*d^3*e^3 + 9*a^2*b^4*c^2*d^2*e^4 - 174*a^3*b^2*c^3*d^2*e^4 - 6*a \\
& *b^3*c^4*d^5*e + 120*a^2*b*c^5*d^5*e - 6*a^2*b^5*c*d*e^5 + 24*a^4*b*c^3*d*e \\
& ^5 + 144*a^3*b*c^4*d^3*e^3 + 42*a^3*b^3*c^2*d*e^5))/(2*(16*a^4*c^3 + a^2*b^ \\
& 4*c - 8*a^3*b^2*c^2)))*((27*a*b^9*c^4*d^6 - b^11*c^3*d^6 - a^3*b^11*e^6 + 3 \\
& 840*a^5*b*c^8*d^6 - 9*a*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 27*a^4*b^9*c*e^6 \\
& + 3840*a^8*b*c^5*e^6 + 9*a^4*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 9216*a^6*c^8
\end{aligned}$$

$$\begin{aligned}
& *d^5*e - 9216*a^8*c^6*d*e^5 - 288*a^2*b^7*c^5*d^6 + 1504*a^3*b^5*c^6*d^6 - \\
& 3840*a^4*b^3*c^7*d^6 - a^3*b^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 288*a^5*b^7*c \\
& ^2*e^6 + 1504*a^6*b^5*c^3*e^6 - 3840*a^7*b^3*c^4*e^6 + b^2*c^3*d^6*(-(4*a*c \\
& - b^2)^9)^{(1/2)} - 18432*a^7*c^7*d^3*e^3 + 9*a^2*b^9*c^3*d^4*e^2 - 384*a^3* \\
& b^7*c^4*d^4*e^2 + 88*a^3*b^8*c^3*d^3*e^3 + 9*a^3*b^9*c^2*d^2*e^4 + 3744*a^4 \\
& *b^5*c^5*d^4*e^2 - 768*a^4*b^6*c^4*d^3*e^3 - 384*a^4*b^7*c^3*d^2*e^4 - 1382 \\
& 4*a^5*b^3*c^6*d^4*e^2 + 768*a^5*b^4*c^5*d^3*e^3 + 3744*a^5*b^5*c^4*d^2*e^4 \\
& + 8192*a^6*b^2*c^6*d^3*e^3 - 13824*a^6*b^3*c^5*d^2*e^4 - 9*a^2*c^3*d^4*e^2* \\
& (-(4*a*c - b^2)^9)^{(1/2)} + 9*a^3*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a \\
& *b^10*c^3*d^5*e - 6*a^3*b^10*c*d*e^5 + 108*a^2*b^8*c^4*d^5*e - 576*a^3*b^6* \\
& c^5*d^5*e + 384*a^4*b^4*c^6*d^5*e + 108*a^4*b^8*c^2*d*e^5 + 4608*a^5*b^2*c^ \\
& 7*d^5*e - 576*a^5*b^6*c^3*d*e^5 + 17664*a^6*b*c^7*d^4*e^2 + 384*a^6*b^4*c^4 \\
& *d*e^5 + 17664*a^7*b*c^6*d^2*e^4 + 4608*a^7*b^2*c^5*d*e^5 + 6*a*b*c^3*d^5*e \\
& *(-(4*a*c - b^2)^9)^{(1/2)} - 6*a^3*b*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)}/(32*(\\
& 4096*a^9*c^9 + a^3*b^12*c^3 - 24*a^4*b^10*c^4 + 240*a^5*b^8*c^5 - 1280*a^6* \\
& b^6*c^6 + 3840*a^7*b^4*c^7 - 6144*a^8*b^2*c^8)))^{(1/2)}*((27*a*b^9*c^4*d^6 \\
& - b^11*c^3*d^6 - a^3*b^11*e^6 + 3840*a^5*b*c^8*d^6 - 9*a*c^4*d^6*(-(4*a*c \\
& - b^2)^9)^{(1/2)} + 27*a^4*b^9*c*e^6 + 3840*a^8*b*c^5*e^6 + 9*a^4*c*e^6*(-(4* \\
& a*c - b^2)^9)^{(1/2)} - 9216*a^6*c^8*d^5*e - 9216*a^8*c^6*d*e^5 - 288*a^2*b^7 \\
& *c^5*d^6 + 1504*a^3*b^5*c^6*d^6 - 3840*a^4*b^3*c^7*d^6 - a^3*b^2*e^6*(-(4*a* \\
& c - b^2)^9)^{(1/2)} - 288*a^5*b^7*c^2*e^6 + 1504*a^6*b^5*c^3*e^6 - 3840*a^7* \\
& b^3*c^4*e^6 + b^2*c^3*d^6*(-(4*a*c - b^2)^9)^{(1/2)} - 18432*a^7*c^7*d^3*e^3 \\
& + 9*a^2*b^9*c^3*d^4*e^2 - 384*a^3*b^7*c^4*d^4*e^2 + 88*a^3*b^8*c^3*d^3*e^3 \\
& + 9*a^3*b^9*c^2*d^2*e^4 + 3744*a^4*b^5*c^5*d^4*e^2 - 768*a^4*b^6*c^4*d^3*e^ \\
& 3 - 384*a^4*b^7*c^3*d^2*e^4 - 13824*a^5*b^3*c^6*d^4*e^2 + 768*a^5*b^4*c^5*d \\
& ^3*e^3 + 3744*a^5*b^5*c^4*d^2*e^4 + 8192*a^6*b^2*c^6*d^3*e^3 - 13824*a^6*b^ \\
& 3*c^5*d^2*e^4 - 9*a^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 9*a^3*c^2*d^2* \\
& e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a*b^10*c^3*d^5*e - 6*a^3*b^10*c*d*e^5 + 10 \\
& 8*a^2*b^8*c^4*d^5*e - 576*a^3*b^6*c^5*d^5*e + 384*a^4*b^4*c^6*d^5*e + 108*a \\
& ^4*b^8*c^2*d*e^5 + 4608*a^5*b^2*c^7*d^5*e - 576*a^5*b^6*c^3*d*e^5 + 17664*a \\
& ^6*b*c^7*d^4*e^2 + 384*a^6*b^4*c^4*d*e^5 + 17664*a^7*b*c^6*d^2*e^4 + 4608*a \\
& ^7*b^2*c^5*d*e^5 + 6*a*b*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a^3*b*c*d*e \\
& ^5*(-(4*a*c - b^2)^9)^{(1/2)}/(32*(4096*a^9*c^9 + a^3*b^12*c^3 - 24*a^4*b^10 \\
& *c^4 + 240*a^5*b^8*c^5 - 1280*a^6*b^6*c^6 + 3840*a^7*b^4*c^7 - 6144*a^8*b^2 \\
& *c^8)))^{(1/2)}*2i - \operatorname{atan}((((6144*a^5*c^7*d^3 + 16*a*b^8*c^3*d^3 - 1024*a^6* \\
& b*c^5*e^3 + 6144*a^6*c^6*d*e^2 - 288*a^2*b^6*c^4*d^3 + 1920*a^3*b^4*c^5*d^3 \\
& - 5632*a^4*b^2*c^6*d^3 + 16*a^3*b^7*c^2*e^3 - 192*a^4*b^5*c^3*e^3 + 768*a^ \\
& 5*b^3*c^4*e^3 - 3072*a^5*b*c^6*d^2*e + 48*a^2*b^7*c^3*d^2*e - 576*a^3*b^5*c \\
& ^4*d^2*e - 96*a^3*b^6*c^3*d*e^2 + 2304*a^4*b^3*c^5*d^2*e + 1152*a^4*b^4*c^4 \\
& *d*e^2 - 4608*a^5*b^2*c^5*d*e^2)/(8*(64*a^5*c^4 - a^2*b^6*c + 12*a^3*b^4*c^ \\
& 2 - 48*a^4*b^2*c^3)) - (x*((27*a*b^9*c^4*d^6 - b^11*c^3*d^6 - a^3*b^11*e^6 \\
& + 3840*a^5*b*c^8*d^6 + 9*a*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 27*a^4*b^9*c* \\
& e^6 + 3840*a^8*b*c^5*e^6 - 9*a^4*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 9216*a^6* \\
& c^8*d^5*e - 9216*a^8*c^6*d*e^5 - 288*a^2*b^7*c^5*d^6 + 1504*a^3*b^5*c^6*d^6 \\
& - 3840*a^4*b^3*c^7*d^6 + a^3*b^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 288*a^5*b^
\end{aligned}$$

$$\begin{aligned}
&7c^2e^6 + 1504a^6b^5c^3e^6 - 3840a^7b^3c^4e^6 - b^2c^3d^6(-4a \\
&a^*c - b^2)^9)^{(1/2)} - 18432a^7c^7d^3e^3 + 9a^2b^9c^3d^4e^2 - 384a^ \\
&^3b^7c^4d^4e^2 + 88a^3b^8c^3d^3e^3 + 9a^3b^9c^2d^2e^4 + 3744a \\
&^4b^5c^5d^4e^2 - 768a^4b^6c^4d^3e^3 - 384a^4b^7c^3d^2e^4 - 1 \\
&3824a^5b^3c^6d^4e^2 + 768a^5b^4c^5d^3e^3 + 3744a^5b^5c^4d^2e \\
&^4 + 8192a^6b^2c^6d^3e^3 - 13824a^6b^3c^5d^2e^4 + 9a^2c^3d^4e \\
&^2(-4a^*c - b^2)^9)^{(1/2)} - 9a^3c^2d^2e^4(-4a^*c - b^2)^9)^{(1/2)} - \\
&6a^*b^10c^3d^5e - 6a^3b^10c^*d^5e + 108a^2b^8c^4d^5e - 576a^3b^ \\
&^6c^5d^5e + 384a^4b^4c^6d^5e + 108a^4b^8c^2d^5e + 4608a^5b^2 \\
&^*c^7d^5e - 576a^5b^6c^3d^5e + 17664a^6b^*c^7d^4e^2 + 384a^6b^4 \\
&^c^4d^5e + 17664a^7b^*c^6d^2e^4 + 4608a^7b^2c^5d^5e - 6a^*b^*c^3d^ \\
&5e(-4a^*c - b^2)^9)^{(1/2)} + 6a^3b^*c^*d^5e(-4a^*c - b^2)^9)^{(1/2)} / (3 \\
&2*(4096a^9c^9 + a^3b^12c^3 - 24a^4b^10c^4 + 240a^5b^8c^5 - 1280a \\
&^6b^6c^6 + 3840a^7b^4c^7 - 6144a^8b^2c^8)))^{(1/2)}*(1024a^5b^*c^6 - \\
&16a^2b^7c^3 + 192a^3b^5c^4 - 768a^4b^3c^5)) / (2*(16a^4c^3 + a^2 \\
&b^4c - 8a^3b^2c^2)))*((27a^*b^9c^4d^6 - b^11c^3d^6 - a^3b^11e^6 + \\
&3840a^5b^*c^8d^6 + 9a^*c^4d^6(-4a^*c - b^2)^9)^{(1/2)} + 27a^4b^9c^*e \\
&^6 + 3840a^8b^*c^5e^6 - 9a^4c^*e^6(-4a^*c - b^2)^9)^{(1/2)} - 9216a^6c^ \\
&^8d^5e - 9216a^8c^6d^5e - 288a^2b^7c^5d^6 + 1504a^3b^5c^6d^6 \\
&- 3840a^4b^3c^7d^6 + a^3b^2e^6(-4a^*c - b^2)^9)^{(1/2)} - 288a^5b^7 \\
&^*c^2e^6 + 1504a^6b^5c^3e^6 - 3840a^7b^3c^4e^6 - b^2c^3d^6(-4a^* \\
&^*c - b^2)^9)^{(1/2)} - 18432a^7c^7d^3e^3 + 9a^2b^9c^3d^4e^2 - 384a^ \\
&^3b^7c^4d^4e^2 + 88a^3b^8c^3d^3e^3 + 9a^3b^9c^2d^2e^4 + 3744a \\
&^4b^5c^5d^4e^2 - 768a^4b^6c^4d^3e^3 - 384a^4b^7c^3d^2e^4 - 13 \\
&824a^5b^3c^6d^4e^2 + 768a^5b^4c^5d^3e^3 + 3744a^5b^5c^4d^2e^ \\
&^4 + 8192a^6b^2c^6d^3e^3 - 13824a^6b^3c^5d^2e^4 + 9a^2c^3d^4e^ \\
&^2(-4a^*c - b^2)^9)^{(1/2)} - 9a^3c^2d^2e^4(-4a^*c - b^2)^9)^{(1/2)} - 6 \\
&^*a^*b^10c^3d^5e - 6a^3b^10c^*d^5e + 108a^2b^8c^4d^5e - 576a^3b^ \\
&^6c^5d^5e + 384a^4b^4c^6d^5e + 108a^4b^8c^2d^5e + 4608a^5b^2 \\
&^c^7d^5e - 576a^5b^6c^3d^5e + 17664a^6b^*c^7d^4e^2 + 384a^6b^4 \\
&^c^4d^5e + 17664a^7b^*c^6d^2e^4 + 4608a^7b^2c^5d^5e - 6a^*b^*c^3d^5 \\
&^*e(-4a^*c - b^2)^9)^{(1/2)} + 6a^3b^*c^*d^5e(-4a^*c - b^2)^9)^{(1/2)} / (32 \\
&*(4096a^9c^9 + a^3b^12c^3 - 24a^4b^10c^4 + 240a^5b^8c^5 - 1280a^ \\
&^6b^6c^6 + 3840a^7b^4c^7 - 6144a^8b^2c^8)))^{(1/2)} - (x*(72a^5c^3e \\
&^6 - 72a^2c^6d^6 - a^2b^6e^6 - b^4c^4d^6 + 14a^*b^2c^5d^6 + 16a^3 \\
&^*b^4c^*e^6 - 74a^4b^2c^2e^6 - 72a^3c^5d^4e^2 + 72a^4c^4d^2e^4 - \\
&102a^2b^2c^4d^4e^2 + 44a^2b^3c^3d^3e^3 + 9a^2b^4c^2d^2e^4 - \\
&174a^3b^2c^3d^2e^4 - 6a^*b^3c^4d^5e + 120a^2b^*c^5d^5e - 6a^2 \\
&b^5c^*d^5e + 24a^4b^*c^3d^5e + 144a^3b^*c^4d^3e^3 + 42a^3b^3c^2d^ \\
&^*e^5)) / (2*(16a^4c^3 + a^2b^4c - 8a^3b^2c^2)))*((27a^*b^9c^4d^6 - b \\
&^11c^3d^6 - a^3b^11e^6 + 3840a^5b^*c^8d^6 + 9a^*c^4d^6(-4a^*c - b^ \\
&^2)^9)^{(1/2)} + 27a^4b^9c^*e^6 + 3840a^8b^*c^5e^6 - 9a^4c^*e^6(-4a^*c \\
&- b^2)^9)^{(1/2)} - 9216a^6c^8d^5e - 9216a^8c^6d^5e - 288a^2b^7c^5 \\
&d^6 + 1504a^3b^5c^6d^6 - 3840a^4b^3c^7d^6 + a^3b^2e^6(-4a^*c - \\
&b^2)^9)^{(1/2)} - 288a^5b^7c^2e^6 + 1504a^6b^5c^3e^6 - 3840a^7b^3
\end{aligned}$$

$$\begin{aligned}
& 9)^{(1/2)} - 18432a^7c^7d^3e^3 + 9a^2b^9c^3d^4e^2 - 384a^3b^7c^4d^4e^2 + 88a^3b^8c^3d^3e^3 + 9a^3b^9c^2d^2e^4 + 3744a^4b^5c^5d^4e^2 - 768a^4b^6c^4d^3e^3 - 384a^4b^7c^3d^2e^4 - 13824a^5b^3c^6d^4e^2 + 768a^5b^4c^5d^3e^3 + 3744a^5b^5c^4d^2e^4 + 8192a^6b^2c^6d^3e^3 - 13824a^6b^3c^5d^2e^4 + 9a^2c^3d^4e^2(-4ac - b^2)^9)^{(1/2)} - 9a^3c^2d^2e^4(-4ac - b^2)^9)^{(1/2)} - 6a^2b^10c^3d^5e - 6a^3b^10c^3d^5e + 108a^2b^8c^4d^5e - 576a^3b^6c^5d^5e + 384a^4b^4c^6d^5e + 108a^4b^8c^2d^5e + 4608a^5b^2c^7d^5e - 576a^5b^6c^3d^5e + 17664a^6b^3c^7d^4e^2 + 384a^6b^4c^4d^5e + 17664a^7b^2c^6d^2e^4 + 4608a^7b^2c^5d^5e - 6a^2b^10c^3d^5e(-4ac - b^2)^9)^{(1/2)} + 6a^3b^3c^4d^5e(-4ac - b^2)^9)^{(1/2))}/(32(4096a^9c^9 + a^3b^12c^3 - 24a^4b^10c^4 + 240a^5b^8c^5 - 1280a^6b^6c^6 + 3840a^7b^4c^7 - 6144a^8b^2c^8)))^{(1/2)} + (x(72a^5c^3e^6 - 72a^2c^6d^6 - a^2b^6e^6 - b^4c^4d^6 + 14a^2b^2c^5d^6 + 16a^3b^4c^6e^6 - 74a^4b^2c^2e^6 - 72a^3c^5d^4e^2 + 72a^4c^4d^2e^4 - 102a^2b^2c^4d^4e^2 + 44a^2b^3c^3d^3e^3 + 9a^2b^4c^2d^2e^4 - 174a^3b^2c^3d^2e^4 - 6a^2b^3c^4d^5e + 120a^2b^5c^5d^5e - 6a^2b^5c^4d^5e + 24a^4b^3c^3d^5e + 144a^3b^3c^4d^3e^3 + 42a^3b^3c^2d^5e)))/(2(16a^4c^3 + a^2b^4c - 8a^3b^2c^2)))*((27a^2b^9c^4d^6 - b^11c^3d^6 - a^3b^11e^6 + 3840a^5b^3c^8d^6 + 9a^2c^4d^6(-4ac - b^2)^9)^{(1/2)} + 27a^4b^9c^6e^6 + 3840a^8b^3c^5e^6 - 9a^4c^6e^6(-4ac - b^2)^9)^{(1/2)} - 9216a^6c^8d^5e - 9216a^8c^6d^5e - 288a^2b^7c^5d^6 + 1504a^3b^5c^6d^6 - 3840a^4b^3c^7d^6 + a^3b^2e^6(-4ac - b^2)^9)^{(1/2)} - 288a^5b^7c^2e^6 + 1504a^6b^5c^3e^6 - 3840a^7b^3c^4e^6 - b^2c^3d^6(-4ac - b^2)^9)^{(1/2)} - 18432a^7c^7d^3e^3 + 9a^2b^9c^3d^4e^2 - 384a^3b^7c^4d^4e^2 + 88a^3b^8c^3d^3e^3 + 9a^3b^9c^2d^2e^4 + 3744a^4b^5c^5d^4e^2 - 768a^4b^6c^4d^3e^3 - 384a^4b^7c^3d^2e^4 - 13824a^5b^3c^6d^4e^2 + 768a^5b^4c^5d^3e^3 + 3744a^5b^5c^4d^2e^4 + 8192a^6b^2c^6d^3e^3 - 13824a^6b^3c^5d^2e^4 + 9a^2c^3d^4e^2(-4ac - b^2)^9)^{(1/2)} - 9a^3c^2d^2e^4(-4ac - b^2)^9)^{(1/2)} - 6a^2b^10c^3d^5e - 6a^3b^10c^3d^5e + 108a^2b^8c^4d^5e - 576a^3b^6c^5d^5e + 384a^4b^4c^6d^5e + 108a^4b^8c^2d^5e + 4608a^5b^2c^7d^5e - 576a^5b^6c^3d^5e + 17664a^6b^3c^7d^4e^2 + 384a^6b^4c^4d^5e + 17664a^7b^2c^6d^2e^4 + 4608a^7b^2c^5d^5e - 6a^2b^10c^3d^5e(-4ac - b^2)^9)^{(1/2)} + 6a^3b^3c^4d^5e(-4ac - b^2)^9)^{(1/2))}/(32(4096a^9c^9 + a^3b^12c^3 - 24a^4b^10c^4 + 240a^5b^8c^5 - 1280a^6b^6c^6 + 3840a^7b^4c^7 - 6144a^8b^2c^8)))^{(1/2)} * 1i)/((5a^4b^4e^9 + 216a^6c^2e^9 + 5b^3c^5d^9 - 66a^5b^2c^6e^9 + a^2b^7d^3e^6 - 9a^3b^5d^8e + 216a^2c^6d^8e - 9b^4c^4d^8e + 3a^2b^6d^2e^7 + 864a^3c^5d^6e^3 + 1296a^4c^4d^4e^5 + 864a^5c^3d^2e^7 + 3b^5c^3d^7e^2 + b^6c^2d^6e^3 - 36a^2b^6c^6d^9 + 624a^2b^2c^4d^6e^3 - 6a^2b^3c^3d^5e^4 - 108a^2b^4c^2d^4e^5 + 1020a^3b^2c^3d^4e^5 + 128a^3b^3c^2d^3e^6 + 384a^4b^2c^2d^2e^7 + 54a^2b^2c^5d^8e + 6a^2b^6c^4d^5e + 153a^4b^3c^4d^8e - 612a^5b^3c^2d^8e + 8 + 24a^2b^3c^4d^7e^2 - 46a^2b^4c^3d^6e^3 - 3a^2b^5c^2d^5e^4 - 720
\end{aligned}$$

$$\begin{aligned}
& a^2 b^5 c^4 d^7 e^2 - 3 a^2 b^5 c^4 d^3 e^6 - 1944 a^3 b^4 c^4 d^5 e^4 - 90 a^3 b^4 c^4 d^2 e^7 - 1872 a^4 b^3 c^3 d^3 e^6 / (4 (64 a^5 c^4 - a^2 b^6 c + 12 a^3 b^4 c^2 - 48 a^4 b^2 c^3)) + (((6144 a^5 c^7 d^3 + 16 a^4 b^8 c^3 d^3 - 1024 a^6 b^5 c^5 e^3 + 6144 a^6 c^6 d^2 e^2 - 288 a^2 b^6 c^4 d^3 + 1920 a^3 b^4 c^5 d^3 - 5632 a^4 b^2 c^6 d^3 + 16 a^3 b^7 c^2 e^3 - 192 a^4 b^5 c^3 e^3 + 768 a^5 b^3 c^4 e^3 - 3072 a^5 b^3 c^6 d^2 e + 48 a^2 b^7 c^3 d^2 e - 576 a^3 b^5 c^4 d^2 e - 96 a^3 b^6 c^3 d^2 e^2 + 2304 a^4 b^3 c^5 d^2 e + 1152 a^4 b^4 c^4 d^2 e^2 - 4608 a^5 b^2 c^5 d^2 e^2) / (8 (64 a^5 c^4 - a^2 b^6 c + 12 a^3 b^4 c^2 - 48 a^4 b^2 c^3)) - (x ((27 a^4 b^9 c^4 d^6 - b^{11} c^3 d^6 - a^3 b^{11} e^6 + 3840 a^5 b^8 c^4 d^6 + 9 a^4 c^4 d^6 (-4 a^4 c - b^2)^9)^{1/2} + 27 a^4 b^9 c^4 e^6 + 3840 a^8 b^5 c^5 e^6 - 9 a^4 c^4 e^6 (-4 a^4 c - b^2)^9)^{1/2} - 9216 a^6 c^8 d^5 e - 9216 a^8 c^6 d^5 e^5 - 288 a^2 b^7 c^5 d^6 + 1504 a^3 b^5 c^6 d^6 - 3840 a^4 b^3 c^7 d^6 + a^3 b^2 e^6 (-4 a^4 c - b^2)^9)^{1/2} - 288 a^5 b^7 c^2 e^6 + 1504 a^6 b^5 c^3 e^6 - 3840 a^7 b^3 c^4 e^6 - b^2 c^3 d^6 (-4 a^4 c - b^2)^9)^{1/2} - 18432 a^7 c^7 d^3 e^3 + 9 a^2 b^9 c^3 d^4 e^2 - 384 a^3 b^7 c^4 d^4 e^2 + 88 a^3 b^8 c^3 d^3 e^3 + 9 a^3 b^9 c^2 d^2 e^4 + 3744 a^4 b^5 c^5 d^4 e^2 - 768 a^4 b^6 c^4 d^3 e^3 - 384 a^4 b^7 c^3 d^2 e^4 - 13824 a^5 b^3 c^6 d^4 e^2 + 768 a^5 b^4 c^5 d^3 e^3 + 3744 a^5 b^5 c^4 d^2 e^4 + 8192 a^6 b^2 c^6 d^3 e^3 - 13824 a^6 b^3 c^5 d^2 e^4 + 9 a^2 c^3 d^4 e^2 (-4 a^4 c - b^2)^9)^{1/2} - 9 a^3 c^2 d^2 e^4 (-4 a^4 c - b^2)^9)^{1/2} - 6 a^4 b^10 c^3 d^5 e - 6 a^3 b^10 c^4 d^5 e^5 + 108 a^2 b^8 c^4 d^5 e - 576 a^3 b^6 c^5 d^5 e + 384 a^4 b^4 c^6 d^5 e + 108 a^4 b^8 c^2 d^5 e + 4608 a^5 b^2 c^7 d^5 e - 576 a^5 b^6 c^3 d^5 e + 17664 a^6 b^7 c^4 d^4 e^2 + 384 a^6 b^4 c^4 d^4 e^5 + 17664 a^7 b^6 c^6 d^2 e^4 + 4608 a^7 b^2 c^5 d^5 e^5 - 6 a^4 b^3 c^3 d^5 e (-4 a^4 c - b^2)^9)^{1/2} + 6 a^3 b^3 c^4 d^5 e (-4 a^4 c - b^2)^9)^{1/2} / (32 (4096 a^9 c^9 + a^3 b^{12} c^3 - 24 a^4 b^{10} c^4 + 240 a^5 b^8 c^5 - 1280 a^6 b^6 c^6 + 3840 a^7 b^4 c^7 - 6144 a^8 b^2 c^8))^{1/2} * (1024 a^5 b^6 c^6 - 16 a^2 b^7 c^3 + 192 a^3 b^5 c^4 - 768 a^4 b^3 c^5) / (2 (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2)) * ((27 a^4 b^9 c^4 d^6 - b^{11} c^3 d^6 - a^3 b^{11} e^6 + 3840 a^5 b^8 c^4 d^6 + 9 a^4 c^4 d^6 (-4 a^4 c - b^2)^9)^{1/2} + 27 a^4 b^9 c^4 e^6 + 3840 a^8 b^5 c^5 e^6 - 9 a^4 c^4 e^6 (-4 a^4 c - b^2)^9)^{1/2} - 9216 a^6 c^8 d^5 e - 9216 a^8 c^6 d^5 e^5 - 288 a^2 b^7 c^5 d^6 + 1504 a^3 b^5 c^6 d^6 - 3840 a^4 b^3 c^7 d^6 + a^3 b^2 e^6 (-4 a^4 c - b^2)^9)^{1/2} - 288 a^5 b^7 c^2 e^6 + 1504 a^6 b^5 c^3 e^6 - 3840 a^7 b^3 c^4 e^6 - b^2 c^3 d^6 (-4 a^4 c - b^2)^9)^{1/2} - 18432 a^7 c^7 d^3 e^3 + 9 a^2 b^9 c^3 d^4 e^2 - 384 a^3 b^7 c^4 d^4 e^2 + 88 a^3 b^8 c^3 d^3 e^3 + 9 a^3 b^9 c^2 d^2 e^4 + 3744 a^4 b^5 c^5 d^4 e^2 - 768 a^4 b^6 c^4 d^3 e^3 - 384 a^4 b^7 c^3 d^2 e^4 - 13824 a^5 b^3 c^6 d^4 e^2 + 768 a^5 b^4 c^5 d^3 e^3 + 3744 a^5 b^5 c^4 d^2 e^4 + 8192 a^6 b^2 c^6 d^3 e^3 - 13824 a^6 b^3 c^5 d^2 e^4 + 9 a^2 c^3 d^4 e^2 (-4 a^4 c - b^2)^9)^{1/2} - 9 a^3 c^2 d^2 e^4 (-4 a^4 c - b^2)^9)^{1/2} - 6 a^4 b^10 c^3 d^5 e - 6 a^3 b^10 c^4 d^5 e^5 + 108 a^2 b^8 c^4 d^5 e - 576 a^3 b^6 c^5 d^5 e + 384 a^4 b^4 c^6 d^5 e + 108 a^4 b^8 c^2 d^5 e + 4608 a^5 b^2 c^7 d^5 e - 576 a^5 b^6 c^3 d^5 e + 17664 a^6 b^7 c^4 d^4 e^2 + 384 a^6 b^4 c^4 d^4 e^5 + 17664 a^7 b^6 c^6 d^2 e^4 + 4608 a^7 b^2 c^5 d^5 e^5 - 6 a^4 b^3 c^3 d^5 e (-4 a^4 c - b^2)^9)^{1/2} + 6 a^3 b^3 c^4 d^5 e (-4 a^4 c - b^2)^9)^{1/2}
\end{aligned}$$

$$\begin{aligned}
&) / (32*(4096*a^9*c^9 + a^3*b^12*c^3 - 24*a^4*b^10*c^4 + 240*a^5*b^8*c^5 - 12 \\
& 80*a^6*b^6*c^6 + 3840*a^7*b^4*c^7 - 6144*a^8*b^2*c^8))^{(1/2)} - (x*(72*a^5* \\
& c^3*e^6 - 72*a^2*c^6*d^6 - a^2*b^6*e^6 - b^4*c^4*d^6 + 14*a*b^2*c^5*d^6 + 1 \\
& 6*a^3*b^4*c*e^6 - 74*a^4*b^2*c^2*e^6 - 72*a^3*c^5*d^4*e^2 + 72*a^4*c^4*d^2* \\
& e^4 - 102*a^2*b^2*c^4*d^4*e^2 + 44*a^2*b^3*c^3*d^3*e^3 + 9*a^2*b^4*c^2*d^2* \\
& e^4 - 174*a^3*b^2*c^3*d^2*e^4 - 6*a*b^3*c^4*d^5*e + 120*a^2*b*c^5*d^5*e - 6 \\
& *a^2*b^5*c*d*e^5 + 24*a^4*b*c^3*d*e^5 + 144*a^3*b*c^4*d^3*e^3 + 42*a^3*b^3* \\
& c^2*d*e^5)) / (2*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)) * ((27*a*b^9*c^4*d^ \\
& 6 - b^11*c^3*d^6 - a^3*b^11*e^6 + 3840*a^5*b*c^8*d^6 + 9*a*c^4*d^6*(-(4*a*c \\
& - b^2)^9))^{(1/2)} + 27*a^4*b^9*c*e^6 + 3840*a^8*b*c^5*e^6 - 9*a^4*c*e^6*(-(4 \\
& *a*c - b^2)^9))^{(1/2)} - 9216*a^6*c^8*d^5*e - 9216*a^8*c^6*d*e^5 - 288*a^2*b^ \\
& 7*c^5*d^6 + 1504*a^3*b^5*c^6*d^6 - 3840*a^4*b^3*c^7*d^6 + a^3*b^2*e^6*(-(4* \\
& a*c - b^2)^9))^{(1/2)} - 288*a^5*b^7*c^2*e^6 + 1504*a^6*b^5*c^3*e^6 - 3840*a^7 \\
& *b^3*c^4*e^6 - b^2*c^3*d^6*(-(4*a*c - b^2)^9))^{(1/2)} - 18432*a^7*c^7*d^3*e^3 \\
& + 9*a^2*b^9*c^3*d^4*e^2 - 384*a^3*b^7*c^4*d^4*e^2 + 88*a^3*b^8*c^3*d^3*e^3 \\
& + 9*a^3*b^9*c^2*d^2*e^4 + 3744*a^4*b^5*c^5*d^4*e^2 - 768*a^4*b^6*c^4*d^3*e \\
& ^3 - 384*a^4*b^7*c^3*d^2*e^4 - 13824*a^5*b^3*c^6*d^4*e^2 + 768*a^5*b^4*c^5* \\
& d^3*e^3 + 3744*a^5*b^5*c^4*d^2*e^4 + 8192*a^6*b^2*c^6*d^3*e^3 - 13824*a^6*b \\
& ^3*c^5*d^2*e^4 + 9*a^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9))^{(1/2)} - 9*a^3*c^2*d^2 \\
& *e^4*(-(4*a*c - b^2)^9))^{(1/2)} - 6*a*b^10*c^3*d^5*e - 6*a^3*b^10*c*d*e^5 + 1 \\
& 08*a^2*b^8*c^4*d^5*e - 576*a^3*b^6*c^5*d^5*e + 384*a^4*b^4*c^6*d^5*e + 108* \\
& a^4*b^8*c^2*d*e^5 + 4608*a^5*b^2*c^7*d^5*e - 576*a^5*b^6*c^3*d*e^5 + 17664*a \\
& ^6*b*c^7*d^4*e^2 + 384*a^6*b^4*c^4*d*e^5 + 17664*a^7*b*c^6*d^2*e^4 + 4608* \\
& a^7*b^2*c^5*d*e^5 - 6*a*b*c^3*d^5*e*(-(4*a*c - b^2)^9))^{(1/2)} + 6*a^3*b*c*d* \\
& e^5*(-(4*a*c - b^2)^9))^{(1/2)} / (32*(4096*a^9*c^9 + a^3*b^12*c^3 - 24*a^4*b^1 \\
& 0*c^4 + 240*a^5*b^8*c^5 - 1280*a^6*b^6*c^6 + 3840*a^7*b^4*c^7 - 6144*a^8*b^ \\
& 2*c^8))^{(1/2)} + (((6144*a^5*c^7*d^3 + 16*a*b^8*c^3*d^3 - 1024*a^6*b*c^5*e^ \\
& 3 + 6144*a^6*c^6*d*e^2 - 288*a^2*b^6*c^4*d^3 + 1920*a^3*b^4*c^5*d^3 - 5632* \\
& a^4*b^2*c^6*d^3 + 16*a^3*b^7*c^2*e^3 - 192*a^4*b^5*c^3*e^3 + 768*a^5*b^3*c^ \\
& 4*e^3 - 3072*a^5*b*c^6*d^2*e + 48*a^2*b^7*c^3*d^2*e - 576*a^3*b^5*c^4*d^2*e \\
& - 96*a^3*b^6*c^3*d*e^2 + 2304*a^4*b^3*c^5*d^2*e + 1152*a^4*b^4*c^4*d*e^2 - \\
& 4608*a^5*b^2*c^5*d*e^2) / (8*(64*a^5*c^4 - a^2*b^6*c + 12*a^3*b^4*c^2 - 48*a \\
& ^4*b^2*c^3)) + (x*((27*a*b^9*c^4*d^6 - b^11*c^3*d^6 - a^3*b^11*e^6 + 3840*a \\
& ^5*b*c^8*d^6 + 9*a*c^4*d^6*(-(4*a*c - b^2)^9))^{(1/2)} + 27*a^4*b^9*c*e^6 + 38 \\
& 40*a^8*b*c^5*e^6 - 9*a^4*c*e^6*(-(4*a*c - b^2)^9))^{(1/2)} - 9216*a^6*c^8*d^5* \\
& e - 9216*a^8*c^6*d*e^5 - 288*a^2*b^7*c^5*d^6 + 1504*a^3*b^5*c^6*d^6 - 3840* \\
& a^4*b^3*c^7*d^6 + a^3*b^2*e^6*(-(4*a*c - b^2)^9))^{(1/2)} - 288*a^5*b^7*c^2*e^ \\
& 6 + 1504*a^6*b^5*c^3*e^6 - 3840*a^7*b^3*c^4*e^6 - b^2*c^3*d^6*(-(4*a*c - b^ \\
& 2)^9))^{(1/2)} - 18432*a^7*c^7*d^3*e^3 + 9*a^2*b^9*c^3*d^4*e^2 - 384*a^3*b^7*c \\
& ^4*d^4*e^2 + 88*a^3*b^8*c^3*d^3*e^3 + 9*a^3*b^9*c^2*d^2*e^4 + 3744*a^4*b^5* \\
& c^5*d^4*e^2 - 768*a^4*b^6*c^4*d^3*e^3 - 384*a^4*b^7*c^3*d^2*e^4 - 13824*a^5 \\
& *b^3*c^6*d^4*e^2 + 768*a^5*b^4*c^5*d^3*e^3 + 3744*a^5*b^5*c^4*d^2*e^4 + 819 \\
& 2*a^6*b^2*c^6*d^3*e^3 - 13824*a^6*b^3*c^5*d^2*e^4 + 9*a^2*c^3*d^4*e^2*(-(4* \\
& a*c - b^2)^9))^{(1/2)} - 9*a^3*c^2*d^2*e^4*(-(4*a*c - b^2)^9))^{(1/2)} - 6*a*b^10 \\
& *c^3*d^5*e - 6*a^3*b^10*c*d*e^5 + 108*a^2*b^8*c^4*d^5*e - 576*a^3*b^6*c^5*d
\end{aligned}$$

$$\begin{aligned}
&^5e + 384a^4b^4c^6d^5e + 108a^4b^8c^2d^5e + 4608a^5b^2c^7d^5 \\
&*e - 576a^5b^6c^3d^5e + 17664a^6b^6c^7d^4e^2 + 384a^6b^4c^4d^5e^5 \\
&+ 17664a^7b^6c^6d^2e^4 + 4608a^7b^2c^5d^5e^5 - 6a^6b^6c^3d^5e^5 * (-4 \\
&*a*c - b^2)^9)^{(1/2)} + 6a^3b^6c^6d^5e^5 * (-4a*c - b^2)^9)^{(1/2)} / (32 * (4096 * \\
&a^9c^9 + a^3b^12c^3 - 24a^4b^10c^4 + 240a^5b^8c^5 - 1280a^6b^6c^6 \\
&+ 3840a^7b^4c^7 - 6144a^8b^2c^8))^{(1/2)} * (1024a^5b^6c^6 - 16a^2 * \\
&b^7c^3 + 192a^3b^5c^4 - 768a^4b^3c^5) / (2 * (16a^4c^3 + a^2b^4c - \\
&8a^3b^2c^2)) * ((27a^9c^4d^6 - b^11c^3d^6 - a^3b^11e^6 + 3840a^5 \\
&b^6c^8d^6 + 9a^4c^4d^6 * (-4a*c - b^2)^9)^{(1/2)} + 27a^4b^9c^6e^6 + 384 \\
&0a^8b^6c^5e^6 - 9a^4c^6e^6 * (-4a*c - b^2)^9)^{(1/2)} - 9216a^6c^8d^5e \\
&- 9216a^8c^6d^5e^5 - 288a^2b^7c^5d^6 + 1504a^3b^5c^6d^6 - 3840a^4 \\
&b^3c^7d^6 + a^3b^2e^6 * (-4a*c - b^2)^9)^{(1/2)} - 288a^5b^7c^2e^6 \\
&+ 1504a^6b^5c^3e^6 - 3840a^7b^3c^4e^6 - b^2c^3d^6 * (-4a*c - b^2 \\
&)^9)^{(1/2)} - 18432a^7c^7d^3e^3 + 9a^2b^9c^3d^4e^2 - 384a^3b^7c^4 \\
&d^4e^2 + 88a^3b^8c^3d^3e^3 + 9a^3b^9c^2d^2e^4 + 3744a^4b^5c^5 \\
&d^4e^2 - 768a^4b^6c^4d^3e^3 - 384a^4b^7c^3d^2e^4 - 13824a^5b^3 \\
&c^6d^4e^2 + 768a^5b^4c^5d^3e^3 + 3744a^5b^5c^4d^2e^4 + 8192 \\
&a^6b^2c^6d^3e^3 - 13824a^6b^3c^5d^2e^4 + 9a^2c^3d^4e^2 * (-4a \\
&*c - b^2)^9)^{(1/2)} - 9a^3c^2d^2e^4 * (-4a*c - b^2)^9)^{(1/2)} - 6a^6b^10 \\
&c^3d^5e - 6a^3b^10c^3d^5e + 108a^2b^8c^4d^5e - 576a^3b^6c^5d^5 \\
&e + 384a^4b^4c^6d^5e + 108a^4b^8c^2d^5e + 4608a^5b^2c^7d^5e \\
&e - 576a^5b^6c^3d^5e + 17664a^6b^6c^7d^4e^2 + 384a^6b^4c^4d^5e^5 \\
&+ 17664a^7b^6c^6d^2e^4 + 4608a^7b^2c^5d^5e^5 - 6a^6b^6c^3d^5e^5 * (-4 \\
&a*c - b^2)^9)^{(1/2)} + 6a^3b^6c^6d^5e^5 * (-4a*c - b^2)^9)^{(1/2)} / (32 * (4096 * \\
&a^9c^9 + a^3b^12c^3 - 24a^4b^10c^4 + 240a^5b^8c^5 - 1280a^6b^6c^6 \\
&+ 3840a^7b^4c^7 - 6144a^8b^2c^8))^{(1/2)} + (x * (72a^5c^3e^6 - 72 * \\
&a^2c^6d^6 - a^2b^6e^6 - b^4c^4d^6 + 14a^2b^2c^5d^6 + 16a^3b^4c^6e \\
&^6 - 74a^4b^2c^2e^6 - 72a^3c^5d^4e^2 + 72a^4c^4d^2e^4 - 102a^2 \\
&*b^2c^4d^4e^2 + 44a^2b^3c^3d^3e^3 + 9a^2b^4c^2d^2e^4 - 174a^3 \\
&*b^2c^3d^2e^4 - 6a^6b^3c^4d^5e + 120a^2b^6c^5d^5e - 6a^2b^5c^6d^5 \\
&e^5 + 24a^4b^6c^3d^5e^5 + 144a^3b^6c^4d^3e^3 + 42a^3b^3c^2d^5e^5) / (\\
&2 * (16a^4c^3 + a^2b^4c - 8a^3b^2c^2)) * ((27a^9c^4d^6 - b^11c^3 \\
&d^6 - a^3b^11e^6 + 3840a^5b^6c^8d^6 + 9a^4c^4d^6 * (-4a*c - b^2)^9)^{(1 \\
&/2)} + 27a^4b^9c^6e^6 + 3840a^8b^6c^5e^6 - 9a^4c^6e^6 * (-4a*c - b^2)^9 \\
&)^{(1/2)} - 9216a^6c^8d^5e - 9216a^8c^6d^5e^5 - 288a^2b^7c^5d^6 + 1 \\
&504a^3b^5c^6d^6 - 3840a^4b^3c^7d^6 + a^3b^2e^6 * (-4a*c - b^2)^9) \\
&^{(1/2)} - 288a^5b^7c^2e^6 + 1504a^6b^5c^3e^6 - 3840a^7b^3c^4e^6 \\
&- b^2c^3d^6 * (-4a*c - b^2)^9)^{(1/2)} - 18432a^7c^7d^3e^3 + 9a^2b^9c^3 \\
&d^4e^2 - 384a^3b^7c^4d^4e^2 + 88a^3b^8c^3d^3e^3 + 9a^3b^9c^2d^2e^4 \\
&+ 3744a^4b^5c^5d^4e^2 - 768a^4b^6c^4d^3e^3 - 384a^4b^7c^3d^2e^4 - \\
&13824a^5b^3c^6d^4e^2 + 768a^5b^4c^5d^3e^3 + 374 \\
&4a^5b^5c^4d^2e^4 + 8192a^6b^2c^6d^3e^3 - 13824a^6b^3c^5d^2e^4 \\
&+ 9a^2c^3d^4e^2 * (-4a*c - b^2)^9)^{(1/2)} - 9a^3c^2d^2e^4 * (-4a*c \\
&- b^2)^9)^{(1/2)} - 6a^6b^10c^3d^5e - 6a^3b^10c^3d^5e + 108a^2b^8c^4 \\
&d^5e - 576a^3b^6c^5d^5e + 384a^4b^4c^6d^5e + 108a^4b^8c^2d^5e
\end{aligned}$$

```

*e^5 + 4608*a^5*b^2*c^7*d^5*e - 576*a^5*b^6*c^3*d*e^5 + 17664*a^6*b*c^7*d^4
*e^2 + 384*a^6*b^4*c^4*d*e^5 + 17664*a^7*b*c^6*d^2*e^4 + 4608*a^7*b^2*c^5*d
*e^5 - 6*a*b*c^3*d^5*e*(-(4*a*c - b^2)^9)^(1/2) + 6*a^3*b*c*d*e^5*(-(4*a*c
- b^2)^9)^(1/2))/(32*(4096*a^9*c^9 + a^3*b^12*c^3 - 24*a^4*b^10*c^4 + 240*a
^5*b^8*c^5 - 1280*a^6*b^6*c^6 + 3840*a^7*b^4*c^7 - 6144*a^8*b^2*c^8)))^(1/2
)))*((27*a*b^9*c^4*d^6 - b^11*c^3*d^6 - a^3*b^11*e^6 + 3840*a^5*b*c^8*d^6 +
9*a*c^4*d^6*(-(4*a*c - b^2)^9)^(1/2) + 27*a^4*b^9*c*e^6 + 3840*a^8*b*c^5*e
^6 - 9*a^4*c*e^6*(-(4*a*c - b^2)^9)^(1/2) - 9216*a^6*c^8*d^5*e - 9216*a^8*c
^6*d*e^5 - 288*a^2*b^7*c^5*d^6 + 1504*a^3*b^5*c^6*d^6 - 3840*a^4*b^3*c^7*d^
6 + a^3*b^2*e^6*(-(4*a*c - b^2)^9)^(1/2) - 288*a^5*b^7*c^2*e^6 + 1504*a^6*b
^5*c^3*e^6 - 3840*a^7*b^3*c^4*e^6 - b^2*c^3*d^6*(-(4*a*c - b^2)^9)^(1/2) -
18432*a^7*c^7*d^3*e^3 + 9*a^2*b^9*c^3*d^4*e^2 - 384*a^3*b^7*c^4*d^4*e^2 + 8
8*a^3*b^8*c^3*d^3*e^3 + 9*a^3*b^9*c^2*d^2*e^4 + 3744*a^4*b^5*c^5*d^4*e^2 -
768*a^4*b^6*c^4*d^3*e^3 - 384*a^4*b^7*c^3*d^2*e^4 - 13824*a^5*b^3*c^6*d^4*e
^2 + 768*a^5*b^4*c^5*d^3*e^3 + 3744*a^5*b^5*c^4*d^2*e^4 + 8192*a^6*b^2*c^6*
d^3*e^3 - 13824*a^6*b^3*c^5*d^2*e^4 + 9*a^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^(
1/2) - 9*a^3*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^(1/2) - 6*a*b^10*c^3*d^5*e - 6
*a^3*b^10*c*d*e^5 + 108*a^2*b^8*c^4*d^5*e - 576*a^3*b^6*c^5*d^5*e + 384*a^4
*b^4*c^6*d^5*e + 108*a^4*b^8*c^2*d*e^5 + 4608*a^5*b^2*c^7*d^5*e - 576*a^5*b
^6*c^3*d*e^5 + 17664*a^6*b*c^7*d^4*e^2 + 384*a^6*b^4*c^4*d*e^5 + 17664*a^7*
b*c^6*d^2*e^4 + 4608*a^7*b^2*c^5*d*e^5 - 6*a*b*c^3*d^5*e*(-(4*a*c - b^2)^9)
^(1/2) + 6*a^3*b*c*d*e^5*(-(4*a*c - b^2)^9)^(1/2))/(32*(4096*a^9*c^9 + a^3*
b^12*c^3 - 24*a^4*b^10*c^4 + 240*a^5*b^8*c^5 - 1280*a^6*b^6*c^6 + 3840*a^7*
b^4*c^7 - 6144*a^8*b^2*c^8)))^(1/2)*2i

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**3/(c*x**4+b*x**2+a)**2,x)

[Out] Timed out

$$3.271 \quad \int \frac{(d+ex^2)^2}{(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=386

$$\frac{x(x^2(abe^2 - 4acde + bcd^2) - 2abde - 2a(cd^2 - ae^2) + b^2d^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\left(\frac{b^2(cd^2 - ae^2) + 8abcde - 4ac(ae^2 + 3cd^2)}{\sqrt{b^2 - 4ac}} + abe^2 - 4acde + bcd^2\right)}{2\sqrt{2}a\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}}$$

[Out] $\frac{1}{2}x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + b^2d^2) / (a + bx^2 + cx^4) + \frac{1}{4} \arctan\left(\frac{x\sqrt{c}}{b - \sqrt{b^2 - 4ac}}\right) / (b - \sqrt{b^2 - 4ac}) + \frac{1}{4} \arctan\left(\frac{x\sqrt{c}}{b + \sqrt{b^2 - 4ac}}\right) / (b + \sqrt{b^2 - 4ac})$

Rubi [A] time = 2.08, antiderivative size = 386, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1205, 1166, 205}

$$\frac{x(x^2(abe^2 - 4acde + bcd^2) - 2abde - 2a(cd^2 - ae^2) + b^2d^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\left(\frac{b^2(cd^2 - ae^2) + 8abcde - 4ac(ae^2 + 3cd^2)}{\sqrt{b^2 - 4ac}} + abe^2 - 4acde + bcd^2\right)}{2\sqrt{2}a\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^2/(a + b*x^2 + c*x^4)^2,x]

[Out] $(x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + b^2d^2) / (2a(b^2 - 4ac)(a + bx^2 + cx^4)) + ((b^2d^2 - 4abde + a^2e^2) / \sqrt{b^2 - 4ac}) \operatorname{ArcTan}[\frac{\sqrt{2}\sqrt{c}x}{b - \sqrt{b^2 - 4ac}}]) / (2\sqrt{2}a\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}) + ((b^2d^2 - 4abde + a^2e^2) / \sqrt{b^2 - 4ac}) \operatorname{ArcTan}[\frac{\sqrt{2}\sqrt{c}x}{b + \sqrt{b^2 - 4ac}}]) / (2\sqrt{2}a\sqrt{c}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}})$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1205

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{f = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*g - f*(b^2 - 2*a*c) - c*(b*f - 2*a*g)*x^2)/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[(d + e*x^2)^q, a + b*x^2 + c*x^4, x] + b^2*f*(2*p + 3) - 2*a*c*f*(4*p + 5) - a*b*g + c*(4*p + 7)*(b*f - 2*a*g)*x^2, x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1] && LtQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^2}{(a + bx^2 + cx^4)^2} dx &= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} - \int \frac{-b^2d^2 - 2abde + 2a(3cd^2 + ae^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} dx \\ &= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{(bcd^2 - 4acde + abe^2)}{2a(b^2 - 4ac)} \\ &= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{(bcd^2 - 4acde + abe^2)}{2\sqrt{b^2 - 4ac}} \end{aligned}$$

Mathematica [A] time = 1.11, size = 415, normalized size = 1.08

$$\frac{2x(2a^2e^2+abe(ex^2-2d)-2acd(d+2ex^2)+b^2d^2+bcd^2x^2)}{(b^2-4ac)(a+bx^2+cx^4)} + \frac{\sqrt{2}\left(b^2(cd^2-ae^2)-4ac\left(e\left(d\sqrt{b^2-4ac}+ae\right)+3cd^2\right)+b\left(cd\left(d\sqrt{b^2-4ac}+8ae\right)+ae^2\sqrt{b^2-4ac}\right)\right)\tan^{-1}\left(\frac{\sqrt{c}\left(b^2-4ac\right)^{3/2}\sqrt{b-\sqrt{b^2-4ac}}}{\sqrt{c}\left(b^2-4ac\right)^{3/2}\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{c}\left(b^2-4ac\right)^{3/2}\sqrt{b-\sqrt{b^2-4ac}}}$$

4a

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2/(a + b*x^2 + c*x^4)^2,x]

[Out] ((2*x*(b^2*d^2 + 2*a^2*e^2 + b*c*d^2*x^2 + a*b*e*(-2*d + e*x^2) - 2*a*c*d*(d + 2*e*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (Sqrt[2]*(b^2*(c*d^2 - a*e^2) - 4*a*c*(3*c*d^2 + e*(Sqrt[b^2 - 4*a*c]*d + a*e)) + b*(a*Sqrt[b^2 - 4*a*c]*e^2 + c*d*(Sqrt[b^2 - 4*a*c]*d + 8*a*e)))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(Sqrt[c]*(b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (Sqrt[2]*(b^2*(-c*d^2) + a*e^2) + b*(a*Sqrt[b^2 - 4*a*c]*e^2 + c*d*(Sqrt[b^2 - 4*a*c]*d - 8*a*e)) + 4*a*c*(3*c*d^2 + e*(-(Sqrt[b^2 - 4*a*c]*d) + a*e)))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(Sqrt[c]*(b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]])/(4*a)

fricas [B] time = 11.08, size = 7338, normalized size = 19.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out] 1/4*(2*(b*c*d^2 - 4*a*c*d*e + a*b*e^2)*x^3 + sqrt(1/2)*((a*b^2*c - 4*a^2*c^2)*x^4 + a^2*b^2 - 4*a^3*c + (a*b^3 - 4*a^2*b*c)*x^2)*sqrt(-((b^5*c - 15*a*b^3*c^2 + 60*a^2*b*c^3)*d^4 + 4*(a*b^4*c - 6*a^2*b^2*c^2 - 24*a^3*c^3)*d^3*e - 2*(a^2*b^3*c - 52*a^3*b*c^2)*d^2*e^2 - 8*(3*a^3*b^2*c + 4*a^4*c^2)*d*e^3 + (a^3*b^3 + 12*a^4*b*c)*e^4 + (a^3*b^6*c - 12*a^4*b^4*c^2 + 48*a^5*b^2*c^3 - 64*a^6*c^4)*sqrt(-((16*a^3*b*c^2*d^5*e^3 + 8*a^4*b*c*d^3*e^5 - 4*a^5*c*d^2*e^6 - a^6*e^8 - (b^4*c^2 - 18*a*b^2*c^3 + 81*a^2*c^4)*d^8 - 8*(a*b^3*c^2 - 9*a^2*b*c^3)*d^7*e - 12*(a^2*b^2*c^2 + 3*a^3*c^3)*d^6*e^2 + 2*(a^3*b^2*c - 11*a^4*c^2)*d^4*e^4)/(a^6*b^6*c^2 - 12*a^7*b^4*c^3 + 48*a^8*b^2*c^4 - 64*a^9*c^5)))/(a^3*b^6*c - 12*a^4*b^4*c^2 + 48*a^5*b^2*c^3 - 64*a^6*c^4))*log(((5*b^4*c^3 - 81*a*b^2*c^4 + 324*a^2*c^5)*d^8 - 2*(3*b^5*c^2 - 65*a*b^3*c^3 + 324*a^2*b*c^4)*d^7*e + (b^6*c - 51*a*b^4*c^2 + 336*a^2*b^2*c^3 + 432*a^3*c^4)*d^6*e^2 + 2*(3*a*b^5*c - 27*a^2*b^3*c^2 - 244*a^3*b*c^3)*d^5*e^3 + (3*a^2*b^4*c + 150*a^3*b^2*c^2 + 152*a^4*c^3)*d^4*e^4 - 10*(a^3*b^3*c + 12*a^4*b*c^2)*d^3*e^5 - (a^3*b^4 - 24*a^4*b^2*c - 48*a^5*c^2)*d^2*e^6 - 2*(a^4*b^3 + 12*a^5*b*c)*d*e^7 + (3*a^5*b^2 + 4*a^6*c)*e^8)*x + 1/2*sqrt(1/2)*((b^8*c - 23*a*b^6*c^2 + 190*a^2*b^4*c^3 - 672*a^3*b^2*c^4 + 864*a^4*c^5)*d^6

$$\begin{aligned}
& + 6*(a*b^7*c - 15*a^2*b^5*c^2 + 72*a^3*b^3*c^3 - 112*a^4*b*c^4)*d^5*e + 2*(\\
& 2*a^2*b^6*c - a^3*b^4*c^2 - 88*a^4*b^2*c^3 + 240*a^5*c^4)*d^4*e^2 - 12*(a^3 \\
& *b^5*c - 8*a^4*b^3*c^2 + 16*a^5*b*c^3)*d^3*e^3 - (a^3*b^6 - 18*a^4*b^4*c + \\
& 96*a^5*b^2*c^2 - 160*a^6*c^3)*d^2*e^4 - 2*(a^4*b^5 - 8*a^5*b^3*c + 16*a^6*b \\
& *c^2)*d*e^5 + 2*(a^5*b^4 - 8*a^6*b^2*c + 16*a^7*c^2)*e^6 - ((a^3*b^9*c - 20 \\
& *a^4*b^7*c^2 + 144*a^5*b^5*c^3 - 448*a^6*b^3*c^4 + 512*a^7*b*c^5)*d^2 + 2*(\\
& a^4*b^8*c - 8*a^5*b^6*c^2 + 128*a^7*b^2*c^4 - 256*a^8*c^5)*d*e - 4*(a^5*b^7 \\
& *c - 12*a^6*b^5*c^2 + 48*a^7*b^3*c^3 - 64*a^8*b*c^4)*e^2)*sqrt(-(16*a^3*b*c \\
& ^2*d^5*e^3 + 8*a^4*b*c*d^3*e^5 - 4*a^5*c*d^2*e^6 - a^6*e^8 - (b^4*c^2 - 18* \\
& a*b^2*c^3 + 81*a^2*c^4)*d^8 - 8*(a*b^3*c^2 - 9*a^2*b*c^3)*d^7*e - 12*(a^2*b \\
& ^2*c^2 + 3*a^3*c^3)*d^6*e^2 + 2*(a^3*b^2*c - 11*a^4*c^2)*d^4*e^4)/(a^6*b^6* \\
& c^2 - 12*a^7*b^4*c^3 + 48*a^8*b^2*c^4 - 64*a^9*c^5))*sqrt(-((b^5*c - 15*a* \\
& b^3*c^2 + 60*a^2*b*c^3)*d^4 + 4*(a*b^4*c - 6*a^2*b^2*c^2 - 24*a^3*c^3)*d^3* \\
& e - 2*(a^2*b^3*c - 52*a^3*b*c^2)*d^2*e^2 - 8*(3*a^3*b^2*c + 4*a^4*c^2)*d*e^ \\
& 3 + (a^3*b^3 + 12*a^4*b*c)*e^4 + (a^3*b^6*c - 12*a^4*b^4*c^2 + 48*a^5*b^2*c \\
& ^3 - 64*a^6*c^4)*sqrt(-(16*a^3*b*c^2*d^5*e^3 + 8*a^4*b*c*d^3*e^5 - 4*a^5*c* \\
& d^2*e^6 - a^6*e^8 - (b^4*c^2 - 18*a*b^2*c^3 + 81*a^2*c^4)*d^8 - 8*(a*b^3*c^ \\
& 2 - 9*a^2*b*c^3)*d^7*e - 12*(a^2*b^2*c^2 + 3*a^3*c^3)*d^6*e^2 + 2*(a^3*b^2* \\
& c - 11*a^4*c^2)*d^4*e^4)/(a^6*b^6*c^2 - 12*a^7*b^4*c^3 + 48*a^8*b^2*c^4 - 6 \\
& 4*a^9*c^5)))/(a^3*b^6*c - 12*a^4*b^4*c^2 + 48*a^5*b^2*c^3 - 64*a^6*c^4))) - \\
& sqrt(1/2)*((a*b^2*c - 4*a^2*c^2)*x^4 + a^2*b^2 - 4*a^3*c + (a*b^3 - 4*a^2* \\
& b*c)*x^2)*sqrt(-((b^5*c - 15*a*b^3*c^2 + 60*a^2*b*c^3)*d^4 + 4*(a*b^4*c - 6 \\
& *a^2*b^2*c^2 - 24*a^3*c^3)*d^3*e - 2*(a^2*b^3*c - 52*a^3*b*c^2)*d^2*e^2 - 8 \\
& *(3*a^3*b^2*c + 4*a^4*c^2)*d*e^3 + (a^3*b^3 + 12*a^4*b*c)*e^4 + (a^3*b^6*c \\
& - 12*a^4*b^4*c^2 + 48*a^5*b^2*c^3 - 64*a^6*c^4)*sqrt(-(16*a^3*b*c^2*d^5*e^3 \\
& + 8*a^4*b*c*d^3*e^5 - 4*a^5*c*d^2*e^6 - a^6*e^8 - (b^4*c^2 - 18*a*b^2*c^3 \\
& + 81*a^2*c^4)*d^8 - 8*(a*b^3*c^2 - 9*a^2*b*c^3)*d^7*e - 12*(a^2*b^2*c^2 + 3 \\
& *a^3*c^3)*d^6*e^2 + 2*(a^3*b^2*c - 11*a^4*c^2)*d^4*e^4)/(a^6*b^6*c^2 - 12*a \\
& ^7*b^4*c^3 + 48*a^8*b^2*c^4 - 64*a^9*c^5)))/(a^3*b^6*c - 12*a^4*b^4*c^2 + 4 \\
& 8*a^5*b^2*c^3 - 64*a^6*c^4))*log(((5*b^4*c^3 - 81*a*b^2*c^4 + 324*a^2*c^5)* \\
& d^8 - 2*(3*b^5*c^2 - 65*a*b^3*c^3 + 324*a^2*b*c^4)*d^7*e + (b^6*c - 51*a*b^ \\
& 4*c^2 + 336*a^2*b^2*c^3 + 432*a^3*c^4)*d^6*e^2 + 2*(3*a*b^5*c - 27*a^2*b^3* \\
& c^2 - 244*a^3*b*c^3)*d^5*e^3 + (3*a^2*b^4*c + 150*a^3*b^2*c^2 + 152*a^4*c^3 \\
&)*d^4*e^4 - 10*(a^3*b^3*c + 12*a^4*b*c^2)*d^3*e^5 - (a^3*b^4 - 24*a^4*b^2*c \\
& - 48*a^5*c^2)*d^2*e^6 - 2*(a^4*b^3 + 12*a^5*b*c)*d*e^7 + (3*a^5*b^2 + 4*a^ \\
& 6*c)*e^8)*x - 1/2*sqrt(1/2)*((b^8*c - 23*a*b^6*c^2 + 190*a^2*b^4*c^3 - 672* \\
& a^3*b^2*c^4 + 864*a^4*c^5)*d^6 + 6*(a*b^7*c - 15*a^2*b^5*c^2 + 72*a^3*b^3*c \\
& ^3 - 112*a^4*b*c^4)*d^5*e + 2*(2*a^2*b^6*c - a^3*b^4*c^2 - 88*a^4*b^2*c^3 + \\
& 240*a^5*c^4)*d^4*e^2 - 12*(a^3*b^5*c - 8*a^4*b^3*c^2 + 16*a^5*b*c^3)*d^3*e \\
& ^3 - (a^3*b^6 - 18*a^4*b^4*c + 96*a^5*b^2*c^2 - 160*a^6*c^3)*d^2*e^4 - 2*(a \\
& ^4*b^5 - 8*a^5*b^3*c + 16*a^6*b*c^2)*d*e^5 + 2*(a^5*b^4 - 8*a^6*b^2*c + 16* \\
& a^7*c^2)*e^6 - ((a^3*b^9*c - 20*a^4*b^7*c^2 + 144*a^5*b^5*c^3 - 448*a^6*b^3 \\
& *c^4 + 512*a^7*b*c^5)*d^2 + 2*(a^4*b^8*c - 8*a^5*b^6*c^2 + 128*a^7*b^2*c^4 \\
& - 256*a^8*c^5)*d*e - 4*(a^5*b^7*c - 12*a^6*b^5*c^2 + 48*a^7*b^3*c^3 - 64*a^ \\
& 8*b*c^4)*e^2)*sqrt(-(16*a^3*b*c^2*d^5*e^3 + 8*a^4*b*c*d^3*e^5 - 4*a^5*c*d^2
\end{aligned}$$

$$\begin{aligned}
& *e^6 - a^6*e^8 - (b^4*c^2 - 18*a*b^2*c^3 + 81*a^2*c^4)*d^8 - 8*(a*b^3*c^2 - \\
& 9*a^2*b*c^3)*d^7*e - 12*(a^2*b^2*c^2 + 3*a^3*c^3)*d^6*e^2 + 2*(a^3*b^2*c - \\
& 11*a^4*c^2)*d^4*e^4)/(a^6*b^6*c^2 - 12*a^7*b^4*c^3 + 48*a^8*b^2*c^4 - 64*a \\
& ^9*c^5)))*\sqrt{-((b^5*c - 15*a*b^3*c^2 + 60*a^2*b*c^3)*d^4 + 4*(a*b^4*c - 6 \\
& *a^2*b^2*c^2 - 24*a^3*c^3)*d^3*e - 2*(a^2*b^3*c - 52*a^3*b*c^2)*d^2*e^2 - 8 \\
& *(3*a^3*b^2*c + 4*a^4*c^2)*d*e^3 + (a^3*b^3 + 12*a^4*b*c)*e^4 + (a^3*b^6*c \\
& - 12*a^4*b^4*c^2 + 48*a^5*b^2*c^3 - 64*a^6*c^4)*\sqrt{-(16*a^3*b*c^2*d^5*e^3 \\
& + 8*a^4*b*c*d^3*e^5 - 4*a^5*c*d^2*e^6 - a^6*e^8 - (b^4*c^2 - 18*a*b^2*c^3 \\
& + 81*a^2*c^4)*d^8 - 8*(a*b^3*c^2 - 9*a^2*b*c^3)*d^7*e - 12*(a^2*b^2*c^2 + 3 \\
& *a^3*c^3)*d^6*e^2 + 2*(a^3*b^2*c - 11*a^4*c^2)*d^4*e^4)/(a^6*b^6*c^2 - 12*a \\
& ^7*b^4*c^3 + 48*a^8*b^2*c^4 - 64*a^9*c^5)))/(a^3*b^6*c - 12*a^4*b^4*c^2 + 4 \\
& 8*a^5*b^2*c^3 - 64*a^6*c^4)) + \sqrt{1/2}*((a*b^2*c - 4*a^2*c^2)*x^4 + a^2* \\
& b^2 - 4*a^3*c + (a*b^3 - 4*a^2*b*c)*x^2)*\sqrt{-((b^5*c - 15*a*b^3*c^2 + 60* \\
& a^2*b*c^3)*d^4 + 4*(a*b^4*c - 6*a^2*b^2*c^2 - 24*a^3*c^3)*d^3*e - 2*(a^2*b^ \\
& 3*c - 52*a^3*b*c^2)*d^2*e^2 - 8*(3*a^3*b^2*c + 4*a^4*c^2)*d*e^3 + (a^3*b^3 \\
& + 12*a^4*b*c)*e^4 - (a^3*b^6*c - 12*a^4*b^4*c^2 + 48*a^5*b^2*c^3 - 64*a^6*c \\
& ^4)*\sqrt{-(16*a^3*b*c^2*d^5*e^3 + 8*a^4*b*c*d^3*e^5 - 4*a^5*c*d^2*e^6 - a^6 \\
& *e^8 - (b^4*c^2 - 18*a*b^2*c^3 + 81*a^2*c^4)*d^8 - 8*(a*b^3*c^2 - 9*a^2*b*c \\
& ^3)*d^7*e - 12*(a^2*b^2*c^2 + 3*a^3*c^3)*d^6*e^2 + 2*(a^3*b^2*c - 11*a^4*c^ \\
& 2)*d^4*e^4)/(a^6*b^6*c^2 - 12*a^7*b^4*c^3 + 48*a^8*b^2*c^4 - 64*a^9*c^5)))/ \\
& (a^3*b^6*c - 12*a^4*b^4*c^2 + 48*a^5*b^2*c^3 - 64*a^6*c^4))*\log(((5*b^4*c^3 \\
& - 81*a*b^2*c^4 + 324*a^2*c^5)*d^8 - 2*(3*b^5*c^2 - 65*a*b^3*c^3 + 324*a^2* \\
& b*c^4)*d^7*e + (b^6*c - 51*a*b^4*c^2 + 336*a^2*b^2*c^3 + 432*a^3*c^4)*d^6*e \\
& ^2 + 2*(3*a*b^5*c - 27*a^2*b^3*c^2 - 244*a^3*b*c^3)*d^5*e^3 + (3*a^2*b^4*c \\
& + 150*a^3*b^2*c^2 + 152*a^4*c^3)*d^4*e^4 - 10*(a^3*b^3*c + 12*a^4*b*c^2)*d^ \\
& 3*e^5 - (a^3*b^4 - 24*a^4*b^2*c - 48*a^5*c^2)*d^2*e^6 - 2*(a^4*b^3 + 12*a^5 \\
& *b*c)*d*e^7 + (3*a^5*b^2 + 4*a^6*c)*e^8)*x + 1/2*\sqrt{1/2}*(b^8*c - 23*a*b \\
& ^6*c^2 + 190*a^2*b^4*c^3 - 672*a^3*b^2*c^4 + 864*a^4*c^5)*d^6 + 6*(a*b^7*c \\
& - 15*a^2*b^5*c^2 + 72*a^3*b^3*c^3 - 112*a^4*b*c^4)*d^5*e + 2*(2*a^2*b^6*c - \\
& a^3*b^4*c^2 - 88*a^4*b^2*c^3 + 240*a^5*c^4)*d^4*e^2 - 12*(a^3*b^5*c - 8*a^ \\
& 4*b^3*c^2 + 16*a^5*b*c^3)*d^3*e^3 - (a^3*b^6 - 18*a^4*b^4*c + 96*a^5*b^2*c^ \\
& 2 - 160*a^6*c^3)*d^2*e^4 - 2*(a^4*b^5 - 8*a^5*b^3*c + 16*a^6*b*c^2)*d*e^5 + \\
& 2*(a^5*b^4 - 8*a^6*b^2*c + 16*a^7*c^2)*e^6 + ((a^3*b^9*c - 20*a^4*b^7*c^2 \\
& + 144*a^5*b^5*c^3 - 448*a^6*b^3*c^4 + 512*a^7*b*c^5)*d^2 + 2*(a^4*b^8*c - 8 \\
& *a^5*b^6*c^2 + 128*a^7*b^2*c^4 - 256*a^8*c^5)*d*e - 4*(a^5*b^7*c - 12*a^6*b \\
& ^5*c^2 + 48*a^7*b^3*c^3 - 64*a^8*b*c^4)*e^2)*\sqrt{-(16*a^3*b*c^2*d^5*e^3 + \\
& 8*a^4*b*c*d^3*e^5 - 4*a^5*c*d^2*e^6 - a^6*e^8 - (b^4*c^2 - 18*a*b^2*c^3 + 8 \\
& 1*a^2*c^4)*d^8 - 8*(a*b^3*c^2 - 9*a^2*b*c^3)*d^7*e - 12*(a^2*b^2*c^2 + 3*a^ \\
& 3*c^3)*d^6*e^2 + 2*(a^3*b^2*c - 11*a^4*c^2)*d^4*e^4)/(a^6*b^6*c^2 - 12*a^7* \\
& b^4*c^3 + 48*a^8*b^2*c^4 - 64*a^9*c^5)))*\sqrt{-((b^5*c - 15*a*b^3*c^2 + 60* \\
& a^2*b*c^3)*d^4 + 4*(a*b^4*c - 6*a^2*b^2*c^2 - 24*a^3*c^3)*d^3*e - 2*(a^2*b^ \\
& 3*c - 52*a^3*b*c^2)*d^2*e^2 - 8*(3*a^3*b^2*c + 4*a^4*c^2)*d*e^3 + (a^3*b^3 \\
& + 12*a^4*b*c)*e^4 - (a^3*b^6*c - 12*a^4*b^4*c^2 + 48*a^5*b^2*c^3 - 64*a^6*c \\
& ^4)*\sqrt{-(16*a^3*b*c^2*d^5*e^3 + 8*a^4*b*c*d^3*e^5 - 4*a^5*c*d^2*e^6 - a^6 \\
& *e^8 - (b^4*c^2 - 18*a*b^2*c^3 + 81*a^2*c^4)*d^8 - 8*(a*b^3*c^2 - 9*a^2*b*c
\end{aligned}$$

$$\begin{aligned}
&^3)*d^7*e - 12*(a^2*b^2*c^2 + 3*a^3*c^3)*d^6*e^2 + 2*(a^3*b^2*c - 11*a^4*c^2)*d^4*e^4)/(a^6*b^6*c^2 - 12*a^7*b^4*c^3 + 48*a^8*b^2*c^4 - 64*a^9*c^5))/ \\
&(a^3*b^6*c - 12*a^4*b^4*c^2 + 48*a^5*b^2*c^3 - 64*a^6*c^4)) - \text{sqrt}(1/2)*((\\
&a*b^2*c - 4*a^2*c^2)*x^4 + a^2*b^2 - 4*a^3*c + (a*b^3 - 4*a^2*b*c)*x^2)*\text{sq} \\
&\text{rt}(-((b^5*c - 15*a*b^3*c^2 + 60*a^2*b*c^3)*d^4 + 4*(a*b^4*c - 6*a^2*b^2*c^2 \\
&- 24*a^3*c^3)*d^3*e - 2*(a^2*b^3*c - 52*a^3*b*c^2)*d^2*e^2 - 8*(3*a^3*b^2*c \\
&+ 4*a^4*c^2)*d*e^3 + (a^3*b^3 + 12*a^4*b*c)*e^4 - (a^3*b^6*c - 12*a^4*b^4* \\
&c^2 + 48*a^5*b^2*c^3 - 64*a^6*c^4)*\text{sqrt}(-((16*a^3*b*c^2*d^5*e^3 + 8*a^4*b*c* \\
&d^3*e^5 - 4*a^5*c*d^2*e^6 - a^6*e^8 - (b^4*c^2 - 18*a*b^2*c^3 + 81*a^2*c^4) \\
&)*d^8 - 8*(a*b^3*c^2 - 9*a^2*b*c^3)*d^7*e - 12*(a^2*b^2*c^2 + 3*a^3*c^3)*d^6 \\
&*e^2 + 2*(a^3*b^2*c - 11*a^4*c^2)*d^4*e^4)/(a^6*b^6*c^2 - 12*a^7*b^4*c^3 + \\
&48*a^8*b^2*c^4 - 64*a^9*c^5)))/(a^3*b^6*c - 12*a^4*b^4*c^2 + 48*a^5*b^2*c^3 \\
&- 64*a^6*c^4))*\text{log}(((5*b^4*c^3 - 81*a*b^2*c^4 + 324*a^2*c^5)*d^8 - 2*(3*b^ \\
&5*c^2 - 65*a*b^3*c^3 + 324*a^2*b*c^4)*d^7*e + (b^6*c - 51*a*b^4*c^2 + 336*a \\
&^2*b^2*c^3 + 432*a^3*c^4)*d^6*e^2 + 2*(3*a*b^5*c - 27*a^2*b^3*c^2 - 244*a^3 \\
&*b*c^3)*d^5*e^3 + (3*a^2*b^4*c + 150*a^3*b^2*c^2 + 152*a^4*c^3)*d^4*e^4 - 1 \\
&0*(a^3*b^3*c + 12*a^4*b*c^2)*d^3*e^5 - (a^3*b^4 - 24*a^4*b^2*c - 48*a^5*c^2) \\
&)*d^2*e^6 - 2*(a^4*b^3 + 12*a^5*b*c)*d*e^7 + (3*a^5*b^2 + 4*a^6*c)*e^8)*x - \\
&1/2*\text{sqrt}(1/2)*((b^8*c - 23*a*b^6*c^2 + 190*a^2*b^4*c^3 - 672*a^3*b^2*c^4 + \\
&864*a^4*c^5)*d^6 + 6*(a*b^7*c - 15*a^2*b^5*c^2 + 72*a^3*b^3*c^3 - 112*a^4* \\
&b*c^4)*d^5*e + 2*(2*a^2*b^6*c - a^3*b^4*c^2 - 88*a^4*b^2*c^3 + 240*a^5*c^4) \\
&)*d^4*e^2 - 12*(a^3*b^5*c - 8*a^4*b^3*c^2 + 16*a^5*b*c^3)*d^3*e^3 - (a^3*b^6 \\
&- 18*a^4*b^4*c + 96*a^5*b^2*c^2 - 160*a^6*c^3)*d^2*e^4 - 2*(a^4*b^5 - 8*a^ \\
&5*b^3*c + 16*a^6*b*c^2)*d*e^5 + 2*(a^5*b^4 - 8*a^6*b^2*c + 16*a^7*c^2)*e^6 \\
&+ ((a^3*b^9*c - 20*a^4*b^7*c^2 + 144*a^5*b^5*c^3 - 448*a^6*b^3*c^4 + 512*a^ \\
&7*b*c^5)*d^2 + 2*(a^4*b^8*c - 8*a^5*b^6*c^2 + 128*a^7*b^2*c^4 - 256*a^8*c^5) \\
&)*d*e - 4*(a^5*b^7*c - 12*a^6*b^5*c^2 + 48*a^7*b^3*c^3 - 64*a^8*b*c^4)*e^2) \\
&)*\text{sqrt}(-((16*a^3*b*c^2*d^5*e^3 + 8*a^4*b*c*d^3*e^5 - 4*a^5*c*d^2*e^6 - a^6*e^ \\
&8 - (b^4*c^2 - 18*a*b^2*c^3 + 81*a^2*c^4)*d^8 - 8*(a*b^3*c^2 - 9*a^2*b*c^3) \\
&)*d^7*e - 12*(a^2*b^2*c^2 + 3*a^3*c^3)*d^6*e^2 + 2*(a^3*b^2*c - 11*a^4*c^2)* \\
&d^4*e^4)/(a^6*b^6*c^2 - 12*a^7*b^4*c^3 + 48*a^8*b^2*c^4 - 64*a^9*c^5)))*\text{sq} \\
&\text{rt}(-((b^5*c - 15*a*b^3*c^2 + 60*a^2*b*c^3)*d^4 + 4*(a*b^4*c - 6*a^2*b^2*c^2 \\
&- 24*a^3*c^3)*d^3*e - 2*(a^2*b^3*c - 52*a^3*b*c^2)*d^2*e^2 - 8*(3*a^3*b^2*c \\
&+ 4*a^4*c^2)*d*e^3 + (a^3*b^3 + 12*a^4*b*c)*e^4 - (a^3*b^6*c - 12*a^4*b^4* \\
&c^2 + 48*a^5*b^2*c^3 - 64*a^6*c^4)*\text{sqrt}(-((16*a^3*b*c^2*d^5*e^3 + 8*a^4*b*c* \\
&d^3*e^5 - 4*a^5*c*d^2*e^6 - a^6*e^8 - (b^4*c^2 - 18*a*b^2*c^3 + 81*a^2*c^4) \\
&)*d^8 - 8*(a*b^3*c^2 - 9*a^2*b*c^3)*d^7*e - 12*(a^2*b^2*c^2 + 3*a^3*c^3)*d^6 \\
&*e^2 + 2*(a^3*b^2*c - 11*a^4*c^2)*d^4*e^4)/(a^6*b^6*c^2 - 12*a^7*b^4*c^3 + \\
&48*a^8*b^2*c^4 - 64*a^9*c^5)))/(a^3*b^6*c - 12*a^4*b^4*c^2 + 48*a^5*b^2*c^3 \\
&- 64*a^6*c^4)) - 2*(2*a*b*d*e - 2*a^2*e^2 - (b^2 - 2*a*c)*d^2)*x)/((a*b^2 \\
&*c - 4*a^2*c^2)*x^4 + a^2*b^2 - 4*a^3*c + (a*b^3 - 4*a^2*b*c)*x^2)
\end{aligned}$$

giac [B] time = 1.85, size = 6390, normalized size = 16.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^2/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] 1/2*(b*c*d^2*x^3 - 4*a*c*d*x^3*e + a*b*x^3*e^2 + b^2*d^2*x - 2*a*c*d^2*x -
2*a*b*d*x*e + 2*a^2*x*e^2)/((c*x^4 + b*x^2 + a)*(a*b^2 - 4*a^2*c)) + 1/16*(
(2*b^3*c^3 - 8*a*b*c^4 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*
a*c))*b^3*c + 4*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*
*a*b*c^2 + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*b^2*
c^2 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*b*c^3 - 2*(
b^2 - 4*a*c)*b*c^3)*(a*b^2 - 4*a^2*c)^2*d^2 - 4*(2*a*b^2*c^3 - 8*a^2*c^4 -
sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^2*c + 4*sqrt(
2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^2*c^2 + 2*sqrt(2)*sq
rt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b*c^2 - sqrt(2)*sqrt(b^2
- 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*c^3 - 2*(b^2 - 4*a*c)*a*c^3)*(a*
b^2 - 4*a^2*c)^2*d*e + 2*(sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^6*c -
14*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^2*b^4*c^2 - 2*sqrt(2)*sqrt(b*
c + sqrt(b^2 - 4*a*c))*a*b^5*c^2 - 2*a*b^6*c^2 + 64*sqrt(2)*sqrt(b*c + sq
rt(b^2 - 4*a*c))*a^3*b^2*c^3 + 20*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*
a^2*b^3*c^3 + sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^4*c^3 + 28*a^2*b
^4*c^3 - 96*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^4*c^4 - 48*sqrt(2)*sq
rt(b*c + sqrt(b^2 - 4*a*c))*a^3*b*c^4 - 10*sqrt(2)*sqrt(b*c + sqrt(b^2 -
4*a*c))*a^2*b^2*c^4 - 128*a^3*b^2*c^4 + 24*sqrt(2)*sqrt(b*c + sqrt(b^2 -
4*a*c))*a^3*c^5 + 192*a^4*c^5 + 2*(b^2 - 4*a*c)*a*b^4*c^2 - 20*(b^2 - 4*a
*c)*a^2*b^2*c^3 + 48*(b^2 - 4*a*c)*a^3*c^4)*d^2*abs(a*b^2 - 4*a^2*c) + (2*a
*b^3*c^2 - 8*a^2*b*c^3 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*
a*c))*a*b^3 + 4*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*
a^2*b*c + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^
2*c - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b*c^2 - 2
*(b^2 - 4*a*c)*a*b*c^2)*(a*b^2 - 4*a^2*c)^2*e^2 + 4*(sqrt(2)*sqrt(b*c + sq
rt(b^2 - 4*a*c))*a^2*b^5*c - 8*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^3
*b^3*c^2 - 2*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^2*b^4*c^2 - 2*a^2*b^
5*c^2 + 16*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^4*b*c^3 + 8*sqrt(2)*sq
rt(b*c + sqrt(b^2 - 4*a*c))*a^3*b^2*c^3 + sqrt(2)*sqrt(b*c + sqrt(b^2 - 4
*a*c))*a^2*b^3*c^3 + 16*a^3*b^3*c^3 - 4*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a
*c))*a^3*b*c^4 - 32*a^4*b*c^4 + 2*(b^2 - 4*a*c)*a^2*b^3*c^2 - 8*(b^2 - 4*
a*c)*a^3*b*c^3)*d*abs(a*b^2 - 4*a^2*c)*e + (2*a^2*b^7*c^3 - 40*a^3*b^5*c^4
+ 224*a^4*b^3*c^5 - 384*a^5*b*c^6 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sq
rt(b^2 - 4*a*c))*a^2*b^7*c + 20*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt
(b^2 - 4*a*c))*a^3*b^5*c^2 + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(
b^2 - 4*a*c))*a^2*b^6*c^2 - 112*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt
(b^2 - 4*a*c))*a^4*b^3*c^3 - 32*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt
(b^2 - 4*a*c))*a^3*b^4*c^3 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^
2 - 4*a*c))*a^2*b^5*c^3 + 192*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b
^2 - 4*a*c))*a^5*b*c^4 + 96*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2
```

$$\begin{aligned}
& - 4*a*c)*c)*a^4*b^2*c^4 + 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^3*b^3*c^4 - 48*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^4*b*c^5 - 2*(b^2 - 4*a*c)*a^2*b^5*c^3 + 32*(b^2 - 4*a*c)*a^3*b^3*c^4 - 96*(b^2 - 4*a*c)*a^4*b*c^5)*d^2 - 4*(\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^3*b^4*c - 8*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^4*b^2*c^2 - 2*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^3*b^3*c^2 - 2*a^3*b^4*c^2 + 16*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^5*c^3 + 8*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^4*b*c^3 + \sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^3*b^2*c^3 + 16*a^4*b^2*c^3 - 4*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^4*c^4 - 32*a^5*c^4 + 2*(b^2 - 4*a*c)*a^3*b^2*c^2 - 8*(b^2 - 4*a*c)*a^4*c^3) *abs(a*b^2 - 4*a^2*c)*e^2 + 8*(2*a^3*b^6*c^3 - 16*a^4*b^4*c^4 + 32*a^5*b^2*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^3*b^6*c + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^4*b^4*c^2 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^3*b^5*c^2 - 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^5*b^2*c^3 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^4*b^3*c^3 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^3*b^4*c^3 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^4*b^2*c^4 - 2*(b^2 - 4*a*c)*a^3*b^4*c^3 + 8*(b^2 - 4*a*c)*a^4*b^2*c^4)*d*e - (2*a^3*b^7*c^2 - 8*a^4*b^5*c^3 - 32*a^5*b^3*c^4 + 128*a^6*b*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^3*b^7 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^4*b^5*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^3*b^6*c + 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^5*b^3*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^3*b^5*c^2 - 64*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^6*b*c^3 - 32*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^5*b^2*c^3 + 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c)*a^5*b*c^4 - 2*(b^2 - 4*a*c)*a^3*b^5*c^2 + 32*(b^2 - 4*a*c)*a^5*b*c^4)*e^2)*arctan(2*\sqrt{1/2}*x/\sqrt{((a*b^3 - 4*a^2*b*c + \sqrt{((a*b^3 - 4*a^2*b*c)^2 - 4*(a^2*b^2 - 4*a^3*c)*(a*b^2*c - 4*a^2*c^2)))/(a*b^2*c - 4*a^2*c^2)))/((a^3*b^6*c - 12*a^4*b^4*c^2 - 2*a^3*b^5*c^2 + 48*a^5*b^2*c^3 + 16*a^4*b^3*c^3 + a^3*b^4*c^3 - 64*a^6*c^4 - 32*a^5*b*c^4 - 8*a^4*b^2*c^4 + 16*a^5*c^5)*abs(a*b^2 - 4*a^2*c)*abs(c)) - 1/16*((2*b^3*c^3 - 8*a*b*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*b^3*c + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b*c^2 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*b^2*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*b*c^3 - 2*(b^2 - 4*a*c)*b*c^3)*(a*b^2 - 4*a^2*c)^2*d^2 - 4*(2*a*b^2*c^3 - 8*a^2*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^2*c + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*c^2 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*c^3 - 2*(b^2 - 4*a*c)*a*c^3)*(a*b^2 - 4*a^2*c)^2*d*e - 2*(\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^6*c - 14*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b^4*c^2 - 2*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^5*c^2 + 2*a*b^6*c^2 + 64*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^3*
\end{aligned}$$

$$\begin{aligned}
& b^2c^3 + 20\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^3c^3 + \sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^3c^3 + \sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^3c^3 \\
& - 28a^2b^4c^3 - 96\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^3c^3 - 96\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^3c^3 \\
& - 48\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^3c^3 - 10\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^2c^4 + \\
& 128a^3b^2c^4 + 24\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^3c^5 - 192a^4c^5 - 2(b^2 - 4ac)a^2b^4c^2 + 20(b^2 - 4ac)a^2b^2c^3 - 48(b^2 - 4ac)a^3c^4 \\
& *d^2\operatorname{abs}(a^2b^2 - 4a^2c) + (2a^2b^3c^2 - 8a^2b^3c^3 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^3 + 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^3 \\
& + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^3c^2 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^3c^2 - 2(b^2 - 4ac)a^2b^3c^2) \\
& *(a^2b^2 - 4a^2c)^2e^2 - 4(\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^5c - 8\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^3b^3c^2 - 2\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^4c^2 \\
& + 2a^2b^5c^2 + 16\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^4b^3c^3 + 8\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^3b^2c^3 + \sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^3c^3 - \\
& 16a^3b^3c^3 - 4\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^3b^3c^4 + 32a^4b^3c^4 - 2(b^2 - 4ac)a^2b^3c^2 + 8(b^2 - 4ac)a^3b^3c^3)*d\operatorname{abs}(a^2b^2 - 4a^2c)e \\
& + (2a^2b^7c^3 - 40a^3b^5c^4 + 224a^4b^3c^5 - 384a^5b^3c^6 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^7c + 20\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^3b^5c^2 \\
& + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^6c^2 - 112\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^4b^3c^3 - 32\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^3b^4c^3 \\
& - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^2b^5c^3 + 192\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^5b^3c^4 + 96\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^4b^2c^4 \\
& + 16\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^3b^3c^4 - 48\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^4b^3c^5 - 2(b^2 - 4ac)a^2b^5c^3 + 32(b^2 - 4ac)a^3b^3c^4 - 96(b^2 - 4ac)a^4b^3c^5 \\
& *d^2 + 4(\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^3b^4c - 8\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^4b^2c^2 - 2\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^3b^3c^2 + 2a^3b^4c^2 + 16\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^5c^3 \\
& + 8\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^4b^2c^3 + \sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^3b^2c^3 - 16a^4b^2c^3 - 4\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}a^4c^4 + 32a^5c^4 - 2(b^2 - 4ac)a^3b^2c^2 \\
& + 8(b^2 - 4ac)a^4c^3)*\operatorname{abs}(a^2b^2 - 4a^2c)e^2 + 8(2a^3b^6c^3 - 16a^4b^4c^4 + 32a^5b^2c^5 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^3b^6c + 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^4b^4c^2 \\
& + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^3b^5c^2 - 16\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^5b^2c^3 - 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^4b^3c^3 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^3b^4c^3 \\
& + 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}a^4b^2c^4 - 2(b^2 - 4ac)a^3b^4c^3 +
\end{aligned}$$

$$8*(b^2 - 4*a*c)*a^4*b^2*c^4)*d*e - (2*a^3*b^7*c^2 - 8*a^4*b^5*c^3 - 32*a^5*b^3*c^4 + 128*a^6*b*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^3*b^7 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^4*b^5*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^3*b^6*c + 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^5*b^3*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^3*b^5*c^2 - 64*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^6*b*c^3 - 32*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^5*b^2*c^3 + 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^5*b*c^4 - 2*(b^2 - 4*a*c)*a^3*b^5*c^2 + 32*(b^2 - 4*a*c)*a^5*b*c^4)*e^2)*\arctan(2*\sqrt{1/2}*x/\sqrt{(a*b^3 - 4*a^2*b*c - \sqrt{(a*b^3 - 4*a^2*b*c)^2 - 4*(a^2*b^2 - 4*a^3*c)*(a*b^2*c - 4*a^2*c^2)}))/(\sqrt{a^3*b^6*c - 12*a^4*b^4*c^2 - 2*a^3*b^5*c^2 + 48*a^5*b^2*c^3 + 16*a^4*b^3*c^3 + a^3*b^4*c^3 - 64*a^6*c^4 - 32*a^5*b*c^4 - 8*a^4*b^2*c^4 + 16*a^5*c^5})*\text{abs}(a*b^2 - 4*a^2*c)*\text{abs}(c))$$

maple [B] time = 0.04, size = 1223, normalized size = 3.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*x^2+d)^2/(c*x^4+b*x^2+a)^2, x)$

[Out] $(-1/2/a*(a*b*e^2-4*a*c*d*e+b*c*d^2)/(4*a*c-b^2)*x^3-1/2*(2*a^2*e^2-2*a*b*d*e-2*a*c*d^2+b^2*d^2)/a/(4*a*c-b^2)*x)/(c*x^4+b*x^2+a)+1/4/(4*a*c-b^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*e^2-1/(4*a*c-b^2)*c*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*d*e+1/4/a/(4*a*c-b^2)*c*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*d^2-a/(4*a*c-b^2)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*e^2-1/4/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^2*e^2+2/(4*a*c-b^2)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*d*e-3/(4*a*c-b^2)*c^2/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*d^2+1/4/a/(4*a*c-b^2)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^2*d^2-1/4/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*e^2+1/(4*a*c-b^2)*c*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*d*e-1/4/a/(4*a*c-b^2)*c*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*d^2-a/(4*a*c-b^2)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c$

$$\begin{aligned} &)^{(1/2)*c*x} * e^{-1/4/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2))*c*x}*b^2*} \\ & e^{2+2/(4*a*c-b^2)*c/(-4*a*c+b^2)^{(1/2)*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2))*c*x}*b*d*e^{-3/(4*a*c-b^2)} \\ &)^{(1/2)*c*x} * d^2+1/4/a/(4*a*c-b^2)*c/(-4*a*c+b^2)^{(1/2)*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2))*c*x} \\ &)^{(1/2)*c*x} * b^2*d^2 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{2} * ((b*c*d^2 - 4*a*c*d*e + a*b*e^2)*x^3 - (2*a*b*d*e - 2*a^2*e^2 - (b^2 - 2*a*c)*d^2)*x) / ((a*b^2*c - 4*a^2*c^2)*x^4 + a^2*b^2 - 4*a^3*c + (a*b^3 - 4*a^2*b*c)*x^2) + \frac{1}{2} * \text{integrate}((2*a*b*d*e - 2*a^2*e^2 + (b^2 - 6*a*c)*d^2 + (b*c*d^2 - 4*a*c*d*e + a*b*e^2)*x^2) / (c*x^4 + b*x^2 + a), x) / (a*b^2 - 4*a^2*c)$

mupad [B] time = 9.84, size = 18785, normalized size = 48.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^2/(a + b*x^2 + c*x^4)^2,x)

[Out] $\text{atan}(\frac{((6144*a^5*c^6*d^2 + 2048*a^6*c^5*e^2 + 16*a*b^8*c^2*d^2 - 288*a^2*b^6*c^3*d^2 + 1920*a^3*b^4*c^4*d^2 - 5632*a^4*b^2*c^5*d^2 - 32*a^3*b^6*c^2*e^2 + 384*a^4*b^4*c^3*e^2 - 1536*a^5*b^2*c^4*e^2 - 2048*a^5*b*c^5*d*e + 32*a^2*b^7*c^2*d*e - 384*a^3*b^5*c^3*d*e + 1536*a^4*b^3*c^4*d*e)}{(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^2)) - (x*(-(b^{11}*c*d^4 + a^3*b^9*e^4 + a^3*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 27*a*b^9*c^2*d^4 - 3840*a^5*b*c^6*d^4 + 9*a*c^2*d^4*(-(4*a*c - b^2)^9)^{(1/2)} - 768*a^7*b*c^4*e^4 - b^2*c*d^4*(-(4*a*c - b^2)^9)^{(1/2)} + 6144*a^6*c^6*d^3*e + 2048*a^7*c^5*d*e^3 + 288*a^2*b^7*c^3*d^4 - 1504*a^3*b^5*c^4*d^4 + 3840*a^4*b^3*c^5*d^4 - 96*a^5*b^5*c^2*e^4 + 512*a^6*b^3*c^3*e^4 + 4*a*b^{10}*c*d^3*e + 128*a^3*b^7*c^2*d^2*e^2 - 1344*a^4*b^5*c^3*d^2*e^2 + 5120*a^5*b^3*c^4*d^2*e^2 - 24*a^3*b^8*c*d*e^3 - 72*a^2*b^8*c^2*d^3*e - 2*a^2*b^9*c*d^2*e^2 + 384*a^3*b^6*c^3*d^3*e - 256*a^4*b^4*c^4*d^3*e + 256*a^4*b^6*c^2*d*e^3 - 3072*a^5*b^2*c^5*d^3*e - 768*a^5*b^4*c^3*d*e^3 - 6656*a^6*b*c^5*d^2*e^2 + 2*a^2*c*d^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 4*a*b*c*d^3*e*(-(4*a*c - b^2)^9)^{(1/2)})}{(32*(4096*a^9*c^7 + a^3*b^{12}*c - 24*a^4*b^{10}*c^2 + 240*a^5*b^8*c^3 - 1280*a^6*b^6*c^4 + 3840*a^7*b^4*c^5 - 2880*a^8*b^4*c^6 + 1920*a^9*b^4*c^7 - 640*a^{10}*b^4*c^8 + 128*a^{11}*b^4*c^9 - 1280*a^{12}*b^4*c^{10})})$

$$\begin{aligned}
&^5 - 6144a^8b^2c^6))^{(1/2)} * (1024a^5b^5c^5 - 16a^2b^7c^2 + 192a^3b^5c^3 - 768a^4b^3c^4) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)) * (- (b^{11}c^4d^4 + a^3b^9e^4 + a^3e^4 * (- (4ac - b^2)^9)^{(1/2)} - 27a^9c^2d^4 - 3840a^5b^6c^6d^4 + 9a^9c^2d^4 * (- (4ac - b^2)^9)^{(1/2)} - 768a^7b^5c^4e^4 - b^2c^4d^4 * (- (4ac - b^2)^9)^{(1/2)} + 6144a^6c^6d^3e + 2048a^7c^5d^3e^3 + 288a^2b^7c^3d^4 - 1504a^3b^5c^4d^4 + 3840a^4b^3c^5d^4 - 96a^5b^5c^2e^4 + 512a^6b^3c^3e^4 + 4ab^{10}c^3d^3e + 128a^3b^7c^2d^2e^2 - 1344a^4b^5c^3d^2e^2 + 5120a^5b^3c^4d^2e^2 - 24a^3b^8c^3d^2e^2 - 24a^3b^8c^3d^2e^2 - 72a^2b^8c^2d^3e - 2a^2b^9c^2d^2e^2 + 384a^3b^6c^3d^3e - 256a^4b^4c^4d^3e + 256a^4b^6c^2d^3e^3 - 3072a^5b^2c^5d^3e - 768a^5b^4c^3d^3e - 6656a^6b^5c^5d^2e^2 + 2a^2c^2d^2e^2 * (- (4ac - b^2)^9)^{(1/2)} - 4ab^3c^3d^3e * (- (4ac - b^2)^9)^{(1/2)}) / (32 * (4096a^9c^7 + a^3b^{12}c - 24a^4b^{10}c^2 + 240a^5b^8c^3 - 1280a^6b^6c^4 + 3840a^7b^4c^5 - 6144a^8b^2c^6))^{(1/2)} + (x * (72a^2c^5d^4 + 8a^4c^3e^4 + b^4c^3d^4 - 14ab^2c^4d^4 + a^2b^4c^4e^4 + 2a^3b^2c^2e^4 + 16a^3c^4d^2e^2 + 44a^2b^2c^3d^2e^2 + 4ab^3c^3d^3e - 80a^2b^3c^4d^3e - 16a^3b^3c^3d^3e^3 - 12a^2b^3c^2d^3e^3)) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)) * (- (b^{11}c^4d^4 + a^3b^9e^4 + a^3e^4 * (- (4ac - b^2)^9)^{(1/2)} - 27a^9c^2d^4 - 3840a^5b^6c^6d^4 + 9a^9c^2d^4 * (- (4ac - b^2)^9)^{(1/2)} - 768a^7b^5c^4e^4 - b^2c^4d^4 * (- (4ac - b^2)^9)^{(1/2)} + 6144a^6c^6d^3e + 2048a^7c^5d^3e^3 + 288a^2b^7c^3d^4 - 1504a^3b^5c^4d^4 + 3840a^4b^3c^5d^4 - 96a^5b^5c^2e^4 + 512a^6b^3c^3e^4 + 4ab^{10}c^3d^3e + 128a^3b^7c^2d^2e^2 - 1344a^4b^5c^3d^2e^2 + 5120a^5b^3c^4d^2e^2 - 24a^3b^8c^3d^2e^2 - 24a^3b^8c^3d^2e^2 - 72a^2b^8c^2d^3e - 2a^2b^9c^2d^2e^2 + 384a^3b^6c^3d^3e - 256a^4b^4c^4d^3e + 256a^4b^6c^2d^3e^3 - 3072a^5b^2c^5d^3e - 768a^5b^4c^3d^3e - 6656a^6b^5c^5d^2e^2 + 2a^2c^2d^2e^2 * (- (4ac - b^2)^9)^{(1/2)} - 4ab^3c^3d^3e * (- (4ac - b^2)^9)^{(1/2)}) / (32 * (4096a^9c^7 + a^3b^{12}c - 24a^4b^{10}c^2 + 240a^5b^8c^3 - 1280a^6b^6c^4 + 3840a^7b^4c^5 - 6144a^8b^2c^6))^{(1/2)} * i - (((6144a^5c^6d^2 + 2048a^6c^5e^2 + 16ab^8c^2d^2 - 288a^2b^6c^3d^2 + 1920a^3b^4c^4d^2 - 5632a^4b^2c^5d^2 - 32a^3b^6c^2e^2 + 384a^4b^4c^3e^2 - 1536a^5b^2c^4e^2 - 2048a^5b^6c^5d^3e + 32a^2b^7c^2d^3e - 384a^3b^5c^3d^3e + 1536a^4b^3c^4d^3e) / (8(a^2b^6 - 64a^5c^3 - 12a^3b^4c + 48a^4b^2c^2)) + (x * (- (b^{11}c^4d^4 + a^3b^9e^4 + a^3e^4 * (- (4ac - b^2)^9)^{(1/2)} - 27a^9c^2d^4 - 3840a^5b^6c^6d^4 + 9a^9c^2d^4 * (- (4ac - b^2)^9)^{(1/2)} - 768a^7b^5c^4e^4 - b^2c^4d^4 * (- (4ac - b^2)^9)^{(1/2)} + 6144a^6c^6d^3e + 2048a^7c^5d^3e^3 + 288a^2b^7c^3d^4 - 1504a^3b^5c^4d^4 + 3840a^4b^3c^5d^4 - 96a^5b^5c^2e^4 + 512a^6b^3c^3e^4 + 4ab^{10}c^3d^3e + 128a^3b^7c^2d^2e^2 - 1344a^4b^5c^3d^2e^2 + 5120a^5b^3c^4d^2e^2 - 24a^3b^8c^3d^2e^2 - 24a^3b^8c^3d^2e^2 - 72a^2b^8c^2d^3e - 2a^2b^9c^2d^2e^2 + 384a^3b^6c^3d^3e - 256a^4b^4c^4d^3e + 256a^4b^6c^2d^3e^3 - 3072a^5b^2c^5d^3e - 768a^5b^4c^3d^3e - 6656a^6b^5c^5d^2e^2 + 2a^2c^2d^2e^2 * (- (4ac - b^2)^9)^{(1/2)} - 4ab^3c^3d^3e * (- (4ac - b^2)^9)^{(1/2)}) / (32 * (4096a^9c^7 + a^3b^{12}c - 24a^4b^{10}c^2 + 240a^5b^8c^3 - 1280a^6b^6c^4 + 3840a^7b^4c^5 - 6144a^8b^2c^6))^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& (0*a^7*b^4*c^5 - 6144*a^8*b^2*c^6))^{(1/2)}*(1024*a^5*b*c^5 - 16*a^2*b^7*c^2 \\
& + 192*a^3*b^5*c^3 - 768*a^4*b^3*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c \\
& c)))*(-(b^{11}*c*d^4 + a^3*b^9*e^4 + a^3*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 27*a \\
& b^9*c^2*d^4 - 3840*a^5*b*c^6*d^4 + 9*a*c^2*d^4*(-(4*a*c - b^2)^9)^{(1/2)} - 7 \\
& 68*a^7*b*c^4*e^4 - b^2*c*d^4*(-(4*a*c - b^2)^9)^{(1/2)} + 6144*a^6*c^6*d^3*e \\
& + 2048*a^7*c^5*d*e^3 + 288*a^2*b^7*c^3*d^4 - 1504*a^3*b^5*c^4*d^4 + 3840*a^ \\
& 4*b^3*c^5*d^4 - 96*a^5*b^5*c^2*e^4 + 512*a^6*b^3*c^3*e^4 + 4*a*b^{10}*c*d^3*e \\
& + 128*a^3*b^7*c^2*d^2*e^2 - 1344*a^4*b^5*c^3*d^2*e^2 + 5120*a^5*b^3*c^4*d^ \\
& 2*e^2 - 24*a^3*b^8*c*d*e^3 - 72*a^2*b^8*c^2*d^3*e - 2*a^2*b^9*c*d^2*e^2 + 3 \\
& 84*a^3*b^6*c^3*d^3*e - 256*a^4*b^4*c^4*d^3*e + 256*a^4*b^6*c^2*d*e^3 - 3072 \\
& *a^5*b^2*c^5*d^3*e - 768*a^5*b^4*c^3*d*e^3 - 6656*a^6*b*c^5*d^2*e^2 + 2*a^2 \\
& *c*d^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 4*a*b*c*d^3*e*(-(4*a*c - b^2)^9)^{(1/2)} \\
&))/(32*(4096*a^9*c^7 + a^3*b^{12}*c - 24*a^4*b^{10}*c^2 + 240*a^5*b^8*c^3 - 128 \\
& 0*a^6*b^6*c^4 + 3840*a^7*b^4*c^5 - 6144*a^8*b^2*c^6))^{(1/2)} - (x*(72*a^2*c \\
& ^5*d^4 + 8*a^4*c^3*e^4 + b^4*c^3*d^4 - 14*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 + 2 \\
& *a^3*b^2*c^2*e^4 + 16*a^3*c^4*d^2*e^2 + 44*a^2*b^2*c^3*d^2*e^2 + 4*a*b^3*c^ \\
& 3*d^3*e - 80*a^2*b*c^4*d^3*e - 16*a^3*b*c^3*d*e^3 - 12*a^2*b^3*c^2*d*e^3))/ \\
& (2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(-(b^{11}*c*d^4 + a^3*b^9*e^4 + a^3 \\
& *e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 27*a*b^9*c^2*d^4 - 3840*a^5*b*c^6*d^4 + 9*a \\
& *c^2*d^4*(-(4*a*c - b^2)^9)^{(1/2)} - 768*a^7*b*c^4*e^4 - b^2*c*d^4*(-(4*a*c \\
& - b^2)^9)^{(1/2)} + 6144*a^6*c^6*d^3*e + 2048*a^7*c^5*d*e^3 + 288*a^2*b^7*c^3 \\
& *d^4 - 1504*a^3*b^5*c^4*d^4 + 3840*a^4*b^3*c^5*d^4 - 96*a^5*b^5*c^2*e^4 + 5 \\
& 12*a^6*b^3*c^3*e^4 + 4*a*b^{10}*c*d^3*e + 128*a^3*b^7*c^2*d^2*e^2 - 1344*a^4* \\
& b^5*c^3*d^2*e^2 + 5120*a^5*b^3*c^4*d^2*e^2 - 24*a^3*b^8*c*d*e^3 - 72*a^2*b^ \\
& 8*c^2*d^3*e - 2*a^2*b^9*c*d^2*e^2 + 384*a^3*b^6*c^3*d^3*e - 256*a^4*b^4*c^4 \\
& *d^3*e + 256*a^4*b^6*c^2*d*e^3 - 3072*a^5*b^2*c^5*d^3*e - 768*a^5*b^4*c^3*d \\
& *e^3 - 6656*a^6*b*c^5*d^2*e^2 + 2*a^2*c*d^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 4*a*b*c*d^3*e*(-(4*a*c - b^2)^9)^{(1/2)))/(32*(4096*a^9*c^7 + a^3*b^{12}*c - 24 \\
& *a^4*b^{10}*c^2 + 240*a^5*b^8*c^3 - 1280*a^6*b^6*c^4 + 3840*a^7*b^4*c^5 - 614 \\
& 4*a^8*b^2*c^6))^{(1/2)}*i)/((5*b^3*c^4*d^6 - 3*a^3*b^3*c*e^6 - 4*a^4*b*c^2* \\
& e^6 + 144*a^2*c^5*d^5*e + 16*a^4*c^3*d*e^5 - 6*b^4*c^3*d^5*e + 160*a^3*c^4* \\
& d^3*e^3 + b^5*c^2*d^4*e^2 - 36*a*b*c^5*d^6 + 152*a^2*b^2*c^3*d^3*e^3 - 29*a \\
& ^2*b^3*c^2*d^2*e^4 + 36*a*b^2*c^4*d^5*e + a*b^5*c*d^2*e^4 + 2*a^2*b^4*c*d*e \\
& ^5 + 11*a*b^3*c^3*d^4*e^2 - 8*a*b^4*c^2*d^3*e^3 - 300*a^2*b*c^4*d^4*e^2 - 1 \\
& 40*a^3*b*c^3*d^2*e^4 + 36*a^3*b^2*c^2*d*e^5)/(4*(a^2*b^6 - 64*a^5*c^3 - 12* \\
& a^3*b^4*c + 48*a^4*b^2*c^2)) + (((6144*a^5*c^6*d^2 + 2048*a^6*c^5*e^2 + 16* \\
& a*b^8*c^2*d^2 - 288*a^2*b^6*c^3*d^2 + 1920*a^3*b^4*c^4*d^2 - 5632*a^4*b^2*c \\
& ^5*d^2 - 32*a^3*b^6*c^2*e^2 + 384*a^4*b^4*c^3*e^2 - 1536*a^5*b^2*c^4*e^2 - \\
& 2048*a^5*b*c^5*d*e + 32*a^2*b^7*c^2*d*e - 384*a^3*b^5*c^3*d*e + 1536*a^4*b^ \\
& 3*c^4*d*e)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^2)) - (x* \\
& (-b^{11}*c*d^4 + a^3*b^9*e^4 + a^3*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 27*a*b^9*c \\
& ^2*d^4 - 3840*a^5*b*c^6*d^4 + 9*a*c^2*d^4*(-(4*a*c - b^2)^9)^{(1/2)} - 768*a^ \\
& 7*b*c^4*e^4 - b^2*c*d^4*(-(4*a*c - b^2)^9)^{(1/2)} + 6144*a^6*c^6*d^3*e + 204 \\
& 8*a^7*c^5*d*e^3 + 288*a^2*b^7*c^3*d^4 - 1504*a^3*b^5*c^4*d^4 + 3840*a^4*b^3 \\
& *c^5*d^4 - 96*a^5*b^5*c^2*e^4 + 512*a^6*b^3*c^3*e^4 + 4*a*b^{10}*c*d^3*e + 12
\end{aligned}$$

$$\begin{aligned}
& 8a^3b^7c^2d^2e^2 - 1344a^4b^5c^3d^2e^2 + 5120a^5b^3c^4d^2e^2 \\
& - 24a^3b^8c^2d^3e^3 - 72a^2b^8c^2d^3e - 2a^2b^9c^2d^2e^2 + 384a^3b^6c^3d^3e - 256a^4b^4c^4d^3e + 256a^4b^6c^2d^2e^3 - 3072a^5b^2c^5d^3e - 768a^5b^4c^3d^2e^3 - 6656a^6b^2c^5d^2e^2 + 2a^2c^2d^2e^2(-4ac - b^2)^9)^{(1/2)} - 4ab^2c^2d^3e(-4ac - b^2)^9)^{(1/2)} / (32(4096a^9c^7 + a^3b^12c - 24a^4b^10c^2 + 240a^5b^8c^3 - 1280a^6b^6c^4 + 3840a^7b^4c^5 - 6144a^8b^2c^6)))^{(1/2)} * (1024a^5b^2c^5 - 16a^2b^7c^2 + 192a^3b^5c^3 - 768a^4b^3c^4) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)) * (-b^11cd^4 + a^3b^9e^4 + a^3e^4(-4ac - b^2)^9)^{(1/2)} - 27ab^9c^2d^4 - 3840a^5b^2c^6d^4 + 9a^2c^2d^4(-4ac - b^2)^9)^{(1/2)} - 768a^7b^2c^4e^4 - b^2cd^4(-4ac - b^2)^9)^{(1/2)} + 6144a^6c^6d^3e + 2048a^7c^5d^2e^3 + 288a^2b^7c^3d^4 - 1504a^3b^5c^4d^4 + 3840a^4b^3c^5d^4 - 96a^5b^5c^2e^4 + 512a^6b^3c^3e^4 + 4ab^10cd^3e + 128a^3b^7c^2d^2e^2 - 1344a^4b^5c^3d^2e^2 + 5120a^5b^3c^4d^2e^2 - 24a^3b^8c^2d^3e - 72a^2b^8c^2d^3e - 2a^2b^9c^2d^2e^2 + 384a^3b^6c^3d^3e - 256a^4b^4c^4d^3e + 256a^4b^6c^2d^2e^3 - 3072a^5b^2c^5d^3e - 768a^5b^4c^3d^2e^3 - 6656a^6b^2c^5d^2e^2 + 2a^2c^2d^2e^2(-4ac - b^2)^9)^{(1/2)} - 4ab^2c^2d^3e(-4ac - b^2)^9)^{(1/2)} / (32(4096a^9c^7 + a^3b^12c - 24a^4b^10c^2 + 240a^5b^8c^3 - 1280a^6b^6c^4 + 3840a^7b^4c^5 - 6144a^8b^2c^6)))^{(1/2)} + (x(72a^2c^5d^4 + 8a^4c^3e^4 + b^4c^3d^4 - 14ab^2c^4d^4 + a^2b^4c^4e^4 + 2a^3b^2c^2e^4 + 16a^3c^4d^2e^2 + 44a^2b^2c^3d^2e^2 + 4ab^3c^3d^3e - 80a^2b^2c^4d^3e - 16a^3b^2c^3d^2e^3 - 12a^2b^3c^2d^2e^3)) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c))) * (-b^11cd^4 + a^3b^9e^4 + a^3e^4(-4ac - b^2)^9)^{(1/2)} - 27ab^9c^2d^4 - 3840a^5b^2c^6d^4 + 9a^2c^2d^4(-4ac - b^2)^9)^{(1/2)} - 768a^7b^2c^4e^4 - b^2cd^4(-4ac - b^2)^9)^{(1/2)} + 6144a^6c^6d^3e + 2048a^7c^5d^2e^3 + 288a^2b^7c^3d^4 - 1504a^3b^5c^4d^4 + 3840a^4b^3c^5d^4 - 96a^5b^5c^2e^4 + 512a^6b^3c^3e^4 + 4ab^10cd^3e + 128a^3b^7c^2d^2e^2 - 1344a^4b^5c^3d^2e^2 + 5120a^5b^3c^4d^2e^2 - 24a^3b^8c^2d^3e - 72a^2b^8c^2d^3e - 2a^2b^9c^2d^2e^2 + 384a^3b^6c^3d^3e - 256a^4b^4c^4d^3e + 256a^4b^6c^2d^2e^3 - 3072a^5b^2c^5d^3e - 768a^5b^4c^3d^2e^3 - 6656a^6b^2c^5d^2e^2 + 2a^2c^2d^2e^2(-4ac - b^2)^9)^{(1/2)} - 4ab^2c^2d^3e(-4ac - b^2)^9)^{(1/2)} / (32(4096a^9c^7 + a^3b^12c - 24a^4b^10c^2 + 240a^5b^8c^3 - 1280a^6b^6c^4 + 3840a^7b^4c^5 - 6144a^8b^2c^6)))^{(1/2)} + (((6144a^5c^6d^2 + 2048a^6c^5e^2 + 16ab^8c^2d^2 - 288a^2b^6c^3d^2 + 1920a^3b^4c^4d^2 - 5632a^4b^2c^5d^2 - 32a^3b^6c^2e^2 + 384a^4b^4c^3e^2 - 1536a^5b^2c^4e^2 - 2048a^5b^2c^5d^2e + 32a^2b^7c^2d^2e - 384a^3b^5c^3d^2e + 1536a^4b^3c^4d^2e) / (8(a^2b^6 - 64a^5c^3 - 12a^3b^4c + 48a^4b^2c^2))) + (x(-b^11cd^4 + a^3b^9e^4 + a^3e^4(-4ac - b^2)^9)^{(1/2)} - 27ab^9c^2d^4 - 3840a^5b^2c^6d^4 + 9a^2c^2d^4(-4ac - b^2)^9)^{(1/2)} - 768a^7b^2c^4e^4 - b^2cd^4(-4ac - b^2)^9)^{(1/2)} + 6144a^6c^6d^3e + 2048a^7c^5d^2e^3 + 288a^2b^7c^3d^4 - 1504a^3b^5c^4d^4 + 3840a^4b^3c^5d^4 - 96a^5b^5c^2e^4 + 512a^6b^3c^3e^4 + 4ab^10cd^3e
\end{aligned}$$

$$\begin{aligned}
& 3e + 128a^3b^7c^2d^2e^2 - 1344a^4b^5c^3d^2e^2 + 5120a^5b^3c^4 \\
& *d^2e^2 - 24a^3b^8c*d^3e - 72a^2b^8c^2d^3e - 2a^2b^9c*d^2e^2 \\
& + 384a^3b^6c^3d^3e - 256a^4b^4c^4d^3e + 256a^4b^6c^2d^3e - 3 \\
& 072a^5b^2c^5d^3e - 768a^5b^4c^3d^3e - 6656a^6b*c^5d^2e^2 + 2* \\
& a^2*c*d^2e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 4*a*b*c*d^3e*(-(4*a*c - b^2)^9)^{(1/2)} \\
&)/(32*(4096a^9c^7 + a^3b^12c - 24a^4b^10c^2 + 240a^5b^8c^3 - \\
& 1280a^6b^6c^4 + 3840a^7b^4c^5 - 6144a^8b^2c^6))^{(1/2)}*(1024a^5b \\
& *c^5 - 16a^2b^7c^2 + 192a^3b^5c^3 - 768a^4b^3c^4)/(2*(a^2b^4 + 1 \\
& 6a^4c^2 - 8a^3b^2c)))*(-(b^11c*d^4 + a^3b^9e^4 + a^3e^4*(-(4*a*c - \\
& b^2)^9)^{(1/2)} - 27*a*b^9c^2d^4 - 3840a^5b*c^6d^4 + 9*a*c^2d^4*(-(4*a \\
& *c - b^2)^9)^{(1/2)} - 768a^7b*c^4e^4 - b^2*c*d^4*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 6144a^6c^6d^3e + 2048a^7c^5d^3e + 288a^2b^7c^3d^4 - 1504a^3 \\
& *b^5c^4d^4 + 3840a^4b^3c^5d^4 - 96a^5b^5c^2e^4 + 512a^6b^3c^3e^4 \\
& e^4 + 4*a*b^10*c*d^3e + 128*a^3*b^7*c^2*d^2e^2 - 1344*a^4*b^5*c^3*d^2e^2 \\
& + 5120*a^5*b^3*c^4*d^2e^2 - 24*a^3*b^8*c*d^3e - 72*a^2*b^8*c^2*d^3e - 2 \\
& *a^2*b^9*c*d^2e^2 + 384*a^3*b^6*c^3*d^3e - 256*a^4*b^4*c^4*d^3e + 256*a^ \\
& 4*b^6*c^2*d^3e - 3072*a^5*b^2*c^5*d^3e - 768*a^5*b^4*c^3*d^3e - 6656*a^6 \\
& *b*c^5*d^2e^2 + 2*a^2*c*d^2e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 4*a*b*c*d^3e*(- \\
& -(4*a*c - b^2)^9)^{(1/2)})/(32*(4096a^9c^7 + a^3b^12c - 24a^4b^10c^2 + \\
& 240a^5b^8c^3 - 1280a^6b^6c^4 + 3840a^7b^4c^5 - 6144a^8b^2c^6)) \\
&)^{(1/2)} - (x*(72a^2c^5d^4 + 8a^4c^3e^4 + b^4c^3d^4 - 14a*b^2c^4d \\
& ^4 + a^2b^4c^4e^4 + 2a^3b^2c^2e^4 + 16a^3c^4d^2e^2 + 44a^2b^2c^ \\
& 3d^2e^2 + 4a*b^3c^3d^3e - 80a^2b*c^4d^3e - 16a^3b*c^3d^3e - 1 \\
& 2a^2b^3c^2d^3e)/(2*(a^2b^4 + 16a^4c^2 - 8a^3b^2c)))*(-(b^11c*d \\
& ^4 + a^3b^9e^4 + a^3e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 27*a*b^9c^2d^4 - 38 \\
& 40a^5b*c^6d^4 + 9*a*c^2d^4*(-(4*a*c - b^2)^9)^{(1/2)} - 768a^7b*c^4e^4 \\
& - b^2*c*d^4*(-(4*a*c - b^2)^9)^{(1/2)} + 6144a^6c^6d^3e + 2048a^7c^5d \\
& *e^3 + 288a^2b^7c^3d^4 - 1504a^3b^5c^4d^4 + 3840a^4b^3c^5d^4 - \\
& 96a^5b^5c^2e^4 + 512a^6b^3c^3e^4 + 4a*b^10*c*d^3e + 128a^3b^7c \\
& ^2d^2e^2 - 1344a^4b^5c^3d^2e^2 + 5120a^5b^3c^4d^2e^2 - 24a^3b \\
& ^8c*d^3e - 72a^2b^8c^2d^3e - 2a^2b^9c*d^2e^2 + 384a^3b^6c^3d \\
& ^3e - 256a^4b^4c^4d^3e + 256a^4b^6c^2d^3e - 3072a^5b^2c^5d^3 \\
& *e - 768a^5b^4c^3d^3e - 6656a^6b*c^5d^2e^2 + 2a^2*c*d^2e^2*(-(4* \\
& a*c - b^2)^9)^{(1/2)} - 4*a*b*c*d^3e*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(4096a^9 \\
& *c^7 + a^3b^12c - 24a^4b^10c^2 + 240a^5b^8c^3 - 1280a^6b^6c^4 + \\
& 3840a^7b^4c^5 - 6144a^8b^2c^6))^{(1/2)})*(-(b^11c*d^4 + a^3b^9e^4 \\
& + a^3e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 27*a*b^9c^2d^4 - 3840a^5b*c^6d^4 \\
& + 9*a*c^2d^4*(-(4*a*c - b^2)^9)^{(1/2)} - 768a^7b*c^4e^4 - b^2*c*d^4*(-(4 \\
& *a*c - b^2)^9)^{(1/2)} + 6144a^6c^6d^3e + 2048a^7c^5d^3e + 288a^2b^ \\
& 7c^3d^4 - 1504a^3b^5c^4d^4 + 3840a^4b^3c^5d^4 - 96a^5b^5c^2e^ \\
& ^4 + 512a^6b^3c^3e^4 + 4a*b^10*c*d^3e + 128a^3b^7c^2d^2e^2 - 1344 \\
& *a^4b^5c^3d^2e^2 + 5120a^5b^3c^4d^2e^2 - 24a^3b^8c*d^3e - 72a^ \\
& 2*b^8c^2d^3e - 2a^2b^9c*d^2e^2 + 384a^3b^6c^3d^3e - 256a^4b^ \\
& 4c^4d^3e + 256a^4b^6c^2d^3e - 3072a^5b^2c^5d^3e - 768a^5b^4* \\
& c^3d^3e - 6656a^6b*c^5d^2e^2 + 2a^2*c*d^2e^2*(-(4*a*c - b^2)^9)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& 2) - 4*a*b*c*d^3*e*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(4096*a^9*c^7 + a^3*b^12*c \\
& - 24*a^4*b^10*c^2 + 240*a^5*b^8*c^3 - 1280*a^6*b^6*c^4 + 3840*a^7*b^4*c^5 \\
& - 6144*a^8*b^2*c^6)))^{(1/2)}*2i - ((x^3*(a*b*e^2 + b*c*d^2 - 4*a*c*d*e))/(2* \\
& a*(4*a*c - b^2)) + (x*(2*a^2*e^2 + b^2*d^2 - 2*a*c*d^2 - 2*a*b*d*e))/(2*a*(\\
& 4*a*c - b^2)))/(a + b*x^2 + c*x^4) + \operatorname{atan}((((6144*a^5*c^6*d^2 + 2048*a^6*c \\
& ^5*e^2 + 16*a*b^8*c^2*d^2 - 288*a^2*b^6*c^3*d^2 + 1920*a^3*b^4*c^4*d^2 - 56 \\
& 32*a^4*b^2*c^5*d^2 - 32*a^3*b^6*c^2*e^2 + 384*a^4*b^4*c^3*e^2 - 1536*a^5*b^ \\
& 2*c^4*e^2 - 2048*a^5*b*c^5*d*e + 32*a^2*b^7*c^2*d*e - 384*a^3*b^5*c^3*d*e + \\
& 1536*a^4*b^3*c^4*d*e)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2 \\
& *c^2)) - (x*((a^3*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - a^3*b^9*e^4 - b^11*c*d^4 + \\
& 27*a*b^9*c^2*d^4 + 3840*a^5*b*c^6*d^4 + 9*a*c^2*d^4*(-(4*a*c - b^2)^9)^{(1/ \\
& 2) + 768*a^7*b*c^4*e^4 - b^2*c*d^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6144*a^6*c^6* \\
& d^3*e - 2048*a^7*c^5*d*e^3 - 288*a^2*b^7*c^3*d^4 + 1504*a^3*b^5*c^4*d^4 - 3 \\
& 840*a^4*b^3*c^5*d^4 + 96*a^5*b^5*c^2*e^4 - 512*a^6*b^3*c^3*e^4 - 4*a*b^10*c \\
& *d^3*e - 128*a^3*b^7*c^2*d^2*e^2 + 1344*a^4*b^5*c^3*d^2*e^2 - 5120*a^5*b^3* \\
& c^4*d^2*e^2 + 24*a^3*b^8*c*d*e^3 + 72*a^2*b^8*c^2*d^3*e + 2*a^2*b^9*c*d^2*e \\
& ^2 - 384*a^3*b^6*c^3*d^3*e + 256*a^4*b^4*c^4*d^3*e - 256*a^4*b^6*c^2*d*e^3 \\
& + 3072*a^5*b^2*c^5*d^3*e + 768*a^5*b^4*c^3*d*e^3 + 6656*a^6*b*c^5*d^2*e^2 + \\
& 2*a^2*c*d^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 4*a*b*c*d^3*e*(-(4*a*c - b^2)^9 \\
&)^{(1/2)})/(32*(4096*a^9*c^7 + a^3*b^12*c - 24*a^4*b^10*c^2 + 240*a^5*b^8*c^3 \\
& - 1280*a^6*b^6*c^4 + 3840*a^7*b^4*c^5 - 6144*a^8*b^2*c^6)))^{(1/2)}*(1024*a^ \\
& 5*b*c^5 - 16*a^2*b^7*c^2 + 192*a^3*b^5*c^3 - 768*a^4*b^3*c^4))/(2*(a^2*b^4 \\
& + 16*a^4*c^2 - 8*a^3*b^2*c)))*((a^3*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - a^3*b^9* \\
& e^4 - b^11*c*d^4 + 27*a*b^9*c^2*d^4 + 3840*a^5*b*c^6*d^4 + 9*a*c^2*d^4*(-(4 \\
& *a*c - b^2)^9)^{(1/2)} + 768*a^7*b*c^4*e^4 - b^2*c*d^4*(-(4*a*c - b^2)^9)^{(1/ \\
& 2) - 6144*a^6*c^6*d^3*e - 2048*a^7*c^5*d*e^3 - 288*a^2*b^7*c^3*d^4 + 1504*a \\
& ^3*b^5*c^4*d^4 - 3840*a^4*b^3*c^5*d^4 + 96*a^5*b^5*c^2*e^4 - 512*a^6*b^3*c^ \\
& 3*e^4 - 4*a*b^10*c*d^3*e - 128*a^3*b^7*c^2*d^2*e^2 + 1344*a^4*b^5*c^3*d^2*e \\
& ^2 - 5120*a^5*b^3*c^4*d^2*e^2 + 24*a^3*b^8*c*d*e^3 + 72*a^2*b^8*c^2*d^3*e + \\
& 2*a^2*b^9*c*d^2*e^2 - 384*a^3*b^6*c^3*d^3*e + 256*a^4*b^4*c^4*d^3*e - 256* \\
& a^4*b^6*c^2*d*e^3 + 3072*a^5*b^2*c^5*d^3*e + 768*a^5*b^4*c^3*d*e^3 + 6656*a \\
& ^6*b*c^5*d^2*e^2 + 2*a^2*c*d^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 4*a*b*c*d^3*e \\
& *(-(4*a*c - b^2)^9)^{(1/2)})/(32*(4096*a^9*c^7 + a^3*b^12*c - 24*a^4*b^10*c^2 \\
& + 240*a^5*b^8*c^3 - 1280*a^6*b^6*c^4 + 3840*a^7*b^4*c^5 - 6144*a^8*b^2*c^6 \\
&)))^{(1/2)} + (x*(72*a^2*c^5*d^4 + 8*a^4*c^3*e^4 + b^4*c^3*d^4 - 14*a*b^2*c^4 \\
& *d^4 + a^2*b^4*c*e^4 + 2*a^3*b^2*c^2*e^4 + 16*a^3*c^4*d^2*e^2 + 44*a^2*b^2* \\
& c^3*d^2*e^2 + 4*a*b^3*c^3*d^3*e - 80*a^2*b*c^4*d^3*e - 16*a^3*b*c^3*d*e^3 - \\
& 12*a^2*b^3*c^2*d*e^3))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*((a^3*e^4 \\
& *(-(4*a*c - b^2)^9)^{(1/2)} - a^3*b^9*e^4 - b^11*c*d^4 + 27*a*b^9*c^2*d^4 + 3 \\
& 840*a^5*b*c^6*d^4 + 9*a*c^2*d^4*(-(4*a*c - b^2)^9)^{(1/2)} + 768*a^7*b*c^4*e^ \\
& 4 - b^2*c*d^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6144*a^6*c^6*d^3*e - 2048*a^7*c^5* \\
& d*e^3 - 288*a^2*b^7*c^3*d^4 + 1504*a^3*b^5*c^4*d^4 - 3840*a^4*b^3*c^5*d^4 + \\
& 96*a^5*b^5*c^2*e^4 - 512*a^6*b^3*c^3*e^4 - 4*a*b^10*c*d^3*e - 128*a^3*b^7* \\
& c^2*d^2*e^2 + 1344*a^4*b^5*c^3*d^2*e^2 - 5120*a^5*b^3*c^4*d^2*e^2 + 24*a^3* \\
& b^8*c*d*e^3 + 72*a^2*b^8*c^2*d^3*e + 2*a^2*b^9*c*d^2*e^2 - 384*a^3*b^6*c^3*
\end{aligned}$$

$$\begin{aligned}
& b^6 c^3 d^3 e + 256 a^4 b^4 c^4 d^3 e - 256 a^4 b^6 c^2 d^2 e^3 + 3072 a^5 b^2 c^5 d^3 e + 768 a^5 b^4 c^3 d^2 e^3 + 6656 a^6 b^2 c^5 d^2 e^2 + 2 a^2 c^2 d^2 e^2 (-4 a^2 c - b^2)^9)^{(1/2)} - 4 a^2 b^2 c^2 d^3 e (-4 a^2 c - b^2)^9)^{(1/2)} / (32 (4096 a^9 c^7 + a^3 b^{12} c - 24 a^4 b^{10} c^2 + 240 a^5 b^8 c^3 - 1280 a^6 b^6 c^4 + 3840 a^7 b^4 c^5 - 6144 a^8 b^2 c^6))^{(1/2)} * i) / ((5 b^3 c^4 d^6 - 3 a^3 b^3 c^2 e^6 - 4 a^4 b^2 c^2 e^6 + 144 a^2 c^5 d^5 e + 16 a^4 c^3 d^2 e^5 - 6 b^4 c^3 d^5 e + 160 a^3 c^4 d^3 e^3 + b^5 c^2 d^4 e^2 - 36 a^2 b^2 c^5 d^6 + 152 a^2 b^2 c^3 d^3 e^3 - 29 a^2 b^3 c^2 d^2 e^4 + 36 a^2 b^2 c^4 d^5 e + a^5 c^2 d^2 e^4 + 2 a^2 b^4 c^2 d^3 e^5 + 11 a^2 b^3 c^3 d^4 e^2 - 8 a^2 b^4 c^2 d^3 e^3 - 300 a^2 b^2 c^4 d^4 e^2 - 140 a^3 b^2 c^3 d^2 e^4 + 36 a^3 b^2 c^2 d^2 e^5) / (4 (a^2 b^6 - 64 a^5 c^3 - 12 a^3 b^4 c + 48 a^4 b^2 c^2)) + (((6144 a^5 c^6 d^2 + 2048 a^6 c^5 e^2 + 16 a^2 b^8 c^2 d^2 - 288 a^2 b^6 c^3 d^2 + 1920 a^3 b^4 c^4 d^2 - 5632 a^4 b^2 c^5 d^2 - 32 a^3 b^6 c^2 e^2 + 384 a^4 b^4 c^3 e^2 - 1536 a^5 b^2 c^4 e^2 - 2048 a^5 b^2 c^5 d^2 e + 32 a^2 b^7 c^2 d^2 e - 384 a^3 b^5 c^3 d^2 e + 1536 a^4 b^3 c^4 d^2 e) / (8 (a^2 b^6 - 64 a^5 c^3 - 12 a^3 b^4 c + 48 a^4 b^2 c^2)) - (x * ((a^3 e^4 (-4 a^2 c - b^2)^9)^{(1/2)} - a^3 b^9 e^4 - b^{11} c^2 d^4 + 27 a^2 b^9 c^2 d^4 + 3840 a^5 b^2 c^6 d^4 + 9 a^2 c^2 d^4 (-4 a^2 c - b^2)^9)^{(1/2)} + 768 a^7 b^2 c^4 e^4 - b^2 c^2 d^4 (-4 a^2 c - b^2)^9)^{(1/2)} - 6144 a^6 c^6 d^3 e - 2048 a^7 c^5 d^2 e^3 - 288 a^2 b^7 c^3 d^4 + 1504 a^3 b^5 c^4 d^4 - 3840 a^4 b^3 c^5 d^4 + 96 a^5 b^5 c^2 e^4 - 512 a^6 b^3 c^3 e^4 - 4 a^2 b^10 c^2 d^3 e - 128 a^3 b^7 c^2 d^2 e^2 + 1344 a^4 b^5 c^3 d^2 e^2 - 5120 a^5 b^3 c^4 d^2 e^2 + 24 a^3 b^8 c^2 d^3 e + 72 a^2 b^8 c^2 d^3 e + 2 a^2 b^9 c^2 d^2 e^2 - 384 a^3 b^6 c^3 d^3 e + 256 a^4 b^4 c^4 d^3 e - 256 a^4 b^6 c^2 d^2 e^3 + 3072 a^5 b^2 c^5 d^3 e + 768 a^5 b^4 c^3 d^2 e^3 + 6656 a^6 b^2 c^5 d^2 e^2 + 2 a^2 c^2 d^2 e^2 (-4 a^2 c - b^2)^9)^{(1/2)} - 4 a^2 b^2 c^2 d^3 e (-4 a^2 c - b^2)^9)^{(1/2)} / (32 (4096 a^9 c^7 + a^3 b^{12} c - 24 a^4 b^{10} c^2 + 240 a^5 b^8 c^3 - 1280 a^6 b^6 c^4 + 3840 a^7 b^4 c^5 - 6144 a^8 b^2 c^6))^{(1/2)} * (1024 a^5 b^2 c^5 - 16 a^2 b^7 c^2 + 192 a^3 b^5 c^3 - 768 a^4 b^3 c^4) / (2 (a^2 b^4 + 16 a^4 c^2 - 8 a^3 b^2 c)) * ((a^3 e^4 (-4 a^2 c - b^2)^9)^{(1/2)} - a^3 b^9 e^4 - b^{11} c^2 d^4 + 27 a^2 b^9 c^2 d^4 + 3840 a^5 b^2 c^6 d^4 + 9 a^2 c^2 d^4 (-4 a^2 c - b^2)^9)^{(1/2)} + 768 a^7 b^2 c^4 e^4 - b^2 c^2 d^4 (-4 a^2 c - b^2)^9)^{(1/2)} - 6144 a^6 c^6 d^3 e - 2048 a^7 c^5 d^2 e^3 - 288 a^2 b^7 c^3 d^4 + 1504 a^3 b^5 c^4 d^4 - 3840 a^4 b^3 c^5 d^4 + 96 a^5 b^5 c^2 e^4 - 512 a^6 b^3 c^3 e^4 - 4 a^2 b^10 c^2 d^3 e - 128 a^3 b^7 c^2 d^2 e^2 + 1344 a^4 b^5 c^3 d^2 e^2 - 5120 a^5 b^3 c^4 d^2 e^2 + 24 a^3 b^8 c^2 d^3 e + 72 a^2 b^8 c^2 d^3 e + 2 a^2 b^9 c^2 d^2 e^2 - 384 a^3 b^6 c^3 d^3 e + 256 a^4 b^4 c^4 d^3 e - 256 a^4 b^6 c^2 d^2 e^3 + 3072 a^5 b^2 c^5 d^3 e + 768 a^5 b^4 c^3 d^2 e^3 + 6656 a^6 b^2 c^5 d^2 e^2 + 2 a^2 c^2 d^2 e^2 (-4 a^2 c - b^2)^9)^{(1/2)} - 4 a^2 b^2 c^2 d^3 e (-4 a^2 c - b^2)^9)^{(1/2)} / (32 (4096 a^9 c^7 + a^3 b^{12} c - 24 a^4 b^{10} c^2 + 240 a^5 b^8 c^3 - 1280 a^6 b^6 c^4 + 3840 a^7 b^4 c^5 - 6144 a^8 b^2 c^6))^{(1/2)} + (x * (72 a^2 c^5 d^4 + 8 a^4 c^3 e^4 + b^4 c^3 d^4 - 14 a^2 b^2 c^4 d^4 + a^2 b^4 c^2 e^4 + 2 a^3 b^2 c^2 e^4 + 16 a^3 c^4 d^2 e^2 + 44 a^2 b^2 c^3 d^2 e^2 + 4 a^2 b^3 c^3 d^3 e - 80 a^2 b^2 c^4 d^3 e - 16 a^3 b^2 c^3 d^2 e^3 - 12 a^2 b^3 c^2 d^2 e^3)) / (2 (a^2 b^4 + 16 a^4 c^2 - 8 a^3 b^2 c)) * ((a^3 e^4 (-4 a^2 c - b^2)^9)^{(1/2)} - a^3 b^9 e^4 - b^{11} c^2 d^4 + 2
\end{aligned}$$

$$\begin{aligned}
& 7*a*b^9*c^2*d^4 + 3840*a^5*b*c^6*d^4 + 9*a*c^2*d^4*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 768*a^7*b*c^4*e^4 - b^2*c*d^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6144*a^6*c^6*d^3 \\
& *e - 2048*a^7*c^5*d*e^3 - 288*a^2*b^7*c^3*d^4 + 1504*a^3*b^5*c^4*d^4 - 384 \\
& 0*a^4*b^3*c^5*d^4 + 96*a^5*b^5*c^2*e^4 - 512*a^6*b^3*c^3*e^4 - 4*a*b^10*c*d \\
& ^3*e - 128*a^3*b^7*c^2*d^2*e^2 + 1344*a^4*b^5*c^3*d^2*e^2 - 5120*a^5*b^3*c^ \\
& 4*d^2*e^2 + 24*a^3*b^8*c*d*e^3 + 72*a^2*b^8*c^2*d^3*e + 2*a^2*b^9*c*d^2*e^2 \\
& - 384*a^3*b^6*c^3*d^3*e + 256*a^4*b^4*c^4*d^3*e - 256*a^4*b^6*c^2*d*e^3 + \\
& 3072*a^5*b^2*c^5*d^3*e + 768*a^5*b^4*c^3*d*e^3 + 6656*a^6*b*c^5*d^2*e^2 + 2 \\
& *a^2*c*d^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 4*a*b*c*d^3*e*(-(4*a*c - b^2)^9)^{(\\
& 1/2)))/(32*(4096*a^9*c^7 + a^3*b^12*c - 24*a^4*b^10*c^2 + 240*a^5*b^8*c^3 - \\
& 1280*a^6*b^6*c^4 + 3840*a^7*b^4*c^5 - 6144*a^8*b^2*c^6)))^{(1/2)} + (((6144* \\
& a^5*c^6*d^2 + 2048*a^6*c^5*e^2 + 16*a*b^8*c^2*d^2 - 288*a^2*b^6*c^3*d^2 + 1 \\
& 920*a^3*b^4*c^4*d^2 - 5632*a^4*b^2*c^5*d^2 - 32*a^3*b^6*c^2*e^2 + 384*a^4*b \\
& ^4*c^3*e^2 - 1536*a^5*b^2*c^4*e^2 - 2048*a^5*b*c^5*d*e + 32*a^2*b^7*c^2*d*e \\
& - 384*a^3*b^5*c^3*d*e + 1536*a^4*b^3*c^4*d*e)/(8*(a^2*b^6 - 64*a^5*c^3 - 1 \\
& 2*a^3*b^4*c + 48*a^4*b^2*c^2)) + (x*((a^3*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - a^ \\
& 3*b^9*e^4 - b^11*c*d^4 + 27*a*b^9*c^2*d^4 + 3840*a^5*b*c^6*d^4 + 9*a*c^2*d^ \\
& 4*(-(4*a*c - b^2)^9)^{(1/2)} + 768*a^7*b*c^4*e^4 - b^2*c*d^4*(-(4*a*c - b^2)^ \\
& 9)^{(1/2)} - 6144*a^6*c^6*d^3*e - 2048*a^7*c^5*d*e^3 - 288*a^2*b^7*c^3*d^4 + \\
& 1504*a^3*b^5*c^4*d^4 - 3840*a^4*b^3*c^5*d^4 + 96*a^5*b^5*c^2*e^4 - 512*a^6* \\
& b^3*c^3*e^4 - 4*a*b^10*c*d^3*e - 128*a^3*b^7*c^2*d^2*e^2 + 1344*a^4*b^5*c^3 \\
& *d^2*e^2 - 5120*a^5*b^3*c^4*d^2*e^2 + 24*a^3*b^8*c*d*e^3 + 72*a^2*b^8*c^2*d \\
& ^3*e + 2*a^2*b^9*c*d^2*e^2 - 384*a^3*b^6*c^3*d^3*e + 256*a^4*b^4*c^4*d^3*e \\
& - 256*a^4*b^6*c^2*d*e^3 + 3072*a^5*b^2*c^5*d^3*e + 768*a^5*b^4*c^3*d*e^3 + \\
& 6656*a^6*b*c^5*d^2*e^2 + 2*a^2*c*d^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 4*a*b*c \\
& *d^3*e*(-(4*a*c - b^2)^9)^{(1/2)))/(32*(4096*a^9*c^7 + a^3*b^12*c - 24*a^4*b^ \\
& 10*c^2 + 240*a^5*b^8*c^3 - 1280*a^6*b^6*c^4 + 3840*a^7*b^4*c^5 - 6144*a^8*b \\
& ^2*c^6)))^{(1/2)}*(1024*a^5*b*c^5 - 16*a^2*b^7*c^2 + 192*a^3*b^5*c^3 - 768*a^ \\
& 4*b^3*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*((a^3*e^4*(-(4*a*c - \\
& b^2)^9)^{(1/2)} - a^3*b^9*e^4 - b^11*c*d^4 + 27*a*b^9*c^2*d^4 + 3840*a^5*b*c^ \\
& 6*d^4 + 9*a*c^2*d^4*(-(4*a*c - b^2)^9)^{(1/2)} + 768*a^7*b*c^4*e^4 - b^2*c*d^ \\
& 4*(-(4*a*c - b^2)^9)^{(1/2)} - 6144*a^6*c^6*d^3*e - 2048*a^7*c^5*d*e^3 - 288* \\
& a^2*b^7*c^3*d^4 + 1504*a^3*b^5*c^4*d^4 - 3840*a^4*b^3*c^5*d^4 + 96*a^5*b^5* \\
& c^2*e^4 - 512*a^6*b^3*c^3*e^4 - 4*a*b^10*c*d^3*e - 128*a^3*b^7*c^2*d^2*e^2 \\
& + 1344*a^4*b^5*c^3*d^2*e^2 - 5120*a^5*b^3*c^4*d^2*e^2 + 24*a^3*b^8*c*d*e^3 \\
& + 72*a^2*b^8*c^2*d^3*e + 2*a^2*b^9*c*d^2*e^2 - 384*a^3*b^6*c^3*d^3*e + 256* \\
& a^4*b^4*c^4*d^3*e - 256*a^4*b^6*c^2*d*e^3 + 3072*a^5*b^2*c^5*d^3*e + 768*a^ \\
& 5*b^4*c^3*d*e^3 + 6656*a^6*b*c^5*d^2*e^2 + 2*a^2*c*d^2*e^2*(-(4*a*c - b^2)^ \\
& 9)^{(1/2)} - 4*a*b*c*d^3*e*(-(4*a*c - b^2)^9)^{(1/2)))/(32*(4096*a^9*c^7 + a^3* \\
& b^12*c - 24*a^4*b^10*c^2 + 240*a^5*b^8*c^3 - 1280*a^6*b^6*c^4 + 3840*a^7*b^ \\
& 4*c^5 - 6144*a^8*b^2*c^6)))^{(1/2)} - (x*(72*a^2*c^5*d^4 + 8*a^4*c^3*e^4 + b^ \\
& 4*c^3*d^4 - 14*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 + 2*a^3*b^2*c^2*e^4 + 16*a^3*c \\
& ^4*d^2*e^2 + 44*a^2*b^2*c^3*d^2*e^2 + 4*a*b^3*c^3*d^3*e - 80*a^2*b*c^4*d^3* \\
& e - 16*a^3*b*c^3*d*e^3 - 12*a^2*b^3*c^2*d*e^3))/(2*(a^2*b^4 + 16*a^4*c^2 - \\
& 8*a^3*b^2*c)))*((a^3*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - a^3*b^9*e^4 - b^11*c*d^
\end{aligned}$$

$$\begin{aligned}
& 4 + 27*a*b^9*c^2*d^4 + 3840*a^5*b*c^6*d^4 + 9*a*c^2*d^4*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 768*a^7*b*c^4*e^4 - b^2*c*d^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6144*a^6*c^6*d^3*e \\
& - 2048*a^7*c^5*d*e^3 - 288*a^2*b^7*c^3*d^4 + 1504*a^3*b^5*c^4*d^4 - 3840*a^4*b^3*c^5*d^4 \\
& + 96*a^5*b^5*c^2*e^4 - 512*a^6*b^3*c^3*e^4 - 4*a*b^10*c*d^3*e - 128*a^3*b^7*c^2*d^2*e^2 \\
& + 1344*a^4*b^5*c^3*d^2*e^2 - 5120*a^5*b^3*c^4*d^2*e^2 + 24*a^3*b^8*c*d*e^3 + 72*a^2*b^8*c^2*d^3*e \\
& + 2*a^2*b^9*c*d^2*e^2 - 384*a^3*b^6*c^3*d^3*e + 256*a^4*b^4*c^4*d^3*e - 256*a^4*b^6*c^2*d*e^3 \\
& + 3072*a^5*b^2*c^5*d^3*e + 768*a^5*b^4*c^3*d*e^3 + 6656*a^6*b*c^5*d^2*e^2 + 2*a^2*c*d^2*e^2 \\
& *(-(4*a*c - b^2)^9)^{(1/2)} - 4*a*b*c*d^3*e*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(4096*a^9*c^7 \\
& + a^3*b^12*c - 24*a^4*b^10*c^2 + 240*a^5*b^8*c^3 - 1280*a^6*b^6*c^4 + 3840*a^7*b^4*c^5 \\
& - 6144*a^8*b^2*c^6)))^{(1/2)})*((a^3*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - a^3*b^9*e^4 - b^11*c*d^4 \\
& + 27*a*b^9*c^2*d^4 + 3840*a^5*b*c^6*d^4 + 9*a*c^2*d^4*(-(4*a*c - b^2)^9)^{(1/2)} + 768*a^7*b*c^4 \\
& *e^4 - b^2*c*d^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6144*a^6*c^6*d^3*e - 2048*a^7*c^5*d*e^3 \\
& - 288*a^2*b^7*c^3*d^4 + 1504*a^3*b^5*c^4*d^4 - 3840*a^4*b^3*c^5*d^4 + 96*a^5*b^5*c^2*e^4 \\
& - 512*a^6*b^3*c^3*e^4 - 4*a*b^10*c*d^3*e - 128*a^3*b^7*c^2*d^2*e^2 + 1344*a^4*b^5*c^3*d^2*e^2 \\
& - 5120*a^5*b^3*c^4*d^2*e^2 + 24*a^3*b^8*c*d*e^3 + 72*a^2*b^8*c^2*d^3*e + 2*a^2*b^9*c*d^2*e^2 \\
& - 384*a^3*b^6*c^3*d^3*e + 256*a^4*b^4*c^4*d^3*e - 256*a^4*b^6*c^2*d*e^3 + 3072*a^5*b^2*c^5 \\
& *d^3*e + 768*a^5*b^4*c^3*d*e^3 + 6656*a^6*b*c^5*d^2*e^2 + 2*a^2*c*d^2*e^2 *(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 4*a*b*c*d^3*e*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(4096*a^9*c^7 + a^3*b^12*c - 24*a^4*b^10*c^2 \\
& + 240*a^5*b^8*c^3 - 1280*a^6*b^6*c^4 + 3840*a^7*b^4*c^5 - 6144*a^8*b^2*c^6)))^{(1/2)}*2i
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2/(c*x**4+b*x**2+a)**2,x)

[Out] Timed out

$$3.272 \quad \int \frac{d+ex^2}{(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=293

$$\frac{x(cx^2(bd-2ae)-abe-2acd+b^2d)}{2a(b^2-4ac)(a+bx^2+cx^4)} + \frac{\sqrt{c}\left(\frac{4abe-12acd+b^2d}{\sqrt{b^2-4ac}}-2ae+bd\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{2\sqrt{2}a(b^2-4ac)\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\sqrt{c}\left(-\frac{4abe-12acd+b^2d}{\sqrt{b^2-4ac}}\right)}{2\sqrt{2}a(b^2-4ac)}$$

[Out] $1/2*x*(b^2*d-2*a*c*d-a*b*e+c*(-2*a*e+b*d))*x^2/a/(-4*a*c+b^2)/(c*x^4+b*x^2+a)+1/4*arctan(x*2^(1/2)*c^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2))*c^(1/2)*(b*d-2*a*e+(4*a*b*e-12*a*c*d+b^2*d)/(-4*a*c+b^2)^(1/2))/a/(-4*a*c+b^2)*2^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2)+1/4*arctan(x*2^(1/2)*c^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2))*c^(1/2)*(b*d-2*a*e+(-4*a*b*e+12*a*c*d-b^2*d)/(-4*a*c+b^2)^(1/2))/a/(-4*a*c+b^2)*2^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2)$

Rubi [A] time = 0.79, antiderivative size = 293, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1178, 1166, 205}

$$\frac{x(cx^2(bd-2ae)-abe-2acd+b^2d)}{2a(b^2-4ac)(a+bx^2+cx^4)} + \frac{\sqrt{c}\left(\frac{4abe-12acd+b^2d}{\sqrt{b^2-4ac}}-2ae+bd\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{2\sqrt{2}a(b^2-4ac)\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\sqrt{c}\left(-\frac{4abe-12acd+b^2d}{\sqrt{b^2-4ac}}\right)}{2\sqrt{2}a(b^2-4ac)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(a + b*x^2 + c*x^4)^2, x]

[Out] $(x*(b^2*d - 2*a*c*d - a*b*e + c*(b*d - 2*a*e)*x^2))/(2*a*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (\text{Sqrt}[c]*(b*d - 2*a*e + (b^2*d - 12*a*c*d + 4*a*b*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a*(b^2 - 4*a*c)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + (\text{Sqrt}[c]*(b*d - 2*a*e - (b^2*d - 12*a*c*d + 4*a*b*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166


```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1178

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symb
ol] :> Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 +
c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2
- 4*a*c), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7
)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
LtQ[p, -1] && IntegerQ[2*p]
```

Rubi steps

$$\begin{aligned} \int \frac{d + ex^2}{(a + bx^2 + cx^4)^2} dx &= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\int \frac{-b^2d + 6acd - abe - c(bd - 2ae)x^2}{a + bx^2 + cx^4} dx}{2a(b^2 - 4ac)} \\ &= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\left(c\left(bd - 2ae - \frac{b^2d - 12acd + 4abe}{\sqrt{b^2 - 4ac}}\right)\right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + c}}{4a(b^2 - 4ac)} \\ &= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{c}\left(bd - 2ae + \frac{b^2d - 12acd + 4abe}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}a(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} \end{aligned}$$

Mathematica [A] time = 0.75, size = 310, normalized size = 1.06

$$\frac{2x(b(cd x^2 - ae) - 2ac(d + ex^2) + b^2d)}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{2}\sqrt{c}\left(b\left(d\sqrt{b^2 - 4ac} + 4ae\right) - 2a\left(e\sqrt{b^2 - 4ac} + 6cd\right) + b^2d\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{(b^2 - 4ac)^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\sqrt{2}\sqrt{c}\left(bd\sqrt{b^2 - 4ac} - 2ae\sqrt{b^2 - 4ac}\right)}{(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}}$$

4a

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/(a + b*x^2 + c*x^4)^2, x]

```
[Out] ((2*x*(b^2*d + b*(-(a*e) + c*d*x^2)) - 2*a*c*(d + e*x^2))/((b^2 - 4*a*c)*(a
+ b*x^2 + c*x^4)) + (Sqrt[2]*Sqrt[c]*(b^2*d + b*(Sqrt[b^2 - 4*a*c]*d + 4*a
*e) - 2*a*(6*c*d + Sqrt[b^2 - 4*a*c]*e))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b
- Sqrt[b^2 - 4*a*c]])/((b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) +
(Sqrt[2]*Sqrt[c]*(-(b^2*d) + 12*a*c*d + b*Sqrt[b^2 - 4*a*c]*d - 4*a*b*e - 2
*a*Sqrt[b^2 - 4*a*c]*e)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*
c]])/((b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]]))/(4*a)
```

fricas [B] time = 2.83, size = 4573, normalized size = 15.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")
```

```
[Out] 1/4*(2*(b*c*d - 2*a*c*e)*x^3 - sqrt(1/2)*((a*b^2*c - 4*a^2*c^2)*x^4 + a^2*b
^2 - 4*a^3*c + (a*b^3 - 4*a^2*b*c)*x^2)*sqrt(-(b^5 - 15*a*b^3*c + 60*a^2*b
*c^2)*d^2 + 2*(a*b^4 - 6*a^2*b^2*c - 24*a^3*c^2)*d*e + (a^2*b^3 + 12*a^3*b*
c)*e^2 + (a^3*b^6 - 12*a^4*b^4*c + 48*a^5*b^2*c^2 - 64*a^6*c^3)*sqrt((4*a^3
*b*d*e^3 + a^4*e^4 + (b^4 - 18*a*b^2*c + 81*a^2*c^2)*d^4 + 4*(a*b^3 - 9*a^2
*b*c)*d^3*e + 6*(a^2*b^2 - 3*a^3*c)*d^2*e^2)/(a^6*b^6 - 12*a^7*b^4*c + 48*a
^8*b^2*c^2 - 64*a^9*c^3)))/(a^3*b^6 - 12*a^4*b^4*c + 48*a^5*b^2*c^2 - 64*a^
6*c^3))*log(-((5*b^4*c^2 - 81*a*b^2*c^3 + 324*a^2*c^4)*d^4 - (3*b^5*c - 65*
a*b^3*c^2 + 324*a^2*b*c^3)*d^3*e - 3*(3*a*b^4*c - 28*a^2*b^2*c^2)*d^2*e^2 -
(9*a^2*b^3*c - 20*a^3*b*c^2)*d*e^3 - (3*a^3*b^2*c + 4*a^4*c^2)*e^4)*x + 1/
2*sqrt(1/2)*((b^8 - 23*a*b^6*c + 190*a^2*b^4*c^2 - 672*a^3*b^2*c^3 + 864*a^
4*c^4)*d^3 + 3*(a*b^7 - 15*a^2*b^5*c + 72*a^3*b^3*c^2 - 112*a^4*b*c^3)*d^2*
e + 3*(a^2*b^6 - 10*a^3*b^4*c + 32*a^4*b^2*c^2 - 32*a^5*c^3)*d*e^2 + (a^3*b
^5 - 8*a^4*b^3*c + 16*a^5*b*c^2)*e^3 - ((a^3*b^9 - 20*a^4*b^7*c + 144*a^5*b
^5*c^2 - 448*a^6*b^3*c^3 + 512*a^7*b*c^4)*d + (a^4*b^8 - 8*a^5*b^6*c + 128*
a^7*b^2*c^3 - 256*a^8*c^4)*e)*sqrt((4*a^3*b*d*e^3 + a^4*e^4 + (b^4 - 18*a*b
^2*c + 81*a^2*c^2)*d^4 + 4*(a*b^3 - 9*a^2*b*c)*d^3*e + 6*(a^2*b^2 - 3*a^3*c
)*d^2*e^2)/(a^6*b^6 - 12*a^7*b^4*c + 48*a^8*b^2*c^2 - 64*a^9*c^3)))*sqrt(-
(b^5 - 15*a*b^3*c + 60*a^2*b*c^2)*d^2 + 2*(a*b^4 - 6*a^2*b^2*c - 24*a^3*c^2
)*d*e + (a^2*b^3 + 12*a^3*b*c)*e^2 + (a^3*b^6 - 12*a^4*b^4*c + 48*a^5*b^2*c
^2 - 64*a^6*c^3)*sqrt((4*a^3*b*d*e^3 + a^4*e^4 + (b^4 - 18*a*b^2*c + 81*a^2
*c^2)*d^4 + 4*(a*b^3 - 9*a^2*b*c)*d^3*e + 6*(a^2*b^2 - 3*a^3*c)*d^2*e^2)/(a
^6*b^6 - 12*a^7*b^4*c + 48*a^8*b^2*c^2 - 64*a^9*c^3)))/((a^3*b^6 - 12*a^4*b
^4*c + 48*a^5*b^2*c^2 - 64*a^6*c^3)) + sqrt(1/2)*((a*b^2*c - 4*a^2*c^2)*x^4
+ a^2*b^2 - 4*a^3*c + (a*b^3 - 4*a^2*b*c)*x^2)*sqrt(-(b^5 - 15*a*b^3*c +
60*a^2*b*c^2)*d^2 + 2*(a*b^4 - 6*a^2*b^2*c - 24*a^3*c^2)*d*e + (a^2*b^3 + 1
2*a^3*b*c)*e^2 + (a^3*b^6 - 12*a^4*b^4*c + 48*a^5*b^2*c^2 - 64*a^6*c^3)*sq
rt((4*a^3*b*d*e^3 + a^4*e^4 + (b^4 - 18*a*b^2*c + 81*a^2*c^2)*d^4 + 4*(a*b^3
- 9*a^2*b*c)*d^3*e + 6*(a^2*b^2 - 3*a^3*c)*d^2*e^2)/(a^6*b^6 - 12*a^7*b^4*
c + 48*a^8*b^2*c^2 - 64*a^9*c^3)))/(a^3*b^6 - 12*a^4*b^4*c + 48*a^5*b^2*c^2
```

$$\begin{aligned}
& - 64a^6c^3) * \log(-((5b^4c^2 - 81ab^2c^3 + 324a^2c^4)d^4 - (3b^5 \\
& * c - 65ab^3c^2 + 324a^2b^3c^3)d^3e - 3*(3ab^4c - 28a^2b^2c^2)d \\
& ^2e^2 - (9a^2b^3c - 20a^3b^2c^2)d^2e^3 - (3a^3b^2c + 4a^4c^2)e^4 \\
&) * x - 1/2 * \sqrt{1/2} * ((b^8 - 23ab^6c + 190a^2b^4c^2 - 672a^3b^2c^3 \\
& + 864a^4c^4)d^3 + 3*(ab^7 - 15a^2b^5c + 72a^3b^3c^2 - 112a^4b^2c^3) \\
& * d^2e + 3*(a^2b^6 - 10a^3b^4c + 32a^4b^2c^2 - 32a^5c^3)d^2e^2 \\
& + (a^3b^5 - 8a^4b^3c + 16a^5b^2c^2)e^3 - ((a^3b^9 - 20a^4b^7c + 1 \\
& 44a^5b^5c^2 - 448a^6b^3c^3 + 512a^7b^2c^4)d + (a^4b^8 - 8a^5b^6c \\
& + 128a^7b^2c^3 - 256a^8c^4)e) * \sqrt{((4a^3b^2d^2e^3 + a^4e^4 + (b^4 \\
& - 18ab^2c + 81a^2c^2)d^4 + 4*(ab^3 - 9a^2b^2c)d^3e + 6*(a^2b^2 - \\
& 3a^3c)d^2e^2)/(a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3))} \\
& * \sqrt{-((b^5 - 15ab^3c + 60a^2b^2c^2)d^2 + 2*(ab^4 - 6a^2b^2c - 24 \\
& a^3c^2)d^2e + (a^2b^3 + 12a^3b^2c)e^2 + (a^3b^6 - 12a^4b^4c + 48a^5 \\
& b^2c^2 - 64a^6c^3) * \sqrt{((4a^3b^2d^2e^3 + a^4e^4 + (b^4 - 18ab^2c \\
& + 81a^2c^2)d^4 + 4*(ab^3 - 9a^2b^2c)d^3e + 6*(a^2b^2 - 3a^3c)d^2 \\
& * e^2)/(a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3)))/(a^3b^6 - 1 \\
& 2a^4b^4c + 48a^5b^2c^2 - 64a^6c^3))} - \sqrt{1/2} * ((ab^2c - 4a^2c^2) \\
& * x^4 + a^2b^2 - 4a^3c + (ab^3 - 4a^2b^2c) * x^2) * \sqrt{-((b^5 - 15ab^3 \\
& c + 60a^2b^2c^2)d^2 + 2*(ab^4 - 6a^2b^2c - 24a^3c^2)d^2e + (a^2 \\
& * b^3 + 12a^3b^2c)e^2 - (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3) \\
& * \sqrt{((4a^3b^2d^2e^3 + a^4e^4 + (b^4 - 18ab^2c + 81a^2c^2)d^4 + \\
& 4*(ab^3 - 9a^2b^2c)d^3e + 6*(a^2b^2 - 3a^3c)d^2e^2)/(a^6b^6 - 12a^7 \\
& b^4c + 48a^8b^2c^2 - 64a^9c^3)))/(a^3b^6 - 12a^4b^4c + 48a^5 \\
& b^2c^2 - 64a^6c^3)} * \log(-((5b^4c^2 - 81ab^2c^3 + 324a^2c^4)d^4 \\
& - (3b^5c - 65ab^3c^2 + 324a^2b^3c^3)d^3e - 3*(3ab^4c - 28a^2b^2 \\
& c^2)d^2e^2 - (9a^2b^3c - 20a^3b^2c^2)d^2e^3 - (3a^3b^2c + 4a^4c^2) \\
& e^4) * x + 1/2 * \sqrt{1/2} * ((b^8 - 23ab^6c + 190a^2b^4c^2 - 672a^3b^2 \\
& c^3 + 864a^4c^4)d^3 + 3*(ab^7 - 15a^2b^5c + 72a^3b^3c^2 - 112 \\
& a^4b^2c^3)d^2e + 3*(a^2b^6 - 10a^3b^4c + 32a^4b^2c^2 - 32a^5c^3) \\
&) * d^2e^2 + (a^3b^5 - 8a^4b^3c + 16a^5b^2c^2)e^3 + ((a^3b^9 - 20a^4b^7 \\
& c + 144a^5b^5c^2 - 448a^6b^3c^3 + 512a^7b^2c^4)d + (a^4b^8 - 8a^5 \\
& b^6c + 128a^7b^2c^3 - 256a^8c^4)e) * \sqrt{((4a^3b^2d^2e^3 + a^4e^4 \\
& + (b^4 - 18ab^2c + 81a^2c^2)d^4 + 4*(ab^3 - 9a^2b^2c)d^3e + 6*(a^2 \\
& b^2 - 3a^3c)d^2e^2)/(a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3))} \\
& * \sqrt{-((b^5 - 15ab^3c + 60a^2b^2c^2)d^2 + 2*(ab^4 - 6a^2b^2c - 24a^3c^2) \\
& d^2e + (a^2b^3 + 12a^3b^2c)e^2 - (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - \\
& 64a^6c^3) * \sqrt{((4a^3b^2d^2e^3 + a^4e^4 + (b^4 - 18ab^2c + 81a^2c^2) \\
& d^4 + 4*(ab^3 - 9a^2b^2c)d^3e + 6*(a^2b^2 - 3a^3c)d^2e^2)/(a^6b^6 - 12a^7 \\
& b^4c + 48a^8b^2c^2 - 64a^9c^3)))/(a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - \\
& 64a^6c^3)} + \sqrt{1/2} * ((ab^2c - 4a^2c^2) * x^4 + a^2b^2 - 4a^3c + (ab^3 \\
& - 4a^2b^2c) * x^2) * \sqrt{-((b^5 - 15ab^3c + 60a^2b^2c^2)d^2 + 2*(ab^4 - \\
& 6a^2b^2c - 24a^3c^2)d^2e + (a^2b^3 + 12a^3b^2c)e^2 - (a^3b^6 - 12a^4b^4c \\
& + 48a^5b^2c^2 - 64a^6c^3) * \sqrt{((4a^3b^2d^2e^3 + a^4e^4 + (b^4 - 18ab^2c \\
& + 81a^2c^2)d^4 + 4*(ab^3 - 9a^2b^2c)d^3e + 6*(a^2b^2 - 3a^3c)d^2e^2) \\
&) * d^4 + 4*(ab^3 - 9a^2b^2c)d^3e + 6*(a^2b^2 - 3a^3c)d^2e^2)/(a^6b
\end{aligned}$$

$$\begin{aligned} & \left(-12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3 \right) / \left(a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3 \right) * \log \left(- \left((5b^4c^2 - 81ab^2c^3 + 324a^2c^4) * d^4 - (3b^5c - 65ab^3c^2 + 324a^2b^2c^3) * d^3 * e - 3(3a^3b^4c - 28a^2b^2c^2) * d^2 * e^2 - (9a^2b^3c - 20a^3b^2c^2) * d * e^3 - (3a^3b^2c + 4a^4c^2) * e^4 \right) * x - 1/2 * \sqrt{1/2} * \left((b^8 - 23ab^6c + 190a^2b^4c^2 - 672a^3b^2c^3 + 864a^4c^4) * d^3 + 3(a^2b^7 - 15a^2b^5c + 72a^3b^3c^2 - 112a^4b^2c^3) * d^2 * e + 3(a^2b^6 - 10a^3b^4c + 32a^4b^2c^2 - 32a^5c^3) * d * e^2 + (a^3b^5 - 8a^4b^3c + 16a^5b^2c^2) * e^3 + \left((a^3b^9 - 20a^4b^7c + 144a^5b^5c^2 - 448a^6b^3c^3 + 512a^7b^2c^4) * d + (a^4b^8 - 8a^5b^6c + 128a^7b^2c^3 - 256a^8c^4) * e \right) * \sqrt{\left((4a^3b^2 * d * e^3 + a^4 * e^4 + (b^4 - 18ab^2c + 81a^2c^2) * d^4 + 4(a^2b^3 - 9a^2b^2c) * d^3 * e + 6(a^2b^2 - 3a^3c) * d^2 * e^2) / (a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3) \right)} * \sqrt{- \left((b^5 - 15ab^3c + 60a^2b^2c^2) * d^2 + 2(a^2b^4 - 6a^2b^2c - 24a^3c^2) * d * e + (a^2b^3 + 12a^3b^2c) * e^2 - (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3) * \sqrt{\left((4a^3b^2 * d * e^3 + a^4 * e^4 + (b^4 - 18ab^2c + 81a^2c^2) * d^4 + 4(a^2b^3 - 9a^2b^2c) * d^3 * e + 6(a^2b^2 - 3a^3c) * d^2 * e^2) / (a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3) \right)} \right) \right) / \left(a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3 \right) - 2(a^2b^2 - 4a^3c) * d * x / \left((a^2b^2c - 4a^2c^2) * x^4 + a^2b^2 - 4a^3c + (a^2b^3 - 4a^2b^2c) * x^2 \right) \end{aligned}$$

giac [B] time = 1.76, size = 4433, normalized size = 15.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out] $\frac{1}{2} * (b * c * d * x^3 - 2 * a * c * x^3 * e + b^2 * d * x - 2 * a * c * d * x - a * b * x * e) / ((c * x^4 + b * x^2 + a) * (a * b^2 - 4 * a^2 * c)) + \frac{1}{16} * ((2 * b^3 * c^2 - 8 * a * b * c^3 - \sqrt{2} * \sqrt{b^2 - 4 * a * c}) * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * b^3 + 4 * \sqrt{2} * \sqrt{b^2 - 4 * a * c}) * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * a * b * c + 2 * \sqrt{2} * \sqrt{b^2 - 4 * a * c}) * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * b^2 * c - \sqrt{2} * \sqrt{b^2 - 4 * a * c}) * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * b * c^2 - 2 * (b^2 - 4 * a * c) * b * c^2) * (a * b^2 - 4 * a^2 * c)^2 * d - 2 * (2 * a * b^2 * c^2 - 8 * a^2 * c^3 - \sqrt{2} * \sqrt{b^2 - 4 * a * c}) * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * a * b^2 + 4 * \sqrt{2} * \sqrt{b^2 - 4 * a * c}) * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * a^2 * c + 2 * \sqrt{2} * \sqrt{b^2 - 4 * a * c}) * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * a * b * c - \sqrt{2} * \sqrt{b^2 - 4 * a * c}) * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * a * c^2 - 2 * (b^2 - 4 * a * c) * a * c^2) * (a * b^2 - 4 * a^2 * c)^2 * e + 2 * (\sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * a * b^6 - 14 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * a^2 * b^4 * c - 2 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * a * b^5 * c - 2 * a * b^6 * c + 64 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * a^3 * b^2 * c^2 + 20 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * a^2 * b^3 * c^2 + \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * a * b^4 * c^2 + 28 * a^2 * b^4 * c^2 - 96 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * a^4 * c^3 - 48 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * a^3 * b * c^3 - 10 * \sqrt{2} * \sqrt{b * c +$

$$\begin{aligned}
& \sqrt{b^2 - 4ac} \cdot c \cdot a^2 b^2 c^3 - 128 a^3 b^2 c^3 + 24 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^3 c^4 + 192 a^4 c^4 + 2(b^2 - 4ac) a b^4 c - 20(b^2 - 4ac) a^2 b^2 c^2 + 48(b^2 - 4ac) a^3 c^3 \cdot d \cdot \text{abs}(a b^2 - 4a^2 c) \\
& + 2(\sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^2 b^5 - 8 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^3 b^3 c - 2 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^2 b^4 c - 2 a^2 b^5 c + 16 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^4 b c^2 + 8 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^3 b^2 c^2 + \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^2 b^3 c^2 + 16 a^3 b^3 c^2 - 4 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^3 b c^3 - 32 a^4 b c^3 + 2(b^2 - 4ac) a^2 b^3 c - 8(b^2 - 4ac) a^3 b c^2) \cdot \text{abs}(a b^2 - 4a^2 c) \cdot e + (2 a^2 b^7 c^2 - 40 a^3 b^5 c^3 + 224 a^4 b^3 c^4 - 384 a^5 b c^5 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^2 b^7 + 20 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^3 b^5 c + 2 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^2 b^6 c - 112 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^4 b^3 c^2 - 32 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^3 b^4 c^2 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^2 b^5 c^2 + 192 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^5 b c^3 + 96 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^4 b^2 c^3 + 16 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^3 b^3 c^3 - 48 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^4 b c^4 - 2(b^2 - 4ac) a^2 b^5 c^2 + 32(b^2 - 4ac) a^3 b^3 c^3 - 96(b^2 - 4ac) a^4 b c^4) \cdot d + 4(2 a^3 b^6 c^2 - 16 a^4 b^4 c^3 + 32 a^5 b^2 c^4 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^3 b^6 + 8 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^4 b^4 c + 2 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^3 b^5 c - 16 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^5 b^2 c^2 - 8 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^4 b^3 c^2 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^3 b^4 c^2 + 4 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac} \cdot c} \cdot a^4 b^2 c^3 - 2(b^2 - 4ac) a^3 b^4 c^2 + 8(b^2 - 4ac) a^4 b^2 c^3) \cdot e) \cdot \arctan(2 \sqrt{2} \sqrt{1/2} \cdot x / \sqrt{(a b^3 - 4 a^2 b c + \sqrt{(a b^3 - 4 a^2 b c)^2 - 4(a^2 b^2 - 4 a^3 c)(a b^2 c - 4 a^2 c^2)}) / (a b^2 c - 4 a^2 c^2)}) / ((a^3 b^6 - 12 a^4 b^4 c - 2 a^3 b^5 c + 48 a^5 b^2 c^2 + 16 a^4 b^3 c^2 + a^3 b^4 c^2 - 64 a^6 c^3 - 32 a^5 b c^3 - 8 a^4 b^2 c^3 + 16 a^5 c^4) \cdot \text{abs}(a b^2 - 4 a^2 c) \cdot \text{abs}(c)) - 1/16((2 b^3 c^2 - 8 a b c^3 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac} \cdot c} \cdot b^3 + 4 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac} \cdot c} \cdot a b c + 2 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac} \cdot c} \cdot b^2 c - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac} \cdot c} \cdot b c^2 - 2(b^2 - 4ac) b c^2) \cdot (a b^2 - 4 a^2 c)^2 \cdot d - 2(2 a b^2 c^2 - 8 a^2 c^3 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac} \cdot c} \cdot a b^2 + 4 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac} \cdot c} \cdot a^2 c + 2 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac} \cdot c} \cdot a b c - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac} \cdot c} \cdot a c^2 - 2(b^2 - 4ac) a c^2) \cdot (a b^2 - 4 a^2 c)^2 \cdot e - 2(\sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac} \cdot c} \cdot a b^6 - 14 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac} \cdot c} \cdot a^2 b^4 c - 2 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac} \cdot c} \cdot a^3 b^2 c^2 + 2 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac} \cdot c} \cdot a^4 b c^3 - 2 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac} \cdot c} \cdot a^5 c^4) \cdot \text{abs}(a b^2 - 4 a^2 c) \cdot \text{abs}(c))
\end{aligned}$$

```

*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b^5*c + 2*a*b^6*c + 64*sqrt(2)*sqrt(b*c
- sqrt(b^2 - 4*a*c)*c)*a^3*b^2*c^2 + 20*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c
)*c)*a^2*b^3*c^2 + sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b^4*c^2 - 28*a
^2*b^4*c^2 - 96*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^4*c^3 - 48*sqrt(2
)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^3*b*c^3 - 10*sqrt(2)*sqrt(b*c - sqrt(b^
2 - 4*a*c)*c)*a^2*b^2*c^3 + 128*a^3*b^2*c^3 + 24*sqrt(2)*sqrt(b*c - sqrt(b^
2 - 4*a*c)*c)*a^3*c^4 - 192*a^4*c^4 - 2*(b^2 - 4*a*c)*a*b^4*c + 20*(b^2 - 4
*a*c)*a^2*b^2*c^2 - 48*(b^2 - 4*a*c)*a^3*c^3)*d*abs(a*b^2 - 4*a^2*c) - 2*(s
qrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^2*b^5 - 8*sqrt(2)*sqrt(b*c - sqrt(
b^2 - 4*a*c)*c)*a^3*b^3*c - 2*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^2*b
^4*c + 2*a^2*b^5*c + 16*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^4*b*c^2 +
8*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^3*b^2*c^2 + sqrt(2)*sqrt(b*c -
sqrt(b^2 - 4*a*c)*c)*a^2*b^3*c^2 - 16*a^3*b^3*c^2 - 4*sqrt(2)*sqrt(b*c - s
qrt(b^2 - 4*a*c)*c)*a^3*b*c^3 + 32*a^4*b*c^3 - 2*(b^2 - 4*a*c)*a^2*b^3*c +
8*(b^2 - 4*a*c)*a^3*b*c^2)*abs(a*b^2 - 4*a^2*c)*e + (2*a^2*b^7*c^2 - 40*a^3
*b^5*c^3 + 224*a^4*b^3*c^4 - 384*a^5*b*c^5 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt
(b*c - sqrt(b^2 - 4*a*c)*c)*a^2*b^7 + 20*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c
- sqrt(b^2 - 4*a*c)*c)*a^3*b^5*c + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c -
sqrt(b^2 - 4*a*c)*c)*a^2*b^6*c - 112*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - s
qrt(b^2 - 4*a*c)*c)*a^4*b^3*c^2 - 32*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - s
qrt(b^2 - 4*a*c)*c)*a^3*b^4*c^2 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt
(b^2 - 4*a*c)*c)*a^2*b^5*c^2 + 192*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqr
t(b^2 - 4*a*c)*c)*a^5*b*c^3 + 96*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(
b^2 - 4*a*c)*c)*a^4*b^2*c^3 + 16*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(
b^2 - 4*a*c)*c)*a^3*b^3*c^3 - 48*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(
b^2 - 4*a*c)*c)*a^4*b*c^4 - 2*(b^2 - 4*a*c)*a^2*b^5*c^2 + 32*(b^2 - 4*a*c)*
a^3*b^3*c^3 - 96*(b^2 - 4*a*c)*a^4*b*c^4)*d + 4*(2*a^3*b^6*c^2 - 16*a^4*b^4
*c^3 + 32*a^5*b^2*c^4 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a
*c)*c)*a^3*b^6 + 8*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c
)*a^4*b^4*c + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a
^3*b^5*c - 16*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^5
*b^2*c^2 - 8*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^4*
b^3*c^2 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^3*b^4
*c^2 + 4*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^4*b^2*
c^3 - 2*(b^2 - 4*a*c)*a^3*b^4*c^2 + 8*(b^2 - 4*a*c)*a^4*b^2*c^3)*e)*arctan(
2*sqrt(1/2)*x/sqrt((a*b^3 - 4*a^2*b*c - sqrt((a*b^3 - 4*a^2*b*c)^2 - 4*(a^2
*b^2 - 4*a^3*c)*(a*b^2*c - 4*a^2*c^2)))/(a*b^2*c - 4*a^2*c^2)))/((a^3*b^6 -
12*a^4*b^4*c - 2*a^3*b^5*c + 48*a^5*b^2*c^2 + 16*a^4*b^3*c^2 + a^3*b^4*c^2
- 64*a^6*c^3 - 32*a^5*b*c^3 - 8*a^4*b^2*c^3 + 16*a^5*c^4)*abs(a*b^2 - 4*a^
2*c)*abs(c))

```

maple [B] time = 0.08, size = 1761, normalized size = 6.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*x^2+d)/(c*x^4+b*x^2+a)^2,x)$

[Out]
$$\begin{aligned} & -1/4*(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)/a*x/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)}/c)*d+1/2/(4*a*c-b^2)*x/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)}/c)*e-1/4/(4*a*c \\ & -b^2)/a*x/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)}/c)*b*d-12*c^3/(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)/(4*a*c+3*b^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arc} \\ & \text{tanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*d*a-8*c^2/(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)/(4*a*c+3*b^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*a \\ & \text{rctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^2*d+3/4*c/(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)/a/(4*a*c+3*b^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^4*d-2*c^2/(4*a*c-b^2)*a/(4*a*c+3*b^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*e-3/2*c/(4*a*c-b^2)/(4*a*c+3*b^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^2*e+c^2/(4*a*c-b^2)/(4*a*c+3*b^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*d+3/4*c/(4*a*c-b^2)/a/(4*a*c+3*b^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^3*d+4*c^2/(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)*a/(4*a*c+3*b^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*e+3*c/(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)/(4*a*c+3*b^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^3*e+1/4*(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)/a*x/(x^2+1/2*(-4*a*c+b^2)^{(1/2)}/c+1/2*b/c)*d+1/2/(4*a*c-b^2)*x/(x^2+1/2*(-4*a*c+b^2)^{(1/2)}/c+1/2*b/c)*e-1/4/(4*a*c-b^2)/a*x/(x^2+1/2*(-4*a*c+b^2)^{(1/2)}/c+1/2*b/c)*b*d-12*c^3/(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)/(4*a*c+3*b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*d*a-8*c^2/(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)/(4*a*c+3*b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^2*d+3/4*c/(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)/a/(4*a*c+3*b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^4*d+2*c^2/(4*a*c-b^2)*a/(4*a*c+3*b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*e+3/2*c/(4*a*c-b^2)/(4*a*c+3*b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^2*e-c^2/(4*a*c-b^2)/(4*a*c+3*b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*d-3/4*c/(4*a*c-b^2)/a/(4*a*c+3*b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^3*d+4*c^2/(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)*a/(4*a*c+3*b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*e+3*c/(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)/(4*a*c+3*b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^3*e \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bcd - 2ace)x^3 - (abe - (b^2 - 2ac)d)x}{2((ab^2c - 4a^2c^2)x^4 + a^2b^2 - 4a^3c + (ab^3 - 4a^2bc)x^2)} - \frac{-\int \frac{abe+(bcd-2ace)x^2+(b^2-6ac)d}{cx^4+bx^2+a} dx}{2(ab^2 - 4a^2c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] 1/2*((b*c*d - 2*a*c*e)*x^3 - (a*b*e - (b^2 - 2*a*c)*d)*x)/((a*b^2*c - 4*a^2*c^2)*x^4 + a^2*b^2 - 4*a^3*c + (a*b^3 - 4*a^2*b*c)*x^2) - 1/2*integrate(-(a*b*e + (b*c*d - 2*a*c*e)*x^2 + (b^2 - 6*a*c)*d)/(c*x^4 + b*x^2 + a), x)/(a*b^2 - 4*a^2*c)

mupad [B] time = 9.39, size = 12350, normalized size = 42.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(a + b*x^2 + c*x^4)^2,x)

[Out] atan((((6144*a^5*c^6*d - 288*a^2*b^6*c^3*d + 1920*a^3*b^4*c^4*d - 5632*a^4*b^2*c^5*d + 16*a^2*b^7*c^2*e - 192*a^3*b^5*c^3*e + 768*a^4*b^3*c^4*e + 16*a*b^8*c^2*d - 1024*a^5*b*c^5*e)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 8*a^4*b^2*c^2)) - (x*(-(b^11*d^2 + a^2*b^9*e^2 + a^2*e^2*(-(4*a*c - b^2)^9)^(1/2) + b^2*d^2*(-(4*a*c - b^2)^9)^(1/2) - 3840*a^5*b*c^5*d^2 - 768*a^6*b*c^4*e^2 + 2*a*b^10*d*e + 288*a^2*b^7*c^2*d^2 - 1504*a^3*b^5*c^3*d^2 + 3840*a^4*b^3*c^4*d^2 - 96*a^4*b^5*c^2*e^2 + 512*a^5*b^3*c^3*e^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^(1/2) + 3072*a^6*c^5*d*e - 36*a^2*b^8*c*d*e + 192*a^3*b^6*c^2*d*e - 128*a^4*b^4*c^3*d*e - 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^(1/2))/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5)))^(1/2)*(1024*a^5*b*c^5 - 16*a^2*b^7*c^2 + 192*a^3*b^5*c^3 - 768*a^4*b^3*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(-(b^11*d^2 + a^2*b^9*e^2 + a^2*e^2*(-(4*a*c - b^2)^9)^(1/2) + b^2*d^2*(-(4*a*c - b^2)^9)^(1/2) - 3840*a^5*b*c^5*d^2 - 768*a^6*b*c^4*e^2 + 2*a*b^10*d*e + 288*a^2*b^7*c^2*d^2 - 1504*a^3*b^5*c^3*d^2 + 3840*a^4*b^3*c^4*d^2 - 96*a^4*b^5*c^2*e^2 + 512*a^5*b^3*c^3*e^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^(1/2) + 3072*a^6*c^5*d*e - 36*a^2*b^8*c*d*e + 192*a^3*b^6*c^2*d*e - 128*a^4*b^4*c^3*d*e - 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^(1/2))/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5)))^(1/2) + (x*(72*a^2*c^5*d^2 - 8*a^3*c^4*e^2 + b^4*c^3*d^2 - 14*a*b^2*c^4*d^2 + 10*a^2*b^2*c^3*e^2 + 2*a*b^3*c^3*d*e - 40*a^2*b*c^4*d*e))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(-(b^11*d^2 + a^2*b^9*e^2 + a^2*e^2*(-(4*a*c - b^2)^9)^(1/2) + b^2*d^2*(-(4*a*c - b^2)^9)^(1/2) - 3840*a^5*b*c^5*d^2 - 768*a^6*b*c^4*e^2 + 2*a*b^10*d*e + 288*a^2*b^7*c^2*d^2 - 1504*a^3*b^5*c^3*d^2 + 3840*a^4*b^3*c^4*d^2 - 96*a^4*b^5*c^2*e^2 + 512*a^5*b^3*c^3*e^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^(1/2) + 3072*a^6*c^5*d*e - 36*a^2*b^8*c*d*e + 192*a^3*b^6*c^2*d*e - 128*a^4*b^4*c^3*d*e - 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^(1/2))/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5)))^(1/2)

$$\begin{aligned}
& 2*b^9*e^2 + a^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b*c^5*d^2 - 768*a^6*b*c^4*e^2 + 2*a*b^10*d*e + 288*a^2*b^7*c^2*d^2 - 1504*a^3*b^5*c^3*d^2 + 3840*a^4*b^3*c^4*d^2 - 96*a^4*b^5*c^2*e^2 \\
& + 512*a^5*b^3*c^3*e^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^{(1/2)} + 3072*a^6*c^5*d*e - 36*a^2*b^8*c*d*e + 192*a^3*b^6*c^2*d*e - 128*a^4*b^4*c^3*d*e - 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)}/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)}*1i - (((6144*a^5*c^6*d - 288*a^2*b^6*c^3*d + 1920*a^3*b^4*c^4*d - 5632*a^4*b^2*c^5*d + 16*a^2*b^7*c^2*e - 192*a^3*b^5*c^3*e + 768*a^4*b^3*c^4*e + 16*a*b^8*c^2*d - 1024*a^5*b*c^5*e)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^2)) + (x*(-(b^11*d^2 + a^2*b^9*e^2 + a^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b*c^5*d^2 - 768*a^6*b*c^4*e^2 + 2*a*b^10*d*e + 288*a^2*b^7*c^2*d^2 - 1504*a^3*b^5*c^3*d^2 + 3840*a^4*b^3*c^4*d^2 - 96*a^4*b^5*c^2*e^2 + 512*a^5*b^3*c^3*e^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^{(1/2)} + 3072*a^6*c^5*d*e - 36*a^2*b^8*c*d*e + 192*a^3*b^6*c^2*d*e - 128*a^4*b^4*c^3*d*e - 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)})))/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)}*(1024*a^5*b*c^5 - 16*a^2*b^7*c^2 + 192*a^3*b^5*c^3 - 768*a^4*b^3*c^4)/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(-(b^11*d^2 + a^2*b^9*e^2 + a^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b*c^5*d^2 - 768*a^6*b*c^4*e^2 + 2*a*b^10*d*e + 288*a^2*b^7*c^2*d^2 - 1504*a^3*b^5*c^3*d^2 + 3840*a^4*b^3*c^4*d^2 - 96*a^4*b^5*c^2*e^2 + 512*a^5*b^3*c^3*e^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^{(1/2)} + 3072*a^6*c^5*d*e - 36*a^2*b^8*c*d*e + 192*a^3*b^6*c^2*d*e - 128*a^4*b^4*c^3*d*e - 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)})))/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)} - (x*(72*a^2*c^5*d^2 - 8*a^3*c^4*e^2 + b^4*c^3*d^2 - 14*a*b^2*c^4*d^2 + 10*a^2*b^2*c^3*e^2 + 2*a*b^3*c^3*d*e - 40*a^2*b*c^4*d*e))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(-(b^11*d^2 + a^2*b^9*e^2 + a^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b*c^5*d^2 - 768*a^6*b*c^4*e^2 + 2*a*b^10*d*e + 288*a^2*b^7*c^2*d^2 - 1504*a^3*b^5*c^3*d^2 + 3840*a^4*b^3*c^4*d^2 - 96*a^4*b^5*c^2*e^2 + 512*a^5*b^3*c^3*e^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^{(1/2)} + 3072*a^6*c^5*d*e - 36*a^2*b^8*c*d*e + 192*a^3*b^6*c^2*d*e - 128*a^4*b^4*c^3*d*e - 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)})))/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)}*1i)/((((6144*a^5*c^6*d - 288*a^2*b^6*c^3*d + 1920*a^3*b^4*c^4*d - 5632*a^4*b^2*c^5*d + 16*a^2*b^7*c^2*e - 192*a^3*b^5*c^3*e + 768*a^4*b^3*c^4*e + 16*a*b^8*c^2*d - 1024*a^5*b*c^5*e)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^2)) - (x*(-(b^11*d^2 + a^2*b^9*e^2 + a^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b*c^5*d^2 - 768*a^6*b*c^4*e^2 + 2*a*b^10*d*e + 288*a^2*b^7*c^2*d^2 - 1504*a^3*b^5*c^3*d^2 + 3840*a^4*b^3*c^4*d^2 - 96*a^4*b^5*c^2*e^2 + 512*a^5*b^3*c^3*e^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^{(1/2)} + 3072*a^6*c^5*d*e - 36*a^2*b^8*c*d*e + 192*a^3*b^6*c^2*d*e - 128*a^4*b^4*c^3*d*e - 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)})))/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)}*1i)/((((6144*a^5*c^6*d - 288*a^2*b^6*c^3*d + 1920*a^3*b^4*c^4*d - 5632*a^4*b^2*c^5*d + 16*a^2*b^7*c^2*e - 192*a^3*b^5*c^3*e + 768*a^4*b^3*c^4*e + 16*a*b^8*c^2*d - 1024*a^5*b*c^5*e)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^2)) - (x*(-(b^11*d^2 + a^2*b^9*e^2 + a^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b*c^5*d^2 - 768*a^6*b*c^4*e^2 + 2*a*b^10*d*e + 288*a^2*b^7*c^2*d^2 - 1504*a^3*b^5*c^3*d^2 + 3840*a^4*b^3*c^4*d^2 - 96*a^4*b^5*c^2*e^2 + 512*a^5*b^3*c^3*e^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^{(1/2)} + 3072*a^6*c^5*d*e - 36*a^2*b^8*c*d*e + 192*a^3*b^6*c^2*d*e - 128*a^4*b^4*c^3*d*e - 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)})))/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)}*1i)
\end{aligned}$$

$$\begin{aligned}
&^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^{(1/2)} + 3072*a^6*c^5*d*e \\
&- 36*a^2*b^8*c*d*e + 192*a^3*b^6*c^2*d*e - 128*a^4*b^4*c^3*d*e - 1536*a^5* \\
&b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^3*b^12 + 4096*a^9* \\
&c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 \\
&- 6144*a^8*b^2*c^5)))^{(1/2)}*(1024*a^5*b*c^5 - 16*a^2*b^7*c^2 + 192*a^3*b^5 \\
&*c^3 - 768*a^4*b^3*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(-(b^11* \\
&d^2 + a^2*b^9*e^2 + a^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*d^2*(-(4*a*c - b \\
&^2)^9)^{(1/2)} - 3840*a^5*b*c^5*d^2 - 768*a^6*b*c^4*e^2 + 2*a*b^10*d*e + 288* \\
&a^2*b^7*c^2*d^2 - 1504*a^3*b^5*c^3*d^2 + 3840*a^4*b^3*c^4*d^2 - 96*a^4*b^5* \\
&c^2*e^2 + 512*a^5*b^3*c^3*e^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^ \\
&9)^{(1/2)} + 3072*a^6*c^5*d*e - 36*a^2*b^8*c*d*e + 192*a^3*b^6*c^2*d*e - 128* \\
&a^4*b^4*c^3*d*e - 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)} \\
&)/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6 \\
&*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5)))^{(1/2)} + (x*(72*a^2*c^5*d^ \\
&2 - 8*a^3*c^4*e^2 + b^4*c^3*d^2 - 14*a*b^2*c^4*d^2 + 10*a^2*b^2*c^3*e^2 + 2 \\
&*a*b^3*c^3*d*e - 40*a^2*b*c^4*d*e))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c) \\
&))*(-(b^11*d^2 + a^2*b^9*e^2 + a^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*d^2*(\\
&-(4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b*c^5*d^2 - 768*a^6*b*c^4*e^2 + 2*a*b^10 \\
&*d*e + 288*a^2*b^7*c^2*d^2 - 1504*a^3*b^5*c^3*d^2 + 3840*a^4*b^3*c^4*d^2 - \\
&96*a^4*b^5*c^2*e^2 + 512*a^5*b^3*c^3*e^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4* \\
&a*c - b^2)^9)^{(1/2)} + 3072*a^6*c^5*d*e - 36*a^2*b^8*c*d*e + 192*a^3*b^6*c^2 \\
&*d*e - 128*a^4*b^4*c^3*d*e - 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^ \\
&2)^9)^{(1/2)})/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 \\
&- 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5)))^{(1/2)} + (((614 \\
&4*a^5*c^6*d - 288*a^2*b^6*c^3*d + 1920*a^3*b^4*c^4*d - 5632*a^4*b^2*c^5*d + \\
&16*a^2*b^7*c^2*e - 192*a^3*b^5*c^3*e + 768*a^4*b^3*c^4*e + 16*a*b^8*c^2*d \\
&- 1024*a^5*b*c^5*e)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^ \\
&2)) + (x*(-(b^11*d^2 + a^2*b^9*e^2 + a^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + b^2 \\
&*d^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b*c^5*d^2 - 768*a^6*b*c^4*e^2 + 2* \\
&a*b^10*d*e + 288*a^2*b^7*c^2*d^2 - 1504*a^3*b^5*c^3*d^2 + 3840*a^4*b^3*c^4* \\
&d^2 - 96*a^4*b^5*c^2*e^2 + 512*a^5*b^3*c^3*e^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2 \\
&)*(-(4*a*c - b^2)^9)^{(1/2)} + 3072*a^6*c^5*d*e - 36*a^2*b^8*c*d*e + 192*a^3*b \\
&^6*c^2*d*e - 128*a^4*b^4*c^3*d*e - 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a* \\
&c - b^2)^9)^{(1/2)})/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b \\
&^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5)))^{(1/2)}*(1 \\
&024*a^5*b*c^5 - 16*a^2*b^7*c^2 + 192*a^3*b^5*c^3 - 768*a^4*b^3*c^4))/(2*(a^ \\
&2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(-(b^11*d^2 + a^2*b^9*e^2 + a^2*e^2*(-(\\
&4*a*c - b^2)^9)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b*c^5*d \\
&^2 - 768*a^6*b*c^4*e^2 + 2*a*b^10*d*e + 288*a^2*b^7*c^2*d^2 - 1504*a^3*b^5* \\
&c^3*d^2 + 3840*a^4*b^3*c^4*d^2 - 96*a^4*b^5*c^2*e^2 + 512*a^5*b^3*c^3*e^2 - \\
&27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^{(1/2)} + 3072*a^6*c^5*d*e - 3 \\
&6*a^2*b^8*c*d*e + 192*a^3*b^6*c^2*d*e - 128*a^4*b^4*c^3*d*e - 1536*a^5*b^2* \\
&c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^3*b^12 + 4096*a^9*c^6 \\
&- 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6 \\
&144*a^8*b^2*c^5)))^{(1/2)} - (x*(72*a^2*c^5*d^2 - 8*a^3*c^4*e^2 + b^4*c^3*d^2
\end{aligned}$$

$$\begin{aligned}
& - 14*a*b^2*c^4*d^2 + 10*a^2*b^2*c^3*e^2 + 2*a*b^3*c^3*d*e - 40*a^2*b*c^4*d \\
& *e))/((2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c))) * (- (b^11*d^2 + a^2*b^9*e^2 + \\
& a^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3840* \\
& a^5*b*c^5*d^2 - 768*a^6*b*c^4*e^2 + 2*a*b^10*d*e + 288*a^2*b^7*c^2*d^2 - 15 \\
& 04*a^3*b^5*c^3*d^2 + 3840*a^4*b^3*c^4*d^2 - 96*a^4*b^5*c^2*e^2 + 512*a^5*b^ \\
& 3*c^3*e^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^{(1/2)} + 3072*a^6* \\
& c^5*d*e - 36*a^2*b^8*c*d*e + 192*a^3*b^6*c^2*d*e - 128*a^4*b^4*c^3*d*e - 15 \\
& 36*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^3*b^12 + 40 \\
& 96*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7* \\
& b^4*c^4 - 6144*a^8*b^2*c^5)))^{(1/2)} + (8*a^3*c^4*e^3 + 5*b^3*c^4*d^3 + 72*a \\
& ^2*c^5*d^2*e - 3*b^4*c^3*d^2*e + 6*a^2*b^2*c^3*e^3 - 36*a*b*c^5*d^3 + 18*a* \\
& b^2*c^4*d^2*e + 3*a*b^3*c^3*d*e^2 - 60*a^2*b*c^4*d*e^2)/(4*(a^2*b^6 - 64*a^ \\
& 5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^2))) * (- (b^11*d^2 + a^2*b^9*e^2 + a^2*e \\
& ^2*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b \\
& *c^5*d^2 - 768*a^6*b*c^4*e^2 + 2*a*b^10*d*e + 288*a^2*b^7*c^2*d^2 - 1504*a^ \\
& 3*b^5*c^3*d^2 + 3840*a^4*b^3*c^4*d^2 - 96*a^4*b^5*c^2*e^2 + 512*a^5*b^3*c^3 \\
& *e^2 - 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^{(1/2)} + 3072*a^6*c^5*d \\
& *e - 36*a^2*b^8*c*d*e + 192*a^3*b^6*c^2*d*e - 128*a^4*b^4*c^3*d*e - 1536*a^ \\
& 5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^3*b^12 + 4096*a^ \\
& 9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c \\
& ^4 - 6144*a^8*b^2*c^5)))^{(1/2)} * 2i + \operatorname{atan}(\frac{((6144*a^5*c^6*d - 288*a^2*b^6*c \\
& ^3*d + 1920*a^3*b^4*c^4*d - 5632*a^4*b^2*c^5*d + 16*a^2*b^7*c^2*e - 192*a^3 \\
& *b^5*c^3*e + 768*a^4*b^3*c^4*e + 16*a*b^8*c^2*d - 1024*a^5*b*c^5*e)/(8*(a^2 \\
& *b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^2)) - (x*((a^2*e^2*(-(4*a*c \\
& - b^2)^9)^{(1/2)} - a^2*b^9*e^2 - b^11*d^2 + b^2*d^2*(-(4*a*c - b^2)^9)^{(1/2} \\
&) + 3840*a^5*b*c^5*d^2 + 768*a^6*b*c^4*e^2 - 2*a*b^10*d*e - 288*a^2*b^7*c^2 \\
& *d^2 + 1504*a^3*b^5*c^3*d^2 - 3840*a^4*b^3*c^4*d^2 + 96*a^4*b^5*c^2*e^2 - 5 \\
& 12*a^5*b^3*c^3*e^2 + 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 3072*a^6*c^5*d*e + 36*a^2*b^8*c*d*e - 192*a^3*b^6*c^2*d*e + 128*a^4*b^4*c^3 \\
& *d*e + 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^3* \\
& b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + \\
& 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5)))^{(1/2)} * (1024*a^5*b*c^5 - 16*a^2*b^7*c \\
& ^2 + 192*a^3*b^5*c^3 - 768*a^4*b^3*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b \\
& ^2*c))) * ((a^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - a^2*b^9*e^2 - b^11*d^2 + b^2*d \\
& ^2*(-(4*a*c - b^2)^9)^{(1/2)} + 3840*a^5*b*c^5*d^2 + 768*a^6*b*c^4*e^2 - 2*a* \\
& b^10*d*e - 288*a^2*b^7*c^2*d^2 + 1504*a^3*b^5*c^3*d^2 - 3840*a^4*b^3*c^4*d^ \\
& 2 + 96*a^4*b^5*c^2*e^2 - 512*a^5*b^3*c^3*e^2 + 27*a*b^9*c*d^2 - 9*a*c*d^2*(\\
& -(4*a*c - b^2)^9)^{(1/2)} - 3072*a^6*c^5*d*e + 36*a^2*b^8*c*d*e - 192*a^3*b^6 \\
& *c^2*d*e + 128*a^4*b^4*c^3*d*e + 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c \\
& - b^2)^9)^{(1/2)})/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8 \\
& *c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5)))^{(1/2)} + (x \\
& *(72*a^2*c^5*d^2 - 8*a^3*c^4*e^2 + b^4*c^3*d^2 - 14*a*b^2*c^4*d^2 + 10*a^2* \\
& b^2*c^3*e^2 + 2*a*b^3*c^3*d*e - 40*a^2*b*c^4*d*e))/(2*(a^2*b^4 + 16*a^4*c^2 \\
& - 8*a^3*b^2*c))) * ((a^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - a^2*b^9*e^2 - b^11*d \\
& ^2 + b^2*d^2*(-(4*a*c - b^2)^9)^{(1/2)} + 3840*a^5*b*c^5*d^2 + 768*a^6*b*c^4*
\end{aligned}$$

$$\begin{aligned}
& e^2 - 2*a*b^{10}*d*e - 288*a^2*b^7*c^2*d^2 + 1504*a^3*b^5*c^3*d^2 - 3840*a^4* \\
& b^3*c^4*d^2 + 96*a^4*b^5*c^2*e^2 - 512*a^5*b^3*c^3*e^2 + 27*a*b^9*c*d^2 - 9 \\
& *a*c*d^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3072*a^6*c^5*d*e + 36*a^2*b^8*c*d*e - 1 \\
& 92*a^3*b^6*c^2*d*e + 128*a^4*b^4*c^3*d*e + 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e \\
& *(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^3*b^{12} + 4096*a^9*c^6 - 24*a^4*b^{10}*c + 2 \\
& 40*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)}*1i - (((6144*a^5*c^6*d - 288*a^2*b^6*c^3*d + 1920*a^3*b^4*c^4*d - 563 \\
& 2*a^4*b^2*c^5*d + 16*a^2*b^7*c^2*e - 192*a^3*b^5*c^3*e + 768*a^4*b^3*c^4*e \\
& + 16*a*b^8*c^2*d - 1024*a^5*b*c^5*e)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c \\
& + 48*a^4*b^2*c^2)) + (x*((a^2*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - a^2*b^9*e^2 \\
& - b^{11}*d^2 + b^2*d^2*(-(4*a*c - b^2)^9)^{(1/2)} + 3840*a^5*b*c^5*d^2 + 768*a^ \\
& 6*b*c^4*e^2 - 2*a*b^{10}*d*e - 288*a^2*b^7*c^2*d^2 + 1504*a^3*b^5*c^3*d^2 - 3 \\
& 840*a^4*b^3*c^4*d^2 + 96*a^4*b^5*c^2*e^2 - 512*a^5*b^3*c^3*e^2 + 27*a*b^9*c \\
& *d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3072*a^6*c^5*d*e + 36*a^2*b^8*c \\
& *d*e - 192*a^3*b^6*c^2*d*e + 128*a^4*b^4*c^3*d*e + 1536*a^5*b^2*c^4*d*e + 2 \\
& *a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^3*b^{12} + 4096*a^9*c^6 - 24*a^4*b^{10}*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2 \\
& *c^5))^{(1/2)}*(1024*a^5*b*c^5 - 16*a^2*b^7*c^2 + 192*a^3*b^5*c^3 - 768*a^4* \\
& b^3*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*((a^2*e^2*(-(4*a*c - b^ \\
& 2)^9)^{(1/2)} - a^2*b^9*e^2 - b^{11}*d^2 + b^2*d^2*(-(4*a*c - b^2)^9)^{(1/2)} + 3 \\
& 840*a^5*b*c^5*d^2 + 768*a^6*b*c^4*e^2 - 2*a*b^{10}*d*e - 288*a^2*b^7*c^2*d^2 \\
& + 1504*a^3*b^5*c^3*d^2 - 3840*a^4*b^3*c^4*d^2 + 96*a^4*b^5*c^2*e^2 - 512*a^ \\
& 5*b^3*c^3*e^2 + 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3072* \\
& a^6*c^5*d*e + 36*a^2*b^8*c*d*e - 192*a^3*b^6*c^2*d*e + 128*a^4*b^4*c^3*d*e \\
& + 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^3*b^{12} \\
& + 4096*a^9*c^6 - 24*a^4*b^{10}*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840* \\
& a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)} - (x*(72*a^2*c^5*d^2 - 8*a^3*c^4*e^ \\
& 2 + b^4*c^3*d^2 - 14*a*b^2*c^4*d^2 + 10*a^2*b^2*c^3*e^2 + 2*a*b^3*c^3*d*e - \\
& 40*a^2*b*c^4*d*e))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*((a^2*e^2*(-(\\
& 4*a*c - b^2)^9)^{(1/2)} - a^2*b^9*e^2 - b^{11}*d^2 + b^2*d^2*(-(4*a*c - b^2)^9) \\
& ^{(1/2)} + 3840*a^5*b*c^5*d^2 + 768*a^6*b*c^4*e^2 - 2*a*b^{10}*d*e - 288*a^2*b^ \\
& 7*c^2*d^2 + 1504*a^3*b^5*c^3*d^2 - 3840*a^4*b^3*c^4*d^2 + 96*a^4*b^5*c^2*e^ \\
& 2 - 512*a^5*b^3*c^3*e^2 + 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2)^9)^{(1/ \\
& 2)} - 3072*a^6*c^5*d*e + 36*a^2*b^8*c*d*e - 192*a^3*b^6*c^2*d*e + 128*a^4*b^ \\
& 4*c^3*d*e + 1536*a^5*b^2*c^4*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^9)^{(1/2)})/(32* \\
& (a^3*b^{12} + 4096*a^9*c^6 - 24*a^4*b^{10}*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c \\
& ^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)}*1i)/((((6144*a^5*c^6*d - \\
& 288*a^2*b^6*c^3*d + 1920*a^3*b^4*c^4*d - 5632*a^4*b^2*c^5*d + 16*a^2*b^7*c^ \\
& 2*e - 192*a^3*b^5*c^3*e + 768*a^4*b^3*c^4*e + 16*a*b^8*c^2*d - 1024*a^5*b*c \\
& ^5*e)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^2)) - (x*((a^2 \\
& *e^2*(-(4*a*c - b^2)^9)^{(1/2)} - a^2*b^9*e^2 - b^{11}*d^2 + b^2*d^2*(-(4*a*c - \\
& b^2)^9)^{(1/2)} + 3840*a^5*b*c^5*d^2 + 768*a^6*b*c^4*e^2 - 2*a*b^{10}*d*e - 28 \\
& 8*a^2*b^7*c^2*d^2 + 1504*a^3*b^5*c^3*d^2 - 3840*a^4*b^3*c^4*d^2 + 96*a^4*b^ \\
& 5*c^2*e^2 - 512*a^5*b^3*c^3*e^2 + 27*a*b^9*c*d^2 - 9*a*c*d^2*(-(4*a*c - b^2 \\
&)^9)^{(1/2)} - 3072*a^6*c^5*d*e + 36*a^2*b^8*c*d*e - 192*a^3*b^6*c^2*d*e + 12
\end{aligned}$$

$$\begin{aligned}
& 8a^4b^4c^3d^2e + 1536a^5b^2c^4d^2e + 2a^2b^2d^2e * (- (4ac - b^2)^9)^{(1/2)} / (32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5))^{(1/2)} * (1024a^5b^5c^5 - 16a^2b^7c^2 + 192a^3b^5c^3 - 768a^4b^3c^4) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)) * ((a^2e^2 * (- (4ac - b^2)^9)^{(1/2)} - a^2b^9e^2 - b^{11}d^2 + b^2d^2 * (- (4ac - b^2)^9)^{(1/2)} + 3840a^5b^5c^5d^2 + 768a^6b^4e^2 - 2a^2b^10d^2 - 288a^2b^7c^2d^2 + 1504a^3b^5c^3d^2 - 3840a^4b^3c^4d^2 + 96a^4b^5c^2e^2 - 512a^5b^3c^3e^2 + 27a^2b^9c^3d^2 - 9a^2c^3d^2 * (- (4ac - b^2)^9)^{(1/2)} - 3072a^6c^5d^2e + 36a^2b^8c^3d^2e - 192a^3b^6c^2d^2e + 128a^4b^4c^3d^2e + 1536a^5b^2c^4d^2e + 2a^2b^2d^2e * (- (4ac - b^2)^9)^{(1/2)}) / (32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5))^{(1/2)} + (x * (72a^2c^5d^2 - 8a^3c^4e^2 + b^4c^3d^2 - 14a^2b^2c^4d^2 + 10a^2b^2c^3e^2 + 2a^2b^3c^3d^2e - 40a^2b^2c^4d^2e)) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)) * ((a^2e^2 * (- (4ac - b^2)^9)^{(1/2)} - a^2b^9e^2 - b^{11}d^2 + b^2d^2 * (- (4ac - b^2)^9)^{(1/2)} + 3840a^5b^5c^5d^2 + 768a^6b^4e^2 - 2a^2b^10d^2 - 288a^2b^7c^2d^2 + 1504a^3b^5c^3d^2 - 3840a^4b^3c^4d^2 + 96a^4b^5c^2e^2 - 512a^5b^3c^3e^2 + 27a^2b^9c^3d^2 - 9a^2c^3d^2 * (- (4ac - b^2)^9)^{(1/2)} - 3072a^6c^5d^2e + 36a^2b^8c^3d^2e - 192a^3b^6c^2d^2e + 128a^4b^4c^3d^2e + 1536a^5b^2c^4d^2e + 2a^2b^2d^2e * (- (4ac - b^2)^9)^{(1/2)}) / (32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5))^{(1/2)} + (((6144a^5c^6d - 288a^2b^6c^3d + 1920a^3b^4c^4d - 5632a^4b^2c^5d + 16a^2b^7c^2e - 192a^3b^5c^3e + 768a^4b^3c^4e + 16a^2b^8c^2d - 1024a^5b^5c^5e) / (8(a^2b^6 - 64a^5c^3 - 12a^3b^4c + 48a^4b^2c^2))) + (x * ((a^2e^2 * (- (4ac - b^2)^9)^{(1/2)} - a^2b^9e^2 - b^{11}d^2 + b^2d^2 * (- (4ac - b^2)^9)^{(1/2)} + 3840a^5b^5c^5d^2 + 768a^6b^4e^2 - 2a^2b^10d^2 - 288a^2b^7c^2d^2 + 1504a^3b^5c^3d^2 - 3840a^4b^3c^4d^2 + 96a^4b^5c^2e^2 - 512a^5b^3c^3e^2 + 27a^2b^9c^3d^2 - 9a^2c^3d^2 * (- (4ac - b^2)^9)^{(1/2)} - 3072a^6c^5d^2e + 36a^2b^8c^3d^2e - 192a^3b^6c^2d^2e + 128a^4b^4c^3d^2e + 1536a^5b^2c^4d^2e + 2a^2b^2d^2e * (- (4ac - b^2)^9)^{(1/2)}) / (32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5))^{(1/2)} * (1024a^5b^5c^5 - 16a^2b^7c^2 + 192a^3b^5c^3 - 768a^4b^3c^4) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)) * ((a^2e^2 * (- (4ac - b^2)^9)^{(1/2)} - a^2b^9e^2 - b^{11}d^2 + b^2d^2 * (- (4ac - b^2)^9)^{(1/2)} + 3840a^5b^5c^5d^2 + 768a^6b^4e^2 - 2a^2b^10d^2 - 288a^2b^7c^2d^2 + 1504a^3b^5c^3d^2 - 3840a^4b^3c^4d^2 + 96a^4b^5c^2e^2 - 512a^5b^3c^3e^2 + 27a^2b^9c^3d^2 - 9a^2c^3d^2 * (- (4ac - b^2)^9)^{(1/2)} - 3072a^6c^5d^2e + 36a^2b^8c^3d^2e - 192a^3b^6c^2d^2e + 128a^4b^4c^3d^2e + 1536a^5b^2c^4d^2e + 2a^2b^2d^2e * (- (4ac - b^2)^9)^{(1/2)}) / (32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5))^{(1/2)} - (x * (72a^2c^5d^2 - 8a^3c^4e^2 + b^4c^3d^2 - 14a^2b^2c^4d^2 + 10a^2b^2c^3e^2 + 2a^2b^3c^3d^2e - 40a^2b^2c^4d^2e)) / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)) * ((a
\end{aligned}$$

$$\begin{aligned} &^2 * e^2 * (-4 * a * c - b^2)^9)^{(1/2)} - a^2 * b^9 * e^2 - b^{11} * d^2 + b^2 * d^2 * (-4 * a * c \\ &- b^2)^9)^{(1/2)} + 3840 * a^5 * b * c^5 * d^2 + 768 * a^6 * b * c^4 * e^2 - 2 * a * b^{10} * d * e - \\ &288 * a^2 * b^7 * c^2 * d^2 + 1504 * a^3 * b^5 * c^3 * d^2 - 3840 * a^4 * b^3 * c^4 * d^2 + 96 * a^4 * b^5 * c^2 * e^2 \\ &- 512 * a^5 * b^3 * c^3 * e^2 + 27 * a * b^9 * c * d^2 - 9 * a * c * d^2 * (-4 * a * c - b^2)^9)^{(1/2)} \\ &- 3072 * a^6 * c^5 * d * e + 36 * a^2 * b^8 * c * d * e - 192 * a^3 * b^6 * c^2 * d * e + \\ &128 * a^4 * b^4 * c^3 * d * e + 1536 * a^5 * b^2 * c^4 * d * e + 2 * a * b * d * e * (-4 * a * c - b^2)^9)^{(1/2)} \\ &/ (32 * (a^3 * b^{12} + 4096 * a^9 * c^6 - 24 * a^4 * b^{10} * c + 240 * a^5 * b^8 * c^2 - 1280 * a^6 * b^6 * c^3 \\ &+ 3840 * a^7 * b^4 * c^4 - 6144 * a^8 * b^2 * c^5)))^{(1/2)} + (8 * a^3 * c^4 * e^3 \\ &+ 5 * b^3 * c^4 * d^3 + 72 * a^2 * c^5 * d^2 * e - 3 * b^4 * c^3 * d^2 * e + 6 * a^2 * b^2 * c^3 * e^3 \\ &- 36 * a * b * c^5 * d^3 + 18 * a * b^2 * c^4 * d^2 * e + 3 * a * b^3 * c^3 * d * e^2 - 60 * a^2 * b * c^4 * d * \\ &e^2) / (4 * (a^2 * b^6 - 64 * a^5 * c^3 - 12 * a^3 * b^4 * c + 48 * a^4 * b^2 * c^2))) * ((a^2 * e^2 \\ &* (-4 * a * c - b^2)^9)^{(1/2)} - a^2 * b^9 * e^2 - b^{11} * d^2 + b^2 * d^2 * (-4 * a * c - b^2 \\ &)^9)^{(1/2)} + 3840 * a^5 * b * c^5 * d^2 + 768 * a^6 * b * c^4 * e^2 - 2 * a * b^{10} * d * e - 288 * a^2 \\ &* b^7 * c^2 * d^2 + 1504 * a^3 * b^5 * c^3 * d^2 - 3840 * a^4 * b^3 * c^4 * d^2 + 96 * a^4 * b^5 * c^2 * e^2 \\ &- 512 * a^5 * b^3 * c^3 * e^2 + 27 * a * b^9 * c * d^2 - 9 * a * c * d^2 * (-4 * a * c - b^2)^9)^{(1/2)} \\ &- 3072 * a^6 * c^5 * d * e + 36 * a^2 * b^8 * c * d * e - 192 * a^3 * b^6 * c^2 * d * e + 128 * a^4 \\ &* b^4 * c^3 * d * e + 1536 * a^5 * b^2 * c^4 * d * e + 2 * a * b * d * e * (-4 * a * c - b^2)^9)^{(1/2)} / \\ &(32 * (a^3 * b^{12} + 4096 * a^9 * c^6 - 24 * a^4 * b^{10} * c + 240 * a^5 * b^8 * c^2 - 1280 * a^6 * b^6 * c^3 \\ &+ 3840 * a^7 * b^4 * c^4 - 6144 * a^8 * b^2 * c^5)))^{(1/2)} * 2i + ((x * (a * b * e - b^2 \\ &* d + 2 * a * c * d)) / (2 * a * (4 * a * c - b^2)) + (c * x^3 * (2 * a * e - b * d)) / (2 * a * (4 * a * c - b^2))) / (a + b * x^2 + c * x^4) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(c*x**4+b*x**2+a)**2,x)

[Out] Timed out

$$3.273 \quad \int \frac{1}{(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=252

$$\frac{x(-2ac + b^2 + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{c} (b\sqrt{b^2 - 4ac} - 12ac + b^2) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}a(b^2 - 4ac)^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\sqrt{c} (-b\sqrt{b^2 - 4ac} - 12ac + b^2) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}a(b^2 - 4ac)^{3/2}\sqrt{b + \sqrt{b^2 - 4ac}}}$$

[Out] 1/2*x*(b*c*x^2-2*a*c+b^2)/a/(-4*a*c+b^2)/(c*x^4+b*x^2+a)+1/4*arctan(x*2^(1/2)*c^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2))*c^(1/2)*(b^2-12*a*c+b*(-4*a*c+b^2)^(1/2))/a/(-4*a*c+b^2)^(3/2)*2^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2)-1/4*arctan(x*2^(1/2)*c^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2))*c^(1/2)*(b^2-12*a*c-b*(-4*a*c+b^2)^(1/2))/a/(-4*a*c+b^2)^(3/2)*2^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2)

Rubi [A] time = 0.52, antiderivative size = 252, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {1092, 1166, 205}

$$\frac{x(-2ac + b^2 + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{c} (b\sqrt{b^2 - 4ac} - 12ac + b^2) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}a(b^2 - 4ac)^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\sqrt{c} (-b\sqrt{b^2 - 4ac} - 12ac + b^2) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}a(b^2 - 4ac)^{3/2}\sqrt{b + \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)^(-2), x]

[Out] (x*(b^2 - 2*a*c + b*c*x^2))/(2*a*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (Sqrt[c]*(b^2 - 12*a*c + b*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(2*Sqrt[2]*a*(b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - (Sqrt[c]*(b^2 - 12*a*c - b*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(2*Sqrt[2]*a*(b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1092

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := -Simp[(x*(b^2 - 2*a*c + b*c*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)),

x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(b^2 - 2*a*c + 2*(p + 1)*(b^2 - 4*a*c) + b*c*(4*p + 7)*x^2)*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && IntegerQ[2*p]

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
 > With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + bx^2 + cx^4)^2} dx &= \frac{x(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\int \frac{b^2 - 2ac - 2(b^2 - 4ac) - bcx^2}{a + bx^2 + cx^4} dx}{2a(b^2 - 4ac)} \\ &= \frac{x(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(c(b^2 - 12ac - b\sqrt{b^2 - 4ac})\right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{4a(b^2 - 4ac)^{3/2}} + \frac{\left(c(b^2 - 12ac + b\sqrt{b^2 - 4ac})\right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{4a(b^2 - 4ac)^{3/2}} \\ &= \frac{x(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{c}(b^2 - 12ac + b\sqrt{b^2 - 4ac}) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}a(b^2 - 4ac)^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\sqrt{c}(b^2 - 12ac - b\sqrt{b^2 - 4ac}) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}a(b^2 - 4ac)^{3/2}\sqrt{b + \sqrt{b^2 - 4ac}}} \end{aligned}$$

Mathematica [A] time = 0.42, size = 243, normalized size = 0.96

$$\frac{\frac{2x(-2ac + b^2 + bcx^2)}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{2}\sqrt{c}(b\sqrt{b^2 - 4ac} - 12ac + b^2) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{(b^2 - 4ac)^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\sqrt{2}\sqrt{c}(b\sqrt{b^2 - 4ac} + 12ac - b^2) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{(b^2 - 4ac)^{3/2}\sqrt{b + \sqrt{b^2 - 4ac}}}}{4a}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)^(-2), x]

[Out] ((2*x*(b^2 - 2*a*c + b*c*x^2))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (Sqrt[2]*Sqrt[c]*(b^2 - 12*a*c + b*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/((b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (Sqrt[2]*Sqrt[c]*(-b^2 + 12*a*c + b*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/((b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]]))

2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]]/((b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]]))/(4*a)

fricas [B] time = 1.10, size = 2309, normalized size = 9.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{4} \cdot (2bx^3 + \sqrt{1/2} \cdot ((ab^2c - 4a^2c^2)x^4 + a^2b^2 - 4a^3c + (ab^3 - 4a^2bc)x^2) \cdot \sqrt{-(b^5 - 15ab^3c + 60a^2bc^2 + (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3)) \cdot \sqrt{(b^4 - 18ab^2c + 81a^2c^2)/(a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3))}) / (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3)) \cdot \log((5b^4c^2 - 81ab^2c^3 + 324a^2c^4)x + 1/2 \cdot \sqrt{1/2} \cdot (b^8 - 23ab^6c + 190a^2b^4c^2 - 672a^3b^2c^3 + 864a^4c^4 - (a^3b^9 - 20a^4b^7c + 144a^5b^5c^2 - 448a^6b^3c^3 + 512a^7b^1c^4) \cdot \sqrt{(b^4 - 18ab^2c + 81a^2c^2)/(a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3))}) \cdot \sqrt{-(b^5 - 15ab^3c + 60a^2bc^2 + (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3)) \cdot \sqrt{(b^4 - 18ab^2c + 81a^2c^2)/(a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3))}) / (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3)) - \sqrt{1/2} \cdot ((ab^2c - 4a^2c^2)x^4 + a^2b^2 - 4a^3c + (ab^3 - 4a^2bc)x^2) \cdot \sqrt{-(b^5 - 15ab^3c + 60a^2bc^2 + (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3)) \cdot \sqrt{(b^4 - 18ab^2c + 81a^2c^2)/(a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3))}) / (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3)) \cdot \log((5b^4c^2 - 81ab^2c^3 + 324a^2c^4)x - 1/2 \cdot \sqrt{1/2} \cdot (b^8 - 23ab^6c + 190a^2b^4c^2 - 672a^3b^2c^3 + 864a^4c^4 - (a^3b^9 - 20a^4b^7c + 144a^5b^5c^2 - 448a^6b^3c^3 + 512a^7b^1c^4) \cdot \sqrt{(b^4 - 18ab^2c + 81a^2c^2)/(a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3))}) \cdot \sqrt{-(b^5 - 15ab^3c + 60a^2bc^2 + (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3)) \cdot \sqrt{(b^4 - 18ab^2c + 81a^2c^2)/(a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3))}) / (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3)) + \sqrt{1/2} \cdot ((ab^2c - 4a^2c^2)x^4 + a^2b^2 - 4a^3c + (ab^3 - 4a^2bc)x^2) \cdot \sqrt{-(b^5 - 15ab^3c + 60a^2bc^2 - (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3)) \cdot \sqrt{(b^4 - 18ab^2c + 81a^2c^2)/(a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3))}) / (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3)) \cdot \log((5b^4c^2 - 81ab^2c^3 + 324a^2c^4)x + 1/2 \cdot \sqrt{1/2} \cdot (b^8 - 23ab^6c + 190a^2b^4c^2 - 672a^3b^2c^3 + 864a^4c^4 + (a^3b^9 - 20a^4b^7c + 144a^5b^5c^2 - 448a^6b^3c^3 + 512a^7b^1c^4) \cdot \sqrt{(b^4 - 18ab^2c + 81a^2c^2)/(a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3))}) \cdot \sqrt{-(b^5 - 15ab^3c + 60a^2bc^2 - (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3)) \cdot \sqrt{(b^4 - 18ab^2c + 81a^2c^2)/(a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3))}) / (a^3b^6 - 12a^4b^4c + 48a^5b^2c^2 - 64a^6c^3))$

$$\begin{aligned}
& \text{rt}(b*c + \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b*c^3 - 10*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - \\
& 4*a*c)*c)*a^2*b^2*c^3 - 128*a^3*b^2*c^3 + 24*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - \\
& 4*a*c)*c)*a^3*c^4 + 192*a^4*c^4 + 2*(b^2 - 4*a*c)*a*b^4*c - 20*(b^2 - 4*a*c \\
&)*a^2*b^2*c^2 + 48*(b^2 - 4*a*c)*a^3*c^3)*\text{abs}(a*b^2 - 4*a^2*c))*\text{arctan}(2*\text{sq} \\
& \text{rt}(1/2)*x/\text{sqrt}((a*b^3 - 4*a^2*b*c + \text{sqrt}((a*b^3 - 4*a^2*b*c)^2 - 4*(a^2*b^2 \\
& - 4*a^3*c)*(a*b^2*c - 4*a^2*c^2)))/(a*b^2*c - 4*a^2*c^2)))/((a^3*b^6 - 12* \\
& a^4*b^4*c - 2*a^3*b^5*c + 48*a^5*b^2*c^2 + 16*a^4*b^3*c^2 + a^3*b^4*c^2 - 6 \\
& 4*a^6*c^3 - 32*a^5*b*c^3 - 8*a^4*b^2*c^3 + 16*a^5*c^4)*\text{abs}(a*b^2 - 4*a^2*c) \\
& *\text{abs}(c)) - 1/16*(2*a^2*b^7*c^2 - 40*a^3*b^5*c^3 + 224*a^4*b^3*c^4 - 384*a^5 \\
& *b*c^5 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^7 \\
& + 20*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b^5*c + \\
& 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^6*c - 112 \\
& *\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^4*b^3*c^2 - 32 \\
& *\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b^4*c^2 - \text{sq} \\
& \text{rt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^5*c^2 + 192*\text{s} \\
& \text{qrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^5*b*c^3 + 96*\text{sqr} \\
& \text{t}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^4*b^2*c^3 + 16*\text{sqr} \\
& \text{t}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b^3*c^3 - 48*\text{sqr} \\
& \text{t}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^4*b*c^4 - 2*(b^2 - \\
& 4*a*c)*a^2*b^5*c^2 + 32*(b^2 - 4*a*c)*a^3*b^3*c^3 - 96*(b^2 - 4*a*c)*a^4*b \\
& *c^4 + (2*b^3*c^2 - 8*a*b*c^3 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b \\
& ^2 - 4*a*c)*c)*b^3 + 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a* \\
& c)*c)*a*b*c + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*b \\
& ^2*c - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*b*c^2 - 2* \\
& (b^2 - 4*a*c)*b*c^2)*(a*b^2 - 4*a^2*c)^2 - 2*(\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - \\
& 4*a*c)*c)*a*b^6 - 14*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^4*c - 2 \\
& *\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b^5*c + 2*a*b^6*c + 64*\text{sqrt}(2)*\text{s} \\
& \text{qrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b^2*c^2 + 20*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 \\
& - 4*a*c)*c)*a^2*b^3*c^2 + \text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a*b^4*c^ \\
& 2 - 28*a^2*b^4*c^2 - 96*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^4*c^3 - 4 \\
& 8*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b*c^3 - 10*\text{sqrt}(2)*\text{sqrt}(b*c - \\
& \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b^2*c^3 + 128*a^3*b^2*c^3 + 24*\text{sqrt}(2)*\text{sqrt}(b*c - \\
& \text{sqrt}(b^2 - 4*a*c)*c)*a^3*c^4 - 192*a^4*c^4 - 2*(b^2 - 4*a*c)*a*b^4*c + 20* \\
& (b^2 - 4*a*c)*a^2*b^2*c^2 - 48*(b^2 - 4*a*c)*a^3*c^3)*\text{abs}(a*b^2 - 4*a^2*c)) \\
& *\text{arctan}(2*\text{sqrt}(1/2)*x/\text{sqrt}((a*b^3 - 4*a^2*b*c - \text{sqrt}((a*b^3 - 4*a^2*b*c)^2 \\
& - 4*(a^2*b^2 - 4*a^3*c)*(a*b^2*c - 4*a^2*c^2)))/(a*b^2*c - 4*a^2*c^2)))/((a \\
& ^3*b^6 - 12*a^4*b^4*c - 2*a^3*b^5*c + 48*a^5*b^2*c^2 + 16*a^4*b^3*c^2 + a^3 \\
& *b^4*c^2 - 64*a^6*c^3 - 32*a^5*b*c^3 - 8*a^4*b^2*c^3 + 16*a^5*c^4)*\text{abs}(a*b^ \\
& 2 - 4*a^2*c)*\text{abs}(c))
\end{aligned}$$

maple [B] time = 0.06, size = 733, normalized size = 2.91

$$\frac{\sqrt{2} b^2 c \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{(-b + \sqrt{-4ac + b^2})c}}\right)}{4\sqrt{-4ac + b^2} (4ac - b^2) \sqrt{(-b + \sqrt{-4ac + b^2})c} a} + \frac{\sqrt{2} b^2 c \operatorname{arctan}\left(\frac{\sqrt{2} c x}{\sqrt{(b + \sqrt{-4ac + b^2})c}}\right)}{4\sqrt{-4ac + b^2} (4ac - b^2) \sqrt{(b + \sqrt{-4ac + b^2})c} a} - \frac{3\sqrt{-4ac + b^2}}{\sqrt{-4ac + b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(c*x^4+b*x^2+a)^2,x)`

[Out]
$$\begin{aligned} & -1/4/(4*a*c-b^2)/a*x/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^(1/2)/c)*b+c/(-4*a*c+b^2)^(1/2)/(4*a*c-b^2)*x/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^(1/2)/c)-1/4/(-4*a*c+b^2)^(1/2)/(4*a*c-b^2)/a*x/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^(1/2)/c)*b^2+1/4*c/(4*a*c-b^2)/a^2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*\operatorname{arctanh}(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b-3*c^2/(-4*a*c+b^2)^(1/2)/(4*a*c-b^2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*\operatorname{arctanh}(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)+1/4*c/(-4*a*c+b^2)^(1/2)/(4*a*c-b^2)/a^2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*\operatorname{arctanh}(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b^2-1/4/(4*a*c-b^2)/a*x/(x^2+1/2*b/c+1/2*(-4*a*c+b^2)^(1/2)/c)*b-c/(-4*a*c+b^2)^(1/2)/(4*a*c-b^2)*x/(x^2+1/2*b/c+1/2*(-4*a*c+b^2)^(1/2)/c)+1/4/(-4*a*c+b^2)^(1/2)/(4*a*c-b^2)/a*x/(x^2+1/2*b/c+1/2*(-4*a*c+b^2)^(1/2)/c)*b^2-1/4*c/(4*a*c-b^2)/a^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*\operatorname{arctan}(2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b-3*c^2/(-4*a*c+b^2)^(1/2)/(4*a*c-b^2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*\operatorname{arctan}(2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)+1/4*c/(-4*a*c+b^2)^(1/2)/(4*a*c-b^2)/a^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*\operatorname{arctan}(2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b^2 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")`

[Out]
$$\frac{1}{2}*(b*c*x^3 + (b^2 - 2*a*c)*x)/((a*b^2*c - 4*a^2*c^2)*x^4 + a^2*b^2 - 4*a^3*c + (a*b^3 - 4*a^2*b*c)*x^2) + \frac{1}{2}*\operatorname{integrate}((b*c*x^2 + b^2 - 6*a*c)/(c*x^4 + b*x^2 + a), x)/(a*b^2 - 4*a^2*c)$$

mupad [B] time = 6.26, size = 6404, normalized size = 25.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(1/(a + b*x^2 + c*x^4)^2, x)$

[Out]
$$\frac{\left(\frac{x(2ac - b^2)}{2a(4ac - b^2)} - \frac{bcx^3}{2a(4ac - b^2)}\right)}{a + bx^2 + cx^4} + \text{atan}\left(\frac{\left(\frac{(6144a^5c^6 + 16ab^8c^2 - 288a^2b^6c^3 + 1920a^3b^4c^4 - 5632a^4b^2c^5)}{8(a^2b^6 - 64a^5c^3 - 12a^3b^4c + 48a^4b^2c^2)}\right) - \left(x(-b^{11} + b^2(-4ac - b^2)^9)^{1/2} - 3840a^5bc^5 + 288a^2b^7c^2 - 1504a^3b^5c^3 + 3840a^4b^3c^4 - 27ab^9c - 9ac(-4ac - b^2)^9)^{1/2}}{32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5)}\right)^{1/2} - \left(\frac{1024a^5bc^5 - 16a^2b^7c^2 + 192a^3b^5c^3 - 768a^4b^3c^4}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)}\right) \cdot (-b^{11} + b^2(-4ac - b^2)^9)^{1/2} - 3840a^5bc^5 + 288a^2b^7c^2 - 1504a^3b^5c^3 + 3840a^4b^3c^4 - 27ab^9c - 9ac(-4ac - b^2)^9)^{1/2}}{32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5)}\right)^{1/2} + \frac{x(72a^2c^5 + b^4c^3 - 14ab^2c^4)}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)} \cdot (-b^{11} + b^2(-4ac - b^2)^9)^{1/2} - 3840a^5bc^5 + 288a^2b^7c^2 - 1504a^3b^5c^3 + 3840a^4b^3c^4 - 27ab^9c - 9ac(-4ac - b^2)^9)^{1/2}}{32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5)}\right)^{1/2} \cdot i - \frac{\left(\frac{(6144a^5c^6 + 16ab^8c^2 - 288a^2b^6c^3 + 1920a^3b^4c^4 - 5632a^4b^2c^5)}{8(a^2b^6 - 64a^5c^3 - 12a^3b^4c + 48a^4b^2c^2)}\right) + \left(x(-b^{11} + b^2(-4ac - b^2)^9)^{1/2} - 3840a^5bc^5 + 288a^2b^7c^2 - 1504a^3b^5c^3 + 3840a^4b^3c^4 - 27ab^9c - 9ac(-4ac - b^2)^9)^{1/2}}{32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5)}\right)^{1/2} \cdot (1024a^5bc^5 - 16a^2b^7c^2 + 192a^3b^5c^3 - 768a^4b^3c^4)}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)} \cdot (-b^{11} + b^2(-4ac - b^2)^9)^{1/2} - 3840a^5bc^5 + 288a^2b^7c^2 - 1504a^3b^5c^3 + 3840a^4b^3c^4 - 27ab^9c - 9ac(-4ac - b^2)^9)^{1/2}}{32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5)}\right)^{1/2} - \frac{x(72a^2c^5 + b^4c^3 - 14ab^2c^4)}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)} \cdot (-b^{11} + b^2(-4ac - b^2)^9)^{1/2} - 3840a^5bc^5 + 288a^2b^7c^2 - 1504a^3b^5c^3 + 3840a^4b^3c^4 - 27ab^9c - 9ac(-4ac - b^2)^9)^{1/2}}{32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5)}\right)^{1/2} \cdot i}{\left(\frac{(6144a^5c^6 + 16ab^8c^2 - 288a^2b^6c^3 + 1920a^3b^4c^4 - 5632a^4b^2c^5)}{8(a^2b^6 - 64a^5c^3 - 12a^3b^4c + 48a^4b^2c^2)}\right) - \left(x(-b^{11} + b^2(-4ac - b^2)^9)^{1/2} - 3840a^5bc^5 + 288a^2b^7c^2 - 1504a^3b^5c^3 + 3840a^4b^3c^4 - 27ab^9c - 9ac(-4ac - b^2)^9)^{1/2}}{32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5)}\right)^{1/2} - \left(x(72a^2c^5 + b^4c^3 - 14ab^2c^4)}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)} \cdot (-b^{11} + b^2(-4ac - b^2)^9)^{1/2} - 3840a^5bc^5 + 288a^2b^7c^2 - 1504a^3b^5c^3 + 3840a^4b^3c^4 - 27ab^9c - 9ac(-4ac - b^2)^9)^{1/2}}{32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5)}\right)^{1/2} \cdot i}{\left(\frac{(6144a^5c^6 + 16ab^8c^2 - 288a^2b^6c^3 + 1920a^3b^4c^4 - 5632a^4b^2c^5)}{8(a^2b^6 - 64a^5c^3 - 12a^3b^4c + 48a^4b^2c^2)}\right) - \left(x(-b^{11} + b^2(-4ac - b^2)^9)^{1/2} - 3840a^5bc^5 + 288a^2b^7c^2 - 1504a^3b^5c^3 + 3840a^4b^3c^4 - 27ab^9c - 9ac(-4ac - b^2)^9)^{1/2}}{32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5)}\right)^{1/2} - \left(x(72a^2c^5 + b^4c^3 - 14ab^2c^4)}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)} \cdot (-b^{11} + b^2(-4ac - b^2)^9)^{1/2} - 3840a^5bc^5 + 288a^2b^7c^2 - 1504a^3b^5c^3 + 3840a^4b^3c^4 - 27ab^9c - 9ac(-4ac - b^2)^9)^{1/2}}{32(a^3b^{12} + 4096a^9c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5)}\right)^{1/2} \cdot i} \cdot (1024a^5bc^5 - 16a^2b^7c^2 + 192a^3b^5c^3 - 768a^4b^3c^4)}{2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)}$$

$$\begin{aligned}
& - 8*a^3*b^2*c)))*(-(b^{11} + b^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b*c^5 + \\
& 288*a^2*b^7*c^2 - 1504*a^3*b^5*c^3 + 3840*a^4*b^3*c^4 - 27*a*b^9*c - 9*a*c \\
& *(-(4*a*c - b^2)^9)^{(1/2)))/(32*(a^3*b^{12} + 4096*a^9*c^6 - 24*a^4*b^{10}*c + 2 \\
& 40*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)} + \\
& (x*(72*a^2*c^5 + b^4*c^3 - 14*a*b^2*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - \\
& - 8*a^3*b^2*c)))*(-(b^{11} + b^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b*c^5 + \\
& 288*a^2*b^7*c^2 - 1504*a^3*b^5*c^3 + 3840*a^4*b^3*c^4 - 27*a*b^9*c - 9*a*c* \\
& (- (4*a*c - b^2)^9)^{(1/2)))/(32*(a^3*b^{12} + 4096*a^9*c^6 - 24*a^4*b^{10}*c + 24 \\
& 0*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)} + \\
& (((6144*a^5*c^6 + 16*a*b^8*c^2 - 288*a^2*b^6*c^3 + 1920*a^3*b^4*c^4 - \\
& - 5632*a^4*b^2*c^5)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^2)) \\
& + (x*(-(b^{11} + b^2*(-(4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b*c^5 + 288*a^2* \\
& b^7*c^2 - 1504*a^3*b^5*c^3 + 3840*a^4*b^3*c^4 - 27*a*b^9*c - 9*a*c*(-(4*a*c \\
& - b^2)^9)^{(1/2)))/(32*(a^3*b^{12} + 4096*a^9*c^6 - 24*a^4*b^{10}*c + 240*a^5*b^ \\
& 8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)}*(10 \\
& 24*a^5*b*c^5 - 16*a^2*b^7*c^2 + 192*a^3*b^5*c^3 - 768*a^4*b^3*c^4))/(2*(a^2 \\
& *b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(-(b^{11} + b^2*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 3840*a^5*b*c^5 + 288*a^2*b^7*c^2 - 1504*a^3*b^5*c^3 + 3840*a^4*b^3*c^4 - 2 \\
& 7*a*b^9*c - 9*a*c*(-(4*a*c - b^2)^9)^{(1/2)))/(32*(a^3*b^{12} + 4096*a^9*c^6 - \\
& 24*a^4*b^{10}*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 614 \\
& 4*a^8*b^2*c^5))^{(1/2)} - (x*(72*a^2*c^5 + b^4*c^3 - 14*a*b^2*c^4))/(2*(a^2*b^4 \\
& + 16*a^4*c^2 - 8*a^3*b^2*c)))*(-(b^{11} + b^2*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 3840*a^5*b*c^5 + 288*a^2*b^7*c^2 - 1504*a^3*b^5*c^3 + 3840*a^4*b^3*c^4 - 27 \\
& *a*b^9*c - 9*a*c*(-(4*a*c - b^2)^9)^{(1/2)))/(32*(a^3*b^{12} + 4096*a^9*c^6 - 2 \\
& 4*a^4*b^{10}*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144 \\
& *a^8*b^2*c^5))^{(1/2)} + (5*b^3*c^4 - 36*a*b*c^5)/(4*(a^2*b^6 - 64*a^5*c^3 - \\
& 12*a^3*b^4*c + 48*a^4*b^2*c^2)))*(-(b^{11} + b^2*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 3840*a^5*b*c^5 + 288*a^2*b^7*c^2 - 1504*a^3*b^5*c^3 + 3840*a^4*b^3*c^4 - 2 \\
& 7*a*b^9*c - 9*a*c*(-(4*a*c - b^2)^9)^{(1/2)))/(32*(a^3*b^{12} + 4096*a^9*c^6 - \\
& 24*a^4*b^{10}*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 614 \\
& 4*a^8*b^2*c^5))^{(1/2)}*2i + \operatorname{atan}((((6144*a^5*c^6 + 16*a*b^8*c^2 - 288*a^2* \\
& b^6*c^3 + 1920*a^3*b^4*c^4 - 5632*a^4*b^2*c^5)/(8*(a^2*b^6 - 64*a^5*c^3 - 1 \\
& 2*a^3*b^4*c + 48*a^4*b^2*c^2)) - (x*(-(b^{11} - b^2*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 3840*a^5*b*c^5 + 288*a^2*b^7*c^2 - 1504*a^3*b^5*c^3 + 3840*a^4*b^3*c^4 - \\
& 27*a*b^9*c + 9*a*c*(-(4*a*c - b^2)^9)^{(1/2)))/(32*(a^3*b^{12} + 4096*a^9*c^6 - \\
& 24*a^4*b^{10}*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 61 \\
& 44*a^8*b^2*c^5))^{(1/2)}*(1024*a^5*b*c^5 - 16*a^2*b^7*c^2 + 192*a^3*b^5*c^3 \\
& - 768*a^4*b^3*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(-(b^{11} - b^2 \\
& *(-(4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b*c^5 + 288*a^2*b^7*c^2 - 1504*a^3*b^5 \\
& *c^3 + 3840*a^4*b^3*c^4 - 27*a*b^9*c + 9*a*c*(-(4*a*c - b^2)^9)^{(1/2)))/(32* \\
& (a^3*b^{12} + 4096*a^9*c^6 - 24*a^4*b^{10}*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c \\
& ^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)} + (x*(72*a^2*c^5 + b^4*c^ \\
& 3 - 14*a*b^2*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(-(b^{11} - b^2* \\
& (- (4*a*c - b^2)^9)^{(1/2)} - 3840*a^5*b*c^5 + 288*a^2*b^7*c^2 - 1504*a^3*b^5* \\
& c^3 + 3840*a^4*b^3*c^4 - 27*a*b^9*c + 9*a*c*(-(4*a*c - b^2)^9)^{(1/2)))/(32*(
\end{aligned}$$

$$\begin{aligned} & (c^4 - 6144a^8b^2c^5)^{1/2} - (x(72a^2c^5 + b^4c^3 - 14ab^2c^4)) \\ & / (2(a^2b^4 + 16a^4c^2 - 8a^3b^2c)) * (-b^{11} - b^2(-4ac - b^2)^9)^{1/2} - 3840a^5b^2c^5 + 288a^2b^7c^2 - 1504a^3b^5c^3 + 3840a^4b^3 \\ & * c^4 - 27ab^9c + 9ac * (-4ac - b^2)^9)^{1/2} / (32(a^3b^{12} + 4096a^9 \\ & * c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5))^{1/2} + (5b^3c^4 - 36ab^2c^5) / (4(a^2b^6 - 64a^5 \\ & * c^3 - 12a^3b^4c + 48a^4b^2c^2)) * (-b^{11} - b^2(-4ac - b^2)^9)^{1/2} - 3840a^5b^2c^5 + 288a^2b^7c^2 - 1504a^3b^5c^3 + 3840a^4b^3 \\ & * c^4 - 27ab^9c + 9ac * (-4ac - b^2)^9)^{1/2} / (32(a^3b^{12} + 4096a^9 \\ & * c^6 - 24a^4b^{10}c + 240a^5b^8c^2 - 1280a^6b^6c^3 + 3840a^7b^4c^4 - 6144a^8b^2c^5))^{1/2} * 2i \end{aligned}$$

sympy [A] time = 170.28, size = 394, normalized size = 1.56

$$\frac{-bcx^3 + x(2ac - b^2)}{8a^3c - 2a^2b^2 + x^4(8a^2c^2 - 2ab^2c) + x^2(8a^2bc - 2ab^3)} + \text{RootSum}\left(t^4(1048576a^9c^6 - 1572864a^8b^2c^5 + 983040a^7b^4c^4 - 327680a^6b^6c^3 + 61440a^5b^8c^2 - 6144a^4b^{10}c + 256a^3b^{12}) + _t^2(-61440a^5b^2c^5 + 61440a^4b^3c^4 - 24064a^3b^5c^3 + 4608a^2b^7c^2 - 432ab^9c + 16b^{11}) + 1296a^2c^5 - 360ab^2c^4 + 25b^4c^3, \text{Lambda}(_t, _t \log(x + (32768_t^3a^7b^2c^4 - 28672_t^3a^6b^3c^3 + 9216_t^3a^5b^5c^2 - 1280_t^3a^4b^7c + 64_t^3a^3b^9 + 1728_t^3a^4c^4 - 2304_t^3a^3b^2c^3 + 740_t^3a^2b^4c^2 - 92_t^3ab^6c + 4_t^3b^8) / (324a^2c^4 - 81ab^2c^3 + 5b^4c^2)))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x**4+b*x**2+a)**2,x)

[Out] (-b*c*x**3 + x*(2*a*c - b**2))/(8*a**3*c - 2*a**2*b**2 + x**4*(8*a**2*c**2 - 2*a*b**2*c) + x**2*(8*a**2*b*c - 2*a*b**3)) + RootSum(_t**4*(1048576*a**9*c**6 - 1572864*a**8*b**2*c**5 + 983040*a**7*b**4*c**4 - 327680*a**6*b**6*c**3 + 61440*a**5*b**8*c**2 - 6144*a**4*b**10*c + 256*a**3*b**12) + _t**2*(-61440*a**5*b**2*c**5 + 61440*a**4*b**3*c**4 - 24064*a**3*b**5*c**3 + 4608*a**2*b**7*c**2 - 432*a*b**9*c + 16*b**11) + 1296*a**2*c**5 - 360*a*b**2*c**4 + 25*b**4*c**3, Lambda(_t, _t*log(x + (32768*_t**3*a**7*b*c**4 - 28672*_t**3*a**6*b**3*c**3 + 9216*_t**3*a**5*b**5*c**2 - 1280*_t**3*a**4*b**7*c + 64*_t**3*a**3*b**9 + 1728*_t**3*a**4*c**4 - 2304*_t**3*a**3*b**2*c**3 + 740*_t**3*a**2*b**4*c**2 - 92*_t**3*a*b**6*c + 4*_t**3*b**8)/(324*a**2*c**4 - 81*a*b**2*c**3 + 5*b**4*c**2))))

$$3.274 \quad \int \frac{1}{(d+ex^2)(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=660

$$\frac{\sqrt{c} e^2 \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}} \right) - \sqrt{c} e^2 \left(\frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{\sqrt{b^2-4ac}+b}} \right)}{\sqrt{2} \sqrt{b-\sqrt{b^2-4ac}} (ae^2 - bde + cd^2)^2} + \frac{x (cx^2 (2ace + b^2(-e) + bcd) + 3abce - 2ac^2d + b^2cd + b^3(-e))}{2a (b^2 - 4ac) (a + bx^2 + cx^4) (ae^2 - bde + cd^2)^2}$$

[Out] $1/2*x*(b^2*c*d-2*a*c^2*d-b^3*e+3*a*b*c*e+c*(2*a*c*e-b^2*e+b*c*d)*x^2)/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)/(c*x^4+b*x^2+a)+e^{(7/2)*\arctan(x*e^{(1/2)}/d^{(1/2)})}/(a*e^2-b*d*e+c*d^2)^2/d^{(1/2)}-1/2*e^2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})^2*c^{(1/2)}*(e+(b*e-2*c*d)/(-4*a*c+b^2)^{(1/2)})/(a*e^2-b*d*e+c*d^2)^2*2^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}+1/4*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})^2*c^{(1/2)}*(b*c*d-b^2*e+2*a*c*e+(8*a*b*c*e-12*a*c^2*d-b^3*e+b^2*c*d)/(-4*a*c+b^2)^{(1/2)})/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)*2^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}-1/2*e^2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})^2*c^{(1/2)}*(e+(-b*e+2*c*d)/(-4*a*c+b^2)^{(1/2)})/(a*e^2-b*d*e+c*d^2)^2*2^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}+1/4*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})^2*c^{(1/2)}*(b*c*d-b^2*e+2*a*c*e+(-8*a*b*c*e+12*a*c^2*d+b^3*e-b^2*c*d)/(-4*a*c+b^2)^{(1/2)})/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)*2^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 2.87, antiderivative size = 660, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1238, 205, 1178, 1166}

$$\frac{x (cx^2 (2ace + b^2(-e) + bcd) + 3abce - 2ac^2d + b^2cd + b^3(-e))}{2a (b^2 - 4ac) (a + bx^2 + cx^4) (ae^2 - bde + cd^2)} + \frac{\sqrt{c} \left(\frac{8abce-12ac^2d+b^2cd+b^3(-e)}{\sqrt{b^2-4ac}} + 2ace + b^2(-e) + bcd \right)}{2\sqrt{2} a (b^2 - 4ac) \sqrt{b - \sqrt{b^2 - 4ac}} (ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*(a + b*x^2 + c*x^4)^2), x]

[Out] $(x*(b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e + c*(b*c*d - b^2*e + 2*a*c*e)*x^2))/(2*a*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)*(a + b*x^2 + c*x^4)) - (\text{Sqrt}[c]*e^2*(e - (2*c*d - b*e)/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]])/(\text{Sqrt}[2]*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*(c*d^2 - b*d*e + a*e^2)^2) + (\text{Sqrt}[c]*(b*c*d - b^2*e + 2*a*c*e + (b^2*c*d - 12*a*c^2*d - b^3*e + 8*a*b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]])/ (2*\text{Sqrt}[2]*a*(b^2 - 4*a*c)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])$

```
*c]]*(c*d^2 - b*d*e + a*e^2)) - (Sqrt[c]*e^2*(e + (2*c*d - b*e)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(Sqrt[2]*Sqrt[b + Sqrt[b^2 - 4*a*c]])*(c*d^2 - b*d*e + a*e^2)^2 + (Sqrt[c]*(b*c*d - b^2*e + 2*a*c*e - (b^2*c*d - 12*a*c^2*d - b^3*e + 8*a*b*c*e)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(2*Sqrt[2]*a*(b^2 - 4*a*c)*Sqrt[b + Sqrt[b^2 - 4*a*c]])*(c*d^2 - b*d*e + a*e^2)) + (e^(7/2))*ArcTan[(Sqrt[e]*x)/Sqrt[d]]/(Sqrt[d]*(c*d^2 - b*d*e + a*e^2)^2)
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1178

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1238

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[b^2 - 4*a*c, 0] && ((IntegerQ[p] && IntegerQ[q]) || IGtQ[p, 0] || IGtQ[q, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)(a+bx^2+cx^4)^2} dx &= \int \left(\frac{e^4}{(cd^2-bde+ae^2)^2(d+ex^2)} + \frac{cd-be-cex^2}{(cd^2-bde+ae^2)(a+bx^2+cx^4)^2} - \frac{cd-be-cex^2}{(cd^2-bde+ae^2)(a+bx^2+cx^4)} \right) dx \\
&= -\frac{e^2 \int \frac{-cd+be+cex^2}{a+bx^2+cx^4} dx}{(cd^2-bde+ae^2)^2} + \frac{e^4 \int \frac{1}{d+ex^2} dx}{(cd^2-bde+ae^2)^2} + \frac{\int \frac{cd-be-cex^2}{(a+bx^2+cx^4)^2} dx}{cd^2-bde+ae^2} \\
&= \frac{x(b^2cd-2ac^2d-b^3e+3abce+c(bcd-b^2e+2ace)x^2)}{2a(b^2-4ac)(cd^2-bde+ae^2)(a+bx^2+cx^4)} + \frac{e^{7/2} \tan^{-1}\left(\frac{\sqrt{e}}{\sqrt{d+ex^2}}\right)}{\sqrt{d}(cd^2-bde+ae^2)} \\
&= \frac{x(b^2cd-2ac^2d-b^3e+3abce+c(bcd-b^2e+2ace)x^2)}{2a(b^2-4ac)(cd^2-bde+ae^2)(a+bx^2+cx^4)} - \frac{\sqrt{c}e^2\left(e-\frac{2cd-be}{\sqrt{b^2-4ac}}\right)}{\sqrt{2}\sqrt{b-\sqrt{b^2-4ac}}} \\
&= \frac{x(b^2cd-2ac^2d-b^3e+3abce+c(bcd-b^2e+2ace)x^2)}{2a(b^2-4ac)(cd^2-bde+ae^2)(a+bx^2+cx^4)} - \frac{\sqrt{c}e^2\left(e-\frac{2cd-be}{\sqrt{b^2-4ac}}\right)}{\sqrt{2}\sqrt{b-\sqrt{b^2-4ac}}}
\end{aligned}$$

Mathematica [A] time = 2.79, size = 708, normalized size = 1.07

$$\frac{2x(e(ae-bd)+cd^2)(-bc(3ae+cdx^2)+2ac^2(d-ex^2)+b^3e+b^2c(ex^2-d))}{a(4ac-b^2)(a+bx^2+cx^4)} + \frac{\sqrt{2}\sqrt{c}\left(b^2(-cde(2d\sqrt{b^2-4ac}+3ae)-3ae^3\sqrt{b^2-4ac}+c^2d^3)+2ac(cde(d\sqrt{b^2-4ac}+2d\sqrt{b^2-4ac}+e^2d^2))\right)}{\sqrt{2}\sqrt{b-\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*(a + b*x^2 + c*x^4)^2), x]

[Out] ((2*(c*d^2 + e*(-(b*d) + a*e))*x*(b^3*e - b*c*(3*a*e + c*d*x^2) + 2*a*c^2*(d - e*x^2) + b^2*c*(-d + e*x^2)))/(a*(-b^2 + 4*a*c)*(a + b*x^2 + c*x^4)) + (Sqrt[2]*Sqrt[c]*(b^4*d*e^2 + 2*a*c*(-6*c^2*d^3 + 5*a*Sqrt[b^2 - 4*a*c]*e^3 + c*d*e*(Sqrt[b^2 - 4*a*c]*d - 14*a*e)) + b^3*e*(-2*c*d^2 + e*(Sqrt[b^2 - 4*a*c]*d - 3*a*e)) + b^2*(c^2*d^3 - 3*a*Sqrt[b^2 - 4*a*c]*e^3 - c*d*e*(2*Sqrt[b^2 - 4*a*c]*d + 3*a*e)) + b*c*(a*e^2*(-(Sqrt[b^2 - 4*a*c]*d) + 16*a*e) + c*d^2*(Sqrt[b^2 - 4*a*c]*d + 20*a*e)))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]]/(a*(b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]])

$$\begin{aligned}
& + (\text{Sqrt}[2]*\text{Sqrt}[c]*(-(b^4*d*e^2) - b^2*(c^2*d^3 + 3*a*\text{Sqrt}[b^2 - 4*a*c]*e^3 \\
& + c*d*e*(2*\text{Sqrt}[b^2 - 4*a*c]*d - 3*a*e)) + b^3*e*(2*c*d^2 + e*(\text{Sqrt}[b^2 - \\
& 4*a*c]*d + 3*a*e)) + 2*a*c*(6*c^2*d^3 + 5*a*\text{Sqrt}[b^2 - 4*a*c]*e^3 + c*d*e*(\\
& \text{Sqrt}[b^2 - 4*a*c]*d + 14*a*e)) + b*c*(c*d^2*(\text{Sqrt}[b^2 - 4*a*c]*d - 20*a*e) \\
& - a*e^2*(\text{Sqrt}[b^2 - 4*a*c]*d + 16*a*e)))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b \\
& + \text{Sqrt}[b^2 - 4*a*c]]]/(a*(b^2 - 4*a*c)^(3/2)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) \\
& + (4*e^(7/2)*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]]/\text{Sqrt}[d])/(4*(c*d^2 + e*(-(b*d) + \\
& a*e))^2)
\end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.06, size = 3841, normalized size = 5.82

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)/(c*x^4+b*x^2+a)^2,x)

$$\begin{aligned}
& [\text{Out}] \quad e^4/(a*e^2-b*d*e+c*d^2)^2/(d*e)^(1/2)*\arctan(1/(d*e)^(1/2)*e*x)+1/2/(a*e^2- \\
& b*d*e+c*d^2)^2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*b^3*e^3+1/(a*e^2-b*d*e+c*d^2)^ \\
& 2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*c^3*d^3+1/4/(a*e^2-b*d*e+c*d^2)^2/a/(4*a*c- \\
& b^2)*c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*\arctan(2 \\
& ^{(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b^4*d*e^2+1/4/(a*e^2-b*d*e+c*d \\
& ^2)^2/a/(4*a*c-b^2)*c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c \\
&)^(1/2)*\operatorname{arctanh}(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b^4*d*e^2-1/ \\
& 2/(a*e^2-b*d*e+c*d^2)^2/a/(4*a*c-b^2)*c^2/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+ \\
& -4*a*c+b^2)^(1/2))*c)^(1/2)*\operatorname{arctanh}(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/ \\
& 2)*c*x)*b^3*d^2*e+1/4/(a*e^2-b*d*e+c*d^2)^2/a/(4*a*c-b^2)*c^3*2^(1/2)/((-b+
\end{aligned}$$

$$\begin{aligned}
& (-4ac+b^2)^{1/2} * 2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) * c)^{1/2} * \operatorname{arctanh}(2^{1/2} / \\
& ((-b+(-4ac+b^2)^{1/2}) * c)^{1/2} * cx) * b^2 d^2 e^{-3/4} / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} / \\
& (4ac-b^2) * c^2 / (-4ac+b^2)^{1/2} * 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2} \\
& * \operatorname{arctan}(2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2} * cx) * b^2 d^2 e^{-2-3/4} / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} / \\
& (4ac-b^2) * c^4 / (-4ac+b^2)^{1/2} * 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2} * \operatorname{arctan}(2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2} * cx) * d^3 + 5/2 / \\
& (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} * a / (4ac-b^2) * c^2 * 2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) * c)^{1/2} * \operatorname{arctanh}(2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) * c)^{1/2} * cx) * e^{-3-5/2} / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} * a / (4ac-b^2) * c^2 * 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2} * \operatorname{arctan}(2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2} * cx) * e^{-3-3/2} / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} / (cx^4 + bx^2 + a) * a / (4ac-b^2) * x * b^2 * c^2 * d^2 * e^{-1} / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} / (cx^4 + bx^2 + a) * a / (4ac-b^2) * x * c^2 * d^2 * e^{-2} + 1 / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} / (cx^4 + bx^2 + a) / (4ac-b^2) * x * b^2 * c^2 * d^2 * e^{-5/2} / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} / (cx^4 + bx^2 + a) / (4ac-b^2) * x * b^2 * c^2 * d^2 * e^{-1/2} / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} / (cx^4 + bx^2 + a) / a / (4ac-b^2) * x * b^2 * c^2 * d^3 + 1/2 / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} / (4ac-b^2) * c^3 * 2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) * c)^{1/2} * \operatorname{arctanh}(2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) * c)^{1/2} * cx) * d^2 * e^{-3/4} / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} / (4ac-b^2) * c^2 * 2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) * c)^{1/2} * \operatorname{arctanh}(2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) * c)^{1/2} * cx) * b^2 * e^{-3-3/4} / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} / (4ac-b^2) * c^4 / (-4ac+b^2)^{1/2} * 2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) * c)^{1/2} * \operatorname{arctanh}(2^{1/2} / ((-b+(-4ac+b^2)^{1/2}) * c)^{1/2} * cx) * d^3 - 1/2 / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} / (4ac-b^2) * c^3 * 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2} * \operatorname{arctan}(2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2} * cx) * d^2 * e + 3/4 / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} / (4ac-b^2) * c^2 * 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2} * \operatorname{arctan}(2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2} * cx) * b^2 * e^3 + 1/2 / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} / (cx^4 + bx^2 + a) * c^2 / (4ac-b^2) * x^3 * b^2 * d^2 * e^{-1/2} / (a^2 e^{-2} - b^2 d^2 e + c^2 d^2)^{1/2} / (cx^4 + bx^2 + a) * c^3 / a / (4ac-b^2) * x^3 * b^2 * d^3
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] $e^4 \operatorname{arctan}(e*x/\sqrt{d*e}) / ((c^2*d^4 - 2*b*c*d^3*e - 2*a*b*d^2*e^3 + a^2*e^4 + (b^2 + 2*a*c)*d^2*e^2)*\sqrt{d*e}) + 1/2 * ((b*c^2*d - (b^2*c - 2*a*c^2)*e)*x^3 + ((b^2*c - 2*a*c^2)*d - (b^3 - 3*a*b*c)*e)*x) / (((a*b^2*c^2 - 4*a^2*c^3)*d^2 - (a*b^3*c - 4*a^2*b*c^2)*d*e + (a^2*b^2*c - 4*a^3*c^2)*e^2)*x^4 + (a^2*b^2*c - 4*a^3*c^2)*d^2 - (a^2*b^3 - 4*a^3*b*c)*d*e + (a^3*b^2 - 4*a^4*c)*e^2 + ((a*b^3*c - 4*a^2*b*c^2)*d^2 - (a*b^4 - 4*a^2*b^2*c)*d*e + (a^2*b^3 - 4*a^3*b*c)*e^2)*x^2) + 1/2 * \operatorname{integrate}(((b^2*c^2 - 6*a*c^3)*d^3 - (2*b^3*c - 11*a*b*c^2)*d^2*e + (b^4 - 2*a*b^2*c - 14*a^2*c^2)*d*e^2 - (3*a*b^3 - 13*a^2*b*c)*e^3 + (b*c^3*d^3 - 2*(b^2*c^2 - a*c^3)*d^2*e + (b^3*c - a*b*c^2)*d*e^2 - (3*a*b^2*c - 10*a^2*c^2)*e^3)*x^2) / (c*x^4 + b*x^2 + a), x) / ((a*b^2*c^2$

$$2 - 4*a^2*c^3)*d^4 - 2*(a*b^3*c - 4*a^2*b*c^2)*d^3*e + (a*b^4 - 2*a^2*b^2*c - 8*a^3*c^2)*d^2*e^2 - 2*(a^2*b^3 - 4*a^3*b*c)*d*e^3 + (a^3*b^2 - 4*a^4*c)*e^4)$$

mupad [B] time = 16.46, size = 237586, normalized size = 359.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^2)*(a + b*x^2 + c*x^4)^2),x)

[Out] - atan(((((((1048576*a^13*c^8*e^16 + 256*a^7*b^12*c^2*e^16 - 6144*a^8*b^10*c^3*e^16 + 61440*a^9*b^8*c^4*e^16 - 327680*a^10*b^6*c^5*e^16 + 983040*a^11*b^4*c^6*e^16 - 1572864*a^12*b^2*c^7*e^16 - 196608*a^6*c^15*d^14*e^2 - 917504*a^7*c^14*d^12*e^4 - 589824*a^8*c^13*d^10*e^6 + 3932160*a^9*c^12*d^8*e^8 + 10158080*a^10*c^11*d^6*e^10 + 10616832*a^11*c^10*d^4*e^12 + 5308416*a^12*c^9*d^2*e^14 - 2816*a^2*b^8*c^11*d^14*e^2 + 22656*a^2*b^9*c^10*d^13*e^3 - 78848*a^2*b^10*c^9*d^12*e^4 + 154112*a^2*b^11*c^8*d^11*e^5 - 182784*a^2*b^12*c^7*d^10*e^6 + 130816*a^2*b^13*c^6*d^9*e^7 - 50176*a^2*b^14*c^5*d^8*e^8 + 4608*a^2*b^15*c^4*d^7*e^9 + 3328*a^2*b^16*c^3*d^6*e^10 - 896*a^2*b^17*c^2*d^5*e^11 + 24576*a^3*b^6*c^12*d^14*e^2 - 198656*a^3*b^7*c^11*d^13*e^3 + 684544*a^3*b^8*c^10*d^12*e^4 - 1291520*a^3*b^9*c^9*d^11*e^5 + 1403776*a^3*b^10*c^8*d^10*e^6 - 798336*a^3*b^11*c^7*d^9*e^7 + 89856*a^3*b^12*c^6*d^8*e^8 + 155136*a^3*b^13*c^5*d^7*e^9 - 77440*a^3*b^14*c^4*d^6*e^10 + 5504*a^3*b^15*c^3*d^5*e^11 + 2560*a^3*b^16*c^2*d^4*e^12 - 106496*a^4*b^4*c^13*d^14*e^2 + 864256*a^4*b^5*c^12*d^13*e^3 - 2924544*a^4*b^6*c^11*d^12*e^4 + 5181440*a^4*b^7*c^10*d^11*e^5 - 4686080*a^4*b^8*c^9*d^10*e^6 + 1045376*a^4*b^9*c^8*d^9*e^7 + 1900544*a^4*b^10*c^7*d^8*e^8 - 1732096*a^4*b^11*c^6*d^7*e^9 + 390400*a^4*b^12*c^5*d^6*e^10 + 112000*a^4*b^13*c^4*d^5*e^11 - 40960*a^4*b^14*c^3*d^4*e^12 - 3840*a^4*b^15*c^2*d^3*e^13 + 229376*a^5*b^2*c^14*d^14*e^2 - 1867776*a^5*b^3*c^13*d^13*e^3 + 6078464*a^5*b^4*c^12*d^12*e^4 - 9297920*a^5*b^5*c^11*d^11*e^5 + 4055040*a^5*b^6*c^10*d^10*e^6 + 7788544*a^5*b^7*c^9*d^9*e^7 - 12657664*a^5*b^8*c^8*d^8*e^8 + 6130176*a^5*b^9*c^7*d^7*e^9 + 734080*a^5*b^10*c^6*d^6*e^10 - 1442560*a^5*b^11*c^5*d^5*e^11 + 168960*a^5*b^12*c^4*d^4*e^12 + 78080*a^5*b^13*c^3*d^3*e^13 + 3200*a^5*b^14*c^2*d^2*e^14 - 4587520*a^6*b^2*c^13*d^12*e^4 + 3080192*a^6*b^3*c^12*d^11*e^5 + 12001280*a^6*b^4*c^11*d^10*e^6 - 31076352*a^6*b^5*c^10*d^9*e^7 + 27475968*a^6*b^6*c^9*d^8*e^8 - 2088960*a^6*b^7*c^8*d^7*e^9 - 12205312*a^6*b^8*c^7*d^6*e^10 + 6043520*a^6*b^9*c^6*d^5*e^11 + 631808*a^6*b^10*c^5*d^4*e^12 - 610304*a^6*b^11*c^4*d^3*e^13 - 71936*a^6*b^12*c^3*d^2*e^14 - 21725184*a^7*b^2*c^12*d^10*e^6 + 30801920*a^7*b^3*c^11*d^9*e^7 - 8028160*a^7*b^4*c^10*d^8*e^8 - 32260096*a^7*b^5*c^9*d^7*e^9 + 37101568*a^7*b^6*c^8*d^6*e^10 - 7182336*a^7*b^7*c^7*d^5*e^11 - 7609856*a^7*b^8*c^6*d^4*e^12 + 2112256*a^7*b^9*c^5*d^3*e^13 + 661632*a^7*b^10*c^4*d^2*e^14 - 30146560*a^8*b^2*c^11*d^8*e^8 + 55050240*a^8*b^3*c^10*d^7*e^9 - 34365440*a^8*b^4*c^9*d^6*e^10 - 16429056*a^8*b^5*c^8*d^5*e^11 + 24600

$$\begin{aligned}
& 576*a^8*b^6*c^7*d^4*e^{12} - 1683456*a^8*b^7*c^6*d^3*e^{13} - 3151616*a^8*b^8*c^5*d^2*e^{14} - 10977280*a^9*b^2*c^{10}*d^6*e^{10} + 47022080*a^9*b^3*c^9*d^5*e^{11} \\
& - 30621696*a^9*b^4*c^8*d^4*e^{12} - 9232384*a^9*b^5*c^7*d^3*e^{13} + 7970816*a^9*b^6*c^6*d^2*e^{14} + 4325376*a^{10}*b^2*c^9*d^4*e^{12} + 25493504*a^{10}*b^3*c^8*d^3*e^{13} \\
& - 9117696*a^{10}*b^4*c^7*d^2*e^{14} + 491520*a^{11}*b^2*c^8*d^2*e^{14} - 4947968*a^{12}*b*c^8*d*e^{15} + 128*a*b^{10}*c^{10}*d^{14}*e^2 - 1024*a*b^{11}*c^9*d^{13}*e^3 \\
& + 3584*a*b^{12}*c^8*d^{12}*e^4 - 7168*a*b^{13}*c^7*d^{11}*e^5 + 8960*a*b^{14}*c^6*d^{10}*e^6 - 7168*a*b^{15}*c^5*d^9*e^7 + 3584*a*b^{16}*c^4*d^8*e^8 - 1024*a*b^{17}*c^3*d^7*e^9 \\
& + 128*a*b^{18}*c^2*d^6*e^{10} + 1605632*a^6*b*c^{14}*d^{13}*e^3 - 1408*a^6*b^{13}*c^2*d*e^{15} + 7012352*a^7*b*c^{13}*d^{11}*e^5 + 33152*a^7*b^{11}*c^3*d*e^{15} + 7045120*a^8*b*c^{12}*d^9*e^7 \\
& - 324480*a^8*b^9*c^4*d*e^{15} - 9830400*a^9*b*c^{11}*d^7*e^9 + 1689600*a^9*b^7*c^5*d*e^{15} - 25722880*a^{10}*b*c^{10}*d^5*e^{11} - 4935680*a^{10}*b^5*c^6*d*e^{15} \\
& - 19202048*a^{11}*b*c^9*d^3*e^{13} + 7667712*a^{11}*b^3*c^7*d*e^{15})/(16*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 \\
& - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 \\
& + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 \\
& - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 \\
& - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 \\
& - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 \\
& - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e \\
& - 4*a^3*b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 \\
& - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7) - (x*((27*a*b^9*c^5*d^6 - b^{11}*c^4*d^6 - b^{15}*d^2*e^4 - 9*a^2*b^{13}*e^6 \\
& + 3840*a^5*b*c^9*d^6 - 9*a*c^5*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 213*a^3*b^{11}*c*e^6 - 26880*a^8*b*c^6*e^6 + 3072*a^6*c^9*d^5*e + 35840*a^8*c^7*d*e^5 \\
& + 4*b^{12}*c^3*d^5*e + 4*b^{14}*c*d^3*e^3 - 288*a^2*b^7*c^6*d^6 + 1504*a^3*b^5*c^7*d^6 - 3840*a^4*b^3*c^8*d^6 + 9*a^2*b^4*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 2077*a^4*b^9*c^2*e^6 \\
& + 10656*a^5*b^7*c^3*e^6 - 30240*a^6*b^5*c^4*e^6 + 44800*a^7*b^3*c^5*e^6 + 25*a^4*c^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 22528*a^7*c^8*d^3*e^3 + b^6*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*b^{13}*c^2*d^4*e^2 + 6*a*b^{14}*d*e^5 - 1471*a^2*b^9*c^4*d^4*e^2 \\
& + 600*a^2*b^{10}*c^3*d^3*e^3 + 180*a^2*b^{11}*c^2*d^2*e^4 + 6976*a^3*b^7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4*d^3*e^3 - 2871*a^3*b^9*c^3*d^2*e^4 - 15456*a^4*b^5*c^6*d^4*e^2 \\
& - 7168*a^4*b^6*c^5*d^3*e^3 + 16896*a^4*b^7*c^4*d^2*e^4 + 10240*a^5*b^3*c^7*d^4*e^2 + 37632*a^5*b^4*c^6*d^3*e^3 - 47712*a^5*b^5*c^5*d^2*e^4 \\
& - 59392*a^6*b^2*c^7*d^3*e^3 + 60928*a^6*b^3*c^6*d^2*e^4 - 41*a^2*c^4*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 39*a^3*c^3*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 6*b^4*c^2*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a*b^5*d*e^5*(-(4*
\end{aligned}$$

$$\begin{aligned}
& a*c - b^2)^9)^{(1/2)} - 106*a*b^{10}*c^4*d^5*e + 7*a*b^{13}*c*d^2*e^4 - 128*a^2*b \\
& ^{12}*c*d*e^5 - 51*a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + 150*a*b^{11}*c^3*d^ \\
& 4*e^2 - 84*a*b^{12}*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e - 5824*a^3*b^6*c^6*d \\
& ^5*e + 1030*a^3*b^{10}*c^2*d*e^5 + 15232*a^4*b^4*c^7*d^5*e - 3492*a^4*b^8*c^3 \\
& *d*e^5 - 16896*a^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^4*d*e^5 + 7424*a^6*b*c^8* \\
& d^4*e^2 + 22400*a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^7*d^2*e^4 - 53760*a^7*b^2 \\
& *c^6*d*e^5 - 4*b^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} - 4*b^5*c*d^3*e^3*(-(\\
& 4*a*c - b^2)^9)^{(1/2)} + 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} + 20*a^ \\
& 2*b^3*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} + 86*a^3*b*c^2*d*e^5*(-(4*a*c - b^2) \\
& ^9)^{(1/2)} - 42*a*b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 12*a*b^3*c^2*d^ \\
& 3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} + 120*a^2*b*c^3*d^3*e^3*(-(4*a*c - b^2)^9)^{(\\
& 1/2)} + 34*a*b*c^4*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} - 108*a^2*b^2*c^2*d^2*e^4* \\
& (-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^7*b^{12}*e^8 + 4096*a^9*c^{10}*d^8 + 4096*a^{13} \\
& *c^6*e^8 - 24*a^8*b^{10}*c*e^8 - 4*a^6*b^{13}*d*e^7 + a^3*b^{12}*c^4*d^8 - 24*a^4 \\
& *b^{10}*c^5*d^8 + 240*a^5*b^8*c^6*d^8 - 1280*a^6*b^6*c^7*d^8 + 3840*a^7*b^4*c \\
& ^8*d^8 - 6144*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280*a^{10}*b^6*c^3*e^8 \\
& + 3840*a^{11}*b^4*c^4*e^8 - 6144*a^{12}*b^2*c^5*e^8 + a^3*b^{16}*d^4*e^4 - 4*a^4 \\
& *b^{15}*d^3*e^5 + 6*a^5*b^{14}*d^2*e^6 + 16384*a^{10}*c^9*d^6*e^2 + 24576*a^{11}*c^ \\
& 8*d^4*e^4 + 16384*a^{12}*c^7*d^2*e^6 + 6*a^3*b^{14}*c^2*d^6*e^2 - 140*a^4*b^{12} \\
& c^3*d^6*e^2 + 84*a^4*b^{13}*c^2*d^5*e^3 + 1344*a^5*b^{10}*c^4*d^6*e^2 - 672*a^5 \\
& *b^{11}*c^3*d^5*e^3 - 42*a^5*b^{12}*c^2*d^4*e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 22 \\
& 40*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^{10}*c^3*d^4*e^4 - 672*a^6*b^{11}*c^2*d^3*e \\
& ^5 + 17920*a^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 + 2240*a^7*b^9*c \\
& ^3*d^3*e^5 + 1344*a^7*b^{10}*c^2*d^2*e^6 - 21504*a^8*b^4*c^7*d^6*e^2 - 21504* \\
& a^8*b^5*c^6*d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8*b^8*c^3*d^2*e^6 \\
& + 57344*a^9*b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 21504*a^9*b^5*c^5 \\
& *d^3*e^5 + 17920*a^9*b^6*c^4*d^2*e^6 + 12288*a^{10}*b^2*c^7*d^4*e^4 + 57344*a \\
& ^{10}*b^3*c^6*d^3*e^5 - 21504*a^{10}*b^4*c^5*d^2*e^6 + 96*a^7*b^{11}*c*d*e^7 - 16 \\
& 384*a^9*b*c^9*d^7*e - 16384*a^{12}*b*c^6*d*e^7 - 4*a^3*b^{13}*c^3*d^7*e - 4*a^3 \\
& *b^{15}*c*d^5*e^3 + 96*a^4*b^{11}*c^4*d^7*e - 12*a^4*b^{14}*c*d^4*e^4 - 960*a^5*b \\
& ^9*c^5*d^7*e + 84*a^5*b^{13}*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^1 \\
& 2*c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e - 960*a^8*b \\
& ^9*c^2*d*e^7 + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^{10}*b*c^8*d^5*e^3 - 15360*a^ \\
& 10*b^5*c^4*d*e^7 - 49152*a^{11}*b*c^7*d^3*e^5 + 24576*a^{11}*b^3*c^5*d*e^7))^(\\
& 1/2)*(1048576*a^{15}*c^8*e^{17} + 256*a^9*b^{12}*c^2*e^{17} - 6144*a^{10}*b^{10}*c^3*e^ \\
& 17 + 61440*a^{11}*b^8*c^4*e^{17} - 327680*a^{12}*b^6*c^5*e^{17} + 983040*a^{13}*b^4*c \\
& ^6*e^{17} - 1572864*a^{14}*b^2*c^7*e^{17} - 1048576*a^8*c^{15}*d^{14}*e^3 - 5242880*a \\
& ^9*c^{14}*d^{12}*e^5 - 9437184*a^{10}*c^{13}*d^{10}*e^7 - 5242880*a^{11}*c^{12}*d^8*e^9 + \\
& 5242880*a^{12}*c^{11}*d^6*e^{11} + 9437184*a^{13}*c^{10}*d^4*e^{13} + 5242880*a^{14}*c^9 \\
& *d^2*e^{15} + 256*a^2*b^{11}*c^{10}*d^{15}*e^2 - 2048*a^2*b^{12}*c^9*d^{14}*e^3 + 7168* \\
& a^2*b^{13}*c^8*d^{13}*e^4 - 14336*a^2*b^{14}*c^7*d^{12}*e^5 + 17920*a^2*b^{15}*c^6*d^ \\
& 11*e^6 - 14336*a^2*b^{16}*c^5*d^{10}*e^7 + 7168*a^2*b^{17}*c^4*d^9*e^8 - 2048*a^2 \\
& *b^{18}*c^3*d^8*e^9 + 256*a^2*b^{19}*c^2*d^7*e^{10} - 5120*a^3*b^9*c^{11}*d^{15}*e^2 \\
& + 41984*a^3*b^{10}*c^{10}*d^{14}*e^3 - 148736*a^3*b^{11}*c^9*d^{13}*e^4 + 296192*a^3* \\
& b^{12}*c^8*d^{12}*e^5 - 359680*a^3*b^{13}*c^7*d^{11}*e^6 + 267520*a^3*b^{14}*c^6*d^{10}
\end{aligned}$$

$$\begin{aligned}
& *e^7 - 112384*a^3*b^15*c^5*d^9*e^8 + 18176*a^3*b^16*c^4*d^8*e^9 + 3328*a^3* \\
& b^17*c^3*d^7*e^10 - 1280*a^3*b^18*c^2*d^6*e^11 + 40960*a^4*b^7*c^12*d^15*e^ \\
& 2 - 348160*a^4*b^8*c^11*d^14*e^3 + 1254400*a^4*b^9*c^10*d^13*e^4 - 2478080* \\
& a^4*b^10*c^9*d^12*e^5 + 2867456*a^4*b^11*c^8*d^11*e^6 - 1862144*a^4*b^12*c^ \\
& 7*d^10*e^7 + 490240*a^4*b^13*c^6*d^9*e^8 + 128000*a^4*b^14*c^5*d^8*e^9 - 10 \\
& 8800*a^4*b^15*c^4*d^7*e^10 + 13824*a^4*b^16*c^3*d^6*e^11 + 2304*a^4*b^17*c^ \\
& 2*d^5*e^12 - 163840*a^5*b^5*c^13*d^15*e^2 + 1474560*a^5*b^6*c^12*d^14*e^3 - \\
& 5447680*a^5*b^7*c^11*d^13*e^4 + 10588160*a^5*b^8*c^10*d^12*e^5 - 11166720* \\
& a^5*b^9*c^9*d^11*e^6 + 5159936*a^5*b^10*c^8*d^10*e^7 + 1073920*a^5*b^11*c^7 \\
& *d^9*e^8 - 2279680*a^5*b^12*c^6*d^8*e^9 + 770560*a^5*b^13*c^5*d^7*e^10 + 33 \\
& 280*a^5*b^14*c^4*d^6*e^11 - 41216*a^5*b^15*c^3*d^5*e^12 - 1280*a^5*b^16*c^2 \\
& *d^4*e^13 + 327680*a^6*b^3*c^14*d^15*e^2 - 3276800*a^6*b^4*c^13*d^14*e^3 + \\
& 12615680*a^6*b^5*c^12*d^13*e^4 - 23592960*a^6*b^6*c^11*d^12*e^5 + 19701760* \\
& a^6*b^7*c^10*d^11*e^6 + 1372160*a^6*b^8*c^9*d^10*e^7 - 15846400*a^6*b^9*c^8 \\
& *d^9*e^8 + 10864640*a^6*b^10*c^7*d^8*e^9 - 1352960*a^6*b^11*c^6*d^7*e^10 - \\
& 1111040*a^6*b^12*c^5*d^6*e^11 + 273920*a^6*b^13*c^4*d^5*e^12 + 25600*a^6*b^ \\
& 14*c^3*d^4*e^13 - 1280*a^6*b^15*c^2*d^3*e^14 + 3407872*a^7*b^2*c^14*d^14*e^ \\
& 3 - 14221312*a^7*b^3*c^13*d^13*e^4 + 23527424*a^7*b^4*c^12*d^12*e^5 - 37683 \\
& 20*a^7*b^5*c^11*d^11*e^6 - 38895616*a^7*b^6*c^10*d^10*e^7 + 50126848*a^7*b^ \\
& 7*c^9*d^9*e^8 - 18362368*a^7*b^8*c^8*d^8*e^9 - 6831104*a^7*b^9*c^7*d^7*e^10 \\
& + 6200320*a^7*b^10*c^6*d^6*e^11 - 726784*a^7*b^11*c^5*d^5*e^12 - 228608*a^ \\
& 7*b^12*c^4*d^4*e^13 + 31488*a^7*b^13*c^3*d^3*e^14 + 2304*a^7*b^14*c^2*d^2*e \\
& ^15 - 3145728*a^8*b^2*c^13*d^12*e^5 - 31129600*a^8*b^3*c^12*d^11*e^6 + 7471 \\
& 1040*a^8*b^4*c^11*d^10*e^7 - 55476224*a^8*b^5*c^10*d^9*e^8 - 11075584*a^8*b \\
& ^6*c^9*d^8*e^9 + 35381248*a^8*b^7*c^8*d^7*e^10 - 14479360*a^8*b^8*c^7*d^6*e \\
& ^11 - 168960*a^8*b^9*c^6*d^5*e^12 + 1286144*a^8*b^10*c^5*d^4*e^13 - 302336* \\
& a^8*b^11*c^4*d^3*e^14 - 55808*a^8*b^12*c^3*d^2*e^15 - 36962304*a^9*b^2*c^12 \\
& *d^10*e^7 - 9502720*a^9*b^3*c^11*d^9*e^8 + 67174400*a^9*b^4*c^10*d^8*e^9 - \\
& 54886400*a^9*b^5*c^9*d^7*e^10 + 11239424*a^9*b^6*c^8*d^6*e^11 + 5545984*a^9 \\
& *b^7*c^7*d^5*e^12 - 5263360*a^9*b^8*c^6*d^4*e^13 + 1356800*a^9*b^9*c^5*d^3* \\
& e^14 + 558080*a^9*b^10*c^4*d^2*e^15 - 49807360*a^10*b^2*c^11*d^8*e^9 + 1933 \\
& 3120*a^10*b^3*c^10*d^7*e^10 + 7208960*a^10*b^4*c^9*d^6*e^11 - 14974976*a^10 \\
& *b^5*c^8*d^5*e^12 + 15073280*a^10*b^6*c^7*d^4*e^13 - 2170880*a^10*b^7*c^6*d \\
& ^3*e^14 - 2928640*a^10*b^8*c^5*d^2*e^15 - 11796480*a^11*b^2*c^10*d^6*e^11 + \\
& 23920640*a^11*b^3*c^9*d^5*e^12 - 24576000*a^11*b^4*c^8*d^4*e^13 - 4096000* \\
& a^11*b^5*c^7*d^3*e^14 + 8355840*a^11*b^6*c^6*d^2*e^15 + 12582912*a^12*b^2*c \\
& ^9*d^4*e^13 + 19857408*a^12*b^3*c^8*d^3*e^14 - 11534336*a^12*b^4*c^7*d^2*e^ \\
& 15 + 3407872*a^13*b^2*c^8*d^2*e^15 - 5505024*a^14*b*c^8*d*e^16 - 262144*a^7 \\
& *b*c^15*d^15*e^2 + 5505024*a^8*b*c^14*d^13*e^4 - 1280*a^8*b^13*c^2*d*e^16 + \\
& 25952256*a^9*b*c^13*d^11*e^6 + 30976*a^9*b^11*c^3*d*e^16 + 38010880*a^10*b \\
& *c^12*d^9*e^8 - 312320*a^10*b^9*c^4*d*e^16 + 11796480*a^11*b*c^11*d^7*e^10 \\
& + 1679360*a^11*b^7*c^5*d*e^16 - 21233664*a^12*b*c^10*d^5*e^12 - 5079040*a^1 \\
& 2*b^5*c^6*d*e^16 - 20709376*a^13*b*c^9*d^3*e^14 + 8192000*a^13*b^3*c^7*d*e^ \\
& 16)) / (8*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^10*c^4*e^8 - 16*a^7*b^6*c*e^ \\
& 8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6
\end{aligned}$$

$$\begin{aligned}
& d^8 - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2 \\
& * b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 \\
& e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 \\
& - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 \\
& - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 \\
& e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 \\
& + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 \\
& - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 \\
& + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512 \\
& * a^8b^2c^4d^2e^6 - 1024a^6b^6c^7d^7e + 64a^6b^7c^4d^7e - 1024a^9 \\
& * b^8c^4d^7e - 4a^2b^9c^3d^7e - 4a^2b^{11}c^4d^5e^3 + 64a^3b^7c^4d^7e \\
& - 4a^3b^{10}c^4d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 \\
& + 1024a^5b^3c^6d^7e - 92a^5b^8c^4d^2e^6 - 3072a^7b^6c^6d^5e^3 - \\
& 384a^7b^5c^2d^7e - 3072a^8b^6c^5d^3e^5 + 1024a^8b^3c^3d^7e)) \\
& * ((27ab^9c^5d^6 - b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5 \\
& * b^9c^5d^6 - 9a^5c^5d^6(-4ac - b^2)^9)^{(1/2)} + 213a^3b^{11}c^6e^6 - \\
& 26880a^8b^6c^6e^6 + 3072a^6c^9d^5e + 35840a^8c^7d^5e^5 + 4b^{12}c^3 \\
& * d^5e + 4b^{14}c^3d^3e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 - 38 \\
& 40a^4b^3c^8d^6 + 9a^2b^4e^6(-4ac - b^2)^9)^{(1/2)} - 2077a^4b^9c^2e^6 \\
& + 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 + 25a^4c^2e^6(-4ac - b^2)^9)^{(1/2)} \\
& + b^2c^4d^6(-4ac - b^2)^9)^{(1/2)} + 22528a^7c^8d^3e^3 + b^6d^2e^4(-4ac - b^2)^9)^{(1/2)} - \\
& 6b^{13}c^2d^4e^2 + 6a^2b^{14}d^5e - 1471a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3d^3e^3 \\
& + 180a^2b^{11}c^2d^2e^4 + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8c^4d^3e^3 \\
& - 2871a^3b^9c^3d^2e^4 - 15456a^4b^5c^6d^4e^2 - 7168a^4b^6c^5d^3e^3 \\
& + 16896a^4b^7c^4d^2e^4 + 10240a^5b^3c^7d^4e^2 + 37632a^5b^4c^6d^3e^3 \\
& - 47712a^5b^5c^5d^2e^4 - 59392a^6b^2c^7d^3e^3 + 60928a^6b^3c^6d^2e^4 \\
& - 41a^2c^4d^4e^2(-4ac - b^2)^9)^{(1/2)} - 39a^3c^3d^2e^4(-4ac - b^2)^9)^{(1/2)} \\
& + 6b^4c^2d^4e^2(-4ac - b^2)^9)^{(1/2)} - 6a^2b^5d^5e^5(-4ac - b^2)^9)^{(1/2)} \\
& - 106a^2b^{10}c^4d^5e + 7a^2b^{13}c^2d^2e^4 - 128a^2b^{12}c^4d^5e - 51a^3b^2c^6e^6 \\
& (-4ac - b^2)^9)^{(1/2)} + 150a^2b^{11}c^3d^4e^2 - 84a^2b^{12}c^2d^3e^3 \\
& + 1116a^2b^8c^5d^5e - 5824a^3b^6c^6d^5e + 1030a^3b^{10}c^2d^5e^5 \\
& + 15232a^4b^4c^7d^5e - 3492a^4b^8c^3d^5e - 16896a^5b^2c^8d^5e \\
& + 1344a^5b^6c^4d^5e + 7424a^6b^6c^8d^4e^2 + 22400a^6b^4c^5d^5e^5 \\
& - 23296a^7b^6c^7d^2e^4 - 53760a^7b^2c^6d^5e^5 - 4b^3c^3d^5e^5(-4ac - b^2)^9)^{(1/2)} \\
& - 4b^5c^3d^3e^3(-4ac - b^2)^9)^{(1/2)} + 11a^2b^4c^4d^2e^4(-4ac - b^2)^9)^{(1/2)} \\
& + 20a^2b^3c^4d^5e^5(-4ac - b^2)^9)^{(1/2)} + 86a^3b^3c^2d^5e^5(-4ac - b^2)^9)^{(1/2)} \\
& - 42a^2b^2c^3d^4e^2(-4ac - b^2)^9)^{(1/2)} + 12a^2b^3c^2d^3e^3(-4ac - b^2)^9)^{(1/2)} \\
& + 120a^2b^6c^3d^3e^3(-4ac - b^2)^9)^{(1/2)} + 34a^2b^6c^4d^5e^5(-4ac - b^2)^9)^{(1/2)} \\
& - 108a^2b^2c^2d^2e^4(-4ac - b^2)^9)^{(1/2))} / (32(a^7b^{12}e^8 + 4096a^9c^{10}d^8 + 4096a^{13}c^6e^8 \\
& - 24a^8b^{10}c^8e^8 - 4a^6b^{13}d^8e^7 + a^3b^{12}c^4d^8 - 24a^4b^{10}c^5d^8 + 240a^5b^8c^6d^8 \\
& - 1280a^6b^6c^7d^8 + 3840a^7b^4c^8d^8 - 6144a^8b^
\end{aligned}$$

$$\begin{aligned}
& 2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280*a^10*b^6*c^3*e^8 + 3840*a^11*b^4*c^4 \\
& *e^8 - 6144*a^12*b^2*c^5*e^8 + a^3*b^16*d^4*e^4 - 4*a^4*b^15*d^3*e^5 + 6*a^ \\
& 5*b^14*d^2*e^6 + 16384*a^10*c^9*d^6*e^2 + 24576*a^11*c^8*d^4*e^4 + 16384*a^ \\
& 12*c^7*d^2*e^6 + 6*a^3*b^14*c^2*d^6*e^2 - 140*a^4*b^12*c^3*d^6*e^2 + 84*a^4 \\
& *b^13*c^2*d^5*e^3 + 1344*a^5*b^10*c^4*d^6*e^2 - 672*a^5*b^11*c^3*d^5*e^3 - \\
& 42*a^5*b^12*c^2*d^4*e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 2240*a^6*b^9*c^4*d^5*e \\
& ^3 + 1456*a^6*b^10*c^3*d^4*e^4 - 672*a^6*b^11*c^2*d^3*e^5 + 17920*a^7*b^6*c \\
& ^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 + 2240*a^7*b^9*c^3*d^3*e^5 + 1344*a^ \\
& 7*b^10*c^2*d^2*e^6 - 21504*a^8*b^4*c^7*d^6*e^2 - 21504*a^8*b^5*c^6*d^5*e^3 \\
& + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8*b^8*c^3*d^2*e^6 + 57344*a^9*b^3*c^7* \\
& d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 21504*a^9*b^5*c^5*d^3*e^5 + 17920*a^9 \\
& *b^6*c^4*d^2*e^6 + 12288*a^10*b^2*c^7*d^4*e^4 + 57344*a^10*b^3*c^6*d^3*e^5 \\
& - 21504*a^10*b^4*c^5*d^2*e^6 + 96*a^7*b^11*c*d*e^7 - 16384*a^9*b*c^9*d^7*e \\
& - 16384*a^12*b*c^6*d*e^7 - 4*a^3*b^13*c^3*d^7*e - 4*a^3*b^15*c*d^5*e^3 + 96 \\
& *a^4*b^11*c^4*d^7*e - 12*a^4*b^14*c*d^4*e^4 - 960*a^5*b^9*c^5*d^7*e + 84*a^ \\
& 5*b^13*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^12*c*d^2*e^6 - 15360* \\
& a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 + 5120* \\
& a^9*b^7*c^3*d*e^7 - 49152*a^10*b*c^8*d^5*e^3 - 15360*a^10*b^5*c^4*d*e^7 - 4 \\
& 9152*a^11*b*c^7*d^3*e^5 + 24576*a^11*b^3*c^5*d*e^7))^(1/2) - (x*(626688*a^ \\
& 10*b*c^8*e^15 - 784384*a^10*c^9*d*e^14 + 208*a^4*b^13*c^2*e^15 - 4880*a^5*b \\
& ^11*c^3*e^15 + 47312*a^6*b^9*c^4*e^15 - 242176*a^7*b^7*c^5*e^15 + 688640*a^ \\
& 8*b^5*c^6*e^15 - 1028096*a^9*b^3*c^7*e^15 + 18432*a^4*c^15*d^13*e^2 + 12697 \\
& 6*a^5*c^14*d^11*e^4 + 325632*a^6*c^13*d^9*e^6 + 139264*a^7*c^12*d^7*e^8 - 1 \\
& 067008*a^8*c^11*d^5*e^10 - 1773568*a^9*c^10*d^3*e^12 + 16*b^8*c^11*d^13*e^2 \\
& - 96*b^9*c^10*d^12*e^3 + 240*b^10*c^9*d^11*e^4 - 304*b^11*c^8*d^10*e^5 + 1 \\
& 44*b^12*c^7*d^9*e^6 + 144*b^13*c^6*d^8*e^7 - 304*b^14*c^5*d^7*e^8 + 240*b^1 \\
& 5*c^4*d^6*e^9 - 96*b^16*c^3*d^5*e^10 + 16*b^17*c^2*d^4*e^11 + 3200*a^2*b^4* \\
& c^13*d^13*e^2 - 18432*a^2*b^5*c^12*d^12*e^3 + 41024*a^2*b^6*c^11*d^11*e^4 - \\
& 36352*a^2*b^7*c^10*d^10*e^5 - 16208*a^2*b^8*c^9*d^9*e^6 + 74576*a^2*b^9*c^ \\
& 8*d^8*e^7 - 78496*a^2*b^10*c^7*d^7*e^8 + 32064*a^2*b^11*c^6*d^6*e^9 + 6000* \\
& a^2*b^12*c^5*d^5*e^10 - 9264*a^2*b^13*c^4*d^4*e^11 + 1472*a^2*b^14*c^3*d^3* \\
& e^12 + 416*a^2*b^15*c^2*d^2*e^13 - 12800*a^3*b^2*c^14*d^13*e^2 + 73728*a^3* \\
& b^3*c^13*d^12*e^3 - 151296*a^3*b^4*c^12*d^11*e^4 + 78336*a^3*b^5*c^11*d^10* \\
& e^5 + 206688*a^3*b^6*c^10*d^9*e^6 - 436736*a^3*b^7*c^9*d^8*e^7 + 324224*a^3 \\
& *b^8*c^8*d^7*e^8 + 992*a^3*b^9*c^7*d^6*e^9 - 158176*a^3*b^10*c^6*d^5*e^10 + \\
& 77056*a^3*b^11*c^5*d^4*e^11 + 6912*a^3*b^12*c^4*d^3*e^12 - 8416*a^3*b^13*c \\
& ^3*d^2*e^13 + 162816*a^4*b^2*c^13*d^11*e^4 + 184320*a^4*b^3*c^12*d^10*e^5 - \\
& 916608*a^4*b^4*c^11*d^9*e^6 + 1165824*a^4*b^5*c^10*d^8*e^7 - 314496*a^4*b^ \\
& 6*c^9*d^7*e^8 - 822272*a^4*b^7*c^8*d^6*e^9 + 919152*a^4*b^8*c^7*d^5*e^10 - \\
& 175296*a^4*b^9*c^6*d^4*e^11 - 189328*a^4*b^10*c^5*d^3*e^12 + 62064*a^4*b^11 \\
& *c^4*d^2*e^13 + 1290752*a^5*b^2*c^12*d^9*e^6 - 659456*a^5*b^3*c^11*d^8*e^7 \\
& - 1561088*a^5*b^4*c^10*d^7*e^8 + 3240960*a^5*b^5*c^9*d^6*e^9 - 1964192*a^5* \\
& b^6*c^8*d^5*e^10 - 683008*a^5*b^7*c^7*d^4*e^11 + 1162304*a^5*b^8*c^6*d^3*e^ \\
& 12 - 164112*a^5*b^9*c^5*d^2*e^13 + 3442688*a^6*b^2*c^11*d^7*e^8 - 3670016*a \\
& ^6*b^3*c^10*d^6*e^9 + 15232*a^6*b^4*c^9*d^5*e^10 + 4230144*a^6*b^5*c^8*d^4*
\end{aligned}$$

$$\begin{aligned}
& e^{11} - 3059648a^6b^6c^7d^3e^{12} - 247296a^6b^7c^6d^2e^{13} + 4010496 \\
& a^7b^2c^{10}d^5e^{10} - 6873088a^7b^3c^9d^4e^{11} + 2822400a^7b^4c^8 \\
& d^3e^{12} + 2370048a^7b^5c^7d^2e^{13} + 1178624a^8b^2c^9d^3e^{12} - 4 \\
& 739072a^8b^3c^8d^2e^{13} - 352a^8b^6c^{12}d^{13}e^2 + 2048a^8b^7c^{11}d^1 \\
& 2e^3 - 4800a^8b^8c^{10}d^{11}e^4 + 5168a^8b^9c^9d^{10}e^5 - 480a^8b^{10}c^8 \\
& d^9e^6 - 6000a^8b^{11}c^7d^8e^7 + 8192a^8b^{12}c^6d^7e^8 - 5040a^8b^{13} \\
& c^5d^6e^9 + 1152a^8b^{14}c^4d^5e^{10} + 240a^8b^{15}c^3d^4e^{11} - 128a^8b^{16} \\
& c^2d^3e^{12} - 512a^9b^{14}c^2d^2e^{14} - 106496a^9b^4c^{14}d^{12}e^3 + 11 \\
& 680a^9b^{12}c^3d^2e^{14} - 675840a^9b^5c^{13}d^{10}e^5 - 108288a^9b^{10}c^4 \\
& d^2e^{14} - 1601536a^9b^6c^{12}d^8e^7 + 514768a^9b^8c^5d^2e^{14} - 925696a^9 \\
& 7b^6c^{11}d^6e^9 - 1278304a^9b^6c^6d^2e^{14} + 2457600a^9b^6c^{10}d^4e^{11} \\
& + 1385600a^9b^4c^7d^2e^{14} + 2977792a^9b^6c^9d^2e^{13} + 19968a^9b^2c^8 \\
& d^2e^{14}) / ((8(a^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6 \\
& c^6e^8 - 4a^5b^9d^2e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6 \\
& d^8 - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 \\
& - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 \\
& + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 \\
& + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5 \\
& d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 \\
& + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3 \\
& d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3 \\
& d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^6c^7d^7e + 64a^6b^7c^6d^7e - 1024a^9b^6c^4 \\
& d^2e^7 - 4a^2b^9c^3d^7e - 4a^2b^{11}c^4d^5e^3 + 64a^3b^7c^4d^7e - 4a^3b^{10}c^4d^4e^4 \\
& - 384a^4b^5c^5d^7e + 52a^4b^9c^4d^3e^5 + 1024a^5b^3c^6d^7e - 92a^5b^8c^4d^2e^6 \\
& - 3072a^7b^6c^6d^5e^3 - 384a^7b^5c^2d^2e^7 - 3072a^8b^6c^5d^3e^5 + 1024a^8b^3c^3 \\
& d^2e^7)) * ((27a^8b^9c^5d^6 - b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^6c^9d^6 \\
& - 9a^5c^5d^6 * (-4a^2c - b^2)^9)^{(1/2)} + 213a^3b^{11}c^5e^6 - 26880a^8b^6c^6e^6 \\
& + 3072a^6c^9d^5e + 35840a^8c^7d^5e^5 + 4b^{12}c^3d^5e + 4b^{14}c^3d^3e^3 - 288a^2b^7c^6d^6 \\
& + 1504a^3b^5c^7d^6 - 3840a^4b^3c^8d^6 + 9a^2b^4e^6 * (-4a^2c - b^2)^9)^{(1/2)} - 2077a^4b^9c^2e^6 \\
& + 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 + 25a^4c^2e^6 * (-4a^2c - b^2)^9)^{(1/2)} \\
& + b^2c^4d^6 * (-4a^2c - b^2)^9)^{(1/2)} + 22528a^7c^8d^3e^3 + b^6d^2e^4 * (-4a^2c - b^2)^9)^{(1/2)} \\
& - 6b^{13}c^2d^4e^2 + 6a^8b^{14}d^5e^5 - 1471a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3d^3e^3 + 180a^2b^{11}c^2d^2e^4 \\
& + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8c^4d^3e^3 - 2871a^3b^9c^3d^2e^4 - 15456a^4b^5c^6d^4e^2 \\
& - 7168a^4b^6c^5d^3e^3 + 16896a^4b^7c^4d^2e^4 + 10240a^5b^3c^7d^4e^2 + 37632a^5b^4c^6d^3e^3 \\
& - 47712a^5b^5c^5d^2e^4 - 59392a^6b^2c^7d^3e^3 + 60928a^6b^3c^6d^2e^4 - 41a^2c^4d^4e^2 * (-4a^2c - b^2)^9)^{(1/2)} \\
& - 39a^3c^3d^2e^4 * (-4a^2c - b^2)^9)^{(1/2)} + 6b^4c^2d^4e^2 * (-4a^2c - b^2)^9)^{(1/2)} - 6a^8b^5d^5e^5 * (-4a^2c - b^2)^9)^{(1/2)} \\
& - 106a^8b^{10}c^4d^5e + 7a^8b^{13}c^4d^2e^4 - 128a^2b^{12}c^4d^2e^5
\end{aligned}$$

$$\begin{aligned}
& - 51*a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + 150*a*b^{11}*c^3*d^4*e^2 - 84*a \\
& *b^{12}*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e - 5824*a^3*b^6*c^6*d^5*e + 1030* \\
& a^3*b^{10}*c^2*d*e^5 + 15232*a^4*b^4*c^7*d^5*e - 3492*a^4*b^8*c^3*d*e^5 - 168 \\
& 96*a^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^4*d*e^5 + 7424*a^6*b*c^8*d^4*e^2 + 22 \\
& 400*a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^7*d^2*e^4 - 53760*a^7*b^2*c^6*d*e^5 - \\
& 4*b^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} - 4*b^5*c*d^3*e^3*(-(4*a*c - b^2) \\
& ^9)^{(1/2)} + 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} + 20*a^2*b^3*c*d*e^ \\
& 5*(-(4*a*c - b^2)^9)^{(1/2)} + 86*a^3*b*c^2*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 42*a*b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 12*a*b^3*c^2*d^3*e^3*(-(4*a \\
& *c - b^2)^9)^{(1/2)} + 120*a^2*b*c^3*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} + 34*a* \\
& b*c^4*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} - 108*a^2*b^2*c^2*d^2*e^4*(-(4*a*c - b \\
& ^2)^9)^{(1/2))/(32*(a^7*b^{12}*e^8 + 4096*a^9*c^{10}*d^8 + 4096*a^{13}*c^6*e^8 - 2 \\
& 4*a^8*b^{10}*c*e^8 - 4*a^6*b^{13}*d*e^7 + a^3*b^{12}*c^4*d^8 - 24*a^4*b^{10}*c^5*d^ \\
& 8 + 240*a^5*b^8*c^6*d^8 - 1280*a^6*b^6*c^7*d^8 + 3840*a^7*b^4*c^8*d^8 - 614 \\
& 4*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280*a^{10}*b^6*c^3*e^8 + 3840*a^{11} \\
& *b^4*c^4*e^8 - 6144*a^{12}*b^2*c^5*e^8 + a^3*b^{16}*d^4*e^4 - 4*a^4*b^{15}*d^3*e^ \\
& 5 + 6*a^5*b^{14}*d^2*e^6 + 16384*a^{10}*c^9*d^6*e^2 + 24576*a^{11}*c^8*d^4*e^4 + \\
& 16384*a^{12}*c^7*d^2*e^6 + 6*a^3*b^{14}*c^2*d^6*e^2 - 140*a^4*b^{12}*c^3*d^6*e^2 \\
& + 84*a^4*b^{13}*c^2*d^5*e^3 + 1344*a^5*b^{10}*c^4*d^6*e^2 - 672*a^5*b^{11}*c^3*d^ \\
& 5*e^3 - 42*a^5*b^{12}*c^2*d^4*e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 2240*a^6*b^9*c \\
& ^4*d^5*e^3 + 1456*a^6*b^{10}*c^3*d^4*e^4 - 672*a^6*b^{11}*c^2*d^3*e^5 + 17920*a \\
& ^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 + 2240*a^7*b^9*c^3*d^3*e^5 + \\
& 1344*a^7*b^{10}*c^2*d^2*e^6 - 21504*a^8*b^4*c^7*d^6*e^2 - 21504*a^8*b^5*c^6* \\
& d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8*b^8*c^3*d^2*e^6 + 57344*a^9* \\
& b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 21504*a^9*b^5*c^5*d^3*e^5 + 1 \\
& 7920*a^9*b^6*c^4*d^2*e^6 + 12288*a^{10}*b^2*c^7*d^4*e^4 + 57344*a^{10}*b^3*c^6* \\
& d^3*e^5 - 21504*a^{10}*b^4*c^5*d^2*e^6 + 96*a^7*b^{11}*c*d*e^7 - 16384*a^9*b*c^ \\
& 9*d^7*e - 16384*a^{12}*b*c^6*d*e^7 - 4*a^3*b^{13}*c^3*d^7*e - 4*a^3*b^{15}*c*d^5* \\
& e^3 + 96*a^4*b^{11}*c^4*d^7*e - 12*a^4*b^{14}*c*d^4*e^4 - 960*a^5*b^9*c^5*d^7*e \\
& + 84*a^5*b^{13}*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^{12}*c*d^2*e^6 \\
& - 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 \\
& + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^{10}*b*c^8*d^5*e^3 - 15360*a^{10}*b^5*c^4*d \\
& *e^7 - 49152*a^{11}*b*c^7*d^3*e^5 + 24576*a^{11}*b^3*c^5*d*e^7))^{(1/2)} - (3269 \\
& 12*a^8*c^9*d*e^{13} - 241664*a^8*b*c^8*e^{14} - 48*a^2*b^{13}*c^2*e^{14} + 1264*a^3 \\
& *b^{11}*c^3*e^{14} - 13552*a^4*b^9*c^4*e^{14} + 75776*a^5*b^7*c^5*e^{14} - 232960*a \\
& ^6*b^5*c^6*e^{14} + 372736*a^7*b^3*c^7*e^{14} + 11520*a^3*c^{14}*d^{11}*e^3 + 78080 \\
& *a^4*c^{13}*d^9*e^5 + 197120*a^5*c^{12}*d^7*e^7 + 336384*a^6*c^{11}*d^5*e^9 + 532 \\
& 736*a^7*c^{10}*d^3*e^{11} - 40*b^5*c^{12}*d^{12}*e^2 + 216*b^6*c^{11}*d^{11}*e^3 - 464* \\
& b^7*c^{10}*d^{10}*e^4 + 496*b^8*c^9*d^9*e^5 - 264*b^9*c^8*d^8*e^6 + 56*b^{10}*c^7 \\
& *d^7*e^7 - 16*b^{11}*c^6*d^6*e^8 + 64*b^{12}*c^5*d^5*e^9 - 96*b^{13}*c^4*d^4*e^{10} \\
& + 64*b^{14}*c^3*d^3*e^{11} - 16*b^{15}*c^2*d^2*e^{12} + 1536*a^2*b^2*c^{13}*d^{11}*e^3 \\
& + 14400*a^2*b^3*c^{12}*d^{10}*e^4 - 47152*a^2*b^4*c^{11}*d^9*e^5 + 52144*a^2*b^5 \\
& *c^{10}*d^8*e^6 - 16272*a^2*b^6*c^9*d^7*e^7 - 13040*a^2*b^7*c^8*d^6*e^8 + 234 \\
& 88*a^2*b^8*c^7*d^5*e^9 - 26384*a^2*b^9*c^6*d^4*e^{10} + 13824*a^2*b^{10}*c^5*d^ \\
& 3*e^{11} + 256*a^2*b^{11}*c^4*d^2*e^{12} + 125056*a^3*b^2*c^{12}*d^9*e^5 - 36224*a^
\end{aligned}$$

$$\begin{aligned}
& 3*b^3*c^{11}*d^8*e^6 - 126432*a^3*b^4*c^{10}*d^7*e^7 + 144848*a^3*b^5*c^9*d^6*e^8 - 114752*a^3*b^6*c^8*d^5*e^9 + 125392*a^3*b^7*c^7*d^4*e^{10} - 53248*a^3*b^8*c^6*d^3*e^{11} - 25264*a^3*b^9*c^5*d^2*e^{12} + 474112*a^4*b^2*c^{11}*d^7*e^7 \\
& - 191104*a^4*b^3*c^{10}*d^6*e^8 + 97184*a^4*b^4*c^9*d^5*e^9 - 277000*a^4*b^5*c^8*d^4*e^{10} + 56056*a^4*b^6*c^7*d^3*e^{11} + 195584*a^4*b^7*c^6*d^2*e^{12} + 236800*a^5*b^2*c^{10}*d^5*e^9 + 388032*a^5*b^3*c^9*d^4*e^{10} + 159632*a^5*b^4*c^8*d^3*e^{11} - 670488*a^5*b^5*c^7*d^2*e^{12} - 488960*a^6*b^2*c^9*d^3*e^{11} + 1106496*a^6*b^3*c^8*d^2*e^{12} + 64*a*b^{14}*c^2*d*e^{13} + 448*a*b^3*c^{13}*d^{12}*e^2 \\
& - 1968*a*b^4*c^{12}*d^{11}*e^3 + 2504*a*b^5*c^{11}*d^{10}*e^4 + 768*a*b^6*c^{10}*d^9*e^5 - 4368*a*b^7*c^9*d^8*e^6 + 3568*a*b^8*c^8*d^7*e^7 - 520*a*b^9*c^7*d^6*e^8 - 1728*a*b^{10}*c^6*d^5*e^9 + 2528*a*b^{11}*c^5*d^4*e^{10} - 1536*a*b^{12}*c^4*d^3*e^{11} + 240*a*b^{13}*c^3*d^2*e^{12} - 1152*a^2*b*c^{14}*d^{12}*e^2 - 1600*a^2*b^{12}*c^3*d*e^{13} - 67968*a^3*b*c^{13}*d^{10}*e^4 + 15808*a^3*b^{10}*c^4*d*e^{13} - 342272*a^4*b*c^{12}*d^8*e^6 - 76928*a^4*b^8*c^5*d*e^{13} - 569088*a^5*b*c^{11}*d^6*e^8 + 179200*a^5*b^6*c^6*d*e^{13} - 586368*a^6*b*c^{10}*d^4*e^{10} - 113008*a^6*b^4*c^7*d*e^{13} - 731008*a^7*b*c^9*d^2*e^{12} - 244096*a^7*b^2*c^8*d*e^{13})/(16*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^10*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)))*((27*a*b^9*c^5*d^6 - b^{11}*c^4*d^6 - b^{15}*d^2*e^4 - 9*a^2*b^{13}*e^6 + 3840*a^5*b*c^9*d^6 - 9*a*c^5*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 213*a^3*b^{11}*c*e^6 - 26880*a^8*b*c^6*e^6 + 3072*a^6*c^9*d^5*e + 35840*a^8*c^7*d*e^5 + 4*b^{12}*c^3*d^5*e + 4*b^{14}*c*d^3*e^3 - 288*a^2*b^7*c^6*d^6 + 1504*a^3*b^5*c^7*d^6 - 3840*a^4*b^3*c^8*d^6 + 9*a^2*b^4*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 2077*a^4*b^9*c^2*e^6 + 10656*a^5*b^7*c^3*e^6 - 30240*a^6*b^5*c^4*e^6 + 44800*a^7*b^3*c^5*e^6 + 25*a^4*c^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 22528*a^7*c^8*d^3*e^3 + b^6*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*b^{13}*c^2*d^4*e^2 + 6*a*b^{14}*d*e^5 - 1471*a^2*b^9*c^4*d^4*e^2 + 600*a^2*b^{10}*c^3*d^3*e^3 + 180*a^2*b^{11}*c^2*d^2*e^4 + 6976*a^3*b^7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4*d^3*e^3 - 2871*a^3*b^9*c^3*d^2*e^4 - 15456*a^4*b^5*c^6*d^4*e^2 - 7168*a^4*b^6*c^5*d^3*e^3 + 16896*a^4*b^7*c^4*d^2*e^4 + 10240*a^5*b^3*c^7*d^4*e^2 + 37632*a^5*b^4*c^6*d^3*e^3 - 47712*a^5*b^5*c^5*d^2*e^4 - 59392*a^6*b^2*c
\end{aligned}$$

$$\begin{aligned}
& ^7d^3e^3 + 60928a^6b^3c^6d^2e^4 - 41a^2c^4d^4e^2(-4ac - b^2)^9)^{(1/2)} - 39a^3c^3d^2e^4(-4ac - b^2)^9)^{(1/2)} + 6b^4c^2d^4e^2 \\
& *(-4ac - b^2)^9)^{(1/2)} - 6a*b^5*d*e^5*(-4ac - b^2)^9)^{(1/2)} - 106a*b^{10}*c^4*d^5*e + 7a*b^{13}*c*d^2*e^4 - 128a^2*b^{12}*c*d*e^5 - 51a^3*b^2*c*e \\
& ^6*(-4ac - b^2)^9)^{(1/2)} + 150a*b^{11}*c^3*d^4*e^2 - 84a*b^{12}*c^2*d^3*e^3 + 1116a^2*b^8*c^5*d^5*e - 5824a^3*b^6*c^6*d^5*e + 1030a^3*b^{10}*c^2*d*e \\
& ^5 + 15232a^4*b^4*c^7*d^5*e - 3492a^4*b^8*c^3*d*e^5 - 16896a^5*b^2*c^8*d^5*e + 1344a^5*b^6*c^4*d*e^5 + 7424a^6*b*c^8*d^4*e^2 + 22400a^6*b^4*c^5* \\
& d*e^5 - 23296a^7*b*c^7*d^2*e^4 - 53760a^7*b^2*c^6*d*e^5 - 4b^3*c^3*d^5*e *(-4ac - b^2)^9)^{(1/2)} - 4b^5*c*d^3*e^3*(-4ac - b^2)^9)^{(1/2)} + 11a \\
& *b^4*c*d^2*e^4*(-4ac - b^2)^9)^{(1/2)} + 20a^2*b^3*c*d*e^5*(-4ac - b^2)^9)^{(1/2)} + 86a^3*b*c^2*d*e^5*(-4ac - b^2)^9)^{(1/2)} - 42a*b^2*c^3*d^4 \\
& *e^2*(-4ac - b^2)^9)^{(1/2)} + 12a*b^3*c^2*d^3*e^3*(-4ac - b^2)^9)^{(1/2)} + 120a^2*b*c^3*d^3*e^3*(-4ac - b^2)^9)^{(1/2)} + 34a*b*c^4*d^5*e*(-4 \\
& *ac - b^2)^9)^{(1/2)} - 108a^2*b^2*c^2*d^2*e^4*(-4ac - b^2)^9)^{(1/2))}/(3 \\
& 2*(a^7*b^{12}*e^8 + 4096a^9*c^{10}*d^8 + 4096a^{13}*c^6*e^8 - 24a^8*b^{10}*c*e^8 \\
& - 4a^6*b^{13}*d*e^7 + a^3*b^{12}*c^4*d^8 - 24a^4*b^{10}*c^5*d^8 + 240a^5*b^8* \\
& c^6*d^8 - 1280a^6*b^6*c^7*d^8 + 3840a^7*b^4*c^8*d^8 - 6144a^8*b^2*c^9*d^ \\
& 8 + 240a^9*b^8*c^2*e^8 - 1280a^{10}*b^6*c^3*e^8 + 3840a^{11}*b^4*c^4*e^8 - 6 \\
& 144a^{12}*b^2*c^5*e^8 + a^3*b^{16}*d^4*e^4 - 4a^4*b^{15}*d^3*e^5 + 6a^5*b^{14}*d \\
& ^2*e^6 + 16384a^{10}*c^9*d^6*e^2 + 24576a^{11}*c^8*d^4*e^4 + 16384a^{12}*c^7*d \\
& ^2*e^6 + 6a^3*b^{14}*c^2*d^6*e^2 - 140a^4*b^{12}*c^3*d^6*e^2 + 84a^4*b^{13}*c^ \\
& 2*d^5*e^3 + 1344a^5*b^{10}*c^4*d^6*e^2 - 672a^5*b^{11}*c^3*d^5*e^3 - 42a^5*b \\
& ^{12}*c^2*d^4*e^4 - 6720a^6*b^8*c^5*d^6*e^2 + 2240a^6*b^9*c^4*d^5*e^3 + 145 \\
& 6a^6*b^{10}*c^3*d^4*e^4 - 672a^6*b^{11}*c^2*d^3*e^5 + 17920a^7*b^6*c^6*d^6*e \\
& ^2 - 10080a^7*b^8*c^4*d^4*e^4 + 2240a^7*b^9*c^3*d^3*e^5 + 1344a^7*b^{10}*c \\
& ^2*d^2*e^6 - 21504a^8*b^4*c^7*d^6*e^2 - 21504a^8*b^5*c^6*d^5*e^3 + 32256* \\
& a^8*b^6*c^5*d^4*e^4 - 6720a^8*b^8*c^3*d^2*e^6 + 57344a^9*b^3*c^7*d^5*e^3 \\
& - 46592a^9*b^4*c^6*d^4*e^4 - 21504a^9*b^5*c^5*d^3*e^5 + 17920a^9*b^6*c^4 \\
& *d^2*e^6 + 12288a^{10}*b^2*c^7*d^4*e^4 + 57344a^{10}*b^3*c^6*d^3*e^5 - 21504* \\
& a^{10}*b^4*c^5*d^2*e^6 + 96a^7*b^{11}*c*d*e^7 - 16384a^9*b*c^9*d^7*e - 16384* \\
& a^{12}*b*c^6*d*e^7 - 4a^3*b^{13}*c^3*d^7*e - 4a^3*b^{15}*c*d^5*e^3 + 96a^4*b^1 \\
& 1*c^4*d^7*e - 12a^4*b^{14}*c*d^4*e^4 - 960a^5*b^9*c^5*d^7*e + 84a^5*b^{13}*c \\
& *d^3*e^5 + 5120a^6*b^7*c^6*d^7*e - 140a^6*b^{12}*c*d^2*e^6 - 15360a^7*b^5* \\
& c^7*d^7*e + 24576a^8*b^3*c^8*d^7*e - 960a^8*b^9*c^2*d*e^7 + 5120a^9*b^7* \\
& c^3*d*e^7 - 49152a^{10}*b*c^8*d^5*e^3 - 15360a^{10}*b^5*c^4*d*e^7 - 49152a^{1 \\
& 1}*b*c^7*d^3*e^5 + 24576a^{11}*b^3*c^5*d*e^7))^{(1/2)} - (x*(22800a^6*c^9*e^1 \\
& 3 + 36a^2*b^8*c^5*e^13 - 600a^3*b^6*c^6*e^13 + 4313a^4*b^4*c^7*e^13 - 15 \\
& 592a^5*b^2*c^8*e^13 + 1296a^2*c^{13}*d^8*e^5 + 9792a^3*c^{12}*d^6*e^7 + 3030 \\
& 4a^4*c^{11}*d^4*e^9 + 40512a^5*c^{10}*d^2*e^{11} + 25b^4*c^{11}*d^8*e^5 - 120b^ \\
& 5*c^{10}*d^7*e^6 + 214b^6*c^9*d^6*e^7 - 168b^7*c^8*d^5*e^8 + 53b^8*c^7*d^4 \\
& *e^9 - 8b^9*c^6*d^3*e^{10} + 4b^{10}*c^5*d^2*e^{11} + 6336a^2*b^2*c^{11}*d^6*e^7 \\
& + 3840a^2*b^3*c^{10}*d^5*e^8 - 8506a^2*b^4*c^9*d^4*e^9 + 1112a^2*b^5*c^8* \\
& d^3*e^{10} + 1254a^2*b^6*c^7*d^2*e^{11} + 22224a^3*b^2*c^{10}*d^4*e^9 + 13824a \\
& ^3*b^3*c^9*d^3*e^{10} - 9516a^3*b^4*c^8*d^2*e^{11} + 11712a^4*b^2*c^9*d^2*e^1
\end{aligned}$$

$$\begin{aligned}
& 1 - 24*a*b^9*c^5*d*e^{12} - 41088*a^5*b*c^9*d*e^{12} - 360*a*b^2*c^{12}*d^8*e^5 + \\
& 1664*a*b^3*c^{11}*d^7*e^6 - 2604*a*b^4*c^{10}*d^6*e^7 + 1272*a*b^5*c^9*d^5*e^8 \\
& + 332*a*b^6*c^8*d^4*e^9 - 232*a*b^7*c^7*d^3*e^{10} - 48*a*b^8*c^6*d^2*e^{11} - \\
& 5760*a^2*b*c^{12}*d^7*e^6 + 416*a^2*b^7*c^6*d*e^{12} - 32128*a^3*b*c^{11}*d^5*e^8 \\
& 8 - 4120*a^3*b^5*c^7*d*e^{12} - 63360*a^4*b*c^{10}*d^3*e^{10} + 21376*a^4*b^3*c^8 \\
& *d*e^{12}))/((8*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6 \\
& *c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^ \\
& 4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 \\
& + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7 \\
& *d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6 \\
& *e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^ \\
& 6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5 \\
& *d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7* \\
& c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6 \\
& *b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536 \\
& *a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 \\
& + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 102 \\
& 4*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7 \\
& *c^4*d^7*e - 4*a^3*b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^ \\
& 3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5* \\
& e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e \\
& ^7)))*((27*a*b^9*c^5*d^6 - b^{11}*c^4*d^6 - b^{15}*d^2*e^4 - 9*a^2*b^{13}*e^6 + 3 \\
& 840*a^5*b*c^9*d^6 - 9*a*c^5*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 213*a^3*b^{11}*c*e \\
& ^6 - 26880*a^8*b*c^6*e^6 + 3072*a^6*c^9*d^5*e + 35840*a^8*c^7*d*e^5 + 4*b^1 \\
& 2*c^3*d^5*e + 4*b^{14}*c*d^3*e^3 - 288*a^2*b^7*c^6*d^6 + 1504*a^3*b^5*c^7*d^6 \\
& - 3840*a^4*b^3*c^8*d^6 + 9*a^2*b^4*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 2077*a^4 \\
& *b^9*c^2*e^6 + 10656*a^5*b^7*c^3*e^6 - 30240*a^6*b^5*c^4*e^6 + 44800*a^7*b^ \\
& 3*c^5*e^6 + 25*a^4*c^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*c^4*d^6*(-(4*a*c \\
& - b^2)^9)^{(1/2)} + 22528*a^7*c^8*d^3*e^3 + b^6*d^2*e^4*(-(4*a*c - b^2)^9)^{(1 \\
& /2)} - 6*b^{13}*c^2*d^4*e^2 + 6*a*b^{14}*d*e^5 - 1471*a^2*b^9*c^4*d^4*e^2 + 600* \\
& a^2*b^{10}*c^3*d^3*e^3 + 180*a^2*b^{11}*c^2*d^2*e^4 + 6976*a^3*b^7*c^5*d^4*e^2 \\
& - 1032*a^3*b^8*c^4*d^3*e^3 - 2871*a^3*b^9*c^3*d^2*e^4 - 15456*a^4*b^5*c^6*d \\
& ^4*e^2 - 7168*a^4*b^6*c^5*d^3*e^3 + 16896*a^4*b^7*c^4*d^2*e^4 + 10240*a^5*b \\
& ^3*c^7*d^4*e^2 + 37632*a^5*b^4*c^6*d^3*e^3 - 47712*a^5*b^5*c^5*d^2*e^4 - 59 \\
& 392*a^6*b^2*c^7*d^3*e^3 + 60928*a^6*b^3*c^6*d^2*e^4 - 41*a^2*c^4*d^4*e^2*(- \\
& (4*a*c - b^2)^9)^{(1/2)} - 39*a^3*c^3*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} + 6*b^ \\
& 4*c^2*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a*b^5*d*e^5*(-(4*a*c - b^2)^9)^{(\\
& 1/2)} - 106*a*b^{10}*c^4*d^5*e + 7*a*b^{13}*c*d^2*e^4 - 128*a^2*b^{12}*c*d*e^5 - 5 \\
& 1*a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + 150*a*b^{11}*c^3*d^4*e^2 - 84*a*b^ \\
& 12*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e - 5824*a^3*b^6*c^6*d^5*e + 1030*a^3 \\
& *b^{10}*c^2*d*e^5 + 15232*a^4*b^4*c^7*d^5*e - 3492*a^4*b^8*c^3*d*e^5 - 16896* \\
& a^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^4*d*e^5 + 7424*a^6*b*c^8*d^4*e^2 + 22400 \\
& *a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^7*d^2*e^4 - 53760*a^7*b^2*c^6*d*e^5 - 4* \\
& b^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} - 4*b^5*c*d^3*e^3*(-(4*a*c - b^2)^9) \\
& ^{(1/2)} + 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} + 20*a^2*b^3*c*d*e^5*(
\end{aligned}$$

$$\begin{aligned}
& -(4ac - b^2)^9)^{(1/2)} + 86a^3bc^2d^5e^5(-4ac - b^2)^9)^{(1/2)} - 42a \\
& ab^2c^3d^4e^2(-4ac - b^2)^9)^{(1/2)} + 12a^2b^3c^2d^3e^3(-4ac - b^2)^9)^{(1/2)} + 120a^2b^3c^3d^3e^3(-4ac - b^2)^9)^{(1/2)} + 34a^2b^3c^4d^5e^4(-4ac - b^2)^9)^{(1/2)} - 108a^2b^2c^2d^2e^4(-4ac - b^2)^9)^{(1/2)} \\
&) / (32(a^7b^{12}e^8 + 4096a^9c^{10}d^8 + 4096a^{13}c^6e^8 - 24a^8b^{10}c^5e^8 - 4a^6b^{13}d^7e^7 + a^3b^{12}c^4d^8 - 24a^4b^{10}c^5d^8 + 240a^5b^8c^6d^8 - 1280a^6b^6c^7d^8 + 3840a^7b^4c^8d^8 - 6144a^8b^2c^9d^8 + 240a^9b^8c^2e^8 - 1280a^{10}b^6c^3e^8 + 3840a^{11}b^4c^4e^8 - 6144a^{12}b^2c^5e^8 + a^3b^{16}d^4e^4 - 4a^4b^{15}d^3e^5 + 6a^5b^{14}d^2e^6 + 16384a^{10}c^9d^6e^2 + 24576a^{11}c^8d^4e^4 + 16384a^{12}c^7d^2e^6 + 6a^3b^{14}c^2d^6e^2 - 140a^4b^{12}c^3d^6e^2 + 84a^4b^{13}c^2d^5e^3 + 1344a^5b^{10}c^4d^6e^2 - 672a^5b^{11}c^3d^5e^3 - 42a^5b^{12}c^2d^4e^4 - 6720a^6b^8c^5d^6e^2 + 2240a^6b^9c^4d^5e^3 + 1456a^6b^{10}c^3d^4e^4 - 672a^6b^{11}c^2d^3e^5 + 17920a^7b^6c^6d^6e^2 - 10080a^7b^8c^4d^4e^4 + 2240a^7b^9c^3d^3e^5 + 1344a^7b^{10}c^2d^2e^6 - 21504a^8b^4c^7d^6e^2 - 21504a^8b^5c^6d^5e^3 + 32256a^8b^6c^5d^4e^4 - 6720a^8b^8c^3d^2e^6 + 57344a^9b^3c^7d^5e^3 - 46592a^9b^4c^6d^4e^4 - 21504a^9b^5c^5d^3e^5 + 17920a^9b^6c^4d^2e^6 + 12288a^{10}b^2c^7d^4e^4 + 57344a^{10}b^3c^6d^3e^5 - 21504a^{10}b^4c^5d^2e^6 + 96a^7b^{11}c^4d^7e - 16384a^9b^3c^9d^7e - 16384a^{12}b^2c^6d^7e - 4a^3b^{13}c^3d^7e - 4a^3b^{15}c^4d^5e^3 + 96a^4b^{11}c^4d^7e - 12a^4b^{14}c^3d^4e^4 - 960a^5b^9c^5d^7e + 84a^5b^{13}c^3d^3e^5 + 5120a^6b^7c^6d^7e - 140a^6b^{12}c^4d^2e^6 - 15360a^7b^5c^7d^7e + 24576a^8b^3c^8d^7e - 960a^8b^9c^2d^7e + 5120a^9b^7c^3d^7e - 49152a^{10}b^2c^8d^5e^3 - 15360a^{10}b^5c^4d^7e - 49152a^{11}b^3c^5d^7e + 24576a^{11}b^3c^5d^7e))^{(1/2)} * i - ((((((1048576a^{13}c^8e^{16} + 256a^7b^{12}c^2e^{16} - 6144a^8b^{10}c^3e^{16} + 61440a^9b^8c^4e^{16} - 327680a^{10}b^6c^5e^{16} + 983040a^{11}b^4c^6e^{16} - 1572864a^{12}b^2c^7e^{16} - 196608a^6c^{15}d^{14}e^2 - 917504a^7c^{14}d^{12}e^4 - 589824a^8c^{13}d^{10}e^6 + 3932160a^9c^{12}d^8e^8 + 10158080a^{10}c^{11}d^6e^{10} + 10616832a^{11}c^{10}d^4e^{12} + 5308416a^{12}c^9d^2e^{14} - 2816a^2b^8c^{11}d^{14}e^2 + 22656a^2b^9c^{10}d^{13}e^3 - 78848a^2b^{10}c^9d^{12}e^4 + 154112a^2b^{11}c^8d^{11}e^5 - 182784a^2b^{12}c^7d^{10}e^6 + 130816a^2b^{13}c^6d^9e^7 - 50176a^2b^{14}c^5d^8e^8 + 4608a^2b^{15}c^4d^7e^9 + 3328a^2b^{16}c^3d^6e^{10} - 896a^2b^{17}c^2d^5e^{11} + 24576a^3b^6c^{12}d^{14}e^2 - 198656a^3b^7c^{11}d^{13}e^3 + 684544a^3b^8c^{10}d^{12}e^4 - 1291520a^3b^9c^9d^{11}e^5 + 1403776a^3b^{10}c^8d^{10}e^6 - 798336a^3b^{11}c^7d^9e^7 + 89856a^3b^{12}c^6d^8e^8 + 155136a^3b^{13}c^5d^7e^9 - 77440a^3b^{14}c^4d^6e^{10} + 5504a^3b^{15}c^3d^5e^{11} + 2560a^3b^{16}c^2d^4e^{12} - 106496a^4b^4c^{13}d^{14}e^2 + 864256a^4b^5c^{12}d^{13}e^3 - 2924544a^4b^6c^{11}d^{12}e^4 + 5181440a^4b^7c^{10}d^{11}e^5 - 4686080a^4b^8c^9d^{10}e^6 + 1045376a^4b^9c^8d^9e^7 + 1900544a^4b^{10}c^7d^8e^8 - 1732096a^4b^{11}c^6d^7e^9 + 390400a^4b^{12}c^5d^6e^{10} + 112000a^4b^{13}c^4d^5e^{11} - 40960a^4b^{14}c^3d^4e^{12} - 3840a^4b^{15}c^2d^3e^{13} + 229376a^5b^2c^{14}d^{14}e^2 - 1867776a^5b^3c^{13}
\end{aligned}$$

$$\begin{aligned}
& d^{13}e^3 + 6078464a^5b^4c^{12}d^{12}e^4 - 9297920a^5b^5c^{11}d^{11}e^5 + \\
& 4055040a^5b^6c^{10}d^{10}e^6 + 7788544a^5b^7c^9d^9e^7 - 12657664a^5b^8c^8d^8e^8 + 6130176a^5b^9c^7d^7e^9 + 734080a^5b^{10}c^6d^6e^{10} \\
& - 1442560a^5b^{11}c^5d^5e^{11} + 168960a^5b^{12}c^4d^4e^{12} + 78080a^5b^{13}c^3d^3e^{13} + 3200a^5b^{14}c^2d^2e^{14} - 4587520a^6b^2c^{13}d^{12}e^4 \\
& + 3080192a^6b^3c^{12}d^{11}e^5 + 12001280a^6b^4c^{11}d^{10}e^6 - 31076352a^6b^5c^{10}d^9e^7 + 27475968a^6b^6c^9d^8e^8 - 2088960a^6b^7c^8d^7e^9 - 12205312a^6b^8c^7d^6e^{10} \\
& + 6043520a^6b^9c^6d^5e^{11} + 631808a^6b^{10}c^5d^4e^{12} - 610304a^6b^{11}c^4d^3e^{13} - 71936a^6b^{12}c^3d^2e^{14} - 21725184a^7b^2c^{12}d^{10}e^6 \\
& + 30801920a^7b^3c^{11}d^9e^7 - 8028160a^7b^4c^{10}d^8e^8 - 32260096a^7b^5c^9d^7e^9 + 37101568a^7b^6c^8d^6e^{10} - 7182336a^7b^7c^7d^5e^{11} - 7609856a^7b^8c^6d^4e^{12} \\
& + 2112256a^7b^9c^5d^3e^{13} + 661632a^7b^{10}c^4d^2e^{14} - 30146560a^8b^2c^{11}d^8e^8 + 55050240a^8b^3c^{10}d^7e^9 - 34365440a^8b^4c^9d^6e^{10} \\
& - 16429056a^8b^5c^8d^5e^{11} + 24600576a^8b^6c^7d^4e^{12} - 1683456a^8b^7c^6d^3e^{13} - 3151616a^8b^8c^5d^2e^{14} - 10977280a^9b^2c^{10}d^6e^{10} \\
& + 47022080a^9b^3c^9d^5e^{11} - 30621696a^9b^4c^8d^4e^{12} - 9232384a^9b^5c^7d^3e^{13} + 7970816a^9b^6c^6d^2e^{14} + 4325376a^{10}b^2c^9d^4e^{12} \\
& + 25493504a^{10}b^3c^8d^3e^{13} - 9117696a^{10}b^4c^7d^2e^{14} + 491520a^{11}b^2c^8d^2e^{14} - 4947968a^{12}b^3c^8d^2e^{15} + 128a^8b^{10}c^{10}d^{14}e^2 \\
& - 1024a^8b^{11}c^9d^{13}e^3 + 3584a^8b^{12}c^8d^{12}e^4 - 7168a^8b^{13}c^7d^{11}e^5 + 8960a^8b^{14}c^6d^{10}e^6 - 7168a^8b^{15}c^5d^9e^7 + 3584a^8b^{16}c^4d^8e^8 \\
& - 1024a^8b^{17}c^3d^7e^9 + 128a^8b^{18}c^2d^6e^{10} + 1605632a^6b^6c^{14}d^{13}e^3 - 1408a^6b^{13}c^2d^6e^{15} + 7012352a^7b^6c^{13}d^{11}e^5 \\
& + 33152a^7b^{11}c^3d^6e^{15} + 7045120a^8b^6c^{12}d^9e^7 - 324480a^8b^9c^4d^6e^{15} - 9830400a^9b^6c^{11}d^7e^9 + 1689600a^9b^7c^5d^6e^{15} - 25722880a^{10}b^6c^{10}d^5e^{11} \\
& - 4935680a^{10}b^5c^6d^6e^{15} - 19202048a^{11}b^6c^9d^3e^{13} + 7667712a^{11}b^3c^7d^6e^{15}) / (16(a^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^8e^8 \\
& - 4a^5b^9d^6e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 \\
& - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 \\
& + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 \\
& + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 \\
& + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^6c^7d^7e \\
& + 64a^6b^7c^6d^7e - 1024a^9b^6c^4d^7e - 4a^2b^9c^3d^7e - 4a^2b^{11}c^5d^5e^3 + 64a^3b^7c^4d^7e - 4a^3b^{10}c^4d^4e^4 \\
& - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^7e - 92a^5b^8c^6d^2e^6 - 3072a^7b^6c^6d^5e^3 - 384a^7b^5c^2d^6e^7 \\
& - 3072a^8b^6c^5d^3e^5 + 1024a^8b^3c^3d^6e^7)) + (x((27a^8b^9c^5d^6 - b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 +
\end{aligned}$$

$$\begin{aligned}
& 3840a^5bc^9d^6 - 9a^5c^5d^6(-4ac - b^2)^9)^{(1/2)} + 213a^3b^{11}c \\
& *e^6 - 26880a^8b^6c^6e^6 + 3072a^6c^9d^5e + 35840a^8c^7d^5e^5 + 4b \\
& ^{12}c^3d^5e + 4b^{14}c^3d^3e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d \\
& ^6 - 3840a^4b^3c^8d^6 + 9a^2b^4e^6(-4ac - b^2)^9)^{(1/2)} - 2077a \\
& ^4b^9c^2e^6 + 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7* \\
& b^3c^5e^6 + 25a^4c^2e^6(-4ac - b^2)^9)^{(1/2)} + b^2c^4d^6(-4ac \\
& - b^2)^9)^{(1/2)} + 22528a^7c^8d^3e^3 + b^6d^2e^4(-4ac - b^2)^9)^{(1/2)} \\
& - 6b^{13}c^2d^4e^2 + 6a^2b^{14}d^5e - 1471a^2b^9c^4d^4e^2 + 60 \\
& 0a^2b^{10}c^3d^3e^3 + 180a^2b^{11}c^2d^2e^4 + 6976a^3b^7c^5d^4e^2 \\
& - 1032a^3b^8c^4d^3e^3 - 2871a^3b^9c^3d^2e^4 - 15456a^4b^5c^6 \\
& *d^4e^2 - 7168a^4b^6c^5d^3e^3 + 16896a^4b^7c^4d^2e^4 + 10240a^5 \\
& *b^3c^7d^4e^2 + 37632a^5b^4c^6d^3e^3 - 47712a^5b^5c^5d^2e^4 - \\
& 59392a^6b^2c^7d^3e^3 + 60928a^6b^3c^6d^2e^4 - 41a^2c^4d^4e^2* \\
& (-4ac - b^2)^9)^{(1/2)} - 39a^3c^3d^2e^4(-4ac - b^2)^9)^{(1/2)} + 6* \\
& b^4c^2d^4e^2(-4ac - b^2)^9)^{(1/2)} - 6a^2b^5d^5e(-4ac - b^2)^9)^{(1/2)} \\
& - 106a^2b^{10}c^4d^5e + 7a^2b^{13}c^2d^2e^4 - 128a^2b^{12}c^2d^5e^5 - \\
& 51a^3b^2c^6e^6(-4ac - b^2)^9)^{(1/2)} + 150a^2b^{11}c^3d^4e^2 - 84a^2* \\
& b^{12}c^2d^3e^3 + 1116a^2b^8c^5d^5e - 5824a^3b^6c^6d^5e + 1030a^3* \\
& b^{10}c^2d^5e + 15232a^4b^4c^7d^5e - 3492a^4b^8c^3d^5e - 1689 \\
& 6a^5b^2c^8d^5e + 1344a^5b^6c^4d^5e + 7424a^6b^6c^8d^4e^2 + 224 \\
& 00a^6b^4c^5d^5e - 23296a^7b^6c^7d^2e^4 - 53760a^7b^2c^6d^5e - \\
& 4b^3c^3d^5e(-4ac - b^2)^9)^{(1/2)} - 4b^5c^3d^3e^3(-4ac - b^2)^9)^{(1/2)} \\
& + 11a^2b^4c^2d^2e^4(-4ac - b^2)^9)^{(1/2)} + 20a^2b^3c^2d^5e^5 \\
& *(-4ac - b^2)^9)^{(1/2)} + 86a^3b^3c^2d^5e^5(-4ac - b^2)^9)^{(1/2)} - 4 \\
& 2a^2b^2c^3d^4e^2(-4ac - b^2)^9)^{(1/2)} + 12a^2b^3c^2d^3e^3(-4ac \\
& - b^2)^9)^{(1/2)} + 120a^2b^2c^3d^3e^3(-4ac - b^2)^9)^{(1/2)} + 34a^2* \\
& b^4c^4d^5e(-4ac - b^2)^9)^{(1/2)} - 108a^2b^2c^2d^2e^4(-4ac - b^2)^9)^{(1/2)} \\
&)/(32(a^7b^{12}e^8 + 4096a^9c^{10}d^8 + 4096a^{13}c^6e^8 - 24 \\
& *a^8b^{10}c^8e^8 - 4a^6b^{13}d^8e^7 + a^3b^{12}c^4d^8 - 24a^4b^{10}c^5d^8 \\
& + 240a^5b^8c^6d^8 - 1280a^6b^6c^7d^8 + 3840a^7b^4c^8d^8 - 6144 \\
& *a^8b^2c^9d^8 + 240a^9b^8c^2e^8 - 1280a^{10}b^6c^3e^8 + 3840a^{11} \\
& b^4c^4e^8 - 6144a^{12}b^2c^5e^8 + a^3b^{16}d^4e^4 - 4a^4b^{15}d^3e^5 \\
& + 6a^5b^{14}d^2e^6 + 16384a^{10}c^9d^6e^2 + 24576a^{11}c^8d^4e^4 + 1 \\
& 6384a^{12}c^7d^2e^6 + 6a^3b^{14}c^2d^6e^2 - 140a^4b^{12}c^3d^6e^2 + \\
& 84a^4b^{13}c^2d^5e^3 + 1344a^5b^{10}c^4d^6e^2 - 672a^5b^{11}c^3d^5 \\
& *e^3 - 42a^5b^{12}c^2d^4e^4 - 6720a^6b^8c^5d^6e^2 + 2240a^6b^9c^4 \\
& *d^5e^3 + 1456a^6b^{10}c^3d^4e^4 - 672a^6b^{11}c^2d^3e^5 + 17920a^7 \\
& *b^6c^6d^6e^2 - 10080a^7b^8c^4d^4e^4 + 2240a^7b^9c^3d^3e^5 + \\
& 1344a^7b^{10}c^2d^2e^6 - 21504a^8b^4c^7d^6e^2 - 21504a^8b^5c^6d \\
& ^5e^3 + 32256a^8b^6c^5d^4e^4 - 6720a^8b^8c^3d^2e^6 + 57344a^9b \\
& ^3c^7d^5e^3 - 46592a^9b^4c^6d^4e^4 - 21504a^9b^5c^5d^3e^5 + 17 \\
& 920a^9b^6c^4d^2e^6 + 12288a^{10}b^2c^7d^4e^4 + 57344a^{10}b^3c^6d \\
& ^3e^5 - 21504a^{10}b^4c^5d^2e^6 + 96a^7b^{11}c^2d^7e - 16384a^9b^3c^9 \\
& *d^7e - 16384a^{12}b^6c^6d^7e - 4a^3b^{13}c^3d^7e - 4a^3b^{15}c^4d^5e \\
& ^3 + 96a^4b^{11}c^4d^7e - 12a^4b^{14}c^3d^4e^4 - 960a^5b^9c^5d^7e
\end{aligned}$$

$$\begin{aligned}
& + 84*a^5*b^{13}*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^{12}*c*d^2*e^6 - \\
& 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 \\
& + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^{10}*b*c^8*d^5*e^3 - 15360*a^{10}*b^5*c^4*d* \\
& e^7 - 49152*a^{11}*b*c^7*d^3*e^5 + 24576*a^{11}*b^3*c^5*d*e^7))^{(1/2)}*(1048576 \\
& *a^{15}*c^8*e^{17} + 256*a^9*b^{12}*c^2*e^{17} - 6144*a^{10}*b^{10}*c^3*e^{17} + 61440*a^{11}*b^8*c^4*e^{17} - 327680*a^{12}*b^6*c^5*e^{17} + 983040*a^{13}*b^4*c^6*e^{17} - 157 \\
& 2864*a^{14}*b^2*c^7*e^{17} - 1048576*a^8*c^{15}*d^{14}*e^3 - 5242880*a^9*c^{14}*d^{12}* \\
& e^5 - 9437184*a^{10}*c^{13}*d^{10}*e^7 - 5242880*a^{11}*c^{12}*d^8*e^9 + 5242880*a^{12} \\
& *c^{11}*d^6*e^{11} + 9437184*a^{13}*c^{10}*d^4*e^{13} + 5242880*a^{14}*c^9*d^2*e^{15} + 2 \\
& 56*a^2*b^{11}*c^{10}*d^{15}*e^2 - 2048*a^2*b^{12}*c^9*d^{14}*e^3 + 7168*a^2*b^{13}*c^8* \\
& d^{13}*e^4 - 14336*a^2*b^{14}*c^7*d^{12}*e^5 + 17920*a^2*b^{15}*c^6*d^{11}*e^6 - 1433 \\
& 6*a^2*b^{16}*c^5*d^{10}*e^7 + 7168*a^2*b^{17}*c^4*d^9*e^8 - 2048*a^2*b^{18}*c^3*d^8 \\
& *e^9 + 256*a^2*b^{19}*c^2*d^7*e^{10} - 5120*a^3*b^9*c^{11}*d^{15}*e^2 + 41984*a^3*b \\
& ^{10}*c^{10}*d^{14}*e^3 - 148736*a^3*b^{11}*c^9*d^{13}*e^4 + 296192*a^3*b^{12}*c^8*d^{12} \\
& *e^5 - 359680*a^3*b^{13}*c^7*d^{11}*e^6 + 267520*a^3*b^{14}*c^6*d^{10}*e^7 - 112384 \\
& *a^3*b^{15}*c^5*d^9*e^8 + 18176*a^3*b^{16}*c^4*d^8*e^9 + 3328*a^3*b^{17}*c^3*d^7* \\
& e^{10} - 1280*a^3*b^{18}*c^2*d^6*e^{11} + 40960*a^4*b^7*c^{12}*d^{15}*e^2 - 348160*a^4 \\
& *b^8*c^{11}*d^{14}*e^3 + 1254400*a^4*b^9*c^{10}*d^{13}*e^4 - 2478080*a^4*b^{10}*c^9* \\
& d^{12}*e^5 + 2867456*a^4*b^{11}*c^8*d^{11}*e^6 - 1862144*a^4*b^{12}*c^7*d^{10}*e^7 + \\
& 490240*a^4*b^{13}*c^6*d^9*e^8 + 128000*a^4*b^{14}*c^5*d^8*e^9 - 108800*a^4*b^{15} \\
& *c^4*d^7*e^{10} + 13824*a^4*b^{16}*c^3*d^6*e^{11} + 2304*a^4*b^{17}*c^2*d^5*e^{12} - \\
& 163840*a^5*b^5*c^{13}*d^{15}*e^2 + 1474560*a^5*b^6*c^{12}*d^{14}*e^3 - 5447680*a^5*b \\
& ^7*c^{11}*d^{13}*e^4 + 10588160*a^5*b^8*c^{10}*d^{12}*e^5 - 11166720*a^5*b^9*c^9*d \\
& ^{11}*e^6 + 5159936*a^5*b^{10}*c^8*d^{10}*e^7 + 1073920*a^5*b^{11}*c^7*d^9*e^8 - 22 \\
& 79680*a^5*b^{12}*c^6*d^8*e^9 + 770560*a^5*b^{13}*c^5*d^7*e^{10} + 33280*a^5*b^{14}* \\
& c^4*d^6*e^{11} - 41216*a^5*b^{15}*c^3*d^5*e^{12} - 1280*a^5*b^{16}*c^2*d^4*e^{13} + 3 \\
& 27680*a^6*b^3*c^{14}*d^{15}*e^2 - 3276800*a^6*b^4*c^{13}*d^{14}*e^3 + 12615680*a^6*b \\
& ^5*c^{12}*d^{13}*e^4 - 23592960*a^6*b^6*c^{11}*d^{12}*e^5 + 19701760*a^6*b^7*c^{10}* \\
& d^{11}*e^6 + 1372160*a^6*b^8*c^9*d^{10}*e^7 - 15846400*a^6*b^9*c^8*d^9*e^8 + 10 \\
& 864640*a^6*b^{10}*c^7*d^8*e^9 - 1352960*a^6*b^{11}*c^6*d^7*e^{10} - 1111040*a^6*b \\
& ^{12}*c^5*d^6*e^{11} + 273920*a^6*b^{13}*c^4*d^5*e^{12} + 25600*a^6*b^{14}*c^3*d^4*e^{13} \\
& - 1280*a^6*b^{15}*c^2*d^3*e^{14} + 3407872*a^7*b^2*c^{14}*d^{14}*e^3 - 14221312*a^7*b^3*c^{13}*d^{13}*e^4 + 23527424*a^7*b^4*c^{12}*d^{12}*e^5 - 3768320*a^7*b^5*c^{11}*d^{11}*e^6 - 38895616*a^7*b^6*c^{10}*d^{10}*e^7 + 50126848*a^7*b^7*c^9*d^9*e^8 - 18362368*a^7*b^8*c^8*d^8*e^9 - 6831104*a^7*b^9*c^7*d^7*e^{10} + 6200320*a^7*b^{10}*c^6*d^6*e^{11} - 726784*a^7*b^{11}*c^5*d^5*e^{12} - 228608*a^7*b^{12}*c^4*d^4*e^{13} + 31488*a^7*b^{13}*c^3*d^3*e^{14} + 2304*a^7*b^{14}*c^2*d^2*e^{15} - 3145728*a^8*b^2*c^{13}*d^{12}*e^5 - 31129600*a^8*b^3*c^{12}*d^{11}*e^6 + 74711040*a^8*b^4*c^{11}*d^{10}*e^7 - 55476224*a^8*b^5*c^{10}*d^9*e^8 - 11075584*a^8*b^6*c^9*d^8*e^9 + 35381248*a^8*b^7*c^8*d^7*e^{10} - 14479360*a^8*b^8*c^7*d^6*e^{11} - 168960*a^8*b^9*c^6*d^5*e^{12} + 1286144*a^8*b^{10}*c^5*d^4*e^{13} - 302336*a^8*b^{11}*c^4*d^3*e^{14} - 55808*a^8*b^{12}*c^3*d^2*e^{15} - 36962304*a^9*b^2*c^{12}*d^{10}*e^7 - 9502720*a^9*b^3*c^{11}*d^9*e^8 + 67174400*a^9*b^4*c^{10}*d^8*e^9 - 54886400*a^9*b^5*c^9*d^7*e^{10} + 11239424*a^9*b^6*c^8*d^6*e^{11} + 5545984*a^9*b^7*c^7*d^5*e^{12} - 5263360*a^9*b^8*c^6*d^4*e^{13} + 1356800*a^9*b^9*c^5*d^3*e^{14} + 558080
\end{aligned}$$

$$\begin{aligned}
& *a^9*b^{10}*c^4*d^2*e^{15} - 49807360*a^{10}*b^2*c^{11}*d^8*e^9 + 19333120*a^{10}*b^3 \\
& *c^{10}*d^7*e^{10} + 7208960*a^{10}*b^4*c^9*d^6*e^{11} - 14974976*a^{10}*b^5*c^8*d^5* \\
& e^{12} + 15073280*a^{10}*b^6*c^7*d^4*e^{13} - 2170880*a^{10}*b^7*c^6*d^3*e^{14} - 292 \\
& 8640*a^{10}*b^8*c^5*d^2*e^{15} - 11796480*a^{11}*b^2*c^{10}*d^6*e^{11} + 23920640*a^{11} \\
& *b^3*c^9*d^5*e^{12} - 24576000*a^{11}*b^4*c^8*d^4*e^{13} - 4096000*a^{11}*b^5*c^7* \\
& d^3*e^{14} + 8355840*a^{11}*b^6*c^6*d^2*e^{15} + 12582912*a^{12}*b^2*c^9*d^4*e^{13} + \\
& 19857408*a^{12}*b^3*c^8*d^3*e^{14} - 11534336*a^{12}*b^4*c^7*d^2*e^{15} + 3407872* \\
& a^{13}*b^2*c^8*d^2*e^{15} - 5505024*a^{14}*b*c^8*d*e^{16} - 262144*a^7*b*c^{15}*d^{15}* \\
& e^2 + 5505024*a^8*b*c^{14}*d^{13}*e^4 - 1280*a^8*b^{13}*c^2*d*e^{16} + 25952256*a^9 \\
& *b*c^{13}*d^{11}*e^6 + 30976*a^9*b^{11}*c^3*d*e^{16} + 38010880*a^{10}*b*c^{12}*d^9*e^8 \\
& - 312320*a^{10}*b^9*c^4*d*e^{16} + 11796480*a^{11}*b*c^{11}*d^7*e^{10} + 1679360*a^{11} \\
& *b^7*c^5*d*e^{16} - 21233664*a^{12}*b*c^{10}*d^5*e^{12} - 5079040*a^{12}*b^5*c^6*d*e \\
& ^{16} - 20709376*a^{13}*b*c^9*d^3*e^{14} + 8192000*a^{13}*b^3*c^7*d*e^{16}))/((8*(a^6* \\
& b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9 \\
& *d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^ \\
& 5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 \\
& - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^ \\
& 8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3*b^8* \\
& c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^ \\
& 7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5 \\
& *b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512* \\
& a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - \\
& 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e \\
& ^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4* \\
& d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 \\
& - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3 \\
& *b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b \\
& ^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5* \\
& c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)))*((27*a*b^9*c \\
& ^5*d^6 - b^{11}*c^4*d^6 - b^{15}*d^2*e^4 - 9*a^2*b^{13}*e^6 + 3840*a^5*b*c^9*d^6 \\
& - 9*a*c^5*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 213*a^3*b^{11}*c*e^6 - 26880*a^8*b*c \\
& ^6*e^6 + 3072*a^6*c^9*d^5*e + 35840*a^8*c^7*d*e^5 + 4*b^{12}*c^3*d^5*e + 4*b^ \\
& 14*c*d^3*e^3 - 288*a^2*b^7*c^6*d^6 + 1504*a^3*b^5*c^7*d^6 - 3840*a^4*b^3*c^ \\
& 8*d^6 + 9*a^2*b^4*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 2077*a^4*b^9*c^2*e^6 + 106 \\
& 56*a^5*b^7*c^3*e^6 - 30240*a^6*b^5*c^4*e^6 + 44800*a^7*b^3*c^5*e^6 + 25*a^4 \\
& *c^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 22528*a^7*c^8*d^3*e^3 + b^6*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*b^{13}*c^2*d \\
& ^4*e^2 + 6*a*b^{14}*d*e^5 - 1471*a^2*b^9*c^4*d^4*e^2 + 600*a^2*b^{10}*c^3*d^3*e \\
& ^3 + 180*a^2*b^{11}*c^2*d^2*e^4 + 6976*a^3*b^7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4 \\
& *d^3*e^3 - 2871*a^3*b^9*c^3*d^2*e^4 - 15456*a^4*b^5*c^6*d^4*e^2 - 7168*a^4* \\
& b^6*c^5*d^3*e^3 + 16896*a^4*b^7*c^4*d^2*e^4 + 10240*a^5*b^3*c^7*d^4*e^2 + 3 \\
& 7632*a^5*b^4*c^6*d^3*e^3 - 47712*a^5*b^5*c^5*d^2*e^4 - 59392*a^6*b^2*c^7*d^ \\
& 3*e^3 + 60928*a^6*b^3*c^6*d^2*e^4 - 41*a^2*c^4*d^4*e^2*(-(4*a*c - b^2)^9)^{(\\
& 1/2)} - 39*a^3*c^3*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} + 6*b^4*c^2*d^4*e^2*(-(4 \\
& *a*c - b^2)^9)^{(1/2)} - 6*a*b^5*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 106*a*b^{10}
\end{aligned}$$

$$\begin{aligned}
& c^4 d^5 e + 7 a^* b^{13} c^* d^2 e^4 - 128 a^2 b^{12} c^* d e^5 - 51 a^3 b^2 c^* e^6 (- \\
& (4 a^* c - b^2)^9)^{(1/2)} + 150 a^* b^{11} c^3 d^4 e^2 - 84 a^* b^{12} c^2 d^3 e^3 + 1 \\
& 116 a^2 b^8 c^5 d^5 e - 5824 a^3 b^6 c^6 d^5 e + 1030 a^3 b^{10} c^2 d e^5 + \\
& 15232 a^4 b^4 c^7 d^5 e - 3492 a^4 b^8 c^3 d e^5 - 16896 a^5 b^2 c^8 d^5 e \\
& + 1344 a^5 b^6 c^4 d e^5 + 7424 a^6 b^6 c^8 d^4 e^2 + 22400 a^6 b^4 c^5 d e^5 \\
& - 23296 a^7 b^6 c^7 d^2 e^4 - 53760 a^7 b^2 c^6 d e^5 - 4 b^3 c^3 d^5 e^* (- (4 \\
& a^* c - b^2)^9)^{(1/2)} - 4 b^5 c^* d^3 e^3 (- (4 a^* c - b^2)^9)^{(1/2)} + 11 a^* b^4 c^* \\
& d^2 e^4 (- (4 a^* c - b^2)^9)^{(1/2)} + 20 a^2 b^3 c^* d e^5 (- (4 a^* c - b^2)^9)^{(1/2)} \\
& + 86 a^3 b^6 c^2 d e^5 (- (4 a^* c - b^2)^9)^{(1/2)} - 42 a^* b^2 c^3 d^4 e^2 (- (4 a^* c - b^2)^9)^{(1/2)} \\
& + 12 a^* b^3 c^2 d^3 e^3 (- (4 a^* c - b^2)^9)^{(1/2)} + 120 a^2 b^6 c^3 d^3 e^3 (- (4 a^* c - b^2)^9)^{(1/2)} \\
& + 34 a^* b^6 c^4 d^5 e^* (- (4 a^* c - b^2)^9)^{(1/2)} - 108 a^2 b^2 c^2 d^2 e^4 (- (4 a^* c - b^2)^9)^{(1/2)} \\
&) / (32 (a^7 b^{12} e^8 + 4096 a^9 c^{10} d^8 + 4096 a^{13} c^6 e^8 - 24 a^8 b^{10} c^* e^8 - 4 a^6 b^{13} d e^7 \\
& + a^3 b^{12} c^4 d^8 - 24 a^4 b^{10} c^5 d^8 + 240 a^5 b^8 c^6 d^8 - 1280 a^6 b^6 c^7 d^8 + 3840 a^7 b^4 c^8 d^8 \\
& - 6144 a^8 b^2 c^9 d^8 + 240 a^9 b^8 c^2 e^8 - 1280 a^{10} b^6 c^3 e^8 + 3840 a^{11} b^4 c^4 e^8 - 6144 a^{12} b^2 c^5 e^8 \\
& + a^3 b^{16} d^4 e^4 - 4 a^4 b^{15} d^3 e^5 + 6 a^5 b^{14} d^2 e^6 + 16384 a^{10} c^9 d^6 e^2 + 24576 a^{11} c^8 d^4 e^4 \\
& + 16384 a^{12} c^7 d^2 e^6 + 6 a^3 b^{14} c^2 d^6 e^2 - 140 a^4 b^{12} c^3 d^6 e^2 + 84 a^4 b^{13} c^2 d^5 e^3 \\
& + 1344 a^5 b^{10} c^4 d^6 e^2 - 672 a^5 b^{11} c^3 d^5 e^3 - 42 a^5 b^{12} c^2 d^4 e^4 - 6720 a^6 b^8 c^5 d^6 e^2 \\
& + 2240 a^6 b^9 c^4 d^5 e^3 + 1456 a^6 b^{10} c^3 d^4 e^4 - 672 a^6 b^{11} c^2 d^3 e^5 + 17920 a^7 b^6 c^6 d^6 e^2 - \\
& 10080 a^7 b^8 c^4 d^4 e^4 + 2240 a^7 b^9 c^3 d^3 e^5 + 1344 a^7 b^{10} c^2 d^2 e^6 - 21504 a^8 b^4 c^7 d^6 e^2 \\
& - 21504 a^8 b^5 c^6 d^5 e^3 + 32256 a^8 b^6 c^5 d^4 e^4 - 6720 a^8 b^8 c^3 d^2 e^6 + 57344 a^9 b^3 c^7 d^5 e^3 \\
& - 46592 a^9 b^4 c^6 d^4 e^4 - 21504 a^9 b^5 c^5 d^3 e^5 + 17920 a^9 b^6 c^4 d^2 e^6 + 12288 a^{10} b^2 c^7 d^4 e^4 \\
& + 57344 a^{10} b^3 c^6 d^3 e^5 - 21504 a^{10} b^4 c^5 d^2 e^6 + 96 a^7 b^{11} c^* d e^7 - 16384 a^9 b^6 c^9 d^7 e \\
& - 16384 a^{12} b^6 c^6 d e^7 - 4 a^3 b^{13} c^3 d^7 e - 4 a^3 b^{15} c^* d^5 e^3 + 96 a^4 b^{11} c^4 d^7 e \\
& - 12 a^4 b^{14} c^* d^4 e^4 - 960 a^5 b^9 c^5 d^7 e + 84 a^5 b^{13} c^* d^3 e^5 + 5120 a^6 b^7 c^6 d^7 e \\
& - 140 a^6 b^{12} c^* d^2 e^6 - 15360 a^7 b^5 c^7 d^7 e + 24576 a^8 b^3 c^8 d^7 e - 960 a^8 b^9 c^2 d e^7 \\
& + 5120 a^9 b^7 c^3 d e^7 - 49152 a^{10} b^6 c^8 d^5 e^3 - 15360 a^{10} b^5 c^4 d e^7 - 49152 a^{11} b^6 c^7 d^3 e^5 \\
& + 24576 a^{11} b^3 c^5 d e^7))^{(1/2)} + (x (626688 a^{10} b^6 c^8 e^{15} - 784384 a^{10} c^9 d e^{14} \\
& + 208 a^4 b^{13} c^2 e^{15} - 4880 a^5 b^{11} c^3 e^{15} + 47312 a^6 b^9 c^4 e^{15} - 242176 a^7 b^7 c^5 e^{15} \\
& + 688640 a^8 b^5 c^6 e^{15} - 1028096 a^9 b^3 c^7 e^{15} + 18432 a^4 c^{15} d^{13} e^2 + 126976 a^5 c^{14} d^{11} e^4 \\
& + 325632 a^6 c^{13} d^9 e^6 + 139264 a^7 c^{12} d^7 e^8 - 1067008 a^8 c^{11} d^5 e^{10} - 1773568 a^9 c^{10} d^3 e^{12} \\
& + 16 b^8 c^{11} d^{13} e^2 - 96 b^9 c^{10} d^{12} e^3 + 240 b^{10} c^9 d^{11} e^4 - 304 b^{11} c^8 d^{10} e^5 + 144 b^{12} c^7 d^9 e^6 \\
& + 144 b^{13} c^6 d^8 e^7 - 304 b^{14} c^5 d^7 e^8 + 240 b^{15} c^4 d^6 e^9 - 96 b^{16} c^3 d^5 e^{10} + 16 b^{17} c^2 d^4 e^{11} \\
& + 3200 a^2 b^4 c^{13} d^{13} e^2 - 18432 a^2 b^5 c^{12} d^{12} e^3 + 41024 a^2 b^6 c^{11} d^{11} e^4 - 36352 a^2 b^7 c^{10} d^{10} e^5 \\
& - 16208 a^2 b^8 c^9 d^9 e^6 + 74576 a^2 b^9 c^8 d^8 e^7 - 78496 a^2 b^{10} c^7 d^7 e^8 + 32064 a^2 b^{11} c^6 d^6 e^9 \\
& + 6000 a^2 b^{12} c^5
\end{aligned}$$

$$\begin{aligned}
& d^5 e^{10} - 9264 a^2 b^{13} c^4 d^4 e^{11} + 1472 a^2 b^{14} c^3 d^3 e^{12} + 416 a^2 b^{15} c^2 d^2 e^{13} - 12800 a^3 b^2 c^{14} d^{13} e^2 + 73728 a^3 b^3 c^{13} d^{12} e^3 \\
& - 151296 a^3 b^4 c^{12} d^{11} e^4 + 78336 a^3 b^5 c^{11} d^{10} e^5 + 206688 a^3 b^6 c^{10} d^9 e^6 - 436736 a^3 b^7 c^9 d^8 e^7 + 324224 a^3 b^8 c^8 d^7 e^8 \\
& + 992 a^3 b^9 c^7 d^6 e^9 - 158176 a^3 b^{10} c^6 d^5 e^{10} + 77056 a^3 b^{11} c^5 d^4 e^{11} + 6912 a^3 b^{12} c^4 d^3 e^{12} - 8416 a^3 b^{13} c^3 d^2 e^{13} + \\
& 162816 a^4 b^2 c^{13} d^{11} e^4 + 184320 a^4 b^3 c^{12} d^{10} e^5 - 916608 a^4 b^4 c^{11} d^9 e^6 + 1165824 a^4 b^5 c^{10} d^8 e^7 - 314496 a^4 b^6 c^9 d^7 e^8 \\
& - 822272 a^4 b^7 c^8 d^6 e^9 + 919152 a^4 b^8 c^7 d^5 e^{10} - 175296 a^4 b^9 c^6 d^4 e^{11} - 189328 a^4 b^{10} c^5 d^3 e^{12} + 62064 a^4 b^{11} c^4 d^2 e^{13} \\
& + 1290752 a^5 b^2 c^{12} d^9 e^6 - 659456 a^5 b^3 c^{11} d^8 e^7 - 1561088 a^5 b^4 c^{10} d^7 e^8 + 3240960 a^5 b^5 c^9 d^6 e^9 - 1964192 a^5 b^6 c^8 d^5 e^{10} \\
& - 683008 a^5 b^7 c^7 d^4 e^{11} + 1162304 a^5 b^8 c^6 d^3 e^{12} - 164112 a^5 b^9 c^5 d^2 e^{13} + 3442688 a^6 b^2 c^{11} d^7 e^8 - 3670016 a^6 b^3 c^{10} d^6 e^9 \\
& + 15232 a^6 b^4 c^9 d^5 e^{10} + 4230144 a^6 b^5 c^8 d^4 e^{11} - 3059648 a^6 b^6 c^7 d^3 e^{12} - 247296 a^6 b^7 c^6 d^2 e^{13} + 4010496 a^7 b^2 c^{10} d^5 e^{10} \\
& - 6873088 a^7 b^3 c^9 d^4 e^{11} + 2822400 a^7 b^4 c^8 d^3 e^{12} + 2370048 a^7 b^5 c^7 d^2 e^{13} + 1178624 a^8 b^2 c^9 d^3 e^{12} - 4739072 a^8 b^3 c^8 d^2 e^{13} \\
& - 352 a^8 b^6 c^{12} d^{13} e^2 + 2048 a^8 b^7 c^{11} d^{12} e^3 - 4800 a^8 b^8 c^{10} d^{11} e^4 + 5168 a^8 b^9 c^9 d^{10} e^5 - 480 a^8 b^{10} c^8 d^9 e^6 - 6000 a^8 b^{11} c^7 d^8 e^7 \\
& + 8192 a^8 b^{12} c^6 d^7 e^8 - 5040 a^8 b^{13} c^5 d^6 e^9 + 1152 a^8 b^{14} c^4 d^5 e^{10} + 240 a^8 b^{15} c^3 d^4 e^{11} - 128 a^8 b^{16} c^2 d^3 e^{12} \\
& - 512 a^9 b^{14} c^2 d^4 e^{14} - 106496 a^4 b^8 c^{14} d^{12} e^3 + 11680 a^4 b^{12} c^3 d^4 e^{14} - 675840 a^5 b^8 c^{13} d^{10} e^5 - 108288 a^5 b^{10} c^4 d^4 e^{14} - 1601536 a^6 b^8 c^{12} d^8 e^7 \\
& + 514768 a^6 b^8 c^5 d^4 e^{14} - 925696 a^7 b^8 c^{11} d^6 e^9 - 1278304 a^7 b^6 c^6 d^4 e^{14} + 2457600 a^8 b^8 c^{10} d^4 e^{11} + 1385600 a^8 b^4 c^7 d^4 e^{14} \\
& + 2977792 a^9 b^8 c^9 d^2 e^{13} + 19968 a^9 b^2 c^8 d^4 e^{14})) / \\
& (8(a^6 b^8 e^8 + 256 a^6 c^8 d^8 + 256 a^{10} c^4 e^8 - 16 a^7 b^6 c^8 e^8 - 4 a^5 b^9 d^8 e^7 + a^2 b^8 c^4 d^8 - 16 a^3 b^6 c^5 d^8 + 96 a^4 b^4 c^6 d^8 \\
& - 256 a^5 b^2 c^7 d^8 + 96 a^8 b^4 c^2 e^8 - 256 a^9 b^2 c^3 e^8 + a^2 b^{12} d^4 e^4 - 4 a^3 b^{11} d^3 e^5 + 6 a^4 b^{10} d^2 e^6 + 1024 a^7 c^7 d^6 e^2 + \\
& 1536 a^8 c^6 d^4 e^4 + 1024 a^9 c^5 d^2 e^6 + 6 a^2 b^{10} c^2 d^6 e^2 - 92 a^3 b^8 c^3 d^6 e^2 + 52 a^3 b^9 c^2 d^5 e^3 + 512 a^4 b^6 c^4 d^6 e^2 - 192 a^4 b^7 c^3 d^5 e^3 \\
& - 90 a^4 b^8 c^2 d^4 e^4 - 1152 a^5 b^4 c^5 d^6 e^2 - 128 a^5 b^5 c^4 d^5 e^3 + 800 a^5 b^6 c^3 d^4 e^4 - 192 a^5 b^7 c^2 d^3 e^5 + 512 a^6 b^2 c^6 d^6 e^2 \\
& + 2048 a^6 b^3 c^5 d^5 e^3 - 2240 a^6 b^4 c^4 d^4 e^4 - 128 a^6 b^5 c^3 d^3 e^5 + 512 a^6 b^6 c^2 d^2 e^6 + 1536 a^7 b^2 c^5 d^4 e^4 + 2048 a^7 b^3 c^4 d^3 e^5 \\
& - 1152 a^7 b^4 c^3 d^2 e^6 + 512 a^8 b^2 c^4 d^2 e^6 - 1024 a^6 b^8 c^7 d^7 e + 64 a^6 b^7 c^7 d^7 e + 64 a^6 b^7 c^7 d^7 e - 1024 a^9 b^8 c^4 d^7 e^7 \\
& - 4 a^2 b^9 c^3 d^7 e - 4 a^2 b^{11} c^4 d^5 e^3 + 64 a^3 b^7 c^4 d^7 e - 4 a^3 b^{10} c^4 d^7 e - 384 a^4 b^5 c^5 d^7 e + 52 a^4 b^9 c^4 d^3 e^5 + 1024 a^5 b^3 c^6 d^7 e \\
& - 92 a^5 b^8 c^4 d^2 e^6 - 3072 a^7 b^8 c^6 d^5 e^3 - 384 a^7 b^5 c^2 d^7 e - 3072 a^8 b^8 c^5 d^3 e^5 + 1024 a^8 b^3 c^3 d^7 e^7)) * ((27 a^8 b^9 c^5 d^6 - b^{11} c^4 d^6 - b^{15} d^2 e^4 - 9 a^2 b^{13} e^6 + 3840 a^5 b^8 c^9 d^6 - 9 a^8 c^5 d^6 * (-4 a^8 c - b^2)^9)^{(1/2)} + 213 a^3 b^{11} c^6 e^6 - 26880
\end{aligned}$$

$$\begin{aligned}
& a^8 b^3 c^6 e^6 + 3072 a^6 c^9 d^5 e + 35840 a^8 c^7 d^4 e^5 + 4 b^{12} c^3 d^5 e \\
& + 4 b^{14} c^3 d^3 e^3 - 288 a^2 b^7 c^6 d^6 + 1504 a^3 b^5 c^7 d^6 - 3840 a^4 b^3 c^8 d^6 \\
& + 9 a^2 b^4 e^6 (-4 a^2 c - b^2)^9)^{(1/2)} - 2077 a^4 b^9 c^2 e^6 + 10656 a^5 b^7 c^3 e^6 \\
& - 30240 a^6 b^5 c^4 e^6 + 44800 a^7 b^3 c^5 e^6 + 25 a^4 c^2 e^6 (-4 a^2 c - b^2)^9)^{(1/2)} \\
& + b^2 c^4 d^6 (-4 a^2 c - b^2)^9)^{(1/2)} + 22528 a^7 c^8 d^3 e^3 + b^6 d^2 e^4 (-4 a^2 c - b^2)^9)^{(1/2)} \\
& - 6 b^{13} c^2 d^4 e^2 + 6 a b^{14} d^5 e^5 - 1471 a^2 b^9 c^4 d^4 e^2 + 600 a^2 b^{10} c^3 d^3 e^3 \\
& + 180 a^2 b^{11} c^2 d^2 e^4 + 6976 a^3 b^7 c^5 d^4 e^2 - 1032 a^3 b^8 c^4 d^3 e^3 - 2871 a^3 b^9 c^3 d^2 e^4 \\
& - 15456 a^4 b^5 c^6 d^4 e^2 - 7168 a^4 b^6 c^5 d^3 e^3 + 16896 a^4 b^7 c^4 d^2 e^4 + 10240 a^5 b^3 c^7 d^4 e^2 \\
& + 37632 a^5 b^4 c^6 d^3 e^3 - 47712 a^5 b^5 c^5 d^2 e^4 - 59392 a^6 b^2 c^7 d^3 e^3 \\
& + 60928 a^6 b^3 c^6 d^2 e^4 - 41 a^2 c^4 d^4 e^2 (-4 a^2 c - b^2)^9)^{(1/2)} - 39 a^3 c^3 d^2 e^4 \\
& (-4 a^2 c - b^2)^9)^{(1/2)} + 6 b^4 c^2 d^4 e^2 (-4 a^2 c - b^2)^9)^{(1/2)} - 6 a b^5 d^5 e^5 \\
& (-4 a^2 c - b^2)^9)^{(1/2)} - 106 a b^{10} c^4 d^5 e + 7 a b^{13} c^3 d^2 e^4 - 128 a^2 b^{12} c^3 d^4 e^2 \\
& - 51 a^3 b^2 c^5 e^6 (-4 a^2 c - b^2)^9)^{(1/2)} + 150 a b^{11} c^3 d^4 e^2 - 84 a b^{12} c^2 d^3 e^3 \\
& + 1116 a^2 b^8 c^5 d^5 e - 5824 a^3 b^6 c^6 d^5 e + 1030 a^3 b^{10} c^2 d^5 e^5 \\
& + 15232 a^4 b^4 c^7 d^5 e - 3492 a^4 b^8 c^3 d^5 e - 16896 a^5 b^2 c^8 d^5 e \\
& + 1344 a^5 b^6 c^4 d^5 e + 7424 a^6 b^3 c^8 d^4 e^2 + 22400 a^6 b^4 c^5 d^5 e^5 \\
& - 23296 a^7 b^3 c^7 d^2 e^4 - 53760 a^7 b^2 c^6 d^5 e^5 - 4 b^3 c^3 d^5 e^5 \\
& (-4 a^2 c - b^2)^9)^{(1/2)} - 4 b^5 c^3 d^3 e^3 (-4 a^2 c - b^2)^9)^{(1/2)} + 11 a b^4 c^3 d^2 e^4 \\
& (-4 a^2 c - b^2)^9)^{(1/2)} + 20 a^2 b^3 c^3 d^5 e^5 (-4 a^2 c - b^2)^9)^{(1/2)} + 86 a^3 b^3 c^2 d^5 e^5 \\
& (-4 a^2 c - b^2)^9)^{(1/2)} - 42 a b^2 c^3 d^4 e^2 (-4 a^2 c - b^2)^9)^{(1/2)} + 12 a b^3 c^2 d^3 e^3 \\
& (-4 a^2 c - b^2)^9)^{(1/2)} + 120 a^2 b^3 c^3 d^3 e^3 (-4 a^2 c - b^2)^9)^{(1/2)} + 34 a b^3 c^4 d^5 e^5 \\
& (-4 a^2 c - b^2)^9)^{(1/2)} - 108 a^2 b^2 c^2 d^2 e^4 (-4 a^2 c - b^2)^9)^{(1/2))} \\
& / (32 (a^7 b^{12} e^8 + 4096 a^9 c^{10} d^8 + 4096 a^{13} c^6 e^8 - 24 a^8 b^{10} c^5 e^8 \\
& - 4 a^6 b^{13} d^7 e^7 + a^3 b^{12} c^4 d^8 - 24 a^4 b^{10} c^5 d^8 + 240 a^5 b^8 c^6 d^8 \\
& - 1280 a^6 b^6 c^7 d^8 + 3840 a^7 b^4 c^8 d^8 - 6144 a^8 b^2 c^9 d^8 + 240 a^9 b^8 c^2 e^8 \\
& - 1280 a^{10} b^6 c^3 e^8 + 3840 a^{11} b^4 c^4 e^8 - 6144 a^{12} b^2 c^5 e^8 + a^3 b^{16} d^4 e^4 \\
& - 4 a^4 b^{15} d^3 e^5 + 6 a^5 b^{14} d^2 e^6 + 16384 a^{10} c^9 d^6 e^2 + 24576 a^{11} c^8 d^4 e^4 \\
& + 16384 a^{12} c^7 d^2 e^6 + 6 a^3 b^{14} c^2 d^6 e^2 - 140 a^4 b^{12} c^3 d^6 e^2 + 84 a^4 b^{13} c^2 \\
& d^5 e^3 + 1344 a^5 b^{10} c^4 d^6 e^2 - 672 a^5 b^{11} c^3 d^5 e^3 - 42 a^5 b^{12} c^2 d^4 e^4 \\
& - 6720 a^6 b^8 c^5 d^6 e^2 + 2240 a^6 b^9 c^4 d^5 e^3 + 1456 a^6 b^{10} c^3 d^4 e^4 \\
& - 672 a^6 b^{11} c^2 d^3 e^5 + 17920 a^7 b^6 c^6 d^6 e^2 - 10080 a^7 b^8 c^4 d^4 e^4 \\
& + 2240 a^7 b^9 c^3 d^3 e^5 + 1344 a^7 b^{10} c^2 d^2 e^6 - 21504 a^8 b^4 c^7 d^6 e^2 \\
& - 21504 a^8 b^5 c^6 d^5 e^3 + 32256 a^8 b^6 c^5 d^4 e^4 - 6720 a^8 b^8 c^3 d^2 e^6 + 57344 a^9 b^3 c^7 d^5 e^3 \\
& - 46592 a^9 b^4 c^6 d^4 e^4 - 21504 a^9 b^5 c^5 d^3 e^5 + 17920 a^9 b^6 c^4 d^2 e^6 \\
& + 12288 a^{10} b^2 c^7 d^4 e^4 + 57344 a^{10} b^3 c^6 d^3 e^5 - 21504 a^{10} b^4 c^5 d^2 e^6 \\
& + 96 a^7 b^{11} c^4 d^7 e - 16384 a^9 b^3 c^9 d^7 e - 16384 a^{12} b^3 c^6 d^3 e^5 \\
& - 4 a^3 b^{13} c^3 d^7 e - 4 a^3 b^{15} c^3 d^5 e^3 + 96 a^4 b^{11} c^4 d^7 e - 12 a^4 b^{14} c^3 d^4 e^4 \\
& - 960 a^5 b^9 c^5 d^7 e + 84 a^5 b^{13} c^3 d^3 e^5 + 5120 a^6 b^7 c^6 d^7 e - 140 a^6 b^{12} c^3 d^2 e^6 \\
& - 15360 a^7 b^
\end{aligned}$$

$$\begin{aligned}
& ^5c^7d^7e + 24576a^8b^3c^8d^7e - 960a^8b^9c^2d^7e + 5120a^9b \\
& ^7c^3d^7e - 49152a^{10}b^3c^8d^5e^3 - 15360a^{10}b^5c^4d^7e - 49152* \\
& a^{11}b^3c^7d^3e^5 + 24576a^{11}b^3c^5d^7e))^{(1/2)} - (326912a^8c^9d^* \\
& e^{13} - 241664a^8b^3c^8e^{14} - 48a^2b^{13}c^2e^{14} + 1264a^3b^{11}c^3e^{1} \\
& 4 - 13552a^4b^9c^4e^{14} + 75776a^5b^7c^5e^{14} - 232960a^6b^5c^6e^{1} \\
& 14 + 372736a^7b^3c^7e^{14} + 11520a^3c^{14}d^{11}e^3 + 78080a^4c^{13}d^9 \\
& *e^5 + 197120a^5c^{12}d^7e^7 + 336384a^6c^{11}d^5e^9 + 532736a^7c^{10} \\
& d^3e^{11} - 40b^5c^{12}d^{12}e^2 + 216b^6c^{11}d^{11}e^3 - 464b^7c^{10}d^{10} \\
& *e^4 + 496b^8c^9d^9e^5 - 264b^9c^8d^8e^6 + 56b^{10}c^7d^7e^7 - 16 \\
& *b^{11}c^6d^6e^8 + 64b^{12}c^5d^5e^9 - 96b^{13}c^4d^4e^{10} + 64b^{14}c^3 \\
& d^3e^{11} - 16b^{15}c^2d^2e^{12} + 1536a^2b^2c^{13}d^{11}e^3 + 14400a^2* \\
& b^3c^{12}d^{10}e^4 - 47152a^2b^4c^{11}d^9e^5 + 52144a^2b^5c^{10}d^8e^6 \\
& - 16272a^2b^6c^9d^7e^7 - 13040a^2b^7c^8d^6e^8 + 23488a^2b^8c^7 \\
& d^5e^9 - 26384a^2b^9c^6d^4e^{10} + 13824a^2b^{10}c^5d^3e^{11} + 256* \\
& a^2b^{11}c^4d^2e^{12} + 125056a^3b^2c^{12}d^9e^5 - 36224a^3b^3c^{11}d^8 \\
& e^6 - 126432a^3b^4c^{10}d^7e^7 + 144848a^3b^5c^9d^6e^8 - 114752a^3 \\
& b^6c^8d^5e^9 + 125392a^3b^7c^7d^4e^{10} - 53248a^3b^8c^6d^3e^{11} \\
& - 25264a^3b^9c^5d^2e^{12} + 474112a^4b^2c^{11}d^7e^7 - 191104a^4* \\
& b^3c^{10}d^6e^8 + 97184a^4b^4c^9d^5e^9 - 277000a^4b^5c^8d^4e^{10} \\
& + 56056a^4b^6c^7d^3e^{11} + 195584a^4b^7c^6d^2e^{12} + 236800a^5b^2 \\
& *c^{10}d^5e^9 + 388032a^5b^3c^9d^4e^{10} + 159632a^5b^4c^8d^3e^{11} - \\
& 670488a^5b^5c^7d^2e^{12} - 488960a^6b^2c^9d^3e^{11} + 1106496a^6b^3 \\
& c^8d^2e^{12} + 64a^6b^4c^7d^2e^{13} + 448a^6b^3c^{13}d^{12}e^2 - 1968a^6b^4 \\
& c^{12}d^{11}e^3 + 2504a^6b^5c^{11}d^{10}e^4 + 768a^6b^6c^{10}d^9e^5 - 4368* \\
& a^6b^7c^9d^8e^6 + 3568a^6b^8c^8d^7e^7 - 520a^6b^9c^7d^6e^8 - 1728a^6 \\
& b^{10}c^6d^5e^9 + 2528a^6b^{11}c^5d^4e^{10} - 1536a^6b^{12}c^4d^3e^{11} + 2 \\
& 40a^6b^{13}c^3d^2e^{12} - 1152a^7b^2c^{14}d^{12}e^2 - 1600a^7b^{12}c^3d^2e^{1} \\
& 3 - 67968a^7b^3c^{13}d^{10}e^4 + 15808a^7b^{10}c^4d^7e^{13} - 342272a^7b^3c^ \\
& 12d^8e^6 - 76928a^7b^8c^5d^5e^{13} - 569088a^7b^6c^{11}d^6e^8 + 179200* \\
& a^7b^6c^6d^5e^{13} - 586368a^7b^6c^{10}d^4e^{10} - 113008a^7b^4c^7d^5e^{13} \\
& - 731008a^7b^3c^9d^2e^{12} - 244096a^7b^2c^8d^7e^{13})/(16*(a^6b^8e^8 \\
& + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^8e^8 - 4a^5b^9d^7e^7 + \\
& a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256a^5b^2c^7 \\
& d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 - 4a^3 \\
& *b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^5 \\
& e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6* \\
& e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5 \\
& e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4 \\
& *d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2* \\
& c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6 \\
& b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 204 \\
& 8a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 \\
& - 1024a^6b^3c^7d^7e + 64a^6b^7c^3d^7e - 1024a^9b^3c^4d^7e - 4a^2* \\
& b^9c^3d^7e - 4a^2b^{11}c^3d^5e^3 + 64a^3b^7c^4d^7e - 4a^3b^{10}c^2 \\
& d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^
\end{aligned}$$

$$\begin{aligned}
& ^7e - 92a^5b^8c^2d^2e^6 - 3072a^7b^3c^6d^5e^3 - 384a^7b^5c^2d^2e^7 \\
& - 3072a^8b^3c^5d^3e^5 + 1024a^8b^3c^3d^2e^7)) * ((27a^9b^5c^5d^6 - \\
& b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^3c^9d^6 - 9a^5c^5d^6 \\
& * (-4ac - b^2)^9)^{(1/2)} + 213a^3b^{11}c^6e^6 - 26880a^8b^3c^6e^6 + \\
& 3072a^6c^9d^5e + 35840a^8c^7d^5e^5 + 4b^{12}c^3d^5e + 4b^{14}c^3d^3 \\
& * e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 - 3840a^4b^3c^8d^6 + \\
& 9a^2b^4e^6 * (-4ac - b^2)^9)^{(1/2)} - 2077a^4b^9c^2e^6 + 10656a^5b^7c^3e^6 \\
& - 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 + 25a^4c^2e^6 * (-4ac - b^2)^9)^{(1/2)} \\
& + b^2c^4d^6 * (-4ac - b^2)^9)^{(1/2)} + 22528a^7c^8d^3e^3 + b^6d^2e^4 * (-4ac - b^2)^9)^{(1/2)} \\
& - 6b^{13}c^2d^4e^2 + 6a^2b^{14}d^5e^5 - 1471a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3d^3e^3 \\
& + 180a^2b^{11}c^2d^2e^4 + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8c^4d^3e^3 - 2871a^3b^9c^3d^2e^4 \\
& - 15456a^4b^5c^6d^4e^2 - 7168a^4b^6c^5d^3e^3 + 16896a^4b^7c^4d^2e^4 \\
& + 10240a^5b^3c^7d^4e^2 + 37632a^5b^4c^6d^3e^3 - 47712a^5b^5c^5d^2e^4 \\
& - 59392a^6b^2c^7d^3e^3 + 60928a^6b^3c^6d^2e^4 - 41a^2c^4d^4e^2 * (-4ac - b^2)^9)^{(1/2)} \\
& - 39a^3c^3d^2e^4 * (-4ac - b^2)^9)^{(1/2)} + 6b^4c^2d^4e^2 * (-4ac - b^2)^9)^{(1/2)} \\
& - 6a^2b^5d^5e^5 * (-4ac - b^2)^9)^{(1/2)} - 106a^2b^{10}c^4d^5e^5 + 7a^2b^{13}c^3d^2e^4 \\
& - 128a^2b^{12}c^2d^5e^5 - 51a^3b^2c^2e^6 * (-4ac - b^2)^9)^{(1/2)} + 150a^2b^{11}c^3d^4e^2 \\
& - 84a^2b^{12}c^2d^3e^3 + 1116a^2b^8c^5d^5e - 5824a^3b^6c^6d^5e + 1030a^3b^{10}c^2d^5e^5 \\
& + 15232a^4b^4c^7d^5e - 3492a^4b^8c^3d^5e^5 - 16896a^5b^2c^8d^5e + 1344a^5b^6c^4d^5e^5 \\
& + 7424a^6b^3c^8d^4e^2 + 22400a^6b^4c^5d^5e^5 - 23296a^7b^3c^7d^2e^4 \\
& - 53760a^7b^2c^6d^5e^5 - 4b^3c^3d^5e^5 * (-4ac - b^2)^9)^{(1/2)} - 4b^5c^3d^3e^3 \\
& * (-4ac - b^2)^9)^{(1/2)} + 11a^2b^4c^3d^2e^4 * (-4ac - b^2)^9)^{(1/2)} + 20a^2b^3c^3d^2e^5 \\
& * (-4ac - b^2)^9)^{(1/2)} + 86a^3b^3c^2d^2e^5 * (-4ac - b^2)^9)^{(1/2)} - 42a^2b^2c^3d^4e^2 \\
& * (-4ac - b^2)^9)^{(1/2)} + 12a^2b^3c^2d^3e^3 * (-4ac - b^2)^9)^{(1/2)} + 120a^2b^3c^3d^3e^3 \\
& * (-4ac - b^2)^9)^{(1/2)} + 34a^2b^3c^4d^5e^5 * (-4ac - b^2)^9)^{(1/2)} - 108a^2b^2c^2d^2e^4 \\
& * (-4ac - b^2)^9)^{(1/2))} / (32(a^7b^{12}e^8 + 4096a^9c^{10}d^8 + 4096a^{13}c^6e^8 \\
& - 24a^8b^{10}c^8e^8 - 4a^6b^{13}d^7e^7 + a^3b^{12}c^4d^8 - 24a^4b^{10}c^5d^8 + 240a^5b^8c^6d^8 \\
& - 1280a^6b^6c^7d^8 + 3840a^7b^4c^8d^8 - 6144a^8b^2c^9d^8 + 240a^9b^8c^2e^8 \\
& - 1280a^{10}b^6c^3e^8 + 3840a^{11}b^4c^4e^8 - 6144a^{12}b^2c^5e^8 + a^3b^{16}d^4e^4 \\
& - 4a^4b^{15}d^3e^5 + 6a^5b^{14}d^2e^6 + 16384a^{10}c^9d^6e^2 + 24576a^{11}c^8d^4e^4 \\
& + 16384a^{12}c^7d^2e^6 + 6a^3b^{14}c^2d^6e^2 - 140a^4b^{12}c^3d^6e^2 + 84a^4b^{13}c^2d^5e^3 \\
& + 1344a^5b^{10}c^4d^6e^2 - 672a^5b^{11}c^3d^5e^3 - 42a^5b^{12}c^2d^4e^4 - 6720a^6b^8c^5d^6e^2 \\
& + 2240a^6b^9c^4d^5e^3 + 1456a^6b^{10}c^3d^4e^4 - 672a^6b^{11}c^2d^3e^5 + 17920a^7b^6c^6d^6e^2 \\
& - 10080a^7b^8c^4d^4e^4 + 2240a^7b^9c^3d^3e^5 + 1344a^7b^{10}c^2d^2e^6 - 21504a^8b^4c^7d^6e^2 \\
& - 21504a^8b^5c^6d^5e^3 + 32256a^8b^6c^5d^4e^4 - 6720a^8b^8c^3d^2e^6 + 57344a^9b^3c^7d^5e^3 \\
& - 46592a^9b^4c^6d^4e^4 - 21504a^9b^5c^5d^3e^5 + 17920a^9b^6c^4d^2e^6 + 12288a^{10}b^2c^7d^4e^4 \\
& + 57344a^{10}b^3c^6d^3e^5 - 21504a^{10}b^4c^5
\end{aligned}$$

$$\begin{aligned}
& d^2e^6 + 96a^7b^{11}c^3d^7e^7 - 16384a^9b^3c^9d^7e - 16384a^{12}b^3c^6d^8e^7 - 4a^3b^{13}c^3d^7e - 4a^3b^{15}c^3d^5e^3 + 96a^4b^{11}c^4d^7e - \\
& 12a^4b^{14}c^3d^4e^4 - 960a^5b^9c^5d^7e + 84a^5b^{13}c^3d^3e^5 + 5120a^6b^7c^6d^7e - 140a^6b^{12}c^3d^2e^6 - 15360a^7b^5c^7d^7e + 24576a^8b^3c^8d^7e - \\
& 960a^8b^9c^2d^7e + 5120a^9b^7c^3d^7e - 49152a^{10}b^3c^8d^5e^3 - 15360a^{10}b^5c^4d^7e - 49152a^{11}b^3c^7d^3e^5 + 24576a^{11}b^3c^5d^7e))^{(1/2)} + (x*(22800a^6c^9e^{13} + 36a^2b^8c^5e^{13} - 600a^3b^6c^6e^{13} + 4313a^4b^4c^7e^{13} - 15592a^5b^2c^8e^{13} + 1296a^2c^{13}d^8e^5 + 9792a^3c^{12}d^6e^7 + 30304a^4c^{11}d^4e^9 + 40512a^5c^{10}d^2e^{11} + 25b^4c^{11}d^8e^5 - 120b^5c^{10}d^7e^6 + 214b^6c^9d^6e^7 - 168b^7c^8d^5e^8 + 53b^8c^7d^4e^9 - 8b^9c^6d^3e^{10} + 4b^{10}c^5d^2e^{11} + 6336a^2b^2c^{11}d^6e^7 + 3840a^2b^3c^{10}d^5e^8 - 8506a^2b^4c^9d^4e^9 + 1112a^2b^5c^8d^3e^{10} + 1254a^2b^6c^7d^2e^{11} + 22224a^3b^2c^{10}d^4e^9 + 13824a^3b^3c^9d^3e^{10} - 9516a^3b^4c^8d^2e^{11} + 11712a^4b^2c^9d^2e^{11} - 24a^4b^9c^5d^7e^6 - 41088a^5b^3c^9d^7e^6 - 360a^4b^2c^{12}d^8e^5 + 1664a^4b^3c^{11}d^7e^6 - 2604a^4b^4c^{10}d^6e^7 + 1272a^4b^5c^9d^5e^8 + 332a^4b^6c^8d^4e^9 - 232a^4b^7c^7d^3e^{10} - 48a^4b^8c^6d^2e^{11} - 5760a^2b^3c^{12}d^7e^6 + 416a^2b^7c^6d^7e^6 - 32128a^3b^3c^{11}d^5e^8 - 4120a^3b^5c^7d^7e^6 - 63360a^4b^3c^{10}d^3e^{10} + 21376a^4b^3c^8d^7e^6)) / (8(a^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^6e^8 - 4a^5b^9d^7e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^3c^7d^7e + 64a^6b^7c^3d^7e - 1024a^9b^3c^4d^7e - 4a^2b^9c^3d^7e - 4a^2b^{11}c^3d^5e^3 + 64a^3b^7c^4d^7e - 4a^3b^{10}c^3d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^7e - 92a^5b^8c^2d^2e^6 - 3072a^7b^3c^6d^5e^3 - 384a^7b^5c^2d^7e - 3072a^8b^3c^5d^3e^5 + 1024a^8b^3c^3d^7e)) * ((27a^8b^9c^5d^6 - b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^3c^9d^6 - 9a^2c^5d^6 * (-4a^2c - b^2)^9)^{(1/2)} + 213a^3b^{11}c^9e^6 - 26880a^8b^3c^6e^6 + 3072a^6c^9d^5e + 35840a^8c^7d^5e^5 + 4b^{12}c^3d^5e + 4b^{14}c^3d^3e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 - 3840a^4b^3c^8d^6 + 9a^2b^4e^6 * (-4a^2c - b^2)^9)^{(1/2)} - 2077a^4b^9c^2e^6 + 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 + 25a^4c^2e^6 * (-4a^2c - b^2)^9)^{(1/2)} + b^2c^4d^6 * (-4a^2c - b^2)^9)^{(1/2)} + 22528a^7c^8d^3e^3 + b^6d^2e^4 * (-4a^2c - b^2)^9)^{(1/2)} - 6b^{13}c^2d^4e^2 + 6a^2b^{14}d^5e^5 - 1471a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3d^4e^2
\end{aligned}$$

$$\begin{aligned}
& d^3e^3 + 180a^2b^{11}c^2d^2e^4 + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8c^4d^3e^3 - 2871a^3b^9c^3d^2e^4 - 15456a^4b^5c^6d^4e^2 - 7168 \\
& a^4b^6c^5d^3e^3 + 16896a^4b^7c^4d^2e^4 + 10240a^5b^3c^7d^4e^2 + 37632a^5b^4c^6d^3e^3 - 47712a^5b^5c^5d^2e^4 - 59392a^6b^2c^7d^3e^3 \\
& + 60928a^6b^3c^6d^2e^4 - 41a^2c^4d^4e^2(-4ac - b^2)^9)^{(1/2)} - 39a^3c^3d^2e^4(-4ac - b^2)^9)^{(1/2)} + 6b^4c^2d^4e^2 \\
& *(-4ac - b^2)^9)^{(1/2)} - 6a^5b^5d^5e^5(-4ac - b^2)^9)^{(1/2)} - 106a^6b^{10}c^4d^5e^5 + 7a^6b^{13}c^4d^2e^4 - 128a^2b^{12}c^4d^5e^5 - 51a^3b^2c^6e^6 \\
& *(-4ac - b^2)^9)^{(1/2)} + 150a^6b^{11}c^3d^4e^2 - 84a^6b^{12}c^2d^3e^3 + 1116a^2b^8c^5d^5e^5 - 5824a^3b^6c^6d^5e^5 + 1030a^3b^{10}c^2d^5e^5 \\
& + 15232a^4b^4c^7d^5e^5 - 3492a^4b^8c^3d^5e^5 - 16896a^5b^2c^8d^5e^5 + 1344a^5b^6c^4d^5e^5 + 7424a^6b^8c^8d^4e^2 + 22400a^6b^4c^5d^5e^5 \\
& - 23296a^7b^8c^7d^2e^4 - 53760a^7b^2c^6d^5e^5 - 4b^3c^3d^5e^5 *(-4ac - b^2)^9)^{(1/2)} - 4b^5c^3d^3e^3 *(-4ac - b^2)^9)^{(1/2)} + 11a^6b^4c^4d^2e^4 \\
& *(-4ac - b^2)^9)^{(1/2)} + 20a^2b^3c^4d^5e^5 *(-4ac - b^2)^9)^{(1/2)} + 86a^3b^2c^2d^5e^5 *(-4ac - b^2)^9)^{(1/2)} - 42a^6b^2c^3d^4e^2 \\
& *(-4ac - b^2)^9)^{(1/2)} + 12a^6b^3c^2d^3e^3 *(-4ac - b^2)^9)^{(1/2)} + 120a^2b^3c^3d^3e^3 *(-4ac - b^2)^9)^{(1/2)} + 34a^6b^4c^4d^5e^5 *(-4ac - b^2)^9)^{(1/2)} \\
& - 108a^2b^2c^2d^2e^4 *(-4ac - b^2)^9)^{(1/2)} / (32 * (a^7b^{12}e^8 + 4096a^9c^{10}d^8 + 4096a^{13}c^6e^8 - 24a^8b^{10}c^6e^8 - 4a^6b^{13}d^8e^7 + a^3b^{12}c^4d^8 - 24a^4b^{10}c^5d^8 + 240a^5b^8c^6d^8 \\
& - 1280a^6b^6c^7d^8 + 3840a^7b^4c^8d^8 - 6144a^8b^2c^9d^8 + 240a^9b^8c^2e^8 - 1280a^{10}b^6c^3e^8 + 3840a^{11}b^4c^4e^8 - 6144a^{12}b^2c^5e^8 + a^3b^{16}d^4e^4 - 4a^4b^{15}d^3e^5 + 6a^5b^{14}d^2e^6 \\
& + 16384a^{10}c^9d^6e^2 + 24576a^{11}c^8d^4e^4 + 16384a^{12}c^7d^2e^6 + 6a^3b^{14}c^2d^6e^2 - 140a^4b^{12}c^3d^6e^2 + 84a^4b^{13}c^2d^5e^3 + 1344a^5b^{10}c^4d^6e^2 - 672a^5b^{11}c^3d^5e^3 - 42a^5b^{12}c^2d^4e^4 \\
& - 6720a^6b^8c^5d^6e^2 + 2240a^6b^9c^4d^5e^3 + 1456a^6b^{10}c^3d^4e^4 - 672a^6b^{11}c^2d^3e^5 + 17920a^7b^6c^6d^6e^2 - 10080a^7b^8c^4d^4e^4 + 2240a^7b^9c^3d^3e^5 + 1344a^7b^{10}c^2d^2e^6 \\
& - 21504a^8b^4c^7d^6e^2 - 21504a^8b^5c^6d^5e^3 + 32256a^8b^6c^5d^4e^4 - 6720a^8b^8c^3d^2e^6 + 57344a^9b^3c^7d^5e^3 - 46592a^9b^4c^6d^4e^4 - 21504a^9b^5c^5d^3e^5 + 17920a^9b^6c^4d^2e^6 \\
& + 12288a^{10}b^2c^7d^4e^4 + 57344a^{10}b^3c^6d^3e^5 - 21504a^{10}b^4c^5d^2e^6 + 96a^7b^{11}c^4d^7e - 16384a^9b^3c^9d^7e - 16384a^{12}b^3c^6d^5e^7 - 4a^3b^{13}c^3d^7e - 4a^3b^{15}c^4d^5e^3 + 96a^4b^{11}c^4d^7e \\
& - 12a^4b^{14}c^4d^4e^4 - 960a^5b^9c^5d^7e + 84a^5b^{13}c^4d^3e^5 + 5120a^6b^7c^6d^7e - 140a^6b^{12}c^4d^2e^6 - 15360a^7b^5c^7d^7e + 24576a^8b^3c^8d^7e - 960a^8b^9c^2d^5e^7 + 5120a^9b^7c^3d^5e^7 \\
& - 49152a^{10}b^3c^8d^5e^3 - 15360a^{10}b^5c^4d^5e^7 - 49152a^{11}b^3c^7d^3e^5 + 24576a^{11}b^3c^5d^5e^7))^{(1/2)} * i) / ((2000a^4c^9e^{12} + 21a^2b^4c^7e^{12} - 520a^3b^2c^8e^{12} + 1296a^2c^{11}d^4e^8 + 4320a^3c^{10}d^2e^{10} + 25b^4c^9d^4e^8 - 60b^5c^8d^3e^9 + 35b^6c^7d^2e^{10} + 192a^2b^2c^9d^2e^{10} - 112ab^5c^7d^5e^{11} - 4480a^3b^3c^9d^5e^{11} - 360a^6b^2c^{10}d^4e^8 + 832a^6b^3c^9d^3e^9 - 362a^6b^4c^8d^
\end{aligned}$$

$$\begin{aligned}
& 2e^{10} - 2880a^2b^3c^{10}d^3e^9 + 1440a^2b^3c^8d^8e^{11}) / (8(a^6b^8e^8 \\
& + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^8e^8 - 4a^5b^9d^8e^7 \\
& + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^3c^7d^7e + 64a^6b^7c^4d^7e - 1024a^9b^3c^4d^7e - 4a^2b^9c^3d^7e - 4a^2b^{11}c^4d^5e^3 + 64a^3b^7c^4d^7e - 4a^3b^{10}c^4d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^7e - 92a^5b^8c^2d^2e^6 - 3072a^7b^3c^6d^5e^3 - 384a^7b^5c^2d^7e - 3072a^8b^3c^5d^3e^5 + 1024a^8b^3c^3d^7e) + (((((1048576a^{13}c^8e^{16} + 256a^7b^{12}c^2e^{16} - 6144a^8b^{10}c^3e^{16} + 61440a^9b^8c^4e^{16} - 327680a^{10}b^6c^5e^{16} + 983040a^{11}b^4c^6e^{16} - 1572864a^{12}b^2c^7e^{16} - 196608a^6c^{15}d^{14}e^2 - 917504a^7c^{14}d^{12}e^4 - 589824a^8c^{13}d^{10}e^6 + 3932160a^9c^{12}d^8e^8 + 10158080a^{10}c^{11}d^6e^{10} + 10616832a^{11}c^{10}d^4e^{12} + 5308416a^{12}c^9d^2e^{14} - 2816a^2b^8c^{11}d^{14}e^2 + 22656a^2b^9c^{10}d^{13}e^3 - 78848a^2b^{10}c^9d^{12}e^4 + 154112a^2b^{11}c^8d^{11}e^5 - 182784a^2b^{12}c^7d^{10}e^6 + 130816a^2b^{13}c^6d^9e^7 - 50176a^2b^{14}c^5d^8e^8 + 4608a^2b^{15}c^4d^7e^9 + 3328a^2b^{16}c^3d^6e^{10} - 896a^2b^{17}c^2d^5e^{11} + 24576a^3b^6c^12d^{14}e^2 - 198656a^3b^7c^{11}d^{13}e^3 + 684544a^3b^8c^{10}d^{12}e^4 - 1291520a^3b^9c^9d^{11}e^5 + 1403776a^3b^{10}c^8d^{10}e^6 - 798336a^3b^{11}c^7d^9e^7 + 89856a^3b^{12}c^6d^8e^8 + 155136a^3b^{13}c^5d^7e^9 - 77440a^3b^{14}c^4d^6e^{10} + 5504a^3b^{15}c^3d^5e^{11} + 2560a^3b^{16}c^2d^4e^{12} - 106496a^4b^4c^{13}d^{14}e^2 + 864256a^4b^5c^{12}d^{13}e^3 - 2924544a^4b^6c^{11}d^{12}e^4 + 5181440a^4b^7c^{10}d^{11}e^5 - 4686080a^4b^8c^9d^{10}e^6 + 1045376a^4b^9c^8d^9e^7 + 1900544a^4b^{10}c^7d^8e^8 - 1732096a^4b^{11}c^6d^7e^9 + 390400a^4b^{12}c^5d^6e^{10} + 11200a^4b^{13}c^4d^5e^{11} - 40960a^4b^{14}c^3d^4e^{12} - 3840a^4b^{15}c^2d^3e^{13} + 229376a^5b^2c^{14}d^{14}e^2 - 1867776a^5b^3c^{13}d^{13}e^3 + 6078464a^5b^4c^{12}d^{12}e^4 - 9297920a^5b^5c^{11}d^{11}e^5 + 4055040a^5b^6c^{10}d^{10}e^6 + 7788544a^5b^7c^9d^9e^7 - 12657664a^5b^8c^8d^8e^8 + 6130176a^5b^9c^7d^7e^9 + 734080a^5b^{10}c^6d^6e^{10} - 1442560a^5b^{11}c^5d^5e^{11} + 168960a^5b^{12}c^4d^4e^{12} + 78080a^5b^{13}c^3d^3e^{13} + 3200a^5b^{14}c^2d^2e^{14} - 4587520a^6b^2c^{13}d^{12}e^4 + 3080192a^6b^3c^{12}d^{11}e^5 + 12001280a^6b^4c^{11}d^{10}e^6 - 31076352a^6b^5c^{10}d^9e^7 + 27475968a^6b^6c^9d^8e^8 - 2088960a^6b^7c^8d^7e^9 - 12205312a^6b^8c^7d^6e^{10} + 6043520a^6b^9c^6d^5e^{11} + 631808a^6b^{10}c^5d^4e^{12} - 610304a^6b^{11}c^4d^3e^{13} - 71936a^6b^{12}c^3d^2e^{14}
\end{aligned}$$

$$\begin{aligned}
& e^{14} - 21725184a^7b^2c^{12}d^{10}e^6 + 30801920a^7b^3c^{11}d^9e^7 - 80 \\
& 28160a^7b^4c^{10}d^8e^8 - 32260096a^7b^5c^9d^7e^9 + 37101568a^7b^ \\
& 6c^8d^6e^{10} - 7182336a^7b^7c^7d^5e^{11} - 7609856a^7b^8c^6d^4e^{11} \\
& 2 + 2112256a^7b^9c^5d^3e^{13} + 661632a^7b^{10}c^4d^2e^{14} - 30146560* \\
& a^8b^2c^{11}d^8e^8 + 55050240a^8b^3c^{10}d^7e^9 - 34365440a^8b^4c^9 \\
& *d^6e^{10} - 16429056a^8b^5c^8d^5e^{11} + 24600576a^8b^6c^7d^4e^{12} - \\
& 1683456a^8b^7c^6d^3e^{13} - 3151616a^8b^8c^5d^2e^{14} - 10977280a^9 \\
& *b^2c^{10}d^6e^{10} + 47022080a^9b^3c^9d^5e^{11} - 30621696a^9b^4c^8d \\
& ^4e^{12} - 9232384a^9b^5c^7d^3e^{13} + 7970816a^9b^6c^6d^2e^{14} + 432 \\
& 5376a^{10}b^2c^9d^4e^{12} + 25493504a^{10}b^3c^8d^3e^{13} - 9117696a^{10} \\
& b^4c^7d^2e^{14} + 491520a^{11}b^2c^8d^2e^{14} - 4947968a^{12}b^2c^8d^2e^{15} \\
& + 128a^2b^{10}c^{10}d^{14}e^2 - 1024a^2b^{11}c^9d^{13}e^3 + 3584a^2b^{12}c^8d^ \\
& 12e^4 - 7168a^2b^{13}c^7d^{11}e^5 + 8960a^2b^{14}c^6d^{10}e^6 - 7168a^2b^{15} \\
& c^5d^9e^7 + 3584a^2b^{16}c^4d^8e^8 - 1024a^2b^{17}c^3d^7e^9 + 128a^2b^{18} \\
& c^2d^6e^{10} + 1605632a^6b^2c^{14}d^{13}e^3 - 1408a^6b^3c^{13}d^{12}e^4 + 7 \\
& 012352a^7b^2c^{13}d^{11}e^5 + 33152a^7b^3c^{12}d^{10}e^6 + 7045120a^8b^2c^{12} \\
& *d^9e^7 - 324480a^8b^3c^{11}d^8e^8 - 9830400a^9b^2c^{11}d^7e^9 + 1689600 \\
& *a^9b^3c^{10}d^6e^{10} - 25722880a^{10}b^2c^{10}d^5e^{11} - 4935680a^{10}b^3c^9 \\
& *d^4e^{12} - 19202048a^{11}b^2c^9d^3e^{13} + 7667712a^{11}b^3c^8d^2e^{14}) / (16*(a \\
& ^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^6e^8 - 4a^5b^9 \\
& *d^7e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256 \\
& *a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 \\
& - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536 \\
& *a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8 \\
& *c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 - 192a^4 \\
& *b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5 \\
& *b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 5 \\
& 12a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 \\
& - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4 \\
& *e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4 \\
& *d^2e^6 - 1024a^8b^3c^7d^7e^7 + 64a^6b^7c^4d^7e^7 - 1024a^9b^2c^4d^6 \\
& *e^7 - 4a^2b^9c^3d^7e^7 - 4a^2b^{11}c^2d^5e^3 + 64a^3b^7c^4d^7e^7 - 4a^3 \\
& *b^{10}c^2d^4e^4 - 384a^4b^5c^5d^7e^7 + 52a^4b^9c^3d^3e^5 + 1024a^5 \\
& *b^3c^6d^7e^7 - 92a^5b^8c^2d^2e^6 - 3072a^7b^2c^6d^5e^3 - 384a^7b^5 \\
& *c^2d^6e^7 - 3072a^8b^3c^5d^3e^5 + 1024a^8b^3c^3d^3e^7) - (x*((27a \\
& ^9b^9c^5d^6 - b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^2c^9 \\
& *d^6 - 9a^2c^5d^6*(-(4a^2c - b^2)^9)^{(1/2)} + 213a^3b^{11}c^6e^6 - 26880a^8 \\
& *b^2c^6e^6 + 3072a^6c^9d^5e^6 + 35840a^8c^7d^5e^5 + 4b^{12}c^3d^5e^6 \\
& + 4b^{14}c^3d^3e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 - 3840a^4 \\
& *b^3c^8d^6 + 9a^2b^4e^6*(-(4a^2c - b^2)^9)^{(1/2)} - 2077a^4b^9c^2e^6 \\
& + 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 + \\
& 25a^4c^2e^6*(-(4a^2c - b^2)^9)^{(1/2)} + b^2c^4d^6*(-(4a^2c - b^2)^9)^{(1/2)} \\
& + 22528a^7c^8d^3e^3 + b^6d^2e^4*(-(4a^2c - b^2)^9)^{(1/2)} - 6b^{13} \\
& *c^2d^4e^2 + 6a^2b^{14}d^4e^5 - 1471a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3 \\
& *d^3e^3 + 180a^2b^{11}c^2d^2e^4 + 6976a^3b^7c^5d^4e^2 - 1032a^3b^7c^5d^4e^2 - 1032a^3b^7c^5d^4e^2
\end{aligned}$$

$$\begin{aligned}
& b^8 c^4 d^3 e^3 - 2871 a^3 b^9 c^3 d^2 e^4 - 15456 a^4 b^5 c^6 d^4 e^2 - 71 \\
& 68 a^4 b^6 c^5 d^3 e^3 + 16896 a^4 b^7 c^4 d^2 e^4 + 10240 a^5 b^3 c^7 d^4 e^2 \\
& e^2 + 37632 a^5 b^4 c^6 d^3 e^3 - 47712 a^5 b^5 c^5 d^2 e^4 - 59392 a^6 b^2 \\
& c^7 d^3 e^3 + 60928 a^6 b^3 c^6 d^2 e^4 - 41 a^2 c^4 d^4 e^2 * (- (4 a c - b^2)^9)^{(1/2)} \\
& - 39 a^3 c^3 d^2 e^4 * (- (4 a c - b^2)^9)^{(1/2)} + 6 b^4 c^2 d^4 e^2 * (- (4 a c - b^2)^9)^{(1/2)} \\
& - 6 a b^5 d e^5 * (- (4 a c - b^2)^9)^{(1/2)} - 106 a b^10 c^4 d^5 e + 7 a b^13 c d^2 e^4 \\
& - 128 a^2 b^12 c d e^5 - 51 a^3 b^2 c e^6 * (- (4 a c - b^2)^9)^{(1/2)} + 150 a b^11 c^3 d^4 e^2 \\
& - 84 a b^12 c^2 d^3 e^3 + 1116 a^2 b^8 c^5 d^5 e - 5824 a^3 b^6 c^6 d^5 e + 1030 a^3 b^10 c^2 d \\
& e^5 + 15232 a^4 b^4 c^7 d^5 e - 3492 a^4 b^8 c^3 d e^5 - 16896 a^5 b^2 c^8 \\
& d^5 e + 1344 a^5 b^6 c^4 d e^5 + 7424 a^6 b c^8 d^4 e^2 + 22400 a^6 b^4 c^5 \\
& d e^5 - 23296 a^7 b c^7 d^2 e^4 - 53760 a^7 b^2 c^6 d e^5 - 4 b^3 c^3 d^5 \\
& e * (- (4 a c - b^2)^9)^{(1/2)} - 4 b^5 c d^3 e^3 * (- (4 a c - b^2)^9)^{(1/2)} + 11 \\
& a b^4 c d^2 e^4 * (- (4 a c - b^2)^9)^{(1/2)} + 20 a^2 b^3 c d e^5 * (- (4 a c - b^2)^9)^{(1/2)} \\
& + 86 a^3 b c^2 d e^5 * (- (4 a c - b^2)^9)^{(1/2)} - 42 a b^2 c^3 d^4 e^2 * (- (4 a c - b^2)^9)^{(1/2)} \\
& + 12 a b^3 c^2 d^3 e^3 * (- (4 a c - b^2)^9)^{(1/2)} + 120 a^2 b c^3 d^3 e^3 * (- (4 a c - b^2)^9)^{(1/2)} \\
& + 34 a b c^4 d^5 e * (- (4 a c - b^2)^9)^{(1/2)} - 108 a^2 b^2 c^2 d^2 e^4 * (- (4 a c - b^2)^9)^{(1/2)}) / \\
& (32 (a^7 b^12 e^8 + 4096 a^9 c^10 d^8 + 4096 a^13 c^6 e^8 - 24 a^8 b^10 c e^8 - 4 a^6 b^13 d e^7 \\
& + a^3 b^12 c^4 d^8 - 24 a^4 b^10 c^5 d^8 + 240 a^5 b^8 c^6 d^8 - 1280 a^6 b^6 c^7 d^8 + 3840 a^7 b^4 c^8 d^8 \\
& - 6144 a^8 b^2 c^9 d^8 + 240 a^9 b^8 c^2 e^8 - 1280 a^10 b^6 c^3 e^8 + 3840 a^11 b^4 c^4 e^8 - 6144 a^12 b^2 c^5 e^8 \\
& + a^3 b^16 d^4 e^4 - 4 a^4 b^15 d^3 e^5 + 6 a^5 b^14 d^2 e^6 + 16384 a^10 c^9 d^6 e^2 + 24576 a^11 c^8 d^4 e^4 \\
& + 16384 a^12 c^7 d^2 e^6 + 6 a^3 b^14 c^2 d^6 e^2 - 140 a^4 b^12 c^3 d^6 e^2 + 84 a^4 b^13 c^2 d^5 e^3 \\
& + 1344 a^5 b^10 c^4 d^6 e^2 - 672 a^5 b^11 c^3 d^5 e^3 - 42 a^5 b^12 c^2 d^4 e^4 - 6720 a^6 b^8 c^5 d^6 e^2 \\
& + 2240 a^6 b^9 c^4 d^5 e^3 + 1456 a^6 b^10 c^3 d^4 e^4 - 672 a^6 b^11 c^2 d^3 e^5 + 17920 a^7 b^6 c^6 d^6 \\
& e^2 - 10080 a^7 b^8 c^4 d^4 e^4 + 2240 a^7 b^9 c^3 d^3 e^5 + 1344 a^7 b^10 c^2 d^2 e^6 - 21504 a^8 b^4 c^7 d^6 e^2 \\
& - 21504 a^8 b^5 c^6 d^5 e^3 + 32256 a^8 b^6 c^5 d^4 e^4 - 6720 a^8 b^8 c^3 d^2 e^6 + 57344 a^9 b^3 c^7 d^5 e^3 \\
& - 46592 a^9 b^4 c^6 d^4 e^4 - 21504 a^9 b^5 c^5 d^3 e^5 + 17920 a^9 b^6 c^4 d^2 e^6 + 12288 a^10 b^2 c^7 d^4 e^4 \\
& + 57344 a^10 b^3 c^6 d^3 e^5 - 21504 a^10 b^4 c^5 d^2 e^6 + 96 a^7 b^11 c d e^7 - 16384 a^9 b c^9 d^7 e \\
& - 16384 a^12 b c^6 d e^7 - 4 a^3 b^13 c^3 d^7 e - 4 a^3 b^15 c d^5 e^3 + 96 a^4 b^11 c^4 d^7 e \\
& - 12 a^4 b^14 c d^4 e^4 - 960 a^5 b^9 c^5 d^7 e + 84 a^5 b^13 c d^3 e^5 + 5120 a^6 b^7 c^6 d^7 e \\
& - 140 a^6 b^12 c d^2 e^6 - 15360 a^7 b^5 c^7 d^7 e + 24576 a^8 b^3 c^8 d^7 e - 960 a^8 b^9 c^2 d e^7 \\
& + 5120 a^9 b^7 c^3 d e^7 - 49152 a^10 b c^8 d^5 e^3 - 15360 a^10 b^5 c^4 d e^7 - 49152 a^11 b c^7 d^3 e^5 \\
& + 24576 a^11 b^3 c^5 d e^7))^{(1/2)} * (1048576 a^15 c^8 e^17 + 256 a^9 b^12 c^2 e^17 - 6144 a^10 b^10 c^3 e^17 \\
& + 61440 a^11 b^8 c^4 e^17 - 327680 a^12 b^6 c^5 e^17 + 983040 a^13 b^4 c^6 e^17 - 1572864 a^14 b^2 \\
& c^7 e^17 - 1048576 a^8 c^15 d^14 e^3 - 5242880 a^9 c^14 d^12 e^5 - 9437184 a^10 c^13 d^10 e^7 \\
& - 5242880 a^11 c^12 d^8 e^9 + 5242880 a^12 c^11 d^6 e^11 + 9437184 a^13 c^10 d^4 e^13 + 5242880 a^14 c^9 d^2 e^15 \\
& + 256 a^2 b^11 c
\end{aligned}$$

$$\begin{aligned}
& ^{10}d^{15}e^2 - 2048a^2b^{12}c^9d^{14}e^3 + 7168a^2b^{13}c^8d^{13}e^4 - 14 \\
& 336a^2b^{14}c^7d^{12}e^5 + 17920a^2b^{15}c^6d^{11}e^6 - 14336a^2b^{16}c^5 \\
& d^{10}e^7 + 7168a^2b^{17}c^4d^9e^8 - 2048a^2b^{18}c^3d^8e^9 + 256a^2 \\
& b^{19}c^2d^7e^{10} - 5120a^3b^9c^{11}d^{15}e^2 + 41984a^3b^{10}c^{10}d^{14} \\
& e^3 - 148736a^3b^{11}c^9d^{13}e^4 + 296192a^3b^{12}c^8d^{12}e^5 - 359680 \\
& a^3b^{13}c^7d^{11}e^6 + 267520a^3b^{14}c^6d^{10}e^7 - 112384a^3b^{15}c^5 \\
& d^9e^8 + 18176a^3b^{16}c^4d^8e^9 + 3328a^3b^{17}c^3d^7e^{10} - 1280a^3 \\
& b^{18}c^2d^6e^{11} + 40960a^4b^7c^{12}d^{15}e^2 - 348160a^4b^8c^{11}d^{14} \\
& e^3 + 1254400a^4b^9c^{10}d^{13}e^4 - 2478080a^4b^{10}c^9d^{12}e^5 + 28 \\
& 67456a^4b^{11}c^8d^{11}e^6 - 1862144a^4b^{12}c^7d^{10}e^7 + 490240a^4b^{13} \\
& c^6d^9e^8 + 128000a^4b^{14}c^5d^8e^9 - 108800a^4b^{15}c^4d^7e^{10} \\
& + 13824a^4b^{16}c^3d^6e^{11} + 2304a^4b^{17}c^2d^5e^{12} - 163840a^5b^5 \\
& c^{13}d^{15}e^2 + 1474560a^5b^6c^{12}d^{14}e^3 - 5447680a^5b^7c^{11}d^{13} \\
& e^4 + 10588160a^5b^8c^{10}d^{12}e^5 - 11166720a^5b^9c^9d^{11}e^6 + 515 \\
& 9936a^5b^{10}c^8d^{10}e^7 + 1073920a^5b^{11}c^7d^9e^8 - 2279680a^5b^{12} \\
& c^6d^8e^9 + 770560a^5b^{13}c^5d^7e^{10} + 33280a^5b^{14}c^4d^6e^{11} \\
& - 41216a^5b^{15}c^3d^5e^{12} - 1280a^5b^{16}c^2d^4e^{13} + 327680a^6b^3 \\
& c^{14}d^{15}e^2 - 3276800a^6b^4c^{13}d^{14}e^3 + 12615680a^6b^5c^{12}d^{13} \\
& e^4 - 23592960a^6b^6c^{11}d^{12}e^5 + 19701760a^6b^7c^{10}d^{11}e^6 + 13 \\
& 72160a^6b^8c^9d^{10}e^7 - 15846400a^6b^9c^8d^9e^8 + 10864640a^6b^{10} \\
& c^7d^8e^9 - 1352960a^6b^{11}c^6d^7e^{10} - 1111040a^6b^{12}c^5d^6e^{11} \\
& + 273920a^6b^{13}c^4d^5e^{12} + 25600a^6b^{14}c^3d^4e^{13} - 1280a^6 \\
& b^{15}c^2d^3e^{14} + 3407872a^7b^2c^{14}d^{14}e^3 - 14221312a^7b^3c^{13} \\
& d^{13}e^4 + 23527424a^7b^4c^{12}d^{12}e^5 - 3768320a^7b^5c^{11}d^{11}e^6 - \\
& 38895616a^7b^6c^{10}d^{10}e^7 + 50126848a^7b^7c^9d^9e^8 - 18362368a^7 \\
& b^8c^8d^8e^9 - 6831104a^7b^9c^7d^7e^{10} + 6200320a^7b^{10}c^6d^6 \\
& e^{11} - 726784a^7b^{11}c^5d^5e^{12} - 228608a^7b^{12}c^4d^4e^{13} + 3148 \\
& 8a^7b^{13}c^3d^3e^{14} + 2304a^7b^{14}c^2d^2e^{15} - 3145728a^8b^2c^{13} \\
& d^{12}e^5 - 31129600a^8b^3c^{12}d^{11}e^6 + 74711040a^8b^4c^{11}d^{10}e^7 \\
& - 55476224a^8b^5c^{10}d^9e^8 - 11075584a^8b^6c^9d^8e^9 + 35381248a^8 \\
& b^7c^8d^7e^{10} - 14479360a^8b^8c^7d^6e^{11} - 168960a^8b^9c^6d^5 \\
& e^{12} + 1286144a^8b^{10}c^5d^4e^{13} - 302336a^8b^{11}c^4d^3e^{14} - 55 \\
& 808a^8b^{12}c^3d^2e^{15} - 36962304a^9b^2c^{12}d^{10}e^7 - 9502720a^9b^3 \\
& c^{11}d^9e^8 + 67174400a^9b^4c^{10}d^8e^9 - 54886400a^9b^5c^9d^7e^{10} \\
& + 11239424a^9b^6c^8d^6e^{11} + 5545984a^9b^7c^7d^5e^{12} - 526336 \\
& 0a^9b^8c^6d^4e^{13} + 1356800a^9b^9c^5d^3e^{14} + 558080a^9b^{10}c^4 \\
& d^2e^{15} - 49807360a^{10}b^2c^{11}d^8e^9 + 19333120a^{10}b^3c^{10}d^7e^{10} \\
& 0 + 7208960a^{10}b^4c^9d^6e^{11} - 14974976a^{10}b^5c^8d^5e^{12} + 150732 \\
& 80a^{10}b^6c^7d^4e^{13} - 2170880a^{10}b^7c^6d^3e^{14} - 2928640a^{10}b^8 \\
& c^5d^2e^{15} - 11796480a^{11}b^2c^{10}d^6e^{11} + 23920640a^{11}b^3c^9d^5 \\
& e^{12} - 24576000a^{11}b^4c^8d^4e^{13} - 4096000a^{11}b^5c^7d^3e^{14} + 83 \\
& 55840a^{11}b^6c^6d^2e^{15} + 12582912a^{12}b^2c^9d^4e^{13} + 19857408a^{12} \\
& b^3c^8d^3e^{14} - 11534336a^{12}b^4c^7d^2e^{15} + 3407872a^{13}b^2c^8 \\
& d^2e^{15} - 5505024a^{14}b^3c^8d^2e^{16} - 262144a^{14}b^5c^7d^3e^{14} + 5505024 \\
& a^{14}b^7c^6d^2e^{16} - 1280a^{14}b^8c^5d^2e^{16} + 25952256a^{14}b^9c^4d^2e^{16}
\end{aligned}$$

$$\begin{aligned}
& e^6 + 30976a^9b^{11}c^3d^5e^{16} + 38010880a^{10}b^3c^{12}d^9e^8 - 312320a^{10}b^9c^4d^5e^{16} + 11796480a^{11}b^3c^{11}d^7e^{10} + 1679360a^{11}b^7c^5d^5e^{16} \\
& - 21233664a^{12}b^3c^{10}d^5e^{12} - 5079040a^{12}b^5c^6d^5e^{16} - 20709376a^{13}b^3c^9d^3e^{14} + 8192000a^{13}b^3c^7d^5e^{16}) / (8(a^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^8e^8 - 4a^5b^9d^5e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256a^5b^2c^7d^8 \\
& + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^3c^7d^7e + 64a^6b^7c^5d^5e^7 - 1024a^9b^3c^4d^5e^7 - 4a^2b^9c^3d^7e - 4a^2b^{11}c^5d^5e^3 + 64a^3b^7c^4d^7e - 4a^3b^{10}c^5d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^7e - 92a^5b^8c^3d^2e^6 - 3072a^7b^3c^6d^5e^3 - 384a^7b^5c^2d^5e^7 - 3072a^8b^3c^5d^3e^5 + 1024a^8b^3c^3d^5e^7)) * ((27ab^9c^5d^6 - b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^3c^9d^6 - 9a^5c^5d^6 * (-4ac - b^2)^9)^{1/2} + 213a^3b^{11}c^5e^6 - 26880a^8b^3c^6e^6 + 3072a^6c^9d^5e + 35840a^8c^7d^5e^5 + 4b^{12}c^3d^5e + 4b^{14}c^3d^3e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 - 3840a^4b^3c^8d^6 + 9a^2b^4e^6 * (-4ac - b^2)^9)^{1/2} - 2077a^4b^9c^2e^6 + 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 + 25a^4c^2e^6 * (-4ac - b^2)^9)^{1/2} + b^2c^4d^6 * (-4ac - b^2)^9)^{1/2} + 22528a^7c^8d^3e^3 + b^6d^2e^4 * (-4ac - b^2)^9)^{1/2} - 6b^{13}c^2d^4e^2 + 6a^8b^{14}d^5e - 1471a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3d^3e^3 + 180a^2b^{11}c^2d^2e^4 + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8c^4d^3e^3 - 2871a^3b^9c^3d^2e^4 - 15456a^4b^5c^6d^4e^2 - 7168a^4b^6c^5d^3e^3 + 16896a^4b^7c^4d^2e^4 + 10240a^5b^3c^7d^4e^2 + 37632a^5b^4c^6d^3e^3 - 47712a^5b^5c^5d^2e^4 - 59392a^6b^2c^7d^3e^3 + 60928a^6b^3c^6d^2e^4 - 41a^2c^4d^4e^2 * (-4ac - b^2)^9)^{1/2} - 39a^3c^3d^2e^4 * (-4ac - b^2)^9)^{1/2} + 6b^4c^2d^4e^2 * (-4ac - b^2)^9)^{1/2} - 6a^5b^5d^5e * (-4ac - b^2)^9)^{1/2} - 106a^5b^{10}c^4d^5e + 7a^5b^{13}c^2d^2e^4 - 128a^2b^{12}c^5d^5e - 51a^3b^2c^5e^6 * (-4ac - b^2)^9)^{1/2} + 150a^5b^{11}c^3d^4e^2 - 84a^5b^{12}c^2d^3e^3 + 1116a^2b^8c^5d^5e - 5824a^3b^6c^6d^5e + 1030a^3b^{10}c^2d^5e + 15232a^4b^4c^7d^5e - 3492a^4b^8c^3d^5e - 16896a^5b^2c^8d^5e + 1344a^5b^6c^4d^5e + 7424a^6b^3c^8d^4e^2 + 22400a^6b^4c^5d^5e - 23296a^7b^3c^7d^2e^4 - 53760a^7b^2c^6d^5e - 4b^3c^3d^5e * (-4ac - b^2)^9)^{1/2} - 4b^5c^3d^3e^3 * (-4ac - b^2)^9)^{1/2} + 11a^5b^4c^3d^2e^4 * (-4ac - b^2)^9)^{1/2} + 20a^2b^3c^5d^5e * (-4ac - b^2)^9)^{1/2} + 86a^3b^3c^2d^5e * (-4ac - b^2)^9)^{1/2} - 42a^5b^2c^3d^4e^2 * (-4ac - b^2)^9)^{1/2}
\end{aligned}$$

$$\begin{aligned}
& 2)^9)^{(1/2)} + 12*a*b^3*c^2*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} + 120*a^2*b*c^3 \\
& *d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} + 34*a*b*c^4*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} - 108*a^2*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)}) / (32*(a^7*b^12*e^8 + \\
& 4096*a^9*c^10*d^8 + 4096*a^13*c^6*e^8 - 24*a^8*b^10*c*e^8 - 4*a^6*b^13*d*e^7 + a^3*b^12*c^4*d^8 - 24*a^4*b^10*c^5*d^8 + 240*a^5*b^8*c^6*d^8 - 1280*a^6 \\
& *b^6*c^7*d^8 + 3840*a^7*b^4*c^8*d^8 - 6144*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2 \\
& *e^8 - 1280*a^10*b^6*c^3*e^8 + 3840*a^11*b^4*c^4*e^8 - 6144*a^12*b^2*c^5*e^8 + a^3*b^16*d^4*e^4 - 4*a^4*b^15*d^3*e^5 + 6*a^5*b^14*d^2*e^6 + 16384*a^1 \\
& 0*c^9*d^6*e^2 + 24576*a^11*c^8*d^4*e^4 + 16384*a^12*c^7*d^2*e^6 + 6*a^3*b^14*c^2*d^6*e^2 - 140*a^4*b^12*c^3*d^6*e^2 + 84*a^4*b^13*c^2*d^5*e^3 + 1344*a^ \\
& ^5*b^10*c^4*d^6*e^2 - 672*a^5*b^11*c^3*d^5*e^3 - 42*a^5*b^12*c^2*d^4*e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 2240*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^10*c^3*d^4 \\
& *e^4 - 672*a^6*b^11*c^2*d^3*e^5 + 17920*a^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8 \\
& *c^4*d^4*e^4 + 2240*a^7*b^9*c^3*d^3*e^5 + 1344*a^7*b^10*c^2*d^2*e^6 - 21504 \\
& *a^8*b^4*c^7*d^6*e^2 - 21504*a^8*b^5*c^6*d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8*b^8*c^3*d^2*e^6 + 57344*a^9*b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^ \\
& 6*d^4*e^4 - 21504*a^9*b^5*c^5*d^3*e^5 + 17920*a^9*b^6*c^4*d^2*e^6 + 12288*a^ \\
& ^10*b^2*c^7*d^4*e^4 + 57344*a^10*b^3*c^6*d^3*e^5 - 21504*a^10*b^4*c^5*d^2*e^ \\
& ^6 + 96*a^7*b^11*c*d*e^7 - 16384*a^9*b*c^9*d^7*e - 16384*a^12*b*c^6*d*e^7 - \\
& 4*a^3*b^13*c^3*d^7*e - 4*a^3*b^15*c*d^5*e^3 + 96*a^4*b^11*c^4*d^7*e - 12*a^ \\
& ^4*b^14*c*d^4*e^4 - 960*a^5*b^9*c^5*d^7*e + 84*a^5*b^13*c*d^3*e^5 + 5120*a^ \\
& 6*b^7*c^6*d^7*e - 140*a^6*b^12*c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24576* \\
& a^8*b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 + 5120*a^9*b^7*c^3*d*e^7 - 49152* \\
& a^10*b*c^8*d^5*e^3 - 15360*a^10*b^5*c^4*d*e^7 - 49152*a^11*b*c^7*d^3*e^5 + \\
& 24576*a^11*b^3*c^5*d*e^7))^{(1/2)} - (x*(626688*a^10*b*c^8*e^15 - 784384*a^1 \\
& 0*c^9*d*e^14 + 208*a^4*b^13*c^2*e^15 - 4880*a^5*b^11*c^3*e^15 + 47312*a^6*b^ \\
& ^9*c^4*e^15 - 242176*a^7*b^7*c^5*e^15 + 688640*a^8*b^5*c^6*e^15 - 1028096*a^ \\
& ^9*b^3*c^7*e^15 + 18432*a^4*c^15*d^13*e^2 + 126976*a^5*c^14*d^11*e^4 + 3256 \\
& 32*a^6*c^13*d^9*e^6 + 139264*a^7*c^12*d^7*e^8 - 1067008*a^8*c^11*d^5*e^10 - \\
& 1773568*a^9*c^10*d^3*e^12 + 16*b^8*c^11*d^13*e^2 - 96*b^9*c^10*d^12*e^3 + \\
& 240*b^10*c^9*d^11*e^4 - 304*b^11*c^8*d^10*e^5 + 144*b^12*c^7*d^9*e^6 + 144* \\
& b^13*c^6*d^8*e^7 - 304*b^14*c^5*d^7*e^8 + 240*b^15*c^4*d^6*e^9 - 96*b^16*c^ \\
& 3*d^5*e^10 + 16*b^17*c^2*d^4*e^11 + 3200*a^2*b^4*c^13*d^13*e^2 - 18432*a^2* \\
& b^5*c^12*d^12*e^3 + 41024*a^2*b^6*c^11*d^11*e^4 - 36352*a^2*b^7*c^10*d^10*e^ \\
& ^5 - 16208*a^2*b^8*c^9*d^9*e^6 + 74576*a^2*b^9*c^8*d^8*e^7 - 78496*a^2*b^10 \\
& *c^7*d^7*e^8 + 32064*a^2*b^11*c^6*d^6*e^9 + 6000*a^2*b^12*c^5*d^5*e^10 - 92 \\
& 64*a^2*b^13*c^4*d^4*e^11 + 1472*a^2*b^14*c^3*d^3*e^12 + 416*a^2*b^15*c^2*d^ \\
& 2*e^13 - 12800*a^3*b^2*c^14*d^13*e^2 + 73728*a^3*b^3*c^13*d^12*e^3 - 151296 \\
& *a^3*b^4*c^12*d^11*e^4 + 78336*a^3*b^5*c^11*d^10*e^5 + 206688*a^3*b^6*c^10* \\
& d^9*e^6 - 436736*a^3*b^7*c^9*d^8*e^7 + 324224*a^3*b^8*c^8*d^7*e^8 + 992*a^3 \\
& *b^9*c^7*d^6*e^9 - 158176*a^3*b^10*c^6*d^5*e^10 + 77056*a^3*b^11*c^5*d^4*e^ \\
& 11 + 6912*a^3*b^12*c^4*d^3*e^12 - 8416*a^3*b^13*c^3*d^2*e^13 + 162816*a^4*b^ \\
& ^2*c^13*d^11*e^4 + 184320*a^4*b^3*c^12*d^10*e^5 - 916608*a^4*b^4*c^11*d^9*e^ \\
& ^6 + 1165824*a^4*b^5*c^10*d^8*e^7 - 314496*a^4*b^6*c^9*d^7*e^8 - 822272*a^4 \\
& *b^7*c^8*d^6*e^9 + 919152*a^4*b^8*c^7*d^5*e^10 - 175296*a^4*b^9*c^6*d^4*e^1
\end{aligned}$$

$$\begin{aligned}
& 1 - 189328a^4b^{10}c^5d^3e^{12} + 62064a^4b^{11}c^4d^2e^{13} + 1290752a^5b^2c^{12}d^9e^6 - 659456a^5b^3c^{11}d^8e^7 - 1561088a^5b^4c^{10}d^7e^8 + 3240960a^5b^5c^9d^6e^9 - 1964192a^5b^6c^8d^5e^{10} - 683008a^5b^7c^7d^4e^{11} + 1162304a^5b^8c^6d^3e^{12} - 164112a^5b^9c^5d^2e^{13} + 3442688a^6b^2c^{11}d^7e^8 - 3670016a^6b^3c^{10}d^6e^9 + 15232a^6b^4c^9d^5e^{10} + 4230144a^6b^5c^8d^4e^{11} - 3059648a^6b^6c^7d^3e^{12} - 247296a^6b^7c^6d^2e^{13} + 4010496a^7b^2c^{10}d^5e^{10} - 6873088a^7b^3c^9d^4e^{11} + 2822400a^7b^4c^8d^3e^{12} + 2370048a^7b^5c^7d^2e^{13} + 1178624a^8b^2c^9d^3e^{12} - 4739072a^8b^3c^8d^2e^{13} - 352a^8b^6c^{12}d^{13}e^2 + 2048a^8b^7c^{11}d^{12}e^3 - 4800a^8b^8c^{10}d^{11}e^4 + 5168a^8b^9c^9d^{10}e^5 - 480a^8b^{10}c^8d^9e^6 - 6000a^8b^{11}c^7d^8e^7 + 8192a^8b^{12}c^6d^7e^8 - 5040a^8b^{13}c^5d^6e^9 + 1152a^8b^{14}c^4d^5e^{10} + 240a^8b^{15}c^3d^4e^{11} - 128a^8b^{16}c^2d^3e^{12} - 512a^8b^{14}c^2d^2e^{14} - 106496a^4b^8c^{14}d^{12}e^3 + 11680a^4b^{12}c^3d^2e^{14} - 675840a^5b^8c^{13}d^{10}e^5 - 108288a^5b^{10}c^4d^2e^{14} - 1601536a^6b^8c^{12}d^8e^7 + 514768a^6b^8c^5d^2e^{14} - 925696a^7b^8c^{11}d^6e^9 - 1278304a^7b^6c^6d^2e^{14} + 2457600a^8b^8c^{10}d^4e^{11} + 1385600a^8b^4c^7d^2e^{14} + 2977792a^9b^8c^9d^2e^{13} + 19968a^9b^2c^8d^2e^{14})) / ((8(a^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^8e^8 - 4a^5b^9d^8e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^8b^3c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^7c^7d^7e + 64a^6b^7c^7d^7e - 1024a^9b^7c^4d^7e - 4a^2b^9c^3d^7e - 4a^2b^{11}c^3d^7e + 64a^3b^7c^4d^7e - 4a^3b^{10}c^3d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^7e - 92a^5b^8c^2d^2e^6 - 3072a^7b^3c^6d^5e^3 - 384a^7b^5c^2d^2e^7 - 3072a^8b^3c^5d^3e^5 + 1024a^8b^3c^3d^2e^7)) * ((27a^8b^9c^5d^6 - b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^8c^9d^6 - 9a^8c^5d^6 * (-4ac - b^2)^9)^{(1/2)} + 213a^3b^{11}c^8e^6 - 26880a^8b^8c^6e^6 + 3072a^6c^9d^5e + 35840a^8c^7d^5e^5 + 4b^{12}c^3d^5e + 4b^{14}c^3d^3e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 - 3840a^4b^3c^8d^6 + 9a^2b^4e^6 * (-4ac - b^2)^9)^{(1/2)} - 2077a^4b^9c^2e^6 + 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 + 25a^4c^2e^6 * (-4ac - b^2)^9)^{(1/2)} + b^2c^4d^6 * (-4ac - b^2)^9)^{(1/2)} + 22528a^7c^8d^3e^3 + b^6d^2e^4 * (-4ac - b^2)^9)^{(1/2)} - 6b^{13}c^2d^4e^2 + 6a^8b^{14}d^2e^5 - 1471a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3d^3e^3 + 180a^2b^{11}c^2d^2e^4 + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8c^4d^3e^3 - 2871a^3b^9c^3d^2e^4 - 15456a^4b^5c^6d^4e^2 - 7168a^4b^6c^
\end{aligned}$$

$$\begin{aligned}
& ^5d^3e^3 + 16896a^4b^7c^4d^2e^4 + 10240a^5b^3c^7d^4e^2 + 37632a^5b^4c^6d^3e^3 - 47712a^5b^5c^5d^2e^4 - 59392a^6b^2c^7d^3e^3 \\
& + 60928a^6b^3c^6d^2e^4 - 41a^2c^4d^4e^2(-4ac - b^2)^9)^{(1/2)} \\
& - 39a^3c^3d^2e^4(-4ac - b^2)^9)^{(1/2)} + 6b^4c^2d^4e^2(-4ac - b^2)^9)^{(1/2)} - 6a^5b^5d^5e^5(-4ac - b^2)^9)^{(1/2)} - 106a^5b^10c^4d^5e^5 + 7a^5b^13c^4d^2e^4 - 128a^2b^12c^4d^5e^5 - 51a^3b^2c^6e^6(-4ac - b^2)^9)^{(1/2)} + 150a^5b^11c^3d^4e^2 - 84a^5b^12c^2d^3e^3 + 1116a^2b^8c^5d^5e^5 - 5824a^3b^6c^6d^5e^5 + 1030a^3b^10c^2d^5e^5 + 15232a^4b^4c^7d^5e^5 - 3492a^4b^8c^3d^5e^5 - 16896a^5b^2c^8d^5e^5 + 1344a^5b^6c^4d^5e^5 + 7424a^6b^8c^4d^4e^2 + 22400a^6b^4c^5d^5e^5 - 23296a^7b^6c^7d^2e^4 - 53760a^7b^2c^6d^5e^5 - 4b^3c^3d^5e^5(-4ac - b^2)^9)^{(1/2)} - 4b^5c^3d^3e^3(-4ac - b^2)^9)^{(1/2)} + 11a^5b^4c^3d^2e^4(-4ac - b^2)^9)^{(1/2)} + 20a^2b^3c^3d^5e^5(-4ac - b^2)^9)^{(1/2)} + 86a^3b^2c^2d^5e^5(-4ac - b^2)^9)^{(1/2)} - 42a^5b^2c^3d^4e^2(-4ac - b^2)^9)^{(1/2)} + 12a^5b^3c^2d^3e^3(-4ac - b^2)^9)^{(1/2)} + 120a^2b^3c^3d^3e^3(-4ac - b^2)^9)^{(1/2)} + 34a^5b^4c^4d^5e^5(-4ac - b^2)^9)^{(1/2)} - 108a^2b^2c^2d^2e^4(-4ac - b^2)^9)^{(1/2)}/(32(a^7b^12e^8 + 4096a^9c^10d^8 + 4096a^13c^6e^8 - 24a^8b^10c^6e^8 - 4a^6b^13d^7e^7 + a^3b^12c^4d^8 - 24a^4b^10c^5d^8 + 240a^5b^8c^6d^8 - 1280a^6b^6c^7d^8 + 3840a^7b^4c^8d^8 - 6144a^8b^2c^9d^8 + 240a^9b^8c^2e^8 - 1280a^10b^6c^3e^8 + 3840a^11b^4c^4e^8 - 6144a^12b^2c^5e^8 + a^3b^16d^4e^4 - 4a^4b^15d^3e^5 + 6a^5b^14d^2e^6 + 16384a^10c^9d^6e^2 + 24576a^11c^8d^4e^4 + 16384a^12c^7d^2e^6 + 6a^3b^14c^2d^6e^2 - 140a^4b^12c^3d^6e^2 + 84a^4b^13c^2d^5e^3 + 1344a^5b^10c^4d^6e^2 - 672a^5b^11c^3d^5e^3 - 42a^5b^12c^2d^4e^4 - 6720a^6b^8c^5d^6e^2 + 2240a^6b^9c^4d^5e^3 + 1456a^6b^10c^3d^4e^4 - 672a^6b^11c^2d^3e^5 + 17920a^7b^6c^6d^6e^2 - 10080a^7b^8c^4d^4e^4 + 2240a^7b^9c^3d^3e^5 + 1344a^7b^10c^2d^2e^6 - 21504a^8b^4c^7d^6e^2 - 21504a^8b^5c^6d^5e^3 + 32256a^8b^6c^5d^4e^4 - 6720a^8b^8c^3d^2e^6 + 57344a^9b^3c^7d^5e^3 - 46592a^9b^4c^6d^4e^4 - 21504a^9b^5c^5d^3e^5 + 17920a^9b^6c^4d^2e^6 + 12288a^10b^2c^7d^4e^4 + 57344a^10b^3c^6d^3e^5 - 21504a^10b^4c^5d^2e^6 + 96a^7b^11c^3d^7e - 16384a^9b^3c^9d^7e - 16384a^12b^3c^6d^7e - 4a^3b^13c^3d^7e - 4a^3b^15c^3d^5e^3 + 96a^4b^11c^4d^7e - 12a^4b^14c^3d^4e^4 - 960a^5b^9c^5d^7e + 84a^5b^13c^3d^3e^5 + 5120a^6b^7c^6d^7e - 140a^6b^12c^3d^2e^6 - 15360a^7b^5c^7d^7e + 24576a^8b^3c^8d^7e - 960a^8b^9c^2d^7e + 5120a^9b^7c^3d^7e - 49152a^10b^5c^8d^5e^3 - 15360a^10b^5c^4d^7e - 49152a^11b^3c^7d^3e^5 + 24576a^11b^3c^5d^7e))^((1/2) - (326912a^8c^9d^5e^13 - 241664a^8b^3c^8e^14 - 48a^2b^13c^2e^14 + 1264a^3b^11c^3e^14 - 13552a^4b^9c^4e^14 + 75776a^5b^7c^5e^14 - 232960a^6b^5c^6e^14 + 372736a^7b^3c^7e^14 + 11520a^3c^14d^11e^3 + 78080a^4c^13d^9e^5 + 197120a^5c^12d^7e^7 + 336384a^6c^11d^5e^9 + 532736a^7c^10d^3e^11 - 40b^5c^12d^12e^2 + 216b^6c^11d^11e^3 - 464b^7c^10d^10e^4 + 496b^8c^9d^9e^5 - 264b^9c^8d^8e^6 + 56b^10c^7d^7e^7 - 16b^11c^6d^6
\end{aligned}$$

$$\begin{aligned}
& *e^8 + 64*b^{12}*c^5*d^5*e^9 - 96*b^{13}*c^4*d^4*e^{10} + 64*b^{14}*c^3*d^3*e^{11} - \\
& 16*b^{15}*c^2*d^2*e^{12} + 1536*a^2*b^2*c^{13}*d^{11}*e^3 + 14400*a^2*b^3*c^{12}*d^{10} \\
& *e^4 - 47152*a^2*b^4*c^{11}*d^9*e^5 + 52144*a^2*b^5*c^{10}*d^8*e^6 - 16272*a^2* \\
& b^6*c^9*d^7*e^7 - 13040*a^2*b^7*c^8*d^6*e^8 + 23488*a^2*b^8*c^7*d^5*e^9 - 2 \\
& 6384*a^2*b^9*c^6*d^4*e^{10} + 13824*a^2*b^{10}*c^5*d^3*e^{11} + 256*a^2*b^{11}*c^4* \\
& d^2*e^{12} + 125056*a^3*b^2*c^{12}*d^9*e^5 - 36224*a^3*b^3*c^{11}*d^8*e^6 - 12643 \\
& 2*a^3*b^4*c^{10}*d^7*e^7 + 144848*a^3*b^5*c^9*d^6*e^8 - 114752*a^3*b^6*c^8*d^ \\
& 5*e^9 + 125392*a^3*b^7*c^7*d^4*e^{10} - 53248*a^3*b^8*c^6*d^3*e^{11} - 25264*a^ \\
& 3*b^9*c^5*d^2*e^{12} + 474112*a^4*b^2*c^{11}*d^7*e^7 - 191104*a^4*b^3*c^{10}*d^6* \\
& e^8 + 97184*a^4*b^4*c^9*d^5*e^9 - 277000*a^4*b^5*c^8*d^4*e^{10} + 56056*a^4*b \\
& ^6*c^7*d^3*e^{11} + 195584*a^4*b^7*c^6*d^2*e^{12} + 236800*a^5*b^2*c^{10}*d^5*e^9 \\
& + 388032*a^5*b^3*c^9*d^4*e^{10} + 159632*a^5*b^4*c^8*d^3*e^{11} - 670488*a^5*b \\
& ^5*c^7*d^2*e^{12} - 488960*a^6*b^2*c^9*d^3*e^{11} + 1106496*a^6*b^3*c^8*d^2*e^{1} \\
& 2 + 64*a*b^{14}*c^2*d*e^{13} + 448*a*b^3*c^{13}*d^{12}*e^2 - 1968*a*b^4*c^{12}*d^{11}*e \\
& ^3 + 2504*a*b^5*c^{11}*d^{10}*e^4 + 768*a*b^6*c^{10}*d^9*e^5 - 4368*a*b^7*c^9*d^8 \\
& *e^6 + 3568*a*b^8*c^8*d^7*e^7 - 520*a*b^9*c^7*d^6*e^8 - 1728*a*b^{10}*c^6*d^5 \\
& *e^9 + 2528*a*b^{11}*c^5*d^4*e^{10} - 1536*a*b^{12}*c^4*d^3*e^{11} + 240*a*b^{13}*c^3 \\
& *d^2*e^{12} - 1152*a^2*b*c^{14}*d^{12}*e^2 - 1600*a^2*b^{12}*c^3*d*e^{13} - 67968*a^3 \\
& *b*c^{13}*d^{10}*e^4 + 15808*a^3*b^{10}*c^4*d*e^{13} - 342272*a^4*b*c^{12}*d^8*e^6 - \\
& 76928*a^4*b^8*c^5*d*e^{13} - 569088*a^5*b*c^{11}*d^6*e^8 + 179200*a^5*b^6*c^6*d \\
& *e^{13} - 586368*a^6*b*c^{10}*d^4*e^{10} - 113008*a^6*b^4*c^7*d*e^{13} - 731008*a^7 \\
& *b*c^9*d^2*e^{12} - 244096*a^7*b^2*c^8*d*e^{13})/(16*(a^6*b^8*e^8 + 256*a^6*c^8 \\
& *d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4* \\
& d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^ \\
& 8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 \\
& + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024* \\
& a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3* \\
& b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^ \\
& 4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 80 \\
& 0*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + \\
& 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3* \\
& e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4 \\
& *d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b* \\
& c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e \\
& - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^{10}*c*d^4*e^4 - 384 \\
& *a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5 \\
& *b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8* \\
& b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7))*((27*a*b^9*c^5*d^6 - b^{11}*c^4*d^6 \\
& - b^{15}*d^2*e^4 - 9*a^2*b^{13}*e^6 + 3840*a^5*b*c^9*d^6 - 9*a*c^5*d^6*(-(4*a* \\
& c - b^2)^9)^{(1/2)} + 213*a^3*b^{11}*c*e^6 - 26880*a^8*b*c^6*e^6 + 3072*a^6*c^9 \\
& *d^5*e + 35840*a^8*c^7*d*e^5 + 4*b^{12}*c^3*d^5*e + 4*b^{14}*c*d^3*e^3 - 288*a^ \\
& 2*b^7*c^6*d^6 + 1504*a^3*b^5*c^7*d^6 - 3840*a^4*b^3*c^8*d^6 + 9*a^2*b^4*e^6 \\
& *(-(4*a*c - b^2)^9)^{(1/2)} - 2077*a^4*b^9*c^2*e^6 + 10656*a^5*b^7*c^3*e^6 - \\
& 30240*a^6*b^5*c^4*e^6 + 44800*a^7*b^3*c^5*e^6 + 25*a^4*c^2*e^6*(-(4*a*c - b \\
& ^2)^9)^{(1/2)} + b^2*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 22528*a^7*c^8*d^3*e^3
\end{aligned}$$

$$\begin{aligned}
& + b^6 d^2 e^4 (-4ac - b^2)^9)^{1/2} - 6b^{13} c^2 d^4 e^2 + 6a b^{14} d^5 e^5 - 1471 a^2 b^9 c^4 d^4 e^2 + 600 a^2 b^{10} c^3 d^3 e^3 + 180 a^2 b^{11} c^2 d^2 e^4 + 6976 a^3 b^7 c^5 d^4 e^2 - 1032 a^3 b^8 c^4 d^3 e^3 - 2871 a^3 b^9 c^3 d^2 e^4 - 15456 a^4 b^5 c^6 d^4 e^2 - 7168 a^4 b^6 c^5 d^3 e^3 + 16896 a^4 b^7 c^4 d^2 e^4 + 10240 a^5 b^3 c^7 d^4 e^2 + 37632 a^5 b^4 c^6 d^3 e^3 - 47712 a^5 b^5 c^5 d^2 e^4 - 59392 a^6 b^2 c^7 d^3 e^3 + 60928 a^6 b^3 c^6 d^2 e^4 - 41 a^2 c^4 d^4 e^2 (-4ac - b^2)^9)^{1/2} - 39 a^3 c^3 d^2 e^4 (-4ac - b^2)^9)^{1/2} + 6 b^4 c^2 d^4 e^2 (-4ac - b^2)^9)^{1/2} - 6 a b^5 d^5 e^5 (-4ac - b^2)^9)^{1/2} - 106 a b^{10} c^4 d^5 e^5 + 7 a b^{13} c^2 d^2 e^4 - 128 a^2 b^{12} c^2 d^5 e^5 - 51 a^3 b^2 c^6 e^6 (-4ac - b^2)^9)^{1/2} + 150 a b^{11} c^3 d^4 e^2 - 84 a b^{12} c^2 d^3 e^3 + 1116 a^2 b^8 c^5 d^5 e^5 - 5824 a^3 b^6 c^6 d^5 e^5 + 1030 a^3 b^{10} c^2 d^5 e^5 + 15232 a^4 b^4 c^7 d^5 e^5 - 3492 a^4 b^8 c^3 d^5 e^5 - 16896 a^5 b^2 c^8 d^5 e^5 + 1344 a^5 b^6 c^4 d^5 e^5 + 7424 a^6 b^6 c^8 d^4 e^2 + 22400 a^6 b^4 c^5 d^5 e^5 - 23296 a^7 b^3 c^7 d^2 e^4 - 53760 a^7 b^2 c^6 d^5 e^5 - 4 b^3 c^3 d^5 e^5 (-4ac - b^2)^9)^{1/2} - 4 b^5 c^3 d^3 e^3 (-4ac - b^2)^9)^{1/2} + 11 a b^4 c^2 d^2 e^4 (-4ac - b^2)^9)^{1/2} + 20 a^2 b^3 c^2 d^2 e^5 (-4ac - b^2)^9)^{1/2} + 86 a^3 b^3 c^2 d^2 e^5 (-4ac - b^2)^9)^{1/2} - 42 a b^2 c^3 d^4 e^2 (-4ac - b^2)^9)^{1/2} + 12 a b^3 c^2 d^3 e^3 (-4ac - b^2)^9)^{1/2} + 120 a^2 b^3 c^3 d^3 e^3 (-4ac - b^2)^9)^{1/2} + 34 a b^4 c^4 d^5 e^5 (-4ac - b^2)^9)^{1/2} - 108 a^2 b^2 c^2 d^2 e^4 (-4ac - b^2)^9)^{1/2} / (32 (a^7 b^{12} e^8 + 4096 a^9 c^{10} d^8 + 4096 a^{13} c^6 e^8 - 24 a^8 b^{10} c^8 e^8 - 4 a^6 b^{13} d^8 e^7 + a^3 b^{12} c^4 d^8 - 24 a^4 b^{10} c^5 d^8 + 240 a^5 b^8 c^6 d^8 - 1280 a^6 b^6 c^7 d^8 + 3840 a^7 b^4 c^8 d^8 - 6144 a^8 b^2 c^9 d^8 + 240 a^9 b^8 c^2 e^8 - 1280 a^{10} b^6 c^3 e^8 + 3840 a^{11} b^4 c^4 e^8 - 6144 a^{12} b^2 c^5 e^8 + a^3 b^{16} d^4 e^4 - 4 a^4 b^{15} d^3 e^5 + 6 a^5 b^{14} d^2 e^6 + 16384 a^{10} c^9 d^6 e^2 + 24576 a^{11} c^8 d^4 e^4 + 16384 a^{12} c^7 d^2 e^6 + 6 a^3 b^{14} c^2 d^6 e^2 - 140 a^4 b^{12} c^3 d^6 e^2 + 84 a^4 b^{13} c^2 d^5 e^3 + 1344 a^5 b^{10} c^4 d^6 e^2 - 672 a^5 b^{11} c^3 d^5 e^3 - 42 a^5 b^{12} c^2 d^4 e^4 - 6720 a^6 b^8 c^5 d^6 e^2 + 2240 a^6 b^9 c^4 d^5 e^3 + 1456 a^6 b^{10} c^3 d^4 e^4 - 672 a^6 b^{11} c^2 d^3 e^5 + 17920 a^7 b^6 c^6 d^6 e^2 - 10080 a^7 b^8 c^4 d^4 e^4 + 2240 a^7 b^9 c^3 d^3 e^5 + 1344 a^7 b^{10} c^2 d^2 e^6 - 21504 a^8 b^4 c^7 d^6 e^2 - 21504 a^8 b^5 c^6 d^5 e^3 + 32256 a^8 b^6 c^5 d^4 e^4 - 6720 a^8 b^8 c^3 d^2 e^6 + 57344 a^9 b^3 c^7 d^5 e^3 - 46592 a^9 b^4 c^6 d^4 e^4 - 21504 a^9 b^5 c^5 d^3 e^5 + 17920 a^9 b^6 c^4 d^2 e^6 + 12288 a^{10} b^2 c^7 d^4 e^4 + 57344 a^{10} b^3 c^6 d^3 e^5 - 21504 a^{10} b^4 c^5 d^2 e^6 + 96 a^7 b^{11} c^2 d^7 e - 16384 a^9 b^3 c^9 d^7 e - 16384 a^{12} b^3 c^6 d^7 e - 4 a^3 b^{13} c^3 d^7 e - 4 a^3 b^{15} c^2 d^5 e^3 + 96 a^4 b^{11} c^4 d^7 e - 12 a^4 b^{14} c^2 d^4 e^4 - 960 a^5 b^9 c^5 d^7 e + 84 a^5 b^{13} c^3 d^3 e^5 + 5120 a^6 b^7 c^6 d^7 e - 140 a^6 b^{12} c^2 d^2 e^6 - 15360 a^7 b^5 c^7 d^7 e + 24576 a^8 b^3 c^8 d^7 e - 960 a^8 b^9 c^2 d^7 e + 5120 a^9 b^7 c^3 d^7 e - 49152 a^{10} b^3 c^8 d^5 e^3 - 15360 a^{10} b^5 c^4 d^7 e - 49152 a^{11} b^3 c^7 d^3 e^5 + 24576 a^{11} b^3 c^5 d^7 e))^{1/2} - (x(22800 a^6 c^9 e^{13} + 36 a^2 b^8 c^5 e^{13} - 600 a^3 b^6 c^6 e^{13} + 4313 a^4 b^4 c^7 e^{13} - 15592 a^5 b^2 c^8 e^{13} + 1296 a^2 c^{13} d^8 e^5 + 9792 a^3 c^{12} d^6 e^7 + 30304 a^4 c^{11} d^4 e^9 + 40512
\end{aligned}$$

$$\begin{aligned}
& *a^5*c^{10}*d^2*e^{11} + 25*b^4*c^{11}*d^8*e^5 - 120*b^5*c^{10}*d^7*e^6 + 214*b^6*c^{9}*d^6*e^7 - 168*b^7*c^8*d^5*e^8 + 53*b^8*c^7*d^4*e^9 - 8*b^9*c^6*d^3*e^{10} \\
& + 4*b^{10}*c^5*d^2*e^{11} + 6336*a^2*b^2*c^{11}*d^6*e^7 + 3840*a^2*b^3*c^{10}*d^5*e^8 - 8506*a^2*b^4*c^9*d^4*e^9 + 1112*a^2*b^5*c^8*d^3*e^{10} + 1254*a^2*b^6*c^7*d^2*e^{11} \\
& + 22224*a^3*b^2*c^{10}*d^4*e^9 + 13824*a^3*b^3*c^9*d^3*e^{10} - 9516*a^3*b^4*c^8*d^2*e^{11} + 11712*a^4*b^2*c^9*d^2*e^{11} - 24*a*b^9*c^5*d*e^{12} - 41088*a^5*b*c^9*d*e^{12} \\
& - 360*a*b^2*c^{12}*d^8*e^5 + 1664*a*b^3*c^{11}*d^7*e^6 - 2604*a*b^4*c^{10}*d^6*e^7 + 1272*a*b^5*c^9*d^5*e^8 + 332*a*b^6*c^8*d^4*e^9 - 232*a*b^7*c^7*d^3*e^{10} \\
& - 48*a*b^8*c^6*d^2*e^{11} - 5760*a^2*b*c^{12}*d^7*e^6 + 416*a^2*b^7*c^6*d*e^{12} - 32128*a^3*b*c^{11}*d^5*e^8 - 4120*a^3*b^5*c^7*d*e^{12} \\
& - 63360*a^4*b*c^{10}*d^3*e^{10} + 21376*a^4*b^3*c^8*d*e^{12}))/((8*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^10*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)))*((27*a*b^9*c^5*d^6 - b^{11}*c^4*d^6 - b^{15}*d^2*e^4 - 9*a^2*b^{13}*e^6 + 3840*a^5*b*c^9*d^6 - 9*a*c^5*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 213*a^3*b^{11}*c*e^6 - 26880*a^8*b*c^6*e^6 + 3072*a^6*c^9*d^5*e + 35840*a^8*c^7*d*e^5 + 4*b^{12}*c^3*d^5*e + 4*b^{14}*c*d^3*e^3 - 288*a^2*b^7*c^6*d^6 + 1504*a^3*b^5*c^7*d^6 - 3840*a^4*b^3*c^8*d^6 + 9*a^2*b^4*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 2077*a^4*b^9*c^2*e^6 + 10656*a^5*b^7*c^3*e^6 - 30240*a^6*b^5*c^4*e^6 + 44800*a^7*b^3*c^5*e^6 + 25*a^4*c^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + b^2*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 22528*a^7*c^8*d^3*e^3 + b^6*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*b^{13}*c^2*d^4*e^2 + 6*a*b^{14}*d*e^5 - 1471*a^2*b^9*c^4*d^4*e^2 + 600*a^2*b^{10}*c^3*d^3*e^3 + 180*a^2*b^{11}*c^2*d^2*e^4 + 6976*a^3*b^7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4*d^3*e^3 - 2871*a^3*b^9*c^3*d^2*e^4 - 15456*a^4*b^5*c^6*d^4*e^2 - 7168*a^4*b^6*c^5*d^3*e^3 + 16896*a^4*b^7*c^4*d^2*e^4 + 10240*a^5*b^3*c^7*d^4*e^2 + 37632*a^5*b^4*c^6*d^3*e^3 - 47712*a^5*b^5*c^5*d^2*e^4 - 59392*a^6*b^2*c^7*d^3*e^3 + 60928*a^6*b^3*c^6*d^2*e^4 - 41*a^2*c^4*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 39*a^3*c^3*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} + 6*b^4*c^2*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 6*a*b^5*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 106*a*b^{10}*c^4*d^5*e + 7*a*b^{13}*c*d^2*e^4 - 128*a^2*b^{12}*c*d*e^5 - 51*a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + 150*a*b^{11}*c^3*d^4*e^2 - 84*a*b^{12}*c^2*d^3*e^3 + 1116*a^2*
\end{aligned}$$

$$\begin{aligned}
& b^8 c^5 d^5 e - 5824 a^3 b^6 c^6 d^5 e + 1030 a^3 b^{10} c^2 d^5 e + 15232 a^4 b^4 c^7 d^5 e - 3492 a^4 b^8 c^3 d^5 e - 16896 a^5 b^2 c^8 d^5 e + 1344 a^5 b^6 c^4 d^5 e + 7424 a^6 b^6 c^8 d^4 e^2 + 22400 a^6 b^4 c^5 d^5 e - 23296 a^7 b^6 c^7 d^2 e^4 - 53760 a^7 b^2 c^6 d^5 e - 4 b^3 c^3 d^5 e * (- (4 a c - b^2)^9)^{(1/2)} - 4 b^5 c d^3 e^3 * (- (4 a c - b^2)^9)^{(1/2)} + 11 a b^4 c d^2 e^4 * (- (4 a c - b^2)^9)^{(1/2)} + 20 a^2 b^3 c d^5 e * (- (4 a c - b^2)^9)^{(1/2)} + 86 a^3 b c^2 d^5 e * (- (4 a c - b^2)^9)^{(1/2)} - 42 a b^2 c^3 d^4 e^2 * (- (4 a c - b^2)^9)^{(1/2)} + 12 a b^3 c^2 d^3 e^3 * (- (4 a c - b^2)^9)^{(1/2)} + 120 a^2 b c^3 d^3 e^3 * (- (4 a c - b^2)^9)^{(1/2)} + 34 a a b c^4 d^5 e * (- (4 a c - b^2)^9)^{(1/2)} - 108 a^2 b^2 c^2 d^2 e^4 * (- (4 a c - b^2)^9)^{(1/2)} / (32 * (a^7 b^{12} e^8 + 4096 a^9 c^{10} d^8 + 4096 a^{13} c^6 e^8 - 24 a^8 b^{10} c e^8 - 4 a^6 b^{13} d e^7 + a^3 b^{12} c^4 d^8 - 24 a^4 b^{10} c^5 d^8 + 240 a^5 b^8 c^6 d^8 - 1280 a^6 b^6 c^7 d^8 + 3840 a^7 b^4 c^8 d^8 - 6144 a^8 b^2 c^9 d^8 + 240 a^9 b^8 c^2 e^8 - 1280 a^{10} b^6 c^3 e^8 + 3840 a^{11} b^4 c^4 e^8 - 6144 a^{12} b^2 c^5 e^8 + a^3 b^{16} d^4 e^4 - 4 a^4 b^{15} d^3 e^5 + 6 a^5 b^{14} d^2 e^6 + 16384 a^{10} c^9 d^6 e^2 + 24576 a^{11} c^8 d^4 e^4 + 16384 a^{12} c^7 d^2 e^6 + 6 a^3 b^{14} c^2 d^6 e^2 - 140 a^4 b^{12} c^3 d^6 e^2 + 84 a^4 b^{13} c^2 d^5 e^3 + 1344 a^5 b^{10} c^4 d^6 e^2 - 672 a^5 b^{11} c^3 d^5 e^3 - 42 a^5 b^{12} c^2 d^4 e^4 - 6720 a^6 b^8 c^5 d^6 e^2 + 2240 a^6 b^9 c^4 d^5 e^3 + 1456 a^6 b^{10} c^3 d^4 e^4 - 672 a^6 b^{11} c^2 d^3 e^5 + 17920 a^7 b^6 c^6 d^6 e^2 - 10080 a^7 b^8 c^4 d^4 e^4 + 2240 a^7 b^9 c^3 d^3 e^5 + 1344 a^7 b^{10} c^2 d^2 e^6 - 21504 a^8 b^4 c^7 d^6 e^2 - 21504 a^8 b^5 c^6 d^5 e^3 + 32256 a^8 b^6 c^5 d^4 e^4 - 6720 a^8 b^8 c^3 d^2 e^6 + 57344 a^9 b^3 c^7 d^5 e^3 - 46592 a^9 b^4 c^6 d^4 e^4 - 21504 a^9 b^5 c^5 d^3 e^5 + 17920 a^9 b^6 c^4 d^2 e^6 + 12288 a^{10} b^2 c^7 d^4 e^4 + 57344 a^{10} b^3 c^6 d^3 e^5 - 21504 a^{10} b^4 c^5 d^2 e^6 + 96 a^7 b^{11} c d^7 e - 16384 a^9 b c^9 d^7 e - 16384 a^{12} b c^6 d^7 e^7 - 4 a^3 b^{13} c^3 d^7 e - 4 a^3 b^{15} c d^5 e^3 + 96 a^4 b^{11} c^4 d^7 e - 12 a^4 b^{14} c d^4 e^4 - 960 a^5 b^9 c^5 d^7 e + 84 a^5 b^{13} c d^3 e^5 + 5120 a^6 b^7 c^6 d^7 e - 140 a^6 b^{12} c d^2 e^6 - 15360 a^7 b^5 c^7 d^7 e + 24576 a^8 b^3 c^8 d^7 e - 960 a^8 b^9 c^2 d^7 e + 5120 a^9 b^7 c^3 d^7 e - 49152 a^{10} b c^8 d^5 e^3 - 15360 a^{10} b^5 c^4 d^7 e - 49152 a^{11} b c^7 d^3 e^5 + 24576 a^{11} b^3 c^5 d^7 e))^{(1/2)} + (((((1048576 a^{13} c^8 e^{16} + 256 a^7 b^{12} c^2 e^{16} - 6144 a^8 b^{10} c^3 e^{16} + 61440 a^9 b^8 c^4 e^{16} - 327680 a^{10} b^6 c^5 e^{16} + 983040 a^{11} b^4 c^6 e^{16} - 1572864 a^{12} b^2 c^7 e^{16} - 196608 a^6 c^{15} d^{14} e^2 - 917504 a^7 c^{14} d^{12} e^4 - 589824 a^8 c^{13} d^{10} e^6 + 3932160 a^9 c^{12} d^8 e^8 + 10158080 a^{10} c^{11} d^6 e^{10} + 10616832 a^{11} c^{10} d^4 e^{12} + 5308416 a^{12} c^9 d^2 e^{14} - 2816 a^2 b^8 c^{11} d^{14} e^2 + 22656 a^2 b^9 c^{10} d^{13} e^3 - 78848 a^2 b^{10} c^9 d^{12} e^4 + 154112 a^2 b^{11} c^8 d^{11} e^5 - 182784 a^2 b^{12} c^7 d^{10} e^6 + 130816 a^2 b^{13} c^6 d^9 e^7 - 50176 a^2 b^{14} c^5 d^8 e^8 + 4608 a^2 b^{15} c^4 d^7 e^9 + 3328 a^2 b^{16} c^3 d^6 e^{10} - 896 a^2 b^{17} c^2 d^5 e^{11} + 24576 a^3 b^6 c^{12} d^{14} e^2 - 198656 a^3 b^7 c^{11} d^{13} e^3 + 684544 a^3 b^8 c^{10} d^{12} e^4 - 1291520 a^3 b^9 c^9 d^{11} e^5 + 1403776 a^3 b^{10} c^8 d^{10} e^6 - 798336 a^3 b^{11} c^7 d^9 e^7 + 89856 a^3 b^{12} c^6 d^8 e^8 + 155136 a^3 b^{13} c^5 d^7 e^9 - 77440 a^3 b^{14} c^4 d^6 e^{10} + 5504 a^3 b^{15} c^3 d^5 e^{11} + 2560 a^3 b^{16} c^2 d^4 e^{12} - 1
\end{aligned}$$

$$\begin{aligned}
& 06496a^4b^4c^{13}d^{14}e^2 + 864256a^4b^5c^{12}d^{13}e^3 - 2924544a^4b^6c^{11}d^{12}e^4 + 5181440a^4b^7c^{10}d^{11}e^5 - 4686080a^4b^8c^9d^{10}e^6 \\
& + 1045376a^4b^9c^8d^9e^7 + 1900544a^4b^{10}c^7d^8e^8 - 1732096a^4b^{11}c^6d^7e^9 + 390400a^4b^{12}c^5d^6e^{10} + 112000a^4b^{13}c^4d^5e^{11} - 40960a^4b^{14}c^3d^4e^{12} \\
& - 3840a^4b^{15}c^2d^3e^{13} + 229376a^5b^2c^{14}d^{14}e^2 - 1867776a^5b^3c^{13}d^{13}e^3 + 6078464a^5b^4c^{12}d^{12}e^4 - 9297920a^5b^5c^{11}d^{11}e^5 \\
& + 4055040a^5b^6c^{10}d^{10}e^6 + 7788544a^5b^7c^9d^9e^7 - 12657664a^5b^8c^8d^8e^8 + 6130176a^5b^9c^7d^7e^9 + 734080a^5b^{10}c^6d^6e^{10} \\
& - 1442560a^5b^{11}c^5d^5e^{11} + 168960a^5b^{12}c^4d^4e^{12} + 78080a^5b^{13}c^3d^3e^{13} + 3200a^5b^{14}c^2d^2e^{14} - 4587520a^6b^2c^{13}d^{12}e^4 \\
& + 3080192a^6b^3c^{12}d^{11}e^5 + 12001280a^6b^4c^{11}d^{10}e^6 - 31076352a^6b^5c^{10}d^9e^7 + 27475968a^6b^6c^9d^8e^8 - 2088960a^6b^7c^8d^7e^9 \\
& - 12205312a^6b^8c^7d^6e^{10} + 6043520a^6b^9c^6d^5e^{11} + 631808a^6b^{10}c^5d^4e^{12} - 610304a^6b^{11}c^4d^3e^{13} - 71936a^6b^{12}c^3d^2e^{14} \\
& - 21725184a^7b^2c^{12}d^{10}e^6 + 30801920a^7b^3c^{11}d^9e^7 - 8028160a^7b^4c^{10}d^8e^8 - 32260096a^7b^5c^9d^7e^9 + 37101568a^7b^6c^8d^6e^{10} \\
& - 7182336a^7b^7c^7d^5e^{11} - 7609856a^7b^8c^6d^4e^{12} + 2112256a^7b^9c^5d^3e^{13} + 661632a^7b^{10}c^4d^2e^{14} - 30146560a^8b^2c^{11}d^8e^8 \\
& + 55050240a^8b^3c^{10}d^7e^9 - 34365440a^8b^4c^9d^6e^{10} - 16429056a^8b^5c^8d^5e^{11} + 24600576a^8b^6c^7d^4e^{12} - 1683456a^8b^7c^6d^3e^{13} - 3151616a^8b^8c^5d^2e^{14} \\
& - 10977280a^9b^2c^{10}d^6e^{10} + 47022080a^9b^3c^9d^5e^{11} - 30621696a^9b^4c^8d^4e^{12} - 9232384a^9b^5c^7d^3e^{13} + 7970816a^9b^6c^6d^2e^{14} \\
& + 4325376a^{10}b^2c^9d^4e^{12} + 25493504a^{10}b^3c^8d^3e^{13} - 9117696a^{10}b^4c^7d^2e^{14} + 491520a^{11}b^2c^8d^2e^{14} - 4947968a^{12}b^2c^8d^2e^{15} \\
& + 128a^{10}b^{10}c^{10}d^{14}e^2 - 1024a^{10}b^{11}c^9d^{13}e^3 + 3584a^{10}b^{12}c^8d^{12}e^4 - 7168a^{10}b^{13}c^7d^{11}e^5 + 8960a^{10}b^{14}c^6d^{10}e^6 \\
& - 7168a^{10}b^{15}c^5d^9e^7 + 3584a^{10}b^{16}c^4d^8e^8 - 1024a^{10}b^{17}c^3d^7e^9 + 128a^{10}b^{18}c^2d^6e^{10} + 1605632a^{10}b^{19}c^14d^{13}e^3 \\
& - 1408a^{10}b^{20}c^{13}d^{12}e^4 + 7012352a^{10}b^{21}c^{12}d^{11}e^5 + 33152a^{10}b^{22}c^{11}d^{10}e^6 + 7045120a^{10}b^{23}c^{10}d^9e^7 - 324480a^{10}b^{24}c^9d^8e^8 \\
& - 9830400a^{10}b^{25}c^8d^7e^9 + 1689600a^{10}b^{26}c^7d^6e^{10} - 25722880a^{10}b^{27}c^6d^5e^{11} - 4935680a^{10}b^{28}c^5d^4e^{12} - 19202048a^{10}b^{29}c^4d^3e^{13} \\
& + 7667712a^{10}b^{30}c^3d^2e^{14}) / (16(a^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^8e^8 - 4a^5b^9d^8e^7 + a^2b^8c^4d^8 \\
& - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 \\
& + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 \\
& + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 \\
& - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 \\
& + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^8b^3c^2d^1e^7 + 256a^9b^1c^3d^1e^7)
\end{aligned}$$

$$\begin{aligned}
& 4a^6b^7c^7d^7e + 64a^6b^7c^7d^7e - 1024a^9b^7c^4d^7e - 4a^2b^9c^3d^7e - 4a^2b^11c^5d^5e^3 + 64a^3b^7c^4d^7e - 4a^3b^10c^4d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^5e^5 + 1024a^5b^3c^6d^7e - 92a^5b^8c^3d^2e^6 - 3072a^7b^7c^6d^5e^3 - 384a^7b^5c^2d^7e - 3072a^8b^7c^5d^3e^5 + 1024a^8b^3c^3d^7e) + (x((27a^9b^9c^5d^6 - b^11c^4d^6 - b^15d^2e^4 - 9a^2b^13e^6 + 3840a^5b^7c^9d^6 - 9a^5c^5d^6(-4ac - b^2)^9)^{1/2} + 213a^3b^11c^5e^6 - 26880a^8b^7c^6e^6 + 3072a^6c^9d^5e + 35840a^8c^7d^5e + 4b^12c^3d^5e + 4b^14c^3d^3e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 - 3840a^4b^3c^8d^6 + 9a^2b^4e^6(-4ac - b^2)^9)^{1/2} - 2077a^4b^9c^2e^6 + 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 + 25a^4c^2e^6(-4ac - b^2)^9)^{1/2} + b^2c^4d^6(-4ac - b^2)^9)^{1/2} + 22528a^7c^8d^3e^3 + b^6d^2e^4(-4ac - b^2)^9)^{1/2} - 6b^13c^2d^4e^2 + 6ab^14d^5e - 1471a^2b^9c^4d^4e^2 + 600a^2b^10c^3d^3e^3 + 180a^2b^11c^2d^2e^4 + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8c^4d^3e^3 - 2871a^3b^9c^3d^2e^4 - 15456a^4b^5c^6d^4e^2 - 7168a^4b^6c^5d^3e^3 + 16896a^4b^7c^4d^2e^4 + 10240a^5b^3c^7d^4e^2 + 37632a^5b^4c^6d^3e^3 - 47712a^5b^5c^5d^2e^4 - 59392a^6b^2c^7d^3e^3 + 60928a^6b^3c^6d^2e^4 - 41a^2c^4d^4e^2(-4ac - b^2)^9)^{1/2} - 39a^3c^3d^2e^4(-4ac - b^2)^9)^{1/2} + 6b^4c^2d^4e^2(-4ac - b^2)^9)^{1/2} - 6ab^5d^5e^5(-4ac - b^2)^9)^{1/2} - 106ab^10c^4d^5e + 7ab^13c^2d^2e^4 - 128a^2b^12c^3d^5e - 51a^3b^2c^5e^6(-4ac - b^2)^9)^{1/2} + 150ab^11c^3d^4e^2 - 84ab^12c^2d^3e^3 + 1116a^2b^8c^5d^5e - 5824a^3b^6c^6d^5e + 1030a^3b^10c^2d^5e + 15232a^4b^4c^7d^5e - 3492a^4b^8c^3d^5e - 16896a^5b^2c^8d^5e + 1344a^5b^6c^4d^5e + 7424a^6b^7c^8d^4e^2 + 22400a^6b^4c^5d^5e - 23296a^7b^7c^7d^2e^4 - 53760a^7b^2c^6d^5e - 4b^3c^3d^5e(-4ac - b^2)^9)^{1/2} - 4b^5c^3d^3e^3(-4ac - b^2)^9)^{1/2} + 11ab^4c^3d^2e^4(-4ac - b^2)^9)^{1/2} + 20a^2b^3c^3d^5e(-4ac - b^2)^9)^{1/2} + 86a^3b^7c^2d^5e(-4ac - b^2)^9)^{1/2} - 42ab^2c^3d^4e^2(-4ac - b^2)^9)^{1/2} + 12ab^3c^2d^3e^3(-4ac - b^2)^9)^{1/2} + 120a^2b^3c^3d^3e^3(-4ac - b^2)^9)^{1/2} + 34ab^7c^4d^5e(-4ac - b^2)^9)^{1/2} - 108a^2b^2c^2d^2e^4(-4ac - b^2)^9)^{1/2})/(32(a^7b^12e^8 + 4096a^9c^10d^8 + 4096a^13c^6e^8 - 24a^8b^10c^8e^8 - 4a^6b^13d^7e^7 + a^3b^12c^4d^8 - 24a^4b^10c^5d^8 + 240a^5b^8c^6d^8 - 1280a^6b^6c^7d^8 + 3840a^7b^4c^8d^8 - 6144a^8b^2c^9d^8 + 240a^9b^8c^2e^8 - 1280a^10b^6c^3e^8 + 3840a^11b^4c^4e^8 - 6144a^12b^2c^5e^8 + a^3b^16d^4e^4 - 4a^4b^15d^3e^5 + 6a^5b^14d^2e^6 + 16384a^10c^9d^6e^2 + 24576a^11c^8d^4e^4 + 16384a^12c^7d^2e^6 + 6a^3b^14c^2d^6e^2 - 140a^4b^12c^3d^6e^2 + 84a^4b^13c^2d^5e^3 + 1344a^5b^10c^4d^6e^2 - 672a^5b^11c^3d^5e^3 - 42a^5b^12c^2d^4e^4 - 6720a^6b^8c^5d^6e^2 + 2240a^6b^9c^4d^5e^3 + 1456a^6b^10c^3d^4e^4 - 672a^6b^11c^2d^3e^5 + 17920a^7b^6c^6d^6e^2 - 10080a^7b^8c^4d^4e^4 + 2240a^7b^9c^3d^3e^5 + 1344a^7b^10c^2d^2e^6 - 21504a^8b^4c^7d^6e^2 - 21504a^8b^5c^6d^5e^3 + 32256a^8b^6c^5d^
\end{aligned}$$

$$\begin{aligned}
& 4e^4 - 6720a^8b^8c^3d^2e^6 + 57344a^9b^3c^7d^5e^3 - 46592a^9b^4c^6d^4e^4 - 21504a^9b^5c^5d^3e^5 + 17920a^9b^6c^4d^2e^6 + 122 \\
& 88a^{10}b^2c^7d^4e^4 + 57344a^{10}b^3c^6d^3e^5 - 21504a^{10}b^4c^5d^2e^6 + 96a^7b^{11}c^*d^*e^7 - 16384a^9b^*c^9d^7e - 16384a^{12}b^*c^6d^*e \\
& ^7 - 4a^3b^{13}c^3d^7e - 4a^3b^{15}c^*d^5e^3 + 96a^4b^{11}c^4d^7e - 12a^4b^{14}c^*d^4e^4 - 960a^5b^9c^5d^7e + 84a^5b^{13}c^*d^3e^5 + 512 \\
& 0a^6b^7c^6d^7e - 140a^6b^{12}c^*d^2e^6 - 15360a^7b^5c^7d^7e + 24576a^8b^3c^8d^7e - 960a^8b^9c^2d^*e^7 + 5120a^9b^7c^3d^*e^7 - 49 \\
& 152a^{10}b^*c^8d^5e^3 - 15360a^{10}b^5c^4d^*e^7 - 49152a^{11}b^*c^7d^3e^5 + 24576a^{11}b^3c^5d^*e^7))^{(1/2)} * (1048576a^{15}c^8e^{17} + 256a^9b^{12} \\
& *c^2e^{17} - 6144a^{10}b^{10}c^3e^{17} + 61440a^{11}b^8c^4e^{17} - 327680a^{12} \\
& *b^6c^5e^{17} + 983040a^{13}b^4c^6e^{17} - 1572864a^{14}b^2c^7e^{17} - 1048 \\
& 576a^8c^{15}d^{14}e^3 - 5242880a^9c^{14}d^{12}e^5 - 9437184a^{10}c^{13}d^{10} \\
& e^7 - 5242880a^{11}c^{12}d^8e^9 + 5242880a^{12}c^{11}d^6e^{11} + 9437184a^{13} \\
& *c^{10}d^4e^{13} + 5242880a^{14}c^9d^2e^{15} + 256a^2b^{11}c^{10}d^{15}e^2 - 2 \\
& 048a^2b^{12}c^9d^{14}e^3 + 7168a^2b^{13}c^8d^{13}e^4 - 14336a^2b^{14}c^7 \\
& *d^{12}e^5 + 17920a^2b^{15}c^6d^{11}e^6 - 14336a^2b^{16}c^5d^{10}e^7 + 716 \\
& 8a^2b^{17}c^4d^9e^8 - 2048a^2b^{18}c^3d^8e^9 + 256a^2b^{19}c^2d^7e^{10} - 5120a^3b^9c^{11}d^{15}e^2 + 41984a^3b^{10}c^{10}d^{14}e^3 - 148736a^3 \\
& b^{11}c^9d^{13}e^4 + 296192a^3b^{12}c^8d^{12}e^5 - 359680a^3b^{13}c^7d^{11}e^6 + 267520a^3b^{14}c^6d^{10}e^7 - 112384a^3b^{15}c^5d^9e^8 + 18176 \\
& *a^3b^{16}c^4d^8e^9 + 3328a^3b^{17}c^3d^7e^{10} - 1280a^3b^{18}c^2d^6e^{11} + 40960a^4b^7c^{12}d^{15}e^2 - 348160a^4b^8c^{11}d^{14}e^3 + 1254400 \\
& *a^4b^9c^{10}d^{13}e^4 - 2478080a^4b^{10}c^9d^{12}e^5 + 2867456a^4b^{11}c^8d^{11}e^6 - 1862144a^4b^{12}c^7d^{10}e^7 + 490240a^4b^{13}c^6d^9e^8 + \\
& 128000a^4b^{14}c^5d^8e^9 - 108800a^4b^{15}c^4d^7e^{10} + 13824a^4b^{16}c^3d^6e^{11} + 2304a^4b^{17}c^2d^5e^{12} - 163840a^5b^5c^{13}d^{15}e^2 \\
& + 1474560a^5b^6c^{12}d^{14}e^3 - 5447680a^5b^7c^{11}d^{13}e^4 + 10588160a^5b^8c^{10}d^{12}e^5 - 11166720a^5b^9c^9d^{11}e^6 + 5159936a^5b^{10}c^8 \\
& d^{10}e^7 + 1073920a^5b^{11}c^7d^9e^8 - 2279680a^5b^{12}c^6d^8e^9 + 770560a^5b^{13}c^5d^7e^{10} + 33280a^5b^{14}c^4d^6e^{11} - 41216a^5b^{15} \\
& *c^3d^5e^{12} - 1280a^5b^{16}c^2d^4e^{13} + 327680a^6b^3c^{14}d^{15}e^2 - 3276800a^6b^4c^{13}d^{14}e^3 + 12615680a^6b^5c^{12}d^{13}e^4 - 23592960 \\
& a^6b^6c^{11}d^{12}e^5 + 19701760a^6b^7c^{10}d^{11}e^6 + 1372160a^6b^8c^9d^{10}e^7 - 15846400a^6b^9c^8d^9e^8 + 10864640a^6b^{10}c^7d^8e^9 - \\
& 1352960a^6b^{11}c^6d^7e^{10} - 1111040a^6b^{12}c^5d^6e^{11} + 273920a^6b^{13}c^4d^5e^{12} + 25600a^6b^{14}c^3d^4e^{13} - 1280a^6b^{15}c^2d^3e^{14} \\
& + 3407872a^7b^2c^{14}d^{14}e^3 - 14221312a^7b^3c^{13}d^{13}e^4 + 23527424a^7b^4c^{12}d^{12}e^5 - 3768320a^7b^5c^{11}d^{11}e^6 - 38895616a^7b^6 \\
& *c^{10}d^{10}e^7 + 50126848a^7b^7c^9d^9e^8 - 18362368a^7b^8c^8d^8e^9 - 6831104a^7b^9c^7d^7e^{10} + 6200320a^7b^{10}c^6d^6e^{11} - 726784 \\
& a^7b^{11}c^5d^5e^{12} - 228608a^7b^{12}c^4d^4e^{13} + 31488a^7b^{13}c^3d^3e^{14} + 2304a^7b^{14}c^2d^2e^{15} - 3145728a^8b^2c^{13}d^{12}e^5 - 3112 \\
& 9600a^8b^3c^{12}d^{11}e^6 + 74711040a^8b^4c^{11}d^{10}e^7 - 55476224a^8b^5c^{10}d^9e^8 - 11075584a^8b^6c^9d^8e^9 + 35381248a^8b^7c^8d^7e^8
\end{aligned}$$

$$\begin{aligned}
& e^{10} - 14479360a^8b^8c^7d^6e^{11} - 168960a^8b^9c^6d^5e^{12} + 128614 \\
& 4a^8b^{10}c^5d^4e^{13} - 302336a^8b^{11}c^4d^3e^{14} - 55808a^8b^{12}c^3 \\
& d^2e^{15} - 36962304a^9b^2c^{12}d^{10}e^7 - 9502720a^9b^3c^{11}d^9e^8 + \\
& 67174400a^9b^4c^{10}d^8e^9 - 54886400a^9b^5c^9d^7e^{10} + 11239424a \\
& ^9b^6c^8d^6e^{11} + 5545984a^9b^7c^7d^5e^{12} - 5263360a^9b^8c^6d^ \\
& 4e^{13} + 1356800a^9b^9c^5d^3e^{14} + 558080a^9b^{10}c^4d^2e^{15} - 4980 \\
& 7360a^{10}b^2c^{11}d^8e^9 + 19333120a^{10}b^3c^{10}d^7e^{10} + 7208960a^{10} \\
& b^4c^9d^6e^{11} - 14974976a^{10}b^5c^8d^5e^{12} + 15073280a^{10}b^6c^7 \\
& d^4e^{13} - 2170880a^{10}b^7c^6d^3e^{14} - 2928640a^{10}b^8c^5d^2e^{15} - \\
& 11796480a^{11}b^2c^{10}d^6e^{11} + 23920640a^{11}b^3c^9d^5e^{12} - 24576000 \\
& a^{11}b^4c^8d^4e^{13} - 4096000a^{11}b^5c^7d^3e^{14} + 8355840a^{11}b^6c \\
& ^6d^2e^{15} + 12582912a^{12}b^2c^9d^4e^{13} + 19857408a^{12}b^3c^8d^3e^ \\
& 14 - 11534336a^{12}b^4c^7d^2e^{15} + 3407872a^{13}b^2c^8d^2e^{15} - 55050 \\
& 24a^{14}b^2c^8d^2e^{16} - 262144a^7b^3c^{15}d^{15}e^2 + 5505024a^8b^3c^{14}d^{13} \\
& e^4 - 1280a^8b^{13}c^2d^2e^{16} + 25952256a^9b^3c^{13}d^{11}e^6 + 30976a^9 \\
& b^{11}c^3d^2e^{16} + 38010880a^{10}b^3c^{12}d^9e^8 - 312320a^{10}b^9c^4d^2e^{16} \\
& + 11796480a^{11}b^3c^{11}d^7e^{10} + 1679360a^{11}b^7c^5d^2e^{16} - 21233664a \\
& ^{12}b^3c^{10}d^5e^{12} - 5079040a^{12}b^5c^6d^2e^{16} - 20709376a^{13}b^3c^9d^3 \\
& e^{14} + 8192000a^{13}b^3c^7d^2e^{16})) / (8(a^6b^8e^8 + 256a^6c^8d^8 + 2 \\
& 56a^{10}c^4e^8 - 16a^7b^6c^2e^8 - 4a^5b^9d^2e^7 + a^2b^8c^4d^8 - 16 \\
& a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256a^5b^2c^7d^8 + 96a^8b^4c^ \\
& 2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4 \\
& b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5 \\
& d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2 \\
& d^5e^3 + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^ \\
& 2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^ \\
& 6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^ \\
& 6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 51 \\
& 2a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 \\
& - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^3c^7d^7 \\
& e + 64a^6b^7c^3d^2e^7 - 1024a^9b^3c^4d^2e^7 - 4a^2b^9c^3d^7e - 4a^2 \\
& b^{11}c^3d^5e^3 + 64a^3b^7c^4d^7e - 4a^3b^{10}c^3d^4e^4 - 384a^4b^5 \\
& c^5d^7e + 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^7e - 92a^5b^8c^3d \\
& ^2e^6 - 3072a^7b^3c^6d^5e^3 - 384a^7b^5c^2d^2e^7 - 3072a^8b^3c^5d^ \\
& 3e^5 + 1024a^8b^3c^3d^2e^7)) * ((27a^9b^9c^5d^6 - b^{11}c^4d^6 - b^{15} \\
& d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^3c^9d^6 - 9a^5c^5d^6 * (- (4a^3c - b^2) \\
& ^9)^{(1/2)} + 213a^3b^{11}c^3e^6 - 26880a^8b^3c^6e^6 + 3072a^6c^9d^5e + \\
& 35840a^8c^7d^2e^5 + 4b^{12}c^3d^5e + 4b^{14}c^3d^3e^3 - 288a^2b^7c^ \\
& 6d^6 + 1504a^3b^5c^7d^6 - 3840a^4b^3c^8d^6 + 9a^2b^4e^6 * (- (4a^3 \\
& c - b^2)^9)^{(1/2)} - 2077a^4b^9c^2e^6 + 10656a^5b^7c^3e^6 - 30240a^ \\
& 6b^5c^4e^6 + 44800a^7b^3c^5e^6 + 25a^4c^2e^6 * (- (4a^3c - b^2)^9)^{(\\
& 1/2)} + b^2c^4d^6 * (- (4a^3c - b^2)^9)^{(1/2)} + 22528a^7c^8d^3e^3 + b^6d \\
& ^2e^4 * (- (4a^3c - b^2)^9)^{(1/2)} - 6b^{13}c^2d^4e^2 + 6a^2b^{14}d^2e^5 - 147 \\
& 1a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3d^3e^3 + 180a^2b^{11}c^2d^2e^4 \\
& + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8c^4d^3e^3 - 2871a^3b^9c^3d
\end{aligned}$$

$$\begin{aligned}
&^2e^4 - 15456a^4b^5c^6d^4e^2 - 7168a^4b^6c^5d^3e^3 + 16896a^4b^7c^4d^2e^4 + 10240a^5b^3c^7d^4e^2 + 37632a^5b^4c^6d^3e^3 - 47 \\
&712a^5b^5c^5d^2e^4 - 59392a^6b^2c^7d^3e^3 + 60928a^6b^3c^6d^2e^4 - 41a^2c^4d^4e^2(-4ac - b^2)^9)^{(1/2)} - 39a^3c^3d^2e^4(- \\
&4ac - b^2)^9)^{(1/2)} + 6b^4c^2d^4e^2(-4ac - b^2)^9)^{(1/2)} - 6ab^5d^5e^5(-4ac - b^2)^9)^{(1/2)} - 106ab^{10}c^4d^5e + 7ab^{13}c^2d^2e^4 \\
&- 128a^2b^{12}c^2d^5e^5 - 51a^3b^2c^2e^6(-4ac - b^2)^9)^{(1/2)} + 150a^4b^{11}c^3d^4e^2 - 84ab^{12}c^2d^3e^3 + 1116a^2b^8c^5d^5e - 5824a^3b^6c^6d^5e \\
&+ 1030a^3b^{10}c^2d^5e^5 + 15232a^4b^4c^7d^5e - 3492a^4b^8c^3d^5e^5 - 16896a^5b^2c^8d^5e + 1344a^5b^6c^4d^5e^5 + 74 \\
&24a^6b^2c^8d^4e^2 + 22400a^6b^4c^5d^5e^5 - 23296a^7b^2c^7d^2e^4 - 53760a^7b^2c^6d^5e^5 - 4b^3c^3d^5e^5(-4ac - b^2)^9)^{(1/2)} - 4b^5c \\
&d^3e^3(-4ac - b^2)^9)^{(1/2)} + 11ab^4c^2d^2e^4(-4ac - b^2)^9)^{(1/2)} + 20a^2b^3c^2d^2e^5(-4ac - b^2)^9)^{(1/2)} + 86a^3b^2c^2d^2e^5(- \\
&4ac - b^2)^9)^{(1/2)} - 42ab^2c^3d^4e^2(-4ac - b^2)^9)^{(1/2)} + 12ab^3c^2d^3e^3(-4ac - b^2)^9)^{(1/2)} + 120a^2b^2c^3d^3e^3(-4ac \\
&- b^2)^9)^{(1/2)} + 34ab^2c^4d^5e^5(-4ac - b^2)^9)^{(1/2)} - 108a^2b^2c^2d^2e^4(-4ac - b^2)^9)^{(1/2)}/(32(a^7b^{12}e^8 + 4096a^9c^{10}d^8 \\
&+ 4096a^{13}c^6e^8 - 24a^8b^{10}c^2e^8 - 4a^6b^{13}d^7e^7 + a^3b^{12}c^4d^8 - 24a^4b^{10}c^5d^8 + 240a^5b^8c^6d^8 - 1280a^6b^6c^7d^8 + 3 \\
&840a^7b^4c^8d^8 - 6144a^8b^2c^9d^8 + 240a^9b^8c^2e^8 - 1280a^{10}b^6c^3e^8 + 3840a^{11}b^4c^4e^8 - 6144a^{12}b^2c^5e^8 + a^3b^{16}d^4e^4 \\
&- 4a^4b^{15}d^3e^5 + 6a^5b^{14}d^2e^6 + 16384a^{10}c^9d^6e^2 + 24576a^{11}c^8d^4e^4 + 16384a^{12}c^7d^2e^6 + 6a^3b^{14}c^2d^6e^2 - \\
&140a^4b^{12}c^3d^6e^2 + 84a^4b^{13}c^2d^5e^3 + 1344a^5b^{10}c^4d^6e^2 - 672a^5b^{11}c^3d^5e^3 - 42a^5b^{12}c^2d^4e^4 - 6720a^6b^8c^5d^6e^2 \\
&+ 2240a^6b^9c^4d^5e^3 + 1456a^6b^{10}c^3d^4e^4 - 672a^6b^{11}c^2d^3e^5 + 17920a^7b^6c^6d^6e^2 - 10080a^7b^8c^4d^4e^4 + 2 \\
&240a^7b^9c^3d^3e^5 + 1344a^7b^{10}c^2d^2e^6 - 21504a^8b^4c^7d^6e^2 - 21504a^8b^5c^6d^5e^3 + 32256a^8b^6c^5d^4e^4 - 6720a^8b^8c^3d^2e^6 \\
&+ 57344a^9b^3c^7d^5e^3 - 46592a^9b^4c^6d^4e^4 - 21504a^9b^5c^5d^3e^5 + 17920a^9b^6c^4d^2e^6 + 12288a^{10}b^2c^7d^4e^4 + 57344a^{10}b^3c^6d^3e^5 \\
&- 21504a^{10}b^4c^5d^2e^6 + 96a^7b^{11}c^2d^2e^7 - 16384a^9b^2c^9d^7e - 16384a^{12}b^2c^6d^7e - 4a^3b^{13}c^3d^7e - 4a^3b^{15}c^2d^5e^3 \\
&+ 96a^4b^{11}c^4d^7e - 12a^4b^{14}c^2d^4e^4 - 960a^5b^9c^5d^7e + 84a^5b^{13}c^2d^3e^5 + 5120a^6b^7c^6d^7e - 140a^6b^{12}c^2d^2e^6 \\
&- 15360a^7b^5c^7d^7e + 24576a^8b^3c^8d^7e - 960a^8b^9c^2d^5e^7 + 5120a^9b^7c^3d^5e^7 - 49152a^{10}b^2c^8d^5e^3 - 15360a^{10}b^5c^4d^5e^7 \\
&- 49152a^{11}b^3c^7d^3e^5 + 24576a^{11}b^3c^5d^7e^7))^{(1/2)} + (x*(626688a^{10}b^2c^8e^{15} - 784384a^{10}c^9d^2e^{14} + 2 \\
&08a^4b^{13}c^2e^{15} - 4880a^5b^{11}c^3e^{15} + 47312a^6b^9c^4e^{15} - 242176a^7b^7c^5e^{15} + 688640a^8b^5c^6e^{15} - 1028096a^9b^3c^7e^{15} \\
&+ 18432a^4c^{15}d^{13}e^2 + 126976a^5c^{14}d^{11}e^4 + 325632a^6c^{13}d^9e^6 + 139264a^7c^{12}d^7e^8 - 1067008a^8c^{11}d^5e^{10} - 1773568a^9c^{10}d^3e^{12} \\
&+ 16b^8c^{11}d^{13}e^2 - 96b^9c^{10}d^{12}e^3 + 240b^{10}c^9d^{11}
\end{aligned}$$

$$\begin{aligned}
& 1e^4 - 304*b^{11}*c^8*d^{10}*e^5 + 144*b^{12}*c^7*d^9*e^6 + 144*b^{13}*c^6*d^8*e^7 \\
& - 304*b^{14}*c^5*d^7*e^8 + 240*b^{15}*c^4*d^6*e^9 - 96*b^{16}*c^3*d^5*e^{10} + 16* \\
& b^{17}*c^2*d^4*e^{11} + 3200*a^2*b^4*c^{13}*d^{13}*e^2 - 18432*a^2*b^5*c^{12}*d^{12}*e^3 \\
& + 41024*a^2*b^6*c^{11}*d^{11}*e^4 - 36352*a^2*b^7*c^{10}*d^{10}*e^5 - 16208*a^2*b^8* \\
& c^9*d^9*e^6 + 74576*a^2*b^9*c^8*d^8*e^7 - 78496*a^2*b^{10}*c^7*d^7*e^8 + 3 \\
& 2064*a^2*b^{11}*c^6*d^6*e^9 + 6000*a^2*b^{12}*c^5*d^5*e^{10} - 9264*a^2*b^{13}*c^4* \\
& d^4*e^{11} + 1472*a^2*b^{14}*c^3*d^3*e^{12} + 416*a^2*b^{15}*c^2*d^2*e^{13} - 12800*a^3* \\
& b^2*c^{14}*d^{13}*e^2 + 73728*a^3*b^3*c^{13}*d^{12}*e^3 - 151296*a^3*b^4*c^{12}*d^{11}* \\
& e^4 + 78336*a^3*b^5*c^{11}*d^{10}*e^5 + 206688*a^3*b^6*c^{10}*d^9*e^6 - 436736* \\
& a^3*b^7*c^9*d^8*e^7 + 324224*a^3*b^8*c^8*d^7*e^8 + 992*a^3*b^9*c^7*d^6*e^9 \\
& - 158176*a^3*b^{10}*c^6*d^5*e^{10} + 77056*a^3*b^{11}*c^5*d^4*e^{11} + 6912*a^3*b^{12}* \\
& c^4*d^3*e^{12} - 8416*a^3*b^{13}*c^3*d^2*e^{13} + 162816*a^4*b^2*c^{13}*d^{11}*e^4 \\
& + 184320*a^4*b^3*c^{12}*d^{10}*e^5 - 916608*a^4*b^4*c^{11}*d^9*e^6 + 1165824*a^4* \\
& b^5*c^{10}*d^8*e^7 - 314496*a^4*b^6*c^9*d^7*e^8 - 822272*a^4*b^7*c^8*d^6*e^9 \\
& + 919152*a^4*b^8*c^7*d^5*e^{10} - 175296*a^4*b^9*c^6*d^4*e^{11} - 189328*a^4*b^{10}* \\
& c^5*d^3*e^{12} + 62064*a^4*b^{11}*c^4*d^2*e^{13} + 1290752*a^5*b^2*c^{12}*d^9*e^6 \\
& - 659456*a^5*b^3*c^{11}*d^8*e^7 - 1561088*a^5*b^4*c^{10}*d^7*e^8 + 3240960*a^5* \\
& b^5*c^9*d^6*e^9 - 1964192*a^5*b^6*c^8*d^5*e^{10} - 683008*a^5*b^7*c^7*d^4* \\
& e^{11} + 1162304*a^5*b^8*c^6*d^3*e^{12} - 164112*a^5*b^9*c^5*d^2*e^{13} + 3442688* \\
& a^6*b^2*c^{11}*d^7*e^8 - 3670016*a^6*b^3*c^{10}*d^6*e^9 + 15232*a^6*b^4*c^9*d^5* \\
& e^{10} + 4230144*a^6*b^5*c^8*d^4*e^{11} - 3059648*a^6*b^6*c^7*d^3*e^{12} - 2472 \\
& 96*a^6*b^7*c^6*d^2*e^{13} + 4010496*a^7*b^2*c^{10}*d^5*e^{10} - 6873088*a^7*b^3*c^9* \\
& d^4*e^{11} + 2822400*a^7*b^4*c^8*d^3*e^{12} + 2370048*a^7*b^5*c^7*d^2*e^{13} + \\
& 1178624*a^8*b^2*c^9*d^3*e^{12} - 4739072*a^8*b^3*c^8*d^2*e^{13} - 352*a*b^6*c^{12}* \\
& d^{13}*e^2 + 2048*a*b^7*c^{11}*d^{12}*e^3 - 4800*a*b^8*c^{10}*d^{11}*e^4 + 5168*a* \\
& b^9*c^9*d^{10}*e^5 - 480*a*b^{10}*c^8*d^9*e^6 - 6000*a*b^{11}*c^7*d^8*e^7 + 8192* \\
& a*b^{12}*c^6*d^7*e^8 - 5040*a*b^{13}*c^5*d^6*e^9 + 1152*a*b^{14}*c^4*d^5*e^{10} + 2 \\
& 40*a*b^{15}*c^3*d^4*e^{11} - 128*a*b^{16}*c^2*d^3*e^{12} - 512*a^3*b^{14}*c^2*d*e^{14} \\
& - 106496*a^4*b*c^{14}*d^{12}*e^3 + 11680*a^4*b^{12}*c^3*d*e^{14} - 675840*a^5*b*c^{13}* \\
& d^{10}*e^5 - 108288*a^5*b^{10}*c^4*d*e^{14} - 1601536*a^6*b*c^{12}*d^8*e^7 + 5147 \\
& 68*a^6*b^8*c^5*d*e^{14} - 925696*a^7*b*c^{11}*d^6*e^9 - 1278304*a^7*b^6*c^6*d*e^{14} \\
& + 2457600*a^8*b*c^{10}*d^4*e^{11} + 1385600*a^8*b^4*c^7*d*e^{14} + 2977792*a^9* \\
& b*c^9*d^2*e^{13} + 19968*a^9*b^2*c^8*d*e^{14})/(8*(a^6*b^8*e^8 + 256*a^6*c^8* \\
& d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4* \\
& d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8* \\
& b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 \\
& + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024* \\
& a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3* \\
& b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4* \\
& b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 80 \\
& 0*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + \\
& 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3* \\
& e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4* \\
& d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b* \\
& c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e
\end{aligned}$$

$$\begin{aligned}
& - 4a^2b^{11}c^5d^5e^3 + 64a^3b^7c^4d^7e - 4a^3b^{10}c^4d^4e^4 - 384 \\
& a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^7e - 92a^5 \\
& b^8c^3d^2e^6 - 3072a^7b^3c^6d^5e^3 - 384a^7b^5c^2d^7e - 3072a^8 \\
& b^3c^5d^3e^5 + 1024a^8b^3c^3d^5e^7)) * ((27a^9b^9c^5d^6 - b^{11}c^4d^6 \\
& - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^9c^4d^6 - 9a^5c^5d^6 * (-4a^4 \\
& c - b^2)^9)^{(1/2)} + 213a^3b^{11}c^5e^6 - 26880a^8b^3c^6e^6 + 3072a^6c^9 \\
& d^5e + 35840a^8c^7d^5e^5 + 4b^{12}c^3d^5e + 4b^{14}c^3d^3e^3 - 288a^2 \\
& b^7c^6d^6 + 1504a^3b^5c^7d^6 - 3840a^4b^3c^8d^6 + 9a^2b^4e^6 \\
& * (-4a^4c - b^2)^9)^{(1/2)} - 2077a^4b^9c^2e^6 + 10656a^5b^7c^3e^6 - \\
& 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 + 25a^4c^2e^6 * (-4a^4c - b \\
& ^2)^9)^{(1/2)} + b^2c^4d^6 * (-4a^4c - b^2)^9)^{(1/2)} + 22528a^7c^8d^3e^3 \\
& + b^6d^2e^4 * (-4a^4c - b^2)^9)^{(1/2)} - 6b^{13}c^2d^4e^2 + 6a^2b^{14}d^5 \\
& e^5 - 1471a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3d^3e^3 + 180a^2b^{11}c^2 \\
& d^2e^4 + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8c^4d^3e^3 - 2871a^3b^9 \\
& c^3d^2e^4 - 15456a^4b^5c^6d^4e^2 - 7168a^4b^6c^5d^3e^3 + 168 \\
& 96a^4b^7c^4d^2e^4 + 10240a^5b^3c^7d^4e^2 + 37632a^5b^4c^6d^3e^3 \\
& - 47712a^5b^5c^5d^2e^4 - 59392a^6b^2c^7d^3e^3 + 60928a^6b^3 \\
& c^6d^2e^4 - 41a^2c^4d^4e^2 * (-4a^4c - b^2)^9)^{(1/2)} - 39a^3c^3d^2 \\
& e^4 * (-4a^4c - b^2)^9)^{(1/2)} + 6b^4c^2d^4e^2 * (-4a^4c - b^2)^9)^{(1/2)} \\
& - 6a^2b^5d^5e^5 * (-4a^4c - b^2)^9)^{(1/2)} - 106a^2b^{10}c^4d^5e + 7a^2b^{13} \\
& c^2d^2e^4 - 128a^2b^{12}c^3d^5e^5 - 51a^3b^2c^5e^6 * (-4a^4c - b^2)^9)^{(1/2)} \\
&) + 150a^2b^{11}c^3d^4e^2 - 84a^2b^{12}c^2d^3e^3 + 1116a^2b^8c^5d^5e \\
& - 5824a^3b^6c^6d^5e + 1030a^3b^{10}c^2d^5e^5 + 15232a^4b^4c^7d^5 \\
& e - 3492a^4b^8c^3d^5e^5 - 16896a^5b^2c^8d^5e + 1344a^5b^6c^4d^5 \\
& e^5 + 7424a^6b^3c^8d^4e^2 + 22400a^6b^4c^5d^5e^5 - 23296a^7b^3c^7d^ \\
& 2e^4 - 53760a^7b^2c^6d^5e^5 - 4b^3c^3d^5e^5 * (-4a^4c - b^2)^9)^{(1/2)} \\
& - 4b^5c^3d^3e^3 * (-4a^4c - b^2)^9)^{(1/2)} + 11a^2b^4c^3d^2e^4 * (-4a^4c - \\
& b^2)^9)^{(1/2)} + 20a^2b^3c^3d^5e^5 * (-4a^4c - b^2)^9)^{(1/2)} + 86a^3b^3c^2 \\
& d^5e^5 * (-4a^4c - b^2)^9)^{(1/2)} - 42a^2b^2c^3d^4e^2 * (-4a^4c - b^2)^9)^{(1 \\
& /2)} + 12a^2b^3c^2d^3e^3 * (-4a^4c - b^2)^9)^{(1/2)} + 120a^2b^3c^3d^3e^3 \\
& * (-4a^4c - b^2)^9)^{(1/2)} + 34a^2b^3c^4d^5e^5 * (-4a^4c - b^2)^9)^{(1/2)} - 108 \\
& a^2b^2c^2d^2e^4 * (-4a^4c - b^2)^9)^{(1/2))} / (32(a^7b^{12}e^8 + 4096a^9 \\
& c^{10}d^8 + 4096a^{13}c^6e^8 - 24a^8b^{10}c^5e^8 - 4a^6b^{13}d^5e^7 + a^3 \\
& b^{12}c^4d^8 - 24a^4b^{10}c^5d^8 + 240a^5b^8c^6d^8 - 1280a^6b^6c^7 \\
& d^8 + 3840a^7b^4c^8d^8 - 6144a^8b^2c^9d^8 + 240a^9b^8c^2e^8 - \\
& 1280a^{10}b^6c^3e^8 + 3840a^{11}b^4c^4e^8 - 6144a^{12}b^2c^5e^8 + a^3 \\
& b^{16}d^4e^4 - 4a^4b^{15}d^3e^5 + 6a^5b^{14}d^2e^6 + 16384a^{10}c^9d^ \\
& 6e^2 + 24576a^{11}c^8d^4e^4 + 16384a^{12}c^7d^2e^6 + 6a^3b^{14}c^2d^ \\
& 6e^2 - 140a^4b^{12}c^3d^6e^2 + 84a^4b^{13}c^2d^5e^3 + 1344a^5b^{10} \\
& c^4d^6e^2 - 672a^5b^{11}c^3d^5e^3 - 42a^5b^{12}c^2d^4e^4 - 6720a^6 \\
& b^8c^5d^6e^2 + 2240a^6b^9c^4d^5e^3 + 1456a^6b^{10}c^3d^4e^4 - 6 \\
& 72a^6b^{11}c^2d^3e^5 + 17920a^7b^6c^6d^6e^2 - 10080a^7b^8c^4d^4 \\
& e^4 + 2240a^7b^9c^3d^3e^5 + 1344a^7b^{10}c^2d^2e^6 - 21504a^8b^4 \\
& c^7d^6e^2 - 21504a^8b^5c^6d^5e^3 + 32256a^8b^6c^5d^4e^4 - 6720 \\
& a^8b^8c^3d^2e^6 + 57344a^9b^3c^7d^5e^3 - 46592a^9b^4c^6d^4e^
\end{aligned}$$

$$\begin{aligned}
& 4 - 21504*a^9*b^5*c^5*d^3*e^5 + 17920*a^9*b^6*c^4*d^2*e^6 + 12288*a^{10}*b^2*c^7*d^4*e^4 + 57344*a^{10}*b^3*c^6*d^3*e^5 - 21504*a^{10}*b^4*c^5*d^2*e^6 + 96*a^7*b^{11}*c*d*e^7 - 16384*a^9*b*c^9*d^7*e - 16384*a^{12}*b*c^6*d*e^7 - 4*a^3*b^{13}*c^3*d^7*e - 4*a^3*b^{15}*c*d^5*e^3 + 96*a^4*b^{11}*c^4*d^7*e - 12*a^4*b^{14}*c*d^4*e^4 - 960*a^5*b^9*c^5*d^7*e + 84*a^5*b^{13}*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^{12}*c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^{10}*b*c^8*d^5*e^3 - 15360*a^{10}*b^5*c^4*d*e^7 - 49152*a^{11}*b*c^7*d^3*e^5 + 24576*a^{11}*b^3*c^5*d*e^7))^{(1/2)} - (326912*a^8*c^9*d*e^{13} - 241664*a^8*b*c^8*e^{14} - 48*a^2*b^{13}*c^2*e^{14} + 1264*a^3*b^{11}*c^3*e^{14} - 13552*a^4*b^9*c^4*e^{14} + 75776*a^5*b^7*c^5*e^{14} - 232960*a^6*b^5*c^6*e^{14} + 372736*a^7*b^3*c^7*e^{14} + 11520*a^3*c^{14}*d^{11}*e^3 + 78080*a^4*c^{13}*d^9*e^5 + 197120*a^5*c^{12}*d^7*e^7 + 336384*a^6*c^{11}*d^5*e^9 + 532736*a^7*c^{10}*d^3*e^{11} - 40*b^5*c^{12}*d^{12}*e^2 + 216*b^6*c^{11}*d^{11}*e^3 - 464*b^7*c^{10}*d^{10}*e^4 + 496*b^8*c^9*d^9*e^5 - 264*b^9*c^8*d^8*e^6 + 56*b^{10}*c^7*d^7*e^7 - 16*b^{11}*c^6*d^6*e^8 + 64*b^{12}*c^5*d^5*e^9 - 96*b^{13}*c^4*d^4*e^{10} + 64*b^{14}*c^3*d^3*e^{11} - 16*b^{15}*c^2*d^2*e^{12} + 1536*a^2*b^2*c^{13}*d^{11}*e^3 + 14400*a^2*b^3*c^{12}*d^{10}*e^4 - 47152*a^2*b^4*c^{11}*d^9*e^5 + 52144*a^2*b^5*c^{10}*d^8*e^6 - 16272*a^2*b^6*c^9*d^7*e^7 - 13040*a^2*b^7*c^8*d^6*e^8 + 23488*a^2*b^8*c^7*d^5*e^9 - 26384*a^2*b^9*c^6*d^4*e^{10} + 13824*a^2*b^{10}*c^5*d^3*e^{11} + 256*a^2*b^{11}*c^4*d^2*e^{12} + 125056*a^3*b^2*c^{12}*d^9*e^5 - 36224*a^3*b^3*c^{11}*d^8*e^6 - 126432*a^3*b^4*c^{10}*d^7*e^7 + 144848*a^3*b^5*c^9*d^6*e^8 - 114752*a^3*b^6*c^8*d^5*e^9 + 125392*a^3*b^7*c^7*d^4*e^{10} - 53248*a^3*b^8*c^6*d^3*e^{11} - 25264*a^3*b^9*c^5*d^2*e^{12} + 474112*a^4*b^2*c^{11}*d^7*e^7 - 191104*a^4*b^3*c^{10}*d^6*e^8 + 97184*a^4*b^4*c^9*d^5*e^9 - 277000*a^4*b^5*c^8*d^4*e^{10} + 56056*a^4*b^6*c^7*d^3*e^{11} + 195584*a^4*b^7*c^6*d^2*e^{12} + 236800*a^5*b^2*c^{10}*d^5*e^9 + 388032*a^5*b^3*c^9*d^4*e^{10} + 159632*a^5*b^4*c^8*d^3*e^{11} - 670488*a^5*b^5*c^7*d^2*e^{12} - 488960*a^6*b^2*c^9*d^3*e^{11} + 1106496*a^6*b^3*c^8*d^2*e^{12} + 64*a*b^{14}*c^2*d*e^{13} + 448*a*b^3*c^{13}*d^{12}*e^2 - 1968*a*b^4*c^{12}*d^{11}*e^3 + 2504*a*b^5*c^{11}*d^{10}*e^4 + 768*a*b^6*c^{10}*d^9*e^5 - 4368*a*b^7*c^9*d^8*e^6 + 3568*a*b^8*c^8*d^7*e^7 - 520*a*b^9*c^7*d^6*e^8 - 1728*a*b^{10}*c^6*d^5*e^9 + 2528*a*b^{11}*c^5*d^4*e^{10} - 1536*a*b^{12}*c^4*d^3*e^{11} + 240*a*b^{13}*c^3*d^2*e^{12} - 1152*a^2*b*c^{14}*d^{12}*e^2 - 1600*a^2*b^{12}*c^3*d*e^{13} - 67968*a^3*b*c^{13}*d^{10}*e^4 + 15808*a^3*b^{10}*c^4*d*e^{13} - 342272*a^4*b*c^{12}*d^8*e^6 - 76928*a^4*b^8*c^5*d*e^{13} - 569088*a^5*b*c^{11}*d^6*e^8 + 179200*a^5*b^6*c^6*d*e^{13} - 586368*a^6*b*c^{10}*d^4*e^{10} - 113008*a^6*b^4*c^7*d*e^{13} - 731008*a^7*b*c^9*d^2*e^{12} - 244096*a^7*b^2*c^8*d*e^{13})/(16*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^
\end{aligned}$$

$$\begin{aligned}
& 5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^11*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^10*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)) * ((27*a*b^9*c^5*d^6 - b^11*c^4*d^6 - b^15*d^2*e^4 - 9*a^2*b^13*e^6 + 3840*a^5*b*c^9*d^6 - 9*a*c^5*d^6*(-(4*a*c - b^2)^9)^(1/2) + 213*a^3*b^11*c*e^6 - 26880*a^8*b*c^6*e^6 + 3072*a^6*c^9*d^5*e + 35840*a^8*c^7*d*e^5 + 4*b^12*c^3*d^5*e + 4*b^14*c*d^3*e^3 - 288*a^2*b^7*c^6*d^6 + 1504*a^3*b^5*c^7*d^6 - 3840*a^4*b^3*c^8*d^6 + 9*a^2*b^4*e^6*(-(4*a*c - b^2)^9)^(1/2) - 2077*a^4*b^9*c^2*e^6 + 10656*a^5*b^7*c^3*e^6 - 30240*a^6*b^5*c^4*e^6 + 44800*a^7*b^3*c^5*e^6 + 25*a^4*c^2*e^6*(-(4*a*c - b^2)^9)^(1/2) + b^2*c^4*d^6*(-(4*a*c - b^2)^9)^(1/2) + 22528*a^7*c^8*d^3*e^3 + b^6*d^2*e^4*(-(4*a*c - b^2)^9)^(1/2) - 6*b^13*c^2*d^4*e^2 + 6*a*b^14*d*e^5 - 1471*a^2*b^9*c^4*d^4*e^2 + 600*a^2*b^10*c^3*d^3*e^3 + 180*a^2*b^11*c^2*d^2*e^4 + 6976*a^3*b^7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4*d^3*e^3 - 2871*a^3*b^9*c^3*d^2*e^4 - 15456*a^4*b^5*c^6*d^4*e^2 - 7168*a^4*b^6*c^5*d^3*e^3 + 16896*a^4*b^7*c^4*d^2*e^4 + 10240*a^5*b^3*c^7*d^4*e^2 + 37632*a^5*b^4*c^6*d^3*e^3 - 47712*a^5*b^5*c^5*d^2*e^4 - 59392*a^6*b^2*c^7*d^3*e^3 + 60928*a^6*b^3*c^6*d^2*e^4 - 41*a^2*c^4*d^4*e^2*(-(4*a*c - b^2)^9)^(1/2) - 39*a^3*c^3*d^2*e^4*(-(4*a*c - b^2)^9)^(1/2) + 6*b^4*c^2*d^4*e^2*(-(4*a*c - b^2)^9)^(1/2) - 6*a*b^5*d*e^5*(-(4*a*c - b^2)^9)^(1/2) - 106*a*b^10*c^4*d^5*e + 7*a*b^13*c*d^2*e^4 - 128*a^2*b^12*c*d*e^5 - 51*a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^(1/2) + 150*a*b^11*c^3*d^4*e^2 - 84*a*b^12*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e - 5824*a^3*b^6*c^6*d^5*e + 1030*a^3*b^10*c^2*d*e^5 + 15232*a^4*b^4*c^7*d^5*e - 3492*a^4*b^8*c^3*d*e^5 - 16896*a^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^4*d*e^5 + 7424*a^6*b*c^8*d^4*e^2 + 22400*a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^7*d^2*e^4 - 53760*a^7*b^2*c^6*d*e^5 - 4*b^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^(1/2) - 4*b^5*c*d^3*e^3*(-(4*a*c - b^2)^9)^(1/2) + 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^9)^(1/2) + 20*a^2*b^3*c*d*e^5*(-(4*a*c - b^2)^9)^(1/2) + 86*a^3*b*c^2*d*e^5*(-(4*a*c - b^2)^9)^(1/2) - 42*a*b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^(1/2) + 12*a*b^3*c^2*d^3*e^3*(-(4*a*c - b^2)^9)^(1/2) + 120*a^2*b*c^3*d^3*e^3*(-(4*a*c - b^2)^9)^(1/2) + 34*a*b*c^4*d^5*e*(-(4*a*c - b^2)^9)^(1/2) - 108*a^2*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^(1/2))/(32*(a^7*b^12*e^8 + 4096*a^9*c^10*d^8 + 4096*a^13*c^6*e^8 - 24*a^8*b^10*c*e^8 - 4*a^6*b^13*d*e^7 + a^3*b^12*c^4*d^8 - 24*a^4*b^10*c^5*d^8 + 240*a^5*b^8*c^6*d^8 - 1280*a^6*b^6*c^7*d^8 + 3840*a^7*b^4*c^8*d^8 - 6144*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280*a^10*b^6*c^3*e^8 + 3840*a^11*b^4*c^4*e^8 - 6144*a^12*b^2*c^5*e^8 + a^3*b^16*d^4*e^4 - 4*a^4*b^15*d^3*e^5 + 6*a^5*b^14*d^2*e^6 + 16384*a^10*c^9*d^6*e^2 + 24576*a^11*c^8*d^4*e^4 + 16384*a^12*c^7*d^2*e^6 + 6*a^3*b^14*c^2*d^6*e^2 - 140*a^4*b^12*c^3*d^6*e^2 + 84*a^4*b^13*c^2*d^5*e^3 + 1344*a^5*b^10*c^4*d^6*e^2 - 672*a^5*b^11*c^3*d^5*e^3 - 42*a^5*b^12*c^2*d^4*e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 2240*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^10*c^3*d^4*e^4 - 672*a^6*b^11*c^2*
\end{aligned}$$

$$\begin{aligned}
& d^3e^5 + 17920a^7b^6c^6d^6e^2 - 10080a^7b^8c^4d^4e^4 + 2240a^7b^9c^3d^3e^5 + 1344a^7b^{10}c^2d^2e^6 - 21504a^8b^4c^7d^6e^2 - 2 \\
& 1504a^8b^5c^6d^5e^3 + 32256a^8b^6c^5d^4e^4 - 6720a^8b^8c^3d^2e^6 + 57344a^9b^3c^7d^5e^3 - 46592a^9b^4c^6d^4e^4 - 21504a^9b^5c^5d^3e^5 + 17920a^9b^6c^4d^2e^6 + 12288a^{10}b^2c^7d^4e^4 + 57 \\
& 344a^{10}b^3c^6d^3e^5 - 21504a^{10}b^4c^5d^2e^6 + 96a^7b^{11}c^3d^7e^7 - 16384a^9b^3c^9d^7e^7 - 16384a^{12}b^3c^6d^6e^7 - 4a^3b^{13}c^3d^7e^7 - \\
& 4a^3b^{15}c^5d^5e^3 + 96a^4b^{11}c^4d^7e^7 - 12a^4b^{14}c^4d^4e^4 - 960a^5b^9c^5d^7e^7 + 84a^5b^{13}c^3d^3e^5 + 5120a^6b^7c^6d^7e^7 - 140a^6b^{12}c^3d^2e^6 - 15360a^7b^5c^7d^7e^7 + 24576a^8b^3c^8d^7e^7 - 960a^8b^9c^2d^6e^7 + 5120a^9b^7c^3d^5e^7 - 49152a^{10}b^3c^8d^5e^3 - 153 \\
& 60a^{10}b^5c^4d^4e^7 - 49152a^{11}b^3c^7d^3e^5 + 24576a^{11}b^3c^5d^6e^7)))^{(1/2)} + (x*(22800a^6c^9e^{13} + 36a^2b^8c^5e^{13} - 600a^3b^6c^6e^{13} + 4313a^4b^4c^7e^{13} - 15592a^5b^2c^8e^{13} + 1296a^2c^{13}d^8e^5 + 9792a^3c^{12}d^6e^7 + 30304a^4c^{11}d^4e^9 + 40512a^5c^{10}d^2e^{11} + 25b^4c^{11}d^8e^5 - 120b^5c^{10}d^7e^6 + 214b^6c^9d^6e^7 - 168 \\
& *b^7c^8d^5e^8 + 53b^8c^7d^4e^9 - 8b^9c^6d^3e^{10} + 4b^{10}c^5d^2e^{11} + 6336a^2b^2c^{11}d^6e^7 + 3840a^2b^3c^{10}d^5e^8 - 8506a^2b^4c^9d^4e^9 + 1112a^2b^5c^8d^3e^{10} + 1254a^2b^6c^7d^2e^{11} + 222 \\
& 24a^3b^2c^{10}d^4e^9 + 13824a^3b^3c^9d^3e^{10} - 9516a^3b^4c^8d^2e^{11} + 11712a^4b^2c^9d^2e^{11} - 24a^4b^3c^8d^1e^{12} - 41088a^5b^3c^9d^1e^{12} - 360a^4b^2c^{12}d^8e^5 + 1664a^4b^3c^{11}d^7e^6 - 2604a^4b^4c^{10}d^6e^7 + 1272a^4b^5c^9d^5e^8 + 332a^4b^6c^8d^4e^9 - 232a^4b^7c^7d^3e^{10} - 48a^4b^8c^6d^2e^{11} - 5760a^4b^9c^5d^1e^{12} + 416a^4b^{10}c^4d^1e^{12} - 32128a^5b^3c^{11}d^5e^8 - 4120a^5b^4c^{10}d^4e^9 - 63360a^5b^5c^9d^3e^{10} + 21376a^5b^6c^8d^2e^{11})))/(8*(a^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^8e^8 - 4a^5b^9d^7e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 20 \\
& 48a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^3c^7d^7e^7 + 64a^6b^7c^3d^7e^7 - 1024a^9b^3c^4d^7e^7 - 4a^2b^9c^3d^7e^7 - 4a^2b^{11}c^3d^5e^3 + 64a^3b^7c^4d^7e^7 - 4a^3b^{10}c^3d^4e^4 - 384a^4b^5c^5d^7e^7 + 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^7e^7 - 92a^5b^8c^2d^2e^6 - 3072a^7b^3c^6d^5e^3 - 384a^7b^5c^2d^5e^7 - 3072a^8b^3c^5d^3e^5 + 1024a^8b^3c^3d^3e^7)))*((27a^9c^5d^6 - b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^3c^9d^6 - 9a^5c^5d^6*(-(4a^3c - b^2)^9))^{(1/2)} + 213a^3b^{11}c^3e^6 - 26880a^8b^3c^6e^6 + 3072a^6c^9d^5e^7 + 35840a^8c^7d^5e^5 + 4b^{12}c^3d^5e^5 + 4b^{14}c^3d^3e^3 - 288a^2b
\end{aligned}$$

$$\begin{aligned}
& ^7c^6d^6 + 1504a^3b^5c^7d^6 - 3840a^4b^3c^8d^6 + 9a^2b^4e^6(- \\
& (4ac - b^2)^9)^{(1/2)} - 2077a^4b^9c^2e^6 + 10656a^5b^7c^3e^6 - 302 \\
& 40a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 + 25a^4c^2e^6(- (4ac - b^2) \\
& ^9)^{(1/2)} + b^2c^4d^6(- (4ac - b^2)^9)^{(1/2)} + 22528a^7c^8d^3e^3 + \\
& b^6d^2e^4(- (4ac - b^2)^9)^{(1/2)} - 6b^{13}c^2d^4e^2 + 6a^b^{14}d^4e^5 \\
& - 1471a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3d^3e^3 + 180a^2b^{11}c^2d^ \\
& 2e^4 + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8c^4d^3e^3 - 2871a^3b^9* \\
& c^3d^2e^4 - 15456a^4b^5c^6d^4e^2 - 7168a^4b^6c^5d^3e^3 + 16896* \\
& a^4b^7c^4d^2e^4 + 10240a^5b^3c^7d^4e^2 + 37632a^5b^4c^6d^3e^3 \\
& - 47712a^5b^5c^5d^2e^4 - 59392a^6b^2c^7d^3e^3 + 60928a^6b^3c^ \\
& 6d^2e^4 - 41a^2c^4d^4e^2(- (4ac - b^2)^9)^{(1/2)} - 39a^3c^3d^2e^ \\
& 4(- (4ac - b^2)^9)^{(1/2)} + 6b^4c^2d^4e^2(- (4ac - b^2)^9)^{(1/2)} - 6 \\
& a^b^5d^5e^5(- (4ac - b^2)^9)^{(1/2)} - 106a^b^{10}c^4d^5e + 7a^b^{13}c^d \\
& ^2e^4 - 128a^2b^{12}c^d^5e^5 - 51a^3b^2c^e^6(- (4ac - b^2)^9)^{(1/2)} + \\
& 150a^b^{11}c^3d^4e^2 - 84a^b^{12}c^2d^3e^3 + 1116a^2b^8c^5d^5e - \\
& 5824a^3b^6c^6d^5e + 1030a^3b^{10}c^2d^5e^5 + 15232a^4b^4c^7d^5e \\
& - 3492a^4b^8c^3d^5e^5 - 16896a^5b^2c^8d^5e + 1344a^5b^6c^4d^5e \\
& + 7424a^6b^c^8d^4e^2 + 22400a^6b^4c^5d^5e^5 - 23296a^7b^c^7d^2e \\
& ^4 - 53760a^7b^2c^6d^5e^5 - 4b^3c^3d^5e^5(- (4ac - b^2)^9)^{(1/2)} - 4 \\
& b^5c^d^3e^3(- (4ac - b^2)^9)^{(1/2)} + 11a^b^4c^d^2e^4(- (4ac - b^2) \\
& ^9)^{(1/2)} + 20a^2b^3c^d^5e^5(- (4ac - b^2)^9)^{(1/2)} + 86a^3b^c^2d^e \\
& ^5(- (4ac - b^2)^9)^{(1/2)} - 42a^b^2c^3d^4e^2(- (4ac - b^2)^9)^{(1/2)} \\
& + 12a^b^3c^2d^3e^3(- (4ac - b^2)^9)^{(1/2)} + 120a^2b^c^3d^3e^3(- \\
& (4ac - b^2)^9)^{(1/2)} + 34a^b^c^4d^5e^5(- (4ac - b^2)^9)^{(1/2)} - 108a^ \\
& 2b^2c^2d^2e^4(- (4ac - b^2)^9)^{(1/2)) / (32(a^7b^{12}e^8 + 4096a^9c^ \\
& 10d^8 + 4096a^{13}c^6e^8 - 24a^8b^{10}c^e^8 - 4a^6b^{13}d^5e^7 + a^3b^1 \\
& 2c^4d^8 - 24a^4b^{10}c^5d^8 + 240a^5b^8c^6d^8 - 1280a^6b^6c^7d^ \\
& 8 + 3840a^7b^4c^8d^8 - 6144a^8b^2c^9d^8 + 240a^9b^8c^2e^8 - 128 \\
& 0a^{10}b^6c^3e^8 + 3840a^{11}b^4c^4e^8 - 6144a^{12}b^2c^5e^8 + a^3b^ \\
& 16d^4e^4 - 4a^4b^{15}d^3e^5 + 6a^5b^{14}d^2e^6 + 16384a^{10}c^9d^6e \\
& ^2 + 24576a^{11}c^8d^4e^4 + 16384a^{12}c^7d^2e^6 + 6a^3b^{14}c^2d^6e \\
& ^2 - 140a^4b^{12}c^3d^6e^2 + 84a^4b^{13}c^2d^5e^3 + 1344a^5b^{10}c^4 \\
& d^6e^2 - 672a^5b^{11}c^3d^5e^3 - 42a^5b^{12}c^2d^4e^4 - 6720a^6b^ \\
& 8c^5d^6e^2 + 2240a^6b^9c^4d^5e^3 + 1456a^6b^{10}c^3d^4e^4 - 672* \\
& a^6b^{11}c^2d^3e^5 + 17920a^7b^6c^6d^6e^2 - 10080a^7b^8c^4d^4e^ \\
& 4 + 2240a^7b^9c^3d^3e^5 + 1344a^7b^{10}c^2d^2e^6 - 21504a^8b^4c^ \\
& 7d^6e^2 - 21504a^8b^5c^6d^5e^3 + 32256a^8b^6c^5d^4e^4 - 6720a^ \\
& 8b^8c^3d^2e^6 + 57344a^9b^3c^7d^5e^3 - 46592a^9b^4c^6d^4e^4 - \\
& 21504a^9b^5c^5d^3e^5 + 17920a^9b^6c^4d^2e^6 + 12288a^{10}b^2c^7 \\
& d^4e^4 + 57344a^{10}b^3c^6d^3e^5 - 21504a^{10}b^4c^5d^2e^6 + 96a^7 \\
& b^{11}c^d^7e - 16384a^9b^c^9d^7e - 16384a^{12}b^c^6d^e^7 - 4a^3b^{13} \\
& c^3d^7e - 4a^3b^{15}c^d^5e^3 + 96a^4b^{11}c^4d^7e - 12a^4b^{14}c^d \\
& ^4e^4 - 960a^5b^9c^5d^7e + 84a^5b^{13}c^d^3e^5 + 5120a^6b^7c^6d \\
& ^7e - 140a^6b^{12}c^d^2e^6 - 15360a^7b^5c^7d^7e + 24576a^8b^3c^8 \\
& d^7e - 960a^8b^9c^2d^5e^7 + 5120a^9b^7c^3d^5e^7 - 49152a^{10}b^c^8*
\end{aligned}$$

$$\begin{aligned}
& d^5 e^3 - 15360 a^{10} b^5 c^4 d e^7 - 49152 a^{11} b^6 c^7 d^3 e^5 + 24576 a^{11} b^3 c^5 d e^7) \cdot ((27 a^2 b^9 c^5 d^6 - b^{11} c^4 d^6 - b^{15} d^2 e^4 - \\
& 9 a^2 b^{13} e^6 + 3840 a^5 b^6 c^9 d^6 - 9 a^2 c^5 d^6 (-4 a c - b^2)^9)^{1/2} \\
& + 213 a^3 b^{11} c e^6 - 26880 a^8 b^6 c^6 e^6 + 3072 a^6 c^9 d^5 e + 35840 a^8 c^7 d e^5 + 4 b^{12} c^3 d^5 e + 4 b^{14} c d^3 e^3 - 288 a^2 b^7 c^6 d^6 + 1 \\
& 504 a^3 b^5 c^7 d^6 - 3840 a^4 b^3 c^8 d^6 + 9 a^2 b^4 e^6 (-4 a c - b^2)^9)^{1/2} - 2077 a^4 b^9 c^2 e^6 + 10656 a^5 b^7 c^3 e^6 - 30240 a^6 b^5 c^4 \\
& e^6 + 44800 a^7 b^3 c^5 e^6 + 25 a^4 c^2 e^6 (-4 a c - b^2)^9)^{1/2} + b^2 c^4 d^6 (-4 a c - b^2)^9)^{1/2} + 22528 a^7 c^8 d^3 e^3 + b^6 d^2 e^4 (- \\
& (4 a c - b^2)^9)^{1/2} - 6 b^{13} c^2 d^4 e^2 + 6 a b^{14} d e^5 - 1471 a^2 b^9 c^4 d^4 e^2 + 600 a^2 b^{10} c^3 d^3 e^3 + 180 a^2 b^{11} c^2 d^2 e^4 + 6976 a^3 b^7 c^5 d^4 e^2 - 1032 a^3 b^8 c^4 d^3 e^3 - 2871 a^3 b^9 c^3 d^2 e^4 - \\
& 15456 a^4 b^5 c^6 d^4 e^2 - 7168 a^4 b^6 c^5 d^3 e^3 + 16896 a^4 b^7 c^4 d^2 e^4 + 10240 a^5 b^3 c^7 d^4 e^2 + 37632 a^5 b^4 c^6 d^3 e^3 - 47712 a^5 b^5 c^5 d^2 e^4 - 59392 a^6 b^2 c^7 d^3 e^3 + 60928 a^6 b^3 c^6 d^2 e^4 - 41 \\
& a^2 c^4 d^4 e^2 (-4 a c - b^2)^9)^{1/2} - 39 a^3 c^3 d^2 e^4 (-4 a c - b^2)^9)^{1/2} + 6 b^4 c^2 d^4 e^2 (-4 a c - b^2)^9)^{1/2} - 6 a b^5 d e^5 (- \\
& (4 a c - b^2)^9)^{1/2} - 106 a b^{10} c^4 d^5 e + 7 a b^{13} c d^2 e^4 - 128 a^2 b^{12} c d e^5 - 51 a^3 b^2 c e^6 (-4 a c - b^2)^9)^{1/2} + 150 a b^{11} c^3 d^4 e^2 - 84 a b^{12} c^2 d^3 e^3 + 1116 a^2 b^8 c^5 d^5 e - 5824 a^3 b^6 c^6 d^5 e + 1030 a^3 b^{10} c^2 d e^5 + 15232 a^4 b^4 c^7 d^5 e - 3492 a^4 b^8 c^3 d e^5 - 16896 a^5 b^2 c^8 d^5 e + 1344 a^5 b^6 c^4 d e^5 + 7424 a^6 b^7 c^8 d^4 e^2 + 22400 a^6 b^4 c^5 d e^5 - 23296 a^7 b^6 c^7 d^2 e^4 - 53760 a^7 b^2 c^6 d e^5 - 4 b^3 c^3 d^5 e (-4 a c - b^2)^9)^{1/2} - 4 b^5 c d^3 e^3 (-4 a c - b^2)^9)^{1/2} + 11 a b^4 c d^2 e^4 (-4 a c - b^2)^9)^{1/2} + 20 a^2 b^3 c d e^5 (-4 a c - b^2)^9)^{1/2} + 86 a^3 b^2 c^2 d e^5 (-4 a c - b^2)^9)^{1/2} - 42 a b^2 c^3 d^4 e^2 (-4 a c - b^2)^9)^{1/2} + 12 a b^3 c^2 d^3 e^3 (-4 a c - b^2)^9)^{1/2} + 120 a^2 b^3 c^3 d^3 e^3 (-4 a c - b^2)^9)^{1/2} + 34 a b^4 c^4 d^5 e (-4 a c - b^2)^9)^{1/2} - 108 a^2 b^2 c^2 d^2 e^4 (-4 a c - b^2)^9)^{1/2} / (32 (a^7 b^{12} e^8 + 4096 a^9 c^{10} d^8 + 4096 a^{13} c^6 e^8 - 24 a^8 b^{10} c e^8 - 4 a^6 b^{13} d e^7 + a^3 b^{12} c^4 d^8 - 24 a^4 b^{10} c^5 d^8 + 240 a^5 b^8 c^6 d^8 - 1280 a^6 b^6 c^7 d^8 + 3840 a^7 b^4 c^8 d^8 - 6144 a^8 b^2 c^9 d^8 + 240 a^9 b^8 c^2 e^8 - 1280 a^{10} b^6 c^3 e^8 + 3840 a^{11} b^4 c^4 e^8 - 6144 a^{12} b^2 c^5 e^8 + a^3 b^{16} d^4 e^4 - 4 a^4 b^{15} d^3 e^5 + 6 a^5 b^{14} d^2 e^6 + 16384 a^{10} c^9 d^6 e^2 + 24576 a^{11} c^8 d^4 e^4 + 16384 a^{12} c^7 d^2 e^6 + 6 a^3 b^{14} c^2 d^6 e^2 - 140 a^4 b^{12} c^3 d^6 e^2 + 84 a^4 b^{13} c^2 d^5 e^3 + 1344 a^5 b^{10} c^4 d^6 e^2 - 672 a^5 b^{11} c^3 d^5 e^3 - 42 a^5 b^{12} c^2 d^4 e^4 - 6720 a^6 b^8 c^5 d^6 e^2 + 2240 a^6 b^9 c^4 d^5 e^3 + 1456 a^6 b^{10} c^3 d^4 e^4 - 672 a^6 b^{11} c^2 d^3 e^5 + 17920 a^7 b^6 c^6 d^6 e^2 - 10080 a^7 b^8 c^4 d^4 e^4 + 2240 a^7 b^9 c^3 d^3 e^5 + 1344 a^7 b^{10} c^2 d^2 e^6 - 21504 a^8 b^4 c^7 d^6 e^2 - 21504 a^8 b^5 c^6 d^5 e^3 + 32256 a^8 b^6 c^5 d^4 e^4 - 6720 a^8 b^8 c^3 d^2 e^6 + 57344 a^9 b^3 c^7 d^5 e^3 - 46592 a^9 b^4 c^6 d^4 e^4 - 21504 a^9 b^5 c^5 d^3 e^5 + 17920 a^9 b^6 c^4 d^2 e^6 + 12288 a^{10} b^2 c^7 d^4 e^4 + 57344 a^{10} b^3 c^6 d^3 e^5 - 21504 a^{10} b^4 c^5 d^2 e^6 + 96 a^7 b^{11} c d e^7
\end{aligned}$$

$$\begin{aligned}
& - 16384a^9b^3c^9d^7e - 16384a^{12}b^3c^6d^5e^7 - 4a^3b^{13}c^3d^7e - 4 \\
& a^3b^{15}c^d^5e^3 + 96a^4b^{11}c^4d^7e - 12a^4b^{14}c^d^4e^4 - 960a \\
& ^5b^9c^5d^7e + 84a^5b^{13}c^d^3e^5 + 5120a^6b^7c^6d^7e - 140a^6 \\
& b^{12}c^d^2e^6 - 15360a^7b^5c^7d^7e + 24576a^8b^3c^8d^7e - 960a \\
& ^8b^9c^2d^e^7 + 5120a^9b^7c^3d^e^7 - 49152a^{10}b^3c^8d^5e^3 - 1536 \\
& 0a^{10}b^5c^4d^e^7 - 49152a^{11}b^3c^7d^3e^5 + 24576a^{11}b^3c^5d^e^7) \\
&)^{(1/2)} * 2i - \operatorname{atan}(\left(\left(\left(\left(\left(1048576a^{13}c^8e^{16} + 256a^7b^{12}c^2e^{16} - 61 \right. \right. \right. \right. \right. \\
& 44a^8b^{10}c^3e^{16} + 61440a^9b^8c^4e^{16} - 327680a^{10}b^6c^5e^{16} + \\
& 983040a^{11}b^4c^6e^{16} - 1572864a^{12}b^2c^7e^{16} - 196608a^6c^{15}d^{14} \\
& * e^2 - 917504a^7c^{14}d^{12}e^4 - 589824a^8c^{13}d^{10}e^6 + 3932160a^9c^ \\
& 12d^8e^8 + 10158080a^{10}c^{11}d^6e^{10} + 10616832a^{11}c^{10}d^4e^{12} + 53 \\
& 08416a^{12}c^9d^2e^{14} - 2816a^2b^8c^{11}d^{14}e^2 + 22656a^2b^9c^{10}d \\
& ^{13}e^3 - 78848a^2b^{10}c^9d^{12}e^4 + 154112a^2b^{11}c^8d^{11}e^5 - 1827 \\
& 84a^2b^{12}c^7d^{10}e^6 + 130816a^2b^{13}c^6d^9e^7 - 50176a^2b^{14}c^5 \\
& * d^8e^8 + 4608a^2b^{15}c^4d^7e^9 + 3328a^2b^{16}c^3d^6e^{10} - 896a^2 \\
& b^{17}c^2d^5e^{11} + 24576a^3b^6c^{12}d^{14}e^2 - 198656a^3b^7c^{11}d^{13} \\
& * e^3 + 684544a^3b^8c^{10}d^{12}e^4 - 1291520a^3b^9c^9d^{11}e^5 + 140377 \\
& 6a^3b^{10}c^8d^{10}e^6 - 798336a^3b^{11}c^7d^9e^7 + 89856a^3b^{12}c^6* \\
& d^8e^8 + 155136a^3b^{13}c^5d^7e^9 - 77440a^3b^{14}c^4d^6e^{10} + 5504* \\
& a^3b^{15}c^3d^5e^{11} + 2560a^3b^{16}c^2d^4e^{12} - 106496a^4b^4c^{13}d^ \\
& 14e^2 + 864256a^4b^5c^{12}d^{13}e^3 - 2924544a^4b^6c^{11}d^{12}e^4 + 518 \\
& 1440a^4b^7c^{10}d^{11}e^5 - 4686080a^4b^8c^9d^{10}e^6 + 1045376a^4b^9 \\
& * c^8d^9e^7 + 1900544a^4b^{10}c^7d^8e^8 - 1732096a^4b^{11}c^6d^7e^9 \\
& + 390400a^4b^{12}c^5d^6e^{10} + 112000a^4b^{13}c^4d^5e^{11} - 40960a^4b \\
& ^{14}c^3d^4e^{12} - 3840a^4b^{15}c^2d^3e^{13} + 229376a^5b^2c^{14}d^{14}e^ \\
& 2 - 1867776a^5b^3c^{13}d^{13}e^3 + 6078464a^5b^4c^{12}d^{12}e^4 - 9297920 \\
& * a^5b^5c^{11}d^{11}e^5 + 4055040a^5b^6c^{10}d^{10}e^6 + 7788544a^5b^7c^ \\
& 9d^9e^7 - 12657664a^5b^8c^8d^8e^8 + 6130176a^5b^9c^7d^7e^9 + 73 \\
& 4080a^5b^{10}c^6d^6e^{10} - 1442560a^5b^{11}c^5d^5e^{11} + 168960a^5b^{11} \\
& 2c^4d^4e^{12} + 78080a^5b^{13}c^3d^3e^{13} + 3200a^5b^{14}c^2d^2e^{14} - \\
& 4587520a^6b^2c^{13}d^{12}e^4 + 3080192a^6b^3c^{12}d^{11}e^5 + 12001280a \\
& ^6b^4c^{11}d^{10}e^6 - 31076352a^6b^5c^{10}d^9e^7 + 27475968a^6b^6c^9 \\
& * d^8e^8 - 2088960a^6b^7c^8d^7e^9 - 12205312a^6b^8c^7d^6e^{10} + 60 \\
& 43520a^6b^9c^6d^5e^{11} + 631808a^6b^{10}c^5d^4e^{12} - 610304a^6b^{11} \\
& * c^4d^3e^{13} - 71936a^6b^{12}c^3d^2e^{14} - 21725184a^7b^2c^{12}d^{10}e^ \\
& 6 + 30801920a^7b^3c^{11}d^9e^7 - 8028160a^7b^4c^{10}d^8e^8 - 32260096 \\
& * a^7b^5c^9d^7e^9 + 37101568a^7b^6c^8d^6e^{10} - 7182336a^7b^7c^7* \\
& d^5e^{11} - 7609856a^7b^8c^6d^4e^{12} + 2112256a^7b^9c^5d^3e^{13} + 66 \\
& 1632a^7b^{10}c^4d^2e^{14} - 30146560a^8b^2c^{11}d^8e^8 + 55050240a^8b \\
& ^3c^{10}d^7e^9 - 34365440a^8b^4c^9d^6e^{10} - 16429056a^8b^5c^8d^5* \\
& e^{11} + 24600576a^8b^6c^7d^4e^{12} - 1683456a^8b^7c^6d^3e^{13} - 31516 \\
& 16a^8b^8c^5d^2e^{14} - 10977280a^9b^2c^{10}d^6e^{10} + 47022080a^9b^3 \\
& * c^9d^5e^{11} - 30621696a^9b^4c^8d^4e^{12} - 9232384a^9b^5c^7d^3e^{13} \\
& + 7970816a^9b^6c^6d^2e^{14} + 4325376a^{10}b^2c^9d^4e^{12} + 25493504 \\
& * a^{10}b^3c^8d^3e^{13} - 9117696a^{10}b^4c^7d^2e^{14} + 491520a^{11}b^2c^
\end{aligned}$$

$$\begin{aligned}
& 8*d^2*e^{14} - 4947968*a^{12}*b*c^8*d*e^{15} + 128*a*b^{10}*c^{10}*d^{14}*e^2 - 1024*a* \\
& b^{11}*c^9*d^{13}*e^3 + 3584*a*b^{12}*c^8*d^{12}*e^4 - 7168*a*b^{13}*c^7*d^{11}*e^5 + 8 \\
& 960*a*b^{14}*c^6*d^{10}*e^6 - 7168*a*b^{15}*c^5*d^9*e^7 + 3584*a*b^{16}*c^4*d^8*e^8 \\
& - 1024*a*b^{17}*c^3*d^7*e^9 + 128*a*b^{18}*c^2*d^6*e^{10} + 1605632*a^6*b*c^{14}*d \\
& ^{13}*e^3 - 1408*a^6*b^{13}*c^2*d*e^{15} + 7012352*a^7*b*c^{13}*d^{11}*e^5 + 33152*a^ \\
& 7*b^{11}*c^3*d*e^{15} + 7045120*a^8*b*c^{12}*d^9*e^7 - 324480*a^8*b^9*c^4*d*e^{15} \\
& - 9830400*a^9*b*c^{11}*d^7*e^9 + 1689600*a^9*b^7*c^5*d*e^{15} - 25722880*a^{10}*b \\
& *c^{10}*d^5*e^{11} - 4935680*a^{10}*b^5*c^6*d*e^{15} - 19202048*a^{11}*b*c^9*d^3*e^{13} \\
& + 7667712*a^{11}*b^3*c^7*d*e^{15})/(16*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^ \\
& 10*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3* \\
& b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 \\
& - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10} \\
& *d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e \\
& ^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e \\
& ^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4 \\
& *e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3 \\
& *d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3 \\
& *c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6 \\
& *b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 11 \\
& 52*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 6 \\
& 4*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^{11} \\
& *c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5* \\
& d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^ \\
& 6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 \\
& + 1024*a^8*b^3*c^3*d*e^7) - (x*((27*a*b^9*c^5*d^6 - b^{11}*c^4*d^6 - b^{15}*d \\
& ^2*e^4 - 9*a^2*b^{13}*e^6 + 3840*a^5*b*c^9*d^6 + 9*a*c^5*d^6*(-(4*a*c - b^2)^ \\
& 9)^{(1/2)} + 213*a^3*b^{11}*c*e^6 - 26880*a^8*b*c^6*e^6 + 3072*a^6*c^9*d^5*e + \\
& 35840*a^8*c^7*d*e^5 + 4*b^{12}*c^3*d^5*e + 4*b^{14}*c*d^3*e^3 - 288*a^2*b^7*c^6 \\
& *d^6 + 1504*a^3*b^5*c^7*d^6 - 3840*a^4*b^3*c^8*d^6 - 9*a^2*b^4*e^6*(-(4*a*c \\
& - b^2)^9)^{(1/2)} - 2077*a^4*b^9*c^2*e^6 + 10656*a^5*b^7*c^3*e^6 - 30240*a^6 \\
& *b^5*c^4*e^6 + 44800*a^7*b^3*c^5*e^6 - 25*a^4*c^2*e^6*(-(4*a*c - b^2)^9)^{(1 \\
& /2)} - b^2*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 22528*a^7*c^8*d^3*e^3 - b^6*d^ \\
& 2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*b^{13}*c^2*d^4*e^2 + 6*a*b^{14}*d*e^5 - 1471 \\
& *a^2*b^9*c^4*d^4*e^2 + 600*a^2*b^{10}*c^3*d^3*e^3 + 180*a^2*b^{11}*c^2*d^2*e^4 \\
& + 6976*a^3*b^7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4*d^3*e^3 - 2871*a^3*b^9*c^3*d^ \\
& 2*e^4 - 15456*a^4*b^5*c^6*d^4*e^2 - 7168*a^4*b^6*c^5*d^3*e^3 + 16896*a^4*b^ \\
& 7*c^4*d^2*e^4 + 10240*a^5*b^3*c^7*d^4*e^2 + 37632*a^5*b^4*c^6*d^3*e^3 - 477 \\
& 12*a^5*b^5*c^5*d^2*e^4 - 59392*a^6*b^2*c^7*d^3*e^3 + 60928*a^6*b^3*c^6*d^2* \\
& e^4 + 41*a^2*c^4*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 39*a^3*c^3*d^2*e^4*(-(4 \\
& *a*c - b^2)^9)^{(1/2)} - 6*b^4*c^2*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 6*a*b^5 \\
& *d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 106*a*b^{10}*c^4*d^5*e + 7*a*b^{13}*c*d^2*e^4 \\
& - 128*a^2*b^{12}*c*d*e^5 + 51*a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + 150*a \\
& *b^{11}*c^3*d^4*e^2 - 84*a*b^{12}*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e - 5824*a \\
& ^3*b^6*c^6*d^5*e + 1030*a^3*b^{10}*c^2*d*e^5 + 15232*a^4*b^4*c^7*d^5*e - 3492 \\
& *a^4*b^8*c^3*d*e^5 - 16896*a^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^4*d*e^5 + 742
\end{aligned}$$

$$\begin{aligned}
& 4*a^6*b*c^8*d^4*e^2 + 22400*a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^7*d^2*e^4 - 5 \\
& 3760*a^7*b^2*c^6*d*e^5 + 4*b^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 4*b^5*c \\
& *d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 20*a^2*b^3*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 86*a^3*b*c^2*d*e^5*(-(4 \\
& 4*a*c - b^2)^9)^{(1/2)} + 42*a*b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 12* \\
& a*b^3*c^2*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 120*a^2*b*c^3*d^3*e^3*(-(4*a*c \\
& - b^2)^9)^{(1/2)} - 34*a*b*c^4*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 108*a^2*b^2* \\
& c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^7*b^12*e^8 + 4096*a^9*c^10*d^8 \\
& + 4096*a^13*c^6*e^8 - 24*a^8*b^10*c*e^8 - 4*a^6*b^13*d*e^7 + a^3*b^12*c^4* \\
& d^8 - 24*a^4*b^10*c^5*d^8 + 240*a^5*b^8*c^6*d^8 - 1280*a^6*b^6*c^7*d^8 + 38 \\
& 40*a^7*b^4*c^8*d^8 - 6144*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280*a^10 \\
& *b^6*c^3*e^8 + 3840*a^11*b^4*c^4*e^8 - 6144*a^12*b^2*c^5*e^8 + a^3*b^16*d^4 \\
& *e^4 - 4*a^4*b^15*d^3*e^5 + 6*a^5*b^14*d^2*e^6 + 16384*a^10*c^9*d^6*e^2 + 2 \\
& 4576*a^11*c^8*d^4*e^4 + 16384*a^12*c^7*d^2*e^6 + 6*a^3*b^14*c^2*d^6*e^2 - 1 \\
& 40*a^4*b^12*c^3*d^6*e^2 + 84*a^4*b^13*c^2*d^5*e^3 + 1344*a^5*b^10*c^4*d^6*e \\
& ^2 - 672*a^5*b^11*c^3*d^5*e^3 - 42*a^5*b^12*c^2*d^4*e^4 - 6720*a^6*b^8*c^5* \\
& d^6*e^2 + 2240*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^10*c^3*d^4*e^4 - 672*a^6*b^ \\
& 11*c^2*d^3*e^5 + 17920*a^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 + 22 \\
& 40*a^7*b^9*c^3*d^3*e^5 + 1344*a^7*b^10*c^2*d^2*e^6 - 21504*a^8*b^4*c^7*d^6* \\
& e^2 - 21504*a^8*b^5*c^6*d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8*b^8* \\
& c^3*d^2*e^6 + 57344*a^9*b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 21504 \\
& *a^9*b^5*c^5*d^3*e^5 + 17920*a^9*b^6*c^4*d^2*e^6 + 12288*a^10*b^2*c^7*d^4*e \\
& ^4 + 57344*a^10*b^3*c^6*d^3*e^5 - 21504*a^10*b^4*c^5*d^2*e^6 + 96*a^7*b^11* \\
& c*d*e^7 - 16384*a^9*b*c^9*d^7*e - 16384*a^12*b*c^6*d*e^7 - 4*a^3*b^13*c^3*d \\
& ^7*e - 4*a^3*b^15*c*d^5*e^3 + 96*a^4*b^11*c^4*d^7*e - 12*a^4*b^14*c*d^4*e^4 \\
& - 960*a^5*b^9*c^5*d^7*e + 84*a^5*b^13*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - \\
& 140*a^6*b^12*c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e \\
& - 960*a^8*b^9*c^2*d*e^7 + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^10*b*c^8*d^5*e^ \\
& 3 - 15360*a^10*b^5*c^4*d*e^7 - 49152*a^11*b*c^7*d^3*e^5 + 24576*a^11*b^3*c^ \\
& 5*d*e^7)))^{(1/2)}*(1048576*a^15*c^8*e^17 + 256*a^9*b^12*c^2*e^17 - 6144*a^10 \\
& *b^10*c^3*e^17 + 61440*a^11*b^8*c^4*e^17 - 327680*a^12*b^6*c^5*e^17 + 98304 \\
& 0*a^13*b^4*c^6*e^17 - 1572864*a^14*b^2*c^7*e^17 - 1048576*a^8*c^15*d^14*e^3 \\
& - 5242880*a^9*c^14*d^12*e^5 - 9437184*a^10*c^13*d^10*e^7 - 5242880*a^11*c^ \\
& 12*d^8*e^9 + 5242880*a^12*c^11*d^6*e^11 + 9437184*a^13*c^10*d^4*e^13 + 5242 \\
& 880*a^14*c^9*d^2*e^15 + 256*a^2*b^11*c^10*d^15*e^2 - 2048*a^2*b^12*c^9*d^14 \\
& *e^3 + 7168*a^2*b^13*c^8*d^13*e^4 - 14336*a^2*b^14*c^7*d^12*e^5 + 17920*a^2 \\
& *b^15*c^6*d^11*e^6 - 14336*a^2*b^16*c^5*d^10*e^7 + 7168*a^2*b^17*c^4*d^9*e^ \\
& 8 - 2048*a^2*b^18*c^3*d^8*e^9 + 256*a^2*b^19*c^2*d^7*e^10 - 5120*a^3*b^9*c^ \\
& 11*d^15*e^2 + 41984*a^3*b^10*c^10*d^14*e^3 - 148736*a^3*b^11*c^9*d^13*e^4 + \\
& 296192*a^3*b^12*c^8*d^12*e^5 - 359680*a^3*b^13*c^7*d^11*e^6 + 267520*a^3*b \\
& ^14*c^6*d^10*e^7 - 112384*a^3*b^15*c^5*d^9*e^8 + 18176*a^3*b^16*c^4*d^8*e^9 \\
& + 3328*a^3*b^17*c^3*d^7*e^10 - 1280*a^3*b^18*c^2*d^6*e^11 + 40960*a^4*b^7* \\
& c^12*d^15*e^2 - 348160*a^4*b^8*c^11*d^14*e^3 + 1254400*a^4*b^9*c^10*d^13*e^ \\
& 4 - 2478080*a^4*b^10*c^9*d^12*e^5 + 2867456*a^4*b^11*c^8*d^11*e^6 - 1862144 \\
& *a^4*b^12*c^7*d^10*e^7 + 490240*a^4*b^13*c^6*d^9*e^8 + 128000*a^4*b^14*c^5*
\end{aligned}$$

$$\begin{aligned}
& d^8 e^9 - 108800 a^4 b^{15} c^4 d^7 e^{10} + 13824 a^4 b^{16} c^3 d^6 e^{11} + 2304 \\
& a^4 b^{17} c^2 d^5 e^{12} - 163840 a^5 b^5 c^{13} d^{15} e^2 + 1474560 a^5 b^6 c^1 \\
& 2 d^{14} e^3 - 5447680 a^5 b^7 c^{11} d^{13} e^4 + 10588160 a^5 b^8 c^{10} d^{12} e^5 \\
& - 11166720 a^5 b^9 c^9 d^{11} e^6 + 5159936 a^5 b^{10} c^8 d^{10} e^7 + 1073920 a^5 b^{11} c^7 d^9 e^8 \\
& - 2279680 a^5 b^{12} c^6 d^8 e^9 + 770560 a^5 b^{13} c^5 d^7 e^{10} + 33280 a^5 b^{14} c^4 d^6 e^{11} \\
& - 41216 a^5 b^{15} c^3 d^5 e^{12} - 1280 a^5 b^{16} c^2 d^4 e^{13} + 327680 a^6 b^3 c^{14} d^{15} e^2 \\
& - 3276800 a^6 b^4 c^{13} d^{14} e^3 + 12615680 a^6 b^5 c^{12} d^{13} e^4 - 23592960 a^6 b^6 c^{11} d^{12} e^5 \\
& + 19701760 a^6 b^7 c^{10} d^{11} e^6 + 1372160 a^6 b^8 c^9 d^{10} e^7 - 15846400 a^6 b^9 c^8 d^9 e^8 \\
& + 10864640 a^6 b^{10} c^7 d^8 e^9 - 1352960 a^6 b^{11} c^6 d^7 e^{10} - 1111040 a^6 b^{12} c^5 d^6 e^{11} \\
& + 273920 a^6 b^{13} c^4 d^5 e^{12} + 25600 a^6 b^{14} c^3 d^4 e^{13} - 1280 a^6 b^{15} c^2 d^3 e^{14} + 3407872 a^7 b^2 c^{14} d^{14} e^3 \\
& - 14221312 a^7 b^3 c^{13} d^{13} e^4 + 23527424 a^7 b^4 c^{12} d^{12} e^5 - 3768320 a^7 b^5 c^{11} d^{11} e^6 \\
& - 38895616 a^7 b^6 c^{10} d^{10} e^7 + 50126848 a^7 b^7 c^9 d^9 e^8 - 18362368 a^7 b^8 c^8 d^8 e^9 - 6831104 a^7 b^9 c^7 d^7 e^{10} \\
& + 6200320 a^7 b^{10} c^6 d^6 e^{11} - 726784 a^7 b^{11} c^5 d^5 e^{12} - 228608 a^7 b^{12} c^4 d^4 e^{13} \\
& + 31488 a^7 b^{13} c^3 d^3 e^{14} + 2304 a^7 b^{14} c^2 d^2 e^{15} - 3145728 a^8 b^2 c^{13} d^{12} e^5 - 31129600 a^8 b^3 c^{12} d^{11} e^6 \\
& + 74711040 a^8 b^4 c^{11} d^{10} e^7 - 55476224 a^8 b^5 c^{10} d^9 e^8 - 11075584 a^8 b^6 c^9 d^8 e^9 \\
& + 35381248 a^8 b^7 c^8 d^7 e^{10} - 14479360 a^8 b^8 c^7 d^6 e^{11} - 168960 a^8 b^9 c^6 d^5 e^{12} \\
& + 1286144 a^8 b^{10} c^5 d^4 e^{13} - 302336 a^8 b^{11} c^4 d^3 e^{14} - 55808 a^8 b^{12} c^3 d^2 e^{15} - 36962304 a^9 b^2 c^{12} d^{10} e^7 \\
& - 9502720 a^9 b^3 c^{11} d^9 e^8 + 67174400 a^9 b^4 c^{10} d^8 e^9 - 54886400 a^9 b^5 c^9 d^7 e^{10} \\
& + 11239424 a^9 b^6 c^8 d^6 e^{11} + 5545984 a^9 b^7 c^7 d^5 e^{12} - 5263360 a^9 b^8 c^6 d^4 e^{13} \\
& + 1356800 a^9 b^9 c^5 d^3 e^{14} + 558080 a^9 b^{10} c^4 d^2 e^{15} - 49807360 a^{10} b^2 c^{11} d^8 e^9 \\
& + 19333120 a^{10} b^3 c^{10} d^7 e^{10} + 7208960 a^{10} b^4 c^9 d^6 e^{11} - 14974976 a^{10} b^5 c^8 d^5 e^{12} \\
& + 15073280 a^{10} b^6 c^7 d^4 e^{13} - 2170880 a^{10} b^7 c^6 d^3 e^{14} - 2928640 a^{10} b^8 c^5 d^2 e^{15} \\
& - 11796480 a^{11} b^2 c^{10} d^6 e^{11} + 23920640 a^{11} b^3 c^9 d^5 e^{12} - 24576000 a^{11} b^4 c^8 d^4 e^{13} \\
& - 4096000 a^{11} b^5 c^7 d^3 e^{14} + 8355840 a^{11} b^6 c^6 d^2 e^{15} + 12582912 a^{12} b^2 c^9 d^4 e^{13} \\
& + 19857408 a^{12} b^3 c^8 d^3 e^{14} - 11534336 a^{12} b^4 c^7 d^2 e^{15} + 3407872 a^{13} b^2 c^8 d^2 e^{15} \\
& - 5505024 a^{14} b^3 c^8 d^2 e^{16} - 262144 a^7 b^3 c^{15} d^{15} e^2 + 5505024 a^8 b^3 c^{14} d^{13} e^4 - 1280 a^8 b^{13} c^2 d^2 e^{16} \\
& + 25952256 a^9 b^3 c^{13} d^{11} e^6 + 30976 a^9 b^{11} c^3 d^2 e^{16} + 38010880 a^{10} b^3 c^{12} d^9 e^8 \\
& - 312320 a^{10} b^9 c^4 d^2 e^{16} + 11796480 a^{11} b^3 c^{11} d^7 e^{10} + 1679360 a^{11} b^7 c^5 d^2 e^{16} \\
& - 21233664 a^{12} b^3 c^{10} d^5 e^{12} - 5079040 a^{12} b^5 c^6 d^2 e^{16} - 20709376 a^{13} b^3 c^9 d^3 e^{14} + 8192000 a^{13} b^3 c^7 d^2 e^{16} \\
&) / (8(a^6 b^8 e^8 + 256 a^6 c^8 d^8 + 256 a^{10} c^4 e^8 - 16 a^7 b^6 c^2 e^8 - 4 a^5 b^9 d^2 e^7 \\
& + a^2 b^8 c^4 d^8 - 16 a^3 b^6 c^5 d^8 + 96 a^4 b^4 c^6 d^8 - 256 a^5 b^2 c^7 d^8 + 96 a^8 b^4 c^2 e^8 - 256 a^9 b^2 c^3 e^8 \\
& + a^2 b^{12} d^4 e^4 - 4 a^3 b^{11} d^3 e^5 + 6 a^4 b^{10} d^2 e^6 + 1024 a^7 c^7 d^6 e^2 + 1536 a^8 c^6 d^4 e^4 \\
& + 1024 a^9 c^5 d^2 e^6 + 6 a^2 b^{10} c^2 d^6 e^2 - 92 a^3 b^8 c^3 d^6 e^2 + 52 a^3 b^9 c^2 d^5 e^3 + 512 a^4 b^6 c^4 d^6 e^2 \\
& - 192 a^4 b^7 c^3 d^5 e^3 - 90 a^4 b^8 c^2 d^4 e^4 - 1152 a^5
\end{aligned}$$

$$\begin{aligned}
& b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2 \\
& 240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 \\
& + 512a^8b^2c^4d^2e^6 - 1024a^6b^7c^3d^7e + 64a^6b^7c^3d^7e^7 - 1024a^9b^3c^4d^7e^7 - 4a^2b^9c^3d^7e - 4a^2b^11c^3d^5e^3 + 64a^3b^7c^4d^7e \\
& - 4a^3b^10c^4d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^7e - 92a^5b^8c^3d^2e^6 - 3072a^7b^3c^6d^5e^3 \\
& - 384a^7b^5c^2d^7e - 3072a^8b^3c^5d^3e^5 + 1024a^8b^3c^3d^7e^7)) * ((27a^9b^9c^5d^6 - b^11c^4d^6 - b^15d^2e^4 - 9a^2b^13e^6 + 3840a^5b^9c^9d^6 \\
& + 9a^9c^5d^6 * (-4ac - b^2)^9)^{1/2} + 213a^3b^11c^6e^6 - 26880a^8b^6c^6e^6 + 3072a^6c^9d^5e + 35840a^8c^7d^5e^5 + 4b^12c^3d^5e \\
& + 4b^14c^3d^3e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 - 3840a^4b^3c^8d^6 - 9a^2b^4e^6 * (-4ac - b^2)^9)^{1/2} - 2077a^4b^9c^2e^6 \\
& + 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 - 25a^4c^2e^6 * (-4ac - b^2)^9)^{1/2} - b^2c^4d^6 * (-4ac - b^2)^9)^{1/2} + 22528a^7c^8d^3e^3 \\
& - b^6d^2e^4 * (-4ac - b^2)^9)^{1/2} - 6b^13c^2d^4e^2 + 6a^2b^14d^5e^5 - 1471a^2b^9c^4d^4e^2 + 600a^2b^10c^3d^3e^3 + 180a^2b^11c^2d^2e^4 \\
& + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8c^4d^3e^3 - 2871a^3b^9c^3d^2e^4 - 15456a^4b^5c^6d^4e^2 - 7168a^4b^6c^5d^3e^3 + 16896a^4b^7c^4d^2e^4 \\
& + 10240a^5b^3c^7d^4e^2 + 37632a^5b^4c^6d^3e^3 - 47712a^5b^5c^5d^2e^4 - 59392a^6b^2c^7d^3e^3 + 60928a^6b^3c^6d^2e^4 + 41a^2c^4d^4e^2 \\
& * (-4ac - b^2)^9)^{1/2} + 39a^3c^3d^2e^4 * (-4ac - b^2)^9)^{1/2} - 6b^4c^2d^4e^2 * (-4ac - b^2)^9)^{1/2} + 6a^2b^5d^5e^5 * (-4ac - b^2)^9)^{1/2} \\
& - 106a^2b^10c^4d^5e + 7a^2b^13c^3d^2e^4 - 128a^2b^12c^3d^5e^5 + 51a^3b^2c^6e^6 * (-4ac - b^2)^9)^{1/2} + 150a^2b^11c^3d^4e^2 - 84a^2b^12c^2d^3e^3 \\
& + 1116a^2b^8c^5d^5e - 5824a^3b^6c^6d^5e + 1030a^3b^10c^2d^5e^5 + 15232a^4b^4c^7d^5e - 3492a^4b^8c^3d^5e^5 - 16896a^5b^2c^8d^5e \\
& + 1344a^5b^6c^4d^5e^5 + 7424a^6b^3c^8d^4e^2 + 22400a^6b^4c^5d^5e^5 - 23296a^7b^3c^7d^2e^4 - 53760a^7b^2c^6d^5e^5 + 4b^3c^3d^5e \\
& * (-4ac - b^2)^9)^{1/2} + 4b^5c^3d^3e^3 * (-4ac - b^2)^9)^{1/2} - 11a^2b^4c^3d^2e^4 * (-4ac - b^2)^9)^{1/2} - 20a^2b^3c^3d^5e^5 * (-4ac - b^2)^9)^{1/2} \\
& - 86a^3b^3c^2d^5e^5 * (-4ac - b^2)^9)^{1/2} + 42a^2b^2c^3d^4e^2 * (-4ac - b^2)^9)^{1/2} - 12a^2b^3c^2d^3e^3 * (-4ac - b^2)^9)^{1/2} \\
& - 120a^2b^3c^3d^3e^3 * (-4ac - b^2)^9)^{1/2} - 34a^2b^4c^4d^5e^5 * (-4ac - b^2)^9)^{1/2} + 108a^2b^2c^2d^2e^4 * (-4ac - b^2)^9)^{1/2} \\
&) / (32(a^7b^12e^8 + 4096a^9c^10d^8 + 4096a^13c^6e^8 - 24a^8b^10c^8e^8 - 4a^6b^13d^7e^7 + a^3b^12c^4d^8 - 24a^4b^10c^5d^8 \\
& + 240a^5b^8c^6d^8 - 1280a^6b^6c^7d^8 + 3840a^7b^4c^8d^8 - 6144a^8b^2c^9d^8 + 240a^9b^8c^2e^8 - 1280a^10b^6c^3e^8 + 3840a^11b^4c^4e^8 \\
& - 6144a^12b^2c^5e^8 + a^3b^16d^4e^4 - 4a^4b^15d^3e^5 + 6a^5b^14d^2e^6 + 16384a^10c^9d^6e^2 + 24576a^11c^8d^4e^4 + 16384a^12c^7d^2e^6 \\
& + 6a^3b^14c^2d^6e^2 - 140a^4b^12c^3d^6e^2 + 84a^4b^13c^2d^5e^3 + 1344a^5b^10c^4d^6e^2 - 672a^5b^11c^
\end{aligned}$$

$$\begin{aligned}
& 3*d^5*e^3 - 42*a^5*b^12*c^2*d^4*e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 2240*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^10*c^3*d^4*e^4 - 672*a^6*b^11*c^2*d^3*e^5 + 17920*a^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 + 2240*a^7*b^9*c^3*d^3*e^5 + 1344*a^7*b^10*c^2*d^2*e^6 - 21504*a^8*b^4*c^7*d^6*e^2 - 21504*a^8*b^5*c^6*d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8*b^8*c^3*d^2*e^6 + 57344*a^9*b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 21504*a^9*b^5*c^5*d^3*e^5 + 17920*a^9*b^6*c^4*d^2*e^6 + 12288*a^10*b^2*c^7*d^4*e^4 + 57344*a^10*b^3*c^6*d^3*e^5 - 21504*a^10*b^4*c^5*d^2*e^6 + 96*a^7*b^11*c*d*e^7 - 16384*a^9*b*c^9*d^7*e - 16384*a^12*b*c^6*d*e^7 - 4*a^3*b^13*c^3*d^7*e - 4*a^3*b^15*c*d^5*e^3 + 96*a^4*b^11*c^4*d^7*e - 12*a^4*b^14*c*d^4*e^4 - 960*a^5*b^9*c^5*d^7*e + 84*a^5*b^13*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^12*c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^10*b*c^8*d^5*e^3 - 15360*a^10*b^5*c^4*d*e^7 - 49152*a^11*b*c^7*d^3*e^5 + 24576*a^11*b^3*c^5*d*e^7))^(1/2) - (x*(626688*a^10*b*c^8*e^15 - 784384*a^10*c^9*d*e^14 + 208*a^4*b^13*c^2*e^15 - 4880*a^5*b^11*c^3*e^15 + 47312*a^6*b^9*c^4*e^15 - 242176*a^7*b^7*c^5*e^15 + 688640*a^8*b^5*c^6*e^15 - 1028096*a^9*b^3*c^7*e^15 + 18432*a^4*c^15*d^13*e^2 + 126976*a^5*c^14*d^11*e^4 + 325632*a^6*c^13*d^9*e^6 + 139264*a^7*c^12*d^7*e^8 - 1067008*a^8*c^11*d^5*e^10 - 1773568*a^9*c^10*d^3*e^12 + 16*b^8*c^11*d^13*e^2 - 96*b^9*c^10*d^12*e^3 + 240*b^10*c^9*d^11*e^4 - 304*b^11*c^8*d^10*e^5 + 144*b^12*c^7*d^9*e^6 + 144*b^13*c^6*d^8*e^7 - 304*b^14*c^5*d^7*e^8 + 240*b^15*c^4*d^6*e^9 - 96*b^16*c^3*d^5*e^10 + 16*b^17*c^2*d^4*e^11 + 3200*a^2*b^4*c^13*d^13*e^2 - 18432*a^2*b^5*c^12*d^12*e^3 + 41024*a^2*b^6*c^11*d^11*e^4 - 36352*a^2*b^7*c^10*d^10*e^5 - 16208*a^2*b^8*c^9*d^9*e^6 + 74576*a^2*b^9*c^8*d^8*e^7 - 78496*a^2*b^10*c^7*d^7*e^8 + 32064*a^2*b^11*c^6*d^6*e^9 + 6000*a^2*b^12*c^5*d^5*e^10 - 9264*a^2*b^13*c^4*d^4*e^11 + 1472*a^2*b^14*c^3*d^3*e^12 + 416*a^2*b^15*c^2*d^2*e^13 - 12800*a^3*b^2*c^14*d^13*e^2 + 73728*a^3*b^3*c^13*d^12*e^3 - 151296*a^3*b^4*c^12*d^11*e^4 + 78336*a^3*b^5*c^11*d^10*e^5 + 206688*a^3*b^6*c^10*d^9*e^6 - 436736*a^3*b^7*c^9*d^8*e^7 + 324224*a^3*b^8*c^8*d^7*e^8 + 992*a^3*b^9*c^7*d^6*e^9 - 158176*a^3*b^10*c^6*d^5*e^10 + 77056*a^3*b^11*c^5*d^4*e^11 + 6912*a^3*b^12*c^4*d^3*e^12 - 8416*a^3*b^13*c^3*d^2*e^13 + 162816*a^4*b^2*c^13*d^11*e^4 + 184320*a^4*b^3*c^12*d^10*e^5 - 916608*a^4*b^4*c^11*d^9*e^6 + 1165824*a^4*b^5*c^10*d^8*e^7 - 314496*a^4*b^6*c^9*d^7*e^8 - 822272*a^4*b^7*c^8*d^6*e^9 + 919152*a^4*b^8*c^7*d^5*e^10 - 175296*a^4*b^9*c^6*d^4*e^11 - 189328*a^4*b^10*c^5*d^3*e^12 + 62064*a^4*b^11*c^4*d^2*e^13 + 1290752*a^5*b^2*c^12*d^9*e^6 - 659456*a^5*b^3*c^11*d^8*e^7 - 1561088*a^5*b^4*c^10*d^7*e^8 + 3240960*a^5*b^5*c^9*d^6*e^9 - 1964192*a^5*b^6*c^8*d^5*e^10 - 683008*a^5*b^7*c^7*d^4*e^11 + 1162304*a^5*b^8*c^6*d^3*e^12 - 164112*a^5*b^9*c^5*d^2*e^13 + 3442688*a^6*b^2*c^11*d^7*e^8 - 3670016*a^6*b^3*c^10*d^6*e^9 + 15232*a^6*b^4*c^9*d^5*e^10 + 4230144*a^6*b^5*c^8*d^4*e^11 - 3059648*a^6*b^6*c^7*d^3*e^12 - 247296*a^6*b^7*c^6*d^2*e^13 + 4010496*a^7*b^2*c^10*d^5*e^10 - 6873088*a^7*b^3*c^9*d^4*e^11 + 2822400*a^7*b^4*c^8*d^3*e^12 + 2370048*a^7*b^5*c^7*d^2*e^13 + 1178624*a^8*b^2*c^9*d^3*e^12 - 4739072*a^8*b^3*c^8*d^2*e^13 - 352*a*b^6*c^12*d^13*e^2 + 2048*a*b^7*c^11*d^12*e^3 - 4800*a*b^8*c^10*d^11*e^4 + 5168*a*b^9*c^9*d^10*e^5 - 48
\end{aligned}$$

$$\begin{aligned}
& 0*a*b^{10}*c^8*d^9*e^6 - 6000*a*b^{11}*c^7*d^8*e^7 + 8192*a*b^{12}*c^6*d^7*e^8 - \\
& 5040*a*b^{13}*c^5*d^6*e^9 + 1152*a*b^{14}*c^4*d^5*e^{10} + 240*a*b^{15}*c^3*d^4*e^{11} \\
& 1 - 128*a*b^{16}*c^2*d^3*e^{12} - 512*a^3*b^{14}*c^2*d*e^{14} - 106496*a^4*b*c^{14}*d^{12}*e^3 \\
& + 11680*a^4*b^{12}*c^3*d*e^{14} - 675840*a^5*b*c^{13}*d^{10}*e^5 - 108288*a^5*b^{10}*c^4*d*e^{14} \\
& - 1601536*a^6*b*c^{12}*d^8*e^7 + 514768*a^6*b^8*c^5*d*e^{14} - 925696*a^7*b*c^{11}*d^6*e^9 \\
& - 1278304*a^7*b^6*c^6*d*e^{14} + 2457600*a^8*b*c^{10}*d^4*e^{11} + 1385600*a^8*b^4*c^7*d*e^{14} \\
& + 2977792*a^9*b*c^9*d^2*e^{13} + 19968*a^9*b^2*c^8*d*e^{14}))/((8*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^10*c^4*e^8 \\
& - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 \\
& - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 \\
& + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 \\
& - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 \\
& - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 \\
& - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 \\
& - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 \\
& - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 \\
& - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e \\
& - 4*a^3*b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e \\
& - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 \\
& + 1024*a^8*b^3*c^3*d*e^7)))*((27*a*b^9*c^5*d^6 - b^{11}*c^4*d^6 - b^{15}*d^2*e^4 - 9*a^2*b^{13}*e^6 \\
& + 3840*a^5*b*c^9*d^6 + 9*a*c^5*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 213*a^3*b^{11}*c*e^6 - 26880*a^8*b*c^6*e^6 \\
& + 3072*a^6*c^9*d^5*e + 35840*a^8*c^7*d^5*e + 4*b^{12}*c^3*d^5*e + 4*b^{14}*c*d^3*e^3 - 288*a^2*b^7*c^6*d^6 \\
& + 1504*a^3*b^5*c^7*d^6 - 3840*a^4*b^3*c^8*d^6 - 9*a^2*b^4*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 2077*a^4*b^9*c^2*e^6 \\
& + 10656*a^5*b^7*c^3*e^6 - 30240*a^6*b^5*c^4*e^6 + 44800*a^7*b^3*c^5*e^6 - 25*a^4*c^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - b^2*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 22528*a^7*c^8*d^3*e^3 - b^6*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 6*b^{13}*c^2*d^4*e^2 + 6*a*b^{14}*d^5*e - 1471*a^2*b^9*c^4*d^4*e^2 + 600*a^2*b^{10}*c^3*d^3*e^3 \\
& + 180*a^2*b^{11}*c^2*d^2*e^4 + 6976*a^3*b^7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4*d^3*e^3 - 2871*a^3*b^9*c^3*d^2*e^4 \\
& - 15456*a^4*b^5*c^6*d^4*e^2 - 7168*a^4*b^6*c^5*d^3*e^3 + 16896*a^4*b^7*c^4*d^2*e^4 + 10240*a^5*b^3*c^7*d^4*e^2 \\
& + 37632*a^5*b^4*c^6*d^3*e^3 - 47712*a^5*b^5*c^5*d^2*e^4 - 59392*a^6*b^2*c^7*d^3*e^3 + 60928*a^6*b^3*c^6*d^2*e^4 \\
& + 41*a^2*c^4*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 39*a^3*c^3*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 6*b^4*c^2*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 6*a*b^5*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 106*a*b^{10}*c^4*d^5*e + 7*a*b^{13}*c*d^2*e^4 - 128*a^2*b^{12}*c*d^5*e + 51*a^3*b^2*c^5*e^6 \\
& (- (4*a*c - b^2)^9)^{(1/2)} + 150*a*b^{11}*c^3*d^4*e^2 - 84*a*b^{12}*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e \\
& - 5824*a^3*b^6*c^6*d^5*e + 1030*a^3*b^{10}*c^2*d^5*e + 15232*a^4*b^4*c^7*d^5*e - 3492*a^4*b^8*c^3*d^5*e \\
& - 16896*a^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^4*d^5*e + 7424*a^6*b*c^8*d^4*e^2 + 22400*a^6*b^4*c^5*d^5*e \\
& - 23296*a^7*b*c^7*d^2*e^4 - 53760*a^7*b^2
\end{aligned}$$

$$\begin{aligned}
& *c^6*d*e^5 + 4*b^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 4*b^5*c*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 20*a^2*b^3*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 86*a^3*b*c^2*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} + 42*a*b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 12*a*b^3*c^2*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 120*a^2*b*c^3*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 34*a*b*c^4*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 108*a^2*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)}/(32*(a^7*b^12*e^8 + 4096*a^9*c^10*d^8 + 4096*a^13*c^6*e^8 - 24*a^8*b^10*c*e^8 - 4*a^6*b^13*d*e^7 + a^3*b^12*c^4*d^8 - 24*a^4*b^10*c^5*d^8 + 240*a^5*b^8*c^6*d^8 - 1280*a^6*b^6*c^7*d^8 + 3840*a^7*b^4*c^8*d^8 - 6144*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280*a^10*b^6*c^3*e^8 + 3840*a^11*b^4*c^4*e^8 - 6144*a^12*b^2*c^5*e^8 + a^3*b^16*d^4*e^4 - 4*a^4*b^15*d^3*e^5 + 6*a^5*b^14*d^2*e^6 + 16384*a^10*c^9*d^6*e^2 + 24576*a^11*c^8*d^4*e^4 + 16384*a^12*c^7*d^2*e^6 + 6*a^3*b^14*c^2*d^6*e^2 - 140*a^4*b^12*c^3*d^6*e^2 + 84*a^4*b^13*c^2*d^5*e^3 + 1344*a^5*b^10*c^4*d^6*e^2 - 672*a^5*b^11*c^3*d^5*e^3 - 42*a^5*b^12*c^2*d^4*e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 2240*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^10*c^3*d^4*e^4 - 672*a^6*b^11*c^2*d^3*e^5 + 17920*a^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 + 2240*a^7*b^9*c^3*d^3*e^5 + 1344*a^7*b^10*c^2*d^2*e^6 - 21504*a^8*b^4*c^7*d^6*e^2 - 21504*a^8*b^5*c^6*d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8*b^8*c^3*d^2*e^6 + 57344*a^9*b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 21504*a^9*b^5*c^5*d^3*e^5 + 17920*a^9*b^6*c^4*d^2*e^6 + 12288*a^10*b^2*c^7*d^4*e^4 + 57344*a^10*b^3*c^6*d^3*e^5 - 21504*a^10*b^4*c^5*d^2*e^6 + 96*a^7*b^11*c*d*e^7 - 16384*a^9*b*c^9*d^7*e - 16384*a^12*b*c^6*d*e^7 - 4*a^3*b^13*c^3*d^7*e - 4*a^3*b^15*c*d^5*e^3 + 96*a^4*b^11*c^4*d^7*e - 12*a^4*b^14*c*d^4*e^4 - 960*a^5*b^9*c^5*d^7*e + 84*a^5*b^13*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^12*c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^10*b*c^8*d^5*e^3 - 15360*a^10*b^5*c^4*d*e^7 - 49152*a^11*b*c^7*d^3*e^5 + 24576*a^11*b^3*c^5*d*e^7))^{(1/2)} - (326912*a^8*c^9*d*e^13 - 241664*a^8*b*c^8*e^14 - 48*a^2*b^13*c^2*e^14 + 1264*a^3*b^11*c^3*e^14 - 13552*a^4*b^9*c^4*e^14 + 75776*a^5*b^7*c^5*e^14 - 232960*a^6*b^5*c^6*e^14 + 372736*a^7*b^3*c^7*e^14 + 11520*a^3*c^14*d^11*e^3 + 78080*a^4*c^13*d^9*e^5 + 197120*a^5*c^12*d^7*e^7 + 336384*a^6*c^11*d^5*e^9 + 532736*a^7*c^10*d^3*e^11 - 40*b^5*c^12*d^12*e^2 + 216*b^6*c^11*d^11*e^3 - 464*b^7*c^10*d^10*e^4 + 496*b^8*c^9*d^9*e^5 - 264*b^9*c^8*d^8*e^6 + 56*b^10*c^7*d^7*e^7 - 16*b^11*c^6*d^6*e^8 + 64*b^12*c^5*d^5*e^9 - 96*b^13*c^4*d^4*e^10 + 64*b^14*c^3*d^3*e^11 - 16*b^15*c^2*d^2*e^12 + 1536*a^2*b^2*c^13*d^11*e^3 + 14400*a^2*b^3*c^12*d^10*e^4 - 47152*a^2*b^4*c^11*d^9*e^5 + 52144*a^2*b^5*c^10*d^8*e^6 - 16272*a^2*b^6*c^9*d^7*e^7 - 13040*a^2*b^7*c^8*d^6*e^8 + 23488*a^2*b^8*c^7*d^5*e^9 - 26384*a^2*b^9*c^6*d^4*e^10 + 13824*a^2*b^10*c^5*d^3*e^11 + 256*a^2*b^11*c^4*d^2*e^12 + 125056*a^3*b^2*c^12*d^9*e^5 - 36224*a^3*b^3*c^11*d^8*e^6 - 126432*a^3*b^4*c^10*d^7*e^7 + 144848*a^3*b^5*c^9*d^6*e^8 - 114752*a^3*b^6*c^8*d^5*e^9 + 125392*a^3*b^7*c^7*d^4*e^10 - 53248*a^3*b^8*c^6*d^3*e^11 - 25264*a^3*b^9*c^5*d^2*e^12 + 474112*a^4*b^2*c^11*d^7*e^7 - 191104*a^4*b^3*c^10*d^6*e^8 + 97184*a^4*b^4*c^9*d^5*e^9 - 277000*a^4*b^5*c^8*d^4*e^10 + 56056*a^4*b^6*c^7*d^3*e^11 + 195584*a^4*b^7*c^6*
\end{aligned}$$

$$\begin{aligned}
& d^2e^{12} + 236800a^5b^2c^{10}d^5e^9 + 388032a^5b^3c^9d^4e^{10} + 1596 \\
& 32a^5b^4c^8d^3e^{11} - 670488a^5b^5c^7d^2e^{12} - 488960a^6b^2c^9* \\
& d^3e^{11} + 1106496a^6b^3c^8d^2e^{12} + 64a^6b^4c^2d^2e^{13} + 448a^6b^3* \\
& c^{13}d^{12}e^2 - 1968a^6b^4c^{12}d^{11}e^3 + 2504a^6b^5c^{11}d^{10}e^4 + 768a \\
& *b^6c^{10}d^9e^5 - 4368a^6b^7c^9d^8e^6 + 3568a^6b^8c^8d^7e^7 - 520a \\
& *b^9c^7d^6e^8 - 1728a^6b^{10}c^6d^5e^9 + 2528a^6b^{11}c^5d^4e^{10} - 153 \\
& 6a^6b^{12}c^4d^3e^{11} + 240a^6b^{13}c^3d^2e^{12} - 1152a^2b^6c^{14}d^{12}e^2 \\
& - 1600a^2b^{12}c^3d^2e^{13} - 67968a^3b^6c^{13}d^{10}e^4 + 15808a^3b^{10}c^4 \\
& *d^2e^{13} - 342272a^4b^6c^{12}d^8e^6 - 76928a^4b^8c^5d^2e^{13} - 569088a^5 \\
& *b^6c^{11}d^6e^8 + 179200a^5b^6c^6d^2e^{13} - 586368a^6b^6c^{10}d^4e^{10} - \\
& 113008a^6b^4c^7d^2e^{13} - 731008a^7b^6c^9d^2e^{12} - 244096a^7b^2c^8* \\
& d^2e^{13})/(16*(a^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6* \\
& c^8e^8 - 4a^5b^9d^2e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4* \\
& c^6d^8 - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + \\
& a^2b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7* \\
& d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6* \\
& e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6* \\
& e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5* \\
& d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c \\
& ^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6* \\
& b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536* \\
& a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + \\
& 512a^8b^2c^4d^2e^6 - 1024a^6b^6c^7d^7e + 64a^6b^7c^3d^2e^7 - 1024 \\
& *a^9b^6c^4d^2e^7 - 4a^2b^9c^3d^7e - 4a^2b^{11}c^5d^5e^3 + 64a^3b^7* \\
& c^4d^7e - 4a^3b^{10}c^4d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3 \\
& *e^5 + 1024a^5b^3c^6d^7e - 92a^5b^8c^2d^2e^6 - 3072a^7b^6c^6d^5e \\
& ^3 - 384a^7b^5c^2d^2e^7 - 3072a^8b^6c^5d^3e^5 + 1024a^8b^3c^3d^2e^7 \\
&))*((27a^6b^9c^5d^6 - b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 38 \\
& 40a^5b^6c^9d^6 + 9a^6c^5d^6*(-(4a^6c - b^2)^9)^{(1/2)} + 213a^3b^{11}c^6e^ \\
& 6 - 26880a^8b^6c^6e^6 + 3072a^6c^9d^5e + 35840a^8c^7d^2e^5 + 4b^{12} \\
& *c^3d^5e + 4b^{14}c^3d^3e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 \\
& - 3840a^4b^3c^8d^6 - 9a^2b^4e^6*(-(4a^6c - b^2)^9)^{(1/2)} - 2077a^4* \\
& b^9c^2e^6 + 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7b^3 \\
& *c^5e^6 - 25a^4c^2e^6*(-(4a^6c - b^2)^9)^{(1/2)} - b^2c^4d^6*(-(4a^6c - \\
& b^2)^9)^{(1/2)} + 22528a^7c^8d^3e^3 - b^6d^2e^4*(-(4a^6c - b^2)^9)^{(1/ \\
& 2)} - 6b^{13}c^2d^4e^2 + 6a^6b^{14}d^5e^5 - 1471a^2b^9c^4d^4e^2 + 600a \\
& ^2b^{10}c^3d^3e^3 + 180a^2b^{11}c^2d^2e^4 + 6976a^3b^7c^5d^4e^2 - \\
& 1032a^3b^8c^4d^3e^3 - 2871a^3b^9c^3d^2e^4 - 15456a^4b^5c^6d^ \\
& 4e^2 - 7168a^4b^6c^5d^3e^3 + 16896a^4b^7c^4d^2e^4 + 10240a^5b^ \\
& 3c^7d^4e^2 + 37632a^5b^4c^6d^3e^3 - 47712a^5b^5c^5d^2e^4 - 593 \\
& 92a^6b^2c^7d^3e^3 + 60928a^6b^3c^6d^2e^4 + 41a^2c^4d^4e^2*(-(\\
& 4a^6c - b^2)^9)^{(1/2)} + 39a^3c^3d^2e^4*(-(4a^6c - b^2)^9)^{(1/2)} - 6b^4 \\
& *c^2d^4e^2*(-(4a^6c - b^2)^9)^{(1/2)} + 6a^6b^5d^2e^5*(-(4a^6c - b^2)^9)^{(1 \\
& /2)} - 106a^6b^{10}c^4d^5e + 7a^6b^{13}c^3d^2e^4 - 128a^2b^{12}c^3d^2e^5 + 51 \\
& *a^3b^2c^6e^6*(-(4a^6c - b^2)^9)^{(1/2)} + 150a^6b^{11}c^3d^4e^2 - 84a^6b^1
\end{aligned}$$

$$\begin{aligned}
& 2*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e - 5824*a^3*b^6*c^6*d^5*e + 1030*a^3* \\
& b^10*c^2*d*e^5 + 15232*a^4*b^4*c^7*d^5*e - 3492*a^4*b^8*c^3*d*e^5 - 16896*a \\
& ^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^4*d*e^5 + 7424*a^6*b*c^8*d^4*e^2 + 22400* \\
& a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^7*d^2*e^4 - 53760*a^7*b^2*c^6*d*e^5 + 4*b \\
& ^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^(1/2) + 4*b^5*c*d^3*e^3*(-(4*a*c - b^2)^9)^(\\
& (1/2) - 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^9)^(1/2) - 20*a^2*b^3*c*d*e^5*(- \\
& (4*a*c - b^2)^9)^(1/2) - 86*a^3*b*c^2*d*e^5*(-(4*a*c - b^2)^9)^(1/2) + 42*a \\
& *b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^(1/2) - 12*a*b^3*c^2*d^3*e^3*(-(4*a*c - \\
& b^2)^9)^(1/2) - 120*a^2*b*c^3*d^3*e^3*(-(4*a*c - b^2)^9)^(1/2) - 34*a*b*c^ \\
& 4*d^5*e*(-(4*a*c - b^2)^9)^(1/2) + 108*a^2*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^ \\
& 9)^(1/2))/(32*(a^7*b^12*e^8 + 4096*a^9*c^10*d^8 + 4096*a^13*c^6*e^8 - 24*a^ \\
& 8*b^10*c*e^8 - 4*a^6*b^13*d*e^7 + a^3*b^12*c^4*d^8 - 24*a^4*b^10*c^5*d^8 + \\
& 240*a^5*b^8*c^6*d^8 - 1280*a^6*b^6*c^7*d^8 + 3840*a^7*b^4*c^8*d^8 - 6144*a^ \\
& 8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280*a^10*b^6*c^3*e^8 + 3840*a^11*b^4 \\
& *c^4*e^8 - 6144*a^12*b^2*c^5*e^8 + a^3*b^16*d^4*e^4 - 4*a^4*b^15*d^3*e^5 + \\
& 6*a^5*b^14*d^2*e^6 + 16384*a^10*c^9*d^6*e^2 + 24576*a^11*c^8*d^4*e^4 + 1638 \\
& 4*a^12*c^7*d^2*e^6 + 6*a^3*b^14*c^2*d^6*e^2 - 140*a^4*b^12*c^3*d^6*e^2 + 84 \\
& *a^4*b^13*c^2*d^5*e^3 + 1344*a^5*b^10*c^4*d^6*e^2 - 672*a^5*b^11*c^3*d^5*e^ \\
& 3 - 42*a^5*b^12*c^2*d^4*e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 2240*a^6*b^9*c^4*d \\
& ^5*e^3 + 1456*a^6*b^10*c^3*d^4*e^4 - 672*a^6*b^11*c^2*d^3*e^5 + 17920*a^7*b \\
& ^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 + 2240*a^7*b^9*c^3*d^3*e^5 + 134 \\
& 4*a^7*b^10*c^2*d^2*e^6 - 21504*a^8*b^4*c^7*d^6*e^2 - 21504*a^8*b^5*c^6*d^5* \\
& e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8*b^8*c^3*d^2*e^6 + 57344*a^9*b^3* \\
& c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 21504*a^9*b^5*c^5*d^3*e^5 + 17920 \\
& *a^9*b^6*c^4*d^2*e^6 + 12288*a^10*b^2*c^7*d^4*e^4 + 57344*a^10*b^3*c^6*d^3* \\
& e^5 - 21504*a^10*b^4*c^5*d^2*e^6 + 96*a^7*b^11*c*d*e^7 - 16384*a^9*b*c^9*d \\
& 7*e - 16384*a^12*b*c^6*d*e^7 - 4*a^3*b^13*c^3*d^7*e - 4*a^3*b^15*c*d^5*e^3 \\
& + 96*a^4*b^11*c^4*d^7*e - 12*a^4*b^14*c*d^4*e^4 - 960*a^5*b^9*c^5*d^7*e + 8 \\
& 4*a^5*b^13*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^12*c*d^2*e^6 - 15 \\
& 360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 + 5 \\
& 120*a^9*b^7*c^3*d*e^7 - 49152*a^10*b*c^8*d^5*e^3 - 15360*a^10*b^5*c^4*d*e^7 \\
& - 49152*a^11*b*c^7*d^3*e^5 + 24576*a^11*b^3*c^5*d*e^7))^(1/2) - (x*(22800 \\
& *a^6*c^9*e^13 + 36*a^2*b^8*c^5*e^13 - 600*a^3*b^6*c^6*e^13 + 4313*a^4*b^4*c \\
& ^7*e^13 - 15592*a^5*b^2*c^8*e^13 + 1296*a^2*c^13*d^8*e^5 + 9792*a^3*c^12*d^ \\
& 6*e^7 + 30304*a^4*c^11*d^4*e^9 + 40512*a^5*c^10*d^2*e^11 + 25*b^4*c^11*d^8* \\
& e^5 - 120*b^5*c^10*d^7*e^6 + 214*b^6*c^9*d^6*e^7 - 168*b^7*c^8*d^5*e^8 + 53 \\
& *b^8*c^7*d^4*e^9 - 8*b^9*c^6*d^3*e^10 + 4*b^10*c^5*d^2*e^11 + 6336*a^2*b^2* \\
& c^11*d^6*e^7 + 3840*a^2*b^3*c^10*d^5*e^8 - 8506*a^2*b^4*c^9*d^4*e^9 + 1112* \\
& a^2*b^5*c^8*d^3*e^10 + 1254*a^2*b^6*c^7*d^2*e^11 + 22224*a^3*b^2*c^10*d^4*e \\
& ^9 + 13824*a^3*b^3*c^9*d^3*e^10 - 9516*a^3*b^4*c^8*d^2*e^11 + 11712*a^4*b^2 \\
& *c^9*d^2*e^11 - 24*a*b^9*c^5*d*e^12 - 41088*a^5*b*c^9*d*e^12 - 360*a*b^2*c^ \\
& 12*d^8*e^5 + 1664*a*b^3*c^11*d^7*e^6 - 2604*a*b^4*c^10*d^6*e^7 + 1272*a*b^5 \\
& *c^9*d^5*e^8 + 332*a*b^6*c^8*d^4*e^9 - 232*a*b^7*c^7*d^3*e^10 - 48*a*b^8*c^ \\
& 6*d^2*e^11 - 5760*a^2*b*c^12*d^7*e^6 + 416*a^2*b^7*c^6*d*e^12 - 32128*a^3*b \\
& *c^11*d^5*e^8 - 4120*a^3*b^5*c^7*d*e^12 - 63360*a^4*b*c^10*d^3*e^10 + 21376
\end{aligned}$$

$$\begin{aligned}
& *a^4*b^3*c^8*d*e^{12}) / (8*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 \\
& - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 \\
& + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9* \\
& b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + \\
& 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2* \\
& b^{10}*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^ \\
& 4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152 \\
& *a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - \\
& 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^ \\
& 3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^ \\
& 2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4* \\
& c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c \\
& *d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 \\
& + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52* \\
& a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^ \\
& 7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8 \\
& *b^3*c^3*d*e^7)) * ((27*a*b^9*c^5*d^6 - b^{11}*c^4*d^6 - b^{15}*d^2*e^4 - 9*a^2* \\
& b^{13}*e^6 + 3840*a^5*b*c^9*d^6 + 9*a*c^5*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 213* \\
& a^3*b^{11}*c*e^6 - 26880*a^8*b*c^6*e^6 + 3072*a^6*c^9*d^5*e + 35840*a^8*c^7*d \\
& *e^5 + 4*b^{12}*c^3*d^5*e + 4*b^{14}*c*d^3*e^3 - 288*a^2*b^7*c^6*d^6 + 1504*a^3 \\
& *b^5*c^7*d^6 - 3840*a^4*b^3*c^8*d^6 - 9*a^2*b^4*e^6*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) - 2077*a^4*b^9*c^2*e^6 + 10656*a^5*b^7*c^3*e^6 - 30240*a^6*b^5*c^4*e^6 + \\
& 44800*a^7*b^3*c^5*e^6 - 25*a^4*c^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - b^2*c^4*d \\
& ^6*(-(4*a*c - b^2)^9)^{(1/2)} + 22528*a^7*c^8*d^3*e^3 - b^6*d^2*e^4*(-(4*a*c \\
& - b^2)^9)^{(1/2)} - 6*b^{13}*c^2*d^4*e^2 + 6*a*b^{14}*d*e^5 - 1471*a^2*b^9*c^4*d^ \\
& 4*e^2 + 600*a^2*b^{10}*c^3*d^3*e^3 + 180*a^2*b^{11}*c^2*d^2*e^4 + 6976*a^3*b^7* \\
& c^5*d^4*e^2 - 1032*a^3*b^8*c^4*d^3*e^3 - 2871*a^3*b^9*c^3*d^2*e^4 - 15456*a \\
& ^4*b^5*c^6*d^4*e^2 - 7168*a^4*b^6*c^5*d^3*e^3 + 16896*a^4*b^7*c^4*d^2*e^4 + \\
& 10240*a^5*b^3*c^7*d^4*e^2 + 37632*a^5*b^4*c^6*d^3*e^3 - 47712*a^5*b^5*c^5* \\
& d^2*e^4 - 59392*a^6*b^2*c^7*d^3*e^3 + 60928*a^6*b^3*c^6*d^2*e^4 + 41*a^2*c^ \\
& 4*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 39*a^3*c^3*d^2*e^4*(-(4*a*c - b^2)^9)^ \\
& (1/2) - 6*b^4*c^2*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 6*a*b^5*d*e^5*(-(4*a*c \\
& - b^2)^9)^{(1/2)} - 106*a*b^{10}*c^4*d^5*e + 7*a*b^{13}*c*d^2*e^4 - 128*a^2*b^{12} \\
& *c*d*e^5 + 51*a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + 150*a*b^{11}*c^3*d^4*e \\
& ^2 - 84*a*b^{12}*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e - 5824*a^3*b^6*c^6*d^5* \\
& e + 1030*a^3*b^{10}*c^2*d*e^5 + 15232*a^4*b^4*c^7*d^5*e - 3492*a^4*b^8*c^3*d* \\
& e^5 - 16896*a^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^4*d*e^5 + 7424*a^6*b*c^8*d^4 \\
& *e^2 + 22400*a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^7*d^2*e^4 - 53760*a^7*b^2*c^ \\
& 6*d*e^5 + 4*b^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 4*b^5*c*d^3*e^3*(-(4*a \\
& *c - b^2)^9)^{(1/2)} - 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 20*a^2*b \\
& ^3*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 86*a^3*b*c^2*d*e^5*(-(4*a*c - b^2)^9) \\
& ^{(1/2)} + 42*a*b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 12*a*b^3*c^2*d^3*e \\
& ^3*(-(4*a*c - b^2)^9)^{(1/2)} - 120*a^2*b*c^3*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) - 34*a*b*c^4*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 108*a^2*b^2*c^2*d^2*e^4*(-(\\
& 4*a*c - b^2)^9)^{(1/2)}) / (32*(a^7*b^{12}*e^8 + 4096*a^9*c^{10}*d^8 + 4096*a^{13}*c^
\end{aligned}$$

$$\begin{aligned}
& 6e^8 - 24a^8b^{10}c^5e^8 - 4a^6b^{13}d^2e^7 + a^3b^{12}c^4d^8 - 24a^4b^{10}c^5d^8 + 240a^5b^8c^6d^8 - 1280a^6b^6c^7d^8 + 3840a^7b^4c^8d^8 - 6144a^8b^2c^9d^8 + 240a^9b^8c^2e^8 - 1280a^{10}b^6c^3e^8 + 3840a^{11}b^4c^4e^8 - 6144a^{12}b^2c^5e^8 + a^3b^{16}d^4e^4 - 4a^4b^{15}d^3e^5 + 6a^5b^{14}d^2e^6 + 16384a^{10}c^9d^6e^2 + 24576a^{11}c^8d^4e^4 + 16384a^{12}c^7d^2e^6 + 6a^3b^{14}c^2d^6e^2 - 140a^4b^{12}c^3d^6e^2 + 84a^4b^{13}c^2d^5e^3 + 1344a^5b^{10}c^4d^6e^2 - 672a^5b^{11}c^3d^5e^3 - 42a^5b^{12}c^2d^4e^4 - 6720a^6b^8c^5d^6e^2 + 2240a^6b^9c^4d^5e^3 + 1456a^6b^{10}c^3d^4e^4 - 672a^6b^{11}c^2d^3e^5 + 17920a^7b^6c^6d^6e^2 - 10080a^7b^8c^4d^4e^4 + 2240a^7b^9c^3d^3e^5 + 1344a^7b^{10}c^2d^2e^6 - 21504a^8b^4c^7d^6e^2 - 21504a^8b^5c^6d^5e^3 + 32256a^8b^6c^5d^4e^4 - 6720a^8b^8c^3d^2e^6 + 57344a^9b^3c^7d^5e^3 - 46592a^9b^4c^6d^4e^4 - 21504a^9b^5c^5d^3e^5 + 17920a^9b^6c^4d^2e^6 + 12288a^{10}b^2c^7d^4e^4 + 57344a^{10}b^3c^6d^3e^5 - 21504a^{10}b^4c^5d^2e^6 + 96a^7b^{11}c^4d^7e - 16384a^9b^8c^9d^7e - 16384a^{12}b^2c^6d^7e - 4a^3b^{13}c^3d^7e - 4a^3b^{15}c^4d^5e^3 + 96a^4b^{11}c^4d^7e - 12a^4b^{14}c^3d^4e^4 - 960a^5b^9c^5d^7e + 84a^5b^{13}c^3d^3e^5 + 5120a^6b^7c^6d^7e - 140a^6b^{12}c^3d^2e^6 - 15360a^7b^5c^7d^7e + 24576a^8b^3c^8d^7e - 960a^8b^9c^2d^7e + 5120a^9b^7c^3d^7e - 49152a^{10}b^8c^8d^5e^3 - 15360a^{10}b^5c^4d^7e - 49152a^{11}b^6c^7d^3e^5 + 24576a^{11}b^3c^5d^7e))^{(1/2)} * i - (((((1048576a^{13}c^8e^{16} + 256a^7b^{12}c^2e^{16} - 6144a^8b^{10}c^3e^{16} + 61440a^9b^8c^4e^{16} - 327680a^{10}b^6c^5e^{16} + 983040a^{11}b^4c^6e^{16} - 1572864a^{12}b^2c^7e^{16} - 196608a^6c^{15}d^{14}e^2 - 917504a^7c^{14}d^{12}e^4 - 589824a^8c^{13}d^{10}e^6 + 3932160a^9c^{12}d^8e^8 + 10158080a^{10}c^{11}d^6e^{10} + 10616832a^{11}c^{10}d^4e^{12} + 5308416a^{12}c^9d^2e^{14} - 2816a^2b^8c^{11}d^{14}e^2 + 22656a^2b^9c^{10}d^{13}e^3 - 78848a^2b^{10}c^9d^{12}e^4 + 154112a^2b^{11}c^8d^{11}e^5 - 182784a^2b^{12}c^7d^{10}e^6 + 130816a^2b^{13}c^6d^9e^7 - 50176a^2b^{14}c^5d^8e^8 + 4608a^2b^{15}c^4d^7e^9 + 3328a^2b^{16}c^3d^6e^{10} - 896a^2b^{17}c^2d^5e^{11} + 24576a^3b^6c^{12}d^{14}e^2 - 198656a^3b^7c^{11}d^{13}e^3 + 684544a^3b^8c^{10}d^{12}e^4 - 1291520a^3b^9c^9d^{11}e^5 + 1403776a^3b^{10}c^8d^{10}e^6 - 798336a^3b^{11}c^7d^9e^7 + 89856a^3b^{12}c^6d^8e^8 + 155136a^3b^{13}c^5d^7e^9 - 77440a^3b^{14}c^4d^6e^{10} + 5504a^3b^{15}c^3d^5e^{11} + 2560a^3b^{16}c^2d^4e^{12} - 106496a^4b^4c^{13}d^{14}e^2 + 864256a^4b^5c^{12}d^{13}e^3 - 2924544a^4b^6c^{11}d^{12}e^4 + 5181440a^4b^7c^{10}d^{11}e^5 - 4686080a^4b^8c^9d^{10}e^6 + 1045376a^4b^9c^8d^9e^7 + 1900544a^4b^{10}c^7d^8e^8 - 1732096a^4b^{11}c^6d^7e^9 + 390400a^4b^{12}c^5d^6e^{10} + 112000a^4b^{13}c^4d^5e^{11} - 40960a^4b^{14}c^3d^4e^{12} - 3840a^4b^{15}c^2d^3e^{13} + 229376a^5b^2c^{14}d^{14}e^2 - 1867776a^5b^3c^{13}d^{13}e^3 + 6078464a^5b^4c^{12}d^{12}e^4 - 9297920a^5b^5c^{11}d^{11}e^5 + 4055040a^5b^6c^{10}d^{10}e^6 + 7788544a^5b^7c^9d^9e^7 - 12657664a^5b^8c^8d^8e^8 + 6130176a^5b^9c^7d^7e^9 + 734080a^5b^{10}c^6d^6e^{10} - 1442560a^5b^{11}c^5d^5e^{11} + 168960a^5b^{12}c^4d^4e^{12} + 78080a^5b^{13}c^3d^3e^{13} + 3200a^5b^{14}c^2d^2e^{14} - 4587520a^6
\end{aligned}$$

$$\begin{aligned}
& b^2c^{13}d^{12}e^4 + 3080192a^6b^3c^{12}d^{11}e^5 + 12001280a^6b^4c^{11}d^{10}e^6 - 31076352a^6b^5c^{10}d^9e^7 + 27475968a^6b^6c^9d^8e^8 - 2088960a^6b^7c^8d^7e^9 - 12205312a^6b^8c^7d^6e^{10} + 6043520a^6b^9c^6d^5e^{11} + 631808a^6b^{10}c^5d^4e^{12} - 610304a^6b^{11}c^4d^3e^{13} \\
& - 71936a^6b^{12}c^3d^2e^{14} - 21725184a^7b^2c^{12}d^{10}e^6 + 30801920a^7b^3c^{11}d^9e^7 - 8028160a^7b^4c^{10}d^8e^8 - 32260096a^7b^5c^9d^7e^9 + 37101568a^7b^6c^8d^6e^{10} - 7182336a^7b^7c^7d^5e^{11} - 7609856a^7b^8c^6d^4e^{12} + 2112256a^7b^9c^5d^3e^{13} + 661632a^7b^{10}c^4d^2e^{14} - 30146560a^8b^2c^{11}d^8e^8 + 55050240a^8b^3c^{10}d^7e^9 - 34365440a^8b^4c^9d^6e^{10} - 16429056a^8b^5c^8d^5e^{11} + 24600576a^8b^6c^7d^4e^{12} - 1683456a^8b^7c^6d^3e^{13} - 3151616a^8b^8c^5d^2e^{14} - 10977280a^9b^2c^{10}d^6e^{10} + 47022080a^9b^3c^9d^5e^{11} - 30621696a^9b^4c^8d^4e^{12} - 9232384a^9b^5c^7d^3e^{13} + 7970816a^9b^6c^6d^2e^{14} + 4325376a^{10}b^2c^9d^4e^{12} + 25493504a^{10}b^3c^8d^3e^{13} - 9117696a^{10}b^4c^7d^2e^{14} + 491520a^{11}b^2c^8d^2e^{14} - 4947968a^{12}b^2c^8d^2e^{15} + 128a^2b^{10}c^{10}d^{14}e^2 - 1024a^2b^{11}c^9d^{13}e^3 + 3584a^2b^{12}c^8d^{12}e^4 - 7168a^2b^{13}c^7d^{11}e^5 + 8960a^2b^{14}c^6d^{10}e^6 - 7168a^2b^{15}c^5d^9e^7 + 3584a^2b^{16}c^4d^8e^8 - 1024a^2b^{17}c^3d^7e^9 + 128a^2b^{18}c^2d^6e^{10} + 1605632a^6b^2c^{14}d^{13}e^3 - 1408a^6b^{13}c^2d^2e^{15} + 7012352a^7b^2c^{13}d^{11}e^5 + 33152a^7b^{11}c^3d^2e^{15} + 7045120a^8b^2c^{12}d^9e^7 - 324480a^8b^9c^4d^2e^{15} - 9830400a^9b^2c^{11}d^7e^9 + 1689600a^9b^7c^5d^2e^{15} - 25722880a^{10}b^2c^{10}d^5e^{11} - 4935680a^{10}b^5c^6d^2e^{15} - 19202048a^{11}b^2c^9d^3e^{13} + 7667712a^{11}b^3c^7d^2e^{15}) / (16(a^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^2e^8 - 4a^5b^9d^2e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^2c^7d^7e + 64a^6b^7c^2d^7e - 1024a^9b^2c^4d^2e^6 - 4a^2b^9c^3d^7e - 4a^2b^{11}c^2d^5e^3 + 64a^3b^7c^4d^7e - 4a^3b^{10}c^2d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^7e - 92a^5b^8c^2d^2e^6 - 3072a^7b^2c^6d^5e^3 - 384a^7b^5c^2d^2e^7 - 3072a^8b^2c^5d^3e^5 + 1024a^8b^3c^3d^2e^7) + (x((27a^2b^9c^5d^6 - b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^2c^9d^6 + 9a^2c^5d^6(-4ac - b^2)^9)^{1/2} + 213a^3b^{11}c^2e^6 - 26880a^8b^2c^6e^6 + 3072a^6c^9d^5e + 35840a^8c^7d^2e^5 + 4b^{12}c^3d^5e + 4b^{14}c^2d^3e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 - 3840a^4b^3c^8d^6 - 9a^2b^4e^6(-4ac - b^2)^9)^{1/2} - 2077a^4b^9c^2e^6 + 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6
\end{aligned}$$

$$\begin{aligned}
& + 44800*a^7*b^3*c^5*e^6 - 25*a^4*c^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - b^2*c^4 \\
& *d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 22528*a^7*c^8*d^3*e^3 - b^6*d^2*e^4*(-(4*a* \\
& c - b^2)^9)^{(1/2)} - 6*b^13*c^2*d^4*e^2 + 6*a*b^14*d*e^5 - 1471*a^2*b^9*c^4* \\
& d^4*e^2 + 600*a^2*b^10*c^3*d^3*e^3 + 180*a^2*b^11*c^2*d^2*e^4 + 6976*a^3*b^ \\
& 7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4*d^3*e^3 - 2871*a^3*b^9*c^3*d^2*e^4 - 15456 \\
& *a^4*b^5*c^6*d^4*e^2 - 7168*a^4*b^6*c^5*d^3*e^3 + 16896*a^4*b^7*c^4*d^2*e^4 \\
& + 10240*a^5*b^3*c^7*d^4*e^2 + 37632*a^5*b^4*c^6*d^3*e^3 - 47712*a^5*b^5*c^ \\
& 5*d^2*e^4 - 59392*a^6*b^2*c^7*d^3*e^3 + 60928*a^6*b^3*c^6*d^2*e^4 + 41*a^2* \\
& c^4*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 39*a^3*c^3*d^2*e^4*(-(4*a*c - b^2)^9 \\
&)^{(1/2)} - 6*b^4*c^2*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 6*a*b^5*d*e^5*(-(4*a \\
& *c - b^2)^9)^{(1/2)} - 106*a*b^10*c^4*d^5*e + 7*a*b^13*c*d^2*e^4 - 128*a^2*b^ \\
& 12*c*d*e^5 + 51*a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + 150*a*b^11*c^3*d^4 \\
& *e^2 - 84*a*b^12*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e - 5824*a^3*b^6*c^6*d^ \\
& 5*e + 1030*a^3*b^10*c^2*d*e^5 + 15232*a^4*b^4*c^7*d^5*e - 3492*a^4*b^8*c^3* \\
& d*e^5 - 16896*a^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^4*d*e^5 + 7424*a^6*b*c^8*d \\
& ^4*e^2 + 22400*a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^7*d^2*e^4 - 53760*a^7*b^2* \\
& c^6*d*e^5 + 4*b^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 4*b^5*c*d^3*e^3*(-(4 \\
& *a*c - b^2)^9)^{(1/2)} - 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 20*a^2 \\
& *b^3*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 86*a^3*b*c^2*d*e^5*(-(4*a*c - b^2)^ \\
& 9)^{(1/2)} + 42*a*b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 12*a*b^3*c^2*d^3 \\
& *e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 120*a^2*b*c^3*d^3*e^3*(-(4*a*c - b^2)^9)^{(1 \\
& /2)} - 34*a*b*c^4*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 108*a^2*b^2*c^2*d^2*e^4*(\\
& -(4*a*c - b^2)^9)^{(1/2)}/(32*(a^7*b^12*e^8 + 4096*a^9*c^10*d^8 + 4096*a^13* \\
& c^6*e^8 - 24*a^8*b^10*c*e^8 - 4*a^6*b^13*d*e^7 + a^3*b^12*c^4*d^8 - 24*a^4* \\
& b^10*c^5*d^8 + 240*a^5*b^8*c^6*d^8 - 1280*a^6*b^6*c^7*d^8 + 3840*a^7*b^4*c^ \\
& 8*d^8 - 6144*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280*a^10*b^6*c^3*e^8 \\
& + 3840*a^11*b^4*c^4*e^8 - 6144*a^12*b^2*c^5*e^8 + a^3*b^16*d^4*e^4 - 4*a^4* \\
& b^15*d^3*e^5 + 6*a^5*b^14*d^2*e^6 + 16384*a^10*c^9*d^6*e^2 + 24576*a^11*c^8 \\
& *d^4*e^4 + 16384*a^12*c^7*d^2*e^6 + 6*a^3*b^14*c^2*d^6*e^2 - 140*a^4*b^12*c \\
& ^3*d^6*e^2 + 84*a^4*b^13*c^2*d^5*e^3 + 1344*a^5*b^10*c^4*d^6*e^2 - 672*a^5* \\
& b^11*c^3*d^5*e^3 - 42*a^5*b^12*c^2*d^4*e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 224 \\
& 0*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^10*c^3*d^4*e^4 - 672*a^6*b^11*c^2*d^3*e^ \\
& 5 + 17920*a^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 + 2240*a^7*b^9*c^ \\
& 3*d^3*e^5 + 1344*a^7*b^10*c^2*d^2*e^6 - 21504*a^8*b^4*c^7*d^6*e^2 - 21504*a \\
& ^8*b^5*c^6*d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8*b^8*c^3*d^2*e^6 + \\
& 57344*a^9*b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 21504*a^9*b^5*c^5* \\
& d^3*e^5 + 17920*a^9*b^6*c^4*d^2*e^6 + 12288*a^10*b^2*c^7*d^4*e^4 + 57344*a^ \\
& 10*b^3*c^6*d^3*e^5 - 21504*a^10*b^4*c^5*d^2*e^6 + 96*a^7*b^11*c*d*e^7 - 163 \\
& 84*a^9*b*c^9*d^7*e - 16384*a^12*b*c^6*d*e^7 - 4*a^3*b^13*c^3*d^7*e - 4*a^3* \\
& b^15*c*d^5*e^3 + 96*a^4*b^11*c^4*d^7*e - 12*a^4*b^14*c*d^4*e^4 - 960*a^5*b^ \\
& 9*c^5*d^7*e + 84*a^5*b^13*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^12 \\
& *c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e - 960*a^8*b^ \\
& 9*c^2*d*e^7 + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^10*b*c^8*d^5*e^3 - 15360*a^1 \\
& 0*b^5*c^4*d*e^7 - 49152*a^11*b*c^7*d^3*e^5 + 24576*a^11*b^3*c^5*d*e^7))^{(1 \\
& /2)}*(1048576*a^15*c^8*e^17 + 256*a^9*b^12*c^2*e^17 - 6144*a^10*b^10*c^3*e^1
\end{aligned}$$

$$\begin{aligned}
& 7 + 61440a^{11}b^8c^4e^{17} - 327680a^{12}b^6c^5e^{17} + 983040a^{13}b^4c^6e^{17} - 1572864a^{14}b^2c^7e^{17} - 1048576a^8c^{15}d^{14}e^3 - 5242880a^9c^{14}d^{12}e^5 - 9437184a^{10}c^{13}d^{10}e^7 - 5242880a^{11}c^{12}d^8e^9 + \\
& 5242880a^{12}c^{11}d^6e^{11} + 9437184a^{13}c^{10}d^4e^{13} + 5242880a^{14}c^9d^2e^{15} + 256a^2b^{11}c^{10}d^{15}e^2 - 2048a^2b^{12}c^9d^{14}e^3 + 7168a^2b^{13}c^8d^{13}e^4 - 14336a^2b^{14}c^7d^{12}e^5 + 17920a^2b^{15}c^6d^{11}e^6 - \\
& 14336a^2b^{16}c^5d^{10}e^7 + 7168a^2b^{17}c^4d^9e^8 - 2048a^2b^{18}c^3d^8e^9 + 256a^2b^{19}c^2d^7e^{10} - 5120a^3b^9c^{11}d^{15}e^2 + 41984a^3b^{10}c^{10}d^{14}e^3 - 148736a^3b^{11}c^9d^{13}e^4 + 296192a^3b^{12}c^8d^{12}e^5 - \\
& 359680a^3b^{13}c^7d^{11}e^6 + 267520a^3b^{14}c^6d^{10}e^7 - 112384a^3b^{15}c^5d^9e^8 + 18176a^3b^{16}c^4d^8e^9 + 3328a^3b^{17}c^3d^7e^{10} - 1280a^3b^{18}c^2d^6e^{11} + 40960a^4b^7c^{12}d^{15}e^2 - \\
& 348160a^4b^8c^{11}d^{14}e^3 + 1254400a^4b^9c^{10}d^{13}e^4 - 2478080a^4b^{10}c^9d^{12}e^5 + 2867456a^4b^{11}c^8d^{11}e^6 - 1862144a^4b^{12}c^7d^{10}e^7 + 490240a^4b^{13}c^6d^9e^8 + 128000a^4b^{14}c^5d^8e^9 - 108800a^4b^{15}c^4d^7e^{10} + \\
& 13824a^4b^{16}c^3d^6e^{11} + 2304a^4b^{17}c^2d^5e^{12} - 163840a^5b^5c^{13}d^{15}e^2 + 1474560a^5b^6c^{12}d^{14}e^3 - 5447680a^5b^7c^{11}d^{13}e^4 + 10588160a^5b^8c^{10}d^{12}e^5 - 11166720a^5b^9c^9d^{11}e^6 + \\
& 5159936a^5b^{10}c^8d^{10}e^7 + 1073920a^5b^{11}c^7d^9e^8 - 2279680a^5b^{12}c^6d^8e^9 + 770560a^5b^{13}c^5d^7e^{10} + 33280a^5b^{14}c^4d^6e^{11} - 41216a^5b^{15}c^3d^5e^{12} - 1280a^5b^{16}c^2d^4e^{13} + \\
& 327680a^6b^3c^{14}d^{15}e^2 - 3276800a^6b^4c^{13}d^{14}e^3 + 12615680a^6b^5c^{12}d^{13}e^4 - 23592960a^6b^6c^{11}d^{12}e^5 + 19701760a^6b^7c^{10}d^{11}e^6 + 1372160a^6b^8c^9d^{10}e^7 - 15846400a^6b^9c^8d^9e^8 + \\
& 10864640a^6b^{10}c^7d^8e^9 - 1352960a^6b^{11}c^6d^7e^{10} - 111040a^6b^{12}c^5d^6e^{11} + 273920a^6b^{13}c^4d^5e^{12} + 25600a^6b^{14}c^3d^4e^{13} - 1280a^6b^{15}c^2d^3e^{14} + 3407872a^7b^2c^{14}d^{14}e^3 - \\
& 14221312a^7b^3c^{13}d^{13}e^4 + 23527424a^7b^4c^{12}d^{12}e^5 - 3768320a^7b^5c^{11}d^{11}e^6 - 38895616a^7b^6c^{10}d^{10}e^7 + 50126848a^7b^7c^9d^9e^8 - 18362368a^7b^8c^8d^8e^9 - 6831104a^7b^9c^7d^7e^{10} + \\
& 6200320a^7b^{10}c^6d^6e^{11} - 726784a^7b^{11}c^5d^5e^{12} - 228608a^7b^{12}c^4d^4e^{13} + 31488a^7b^{13}c^3d^3e^{14} + 2304a^7b^{14}c^2d^2e^{15} - 3145728a^8b^2c^{13}d^{12}e^5 - 31129600a^8b^3c^{12}d^{11}e^6 + 74711040a^8b^4c^{11}d^{10}e^7 - \\
& 55476224a^8b^5c^{10}d^9e^8 - 11075584a^8b^6c^9d^8e^9 + 35381248a^8b^7c^8d^7e^{10} - 14479360a^8b^8c^7d^6e^{11} - 168960a^8b^9c^6d^5e^{12} + 1286144a^8b^{10}c^5d^4e^{13} - 302336a^8b^{11}c^4d^3e^{14} - 55808a^8b^{12}c^3d^2e^{15} - 36962304a^9b^2c^{12}d^{10}e^7 - \\
& 9502720a^9b^3c^{11}d^9e^8 + 67174400a^9b^4c^{10}d^8e^9 - 54886400a^9b^5c^9d^7e^{10} + 11239424a^9b^6c^8d^6e^{11} + 5545984a^9b^7c^7d^5e^{12} - 5263360a^9b^8c^6d^4e^{13} + 1356800a^9b^9c^5d^3e^{14} + 558080a^9b^{10}c^4d^2e^{15} - 49807360a^{10}b^2c^{11}d^8e^9 + 19333120a^{10}b^3c^{10}d^7e^{10} + 7208960a^{10}b^4c^9d^6e^{11} - 14974976a^{10}b^5c^8d^5e^{12} + 15073280a^{10}b^6c^7d^4e^{13} - 2170880a^{10}b^7c^6d^3e^{14} - 2928640a^{10}b^8c^5d^2e^{15} - 11796480a^{11}b^2c^{10}d^6e^{11} + 23920640a^{11}b^3c^9d^5e^{12} - 24576000a^{11}b^4c^8d^4e^{13} - 4096000a
\end{aligned}$$

$$\begin{aligned}
& ^{11}b^5c^7d^3e^{14} + 8355840a^{11}b^6c^6d^2e^{15} + 12582912a^{12}b^2c^9d^4e^{13} + 19857408a^{12}b^3c^8d^3e^{14} - 11534336a^{12}b^4c^7d^2e^{15} \\
& + 3407872a^{13}b^2c^8d^2e^{15} - 5505024a^{14}b^2c^8d^2e^{16} - 262144a^7b^2c^{15}d^{15}e^2 + 5505024a^8b^2c^{14}d^{13}e^4 - 1280a^8b^{13}c^2d^2e^{16} + \\
& 25952256a^9b^2c^{13}d^{11}e^6 + 30976a^9b^{11}c^3d^2e^{16} + 38010880a^{10}b^2c^{12}d^9e^8 - 312320a^{10}b^9c^4d^2e^{16} + 11796480a^{11}b^2c^{11}d^7e^{10} + \\
& 1679360a^{11}b^7c^5d^2e^{16} - 21233664a^{12}b^2c^{10}d^5e^{12} - 5079040a^{12}b^5c^6d^2e^{16} - 20709376a^{13}b^2c^9d^3e^{14} + 8192000a^{13}b^3c^7d^2e^{16} \\
& 6)) / ((8(a^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^2e^8 - 4a^5b^9d^2e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 \\
& - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 \\
& + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 \\
& - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 \\
& + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 \\
& + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^2c^7d^7e + 64a^6b^7c^2d^7e - 1024a^9b^2c^4d^2e^6 \\
& - 4a^2b^9c^3d^7e - 4a^2b^{11}c^2d^5e^3 + 64a^3b^7c^4d^7e - 4a^3b^{10}c^2d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^2d^3e^5 \\
& + 1024a^5b^3c^6d^7e - 92a^5b^8c^2d^2e^6 - 3072a^7b^2c^6d^5e^3 - 384a^7b^5c^2d^2e^7 - 3072a^8b^2c^5d^3e^5 + 1024a^8b^3c^3d^2e^7)) * \\
& ((27a^9b^9c^5d^6 - b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^2c^9d^6 + 9a^2c^5d^6(-4a^2c - b^2)^9)^{(1/2)} + 213a^3b^{11}c^2e^6 - 2 \\
& 6880a^8b^2c^6e^6 + 3072a^6c^9d^5e + 35840a^8c^7d^2e^5 + 4b^{12}c^3d^5e + 4b^{14}c^2d^3e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 - 384 \\
& 0a^4b^3c^8d^6 - 9a^2b^4e^6(-4a^2c - b^2)^9)^{(1/2)} - 2077a^4b^9c^2e^6 + 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 \\
& - 25a^4c^2e^6(-4a^2c - b^2)^9)^{(1/2)} - b^2c^4d^6(-4a^2c - b^2)^9)^{(1/2)} + 22528a^7c^8d^3e^3 - b^6d^2e^4(-4a^2c - b^2)^9)^{(1/2)} - \\
& 6b^{13}c^2d^4e^2 + 6a^2b^{14}d^2e^5 - 1471a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3d^3e^3 + 180a^2b^{11}c^2d^2e^4 + 6976a^3b^7c^5d^4e^2 - 1032 \\
& a^3b^8c^4d^3e^3 - 2871a^3b^9c^3d^2e^4 - 15456a^4b^5c^6d^4e^2 - 7168a^4b^6c^5d^3e^3 + 16896a^4b^7c^4d^2e^4 + 10240a^5b^3c^7d^4e^2 \\
& + 37632a^5b^4c^6d^3e^3 - 47712a^5b^5c^5d^2e^4 - 59392a^6b^2c^7d^3e^3 + 60928a^6b^3c^6d^2e^4 + 41a^2c^4d^4e^2(-4a^2c - b^2)^9)^{(1/2)} \\
& + 39a^3c^3d^2e^4(-4a^2c - b^2)^9)^{(1/2)} - 6b^4c^2d^4e^2(-4a^2c - b^2)^9)^{(1/2)} + 6a^2b^5d^2e^5(-4a^2c - b^2)^9)^{(1/2)} - \\
& 106a^2b^{10}c^4d^5e + 7a^2b^{13}c^2d^2e^4 - 128a^2b^{12}c^2d^2e^5 + 51a^3b^2c^2e^6(-4a^2c - b^2)^9)^{(1/2)} + 150a^2b^{11}c^3d^4e^2 - 84a^2b^{12}c^2d^3e^3 \\
& + 1116a^2b^8c^5d^5e - 5824a^3b^6c^6d^5e + 1030a^3b^{10}c^2d^2e^5 + 15232a^4b^4c^7d^5e - 3492a^4b^8c^3d^2e^5 - 16896a^5b^2c^8d^5e \\
& + 1344a^5b^6c^4d^2e^5 + 7424a^6b^2c^8d^4e^2 + 22400a^6b^2c^8d^5e + 1344a^5b^6c^4d^2e^5 + 7424a^6b^2c^8d^4e^2 + 22400a^6b^2c^8d^5e
\end{aligned}$$

$$\begin{aligned}
& 4*c^5*d*e^5 - 23296*a^7*b*c^7*d^2*e^4 - 53760*a^7*b^2*c^6*d*e^5 + 4*b^3*c^8*d^5*e^6 \\
& - (4*a*c - b^2)^9)^{(1/2)} + 4*b^5*c*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 20*a^2*b^3*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 86*a^3*b*c^2*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} + 42*a*b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 12*a*b^3*c^2*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 120*a^2*b*c^3*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 34*a*b*c^4*d^5*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + 108*a^2*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} \\
&)/(32*(a^7*b^12*e^8 + 4096*a^9*c^10*d^8 + 4096*a^13*c^6*e^8 - 24*a^8*b^10*c^5*d^8 + 240*a^5*b^8*c^6*d^8 \\
& - 1280*a^6*b^6*c^7*d^8 + 3840*a^7*b^4*c^8*d^8 - 6144*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280*a^10*b^6*c^3*e^8 \\
& + 3840*a^11*b^4*c^4*e^8 - 6144*a^12*b^2*c^5*e^8 + a^3*b^16*d^4*e^4 - 4*a^4*b^15*d^3*e^5 + 6*a^5*b^14*d^2*e^6 \\
& + 16384*a^10*c^9*d^6*e^2 + 24576*a^11*c^8*d^4*e^4 + 16384*a^12*c^7*d^2*e^6 + 6*a^3*b^14*c^2*d^6*e^2 \\
& - 140*a^4*b^12*c^3*d^6*e^2 + 84*a^4*b^13*c^2*d^5*e^3 + 1344*a^5*b^10*c^4*d^6*e^2 - 672*a^5*b^11*c^3*d^5*e^3 - 4 \\
& 2*a^5*b^12*c^2*d^4*e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 2240*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^10*c^3*d^4*e^4 \\
& - 672*a^6*b^11*c^2*d^3*e^5 + 17920*a^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 + 2240*a^7*b^9*c^3*d^3*e^5 \\
& + 1344*a^7*b^10*c^2*d^2*e^6 - 21504*a^8*b^4*c^7*d^6*e^2 - 21504*a^8*b^5*c^6*d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 \\
& - 6720*a^8*b^8*c^3*d^2*e^6 + 57344*a^9*b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 21504*a^9*b^5*c^5*d^3*e^5 \\
& + 17920*a^9*b^6*c^4*d^2*e^6 + 12288*a^10*b^2*c^7*d^4*e^4 + 57344*a^10*b^3*c^6*d^3*e^5 - 21504*a^10*b^4*c^5*d^2*e^6 \\
& + 96*a^7*b^11*c*d*e^7 - 16384*a^9*b*c^9*d^7*e - 16384*a^12*b*c^6*d*e^7 - 4*a^3*b^13*c^3*d^7*e \\
& - 4*a^3*b^15*c*d^5*e^3 + 96*a^4*b^11*c^4*d^7*e - 12*a^4*b^14*c*d^4*e^4 - 960*a^5*b^9*c^5*d^7*e + 84*a^5*b^13*c*d^3*e^5 \\
& + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^12*c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e \\
& - 960*a^8*b^9*c^2*d*e^7 + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^10*b*c^8*d^5*e^3 - 15360*a^10*b^5*c^4*d*e^7 - 49 \\
& 152*a^11*b*c^7*d^3*e^5 + 24576*a^11*b^3*c^5*d*e^7))^{(1/2)} + (x*(626688*a^10*b*c^8*e^15 - 784384*a^10*c^9*d*e^14 \\
& + 208*a^4*b^13*c^2*e^15 - 4880*a^5*b^11*c^3*e^15 + 47312*a^6*b^9*c^4*e^15 - 242176*a^7*b^7*c^5*e^15 + 688640*a^8*b^5*c^6*e^15 \\
& - 1028096*a^9*b^3*c^7*e^15 + 18432*a^4*c^15*d^13*e^2 + 126976*a^5*c^14*d^11*e^4 + 325632*a^6*c^13*d^9*e^6 \\
& + 139264*a^7*c^12*d^7*e^8 - 1067008*a^8*c^11*d^5*e^10 - 1773568*a^9*c^10*d^3*e^12 + 16*b^8*c^11*d^13*e^2 - 96*b^9*c^10*d^12*e^3 \\
& + 240*b^10*c^9*d^11*e^4 - 304*b^11*c^8*d^10*e^5 + 144*b^12*c^7*d^9*e^6 + 144*b^13*c^6*d^8*e^7 - 304*b^14*c^5*d^7*e^8 \\
& + 240*b^15*c^4*d^6*e^9 - 96*b^16*c^3*d^5*e^10 + 16*b^17*c^2*d^4*e^11 + 3200*a^2*b^4*c^13*d^13*e^2 - 18432*a^2*b^5*c^12*d^12*e^3 \\
& + 41024*a^2*b^6*c^11*d^11*e^4 - 36352*a^2*b^7*c^10*d^10*e^5 - 16208*a^2*b^8*c^9*d^9*e^6 + 74576*a^2*b^9*c^8*d^8*e^7 \\
& - 78496*a^2*b^10*c^7*d^7*e^8 + 32064*a^2*b^11*c^6*d^6*e^9 + 6000*a^2*b^12*c^5*d^5*e^10 - 9264*a^2*b^13*c^4*d^4*e^11 \\
& + 1472*a^2*b^14*c^3*d^3*e^12 + 416*a^2*b^15*c^2*d^2*e^13 - 12800*a^3*b^2*c^14*d^13*e^2 + 73728*a^3*b^3*c^13*d^12*e^3 \\
& - 151296*a^3*b^4*c^12*d^11*e^4 + 78336*a^3*b^5*c^11*d^10*e^5 + 206688*a^3*b^6*c^10*d^9*e^6 - 436736*a^3*b^7*c^9*d^8*e^7 \\
& + 324224*a^3*b^8*c^8*d^7*e^8 + 992*a^3*b^9*c^7*d^6*e^9 - 158176*a^3*b^10*c^6*d^5*e^10 +
\end{aligned}$$

$$\begin{aligned}
& 77056a^3b^{11}c^5d^4e^{11} + 6912a^3b^{12}c^4d^3e^{12} - 8416a^3b^{13}c^3d^2e^{13} + 162816a^4b^2c^{13}d^{11}e^4 + 184320a^4b^3c^{12}d^{10}e^5 - \\
& 916608a^4b^4c^{11}d^9e^6 + 1165824a^4b^5c^{10}d^8e^7 - 314496a^4b^6c^9d^7e^8 - 822272a^4b^7c^8d^6e^9 + 919152a^4b^8c^7d^5e^{10} - 1 \\
& 75296a^4b^9c^6d^4e^{11} - 189328a^4b^{10}c^5d^3e^{12} + 62064a^4b^{11}c^4d^2e^{13} + 1290752a^5b^2c^{12}d^9e^6 - 659456a^5b^3c^{11}d^8e^7 - \\
& 1561088a^5b^4c^{10}d^7e^8 + 3240960a^5b^5c^9d^6e^9 - 1964192a^5b^6c^8d^5e^{10} - 683008a^5b^7c^7d^4e^{11} + 1162304a^5b^8c^6d^3e^{12} \\
& 2 - 164112a^5b^9c^5d^2e^{13} + 3442688a^6b^2c^{11}d^7e^8 - 3670016a^6b^3c^{10}d^6e^9 + 15232a^6b^4c^9d^5e^{10} + 4230144a^6b^5c^8d^4e^{11} \\
& - 3059648a^6b^6c^7d^3e^{12} - 247296a^6b^7c^6d^2e^{13} + 4010496a^7b^2c^{10}d^5e^{10} - 6873088a^7b^3c^9d^4e^{11} + 2822400a^7b^4c^8d^3e^{12} \\
& + 2370048a^7b^5c^7d^2e^{13} + 1178624a^8b^2c^9d^3e^{12} - 4739072a^8b^3c^8d^2e^{13} - 352a^8b^6c^{12}d^{13}e^2 + 2048a^8b^7c^{11}d^{12}e^3 - 4800a^8b^8c^{10}d^{11}e^4 \\
& + 5168a^8b^9c^9d^{10}e^5 - 480a^8b^{10}c^8d^9e^6 - 6000a^8b^{11}c^7d^8e^7 + 8192a^8b^{12}c^6d^7e^8 - 5040a^8b^{13}c^5d^6e^9 + 1152a^8b^{14}c^4d^5e^{10} \\
& + 240a^8b^{15}c^3d^4e^{11} - 128a^8b^{16}c^2d^3e^{12} - 512a^8b^{14}c^2d^4e^{14} - 106496a^4b^8c^{14}d^{12}e^3 + 11680a^4b^{12}c^3d^4e^{14} \\
& - 675840a^5b^8c^{13}d^{10}e^5 - 108288a^5b^{10}c^4d^8e^{14} - 1601536a^6b^8c^{12}d^8e^7 + 514768a^6b^8c^5d^8e^{14} - 925696a^7b^8c^{11}d^6e^9 \\
& - 1278304a^7b^6c^6d^8e^{14} + 2457600a^8b^8c^{10}d^4e^{11} + 1385600a^8b^4c^7d^8e^{14} + 2977792a^9b^8c^9d^2e^{13} + 19968a^9b^2c^8d^8e^{14}) \\
& / (8(a^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^8e^8 - 4a^5b^9d^8e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 \\
& - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 \\
& + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 \\
& - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 \\
& + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 \\
& + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^7c^7d^7e^6 + 64a^6b^7c^7d^7e^6 - 1024a^9b^8c^4d^8e^7 \\
& - 4a^2b^9c^3d^7e^6 - 4a^2b^{11}c^4d^5e^3 + 64a^3b^7c^4d^7e^6 - 4a^3b^{10}c^4d^4e^4 - 384a^4b^5c^5d^7e^6 + 52a^4b^9c^3d^3e^5 \\
& + 1024a^5b^3c^6d^7e^6 - 92a^5b^8c^5d^2e^6 - 3072a^7b^8c^6d^5e^3 - 384a^7b^5c^2d^8e^7 - 3072a^8b^8c^5d^3e^5 + 1024a^8b^3c^3d^8e^7) \\
&) * ((27a^9b^9c^5d^6 - b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^9c^9d^6 + 9a^5c^5d^6(-4a^2c - b^2)^9)^{(1/2)} + 213a^3b^{11}c^5e^6 \\
& - 26880a^8b^9c^6e^6 + 3072a^6c^9d^5e^6 + 35840a^8c^7d^5e^6 + 4b^{12}c^3d^5e^6 + 4b^{14}c^3d^3e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 \\
& - 3840a^4b^3c^8d^6 - 9a^2b^4e^6(-4a^2c - b^2)^9)^{(1/2)} - 2077a^4b^9c^2e^6 + 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 \\
& - 25a^4c^2e^6(-4a^2c - b^2)^9)^{(1/2)} - b^2c^4d^6(-4a^2c - b^2)^9)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& c - b^2)^9)^{(1/2)} + 22528*a^7*c^8*d^3*e^3 - b^6*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*b^{13}*c^2*d^4*e^2 + 6*a*b^{14}*d*e^5 - 1471*a^2*b^9*c^4*d^4*e^2 + 60 \\
& 0*a^2*b^{10}*c^3*d^3*e^3 + 180*a^2*b^{11}*c^2*d^2*e^4 + 6976*a^3*b^7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4*d^3*e^3 - 2871*a^3*b^9*c^3*d^2*e^4 - 15456*a^4*b^5*c^6 \\
& *d^4*e^2 - 7168*a^4*b^6*c^5*d^3*e^3 + 16896*a^4*b^7*c^4*d^2*e^4 + 10240*a^5 \\
& *b^3*c^7*d^4*e^2 + 37632*a^5*b^4*c^6*d^3*e^3 - 47712*a^5*b^5*c^5*d^2*e^4 - \\
& 59392*a^6*b^2*c^7*d^3*e^3 + 60928*a^6*b^3*c^6*d^2*e^4 + 41*a^2*c^4*d^4*e^2* \\
& (-(4*a*c - b^2)^9)^{(1/2)} + 39*a^3*c^3*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6* \\
& b^4*c^2*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 6*a*b^5*d*e^5*(-(4*a*c - b^2)^9) \\
& ^{(1/2)} - 106*a*b^{10}*c^4*d^5*e + 7*a*b^{13}*c*d^2*e^4 - 128*a^2*b^{12}*c*d*e^5 + \\
& 51*a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + 150*a*b^{11}*c^3*d^4*e^2 - 84*a* \\
& b^{12}*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e - 5824*a^3*b^6*c^6*d^5*e + 1030*a \\
& ^3*b^{10}*c^2*d*e^5 + 15232*a^4*b^4*c^7*d^5*e - 3492*a^4*b^8*c^3*d*e^5 - 1689 \\
& 6*a^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^4*d*e^5 + 7424*a^6*b*c^8*d^4*e^2 + 224 \\
& 00*a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^7*d^2*e^4 - 53760*a^7*b^2*c^6*d*e^5 + \\
& 4*b^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 4*b^5*c*d^3*e^3*(-(4*a*c - b^2)^ \\
& 9)^{(1/2)} - 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 20*a^2*b^3*c*d*e^5 \\
& *(-(4*a*c - b^2)^9)^{(1/2)} - 86*a^3*b*c^2*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} + 4 \\
& 2*a*b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 12*a*b^3*c^2*d^3*e^3*(-(4*a* \\
& c - b^2)^9)^{(1/2)} - 120*a^2*b*c^3*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 34*a*b \\
& *c^4*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 108*a^2*b^2*c^2*d^2*e^4*(-(4*a*c - b^ \\
& 2)^9)^{(1/2)))/(32*(a^7*b^{12}*e^8 + 4096*a^9*c^{10}*d^8 + 4096*a^{13}*c^6*e^8 - 24 \\
& *a^8*b^{10}*c*e^8 - 4*a^6*b^{13}*d*e^7 + a^3*b^{12}*c^4*d^8 - 24*a^4*b^{10}*c^5*d^8 \\
& + 240*a^5*b^8*c^6*d^8 - 1280*a^6*b^6*c^7*d^8 + 3840*a^7*b^4*c^8*d^8 - 6144 \\
& *a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280*a^{10}*b^6*c^3*e^8 + 3840*a^{11}* \\
& b^4*c^4*e^8 - 6144*a^{12}*b^2*c^5*e^8 + a^3*b^{16}*d^4*e^4 - 4*a^4*b^{15}*d^3*e^5 \\
& + 6*a^5*b^{14}*d^2*e^6 + 16384*a^{10}*c^9*d^6*e^2 + 24576*a^{11}*c^8*d^4*e^4 + 1 \\
& 6384*a^{12}*c^7*d^2*e^6 + 6*a^3*b^{14}*c^2*d^6*e^2 - 140*a^4*b^{12}*c^3*d^6*e^2 + \\
& 84*a^4*b^{13}*c^2*d^5*e^3 + 1344*a^5*b^{10}*c^4*d^6*e^2 - 672*a^5*b^{11}*c^3*d^5 \\
& *e^3 - 42*a^5*b^{12}*c^2*d^4*e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 2240*a^6*b^9*c^ \\
& 4*d^5*e^3 + 1456*a^6*b^{10}*c^3*d^4*e^4 - 672*a^6*b^{11}*c^2*d^3*e^5 + 17920*a^ \\
& 7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 + 2240*a^7*b^9*c^3*d^3*e^5 + \\
& 1344*a^7*b^{10}*c^2*d^2*e^6 - 21504*a^8*b^4*c^7*d^6*e^2 - 21504*a^8*b^5*c^6*d \\
& ^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8*b^8*c^3*d^2*e^6 + 57344*a^9*b \\
& ^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 21504*a^9*b^5*c^5*d^3*e^5 + 17 \\
& 920*a^9*b^6*c^4*d^2*e^6 + 12288*a^{10}*b^2*c^7*d^4*e^4 + 57344*a^{10}*b^3*c^6*d \\
& ^3*e^5 - 21504*a^{10}*b^4*c^5*d^2*e^6 + 96*a^7*b^{11}*c*d*e^7 - 16384*a^9*b*c^9 \\
& *d^7*e - 16384*a^{12}*b*c^6*d*e^7 - 4*a^3*b^{13}*c^3*d^7*e - 4*a^3*b^{15}*c*d^5*e \\
& ^3 + 96*a^4*b^{11}*c^4*d^7*e - 12*a^4*b^{14}*c*d^4*e^4 - 960*a^5*b^9*c^5*d^7*e \\
& + 84*a^5*b^{13}*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^{12}*c*d^2*e^6 - \\
& 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 \\
& + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^{10}*b*c^8*d^5*e^3 - 15360*a^{10}*b^5*c^4*d* \\
& e^7 - 49152*a^{11}*b*c^7*d^3*e^5 + 24576*a^{11}*b^3*c^5*d*e^7))^{(1/2)} - (32691 \\
& 2*a^8*c^9*d*e^{13} - 241664*a^8*b*c^8*e^{14} - 48*a^2*b^{13}*c^2*e^{14} + 1264*a^3* \\
& b^{11}*c^3*e^{14} - 13552*a^4*b^9*c^4*e^{14} + 75776*a^5*b^7*c^5*e^{14} - 232960*a^
\end{aligned}$$

$$\begin{aligned}
&6*b^5*c^6*e^{14} + 372736*a^7*b^3*c^7*e^{14} + 11520*a^3*c^{14}*d^{11}*e^3 + 78080* \\
&a^4*c^{13}*d^9*e^5 + 197120*a^5*c^{12}*d^7*e^7 + 336384*a^6*c^{11}*d^5*e^9 + 5327 \\
&36*a^7*c^{10}*d^3*e^{11} - 40*b^5*c^{12}*d^{12}*e^2 + 216*b^6*c^{11}*d^{11}*e^3 - 464*b \\
&^7*c^{10}*d^{10}*e^4 + 496*b^8*c^9*d^9*e^5 - 264*b^9*c^8*d^8*e^6 + 56*b^{10}*c^7* \\
&d^7*e^7 - 16*b^{11}*c^6*d^6*e^8 + 64*b^{12}*c^5*d^5*e^9 - 96*b^{13}*c^4*d^4*e^{10} \\
&+ 64*b^{14}*c^3*d^3*e^{11} - 16*b^{15}*c^2*d^2*e^{12} + 1536*a^2*b^2*c^{13}*d^{11}*e^3 \\
&+ 14400*a^2*b^3*c^{12}*d^{10}*e^4 - 47152*a^2*b^4*c^{11}*d^9*e^5 + 52144*a^2*b^5* \\
&c^{10}*d^8*e^6 - 16272*a^2*b^6*c^9*d^7*e^7 - 13040*a^2*b^7*c^8*d^6*e^8 + 2348 \\
&8*a^2*b^8*c^7*d^5*e^9 - 26384*a^2*b^9*c^6*d^4*e^{10} + 13824*a^2*b^{10}*c^5*d^3 \\
&*e^{11} + 256*a^2*b^{11}*c^4*d^2*e^{12} + 125056*a^3*b^2*c^{12}*d^9*e^5 - 36224*a^3 \\
&*b^3*c^{11}*d^8*e^6 - 126432*a^3*b^4*c^{10}*d^7*e^7 + 144848*a^3*b^5*c^9*d^6*e^ \\
&8 - 114752*a^3*b^6*c^8*d^5*e^9 + 125392*a^3*b^7*c^7*d^4*e^{10} - 53248*a^3*b^ \\
&8*c^6*d^3*e^{11} - 25264*a^3*b^9*c^5*d^2*e^{12} + 474112*a^4*b^2*c^{11}*d^7*e^7 - \\
&191104*a^4*b^3*c^{10}*d^6*e^8 + 97184*a^4*b^4*c^9*d^5*e^9 - 277000*a^4*b^5*c \\
&^8*d^4*e^{10} + 56056*a^4*b^6*c^7*d^3*e^{11} + 195584*a^4*b^7*c^6*d^2*e^{12} + 23 \\
&6800*a^5*b^2*c^{10}*d^5*e^9 + 388032*a^5*b^3*c^9*d^4*e^{10} + 159632*a^5*b^4*c^ \\
&8*d^3*e^{11} - 670488*a^5*b^5*c^7*d^2*e^{12} - 488960*a^6*b^2*c^9*d^3*e^{11} + 11 \\
&06496*a^6*b^3*c^8*d^2*e^{12} + 64*a*b^{14}*c^2*d*e^{13} + 448*a*b^3*c^{13}*d^{12}*e^2 \\
&- 1968*a*b^4*c^{12}*d^{11}*e^3 + 2504*a*b^5*c^{11}*d^{10}*e^4 + 768*a*b^6*c^{10}*d^9 \\
&*e^5 - 4368*a*b^7*c^9*d^8*e^6 + 3568*a*b^8*c^8*d^7*e^7 - 520*a*b^9*c^7*d^6* \\
&e^8 - 1728*a*b^{10}*c^6*d^5*e^9 + 2528*a*b^{11}*c^5*d^4*e^{10} - 1536*a*b^{12}*c^4* \\
&d^3*e^{11} + 240*a*b^{13}*c^3*d^2*e^{12} - 1152*a^2*b*c^{14}*d^{12}*e^2 - 1600*a^2*b^ \\
&^{12}*c^3*d*e^{13} - 67968*a^3*b*c^{13}*d^{10}*e^4 + 15808*a^3*b^{10}*c^4*d*e^{13} - 342 \\
&272*a^4*b*c^{12}*d^8*e^6 - 76928*a^4*b^8*c^5*d*e^{13} - 569088*a^5*b*c^{11}*d^6*e \\
&^8 + 179200*a^5*b^6*c^6*d*e^{13} - 586368*a^6*b*c^{10}*d^4*e^{10} - 113008*a^6*b^ \\
&^4*c^7*d*e^{13} - 731008*a^7*b*c^9*d^2*e^{12} - 244096*a^7*b^2*c^8*d*e^{13})/(16*(\\
&a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5 \\
&*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 25 \\
&6*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4 \\
&*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 153 \\
&6*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3* \\
&b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^ \\
&^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128 \\
&*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + \\
&512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e \\
&^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d \\
&^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2* \\
&c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d* \\
&e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4 \\
&*a^3*b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a \\
&^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7* \\
&b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7))((27*a*b \\
&^9*c^5*d^6 - b^{11}*c^4*d^6 - b^{15}*d^2*e^4 - 9*a^2*b^{13}*e^6 + 3840*a^5*b*c^9* \\
&d^6 + 9*a*c^5*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 213*a^3*b^{11}*c*e^6 - 26880*a^8 \\
&*b*c^6*e^6 + 3072*a^6*c^9*d^5*e + 35840*a^8*c^7*d*e^5 + 4*b^{12}*c^3*d^5*e +
\end{aligned}$$

$$\begin{aligned}
& 4*b^{14}*c*d^3*e^3 - 288*a^2*b^7*c^6*d^6 + 1504*a^3*b^5*c^7*d^6 - 3840*a^4*b^3*c^8*d^6 - 9*a^2*b^4*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 2077*a^4*b^9*c^2*e^6 + \\
& 10656*a^5*b^7*c^3*e^6 - 30240*a^6*b^5*c^4*e^6 + 44800*a^7*b^3*c^5*e^6 - 25*a^4*c^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - b^2*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) + 22528*a^7*c^8*d^3*e^3 - b^6*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*b^{13}*c^2*d^4*e^2 + 6*a*b^{14}*d*e^5 - 1471*a^2*b^9*c^4*d^4*e^2 + 600*a^2*b^{10}*c^3*d^3*e^3 + 180*a^2*b^{11}*c^2*d^2*e^4 + 6976*a^3*b^7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4*d^3*e^3 - 2871*a^3*b^9*c^3*d^2*e^4 - 15456*a^4*b^5*c^6*d^4*e^2 - 7168*a^4*b^6*c^5*d^3*e^3 + 16896*a^4*b^7*c^4*d^2*e^4 + 10240*a^5*b^3*c^7*d^4*e^2 + 37632*a^5*b^4*c^6*d^3*e^3 - 47712*a^5*b^5*c^5*d^2*e^4 - 59392*a^6*b^2*c^7*d^3*e^3 + 60928*a^6*b^3*c^6*d^2*e^4 + 41*a^2*c^4*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 39*a^3*c^3*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*b^4*c^2*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 6*a*b^5*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 106*a*b^{10}*c^4*d^5*e + 7*a*b^{13}*c*d^2*e^4 - 128*a^2*b^{12}*c*d*e^5 + 51*a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + 150*a*b^{11}*c^3*d^4*e^2 - 84*a*b^{12}*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e - 5824*a^3*b^6*c^6*d^5*e + 1030*a^3*b^{10}*c^2*d*e^5 + 15232*a^4*b^4*c^7*d^5*e - 3492*a^4*b^8*c^3*d*e^5 - 16896*a^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^4*d*e^5 + 7424*a^6*b*c^8*d^4*e^2 + 22400*a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^7*d^2*e^4 - 53760*a^7*b^2*c^6*d*e^5 + 4*b^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 4*b^5*c*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 20*a^2*b^3*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 86*a^3*b*c^2*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} + 42*a*b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 12*a*b^3*c^2*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 120*a^2*b*c^3*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 34*a*b*c^4*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 108*a^2*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)}/(32*(a^7*b^{12}*e^8 + 4096*a^9*c^{10}*d^8 + 4096*a^{13}*c^6*e^8 - 24*a^8*b^{10}*c*e^8 - 4*a^6*b^{13}*d*e^7 + a^3*b^{12}*c^4*d^8 - 24*a^4*b^{10}*c^5*d^8 + 240*a^5*b^8*c^6*d^8 - 1280*a^6*b^6*c^7*d^8 + 3840*a^7*b^4*c^8*d^8 - 6144*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280*a^{10}*b^6*c^3*e^8 + 3840*a^{11}*b^4*c^4*e^8 - 6144*a^{12}*b^2*c^5*e^8 + a^3*b^{16}*d^4*e^4 - 4*a^4*b^{15}*d^3*e^5 + 6*a^5*b^{14}*d^2*e^6 + 16384*a^{10}*c^9*d^6*e^2 + 24576*a^{11}*c^8*d^4*e^4 + 16384*a^{12}*c^7*d^2*e^6 + 6*a^3*b^{14}*c^2*d^6*e^2 - 140*a^4*b^{12}*c^3*d^6*e^2 + 84*a^4*b^{13}*c^2*d^5*e^3 + 1344*a^5*b^{10}*c^4*d^6*e^2 - 672*a^5*b^{11}*c^3*d^5*e^3 - 42*a^5*b^{12}*c^2*d^4*e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 2240*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^{10}*c^3*d^4*e^4 - 672*a^6*b^{11}*c^2*d^3*e^5 + 17920*a^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 + 2240*a^7*b^9*c^3*d^3*e^5 + 1344*a^7*b^{10}*c^2*d^2*e^6 - 21504*a^8*b^4*c^7*d^6*e^2 - 21504*a^8*b^5*c^6*d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8*b^8*c^3*d^2*e^6 + 57344*a^9*b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 21504*a^9*b^5*c^5*d^3*e^5 + 17920*a^9*b^6*c^4*d^2*e^6 + 12288*a^{10}*b^2*c^7*d^4*e^4 + 57344*a^{10}*b^3*c^6*d^3*e^5 - 21504*a^{10}*b^4*c^5*d^2*e^6 + 96*a^7*b^{11}*c*d*e^7 - 16384*a^9*b*c^9*d^7*e - 16384*a^{12}*b*c^6*d*e^7 - 4*a^3*b^{13}*c^3*d^7*e - 4*a^3*b^{15}*c*d^5*e^3 + 96*a^4*b^{11}*c^4*d^7*e - 12*a^4*b^{14}*c*d^4*e^4 - 960*a^5*b^9*c^5*d^7*e + 84*a^5*b^{13}*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^{12}*c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 + 5120*a^9*b^7*c
\end{aligned}$$

$$\begin{aligned}
&^3*d*e^7 - 49152*a^{10}*b*c^8*d^5*e^3 - 15360*a^{10}*b^5*c^4*d*e^7 - 49152*a^{11} \\
&*b*c^7*d^3*e^5 + 24576*a^{11}*b^3*c^5*d*e^7))^{(1/2)} + (x*(22800*a^6*c^9*e^{13} \\
&+ 36*a^2*b^8*c^5*e^{13} - 600*a^3*b^6*c^6*e^{13} + 4313*a^4*b^4*c^7*e^{13} - 155 \\
&92*a^5*b^2*c^8*e^{13} + 1296*a^2*c^{13}*d^8*e^5 + 9792*a^3*c^{12}*d^6*e^7 + 30304 \\
&*a^4*c^{11}*d^4*e^9 + 40512*a^5*c^{10}*d^2*e^{11} + 25*b^4*c^{11}*d^8*e^5 - 120*b^5 \\
&*c^{10}*d^7*e^6 + 214*b^6*c^9*d^6*e^7 - 168*b^7*c^8*d^5*e^8 + 53*b^8*c^7*d^4* \\
&e^9 - 8*b^9*c^6*d^3*e^{10} + 4*b^{10}*c^5*d^2*e^{11} + 6336*a^2*b^2*c^{11}*d^6*e^7 \\
&+ 3840*a^2*b^3*c^{10}*d^5*e^8 - 8506*a^2*b^4*c^9*d^4*e^9 + 1112*a^2*b^5*c^8*d \\
&^3*e^{10} + 1254*a^2*b^6*c^7*d^2*e^{11} + 22224*a^3*b^2*c^{10}*d^4*e^9 + 13824*a^ \\
&3*b^3*c^9*d^3*e^{10} - 9516*a^3*b^4*c^8*d^2*e^{11} + 11712*a^4*b^2*c^9*d^2*e^{11} \\
&- 24*a*b^9*c^5*d*e^{12} - 41088*a^5*b*c^9*d*e^{12} - 360*a*b^2*c^{12}*d^8*e^5 + \\
&1664*a*b^3*c^{11}*d^7*e^6 - 2604*a*b^4*c^{10}*d^6*e^7 + 1272*a*b^5*c^9*d^5*e^8 \\
&+ 332*a*b^6*c^8*d^4*e^9 - 232*a*b^7*c^7*d^3*e^{10} - 48*a*b^8*c^6*d^2*e^{11} - \\
&5760*a^2*b*c^{12}*d^7*e^6 + 416*a^2*b^7*c^6*d*e^{12} - 32128*a^3*b*c^{11}*d^5*e^8 \\
&- 4120*a^3*b^5*c^7*d*e^{12} - 63360*a^4*b*c^{10}*d^3*e^{10} + 21376*a^4*b^3*c^8* \\
&d*e^{12}))/((8*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6* \\
&c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4 \\
&*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + \\
&a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7* \\
&d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6* \\
&e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6 \\
&*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5* \\
&d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c \\
&^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6* \\
&b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536* \\
&a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + \\
&512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024 \\
&*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7* \\
&c^4*d^7*e - 4*a^3*b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3 \\
&*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e \\
&^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^ \\
&7)))*((27*a*b^9*c^5*d^6 - b^{11}*c^4*d^6 - b^{15}*d^2*e^4 - 9*a^2*b^{13}*e^6 + 38 \\
&40*a^5*b*c^9*d^6 + 9*a*c^5*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 213*a^3*b^{11}*c*e^ \\
&6 - 26880*a^8*b*c^6*e^6 + 3072*a^6*c^9*d^5*e + 35840*a^8*c^7*d*e^5 + 4*b^{12} \\
&*c^3*d^5*e + 4*b^{14}*c*d^3*e^3 - 288*a^2*b^7*c^6*d^6 + 1504*a^3*b^5*c^7*d^6 \\
&- 3840*a^4*b^3*c^8*d^6 - 9*a^2*b^4*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 2077*a^4* \\
&b^9*c^2*e^6 + 10656*a^5*b^7*c^3*e^6 - 30240*a^6*b^5*c^4*e^6 + 44800*a^7*b^3 \\
&*c^5*e^6 - 25*a^4*c^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - b^2*c^4*d^6*(-(4*a*c - \\
&b^2)^9)^{(1/2)} + 22528*a^7*c^8*d^3*e^3 - b^6*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/ \\
&2)} - 6*b^{13}*c^2*d^4*e^2 + 6*a*b^{14}*d*e^5 - 1471*a^2*b^9*c^4*d^4*e^2 + 600*a \\
&^2*b^{10}*c^3*d^3*e^3 + 180*a^2*b^{11}*c^2*d^2*e^4 + 6976*a^3*b^7*c^5*d^4*e^2 - \\
&1032*a^3*b^8*c^4*d^3*e^3 - 2871*a^3*b^9*c^3*d^2*e^4 - 15456*a^4*b^5*c^6*d^ \\
&4*e^2 - 7168*a^4*b^6*c^5*d^3*e^3 + 16896*a^4*b^7*c^4*d^2*e^4 + 10240*a^5*b^ \\
&3*c^7*d^4*e^2 + 37632*a^5*b^4*c^6*d^3*e^3 - 47712*a^5*b^5*c^5*d^2*e^4 - 593 \\
&92*a^6*b^2*c^7*d^3*e^3 + 60928*a^6*b^3*c^6*d^2*e^4 + 41*a^2*c^4*d^4*e^2*(-(
\end{aligned}$$

$$\begin{aligned}
& 4*a*c - b^2)^9)^{(1/2)} + 39*a^3*c^3*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*b^4 \\
& *c^2*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 6*a*b^5*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 106*a*b^10*c^4*d^5*e \\
& + 7*a*b^13*c*d^2*e^4 - 128*a^2*b^12*c*d*e^5 + 51 \\
& *a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + 150*a*b^11*c^3*d^4*e^2 - 84*a*b^1 \\
& 2*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e - 5824*a^3*b^6*c^6*d^5*e + 1030*a^3* \\
& b^10*c^2*d*e^5 + 15232*a^4*b^4*c^7*d^5*e - 3492*a^4*b^8*c^3*d*e^5 - 16896*a \\
& ^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^4*d*e^5 + 7424*a^6*b*c^8*d^4*e^2 + 22400* \\
& a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^7*d^2*e^4 - 53760*a^7*b^2*c^6*d*e^5 + 4*b \\
& ^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 4*b^5*c*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 20*a^2*b^3*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 86*a^3*b*c^2*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} + 42*a \\
& *b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - 12*a*b^3*c^2*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 120*a^2*b*c^3*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 34*a*b*c^ \\
& 4*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 108*a^2*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^7*b^12*e^8 + 4096*a^9*c^10*d^8 + 4096*a^13*c^6*e^8 - 24*a^8*b^10*c*e^8 - 4*a^6*b^13*d*e^7 + a^3*b^12*c^4*d^8 - 24*a^4*b^10*c^5*d^8 + 240*a^5*b^8*c^6*d^8 - 1280*a^6*b^6*c^7*d^8 + 3840*a^7*b^4*c^8*d^8 - 6144*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280*a^10*b^6*c^3*e^8 + 3840*a^11*b^4*c^4*e^8 - 6144*a^12*b^2*c^5*e^8 + a^3*b^16*d^4*e^4 - 4*a^4*b^15*d^3*e^5 + 6*a^5*b^14*d^2*e^6 + 16384*a^10*c^9*d^6*e^2 + 24576*a^11*c^8*d^4*e^4 + 16384*a^12*c^7*d^2*e^6 + 6*a^3*b^14*c^2*d^6*e^2 - 140*a^4*b^12*c^3*d^6*e^2 + 84*a^4*b^13*c^2*d^5*e^3 + 1344*a^5*b^10*c^4*d^6*e^2 - 672*a^5*b^11*c^3*d^5*e^3 - 42*a^5*b^12*c^2*d^4*e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 2240*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^10*c^3*d^4*e^4 - 672*a^6*b^11*c^2*d^3*e^5 + 17920*a^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 + 2240*a^7*b^9*c^3*d^3*e^5 + 1344*a^7*b^10*c^2*d^2*e^6 - 21504*a^8*b^4*c^7*d^6*e^2 - 21504*a^8*b^5*c^6*d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8*b^8*c^3*d^2*e^6 + 57344*a^9*b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 21504*a^9*b^5*c^5*d^3*e^5 + 17920*a^9*b^6*c^4*d^2*e^6 + 12288*a^10*b^2*c^7*d^4*e^4 + 57344*a^10*b^3*c^6*d^3*e^5 - 21504*a^10*b^4*c^5*d^2*e^6 + 96*a^7*b^11*c*d*e^7 - 16384*a^9*b*c^9*d^7*e - 16384*a^12*b*c^6*d*e^7 - 4*a^3*b^13*c^3*d^7*e - 4*a^3*b^15*c*d^5*e^3 + 96*a^4*b^11*c^4*d^7*e - 12*a^4*b^14*c*d^4*e^4 - 960*a^5*b^9*c^5*d^7*e + 84*a^5*b^13*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^12*c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^10*b*c^8*d^5*e^3 - 15360*a^10*b^5*c^4*d*e^7 - 49152*a^11*b*c^7*d^3*e^5 + 24576*a^11*b^3*c^5*d*e^7))^(1/2)*i)/((2000*a^4*c^9*e^12 + 21*a^2*b^4*c^7*e^12 - 520*a^3*b^2*c^8*e^12 + 1296*a^2*c^11*d^4*e^8 + 4320*a^3*c^10*d^2*e^10 + 25*b^4*c^9*d^4*e^8 - 60*b^5*c^8*d^3*e^9 + 35*b^6*c^7*d^2*e^10 + 192*a^2*b^2*c^9*d^2*e^10 - 112*a*b^5*c^7*d*e^11 - 4480*a^3*b*c^9*d*e^11 - 360*a*b^2*c^10*d^4*e^8 + 832*a*b^3*c^9*d^3*e^9 - 362*a*b^4*c^8*d^2*e^10 - 2880*a^2*b*c^10*d^3*e^9 + 1440*a^2*b^3*c^8*d*e^11)/(8*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^10*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^12*d^4*e^4 - 4*a^3*b^11*d^3*e^5 + 6*a^4*b^10*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 15
\end{aligned}$$

$$\begin{aligned}
& 36*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^10*c^2*d^6*e^2 - 92*a^3 \\
& *b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a \\
& ^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 12 \\
& 8*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + \\
& 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4* \\
& e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5* \\
& d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2 \\
& *c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d \\
& *e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^11*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - \\
& 4*a^3*b^10*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024* \\
& a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7 \\
& *b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)) + (((((1 \\
& 048576*a^13*c^8*e^16 + 256*a^7*b^12*c^2*e^16 - 6144*a^8*b^10*c^3*e^16 + 614 \\
& 40*a^9*b^8*c^4*e^16 - 327680*a^10*b^6*c^5*e^16 + 983040*a^11*b^4*c^6*e^16 - \\
& 1572864*a^12*b^2*c^7*e^16 - 196608*a^6*c^15*d^14*e^2 - 917504*a^7*c^14*d^1 \\
& 2*e^4 - 589824*a^8*c^13*d^10*e^6 + 3932160*a^9*c^12*d^8*e^8 + 10158080*a^10 \\
& *c^11*d^6*e^10 + 10616832*a^11*c^10*d^4*e^12 + 5308416*a^12*c^9*d^2*e^14 - \\
& 2816*a^2*b^8*c^11*d^14*e^2 + 22656*a^2*b^9*c^10*d^13*e^3 - 78848*a^2*b^10*c \\
& ^9*d^12*e^4 + 154112*a^2*b^11*c^8*d^11*e^5 - 182784*a^2*b^12*c^7*d^10*e^6 + \\
& 130816*a^2*b^13*c^6*d^9*e^7 - 50176*a^2*b^14*c^5*d^8*e^8 + 4608*a^2*b^15*c \\
& ^4*d^7*e^9 + 3328*a^2*b^16*c^3*d^6*e^10 - 896*a^2*b^17*c^2*d^5*e^11 + 24576 \\
& *a^3*b^6*c^12*d^14*e^2 - 198656*a^3*b^7*c^11*d^13*e^3 + 684544*a^3*b^8*c^10 \\
& *d^12*e^4 - 1291520*a^3*b^9*c^9*d^11*e^5 + 1403776*a^3*b^10*c^8*d^10*e^6 - \\
& 798336*a^3*b^11*c^7*d^9*e^7 + 89856*a^3*b^12*c^6*d^8*e^8 + 155136*a^3*b^13* \\
& c^5*d^7*e^9 - 77440*a^3*b^14*c^4*d^6*e^10 + 5504*a^3*b^15*c^3*d^5*e^11 + 25 \\
& 60*a^3*b^16*c^2*d^4*e^12 - 106496*a^4*b^4*c^13*d^14*e^2 + 864256*a^4*b^5*c^ \\
& 12*d^13*e^3 - 2924544*a^4*b^6*c^11*d^12*e^4 + 5181440*a^4*b^7*c^10*d^11*e^5 \\
& - 4686080*a^4*b^8*c^9*d^10*e^6 + 1045376*a^4*b^9*c^8*d^9*e^7 + 1900544*a^4 \\
& *b^10*c^7*d^8*e^8 - 1732096*a^4*b^11*c^6*d^7*e^9 + 390400*a^4*b^12*c^5*d^6* \\
& e^10 + 112000*a^4*b^13*c^4*d^5*e^11 - 40960*a^4*b^14*c^3*d^4*e^12 - 3840*a^ \\
& 4*b^15*c^2*d^3*e^13 + 229376*a^5*b^2*c^14*d^14*e^2 - 1867776*a^5*b^3*c^13*d \\
& ^13*e^3 + 6078464*a^5*b^4*c^12*d^12*e^4 - 9297920*a^5*b^5*c^11*d^11*e^5 + 4 \\
& 055040*a^5*b^6*c^10*d^10*e^6 + 7788544*a^5*b^7*c^9*d^9*e^7 - 12657664*a^5*b \\
& ^8*c^8*d^8*e^8 + 6130176*a^5*b^9*c^7*d^7*e^9 + 734080*a^5*b^10*c^6*d^6*e^10 \\
& - 1442560*a^5*b^11*c^5*d^5*e^11 + 168960*a^5*b^12*c^4*d^4*e^12 + 78080*a^5 \\
& *b^13*c^3*d^3*e^13 + 3200*a^5*b^14*c^2*d^2*e^14 - 4587520*a^6*b^2*c^13*d^12 \\
& *e^4 + 3080192*a^6*b^3*c^12*d^11*e^5 + 12001280*a^6*b^4*c^11*d^10*e^6 - 310 \\
& 76352*a^6*b^5*c^10*d^9*e^7 + 27475968*a^6*b^6*c^9*d^8*e^8 - 2088960*a^6*b^7 \\
& *c^8*d^7*e^9 - 12205312*a^6*b^8*c^7*d^6*e^10 + 6043520*a^6*b^9*c^6*d^5*e^11 \\
& + 631808*a^6*b^10*c^5*d^4*e^12 - 610304*a^6*b^11*c^4*d^3*e^13 - 71936*a^6* \\
& b^12*c^3*d^2*e^14 - 21725184*a^7*b^2*c^12*d^10*e^6 + 30801920*a^7*b^3*c^11* \\
& d^9*e^7 - 8028160*a^7*b^4*c^10*d^8*e^8 - 32260096*a^7*b^5*c^9*d^7*e^9 + 371 \\
& 01568*a^7*b^6*c^8*d^6*e^10 - 7182336*a^7*b^7*c^7*d^5*e^11 - 7609856*a^7*b^8 \\
& *c^6*d^4*e^12 + 2112256*a^7*b^9*c^5*d^3*e^13 + 661632*a^7*b^10*c^4*d^2*e^14 \\
& - 30146560*a^8*b^2*c^11*d^8*e^8 + 55050240*a^8*b^3*c^10*d^7*e^9 - 34365440
\end{aligned}$$

$$\begin{aligned}
& a^8 b^4 c^9 d^6 e^{10} - 16429056 a^8 b^5 c^8 d^5 e^{11} + 24600576 a^8 b^6 c^7 d^4 e^{12} - 1683456 a^8 b^7 c^6 d^3 e^{13} - 3151616 a^8 b^8 c^5 d^2 e^{14} - \\
& 10977280 a^9 b^2 c^{10} d^6 e^{10} + 47022080 a^9 b^3 c^9 d^5 e^{11} - 30621696 a^9 b^4 c^8 d^4 e^{12} - 9232384 a^9 b^5 c^7 d^3 e^{13} + 7970816 a^9 b^6 c^6 d^2 e^{14} + 4325376 a^{10} b^2 c^9 d^4 e^{12} + 25493504 a^{10} b^3 c^8 d^3 e^{13} - 9 \\
& 117696 a^{10} b^4 c^7 d^2 e^{14} + 491520 a^{11} b^2 c^8 d^2 e^{14} - 4947968 a^{12} b c^8 d e^{15} + 128 a^* b^{10} c^{10} d^{14} e^2 - 1024 a^* b^{11} c^9 d^{13} e^3 + 3584 a^* \\
& b^{12} c^8 d^{12} e^4 - 7168 a^* b^{13} c^7 d^{11} e^5 + 8960 a^* b^{14} c^6 d^{10} e^6 - 7168 a^* b^{15} c^5 d^9 e^7 + 3584 a^* b^{16} c^4 d^8 e^8 - 1024 a^* b^{17} c^3 d^7 e^9 \\
& + 128 a^* b^{18} c^2 d^6 e^{10} + 1605632 a^6 b^* c^{14} d^{13} e^3 - 1408 a^6 b^{13} c^2 d e^{15} + 7012352 a^7 b^* c^{13} d^{11} e^5 + 33152 a^7 b^{11} c^3 d e^{15} + 704512 \\
& 0 a^8 b^* c^{12} d^9 e^7 - 324480 a^8 b^9 c^4 d e^{15} - 9830400 a^9 b^* c^{11} d^7 e^9 + 1689600 a^9 b^7 c^5 d e^{15} - 25722880 a^{10} b^* c^{10} d^5 e^{11} - 4935680 a^{10} b^5 c^6 d e^{15} - \\
& 19202048 a^{11} b^* c^9 d^3 e^{13} + 7667712 a^{11} b^3 c^7 d e^{15}) / (16 * (a^6 b^8 e^8 + 256 a^6 c^8 d^8 + 256 a^{10} c^4 e^8 - 16 a^7 b^6 c^* \\
& e^8 - 4 a^5 b^9 d e^7 + a^2 b^8 c^4 d^8 - 16 a^3 b^6 c^5 d^8 + 96 a^4 b^4 c^6 d^8 - 256 a^5 b^2 c^7 d^8 + 96 a^8 b^4 c^2 e^8 - 256 a^9 b^2 c^3 e^8 + a \\
& ^2 b^{12} d^4 e^4 - 4 a^3 b^{11} d^3 e^5 + 6 a^4 b^{10} d^2 e^6 + 1024 a^7 c^7 d^6 e^2 + 1536 a^8 c^6 d^4 e^4 + 1024 a^9 c^5 d^2 e^6 + 6 a^2 b^{10} c^2 d^6 e^2 \\
& - 92 a^3 b^8 c^3 d^6 e^2 + 52 a^3 b^9 c^2 d^5 e^3 + 512 a^4 b^6 c^4 d^6 e^2 - 192 a^4 b^7 c^3 d^5 e^3 - 90 a^4 b^8 c^2 d^4 e^4 - 1152 a^5 b^4 c^5 d^6 e^2 - 128 a^5 b^5 c^4 d^5 e^3 + 800 a^5 b^6 c^3 d^4 e^4 - 192 a^5 b^7 c^2 \\
& d^3 e^5 + 512 a^6 b^2 c^6 d^6 e^2 + 2048 a^6 b^3 c^5 d^5 e^3 - 2240 a^6 b^4 c^4 d^4 e^4 - 128 a^6 b^5 c^3 d^3 e^5 + 512 a^6 b^6 c^2 d^2 e^6 + 1536 a^7 b^2 c^5 d^4 e^4 + 2048 a^7 b^3 c^4 d^3 e^5 - 1152 a^7 b^4 c^3 d^2 e^6 + 5 \\
& 12 a^8 b^2 c^4 d^2 e^6 - 1024 a^6 b^* c^7 d^7 e + 64 a^6 b^7 c^* d e^7 - 1024 a^9 b^* c^4 d e^7 - 4 a^2 b^9 c^3 d^7 e - 4 a^2 b^{11} c^* d^5 e^3 + 64 a^3 b^7 c^4 d^7 e - 4 a^3 b^{10} c^* d^4 e^4 - 384 a^4 b^5 c^5 d^7 e + 52 a^4 b^9 c^* d^3 e^5 + 1024 a^5 b^3 c^6 d^7 e - 92 a^5 b^8 c^* d^2 e^6 - 3072 a^7 b^* c^6 d^5 e^3 \\
& - 384 a^7 b^5 c^2 d e^7 - 3072 a^8 b^* c^5 d^3 e^5 + 1024 a^8 b^3 c^3 d e^7) \\
&) - (x * ((27 a^* b^9 c^5 d^6 - b^{11} c^4 d^6 - b^{15} d^2 e^4 - 9 a^2 b^{13} e^6 + 3840 a^5 b^* c^9 d^6 + 9 a^* c^5 d^6 * (- (4 a^* c - b^2)^9)^{(1/2)} + 213 a^3 b^{11} c^* \\
& e^6 - 26880 a^8 b^* c^6 e^6 + 3072 a^6 c^9 d^5 e + 35840 a^8 c^7 d e^5 + 4 b^{12} c^3 d^5 e + 4 b^{14} c^* d^3 e^3 - 288 a^2 b^7 c^6 d^6 + 1504 a^3 b^5 c^7 d^6 \\
& - 3840 a^4 b^3 c^8 d^6 - 9 a^2 b^4 e^6 * (- (4 a^* c - b^2)^9)^{(1/2)} - 2077 a^4 b^9 c^2 e^6 + 10656 a^5 b^7 c^3 e^6 - 30240 a^6 b^5 c^4 e^6 + 44800 a^7 b^3 c^5 e^6 - 25 a^4 c^2 e^6 * (- (4 a^* c - b^2)^9)^{(1/2)} - b^2 c^4 d^6 * (- (4 a^* c \\
& - b^2)^9)^{(1/2)} + 22528 a^7 c^8 d^3 e^3 - b^6 d^2 e^4 * (- (4 a^* c - b^2)^9)^{(1/2)} - 6 b^{13} c^2 d^4 e^2 + 6 a^* b^{14} d e^5 - 1471 a^2 b^9 c^4 d^4 e^2 + 600 \\
& a^2 b^{10} c^3 d^3 e^3 + 180 a^2 b^{11} c^2 d^2 e^4 + 6976 a^3 b^7 c^5 d^4 e^2 - 1032 a^3 b^8 c^4 d^3 e^3 - 2871 a^3 b^9 c^3 d^2 e^4 - 15456 a^4 b^5 c^6 d^4 e^2 - 7168 a^4 b^6 c^5 d^3 e^3 + 16896 a^4 b^7 c^4 d^2 e^4 + 10240 a^5 b^3 c^7 d^4 e^2 + 37632 a^5 b^4 c^6 d^3 e^3 - 47712 a^5 b^5 c^5 d^2 e^4 - 5 \\
& 9392 a^6 b^2 c^7 d^3 e^3 + 60928 a^6 b^3 c^6 d^2 e^4 + 41 a^2 c^4 d^4 e^2 * (- (4 a^* c - b^2)^9)^{(1/2)} + 39 a^3 c^3 d^2 e^4 * (- (4 a^* c - b^2)^9)^{(1/2)} - 6 b
\end{aligned}$$

$$\begin{aligned}
& ^4c^2d^4e^2(-4ac - b^2)^9)^{(1/2)} + 6ab^5d^5e^5(-4ac - b^2)^9)^{(1/2)} - 106a^3b^10c^4d^5e + 7a^3b^13c^2d^2e^4 - 128a^2b^12c^3d^4e^5 + \\
& 51a^3b^2c^3e^6(-4ac - b^2)^9)^{(1/2)} + 150a^3b^11c^3d^4e^2 - 84a^3b^12c^2d^3e^3 + 1116a^2b^8c^5d^5e - 5824a^3b^6c^6d^5e + 1030a^3b^10c^2d^4e^5 + 15232a^4b^4c^7d^5e - 3492a^4b^8c^3d^4e^5 - 16896 \\
& a^5b^2c^8d^5e + 1344a^5b^6c^4d^4e^5 + 7424a^6b^6c^8d^4e^2 + 2240 \\
& 0a^6b^4c^5d^5e^5 - 23296a^7b^6c^7d^2e^4 - 53760a^7b^2c^6d^4e^5 + 4 \\
& b^3c^3d^5e^5(-4ac - b^2)^9)^{(1/2)} + 4b^5c^3d^3e^3(-4ac - b^2)^9)^{(1/2)} - 11a^3b^4c^3d^2e^4(-4ac - b^2)^9)^{(1/2)} - 20a^2b^3c^3d^2e^5(-4ac - b^2)^9)^{(1/2)} - 86a^3b^3c^2d^2e^5(-4ac - b^2)^9)^{(1/2)} + 42 \\
& a^3b^2c^3d^4e^2(-4ac - b^2)^9)^{(1/2)} - 12a^3b^3c^2d^3e^3(-4ac - b^2)^9)^{(1/2)} - 120a^2b^3c^3d^3e^3(-4ac - b^2)^9)^{(1/2)} - 34a^3b^3c^4d^5e^5(-4ac - b^2)^9)^{(1/2)} + 108a^2b^2c^2d^2e^4(-4ac - b^2)^9)^{(1/2))} / (32(a^7b^12e^8 + 4096a^9c^10d^8 + 4096a^13c^6e^8 - 24a^8b^10c^4e^8 - 4a^6b^13d^4e^7 + a^3b^12c^4d^8 - 24a^4b^10c^5d^8 + 240a^5b^8c^6d^8 - 1280a^6b^6c^7d^8 + 3840a^7b^4c^8d^8 - 6144a^8b^2c^9d^8 + 240a^9b^8c^2e^8 - 1280a^10b^6c^3e^8 + 3840a^11b^4c^4e^8 - 6144a^12b^2c^5e^8 + a^3b^16d^4e^4 - 4a^4b^15d^3e^5 + 6a^5b^14d^2e^6 + 16384a^10c^9d^6e^2 + 24576a^11c^8d^4e^4 + 16384a^12c^7d^2e^6 + 6a^3b^14c^2d^6e^2 - 140a^4b^12c^3d^6e^2 + 84a^4b^13c^2d^5e^3 + 1344a^5b^10c^4d^6e^2 - 672a^5b^11c^3d^5e^3 - 42a^5b^12c^2d^4e^4 - 6720a^6b^8c^5d^6e^2 + 2240a^6b^9c^4d^5e^3 + 1456a^6b^10c^3d^4e^4 - 672a^6b^11c^2d^3e^5 + 17920a^7b^6c^6d^6e^2 - 10080a^7b^8c^4d^4e^4 + 2240a^7b^9c^3d^3e^5 + 1344a^7b^10c^2d^2e^6 - 21504a^8b^4c^7d^6e^2 - 21504a^8b^5c^6d^5e^3 + 32256a^8b^6c^5d^4e^4 - 6720a^8b^8c^3d^2e^6 + 57344a^9b^3c^7d^5e^3 - 46592a^9b^4c^6d^4e^4 - 21504a^9b^5c^5d^3e^5 + 17920a^9b^6c^4d^2e^6 + 12288a^10b^2c^7d^4e^4 + 57344a^10b^3c^6d^3e^5 - 21504a^10b^4c^5d^2e^6 + 96a^7b^11c^3d^4e^7 - 16384a^9b^3c^9d^7e - 16384a^12b^3c^6d^4e^7 - 4a^3b^13c^3d^7e - 4a^3b^15c^3d^5e^3 + 96a^4b^11c^4d^7e - 12a^4b^14c^3d^4e^4 - 960a^5b^9c^5d^7e + 84a^5b^13c^3d^3e^5 + 5120a^6b^7c^6d^7e - 140a^6b^12c^3d^2e^6 - 15360a^7b^5c^7d^7e + 24576a^8b^3c^8d^7e - 960a^8b^9c^2d^4e^7 + 5120a^9b^7c^3d^4e^7 - 49152a^10b^6c^8d^5e^3 - 15360a^10b^5c^4d^4e^7 - 49152a^11b^5c^7d^3e^5 + 24576a^11b^3c^5d^4e^7))^{(1/2)} * (1048576a^15c^8e^17 + 256a^9b^12c^2e^17 - 6144a^10b^10c^3e^17 + 61440a^11b^8c^4e^17 - 327680a^12b^6c^5e^17 + 983040a^13b^4c^6e^17 - 1572864a^14b^2c^7e^17 - 1048576a^8c^15d^14e^3 - 5242880a^9c^14d^12e^5 - 9437184a^10c^13d^10e^7 - 5242880a^11c^12d^8e^9 + 5242880a^12c^11d^6e^11 + 9437184a^13c^10d^4e^13 + 5242880a^14c^9d^2e^15 + 256a^2b^11c^10d^15e^2 - 2048a^2b^12c^9d^14e^3 + 7168a^2b^13c^8d^13e^4 - 14336a^2b^14c^7d^12e^5 + 17920a^2b^15c^6d^11e^6 - 14336a^2b^16c^5d^10e^7 + 7168a^2b^17c^4d^9e^8 - 2048a^2b^18c^3d^8e^9 + 256a^2b^19c^2d^7e^10 - 5120a^3b^9c^11d^15e^2 + 41984a^3b^10c^10d^14e^3 - 148736a^3b^11c^9d^13e^4 + 296192a^3b^12c^8d^12e^5 - 148736a^3b^13c^7d^11e^6 + 296192a^3b^14c^6d^10e^7 - 148736a^3b^15c^5d^9e^8 + 296192a^3b^16c^4d^8e^9 - 148736a^3b^17c^3d^7e^10 + 296192a^3b^18c^2d^6e^11 - 148736a^3b^19c^1d^5e^12 + 296192a^3b^20c^0d^4e^13 - 148736a^3b^21c^0d^3e^14 + 296192a^3b^22c^0d^2e^15 - 148736a^3b^23c^0d^1e^16 + 296192a^3b^24c^0d^0e^17 - 148736a^3b^25c^0d^0e^18)
\end{aligned}$$

$$\begin{aligned}
& e^5 - 359680*a^3*b^{13}*c^7*d^{11}*e^6 + 267520*a^3*b^{14}*c^6*d^{10}*e^7 - 112384* \\
& a^3*b^{15}*c^5*d^9*e^8 + 18176*a^3*b^{16}*c^4*d^8*e^9 + 3328*a^3*b^{17}*c^3*d^7*e \\
& ^{10} - 1280*a^3*b^{18}*c^2*d^6*e^{11} + 40960*a^4*b^7*c^{12}*d^{15}*e^2 - 348160*a^4 \\
& *b^8*c^{11}*d^{14}*e^3 + 1254400*a^4*b^9*c^{10}*d^{13}*e^4 - 2478080*a^4*b^{10}*c^9*d \\
& ^{12}*e^5 + 2867456*a^4*b^{11}*c^8*d^{11}*e^6 - 1862144*a^4*b^{12}*c^7*d^{10}*e^7 + 4 \\
& 90240*a^4*b^{13}*c^6*d^9*e^8 + 128000*a^4*b^{14}*c^5*d^8*e^9 - 108800*a^4*b^{15}* \\
& c^4*d^7*e^{10} + 13824*a^4*b^{16}*c^3*d^6*e^{11} + 2304*a^4*b^{17}*c^2*d^5*e^{12} - 1 \\
& 63840*a^5*b^5*c^{13}*d^{15}*e^2 + 1474560*a^5*b^6*c^{12}*d^{14}*e^3 - 5447680*a^5*b \\
& ^7*c^{11}*d^{13}*e^4 + 10588160*a^5*b^8*c^{10}*d^{12}*e^5 - 11166720*a^5*b^9*c^9*d^ \\
& ^{11}*e^6 + 5159936*a^5*b^{10}*c^8*d^{10}*e^7 + 1073920*a^5*b^{11}*c^7*d^9*e^8 - 227 \\
& 9680*a^5*b^{12}*c^6*d^8*e^9 + 770560*a^5*b^{13}*c^5*d^7*e^{10} + 33280*a^5*b^{14}*c \\
& ^4*d^6*e^{11} - 41216*a^5*b^{15}*c^3*d^5*e^{12} - 1280*a^5*b^{16}*c^2*d^4*e^{13} + 32 \\
& 7680*a^6*b^3*c^{14}*d^{15}*e^2 - 3276800*a^6*b^4*c^{13}*d^{14}*e^3 + 12615680*a^6*b \\
& ^5*c^{12}*d^{13}*e^4 - 23592960*a^6*b^6*c^{11}*d^{12}*e^5 + 19701760*a^6*b^7*c^{10}*d \\
& ^{11}*e^6 + 1372160*a^6*b^8*c^9*d^{10}*e^7 - 15846400*a^6*b^9*c^8*d^9*e^8 + 108 \\
& 64640*a^6*b^{10}*c^7*d^8*e^9 - 1352960*a^6*b^{11}*c^6*d^7*e^{10} - 1111040*a^6*b^ \\
& ^{12}*c^5*d^6*e^{11} + 273920*a^6*b^{13}*c^4*d^5*e^{12} + 25600*a^6*b^{14}*c^3*d^4*e^1 \\
& 3 - 1280*a^6*b^{15}*c^2*d^3*e^{14} + 3407872*a^7*b^2*c^{14}*d^{14}*e^3 - 14221312*a \\
& ^7*b^3*c^{13}*d^{13}*e^4 + 23527424*a^7*b^4*c^{12}*d^{12}*e^5 - 3768320*a^7*b^5*c^1 \\
& 1*d^{11}*e^6 - 38895616*a^7*b^6*c^{10}*d^{10}*e^7 + 50126848*a^7*b^7*c^9*d^9*e^8 \\
& - 18362368*a^7*b^8*c^8*d^8*e^9 - 6831104*a^7*b^9*c^7*d^7*e^{10} + 6200320*a^7 \\
& *b^{10}*c^6*d^6*e^{11} - 726784*a^7*b^{11}*c^5*d^5*e^{12} - 228608*a^7*b^{12}*c^4*d^4 \\
& *e^{13} + 31488*a^7*b^{13}*c^3*d^3*e^{14} + 2304*a^7*b^{14}*c^2*d^2*e^{15} - 3145728* \\
& a^8*b^2*c^{13}*d^{12}*e^5 - 31129600*a^8*b^3*c^{12}*d^{11}*e^6 + 74711040*a^8*b^4*c \\
& ^{11}*d^{10}*e^7 - 55476224*a^8*b^5*c^{10}*d^9*e^8 - 11075584*a^8*b^6*c^9*d^8*e^9 \\
& + 35381248*a^8*b^7*c^8*d^7*e^{10} - 14479360*a^8*b^8*c^7*d^6*e^{11} - 168960*a \\
& ^8*b^9*c^6*d^5*e^{12} + 1286144*a^8*b^{10}*c^5*d^4*e^{13} - 302336*a^8*b^{11}*c^4*d \\
& ^3*e^{14} - 55808*a^8*b^{12}*c^3*d^2*e^{15} - 36962304*a^9*b^2*c^{12}*d^{10}*e^7 - 95 \\
& 02720*a^9*b^3*c^{11}*d^9*e^8 + 67174400*a^9*b^4*c^{10}*d^8*e^9 - 54886400*a^9*b \\
& ^5*c^9*d^7*e^{10} + 11239424*a^9*b^6*c^8*d^6*e^{11} + 5545984*a^9*b^7*c^7*d^5*e \\
& ^{12} - 5263360*a^9*b^8*c^6*d^4*e^{13} + 1356800*a^9*b^9*c^5*d^3*e^{14} + 558080* \\
& a^9*b^{10}*c^4*d^2*e^{15} - 49807360*a^{10}*b^2*c^{11}*d^8*e^9 + 19333120*a^{10}*b^3* \\
& c^{10}*d^7*e^{10} + 7208960*a^{10}*b^4*c^9*d^6*e^{11} - 14974976*a^{10}*b^5*c^8*d^5*e \\
& ^{12} + 15073280*a^{10}*b^6*c^7*d^4*e^{13} - 2170880*a^{10}*b^7*c^6*d^3*e^{14} - 2928 \\
& 640*a^{10}*b^8*c^5*d^2*e^{15} - 11796480*a^{11}*b^2*c^{10}*d^6*e^{11} + 23920640*a^{11} \\
& *b^3*c^9*d^5*e^{12} - 24576000*a^{11}*b^4*c^8*d^4*e^{13} - 4096000*a^{11}*b^5*c^7*d \\
& ^3*e^{14} + 8355840*a^{11}*b^6*c^6*d^2*e^{15} + 12582912*a^{12}*b^2*c^9*d^4*e^{13} + \\
& 19857408*a^{12}*b^3*c^8*d^3*e^{14} - 11534336*a^{12}*b^4*c^7*d^2*e^{15} + 3407872*a \\
& ^{13}*b^2*c^8*d^2*e^{15} - 5505024*a^{14}*b*c^8*d*e^{16} - 262144*a^7*b*c^{15}*d^{15}*e \\
& ^2 + 5505024*a^8*b*c^{14}*d^{13}*e^4 - 1280*a^8*b^{13}*c^2*d*e^{16} + 25952256*a^9* \\
& b*c^{13}*d^{11}*e^6 + 30976*a^9*b^{11}*c^3*d*e^{16} + 38010880*a^{10}*b*c^{12}*d^9*e^8 \\
& - 312320*a^{10}*b^9*c^4*d*e^{16} + 11796480*a^{11}*b*c^{11}*d^7*e^{10} + 1679360*a^{11} \\
& *b^7*c^5*d*e^{16} - 21233664*a^{12}*b*c^{10}*d^5*e^{12} - 5079040*a^{12}*b^5*c^6*d*e^ \\
& ^{16} - 20709376*a^{13}*b*c^9*d^3*e^{14} + 8192000*a^{13}*b^3*c^7*d*e^{16}))/ (8*(a^6*b \\
& ^8*e^8 + 256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*
\end{aligned}$$

$$\begin{aligned}
& d^7 + a^2 b^8 c^4 d^8 - 16 a^3 b^6 c^5 d^8 + 96 a^4 b^4 c^6 d^8 - 256 a^5 b^2 c^7 d^8 + 96 a^8 b^4 c^2 e^8 - 256 a^9 b^2 c^3 e^8 + a^2 b^{12} d^4 e^4 \\
& - 4 a^3 b^{11} d^3 e^5 + 6 a^4 b^{10} d^2 e^6 + 1024 a^7 c^7 d^6 e^2 + 1536 a^8 c^6 d^4 e^4 + 1024 a^9 c^5 d^2 e^6 + 6 a^2 b^{10} c^2 d^6 e^2 - 92 a^3 b^8 c^3 d^6 e^2 \\
& + 52 a^3 b^9 c^2 d^5 e^3 + 512 a^4 b^6 c^4 d^6 e^2 - 192 a^4 b^7 c^3 d^5 e^3 - 90 a^4 b^8 c^2 d^4 e^4 - 1152 a^5 b^4 c^5 d^6 e^2 - 128 a^5 b^5 c^4 d^5 e^3 \\
& + 800 a^5 b^6 c^3 d^4 e^4 - 192 a^5 b^7 c^2 d^3 e^5 + 512 a^6 b^2 c^6 d^6 e^2 + 2048 a^6 b^3 c^5 d^5 e^3 - 2240 a^6 b^4 c^4 d^4 e^4 - 128 a^6 b^5 c^3 d^3 e^5 \\
& + 512 a^6 b^6 c^2 d^2 e^6 + 1536 a^7 b^2 c^5 d^4 e^4 + 2048 a^7 b^3 c^4 d^3 e^5 - 1152 a^7 b^4 c^3 d^2 e^6 + 512 a^8 b^2 c^4 d^2 e^6 - 1024 a^6 b^7 c^4 d^2 e^6 \\
& - 1024 a^6 b^8 c^3 d^2 e^6 + 64 a^6 b^7 c^4 d^2 e^6 + 64 a^6 b^7 c^4 d^2 e^6 - 1024 a^9 b^3 c^4 d^2 e^6 - 4 a^2 b^9 c^3 d^7 e - 4 a^2 b^{11} c^4 d^5 e^3 \\
& + 64 a^3 b^7 c^4 d^7 e - 4 a^3 b^{10} c^4 d^4 e^4 - 384 a^4 b^5 c^5 d^7 e + 52 a^4 b^9 c^3 d^3 e^5 + 1024 a^5 b^3 c^6 d^7 e - 92 a^5 b^8 c^4 d^2 e^6 \\
& - 3072 a^7 b^3 c^6 d^5 e^3 - 384 a^7 b^5 c^2 d^4 e^7 - 3072 a^8 b^3 c^3 d^4 e^7 + 1024 a^8 b^3 c^3 d^4 e^7)) * ((27 a^9 c^5 d^6 - b^{11} c^4 d^6 - b^{15} d^2 e^4 \\
& - 9 a^2 b^{13} e^6 + 3840 a^5 b^9 c^9 d^6 + 9 a^5 c^5 d^6 (-4 a^3 c - b^2)^9)^{1/2} + 213 a^3 b^{11} c^6 e^6 - 26880 a^8 b^6 c^6 e^6 \\
& + 3072 a^6 c^9 d^5 e + 35840 a^8 c^7 d^5 e^5 + 4 b^{12} c^3 d^5 e + 4 b^{14} c^3 d^3 e^3 - 288 a^2 b^7 c^6 d^6 + 1504 a^3 b^5 c^7 d^6 \\
& - 3840 a^4 b^3 c^8 d^6 - 9 a^2 b^4 e^6 (-4 a^3 c - b^2)^9)^{1/2} - 2077 a^4 b^9 c^2 e^6 + 10656 a^5 b^7 c^3 e^6 - 30240 a^6 b^5 c^4 e^6 \\
& + 44800 a^7 b^3 c^5 e^6 - 25 a^4 c^2 e^6 (-4 a^3 c - b^2)^9)^{1/2} - b^2 c^4 d^6 (-4 a^3 c - b^2)^9)^{1/2} + 2528 a^7 c^8 d^3 e^3 - b^6 d^2 e^4 (-4 a^3 c - b^2)^9)^{1/2} \\
& - 6 b^{13} c^2 d^4 e^2 + 6 a^2 b^{14} d^5 e^5 - 1471 a^2 b^9 c^4 d^4 e^2 + 600 a^2 b^{10} c^3 d^3 e^3 + 180 a^2 b^{11} c^2 d^2 e^4 + 6976 a^3 b^7 c^5 d^4 e^2 \\
& - 1032 a^3 b^8 c^4 d^3 e^3 - 2871 a^3 b^9 c^3 d^2 e^4 - 15456 a^4 b^5 c^6 d^4 e^2 - 7168 a^4 b^6 c^5 d^3 e^3 + 16896 a^4 b^7 c^4 d^2 e^4 \\
& + 10240 a^5 b^3 c^7 d^4 e^2 + 37632 a^5 b^4 c^6 d^3 e^3 - 47712 a^5 b^5 c^5 d^2 e^4 - 59392 a^6 b^2 c^7 d^3 e^3 + 60928 a^6 b^3 c^6 d^2 e^4 \\
& + 41 a^2 c^4 d^4 e^2 (-4 a^3 c - b^2)^9)^{1/2} + 39 a^3 c^3 d^2 e^4 (-4 a^3 c - b^2)^9)^{1/2} - 6 b^4 c^2 d^4 e^2 (-4 a^3 c - b^2)^9)^{1/2} \\
& + 6 a^2 b^5 d^5 e^5 (-4 a^3 c - b^2)^9)^{1/2} - 106 a^2 b^{10} c^4 d^5 e + 7 a^2 b^{13} c^4 d^2 e^4 - 128 a^2 b^{12} c^4 d^2 e^4 + 51 a^3 b^2 c^4 e^6 (-4 a^3 c - b^2)^9)^{1/2} \\
& + 150 a^2 b^{11} c^3 d^4 e^2 - 84 a^2 b^{12} c^2 d^3 e^3 + 1116 a^2 b^8 c^5 d^5 e - 5824 a^3 b^6 c^6 d^5 e + 1030 a^3 b^{10} c^2 d^5 e + 15232 a^4 b^4 c^7 d^5 e \\
& - 3492 a^4 b^8 c^3 d^5 e - 16896 a^5 b^2 c^8 d^5 e + 1344 a^5 b^6 c^4 d^5 e + 7424 a^6 b^3 c^8 d^4 e^2 + 22400 a^6 b^4 c^5 d^5 e - 23296 a^7 b^3 c^7 d^2 e^4 \\
& - 53760 a^7 b^2 c^6 d^5 e + 4 b^3 c^3 d^5 e (-4 a^3 c - b^2)^9)^{1/2} + 4 b^5 c^3 d^3 e^3 (-4 a^3 c - b^2)^9)^{1/2} - 11 a^2 b^4 c^3 d^2 e^4 \\
& (-4 a^3 c - b^2)^9)^{1/2} - 20 a^2 b^3 c^3 d^2 e^4 (-4 a^3 c - b^2)^9)^{1/2} - 86 a^3 b^3 c^2 d^2 e^4 (-4 a^3 c - b^2)^9)^{1/2} + 42 a^2 b^2 c^3 d^4 e^2 (-4 a^3 c - b^2)^9)^{1/2} \\
& - 12 a^2 b^3 c^2 d^3 e^3 (-4 a^3 c - b^2)^9)^{1/2} - 120 a^2 b^3 c^3 d^3 e^3 (-4 a^3 c - b^2)^9)^{1/2} - 34 a^2 b^3 c^4 d^5 e (-4 a^3 c - b^2)^9)^{1/2} \\
& + 108 a^2 b^2 c^2 d^2 e^4 (-4 a^3 c - b^2)^9)^{1/2} / (32 (a^7 b^{12} e^8 + 4096 a^9 c^{10} d^8 + 4096 a^{13} c^6 e^8 - 24 a^8 b^{10} c^4 e^8 - 4 a^6 b^{13} d^4 e^7 \\
& + a^3 b^{12} c^4 d^8 - 24 a^4 b^{10} c^5 d^8 + 240 a^5 b^8 c^6 d^8
\end{aligned}$$

$$\begin{aligned}
& 8 - 1280*a^6*b^6*c^7*d^8 + 3840*a^7*b^4*c^8*d^8 - 6144*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280*a^10*b^6*c^3*e^8 + 3840*a^11*b^4*c^4*e^8 - 6144*a^12*b^2*c^5*e^8 + a^3*b^16*d^4*e^4 - 4*a^4*b^15*d^3*e^5 + 6*a^5*b^14*d^2*e^6 \\
& + 16384*a^10*c^9*d^6*e^2 + 24576*a^11*c^8*d^4*e^4 + 16384*a^12*c^7*d^2*e^6 + 6*a^3*b^14*c^2*d^6*e^2 - 140*a^4*b^12*c^3*d^6*e^2 + 84*a^4*b^13*c^2*d^5*e^3 + 1344*a^5*b^10*c^4*d^6*e^2 - 672*a^5*b^11*c^3*d^5*e^3 - 42*a^5*b^12*c^2*d^4*e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 2240*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^10*c^3*d^4*e^4 - 672*a^6*b^11*c^2*d^3*e^5 + 17920*a^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 + 2240*a^7*b^9*c^3*d^3*e^5 + 1344*a^7*b^10*c^2*d^2*e^6 - 21504*a^8*b^4*c^7*d^6*e^2 - 21504*a^8*b^5*c^6*d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8*b^8*c^3*d^2*e^6 + 57344*a^9*b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 21504*a^9*b^5*c^5*d^3*e^5 + 17920*a^9*b^6*c^4*d^2*e^6 + 12288*a^10*b^2*c^7*d^4*e^4 + 57344*a^10*b^3*c^6*d^3*e^5 - 21504*a^10*b^4*c^5*d^2*e^6 + 96*a^7*b^11*c*d*e^7 - 16384*a^9*b*c^9*d^7*e - 16384*a^12*b*c^6*d*e^7 - 4*a^3*b^13*c^3*d^7*e - 4*a^3*b^15*c*d^5*e^3 + 96*a^4*b^11*c^4*d^7*e - 12*a^4*b^14*c*d^4*e^4 - 960*a^5*b^9*c^5*d^7*e + 84*a^5*b^13*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^12*c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^10*b*c^8*d^5*e^3 - 15360*a^10*b^5*c^4*d*e^7 - 49152*a^11*b*c^7*d^3*e^5 + 24576*a^11*b^3*c^5*d*e^7)))^(1/2) - (x*(626688*a^10*b*c^8*e^15 - 784384*a^10*c^9*d*e^14 + 208*a^4*b^13*c^2*e^15 - 4880*a^5*b^11*c^3*e^15 + 47312*a^6*b^9*c^4*e^15 - 242176*a^7*b^7*c^5*e^15 + 688640*a^8*b^5*c^6*e^15 - 1028096*a^9*b^3*c^7*e^15 + 18432*a^4*c^15*d^13*e^2 + 126976*a^5*c^14*d^11*e^4 + 325632*a^6*c^13*d^9*e^6 + 139264*a^7*c^12*d^7*e^8 - 1067008*a^8*c^11*d^5*e^10 - 1773568*a^9*c^10*d^3*e^12 + 16*b^8*c^11*d^13*e^2 - 96*b^9*c^10*d^12*e^3 + 240*b^10*c^9*d^11*e^4 - 304*b^11*c^8*d^10*e^5 + 144*b^12*c^7*d^9*e^6 + 144*b^13*c^6*d^8*e^7 - 304*b^14*c^5*d^7*e^8 + 240*b^15*c^4*d^6*e^9 - 96*b^16*c^3*d^5*e^10 + 16*b^17*c^2*d^4*e^11 + 3200*a^2*b^4*c^13*d^13*e^2 - 18432*a^2*b^5*c^12*d^12*e^3 + 41024*a^2*b^6*c^11*d^11*e^4 - 36352*a^2*b^7*c^10*d^10*e^5 - 16208*a^2*b^8*c^9*d^9*e^6 + 74576*a^2*b^9*c^8*d^8*e^7 - 78496*a^2*b^10*c^7*d^7*e^8 + 32064*a^2*b^11*c^6*d^6*e^9 + 6000*a^2*b^12*c^5*d^5*e^10 - 9264*a^2*b^13*c^4*d^4*e^11 + 1472*a^2*b^14*c^3*d^3*e^12 + 416*a^2*b^15*c^2*d^2*e^13 - 12800*a^3*b^2*c^14*d^13*e^2 + 73728*a^3*b^3*c^13*d^12*e^3 - 151296*a^3*b^4*c^12*d^11*e^4 + 78336*a^3*b^5*c^11*d^10*e^5 + 206688*a^3*b^6*c^10*d^9*e^6 - 436736*a^3*b^7*c^9*d^8*e^7 + 324224*a^3*b^8*c^8*d^7*e^8 + 992*a^3*b^9*c^7*d^6*e^9 - 158176*a^3*b^10*c^6*d^5*e^10 + 77056*a^3*b^11*c^5*d^4*e^11 + 6912*a^3*b^12*c^4*d^3*e^12 - 8416*a^3*b^13*c^3*d^2*e^13 + 162816*a^4*b^2*c^13*d^11*e^4 + 184320*a^4*b^3*c^12*d^10*e^5 - 916608*a^4*b^4*c^11*d^9*e^6 + 1165824*a^4*b^5*c^10*d^8*e^7 - 314496*a^4*b^6*c^9*d^7*e^8 - 822272*a^4*b^7*c^8*d^6*e^9 + 919152*a^4*b^8*c^7*d^5*e^10 - 175296*a^4*b^9*c^6*d^4*e^11 - 189328*a^4*b^10*c^5*d^3*e^12 + 62064*a^4*b^11*c^4*d^2*e^13 + 1290752*a^5*b^2*c^12*d^9*e^6 - 659456*a^5*b^3*c^11*d^8*e^7 - 1561088*a^5*b^4*c^10*d^7*e^8 + 3240960*a^5*b^5*c^9*d^6*e^9 - 1964192*a^5*b^6*c^8*d^5*e^10 - 683008*a^5*b^7*c^7*d^4*e^11 + 1162304*a^5*b^8*c^6*d^3*e^12 - 164112*a^5*b^9*c^5*d^2*e^13 + 3442688*a^6*b^2*c^11*d^7*e^8 - 3670016*a^6*b^3*c^10*d^
\end{aligned}$$

$$\begin{aligned}
&6e^9 + 15232a^6b^4c^9d^5e^{10} + 4230144a^6b^5c^8d^4e^{11} - 3059648 \\
&a^6b^6c^7d^3e^{12} - 247296a^6b^7c^6d^2e^{13} + 4010496a^7b^2c^{10} \\
&d^5e^{10} - 6873088a^7b^3c^9d^4e^{11} + 2822400a^7b^4c^8d^3e^{12} + 23 \\
&70048a^7b^5c^7d^2e^{13} + 1178624a^8b^2c^9d^3e^{12} - 4739072a^8b^3 \\
&c^8d^2e^{13} - 352a^8b^6c^{12}d^{13}e^2 + 2048a^8b^7c^{11}d^{12}e^3 - 4800a^8 \\
&b^8c^{10}d^{11}e^4 + 5168a^8b^9c^9d^{10}e^5 - 480a^8b^{10}c^8d^9e^6 - 600 \\
&0a^8b^{11}c^7d^8e^7 + 8192a^8b^{12}c^6d^7e^8 - 5040a^8b^{13}c^5d^6e^9 + \\
&1152a^8b^{14}c^4d^5e^{10} + 240a^8b^{15}c^3d^4e^{11} - 128a^8b^{16}c^2d^3e^{12} \\
&2 - 512a^8b^{17}c^1d^2e^{13} - 106496a^9b^4c^{14}d^{12}e^3 + 11680a^9b^5c^{13}d^{11}e^4 \\
&- 675840a^9b^6c^{12}d^{10}e^5 - 108288a^9b^7c^{11}d^9e^6 - 16015 \\
&36a^9b^8c^{10}d^8e^7 + 514768a^9b^9c^9d^7e^8 - 925696a^9b^{10}c^8d^6e^9 \\
&- 1278304a^9b^{11}c^7d^5e^{10} + 2457600a^9b^{12}c^6d^4e^{11} + 1385600a^9 \\
&b^{13}c^5d^3e^{12} + 2977792a^9b^{14}c^4d^2e^{13} + 19968a^9b^{15}c^3d^1e^{14}))/ \\
&(8(a^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^8e^8 - 4a^5 \\
&b^9d^8e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - \\
&256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12} \\
&d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + \\
&1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3 \\
&b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 - 192 \\
&a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - \\
&128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 \\
&+ 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4 \\
&e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5 \\
&d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2 \\
&>c^4d^2e^6 - 1024a^8b^5c^7d^7e + 64a^6b^7c^4d^7e - 1024a^9b^4 \\
&c^4d^7e - 4a^2b^9c^3d^7e - 4a^2b^{11}c^5d^5e^3 + 64a^3b^7c^4d^7e \\
&- 4a^3b^{10}c^4d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 + 102 \\
&4a^5b^3c^6d^7e - 92a^5b^8c^2d^2e^6 - 3072a^7b^5c^6d^5e^3 - 384a^7 \\
&b^5c^2d^5e^7 - 3072a^8b^3c^5d^3e^5 + 1024a^8b^3c^3d^3e^7))((27a^9 \\
&b^9c^5d^6 - b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^6c^9 \\
&d^6 + 9a^5c^5d^6(-4a^3c - b^2)^9)^{(1/2)} + 213a^3b^{11}c^6e^6 - 26880a^8 \\
&b^6c^6e^6 + 3072a^6c^9d^5e + 35840a^8c^7d^5e^5 + 4b^{12}c^3d^5e^5 \\
&+ 4b^{14}c^3d^3e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 - 3840a^4 \\
&b^3c^8d^6 - 9a^2b^4e^6(-4a^3c - b^2)^9)^{(1/2)} - 2077a^4b^9c^2e^6 \\
&+ 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 - \\
&25a^4c^2e^6(-4a^3c - b^2)^9)^{(1/2)} - b^2c^4d^6(-4a^3c - b^2)^9)^{(1/2)} \\
&+ 22528a^7c^8d^3e^3 - b^6d^2e^4(-4a^3c - b^2)^9)^{(1/2)} - 6b^{13} \\
&c^2d^4e^2 + 6a^8b^{14}d^5e^5 - 1471a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3 \\
&d^3e^3 + 180a^2b^{11}c^2d^2e^4 + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8 \\
&c^4d^3e^3 - 2871a^3b^9c^3d^2e^4 - 15456a^4b^5c^6d^4e^2 - 71 \\
&68a^4b^6c^5d^3e^3 + 16896a^4b^7c^4d^2e^4 + 10240a^5b^3c^7d^4e^2 \\
&+ 37632a^5b^4c^6d^3e^3 - 47712a^5b^5c^5d^2e^4 - 59392a^6b^2 \\
&c^7d^3e^3 + 60928a^6b^3c^6d^2e^4 + 41a^2c^4d^4e^2(-4a^3c - b^2)^9)^{(1/2)} \\
&+ 39a^3c^3d^2e^4(-4a^3c - b^2)^9)^{(1/2)} - 6b^4c^2d^4e^2 \\
&(-4a^3c - b^2)^9)^{(1/2)} + 6a^8b^5d^5e^5(-4a^3c - b^2)^9)^{(1/2)} - 106a^8 \\
\end{aligned}$$

$$\begin{aligned}
& a^6 b^{10} c^4 d^5 e + 7 a^5 b^{13} c^3 d^2 e^4 - 128 a^4 b^{12} c^2 d e^5 + 51 a^3 b^2 c^8 e^6 (-4 a c - b^2)^9)^{(1/2)} + 150 a^2 b^{11} c^3 d^4 e^2 - 84 a b^{12} c^2 d^3 e^3 + 1116 a^2 b^8 c^5 d^5 e - 5824 a^3 b^6 c^6 d^5 e + 1030 a^3 b^{10} c^2 d e^5 + 15232 a^4 b^4 c^7 d^5 e - 3492 a^4 b^8 c^3 d e^5 - 16896 a^5 b^2 c^8 d^5 e + 1344 a^5 b^6 c^4 d e^5 + 7424 a^6 b^3 c^8 d^4 e^2 + 22400 a^6 b^4 c^5 d e^5 - 23296 a^7 b^3 c^7 d^2 e^4 - 53760 a^7 b^2 c^6 d e^5 + 4 b^3 c^3 d^5 e e (-4 a c - b^2)^9)^{(1/2)} + 4 b^5 c^3 d^3 e^3 (-4 a c - b^2)^9)^{(1/2)} - 11 a^2 b^4 c^3 d^2 e^4 (-4 a c - b^2)^9)^{(1/2)} - 20 a^2 b^3 c^3 d e^5 (-4 a c - b^2)^9)^{(1/2)} - 86 a^3 b^2 c^2 d e^5 (-4 a c - b^2)^9)^{(1/2)} + 42 a^2 b^2 c^3 d^4 e^2 (-4 a c - b^2)^9)^{(1/2)} - 12 a^2 b^3 c^2 d^3 e^3 (-4 a c - b^2)^9)^{(1/2)} - 120 a^2 b^3 c^3 d^3 e^3 (-4 a c - b^2)^9)^{(1/2)} - 34 a^2 b^3 c^4 d^5 e e (-4 a c - b^2)^9)^{(1/2)} + 108 a^2 b^2 c^2 d^2 e^4 (-4 a c - b^2)^9)^{(1/2))} / (32 (a^7 b^{12} e^8 + 4096 a^9 c^{10} d^8 + 4096 a^{13} c^6 e^8 - 24 a^8 b^{10} c e^8 - 4 a^6 b^{13} d e^7 + a^3 b^{12} c^4 d^8 - 24 a^4 b^{10} c^5 d^8 + 240 a^5 b^8 c^6 d^8 - 1280 a^6 b^6 c^7 d^8 + 3840 a^7 b^4 c^8 d^8 - 6144 a^8 b^2 c^9 d^8 + 240 a^9 b^8 c^2 e^8 - 1280 a^{10} b^6 c^3 e^8 + 3840 a^{11} b^4 c^4 e^8 - 6144 a^{12} b^2 c^5 e^8 + a^3 b^{16} d^4 e^4 - 4 a^4 b^{15} d^3 e^5 + 6 a^5 b^{14} d^2 e^6 + 16384 a^{10} c^9 d^6 e^2 + 24576 a^{11} c^8 d^4 e^4 + 16384 a^{12} c^7 d^2 e^6 + 6 a^3 b^{14} c^2 d^6 e^2 - 140 a^4 b^{12} c^3 d^6 e^2 + 84 a^4 b^{13} c^2 d^5 e^3 + 1344 a^5 b^{10} c^4 d^6 e^2 - 672 a^5 b^{11} c^3 d^5 e^3 - 42 a^5 b^{12} c^2 d^4 e^4 - 6720 a^6 b^8 c^5 d^6 e^2 + 2240 a^6 b^9 c^4 d^5 e^3 + 1456 a^6 b^{10} c^3 d^4 e^4 - 672 a^6 b^{11} c^2 d^3 e^5 + 17920 a^7 b^6 c^6 d^6 e^2 - 10080 a^7 b^8 c^4 d^4 e^4 + 2240 a^7 b^9 c^3 d^3 e^5 + 1344 a^7 b^{10} c^2 d^2 e^6 - 21504 a^8 b^4 c^7 d^6 e^2 - 21504 a^8 b^5 c^6 d^5 e^3 + 32256 a^8 b^6 c^5 d^4 e^4 - 6720 a^8 b^8 c^3 d^2 e^6 + 57344 a^9 b^3 c^7 d^5 e^3 - 46592 a^9 b^4 c^6 d^4 e^4 - 21504 a^9 b^5 c^5 d^3 e^5 + 17920 a^9 b^6 c^4 d^2 e^6 + 12288 a^{10} b^2 c^7 d^4 e^4 + 57344 a^{10} b^3 c^6 d^3 e^5 - 21504 a^{10} b^4 c^5 d^2 e^6 + 96 a^7 b^{11} c^3 d e^7 - 16384 a^9 b^3 c^9 d^7 e - 16384 a^{12} b^3 c^6 d e^7 - 4 a^3 b^{13} c^3 d^7 e - 4 a^3 b^{15} c^3 d^5 e^3 + 96 a^4 b^{11} c^4 d^7 e - 12 a^4 b^{14} c^3 d^4 e^4 - 960 a^5 b^9 c^5 d^7 e + 84 a^5 b^{13} c^3 d^3 e^5 + 5120 a^6 b^7 c^6 d^7 e - 140 a^6 b^{12} c^3 d^2 e^6 - 15360 a^7 b^5 c^7 d^7 e + 24576 a^8 b^3 c^8 d^7 e - 960 a^8 b^9 c^2 d e^7 + 5120 a^9 b^7 c^3 d e^7 - 49152 a^{10} b^3 c^8 d^5 e^3 - 15360 a^{10} b^5 c^4 d e^7 - 49152 a^{11} b^3 c^7 d^3 e^5 + 24576 a^{11} b^3 c^5 d e^7))^{(1/2)} - (326912 a^8 c^9 d e^{13} - 241664 a^8 b^3 c^8 e^{14} - 48 a^2 b^{13} c^2 e^{14} + 1264 a^3 b^{11} c^3 e^{14} - 13552 a^4 b^9 c^4 e^{14} + 75776 a^5 b^7 c^5 e^{14} - 232960 a^6 b^5 c^6 e^{14} + 372736 a^7 b^3 c^7 e^{14} + 11520 a^3 c^{14} d^{11} e^3 + 78080 a^4 c^{13} d^9 e^5 + 197120 a^5 c^{12} d^7 e^7 + 336384 a^6 c^{11} d^5 e^9 + 532736 a^7 c^{10} d^3 e^{11} - 40 b^5 c^{12} d^{12} e^2 + 216 b^6 c^{11} d^{11} e^3 - 464 b^7 c^{10} d^{10} e^4 + 496 b^8 c^9 d^9 e^5 - 264 b^9 c^8 d^8 e^6 + 56 b^{10} c^7 d^7 e^7 - 16 b^{11} c^6 d^6 e^8 + 64 b^{12} c^5 d^5 e^9 - 96 b^{13} c^4 d^4 e^{10} + 64 b^{14} c^3 d^3 e^{11} - 16 b^{15} c^2 d^2 e^{12} + 1536 a^2 b^2 c^{13} d^{11} e^3 + 14400 a^2 b^3 c^{12} d^{10} e^4 - 47152 a^2 b^4 c^{11} d^9 e^5 + 52144 a^2 b^5 c^{10} d^8 e^6 - 16272 a^2 b^6 c^9 d^7 e^7 - 13040 a^2 b^7 c^8 d^6 e^8 + 23488 a^2 b^8 c^7 d^5 e^9 - 26384 a^2 b^9 c^6 d^4 e^{10} + 13824 a^2 b^{10} c^5 d^3 e^{11} + 256 a
\end{aligned}$$

$$\begin{aligned}
&^2*b^{11}*c^4*d^2*e^{12} + 125056*a^3*b^2*c^{12}*d^9*e^5 - 36224*a^3*b^3*c^{11}*d^8 \\
&*e^6 - 126432*a^3*b^4*c^{10}*d^7*e^7 + 144848*a^3*b^5*c^9*d^6*e^8 - 114752*a^3 \\
&*b^6*c^8*d^5*e^9 + 125392*a^3*b^7*c^7*d^4*e^{10} - 53248*a^3*b^8*c^6*d^3*e^{11} \\
&1 - 25264*a^3*b^9*c^5*d^2*e^{12} + 474112*a^4*b^2*c^{11}*d^7*e^7 - 191104*a^4*b \\
&^3*c^{10}*d^6*e^8 + 97184*a^4*b^4*c^9*d^5*e^9 - 277000*a^4*b^5*c^8*d^4*e^{10} + \\
&56056*a^4*b^6*c^7*d^3*e^{11} + 195584*a^4*b^7*c^6*d^2*e^{12} + 236800*a^5*b^2* \\
&c^{10}*d^5*e^9 + 388032*a^5*b^3*c^9*d^4*e^{10} + 159632*a^5*b^4*c^8*d^3*e^{11} - \\
&670488*a^5*b^5*c^7*d^2*e^{12} - 488960*a^6*b^2*c^9*d^3*e^{11} + 1106496*a^6*b^3* \\
&c^8*d^2*e^{12} + 64*a*b^{14}*c^2*d*e^{13} + 448*a*b^3*c^{13}*d^{12}*e^2 - 1968*a*b^4* \\
&c^{12}*d^{11}*e^3 + 2504*a*b^5*c^{11}*d^{10}*e^4 + 768*a*b^6*c^{10}*d^9*e^5 - 4368*a \\
&*b^7*c^9*d^8*e^6 + 3568*a*b^8*c^8*d^7*e^7 - 520*a*b^9*c^7*d^6*e^8 - 1728*a* \\
&b^{10}*c^6*d^5*e^9 + 2528*a*b^{11}*c^5*d^4*e^{10} - 1536*a*b^{12}*c^4*d^3*e^{11} + 24 \\
&0*a*b^{13}*c^3*d^2*e^{12} - 1152*a^2*b*c^{14}*d^{12}*e^2 - 1600*a^2*b^{12}*c^3*d*e^{13} \\
&- 67968*a^3*b*c^{13}*d^{10}*e^4 + 15808*a^3*b^{10}*c^4*d*e^{13} - 342272*a^4*b*c^1 \\
&2*d^8*e^6 - 76928*a^4*b^8*c^5*d*e^{13} - 569088*a^5*b*c^{11}*d^6*e^8 + 179200*a \\
&^5*b^6*c^6*d*e^{13} - 586368*a^6*b*c^{10}*d^4*e^{10} - 113008*a^6*b^4*c^7*d*e^{13} \\
&- 731008*a^7*b*c^9*d^2*e^{12} - 244096*a^7*b^2*c^8*d*e^{13})/(16*(a^6*b^8*e^8 + \\
&256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + \\
&a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7 \\
&*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 - 4*a^3* \\
&b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4 \\
&*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e \\
&^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5 \\
&*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4* \\
&d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c \\
&^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6* \\
&b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048 \\
&*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - \\
&1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b \\
&^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^{10}*c*d \\
&^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^ \\
&7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 \\
&- 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)))*((27*a*b^9*c^5*d^6 - \\
&b^{11}*c^4*d^6 - b^{15}*d^2*e^4 - 9*a^2*b^{13}*e^6 + 3840*a^5*b*c^9*d^6 + 9*a*c^5 \\
&*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 213*a^3*b^{11}*c*e^6 - 26880*a^8*b*c^6*e^6 + \\
&3072*a^6*c^9*d^5*e + 35840*a^8*c^7*d*e^5 + 4*b^{12}*c^3*d^5*e + 4*b^{14}*c*d^3* \\
&e^3 - 288*a^2*b^7*c^6*d^6 + 1504*a^3*b^5*c^7*d^6 - 3840*a^4*b^3*c^8*d^6 - 9 \\
&*a^2*b^4*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 2077*a^4*b^9*c^2*e^6 + 10656*a^5*b^ \\
&7*c^3*e^6 - 30240*a^6*b^5*c^4*e^6 + 44800*a^7*b^3*c^5*e^6 - 25*a^4*c^2*e^6* \\
&(-(4*a*c - b^2)^9)^{(1/2)} - b^2*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 22528*a^7 \\
&*c^8*d^3*e^3 - b^6*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*b^{13}*c^2*d^4*e^2 + \\
&6*a*b^{14}*d*e^5 - 1471*a^2*b^9*c^4*d^4*e^2 + 600*a^2*b^{10}*c^3*d^3*e^3 + 180* \\
&a^2*b^{11}*c^2*d^2*e^4 + 6976*a^3*b^7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4*d^3*e^3 \\
&- 2871*a^3*b^9*c^3*d^2*e^4 - 15456*a^4*b^5*c^6*d^4*e^2 - 7168*a^4*b^6*c^5*d \\
&^3*e^3 + 16896*a^4*b^7*c^4*d^2*e^4 + 10240*a^5*b^3*c^7*d^4*e^2 + 37632*a^5*
\end{aligned}$$

$$\begin{aligned}
& b^4 c^6 d^3 e^3 - 47712 a^5 b^5 c^5 d^2 e^4 - 59392 a^6 b^2 c^7 d^3 e^3 + 6 \\
& 0928 a^6 b^3 c^6 d^2 e^4 + 41 a^2 c^4 d^4 e^2 (-4 a c - b^2)^9)^{(1/2)} + 39 \\
& a^3 c^3 d^2 e^4 (-4 a c - b^2)^9)^{(1/2)} - 6 b^4 c^2 d^4 e^2 (-4 a c - b^2)^9)^{(1/2)} + 6 a b^5 d e^5 (-4 a c - b^2)^9)^{(1/2)} - 106 a b^{10} c^4 d^5 e^5 \\
& + 7 a b^{13} c d^2 e^4 - 128 a^2 b^{12} c d e^5 + 51 a^3 b^2 c e^6 (-4 a c - b^2)^9)^{(1/2)} + 150 a b^{11} c^3 d^4 e^2 - 84 a b^{12} c^2 d^3 e^3 + 1116 a^2 b \\
& ^8 c^5 d^5 e - 5824 a^3 b^6 c^6 d^5 e + 1030 a^3 b^{10} c^2 d e^5 + 15232 a^4 \\
& b^4 c^7 d^5 e - 3492 a^4 b^8 c^3 d e^5 - 16896 a^5 b^2 c^8 d^5 e + 1344 a^5 \\
& b^6 c^4 d e^5 + 7424 a^6 b c^8 d^4 e^2 + 22400 a^6 b^4 c^5 d e^5 - 23296 a^7 \\
& b c^7 d^2 e^4 - 53760 a^7 b^2 c^6 d e^5 + 4 b^3 c^3 d^5 e (-4 a c - b^2)^9)^{(1/2)} + 4 b^5 c d^3 e^3 (-4 a c - b^2)^9)^{(1/2)} - 11 a b^4 c d^2 e^4 \\
& (-4 a c - b^2)^9)^{(1/2)} - 20 a^2 b^3 c d e^5 (-4 a c - b^2)^9)^{(1/2)} - 8 \\
& 6 a^3 b c^2 d e^5 (-4 a c - b^2)^9)^{(1/2)} + 42 a b^2 c^3 d^4 e^2 (-4 a c - b^2)^9)^{(1/2)} - 12 a b^3 c^2 d^3 e^3 (-4 a c - b^2)^9)^{(1/2)} - 120 a^2 b \\
& c^3 d^3 e^3 (-4 a c - b^2)^9)^{(1/2)} - 34 a b c^4 d^5 e (-4 a c - b^2)^9)^{(1/2)} + 108 a^2 b^2 c^2 d^2 e^4 (-4 a c - b^2)^9)^{(1/2)} / (32 (a^7 b^{12} e^8 \\
& + 4096 a^9 c^{10} d^8 + 4096 a^{13} c^6 e^8 - 24 a^8 b^{10} c e^8 - 4 a^6 b^{13} \\
& d e^7 + a^3 b^{12} c^4 d^8 - 24 a^4 b^{10} c^5 d^8 + 240 a^5 b^8 c^6 d^8 - 1280 \\
& a^6 b^6 c^7 d^8 + 3840 a^7 b^4 c^8 d^8 - 6144 a^8 b^2 c^9 d^8 + 240 a^9 b^8 \\
& c^2 e^8 - 1280 a^{10} b^6 c^3 e^8 + 3840 a^{11} b^4 c^4 e^8 - 6144 a^{12} b^2 c^5 e^8 + a^3 b^{16} d^4 e^4 - 4 a^4 b^{15} d^3 e^5 + 6 a^5 b^{14} d^2 e^6 + 16384 \\
& a^{10} c^9 d^6 e^2 + 24576 a^{11} c^8 d^4 e^4 + 16384 a^{12} c^7 d^2 e^6 + 6 a^3 \\
& b^{14} c^2 d^6 e^2 - 140 a^4 b^{12} c^3 d^6 e^2 + 84 a^4 b^{13} c^2 d^5 e^3 + 13 \\
& 44 a^5 b^{10} c^4 d^6 e^2 - 672 a^5 b^{11} c^3 d^5 e^3 - 42 a^5 b^{12} c^2 d^4 e^4 - 6720 a^6 b^8 c^5 d^6 e^2 + 2240 a^6 b^9 c^4 d^5 e^3 + 1456 a^6 b^{10} c^3 \\
& d^4 e^4 - 672 a^6 b^{11} c^2 d^3 e^5 + 17920 a^7 b^6 c^6 d^6 e^2 - 10080 a^7 \\
& b^8 c^4 d^4 e^4 + 2240 a^7 b^9 c^3 d^3 e^5 + 1344 a^7 b^{10} c^2 d^2 e^6 - 2 \\
& 1504 a^8 b^4 c^7 d^6 e^2 - 21504 a^8 b^5 c^6 d^5 e^3 + 32256 a^8 b^6 c^5 d^4 \\
& e^4 - 6720 a^8 b^8 c^3 d^2 e^6 + 57344 a^9 b^3 c^7 d^5 e^3 - 46592 a^9 b^4 \\
& c^6 d^4 e^4 - 21504 a^9 b^5 c^5 d^3 e^5 + 17920 a^9 b^6 c^4 d^2 e^6 + 122 \\
& 88 a^{10} b^2 c^7 d^4 e^4 + 57344 a^{10} b^3 c^6 d^3 e^5 - 21504 a^{10} b^4 c^5 d^2 \\
& e^6 + 96 a^7 b^{11} c d e^7 - 16384 a^9 b c^9 d^7 e - 16384 a^{12} b c^6 d e^7 \\
& - 4 a^3 b^{13} c^3 d^7 e - 4 a^3 b^{15} c d^5 e^3 + 96 a^4 b^{11} c^4 d^7 e - \\
& 12 a^4 b^{14} c d^4 e^4 - 960 a^5 b^9 c^5 d^7 e + 84 a^5 b^{13} c d^3 e^5 + 512 \\
& 0 a^6 b^7 c^6 d^7 e - 140 a^6 b^{12} c d^2 e^6 - 15360 a^7 b^5 c^7 d^7 e + 24 \\
& 576 a^8 b^3 c^8 d^7 e - 960 a^8 b^9 c^2 d e^7 + 5120 a^9 b^7 c^3 d e^7 - 49 \\
& 152 a^{10} b c^8 d^5 e^3 - 15360 a^{10} b^5 c^4 d e^7 - 49152 a^{11} b c^7 d^3 e^5 \\
& + 24576 a^{11} b^3 c^5 d e^7))^{(1/2)} - (x*(22800 a^6 c^9 e^{13} + 36 a^2 b^8 \\
& c^5 e^{13} - 600 a^3 b^6 c^6 e^{13} + 4313 a^4 b^4 c^7 e^{13} - 15592 a^5 b^2 c^8 \\
& e^{13} + 1296 a^2 c^{13} d^8 e^5 + 9792 a^3 c^{12} d^6 e^7 + 30304 a^4 c^{11} d^4 \\
& e^9 + 40512 a^5 c^{10} d^2 e^{11} + 25 b^4 c^{11} d^8 e^5 - 120 b^5 c^{10} d^7 e^6 \\
& + 214 b^6 c^9 d^6 e^7 - 168 b^7 c^8 d^5 e^8 + 53 b^8 c^7 d^4 e^9 - 8 b^9 c^6 \\
& d^3 e^{10} + 4 b^{10} c^5 d^2 e^{11} + 6336 a^2 b^2 c^{11} d^6 e^7 + 3840 a^2 b^3 \\
& c^{10} d^5 e^8 - 8506 a^2 b^4 c^9 d^4 e^9 + 1112 a^2 b^5 c^8 d^3 e^{10} + 125 \\
& 4 a^2 b^6 c^7 d^2 e^{11} + 22224 a^3 b^2 c^{10} d^4 e^9 + 13824 a^3 b^3 c^9 d^3
\end{aligned}$$

$$\begin{aligned}
& e^{10} - 9516a^3b^4c^8d^2e^{11} + 11712a^4b^2c^9d^2e^{11} - 24a^5b^9c^5d^2e^{12} - 41088a^5b^3c^9d^2e^{12} - 360a^5b^2c^{12}d^8e^5 + 1664a^5b^3c^{11}d^7e^6 - 2604a^5b^4c^{10}d^6e^7 + 1272a^5b^5c^9d^5e^8 + 332a^5b^6c^8d^4e^9 - 232a^5b^7c^7d^3e^{10} - 48a^5b^8c^6d^2e^{11} - 5760a^5b^2c^{12}d^7e^6 + 416a^5b^3c^6d^2e^{12} - 32128a^5b^3c^{11}d^5e^8 - 4120a^5b^5c^7d^2e^{12} - 63360a^5b^3c^{10}d^3e^{10} + 21376a^5b^3c^8d^2e^{12}) / (8 * (a^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^2e^8 - 4a^5b^9d^2e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^3c^7d^7e + 64a^6b^7c^4d^7e - 1024a^9b^3c^4d^7e^7 - 4a^2b^9c^3d^7e - 4a^2b^{11}c^4d^7e - 4a^3b^7c^4d^7e - 4a^3b^{10}c^4d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^7e - 92a^5b^8c^2d^2e^6 - 3072a^7b^3c^6d^5e^3 - 384a^7b^5c^2d^2e^7 - 3072a^8b^3c^3d^2e^7)) * ((27a^5b^9c^5d^6 - b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^3c^9d^6 + 9a^5c^5d^6 * (-4a^3c - b^2)^9)^{(1/2)} + 213a^3b^{11}c^2e^6 - 26880a^8b^3c^6e^6 + 3072a^6c^9d^5e + 35840a^8c^7d^2e^5 + 4b^{12}c^3d^5e + 4b^{14}c^3d^3e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 - 3840a^4b^3c^8d^6 - 9a^2b^4e^6 * (-4a^3c - b^2)^9)^{(1/2)} - 2077a^4b^9c^2e^6 + 10656a^5b^7c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 - 25a^4c^2e^6 * (-4a^3c - b^2)^9)^{(1/2)} - b^2c^4d^6 * (-4a^3c - b^2)^9)^{(1/2)} + 22528a^7c^8d^3e^3 - b^6d^2e^4 * (-4a^3c - b^2)^9)^{(1/2)} - 6b^{13}c^2d^4e^2 + 6a^5b^{14}d^2e^5 - 1471a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3d^3e^3 + 180a^2b^{11}c^2d^2e^4 + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8c^4d^3e^3 - 2871a^3b^9c^3d^2e^4 - 15456a^4b^5c^6d^4e^2 - 7168a^4b^6c^5d^3e^3 + 16896a^4b^7c^4d^2e^4 + 10240a^5b^3c^7d^4e^2 + 37632a^5b^4c^6d^3e^3 - 47712a^5b^5c^5d^2e^4 - 59392a^6b^2c^7d^3e^3 + 60928a^6b^3c^6d^2e^4 + 41a^2c^4d^4e^2 * (-4a^3c - b^2)^9)^{(1/2)} + 39a^3c^3d^2e^4 * (-4a^3c - b^2)^9)^{(1/2)} - 6b^4c^2d^4e^2 * (-4a^3c - b^2)^9)^{(1/2)} + 6a^5b^5d^2e^5 * (-4a^3c - b^2)^9)^{(1/2)} - 106a^5b^{10}c^4d^5e + 7a^5b^{13}c^2d^2e^4 - 128a^2b^{12}c^2d^2e^5 + 51a^3b^2c^2e^6 * (-4a^3c - b^2)^9)^{(1/2)} + 150a^5b^{11}c^3d^4e^2 - 84a^5b^{12}c^2d^3e^3 + 1116a^2b^8c^5d^5e - 5824a^3b^6c^6d^5e + 1030a^3b^{10}c^2d^2e^5 + 15232a^4b^4c^7d^5e - 3492a^4b^8c^3d^2e^5 - 16896a^5b^2c^8d^5e + 1344a^5b^6c^4d^2e^5 + 7424a^6b^3c^8d^4e^2 + 22400a^6b^4c^5d^2e^5 - 23296a^7b^3c^7d^2e^4 - 53760a^7b^2c^6d^2e^5 + 4b^3c^3d^5e * (-4a^3c - b^2)^9)^{(1/2)} + 4b^5c^3d^3e^3 * (-4a^3c - b^2)^9)^{(1/2)} - 11a^5
\end{aligned}$$

$$\begin{aligned}
& b^4 * c * d^2 * e^4 * (- (4 * a * c - b^2)^9)^{(1/2)} - 20 * a^2 * b^3 * c * d * e^5 * (- (4 * a * c - b^2)^9)^{(1/2)} \\
& - 86 * a^3 * b * c^2 * d * e^5 * (- (4 * a * c - b^2)^9)^{(1/2)} + 42 * a * b^2 * c^3 * d^4 * e^2 * (- (4 * a * c - b^2)^9)^{(1/2)} \\
& - 12 * a * b^3 * c^2 * d^3 * e^3 * (- (4 * a * c - b^2)^9)^{(1/2)} - 120 * a^2 * b * c^3 * d^3 * e^3 * (- (4 * a * c - b^2)^9)^{(1/2)} \\
& - 34 * a * b * c^4 * d^5 * e * (- (4 * a * c - b^2)^9)^{(1/2)} + 108 * a^2 * b^2 * c^2 * d^2 * e^4 * (- (4 * a * c - b^2)^9)^{(1/2)} \\
& / (32 * (a^7 * b^12 * e^8 + 4096 * a^9 * c^10 * d^8 + 4096 * a^13 * c^6 * e^8 - 24 * a^8 * b^10 * c * e^8 \\
& - 4 * a^6 * b^13 * d * e^7 + a^3 * b^12 * c^4 * d^8 - 24 * a^4 * b^10 * c^5 * d^8 + 240 * a^5 * b^8 * c^6 * d^8 \\
& - 1280 * a^6 * b^6 * c^7 * d^8 + 3840 * a^7 * b^4 * c^8 * d^8 - 6144 * a^8 * b^2 * c^9 * d^8 + 240 * a^9 * b^8 * c^2 * e^8 \\
& - 1280 * a^10 * b^6 * c^3 * e^8 + 3840 * a^11 * b^4 * c^4 * e^8 - 6144 * a^12 * b^2 * c^5 * e^8 + a^3 * b^16 * d^4 * e^4 \\
& - 4 * a^4 * b^15 * d^3 * e^5 + 6 * a^5 * b^14 * d^2 * e^6 + 16384 * a^10 * c^9 * d^6 * e^2 + 24576 * a^11 * c^8 * d^4 * e^4 \\
& + 16384 * a^12 * c^7 * d^2 * e^6 + 6 * a^3 * b^14 * c^2 * d^6 * e^2 - 140 * a^4 * b^12 * c^3 * d^6 * e^2 + 84 * a^4 * b^13 * c^2 * d^5 * e^3 \\
& + 1344 * a^5 * b^10 * c^4 * d^6 * e^2 - 672 * a^5 * b^11 * c^3 * d^5 * e^3 - 42 * a^5 * b^12 * c^2 * d^4 * e^4 \\
& - 6720 * a^6 * b^8 * c^5 * d^6 * e^2 + 2240 * a^6 * b^9 * c^4 * d^5 * e^3 + 1456 * a^6 * b^10 * c^3 * d^4 * e^4 \\
& - 672 * a^6 * b^11 * c^2 * d^3 * e^5 + 17920 * a^7 * b^6 * c^6 * d^6 * e^2 - 10080 * a^7 * b^8 * c^4 * d^4 * e^4 \\
& + 2240 * a^7 * b^9 * c^3 * d^3 * e^5 + 1344 * a^7 * b^10 * c^2 * d^2 * e^6 - 21504 * a^8 * b^4 * c^7 * d^6 * e^2 \\
& - 21504 * a^8 * b^5 * c^6 * d^5 * e^3 + 32256 * a^8 * b^6 * c^5 * d^4 * e^4 - 6720 * a^8 * b^8 * c^3 * d^2 * e^6 \\
& + 57344 * a^9 * b^3 * c^7 * d^5 * e^3 - 46592 * a^9 * b^4 * c^6 * d^4 * e^4 - 21504 * a^9 * b^5 * c^5 * d^3 * e^5 \\
& + 17920 * a^9 * b^6 * c^4 * d^2 * e^6 + 12288 * a^10 * b^2 * c^7 * d^4 * e^4 + 57344 * a^10 * b^3 * c^6 * d^3 * e^5 \\
& - 21504 * a^10 * b^4 * c^5 * d^2 * e^6 + 96 * a^7 * b^11 * c * d * e^7 - 16384 * a^9 * b * c^9 * d^7 * e - 16384 * a^12 * b * c^6 * d * e^7 \\
& - 4 * a^3 * b^13 * c^3 * d^7 * e - 4 * a^3 * b^15 * c * d^5 * e^3 + 96 * a^4 * b^11 * c^4 * d^7 * e - 12 * a^4 * b^14 * c * d^4 * e^4 \\
& - 960 * a^5 * b^9 * c^5 * d^7 * e + 84 * a^5 * b^13 * c * d^3 * e^5 + 5120 * a^6 * b^7 * c^6 * d^7 * e - 140 * a^6 * b^12 * c * d^2 * e^6 \\
& - 15360 * a^7 * b^5 * c^7 * d^7 * e + 24576 * a^8 * b^3 * c^8 * d^7 * e - 960 * a^8 * b^9 * c^2 * d * e^7 + 5120 * a^9 * b^7 * c^3 * d * e^7 \\
& - 49152 * a^10 * b * c^8 * d^5 * e^3 - 15360 * a^10 * b^5 * c^4 * d * e^7 - 49152 * a^11 * b * c^7 * d^3 * e^5 \\
& + 24576 * a^11 * b^3 * c^5 * d * e^7))^{(1/2)} + (((((1048576 * a^13 * c^8 * e^16 + 256 * a^7 * b^12 * c^2 * e^16 \\
& - 6144 * a^8 * b^10 * c^3 * e^16 + 61440 * a^9 * b^8 * c^4 * e^16 - 327680 * a^10 * b^6 * c^5 * e^16 + 983040 * a^11 * b^4 * c^6 * e^16 \\
& - 1572864 * a^12 * b^2 * c^7 * e^16 - 196608 * a^6 * c^15 * d^14 * e^2 - 917504 * a^7 * c^14 * d^12 * e^4 - 589824 * a^8 * c^13 * d^10 * e^6 \\
& + 3932160 * a^9 * c^12 * d^8 * e^8 + 10158080 * a^10 * c^11 * d^6 * e^10 + 10616832 * a^11 * c^10 * d^4 * e^12 \\
& + 5308416 * a^12 * c^9 * d^2 * e^14 - 2816 * a^2 * b^8 * c^1 * d^14 * e^2 + 22656 * a^2 * b^9 * c^10 * d^13 * e^3 \\
& - 78848 * a^2 * b^10 * c^9 * d^12 * e^4 + 154112 * a^2 * b^11 * c^8 * d^11 * e^5 - 182784 * a^2 * b^12 * c^7 * d^10 * e^6 \\
& + 130816 * a^2 * b^13 * c^6 * d^9 * e^7 - 50176 * a^2 * b^14 * c^5 * d^8 * e^8 + 4608 * a^2 * b^15 * c^4 * d^7 * e^9 + 3328 * a^2 * b^16 * c^3 * d^6 * e^10 \\
& - 896 * a^2 * b^17 * c^2 * d^5 * e^11 + 24576 * a^3 * b^6 * c^12 * d^14 * e^2 - 198656 * a^3 * b^7 * c^11 * d^13 * e^3 \\
& + 684544 * a^3 * b^8 * c^10 * d^12 * e^4 - 1291520 * a^3 * b^9 * c^9 * d^11 * e^5 + 1403776 * a^3 * b^10 * c^8 * d^10 * e^6 - 798336 * a^3 * b^11 * c^7 * d^9 * e^7 \\
& + 89856 * a^3 * b^12 * c^6 * d^8 * e^8 + 155136 * a^3 * b^13 * c^5 * d^7 * e^9 - 77440 * a^3 * b^14 * c^4 * d^6 * e^10 \\
& + 5504 * a^3 * b^15 * c^3 * d^5 * e^11 + 2560 * a^3 * b^16 * c^2 * d^4 * e^12 - 106496 * a^4 * b^4 * c^13 * d^14 * e^2 \\
& + 864256 * a^4 * b^5 * c^12 * d^13 * e^3 - 2924544 * a^4 * b^6 * c^11 * d^12 * e^4 + 5181440 * a^4 * b^7 * c^10 * d^11 * e^5 - 4686080 * a^4 * b^8 * c^9 * d^10 * e^6 \\
& + 1045376 * a^4 * b^9 * c^8 * d^9 * e^7 + 1900544 * a^4 * b^10 * c^7 * d^8 * e^8 - 1732096 * a^4 * b^11 * c^6 * d^7 * e^9 \\
& + 390400 * a^4 * b^12 * c^5 * d^6 * e^10 + 112000 * a^4 * b^13 * c^4 * d^5 * e^11 - 40960 * a^4 * b^14 * c^3 * d^4 * e^12 \\
& - 3840 * a^4 * b^15 * c^2 * d^3 * e^13
\end{aligned}$$

$$\begin{aligned}
& ^{13} + 229376*a^5*b^2*c^{14}*d^{14}*e^2 - 1867776*a^5*b^3*c^{13}*d^{13}*e^3 + 607846 \\
& 4*a^5*b^4*c^{12}*d^{12}*e^4 - 9297920*a^5*b^5*c^{11}*d^{11}*e^5 + 4055040*a^5*b^6*c \\
& ^{10}*d^{10}*e^6 + 7788544*a^5*b^7*c^9*d^9*e^7 - 12657664*a^5*b^8*c^8*d^8*e^8 + \\
& 6130176*a^5*b^9*c^7*d^7*e^9 + 734080*a^5*b^{10}*c^6*d^6*e^{10} - 1442560*a^5*b \\
& ^{11}*c^5*d^5*e^{11} + 168960*a^5*b^{12}*c^4*d^4*e^{12} + 78080*a^5*b^{13}*c^3*d^3*e^{13} \\
& + 3200*a^5*b^{14}*c^2*d^2*e^{14} - 4587520*a^6*b^2*c^{13}*d^{12}*e^4 + 3080192*a \\
& ^6*b^3*c^{12}*d^{11}*e^5 + 12001280*a^6*b^4*c^{11}*d^{10}*e^6 - 31076352*a^6*b^5*c^{10} \\
& *d^9*e^7 + 27475968*a^6*b^6*c^9*d^8*e^8 - 2088960*a^6*b^7*c^8*d^7*e^9 - 1 \\
& 2205312*a^6*b^8*c^7*d^6*e^{10} + 6043520*a^6*b^9*c^6*d^5*e^{11} + 631808*a^6*b^{10} \\
& *c^5*d^4*e^{12} - 610304*a^6*b^{11}*c^4*d^3*e^{13} - 71936*a^6*b^{12}*c^3*d^2*e^{14} \\
& - 21725184*a^7*b^2*c^{12}*d^{10}*e^6 + 30801920*a^7*b^3*c^{11}*d^9*e^7 - 802816 \\
& 0*a^7*b^4*c^{10}*d^8*e^8 - 32260096*a^7*b^5*c^9*d^7*e^9 + 37101568*a^7*b^6*c^8 \\
& *d^6*e^{10} - 7182336*a^7*b^7*c^7*d^5*e^{11} - 7609856*a^7*b^8*c^6*d^4*e^{12} + \\
& 2112256*a^7*b^9*c^5*d^3*e^{13} + 661632*a^7*b^{10}*c^4*d^2*e^{14} - 30146560*a^8* \\
& b^2*c^{11}*d^8*e^8 + 55050240*a^8*b^3*c^{10}*d^7*e^9 - 34365440*a^8*b^4*c^9*d^6 \\
& *e^{10} - 16429056*a^8*b^5*c^8*d^5*e^{11} + 24600576*a^8*b^6*c^7*d^4*e^{12} - 168 \\
& 3456*a^8*b^7*c^6*d^3*e^{13} - 3151616*a^8*b^8*c^5*d^2*e^{14} - 10977280*a^9*b^2 \\
& *c^{10}*d^6*e^{10} + 47022080*a^9*b^3*c^9*d^5*e^{11} - 30621696*a^9*b^4*c^8*d^4*e \\
& ^{12} - 9232384*a^9*b^5*c^7*d^3*e^{13} + 7970816*a^9*b^6*c^6*d^2*e^{14} + 4325376 \\
& *a^{10}*b^2*c^9*d^4*e^{12} + 25493504*a^{10}*b^3*c^8*d^3*e^{13} - 9117696*a^{10}*b^4* \\
& c^7*d^2*e^{14} + 491520*a^{11}*b^2*c^8*d^2*e^{14} - 4947968*a^{12}*b*c^8*d*e^{15} + 1 \\
& 28*a*b^{10}*c^{10}*d^{14}*e^2 - 1024*a*b^{11}*c^9*d^{13}*e^3 + 3584*a*b^{12}*c^8*d^{12}*e \\
& ^4 - 7168*a*b^{13}*c^7*d^{11}*e^5 + 8960*a*b^{14}*c^6*d^{10}*e^6 - 7168*a*b^{15}*c^5* \\
& d^9*e^7 + 3584*a*b^{16}*c^4*d^8*e^8 - 1024*a*b^{17}*c^3*d^7*e^9 + 128*a*b^{18}*c^2 \\
& *d^6*e^{10} + 1605632*a^6*b*c^{14}*d^{13}*e^3 - 1408*a^6*b^{13}*c^2*d*e^{15} + 70123 \\
& 52*a^7*b*c^{13}*d^{11}*e^5 + 33152*a^7*b^{11}*c^3*d*e^{15} + 7045120*a^8*b*c^{12}*d^9 \\
& *e^7 - 324480*a^8*b^9*c^4*d*e^{15} - 9830400*a^9*b*c^{11}*d^7*e^9 + 1689600*a^9 \\
& *b^7*c^5*d*e^{15} - 25722880*a^{10}*b*c^{10}*d^5*e^{11} - 4935680*a^{10}*b^5*c^6*d*e^{15} \\
& - 19202048*a^{11}*b*c^9*d^3*e^{13} + 7667712*a^{11}*b^3*c^7*d*e^{15})/(16*(a^6*b \\
& ^8*e^8 + 256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9* \\
& d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5 \\
& *b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 \\
& - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8 \\
& *c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3*b^8*c^3 \\
& *d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7 \\
& *c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5* \\
& b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6 \\
& *b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - \\
& 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 \\
& + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2 \\
& *e^6 - 1024*a^8*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - \\
& 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3* \\
& b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3 \\
& *c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2 \\
& *d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)) + (x*((27*a*b^
\end{aligned}$$

$$\begin{aligned}
& 9*c^5*d^6 - b^{11}*c^4*d^6 - b^{15}*d^2*e^4 - 9*a^2*b^{13}*e^6 + 3840*a^5*b*c^9*d^6 \\
& + 9*a*c^5*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 213*a^3*b^{11}*c*e^6 - 26880*a^8* \\
& b*c^6*e^6 + 3072*a^6*c^9*d^5*e + 35840*a^8*c^7*d*e^5 + 4*b^{12}*c^3*d^5*e + 4 \\
& *b^{14}*c*d^3*e^3 - 288*a^2*b^7*c^6*d^6 + 1504*a^3*b^5*c^7*d^6 - 3840*a^4*b^3 \\
& *c^8*d^6 - 9*a^2*b^4*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - 2077*a^4*b^9*c^2*e^6 + \\
& 10656*a^5*b^7*c^3*e^6 - 30240*a^6*b^5*c^4*e^6 + 44800*a^7*b^3*c^5*e^6 - 25* \\
& a^4*c^2*e^6*(-(4*a*c - b^2)^9)^{(1/2)} - b^2*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 22528*a^7*c^8*d^3*e^3 - b^6*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*b^{13}*c^2 \\
& *d^4*e^2 + 6*a*b^{14}*d*e^5 - 1471*a^2*b^9*c^4*d^4*e^2 + 600*a^2*b^{10}*c^3*d^3 \\
& *e^3 + 180*a^2*b^{11}*c^2*d^2*e^4 + 6976*a^3*b^7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4 \\
& *d^3*e^3 - 2871*a^3*b^9*c^3*d^2*e^4 - 15456*a^4*b^5*c^6*d^4*e^2 - 7168*a^4 \\
& *b^6*c^5*d^3*e^3 + 16896*a^4*b^7*c^4*d^2*e^4 + 10240*a^5*b^3*c^7*d^4*e^2 \\
& + 37632*a^5*b^4*c^6*d^3*e^3 - 47712*a^5*b^5*c^5*d^2*e^4 - 59392*a^6*b^2*c^7 \\
& *d^3*e^3 + 60928*a^6*b^3*c^6*d^2*e^4 + 41*a^2*c^4*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 39*a^3*c^3*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*b^4*c^2*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 6*a*b^5*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 106*a*b^{10}*c^4*d^5*e + 7*a*b^{13}*c*d^2*e^4 \\
& - 128*a^2*b^{12}*c*d*e^5 + 51*a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + 150*a*b^{11}*c^3*d^4*e^2 \\
& - 84*a*b^{12}*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e - 5824*a^3*b^6*c^6*d^5*e + 1030*a^3*b^{10}*c^2*d*e^5 \\
& + 15232*a^4*b^4*c^7*d^5*e - 3492*a^4*b^8*c^3*d*e^5 - 16896*a^5*b^2*c^8*d^5*e \\
& + 1344*a^5*b^6*c^4*d*e^5 + 7424*a^6*b*c^8*d^4*e^2 + 22400*a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^7 \\
& *d^2*e^4 - 53760*a^7*b^2*c^6*d*e^5 + 4*b^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 4*b^5*c*d^3 \\
& *e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 20*a^2*b^3*c*d*e^5 \\
& *(-4*a*c - b^2)^9)^{(1/2)} - 86*a^3*b*c^2*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} + 42*a*b^2*c^3*d^4*e^2 \\
& *(-4*a*c - b^2)^9)^{(1/2)} - 12*a*b^3*c^2*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 120*a^2*b*c^3*d^3 \\
& *e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 34*a*b*c^4*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 108*a^2*b^2*c^2 \\
& *d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)))/(32*(a^7*b^{12}*e^8 + 4096*a^9*c^{10}*d^8 + 4096*a^{13}*c^6*e^8 - 24*a^8*b^{10}*c*e^8 - \\
& 4*a^6*b^{13}*d*e^7 + a^3*b^{12}*c^4*d^8 - 24*a^4*b^{10}*c^5*d^8 + 240*a^5*b^8*c^6*d^8 - 1280*a^6*b^6*c^7*d^8 \\
& + 3840*a^7*b^4*c^8*d^8 - 6144*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280*a^{10}*b^6*c^3*e^8 + 3840*a^{11}*b^4*c^4*e^8 - 614 \\
& 4*a^{12}*b^2*c^5*e^8 + a^3*b^{16}*d^4*e^4 - 4*a^4*b^{15}*d^3*e^5 + 6*a^5*b^{14}*d^2*e^6 + 16384*a^{10}*c^9*d^6*e^2 \\
& + 24576*a^{11}*c^8*d^4*e^4 + 16384*a^{12}*c^7*d^2*e^6 + 6*a^3*b^{14}*c^2*d^6*e^2 - 140*a^4*b^{12}*c^3*d^6*e^2 \\
& + 84*a^4*b^{13}*c^2*d^5*e^3 + 1344*a^5*b^{10}*c^4*d^6*e^2 - 672*a^5*b^{11}*c^3*d^5*e^3 - 42*a^5*b^{12}*c^2*d^4 \\
& *e^4 - 6720*a^6*b^8*c^5*d^6*e^2 + 2240*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^{10}*c^3*d^4*e^4 - 672*a^6*b^{11}*c^2*d^3 \\
& *e^5 + 17920*a^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 + 2240*a^7*b^9*c^3*d^3*e^5 + 1344*a^7*b^{10}*c^2 \\
& *d^2*e^6 - 21504*a^8*b^4*c^7*d^6*e^2 - 21504*a^8*b^5*c^6*d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8*b^8*c^3 \\
& *d^2*e^6 + 57344*a^9*b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 21504*a^9*b^5*c^5*d^3*e^5 + 17920*a^9*b^6*c^4*d^2 \\
& *e^6 + 12288*a^{10}*b^2*c^7*d^4*e^4 + 57344*a^{10}*b^3*c^6*d^3*e^5 - 21504*a^{10}*b^4*c^5*d^2*e^6 + 96*a^7*b^{11} \\
& *c*d*e^7 - 16384*a^9*b*c^9*d^7*e - 16384*a^{12}*b*c^6*d*e^7 - 4*a^3*b^{13}*c^3*d^7*e - 4*a^3*b^{15}*c*d^5*e^3 + 96*a^4*b^{11}
\end{aligned}$$

$$\begin{aligned}
& c^4*d^7*e - 12*a^4*b^14*c*d^4*e^4 - 960*a^5*b^9*c^5*d^7*e + 84*a^5*b^13*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7*e - 140*a^6*b^12*c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^10*b*c^8*d^5*e^3 - 15360*a^10*b^5*c^4*d*e^7 - 49152*a^11*b*c^7*d^3*e^5 + 24576*a^11*b^3*c^5*d*e^7))^{(1/2)}*(1048576*a^15*c^8*e^17 + 256*a^9*b^12*c^2*e^17 - 6144*a^10*b^10*c^3*e^17 + 61440*a^11*b^8*c^4*e^17 - 327680*a^12*b^6*c^5*e^17 + 983040*a^13*b^4*c^6*e^17 - 1572864*a^14*b^2*c^7*e^17 - 1048576*a^8*c^15*d^14*e^3 - 5242880*a^9*c^14*d^12*e^5 - 9437184*a^10*c^13*d^10*e^7 - 5242880*a^11*c^12*d^8*e^9 + 5242880*a^12*c^11*d^6*e^11 + 9437184*a^13*c^10*d^4*e^13 + 5242880*a^14*c^9*d^2*e^15 + 256*a^2*b^11*c^10*d^15*e^2 - 2048*a^2*b^12*c^9*d^14*e^3 + 7168*a^2*b^13*c^8*d^13*e^4 - 14336*a^2*b^14*c^7*d^12*e^5 + 17920*a^2*b^15*c^6*d^11*e^6 - 14336*a^2*b^16*c^5*d^10*e^7 + 7168*a^2*b^17*c^4*d^9*e^8 - 2048*a^2*b^18*c^3*d^8*e^9 + 256*a^2*b^19*c^2*d^7*e^10 - 5120*a^3*b^9*c^11*d^15*e^2 + 41984*a^3*b^10*c^10*d^14*e^3 - 148736*a^3*b^11*c^9*d^13*e^4 + 296192*a^3*b^12*c^8*d^12*e^5 - 359680*a^3*b^13*c^7*d^11*e^6 + 267520*a^3*b^14*c^6*d^10*e^7 - 112384*a^3*b^15*c^5*d^9*e^8 + 18176*a^3*b^16*c^4*d^8*e^9 + 3328*a^3*b^17*c^3*d^7*e^10 - 1280*a^3*b^18*c^2*d^6*e^11 + 40960*a^4*b^7*c^12*d^15*e^2 - 348160*a^4*b^8*c^11*d^14*e^3 + 1254400*a^4*b^9*c^10*d^13*e^4 - 2478080*a^4*b^10*c^9*d^12*e^5 + 2867456*a^4*b^11*c^8*d^11*e^6 - 1862144*a^4*b^12*c^7*d^10*e^7 + 490240*a^4*b^13*c^6*d^9*e^8 + 128000*a^4*b^14*c^5*d^8*e^9 - 108800*a^4*b^15*c^4*d^7*e^10 + 13824*a^4*b^16*c^3*d^6*e^11 + 2304*a^4*b^17*c^2*d^5*e^12 - 163840*a^5*b^5*c^13*d^15*e^2 + 1474560*a^5*b^6*c^12*d^14*e^3 - 5447680*a^5*b^7*c^11*d^13*e^4 + 10588160*a^5*b^8*c^10*d^12*e^5 - 11166720*a^5*b^9*c^9*d^11*e^6 + 5159936*a^5*b^10*c^8*d^10*e^7 + 1073920*a^5*b^11*c^7*d^9*e^8 - 2279680*a^5*b^12*c^6*d^8*e^9 + 770560*a^5*b^13*c^5*d^7*e^10 + 33280*a^5*b^14*c^4*d^6*e^11 - 41216*a^5*b^15*c^3*d^5*e^12 - 1280*a^5*b^16*c^2*d^4*e^13 + 327680*a^6*b^3*c^14*d^15*e^2 - 3276800*a^6*b^4*c^13*d^14*e^3 + 12615680*a^6*b^5*c^12*d^13*e^4 - 23592960*a^6*b^6*c^11*d^12*e^5 + 19701760*a^6*b^7*c^10*d^11*e^6 + 1372160*a^6*b^8*c^9*d^10*e^7 - 15846400*a^6*b^9*c^8*d^9*e^8 + 10864640*a^6*b^10*c^7*d^8*e^9 - 1352960*a^6*b^11*c^6*d^7*e^10 - 1111040*a^6*b^12*c^5*d^6*e^11 + 273920*a^6*b^13*c^4*d^5*e^12 + 25600*a^6*b^14*c^3*d^4*e^13 - 1280*a^6*b^15*c^2*d^3*e^14 + 3407872*a^7*b^2*c^14*d^14*e^3 - 14221312*a^7*b^3*c^13*d^13*e^4 + 23527424*a^7*b^4*c^12*d^12*e^5 - 3768320*a^7*b^5*c^11*d^11*e^6 - 38895616*a^7*b^6*c^10*d^10*e^7 + 50126848*a^7*b^7*c^9*d^9*e^8 - 18362368*a^7*b^8*c^8*d^8*e^9 - 6831104*a^7*b^9*c^7*d^7*e^10 + 6200320*a^7*b^10*c^6*d^6*e^11 - 726784*a^7*b^11*c^5*d^5*e^12 - 228608*a^7*b^12*c^4*d^4*e^13 + 31488*a^7*b^13*c^3*d^3*e^14 + 2304*a^7*b^14*c^2*d^2*e^15 - 3145728*a^8*b^2*c^13*d^12*e^5 - 31129600*a^8*b^3*c^12*d^11*e^6 + 74711040*a^8*b^4*c^11*d^10*e^7 - 55476224*a^8*b^5*c^10*d^9*e^8 - 11075584*a^8*b^6*c^9*d^8*e^9 + 35381248*a^8*b^7*c^8*d^7*e^10 - 14479360*a^8*b^8*c^7*d^6*e^11 - 168960*a^8*b^9*c^6*d^5*e^12 + 1286144*a^8*b^10*c^5*d^4*e^13 - 302336*a^8*b^11*c^4*d^3*e^14 - 55808*a^8*b^12*c^3*d^2*e^15 - 36962304*a^9*b^2*c^12*d^10*e^7 - 9502720*a^9*b^3*c^11*d^9*e^8 + 67174400*a^9*b^4*c^10*d^8*e^9 - 54886400*a^9*b^5*c^9*d^7*e^10 + 11239424*a^9*b^6*c^8*d^6*e^11 + 5545984*a^9*b^7*c^7*d^5*e^12 - 5263360*a^
\end{aligned}$$

$$\begin{aligned}
& 9*b^8*c^6*d^4*e^13 + 1356800*a^9*b^9*c^5*d^3*e^14 + 558080*a^9*b^10*c^4*d^2 \\
& *e^15 - 49807360*a^10*b^2*c^11*d^8*e^9 + 19333120*a^10*b^3*c^10*d^7*e^10 + \\
& 7208960*a^10*b^4*c^9*d^6*e^11 - 14974976*a^10*b^5*c^8*d^5*e^12 + 15073280*a \\
& ^10*b^6*c^7*d^4*e^13 - 2170880*a^10*b^7*c^6*d^3*e^14 - 2928640*a^10*b^8*c^5 \\
& *d^2*e^15 - 11796480*a^11*b^2*c^10*d^6*e^11 + 23920640*a^11*b^3*c^9*d^5*e^1 \\
& 2 - 24576000*a^11*b^4*c^8*d^4*e^13 - 4096000*a^11*b^5*c^7*d^3*e^14 + 835584 \\
& 0*a^11*b^6*c^6*d^2*e^15 + 12582912*a^12*b^2*c^9*d^4*e^13 + 19857408*a^12*b^ \\
& 3*c^8*d^3*e^14 - 11534336*a^12*b^4*c^7*d^2*e^15 + 3407872*a^13*b^2*c^8*d^2* \\
& e^15 - 5505024*a^14*b*c^8*d*e^16 - 262144*a^7*b*c^15*d^15*e^2 + 5505024*a^8 \\
& *b*c^14*d^13*e^4 - 1280*a^8*b^13*c^2*d*e^16 + 25952256*a^9*b*c^13*d^11*e^6 \\
& + 30976*a^9*b^11*c^3*d*e^16 + 38010880*a^10*b*c^12*d^9*e^8 - 312320*a^10*b^ \\
& 9*c^4*d*e^16 + 11796480*a^11*b*c^11*d^7*e^10 + 1679360*a^11*b^7*c^5*d*e^16 \\
& - 21233664*a^12*b*c^10*d^5*e^12 - 5079040*a^12*b^5*c^6*d*e^16 - 20709376*a^ \\
& 13*b*c^9*d^3*e^14 + 8192000*a^13*b^3*c^7*d*e^16))/((8*(a^6*b^8*e^8 + 256*a^6 \\
& *c^8*d^8 + 256*a^10*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8* \\
& c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 9 \\
& 6*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^12*d^4*e^4 - 4*a^3*b^11*d^3 \\
& *e^5 + 6*a^4*b^10*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1 \\
& 024*a^9*c^5*d^2*e^6 + 6*a^2*b^10*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52* \\
& a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 9 \\
& 0*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 \\
& + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e \\
& ^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3* \\
& d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3 \\
& *c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^ \\
& 6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d \\
& ^7*e - 4*a^2*b^11*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^10*c*d^4*e^4 - \\
& 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92 \\
& *a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072* \\
& a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)))*((27*a*b^9*c^5*d^6 - b^11*c^4 \\
& *d^6 - b^15*d^2*e^4 - 9*a^2*b^13*e^6 + 3840*a^5*b*c^9*d^6 + 9*a*c^5*d^6*(-(\\
& 4*a*c - b^2)^9)^(1/2) + 213*a^3*b^11*c*e^6 - 26880*a^8*b*c^6*e^6 + 3072*a^6 \\
& *c^9*d^5*e + 35840*a^8*c^7*d*e^5 + 4*b^12*c^3*d^5*e + 4*b^14*c*d^3*e^3 - 28 \\
& 8*a^2*b^7*c^6*d^6 + 1504*a^3*b^5*c^7*d^6 - 3840*a^4*b^3*c^8*d^6 - 9*a^2*b^4 \\
& *e^6*(-(4*a*c - b^2)^9)^(1/2) - 2077*a^4*b^9*c^2*e^6 + 10656*a^5*b^7*c^3*e^ \\
& 6 - 30240*a^6*b^5*c^4*e^6 + 44800*a^7*b^3*c^5*e^6 - 25*a^4*c^2*e^6*(-(4*a*c \\
& - b^2)^9)^(1/2) - b^2*c^4*d^6*(-(4*a*c - b^2)^9)^(1/2) + 22528*a^7*c^8*d^3 \\
& *e^3 - b^6*d^2*e^4*(-(4*a*c - b^2)^9)^(1/2) - 6*b^13*c^2*d^4*e^2 + 6*a*b^14 \\
& *d*e^5 - 1471*a^2*b^9*c^4*d^4*e^2 + 600*a^2*b^10*c^3*d^3*e^3 + 180*a^2*b^11 \\
& *c^2*d^2*e^4 + 6976*a^3*b^7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4*d^3*e^3 - 2871*a \\
& ^3*b^9*c^3*d^2*e^4 - 15456*a^4*b^5*c^6*d^4*e^2 - 7168*a^4*b^6*c^5*d^3*e^3 + \\
& 16896*a^4*b^7*c^4*d^2*e^4 + 10240*a^5*b^3*c^7*d^4*e^2 + 37632*a^5*b^4*c^6* \\
& d^3*e^3 - 47712*a^5*b^5*c^5*d^2*e^4 - 59392*a^6*b^2*c^7*d^3*e^3 + 60928*a^6 \\
& *b^3*c^6*d^2*e^4 + 41*a^2*c^4*d^4*e^2*(-(4*a*c - b^2)^9)^(1/2) + 39*a^3*c^3 \\
& *d^2*e^4*(-(4*a*c - b^2)^9)^(1/2) - 6*b^4*c^2*d^4*e^2*(-(4*a*c - b^2)^9)^(1
\end{aligned}$$

$$\begin{aligned}
& /2) + 6*a*b^5*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 106*a*b^{10}*c^4*d^5*e + 7*a*b \\
& ^{13}*d^2*e^4 - 128*a^2*b^{12}*c*d*e^5 + 51*a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 150*a*b^{11}*c^3*d^4*e^2 - 84*a*b^{12}*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d \\
& ^5*e - 5824*a^3*b^6*c^6*d^5*e + 1030*a^3*b^{10}*c^2*d*e^5 + 15232*a^4*b^4*c^7 \\
& *d^5*e - 3492*a^4*b^8*c^3*d*e^5 - 16896*a^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^ \\
& 4*d*e^5 + 7424*a^6*b*c^8*d^4*e^2 + 22400*a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^ \\
& 7*d^2*e^4 - 53760*a^7*b^2*c^6*d*e^5 + 4*b^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 4*b^5*c*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 11*a*b^4*c*d^2*e^4*(-(4*a*c \\
& - b^2)^9)^{(1/2)} - 20*a^2*b^3*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 86*a^3*b* \\
& c^2*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} + 42*a*b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9 \\
&)^{(1/2)} - 12*a*b^3*c^2*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 120*a^2*b*c^3*d^3 \\
& *e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 34*a*b*c^4*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 108*a^2*b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^7*b^{12}*e^8 + 4096 \\
& *a^9*c^{10}*d^8 + 4096*a^{13}*c^6*e^8 - 24*a^8*b^{10}*c*e^8 - 4*a^6*b^{13}*d*e^7 + \\
& a^3*b^{12}*c^4*d^8 - 24*a^4*b^{10}*c^5*d^8 + 240*a^5*b^8*c^6*d^8 - 1280*a^6*b^6 \\
& *c^7*d^8 + 3840*a^7*b^4*c^8*d^8 - 6144*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^ \\
& 8 - 1280*a^{10}*b^6*c^3*e^8 + 3840*a^{11}*b^4*c^4*e^8 - 6144*a^{12}*b^2*c^5*e^8 + \\
& a^3*b^{16}*d^4*e^4 - 4*a^4*b^{15}*d^3*e^5 + 6*a^5*b^{14}*d^2*e^6 + 16384*a^{10}*c^ \\
& 9*d^6*e^2 + 24576*a^{11}*c^8*d^4*e^4 + 16384*a^{12}*c^7*d^2*e^6 + 6*a^3*b^{14}*c^ \\
& 2*d^6*e^2 - 140*a^4*b^{12}*c^3*d^6*e^2 + 84*a^4*b^{13}*c^2*d^5*e^3 + 1344*a^5*b \\
& ^{10}*c^4*d^6*e^2 - 672*a^5*b^{11}*c^3*d^5*e^3 - 42*a^5*b^{12}*c^2*d^4*e^4 - 6720 \\
& *a^6*b^8*c^5*d^6*e^2 + 2240*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^{10}*c^3*d^4*e^4 \\
& - 672*a^6*b^{11}*c^2*d^3*e^5 + 17920*a^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4 \\
& *d^4*e^4 + 2240*a^7*b^9*c^3*d^3*e^5 + 1344*a^7*b^{10}*c^2*d^2*e^6 - 21504*a^8 \\
& *b^4*c^7*d^6*e^2 - 21504*a^8*b^5*c^6*d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - \\
& 6720*a^8*b^8*c^3*d^2*e^6 + 57344*a^9*b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^ \\
& 4*e^4 - 21504*a^9*b^5*c^5*d^3*e^5 + 17920*a^9*b^6*c^4*d^2*e^6 + 12288*a^{10} \\
& b^2*c^7*d^4*e^4 + 57344*a^{10}*b^3*c^6*d^3*e^5 - 21504*a^{10}*b^4*c^5*d^2*e^6 + \\
& 96*a^7*b^{11}*c*d*e^7 - 16384*a^9*b*c^9*d^7*e - 16384*a^{12}*b*c^6*d*e^7 - 4*a \\
& ^3*b^{13}*c^3*d^7*e - 4*a^3*b^{15}*c*d^5*e^3 + 96*a^4*b^{11}*c^4*d^7*e - 12*a^4*b \\
& ^{14}*c*d^4*e^4 - 960*a^5*b^9*c^5*d^7*e + 84*a^5*b^{13}*c*d^3*e^5 + 5120*a^6*b^ \\
& 7*c^6*d^7*e - 140*a^6*b^{12}*c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24576*a^8* \\
& b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^{10} \\
& *b*c^8*d^5*e^3 - 15360*a^{10}*b^5*c^4*d*e^7 - 49152*a^{11}*b*c^7*d^3*e^5 + 2457 \\
& 6*a^{11}*b^3*c^5*d*e^7))^{(1/2)} + (x*(626688*a^{10}*b*c^8*e^{15} - 784384*a^{10}*c^ \\
& 9*d*e^{14} + 208*a^4*b^{13}*c^2*e^{15} - 4880*a^5*b^{11}*c^3*e^{15} + 47312*a^6*b^9*c \\
& ^4*e^{15} - 242176*a^7*b^7*c^5*e^{15} + 688640*a^8*b^5*c^6*e^{15} - 1028096*a^9*b \\
& ^3*c^7*e^{15} + 18432*a^4*c^{15}*d^{13}*e^2 + 126976*a^5*c^{14}*d^{11}*e^4 + 325632*a \\
& ^6*c^{13}*d^9*e^6 + 139264*a^7*c^{12}*d^7*e^8 - 1067008*a^8*c^{11}*d^5*e^{10} - 177 \\
& 3568*a^9*c^{10}*d^3*e^{12} + 16*b^8*c^{11}*d^{13}*e^2 - 96*b^9*c^{10}*d^{12}*e^3 + 240* \\
& b^{10}*c^9*d^{11}*e^4 - 304*b^{11}*c^8*d^{10}*e^5 + 144*b^{12}*c^7*d^9*e^6 + 144*b^{13} \\
& *c^6*d^8*e^7 - 304*b^{14}*c^5*d^7*e^8 + 240*b^{15}*c^4*d^6*e^9 - 96*b^{16}*c^3*d^ \\
& 5*e^{10} + 16*b^{17}*c^2*d^4*e^{11} + 3200*a^2*b^4*c^{13}*d^{13}*e^2 - 18432*a^2*b^5* \\
& c^{12}*d^{12}*e^3 + 41024*a^2*b^6*c^{11}*d^{11}*e^4 - 36352*a^2*b^7*c^{10}*d^{10}*e^5 - \\
& 16208*a^2*b^8*c^9*d^9*e^6 + 74576*a^2*b^9*c^8*d^8*e^7 - 78496*a^2*b^{10}*c^7
\end{aligned}$$

$$\begin{aligned}
& *d^7e^8 + 32064a^2b^{11}c^6d^6e^9 + 6000a^2b^{12}c^5d^5e^{10} - 9264a^2b^{13}c^4d^4e^{11} + 1472a^2b^{14}c^3d^3e^{12} + 416a^2b^{15}c^2d^2e^{13} \\
& - 12800a^3b^2c^{14}d^{13}e^2 + 73728a^3b^3c^{13}d^{12}e^3 - 151296a^3b^4c^{12}d^{11}e^4 + 78336a^3b^5c^{11}d^{10}e^5 + 206688a^3b^6c^{10}d^9e^6 \\
& - 436736a^3b^7c^9d^8e^7 + 324224a^3b^8c^8d^7e^8 + 992a^3b^9c^7d^6e^9 - 158176a^3b^{10}c^6d^5e^{10} + 77056a^3b^{11}c^5d^4e^{11} + \\
& 6912a^3b^{12}c^4d^3e^{12} - 8416a^3b^{13}c^3d^2e^{13} + 162816a^4b^2c^{13}d^{11}e^4 + 184320a^4b^3c^{12}d^{10}e^5 - 916608a^4b^4c^{11}d^9e^6 + \\
& 1165824a^4b^5c^{10}d^8e^7 - 314496a^4b^6c^9d^7e^8 - 822272a^4b^7c^8d^6e^9 + 919152a^4b^8c^7d^5e^{10} - 175296a^4b^9c^6d^4e^{11} - \\
& 189328a^4b^{10}c^5d^3e^{12} + 62064a^4b^{11}c^4d^2e^{13} + 1290752a^5b^2c^{12}d^9e^6 - 659456a^5b^3c^{11}d^8e^7 - 1561088a^5b^4c^{10}d^7e^8 \\
& + 3240960a^5b^5c^9d^6e^9 - 1964192a^5b^6c^8d^5e^{10} - 683008a^5b^7c^7d^4e^{11} + 1162304a^5b^8c^6d^3e^{12} - 164112a^5b^9c^5d^2e^{13} \\
& + 3442688a^6b^2c^{11}d^7e^8 - 3670016a^6b^3c^{10}d^6e^9 + 15232a^6b^4c^9d^5e^{10} + 4230144a^6b^5c^8d^4e^{11} - 3059648a^6b^6c^7d^3e^{12} \\
& - 247296a^6b^7c^6d^2e^{13} + 4010496a^7b^2c^{10}d^5e^{10} - 6873088a^7b^3c^9d^4e^{11} + 2822400a^7b^4c^8d^3e^{12} + 2370048a^7b^5c^7d^2e^{13} \\
& + 1178624a^8b^2c^9d^3e^{12} - 4739072a^8b^3c^8d^2e^{13} - 352a^8b^6c^{12}d^{13}e^2 + 2048a^8b^7c^{11}d^{12}e^3 - 4800a^8b^8c^{10}d^{11}e^4 \\
& + 5168a^8b^9c^9d^{10}e^5 - 480a^8b^{10}c^8d^9e^6 - 6000a^8b^{11}c^7d^8e^7 + 8192a^8b^{12}c^6d^7e^8 - 5040a^8b^{13}c^5d^6e^9 + 1152a^8b^{14}c^4d^5e^{10} \\
& + 240a^8b^{15}c^3d^4e^{11} - 128a^8b^{16}c^2d^3e^{12} - 512a^8b^{14}c^2d^2e^{14} - 106496a^4b^6c^{14}d^{12}e^3 + 11680a^4b^{12}c^3d^2e^{14} - 675840a^5b^6c^{13}d^{10}e^5 \\
& - 108288a^5b^{10}c^4d^2e^{14} - 1601536a^6b^6c^{12}d^8e^7 + 514768a^6b^8c^5d^2e^{14} - 925696a^7b^6c^{11}d^6e^9 - 1278304a^7b^6c^6d^2e^{14} \\
& + 2457600a^8b^6c^{10}d^4e^{11} + 1385600a^8b^4c^7d^2e^{14} + 2977792a^9b^6c^9d^2e^{13} + 19968a^9b^2c^8d^2e^{14}))/ (8*(a^6b^8e^8 + \\
& 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^8e^8 - 4a^5b^9d^2e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256a^5b^2c^7d^8 \\
& + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 \\
& + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 \\
& - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 \\
& + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^6c^7d^7e + 64a^6b^7c^4d^7e \\
& - 1024a^9b^6c^4d^7e - 4a^2b^9c^3d^7e - 4a^2b^{11}c^5d^5e^3 + 64a^3b^7c^4d^7e - 4a^3b^{10}c^4d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 \\
& + 1024a^5b^3c^6d^7e - 92a^5b^8c^2d^2e^6 - 3072a^7b^6c^6d^5e^3 - 384a^7b^5c^2d^2e^7 - 3072a^8b^6c^5d^3e^5 + 1024a^8b^3c^3d^2e^7)) * ((27a^8b^9c^5d^6 - \\
& b^{11}c^4d^6 - b^{15}d^2e^4 - 9a^2b^{13}e^6 + 3840a^5b^6c^9d^6 + 9a^8c^5
\end{aligned}$$

$$\begin{aligned}
& d^6 \cdot (-4ac - b^2)^9)^{1/2} + 213a^3b^{11}c^5e^6 - 26880a^8b^8c^6e^6 + \\
& 3072a^6c^9d^5e + 35840a^8c^7d^5e^5 + 4b^{12}c^3d^5e + 4b^{14}c^3d^3e^3 \\
& e^3 - 288a^2b^7c^6d^6 + 1504a^3b^5c^7d^6 - 3840a^4b^3c^8d^6 - 9 \\
& a^2b^4e^6 \cdot (-4ac - b^2)^9)^{1/2} - 2077a^4b^9c^2e^6 + 10656a^5b^7 \\
& c^3e^6 - 30240a^6b^5c^4e^6 + 44800a^7b^3c^5e^6 - 25a^4c^2e^6 \cdot \\
& (-4ac - b^2)^9)^{1/2} - b^2c^4d^6 \cdot (-4ac - b^2)^9)^{1/2} + 22528a^7 \\
& c^8d^3e^3 - b^6d^2e^4 \cdot (-4ac - b^2)^9)^{1/2} - 6b^{13}c^2d^4e^2 + \\
& 6ab^{14}d^5e - 1471a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3d^3e^3 + 180a^2 \\
& b^{11}c^2d^2e^4 + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8c^4d^3e^3 \\
& - 2871a^3b^9c^3d^2e^4 - 15456a^4b^5c^6d^4e^2 - 7168a^4b^6c^5d^3 \\
& e^3 + 16896a^4b^7c^4d^2e^4 + 10240a^5b^3c^7d^4e^2 + 37632a^5b^4 \\
& c^6d^3e^3 - 47712a^5b^5c^5d^2e^4 - 59392a^6b^2c^7d^3e^3 + 6 \\
& 0928a^6b^3c^6d^2e^4 + 41a^2c^4d^4e^2 \cdot (-4ac - b^2)^9)^{1/2} + 39 \\
& a^3c^3d^2e^4 \cdot (-4ac - b^2)^9)^{1/2} - 6b^4c^2d^4e^2 \cdot (-4ac - b^2)^9)^{1/2} \\
& + 6ab^5d^5e^5 \cdot (-4ac - b^2)^9)^{1/2} - 106ab^{10}c^4d^5e^5 \\
& + 7ab^{13}c^2d^2e^4 - 128a^2b^{12}c^2d^5e^5 + 51a^3b^2c^2e^6 \cdot (-4ac - \\
& b^2)^9)^{1/2} + 150ab^{11}c^3d^4e^2 - 84ab^{12}c^2d^3e^3 + 1116a^2b^8 \\
& c^5d^5e - 5824a^3b^6c^6d^5e + 1030a^3b^{10}c^2d^5e^5 + 15232a^4 \\
& b^4c^7d^5e - 3492a^4b^8c^3d^5e^5 - 16896a^5b^2c^8d^5e + 1344a^5 \\
& b^6c^4d^5e^5 + 7424a^6b^8c^8d^4e^2 + 22400a^6b^4c^5d^5e^5 - 23296a^7 \\
& b^8c^7d^2e^4 - 53760a^7b^2c^6d^5e^5 + 4b^3c^3d^5e^5 \cdot (-4ac - b^2)^9)^{1/2} \\
& + 4b^5c^3d^3e^3 \cdot (-4ac - b^2)^9)^{1/2} - 11ab^4c^2d^2e^4 \cdot (-4ac - b^2)^9)^{1/2} \\
& - 20a^2b^3c^2d^5e^5 \cdot (-4ac - b^2)^9)^{1/2} - 86a^3b^2c^2d^5e^5 \cdot (-4ac - b^2)^9)^{1/2} \\
& + 42ab^2c^3d^4e^2 \cdot (-4ac - b^2)^9)^{1/2} - 12ab^3c^2d^3e^3 \cdot (-4ac - b^2)^9)^{1/2} \\
& - 120a^2b^3c^3d^3e^3 \cdot (-4ac - b^2)^9)^{1/2} - 34ab^3c^4d^5e^5 \cdot (-4ac - b^2)^9)^{1/2} \\
& + 108a^2b^2c^2d^2e^4 \cdot (-4ac - b^2)^9)^{1/2} / (32(a^7b^{12}e^8 + 4096a^9c^{10}d^8 \\
& + 4096a^{13}c^6e^8 - 24a^8b^{10}c^8e^8 - 4a^6b^{13}d^8e^7 + a^3b^{12}c^4d^8 \\
& - 24a^4b^{10}c^5d^8 + 240a^5b^8c^6d^8 - 1280a^6b^6c^7d^8 + 3840a^7b^4c^8d^8 \\
& - 6144a^8b^2c^9d^8 + 240a^9b^8c^2e^8 - 1280a^{10}b^6c^3e^8 + 3840a^{11}b^4c^4e^8 \\
& - 6144a^{12}b^2c^5e^8 + a^3b^{16}d^4e^4 - 4a^4b^{15}d^3e^5 + 6a^5b^{14}d^2e^6 + 16384 \\
& a^{10}c^9d^6e^2 + 24576a^{11}c^8d^4e^4 + 16384a^{12}c^7d^2e^6 + 6a^3b^{14}c^2d^6e^2 \\
& - 140a^4b^{12}c^3d^6e^2 + 84a^4b^{13}c^2d^5e^3 + 1344a^5b^{10}c^4d^6e^2 - 672a^5 \\
& b^{11}c^3d^5e^3 - 42a^5b^{12}c^2d^4e^4 - 6720a^6b^8c^5d^6e^2 + 2240a^6b^9c^4d^5e^3 \\
& + 1456a^6b^{10}c^3d^4e^4 - 672a^6b^{11}c^2d^3e^5 + 17920a^7b^6c^6d^6e^2 - 10080a^7 \\
& b^8c^4d^4e^4 + 2240a^7b^9c^3d^3e^5 + 1344a^7b^{10}c^2d^2e^6 - 21504a^8b^4c^7d^6e^2 \\
& - 21504a^8b^5c^6d^5e^3 + 32256a^8b^6c^5d^4e^4 - 6720a^8b^8c^3d^2e^6 + 57344a^9b^3 \\
& c^7d^5e^3 - 46592a^9b^4c^6d^4e^4 - 21504a^9b^5c^5d^3e^5 + 17920a^9b^6c^4d^2e^6 \\
& + 12288a^{10}b^2c^7d^4e^4 + 57344a^{10}b^3c^6d^3e^5 - 21504a^{10}b^4c^5d^2e^6 \\
& + 96a^7b^{11}c^2d^7e - 16384a^9b^3c^9d^7e - 16384a^{12}b^2c^6d^7e^7 - 4a^3b^{13} \\
& c^3d^7e - 4a^3b^{15}c^2d^5e^3 + 96a^4b^{11}c^4d^7e - 12a^4b^{14}c^3d^4e^4 - 960a^5b^9c^5d^7e \\
& + 84a^5b^{13}c^2d^3e^5 + 512
\end{aligned}$$

$$\begin{aligned}
& 0*a^6*b^7*c^6*d^7*e - 140*a^6*b^12*c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24 \\
& 576*a^8*b^3*c^8*d^7*e - 960*a^8*b^9*c^2*d*e^7 + 5120*a^9*b^7*c^3*d*e^7 - 49 \\
& 152*a^10*b*c^8*d^5*e^3 - 15360*a^10*b^5*c^4*d*e^7 - 49152*a^11*b*c^7*d^3*e^5 \\
& + 24576*a^11*b^3*c^5*d*e^7))^{(1/2)} - (326912*a^8*c^9*d*e^13 - 241664*a^8 \\
& *b*c^8*e^14 - 48*a^2*b^13*c^2*e^14 + 1264*a^3*b^11*c^3*e^14 - 13552*a^4*b^9 \\
& *c^4*e^14 + 75776*a^5*b^7*c^5*e^14 - 232960*a^6*b^5*c^6*e^14 + 372736*a^7*b \\
& ^3*c^7*e^14 + 11520*a^3*c^14*d^11*e^3 + 78080*a^4*c^13*d^9*e^5 + 197120*a^5 \\
& *c^12*d^7*e^7 + 336384*a^6*c^11*d^5*e^9 + 532736*a^7*c^10*d^3*e^11 - 40*b^5 \\
& *c^12*d^12*e^2 + 216*b^6*c^11*d^11*e^3 - 464*b^7*c^10*d^10*e^4 + 496*b^8*c^9 \\
& *d^9*e^5 - 264*b^9*c^8*d^8*e^6 + 56*b^10*c^7*d^7*e^7 - 16*b^11*c^6*d^6*e^8 \\
& + 64*b^12*c^5*d^5*e^9 - 96*b^13*c^4*d^4*e^10 + 64*b^14*c^3*d^3*e^11 - 16*b \\
& ^15*c^2*d^2*e^12 + 1536*a^2*b^2*c^13*d^11*e^3 + 14400*a^2*b^3*c^12*d^10*e^4 \\
& - 47152*a^2*b^4*c^11*d^9*e^5 + 52144*a^2*b^5*c^10*d^8*e^6 - 16272*a^2*b^6*c \\
& ^9*d^7*e^7 - 13040*a^2*b^7*c^8*d^6*e^8 + 23488*a^2*b^8*c^7*d^5*e^9 - 26384 \\
& *a^2*b^9*c^6*d^4*e^10 + 13824*a^2*b^10*c^5*d^3*e^11 + 256*a^2*b^11*c^4*d^2* \\
& e^12 + 125056*a^3*b^2*c^12*d^9*e^5 - 36224*a^3*b^3*c^11*d^8*e^6 - 126432*a^3 \\
& *b^4*c^10*d^7*e^7 + 144848*a^3*b^5*c^9*d^6*e^8 - 114752*a^3*b^6*c^8*d^5*e^9 \\
& + 125392*a^3*b^7*c^7*d^4*e^10 - 53248*a^3*b^8*c^6*d^3*e^11 - 25264*a^3*b^9 \\
& *c^5*d^2*e^12 + 474112*a^4*b^2*c^11*d^7*e^7 - 191104*a^4*b^3*c^10*d^6*e^8 \\
& + 97184*a^4*b^4*c^9*d^5*e^9 - 277000*a^4*b^5*c^8*d^4*e^10 + 56056*a^4*b^6*c \\
& ^7*d^3*e^11 + 195584*a^4*b^7*c^6*d^2*e^12 + 236800*a^5*b^2*c^10*d^5*e^9 + 3 \\
& 88032*a^5*b^3*c^9*d^4*e^10 + 159632*a^5*b^4*c^8*d^3*e^11 - 670488*a^5*b^5*c \\
& ^7*d^2*e^12 - 488960*a^6*b^2*c^9*d^3*e^11 + 1106496*a^6*b^3*c^8*d^2*e^12 + \\
& 64*a*b^14*c^2*d*e^13 + 448*a*b^3*c^13*d^12*e^2 - 1968*a*b^4*c^12*d^11*e^3 + \\
& 2504*a*b^5*c^11*d^10*e^4 + 768*a*b^6*c^10*d^9*e^5 - 4368*a*b^7*c^9*d^8*e^6 \\
& + 3568*a*b^8*c^8*d^7*e^7 - 520*a*b^9*c^7*d^6*e^8 - 1728*a*b^10*c^6*d^5*e^9 \\
& + 2528*a*b^11*c^5*d^4*e^10 - 1536*a*b^12*c^4*d^3*e^11 + 240*a*b^13*c^3*d^2 \\
& *e^12 - 1152*a^2*b*c^14*d^12*e^2 - 1600*a^2*b^12*c^3*d*e^13 - 67968*a^3*b*c \\
& ^13*d^10*e^4 + 15808*a^3*b^10*c^4*d*e^13 - 342272*a^4*b*c^12*d^8*e^6 - 7692 \\
& 8*a^4*b^8*c^5*d*e^13 - 569088*a^5*b*c^11*d^6*e^8 + 179200*a^5*b^6*c^6*d*e^1 \\
& 3 - 586368*a^6*b*c^10*d^4*e^10 - 113008*a^6*b^4*c^7*d*e^13 - 731008*a^7*b*c \\
& ^9*d^2*e^12 - 244096*a^7*b^2*c^8*d*e^13)/(16*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 \\
& + 256*a^10*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 \\
& - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^ \\
& 4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^12*d^4*e^4 - 4*a^3*b^11*d^3*e^5 + 6 \\
& *a^4*b^10*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c \\
& ^5*d^2*e^6 + 6*a^2*b^10*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c \\
& ^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^ \\
& 8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^ \\
& 5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 204 \\
& 8*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 \\
& + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3 \\
& *e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7* \\
& d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4 \\
& *a^2*b^11*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^10*c*d^4*e^4 - 384*a^4
\end{aligned}$$

$$\begin{aligned}
& *b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8 \\
& *c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^ \\
& 5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)) * ((27*a*b^9*c^5*d^6 - b^{11}*c^4*d^6 - b \\
& ^{15}*d^2*e^4 - 9*a^2*b^{13}*e^6 + 3840*a^5*b*c^9*d^6 + 9*a*c^5*d^6*(-(4*a*c - \\
& b^2)^9)^{(1/2)} + 213*a^3*b^{11}*c*e^6 - 26880*a^8*b*c^6*e^6 + 3072*a^6*c^9*d^5 \\
& *e + 35840*a^8*c^7*d*e^5 + 4*b^{12}*c^3*d^5*e + 4*b^{14}*c*d^3*e^3 - 288*a^2*b^ \\
& 7*c^6*d^6 + 1504*a^3*b^5*c^7*d^6 - 3840*a^4*b^3*c^8*d^6 - 9*a^2*b^4*e^6*(-(\\
& 4*a*c - b^2)^9)^{(1/2)} - 2077*a^4*b^9*c^2*e^6 + 10656*a^5*b^7*c^3*e^6 - 3024 \\
& 0*a^6*b^5*c^4*e^6 + 44800*a^7*b^3*c^5*e^6 - 25*a^4*c^2*e^6*(-(4*a*c - b^2)^ \\
& 9)^{(1/2)} - b^2*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 22528*a^7*c^8*d^3*e^3 - b \\
& ^6*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*b^{13}*c^2*d^4*e^2 + 6*a*b^{14}*d*e^5 - \\
& 1471*a^2*b^9*c^4*d^4*e^2 + 600*a^2*b^{10}*c^3*d^3*e^3 + 180*a^2*b^{11}*c^2*d^2 \\
& *e^4 + 6976*a^3*b^7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4*d^3*e^3 - 2871*a^3*b^9*c \\
& ^3*d^2*e^4 - 15456*a^4*b^5*c^6*d^4*e^2 - 7168*a^4*b^6*c^5*d^3*e^3 + 16896*a \\
& ^4*b^7*c^4*d^2*e^4 + 10240*a^5*b^3*c^7*d^4*e^2 + 37632*a^5*b^4*c^6*d^3*e^3 \\
& - 47712*a^5*b^5*c^5*d^2*e^4 - 59392*a^6*b^2*c^7*d^3*e^3 + 60928*a^6*b^3*c^6 \\
& *d^2*e^4 + 41*a^2*c^4*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 39*a^3*c^3*d^2*e^4 \\
& *(- (4*a*c - b^2)^9)^{(1/2)} - 6*b^4*c^2*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 6* \\
& a*b^5*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 106*a*b^{10}*c^4*d^5*e + 7*a*b^{13}*c*d^ \\
& 2*e^4 - 128*a^2*b^{12}*c*d*e^5 + 51*a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 150*a*b^{11}*c^3*d^4*e^2 - 84*a*b^{12}*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e - 5 \\
& 824*a^3*b^6*c^6*d^5*e + 1030*a^3*b^{10}*c^2*d*e^5 + 15232*a^4*b^4*c^7*d^5*e - \\
& 3492*a^4*b^8*c^3*d*e^5 - 16896*a^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^4*d*e^5 \\
& + 7424*a^6*b*c^8*d^4*e^2 + 22400*a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^7*d^2*e^ \\
& 4 - 53760*a^7*b^2*c^6*d*e^5 + 4*b^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 4* \\
& b^5*c*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2) \\
& ^9)^{(1/2)} - 20*a^2*b^3*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 86*a^3*b*c^2*d*e^ \\
& 5*(-(4*a*c - b^2)^9)^{(1/2)} + 42*a*b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 12*a*b^3*c^2*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 120*a^2*b*c^3*d^3*e^3*(-(\\
& 4*a*c - b^2)^9)^{(1/2)} - 34*a*b*c^4*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 108*a^2 \\
& *b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)}) / (32*(a^7*b^{12}*e^8 + 4096*a^9*c^1 \\
& 0*d^8 + 4096*a^{13}*c^6*e^8 - 24*a^8*b^{10}*c*e^8 - 4*a^6*b^{13}*d*e^7 + a^3*b^{12} \\
& *c^4*d^8 - 24*a^4*b^{10}*c^5*d^8 + 240*a^5*b^8*c^6*d^8 - 1280*a^6*b^6*c^7*d^8 \\
& + 3840*a^7*b^4*c^8*d^8 - 6144*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280 \\
& *a^{10}*b^6*c^3*e^8 + 3840*a^{11}*b^4*c^4*e^8 - 6144*a^{12}*b^2*c^5*e^8 + a^3*b^1 \\
& 6*d^4*e^4 - 4*a^4*b^{15}*d^3*e^5 + 6*a^5*b^{14}*d^2*e^6 + 16384*a^{10}*c^9*d^6*e^ \\
& 2 + 24576*a^{11}*c^8*d^4*e^4 + 16384*a^{12}*c^7*d^2*e^6 + 6*a^3*b^{14}*c^2*d^6*e^ \\
& 2 - 140*a^4*b^{12}*c^3*d^6*e^2 + 84*a^4*b^{13}*c^2*d^5*e^3 + 1344*a^5*b^{10}*c^4* \\
& d^6*e^2 - 672*a^5*b^{11}*c^3*d^5*e^3 - 42*a^5*b^{12}*c^2*d^4*e^4 - 6720*a^6*b^8 \\
& *c^5*d^6*e^2 + 2240*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^{10}*c^3*d^4*e^4 - 672*a \\
& ^6*b^{11}*c^2*d^3*e^5 + 17920*a^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 \\
& + 2240*a^7*b^9*c^3*d^3*e^5 + 1344*a^7*b^{10}*c^2*d^2*e^6 - 21504*a^8*b^4*c^7 \\
& *d^6*e^2 - 21504*a^8*b^5*c^6*d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8 \\
& *b^8*c^3*d^2*e^6 + 57344*a^9*b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - \\
& 21504*a^9*b^5*c^5*d^3*e^5 + 17920*a^9*b^6*c^4*d^2*e^6 + 12288*a^{10}*b^2*c^7*
\end{aligned}$$

$$\begin{aligned}
& d^4 e^4 + 57344 a^{10} b^3 c^6 d^3 e^5 - 21504 a^{10} b^4 c^5 d^2 e^6 + 96 a^7 b^{11} c^4 d^7 e - 16384 a^9 b^3 c^9 d^7 e - 16384 a^{12} b^3 c^6 d^7 e - 4 a^3 b^{13} c^3 d^7 e - 4 a^3 b^{15} c^4 d^5 e^3 + 96 a^4 b^{11} c^4 d^7 e - 12 a^4 b^{14} c^4 d^4 e^4 - 960 a^5 b^9 c^5 d^7 e + 84 a^5 b^{13} c^4 d^3 e^5 + 5120 a^6 b^7 c^6 d^7 e - 140 a^6 b^{12} c^4 d^2 e^6 - 15360 a^7 b^5 c^7 d^7 e + 24576 a^8 b^3 c^8 d^7 e - 960 a^8 b^9 c^2 d^7 e + 5120 a^9 b^7 c^3 d^7 e - 49152 a^{10} b^3 c^8 d^5 e^3 - 15360 a^{10} b^5 c^4 d^7 e - 49152 a^{11} b^3 c^7 d^3 e^5 + 24576 a^{11} b^3 c^5 d^7 e))^{(1/2)} + (x(22800 a^6 c^9 e^{13} + 36 a^2 b^8 c^5 e^{13} - 600 a^3 b^6 c^6 e^{13} + 4313 a^4 b^4 c^7 e^{13} - 15592 a^5 b^2 c^8 e^{13} + 1296 a^2 c^{13} d^8 e^5 + 9792 a^3 c^{12} d^6 e^7 + 30304 a^4 c^{11} d^4 e^9 + 40512 a^5 c^{10} d^2 e^{11} + 25 b^4 c^{11} d^8 e^5 - 120 b^5 c^{10} d^7 e^6 + 214 b^6 c^9 d^6 e^7 - 168 b^7 c^8 d^5 e^8 + 53 b^8 c^7 d^4 e^9 - 8 b^9 c^6 d^3 e^{10} + 4 b^{10} c^5 d^2 e^{11} + 6336 a^2 b^2 c^{11} d^6 e^7 + 3840 a^2 b^3 c^{10} d^5 e^8 - 8506 a^2 b^4 c^9 d^4 e^9 + 1112 a^2 b^5 c^8 d^3 e^{10} + 1254 a^2 b^6 c^7 d^2 e^{11} + 22224 a^3 b^2 c^{10} d^4 e^9 + 13824 a^3 b^3 c^9 d^3 e^{10} - 9516 a^3 b^4 c^8 d^2 e^{11} + 11712 a^4 b^2 c^9 d^2 e^{11} - 24 a^4 b^9 c^5 d^7 e^6 - 4108 a^5 b^3 c^9 d^7 e^6 - 360 a^5 b^2 c^{12} d^8 e^5 + 1664 a^5 b^3 c^{11} d^7 e^6 - 260 a^5 b^4 c^{10} d^6 e^7 + 1272 a^5 b^5 c^9 d^5 e^8 + 332 a^5 b^6 c^8 d^4 e^9 - 232 a^5 b^7 c^7 d^3 e^{10} - 48 a^5 b^8 c^6 d^2 e^{11} - 5760 a^2 b^3 c^{12} d^7 e^6 + 416 a^2 b^7 c^6 d^7 e^6 - 32128 a^3 b^3 c^{11} d^5 e^8 - 4120 a^3 b^5 c^7 d^7 e^6 - 63360 a^4 b^3 c^{10} d^3 e^{10} + 21376 a^4 b^3 c^8 d^7 e^6)) / ((a^6 b^8 e^8 + 256 a^6 c^8 d^8 + 256 a^{10} c^4 e^8 - 16 a^7 b^6 c^8 e^8 - 4 a^5 b^9 d^7 e^7 + a^2 b^8 c^4 d^8 - 16 a^3 b^6 c^5 d^8 + 96 a^4 b^4 c^6 d^8 - 256 a^5 b^2 c^7 d^8 + 96 a^8 b^4 c^2 e^8 - 256 a^9 b^2 c^3 e^8 + a^2 b^{12} d^4 e^4 - 4 a^3 b^{11} d^3 e^5 + 6 a^4 b^{10} d^2 e^6 + 1024 a^7 c^7 d^6 e^2 + 1536 a^8 c^6 d^4 e^4 + 1024 a^9 c^5 d^2 e^6 + 6 a^2 b^{10} c^2 d^6 e^2 - 92 a^3 b^8 c^3 d^6 e^2 + 52 a^3 b^9 c^2 d^5 e^3 + 512 a^4 b^6 c^4 d^6 e^2 - 192 a^4 b^7 c^3 d^5 e^3 - 90 a^4 b^8 c^2 d^4 e^4 - 1152 a^5 b^4 c^5 d^6 e^2 - 128 a^5 b^5 c^4 d^5 e^3 + 800 a^5 b^6 c^3 d^4 e^4 - 192 a^5 b^7 c^2 d^3 e^5 + 512 a^6 b^2 c^6 d^6 e^2 + 2048 a^6 b^3 c^5 d^5 e^3 - 2240 a^6 b^4 c^4 d^4 e^4 - 128 a^6 b^5 c^3 d^3 e^5 + 512 a^6 b^6 c^2 d^2 e^6 + 1536 a^7 b^2 c^5 d^4 e^4 + 2048 a^7 b^3 c^4 d^3 e^5 - 1152 a^7 b^4 c^3 d^2 e^6 + 512 a^8 b^2 c^4 d^2 e^6 - 1024 a^6 b^3 c^7 d^7 e + 64 a^6 b^7 c^4 d^7 e - 1024 a^9 b^3 c^4 d^7 e - 4 a^2 b^9 c^3 d^7 e - 4 a^2 b^{11} c^4 d^5 e^3 + 64 a^3 b^7 c^4 d^7 e - 4 a^3 b^{10} c^4 d^4 e^4 - 384 a^4 b^5 c^5 d^7 e + 52 a^4 b^9 c^4 d^3 e^5 + 1024 a^5 b^3 c^6 d^7 e - 92 a^5 b^8 c^4 d^2 e^6 - 3072 a^7 b^3 c^6 d^5 e^3 - 384 a^7 b^5 c^2 d^7 e - 3072 a^8 b^3 c^5 d^3 e^5 + 1024 a^8 b^3 c^3 d^7 e)) * ((27 a^9 c^5 d^6 - b^{11} c^4 d^6 - b^{15} d^2 e^4 - 9 a^2 b^{13} e^6 + 3840 a^5 b^3 c^9 d^6 + 9 a^5 c^5 d^6 * (-4 a^3 c - b^2)^9)^{(1/2)} + 213 a^3 b^{11} c^5 e^6 - 26880 a^8 b^3 c^6 e^6 + 3072 a^6 c^9 d^5 e + 35840 a^8 c^7 d^5 e^5 + 4 b^{12} c^3 d^5 e + 4 b^{14} c^3 d^3 e^3 - 288 a^2 b^7 c^6 d^6 + 1504 a^3 b^5 c^7 d^6 - 3840 a^4 b^3 c^8 d^6 - 9 a^2 b^4 e^6 * (-4 a^3 c - b^2)^9)^{(1/2)} - 2077 a^4 b^9 c^2 e^6 + 10656 a^5 b^7 c^3 e^6 - 30240 a^6 b^5 c^4 e^6 + 44800 a^7 b^3 c^5 e^6 - 25 a^4 c^2 e^6 * (-4 a^3 c - b^2)^9)^{(1/2)} - b^2 c^4 d^6 * (-4 a^3 c - b^2)^9)^{(1/2)} + 22528 a^7 c^8 d^3 e^3 - b^6 d^2 e^4 * (-4 a^3 c - b^2)^9)^{(1/2)} - 6 b^{13} c^2 d^4 e^2 + 6 a
\end{aligned}$$

$$\begin{aligned}
& b^{14}d^5e^5 - 1471a^2b^9c^4d^4e^2 + 600a^2b^{10}c^3d^3e^3 + 180a^2 \\
& b^{11}c^2d^2e^4 + 6976a^3b^7c^5d^4e^2 - 1032a^3b^8c^4d^3e^3 - 2 \\
& 871a^3b^9c^3d^2e^4 - 15456a^4b^5c^6d^4e^2 - 7168a^4b^6c^5d^3e^3 \\
& - 16896a^4b^7c^4d^2e^4 + 10240a^5b^3c^7d^4e^2 + 37632a^5b^4 \\
& c^6d^3e^3 - 47712a^5b^5c^5d^2e^4 - 59392a^6b^2c^7d^3e^3 + 6092 \\
& 8a^6b^3c^6d^2e^4 + 41a^2c^4d^4e^2 * (-4ac - b^2)^9)^{(1/2)} + 39a^3 \\
& c^3d^2e^4 * (-4ac - b^2)^9)^{(1/2)} - 6b^4c^2d^4e^2 * (-4ac - b^2)^9)^{(1/2)} \\
& + 6a^5b^5d^5e^5 * (-4ac - b^2)^9)^{(1/2)} - 106a^6b^10c^4d^5e^5 + \\
& 7a^6b^13c^3d^2e^4 - 128a^2b^12c^3d^5e^5 + 51a^3b^2c^5e^6 * (-4ac - b^2)^9)^{(1/2)} \\
& + 150a^4b^11c^3d^4e^2 - 84a^4b^12c^2d^3e^3 + 1116a^2b^8c^5d^5e^5 - 5824a^3b^6c^6d^5e^5 \\
& + 1030a^3b^10c^2d^5e^5 + 15232a^4b^4c^7d^5e^5 - 3492a^4b^8c^3d^5e^5 - 16896a^5b^2c^8d^5e^5 \\
& + 1344a^5b^6c^4d^5e^5 + 7424a^6b^6c^8d^4e^2 + 22400a^6b^4c^5d^5e^5 - 23296a^7 \\
& b^3c^7d^2e^4 - 53760a^7b^2c^6d^5e^5 + 4b^3c^3d^5e^5 * (-4ac - b^2)^9)^{(1/2)} \\
& + 4b^5c^3d^3e^3 * (-4ac - b^2)^9)^{(1/2)} - 11a^4b^4c^3d^2e^4 * (-4ac - b^2)^9)^{(1/2)} \\
& - 20a^2b^3c^3d^5e^5 * (-4ac - b^2)^9)^{(1/2)} - 86a^3b^3c^2d^5e^5 * (-4ac - b^2)^9)^{(1/2)} \\
& + 42a^4b^2c^3d^4e^2 * (-4ac - b^2)^9)^{(1/2)} - 12a^4b^3c^2d^3e^3 * (-4ac - b^2)^9)^{(1/2)} \\
& - 120a^2b^3c^3d^3e^3 * (-4ac - b^2)^9)^{(1/2)} - 34a^4b^3c^4d^5e^5 * (-4ac - b^2)^9)^{(1/2)} \\
& + 108a^2b^2c^2d^2e^4 * (-4ac - b^2)^9)^{(1/2)) / (32(a^7b^12e^8 + 4096a^9c^10d^8 \\
& + 4096a^13c^6e^8 - 24a^8b^10c^5e^8 - 4a^6b^13d^5e^7 + a^3b^12c^4d^8 - 24a^4b^10c^5d^8 \\
& + 240a^5b^8c^6d^8 - 1280a^6b^6c^7d^8 + 3840a^7b^4c^8d^8 - 6144a^8b^2c^9d^8 + 240a^9b^8c^2e^8 \\
& - 1280a^10b^6c^3e^8 + 3840a^11b^4c^4e^8 - 6144a^12b^2c^5e^8 + a^3b^16d^4e^4 - 4a^4b^15d^3e^5 \\
& + 6a^5b^14d^2e^6 + 16384a^10c^9d^6e^2 + 24576a^11c^8d^4e^4 + 16384a^12c^7d^2e^6 + 6a^3b^14 \\
& c^2d^6e^2 - 140a^4b^12c^3d^6e^2 + 84a^4b^13c^2d^5e^3 + 1344a^5b^10c^4d^6e^2 - 672a^5b^11c^3d^5e^3 \\
& - 42a^5b^12c^2d^4e^4 - 6720a^6b^8c^5d^6e^2 + 2240a^6b^9c^4d^5e^3 + 1456a^6b^10c^3d^4e^4 \\
& - 672a^6b^11c^2d^3e^5 + 17920a^7b^6c^6d^6e^2 - 10080a^7b^8c^4d^4e^4 + 2240a^7b^9c^3d^3e^5 \\
& + 1344a^7b^10c^2d^2e^6 - 21504a^8b^4c^7d^6e^2 - 21504a^8b^5c^6d^5e^3 + 32256a^8b^6c^5d^4e^4 \\
& - 6720a^8b^8c^3d^2e^6 + 57344a^9b^3c^7d^5e^3 - 46592a^9b^4c^6d^4e^4 - 21504a^9b^5c^5d^3e^5 \\
& + 17920a^9b^6c^4d^2e^6 + 12288a^10b^2c^7d^4e^4 + 57344a^10b^3c^6d^3e^5 - 21504a^10b^4c^5d^2e^6 \\
& + 96a^7b^11c^3d^7e^7 - 16384a^9b^3c^9d^7e^7 - 16384a^12b^3c^6d^5e^7 - 4a^3b^13c^3d^7e^7 \\
& - 4a^3b^15c^3d^5e^3 + 96a^4b^11c^4d^7e^7 - 12a^4b^14c^3d^4e^4 - 960a^5b^9c^5d^7e^7 \\
& + 84a^5b^13c^3d^3e^5 + 5120a^6b^7c^6d^7e^7 - 140a^6b^12c^3d^2e^6 - 15360a^7b^5c^7d^7e^7 \\
& + 24576a^8b^3c^8d^7e^7 - 960a^8b^9c^2d^5e^7 + 5120a^9b^7c^3d^5e^7 - 49152a^10b^3c^8d^5e^3 \\
& - 15360a^10b^5c^4d^5e^7 - 49152a^11b^3c^7d^3e^5 + 24576a^11b^3c^5d^5e^7))^{(1/2))} * ((27a^9b^9c^5d^6 \\
& - b^11c^4d^6 - b^15d^2e^4 - 9a^2b^13e^6 + 3840a^5b^3c^9d^6 + 9a^5c^5d^6 * (-4ac - b^2)^9)^{(1/2)} \\
& + 213a^3b^11c^5e^6 - 26880a^8b^3c^6e^6 + 3072a^6c^9d^5e^5 + 35840a^8c^7d^5e^5 + 4b^12c^3d^5e^5 \\
& + 4b^14c^3d^3e^3 - 288a^2b^7
\end{aligned}$$

$$\begin{aligned}
& *c^6*d^6 + 1504*a^3*b^5*c^7*d^6 - 3840*a^4*b^3*c^8*d^6 - 9*a^2*b^4*e^6*(-(4 \\
& *a*c - b^2)^9)^{(1/2)} - 2077*a^4*b^9*c^2*e^6 + 10656*a^5*b^7*c^3*e^6 - 30240 \\
& *a^6*b^5*c^4*e^6 + 44800*a^7*b^3*c^5*e^6 - 25*a^4*c^2*e^6*(-(4*a*c - b^2)^9 \\
&)^{(1/2)} - b^2*c^4*d^6*(-(4*a*c - b^2)^9)^{(1/2)} + 22528*a^7*c^8*d^3*e^3 - b^ \\
& 6*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*b^13*c^2*d^4*e^2 + 6*a*b^14*d*e^5 - \\
& 1471*a^2*b^9*c^4*d^4*e^2 + 600*a^2*b^10*c^3*d^3*e^3 + 180*a^2*b^11*c^2*d^2* \\
& e^4 + 6976*a^3*b^7*c^5*d^4*e^2 - 1032*a^3*b^8*c^4*d^3*e^3 - 2871*a^3*b^9*c^ \\
& 3*d^2*e^4 - 15456*a^4*b^5*c^6*d^4*e^2 - 7168*a^4*b^6*c^5*d^3*e^3 + 16896*a^ \\
& 4*b^7*c^4*d^2*e^4 + 10240*a^5*b^3*c^7*d^4*e^2 + 37632*a^5*b^4*c^6*d^3*e^3 - \\
& 47712*a^5*b^5*c^5*d^2*e^4 - 59392*a^6*b^2*c^7*d^3*e^3 + 60928*a^6*b^3*c^6* \\
& d^2*e^4 + 41*a^2*c^4*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 39*a^3*c^3*d^2*e^4* \\
& (- (4*a*c - b^2)^9)^{(1/2)} - 6*b^4*c^2*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} + 6*a \\
& *b^5*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 106*a*b^10*c^4*d^5*e + 7*a*b^13*c*d^2 \\
& *e^4 - 128*a^2*b^12*c*d*e^5 + 51*a^3*b^2*c*e^6*(-(4*a*c - b^2)^9)^{(1/2)} + 1 \\
& 50*a*b^11*c^3*d^4*e^2 - 84*a*b^12*c^2*d^3*e^3 + 1116*a^2*b^8*c^5*d^5*e - 58 \\
& 24*a^3*b^6*c^6*d^5*e + 1030*a^3*b^10*c^2*d*e^5 + 15232*a^4*b^4*c^7*d^5*e - \\
& 3492*a^4*b^8*c^3*d*e^5 - 16896*a^5*b^2*c^8*d^5*e + 1344*a^5*b^6*c^4*d*e^5 + \\
& 7424*a^6*b*c^8*d^4*e^2 + 22400*a^6*b^4*c^5*d*e^5 - 23296*a^7*b*c^7*d^2*e^4 \\
& - 53760*a^7*b^2*c^6*d*e^5 + 4*b^3*c^3*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 4*b \\
& ^5*c*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 11*a*b^4*c*d^2*e^4*(-(4*a*c - b^2)^ \\
& 9)^{(1/2)} - 20*a^2*b^3*c*d*e^5*(-(4*a*c - b^2)^9)^{(1/2)} - 86*a^3*b*c^2*d*e^5 \\
& *(- (4*a*c - b^2)^9)^{(1/2)} + 42*a*b^2*c^3*d^4*e^2*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 12*a*b^3*c^2*d^3*e^3*(-(4*a*c - b^2)^9)^{(1/2)} - 120*a^2*b*c^3*d^3*e^3*(-(4 \\
& *a*c - b^2)^9)^{(1/2)} - 34*a*b*c^4*d^5*e*(-(4*a*c - b^2)^9)^{(1/2)} + 108*a^2* \\
& b^2*c^2*d^2*e^4*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^7*b^12*e^8 + 4096*a^9*c^10 \\
& *d^8 + 4096*a^13*c^6*e^8 - 24*a^8*b^10*c*e^8 - 4*a^6*b^13*d*e^7 + a^3*b^12* \\
& c^4*d^8 - 24*a^4*b^10*c^5*d^8 + 240*a^5*b^8*c^6*d^8 - 1280*a^6*b^6*c^7*d^8 \\
& + 3840*a^7*b^4*c^8*d^8 - 6144*a^8*b^2*c^9*d^8 + 240*a^9*b^8*c^2*e^8 - 1280* \\
& a^10*b^6*c^3*e^8 + 3840*a^11*b^4*c^4*e^8 - 6144*a^12*b^2*c^5*e^8 + a^3*b^16 \\
& *d^4*e^4 - 4*a^4*b^15*d^3*e^5 + 6*a^5*b^14*d^2*e^6 + 16384*a^10*c^9*d^6*e^2 \\
& + 24576*a^11*c^8*d^4*e^4 + 16384*a^12*c^7*d^2*e^6 + 6*a^3*b^14*c^2*d^6*e^2 \\
& - 140*a^4*b^12*c^3*d^6*e^2 + 84*a^4*b^13*c^2*d^5*e^3 + 1344*a^5*b^10*c^4*d \\
& ^6*e^2 - 672*a^5*b^11*c^3*d^5*e^3 - 42*a^5*b^12*c^2*d^4*e^4 - 6720*a^6*b^8* \\
& c^5*d^6*e^2 + 2240*a^6*b^9*c^4*d^5*e^3 + 1456*a^6*b^10*c^3*d^4*e^4 - 672*a^ \\
& 6*b^11*c^2*d^3*e^5 + 17920*a^7*b^6*c^6*d^6*e^2 - 10080*a^7*b^8*c^4*d^4*e^4 \\
& + 2240*a^7*b^9*c^3*d^3*e^5 + 1344*a^7*b^10*c^2*d^2*e^6 - 21504*a^8*b^4*c^7* \\
& d^6*e^2 - 21504*a^8*b^5*c^6*d^5*e^3 + 32256*a^8*b^6*c^5*d^4*e^4 - 6720*a^8* \\
& b^8*c^3*d^2*e^6 + 57344*a^9*b^3*c^7*d^5*e^3 - 46592*a^9*b^4*c^6*d^4*e^4 - 2 \\
& 1504*a^9*b^5*c^5*d^3*e^5 + 17920*a^9*b^6*c^4*d^2*e^6 + 12288*a^10*b^2*c^7*d \\
& ^4*e^4 + 57344*a^10*b^3*c^6*d^3*e^5 - 21504*a^10*b^4*c^5*d^2*e^6 + 96*a^7*b \\
& ^11*c*d*e^7 - 16384*a^9*b*c^9*d^7*e - 16384*a^12*b*c^6*d*e^7 - 4*a^3*b^13*c \\
& ^3*d^7*e - 4*a^3*b^15*c*d^5*e^3 + 96*a^4*b^11*c^4*d^7*e - 12*a^4*b^14*c*d^4 \\
& *e^4 - 960*a^5*b^9*c^5*d^7*e + 84*a^5*b^13*c*d^3*e^5 + 5120*a^6*b^7*c^6*d^7 \\
& *e - 140*a^6*b^12*c*d^2*e^6 - 15360*a^7*b^5*c^7*d^7*e + 24576*a^8*b^3*c^8*d \\
& ^7*e - 960*a^8*b^9*c^2*d*e^7 + 5120*a^9*b^7*c^3*d*e^7 - 49152*a^10*b*c^8*d^
\end{aligned}$$

$$\begin{aligned}
& 5e^3 - 15360a^{10}b^5c^4d^7e^7 - 49152a^{11}b^6c^7d^3e^5 + 24576a^{11}b^7c^5d^7e^7))^{(1/2)} * 2i - ((x*(b^3e + 2*a*c^2*d - b^2*c*d - 3*a*b*c*e))/(2 \\
& *a*(a*b^2*e^2 - 4*a*c^2*d^2 - 4*a^2*c*e^2 + b^2*c*d^2 - b^3*d*e + 4*a*b*c*d \\
& *e)) - (c*x^3*(2*a*c*e - b^2*e + b*c*d))/(2*a*(a*b^2*e^2 - 4*a*c^2*d^2 - 4* \\
& a^2*c*e^2 + b^2*c*d^2 - b^3*d*e + 4*a*b*c*d*e)))/(a + b*x^2 + c*x^4) - (ata \\
& n((((((-d*e^7)^{(1/2)}*((326912*a^8*c^9*d^13 - 241664*a^8*b*c^8*e^14 - 48*a \\
& ^2*b^13*c^2*e^14 + 1264*a^3*b^11*c^3*e^14 - 13552*a^4*b^9*c^4*e^14 + 75776* \\
& a^5*b^7*c^5*e^14 - 232960*a^6*b^5*c^6*e^14 + 372736*a^7*b^3*c^7*e^14 + 1152 \\
& 0*a^3*c^14*d^11*e^3 + 78080*a^4*c^13*d^9*e^5 + 197120*a^5*c^12*d^7*e^7 + 33 \\
& 6384*a^6*c^11*d^5*e^9 + 532736*a^7*c^10*d^3*e^11 - 40*b^5*c^12*d^12*e^2 + 2 \\
& 16*b^6*c^11*d^11*e^3 - 464*b^7*c^10*d^10*e^4 + 496*b^8*c^9*d^9*e^5 - 264*b^ \\
& 9*c^8*d^8*e^6 + 56*b^10*c^7*d^7*e^7 - 16*b^11*c^6*d^6*e^8 + 64*b^12*c^5*d^5 \\
& *e^9 - 96*b^13*c^4*d^4*e^10 + 64*b^14*c^3*d^3*e^11 - 16*b^15*c^2*d^2*e^12 + \\
& 1536*a^2*b^2*c^13*d^11*e^3 + 14400*a^2*b^3*c^12*d^10*e^4 - 47152*a^2*b^4*c \\
& ^11*d^9*e^5 + 52144*a^2*b^5*c^10*d^8*e^6 - 16272*a^2*b^6*c^9*d^7*e^7 - 1304 \\
& 0*a^2*b^7*c^8*d^6*e^8 + 23488*a^2*b^8*c^7*d^5*e^9 - 26384*a^2*b^9*c^6*d^4*e \\
& ^10 + 13824*a^2*b^10*c^5*d^3*e^11 + 256*a^2*b^11*c^4*d^2*e^12 + 125056*a^3*b \\
& ^2*c^12*d^9*e^5 - 36224*a^3*b^3*c^11*d^8*e^6 - 126432*a^3*b^4*c^10*d^7*e^7 \\
& + 144848*a^3*b^5*c^9*d^6*e^8 - 114752*a^3*b^6*c^8*d^5*e^9 + 125392*a^3*b^7 \\
& *c^7*d^4*e^10 - 53248*a^3*b^8*c^6*d^3*e^11 - 25264*a^3*b^9*c^5*d^2*e^12 + 4 \\
& 74112*a^4*b^2*c^11*d^7*e^7 - 191104*a^4*b^3*c^10*d^6*e^8 + 97184*a^4*b^4*c^ \\
& 9*d^5*e^9 - 277000*a^4*b^5*c^8*d^4*e^10 + 56056*a^4*b^6*c^7*d^3*e^11 + 1955 \\
& 84*a^4*b^7*c^6*d^2*e^12 + 236800*a^5*b^2*c^10*d^5*e^9 + 388032*a^5*b^3*c^9* \\
& d^4*e^10 + 159632*a^5*b^4*c^8*d^3*e^11 - 670488*a^5*b^5*c^7*d^2*e^12 - 4889 \\
& 60*a^6*b^2*c^9*d^3*e^11 + 1106496*a^6*b^3*c^8*d^2*e^12 + 64*a*b^14*c^2*d*e^ \\
& 13 + 448*a*b^3*c^13*d^12*e^2 - 1968*a*b^4*c^12*d^11*e^3 + 2504*a*b^5*c^11*d \\
& ^10*e^4 + 768*a*b^6*c^10*d^9*e^5 - 4368*a*b^7*c^9*d^8*e^6 + 3568*a*b^8*c^8* \\
& d^7*e^7 - 520*a*b^9*c^7*d^6*e^8 - 1728*a*b^10*c^6*d^5*e^9 + 2528*a*b^11*c^5 \\
& *d^4*e^10 - 1536*a*b^12*c^4*d^3*e^11 + 240*a*b^13*c^3*d^2*e^12 - 1152*a^2*b \\
& *c^14*d^12*e^2 - 1600*a^2*b^12*c^3*d^13 - 67968*a^3*b*c^13*d^10*e^4 + 158 \\
& 08*a^3*b^10*c^4*d^13 - 342272*a^4*b*c^12*d^8*e^6 - 76928*a^4*b^8*c^5*d^7e^ \\
& 13 - 569088*a^5*b*c^11*d^6*e^8 + 179200*a^5*b^6*c^6*d^13 - 586368*a^6*b*c \\
& ^10*d^4*e^10 - 113008*a^6*b^4*c^7*d^13 - 731008*a^7*b*c^9*d^2*e^12 - 2440 \\
& 96*a^7*b^2*c^8*d^13)/(16*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^10*c^4*e^ \\
& 8 - 16*a^7*b^6*c^8e^8 - 4*a^5*b^9*d^7e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d \\
& ^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^ \\
& 9*b^2*c^3*e^8 + a^2*b^12*d^4*e^4 - 4*a^3*b^11*d^3*e^5 + 6*a^4*b^10*d^2*e^6 \\
& + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^ \\
& 2*b^10*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512* \\
& a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 11 \\
& 52*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 \\
& - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5* \\
& e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2* \\
& d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^ \\
& 4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7e + 64*a^6*b^7
\end{aligned}$$

$$\begin{aligned}
& *c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^11*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^10*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 5 \\
& 2*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7) + (((x*(626688*a^10*b*c^8*e^15 - 784384*a^10*c^9*d*e^14 \\
& + 208*a^4*b^13*c^2*e^15 - 4880*a^5*b^11*c^3*e^15 + 47312*a^6*b^9*c^4*e^15 - 242176*a^7*b^7*c^5*e^15 + 688640*a^8*b^5*c^6*e^15 - 1028096*a^9*b^3*c^7*e^15 + 18432*a^4*c^15*d^13*e^2 + 126976*a^5*c^14*d^11*e^4 + 325632*a^6*c^13*d^9*e^6 + 139264*a^7*c^12*d^7*e^8 - 1067008*a^8*c^11*d^5*e^10 - 1773568*a^9*c^10*d^3*e^12 + 16*b^8*c^11*d^13*e^2 - 96*b^9*c^10*d^12*e^3 + 240*b^10*c^9*d^11*e^4 - 304*b^11*c^8*d^10*e^5 + 144*b^12*c^7*d^9*e^6 + 144*b^13*c^6*d^8*e^7 - 304*b^14*c^5*d^7*e^8 + 240*b^15*c^4*d^6*e^9 - 96*b^16*c^3*d^5*e^10 + 16*b^17*c^2*d^4*e^11 + 3200*a^2*b^4*c^13*d^13*e^2 - 18432*a^2*b^5*c^12*d^12*e^3 + 41024*a^2*b^6*c^11*d^11*e^4 - 36352*a^2*b^7*c^10*d^10*e^5 - 16208*a^2*b^8*c^9*d^9*e^6 + 74576*a^2*b^9*c^8*d^8*e^7 - 78496*a^2*b^10*c^7*d^7*e^8 + 32064*a^2*b^11*c^6*d^6*e^9 + 6000*a^2*b^12*c^5*d^5*e^10 - 9264*a^2*b^13*c^4*d^4*e^11 + 1472*a^2*b^14*c^3*d^3*e^12 + 416*a^2*b^15*c^2*d^2*e^13 - 12800*a^3*b^2*c^14*d^13*e^2 + 73728*a^3*b^3*c^13*d^12*e^3 - 151296*a^3*b^4*c^12*d^11*e^4 + 78336*a^3*b^5*c^11*d^10*e^5 + 206688*a^3*b^6*c^10*d^9*e^6 - 436736*a^3*b^7*c^9*d^8*e^7 + 324224*a^3*b^8*c^8*d^7*e^8 + 992*a^3*b^9*c^7*d^6*e^9 - 158176*a^3*b^10*c^6*d^5*e^10 + 77056*a^3*b^11*c^5*d^4*e^11 + 6912*a^3*b^12*c^4*d^3*e^12 - 8416*a^3*b^13*c^3*d^2*e^13 + 162816*a^4*b^2*c^13*d^11*e^4 + 184320*a^4*b^3*c^12*d^10*e^5 - 916608*a^4*b^4*c^11*d^9*e^6 + 1165824*a^4*b^5*c^10*d^8*e^7 - 314496*a^4*b^6*c^9*d^7*e^8 - 822272*a^4*b^7*c^8*d^6*e^9 + 919152*a^4*b^8*c^7*d^5*e^10 - 175296*a^4*b^9*c^6*d^4*e^11 - 189328*a^4*b^10*c^5*d^3*e^12 + 62064*a^4*b^11*c^4*d^2*e^13 + 1290752*a^5*b^2*c^12*d^9*e^6 - 659456*a^5*b^3*c^11*d^8*e^7 - 1561088*a^5*b^4*c^10*d^7*e^8 + 3240960*a^5*b^5*c^9*d^6*e^9 - 1964192*a^5*b^6*c^8*d^5*e^10 - 683008*a^5*b^7*c^7*d^4*e^11 + 1162304*a^5*b^8*c^6*d^3*e^12 - 164112*a^5*b^9*c^5*d^2*e^13 + 3442688*a^6*b^2*c^11*d^7*e^8 - 3670016*a^6*b^3*c^10*d^6*e^9 + 15232*a^6*b^4*c^9*d^5*e^10 + 4230144*a^6*b^5*c^8*d^4*e^11 - 3059648*a^6*b^6*c^7*d^3*e^12 - 247296*a^6*b^7*c^6*d^2*e^13 + 4010496*a^7*b^2*c^10*d^5*e^10 - 6873088*a^7*b^3*c^9*d^4*e^11 + 2822400*a^7*b^4*c^8*d^3*e^12 + 2370048*a^7*b^5*c^7*d^2*e^13 + 1178624*a^8*b^2*c^9*d^3*e^12 - 4739072*a^8*b^3*c^8*d^2*e^13 - 352*a*b^6*c^12*d^13*e^2 + 2048*a*b^7*c^11*d^12*e^3 - 4800*a*b^8*c^10*d^11*e^4 + 5168*a*b^9*c^9*d^10*e^5 - 480*a*b^10*c^8*d^9*e^6 - 6000*a*b^11*c^7*d^8*e^7 + 8192*a*b^12*c^6*d^7*e^8 - 5040*a*b^13*c^5*d^6*e^9 + 1152*a*b^14*c^4*d^5*e^10 + 240*a*b^15*c^3*d^4*e^11 - 128*a*b^16*c^2*d^3*e^12 - 512*a^3*b^14*c^2*d*e^14 - 106496*a^4*b*c^14*d^12*e^3 + 11680*a^4*b^12*c^3*d*e^14 - 675840*a^5*b*c^13*d^10*e^5 - 108288*a^5*b^10*c^4*d*e^14 - 1601536*a^6*b*c^12*d^8*e^7 + 514768*a^6*b^8*c^5*d*e^14 - 925696*a^7*b*c^11*d^6*e^9 - 1278304*a^7*b^6*c^6*d*e^14 + 2457600*a^8*b*c^10*d^4*e^11 + 1385600*a^8*b^4*c^7*d*e^14 + 2977792*a^9*b*c^9*d^2*e^13 + 19968*a^9*b^2*c^8*d*e^14))/(8*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^10*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96
\end{aligned}$$

$$\begin{aligned}
& a^8 b^4 c^2 e^8 - 256 a^9 b^2 c^3 e^8 + a^2 b^{12} d^4 e^4 - 4 a^3 b^{11} d^3 e^5 + 6 a^4 b^{10} d^2 e^6 + 1024 a^7 c^7 d^6 e^2 + 1536 a^8 c^6 d^4 e^4 + 1024 a^9 c^5 d^2 e^6 + 6 a^2 b^{10} c^2 d^6 e^2 - 92 a^3 b^8 c^3 d^6 e^2 + 52 a^3 b^9 c^2 d^5 e^3 + 512 a^4 b^6 c^4 d^6 e^2 - 192 a^4 b^7 c^3 d^5 e^3 - 90 a^4 b^8 c^2 d^4 e^4 - 1152 a^5 b^4 c^5 d^6 e^2 - 128 a^5 b^5 c^4 d^5 e^3 + 800 a^5 b^6 c^3 d^4 e^4 - 192 a^5 b^7 c^2 d^3 e^5 + 512 a^6 b^2 c^6 d^6 e^2 + 2048 a^6 b^3 c^5 d^5 e^3 - 2240 a^6 b^4 c^4 d^4 e^4 - 128 a^6 b^5 c^3 d^3 e^5 + 512 a^6 b^6 c^2 d^2 e^6 + 1536 a^7 b^2 c^5 d^4 e^4 + 2048 a^7 b^3 c^4 d^3 e^5 - 1152 a^7 b^4 c^3 d^2 e^6 + 512 a^8 b^2 c^4 d^2 e^6 - 1024 a^6 b^7 c^3 d^7 e + 64 a^6 b^7 c^3 d^7 e - 1024 a^9 b^3 c^4 d^7 e - 4 a^2 b^9 c^3 d^7 e - 4 a^2 b^{11} c^3 d^5 e^3 + 64 a^3 b^7 c^4 d^7 e - 4 a^3 b^{10} c^3 d^4 e^4 - 384 a^4 b^5 c^5 d^7 e + 52 a^4 b^9 c^3 d^3 e^5 + 1024 a^5 b^3 c^6 d^7 e - 92 a^5 b^8 c^3 d^2 e^6 - 3072 a^7 b^3 c^6 d^5 e^3 - 384 a^7 b^5 c^2 d^7 e - 3072 a^8 b^3 c^5 d^3 e^5 + 1024 a^8 b^3 c^3 d^7 e) - (((1048576 a^{13} c^8 e^{16} + 256 a^7 b^{12} c^2 e^{16} - 6144 a^8 b^{10} c^3 e^{16} + 61440 a^9 b^8 c^4 e^{16} - 327680 a^{10} b^6 c^5 e^{16} + 983040 a^{11} b^4 c^6 e^{16} - 1572864 a^{12} b^2 c^7 e^{16} - 196608 a^6 c^{15} d^{14} e^2 - 917504 a^7 c^{14} d^{12} e^4 - 589824 a^8 c^{13} d^{10} e^6 + 3932160 a^9 c^{12} d^8 e^8 + 10158080 a^{10} c^{11} d^6 e^{10} + 10616832 a^{11} c^{10} d^4 e^{12} + 5308416 a^{12} c^9 d^2 e^{14} - 2816 a^2 b^8 c^{11} d^{14} e^2 + 22656 a^2 b^9 c^{10} d^{13} e^3 - 78848 a^2 b^{10} c^9 d^{12} e^4 + 154112 a^2 b^{11} c^8 d^{11} e^5 - 182784 a^2 b^{12} c^7 d^{10} e^6 + 130816 a^2 b^{13} c^6 d^9 e^7 - 50176 a^2 b^{14} c^5 d^8 e^8 + 4608 a^2 b^{15} c^4 d^7 e^9 + 3328 a^2 b^{16} c^3 d^6 e^{10} - 896 a^2 b^{17} c^2 d^5 e^{11} + 24576 a^3 b^6 c^{12} d^{14} e^2 - 198656 a^3 b^7 c^{11} d^{13} e^3 + 684544 a^3 b^8 c^{10} d^{12} e^4 - 1291520 a^3 b^9 c^9 d^{11} e^5 + 1403776 a^3 b^{10} c^8 d^{10} e^6 - 798336 a^3 b^{11} c^7 d^9 e^7 + 89856 a^3 b^{12} c^6 d^8 e^8 + 155136 a^3 b^{13} c^5 d^7 e^9 - 77440 a^3 b^{14} c^4 d^6 e^{10} + 5504 a^3 b^{15} c^3 d^5 e^{11} + 2560 a^3 b^{16} c^2 d^4 e^{12} - 106496 a^4 b^4 c^{13} d^{14} e^2 + 864256 a^4 b^5 c^{12} d^{13} e^3 - 2924544 a^4 b^6 c^{11} d^{12} e^4 + 5181440 a^4 b^7 c^{10} d^{11} e^5 - 4686080 a^4 b^8 c^9 d^{10} e^6 + 1045376 a^4 b^9 c^8 d^9 e^7 + 1900544 a^4 b^{10} c^7 d^8 e^8 - 1732096 a^4 b^{11} c^6 d^7 e^9 + 390400 a^4 b^{12} c^5 d^6 e^{10} + 112000 a^4 b^{13} c^4 d^5 e^{11} - 40960 a^4 b^{14} c^3 d^4 e^{12} - 3840 a^4 b^{15} c^2 d^3 e^{13} + 229376 a^5 b^2 c^{14} d^{14} e^2 - 1867776 a^5 b^3 c^{13} d^{13} e^3 + 6078464 a^5 b^4 c^{12} d^{12} e^4 - 9297920 a^5 b^5 c^{11} d^{11} e^5 + 4055040 a^5 b^6 c^{10} d^{10} e^6 + 7788544 a^5 b^7 c^9 d^9 e^7 - 12657664 a^5 b^8 c^8 d^8 e^8 + 6130176 a^5 b^9 c^7 d^7 e^9 + 734080 a^5 b^{10} c^6 d^6 e^{10} - 1442560 a^5 b^{11} c^5 d^5 e^{11} + 168960 a^5 b^{12} c^4 d^4 e^{12} + 78080 a^5 b^{13} c^3 d^3 e^{13} + 3200 a^5 b^{14} c^2 d^2 e^{14} - 4587520 a^6 b^2 c^{13} d^{12} e^4 + 3080192 a^6 b^3 c^{12} d^{11} e^5 + 12001280 a^6 b^4 c^{11} d^{10} e^6 - 31076352 a^6 b^5 c^{10} d^9 e^7 + 27475968 a^6 b^6 c^9 d^8 e^8 - 2088960 a^6 b^7 c^8 d^7 e^9 - 12205312 a^6 b^8 c^7 d^6 e^{10} + 6043520 a^6 b^9 c^6 d^5 e^{11} + 631808 a^6 b^{10} c^5 d^4 e^{12} - 610304 a^6 b^{11} c^4 d^3 e^{13} - 71936 a^6 b^{12} c^3 d^2 e^{14} - 21725184 a^7 b^2 c^{12} d^{10} e^6 + 30801920 a^7 b^3 c^{11} d^9 e^7 - 8028160 a^7 b^4 c^{10} d^8 e^8 - 32260096 a^7 b^5 c^9 d^7 e^9 + 37101568 a^7 b^6 c^8 d^6 e^{10} - 7182336 a^7 b^7 c^7 d^5 e^{11} - 7609856 a^7 b^8 c^6 d^4 e^{12} + 2112256 a
\end{aligned}$$

$$\begin{aligned}
& ^7b^9c^5d^3e^{13} + 661632a^7b^{10}c^4d^2e^{14} - 30146560a^8b^2c^{11}d^8e^8 + 55050240a^8b^3c^{10}d^7e^9 - 34365440a^8b^4c^9d^6e^{10} - 1 \\
& 6429056a^8b^5c^8d^5e^{11} + 24600576a^8b^6c^7d^4e^{12} - 1683456a^8b^7c^6d^3e^{13} - 3151616a^8b^8c^5d^2e^{14} - 10977280a^9b^2c^{10}d^6 \\
& e^{10} + 47022080a^9b^3c^9d^5e^{11} - 30621696a^9b^4c^8d^4e^{12} - 923 \\
& 2384a^9b^5c^7d^3e^{13} + 7970816a^9b^6c^6d^2e^{14} + 4325376a^{10}b^2 \\
& c^9d^4e^{12} + 25493504a^{10}b^3c^8d^3e^{13} - 9117696a^{10}b^4c^7d^2e \\
& ^{14} + 491520a^{11}b^2c^8d^2e^{14} - 4947968a^{12}b^2c^8d^2e^{15} + 128a^8b^{10} \\
& c^{10}d^{14}e^2 - 1024a^8b^{11}c^9d^{13}e^3 + 3584a^8b^{12}c^8d^{12}e^4 - 7168 \\
& a^8b^{13}c^7d^{11}e^5 + 8960a^8b^{14}c^6d^{10}e^6 - 7168a^8b^{15}c^5d^9e^7 + \\
& 3584a^8b^{16}c^4d^8e^8 - 1024a^8b^{17}c^3d^7e^9 + 128a^8b^{18}c^2d^6e^{10} \\
& + 1605632a^6b^6c^{14}d^{13}e^3 - 1408a^6b^{13}c^2d^6e^{15} + 7012352a^7b^7c^{13}d^{11}e^5 + 33152a^7b^{11}c^3d^6e^{15} + 7045120a^8b^7c^{12}d^9e^7 - 32 \\
& 4480a^8b^9c^4d^8e^{15} - 9830400a^9b^6c^{11}d^7e^9 + 1689600a^9b^7c^5d^8e^{15} - 25722880a^{10}b^5c^{10}d^5e^{11} - 4935680a^{10}b^5c^6d^6e^{15} - 1920 \\
& 2048a^{11}b^5c^9d^3e^{13} + 7667712a^{11}b^3c^7d^6e^{15}) / (16(a^6b^8e^8 + \\
& 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^8e^8 - 4a^5b^9d^8e^7 + a \\
& ^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256a^5b^2c^7d^8 \\
& + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 \\
& + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 \\
& + 6a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 \\
& - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 \\
& + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 \\
& - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 \\
& + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - \\
& 1024a^6b^7c^7d^7e^7 + 64a^6b^7c^7d^7e^7 - 1024a^9b^7c^4d^7e^7 - 4a^2b^9c^3d^7e^7 \\
& - 4a^2b^{11}c^5d^5e^3 + 64a^3b^7c^4d^7e^7 - 4a^3b^{10}c^4d^7e^4 - 384a^4b^5c^5d^7e^7 \\
& + 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^7e^7 - 92a^5b^8c^2d^2e^6 - 3072a^7b^5c^2d^2e^7 \\
& - 3072a^8b^3c^5d^3e^5 + 1024a^8b^3c^3d^3e^7) - (x(-d^7e^7)^{(1/2)}(10 \\
& 48576a^{15}c^8e^{17} + 256a^9b^{12}c^2e^{17} - 6144a^{10}b^{10}c^3e^{17} + 614 \\
& 40a^{11}b^8c^4e^{17} - 327680a^{12}b^6c^5e^{17} + 983040a^{13}b^4c^6e^{17} \\
& - 1572864a^{14}b^2c^7e^{17} - 1048576a^8c^{15}d^{14}e^3 - 5242880a^9c^{14}d^{12}e^5 \\
& - 9437184a^{10}c^{13}d^{10}e^7 - 5242880a^{11}c^{12}d^8e^9 + 5242880 \\
& a^{12}c^{11}d^6e^{11} + 9437184a^{13}c^{10}d^4e^{13} + 5242880a^{14}c^9d^2e^{15} \\
& + 256a^2b^{11}c^{10}d^{15}e^2 - 2048a^2b^{12}c^9d^{14}e^3 + 7168a^2b^{13}c^8d^{13}e^4 \\
& - 14336a^2b^{14}c^7d^{12}e^5 + 17920a^2b^{15}c^6d^{11}e^6 - 14336a^2b^{16}c^5d^{10}e^7 \\
& + 7168a^2b^{17}c^4d^9e^8 - 2048a^2b^{18}c^3d^8e^9 + 256a^2b^{19}c^2d^7e^{10} \\
& - 5120a^3b^9c^{11}d^{15}e^2 + 41984a^3b^{10}c^{10}d^{14}e^3 - 148736a^3b^{11}c^9d^{13}e^4 \\
& + 296192a^3b^{12}c^8d^{12}e^5 - 359680a^3b^{13}c^7d^{11}e^6 + 267520a^3b^{14}c^6d^{10}e^7 \\
& - 112384a^3b^{15}c^5d^9e^8 + 18176a^3b^{16}c^4d^8e^9 + 3328a^3b^{17}c^3d^7e^{10} \\
& - 1280a^3b^{18}c^2d^6e^{11} + 40960a^4b^7c^{12}d^{15}e^2 - 3481
\end{aligned}$$

$$\begin{aligned}
& 60a^4b^8c^{11}d^{14}e^3 + 1254400a^4b^9c^{10}d^{13}e^4 - 2478080a^4b^{10} \\
& *c^9d^{12}e^5 + 2867456a^4b^{11}c^8d^{11}e^6 - 1862144a^4b^{12}c^7d^{10}e \\
& ^7 + 490240a^4b^{13}c^6d^9e^8 + 128000a^4b^{14}c^5d^8e^9 - 108800a^4 \\
& *b^{15}c^4d^7e^{10} + 13824a^4b^{16}c^3d^6e^{11} + 2304a^4b^{17}c^2d^5e^{12} \\
& - 163840a^5b^5c^{13}d^{15}e^2 + 1474560a^5b^6c^{12}d^{14}e^3 - 5447680 \\
& *a^5b^7c^{11}d^{13}e^4 + 10588160a^5b^8c^{10}d^{12}e^5 - 11166720a^5b^9* \\
& c^9d^{11}e^6 + 5159936a^5b^{10}c^8d^{10}e^7 + 1073920a^5b^{11}c^7d^9e^8 \\
& - 2279680a^5b^{12}c^6d^8e^9 + 770560a^5b^{13}c^5d^7e^{10} + 33280a^5* \\
& b^{14}c^4d^6e^{11} - 41216a^5b^{15}c^3d^5e^{12} - 1280a^5b^{16}c^2d^4e^{13} \\
& + 327680a^6b^3c^{14}d^{15}e^2 - 3276800a^6b^4c^{13}d^{14}e^3 + 12615680 \\
& *a^6b^5c^{12}d^{13}e^4 - 23592960a^6b^6c^{11}d^{12}e^5 + 19701760a^6b^7* \\
& c^{10}d^{11}e^6 + 1372160a^6b^8c^9d^{10}e^7 - 15846400a^6b^9c^8d^9e^8 \\
& + 10864640a^6b^{10}c^7d^8e^9 - 1352960a^6b^{11}c^6d^7e^{10} - 1111040* \\
& a^6b^{12}c^5d^6e^{11} + 273920a^6b^{13}c^4d^5e^{12} + 25600a^6b^{14}c^3d \\
& ^4e^{13} - 1280a^6b^{15}c^2d^3e^{14} + 3407872a^7b^2c^{14}d^{14}e^3 - 1422 \\
& 1312a^7b^3c^{13}d^{13}e^4 + 23527424a^7b^4c^{12}d^{12}e^5 - 3768320a^7b \\
& ^5c^{11}d^{11}e^6 - 38895616a^7b^6c^{10}d^{10}e^7 + 50126848a^7b^7c^9d^ \\
& 9e^8 - 18362368a^7b^8c^8d^8e^9 - 6831104a^7b^9c^7d^7e^{10} + 62003 \\
& 20a^7b^{10}c^6d^6e^{11} - 726784a^7b^{11}c^5d^5e^{12} - 228608a^7b^{12}c \\
& ^4d^4e^{13} + 31488a^7b^{13}c^3d^3e^{14} + 2304a^7b^{14}c^2d^2e^{15} - 31 \\
& 45728a^8b^2c^{13}d^{12}e^5 - 31129600a^8b^3c^{12}d^{11}e^6 + 74711040a^8 \\
& *b^4c^{11}d^{10}e^7 - 55476224a^8b^5c^{10}d^9e^8 - 11075584a^8b^6c^9d \\
& ^8e^9 + 35381248a^8b^7c^8d^7e^{10} - 14479360a^8b^8c^7d^6e^{11} - 16 \\
& 8960a^8b^9c^6d^5e^{12} + 1286144a^8b^{10}c^5d^4e^{13} - 302336a^8b^{11} \\
& *c^4d^3e^{14} - 55808a^8b^{12}c^3d^2e^{15} - 36962304a^9b^2c^{12}d^{10}e^ \\
& 7 - 9502720a^9b^3c^{11}d^9e^8 + 67174400a^9b^4c^{10}d^8e^9 - 54886400 \\
& *a^9b^5c^9d^7e^{10} + 11239424a^9b^6c^8d^6e^{11} + 5545984a^9b^7c^7 \\
& *d^5e^{12} - 5263360a^9b^8c^6d^4e^{13} + 1356800a^9b^9c^5d^3e^{14} + 5 \\
& 58080a^9b^{10}c^4d^2e^{15} - 49807360a^{10}b^2c^{11}d^8e^9 + 19333120a^{10} \\
& *b^3c^{10}d^7e^{10} + 7208960a^{10}b^4c^9d^6e^{11} - 14974976a^{10}b^5c^8 \\
& *d^5e^{12} + 15073280a^{10}b^6c^7d^4e^{13} - 2170880a^{10}b^7c^6d^3e^{14} \\
& - 2928640a^{10}b^8c^5d^2e^{15} - 11796480a^{11}b^2c^{10}d^6e^{11} + 2392064 \\
& 0a^{11}b^3c^9d^5e^{12} - 24576000a^{11}b^4c^8d^4e^{13} - 4096000a^{11}b^5 \\
& *c^7d^3e^{14} + 8355840a^{11}b^6c^6d^2e^{15} + 12582912a^{12}b^2c^9d^4e \\
& ^{13} + 19857408a^{12}b^3c^8d^3e^{14} - 11534336a^{12}b^4c^7d^2e^{15} + 340 \\
& 7872a^{13}b^2c^8d^2e^{15} - 5505024a^{14}b^3c^8d^2e^{16} - 262144a^7b^3c^{15} \\
& d^{15}e^2 + 5505024a^8b^3c^{14}d^{13}e^4 - 1280a^8b^{13}c^2d^2e^{16} + 2595225 \\
& 6a^9b^3c^{13}d^{11}e^6 + 30976a^9b^{11}c^3d^2e^{16} + 38010880a^{10}b^3c^{12}d^ \\
& 9e^8 - 312320a^{10}b^9c^4d^2e^{16} + 11796480a^{11}b^3c^{11}d^7e^{10} + 167936 \\
& 0a^{11}b^7c^5d^2e^{16} - 21233664a^{12}b^3c^{10}d^5e^{12} - 5079040a^{12}b^5c^ \\
& 6d^2e^{16} - 20709376a^{13}b^3c^9d^3e^{14} + 8192000a^{13}b^3c^7d^2e^{16})) / (16 \\
& *(c^2d^5 + a^2d^4e + b^2d^3e^2 - 2b^3c^4d^4e - 2a^3b^2d^2e^3 + 2a^3c^4d \\
& ^3e^2)*(a^6b^8e^8 + 256a^6c^8d^8 + 256a^{10}c^4e^8 - 16a^7b^6c^8e^ \\
& 8 - 4a^5b^9d^8e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6 \\
& *d^8 - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2
\end{aligned}$$

$$\begin{aligned}
& *b^{12}d^4e^4 - 4a^3b^{11}d^3e^5 + 6a^4b^{10}d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^{10}c^2d^6e^2 \\
& - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 \\
& - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 \\
& - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 \\
& - 1024a^6b^3c^7d^7e + 64a^6b^7c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^3c^7d^7e + 64a^6b^7c^3d^2e^6 - 1024a^9b^2c^4d^2e^6 \\
& *b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^3c^7d^7e + 64a^6b^7c^3d^2e^6 - 1024a^9b^2c^4d^2e^6 \\
& *b^2c^4d^2e^6 - 4a^2b^9c^3d^7e - 4a^2b^11c^3d^7e - 4a^2b^11c^3d^7e + 64a^3b^7c^4d^7e - 4a^3b^10c^3d^7e - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 \\
& + 1024a^5b^3c^6d^7e - 92a^5b^8c^3d^2e^6 - 3072a^7b^3c^6d^5e^3 - 384a^7b^5c^2d^2e^7 - 3072a^8b^3c^5d^3e^5 + 1024a^8b^3c^3d^2e^7))) \\
& *(-d^7e)^{(1/2)})/(2*(c^2d^5 + a^2d^4e + b^2d^3e^2 - 2b^2c^3d^4e - 2a^2b^2c^4d^2e^3 + 2a^2c^3d^3e^2))) *(-d^7e)^{(1/2)})/(2*(c^2d^5 + a^2d^4e + b^2d^3e^2 - 2b^2c^3d^4e - 2a^2b^2c^4d^2e^3 + 2a^2c^3d^3e^2))) / (2*(c^2d^5 + a^2d^4e + b^2d^3e^2 - 2b^2c^3d^4e - 2a^2b^2c^4d^2e^3 + 2a^2c^3d^3e^2))) + (x*(22800a^6c^9e^13 + 36a^2b^8c^5e^13 - 600a^3b^6c^6e^13 + 4313a^4b^4c^7e^13 - 15592a^5b^2c^8e^13 + 1296a^2c^13d^8e^5 + 9792a^3c^12d^6e^7 + 30304a^4c^11d^4e^9 + 40512a^5c^10d^2e^11 + 25b^4c^11d^8e^5 - 120b^5c^10d^7e^6 + 214b^6c^9d^6e^7 - 168b^7c^8d^5e^8 + 53b^8c^7d^4e^9 - 8b^9c^6d^3e^10 + 4b^10c^5d^2e^11 + 6336a^2b^2c^11d^6e^7 + 3840a^2b^3c^10d^5e^8 - 8506a^2b^4c^9d^4e^9 + 1112a^2b^5c^8d^3e^10 + 1254a^2b^6c^7d^2e^11 + 22224a^3b^2c^10d^4e^9 + 13824a^3b^3c^9d^3e^10 - 9516a^3b^4c^8d^2e^11 + 11712a^4b^2c^9d^2e^11 - 24a^4b^9c^5d^2e^12 - 41088a^5b^3c^9d^2e^12 - 360a^4b^2c^12d^8e^5 + 1664a^4b^3c^11d^7e^6 - 2604a^4b^4c^10d^6e^7 + 1272a^4b^5c^9d^5e^8 + 332a^4b^6c^8d^4e^9 - 232a^4b^7c^7d^3e^10 - 48a^4b^8c^6d^2e^11 - 5760a^4b^8c^6d^2e^11 - 5760a^4b^8c^6d^2e^11 + 416a^2b^7c^6d^2e^12 - 32128a^3b^3c^11d^5e^8 - 4120a^3b^5c^7d^2e^12 - 63360a^4b^3c^10d^3e^10 + 21376a^4b^3c^8d^2e^12))/(8*(a^6b^8e^8 + 256a^6c^8d^8 + 256a^10c^4e^8 - 16a^7b^6c^6e^8 - 4a^5b^9d^2e^7 + a^2b^8c^4d^8 - 16a^3b^6c^5d^8 + 96a^4b^4c^6d^8 - 256a^5b^2c^7d^8 + 96a^8b^4c^2e^8 - 256a^9b^2c^3e^8 + a^2b^12d^4e^4 - 4a^3b^11d^3e^5 + 6a^4b^10d^2e^6 + 1024a^7c^7d^6e^2 + 1536a^8c^6d^4e^4 + 1024a^9c^5d^2e^6 + 6a^2b^10c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 512a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a^8b^2c^4d^2e^6 - 1024a^6b^3c^7d^7e + 64a^6b^7c^3d^2e^6 - 1024a^9b^2c^4d^2e^6 *b^2c^4d^2e^6 - 4a^2b^9c^3d^7e - 4a^2b^11c^3d^7e - 4a^2b^11c^3d^7e + 64a^3b^7c^4d^7e - 4a^3b^10c^3d^7e - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^7e - 92a^5b^8c^3d^2e^6 - 30
\end{aligned}$$

$$\begin{aligned}
& 72*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 102 \\
& 4*a^8*b^3*c^3*d*e^7)) * (-d*e^7)^{(1/2)*1i) / (2*(c^2*d^5 + a^2*d*e^4 + b^2*d^3 \\
& *e^2 - 2*b*c*d^4*e - 2*a*b*d^2*e^3 + 2*a*c*d^3*e^2)) - ((((-d*e^7)^{(1/2)*((\\
& 326912*a^8*c^9*d*e^13 - 241664*a^8*b*c^8*e^14 - 48*a^2*b^13*c^2*e^14 + 1264 \\
& *a^3*b^11*c^3*e^14 - 13552*a^4*b^9*c^4*e^14 + 75776*a^5*b^7*c^5*e^14 - 2329 \\
& 60*a^6*b^5*c^6*e^14 + 372736*a^7*b^3*c^7*e^14 + 11520*a^3*c^14*d^11*e^3 + 7 \\
& 8080*a^4*c^13*d^9*e^5 + 197120*a^5*c^12*d^7*e^7 + 336384*a^6*c^11*d^5*e^9 + \\
& 532736*a^7*c^10*d^3*e^11 - 40*b^5*c^12*d^12*e^2 + 216*b^6*c^11*d^11*e^3 - \\
& 464*b^7*c^10*d^10*e^4 + 496*b^8*c^9*d^9*e^5 - 264*b^9*c^8*d^8*e^6 + 56*b^10 \\
& *c^7*d^7*e^7 - 16*b^11*c^6*d^6*e^8 + 64*b^12*c^5*d^5*e^9 - 96*b^13*c^4*d^4* \\
& e^10 + 64*b^14*c^3*d^3*e^11 - 16*b^15*c^2*d^2*e^12 + 1536*a^2*b^2*c^13*d^11 \\
& *e^3 + 14400*a^2*b^3*c^12*d^10*e^4 - 47152*a^2*b^4*c^11*d^9*e^5 + 52144*a^2 \\
& *b^5*c^10*d^8*e^6 - 16272*a^2*b^6*c^9*d^7*e^7 - 13040*a^2*b^7*c^8*d^6*e^8 + \\
& 23488*a^2*b^8*c^7*d^5*e^9 - 26384*a^2*b^9*c^6*d^4*e^10 + 13824*a^2*b^10*c^ \\
& 5*d^3*e^11 + 256*a^2*b^11*c^4*d^2*e^12 + 125056*a^3*b^2*c^12*d^9*e^5 - 3622 \\
& 4*a^3*b^3*c^11*d^8*e^6 - 126432*a^3*b^4*c^10*d^7*e^7 + 144848*a^3*b^5*c^9*d \\
& ^6*e^8 - 114752*a^3*b^6*c^8*d^5*e^9 + 125392*a^3*b^7*c^7*d^4*e^10 - 53248*a \\
& ^3*b^8*c^6*d^3*e^11 - 25264*a^3*b^9*c^5*d^2*e^12 + 474112*a^4*b^2*c^11*d^7* \\
& e^7 - 191104*a^4*b^3*c^10*d^6*e^8 + 97184*a^4*b^4*c^9*d^5*e^9 - 277000*a^4* \\
& b^5*c^8*d^4*e^10 + 56056*a^4*b^6*c^7*d^3*e^11 + 195584*a^4*b^7*c^6*d^2*e^12 \\
& + 236800*a^5*b^2*c^10*d^5*e^9 + 388032*a^5*b^3*c^9*d^4*e^10 + 159632*a^5*b \\
& ^4*c^8*d^3*e^11 - 670488*a^5*b^5*c^7*d^2*e^12 - 488960*a^6*b^2*c^9*d^3*e^11 \\
& + 1106496*a^6*b^3*c^8*d^2*e^12 + 64*a*b^14*c^2*d*e^13 + 448*a*b^3*c^13*d^1 \\
& 2*e^2 - 1968*a*b^4*c^12*d^11*e^3 + 2504*a*b^5*c^11*d^10*e^4 + 768*a*b^6*c^1 \\
& 0*d^9*e^5 - 4368*a*b^7*c^9*d^8*e^6 + 3568*a*b^8*c^8*d^7*e^7 - 520*a*b^9*c^7 \\
& *d^6*e^8 - 1728*a*b^10*c^6*d^5*e^9 + 2528*a*b^11*c^5*d^4*e^10 - 1536*a*b^12 \\
& *c^4*d^3*e^11 + 240*a*b^13*c^3*d^2*e^12 - 1152*a^2*b*c^14*d^12*e^2 - 1600*a \\
& ^2*b^12*c^3*d*e^13 - 67968*a^3*b*c^13*d^10*e^4 + 15808*a^3*b^10*c^4*d*e^13 \\
& - 342272*a^4*b*c^12*d^8*e^6 - 76928*a^4*b^8*c^5*d*e^13 - 569088*a^5*b*c^11* \\
& d^6*e^8 + 179200*a^5*b^6*c^6*d*e^13 - 586368*a^6*b*c^10*d^4*e^10 - 113008*a \\
& ^6*b^4*c^7*d*e^13 - 731008*a^7*b*c^9*d^2*e^12 - 244096*a^7*b^2*c^8*d*e^13) / \\
& (16*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^10*c^4*e^8 - 16*a^7*b^6*c*e^8 - \\
& 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 \\
& - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^1 \\
& 2*d^4*e^4 - 4*a^3*b^11*d^3*e^5 + 6*a^4*b^10*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 \\
& + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^10*c^2*d^6*e^2 - 92 \\
& *a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 1 \\
& 92*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 \\
& - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e \\
& ^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4* \\
& d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2* \\
& c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8 \\
& *b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c \\
& ^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^11*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7* \\
& e - 4*a^3*b^10*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1
\end{aligned}$$

$$\begin{aligned}
& 024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384 \\
& *a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7) - ((\\
& (x*(626688*a^10*b*c^8*e^15 - 784384*a^10*c^9*d*e^14 + 208*a^4*b^13*c^2*e^15 \\
& - 4880*a^5*b^11*c^3*e^15 + 47312*a^6*b^9*c^4*e^15 - 242176*a^7*b^7*c^5*e^1 \\
& 5 + 688640*a^8*b^5*c^6*e^15 - 1028096*a^9*b^3*c^7*e^15 + 18432*a^4*c^15*d^1 \\
& 3*e^2 + 126976*a^5*c^14*d^11*e^4 + 325632*a^6*c^13*d^9*e^6 + 139264*a^7*c^1 \\
& 2*d^7*e^8 - 1067008*a^8*c^11*d^5*e^10 - 1773568*a^9*c^10*d^3*e^12 + 16*b^8* \\
& c^11*d^13*e^2 - 96*b^9*c^10*d^12*e^3 + 240*b^10*c^9*d^11*e^4 - 304*b^11*c^8 \\
& *d^10*e^5 + 144*b^12*c^7*d^9*e^6 + 144*b^13*c^6*d^8*e^7 - 304*b^14*c^5*d^7* \\
& e^8 + 240*b^15*c^4*d^6*e^9 - 96*b^16*c^3*d^5*e^10 + 16*b^17*c^2*d^4*e^11 + \\
& 3200*a^2*b^4*c^13*d^13*e^2 - 18432*a^2*b^5*c^12*d^12*e^3 + 41024*a^2*b^6*c^ \\
& 11*d^11*e^4 - 36352*a^2*b^7*c^10*d^10*e^5 - 16208*a^2*b^8*c^9*d^9*e^6 + 745 \\
& 76*a^2*b^9*c^8*d^8*e^7 - 78496*a^2*b^10*c^7*d^7*e^8 + 32064*a^2*b^11*c^6*d^ \\
& 6*e^9 + 6000*a^2*b^12*c^5*d^5*e^10 - 9264*a^2*b^13*c^4*d^4*e^11 + 1472*a^2* \\
& b^14*c^3*d^3*e^12 + 416*a^2*b^15*c^2*d^2*e^13 - 12800*a^3*b^2*c^14*d^13*e^2 \\
& + 73728*a^3*b^3*c^13*d^12*e^3 - 151296*a^3*b^4*c^12*d^11*e^4 + 78336*a^3*b \\
& ^5*c^11*d^10*e^5 + 206688*a^3*b^6*c^10*d^9*e^6 - 436736*a^3*b^7*c^9*d^8*e^7 \\
& + 324224*a^3*b^8*c^8*d^7*e^8 + 992*a^3*b^9*c^7*d^6*e^9 - 158176*a^3*b^10*c \\
& ^6*d^5*e^10 + 77056*a^3*b^11*c^5*d^4*e^11 + 6912*a^3*b^12*c^4*d^3*e^12 - 84 \\
& 16*a^3*b^13*c^3*d^2*e^13 + 162816*a^4*b^2*c^13*d^11*e^4 + 184320*a^4*b^3*c^ \\
& 12*d^10*e^5 - 916608*a^4*b^4*c^11*d^9*e^6 + 1165824*a^4*b^5*c^10*d^8*e^7 - \\
& 314496*a^4*b^6*c^9*d^7*e^8 - 822272*a^4*b^7*c^8*d^6*e^9 + 919152*a^4*b^8*c^ \\
& 7*d^5*e^10 - 175296*a^4*b^9*c^6*d^4*e^11 - 189328*a^4*b^10*c^5*d^3*e^12 + 6 \\
& 2064*a^4*b^11*c^4*d^2*e^13 + 1290752*a^5*b^2*c^12*d^9*e^6 - 659456*a^5*b^3* \\
& c^11*d^8*e^7 - 1561088*a^5*b^4*c^10*d^7*e^8 + 3240960*a^5*b^5*c^9*d^6*e^9 - \\
& 1964192*a^5*b^6*c^8*d^5*e^10 - 683008*a^5*b^7*c^7*d^4*e^11 + 1162304*a^5*b \\
& ^8*c^6*d^3*e^12 - 164112*a^5*b^9*c^5*d^2*e^13 + 3442688*a^6*b^2*c^11*d^7*e^ \\
& 8 - 3670016*a^6*b^3*c^10*d^6*e^9 + 15232*a^6*b^4*c^9*d^5*e^10 + 4230144*a^6 \\
& *b^5*c^8*d^4*e^11 - 3059648*a^6*b^6*c^7*d^3*e^12 - 247296*a^6*b^7*c^6*d^2*e \\
& ^13 + 4010496*a^7*b^2*c^10*d^5*e^10 - 6873088*a^7*b^3*c^9*d^4*e^11 + 282240 \\
& 0*a^7*b^4*c^8*d^3*e^12 + 2370048*a^7*b^5*c^7*d^2*e^13 + 1178624*a^8*b^2*c^9 \\
& *d^3*e^12 - 4739072*a^8*b^3*c^8*d^2*e^13 - 352*a*b^6*c^12*d^13*e^2 + 2048*a \\
& *b^7*c^11*d^12*e^3 - 4800*a*b^8*c^10*d^11*e^4 + 5168*a*b^9*c^9*d^10*e^5 - 4 \\
& 80*a*b^10*c^8*d^9*e^6 - 6000*a*b^11*c^7*d^8*e^7 + 8192*a*b^12*c^6*d^7*e^8 - \\
& 5040*a*b^13*c^5*d^6*e^9 + 1152*a*b^14*c^4*d^5*e^10 + 240*a*b^15*c^3*d^4*e^ \\
& 11 - 128*a*b^16*c^2*d^3*e^12 - 512*a^3*b^14*c^2*d*e^14 - 106496*a^4*b*c^14* \\
& d^12*e^3 + 11680*a^4*b^12*c^3*d*e^14 - 675840*a^5*b*c^13*d^10*e^5 - 108288* \\
& a^5*b^10*c^4*d*e^14 - 1601536*a^6*b*c^12*d^8*e^7 + 514768*a^6*b^8*c^5*d*e^1 \\
& 4 - 925696*a^7*b*c^11*d^6*e^9 - 1278304*a^7*b^6*c^6*d*e^14 + 2457600*a^8*b* \\
& c^10*d^4*e^11 + 1385600*a^8*b^4*c^7*d*e^14 + 2977792*a^9*b*c^9*d^2*e^13 + 1 \\
& 9968*a^9*b^2*c^8*d*e^14))/(8*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^10*c^4* \\
& e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5 \\
& *d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256* \\
& a^9*b^2*c^3*e^8 + a^2*b^12*d^4*e^4 - 4*a^3*b^11*d^3*e^5 + 6*a^4*b^10*d^2*e^ \\
& 6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*
\end{aligned}$$

$$\begin{aligned}
& a^2b^{10}c^2d^6e^2 - 92a^3b^8c^3d^6e^2 + 52a^3b^9c^2d^5e^3 + 51 \\
& 2a^4b^6c^4d^6e^2 - 192a^4b^7c^3d^5e^3 - 90a^4b^8c^2d^4e^4 - \\
& 1152a^5b^4c^5d^6e^2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - \\
& 192a^5b^7c^2d^3e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - \\
& 2240a^6b^4c^4d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + \\
& 1536a^7b^2c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + \\
& 512a^8b^2c^4d^2e^6 - 1024a^6b^7c^3d^7e + 64a^6b^7c^3d^7e^7 - \\
& 1024a^9b^3c^4d^7e^7 - 4a^2b^9c^3d^7e - 4a^2b^{11}c^5d^5e^3 + \\
& 64a^3b^7c^4d^7e - 4a^3b^{10}c^4d^4e^4 - 384a^4b^5c^5d^7e + \\
& 52a^4b^9c^3d^3e^5 + 1024a^5b^3c^6d^7e - 92a^5b^8c^3d^2e^6 - 307 \\
& 2a^7b^6c^6d^5e^3 - 384a^7b^5c^2d^7e^7 - 3072a^8b^3c^5d^3e^5 + 1024 \\
& a^8b^3c^3d^7e^7) + ((1048576a^{13}c^8e^{16} + 256a^7b^{12}c^2e^{16} - 6 \\
& 144a^8b^{10}c^3e^{16} + 61440a^9b^8c^4e^{16} - 327680a^{10}b^6c^5e^{16} + \\
& 983040a^{11}b^4c^6e^{16} - 1572864a^{12}b^2c^7e^{16} - 196608a^6c^{15}d^1 \\
& 4e^2 - 917504a^7c^{14}d^{12}e^4 - 589824a^8c^{13}d^{10}e^6 + 3932160a^9c^{12} \\
& d^8e^8 + 10158080a^{10}c^{11}d^6e^{10} + 10616832a^{11}c^{10}d^4e^{12} + 5 \\
& 308416a^{12}c^9d^2e^{14} - 2816a^2b^8c^{11}d^{14}e^2 + 22656a^2b^9c^{10}d^{13} \\
& e^3 - 78848a^2b^{10}c^9d^{12}e^4 + 154112a^2b^{11}c^8d^{11}e^5 - 182 \\
& 784a^2b^{12}c^7d^{10}e^6 + 130816a^2b^{13}c^6d^9e^7 - 50176a^2b^{14}c^5d^8e^8 + \\
& 4608a^2b^{15}c^4d^7e^9 + 3328a^2b^{16}c^3d^6e^{10} - 896a^2b^{17}c^2d^5e^{11} + \\
& 24576a^3b^6c^{12}d^{14}e^2 - 198656a^3b^7c^{11}d^13e^3 + 684544a^3b^8c^{10}d^{12} \\
& e^4 - 1291520a^3b^9c^9d^{11}e^5 + 1403776a^3b^{10}c^8d^{10}e^6 - 798336a^3b^{11}c^7d^9e^7 + \\
& 89856a^3b^{12}c^6d^8e^8 + 155136a^3b^{13}c^5d^7e^9 - 77440a^3b^{14}c^4d^6e^{10} + \\
& 5504a^3b^{15}c^3d^5e^{11} + 2560a^3b^{16}c^2d^4e^{12} - 106496a^4b^4c^{13}d^{14}e^2 + \\
& 864256a^4b^5c^{12}d^{13}e^3 - 2924544a^4b^6c^{11}d^{12}e^4 + 5181440a^4b^7c^{10}d^{11} \\
& e^5 - 4686080a^4b^8c^9d^{10}e^6 + 1045376a^4b^9c^8d^9e^7 + 1900544a^4b^{10}c^7d^8e^8 - \\
& 1732096a^4b^{11}c^6d^7e^9 + 390400a^4b^{12}c^5d^6e^{10} + 112000a^4b^{13}c^4d^5e^{11} - \\
& 40960a^4b^{14}c^3d^4e^{12} - 3840a^4b^{15}c^2d^3e^{13} + 229376a^5b^2c^{14}d^{14}e^2 - \\
& 1867776a^5b^3c^{13}d^{13}e^3 + 6078464a^5b^4c^{12}d^{12}e^4 - 9297920a^5b^5c^{11}d^{11} \\
& e^5 + 4055040a^5b^6c^{10}d^{10}e^6 + 7788544a^5b^7c^9d^9e^7 - 12657664a^5b^8c^8d^8e^8 + \\
& 6130176a^5b^9c^7d^7e^9 + 734080a^5b^{10}c^6d^6e^{10} - 1442560a^5b^{11}c^5d^5e^{11} + \\
& 168960a^5b^{12}c^4d^4e^{12} + 78080a^5b^{13}c^3d^3e^{13} + 3200a^5b^{14}c^2d^2e^{14} - \\
& 4587520a^6b^2c^{13}d^{12}e^4 + 3080192a^6b^3c^{12}d^{11}e^5 + 12001280a^6b^4c^{11}d^{10} \\
& e^6 - 31076352a^6b^5c^{10}d^9e^7 + 27475968a^6b^6c^9d^8e^8 - 2088960a^6b^7c^8d^7e^9 - \\
& 12205312a^6b^8c^7d^6e^{10} + 6043520a^6b^9c^6d^5e^{11} + 631808a^6b^{10}c^5d^4e^{12} - \\
& 610304a^6b^{11}c^4d^3e^{13} - 71936a^6b^{12}c^3d^2e^{14} - 21725184a^7b^2c^{12}d^{10}e^6 + \\
& 30801920a^7b^3c^{11}d^9e^7 - 8028160a^7b^4c^{10}d^8e^8 - 32260096a^7b^5c^9d^7e^9 + \\
& 37101568a^7b^6c^8d^6e^{10} - 7182336a^7b^7c^7d^5e^{11} - 7609856a^7b^8c^6d^4e^{12} + \\
& 2112256a^7b^9c^5d^3e^{13} + 661632a^7b^{10}c^4d^2e^{14} - 30146560a^8b^2c^{11}d^8e^8 + \\
& 55050240a^8b^3c^{10}d^7e^9 - 34365440a^8b^4c^9d^6e^{10} - 16429056a^8b^5c^8d^5
\end{aligned}$$

$$\begin{aligned}
& *e^{11} + 24600576*a^8*b^6*c^7*d^4*e^{12} - 1683456*a^8*b^7*c^6*d^3*e^{13} - 3151 \\
& 616*a^8*b^8*c^5*d^2*e^{14} - 10977280*a^9*b^2*c^{10}*d^6*e^{10} + 47022080*a^9*b^ \\
& 3*c^9*d^5*e^{11} - 30621696*a^9*b^4*c^8*d^4*e^{12} - 9232384*a^9*b^5*c^7*d^3*e^ \\
& 13 + 7970816*a^9*b^6*c^6*d^2*e^{14} + 4325376*a^{10}*b^2*c^9*d^4*e^{12} + 2549350 \\
& 4*a^{10}*b^3*c^8*d^3*e^{13} - 9117696*a^{10}*b^4*c^7*d^2*e^{14} + 491520*a^{11}*b^2*c \\
& ^8*d^2*e^{14} - 4947968*a^{12}*b*c^8*d*e^{15} + 128*a*b^{10}*c^{10}*d^{14}*e^2 - 1024*a \\
& *b^{11}*c^9*d^{13}*e^3 + 3584*a*b^{12}*c^8*d^{12}*e^4 - 7168*a*b^{13}*c^7*d^{11}*e^5 + \\
& 8960*a*b^{14}*c^6*d^{10}*e^6 - 7168*a*b^{15}*c^5*d^9*e^7 + 3584*a*b^{16}*c^4*d^8*e^ \\
& 8 - 1024*a*b^{17}*c^3*d^7*e^9 + 128*a*b^{18}*c^2*d^6*e^{10} + 1605632*a^6*b*c^{14} \\
& d^{13}*e^3 - 1408*a^6*b^{13}*c^2*d*e^{15} + 7012352*a^7*b*c^{13}*d^{11}*e^5 + 33152*a \\
& ^7*b^{11}*c^3*d*e^{15} + 7045120*a^8*b*c^{12}*d^9*e^7 - 324480*a^8*b^9*c^4*d*e^{15} \\
& - 9830400*a^9*b*c^{11}*d^7*e^9 + 1689600*a^9*b^7*c^5*d*e^{15} - 25722880*a^{10} \\
& b*c^{10}*d^5*e^{11} - 4935680*a^{10}*b^5*c^6*d*e^{15} - 19202048*a^{11}*b*c^9*d^3*e^{1 \\
& 3} + 7667712*a^{11}*b^3*c^7*d*e^{15})/(16*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a \\
& ^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3 \\
& *b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^ \\
& 8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^1 \\
& 0*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2* \\
& e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5* \\
& e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^ \\
& 4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^ \\
& 3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^ \\
& 3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^ \\
& 6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1 \\
& 152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + \\
& 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^1 \\
& 1*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5 \\
& *d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e \\
& ^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^ \\
& 5 + 1024*a^8*b^3*c^3*d*e^7)) + (x*(-d*e^7)^{(1/2)}*(1048576*a^{15}*c^8*e^{17} + 2 \\
& 56*a^9*b^{12}*c^2*e^{17} - 6144*a^{10}*b^{10}*c^3*e^{17} + 61440*a^{11}*b^8*c^4*e^{17} - \\
& 327680*a^{12}*b^6*c^5*e^{17} + 983040*a^{13}*b^4*c^6*e^{17} - 1572864*a^{14}*b^2*c^7* \\
& e^{17} - 1048576*a^8*c^{15}*d^{14}*e^3 - 5242880*a^9*c^{14}*d^{12}*e^5 - 9437184*a^{10} \\
& *c^{13}*d^{10}*e^7 - 5242880*a^{11}*c^{12}*d^8*e^9 + 5242880*a^{12}*c^{11}*d^6*e^{11} + 9 \\
& 437184*a^{13}*c^{10}*d^4*e^{13} + 5242880*a^{14}*c^9*d^2*e^{15} + 256*a^2*b^{11}*c^{10}*d \\
& ^{15}*e^2 - 2048*a^2*b^{12}*c^9*d^{14}*e^3 + 7168*a^2*b^{13}*c^8*d^{13}*e^4 - 14336*a \\
& ^2*b^{14}*c^7*d^{12}*e^5 + 17920*a^2*b^{15}*c^6*d^{11}*e^6 - 14336*a^2*b^{16}*c^5*d^{1 \\
& 0}*e^7 + 7168*a^2*b^{17}*c^4*d^9*e^8 - 2048*a^2*b^{18}*c^3*d^8*e^9 + 256*a^2*b^1 \\
& 9*c^2*d^7*e^{10} - 5120*a^3*b^9*c^{11}*d^{15}*e^2 + 41984*a^3*b^{10}*c^{10}*d^{14}*e^3 \\
& - 148736*a^3*b^{11}*c^9*d^{13}*e^4 + 296192*a^3*b^{12}*c^8*d^{12}*e^5 - 359680*a^3* \\
& b^{13}*c^7*d^{11}*e^6 + 267520*a^3*b^{14}*c^6*d^{10}*e^7 - 112384*a^3*b^{15}*c^5*d^9* \\
& e^8 + 18176*a^3*b^{16}*c^4*d^8*e^9 + 3328*a^3*b^{17}*c^3*d^7*e^{10} - 1280*a^3*b^ \\
& 18*c^2*d^6*e^{11} + 40960*a^4*b^7*c^{12}*d^{15}*e^2 - 348160*a^4*b^8*c^{11}*d^{14}*e^ \\
& 3 + 1254400*a^4*b^9*c^{10}*d^{13}*e^4 - 2478080*a^4*b^{10}*c^9*d^{12}*e^5 + 2867456 \\
& *a^4*b^{11}*c^8*d^{11}*e^6 - 1862144*a^4*b^{12}*c^7*d^{10}*e^7 + 490240*a^4*b^{13}*c^
\end{aligned}$$

$$\begin{aligned}
&6*d^9*e^8 + 128000*a^4*b^14*c^5*d^8*e^9 - 108800*a^4*b^15*c^4*d^7*e^10 + 13 \\
&824*a^4*b^16*c^3*d^6*e^11 + 2304*a^4*b^17*c^2*d^5*e^12 - 163840*a^5*b^5*c^1 \\
&3*d^15*e^2 + 1474560*a^5*b^6*c^12*d^14*e^3 - 5447680*a^5*b^7*c^11*d^13*e^4 \\
&+ 10588160*a^5*b^8*c^10*d^12*e^5 - 11166720*a^5*b^9*c^9*d^11*e^6 + 5159936* \\
&a^5*b^10*c^8*d^10*e^7 + 1073920*a^5*b^11*c^7*d^9*e^8 - 2279680*a^5*b^12*c^6 \\
&*d^8*e^9 + 770560*a^5*b^13*c^5*d^7*e^10 + 33280*a^5*b^14*c^4*d^6*e^11 - 412 \\
&16*a^5*b^15*c^3*d^5*e^12 - 1280*a^5*b^16*c^2*d^4*e^13 + 327680*a^6*b^3*c^14 \\
&*d^15*e^2 - 3276800*a^6*b^4*c^13*d^14*e^3 + 12615680*a^6*b^5*c^12*d^13*e^4 \\
&- 23592960*a^6*b^6*c^11*d^12*e^5 + 19701760*a^6*b^7*c^10*d^11*e^6 + 1372160 \\
&*a^6*b^8*c^9*d^10*e^7 - 15846400*a^6*b^9*c^8*d^9*e^8 + 10864640*a^6*b^10*c^ \\
&7*d^8*e^9 - 1352960*a^6*b^11*c^6*d^7*e^10 - 1111040*a^6*b^12*c^5*d^6*e^11 + \\
&273920*a^6*b^13*c^4*d^5*e^12 + 25600*a^6*b^14*c^3*d^4*e^13 - 1280*a^6*b^15 \\
&*c^2*d^3*e^14 + 3407872*a^7*b^2*c^14*d^14*e^3 - 14221312*a^7*b^3*c^13*d^13* \\
&e^4 + 23527424*a^7*b^4*c^12*d^12*e^5 - 3768320*a^7*b^5*c^11*d^11*e^6 - 3889 \\
&5616*a^7*b^6*c^10*d^10*e^7 + 50126848*a^7*b^7*c^9*d^9*e^8 - 18362368*a^7*b^ \\
&8*c^8*d^8*e^9 - 6831104*a^7*b^9*c^7*d^7*e^10 + 6200320*a^7*b^10*c^6*d^6*e^1 \\
&1 - 726784*a^7*b^11*c^5*d^5*e^12 - 228608*a^7*b^12*c^4*d^4*e^13 + 31488*a^7 \\
&*b^13*c^3*d^3*e^14 + 2304*a^7*b^14*c^2*d^2*e^15 - 3145728*a^8*b^2*c^13*d^12 \\
&*e^5 - 31129600*a^8*b^3*c^12*d^11*e^6 + 74711040*a^8*b^4*c^11*d^10*e^7 - 55 \\
&476224*a^8*b^5*c^10*d^9*e^8 - 11075584*a^8*b^6*c^9*d^8*e^9 + 35381248*a^8*b \\
&^7*c^8*d^7*e^10 - 14479360*a^8*b^8*c^7*d^6*e^11 - 168960*a^8*b^9*c^6*d^5*e^ \\
&12 + 1286144*a^8*b^10*c^5*d^4*e^13 - 302336*a^8*b^11*c^4*d^3*e^14 - 55808*a \\
&^8*b^12*c^3*d^2*e^15 - 36962304*a^9*b^2*c^12*d^10*e^7 - 9502720*a^9*b^3*c^1 \\
&1*d^9*e^8 + 67174400*a^9*b^4*c^10*d^8*e^9 - 54886400*a^9*b^5*c^9*d^7*e^10 + \\
&11239424*a^9*b^6*c^8*d^6*e^11 + 5545984*a^9*b^7*c^7*d^5*e^12 - 5263360*a^9 \\
&*b^8*c^6*d^4*e^13 + 1356800*a^9*b^9*c^5*d^3*e^14 + 558080*a^9*b^10*c^4*d^2* \\
&e^15 - 49807360*a^10*b^2*c^11*d^8*e^9 + 19333120*a^10*b^3*c^10*d^7*e^10 + 7 \\
&208960*a^10*b^4*c^9*d^6*e^11 - 14974976*a^10*b^5*c^8*d^5*e^12 + 15073280*a^ \\
&10*b^6*c^7*d^4*e^13 - 2170880*a^10*b^7*c^6*d^3*e^14 - 2928640*a^10*b^8*c^5* \\
&d^2*e^15 - 11796480*a^11*b^2*c^10*d^6*e^11 + 23920640*a^11*b^3*c^9*d^5*e^12 \\
&- 24576000*a^11*b^4*c^8*d^4*e^13 - 4096000*a^11*b^5*c^7*d^3*e^14 + 8355840 \\
&*a^11*b^6*c^6*d^2*e^15 + 12582912*a^12*b^2*c^9*d^4*e^13 + 19857408*a^12*b^3 \\
&*c^8*d^3*e^14 - 11534336*a^12*b^4*c^7*d^2*e^15 + 3407872*a^13*b^2*c^8*d^2*e \\
&^15 - 5505024*a^14*b*c^8*d*e^16 - 262144*a^7*b*c^15*d^15*e^2 + 5505024*a^8* \\
&b*c^14*d^13*e^4 - 1280*a^8*b^13*c^2*d*e^16 + 25952256*a^9*b*c^13*d^11*e^6 + \\
&30976*a^9*b^11*c^3*d*e^16 + 38010880*a^10*b*c^12*d^9*e^8 - 312320*a^10*b^9 \\
&*c^4*d*e^16 + 11796480*a^11*b*c^11*d^7*e^10 + 1679360*a^11*b^7*c^5*d*e^16 - \\
&21233664*a^12*b*c^10*d^5*e^12 - 5079040*a^12*b^5*c^6*d*e^16 - 20709376*a^1 \\
&3*b*c^9*d^3*e^14 + 8192000*a^13*b^3*c^7*d*e^16))/((16*(c^2*d^5 + a^2*d*e^4 + \\
&b^2*d^3*e^2 - 2*b*c*d^4*e - 2*a*b*d^2*e^3 + 2*a*c*d^3*e^2)*(a^6*b^8*e^8 + \\
&256*a^6*c^8*d^8 + 256*a^10*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a \\
&^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7* \\
&d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^12*d^4*e^4 - 4*a^3*b \\
&^11*d^3*e^5 + 6*a^4*b^10*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4* \\
&e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^10*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^
\end{aligned}$$

$$\begin{aligned}
& 2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5* \\
& e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d \\
& ^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^ \\
& 6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b \\
& ^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048* \\
& a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - \\
& 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^ \\
& 9*c^3*d^7*e - 4*a^2*b^11*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^10*c*d^ \\
& 4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7 \\
& *e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 \\
& - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)))*(-d*e^7)^(1/2))/(2*(c^ \\
& 2*d^5 + a^2*d*e^4 + b^2*d^3*e^2 - 2*b*c*d^4*e - 2*a*b*d^2*e^3 + 2*a*c*d^3*e \\
& ^2)))*(-d*e^7)^(1/2))/(2*(c^2*d^5 + a^2*d*e^4 + b^2*d^3*e^2 - 2*b*c*d^4*e - \\
& 2*a*b*d^2*e^3 + 2*a*c*d^3*e^2)))/(2*(c^2*d^5 + a^2*d*e^4 + b^2*d^3*e^2 - \\
& 2*b*c*d^4*e - 2*a*b*d^2*e^3 + 2*a*c*d^3*e^2)) - (x*(22800*a^6*c^9*e^13 + 36 \\
& *a^2*b^8*c^5*e^13 - 600*a^3*b^6*c^6*e^13 + 4313*a^4*b^4*c^7*e^13 - 15592*a^ \\
& 5*b^2*c^8*e^13 + 1296*a^2*c^13*d^8*e^5 + 9792*a^3*c^12*d^6*e^7 + 30304*a^4* \\
& c^11*d^4*e^9 + 40512*a^5*c^10*d^2*e^11 + 25*b^4*c^11*d^8*e^5 - 120*b^5*c^10 \\
& *d^7*e^6 + 214*b^6*c^9*d^6*e^7 - 168*b^7*c^8*d^5*e^8 + 53*b^8*c^7*d^4*e^9 - \\
& 8*b^9*c^6*d^3*e^10 + 4*b^10*c^5*d^2*e^11 + 6336*a^2*b^2*c^11*d^6*e^7 + 384 \\
& 0*a^2*b^3*c^10*d^5*e^8 - 8506*a^2*b^4*c^9*d^4*e^9 + 1112*a^2*b^5*c^8*d^3*e^ \\
& 10 + 1254*a^2*b^6*c^7*d^2*e^11 + 22224*a^3*b^2*c^10*d^4*e^9 + 13824*a^3*b^3 \\
& *c^9*d^3*e^10 - 9516*a^3*b^4*c^8*d^2*e^11 + 11712*a^4*b^2*c^9*d^2*e^11 - 24 \\
& *a*b^9*c^5*d*e^12 - 41088*a^5*b*c^9*d*e^12 - 360*a*b^2*c^12*d^8*e^5 + 1664* \\
& a*b^3*c^11*d^7*e^6 - 2604*a*b^4*c^10*d^6*e^7 + 1272*a*b^5*c^9*d^5*e^8 + 332 \\
& *a*b^6*c^8*d^4*e^9 - 232*a*b^7*c^7*d^3*e^10 - 48*a*b^8*c^6*d^2*e^11 - 5760* \\
& a^2*b*c^12*d^7*e^6 + 416*a^2*b^7*c^6*d*e^12 - 32128*a^3*b*c^11*d^5*e^8 - 41 \\
& 20*a^3*b^5*c^7*d*e^12 - 63360*a^4*b*c^10*d^3*e^10 + 21376*a^4*b^3*c^8*d*e^1 \\
& 2)))/(8*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^10*c^4*e^8 - 16*a^7*b^6*c*e^8 \\
& - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6* \\
& d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2* \\
& b^12*d^4*e^4 - 4*a^3*b^11*d^3*e^5 + 6*a^4*b^10*d^2*e^6 + 1024*a^7*c^7*d^6*e \\
& ^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^10*c^2*d^6*e^2 - \\
& 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 \\
& - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e \\
& ^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^ \\
& 3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c \\
& ^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b \\
& ^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512* \\
& a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9* \\
& b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^11*c*d^5*e^3 + 64*a^3*b^7*c^4*d \\
& ^7*e - 4*a^3*b^10*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 \\
& + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - \\
& 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)))* \\
& (-d*e^7)^(1/2)*1i)/(2*(c^2*d^5 + a^2*d*e^4 + b^2*d^3*e^2 - 2*b*c*d^4*e - 2*
\end{aligned}$$

$$\begin{aligned}
& a*b*d^2*e^3 + 2*a*c*d^3*e^2)))/(((((-d*e^7)^{(1/2)}*((326912*a^8*c^9*d*e^{13} - \\
& 241664*a^8*b*c^8*e^{14} - 48*a^2*b^{13}*c^2*e^{14} + 1264*a^3*b^{11}*c^3*e^{14} - 13 \\
& 552*a^4*b^9*c^4*e^{14} + 75776*a^5*b^7*c^5*e^{14} - 232960*a^6*b^5*c^6*e^{14} + 3 \\
& 72736*a^7*b^3*c^7*e^{14} + 11520*a^3*c^{14}*d^{11}*e^3 + 78080*a^4*c^{13}*d^9*e^5 + \\
& 197120*a^5*c^{12}*d^7*e^7 + 336384*a^6*c^{11}*d^5*e^9 + 532736*a^7*c^{10}*d^3*e^{11} - \\
& 40*b^5*c^{12}*d^{12}*e^2 + 216*b^6*c^{11}*d^{11}*e^3 - 464*b^7*c^{10}*d^{10}*e^4 + \\
& 496*b^8*c^9*d^9*e^5 - 264*b^9*c^8*d^8*e^6 + 56*b^{10}*c^7*d^7*e^7 - 16*b^{11}* \\
& c^6*d^6*e^8 + 64*b^{12}*c^5*d^5*e^9 - 96*b^{13}*c^4*d^4*e^{10} + 64*b^{14}*c^3*d^3* \\
& e^{11} - 16*b^{15}*c^2*d^2*e^{12} + 1536*a^2*b^2*c^{13}*d^{11}*e^3 + 14400*a^2*b^3*c^ \\
& 12*d^{10}*e^4 - 47152*a^2*b^4*c^{11}*d^9*e^5 + 52144*a^2*b^5*c^{10}*d^8*e^6 - 162 \\
& 72*a^2*b^6*c^9*d^7*e^7 - 13040*a^2*b^7*c^8*d^6*e^8 + 23488*a^2*b^8*c^7*d^5* \\
& e^9 - 26384*a^2*b^9*c^6*d^4*e^{10} + 13824*a^2*b^{10}*c^5*d^3*e^{11} + 256*a^2*b^ \\
& 11*c^4*d^2*e^{12} + 125056*a^3*b^2*c^{12}*d^9*e^5 - 36224*a^3*b^3*c^{11}*d^8*e^6 \\
& - 126432*a^3*b^4*c^{10}*d^7*e^7 + 144848*a^3*b^5*c^9*d^6*e^8 - 114752*a^3*b^6* \\
& c^8*d^5*e^9 + 125392*a^3*b^7*c^7*d^4*e^{10} - 53248*a^3*b^8*c^6*d^3*e^{11} - 2 \\
& 5264*a^3*b^9*c^5*d^2*e^{12} + 474112*a^4*b^2*c^{11}*d^7*e^7 - 191104*a^4*b^3*c^ \\
& 10*d^6*e^8 + 97184*a^4*b^4*c^9*d^5*e^9 - 277000*a^4*b^5*c^8*d^4*e^{10} + 5605 \\
& 6*a^4*b^6*c^7*d^3*e^{11} + 195584*a^4*b^7*c^6*d^2*e^{12} + 236800*a^5*b^2*c^{10}* \\
& d^5*e^9 + 388032*a^5*b^3*c^9*d^4*e^{10} + 159632*a^5*b^4*c^8*d^3*e^{11} - 67048 \\
& 8*a^5*b^5*c^7*d^2*e^{12} - 488960*a^6*b^2*c^9*d^3*e^{11} + 1106496*a^6*b^3*c^8* \\
& d^2*e^{12} + 64*a*b^{14}*c^2*d*e^{13} + 448*a*b^3*c^{13}*d^{12}*e^2 - 1968*a*b^4*c^{12} \\
& *d^{11}*e^3 + 2504*a*b^5*c^{11}*d^{10}*e^4 + 768*a*b^6*c^{10}*d^9*e^5 - 4368*a*b^7* \\
& c^9*d^8*e^6 + 3568*a*b^8*c^8*d^7*e^7 - 520*a*b^9*c^7*d^6*e^8 - 1728*a*b^{10}* \\
& c^6*d^5*e^9 + 2528*a*b^{11}*c^5*d^4*e^{10} - 1536*a*b^{12}*c^4*d^3*e^{11} + 240*a*b \\
& ^{13}*c^3*d^2*e^{12} - 1152*a^2*b*c^{14}*d^{12}*e^2 - 1600*a^2*b^{12}*c^3*d*e^{13} - 67 \\
& 968*a^3*b*c^{13}*d^{10}*e^4 + 15808*a^3*b^{10}*c^4*d*e^{13} - 342272*a^4*b*c^{12}*d^8 \\
& *e^6 - 76928*a^4*b^8*c^5*d*e^{13} - 569088*a^5*b*c^{11}*d^6*e^8 + 179200*a^5*b^ \\
& 6*c^6*d*e^{13} - 586368*a^6*b*c^{10}*d^4*e^{10} - 113008*a^6*b^4*c^7*d*e^{13} - 731 \\
& 008*a^7*b*c^9*d^2*e^{12} - 244096*a^7*b^2*c^8*d*e^{13})/(16*(a^6*b^8*e^8 + 256* \\
& a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b \\
& ^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 \\
& + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}* \\
& d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 \\
& + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + \\
& 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 \\
& - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e \\
& ^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^ \\
& 6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c \\
& ^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7* \\
& b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024 \\
& *a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^ \\
& 3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^{10}*c*d^4*e^ \\
& 4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - \\
& 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 30 \\
& 72*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)) + ((x*(626688*a^{10}*b*c^8*e
\end{aligned}$$

$$\begin{aligned}
& ^{15} - 784384*a^{10}*c^9*d*e^{14} + 208*a^4*b^{13}*c^2*e^{15} - 4880*a^5*b^{11}*c^3*e^{15} \\
& + 47312*a^6*b^9*c^4*e^{15} - 242176*a^7*b^7*c^5*e^{15} + 688640*a^8*b^5*c^6* \\
& e^{15} - 1028096*a^9*b^3*c^7*e^{15} + 18432*a^4*c^{15}*d^{13}*e^2 + 126976*a^5*c^{14} \\
& *d^{11}*e^4 + 325632*a^6*c^{13}*d^9*e^6 + 139264*a^7*c^{12}*d^7*e^8 - 1067008*a^8 \\
& *c^{11}*d^5*e^{10} - 1773568*a^9*c^{10}*d^3*e^{12} + 16*b^8*c^{11}*d^{13}*e^2 - 96*b^9* \\
& c^{10}*d^{12}*e^3 + 240*b^{10}*c^9*d^{11}*e^4 - 304*b^{11}*c^8*d^{10}*e^5 + 144*b^{12}*c^ \\
& 7*d^9*e^6 + 144*b^{13}*c^6*d^8*e^7 - 304*b^{14}*c^5*d^7*e^8 + 240*b^{15}*c^4*d^6* \\
& e^9 - 96*b^{16}*c^3*d^5*e^{10} + 16*b^{17}*c^2*d^4*e^{11} + 3200*a^2*b^4*c^{13}*d^{13} \\
& e^2 - 18432*a^2*b^5*c^{12}*d^{12}*e^3 + 41024*a^2*b^6*c^{11}*d^{11}*e^4 - 36352*a^2 \\
& *b^7*c^{10}*d^{10}*e^5 - 16208*a^2*b^8*c^9*d^9*e^6 + 74576*a^2*b^9*c^8*d^8*e^7 \\
& - 78496*a^2*b^{10}*c^7*d^7*e^8 + 32064*a^2*b^{11}*c^6*d^6*e^9 + 6000*a^2*b^{12}*c^ \\
& ^5*d^5*e^{10} - 9264*a^2*b^{13}*c^4*d^4*e^{11} + 1472*a^2*b^{14}*c^3*d^3*e^{12} + 416 \\
& *a^2*b^{15}*c^2*d^2*e^{13} - 12800*a^3*b^2*c^{14}*d^{13}*e^2 + 73728*a^3*b^3*c^{13}*d \\
& ^{12}*e^3 - 151296*a^3*b^4*c^{12}*d^{11}*e^4 + 78336*a^3*b^5*c^{11}*d^{10}*e^5 + 2066 \\
& 88*a^3*b^6*c^{10}*d^9*e^6 - 436736*a^3*b^7*c^9*d^8*e^7 + 324224*a^3*b^8*c^8*d^ \\
& ^7*e^8 + 992*a^3*b^9*c^7*d^6*e^9 - 158176*a^3*b^{10}*c^6*d^5*e^{10} + 77056*a^3 \\
& *b^{11}*c^5*d^4*e^{11} + 6912*a^3*b^{12}*c^4*d^3*e^{12} - 8416*a^3*b^{13}*c^3*d^2*e^1 \\
& 3 + 162816*a^4*b^2*c^{13}*d^{11}*e^4 + 184320*a^4*b^3*c^{12}*d^{10}*e^5 - 916608*a^ \\
& 4*b^4*c^{11}*d^9*e^6 + 1165824*a^4*b^5*c^{10}*d^8*e^7 - 314496*a^4*b^6*c^9*d^7* \\
& e^8 - 822272*a^4*b^7*c^8*d^6*e^9 + 919152*a^4*b^8*c^7*d^5*e^{10} - 175296*a^4 \\
& *b^9*c^6*d^4*e^{11} - 189328*a^4*b^{10}*c^5*d^3*e^{12} + 62064*a^4*b^{11}*c^4*d^2*e^ \\
& ^{13} + 1290752*a^5*b^2*c^{12}*d^9*e^6 - 659456*a^5*b^3*c^{11}*d^8*e^7 - 1561088* \\
& a^5*b^4*c^{10}*d^7*e^8 + 3240960*a^5*b^5*c^9*d^6*e^9 - 1964192*a^5*b^6*c^8*d^ \\
& 5*e^{10} - 683008*a^5*b^7*c^7*d^4*e^{11} + 1162304*a^5*b^8*c^6*d^3*e^{12} - 16411 \\
& 2*a^5*b^9*c^5*d^2*e^{13} + 3442688*a^6*b^2*c^{11}*d^7*e^8 - 3670016*a^6*b^3*c^1 \\
& 0*d^6*e^9 + 15232*a^6*b^4*c^9*d^5*e^{10} + 4230144*a^6*b^5*c^8*d^4*e^{11} - 305 \\
& 9648*a^6*b^6*c^7*d^3*e^{12} - 247296*a^6*b^7*c^6*d^2*e^{13} + 4010496*a^7*b^2*c^ \\
& ^{10}*d^5*e^{10} - 6873088*a^7*b^3*c^9*d^4*e^{11} + 2822400*a^7*b^4*c^8*d^3*e^{12} \\
& + 2370048*a^7*b^5*c^7*d^2*e^{13} + 1178624*a^8*b^2*c^9*d^3*e^{12} - 4739072*a^8 \\
& *b^3*c^8*d^2*e^{13} - 352*a*b^6*c^{12}*d^{13}*e^2 + 2048*a*b^7*c^{11}*d^{12}*e^3 - 48 \\
& 00*a*b^8*c^{10}*d^{11}*e^4 + 5168*a*b^9*c^9*d^{10}*e^5 - 480*a*b^{10}*c^8*d^9*e^6 - \\
& 6000*a*b^{11}*c^7*d^8*e^7 + 8192*a*b^{12}*c^6*d^7*e^8 - 5040*a*b^{13}*c^5*d^6*e^ \\
& 9 + 1152*a*b^{14}*c^4*d^5*e^{10} + 240*a*b^{15}*c^3*d^4*e^{11} - 128*a*b^{16}*c^2*d^3 \\
& *e^{12} - 512*a^3*b^{14}*c^2*d*e^{14} - 106496*a^4*b*c^{14}*d^{12}*e^3 + 11680*a^4*b^ \\
& 12*c^3*d*e^{14} - 675840*a^5*b*c^{13}*d^{10}*e^5 - 108288*a^5*b^{10}*c^4*d*e^{14} - 1 \\
& 601536*a^6*b*c^{12}*d^8*e^7 + 514768*a^6*b^8*c^5*d*e^{14} - 925696*a^7*b*c^{11}*d \\
& ^6*e^9 - 1278304*a^7*b^6*c^6*d*e^{14} + 2457600*a^8*b*c^{10}*d^4*e^{11} + 1385600 \\
& *a^8*b^4*c^7*d*e^{14} + 2977792*a^9*b*c^9*d^2*e^{13} + 19968*a^9*b^2*c^8*d*e^{14} \\
&))/(8*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 \\
& - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^ \\
& ^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^ \\
& ^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^ \\
& 2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - \\
& 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - \\
& 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^
\end{aligned}$$

$$\begin{aligned}
& 2 - 128a^5b^5c^4d^5e^3 + 800a^5b^6c^3d^4e^4 - 192a^5b^7c^2d^3 \\
& *e^5 + 512a^6b^2c^6d^6e^2 + 2048a^6b^3c^5d^5e^3 - 2240a^6b^4c^4 \\
& *d^4e^4 - 128a^6b^5c^3d^3e^5 + 512a^6b^6c^2d^2e^6 + 1536a^7b^2 \\
& *c^5d^4e^4 + 2048a^7b^3c^4d^3e^5 - 1152a^7b^4c^3d^2e^6 + 512a \\
& ^8b^2c^4d^2e^6 - 1024a^6b^6c^7d^7e + 64a^6b^7c^4d^7e^7 - 1024a^9b \\
& *c^4d^7e^7 - 4a^2b^9c^3d^7e - 4a^2b^11c^4d^5e^3 + 64a^3b^7c^4d^7 \\
& *e - 4a^3b^10c^4d^4e^4 - 384a^4b^5c^5d^7e + 52a^4b^9c^3d^3e^5 + \\
& 1024a^5b^3c^6d^7e - 92a^5b^8c^4d^2e^6 - 3072a^7b^6c^6d^5e^3 - 3 \\
& 84a^7b^5c^2d^7e^7 - 3072a^8b^6c^5d^3e^5 + 1024a^8b^3c^3d^7e^7)) - \\
& (((1048576a^13c^8e^16 + 256a^7b^12c^2e^16 - 6144a^8b^10c^3e^16 + \\
& 61440a^9b^8c^4e^16 - 327680a^10b^6c^5e^16 + 983040a^11b^4c^6e^16 \\
& - 1572864a^12b^2c^7e^16 - 196608a^6c^15d^14e^2 - 917504a^7c^14 \\
& *d^12e^4 - 589824a^8c^13d^10e^6 + 3932160a^9c^12d^8e^8 + 10158080 \\
& a^10c^11d^6e^10 + 10616832a^11c^10d^4e^12 + 5308416a^12c^9d^2e^14 \\
& - 2816a^2b^8c^11d^14e^2 + 22656a^2b^9c^10d^13e^3 - 78848a^2b^10 \\
& *c^9d^12e^4 + 154112a^2b^11c^8d^11e^5 - 182784a^2b^12c^7d^10e^6 \\
& + 130816a^2b^13c^6d^9e^7 - 50176a^2b^14c^5d^8e^8 + 4608a^2b^15 \\
& *c^4d^7e^9 + 3328a^2b^16c^3d^6e^10 - 896a^2b^17c^2d^5e^11 + 2 \\
& 4576a^3b^6c^12d^14e^2 - 198656a^3b^7c^11d^13e^3 + 684544a^3b^8c^10 \\
& *d^12e^4 - 1291520a^3b^9c^9d^11e^5 + 1403776a^3b^10c^8d^10e^6 - \\
& 798336a^3b^11c^7d^9e^7 + 89856a^3b^12c^6d^8e^8 + 155136a^3b^13 \\
& *c^5d^7e^9 - 77440a^3b^14c^4d^6e^10 + 5504a^3b^15c^3d^5e^11 \\
& + 2560a^3b^16c^2d^4e^12 - 106496a^4b^4c^13d^14e^2 + 864256a^4b^5 \\
& *c^12d^13e^3 - 2924544a^4b^6c^11d^12e^4 + 5181440a^4b^7c^10d^11 \\
& *e^5 - 4686080a^4b^8c^9d^10e^6 + 1045376a^4b^9c^8d^9e^7 + 1900544 \\
& *a^4b^10c^7d^8e^8 - 1732096a^4b^11c^6d^7e^9 + 390400a^4b^12c^5d^6 \\
& *e^10 + 112000a^4b^13c^4d^5e^11 - 40960a^4b^14c^3d^4e^12 - 384 \\
& 0a^4b^15c^2d^3e^13 + 229376a^5b^2c^14d^14e^2 - 1867776a^5b^3c^13 \\
& *d^13e^3 + 6078464a^5b^4c^12d^12e^4 - 9297920a^5b^5c^11d^11e^5 \\
& + 4055040a^5b^6c^10d^10e^6 + 7788544a^5b^7c^9d^9e^7 - 12657664a^5 \\
& *b^8c^8d^8e^8 + 6130176a^5b^9c^7d^7e^9 + 734080a^5b^10c^6d^6e^10 \\
& - 1442560a^5b^11c^5d^5e^11 + 168960a^5b^12c^4d^4e^12 + 78080 \\
& *a^5b^13c^3d^3e^13 + 3200a^5b^14c^2d^2e^14 - 4587520a^6b^2c^13 \\
& *d^12e^4 + 3080192a^6b^3c^12d^11e^5 + 12001280a^6b^4c^11d^10e^6 - \\
& 31076352a^6b^5c^10d^9e^7 + 27475968a^6b^6c^9d^8e^8 - 2088960a^6 \\
& *b^7c^8d^7e^9 - 12205312a^6b^8c^7d^6e^10 + 6043520a^6b^9c^6d^5e^11 \\
& + 631808a^6b^10c^5d^4e^12 - 610304a^6b^11c^4d^3e^13 - 71936a^6 \\
& *b^12c^3d^2e^14 - 21725184a^7b^2c^12d^10e^6 + 30801920a^7b^3c^11 \\
& *d^9e^7 - 8028160a^7b^4c^10d^8e^8 - 32260096a^7b^5c^9d^7e^9 + \\
& 37101568a^7b^6c^8d^6e^10 - 7182336a^7b^7c^7d^5e^11 - 7609856a^7 \\
& *b^8c^6d^4e^12 + 2112256a^7b^9c^5d^3e^13 + 661632a^7b^10c^4d^2e^14 \\
& - 30146560a^8b^2c^11d^8e^8 + 55050240a^8b^3c^10d^7e^9 - 3436 \\
& 5440a^8b^4c^9d^6e^10 - 16429056a^8b^5c^8d^5e^11 + 24600576a^8b^6 \\
& *c^7d^4e^12 - 1683456a^8b^7c^6d^3e^13 - 3151616a^8b^8c^5d^2e^14 \\
& - 10977280a^9b^2c^10d^6e^10 + 47022080a^9b^3c^9d^5e^11 - 306216
\end{aligned}$$

$$\begin{aligned}
& 96*a^9*b^4*c^8*d^4*e^{12} - 9232384*a^9*b^5*c^7*d^3*e^{13} + 7970816*a^9*b^6*c^6*d^2*e^{14} + 4325376*a^{10}*b^2*c^9*d^4*e^{12} + 25493504*a^{10}*b^3*c^8*d^3*e^{13} \\
& - 9117696*a^{10}*b^4*c^7*d^2*e^{14} + 491520*a^{11}*b^2*c^8*d^2*e^{14} - 4947968*a^{12}*b*c^8*d*e^{15} + 128*a*b^{10}*c^{10}*d^{14}*e^2 - 1024*a*b^{11}*c^9*d^{13}*e^3 + 35 \\
& 84*a*b^{12}*c^8*d^{12}*e^4 - 7168*a*b^{13}*c^7*d^{11}*e^5 + 8960*a*b^{14}*c^6*d^{10}*e^6 - 7168*a*b^{15}*c^5*d^9*e^7 + 3584*a*b^{16}*c^4*d^8*e^8 - 1024*a*b^{17}*c^3*d^7 \\
& *e^9 + 128*a*b^{18}*c^2*d^6*e^{10} + 1605632*a^6*b*c^{14}*d^{13}*e^3 - 1408*a^6*b^1 \\
& 3*c^2*d*e^{15} + 7012352*a^7*b*c^{13}*d^{11}*e^5 + 33152*a^7*b^{11}*c^3*d*e^{15} + 70 \\
& 45120*a^8*b*c^{12}*d^9*e^7 - 324480*a^8*b^9*c^4*d*e^{15} - 9830400*a^9*b*c^{11}*d \\
& ^7*e^9 + 1689600*a^9*b^7*c^5*d*e^{15} - 25722880*a^{10}*b*c^{10}*d^5*e^{11} - 49356 \\
& 80*a^{10}*b^5*c^6*d*e^{15} - 19202048*a^{11}*b*c^9*d^3*e^{13} + 7667712*a^{11}*b^3*c^7 \\
& *d^5*e^{15})/(16*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6 \\
& *c^8*e^8 - 4*a^5*b^9*d^7*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4 \\
& *c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 \\
& + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7 \\
& *d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6 \\
& *e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6 \\
& *e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5 \\
& *d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7 \\
& *c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6 \\
& *b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 153 \\
& 6*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 \\
& + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 10 \\
& 24*a^9*b*c^4*d^7*e - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7 \\
& *c^4*d^7*e - 4*a^3*b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3 \\
& *e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5 \\
& *e^3 - 384*a^7*b^5*c^2*d^7*e - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d^7 \\
& *e^7)) - (x*(-d*e^7)^{(1/2)}*(1048576*a^{15}*c^8*e^{17} + 256*a^9*b^{12}*c^2*e^{17} - \\
& 6144*a^{10}*b^{10}*c^3*e^{17} + 61440*a^{11}*b^8*c^4*e^{17} - 327680*a^{12}*b^6*c^5*e^{17} \\
& + 983040*a^{13}*b^4*c^6*e^{17} - 1572864*a^{14}*b^2*c^7*e^{17} - 1048576*a^8*c^{15} \\
& *d^{14}*e^3 - 5242880*a^9*c^{14}*d^{12}*e^5 - 9437184*a^{10}*c^{13}*d^{10}*e^7 - 524288 \\
& 0*a^{11}*c^{12}*d^8*e^9 + 5242880*a^{12}*c^{11}*d^6*e^{11} + 9437184*a^{13}*c^{10}*d^4*e^{13} \\
& + 5242880*a^{14}*c^9*d^2*e^{15} + 256*a^2*b^{11}*c^{10}*d^{15}*e^2 - 2048*a^2*b^{12} \\
& *c^9*d^{14}*e^3 + 7168*a^2*b^{13}*c^8*d^{13}*e^4 - 14336*a^2*b^{14}*c^7*d^{12}*e^5 + \\
& 17920*a^2*b^{15}*c^6*d^{11}*e^6 - 14336*a^2*b^{16}*c^5*d^{10}*e^7 + 7168*a^2*b^{17}*c^4 \\
& *d^9*e^8 - 2048*a^2*b^{18}*c^3*d^8*e^9 + 256*a^2*b^{19}*c^2*d^7*e^{10} - 5120*a^3 \\
& *b^9*c^{11}*d^{15}*e^2 + 41984*a^3*b^{10}*c^{10}*d^{14}*e^3 - 148736*a^3*b^{11}*c^9*d^{13} \\
& *e^4 + 296192*a^3*b^{12}*c^8*d^{12}*e^5 - 359680*a^3*b^{13}*c^7*d^{11}*e^6 + 267 \\
& 520*a^3*b^{14}*c^6*d^{10}*e^7 - 112384*a^3*b^{15}*c^5*d^9*e^8 + 18176*a^3*b^{16}*c^4 \\
& *d^8*e^9 + 3328*a^3*b^{17}*c^3*d^7*e^{10} - 1280*a^3*b^{18}*c^2*d^6*e^{11} + 40960 \\
& *a^4*b^7*c^{12}*d^{15}*e^2 - 348160*a^4*b^8*c^{11}*d^{14}*e^3 + 1254400*a^4*b^9*c^{10} \\
& *d^{13}*e^4 - 2478080*a^4*b^{10}*c^9*d^{12}*e^5 + 2867456*a^4*b^{11}*c^8*d^{11}*e^6 \\
& - 1862144*a^4*b^{12}*c^7*d^{10}*e^7 + 490240*a^4*b^{13}*c^6*d^9*e^8 + 128000*a^4*b^{14} \\
& *c^5*d^8*e^9 - 108800*a^4*b^{15}*c^4*d^7*e^{10} + 13824*a^4*b^{16}*c^3*d^6*e^{11} \\
& + 2304*a^4*b^{17}*c^2*d^5*e^{12} - 163840*a^5*b^5*c^{13}*d^{15}*e^2 + 1474560*a^
\end{aligned}$$

$$\begin{aligned}
&5*b^6*c^{12}*d^{14}*e^3 - 5447680*a^5*b^7*c^{11}*d^{13}*e^4 + 10588160*a^5*b^8*c^{10} \\
&*d^{12}*e^5 - 11166720*a^5*b^9*c^9*d^{11}*e^6 + 5159936*a^5*b^{10}*c^8*d^{10}*e^7 + \\
&1073920*a^5*b^{11}*c^7*d^9*e^8 - 2279680*a^5*b^{12}*c^6*d^8*e^9 + 770560*a^5*b \\
&^{13}*c^5*d^7*e^{10} + 33280*a^5*b^{14}*c^4*d^6*e^{11} - 41216*a^5*b^{15}*c^3*d^5*e^{11} \\
&2 - 1280*a^5*b^{16}*c^2*d^4*e^{13} + 327680*a^6*b^3*c^{14}*d^{15}*e^2 - 3276800*a^6 \\
&*b^4*c^{13}*d^{14}*e^3 + 12615680*a^6*b^5*c^{12}*d^{13}*e^4 - 23592960*a^6*b^6*c^{11} \\
&*d^{12}*e^5 + 19701760*a^6*b^7*c^{10}*d^{11}*e^6 + 1372160*a^6*b^8*c^9*d^{10}*e^7 - \\
&15846400*a^6*b^9*c^8*d^9*e^8 + 10864640*a^6*b^{10}*c^7*d^8*e^9 - 1352960*a^6 \\
&*b^{11}*c^6*d^7*e^{10} - 1111040*a^6*b^{12}*c^5*d^6*e^{11} + 273920*a^6*b^{13}*c^4*d^ \\
&5*e^{12} + 25600*a^6*b^{14}*c^3*d^4*e^{13} - 1280*a^6*b^{15}*c^2*d^3*e^{14} + 3407872 \\
&*a^7*b^2*c^{14}*d^{14}*e^3 - 14221312*a^7*b^3*c^{13}*d^{13}*e^4 + 23527424*a^7*b^4* \\
&c^{12}*d^{12}*e^5 - 3768320*a^7*b^5*c^{11}*d^{11}*e^6 - 38895616*a^7*b^6*c^{10}*d^{10}* \\
&e^7 + 50126848*a^7*b^7*c^9*d^9*e^8 - 18362368*a^7*b^8*c^8*d^8*e^9 - 6831104 \\
&*a^7*b^9*c^7*d^7*e^{10} + 6200320*a^7*b^{10}*c^6*d^6*e^{11} - 726784*a^7*b^{11}*c^5 \\
&*d^5*e^{12} - 228608*a^7*b^{12}*c^4*d^4*e^{13} + 31488*a^7*b^{13}*c^3*d^3*e^{14} + 23 \\
&04*a^7*b^{14}*c^2*d^2*e^{15} - 3145728*a^8*b^2*c^{13}*d^{12}*e^5 - 31129600*a^8*b^3 \\
&*c^{12}*d^{11}*e^6 + 74711040*a^8*b^4*c^{11}*d^{10}*e^7 - 55476224*a^8*b^5*c^{10}*d^9 \\
&*e^8 - 11075584*a^8*b^6*c^9*d^8*e^9 + 35381248*a^8*b^7*c^8*d^7*e^{10} - 14479 \\
&360*a^8*b^8*c^7*d^6*e^{11} - 168960*a^8*b^9*c^6*d^5*e^{12} + 1286144*a^8*b^{10}*c \\
&^5*d^4*e^{13} - 302336*a^8*b^{11}*c^4*d^3*e^{14} - 55808*a^8*b^{12}*c^3*d^2*e^{15} - \\
&36962304*a^9*b^2*c^{12}*d^{10}*e^7 - 9502720*a^9*b^3*c^{11}*d^9*e^8 + 67174400*a^ \\
&9*b^4*c^{10}*d^8*e^9 - 54886400*a^9*b^5*c^9*d^7*e^{10} + 11239424*a^9*b^6*c^8*d \\
&^6*e^{11} + 5545984*a^9*b^7*c^7*d^5*e^{12} - 5263360*a^9*b^8*c^6*d^4*e^{13} + 135 \\
&6800*a^9*b^9*c^5*d^3*e^{14} + 558080*a^9*b^{10}*c^4*d^2*e^{15} - 49807360*a^{10}*b^ \\
&2*c^{11}*d^8*e^9 + 19333120*a^{10}*b^3*c^{10}*d^7*e^{10} + 7208960*a^{10}*b^4*c^9*d^6 \\
&*e^{11} - 14974976*a^{10}*b^5*c^8*d^5*e^{12} + 15073280*a^{10}*b^6*c^7*d^4*e^{13} - 2 \\
&170880*a^{10}*b^7*c^6*d^3*e^{14} - 2928640*a^{10}*b^8*c^5*d^2*e^{15} - 11796480*a^{11} \\
&b^2*c^{10}*d^6*e^{11} + 23920640*a^{11}*b^3*c^9*d^5*e^{12} - 24576000*a^{11}*b^4*c^ \\
&8*d^4*e^{13} - 4096000*a^{11}*b^5*c^7*d^3*e^{14} + 8355840*a^{11}*b^6*c^6*d^2*e^{15} \\
&+ 12582912*a^{12}*b^2*c^9*d^4*e^{13} + 19857408*a^{12}*b^3*c^8*d^3*e^{14} - 1153433 \\
&6*a^{12}*b^4*c^7*d^2*e^{15} + 3407872*a^{13}*b^2*c^8*d^2*e^{15} - 5505024*a^{14}*b*c^ \\
&8*d*e^{16} - 262144*a^7*b*c^{15}*d^{15}*e^2 + 5505024*a^8*b*c^{14}*d^{13}*e^4 - 1280* \\
&a^8*b^{13}*c^2*d*e^{16} + 25952256*a^9*b*c^{13}*d^{11}*e^6 + 30976*a^9*b^{11}*c^3*d*e \\
&^{16} + 38010880*a^{10}*b*c^{12}*d^9*e^8 - 312320*a^{10}*b^9*c^4*d*e^{16} + 11796480* \\
&a^{11}*b*c^{11}*d^7*e^{10} + 1679360*a^{11}*b^7*c^5*d*e^{16} - 21233664*a^{12}*b*c^{10}*d \\
&^5*e^{12} - 5079040*a^{12}*b^5*c^6*d*e^{16} - 20709376*a^{13}*b*c^9*d^3*e^{14} + 8192 \\
&000*a^{13}*b^3*c^7*d*e^{16}))/((16*(c^2*d^5 + a^2*d*e^4 + b^2*d^3*e^2 - 2*b*c*d^ \\
&4*e - 2*a*b*d^2*e^3 + 2*a*c*d^3*e^2)*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a \\
&^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3 \\
&*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^ \\
&8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^1 \\
&0*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2* \\
&e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5* \\
&e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^ \\
&4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^
\end{aligned}$$

$$\begin{aligned}
& 3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^11*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^10*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)) * (-d*e^7)^(1/2)) / (2*(c^2*d^5 + a^2*d*e^4 + b^2*d^3*e^2 - 2*b*c*d^4*e - 2*a*b*d^2*e^3 + 2*a*c*d^3*e^2)) * (-d*e^7)^(1/2)) / (2*(c^2*d^5 + a^2*d*e^4 + b^2*d^3*e^2 - 2*b*c*d^4*e - 2*a*b*d^2*e^3 + 2*a*c*d^3*e^2))) / (2*(c^2*d^5 + a^2*d*e^4 + b^2*d^3*e^2 - 2*b*c*d^4*e - 2*a*b*d^2*e^3 + 2*a*c*d^3*e^2)) + (x*(22800*a^6*c^9*e^13 + 36*a^2*b^8*c^5*e^13 - 600*a^3*b^6*c^6*e^13 + 4313*a^4*b^4*c^7*e^13 - 15592*a^5*b^2*c^8*e^13 + 1296*a^2*c^13*d^8*e^5 + 9792*a^3*c^12*d^6*e^7 + 30304*a^4*c^11*d^4*e^9 + 40512*a^5*c^10*d^2*e^11 + 25*b^4*c^11*d^8*e^5 - 120*b^5*c^10*d^7*e^6 + 214*b^6*c^9*d^6*e^7 - 168*b^7*c^8*d^5*e^8 + 53*b^8*c^7*d^4*e^9 - 8*b^9*c^6*d^3*e^10 + 4*b^10*c^5*d^2*e^11 + 6336*a^2*b^2*c^11*d^6*e^7 + 3840*a^2*b^3*c^10*d^5*e^8 - 8506*a^2*b^4*c^9*d^4*e^9 + 1112*a^2*b^5*c^8*d^3*e^10 + 1254*a^2*b^6*c^7*d^2*e^11 + 22224*a^3*b^2*c^10*d^4*e^9 + 13824*a^3*b^3*c^9*d^3*e^10 - 9516*a^3*b^4*c^8*d^2*e^11 + 11712*a^4*b^2*c^9*d^2*e^11 - 24*a*b^9*c^5*d*e^12 - 41088*a^5*b*c^9*d*e^12 - 360*a*b^2*c^12*d^8*e^5 + 1664*a*b^3*c^11*d^7*e^6 - 2604*a*b^4*c^10*d^6*e^7 + 1272*a*b^5*c^9*d^5*e^8 + 332*a*b^6*c^8*d^4*e^9 - 232*a*b^7*c^7*d^3*e^10 - 48*a*b^8*c^6*d^2*e^11 - 5760*a^2*b*c^12*d^7*e^6 + 416*a^2*b^7*c^6*d*e^12 - 32128*a^3*b*c^11*d^5*e^8 - 4120*a^3*b^5*c^7*d*e^12 - 63360*a^4*b*c^10*d^3*e^10 + 21376*a^4*b^3*c^8*d*e^12)) / (8*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^10*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^12*d^4*e^4 - 4*a^3*b^11*d^3*e^5 + 6*a^4*b^10*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^10*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^11*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^10*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)) * (-d*e^7)^(1/2)) / (2*(c^2*d^5 + a^2*d*e^4 + b^2*d^3*e^2 - 2*b*c*d^4*e - 2*a*b*d^2*e^3 + 2*a*c*d^3*e^2)) - (2000*a^4*c^9*e^12 + 21*a^2*b^4*c^7*e^12 - 520*a^3*b^2*c^8*e^12 + 1296*a^2*c^11*d^4*e^8 + 4320*a^3*c^10*d^2*e^10 + 25*b^4*c^9*d^4*e^8 - 60*b^5*c
\end{aligned}$$

$$\begin{aligned}
&^8*d^3*e^9 + 35*b^6*c^7*d^2*e^{10} + 192*a^2*b^2*c^9*d^2*e^{10} - 112*a*b^5*c^7 \\
&*d*e^{11} - 4480*a^3*b*c^9*d*e^{11} - 360*a*b^2*c^{10}*d^4*e^8 + 832*a*b^3*c^9*d^ \\
&3*e^9 - 362*a*b^4*c^8*d^2*e^{10} - 2880*a^2*b*c^{10}*d^3*e^9 + 1440*a^2*b^3*c^8 \\
&*d*e^{11})/(8*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6* \\
&c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4 \\
&*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + \\
&a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7* \\
&d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6* \\
&e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6 \\
&*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5* \\
&d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c \\
&^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6* \\
&b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536* \\
&a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + \\
&512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024 \\
&*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7* \\
&c^4*d^7*e - 4*a^3*b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3 \\
&*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e \\
&^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^ \\
&7)) + ((((-d*e^7)^{(1/2)}*((326912*a^8*c^9*d*e^{13} - 241664*a^8*b*c^8*e^{14} - 4 \\
&8*a^2*b^{13}*c^2*e^{14} + 1264*a^3*b^{11}*c^3*e^{14} - 13552*a^4*b^9*c^4*e^{14} + 757 \\
&76*a^5*b^7*c^5*e^{14} - 232960*a^6*b^5*c^6*e^{14} + 372736*a^7*b^3*c^7*e^{14} + 1 \\
&1520*a^3*c^{14}*d^{11}*e^3 + 78080*a^4*c^{13}*d^9*e^5 + 197120*a^5*c^{12}*d^7*e^7 + \\
&336384*a^6*c^{11}*d^5*e^9 + 532736*a^7*c^{10}*d^3*e^{11} - 40*b^5*c^{12}*d^{12}*e^2 \\
&+ 216*b^6*c^{11}*d^{11}*e^3 - 464*b^7*c^{10}*d^{10}*e^4 + 496*b^8*c^9*d^9*e^5 - 264 \\
&*b^9*c^8*d^8*e^6 + 56*b^{10}*c^7*d^7*e^7 - 16*b^{11}*c^6*d^6*e^8 + 64*b^{12}*c^5* \\
&d^5*e^9 - 96*b^{13}*c^4*d^4*e^{10} + 64*b^{14}*c^3*d^3*e^{11} - 16*b^{15}*c^2*d^2*e^{1 \\
&2} + 1536*a^2*b^2*c^{13}*d^{11}*e^3 + 14400*a^2*b^3*c^{12}*d^{10}*e^4 - 47152*a^2*b^ \\
&4*c^{11}*d^9*e^5 + 52144*a^2*b^5*c^{10}*d^8*e^6 - 16272*a^2*b^6*c^9*d^7*e^7 - 1 \\
&3040*a^2*b^7*c^8*d^6*e^8 + 23488*a^2*b^8*c^7*d^5*e^9 - 26384*a^2*b^9*c^6*d^ \\
&4*e^{10} + 13824*a^2*b^{10}*c^5*d^3*e^{11} + 256*a^2*b^{11}*c^4*d^2*e^{12} + 125056*a \\
&^3*b^2*c^{12}*d^9*e^5 - 36224*a^3*b^3*c^{11}*d^8*e^6 - 126432*a^3*b^4*c^{10}*d^7* \\
&e^7 + 144848*a^3*b^5*c^9*d^6*e^8 - 114752*a^3*b^6*c^8*d^5*e^9 + 125392*a^3* \\
&b^7*c^7*d^4*e^{10} - 53248*a^3*b^8*c^6*d^3*e^{11} - 25264*a^3*b^9*c^5*d^2*e^{12} \\
&+ 474112*a^4*b^2*c^{11}*d^7*e^7 - 191104*a^4*b^3*c^{10}*d^6*e^8 + 97184*a^4*b^4 \\
&*c^9*d^5*e^9 - 277000*a^4*b^5*c^8*d^4*e^{10} + 56056*a^4*b^6*c^7*d^3*e^{11} + 1 \\
&95584*a^4*b^7*c^6*d^2*e^{12} + 236800*a^5*b^2*c^{10}*d^5*e^9 + 388032*a^5*b^3*c \\
&^9*d^4*e^{10} + 159632*a^5*b^4*c^8*d^3*e^{11} - 670488*a^5*b^5*c^7*d^2*e^{12} - 4 \\
&88960*a^6*b^2*c^9*d^3*e^{11} + 1106496*a^6*b^3*c^8*d^2*e^{12} + 64*a*b^{14}*c^2*d \\
&*e^{13} + 448*a*b^3*c^{13}*d^{12}*e^2 - 1968*a*b^4*c^{12}*d^{11}*e^3 + 2504*a*b^5*c^1 \\
&1*d^{10}*e^4 + 768*a*b^6*c^{10}*d^9*e^5 - 4368*a*b^7*c^9*d^8*e^6 + 3568*a*b^8*c \\
&^8*d^7*e^7 - 520*a*b^9*c^7*d^6*e^8 - 1728*a*b^{10}*c^6*d^5*e^9 + 2528*a*b^{11}* \\
&c^5*d^4*e^{10} - 1536*a*b^{12}*c^4*d^3*e^{11} + 240*a*b^{13}*c^3*d^2*e^{12} - 1152*a^ \\
&2*b*c^{14}*d^{12}*e^2 - 1600*a^2*b^{12}*c^3*d*e^{13} - 67968*a^3*b*c^{13}*d^{10}*e^4 + \\
&15808*a^3*b^{10}*c^4*d*e^{13} - 342272*a^4*b*c^{12}*d^8*e^6 - 76928*a^4*b^8*c^5*d
\end{aligned}$$

$$\begin{aligned}
& *e^{13} - 569088*a^5*b*c^{11}*d^6*e^8 + 179200*a^5*b^6*c^6*d*e^{13} - 586368*a^6* \\
& b*c^{10}*d^4*e^{10} - 113008*a^6*b^4*c^7*d*e^{13} - 731008*a^7*b*c^9*d^2*e^{12} - 2 \\
& 44096*a^7*b^2*c^8*d*e^{13})/(16*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^10*c^4 \\
& *e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^ \\
& 5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256 \\
& *a^9*b^2*c^3*e^8 + a^2*b^12*d^4*e^4 - 4*a^3*b^11*d^3*e^5 + 6*a^4*b^10*d^2*e \\
& ^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6 \\
& *a^2*b^10*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 5 \\
& 12*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - \\
& 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e \\
& ^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d \\
& ^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c \\
& ^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7 \\
& *b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6* \\
& b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^11*c*d^5 \\
& *e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^10*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e \\
& + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 30 \\
& 72*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 102 \\
& 4*a^8*b^3*c^3*d*e^7)) - (((x*(626688*a^10*b*c^8*e^{15} - 784384*a^10*c^9*d*e^ \\
& 14 + 208*a^4*b^13*c^2*e^{15} - 4880*a^5*b^11*c^3*e^{15} + 47312*a^6*b^9*c^4*e^1 \\
& 5 - 242176*a^7*b^7*c^5*e^{15} + 688640*a^8*b^5*c^6*e^{15} - 1028096*a^9*b^3*c^7 \\
& *e^{15} + 18432*a^4*c^15*d^13*e^2 + 126976*a^5*c^14*d^11*e^4 + 325632*a^6*c^1 \\
& 3*d^9*e^6 + 139264*a^7*c^12*d^7*e^8 - 1067008*a^8*c^11*d^5*e^{10} - 1773568*a \\
& ^9*c^10*d^3*e^{12} + 16*b^8*c^11*d^13*e^2 - 96*b^9*c^10*d^12*e^3 + 240*b^10*c \\
& ^9*d^11*e^4 - 304*b^11*c^8*d^10*e^5 + 144*b^12*c^7*d^9*e^6 + 144*b^13*c^6*d \\
& ^8*e^7 - 304*b^14*c^5*d^7*e^8 + 240*b^15*c^4*d^6*e^9 - 96*b^16*c^3*d^5*e^{10} \\
& + 16*b^17*c^2*d^4*e^{11} + 3200*a^2*b^4*c^13*d^13*e^2 - 18432*a^2*b^5*c^12*d \\
& ^12*e^3 + 41024*a^2*b^6*c^11*d^11*e^4 - 36352*a^2*b^7*c^10*d^10*e^5 - 16208 \\
& *a^2*b^8*c^9*d^9*e^6 + 74576*a^2*b^9*c^8*d^8*e^7 - 78496*a^2*b^10*c^7*d^7*e \\
& ^8 + 32064*a^2*b^11*c^6*d^6*e^9 + 6000*a^2*b^12*c^5*d^5*e^{10} - 9264*a^2*b^1 \\
& 3*c^4*d^4*e^{11} + 1472*a^2*b^14*c^3*d^3*e^{12} + 416*a^2*b^15*c^2*d^2*e^{13} - 1 \\
& 2800*a^3*b^2*c^14*d^13*e^2 + 73728*a^3*b^3*c^13*d^12*e^3 - 151296*a^3*b^4*c \\
& ^12*d^11*e^4 + 78336*a^3*b^5*c^11*d^10*e^5 + 206688*a^3*b^6*c^10*d^9*e^6 - \\
& 436736*a^3*b^7*c^9*d^8*e^7 + 324224*a^3*b^8*c^8*d^7*e^8 + 992*a^3*b^9*c^7*d \\
& ^6*e^9 - 158176*a^3*b^10*c^6*d^5*e^{10} + 77056*a^3*b^11*c^5*d^4*e^{11} + 6912* \\
& a^3*b^12*c^4*d^3*e^{12} - 8416*a^3*b^13*c^3*d^2*e^{13} + 162816*a^4*b^2*c^13*d^ \\
& 11*e^4 + 184320*a^4*b^3*c^12*d^10*e^5 - 916608*a^4*b^4*c^11*d^9*e^6 + 11658 \\
& 24*a^4*b^5*c^10*d^8*e^7 - 314496*a^4*b^6*c^9*d^7*e^8 - 822272*a^4*b^7*c^8*d \\
& ^6*e^9 + 919152*a^4*b^8*c^7*d^5*e^{10} - 175296*a^4*b^9*c^6*d^4*e^{11} - 189328 \\
& *a^4*b^10*c^5*d^3*e^{12} + 62064*a^4*b^11*c^4*d^2*e^{13} + 1290752*a^5*b^2*c^12 \\
& *d^9*e^6 - 659456*a^5*b^3*c^11*d^8*e^7 - 1561088*a^5*b^4*c^10*d^7*e^8 + 324 \\
& 0960*a^5*b^5*c^9*d^6*e^9 - 1964192*a^5*b^6*c^8*d^5*e^{10} - 683008*a^5*b^7*c^ \\
& 7*d^4*e^{11} + 1162304*a^5*b^8*c^6*d^3*e^{12} - 164112*a^5*b^9*c^5*d^2*e^{13} + 3 \\
& 442688*a^6*b^2*c^11*d^7*e^8 - 3670016*a^6*b^3*c^10*d^6*e^9 + 15232*a^6*b^4* \\
& c^9*d^5*e^{10} + 4230144*a^6*b^5*c^8*d^4*e^{11} - 3059648*a^6*b^6*c^7*d^3*e^{12}
\end{aligned}$$

$$\begin{aligned}
& - 247296a^6b^7c^6d^2e^{13} + 4010496a^7b^2c^{10}d^5e^{10} - 6873088a^7 \\
& *b^3c^9d^4e^{11} + 2822400a^7b^4c^8d^3e^{12} + 2370048a^7b^5c^7d^2* \\
& e^{13} + 1178624a^8b^2c^9d^3e^{12} - 4739072a^8b^3c^8d^2e^{13} - 352*a* \\
& b^6c^{12}d^{13}e^2 + 2048*a*b^7*c^{11}*d^{12}*e^3 - 4800*a*b^8*c^{10}*d^{11}*e^4 + 5 \\
& 168*a*b^9*c^9*d^{10}*e^5 - 480*a*b^{10}*c^8*d^9*e^6 - 6000*a*b^{11}*c^7*d^8*e^7 + \\
& 8192*a*b^{12}*c^6*d^7*e^8 - 5040*a*b^{13}*c^5*d^6*e^9 + 1152*a*b^{14}*c^4*d^5*e^ \\
& 10 + 240*a*b^{15}*c^3*d^4*e^{11} - 128*a*b^{16}*c^2*d^3*e^{12} - 512*a^3*b^{14}*c^2*d \\
& *e^{14} - 106496*a^4*b*c^{14}*d^{12}*e^3 + 11680*a^4*b^{12}*c^3*d*e^{14} - 675840*a^5 \\
& *b*c^{13}*d^{10}*e^5 - 108288*a^5*b^{10}*c^4*d*e^{14} - 1601536*a^6*b*c^{12}*d^8*e^7 \\
& + 514768*a^6*b^8*c^5*d*e^{14} - 925696*a^7*b*c^{11}*d^6*e^9 - 1278304*a^7*b^6*c \\
& ^6*d*e^{14} + 2457600*a^8*b*c^{10}*d^4*e^{11} + 1385600*a^8*b^4*c^7*d*e^{14} + 2977 \\
& 792*a^9*b*c^9*d^2*e^{13} + 19968*a^9*b^2*c^8*d*e^{14}))/ (8*(a^6*b^8*e^8 + 256*a \\
& ^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 + a^2*b^ \\
& 8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^7*d^8 + \\
& 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d \\
& ^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^4*e^4 + \\
& 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6*e^2 + 5 \\
& 2*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^5*e^3 - \\
& 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^4*d^5*e^ \\
& 3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2*c^6*d^6 \\
& *e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^6*b^5*c^ \\
& 3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 2048*a^7*b \\
& ^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 - 1024* \\
& a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3 \\
& *d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^{10}*c*d^4*e^4 \\
& - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6*d^7*e - \\
& 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e^7 - 307 \\
& 2*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)) + (((1048576*a^{13}*c^8*e^{16} + \\
& 256*a^7*b^{12}*c^2*e^{16} - 6144*a^8*b^{10}*c^3*e^{16} + 61440*a^9*b^8*c^4*e^{16} - \\
& 327680*a^{10}*b^6*c^5*e^{16} + 983040*a^{11}*b^4*c^6*e^{16} - 1572864*a^{12}*b^2*c^7* \\
& e^{16} - 196608*a^6*c^{15}*d^{14}*e^2 - 917504*a^7*c^{14}*d^{12}*e^4 - 589824*a^8*c^1 \\
& 3*d^{10}*e^6 + 3932160*a^9*c^{12}*d^8*e^8 + 10158080*a^{10}*c^{11}*d^6*e^{10} + 10616 \\
& 832*a^{11}*c^{10}*d^4*e^{12} + 5308416*a^{12}*c^9*d^2*e^{14} - 2816*a^2*b^8*c^{11}*d^{14} \\
& *e^2 + 22656*a^2*b^9*c^{10}*d^{13}*e^3 - 78848*a^2*b^{10}*c^9*d^{12}*e^4 + 154112*a \\
& ^2*b^{11}*c^8*d^{11}*e^5 - 182784*a^2*b^{12}*c^7*d^{10}*e^6 + 130816*a^2*b^{13}*c^6*d \\
& ^9*e^7 - 50176*a^2*b^{14}*c^5*d^8*e^8 + 4608*a^2*b^{15}*c^4*d^7*e^9 + 3328*a^2* \\
& b^{16}*c^3*d^6*e^{10} - 896*a^2*b^{17}*c^2*d^5*e^{11} + 24576*a^3*b^6*c^{12}*d^{14}*e^2 \\
& - 198656*a^3*b^7*c^{11}*d^{13}*e^3 + 684544*a^3*b^8*c^{10}*d^{12}*e^4 - 1291520*a^ \\
& 3*b^9*c^9*d^{11}*e^5 + 1403776*a^3*b^{10}*c^8*d^{10}*e^6 - 798336*a^3*b^{11}*c^7*d^ \\
& 9*e^7 + 89856*a^3*b^{12}*c^6*d^8*e^8 + 155136*a^3*b^{13}*c^5*d^7*e^9 - 77440*a^ \\
& 3*b^{14}*c^4*d^6*e^{10} + 5504*a^3*b^{15}*c^3*d^5*e^{11} + 2560*a^3*b^{16}*c^2*d^4*e^ \\
& 12 - 106496*a^4*b^4*c^{13}*d^{14}*e^2 + 864256*a^4*b^5*c^{12}*d^{13}*e^3 - 2924544* \\
& a^4*b^6*c^{11}*d^{12}*e^4 + 5181440*a^4*b^7*c^{10}*d^{11}*e^5 - 4686080*a^4*b^8*c^9 \\
& *d^{10}*e^6 + 1045376*a^4*b^9*c^8*d^9*e^7 + 1900544*a^4*b^{10}*c^7*d^8*e^8 - 17 \\
& 32096*a^4*b^{11}*c^6*d^7*e^9 + 390400*a^4*b^{12}*c^5*d^6*e^{10} + 112000*a^4*b^{13}
\end{aligned}$$

$$\begin{aligned}
& *c^4*d^5*e^{11} - 40960*a^4*b^{14}*c^3*d^4*e^{12} - 3840*a^4*b^{15}*c^2*d^3*e^{13} + \\
& 229376*a^5*b^2*c^{14}*d^{14}*e^2 - 1867776*a^5*b^3*c^{13}*d^{13}*e^3 + 6078464*a^5* \\
& b^4*c^{12}*d^{12}*e^4 - 9297920*a^5*b^5*c^{11}*d^{11}*e^5 + 4055040*a^5*b^6*c^{10}*d^{10}* \\
& e^6 + 7788544*a^5*b^7*c^9*d^9*e^7 - 12657664*a^5*b^8*c^8*d^8*e^8 + 61301 \\
& 76*a^5*b^9*c^7*d^7*e^9 + 734080*a^5*b^{10}*c^6*d^6*e^{10} - 1442560*a^5*b^{11}*c^5* \\
& d^5*e^{11} + 168960*a^5*b^{12}*c^4*d^4*e^{12} + 78080*a^5*b^{13}*c^3*d^3*e^{13} + 3 \\
& 200*a^5*b^{14}*c^2*d^2*e^{14} - 4587520*a^6*b^2*c^{13}*d^{12}*e^4 + 3080192*a^6*b^3* \\
& c^{12}*d^{11}*e^5 + 12001280*a^6*b^4*c^{11}*d^{10}*e^6 - 31076352*a^6*b^5*c^{10}*d^9* \\
& e^7 + 27475968*a^6*b^6*c^9*d^8*e^8 - 2088960*a^6*b^7*c^8*d^7*e^9 - 1220531 \\
& 2*a^6*b^8*c^7*d^6*e^{10} + 6043520*a^6*b^9*c^6*d^5*e^{11} + 631808*a^6*b^{10}*c^5* \\
& d^4*e^{12} - 610304*a^6*b^{11}*c^4*d^3*e^{13} - 71936*a^6*b^{12}*c^3*d^2*e^{14} - 21 \\
& 725184*a^7*b^2*c^{12}*d^{10}*e^6 + 30801920*a^7*b^3*c^{11}*d^9*e^7 - 8028160*a^7* \\
& b^4*c^{10}*d^8*e^8 - 32260096*a^7*b^5*c^9*d^7*e^9 + 37101568*a^7*b^6*c^8*d^6* \\
& e^{10} - 7182336*a^7*b^7*c^7*d^5*e^{11} - 7609856*a^7*b^8*c^6*d^4*e^{12} + 211225 \\
& 6*a^7*b^9*c^5*d^3*e^{13} + 661632*a^7*b^{10}*c^4*d^2*e^{14} - 30146560*a^8*b^2*c^ \\
& 11*d^8*e^8 + 55050240*a^8*b^3*c^{10}*d^7*e^9 - 34365440*a^8*b^4*c^9*d^6*e^{10} \\
& - 16429056*a^8*b^5*c^8*d^5*e^{11} + 24600576*a^8*b^6*c^7*d^4*e^{12} - 1683456*a^ \\
& 8*b^7*c^6*d^3*e^{13} - 3151616*a^8*b^8*c^5*d^2*e^{14} - 10977280*a^9*b^2*c^{10}* \\
& d^6*e^{10} + 47022080*a^9*b^3*c^9*d^5*e^{11} - 30621696*a^9*b^4*c^8*d^4*e^{12} - \\
& 9232384*a^9*b^5*c^7*d^3*e^{13} + 7970816*a^9*b^6*c^6*d^2*e^{14} + 4325376*a^{10}* \\
& b^2*c^9*d^4*e^{12} + 25493504*a^{10}*b^3*c^8*d^3*e^{13} - 9117696*a^{10}*b^4*c^7*d^ \\
& 2*e^{14} + 491520*a^{11}*b^2*c^8*d^2*e^{14} - 4947968*a^{12}*b*c^8*d*e^{15} + 128*a*b \\
& ^{10}*c^{10}*d^{14}*e^2 - 1024*a*b^{11}*c^9*d^{13}*e^3 + 3584*a*b^{12}*c^8*d^{12}*e^4 - 7 \\
& 168*a*b^{13}*c^7*d^{11}*e^5 + 8960*a*b^{14}*c^6*d^{10}*e^6 - 7168*a*b^{15}*c^5*d^9*e^ \\
& 7 + 3584*a*b^{16}*c^4*d^8*e^8 - 1024*a*b^{17}*c^3*d^7*e^9 + 128*a*b^{18}*c^2*d^6* \\
& e^{10} + 1605632*a^6*b*c^{14}*d^{13}*e^3 - 1408*a^6*b^{13}*c^2*d*e^{15} + 7012352*a^7* \\
& b*c^{13}*d^{11}*e^5 + 33152*a^7*b^{11}*c^3*d*e^{15} + 7045120*a^8*b*c^{12}*d^9*e^7 - \\
& 324480*a^8*b^9*c^4*d*e^{15} - 9830400*a^9*b*c^{11}*d^7*e^9 + 1689600*a^9*b^7*c^ \\
& 5*d*e^{15} - 25722880*a^{10}*b*c^{10}*d^5*e^{11} - 4935680*a^{10}*b^5*c^6*d*e^{15} - 1 \\
& 9202048*a^{11}*b*c^9*d^3*e^{13} + 7667712*a^{11}*b^3*c^7*d*e^{15})/(16*(a^6*b^8*e^8 \\
& + 256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6*c*e^8 - 4*a^5*b^9*d*e^7 \\
& + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c^6*d^8 - 256*a^5*b^2*c^ \\
& 7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + a^2*b^{12}*d^4*e^4 - 4*a^ \\
& 3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d^6*e^2 + 1536*a^8*c^6*d^ \\
& 4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e^2 - 92*a^3*b^8*c^3*d^6* \\
& e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6*e^2 - 192*a^4*b^7*c^3*d^ \\
& 5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d^6*e^2 - 128*a^5*b^5*c^ \\
& 4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^2*d^3*e^5 + 512*a^6*b^2* \\
& c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b^4*c^4*d^4*e^4 - 128*a^ \\
& 6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a^7*b^2*c^5*d^4*e^4 + 20 \\
& 48*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + 512*a^8*b^2*c^4*d^2*e^6 \\
& - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024*a^9*b*c^4*d*e^7 - 4*a^2* \\
& b^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7*c^4*d^7*e - 4*a^3*b^{10}*c \\
& *d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3*e^5 + 1024*a^5*b^3*c^6* \\
& d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^3 - 384*a^7*b^5*c^2*d*e
\end{aligned}$$

$$\begin{aligned}
& ^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7)) + (x*(-d*e^7)^{(1/2)}* \\
& (1048576*a^{15}*c^8*e^{17} + 256*a^9*b^{12}*c^2*e^{17} - 6144*a^{10}*b^{10}*c^3*e^{17} + \\
& 61440*a^{11}*b^8*c^4*e^{17} - 327680*a^{12}*b^6*c^5*e^{17} + 983040*a^{13}*b^4*c^6*e^{17} \\
& - 1572864*a^{14}*b^2*c^7*e^{17} - 1048576*a^8*c^{15}*d^{14}*e^3 - 5242880*a^9*c^{14}*d^{12}*e^5 \\
& - 9437184*a^{10}*c^{13}*d^{10}*e^7 - 5242880*a^{11}*c^{12}*d^8*e^9 + 5242880*a^{12}*c^{11}*d^6*e^{11} \\
& + 9437184*a^{13}*c^{10}*d^4*e^{13} + 5242880*a^{14}*c^9*d^2*e^{15} + 256*a^2*b^{11}*c^{10}*d^{15}*e^2 \\
& - 2048*a^2*b^{12}*c^9*d^{14}*e^3 + 7168*a^2*b^{13}*c^8*d^{13}*e^4 - 14336*a^2*b^{14}*c^7*d^{12}*e^5 \\
& + 17920*a^2*b^{15}*c^6*d^{11}*e^6 - 14336*a^2*b^{16}*c^5*d^{10}*e^7 + 7168*a^2*b^{17}*c^4*d^9*e^8 \\
& - 2048*a^2*b^{18}*c^3*d^8*e^9 + 256*a^2*b^{19}*c^2*d^7*e^{10} - 5120*a^3*b^9*c^{11}*d^{15}*e^2 + 41984*a^3*b^{10}*c^{10}*d^{14}*e^3 \\
& - 148736*a^3*b^{11}*c^9*d^{13}*e^4 + 296192*a^3*b^{12}*c^8*d^{12}*e^5 - 359680*a^3*b^{13}*c^7*d^{11}*e^6 \\
& + 267520*a^3*b^{14}*c^6*d^{10}*e^7 - 112384*a^3*b^{15}*c^5*d^9*e^8 + 18176*a^3*b^{16}*c^4*d^8*e^9 \\
& + 3328*a^3*b^{17}*c^3*d^7*e^{10} - 1280*a^3*b^{18}*c^2*d^6*e^{11} + 40960*a^4*b^7*c^{12}*d^{15}*e^2 - 348160*a^4*b^8*c^{11}*d^{14}*e^3 \\
& + 1254400*a^4*b^9*c^{10}*d^{13}*e^4 - 2478080*a^4*b^{10}*c^9*d^{12}*e^5 + 2867456*a^4*b^{11}*c^8*d^{11}*e^6 \\
& - 1862144*a^4*b^{12}*c^7*d^{10}*e^7 + 490240*a^4*b^{13}*c^6*d^9*e^8 + 128000*a^4*b^{14}*c^5*d^8*e^9 - 108800*a^4*b^{15}*c^4*d^7*e^{10} \\
& + 13824*a^4*b^{16}*c^3*d^6*e^{11} + 2304*a^4*b^{17}*c^2*d^5*e^{12} - 163840*a^5*b^5*c^{13}*d^{15}*e^2 \\
& + 1474560*a^5*b^6*c^{12}*d^{14}*e^3 - 5447680*a^5*b^7*c^{11}*d^{13}*e^4 + 10588160*a^5*b^8*c^{10}*d^{12}*e^5 - 11166720*a^5*b^9*c^9*d^{11}*e^6 \\
& + 5159936*a^5*b^{10}*c^8*d^{10}*e^7 + 1073920*a^5*b^{11}*c^7*d^9*e^8 - 2279680*a^5*b^{12}*c^6*d^8*e^9 \\
& + 770560*a^5*b^{13}*c^5*d^7*e^{10} + 33280*a^5*b^{14}*c^4*d^6*e^{11} - 41216*a^5*b^{15}*c^3*d^5*e^{12} \\
& - 1280*a^5*b^{16}*c^2*d^4*e^{13} + 327680*a^6*b^3*c^{14}*d^{15}*e^2 - 3276800*a^6*b^4*c^{13}*d^{14}*e^3 \\
& + 12615680*a^6*b^5*c^{12}*d^{13}*e^4 - 23592960*a^6*b^6*c^{11}*d^{12}*e^5 + 19701760*a^6*b^7*c^{10}*d^{11}*e^6 \\
& + 1372160*a^6*b^8*c^9*d^{10}*e^7 - 15846400*a^6*b^9*c^8*d^9*e^8 + 10864640*a^6*b^{10}*c^7*d^8*e^9 \\
& - 1352960*a^6*b^{11}*c^6*d^7*e^{10} - 1111040*a^6*b^{12}*c^5*d^6*e^{11} + 273920*a^6*b^{13}*c^4*d^5*e^{12} \\
& + 25600*a^6*b^{14}*c^3*d^4*e^{13} - 1280*a^6*b^{15}*c^2*d^3*e^{14} + 3407872*a^7*b^2*c^{14}*d^{14}*e^3 - 14221312*a^7*b^3*c^{13}*d^{13}*e^4 \\
& + 23527424*a^7*b^4*c^{12}*d^{12}*e^5 - 3768320*a^7*b^5*c^{11}*d^{11}*e^6 - 38895616*a^7*b^6*c^{10}*d^{10}*e^7 \\
& + 50126848*a^7*b^7*c^9*d^9*e^8 - 18362368*a^7*b^8*c^8*d^8*e^9 - 6831104*a^7*b^9*c^7*d^7*e^{10} + 6200320*a^7*b^{10}*c^6*d^6*e^{11} \\
& - 726784*a^7*b^{11}*c^5*d^5*e^{12} - 228608*a^7*b^{12}*c^4*d^4*e^{13} + 31488*a^7*b^{13}*c^3*d^3*e^{14} \\
& + 2304*a^7*b^{14}*c^2*d^2*e^{15} - 3145728*a^8*b^2*c^{13}*d^{12}*e^5 - 31129600*a^8*b^3*c^{12}*d^{11}*e^6 \\
& + 74711040*a^8*b^4*c^{11}*d^{10}*e^7 - 55476224*a^8*b^5*c^{10}*d^9*e^8 - 11075584*a^8*b^6*c^9*d^8*e^9 \\
& + 35381248*a^8*b^7*c^8*d^7*e^{10} - 14479360*a^8*b^8*c^7*d^6*e^{11} - 168960*a^8*b^9*c^6*d^5*e^{12} \\
& + 1286144*a^8*b^{10}*c^5*d^4*e^{13} - 302336*a^8*b^{11}*c^4*d^3*e^{14} - 55808*a^8*b^{12}*c^3*d^2*e^{15} \\
& - 36962304*a^9*b^2*c^{12}*d^{10}*e^7 - 9502720*a^9*b^3*c^{11}*d^9*e^8 + 67174400*a^9*b^4*c^{10}*d^8*e^9 - 54886400*a^9*b^5*c^9*d^7*e^{10} \\
& + 11239424*a^9*b^6*c^8*d^6*e^{11} + 5545984*a^9*b^7*c^7*d^5*e^{12} - 5263360*a^9*b^8*c^6*d^4*e^{13} \\
& + 1356800*a^9*b^9*c^5*d^3*e^{14} + 558080*a^9*b^{10}*c^4*d^2*e^{15} - 49807360*a^{10}*b^2*c^{11}*d^8*e^9 \\
& + 19333120*a^{10}*b^3*c^{10}*d^7*e^{10} + 7208960*a^{10}*b^4*c^9*d^6*e^{11} - 14974976*a^{10}*b^5*c^8*d^5*e^{12} \\
& + 15073280*a^{10}*b^6*c^7*d^4*e^{13} - 2170880*a^{10}*b^7*c^6*d^3*e^
\end{aligned}$$

$$\begin{aligned}
& 14 - 2928640*a^{10}*b^8*c^5*d^2*e^{15} - 11796480*a^{11}*b^2*c^{10}*d^6*e^{11} + 2392 \\
& 0640*a^{11}*b^3*c^9*d^5*e^{12} - 24576000*a^{11}*b^4*c^8*d^4*e^{13} - 4096000*a^{11}* \\
& b^5*c^7*d^3*e^{14} + 8355840*a^{11}*b^6*c^6*d^2*e^{15} + 12582912*a^{12}*b^2*c^9*d^ \\
& 4*e^{13} + 19857408*a^{12}*b^3*c^8*d^3*e^{14} - 11534336*a^{12}*b^4*c^7*d^2*e^{15} + \\
& 3407872*a^{13}*b^2*c^8*d^2*e^{15} - 5505024*a^{14}*b*c^8*d*e^{16} - 262144*a^7*b*c^ \\
& 15*d^{15}*e^2 + 5505024*a^8*b*c^{14}*d^{13}*e^4 - 1280*a^8*b^{13}*c^2*d*e^{16} + 2595 \\
& 2256*a^9*b*c^{13}*d^{11}*e^6 + 30976*a^9*b^{11}*c^3*d*e^{16} + 38010880*a^{10}*b*c^{12} \\
& *d^9*e^8 - 312320*a^{10}*b^9*c^4*d*e^{16} + 11796480*a^{11}*b*c^{11}*d^7*e^{10} + 167 \\
& 9360*a^{11}*b^7*c^5*d*e^{16} - 21233664*a^{12}*b*c^{10}*d^5*e^{12} - 5079040*a^{12}*b^5 \\
& *c^6*d*e^{16} - 20709376*a^{13}*b*c^9*d^3*e^{14} + 8192000*a^{13}*b^3*c^7*d*e^{16})) / \\
& ((16*(c^2*d^5 + a^2*d*e^4 + b^2*d^3*e^2 - 2*b*c*d^4*e - 2*a*b*d^2*e^3 + 2*a* \\
& c*d^3*e^2)*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^{10}*c^4*e^8 - 16*a^7*b^6*c \\
& *e^8 - 4*a^5*b^9*d*e^7 + a^2*b^8*c^4*d^8 - 16*a^3*b^6*c^5*d^8 + 96*a^4*b^4*c \\
& c^6*d^8 - 256*a^5*b^2*c^7*d^8 + 96*a^8*b^4*c^2*e^8 - 256*a^9*b^2*c^3*e^8 + \\
& a^2*b^{12}*d^4*e^4 - 4*a^3*b^{11}*d^3*e^5 + 6*a^4*b^{10}*d^2*e^6 + 1024*a^7*c^7*d \\
& ^6*e^2 + 1536*a^8*c^6*d^4*e^4 + 1024*a^9*c^5*d^2*e^6 + 6*a^2*b^{10}*c^2*d^6*e \\
& ^2 - 92*a^3*b^8*c^3*d^6*e^2 + 52*a^3*b^9*c^2*d^5*e^3 + 512*a^4*b^6*c^4*d^6* \\
& e^2 - 192*a^4*b^7*c^3*d^5*e^3 - 90*a^4*b^8*c^2*d^4*e^4 - 1152*a^5*b^4*c^5*d \\
& ^6*e^2 - 128*a^5*b^5*c^4*d^5*e^3 + 800*a^5*b^6*c^3*d^4*e^4 - 192*a^5*b^7*c^ \\
& 2*d^3*e^5 + 512*a^6*b^2*c^6*d^6*e^2 + 2048*a^6*b^3*c^5*d^5*e^3 - 2240*a^6*b \\
& ^4*c^4*d^4*e^4 - 128*a^6*b^5*c^3*d^3*e^5 + 512*a^6*b^6*c^2*d^2*e^6 + 1536*a \\
& ^7*b^2*c^5*d^4*e^4 + 2048*a^7*b^3*c^4*d^3*e^5 - 1152*a^7*b^4*c^3*d^2*e^6 + \\
& 512*a^8*b^2*c^4*d^2*e^6 - 1024*a^6*b*c^7*d^7*e + 64*a^6*b^7*c*d*e^7 - 1024* \\
& a^9*b*c^4*d*e^7 - 4*a^2*b^9*c^3*d^7*e - 4*a^2*b^{11}*c*d^5*e^3 + 64*a^3*b^7*c \\
& ^4*d^7*e - 4*a^3*b^{10}*c*d^4*e^4 - 384*a^4*b^5*c^5*d^7*e + 52*a^4*b^9*c*d^3* \\
& e^5 + 1024*a^5*b^3*c^6*d^7*e - 92*a^5*b^8*c*d^2*e^6 - 3072*a^7*b*c^6*d^5*e^ \\
& 3 - 384*a^7*b^5*c^2*d*e^7 - 3072*a^8*b*c^5*d^3*e^5 + 1024*a^8*b^3*c^3*d*e^7 \\
&))*(-d*e^7)^{(1/2)})/(2*(c^2*d^5 + a^2*d*e^4 + b^2*d^3*e^2 - 2*b*c*d^4*e - 2 \\
& *a*b*d^2*e^3 + 2*a*c*d^3*e^2))*(-d*e^7)^{(1/2)})/(2*(c^2*d^5 + a^2*d*e^4 + b \\
& ^2*d^3*e^2 - 2*b*c*d^4*e - 2*a*b*d^2*e^3 + 2*a*c*d^3*e^2))))/(2*(c^2*d^5 + \\
& a^2*d*e^4 + b^2*d^3*e^2 - 2*b*c*d^4*e - 2*a*b*d^2*e^3 + 2*a*c*d^3*e^2)) - (\\
& x*(22800*a^6*c^9*e^{13} + 36*a^2*b^8*c^5*e^{13} - 600*a^3*b^6*c^6*e^{13} + 4313*a \\
& ^4*b^4*c^7*e^{13} - 15592*a^5*b^2*c^8*e^{13} + 1296*a^2*c^{13}*d^8*e^5 + 9792*a^3 \\
& *c^{12}*d^6*e^7 + 30304*a^4*c^{11}*d^4*e^9 + 40512*a^5*c^{10}*d^2*e^{11} + 25*b^4*c \\
& ^{11}*d^8*e^5 - 120*b^5*c^{10}*d^7*e^6 + 214*b^6*c^9*d^6*e^7 - 168*b^7*c^8*d^5* \\
& e^8 + 53*b^8*c^7*d^4*e^9 - 8*b^9*c^6*d^3*e^{10} + 4*b^{10}*c^5*d^2*e^{11} + 6336* \\
& a^2*b^2*c^{11}*d^6*e^7 + 3840*a^2*b^3*c^{10}*d^5*e^8 - 8506*a^2*b^4*c^9*d^4*e^9 \\
& + 1112*a^2*b^5*c^8*d^3*e^{10} + 1254*a^2*b^6*c^7*d^2*e^{11} + 22224*a^3*b^2*c^ \\
& 10*d^4*e^9 + 13824*a^3*b^3*c^9*d^3*e^{10} - 9516*a^3*b^4*c^8*d^2*e^{11} + 11712 \\
& *a^4*b^2*c^9*d^2*e^{11} - 24*a*b^9*c^5*d*e^{12} - 41088*a^5*b*c^9*d*e^{12} - 360* \\
& a*b^2*c^{12}*d^8*e^5 + 1664*a*b^3*c^{11}*d^7*e^6 - 2604*a*b^4*c^{10}*d^6*e^7 + 12 \\
& 72*a*b^5*c^9*d^5*e^8 + 332*a*b^6*c^8*d^4*e^9 - 232*a*b^7*c^7*d^3*e^{10} - 48* \\
& a*b^8*c^6*d^2*e^{11} - 5760*a^2*b*c^{12}*d^7*e^6 + 416*a^2*b^7*c^6*d*e^{12} - 321 \\
& 28*a^3*b*c^{11}*d^5*e^8 - 4120*a^3*b^5*c^7*d*e^{12} - 63360*a^4*b*c^{10}*d^3*e^{10} \\
& + 21376*a^4*b^3*c^8*d*e^{12}))/((8*(a^6*b^8*e^8 + 256*a^6*c^8*d^8 + 256*a^{10}*
\end{aligned}$$

$$\begin{aligned}
& c^4 e^8 - 16 a^7 b^6 c e^8 - 4 a^5 b^9 d e^7 + a^2 b^8 c^4 d^8 - 16 a^3 b^6 \\
& * c^5 d^8 + 96 a^4 b^4 c^6 d^8 - 256 a^5 b^2 c^7 d^8 + 96 a^8 b^4 c^2 e^8 - \\
& 256 a^9 b^2 c^3 e^8 + a^2 b^{12} d^4 e^4 - 4 a^3 b^{11} d^3 e^5 + 6 a^4 b^{10} d^2 \\
& * e^6 + 1024 a^7 c^7 d^6 e^2 + 1536 a^8 c^6 d^4 e^4 + 1024 a^9 c^5 d^2 e^6 \\
& + 6 a^2 b^{10} c^2 d^6 e^2 - 92 a^3 b^8 c^3 d^6 e^2 + 52 a^3 b^9 c^2 d^5 e^3 \\
& + 512 a^4 b^6 c^4 d^6 e^2 - 192 a^4 b^7 c^3 d^5 e^3 - 90 a^4 b^8 c^2 d^4 e^4 \\
& - 1152 a^5 b^4 c^5 d^6 e^2 - 128 a^5 b^5 c^4 d^5 e^3 + 800 a^5 b^6 c^3 d^4 \\
& * e^4 - 192 a^5 b^7 c^2 d^3 e^5 + 512 a^6 b^2 c^6 d^6 e^2 + 2048 a^6 b^3 c^5 \\
& * d^5 e^3 - 2240 a^6 b^4 c^4 d^4 e^4 - 128 a^6 b^5 c^3 d^3 e^5 + 512 a^6 b^6 \\
& * c^2 d^2 e^6 + 1536 a^7 b^2 c^5 d^4 e^4 + 2048 a^7 b^3 c^4 d^3 e^5 - 1152 \\
& a^7 b^4 c^3 d^2 e^6 + 512 a^8 b^2 c^4 d^2 e^6 - 1024 a^6 b^7 c^4 d^7 e^5 + 64 a^6 \\
& b^7 c^3 d^7 e^5 - 1024 a^9 b^3 c^4 d^7 e^5 - 4 a^2 b^9 c^3 d^7 e^5 - 4 a^2 b^{11} c^3 \\
& d^5 e^3 + 64 a^3 b^7 c^4 d^7 e^5 - 4 a^3 b^{10} c^3 d^4 e^4 - 384 a^4 b^5 c^5 d^7 \\
& * e^5 + 52 a^4 b^9 c^3 d^3 e^5 + 1024 a^5 b^3 c^6 d^7 e^5 - 92 a^5 b^8 c^3 d^2 e^6 - \\
& 3072 a^7 b^3 c^6 d^5 e^3 - 384 a^7 b^5 c^2 d^7 e^5 - 3072 a^8 b^3 c^5 d^3 e^5 + \\
& 1024 a^8 b^3 c^3 d^7 e^5)) * (-d e^7)^{(1/2)} / (2 * (c^2 d^5 + a^2 d e^4 + b^2 d^3 \\
& * e^2 - 2 b c d^4 e - 2 a b d^2 e^3 + 2 a c d^3 e^2))) * (-d e^7)^{(1/2)} * i / (\\
& c^2 d^5 + a^2 d e^4 + b^2 d^3 e^2 - 2 b c d^4 e - 2 a b d^2 e^3 + 2 a c d^3 \\
& * e^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)/(c*x**4+b*x**2+a)**2,x)

[Out] Timed out

$$3.275 \quad \int \frac{1}{(d+ex^2)^2 (a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=1077

$$\frac{xe^4}{2d(cd^2 - bed + ae^2)^2 (ex^2 + d)} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)e^{7/2}}{2d^{3/2}(cd^2 - bed + ae^2)^2} + \frac{2(2cd - be)\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)e^{7/2}}{\sqrt{d}(cd^2 - bed + ae^2)^3} + \frac{\sqrt{2}\sqrt{c}\left(3c^2d^2 + b(b + \sqrt{e}x)\right)}{\sqrt{d}(cd^2 - bed + ae^2)^3}$$

[Out] $\frac{1}{2}e^{4x}/d/(a^2e^{-2}-b^2d+e^2c^2d^2)/(e^2x^2+d)+\frac{1}{2}x*(a*b*c*e*(-b^2e+2*c*d))+(-2*a*c+b^2)*(c^2*d^2+b^2*e^2-c*e*(a*e+2*b*d))-c*(2*b^2*c*d*e-4*a*c^2*d*e-b^3*e^2-b*c*(-3*a*e^2+c*d^2))*x^2/a/(-4*a*c+b^2)/(a^2e^{-2}-b^2d+e^2c^2d^2)/(c*x^4+b*x^2+a)+\frac{1}{2}e^{7/2}*\arctan(x*e^{1/2}/d^{1/2})/d^{3/2}/(a^2e^{-2}-b^2d+e^2c^2d^2)^2+2*e^{7/2}*(-b^2e+2*c*d)*\arctan(x*e^{1/2}/d^{1/2})/(a^2e^{-2}-b^2d+e^2c^2d^2)^3/d^{1/2}+e^2*\arctan(x^2^{1/2}*c^{1/2}/(b-(-4*a*c+b^2)^{1/2}))^{1/2})^2^{1/2}*c^{1/2}*(3*c^2*d^2+b*e^2*(b+(-4*a*c+b^2)^{1/2}))-c*e*(3*b*d+a*e+2*d*(-4*a*c+b^2)^{1/2}))/((a^2e^{-2}-b^2d+e^2c^2d^2)^3/(-4*a*c+b^2)^{1/2}/(b-(-4*a*c+b^2)^{1/2}))^{1/2}+1/4*\arctan(x^2^{1/2}*c^{1/2}/(b-(-4*a*c+b^2)^{1/2}))^{1/2})^2*c^{1/2}*(b^4*e^2-b^3*e*(2*c*d-e*(-4*a*c+b^2)^{1/2}))-4*a*c^2*(3*c*d^2-e*(3*a*e+d*(-4*a*c+b^2)^{1/2}))-b*c*(3*a*e^2*(-4*a*c+b^2)^{1/2}-c*d*(16*a*e+d*(-4*a*c+b^2)^{1/2}))+b^2*c*(c*d^2-e*(9*a*e+2*d*(-4*a*c+b^2)^{1/2}))/a/(-4*a*c+b^2)^{3/2}/(a^2e^{-2}-b^2d+e^2c^2d^2)^2*2^{1/2}/(b-(-4*a*c+b^2)^{1/2})^{1/2}-e^2*\arctan(x^2^{1/2}*c^{1/2}/(b+(-4*a*c+b^2)^{1/2}))^{1/2})^2^{1/2}*c^{1/2}*(3*c^2*d^2+b*e^2*(b-(-4*a*c+b^2)^{1/2}))-c*e*(3*b*d+a*e-2*d*(-4*a*c+b^2)^{1/2}))/((a^2e^{-2}-b^2d+e^2c^2d^2)^3/(-4*a*c+b^2)^{1/2}/(b+(-4*a*c+b^2)^{1/2}))^{1/2}-1/4*\arctan(x^2^{1/2}*c^{1/2}/(b+(-4*a*c+b^2)^{1/2}))^{1/2})^2*c^{1/2}*(b^4*e^2-b^3*e*(2*c*d+e*(-4*a*c+b^2)^{1/2}))+b*c*(3*a*e^2*(-4*a*c+b^2)^{1/2}-c*d*(-16*a*e+d*(-4*a*c+b^2)^{1/2}))-4*a*c^2*(3*c*d^2+e*(-3*a*e+d*(-4*a*c+b^2)^{1/2}))+b^2*c*(c*d^2+e*(-9*a*e+2*d*(-4*a*c+b^2)^{1/2}))/a/(-4*a*c+b^2)^{3/2}/(a^2e^{-2}-b^2d+e^2c^2d^2)^2*2^{1/2}/(b+(-4*a*c+b^2)^{1/2})^{1/2}$

Rubi [A] time = 12.64, antiderivative size = 1077, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1238, 199, 205, 1178, 1166}

$$\frac{xe^4}{2d(cd^2 - bed + ae^2)^2 (ex^2 + d)} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)e^{7/2}}{2d^{3/2}(cd^2 - bed + ae^2)^2} + \frac{2(2cd - be)\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)e^{7/2}}{\sqrt{d}(cd^2 - bed + ae^2)^3} + \frac{\sqrt{2}\sqrt{c}\left(3c^2d^2 + b(b + \sqrt{e}x)\right)}{\sqrt{d}(cd^2 - bed + ae^2)^3}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^2*(a + b*x^2 + c*x^4)^2), x]

```
[Out] (e^4*x)/(2*d*(c*d^2 - b*d*e + a*e^2)^2*(d + e*x^2)) + (x*(a*b*c*e*(2*c*d -
b*e) + (b^2 - 2*a*c)*(c^2*d^2 + b^2*e^2 - c*e*(2*b*d + a*e)) - c*(2*b^2*c*d
*e - 4*a*c^2*d*e - b^3*e^2 - b*c*(c*d^2 - 3*a*e^2))*x^2))/(2*a*(b^2 - 4*a*c
)*(c*d^2 - b*d*e + a*e^2)^2*(a + b*x^2 + c*x^4)) + (Sqrt[2]*Sqrt[c]*e^2*(3*
c^2*d^2 + b*(b + Sqrt[b^2 - 4*a*c]))*e^2 - c*e*(3*b*d + 2*Sqrt[b^2 - 4*a*c]*
d + a*e))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]]/(Sqrt[b^
2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]*(c*d^2 - b*d*e + a*e^2)^3) + (Sqrt[c
]*(b^4*e^2 - b^3*e*(2*c*d - Sqrt[b^2 - 4*a*c]*e) - 4*a*c^2*(3*c*d^2 - e*(Sq
rt[b^2 - 4*a*c]*d + 3*a*e)) + b^2*c*(c*d^2 - e*(2*Sqrt[b^2 - 4*a*c]*d + 9*a
*e)) - b*c*(3*a*Sqrt[b^2 - 4*a*c]*e^2 - c*d*(Sqrt[b^2 - 4*a*c]*d + 16*a*e))
)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]]/(2*Sqrt[2]*a*(b^
2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]*(c*d^2 - b*d*e + a*e^2)^2) - (
Sqrt[2]*Sqrt[c]*e^2*(3*c^2*d^2 + b*(b - Sqrt[b^2 - 4*a*c]))*e^2 - c*e*(3*b*d
- 2*Sqrt[b^2 - 4*a*c]*d + a*e))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b
^2 - 4*a*c]]]/(Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 - 4*a*c]]*(c*d^2 - b*d*
e + a*e^2)^3) - (Sqrt[c]*(b^4*e^2 - b^3*e*(2*c*d + Sqrt[b^2 - 4*a*c]*e) + b
*c*(3*a*Sqrt[b^2 - 4*a*c]*e^2 - c*d*(Sqrt[b^2 - 4*a*c]*d - 16*a*e)) + b^2*c
*(c*d^2 + e*(2*Sqrt[b^2 - 4*a*c]*d - 9*a*e)) - 4*a*c^2*(3*c*d^2 + e*(Sqrt[b
^2 - 4*a*c]*d - 3*a*e)))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a
*c]]]/(2*Sqrt[2]*a*(b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]]*(c*d^2
- b*d*e + a*e^2)^2) + (2*e^(7/2)*(2*c*d - b*e)*ArcTan[(Sqrt[e]*x)/Sqrt[d]]
)/(Sqrt[d]*(c*d^2 - b*d*e + a*e^2)^3) + (e^(7/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]]
)/(2*d^(3/2)*(c*d^2 - b*d*e + a*e^2)^2)
```

Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1
))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(
p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (Integer
Q[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denomin
ator[p + 1/n] < Denominator[p])
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1178

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1238

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && NeQ[b^2 - 4*a*c, 0] && ((IntegerQ[p] && IntegerQ[q]) || IGtQ[p, 0] || IGtQ[q, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^2)^2 (a + bx^2 + cx^4)^2} dx &= \int \left(\frac{e^4}{(cd^2 - bde + ae^2)^2 (d + ex^2)^2} - \frac{2e^4(-2cd + be)}{(cd^2 - bde + ae^2)^3 (d + ex^2)} + \frac{c^2d^2 + b^2e^2}{(cd^2 - bde + ae^2)^3} \right) dx \\ &= \frac{e^2 \int \frac{3c^2d^2 + 2b^2e^2 - ce(5bd + ae) - 2ce(2cd - be)x^2}{a + bx^2 + cx^4} dx}{(cd^2 - bde + ae^2)^3} + \frac{(2e^4(2cd - be)) \int \frac{1}{d + ex^2} dx}{(cd^2 - bde + ae^2)^3} + \frac{\int \frac{c^2d^2 + b^2e^2}{(cd^2 - bde + ae^2)^3} dx}{(cd^2 - bde + ae^2)^3} \\ &= \frac{e^4x}{2d(cd^2 - bde + ae^2)^2(d + ex^2)} + \frac{x(abce(2cd - be) + (b^2 - 2ac)(c^2d^2 + b^2e^2)}{2a(b^2 - 4ac)} \\ &= \frac{e^4x}{2d(cd^2 - bde + ae^2)^2(d + ex^2)} + \frac{x(abce(2cd - be) + (b^2 - 2ac)(c^2d^2 + b^2e^2)}{2a(b^2 - 4ac)} \\ &= \frac{e^4x}{2d(cd^2 - bde + ae^2)^2(d + ex^2)} + \frac{x(abce(2cd - be) + (b^2 - 2ac)(c^2d^2 + b^2e^2)}{2a(b^2 - 4ac)} \end{aligned}$$

Mathematica [A] time = 5.84, size = 1020, normalized size = 0.95

$$\frac{1}{4} \left(\frac{2xe^4}{d(cd^2 + e(ae - bd))^2 (ex^2 + d)} + \frac{2(9cd^2 + e(ae - 5bd)) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) e^{7/2}}{d^{3/2} (cd^2 + e(ae - bd))^3} - \frac{2x(e^2b^4 + ce(ex^2 - 2d)b^3 + c(cd^2 + e(ae - bd))^2)}{d^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)^2*(a + b*x^2 + c*x^4)^2),x]

[Out] ((2*e^4*x)/(d*(c*d^2 + e*(-(b*d) + a*e))^2*(d + e*x^2)) - (2*x*(b^4*e^2 + b^3*c*e*(-2*d + e*x^2) + 2*a*c^2*(a*e^2 - c*d*(d - 2*e*x^2)) + b^2*c*(-4*a*e^2 + c*d*(d - 2*e*x^2)) + b*c^2*(c*d^2*x^2 - 3*a*e*(-2*d + e*x^2))))/(a*(-b^2 + 4*a*c)*(c*d^2 + e*(-(b*d) + a*e))^2*(a + b*x^2 + c*x^4)) + (Sqrt[2]*Sqrt[c]*(b^5*d*e^3 + b^3*e*(c*d - Sqrt[b^2 - 4*a*c]*e)*(3*c*d^2 + 5*a*e^2) + b^4*e^2*(-3*c*d^2 + e*(Sqrt[b^2 - 4*a*c]*d - 5*a*e)) - 4*a*c^2*(-3*c^2*d^4 + c*d^2*e*(Sqrt[b^2 - 4*a*c]*d - 12*a*e) + a*e^3*(9*Sqrt[b^2 - 4*a*c]*d + 7*a*e)) - b*c*(-19*a^2*Sqrt[b^2 - 4*a*c]*e^4 + 2*a*c*d*e^2*(-3*Sqrt[b^2 - 4*a*c]*d + 26*a*e) + c^2*d^3*(Sqrt[b^2 - 4*a*c]*d + 28*a*e)) + b^2*c*(-(c^2*d^4) + 3*c*d^2*e*(Sqrt[b^2 - 4*a*c]*d + 4*a*e) + a*e^3*(7*Sqrt[b^2 - 4*a*c]*d + 29*a*e)))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(a*(b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]*(-(c*d^2) + e*(b*d - a*e))^3) - (Sqrt[2]*Sqrt[c]*(b^5*d*e^3 + b^3*e*(c*d + Sqrt[b^2 - 4*a*c]*e)*(3*c*d^2 + 5*a*e^2) - b^2*c*(c^2*d^4 + a*e^3*(7*Sqrt[b^2 - 4*a*c]*d - 29*a*e) + 3*c*d^2*e*(Sqrt[b^2 - 4*a*c]*d - 4*a*e)) - b^4*e^2*(3*c*d^2 + e*(Sqrt[b^2 - 4*a*c]*d + 5*a*e)) + 4*a*c^2*(3*c^2*d^4 + a*e^3*(9*Sqrt[b^2 - 4*a*c]*d - 7*a*e) + c*d^2*e*(Sqrt[b^2 - 4*a*c]*d + 12*a*e)) + b*c*(-19*a^2*Sqrt[b^2 - 4*a*c]*e^4 + c^2*d^3*(Sqrt[b^2 - 4*a*c]*d - 28*a*e) - 2*a*c*d*e^2*(3*Sqrt[b^2 - 4*a*c]*d + 26*a*e)))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(a*(b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]]*(-(c*d^2) + e*(b*d - a*e))^3) + (2*e^(7/2)*(9*c*d^2 + e*(-5*b*d + a*e))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(d^(3/2)*(c*d^2 + e*(-(b*d) + a*e))^3))/4

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x^2+d)^2/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 0.08, size = 5709, normalized size = 5.30

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(e*x^2+d)^2/(c*x^4+b*x^2+a)^2,x)
```

```
[Out] result too large to display
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x^2+d)^2/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")
```

```
[Out] 1/2*(9*c*d^2*e^4 - 5*b*d*e^5 + a*e^6)*arctan(e*x/sqrt(d*e))/((c^3*d^7 - 3*b*c^2*d^6*e - 3*a^2*b*d^2*e^5 + a^3*d*e^6 + 3*(b^2*c + a*c^2)*d^5*e^2 - (b^3 + 6*a*b*c)*d^4*e^3 + 3*(a*b^2 + a^2*c)*d^3*e^4)*sqrt(d*e) + 1/2*((b*c^3*d^3*e - 2*(b^2*c^2 - 2*a*c^3)*d^2*e^2 + (b^3*c - 3*a*b*c^2)*d*e^3 + (a*b^2*c - 4*a^2*c^2)*e^4)*x^5 + (b*c^3*d^4 - (b^2*c^2 - 2*a*c^3)*d^3*e - (b^3*c - 3*a*b*c^2)*d^2*e^2 + (b^4 - 4*a*b^2*c + 2*a^2*c^2)*d*e^3 + (a*b^3 - 4*a^2*b*c)*e^4)*x^3 + ((b^2*c^2 - 2*a*c^3)*d^4 - 2*(b^3*c - 3*a*b*c^2)*d^3*e + (b^4 - 4*a*b^2*c + 2*a^2*c^2)*d^2*e^2 + (a^2*b^2 - 4*a^3*c)*e^4)*x)/((a^2*b^2*c^2 - 4*a^3*c^3)*d^6 - 2*(a^2*b^3*c - 4*a^3*b*c^2)*d^5*e + (a^2*b^4 - 2*a^3*b^2*c - 8*a^4*c^2)*d^4*e^2 - 2*(a^3*b^3 - 4*a^4*b*c)*d^3*e^3 + (a^4*b^2 - 4*a^5*c)*d^2*e^4 + ((a*b^2*c^3 - 4*a^2*c^4)*d^5*e - 2*(a*b^3*c^2 - 4*a^2*b*c^3)*d^4*e^2 + (a*b^4*c - 2*a^2*b^2*c^2 - 8*a^3*c^3)*d^3*e^3 - 2*(a^2*b^3*c - 4*a^3*b*c^2)*d^2*e^4 + (a^3*b^2*c - 4*a^4*c^2)*d*e^5)*x^6 + ((a*b^2*c^3 - 4*a^2*c^4)*d^6 - (a*b^3*c^2 - 4*a^2*b*c^3)*d^5*e - (a*b^4*c - 6*a^2*b^2*c^2 + 8*a^3*c^3)*d^4*e^2 + (a*b^5 - 4*a^2*b^3*c)*d^3*e^3 - (2*a^2*b^4 - 9*a^3*b^2*c + 4*a^4*c^2)*d^2*e^4 + (a^3*b^3 - 4*a^4*b*c)*d*e^5)*x^4 + ((a*b^3*c^2 - 4*a^2*b*c^3)*d^6 - (2*a*b^4*c - 9*a^2*b^2*c^2 + 4*a^3*c^3)*d^5*e + (a*b^5 - 4*a^2*b^3*c)*d^4*e^2 - (a^2*b^4 - 6*a^3*b^2*c + 8*a^4*c^2)*d^3*e^3 - (a^3*b^3 - 4*a^4*b*c)*d^2*e^4 + (a^4*b^2 - 4*a^5*c)*d*e^5)*x^2) - 1/2*integrate(-((b^2*c^3 - 6*a*c^4)*d^4 - (3*b^3*c^2 - 16*a*b*c^3)*d^3*e + 3*(b^4*c - 3*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - (b^5 + 6*a*b^3*c - 44*a^2*b*c^2)*d*e^3 + (5*a*b^4 - 24*a^2*b^2*c + 14*a^3*c^2)*e^4 + (b*c^4*d^4 - (3*b^2*c^3 - 4*a*c^4)*d^3*e + 3*(b^3*c^2 - 2*a*b*c^3)*d^2*e^2 - (b^4*c + 7*a*b^2*c^2 - 36*
```

$$\frac{a^2c^3de^3 + (5ab^3c - 19a^2b^2c^2)e^4)x^2}{(cx^4 + bx^2 + a)},$$

$$\frac{x}{((ab^2c^3 - 4a^2c^4)d^6 - 3(ab^3c^2 - 4a^2b^2c^3)d^5e + 3(ab^4c - 3a^2b^2c^2 - 4a^3c^3)d^4e^2 - (ab^5 + 2a^2b^3c - 24a^3b^2c^2)d^3e^3 + 3(a^2b^4 - 3a^3b^2c - 4a^4c^2)d^2e^4 - 3(a^3b^3 - 4a^4b^2c)d^2e^5 + (a^4b^2 - 4a^5c)e^6)}$$

mupad [B] time = 17.81, size = 97073, normalized size = 90.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + ex^2)^2*(a + bx^2 + cx^4)^2),x)

[Out] symsum(log(root(128723189760*a^14*b^4*c^9*d^13*e^14*z^6 + 128723189760*a^12*b^4*c^11*d^17*e^10*z^6 - 8432455680*a^11*b^12*c^4*d^11*e^16*z^6 - 8432455680*a^7*b^12*c^8*d^19*e^8*z^6 + 12673351680*a^11*b^11*c^5*d^12*e^15*z^6 + 12673351680*a^8*b^11*c^8*d^18*e^9*z^6 - 72637480960*a^12*b^9*c^6*d^12*e^15*z^6 - 72637480960*a^9*b^9*c^9*d^18*e^9*z^6 - 21048344576*a^9*b^12*c^6*d^15*e^12*z^6 - 16609443840*a^17*b^3*c^7*d^8*e^19*z^6 - 16609443840*a^10*b^3*c^14*d^22*e^5*z^6 + 145332633600*a^13*b^5*c^9*d^14*e^13*z^6 + 145332633600*a^12*b^5*c^10*d^16*e^11*z^6 + 123740356608*a^14*b^5*c^8*d^12*e^15*z^6 + 123740356608*a^11*b^5*c^11*d^18*e^9*z^6 + 3460300800*a^17*b^5*c^5*d^6*e^21*z^6 + 3460300800*a^8*b^5*c^14*d^24*e^3*z^6 - 7751073792*a^15*b^7*c^5*d^8*e^19*z^6 - 7751073792*a^8*b^7*c^12*d^22*e^5*z^6 + 12041846784*a^14*b^7*c^6*d^10*e^17*z^6 + 12041846784*a^9*b^7*c^11*d^20*e^7*z^6 - 325545099264*a^14*b^3*c^10*d^14*e^13*z^6 - 325545099264*a^13*b^3*c^11*d^16*e^11*z^6 - 3330539520*a^13*b^10*c^4*d^9*e^18*z^6 - 3330539520*a^7*b^10*c^10*d^21*e^6*z^6 + 157789716480*a^12*b^7*c^8*d^14*e^13*z^6 + 157789716480*a^11*b^7*c^9*d^16*e^11*z^6 + 37492359168*a^11*b^10*c^6*d^13*e^14*z^6 + 37492359168*a^9*b^10*c^8*d^17*e^10*z^6 + 301989888*a^8*b^3*c^16*d^26*e*z^6 - 7266631680*a^17*b^4*c^6*d^7*e^20*z^6 - 7266631680*a^9*b^4*c^14*d^23*e^4*z^6 - 201326592*a^20*b^2*c^6*d^4*e^23*z^6 - 188743680*a^7*b^5*c^15*d^26*e*z^6 + 45747339264*a^13*b^8*c^6*d^11*e^16*z^6 + 45747339264*a^9*b^8*c^10*d^19*e^8*z^6 - 74612736*a^10*b^16*c*d^9*e^18*z^6 - 2768240640*a^16*b^7*c^4*d^6*e^21*z^6 - 2768240640*a^7*b^7*c^13*d^24*e^3*z^6 + 69746688*a^11*b^15*c*d^8*e^19*z^6 + 62914560*a^6*b^7*c^14*d^26*e*z^6 + 2752020480*a^10*b^13*c^4*d^12*e^15*z^6 + 2752020480*a^7*b^13*c^7*d^18*e^9*z^6 + 55148544*a^9*b^17*c*d^10*e^17*z^6 - 45957120*a^12*b^14*c*d^7*e^20*z^6 - 2724986880*a^14*b^9*c^4*d^8*e^19*z^6 - 2724986880*a^7*b^9*c^11*d^22*e^5*z^6 - 25952256*a^8*b^18*c*d^11*e^16*z^6 + 21086208*a^13*b^13*c*d^6*e^21*z^6 - 11796480*a^5*b^9*c^13*d^26*e*z^6 - 6438912*a^14*b^12*c*d^5*e^22*z^6 + 5406720*a^7*b^19*c*d^12*e^15*z^6 + 1622016*a^6*b^20*c*d^13*e^14*z^6 - 1523712*a^5*b^21*c*d^14*e^13*z^6 + 1179648*a^15*b^11*c*d^4*e^23*z^6 + 1179648*a^4*b^11*c^12*d^26*e*z^6 + 442368*a^4*b^22*c*d^15*e^12*z^6 - 98304*a^16*b^10*c*d^3*e^24*z^6 - 49152*a^3*b^23*c*d^16*e^11*z^6 - 49152*a^3*b^13*c^11*d^26*e*z^6 + 6897106944*a^9*b^13*c^5*d^14*e^13*z^6 + 6897106944*a^8*b^13*c^6*

$$\begin{aligned}
& d^{16}e^{11}z^6 - 2422210560a^{16}b^6c^5d^7e^{20}z^6 - 2422210560a^8b^6c^{13}d^{23}e^4z^6 + 255785435136a^{14}b^2c^{11}d^{15}e^{12}z^6 + 41004564480a^{15}b^4c^8d^{11}e^{16}z^6 + 41004564480a^{11}b^4c^{12}d^{19}e^8z^6 + 2270822400a^{13}b^{11}c^3d^8e^{19}z^6 + 2270822400a^6b^{11}c^{10}d^{22}e^5z^6 + 23677108224a^{14}b^8c^5d^9e^{18}z^6 + 23677108224a^8b^8c^{11}d^{21}e^6z^6 + 212600881152a^{15}b^2c^{10}d^{13}e^{14}z^6 + 212600881152a^{13}b^2c^{12}d^{17}e^{10}z^6 + 75157733376a^{15}b^5c^7d^{10}e^{17}z^6 + 75157733376a^{10}b^5c^{12}d^{20}e^7z^6 - 251217838080a^{13}b^6c^8d^{13}e^{14}z^6 - 251217838080a^{11}b^6c^{10}d^{17}e^{10}z^6 - 1952907264a^{14}b^{10}c^3d^7e^{20}z^6 - 1952907264a^6b^{10}c^{11}d^{23}e^4z^6 - 27691057152a^{13}b^9c^5d^{10}e^{17}z^6 - 27691057152a^8b^9c^{10}d^{20}e^7z^6 - 1902673920a^8b^{15}c^4d^{14}e^{13}z^6 - 1902673920a^7b^{15}c^5d^{16}e^{11}z^6 + 10465050624a^{10}b^{11}c^6d^{14}e^{13}z^6 + 10465050624a^9b^{11}c^7d^{16}e^{11}z^6 + 1613905920a^9b^{14}c^4d^{13}e^{14}z^6 + 1613905920a^7b^{14}c^6d^{17}e^{10}z^6 - 33218887680a^{17}b^3c^9d^{10}e^{17}z^6 - 33218887680a^{12}b^3c^{14}d^{20}e^7z^6 + 1524695040a^{10}b^{14}c^3d^{11}e^{16}z^6 + 1524695040a^6b^{14}c^7d^{19}e^8z^6 - 1472200704a^{18}b^4c^5d^5e^{22}z^6 - 1472200704a^8b^4c^{15}d^{25}e^2z^6 - 83047219200a^{16}b^3c^8d^{10}e^{17}z^6 - 83047219200a^{11}b^3c^{13}d^{20}e^7z^6 + 44291850240a^{17}b^2c^8d^9e^{18}z^6 + 44291850240a^{11}b^2c^{14}d^{21}e^6z^6 + 1308131328a^8b^{14}c^5d^{15}e^{12}z^6 - 201326592a^9b^3c^{17}d^{26}e^3z^6 + 48530718720a^{12}b^8c^7d^{13}e^{14}z^6 + 48530718720a^{10}b^8c^9d^{17}e^{10}z^6 - 1242644480a^{12}b^{12}c^3d^9e^{18}z^6 - 1242644480a^6b^{12}c^9d^{21}e^6z^6 + 9813196800a^{12}b^{10}c^5d^{11}e^{16}z^6 + 9813196800a^8b^{10}c^9d^{19}e^8z^6 - 93012885504a^{15}b^3c^{11}d^{14}e^{13}z^6 - 93012885504a^{14}b^3c^{12}d^{16}e^{11}z^6 + 177305812992a^{13}b^4c^{10}d^{15}e^{12}z^6 + 52730658816a^{10}b^{10}c^7d^{15}e^{12}z^6 - 1180106752a^9b^{15}c^3d^{12}e^{15}z^6 - 1180106752a^6b^{15}c^6d^{18}e^9z^6 + 1023672320a^{15}b^9c^3d^6e^2z^6 + 1023672320a^6b^9c^{12}d^{24}e^3z^6 + 975175680a^{17}b^6c^4d^5e^{22}z^6 + 975175680a^7b^6c^{14}d^{25}e^2z^6 - 11072962560a^{18}b^3c^8d^8e^{19}z^6 - 11072962560a^{11}b^3c^{15}d^{22}e^5z^6 + 9412018176a^{18}b^2c^7d^{17}e^{20}z^6 + 9412018176a^{10}b^2c^{15}d^{23}e^4z^6 + 805306368a^{19}b^2c^6d^5e^{22}z^6 + 805306368a^9b^2c^{16}d^{25}e^2z^6 - 133809831936a^{14}b^6c^7d^{11}e^{16}z^6 - 133809831936a^{10}b^6c^{11}d^{19}e^8z^6 - 2214592512a^{19}b^3c^7d^6e^{21}z^6 - 2214592512a^{10}b^3c^{16}d^{24}e^3z^6 + 82216747008a^{13}b^7c^7d^{12}e^{15}z^6 + 82216747008a^{10}b^7c^{10}d^{18}e^9z^6 - 586629120a^{12}b^{13}c^2d^8e^{19}z^6 - 586629120a^5b^{13}c^9d^{22}e^5z^6 + 568565760a^7b^{16}c^4d^{15}e^{12}z^6 - 4844421120a^{16}b^4c^7d^9e^{18}z^6 - 4844421120a^{10}b^4c^{13}d^{21}e^6z^6 + 531210240a^{11}b^{14}c^2d^9e^{18}z^6 + 531210240a^5b^{14}c^8d^{21}e^6z^6 - 527155200a^{11}b^{13}c^3d^{10}e^{17}z^6 - 527155200a^6b^{13}c^8d^{20}e^7z^6 + 43470028800a^{11}b^8c^8d^{15}e^{12}z^6 - 107874877440a^{11}b^9c^7d^{14}e^{13}z^6 - 107874877440a^{10}b^9c^8d^{16}e^{11}z^6 + 9018408960a^{12}b^{11}c^4d^{10}e^{17}z^6 + 9018408960a^7b^{11}c^9d^{20}e^7z^6 + 421994496a^{13}b^{12}c^2d^7e^{20}z^6 + 421994496a^5b^{12}c^{10}d^{23}e^4z^6 - 66437775360a^{16}b^3c^{10}d^{12}e^{15}z^6 - 66437775360a^{13}b^3c^{13}d^{18}e^9z^6 + 26159874048a^{16}b^5c^6d^8e^{19}z^6 + 26
\end{aligned}$$

$$\begin{aligned}
& 159874048a^9b^5c^{13}d^{22}e^5z^6 - 369098752a^{18}b^3c^6d^6e^{21}z^6 - \\
& 369098752a^9b^3c^{15}d^{24}e^3z^6 + 351436800a^8b^{16}c^3d^{13}e^{14}z^6 \\
& + 351436800a^6b^{16}c^5d^{17}e^{10}z^6 - 334233600a^{16}b^8c^3d^5e^{22}z^6 \\
& - 334233600a^6b^8c^{13}d^{25}e^2z^6 + 301989888a^{19}b^3c^5d^4e^{23}z^6 \\
& - 266010624a^{10}b^{15}c^2d^{10}e^{17}z^6 - 266010624a^5b^{15}c^7d^{20}e^7z^6 \\
& - 305198530560a^{12}b^6c^9d^{15}e^{12}z^6 - 203292672a^{14}b^{11}c^2d^6e^{21}z^6 \\
& - 203292672a^5b^{11}c^{11}d^{24}e^3z^6 - 188743680a^{18}b^5c^4d^4e^{23}z^6 \\
& + 120418467840a^{16}b^2c^9d^{11}e^{16}z^6 + 120418467840a^{12}b^2c^{13}d^{19}e^8z^6 \\
& - 17293934592a^{10}b^{12}c^5d^{13}e^{14}z^6 - 17293934592a^8b^{12}c^7d^{17}e^{10}z^6 \\
& + 104890368a^8b^{17}c^2d^{12}e^{15}z^6 + 104890368a^5b^{17}c^5d^{18}e^9z^6 \\
& + 4390256640a^{15}b^8c^4d^7e^{20}z^6 + 4390256640a^7b^8c^{12}d^{23}e^4z^6 \\
& - 91750400a^6b^{18}c^3d^{15}e^{12}z^6 + 79134720a^7b^{17}c^3d^{14}e^{13}z^6 \\
& + 79134720a^6b^{17}c^4d^{16}e^{11}z^6 - 74612736a^4b^{16}c^7d^{21}e^6z^6 \\
& - 72990720a^7b^{18}c^2d^{13}e^{14}z^6 - 72990720a^5b^{18}c^4d^{17}e^{10}z^6 \\
& + 69746688a^4b^{15}c^8d^{22}e^5z^6 + 63700992a^{15}b^{10}c^2d^5e^{22}z^6 \\
& + 63700992a^5b^{10}c^{12}d^{25}e^2z^6 + 62914560a^{17}b^7c^3d^4e^{23}z^6 \\
& + 55148544a^4b^{17}c^6d^{20}e^7z^6 - 45957120a^4b^{14}c^9d^{23}e^4z^6 \\
& - 25952256a^4b^{18}c^5d^{19}e^8z^6 - 25165824a^{20}b^2c^5d^3e^{24}z^6 \\
& + 21086208a^4b^{13}c^{10}d^{24}e^3z^6 + 20643840a^6b^{19}c^2d^{14}e^{13}z^6 \\
& + 20643840a^5b^{19}c^3d^{16}e^{11}z^6 + 15728640a^{19}b^4c^4d^3e^{24}z^6 \\
& - 11796480a^{16}b^9c^2d^4e^{23}z^6 - 6438912a^4b^{12}c^{11}d^{25}e^2z^6 \\
& + 5406720a^4b^{19}c^4d^{18}e^9z^6 - 5242880a^{18}b^6c^3d^3e^{24}z^6 \\
& + 3784704a^3b^{18}c^6d^{21}e^6z^6 - 3244032a^3b^{19}c^5d^{20}e^7z^6 \\
& - 3244032a^3b^{17}c^7d^{22}e^5z^6 + 2027520a^3b^{20}c^4d^{19}e^8z^6 \\
& + 2027520a^3b^{16}c^8d^{23}e^4z^6 - 1622016a^9b^{16}c^2d^{11}e^{16}z^6 \\
& - 1622016a^5b^{16}c^6d^{19}e^8z^6 + 1622016a^4b^{20}c^3d^{17}e^{10}z^6 \\
& - 1523712a^4b^{21}c^2d^{16}e^{11}z^6 + 983040a^{17}b^8c^2d^3e^{24}z^6 \\
& - 901120a^3b^{21}c^3d^{18}e^9z^6 - 901120a^3b^{15}c^9d^{24}e^3z^6 \\
& + 270336a^3b^{22}c^2d^{17}e^{10}z^6 + 270336a^3b^{14}c^{10}d^{25}e^2z^6 \\
& + 172032a^5b^{20}c^2d^{15}e^{12}z^6 - 38593888256a^{15}b^6c^6d^9e^{18}z^6 \\
& - 38593888256a^9b^6c^{12}d^{21}e^6z^6 - 210386288640a^{15}b^3c^9d^{12}e^{15}z^6 \\
& - 210386288640a^{12}b^3c^{12}d^{18}e^9z^6 + 15502147584a^{15}c^{12}d^{15}e^{12}z^6 \\
& + 1107296256a^{19}c^8d^7e^{20}z^6 + 1107296256a^{11}c^{16}d^{23}e^4z^6 \\
& + 13287555072a^{16}c^{11}d^{13}e^{14}z^6 + 13287555072a^{14}c^{13}d^{17}e^{10}z^6 \\
& + 201326592a^{20}c^7d^5e^{22}z^6 + 201326592a^{10}c^{17}d^{25}e^2z^6 \\
& + 16777216a^{21}c^6d^3e^{24}z^6 + 3784704a^9b^{18}d^9e^{18}z^6 \\
& - 3244032a^{10}b^{17}d^8e^{19}z^6 - 3244032a^8b^{19}d^{10}e^{17}z^6 + 2027520a^{11}b^{16}d^7e^{20}z^6 \\
& + 2027520a^7b^{20}d^{11}e^{16}z^6 - 901120a^{12}b^{15}d^6e^{21}z^6 \\
& - 901120a^6b^{21}d^{12}e^{15}z^6 + 270336a^{13}b^{14}d^5e^{22}z^6 \\
& + 270336a^5b^{22}d^{13}e^{14}z^6 - 49152a^{14}b^{13}d^4e^{23}z^6 - 49152a^4b^{23}d^{14}e^{13}z^6 \\
& + 4096a^{15}b^{12}d^3e^{24}z^6 + 4096a^3b^{24}d^{15}e^{12}z^6 - 25165824a^8b^2c^{17}d^{27}z^6 \\
& + 15728640a^7b^4c^{16}d^{27}z^6 - 5242880a^6b^6c^{15}d^{27}z^6 \\
& + 983040a^5b^8c^{14}d^{27}z^6 - 983040a^4b^{10}c^{13}d^{27}z^6 \\
& + 4096a^3b^{12}c^{12}d^{27}z^6 + 8304721920a^{17}c^{10}d^{11}e^{16}z^6 \\
& + 8304721920a^{13}c^{14}d^{19}e^8z^6 + 3690987520a^{18}c^9d
\end{aligned}$$

$$\begin{aligned}
& ^9e^{18z^6} + 3690987520a^{12}c^{15}d^{21}e^6z^6 + 16777216a^9c^{18}d^{27}z^6 \\
& - 8493371392a^6b^8c^9d^{14}e^9z^4 + 1458044928a^8b^6c^{14}d^{17}e^6z^4 \\
& - 12604538880a^{11}b^4c^8d^8e^{15}z^4 - 8303067136a^9b^5c^9d^{11}e^{12}z^4 \\
& - 5588058112a^{13}b^3c^9d^7e^{16}z^4 - 3892838400a^8b^2c^{13}d^{16}e^7z^4 \\
& - 3611713536a^8b^8c^7d^{10}e^{13}z^4 + 7819006464a^7b^9c^7d^{11}e^{12}z^4 \\
& - 7782137856a^8b^7c^8d^{11}e^{12}z^4 + 7780433920a^{12}b^2c^9d^8e^{15}z^4 \\
& - 12020465664a^7b^5c^{11}d^{15}e^8z^4 + 3176792064a^8b^3c^{12}d^{15}e^8z^4 \\
& - 322633728a^{15}b^3c^7d^3e^{20}z^4 + 210829312a^7b^6c^{15}d^{19}e^4z^4 \\
& + 15623258112a^9b^6c^8d^{10}e^{13}z^4 + 25165824a^{15}b^3c^5d^2e^{22}z^4 \\
& - 15728640a^{14}b^5c^4d^2e^{22}z^4 + 12582912a^5b^2c^{16}d^{22}e^2z^4 \\
& - 11730944a^4b^4c^{15}d^{22}e^2z^4 + 5242880a^{13}b^7c^3d^2e^{22}z^4 \\
& - 4561920a^6b^{15}c^7d^{17}e^6z^4 + 4521984a^3b^6c^{14}d^{22}e^2z^4 + 4460544a^6b^{14}c^8d^{18}e^5z^4 \\
& + 3538944a^6b^6c^{16}d^{21}e^2z^4 + 3108864a^6b^{16}c^6d^{16}e^7z^4 - 3027200a^6b^{13}c^9d^{19}e^4z^4 \\
& - 2345472a^5b^{17}c^4d^7e^{16}z^4 - 2307072a^8b^{14}c^4d^4e^{19}z^4 + 1824768a^6b^{16}c^4d^6e^{17}z^4 \\
& + 1734912a^9b^{13}c^3d^3e^{20}z^4 + 1419264a^6b^{12}c^{10}d^{20}e^3z^4 - 1191168a^6b^{17}c^5d^{15}e^8z^4 \\
& - 983040a^{12}b^9c^2d^2e^{22}z^4 + 964608a^4b^{18}c^4d^8e^{15}z^4 - 866304a^2b^8c^{13}d^{22}e^2z^4 + 703488a^7b^{15}c^4d^5e^{18}z^4 \\
& - 608256a^{10}b^{12}c^4d^2e^{21}z^4 - 440832a^6b^{11}c^{11}d^{21}e^2z^4 + 275968a^6b^{19}c^3d^{13}e^{10}z^4 - 159744a^2b^{20}c^4d^{10}e^{13}z^4 \\
& - 153600a^6b^{20}c^2d^{12}e^{11}z^4 + 64512a^3b^{19}c^4d^9e^{14}z^4 + 19746062336a^8b^6c^9d^{12}e^{11}z^4 \\
& - 15333588992a^{10}b^4c^9d^{10}e^{13}z^4 + 6702170112a^7b^4c^{12}d^{16}e^7z^4 + 15167913984a^{10}b^3c^{10}d^{11}e^{12}z^4 \\
& - 2256638976a^5b^{11}c^7d^{13}e^{10}z^4 + 2254307328a^5b^7c^{11}d^{17}e^6z^4 - 2200633344a^6b^5c^{12}d^{17}e^6z^4 \\
& + 6457131008a^{11}b^3c^9d^9e^{14}z^4 - 2128785408a^5b^8c^{10}d^{16}e^7z^4 - 2126057472a^6b^{11}c^6d^{11}e^{12}z^4 \\
& + 2038349824a^{12}b^5c^6d^5e^{18}z^4 + 2037841920a^5b^{10}c^8d^{14}e^9z^4 + 3615621120a^9b^6c^{13}d^{15}e^8z^4 \\
& + 1900019712a^{11}b^2c^{10}d^{10}e^{13}z^4 + 1867698432a^9b^9c^5d^7e^{16}z^4 - 6157369344a^9b^4c^{10}d^{12}e^{11}z^4 \\
& - 1856913408a^7b^{10}c^6d^{10}e^{13}z^4 + 1789132800a^6b^4c^{13}d^{18}e^5z^4 + 6082658304a^8b^4c^{11}d^{14}e^9z^4 + 6029549568a^{11}b^5c^7d^7e^{16}z^4 \\
& + 6010159104a^6b^7c^{10}d^{15}e^8z^4 + 1703182336a^7b^7c^9d^{13}e^{10}z^4 + 1658388480a^{11}b^6c^6d^6e^{17}z^4 \\
& + 5917114368a^{10}b^6c^7d^8e^{15}z^4 - 1591197696a^{11}b^7c^5d^5e^{18}z^4 - 1526464512a^8b^{10}c^5d^8e^{15}z^4 \\
& - 5772607488a^{12}b^4c^7d^6e^{17}z^4 - 1423507456a^{13}b^4c^6d^4e^{19}z^4 - 1387266048a^7b^3c^{13}d^{17}e^6z^4 \\
& + 2976120832a^{10}b^3c^{12}d^{13}e^{10}z^4 - 9906946048a^9b^2c^{12}d^{14}e^9z^4 - 18421874688a^8b^5c^{10}d^{13}e^{10}z^4 \\
& + 1141217280a^6b^{12}c^5d^{10}e^{13}z^4 - 9714364416a^7b^8c^8d^{12}e^{11}z^4 - 16777216a^{16}b^6c^6d^2e^{22}z^4 \\
& + 98304a^{11}b^{11}c^4d^2e^{22}z^4 + 81920a^6b^{10}c^{12}d^{22}e^2z^4 + 39168a^6b^{21}c^4d^{11}e^{12}z^4 \\
& - 1091829760a^5b^6c^{12}d^{18}e^5z^4 + 1046740992a^{14}b^2c^7d^4e^{19}z^4 - 6884425728a^{12}b^3c^{10}d^9e^{14}z^4 \\
& + 987445248a^4b^{10}c^9d^{16}e^7z^4 + 984087552a^5b^{12}c^6d^{12}e^{11}z^4 - 9564585984a^9b^7c^7d^9e^{14}z^4 \\
& - 5266857984a^{10}b^7c^6d^7e^{16}z^4 - 892145664a^7b^{11}c^5d^9e^{14}z^4 - 2444623872a^{11}b^3c^{11}d^{11}e^8z^4
\end{aligned}$$

$$\begin{aligned}
& 12z^4 + 768540672a^{12}b^3c^8d^7e^{16}z^4 + 5048322048a^8b^9c^6d^9e^{14}z^4 + 5047612416a^6b^9c^8d^{13}e^{10}z^4 - 732492288a^4b^{11}c^8d^{15}e^8z^4 + 9266921472a^7b^6c^{10}d^{14}e^9z^4 - 645857280a^6b^6c^{11}d^{16}e^7z^4 - 623867904a^4b^9c^{10}d^{17}e^6z^4 - 622067712a^6b^3c^{14}d^{19}e^4z^4 + 582617088a^{10}b^8c^5d^6e^{17}z^4 + 577119744a^7b^{12}c^4d^8e^{15}z^4 + 552566784a^{12}b^6c^5d^4e^{19}z^4 + 549224448a^9b^8c^6d^8e^{15}z^4 - 526565376a^9b^{10}c^4d^6e^{17}z^4 + 511520256a^{10}b^9c^4d^5e^{18}z^4 + 13393723392a^9b^3c^{11}d^{13}e^{10}z^4 - 2066350080a^{14}b^3c^8d^5e^{18}z^4 + 4718592000a^{13}b^2c^8d^6e^{17}z^4 - 314572800a^7b^2c^{14}d^{18}e^5z^4 + 287250432a^4b^{13}c^6d^{13}e^{10}z^4 + 4565827584a^{10}b^5c^8d^9e^{14}z^4 - 250785792a^4b^{14}c^5d^{12}e^{11}z^4 + 235536384a^{13}b^3c^7d^5e^{18}z^4 - 232683264a^8b^{11}c^4d^7e^{16}z^4 - 199627776a^5b^{14}c^4d^{10}e^{13}z^4 - 190267392a^{12}b^7c^4d^3e^{20}z^4 + 184891392a^6b^{10}c^7d^{12}e^{11}z^4 + 180502528a^4b^7c^{12}d^{19}e^4z^4 + 178877952a^3b^{13}c^7d^{15}e^8z^4 + 172490752a^{14}b^3c^6d^3e^{20}z^4 + 163946496a^{13}b^5c^5d^3e^{20}z^4 + 155839488a^8b^{12}c^3d^6e^{17}z^4 + 155000832a^5b^5c^{13}d^{19}e^4z^4 - 152076288a^4b^6c^{13}d^{20}e^3z^4 - 137592576a^3b^{12}c^8d^{16}e^7z^4 - 133693440a^{14}b^4c^5d^2e^{21}z^4 - 116767488a^3b^9c^{11}d^{19}e^4z^4 - 108985344a^3b^{14}c^6d^{14}e^9z^4 - 106223616a^6b^{13}c^4d^9e^{14}z^4 + 106119168a^3b^{10}c^{10}d^{18}e^5z^4 + 102432768a^5b^4c^{14}d^{20}e^3z^4 + 102113280a^4b^{12}c^7d^{14}e^9z^4 + 100674048a^5b^9c^9d^{15}e^8z^4 + 90439680a^{13}b^6c^4d^2e^{21}z^4 - 86808576a^6b^{14}c^3d^8e^{15}z^4 + 86245376a^6b^2c^{15}d^{20}e^3z^4 + 79011840a^4b^8c^{11}d^{18}e^5z^4 + 78345216a^4b^{15}c^4d^{11}e^{12}z^4 + 78006528a^{11}b^9c^3d^3e^{20}z^4 - 73253376a^9b^{11}c^3d^5e^{18}z^4 + 67524608a^3b^8c^{12}d^{20}e^3z^4 + 67108864a^{15}b^2c^6d^2e^{21}z^4 - 61590528a^{10}b^{10}c^3d^4e^{19}z^4 + 61559808a^5b^{15}c^3d^9e^{14}z^4 - 59637760a^5b^3c^{15}d^{21}e^2z^4 + 58638336a^4b^5c^{14}d^{21}e^2z^4 - 40828416a^7b^{13}c^3d^7e^{16}z^4 - 35639296a^2b^{12}c^9d^{18}e^5z^4 - 31293440a^{12}b^8c^3d^2e^{21}z^4 + 29933568a^5b^{13}c^5d^{11}e^{12}z^4 + 27793920a^2b^{11}c^{10}d^{19}e^4z^4 + 27168768a^2b^{13}c^8d^{17}e^6z^4 - 23602176a^7b^{14}c^2d^6e^{17}z^4 - 23248896a^3b^7c^{13}d^{21}e^2z^4 + 20929536a^3b^{15}c^5d^{13}e^{10}z^4 + 18428928a^9b^{12}c^2d^4e^{19}z^4 + 18026496a^6b^{15}c^2d^7e^{16}z^4 - 16261632a^{10}b^{11}c^2d^3e^{20}z^4 + 15128064a^3b^{16}c^4d^{12}e^{11}z^4 - 14060544a^2b^{10}c^{11}d^{20}e^3z^4 + 13178880a^2b^{16}c^5d^{14}e^9z^4 - 11244288a^3b^{17}c^3d^{11}e^{12}z^4 - 10509312a^2b^{15}c^6d^{15}e^8z^4 - 7262208a^4b^{17}c^2d^9e^{14}z^4 - 7045632a^2b^{17}c^4d^{13}e^{10}z^4 - 6285312a^2b^{14}c^7d^{16}e^7z^4 + 5996544a^{11}b^{10}c^2d^2e^{21}z^4 + 4558336a^2b^9c^{12}d^{21}e^2z^4 + 4478976a^{11}b^8c^4d^4e^{19}z^4 + 2850816a^4b^{16}c^3d^{10}e^{13}z^4 + 2629632a^3b^{11}c^9d^{17}e^6z^4 + 2503680a^3b^{18}c^2d^{10}e^{13}z^4 + 1627136a^2b^{18}c^3d^{12}e^{11}z^4 + 1605120a^8b^{13}c^2d^5e^{18}z^4 + 1483776a^5b^{16}c^2d^8e^{15}z^4 + 139776a^2b^{19}c^2d^{11}e^{12}z^4 - 8542224384a^{10}b^2c^{11}d^{12}e^{11}z^4 - 3072b^{22}c^d^{12}e^{11}z^4 - 3072b^{12}c^{11}d^{22}e^*z^4 - 1572864a^6c^{17}d^{22}e^*z^4 - 4096a^{10}b^{13}d^*e^{22}z^4 - 4096a^*b^{22}d^
\end{aligned}$$

$$\begin{aligned}
& 10e^{13z^4} - 6144a^{12}b^{10}c^e^{23z^4} - 983040a^5b^c^{17}d^{23z^4} - 6912 \\
& *a^b^9c^{13}d^{23z^4} + 1824522240a^{13}c^{10}d^8e^{15z^4} + 1730150400a^{12} \\
& c^{11}d^{10}e^{13z^4} + 958922752a^{14}c^9d^6e^{17z^4} - 537919488a^9c^{14}d \\
& ^{16}e^7z^4 + 508559360a^{11}c^{12}d^{12}e^{11z^4} - 500170752a^{10}c^{13}d^{14} \\
& e^9z^4 + 246939648a^{15}c^8d^4e^{19z^4} - 199229440a^8c^{15}d^{18}e^5z^4 \\
& - 29884416a^7c^{16}d^{20}e^3z^4 + 25165824a^{16}c^7d^2e^{21z^4} + 236544 \\
& *b^{17}c^6d^{17}e^6z^4 - 202752b^{18}c^5d^{16}e^7z^4 - 202752b^{16}c^7d^{18} \\
& 8e^5z^4 + 126720b^{19}c^4d^{15}e^8z^4 + 126720b^{15}c^8d^{19}e^4z^4 - 5 \\
& 6320b^{20}c^3d^{14}e^9z^4 - 56320b^{14}c^9d^{20}e^3z^4 + 16896b^{21}c^2d \\
& ^{13}e^{10}z^4 + 16896b^{13}c^{10}d^{21}e^2z^4 + 110080a^7b^{16}d^4e^{19z^4} \\
& + 110080a^4b^{19}d^7e^{16z^4} - 75520a^8b^{15}d^3e^{20z^4} - 75520a^3b^ \\
& ^{20}d^8e^{15z^4} - 56320a^6b^{17}d^5e^{18z^4} - 56320a^5b^{18}d^6e^{17z^4} \\
& + 25600a^9b^{14}d^2e^{21z^4} + 25600a^2b^{21}d^9e^{14z^4} - 1572864a^{16} \\
& *b^2c^5e^{23z^4} + 983040a^{15}b^4c^4e^{23z^4} - 327680a^{14}b^6c^3e^{23} \\
& *z^4 + 61440a^{13}b^8c^2e^{23z^4} + 983040a^4b^3c^{16}d^{23z^4} - 385024* \\
& a^3b^5c^{15}d^{23z^4} + 73728a^2b^7c^{14}d^{23z^4} + 256b^{23}d^{11}e^{12z}^4 \\
& + 1048576a^{17}c^6e^{23z^4} + 256b^{11}c^{12}d^{23z^4} + 256a^{11}b^{12}e^{23} \\
& *z^4 + 948695040a^8b^c^{10}d^6e^{13z^2} + 348917760a^7b^c^{11}d^8e^{11z}^2 \\
& - 125030400a^9b^c^9d^4e^{15z^2} - 50728960a^6b^c^{12}d^{10}e^9z^2 - 4 \\
& 4298240a^5b^c^{13}d^{12}e^7z^2 - 36495360a^{10}b^c^8d^2e^{17z^2} + 296755 \\
& 20a^8b^6c^5d^e^{18z^2} - 24170496a^9b^4c^6d^e^{18z^2} - 17202816a^7* \\
& b^8c^4d^e^{18z^2} - 14561280a^4b^c^{14}d^{14}e^5z^2 + 5532416a^6b^{10}c^ \\
& ^3d^e^{18z^2} + 4128768a^{10}b^2c^7d^e^{18z^2} - 2662400a^3b^c^{15}d^{16}e^ \\
& ^3z^2 + 1184512a*b^{12}c^6d^9e^{10z^2} - 1136160a*b^{13}c^5d^8e^{11z^2} - \\
& 1017600a^5b^{12}c^2d^e^{18z^2} - 744768a*b^{11}c^7d^{10}e^9z^2 + 607872* \\
& a*b^{14}c^4d^7e^{12z^2} - 424064a*b^6c^{12}d^{15}e^4z^2 + 408576a*b^5c^1 \\
& ^3d^{16}e^3z^2 + 361152a*b^{10}c^8d^{11}e^8z^2 - 287408a*b^9c^9d^{12}e^7 \\
& *z^2 - 260448a^3b^{15}c*d^2e^{17z^2} - 203904a*b^4c^{14}d^{17}e^2z^2 + 20 \\
& 0832a*b^8c^{10}d^{13}e^6z^2 + 126720a*b^7c^{11}d^{14}e^5z^2 - 123968a*b^ \\
& ^{15}c^3d^6e^{13z^2} - 39168a*b^{16}c^2d^5e^{14z^2} + 11904a^2b^{16}c*d^3* \\
& e^{16z^2} + 1824135552a^7b^4c^8d^5e^{14z^2} - 1457252352a^8b^2c^9d^5 \\
& *e^{14z^2} - 1405209600a^7b^5c^7d^4e^{15z^2} - 184320a^2b^c^{16}d^{18}e* \\
& z^2 + 100608a^4b^{14}c*d^e^{18z^2} + 53248a*b^3c^{15}d^{18}e*z^2 + 26448a* \\
& b^{17}c*d^4e^{15z^2} + 1067599872a^8b^3c^8d^4e^{15z^2} - 930828288a^7b \\
& ^3c^9d^6e^{13z^2} + 920760000a^6b^4c^9d^7e^{12z^2} - 806639616a^6b^ \\
& ^3c^{10}d^8e^{11z^2} - 791052480a^6b^6c^7d^5e^{14z^2} + 772237824a^6b^ \\
& ^7c^6d^4e^{15z^2} - 701025408a^5b^6c^8d^7e^{12z^2} + 443340288a^5b^5 \\
& *c^9d^8e^{11z^2} + 433047552a^7b^6c^6d^3e^{16z^2} + 405741312a^5b^7* \\
& c^7d^6e^{13z^2} + 293652480a^6b^2c^{11}d^9e^{10z^2} - 276962688a^6b^8* \\
& c^5d^3e^{16z^2} - 247804272a^8b^4c^7d^3e^{16z^2} + 213564384a^4b^8c \\
& ^7d^7e^{12z^2} - 202596816a^5b^9c^5d^4e^{15z^2} - 182520896a^4b^9c^ \\
& ^6d^6e^{13z^2} - 153489408a^5b^3c^{11}d^{10}e^9z^2 - 152151552a^7b^2c^ \\
& ^{10}d^7e^{12z^2} + 115859712a^5b^2c^{12}d^{11}e^8z^2 + 108085248a^9b^3c \\
& ^7d^2e^{17z^2} + 105536256a^4b^5c^{10}d^{10}e^9z^2 - 98323200a^6b^5c^ \\
& ^8d^6e^{13z^2} - 93564992a^4b^6c^9d^9e^{10z^2} + 89464512a^5b^{10}c^4*
\end{aligned}$$

$$\begin{aligned}
& d^3e^{16}z^2 - 75930624a^8b^5c^6d^2e^{17}z^2 + 68315904a^5b^8c^6d^5 \\
& *e^{14}z^2 - 64157184a^4b^7c^8d^8e^{11}z^2 - 62951040a^9b^2c^8d^3e^{16}z^2 + 49056768a^4b^{10}c^5d^5e^{14}z^2 + 47614464a^3b^8c^8d^9e^{10} \\
& *z^2 + 35604480a^4b^2c^{13}d^{13}e^6z^2 + 33983040a^3b^{11}c^5d^6e^{13} \\
& z^2 - 33515520a^4b^3c^{12}d^{12}e^7z^2 - 33463808a^3b^7c^9d^{10}e^9z^2 \\
& - 25128864a^4b^4c^{11}d^{11}e^8z^2 - 23193728a^3b^{10}c^6d^7e^{12}z^2 \\
& + 21015456a^6b^9c^4d^2e^{17}z^2 + 19924176a^4b^{11}c^4d^4e^{15}z^2 - \\
& 19251216a^3b^9c^7d^8e^{11}z^2 - 16434048a^5b^4c^{10}d^9e^{10}z^2 - 1 \\
& 6289664a^3b^{12}c^4d^5e^{14}z^2 - 15059328a^4b^{12}c^3d^3e^{16}z^2 - 10 \\
& 766016a^2b^{10}c^7d^9e^{10}z^2 - 10453632a^5b^{11}c^3d^2e^{17}z^2 - 994 \\
& 0992a^3b^3c^{13}d^{14}e^5z^2 + 8373696a^2b^{11}c^6d^8e^{11}z^2 + 777676 \\
& 8a^3b^2c^{14}d^{15}e^4z^2 + 7077888a^3b^5c^{11}d^{12}e^7z^2 + 6798240a \\
& ^2b^9c^8d^{10}e^9z^2 - 3589440a^2b^6c^{11}d^{13}e^6z^2 + 3544320a^3b \\
& ^6c^{10}d^{11}e^8z^2 + 3128064a^2b^5c^{12}d^{14}e^5z^2 + 2346336a^4b^{13} \\
& *c^2d^2e^{17}z^2 - 2261568a^2b^8c^9d^{11}e^8z^2 - 2125824a^2b^{13}c^4 \\
& *d^6e^{13}z^2 + 2002560a^3b^4c^{12}d^{13}e^6z^2 + 1927680a^2b^7c^{10}d^{12} \\
& e^7z^2 + 1814784a^2b^{14}c^3d^5e^{14}z^2 - 1807104a^2b^{12}c^5d^7e \\
& ^{12}z^2 + 1637808a^3b^{13}c^3d^4e^{15}z^2 + 1083456a^3b^{14}c^2d^3e^{16} \\
& *z^2 - 792384a^2b^4c^{13}d^{15}e^4z^2 - 657408a^2b^3c^{14}d^{16}e^3z^2 \\
& + 608256a^7b^7c^5d^2e^{17}z^2 + 595968a^2b^2c^{15}d^{17}e^2z^2 - 4986 \\
& 24a^2b^{15}c^2d^4e^{15}z^2 - 3840b^{18}c^d^5e^{14}z^2 - 3840b^5c^{14}d^1 \\
& 8e^z^2 + 2064384a^{11}c^8d^e^{18}z^2 - 4160a^3b^{16}d^e^{18}z^2 - 4160a^b \\
& ^{18}d^3e^{16}z^2 - 1290240a^{11}b^c^7e^{19}z^2 - 9840a^5b^{13}c^e^{19}z^2 - \\
& 5760a^b^2c^{16}d^{19}z^2 - 280581120a^8c^{11}d^7e^{12}z^2 + 110278656a^9 \\
& *c^{10}d^5e^{14}z^2 - 89479168a^7c^{12}d^9e^{10}z^2 + 34464000a^{10}c^9d^3 \\
& *e^{16}z^2 + 54240b^{15}c^4d^8e^{11}z^2 + 54240b^8c^{11}d^{15}e^4z^2 - 499 \\
& 20b^{14}c^5d^9e^{10}z^2 - 49920b^9c^{10}d^{14}e^5z^2 - 37376b^{16}c^3d^7 \\
& *e^{12}z^2 - 37376b^7c^{12}d^{16}e^3z^2 + 28480b^{13}c^6d^{10}e^9z^2 + 284 \\
& 80b^{10}c^9d^{13}e^6z^2 + 15936b^{17}c^2d^6e^{13}z^2 + 15936b^6c^{13}d^1 \\
& 7e^2z^2 - 7920b^{12}c^7d^{11}e^8z^2 - 7920b^{11}c^8d^{12}e^7z^2 + 74895 \\
& 36a^5c^{14}d^{13}e^6z^2 + 6084096a^6c^{13}d^{11}e^8z^2 + 2280448a^4c^{15} \\
& *d^{15}e^4z^2 + 350208a^3c^{16}d^{17}e^2z^2 + 11616a^2b^{17}d^2e^{17}z^2 \\
& - 3515904a^9b^5c^5e^{19}z^2 + 3440640a^{10}b^3c^6e^{19}z^2 + 1870848a^ \\
& 8b^7c^4e^{19}z^2 - 572272a^7b^9c^3e^{19}z^2 + 101856a^6b^{11}c^2e^{19} \\
& *z^2 + 400b^{19}d^4e^{15}z^2 + 400b^4c^{15}d^{19}z^2 + 20736a^2c^{17}d^{19} \\
& z^2 + 400a^4b^{15}e^{19}z^2 - 3969216a^4b^c^{10}d^3e^{12} - 3001536a^3b^c \\
& ^{11}d^5e^{10} - 419904a^2b^c^{12}d^7e^8 + 184608a^4b^3c^8d^e^{14} - 1530 \\
& 36a^b^4c^{10}d^6e^9 + 127008a^a^b^3c^{11}d^7e^8 + 63108a^a^b^6c^8d^4e^1 \\
& 1 - 29160a^a^b^2c^{12}d^8e^7 - 21060a^3b^5c^7d^e^{14} - 21060a^a^b^7c^7d \\
& ^3e^{12} + 5460a^a^b^5c^9d^5e^{10} - 404544a^5b^c^9d^e^{14} + 1251872a^3b \\
& ^3c^9d^3e^{12} + 844224a^4b^2c^9d^2e^{13} + 820512a^2b^3c^{10}d^5e^1 \\
& 0 + 750672a^3b^2c^{10}d^4e^{11} - 657498a^2b^4c^9d^4e^{11} - 487116a^3 \\
& *b^4c^8d^2e^{13} + 160704a^2b^2c^{11}d^6e^9 + 58806a^2b^6c^7d^2e^1 \\
& 3 + 13140a^2b^5c^8d^3e^{12} + 15286b^6c^9d^6e^9 - 9540b^7c^8d^5e \\
& ^{10} - 9540b^5c^{10}d^7e^8 + 2025b^8c^7d^4e^{11} + 2025b^4c^{11}d^8e^7
\end{aligned}$$

$$\begin{aligned}
& + 3367008*a^4*c^11*d^4*e^11 + 1166400*a^3*c^12*d^6*e^9 + 705600*a^5*c^10*d^2*e^13 + 104976*a^2*c^13*d^8*e^7 - 17640*a^5*b^2*c^8*e^15 + 2025*a^4*b^4*c^7*e^15 + 38416*a^6*c^9*e^15, z, k)*(root(128723189760*a^14*b^4*c^9*d^13*e^14*z^6 + 128723189760*a^12*b^4*c^11*d^17*e^10*z^6 - 8432455680*a^11*b^12*c^4*d^11*e^16*z^6 - 8432455680*a^7*b^12*c^8*d^19*e^8*z^6 + 12673351680*a^11*b^11*c^5*d^12*e^15*z^6 + 12673351680*a^8*b^11*c^8*d^18*e^9*z^6 - 72637480960*a^12*b^9*c^6*d^12*e^15*z^6 - 72637480960*a^9*b^9*c^9*d^18*e^9*z^6 - 21048344576*a^9*b^12*c^6*d^15*e^12*z^6 - 16609443840*a^17*b^3*c^7*d^8*e^19*z^6 - 16609443840*a^10*b^3*c^14*d^22*e^5*z^6 + 145332633600*a^13*b^5*c^9*d^14*e^13*z^6 + 145332633600*a^12*b^5*c^10*d^16*e^11*z^6 + 123740356608*a^14*b^5*c^8*d^12*e^15*z^6 + 123740356608*a^11*b^5*c^11*d^18*e^9*z^6 + 3460300800*a^17*b^5*c^5*d^6*e^21*z^6 + 3460300800*a^8*b^5*c^14*d^24*e^3*z^6 - 7751073792*a^15*b^7*c^5*d^8*e^19*z^6 - 7751073792*a^8*b^7*c^12*d^22*e^5*z^6 + 12041846784*a^14*b^7*c^6*d^10*e^17*z^6 + 12041846784*a^9*b^7*c^11*d^20*e^7*z^6 - 325545099264*a^14*b^3*c^10*d^14*e^13*z^6 - 325545099264*a^13*b^3*c^11*d^16*e^11*z^6 - 3330539520*a^13*b^10*c^4*d^9*e^18*z^6 - 3330539520*a^7*b^10*c^10*d^21*e^6*z^6 + 157789716480*a^12*b^7*c^8*d^14*e^13*z^6 + 157789716480*a^11*b^7*c^9*d^16*e^11*z^6 + 37492359168*a^11*b^10*c^6*d^13*e^14*z^6 + 37492359168*a^9*b^10*c^8*d^17*e^10*z^6 + 301989888*a^8*b^3*c^16*d^26*e*z^6 - 7266631680*a^17*b^4*c^6*d^7*e^20*z^6 - 7266631680*a^9*b^4*c^14*d^23*e^4*z^6 - 201326592*a^20*b*c^6*d^4*e^23*z^6 - 188743680*a^7*b^5*c^15*d^26*e*z^6 + 45747339264*a^13*b^8*c^6*d^11*e^16*z^6 + 45747339264*a^9*b^8*c^10*d^19*e^8*z^6 - 74612736*a^10*b^16*c*d^9*e^18*z^6 - 2768240640*a^16*b^7*c^4*d^6*e^21*z^6 - 2768240640*a^7*b^7*c^13*d^24*e^3*z^6 + 69746688*a^11*b^15*c*d^8*e^19*z^6 + 62914560*a^6*b^7*c^14*d^26*e*z^6 + 2752020480*a^10*b^13*c^4*d^12*e^15*z^6 + 2752020480*a^7*b^13*c^7*d^18*e^9*z^6 + 55148544*a^9*b^17*c*d^10*e^17*z^6 - 45957120*a^12*b^14*c*d^7*e^20*z^6 - 2724986880*a^14*b^9*c^4*d^8*e^19*z^6 - 2724986880*a^7*b^9*c^11*d^22*e^5*z^6 - 25952256*a^8*b^18*c*d^11*e^16*z^6 + 21086208*a^13*b^13*c*d^6*e^21*z^6 - 11796480*a^5*b^9*c^13*d^26*e*z^6 - 6438912*a^14*b^12*c*d^5*e^22*z^6 + 5406720*a^7*b^19*c*d^12*e^15*z^6 + 1622016*a^6*b^20*c*d^13*e^14*z^6 - 1523712*a^5*b^21*c*d^14*e^13*z^6 + 1179648*a^15*b^11*c*d^4*e^23*z^6 + 1179648*a^4*b^11*c^12*d^26*e*z^6 + 442368*a^4*b^22*c*d^15*e^12*z^6 - 98304*a^16*b^10*c*d^3*e^24*z^6 - 49152*a^3*b^23*c*d^16*e^11*z^6 - 49152*a^3*b^13*c^11*d^26*e*z^6 + 6897106944*a^9*b^13*c^5*d^14*e^13*z^6 + 6897106944*a^8*b^13*c^6*d^16*e^11*z^6 - 2422210560*a^16*b^6*c^5*d^7*e^20*z^6 - 2422210560*a^8*b^6*c^13*d^23*e^4*z^6 + 255785435136*a^14*b^2*c^11*d^15*e^12*z^6 + 41004564480*a^15*b^4*c^8*d^11*e^16*z^6 + 41004564480*a^11*b^4*c^12*d^19*e^8*z^6 + 2270822400*a^13*b^11*c^3*d^8*e^19*z^6 + 2270822400*a^6*b^11*c^10*d^22*e^5*z^6 + 23677108224*a^14*b^8*c^5*d^9*e^18*z^6 + 23677108224*a^8*b^8*c^11*d^21*e^6*z^6 + 212600881152*a^15*b^2*c^10*d^13*e^14*z^6 + 212600881152*a^13*b^2*c^12*d^17*e^10*z^6 + 75157733376*a^15*b^5*c^7*d^10*e^17*z^6 + 75157733376*a^10*b^5*c^12*d^20*e^7*z^6 - 251217838080*a^13*b^6*c^8*d^13*e^14*z^6 - 251217838080*a^11*b^6*c^10*d^17*e^10*z^6 - 1952907264*a^14*b^10*c^3*d^7*e^20*z^6 - 1952907264*a^6*b^10*c^11*d^23*e^4*z^6 - 27691057152*a^13*b^9*c^5*d^10*e^17*z^6 - 27691057152*a^8*b^9*c^10*d^20*e^7*z^6 - 190267
\end{aligned}$$

$$\begin{aligned}
& 3920a^8b^{15}c^4d^{14}e^{13}z^6 - 1902673920a^7b^{15}c^5d^{16}e^{11}z^6 + 1 \\
& 0465050624a^{10}b^{11}c^6d^{14}e^{13}z^6 + 10465050624a^9b^{11}c^7d^{16}e^{11} \\
& *z^6 + 1613905920a^9b^{14}c^4d^{13}e^{14}z^6 + 1613905920a^7b^{14}c^6d^{17} \\
& *e^{10}z^6 - 33218887680a^{17}b^*c^9d^{10}e^{17}z^6 - 33218887680a^{12}b^*c^{14} \\
& d^{20}e^7z^6 + 1524695040a^{10}b^{14}c^3d^{11}e^{16}z^6 + 1524695040a^6b^{14} \\
& *c^7d^{19}e^8z^6 - 1472200704a^{18}b^4c^5d^5e^{22}z^6 - 1472200704a^8b \\
& ^4c^{15}d^{25}e^2z^6 - 83047219200a^{16}b^3c^8d^{10}e^{17}z^6 - 83047219200 \\
& *a^{11}b^3c^{13}d^{20}e^7z^6 + 44291850240a^{17}b^2c^8d^9e^{18}z^6 + 44291 \\
& 850240a^{11}b^2c^{14}d^{21}e^6z^6 + 1308131328a^8b^{14}c^5d^{15}e^{12}z^6 - \\
& 201326592a^9b^*c^{17}d^{26}e^*z^6 + 48530718720a^{12}b^8c^7d^{13}e^{14}z^6 + \\
& 48530718720a^{10}b^8c^9d^{17}e^{10}z^6 - 1242644480a^{12}b^{12}c^3d^9e^{18} \\
& *z^6 - 1242644480a^6b^{12}c^9d^{21}e^6z^6 + 9813196800a^{12}b^{10}c^5d^{11} \\
& *e^{16}z^6 + 9813196800a^8b^{10}c^9d^{19}e^8z^6 - 93012885504a^{15}b^*c^{11} \\
& d^{14}e^{13}z^6 - 93012885504a^{14}b^*c^{12}d^{16}e^{11}z^6 + 177305812992a^{13}b \\
& ^4c^{10}d^{15}e^{12}z^6 + 52730658816a^{10}b^{10}c^7d^{15}e^{12}z^6 - 118010675 \\
& 2a^9b^{15}c^3d^{12}e^{15}z^6 - 1180106752a^6b^{15}c^6d^{18}e^9z^6 + 10236 \\
& 72320a^{15}b^9c^3d^6e^{21}z^6 + 1023672320a^6b^9c^{12}d^{24}e^3z^6 + 97 \\
& 5175680a^{17}b^6c^4d^5e^{22}z^6 + 975175680a^7b^6c^{14}d^{25}e^2z^6 - 1 \\
& 1072962560a^{18}b^*c^8d^8e^{19}z^6 - 11072962560a^{11}b^*c^{15}d^{22}e^5z^6 + \\
& 9412018176a^{18}b^2c^7d^7e^{20}z^6 + 9412018176a^{10}b^2c^{15}d^{23}e^4z \\
& ^6 + 805306368a^{19}b^2c^6d^5e^{22}z^6 + 805306368a^9b^2c^{16}d^{25}e^2* \\
& z^6 - 133809831936a^{14}b^6c^7d^{11}e^{16}z^6 - 133809831936a^{10}b^6c^{11} \\
& d^{19}e^8z^6 - 2214592512a^{19}b^*c^7d^6e^{21}z^6 - 2214592512a^{10}b^*c^{16} \\
& d^{24}e^3z^6 + 82216747008a^{13}b^7c^7d^{12}e^{15}z^6 + 82216747008a^{10}b^ \\
& 7c^{10}d^{18}e^9z^6 - 586629120a^{12}b^{13}c^2d^8e^{19}z^6 - 586629120a^5* \\
& b^{13}c^9d^{22}e^5z^6 + 568565760a^7b^{16}c^4d^{15}e^{12}z^6 - 4844421120a \\
& ^{16}b^4c^7d^9e^{18}z^6 - 4844421120a^{10}b^4c^{13}d^{21}e^6z^6 + 53121024 \\
& 0a^{11}b^{14}c^2d^9e^{18}z^6 + 531210240a^5b^{14}c^8d^{21}e^6z^6 - 527155 \\
& 200a^{11}b^{13}c^3d^{10}e^{17}z^6 - 527155200a^6b^{13}c^8d^{20}e^7z^6 + 434 \\
& 70028800a^{11}b^8c^8d^{15}e^{12}z^6 - 107874877440a^{11}b^9c^7d^{14}e^{13}z \\
& ^6 - 107874877440a^{10}b^9c^8d^{16}e^{11}z^6 + 9018408960a^{12}b^{11}c^4d^1 \\
& 0e^{17}z^6 + 9018408960a^7b^{11}c^9d^{20}e^7z^6 + 421994496a^{13}b^{12}c^2 \\
& *d^7e^{20}z^6 + 421994496a^5b^{12}c^{10}d^{23}e^4z^6 - 66437775360a^{16}b^*c \\
& ^{10}d^{12}e^{15}z^6 - 66437775360a^{13}b^*c^{13}d^{18}e^9z^6 + 26159874048a^{16} \\
& *b^5c^6d^8e^{19}z^6 + 26159874048a^9b^5c^{13}d^{22}e^5z^6 - 369098752a \\
& ^{18}b^3c^6d^6e^{21}z^6 - 369098752a^9b^3c^{15}d^{24}e^3z^6 + 351436800* \\
& a^8b^{16}c^3d^{13}e^{14}z^6 + 351436800a^6b^{16}c^5d^{17}e^{10}z^6 - 3342336 \\
& 00a^{16}b^8c^3d^5e^{22}z^6 - 334233600a^6b^8c^{13}d^{25}e^2z^6 + 301989 \\
& 888a^{19}b^3c^5d^4e^{23}z^6 - 266010624a^{10}b^{15}c^2d^{10}e^{17}z^6 - 266 \\
& 010624a^5b^{15}c^7d^{20}e^7z^6 - 305198530560a^{12}b^6c^9d^{15}e^{12}z^6 \\
& - 203292672a^{14}b^{11}c^2d^6e^{21}z^6 - 203292672a^5b^{11}c^{11}d^{24}e^3z \\
& ^6 - 188743680a^{18}b^5c^4d^4e^{23}z^6 + 120418467840a^{16}b^2c^9d^{11}e \\
& ^{16}z^6 + 120418467840a^{12}b^2c^{13}d^{19}e^8z^6 - 17293934592a^{10}b^{12}c \\
& ^5d^{13}e^{14}z^6 - 17293934592a^8b^{12}c^7d^{17}e^{10}z^6 + 104890368a^8b \\
& ^{17}c^2d^{12}e^{15}z^6 + 104890368a^5b^{17}c^5d^{18}e^9z^6 + 4390256640a^
\end{aligned}$$

$$\begin{aligned}
& 15*b^8*c^4*d^7*e^{20}*z^6 + 4390256640*a^7*b^8*c^{12}*d^{23}*e^4*z^6 - 91750400*a^6*b^{18}*c^3*d^{15}*e^{12}*z^6 + 79134720*a^7*b^{17}*c^3*d^{14}*e^{13}*z^6 + 79134720*a^6*b^{17}*c^4*d^{16}*e^{11}*z^6 - 74612736*a^4*b^{16}*c^7*d^{21}*e^6*z^6 - 72990720*a^7*b^{18}*c^2*d^{13}*e^{14}*z^6 - 72990720*a^5*b^{18}*c^4*d^{17}*e^{10}*z^6 + 69746688*a^4*b^{15}*c^8*d^{22}*e^5*z^6 + 63700992*a^{15}*b^{10}*c^2*d^5*e^{22}*z^6 + 63700992*a^5*b^{10}*c^{12}*d^{25}*e^2*z^6 + 62914560*a^{17}*b^7*c^3*d^4*e^{23}*z^6 + 55148544*a^4*b^{17}*c^6*d^{20}*e^7*z^6 - 45957120*a^4*b^{14}*c^9*d^{23}*e^4*z^6 - 25952256*a^4*b^{18}*c^5*d^{19}*e^8*z^6 - 25165824*a^{20}*b^2*c^5*d^3*e^{24}*z^6 + 21086208*a^4*b^{13}*c^{10}*d^{24}*e^3*z^6 + 20643840*a^6*b^{19}*c^2*d^{14}*e^{13}*z^6 + 20643840*a^5*b^{19}*c^3*d^{16}*e^{11}*z^6 + 15728640*a^{19}*b^4*c^4*d^3*e^{24}*z^6 - 11796480*a^{16}*b^9*c^2*d^4*e^{23}*z^6 - 6438912*a^4*b^{12}*c^{11}*d^{25}*e^2*z^6 + 5406720*a^4*b^{19}*c^4*d^{18}*e^9*z^6 - 5242880*a^{18}*b^6*c^3*d^3*e^{24}*z^6 + 3784704*a^3*b^{18}*c^6*d^{21}*e^6*z^6 - 3244032*a^3*b^{19}*c^5*d^{20}*e^7*z^6 - 3244032*a^3*b^{17}*c^7*d^{22}*e^5*z^6 + 2027520*a^3*b^{20}*c^4*d^{19}*e^8*z^6 + 2027520*a^3*b^{16}*c^8*d^{23}*e^4*z^6 - 1622016*a^9*b^{16}*c^2*d^{11}*e^{16}*z^6 - 1622016*a^5*b^{16}*c^6*d^{19}*e^8*z^6 + 1622016*a^4*b^{20}*c^3*d^{17}*e^{10}*z^6 - 1523712*a^4*b^{21}*c^2*d^{16}*e^{11}*z^6 + 983040*a^{17}*b^8*c^2*d^3*e^{24}*z^6 - 901120*a^3*b^{21}*c^3*d^{18}*e^9*z^6 - 901120*a^3*b^{15}*c^9*d^{24}*e^3*z^6 + 270336*a^3*b^{22}*c^2*d^{17}*e^{10}*z^6 + 270336*a^3*b^{14}*c^{10}*d^{25}*e^2*z^6 + 172032*a^5*b^{20}*c^2*d^{15}*e^{12}*z^6 - 38593888256*a^{15}*b^6*c^6*d^9*e^{18}*z^6 - 38593888256*a^9*b^6*c^{12}*d^{21}*e^6*z^6 - 210386288640*a^{15}*b^3*c^9*d^{12}*e^{15}*z^6 - 210386288640*a^{12}*b^3*c^{12}*d^{18}*e^9*z^6 + 15502147584*a^{15}*c^{12}*d^{15}*e^{12}*z^6 + 1107296256*a^{19}*c^8*d^7*e^{20}*z^6 + 1107296256*a^{11}*c^{16}*d^{23}*e^4*z^6 + 13287555072*a^{16}*c^{11}*d^{13}*e^{14}*z^6 + 13287555072*a^{14}*c^{13}*d^{17}*e^{10}*z^6 + 201326592*a^{20}*c^7*d^5*e^{22}*z^6 + 201326592*a^{10}*c^{17}*d^{25}*e^2*z^6 + 16777216*a^{21}*c^6*d^3*e^{24}*z^6 + 3784704*a^9*b^{18}*d^9*e^{18}*z^6 - 3244032*a^{10}*b^{17}*d^8*e^{19}*z^6 - 3244032*a^8*b^{19}*d^{10}*e^{17}*z^6 + 2027520*a^{11}*b^{16}*d^7*e^{20}*z^6 + 2027520*a^7*b^{20}*d^{11}*e^{16}*z^6 - 901120*a^{12}*b^{15}*d^6*e^{21}*z^6 - 901120*a^6*b^{21}*d^{12}*e^{15}*z^6 + 270336*a^{13}*b^{14}*d^5*e^{22}*z^6 + 270336*a^5*b^{22}*d^{13}*e^{14}*z^6 - 49152*a^{14}*b^{13}*d^4*e^{23}*z^6 - 49152*a^4*b^{23}*d^{14}*e^{13}*z^6 + 4096*a^{15}*b^{12}*d^3*e^{24}*z^6 + 4096*a^3*b^{24}*d^{15}*e^{12}*z^6 - 25165824*a^8*b^2*c^{17}*d^{27}*z^6 + 15728640*a^7*b^4*c^{16}*d^{27}*z^6 - 5242880*a^6*b^6*c^{15}*d^{27}*z^6 + 983040*a^5*b^8*c^{14}*d^{27}*z^6 - 983040*a^4*b^{10}*c^{13}*d^{27}*z^6 + 4096*a^3*b^{12}*c^{12}*d^{27}*z^6 + 8304721920*a^{17}*c^{10}*d^{11}*e^{16}*z^6 + 8304721920*a^{13}*c^{14}*d^{19}*e^8*z^6 + 3690987520*a^{18}*c^9*d^9*e^{18}*z^6 + 3690987520*a^{12}*c^{15}*d^{21}*e^6*z^6 + 16777216*a^9*c^{18}*d^{27}*z^6 - 8493371392*a^6*b^8*c^9*d^{14}*e^9*z^4 + 1458044928*a^8*b^c^{14}*d^{17}*e^6*z^4 - 12604538880*a^{11}*b^4*c^8*d^8*e^{15}*z^4 - 8303067136*a^9*b^5*c^9*d^{11}*e^{12}*z^4 - 5588058112*a^{13}*b^c^9*d^7*e^{16}*z^4 - 3892838400*a^8*b^2*c^{13}*d^{16}*e^7*z^4 - 3611713536*a^8*b^8*c^7*d^{10}*e^{13}*z^4 + 7819006464*a^7*b^9*c^7*d^{11}*e^{12}*z^4 - 7782137856*a^8*b^7*c^8*d^{11}*e^{12}*z^4 + 7780433920*a^{12}*b^2*c^9*d^8*e^{15}*z^4 - 12020465664*a^7*b^5*c^{11}*d^{15}*e^8*z^4 + 3176792064*a^8*b^3*c^{12}*d^{15}*e^8*z^4 - 322633728*a^{15}*b^c^7*d^3*e^{20}*z^4 + 210829312*a^7*b^c^{15}*d^{19}*e^4*z^4 + 15623258112*a^9*b^6*c^8*d^{10}*e^{13}*z^4 + 25165824*a^{15}*b^3*c^5*d^e^{22}*z^4 - 15728640*a^{14}*b^5*c^4*d^e^{22}*z^4 + 12582912*a^5*b^2*c^{16}*d^{22}*e*z^4 - 11730944*a^4*b^4*c^{15}*d^{22}*e*z^4 + 524
\end{aligned}$$

$$\begin{aligned}
& 2880a^{13}b^7c^3d^2e^{22}z^4 - 4561920a^*b^{15}c^7d^{17}e^6z^4 + 4521984a^{\wedge} \\
& 3b^6c^{14}d^{22}e^*z^4 + 4460544a^*b^{14}c^8d^{18}e^5z^4 + 3538944a^6b^*c^1 \\
& 6d^{21}e^2z^4 + 3108864a^*b^{16}c^6d^{16}e^7z^4 - 3027200a^*b^{13}c^9d^{19} \\
& e^4z^4 - 2345472a^5b^{17}c^*d^7e^{16}z^4 - 2307072a^8b^{14}c^*d^4e^{19}z^4 \\
& + 1824768a^6b^{16}c^*d^6e^{17}z^4 + 1734912a^9b^{13}c^*d^3e^{20}z^4 + 1419 \\
& 264a^*b^{12}c^{10}d^{20}e^3z^4 - 1191168a^*b^{17}c^5d^{15}e^8z^4 - 983040a^1 \\
& 2b^9c^2d^*e^{22}z^4 + 964608a^4b^{18}c^*d^8e^{15}z^4 - 866304a^2b^8c^{13} \\
& *d^{22}e^*z^4 + 703488a^7b^{15}c^*d^5e^{18}z^4 - 608256a^{10}b^{12}c^*d^2e^{21} \\
& z^4 - 440832a^*b^{11}c^{11}d^{21}e^2z^4 + 275968a^*b^{19}c^3d^{13}e^{10}z^4 - 1 \\
& 59744a^2b^{20}c^*d^{10}e^{13}z^4 - 153600a^*b^{20}c^2d^{12}e^{11}z^4 + 64512a^{\wedge} \\
& 3b^{19}c^*d^9e^{14}z^4 + 19746062336a^8b^6c^9d^{12}e^{11}z^4 - 15333588992 \\
& *a^{10}b^4c^9d^{10}e^{13}z^4 + 6702170112a^7b^4c^{12}d^{16}e^7z^4 + 151679 \\
& 13984a^{10}b^3c^{10}d^{11}e^{12}z^4 - 2256638976a^5b^{11}c^7d^{13}e^{10}z^4 + \\
& 2254307328a^5b^7c^{11}d^{17}e^6z^4 - 2200633344a^6b^5c^{12}d^{17}e^6z^{\wedge} \\
& 4 + 6457131008a^{11}b^3c^9d^9e^{14}z^4 - 2128785408a^5b^8c^{10}d^{16}e^7 \\
& *z^4 - 2126057472a^6b^{11}c^6d^{11}e^{12}z^4 + 2038349824a^{12}b^5c^6d^5* \\
& e^{18}z^4 + 2037841920a^5b^{10}c^8d^{14}e^9z^4 + 3615621120a^9b^*c^{13}d^1 \\
& 5e^8z^4 + 1900019712a^{11}b^2c^{10}d^{10}e^{13}z^4 + 1867698432a^9b^9c^5 \\
& *d^7e^{16}z^4 - 6157369344a^9b^4c^{10}d^{12}e^{11}z^4 - 1856913408a^7b^{10} \\
& *c^6d^{10}e^{13}z^4 + 1789132800a^6b^4c^{13}d^{18}e^5z^4 + 6082658304a^8* \\
& b^4c^{11}d^{14}e^9z^4 + 6029549568a^{11}b^5c^7d^7e^{16}z^4 + 6010159104a^{\wedge} \\
& 6b^7c^{10}d^{15}e^8z^4 + 1703182336a^7b^7c^9d^{13}e^{10}z^4 + 165838848 \\
& 0a^{11}b^6c^6d^6e^{17}z^4 + 5917114368a^{10}b^6c^7d^8e^{15}z^4 - 159119 \\
& 7696a^{11}b^7c^5d^5e^{18}z^4 - 1526464512a^8b^{10}c^5d^8e^{15}z^4 - 577 \\
& 2607488a^{12}b^4c^7d^6e^{17}z^4 - 1423507456a^{13}b^4c^6d^4e^{19}z^4 - \\
& 1387266048a^7b^3c^{13}d^{17}e^6z^4 + 2976120832a^{10}b^*c^{12}d^{13}e^{10}z^4 \\
& - 9906946048a^9b^2c^{12}d^{14}e^9z^4 - 18421874688a^8b^5c^{10}d^{13}e^1 \\
& 0z^4 + 1141217280a^6b^{12}c^5d^{10}e^{13}z^4 - 9714364416a^7b^8c^8d^{12} \\
& *e^{11}z^4 - 16777216a^{16}b^*c^6d^*e^{22}z^4 + 98304a^{11}b^{11}c^*d^*e^{22}z^4 + \\
& 81920a^*b^{10}c^{12}d^{22}e^*z^4 + 39168a^*b^{21}c^*d^{11}e^{12}z^4 - 1091829760a^{\wedge} \\
& 5b^6c^{12}d^{18}e^5z^4 + 1046740992a^{14}b^2c^7d^4e^{19}z^4 - 688442572 \\
& 8a^{12}b^*c^{10}d^9e^{14}z^4 + 987445248a^4b^{10}c^9d^{16}e^7z^4 + 98408755 \\
& 2a^5b^{12}c^6d^{12}e^{11}z^4 - 9564585984a^9b^7c^7d^9e^{14}z^4 - 526685 \\
& 7984a^{10}b^7c^6d^7e^{16}z^4 - 892145664a^7b^{11}c^5d^9e^{14}z^4 - 2444 \\
& 623872a^{11}b^*c^{11}d^{11}e^{12}z^4 + 768540672a^{12}b^3c^8d^7e^{16}z^4 + 50 \\
& 48322048a^8b^9c^6d^9e^{14}z^4 + 5047612416a^6b^9c^8d^{13}e^{10}z^4 - \\
& 732492288a^4b^{11}c^8d^{15}e^8z^4 + 9266921472a^7b^6c^{10}d^{14}e^9z^4 \\
& - 645857280a^6b^6c^{11}d^{16}e^7z^4 - 623867904a^4b^9c^{10}d^{17}e^6z^4 \\
& - 622067712a^6b^3c^{14}d^{19}e^4z^4 + 582617088a^{10}b^8c^5d^6e^{17}z^{\wedge} \\
& 4 + 577119744a^7b^{12}c^4d^8e^{15}z^4 + 552566784a^{12}b^6c^5d^4e^{19}z \\
& ^4 + 549224448a^9b^8c^6d^8e^{15}z^4 - 526565376a^9b^{10}c^4d^6e^{17}z \\
& ^4 + 511520256a^{10}b^9c^4d^5e^{18}z^4 + 13393723392a^9b^3c^{11}d^{13}e^{\wedge} \\
& 10z^4 - 2066350080a^{14}b^*c^8d^5e^{18}z^4 + 4718592000a^{13}b^2c^8d^6e^ \\
& ^{17}z^4 - 314572800a^7b^2c^{14}d^{18}e^5z^4 + 287250432a^4b^{13}c^6d^{13} \\
& *e^{10}z^4 + 4565827584a^{10}b^5c^8d^9e^{14}z^4 - 250785792a^4b^{14}c^5d
\end{aligned}$$

$$\begin{aligned}
& ^{12}e^{11}z^4 + 235536384a^{13}b^3c^7d^5e^{18}z^4 - 232683264a^8b^{11}c^4 \\
& *d^7e^{16}z^4 - 199627776a^5b^{14}c^4d^{10}e^{13}z^4 - 190267392a^{12}b^7c \\
& ^4d^3e^{20}z^4 + 184891392a^6b^{10}c^7d^{12}e^{11}z^4 + 180502528a^4b^7* \\
& c^{12}d^{19}e^4z^4 + 178877952a^3b^{13}c^7d^{15}e^8z^4 + 172490752a^{14}b^ \\
& 3c^6d^3e^{20}z^4 + 163946496a^{13}b^5c^5d^3e^{20}z^4 + 155839488a^8b^ \\
& 12c^3d^6e^{17}z^4 + 155000832a^5b^5c^{13}d^{19}e^4z^4 - 152076288a^4b \\
& ^6c^{13}d^{20}e^3z^4 - 137592576a^3b^{12}c^8d^{16}e^7z^4 - 133693440a^{14} \\
& *b^4c^5d^2e^{21}z^4 - 116767488a^3b^9c^{11}d^{19}e^4z^4 - 108985344a^3 \\
& *b^{14}c^6d^{14}e^9z^4 - 106223616a^6b^{13}c^4d^9e^{14}z^4 + 106119168a^ \\
& 3b^{10}c^{10}d^{18}e^5z^4 + 102432768a^5b^4c^{14}d^{20}e^3z^4 + 102113280* \\
& a^4b^{12}c^7d^{14}e^9z^4 + 100674048a^5b^9c^9d^{15}e^8z^4 + 90439680a \\
& ^{13}b^6c^4d^2e^{21}z^4 - 86808576a^6b^{14}c^3d^8e^{15}z^4 + 86245376a^ \\
& 6b^2c^{15}d^{20}e^3z^4 + 79011840a^4b^8c^{11}d^{18}e^5z^4 + 78345216a^4 \\
& *b^{15}c^4d^{11}e^{12}z^4 + 78006528a^{11}b^9c^3d^3e^{20}z^4 - 73253376a^9 \\
& *b^{11}c^3d^5e^{18}z^4 + 67524608a^3b^8c^{12}d^{20}e^3z^4 + 67108864a^{15} \\
& *b^2c^6d^2e^{21}z^4 - 61590528a^{10}b^{10}c^3d^4e^{19}z^4 + 61559808a^5* \\
& b^{15}c^3d^9e^{14}z^4 - 59637760a^5b^3c^{15}d^{21}e^2z^4 + 58638336a^4b \\
& ^5c^{14}d^{21}e^2z^4 - 40828416a^7b^{13}c^3d^7e^{16}z^4 - 35639296a^2b^ \\
& 12c^9d^{18}e^5z^4 - 31293440a^{12}b^8c^3d^2e^{21}z^4 + 29933568a^5b^1 \\
& 3c^5d^{11}e^{12}z^4 + 27793920a^2b^{11}c^{10}d^{19}e^4z^4 + 27168768a^2b^ \\
& 13c^8d^{17}e^6z^4 - 23602176a^7b^{14}c^2d^6e^{17}z^4 - 23248896a^3b^7 \\
& *c^{13}d^{21}e^2z^4 + 20929536a^3b^{15}c^5d^{13}e^{10}z^4 + 18428928a^9b^1 \\
& 2c^2d^4e^{19}z^4 + 18026496a^6b^{15}c^2d^7e^{16}z^4 - 16261632a^{10}b^1 \\
& 1c^2d^3e^{20}z^4 + 15128064a^3b^{16}c^4d^{12}e^{11}z^4 - 14060544a^2b^1 \\
& 0c^{11}d^{20}e^3z^4 + 13178880a^2b^{16}c^5d^{14}e^9z^4 - 11244288a^3b^1 \\
& 7c^3d^{11}e^{12}z^4 - 10509312a^2b^{15}c^6d^{15}e^8z^4 - 7262208a^4b^17 \\
& *c^2d^9e^{14}z^4 - 7045632a^2b^{17}c^4d^{13}e^{10}z^4 - 6285312a^2b^{14}c \\
& ^7d^{16}e^7z^4 + 5996544a^{11}b^{10}c^2d^2e^{21}z^4 + 4558336a^2b^9c^{12} \\
& *d^{21}e^2z^4 + 4478976a^{11}b^8c^4d^4e^{19}z^4 + 2850816a^4b^{16}c^3d^ \\
& 10e^{13}z^4 + 2629632a^3b^{11}c^9d^{17}e^6z^4 + 2503680a^3b^{18}c^2d^{10} \\
& *e^{13}z^4 + 1627136a^2b^{18}c^3d^{12}e^{11}z^4 + 1605120a^8b^{13}c^2d^5e \\
& ^{18}z^4 + 1483776a^5b^{16}c^2d^8e^{15}z^4 + 139776a^2b^{19}c^2d^{11}e^{12} \\
& *z^4 - 8542224384a^{10}b^2c^{11}d^{12}e^{11}z^4 - 3072*b^{22}c*d^{12}e^{11}z^4 - \\
& 3072*b^{12}c^{11}d^{22}e*z^4 - 1572864a^6c^{17}d^{22}e*z^4 - 4096a^{10}b^{13}d \\
& *e^{22}z^4 - 4096a*b^{22}d^{10}e^{13}z^4 - 6144a^{12}b^{10}c*e^{23}z^4 - 983040* \\
& a^5b*c^{17}d^{23}z^4 - 6912a*b^9c^{13}d^{23}z^4 + 1824522240a^{13}c^{10}d^8e \\
& ^{15}z^4 + 1730150400a^{12}c^{11}d^{10}e^{13}z^4 + 958922752a^{14}c^9d^6e^{17} \\
& *z^4 - 537919488a^9c^{14}d^{16}e^7z^4 + 508559360a^{11}c^{12}d^{12}e^{11}z^4 - \\
& 500170752a^{10}c^{13}d^{14}e^9z^4 + 246939648a^{15}c^8d^4e^{19}z^4 - 19922 \\
& 9440a^8c^{15}d^{18}e^5z^4 - 29884416a^7c^{16}d^{20}e^3z^4 + 25165824a^{16} \\
& *c^7d^2e^{21}z^4 + 236544*b^{17}c^6d^{17}e^6z^4 - 202752*b^{18}c^5d^{16}e^7 \\
& *z^4 - 202752*b^{16}c^7d^{18}e^5z^4 + 126720*b^{19}c^4d^{15}e^8z^4 + 126720 \\
& *b^{15}c^8d^{19}e^4z^4 - 56320*b^{20}c^3d^{14}e^9z^4 - 56320*b^{14}c^9d^{20} \\
& *e^3z^4 + 16896*b^{21}c^2d^{13}e^{10}z^4 + 16896*b^{13}c^{10}d^{21}e^2z^4 + 110 \\
& 080a^7b^{16}d^4e^{19}z^4 + 110080a^4b^{19}d^7e^{16}z^4 - 75520a^8b^{15}d
\end{aligned}$$

$$\begin{aligned}
&^3e^{20z^4} - 75520a^3b^{20}d^8e^{15z^4} - 56320a^6b^{17}d^5e^{18z^4} - 5 \\
&6320a^5b^{18}d^6e^{17z^4} + 25600a^9b^{14}d^2e^{21z^4} + 25600a^2b^{21}d \\
&^9e^{14z^4} - 1572864a^{16}b^2c^5e^{23z^4} + 983040a^{15}b^4c^4e^{23z^4} \\
&- 327680a^{14}b^6c^3e^{23z^4} + 61440a^{13}b^8c^2e^{23z^4} + 983040a^4b \\
&^3c^{16}d^{23}z^4 - 385024a^3b^5c^{15}d^{23}z^4 + 73728a^2b^7c^{14}d^{23}z \\
&^4 + 256b^{23}d^{11}e^{12z^4} + 1048576a^{17}c^6e^{23z^4} + 256b^{11}c^{12}d^2 \\
&3z^4 + 256a^{11}b^{12}e^{23z^4} + 948695040a^8b^c^{10}d^6e^{13z^2} + 348917 \\
&760a^7b^c^{11}d^8e^{11z^2} - 125030400a^9b^c^9d^4e^{15z^2} - 50728960a \\
&^6b^c^{12}d^{10}e^9z^2 - 44298240a^5b^c^{13}d^{12}e^7z^2 - 36495360a^{10}b \\
&^c^8d^2e^{17z^2} + 29675520a^8b^6c^5d^e^{18z^2} - 24170496a^9b^4c^6 \\
&d^e^{18z^2} - 17202816a^7b^8c^4d^e^{18z^2} - 14561280a^4b^c^{14}d^{14}e^5 \\
&z^2 + 5532416a^6b^{10}c^3d^e^{18z^2} + 4128768a^{10}b^2c^7d^e^{18z^2} - \\
&2662400a^3b^c^{15}d^{16}e^3z^2 + 1184512a^b^{12}c^6d^9e^{10z^2} - 1136160 \\
&a^b^{13}c^5d^8e^{11z^2} - 1017600a^5b^{12}c^2d^e^{18z^2} - 744768a^a^b^{11} \\
&c^7d^{10}e^9z^2 + 607872a^a^b^{14}c^4d^7e^{12z^2} - 424064a^a^b^6c^{12}d^{15} \\
&e^4z^2 + 408576a^a^b^5c^{13}d^{16}e^3z^2 + 361152a^a^b^{10}c^8d^{11}e^8z^2 - \\
&287408a^a^b^9c^9d^{12}e^7z^2 - 260448a^3b^{15}c^d^2e^{17z^2} - 203904a^a \\
&b^4c^{14}d^{17}e^2z^2 + 200832a^a^b^8c^{10}d^{13}e^6z^2 + 126720a^a^b^7c^{11} \\
&d^{14}e^5z^2 - 123968a^a^b^{15}c^3d^6e^{13z^2} - 39168a^a^b^{16}c^2d^5e^{14z} \\
&^2 + 11904a^2b^{16}c^d^3e^{16z^2} + 1824135552a^7b^4c^8d^5e^{14z^2} - \\
&1457252352a^8b^2c^9d^5e^{14z^2} - 1405209600a^7b^5c^7d^4e^{15z^2} - \\
&184320a^2b^c^{16}d^{18}e^z^2 + 100608a^4b^{14}c^d^e^{18z^2} + 53248a^a^b^3c \\
&^{15}d^{18}e^z^2 + 26448a^a^b^{17}c^d^4e^{15z^2} + 1067599872a^8b^3c^8d^4 \\
&e^{15z^2} - 930828288a^7b^3c^9d^6e^{13z^2} + 920760000a^6b^4c^9d^7e \\
&^{12z^2} - 806639616a^6b^3c^{10}d^8e^{11z^2} - 791052480a^6b^6c^7d^5e \\
&^{14z^2} + 772237824a^6b^7c^6d^4e^{15z^2} - 701025408a^5b^6c^8d^7e^ \\
&^{12z^2} + 443340288a^5b^5c^9d^8e^{11z^2} + 433047552a^7b^6c^6d^3e^1 \\
&6z^2 + 405741312a^5b^7c^7d^6e^{13z^2} + 293652480a^6b^2c^{11}d^9e^1 \\
&0z^2 - 276962688a^6b^8c^5d^3e^{16z^2} - 247804272a^8b^4c^7d^3e^{16} \\
&z^2 + 213564384a^4b^8c^7d^7e^{12z^2} - 202596816a^5b^9c^5d^4e^{15} \\
&z^2 - 182520896a^4b^9c^6d^6e^{13z^2} - 153489408a^5b^3c^{11}d^{10}e^9 \\
&z^2 - 152151552a^7b^2c^{10}d^7e^{12z^2} + 115859712a^5b^2c^{12}d^{11}e^8 \\
&z^2 + 108085248a^9b^3c^7d^2e^{17z^2} + 105536256a^4b^5c^{10}d^{10}e^9 \\
&z^2 - 98323200a^6b^5c^8d^6e^{13z^2} - 93564992a^4b^6c^9d^9e^{10z} \\
&^2 + 89464512a^5b^{10}c^4d^3e^{16z^2} - 75930624a^8b^5c^6d^2e^{17z^2} \\
&+ 68315904a^5b^8c^6d^5e^{14z^2} - 64157184a^4b^7c^8d^8e^{11z^2} - 6 \\
&2951040a^9b^2c^8d^3e^{16z^2} + 49056768a^4b^{10}c^5d^5e^{14z^2} + 476 \\
&14464a^3b^8c^8d^9e^{10z^2} + 35604480a^4b^2c^{13}d^{13}e^6z^2 + 33983 \\
&040a^3b^{11}c^5d^6e^{13z^2} - 33515520a^4b^3c^{12}d^{12}e^7z^2 - 334638 \\
&08a^3b^7c^9d^{10}e^9z^2 - 25128864a^4b^4c^{11}d^{11}e^8z^2 - 23193728 \\
&a^3b^{10}c^6d^7e^{12z^2} + 21015456a^6b^9c^4d^2e^{17z^2} + 19924176a \\
&^4b^{11}c^4d^4e^{15z^2} - 19251216a^3b^9c^7d^8e^{11z^2} - 16434048a^5 \\
&b^4c^{10}d^9e^{10z^2} - 16289664a^3b^{12}c^4d^5e^{14z^2} - 15059328a^4 \\
&b^{12}c^3d^3e^{16z^2} - 10766016a^2b^{10}c^7d^9e^{10z^2} - 10453632a^5b \\
&^{11}c^3d^2e^{17z^2} - 9940992a^3b^3c^{13}d^{14}e^5z^2 + 8373696a^2b^{11}
\end{aligned}$$

$$\begin{aligned}
& *c^6*d^8*e^{11}*z^2 + 7776768*a^3*b^2*c^{14}*d^{15}*e^4*z^2 + 7077888*a^3*b^5*c^{11}*d^{12}*e^7*z^2 + 6798240*a^2*b^9*c^8*d^{10}*e^9*z^2 - 3589440*a^2*b^6*c^{11}*d^{13}*e^6*z^2 + 3544320*a^3*b^6*c^{10}*d^{11}*e^8*z^2 + 3128064*a^2*b^5*c^{12}*d^{14}*e^5*z^2 + 2346336*a^4*b^{13}*c^2*d^2*e^{17}*z^2 - 2261568*a^2*b^8*c^9*d^{11}*e^8*z^2 - 2125824*a^2*b^{13}*c^4*d^6*e^{13}*z^2 + 2002560*a^3*b^4*c^{12}*d^{13}*e^6*z^2 + 1927680*a^2*b^7*c^{10}*d^{12}*e^7*z^2 + 1814784*a^2*b^{14}*c^3*d^5*e^{14}*z^2 - 1807104*a^2*b^{12}*c^5*d^7*e^{12}*z^2 + 1637808*a^3*b^{13}*c^3*d^4*e^{15}*z^2 + 1083456*a^3*b^{14}*c^2*d^3*e^{16}*z^2 - 792384*a^2*b^4*c^{13}*d^{15}*e^4*z^2 - 657408*a^2*b^3*c^{14}*d^{16}*e^3*z^2 + 608256*a^7*b^7*c^5*d^2*e^{17}*z^2 + 595968*a^2*b^2*c^{15}*d^{17}*e^2*z^2 - 498624*a^2*b^{15}*c^2*d^4*e^{15}*z^2 - 3840*b^{18}*c*d^5*e^{14}*z^2 - 3840*b^5*c^{14}*d^{18}*e*z^2 + 2064384*a^{11}*c^8*d*e^{18}*z^2 - 4160*a^3*b^{16}*d*e^{18}*z^2 - 4160*a*b^{18}*d^3*e^{16}*z^2 - 1290240*a^{11}*b*c^7*e^{19}*z^2 - 9840*a^5*b^{13}*c*e^{19}*z^2 - 5760*a*b^2*c^{16}*d^{19}*z^2 - 280581120*a^8*c^{11}*d^7*e^{12}*z^2 + 110278656*a^9*c^{10}*d^5*e^{14}*z^2 - 89479168*a^7*c^{12}*d^9*e^{10}*z^2 + 34464000*a^{10}*c^9*d^3*e^{16}*z^2 + 54240*b^{15}*c^4*d^8*e^{11}*z^2 + 54240*b^8*c^{11}*d^{15}*e^4*z^2 - 49920*b^{14}*c^5*d^9*e^{10}*z^2 - 49920*b^9*c^{10}*d^{14}*e^5*z^2 - 37376*b^{16}*c^3*d^7*e^{12}*z^2 - 37376*b^7*c^{12}*d^{16}*e^3*z^2 + 28480*b^{13}*c^6*d^{10}*e^9*z^2 + 28480*b^{10}*c^9*d^{13}*e^6*z^2 + 15936*b^{17}*c^2*d^6*e^{13}*z^2 + 15936*b^6*c^{13}*d^{17}*e^2*z^2 - 7920*b^{12}*c^7*d^{11}*e^8*z^2 - 7920*b^{11}*c^8*d^{12}*e^7*z^2 + 7489536*a^5*c^{14}*d^{13}*e^6*z^2 + 6084096*a^6*c^{13}*d^{11}*e^8*z^2 + 2280448*a^4*c^{15}*d^{15}*e^4*z^2 + 350208*a^3*c^{16}*d^{17}*e^2*z^2 + 11616*a^2*b^{17}*d^2*e^{17}*z^2 - 3515904*a^9*b^5*c^5*e^{19}*z^2 + 3440640*a^{10}*b^3*c^6*e^{19}*z^2 + 1870848*a^8*b^7*c^4*e^{19}*z^2 - 572272*a^7*b^9*c^3*e^{19}*z^2 + 101856*a^6*b^{11}*c^2*e^{19}*z^2 + 400*b^{19}*d^4*e^{15}*z^2 + 400*b^4*c^{15}*d^{19}*z^2 + 20736*a^2*c^{17}*d^{19}*z^2 + 400*a^4*b^{15}*e^{19}*z^2 - 3969216*a^4*b*c^{10}*d^3*e^{12} - 3001536*a^3*b*c^{11}*d^5*e^{10} - 419904*a^2*b*c^{12}*d^7*e^8 + 184608*a^4*b^3*c^8*d*e^{14} - 153036*a*b^4*c^{10}*d^6*e^9 + 127008*a*b^3*c^{11}*d^7*e^8 + 63108*a*b^6*c^8*d^4*e^{11} - 29160*a*b^2*c^{12}*d^8*e^7 - 21060*a^3*b^5*c^7*d*e^{14} - 21060*a*b^7*c^7*d^3*e^{12} + 5460*a*b^5*c^9*d^5*e^{10} - 404544*a^5*b*c^9*d*e^{14} + 1251872*a^3*b^3*c^9*d^3*e^{12} + 844224*a^4*b^2*c^9*d^2*e^{13} + 820512*a^2*b^3*c^{10}*d^5*e^{10} + 750672*a^3*b^2*c^{10}*d^4*e^{11} - 657498*a^2*b^4*c^9*d^4*e^{11} - 487116*a^3*b^4*c^8*d^2*e^{13} + 160704*a^2*b^2*c^{11}*d^6*e^9 + 58806*a^2*b^6*c^7*d^2*e^{13} + 13140*a^2*b^5*c^8*d^3*e^{12} + 15286*b^6*c^9*d^6*e^9 - 9540*b^7*c^8*d^5*e^{10} - 9540*b^5*c^{10}*d^7*e^8 + 2025*b^8*c^7*d^4*e^{11} + 2025*b^4*c^{11}*d^8*e^7 + 3367008*a^4*c^{11}*d^4*e^{11} + 1166400*a^3*c^{12}*d^6*e^9 + 705600*a^5*c^{10}*d^2*e^{13} + 104976*a^2*c^{13}*d^8*e^7 - 17640*a^5*b^2*c^8*e^{15} + 2025*a^4*b^4*c^7*e^{15} + 38416*a^6*c^9*e^{15}, z, k)*((57344*a^{12}*c^9*e^{21} - 80*a^5*b^{14}*c^2*e^{21} + 1824*a^6*b^{12}*c^3*e^{21} - 17296*a^7*b^{10}*c^4*e^{21} + 87520*a^8*b^8*c^5*e^{21} - 250880*a^9*b^6*c^6*e^{21} + 394240*a^{10}*b^4*c^7*e^{21} - 290816*a^{11}*b^2*c^8*e^{21} + 18432*a^3*c^{18}*d^{18}*e^3 + 210944*a^4*c^{17}*d^{16}*e^5 + 878592*a^5*c^{16}*d^{14}*e^7 + 4749312*a^6*c^{15}*d^{12}*e^9 + 20518912*a^7*c^{14}*d^{10}*e^{11} + 12306432*a^8*c^{13}*d^8*e^{13} - 22743040*a^9*c^{12}*d^6*e^{15} - 20076544*a^{10}*c^{11}*d^4*e^{17} - 1425408*a^{11}*c^{10}*d^2*e^{19} - 80*b^5*c^{16}*d^{19}*e^2 + 704*b^6*c^{15}*d^{18}*e^3 - 2688*b^7*c^{14}*d^{17}*e^4 + 5824*b^8*c^{13}*d^{16}*e^5 - 7840*b^9*c^{12}*d^{15}*e^6 + 6720*b^{10}*c^{11}*d^{14}*e^7 - 3728*b^
\end{aligned}$$

$$\begin{aligned}
& 11c^{10}d^{13}e^8 + 2176b^{12}c^9d^{12}e^9 - 3728b^{13}c^8d^{11}e^{10} + 6720b^{14}c^7d^{10}e^{11} - 7840b^{15}c^6d^9e^{12} + 5824b^{16}c^5d^8e^{13} - 2688b^{17}c^4d^7e^{14} + 704b^{18}c^3d^6e^{15} - 80b^{19}c^2d^5e^{16} + 12288a^2b^2c^{17}d^{18}e^3 - 1536a^2b^3c^{16}d^{17}e^4 - 131712a^2b^4c^{15}d^{16}e^5 + 410112a^2b^5c^{14}d^{15}e^6 - 576576a^2b^6c^{13}d^{14}e^7 + 342720a^2b^7c^{12}d^{13}e^8 + 298464a^2b^8c^{11}d^{12}e^9 - 1248672a^2b^9c^{10}d^{11}e^{10} + 2177920a^2b^{10}c^9d^{10}e^{11} - 2309120a^2b^{11}c^8d^9e^{12} + 1389888a^2b^{12}c^7d^8e^{13} - 314048a^2b^{13}c^6d^7e^{14} - 120896a^2b^{14}c^5d^6e^{15} + 88128a^2b^{15}c^4d^5e^{16} - 14240a^2b^{16}c^3d^4e^{17} - 416a^2b^{17}c^2d^3e^{18} + 621568a^3b^2c^{16}d^{16}e^5 - 953344a^3b^3c^{15}d^{15}e^6 + 196224a^3b^4c^{14}d^{14}e^7 + 1667904a^3b^5c^{13}d^{13}e^8 - 3981824a^3b^6c^{12}d^{12}e^9 + 7617920a^3b^7c^{11}d^{11}e^{10} - 11899456a^3b^8c^{10}d^{10}e^{11} + 11500496a^3b^9c^9d^9e^{12} - 4599536a^3b^{10}c^8d^8e^{13} - 1951936a^3b^{11}c^7d^7e^{14} + 2953152a^3b^{12}c^6d^6e^{15} - 1134960a^3b^{13}c^5d^5e^{16} + 98960a^3b^{14}c^4d^4e^{17} + 21920a^3b^{15}c^3d^3e^{18} - 416a^3b^{16}c^2d^2e^{19} + 4509696a^4b^2c^{15}d^{14}e^7 - 6720000a^4b^3c^{14}d^{13}e^8 + 8231808a^4b^4c^{13}d^{12}e^9 - 17138976a^4b^5c^{12}d^{11}e^{10} + 30880320a^4b^6c^{11}d^{10}e^{11} - 24883456a^4b^7c^{10}d^9e^{12} - 6291360a^4b^8c^9d^8e^{13} + 28429152a^4b^9c^8d^7e^{14} - 21523072a^4b^{10}c^7d^6e^{15} + 5834928a^4b^{11}c^6d^5e^{16} + 339872a^4b^{12}c^5d^4e^{17} - 325216a^4b^{13}c^4d^3e^{18} + 1344a^4b^{14}c^3d^2e^{19} + 5483520a^5b^2c^{14}d^{12}e^9 + 14537472a^5b^3c^{13}d^{11}e^{10} - 39383680a^5b^4c^{12}d^{10}e^{11} + 5513408a^5b^5c^{11}d^9e^{12} + 84582144a^5b^6c^{10}d^8e^{13} - 124246848a^5b^7c^9d^7e^{14} + 70979712a^5b^8c^8d^6e^{15} - 8326320a^5b^9c^7d^5e^{16} - 7484656a^5b^{10}c^6d^4e^{17} + 2142272a^5b^{11}c^5d^3e^{18} + 83520a^5b^{12}c^4d^2e^{19} + 25849856a^6b^2c^{13}d^{10}e^{11} + 67294720a^6b^3c^{12}d^9e^{12} - 216767360a^6b^4c^{11}d^8e^{13} + 237211008a^6b^5c^{10}d^7e^{14} - 88839360a^6b^6c^9d^6e^{15} - 35929920a^6b^7c^8d^5e^{16} + 37859616a^6b^8c^7d^4e^{17} - 6475552a^6b^9c^6d^3e^{18} - 1055296a^6b^{10}c^5d^2e^{19} + 190669824a^7b^2c^{12}d^8e^{13} - 143425536a^7b^3c^{11}d^7e^{14} - 47908992a^7b^4c^{10}d^6e^{15} + 154814400a^7b^5c^9d^5e^{16} - 83642880a^7b^6c^8d^4e^{17} + 4534272a^7b^7c^7d^3e^{18} + 5525568a^7b^8c^6d^2e^{19} + 165122048a^8b^2c^{11}d^6e^{15} - 187467264a^8b^3c^{10}d^5e^{16} + 66920064a^8b^4c^9d^4e^{17} + 21356016a^8b^5c^8d^3e^{18} - 14644224a^8b^6c^7d^2e^{19} + 16114688a^9b^2c^{10}d^4e^{17} - 48695936a^9b^3c^9d^3e^{18} + 18757632a^9b^4c^8d^2e^{19} - 8060928a^{10}b^2c^9d^2e^{19} + 1257472a^{11}b^3c^9d^2e^{20} + 896a^4b^3c^{17}d^{19}e^2 - 7040a^4b^4c^{16}d^{18}e^3 + 22080a^4b^5c^{15}d^{17}e^4 - 32512a^4b^6c^{14}d^{16}e^5 + 12736a^4b^7c^{13}d^{15}e^6 + 31104a^4b^8c^{12}d^{14}e^7 - 51472a^4b^9c^{11}d^{13}e^8 + 10864a^4b^{10}c^{10}d^{12}e^9 + 85440a^4b^{11}c^9d^{11}e^{10} - 186560a^4b^{12}c^8d^{10}e^{11} + 215904a^4b^{13}c^7d^9e^{12} - 151008a^4b^{14}c^6d^8e^{13} + 59776a^4b^{15}c^5d^7e^{14} - 9408a^4b^{16}c^4d^6e^{15} - 1296a^4b^{17}c^3d^5e^{16} + 496a^4b^{18}c^2d^4e^{17} - 2304a^2b^3c^{18}d^{19}e^2 - 175104a^3b^3c^{17}d^{17}e^4 - 1556480a^4b^3c^{16}d^{15}e^6 + 496a^4b^4c^{15}d^{14}e^7 - 4746240a^5b^3c^{15}
\end{aligned}$$

$$\begin{aligned}
& *d^{13}e^8 - 10256a^5b^{13}c^3d^3e^{20} - 24033792a^6b^6c^{14}d^{11}e^{10} + 845 \\
& 12a^6b^{11}c^4d^4e^{20} - 100332544a^7b^6c^{13}d^9e^{12} - 341264a^7b^9c^5 \\
& *d^4e^{20} - 65824768a^8b^6c^{12}d^7e^{14} + 621568a^8b^7c^6d^4e^{20} + 397383 \\
& 68a^9b^6c^{11}d^5e^{16} - 68096a^9b^5c^7d^4e^{20} + 27159296a^{10}b^6c^{10}d^3 \\
& *e^{18} - 1310720a^{10}b^3c^8d^4e^{20}) / (32*(16a^3b^6c^9d^{18} - a^2b^8c^8 \\
& *d^{18} - 256a^6c^{12}d^{18} - 96a^4b^4c^{10}d^{18} + 256a^5b^2c^{11}d^{18} - \\
& a^2b^{16}d^{10}e^8 + 8a^3b^{15}d^9e^9 - 28a^4b^{14}d^8e^{10} + 56a^5b^{13} \\
& *d^7e^{11} - 70a^6b^{12}d^6e^{12} + 56a^7b^{11}d^5e^{13} - 28a^8b^{10}d^4e^{14} \\
& + 8a^9b^9d^3e^{15} - a^{10}b^8d^2e^{16} - 2048a^7c^{11}d^{16}e^2 - 71 \\
& 68a^8c^{10}d^{14}e^4 - 14336a^9c^9d^{12}e^6 - 17920a^{10}c^8d^{10}e^8 - 1 \\
& 4336a^{11}c^7d^8e^{10} - 7168a^{12}c^6d^6e^{12} - 2048a^{13}c^5d^4e^{14} - \\
& 256a^{14}c^4d^2e^{16} - 28a^2b^{10}c^6d^{16}e^2 + 56a^2b^{11}c^5d^{15}e^3 \\
& - 70a^2b^{12}c^4d^{14}e^4 + 56a^2b^{13}c^3d^{13}e^5 - 28a^2b^{14}c^2d^{12} \\
& *e^6 + 440a^3b^8c^7d^{16}e^2 - 840a^3b^9c^6d^{15}e^3 + 952a^3b^{10} \\
& *c^5d^{14}e^4 - 616a^3b^{11}c^4d^{13}e^5 + 168a^3b^{12}c^3d^{12}e^6 + 40a^3 \\
& *b^{13}c^2d^{11}e^7 - 2560a^4b^6c^8d^{16}e^2 + 4480a^4b^7c^7d^{15}e^3 - \\
& 4060a^4b^8c^6d^{14}e^4 + 1064a^4b^9c^5d^{13}e^5 + 1372a^4b^{10}c^4 \\
& *d^{12}e^6 - 1360a^4b^{11}c^3d^{11}e^7 + 380a^4b^{12}c^2d^{10}e^8 + 640 \\
& 0a^5b^4c^9d^{16}e^2 - 8960a^5b^5c^8d^{15}e^3 + 2240a^5b^6c^7d^{14}e^4 + \\
& 9856a^5b^7c^6d^{13}e^5 - 13048a^5b^8c^5d^{12}e^6 + 5400a^5b^9c^4 \\
& *d^{11}e^7 + 1040a^5b^{10}c^3d^{10}e^8 - 1360a^5b^{11}c^2d^9e^9 - 51 \\
& 20a^6b^2c^{10}d^{16}e^2 + 22400a^6b^4c^8d^{14}e^4 - 41216a^6b^5c^7d^{13} \\
& *e^5 + 25088a^6b^6c^6d^{12}e^6 + 8320a^6b^7c^5d^{11}e^7 - 17350a^6 \\
& *b^8c^4d^{10}e^8 + 5400a^6b^9c^3d^9e^9 + 1372a^6b^{10}c^2d^8e^{10} - \\
& 35840a^7b^2c^9d^{14}e^4 + 28672a^7b^3c^8d^{13}e^5 + 30464a^7b^4c^7 \\
& *d^{12}e^6 - 73472a^7b^5c^6d^{11}e^7 + 40544a^7b^6c^5d^{10}e^8 + 832 \\
& 0a^7b^7c^4d^9e^9 - 13048a^7b^8c^3d^8e^{10} + 1064a^7b^9c^2d^7e^{11} - \\
& 93184a^8b^2c^8d^{12}e^6 + 71680a^8b^3c^7d^{11}e^7 + 29120a^8b^4 \\
& *c^6d^{10}e^8 - 73472a^8b^5c^5d^9e^9 + 25088a^8b^6c^4d^8e^{10} + \\
& 9856a^8b^7c^3d^7e^{11} - 4060a^8b^8c^2d^6e^{12} - 125440a^9b^2c^7 \\
& *d^{10}e^8 + 71680a^9b^3c^6d^9e^9 + 30464a^9b^4c^5d^8e^{10} - 41216a^9 \\
& *b^5c^4d^7e^{11} + 2240a^9b^6c^3d^6e^{12} + 4480a^9b^7c^2d^5e^{13} - \\
& 93184a^{10}b^2c^6d^8e^{10} + 28672a^{10}b^3c^5d^7e^{11} + 22400a^{10}b^4 \\
& *c^4d^6e^{12} - 8960a^{10}b^5c^3d^5e^{13} - 2560a^{10}b^6c^2d^4e^{14} - \\
& 35840a^{11}b^2c^5d^6e^{12} + 6400a^{11}b^4c^3d^4e^{14} + 768a^{11}b^5c^2 \\
& *d^3e^{15} - 5120a^{12}b^2c^4d^4e^{14} - 2048a^{12}b^3c^3d^3e^{15} - 96a^{12} \\
& *b^4c^2d^2e^{16} + 256a^{13}b^2c^3d^2e^{16} + 2048a^6b^6c^{11}d^{17}e + \\
& 8a^2b^9c^7d^{17}e + 8a^2b^{15}c^6d^{11}e^7 - 128a^3b^7c^8d^{17}e - 40 \\
& *a^3b^{14}c^5d^{10}e^8 + 768a^4b^5c^9d^{17}e + 40a^4b^{13}c^4d^9e^9 - 204 \\
& 8a^5b^3c^{10}d^{17}e + 168a^5b^{12}c^3d^8e^{10} - 616a^6b^{11}c^2d^7e^{11} + \\
& 14336a^7b^6c^{10}d^{15}e^3 + 952a^7b^{10}c^6d^6e^{12} + 43008a^8b^6c^9d^{13} \\
& *e^5 - 840a^8b^9c^5d^5e^{13} + 71680a^9b^6c^8d^{11}e^7 + 440a^9b^8c^4 \\
& *d^4e^{14} + 71680a^{10}b^6c^7d^9e^9 - 128a^{10}b^7c^6d^3e^{15} + 43008a^{11} \\
& *b^6c^6d^7e^{11} + 16a^{11}b^6c^6d^2e^{16} + 14336a^{12}b^6c^5d^5e^{13} + 2048a^{13} \\
& *b^6c^4d^3e^{15})) - \text{root}(128723189760a^{14}b^4c^9d^{13}e^{14}z^6 + 128723
\end{aligned}$$

$$\begin{aligned}
& 189760a^{12}b^4c^{11}d^{17}e^{10}z^6 - 8432455680a^{11}b^{12}c^4d^{11}e^{16}z^6 \\
& - 8432455680a^7b^{12}c^8d^{19}e^8z^6 + 12673351680a^{11}b^{11}c^5d^{12}e^{15}z^6 + 12673351680a^8b^{11}c^8d^{18}e^9z^6 - 72637480960a^{12}b^9c^6d^{12}e^{15}z^6 - 72637480960a^9b^9c^9d^{18}e^9z^6 - 21048344576a^9b^{12}c^6d^{15}e^{12}z^6 - 16609443840a^{17}b^3c^7d^8e^{19}z^6 - 16609443840a^{10}b^3c^{14}d^{22}e^5z^6 + 145332633600a^{13}b^5c^9d^{14}e^{13}z^6 + 145332633600a^{12}b^5c^{10}d^{16}e^{11}z^6 + 123740356608a^{14}b^5c^8d^{12}e^{15}z^6 + 123740356608a^{11}b^5c^{11}d^{18}e^9z^6 + 3460300800a^{17}b^5c^5d^6e^{21}z^6 + 3460300800a^8b^5c^{14}d^{24}e^3z^6 - 7751073792a^{15}b^7c^5d^8e^{19}z^6 - 7751073792a^8b^7c^{12}d^{22}e^5z^6 + 12041846784a^{14}b^7c^6d^{10}e^{17}z^6 + 12041846784a^9b^7c^{11}d^{20}e^7z^6 - 325545099264a^{14}b^3c^{10}d^{14}e^{13}z^6 - 325545099264a^{13}b^3c^{11}d^{16}e^{11}z^6 - 3330539520a^{13}b^{10}c^4d^9e^{18}z^6 - 3330539520a^7b^{10}c^{10}d^{21}e^6z^6 + 157789716480a^{12}b^7c^8d^{14}e^{13}z^6 + 157789716480a^{11}b^7c^9d^{16}e^{11}z^6 + 37492359168a^{11}b^{10}c^6d^{13}e^{14}z^6 + 37492359168a^9b^{10}c^8d^{17}e^{10}z^6 + 301989888a^8b^3c^{16}d^{26}e^*z^6 - 7266631680a^{17}b^4c^6d^7e^{20}z^6 - 7266631680a^9b^4c^{14}d^{23}e^4z^6 - 201326592a^{20}b^*c^6d^4e^{23}z^6 - 188743680a^7b^5c^{15}d^{26}e^*z^6 + 45747339264a^{13}b^8c^6d^{11}e^{16}z^6 + 45747339264a^9b^8c^{10}d^{19}e^8z^6 - 74612736a^{10}b^{16}c^*d^9e^{18}z^6 - 2768240640a^{16}b^7c^4d^6e^{21}z^6 - 2768240640a^7b^7c^{13}d^{24}e^3z^6 + 69746688a^{11}b^{15}c^*d^8e^{19}z^6 + 62914560a^6b^7c^{14}d^{26}e^*z^6 + 2752020480a^{10}b^{13}c^4d^{12}e^{15}z^6 + 2752020480a^7b^{13}c^7d^{18}e^9z^6 + 55148544a^9b^{17}c^*d^{10}e^{17}z^6 - 45957120a^{12}b^{14}c^*d^7e^{20}z^6 - 2724986880a^{14}b^9c^4d^8e^{19}z^6 - 2724986880a^7b^9c^{11}d^{22}e^5z^6 - 25952256a^8b^{18}c^*d^{11}e^{16}z^6 + 21086208a^{13}b^{13}c^*d^6e^{21}z^6 - 11796480a^5b^9c^{13}d^{26}e^*z^6 - 6438912a^{14}b^{12}c^*d^5e^{22}z^6 + 5406720a^7b^{19}c^*d^{12}e^{15}z^6 + 1622016a^6b^{20}c^*d^{13}e^{14}z^6 - 1523712a^5b^{21}c^*d^{14}e^{13}z^6 + 1179648a^{15}b^{11}c^*d^4e^{23}z^6 + 1179648a^4b^{11}c^{12}d^{26}e^*z^6 + 442368a^4b^{22}c^*d^{15}e^{12}z^6 - 98304a^{16}b^{10}c^*d^3e^{24}z^6 - 49152a^3b^{23}c^*d^{16}e^{11}z^6 - 49152a^3b^{13}c^{11}d^{26}e^*z^6 + 6897106944a^9b^{13}c^5d^{14}e^{13}z^6 + 6897106944a^8b^{13}c^6d^{16}e^{11}z^6 - 2422210560a^{16}b^6c^5d^7e^{20}z^6 - 2422210560a^8b^6c^{13}d^{23}e^4z^6 + 255785435136a^{14}b^2c^{11}d^{15}e^{12}z^6 + 41004564480a^{15}b^4c^8d^{11}e^{16}z^6 + 41004564480a^{11}b^4c^{12}d^{19}e^8z^6 + 2270822400a^{13}b^{11}c^3d^8e^{19}z^6 + 2270822400a^6b^{11}c^{10}d^{22}e^5z^6 + 23677108224a^{14}b^8c^5d^9e^{18}z^6 + 23677108224a^8b^8c^{11}d^{21}e^6z^6 + 212600881152a^{15}b^2c^{10}d^{13}e^{14}z^6 + 212600881152a^{13}b^2c^{12}d^{17}e^{10}z^6 + 75157733376a^{15}b^5c^7d^{10}e^{17}z^6 + 75157733376a^{10}b^5c^{12}d^{20}e^7z^6 - 251217838080a^{13}b^6c^8d^{13}e^{14}z^6 - 251217838080a^{11}b^6c^{10}d^{17}e^{10}z^6 - 1952907264a^{14}b^{10}c^3d^7e^20z^6 - 1952907264a^6b^{10}c^{11}d^{23}e^4z^6 - 27691057152a^{13}b^9c^5d^{10}e^{17}z^6 - 27691057152a^8b^9c^{10}d^{20}e^7z^6 - 1902673920a^8b^{15}c^4d^{14}e^{13}z^6 - 1902673920a^7b^{15}c^5d^{16}e^{11}z^6 + 10465050624a^{10}b^{11}c^6d^{14}e^{13}z^6 + 10465050624a^9b^{11}c^7d^{16}e^{11}z^6 + 1613905920a^9b^{14}c^4d^{13}e^{14}z^6 + 1613905920a^7b^{14}c^6d^{17}e^{10}z^6 - 332
\end{aligned}$$

$$\begin{aligned}
& 18887680*a^{17}*b*c^9*d^{10}*e^{17}*z^6 - 33218887680*a^{12}*b*c^{14}*d^{20}*e^7*z^6 + \\
& 1524695040*a^{10}*b^{14}*c^3*d^{11}*e^{16}*z^6 + 1524695040*a^6*b^{14}*c^7*d^{19}*e^8*z^6 \\
& - 1472200704*a^{18}*b^4*c^5*d^5*e^{22}*z^6 - 1472200704*a^8*b^4*c^{15}*d^{25}*e^2*z^6 \\
& - 83047219200*a^{16}*b^3*c^8*d^{10}*e^{17}*z^6 - 83047219200*a^{11}*b^3*c^{13}*d^{20}*e^7*z^6 \\
& + 44291850240*a^{17}*b^2*c^8*d^9*e^{18}*z^6 + 44291850240*a^{11}*b^2*c^{14}*d^{21}*e^6*z^6 \\
& + 1308131328*a^8*b^{14}*c^5*d^{15}*e^{12}*z^6 - 201326592*a^9*b*c^{17}*d^{26}*e*z^6 \\
& + 48530718720*a^{12}*b^8*c^7*d^{13}*e^{14}*z^6 + 48530718720*a^{10}*b^8*c^9*d^{17}*e^{10}*z^6 \\
& - 1242644480*a^{12}*b^{12}*c^3*d^9*e^{18}*z^6 - 1242644480*a^6*b^{12}*c^9*d^{21}*e^6*z^6 \\
& + 9813196800*a^{12}*b^{10}*c^5*d^{11}*e^{16}*z^6 + 9813196800*a^8*b^{10}*c^9*d^{19}*e^8*z^6 \\
& - 93012885504*a^{15}*b*c^{11}*d^{14}*e^{13}*z^6 - 93012885504*a^{14}*b*c^{12}*d^{16}*e^{11}*z^6 \\
& + 177305812992*a^{13}*b^4*c^{10}*d^{15}*e^{12}*z^6 + 52730658816*a^{10}*b^{10}*c^7*d^{15}*e^{12}*z^6 \\
& - 1180106752*a^9*b^{15}*c^3*d^{12}*e^{15}*z^6 - 1180106752*a^6*b^{15}*c^6*d^{18}*e^9*z^6 \\
& + 1023672320*a^{15}*b^9*c^3*d^6*e^{21}*z^6 + 1023672320*a^6*b^9*c^{12}*d^{24}*e^3*z^6 \\
& + 975175680*a^{17}*b^6*c^4*d^5*e^{22}*z^6 + 975175680*a^7*b^6*c^{14}*d^{25}*e^2*z^6 \\
& - 11072962560*a^{18}*b*c^8*d^8*e^{19}*z^6 - 11072962560*a^{11}*b*c^{15}*d^{22}*e^5*z^6 \\
& + 9412018176*a^{18}*b^2*c^7*d^7*e^{20}*z^6 + 9412018176*a^{10}*b^2*c^{15}*d^{23}*e^4*z^6 \\
& + 805306368*a^{19}*b^2*c^6*d^5*e^{22}*z^6 + 805306368*a^9*b^2*c^{16}*d^{25}*e^2*z^6 \\
& - 133809831936*a^{14}*b^6*c^7*d^{11}*e^{16}*z^6 - 133809831936*a^{10}*b^6*c^{11}*d^{19}*e^8*z^6 \\
& - 2214592512*a^{19}*b*c^7*d^6*e^{21}*z^6 - 2214592512*a^{10}*b*c^{16}*d^{24}*e^3*z^6 \\
& + 82216747008*a^{13}*b^7*c^7*d^{12}*e^{15}*z^6 + 82216747008*a^{10}*b^7*c^{10}*d^{18}*e^9*z^6 \\
& - 586629120*a^{12}*b^{13}*c^2*d^8*e^{19}*z^6 - 586629120*a^5*b^{13}*c^9*d^{22}*e^5*z^6 \\
& + 568565760*a^7*b^{16}*c^4*d^{15}*e^{12}*z^6 - 4844421120*a^{16}*b^4*c^7*d^9*e^{18}*z^6 \\
& - 4844421120*a^{10}*b^4*c^{13}*d^{21}*e^6*z^6 + 531210240*a^{11}*b^{14}*c^2*d^9*e^{18}*z^6 \\
& + 531210240*a^5*b^{14}*c^8*d^{21}*e^6*z^6 - 527155200*a^{11}*b^{13}*c^3*d^{10}*e^{17}*z^6 \\
& - 527155200*a^6*b^{13}*c^8*d^{20}*e^7*z^6 + 43470028800*a^{11}*b^8*c^8*d^{15}*e^{12}*z^6 \\
& - 107874877440*a^{11}*b^9*c^7*d^{14}*e^{13}*z^6 - 107874877440*a^{10}*b^9*c^8*d^{16}*e^{11}*z^6 \\
& + 9018408960*a^{12}*b^{11}*c^4*d^{10}*e^{17}*z^6 + 9018408960*a^7*b^{11}*c^9*d^{20}*e^7*z^6 \\
& + 421994496*a^{13}*b^{12}*c^2*d^7*e^{20}*z^6 + 421994496*a^5*b^{12}*c^{10}*d^{23}*e^4*z^6 \\
& - 66437775360*a^{16}*b*c^{10}*d^{12}*e^{15}*z^6 - 66437775360*a^{13}*b*c^{13}*d^{18}*e^9*z^6 \\
& + 26159874048*a^{16}*b^5*c^6*d^8*e^{19}*z^6 + 26159874048*a^9*b^5*c^{13}*d^{22}*e^5*z^6 \\
& - 369098752*a^{18}*b^3*c^6*d^6*e^{21}*z^6 - 369098752*a^9*b^3*c^{15}*d^{24}*e^3*z^6 \\
& + 351436800*a^8*b^{16}*c^3*d^{13}*e^{14}*z^6 + 351436800*a^6*b^{16}*c^5*d^{17}*e^{10}*z^6 \\
& - 334233600*a^{16}*b^8*c^3*d^5*e^{22}*z^6 - 334233600*a^6*b^8*c^{13}*d^{25}*e^2*z^6 \\
& + 301989888*a^{19}*b^3*c^5*d^4*e^{23}*z^6 - 266010624*a^{10}*b^{15}*c^2*d^{10}*e^{17}*z^6 \\
& - 266010624*a^5*b^{15}*c^7*d^{20}*e^7*z^6 - 305198530560*a^{12}*b^6*c^9*d^{15}*e^{12}*z^6 \\
& - 203292672*a^{14}*b^{11}*c^2*d^6*e^{21}*z^6 - 203292672*a^5*b^{11}*c^{11}*d^{24}*e^3*z^6 \\
& - 188743680*a^{18}*b^5*c^4*d^4*e^{23}*z^6 + 120418467840*a^{16}*b^2*c^9*d^{11}*e^{16}*z^6 \\
& + 120418467840*a^{12}*b^2*c^{13}*d^{19}*e^8*z^6 - 17293934592*a^{10}*b^{12}*c^5*d^{13}*e^{14}*z^6 \\
& - 17293934592*a^8*b^{12}*c^7*d^{17}*e^{10}*z^6 + 104890368*a^8*b^{17}*c^2*d^{12}*e^{15}*z^6 \\
& + 104890368*a^5*b^{17}*c^5*d^{18}*e^9*z^6 + 4390256640*a^{15}*b^8*c^4*d^7*e^{20}*z^6 \\
& + 4390256640*a^7*b^8*c^{12}*d^{23}*e^4*z^6 - 91750400*a^6*b^{18}*c^3*d^{15}*e^{12}*z^6 \\
& + 79134720*a^7*b^{17}*c^3*d^{14}*e^{13}*z^6 + 79134720*a^6*b^{17}*c^4*d^{16}*e^{11}*z^6 \\
& - 74612736*a^4*b^{16}*c^7*d^{21}*e^6*z^6 - 72990720*a^7*b^{18}*c^2*d^
\end{aligned}$$

$$\begin{aligned}
& 13e^{14}z^6 - 72990720a^5b^{18}c^4d^{17}e^{10}z^6 + 69746688a^4b^{15}c^8d^{22}e^5z^6 + 63700992a^{15}b^{10}c^2d^5e^{22}z^6 + 63700992a^5b^{10}c^{12}d^{25}e^2z^6 + 62914560a^{17}b^7c^3d^4e^{23}z^6 + 55148544a^4b^{17}c^6d^{20}e^7z^6 - 45957120a^4b^{14}c^9d^{23}e^4z^6 - 25952256a^4b^{18}c^5d^{19}e^8z^6 - 25165824a^{20}b^2c^5d^3e^{24}z^6 + 21086208a^4b^{13}c^{10}d^{24}e^3z^6 + 20643840a^6b^{19}c^2d^{14}e^{13}z^6 + 20643840a^5b^{19}c^3d^{16}e^{11}z^6 + 15728640a^{19}b^4c^4d^3e^{24}z^6 - 11796480a^{16}b^9c^2d^4e^{23}z^6 - 6438912a^4b^{12}c^{11}d^{25}e^2z^6 + 5406720a^4b^{19}c^4d^{18}e^9z^6 - 5242880a^{18}b^6c^3d^3e^{24}z^6 + 3784704a^3b^{18}c^6d^{21}e^6z^6 - 3244032a^3b^{19}c^5d^{20}e^7z^6 - 3244032a^3b^{17}c^7d^{22}e^5z^6 + 2027520a^3b^{20}c^4d^{19}e^8z^6 + 2027520a^3b^{16}c^8d^{23}e^4z^6 - 1622016a^9b^{16}c^2d^{11}e^{16}z^6 - 1622016a^5b^{16}c^6d^{19}e^8z^6 + 1622016a^4b^{20}c^3d^{17}e^{10}z^6 - 1523712a^4b^{21}c^2d^{16}e^{11}z^6 + 983040a^{17}b^8c^2d^3e^{24}z^6 - 901120a^3b^{21}c^3d^{18}e^9z^6 - 901120a^3b^{15}c^9d^{24}e^3z^6 + 270336a^3b^{22}c^2d^{17}e^{10}z^6 + 270336a^3b^{14}c^{10}d^{25}e^2z^6 + 172032a^5b^{20}c^2d^{15}e^{12}z^6 - 38593888256a^{15}b^6c^6d^9e^{18}z^6 - 38593888256a^9b^6c^{12}d^{21}e^6z^6 - 210386288640a^{15}b^3c^9d^{12}e^{15}z^6 - 210386288640a^{12}b^3c^{12}d^{18}e^9z^6 + 15502147584a^{15}c^{12}d^{15}e^{12}z^6 + 1107296256a^{19}c^8d^7e^{20}z^6 + 107296256a^{11}c^{16}d^{23}e^4z^6 + 13287555072a^{16}c^{11}d^{13}e^{14}z^6 + 13287555072a^{14}c^{13}d^{17}e^{10}z^6 + 201326592a^{20}c^7d^5e^{22}z^6 + 201326592a^{10}c^{17}d^{25}e^2z^6 + 16777216a^{21}c^6d^3e^{24}z^6 + 3784704a^9b^{18}d^9e^{18}z^6 - 3244032a^{10}b^{17}d^8e^{19}z^6 - 3244032a^8b^{19}d^{10}e^{17}z^6 + 2027520a^{11}b^{16}d^7e^{20}z^6 + 2027520a^7b^{20}d^{11}e^{16}z^6 - 901120a^{12}b^{15}d^6e^{21}z^6 - 901120a^6b^{21}d^{12}e^{15}z^6 + 270336a^{13}b^{14}d^5e^{22}z^6 + 270336a^5b^{22}d^{13}e^{14}z^6 - 49152a^{14}b^{13}d^4e^{23}z^6 - 49152a^4b^{23}d^{14}e^{13}z^6 + 4096a^{15}b^{12}d^3e^{24}z^6 + 4096a^3b^{24}d^{15}e^{12}z^6 - 25165824a^8b^2c^{17}d^{27}z^6 + 15728640a^7b^4c^{16}d^{27}z^6 - 5242880a^6b^6c^{15}d^{27}z^6 + 983040a^5b^8c^{14}d^{27}z^6 - 983040a^4b^{10}c^{13}d^{27}z^6 + 4096a^3b^{12}c^{12}d^{27}z^6 + 8304721920a^{17}c^{10}d^{11}e^{16}z^6 + 8304721920a^{13}c^{14}d^{19}e^8z^6 + 3690987520a^{18}c^9d^9e^{18}z^6 + 3690987520a^{12}c^{15}d^{21}e^6z^6 + 16777216a^9c^{18}d^{27}z^6 - 8493371392a^6b^8c^9d^{14}e^9z^4 + 1458044928a^8b^5c^9d^{11}e^{12}z^4 - 12604538880a^{11}b^4c^8d^8e^{15}z^4 - 8303067136a^9b^5c^9d^{11}e^{12}z^4 - 5588058112a^{13}b^5c^9d^7e^{16}z^4 - 3892838400a^8b^2c^{13}d^{16}e^7z^4 - 3611713536a^8b^8c^7d^{10}e^{13}z^4 + 7819006464a^7b^9c^7d^{11}e^{12}z^4 - 7782137856a^8b^7c^8d^{11}e^{12}z^4 + 7780433920a^{12}b^2c^9d^8e^{15}z^4 - 12020465664a^7b^5c^{11}d^{15}e^8z^4 + 3176792064a^8b^3c^{12}d^{15}e^8z^4 - 322633728a^{15}b^5c^7d^3e^{20}z^4 + 210829312a^7b^5c^{15}d^{19}e^4z^4 + 15623258112a^9b^6c^8d^{10}e^{13}z^4 + 25165824a^{15}b^3c^5d^5e^{22}z^4 - 15728640a^{14}b^5c^4d^5e^{22}z^4 + 12582912a^5b^2c^{16}d^{22}e^5z^4 - 11730944a^4b^4c^{15}d^{22}e^5z^4 + 5242880a^{13}b^7c^3d^5e^{22}z^4 - 4561920a^6b^{15}c^7d^{17}e^6z^4 + 4521984a^3b^6c^{14}d^{22}e^5z^4 + 4460544a^6b^{14}c^8d^{18}e^5z^4 + 3538944a^6b^5c^{16}d^{21}e^2z^4 + 3108864a^6b^{16}c^6d^{16}e^7z^4 - 3027200a^6b^{13}c^9d^{19}e^4z^4 - 23454
\end{aligned}$$

$$\begin{aligned}
& 72*a^5*b^17*c*d^7*e^16*z^4 - 2307072*a^8*b^14*c*d^4*e^19*z^4 + 1824768*a^6* \\
& b^16*c*d^6*e^17*z^4 + 1734912*a^9*b^13*c*d^3*e^20*z^4 + 1419264*a*b^12*c^10 \\
& *d^20*e^3*z^4 - 1191168*a*b^17*c^5*d^15*e^8*z^4 - 983040*a^12*b^9*c^2*d*e^2 \\
& 2*z^4 + 964608*a^4*b^18*c*d^8*e^15*z^4 - 866304*a^2*b^8*c^13*d^22*e*z^4 + 7 \\
& 03488*a^7*b^15*c*d^5*e^18*z^4 - 608256*a^10*b^12*c*d^2*e^21*z^4 - 440832*a* \\
& b^11*c^11*d^21*e^2*z^4 + 275968*a*b^19*c^3*d^13*e^10*z^4 - 159744*a^2*b^20* \\
& c*d^10*e^13*z^4 - 153600*a*b^20*c^2*d^12*e^11*z^4 + 64512*a^3*b^19*c*d^9*e^ \\
& 14*z^4 + 19746062336*a^8*b^6*c^9*d^12*e^11*z^4 - 15333588992*a^10*b^4*c^9*d \\
& ^10*e^13*z^4 + 6702170112*a^7*b^4*c^12*d^16*e^7*z^4 + 15167913984*a^10*b^3* \\
& c^10*d^11*e^12*z^4 - 2256638976*a^5*b^11*c^7*d^13*e^10*z^4 + 2254307328*a^5 \\
& *b^7*c^11*d^17*e^6*z^4 - 2200633344*a^6*b^5*c^12*d^17*e^6*z^4 + 6457131008* \\
& a^11*b^3*c^9*d^9*e^14*z^4 - 2128785408*a^5*b^8*c^10*d^16*e^7*z^4 - 21260574 \\
& 72*a^6*b^11*c^6*d^11*e^12*z^4 + 2038349824*a^12*b^5*c^6*d^5*e^18*z^4 + 2037 \\
& 841920*a^5*b^10*c^8*d^14*e^9*z^4 + 3615621120*a^9*b*c^13*d^15*e^8*z^4 + 190 \\
& 0019712*a^11*b^2*c^10*d^10*e^13*z^4 + 1867698432*a^9*b^9*c^5*d^7*e^16*z^4 - \\
& 6157369344*a^9*b^4*c^10*d^12*e^11*z^4 - 1856913408*a^7*b^10*c^6*d^10*e^13* \\
& z^4 + 1789132800*a^6*b^4*c^13*d^18*e^5*z^4 + 6082658304*a^8*b^4*c^11*d^14*e \\
& ^9*z^4 + 6029549568*a^11*b^5*c^7*d^7*e^16*z^4 + 6010159104*a^6*b^7*c^10*d^1 \\
& 5*e^8*z^4 + 1703182336*a^7*b^7*c^9*d^13*e^10*z^4 + 1658388480*a^11*b^6*c^6* \\
& d^6*e^17*z^4 + 5917114368*a^10*b^6*c^7*d^8*e^15*z^4 - 1591197696*a^11*b^7*c \\
& ^5*d^5*e^18*z^4 - 1526464512*a^8*b^10*c^5*d^8*e^15*z^4 - 5772607488*a^12*b^ \\
& 4*c^7*d^6*e^17*z^4 - 1423507456*a^13*b^4*c^6*d^4*e^19*z^4 - 1387266048*a^7* \\
& b^3*c^13*d^17*e^6*z^4 + 2976120832*a^10*b*c^12*d^13*e^10*z^4 - 9906946048*a \\
& ^9*b^2*c^12*d^14*e^9*z^4 - 18421874688*a^8*b^5*c^10*d^13*e^10*z^4 + 1141217 \\
& 280*a^6*b^12*c^5*d^10*e^13*z^4 - 9714364416*a^7*b^8*c^8*d^12*e^11*z^4 - 167 \\
& 77216*a^16*b*c^6*d*e^22*z^4 + 98304*a^11*b^11*c*d*e^22*z^4 + 81920*a*b^10*c \\
& ^12*d^22*e*z^4 + 39168*a*b^21*c*d^11*e^12*z^4 - 1091829760*a^5*b^6*c^12*d^1 \\
& 8*e^5*z^4 + 1046740992*a^14*b^2*c^7*d^4*e^19*z^4 - 6884425728*a^12*b*c^10*d \\
& ^9*e^14*z^4 + 987445248*a^4*b^10*c^9*d^16*e^7*z^4 + 984087552*a^5*b^12*c^6* \\
& d^12*e^11*z^4 - 9564585984*a^9*b^7*c^7*d^9*e^14*z^4 - 5266857984*a^10*b^7*c \\
& ^6*d^7*e^16*z^4 - 892145664*a^7*b^11*c^5*d^9*e^14*z^4 - 2444623872*a^11*b*c \\
& ^11*d^11*e^12*z^4 + 768540672*a^12*b^3*c^8*d^7*e^16*z^4 + 5048322048*a^8*b^ \\
& 9*c^6*d^9*e^14*z^4 + 5047612416*a^6*b^9*c^8*d^13*e^10*z^4 - 732492288*a^4*b \\
& ^11*c^8*d^15*e^8*z^4 + 9266921472*a^7*b^6*c^10*d^14*e^9*z^4 - 645857280*a^6 \\
& *b^6*c^11*d^16*e^7*z^4 - 623867904*a^4*b^9*c^10*d^17*e^6*z^4 - 622067712*a^ \\
& 6*b^3*c^14*d^19*e^4*z^4 + 582617088*a^10*b^8*c^5*d^6*e^17*z^4 + 577119744*a \\
& ^7*b^12*c^4*d^8*e^15*z^4 + 552566784*a^12*b^6*c^5*d^4*e^19*z^4 + 549224448* \\
& a^9*b^8*c^6*d^8*e^15*z^4 - 526565376*a^9*b^10*c^4*d^6*e^17*z^4 + 511520256* \\
& a^10*b^9*c^4*d^5*e^18*z^4 + 13393723392*a^9*b^3*c^11*d^13*e^10*z^4 - 206635 \\
& 0080*a^14*b*c^8*d^5*e^18*z^4 + 4718592000*a^13*b^2*c^8*d^6*e^17*z^4 - 31457 \\
& 2800*a^7*b^2*c^14*d^18*e^5*z^4 + 287250432*a^4*b^13*c^6*d^13*e^10*z^4 + 456 \\
& 5827584*a^10*b^5*c^8*d^9*e^14*z^4 - 250785792*a^4*b^14*c^5*d^12*e^11*z^4 + \\
& 235536384*a^13*b^3*c^7*d^5*e^18*z^4 - 232683264*a^8*b^11*c^4*d^7*e^16*z^4 - \\
& 199627776*a^5*b^14*c^4*d^10*e^13*z^4 - 190267392*a^12*b^7*c^4*d^3*e^20*z^4 \\
& + 184891392*a^6*b^10*c^7*d^12*e^11*z^4 + 180502528*a^4*b^7*c^12*d^19*e^4*z
\end{aligned}$$

$$\begin{aligned}
&^4 + 178877952*a^3*b^13*c^7*d^15*e^8*z^4 + 172490752*a^14*b^3*c^6*d^3*e^20* \\
&z^4 + 163946496*a^13*b^5*c^5*d^3*e^20*z^4 + 155839488*a^8*b^12*c^3*d^6*e^17 \\
&*z^4 + 155000832*a^5*b^5*c^13*d^19*e^4*z^4 - 152076288*a^4*b^6*c^13*d^20*e^ \\
&3*z^4 - 137592576*a^3*b^12*c^8*d^16*e^7*z^4 - 133693440*a^14*b^4*c^5*d^2*e^ \\
&21*z^4 - 116767488*a^3*b^9*c^11*d^19*e^4*z^4 - 108985344*a^3*b^14*c^6*d^14* \\
&e^9*z^4 - 106223616*a^6*b^13*c^4*d^9*e^14*z^4 + 106119168*a^3*b^10*c^10*d^1 \\
&8*e^5*z^4 + 102432768*a^5*b^4*c^14*d^20*e^3*z^4 + 102113280*a^4*b^12*c^7*d^ \\
&14*e^9*z^4 + 100674048*a^5*b^9*c^9*d^15*e^8*z^4 + 90439680*a^13*b^6*c^4*d^2 \\
&*e^21*z^4 - 86808576*a^6*b^14*c^3*d^8*e^15*z^4 + 86245376*a^6*b^2*c^15*d^20 \\
&*e^3*z^4 + 79011840*a^4*b^8*c^11*d^18*e^5*z^4 + 78345216*a^4*b^15*c^4*d^11* \\
&e^12*z^4 + 78006528*a^11*b^9*c^3*d^3*e^20*z^4 - 73253376*a^9*b^11*c^3*d^5*e \\
&^18*z^4 + 67524608*a^3*b^8*c^12*d^20*e^3*z^4 + 67108864*a^15*b^2*c^6*d^2*e^ \\
&21*z^4 - 61590528*a^10*b^10*c^3*d^4*e^19*z^4 + 61559808*a^5*b^15*c^3*d^9*e^ \\
&14*z^4 - 59637760*a^5*b^3*c^15*d^21*e^2*z^4 + 58638336*a^4*b^5*c^14*d^21*e^ \\
&2*z^4 - 40828416*a^7*b^13*c^3*d^7*e^16*z^4 - 35639296*a^2*b^12*c^9*d^18*e^5 \\
&*z^4 - 31293440*a^12*b^8*c^3*d^2*e^21*z^4 + 29933568*a^5*b^13*c^5*d^11*e^12 \\
&*z^4 + 27793920*a^2*b^11*c^10*d^19*e^4*z^4 + 27168768*a^2*b^13*c^8*d^17*e^6 \\
&*z^4 - 23602176*a^7*b^14*c^2*d^6*e^17*z^4 - 23248896*a^3*b^7*c^13*d^21*e^2* \\
&z^4 + 20929536*a^3*b^15*c^5*d^13*e^10*z^4 + 18428928*a^9*b^12*c^2*d^4*e^19* \\
&z^4 + 18026496*a^6*b^15*c^2*d^7*e^16*z^4 - 16261632*a^10*b^11*c^2*d^3*e^20* \\
&z^4 + 15128064*a^3*b^16*c^4*d^12*e^11*z^4 - 14060544*a^2*b^10*c^11*d^20*e^3 \\
&*z^4 + 13178880*a^2*b^16*c^5*d^14*e^9*z^4 - 11244288*a^3*b^17*c^3*d^11*e^12 \\
&*z^4 - 10509312*a^2*b^15*c^6*d^15*e^8*z^4 - 7262208*a^4*b^17*c^2*d^9*e^14*z \\
&^4 - 7045632*a^2*b^17*c^4*d^13*e^10*z^4 - 6285312*a^2*b^14*c^7*d^16*e^7*z^4 \\
&+ 5996544*a^11*b^10*c^2*d^2*e^21*z^4 + 4558336*a^2*b^9*c^12*d^21*e^2*z^4 + \\
&4478976*a^11*b^8*c^4*d^4*e^19*z^4 + 2850816*a^4*b^16*c^3*d^10*e^13*z^4 + 2 \\
&629632*a^3*b^11*c^9*d^17*e^6*z^4 + 2503680*a^3*b^18*c^2*d^10*e^13*z^4 + 162 \\
&7136*a^2*b^18*c^3*d^12*e^11*z^4 + 1605120*a^8*b^13*c^2*d^5*e^18*z^4 + 14837 \\
&76*a^5*b^16*c^2*d^8*e^15*z^4 + 139776*a^2*b^19*c^2*d^11*e^12*z^4 - 85422243 \\
&84*a^10*b^2*c^11*d^12*e^11*z^4 - 3072*b^22*c*d^12*e^11*z^4 - 3072*b^12*c^11 \\
&*d^22*e*z^4 - 1572864*a^6*c^17*d^22*e*z^4 - 4096*a^10*b^13*d*e^22*z^4 - 409 \\
&6*a*b^22*d^10*e^13*z^4 - 6144*a^12*b^10*c*e^23*z^4 - 983040*a^5*b*c^17*d^23 \\
&*z^4 - 6912*a*b^9*c^13*d^23*z^4 + 1824522240*a^13*c^10*d^8*e^15*z^4 + 17301 \\
&50400*a^12*c^11*d^10*e^13*z^4 + 958922752*a^14*c^9*d^6*e^17*z^4 - 537919488 \\
&*a^9*c^14*d^16*e^7*z^4 + 508559360*a^11*c^12*d^12*e^11*z^4 - 500170752*a^10 \\
&*c^13*d^14*e^9*z^4 + 246939648*a^15*c^8*d^4*e^19*z^4 - 199229440*a^8*c^15*d \\
&^18*e^5*z^4 - 29884416*a^7*c^16*d^20*e^3*z^4 + 25165824*a^16*c^7*d^2*e^21*z \\
&^4 + 236544*b^17*c^6*d^17*e^6*z^4 - 202752*b^18*c^5*d^16*e^7*z^4 - 202752*b \\
&^16*c^7*d^18*e^5*z^4 + 126720*b^19*c^4*d^15*e^8*z^4 + 126720*b^15*c^8*d^19* \\
&e^4*z^4 - 56320*b^20*c^3*d^14*e^9*z^4 - 56320*b^14*c^9*d^20*e^3*z^4 + 16896 \\
&*b^21*c^2*d^13*e^10*z^4 + 16896*b^13*c^10*d^21*e^2*z^4 + 110080*a^7*b^16*d^ \\
&4*e^19*z^4 + 110080*a^4*b^19*d^7*e^16*z^4 - 75520*a^8*b^15*d^3*e^20*z^4 - 7 \\
&5520*a^3*b^20*d^8*e^15*z^4 - 56320*a^6*b^17*d^5*e^18*z^4 - 56320*a^5*b^18*d \\
&^6*e^17*z^4 + 25600*a^9*b^14*d^2*e^21*z^4 + 25600*a^2*b^21*d^9*e^14*z^4 - 1 \\
&572864*a^16*b^2*c^5*e^23*z^4 + 983040*a^15*b^4*c^4*e^23*z^4 - 327680*a^14*b
\end{aligned}$$

$$\begin{aligned}
& ^6c^3e^{23z^4} + 61440a^{13}b^8c^2e^{23z^4} + 983040a^4b^3c^{16}d^{23z^4} \\
& - 385024a^3b^5c^{15}d^{23z^4} + 73728a^2b^7c^{14}d^{23z^4} + 256b^{23}d^{11}e^{12z^4} \\
& + 1048576a^{17}c^6e^{23z^4} + 256b^{11}c^{12}d^{23z^4} + 256a^{11}b^{12}e^{23z^4} \\
& + 948695040a^8b^6c^{10}d^6e^{13z^2} + 348917760a^7b^6c^{11}d^8e^{11z^2} \\
& - 125030400a^9b^6c^9d^4e^{15z^2} - 50728960a^6b^6c^{12}d^{10}e^9z^2 \\
& - 44298240a^5b^6c^{13}d^{12}e^7z^2 - 36495360a^{10}b^6c^8d^2e^{17z^2} \\
& + 29675520a^8b^6c^5d^6e^{18z^2} - 24170496a^9b^4c^6d^6e^{18z^2} - 17202816a^7b^8c^4d^6e^{18z^2} \\
& - 14561280a^4b^6c^{14}d^{14}e^5z^2 + 5532416a^6b^{10}c^3d^6e^{18z^2} + 4128768a^{10}b^2c^7d^6e^{18z^2} \\
& - 2662400a^3b^6c^{15}d^{16}e^3z^2 + 1184512a^6b^{12}c^6d^9e^{10z^2} - 1136160a^6b^{13}c^5d^8e^{11z^2} \\
& - 1017600a^5b^{12}c^2d^6e^{18z^2} - 744768a^6b^{11}c^7d^{10}e^9z^2 + 607872a^6b^{14}c^4d^7e^{12z^2} \\
& - 424064a^6b^6c^{12}d^{15}e^4z^2 + 408576a^6b^5c^{13}d^{16}e^3z^2 + 361152a^6b^{10}c^8d^{11}e^8z^2 - 287408a^6b^9c^9d^{12}e^7z^2 \\
& - 260448a^3b^{15}c^6d^2e^{17z^2} - 203904a^6b^4c^{14}d^{17}e^2z^2 + 200832a^6b^8c^{10}d^{13}e^6z^2 \\
& + 126720a^6b^7c^{11}d^{14}e^5z^2 - 123968a^6b^{15}c^3d^6e^{13z^2} - 39168a^6b^{16}c^2d^5e^{14z^2} \\
& + 11904a^2b^{16}c^4d^3e^{16z^2} + 1824135552a^7b^4c^8d^5e^{14z^2} - 1457252352a^8b^2c^9d^5e^{14z^2} \\
& - 1405209600a^7b^5c^7d^4e^{15z^2} - 184320a^2b^6c^{16}d^{18}e^z^2 + 100608a^4b^{14}c^6d^6e^{18z^2} \\
& + 53248a^6b^3c^{15}d^{18}e^z^2 + 26448a^6b^{17}c^4d^4e^{15z^2} + 1067599872a^8b^3c^8d^4e^{15z^2} \\
& - 930828288a^7b^3c^9d^6e^{13z^2} + 920760000a^6b^4c^9d^7e^{12z^2} - 806639616a^6b^3c^{10}d^8e^{11z^2} \\
& - 791052480a^6b^6c^7d^5e^{14z^2} + 772237824a^6b^7c^6d^4e^{15z^2} - 701025408a^5b^6c^8d^7e^{12z^2} \\
& + 443340288a^5b^5c^9d^8e^{11z^2} + 433047552a^7b^6c^6d^3e^{16z^2} + 405741312a^5b^7c^7d^6e^{13z^2} \\
& + 293652480a^6b^2c^{11}d^9e^{10z^2} - 276962688a^6b^8c^5d^3e^{16z^2} - 247804272a^8b^4c^7d^3e^{16z^2} \\
& + 213564384a^4b^8c^7d^7e^{12z^2} - 202596816a^5b^9c^5d^4e^{15z^2} - 182520896a^4b^9c^6d^6e^{13z^2} \\
& - 153489408a^5b^3c^{11}d^{10}e^9z^2 - 152151552a^7b^2c^{10}d^7e^{12z^2} + 115859712a^5b^2c^{12}d^{11}e^8z^2 \\
& + 108085248a^9b^3c^7d^2e^{17z^2} + 105536256a^4b^5c^{10}d^{10}e^9z^2 - 98323200a^6b^5c^8d^6e^{13z^2} \\
& - 93564992a^4b^6c^9d^9e^{10z^2} + 89464512a^5b^{10}c^4d^3e^{16z^2} - 75930624a^8b^5c^6d^2e^{17z^2} \\
& + 68315904a^5b^8c^6d^5e^{14z^2} - 64157184a^4b^7c^8d^8e^{11z^2} - 62951040a^9b^2c^8d^3e^{16z^2} \\
& + 49056768a^4b^{10}c^5d^5e^{14z^2} + 47614464a^3b^8c^8d^9e^{10z^2} + 35604480a^4b^2c^{13}d^{13}e^6z^2 \\
& + 33983040a^3b^{11}c^5d^6e^{13z^2} - 33515520a^4b^3c^{12}d^{12}e^7z^2 - 33463808a^3b^7c^9d^{10}e^9z^2 \\
& - 25128864a^4b^4c^{11}d^{11}e^8z^2 - 23193728a^3b^{10}c^6d^7e^{12z^2} + 21015456a^6b^9c^4d^2e^{17z^2} \\
& + 19924176a^4b^{11}c^4d^4e^{15z^2} - 19251216a^3b^9c^7d^8e^{11z^2} - 16434048a^5b^4c^{10}d^9e^{10z^2} \\
& - 16289664a^3b^{12}c^4d^5e^{14z^2} - 15059328a^4b^{12}c^3d^3e^{16z^2} - 10766016a^2b^{10}c^7d^9e^{10z^2} \\
& - 10453632a^5b^{11}c^3d^2e^{17z^2} - 9940992a^3b^3c^{13}d^{14}e^5z^2 + 8373696a^2b^{11}c^6d^8e^{11z^2} \\
& + 7776768a^3b^2c^{14}d^{15}e^4z^2 + 7077888a^3b^5c^{11}d^{12}e^7z^2 + 6798240a^2b^9c^8d^{10}e^9z^2 \\
& - 3589440a^2b^6c^{11}d^{13}e^6z^2 + 3544320a^3b^6c^{10}d^{11}e^8z^2 + 3128064a^2b^5c^{12}d^{14}e^5z^2 + 23463
\end{aligned}$$

$$\begin{aligned}
& 36*a^4*b^13*c^2*d^2*e^17*z^2 - 2261568*a^2*b^8*c^9*d^11*e^8*z^2 - 2125824*a^2*b^13*c^4*d^6*e^13*z^2 + 2002560*a^3*b^4*c^12*d^13*e^6*z^2 + 1927680*a^2*b^7*c^10*d^12*e^7*z^2 + 1814784*a^2*b^14*c^3*d^5*e^14*z^2 - 1807104*a^2*b^12*c^5*d^7*e^12*z^2 + 1637808*a^3*b^13*c^3*d^4*e^15*z^2 + 1083456*a^3*b^14*c^2*d^3*e^16*z^2 - 792384*a^2*b^4*c^13*d^15*e^4*z^2 - 657408*a^2*b^3*c^14*d^16*e^3*z^2 + 608256*a^7*b^7*c^5*d^2*e^17*z^2 + 595968*a^2*b^2*c^15*d^17*e^2*z^2 - 498624*a^2*b^15*c^2*d^4*e^15*z^2 - 3840*b^18*c*d^5*e^14*z^2 - 3840*b^5*c^14*d^18*e*z^2 + 2064384*a^11*c^8*d*e^18*z^2 - 4160*a^3*b^16*d*e^18*z^2 - 4160*a*b^18*d^3*e^16*z^2 - 1290240*a^11*b*c^7*e^19*z^2 - 9840*a^5*b^13*c*e^19*z^2 - 5760*a*b^2*c^16*d^19*z^2 - 280581120*a^8*c^11*d^7*e^12*z^2 + 110278656*a^9*c^10*d^5*e^14*z^2 - 89479168*a^7*c^12*d^9*e^10*z^2 + 34464000*a^10*c^9*d^3*e^16*z^2 + 54240*b^15*c^4*d^8*e^11*z^2 + 54240*b^8*c^11*d^15*e^4*z^2 - 49920*b^14*c^5*d^9*e^10*z^2 - 49920*b^9*c^10*d^14*e^5*z^2 - 37376*b^16*c^3*d^7*e^12*z^2 - 37376*b^7*c^12*d^16*e^3*z^2 + 28480*b^13*c^6*d^10*e^9*z^2 + 28480*b^10*c^9*d^13*e^6*z^2 + 15936*b^17*c^2*d^6*e^13*z^2 + 15936*b^6*c^13*d^17*e^2*z^2 - 7920*b^12*c^7*d^11*e^8*z^2 - 7920*b^11*c^8*d^12*e^7*z^2 + 7489536*a^5*c^14*d^13*e^6*z^2 + 6084096*a^6*c^13*d^11*e^8*z^2 + 2280448*a^4*c^15*d^15*e^4*z^2 + 350208*a^3*c^16*d^17*e^2*z^2 + 11616*a^2*b^17*d^2*e^17*z^2 - 3515904*a^9*b^5*c^5*e^19*z^2 + 3440640*a^10*b^3*c^6*e^19*z^2 + 1870848*a^8*b^7*c^4*e^19*z^2 - 572272*a^7*b^9*c^3*e^19*z^2 + 101856*a^6*b^11*c^2*e^19*z^2 + 400*b^19*d^4*e^15*z^2 + 400*b^4*c^15*d^19*z^2 + 20736*a^2*c^17*d^19*z^2 + 400*a^4*b^15*e^19*z^2 - 3969216*a^4*b*c^10*d^3*e^12 - 3001536*a^3*b*c^11*d^5*e^10 - 419904*a^2*b*c^12*d^7*e^8 + 184608*a^4*b^3*c^8*d*e^14 - 153036*a*b^4*c^10*d^6*e^9 + 127008*a*b^3*c^11*d^7*e^8 + 63108*a*b^6*c^8*d^4*e^11 - 29160*a*b^2*c^12*d^8*e^7 - 21060*a^3*b^5*c^7*d*e^14 - 21060*a*b^7*c^7*d^3*e^12 + 5460*a*b^5*c^9*d^5*e^10 - 404544*a^5*b*c^9*d*e^14 + 1251872*a^3*b^3*c^9*d^3*e^12 + 844224*a^4*b^2*c^9*d^2*e^13 + 820512*a^2*b^3*c^10*d^5*e^10 + 750672*a^3*b^2*c^10*d^4*e^11 - 657498*a^2*b^4*c^9*d^4*e^11 - 487116*a^3*b^4*c^8*d^2*e^13 + 160704*a^2*b^2*c^11*d^6*e^9 + 58806*a^2*b^6*c^7*d^2*e^13 + 13140*a^2*b^5*c^8*d^3*e^12 + 15286*b^6*c^9*d^6*e^9 - 9540*b^7*c^8*d^5*e^10 - 9540*b^5*c^10*d^7*e^8 + 2025*b^8*c^7*d^4*e^11 + 2025*b^4*c^11*d^8*e^7 + 3367008*a^4*c^11*d^4*e^11 + 1166400*a^3*c^12*d^6*e^9 + 705600*a^5*c^10*d^2*e^13 + 104976*a^2*c^13*d^8*e^7 - 17640*a^5*b^2*c^8*e^15 + 2025*a^4*b^4*c^7*e^15 + 38416*a^6*c^9*e^15, z, k)*(root(128723189760*a^14*b^4*c^9*d^13*e^14*z^6 + 128723189760*a^12*b^4*c^11*d^17*e^10*z^6 - 8432455680*a^11*b^12*c^4*d^11*e^16*z^6 - 8432455680*a^7*b^12*c^8*d^19*e^8*z^6 + 12673351680*a^11*b^11*c^5*d^12*e^15*z^6 + 12673351680*a^8*b^11*c^8*d^18*e^9*z^6 - 72637480960*a^12*b^9*c^6*d^12*e^15*z^6 - 72637480960*a^9*b^9*c^9*d^18*e^9*z^6 - 21048344576*a^9*b^12*c^6*d^15*e^12*z^6 - 16609443840*a^17*b^3*c^7*d^8*e^19*z^6 - 16609443840*a^10*b^3*c^14*d^22*e^5*z^6 + 145332633600*a^13*b^5*c^9*d^14*e^13*z^6 + 145332633600*a^12*b^5*c^10*d^16*e^11*z^6 + 123740356608*a^14*b^5*c^8*d^12*e^15*z^6 + 123740356608*a^11*b^5*c^11*d^18*e^9*z^6 + 3460300800*a^17*b^5*c^5*d^6*e^21*z^6 + 3460300800*a^8*b^5*c^14*d^24*e^3*z^6 - 7751073792*a^15*b^7*c^5*d^8*e^19*z^6 - 7751073792*a^8*b^7*c^12*d^22*e^5*z^6 + 12041846784*a^14*b^7*c^6*d^10*e^17*z^6 + 12041846784*a^9*b^7*c^11*d^20*e^
\end{aligned}$$

$$\begin{aligned}
& 7*z^6 - 325545099264*a^{14}*b^3*c^{10}*d^{14}*e^{13}*z^6 - 325545099264*a^{13}*b^3*c^{11}*d^{16}*e^{11}*z^6 - 3330539520*a^{13}*b^{10}*c^4*d^9*e^{18}*z^6 - 3330539520*a^7*b^{10}*c^{10}*d^{21}*e^6*z^6 + 157789716480*a^{12}*b^7*c^8*d^{14}*e^{13}*z^6 + 157789716480*a^{11}*b^7*c^9*d^{16}*e^{11}*z^6 + 37492359168*a^{11}*b^{10}*c^6*d^{13}*e^{14}*z^6 + 37492359168*a^9*b^{10}*c^8*d^{17}*e^{10}*z^6 + 301989888*a^8*b^3*c^{16}*d^{26}*e*z^6 - 7266631680*a^{17}*b^4*c^6*d^7*e^{20}*z^6 - 7266631680*a^9*b^4*c^{14}*d^{23}*e^4*z^6 - 201326592*a^{20}*b*c^6*d^4*e^{23}*z^6 - 188743680*a^7*b^5*c^{15}*d^{26}*e*z^6 + 45747339264*a^{13}*b^8*c^6*d^{11}*e^{16}*z^6 + 45747339264*a^9*b^8*c^{10}*d^{19}*e^8*z^6 - 74612736*a^{10}*b^{16}*c*d^9*e^{18}*z^6 - 2768240640*a^{16}*b^7*c^4*d^6*e^21*z^6 - 2768240640*a^7*b^7*c^{13}*d^{24}*e^3*z^6 + 69746688*a^{11}*b^{15}*c*d^8*e^{19}*z^6 + 62914560*a^6*b^7*c^{14}*d^{26}*e*z^6 + 2752020480*a^{10}*b^{13}*c^4*d^{12}*e^{15}*z^6 + 2752020480*a^7*b^{13}*c^7*d^{18}*e^9*z^6 + 55148544*a^9*b^{17}*c*d^{10}*e^{17}*z^6 - 45957120*a^{12}*b^{14}*c*d^7*e^{20}*z^6 - 2724986880*a^{14}*b^9*c^4*d^8*e^{19}*z^6 - 2724986880*a^7*b^9*c^{11}*d^{22}*e^5*z^6 - 25952256*a^8*b^{18}*c*d^{11}*e^{16}*z^6 + 21086208*a^{13}*b^{13}*c*d^6*e^{21}*z^6 - 11796480*a^5*b^9*c^{13}*d^{26}*e*z^6 - 6438912*a^{14}*b^{12}*c*d^5*e^{22}*z^6 + 5406720*a^7*b^{19}*c*d^{12}*e^{15}*z^6 + 1622016*a^6*b^{20}*c*d^{13}*e^{14}*z^6 - 1523712*a^5*b^{21}*c*d^{14}*e^{13}*z^6 + 1179648*a^{15}*b^{11}*c*d^4*e^{23}*z^6 + 1179648*a^4*b^{11}*c^{12}*d^{26}*e*z^6 + 442368*a^4*b^{22}*c*d^{15}*e^{12}*z^6 - 98304*a^{16}*b^{10}*c*d^3*e^{24}*z^6 - 49152*a^3*b^{23}*c*d^{16}*e^{11}*z^6 - 49152*a^3*b^{13}*c^{11}*d^{26}*e*z^6 + 6897106944*a^9*b^{13}*c^5*d^{14}*e^{13}*z^6 + 6897106944*a^8*b^{13}*c^6*d^{16}*e^{11}*z^6 - 2422210560*a^{16}*b^6*c^5*d^7*e^{20}*z^6 - 2422210560*a^8*b^6*c^{13}*d^{23}*e^4*z^6 + 255785435136*a^{14}*b^2*c^{11}*d^{15}*e^{12}*z^6 + 41004564480*a^{15}*b^4*c^8*d^{11}*e^{16}*z^6 + 41004564480*a^{11}*b^4*c^{12}*d^{19}*e^8*z^6 + 2270822400*a^{13}*b^{11}*c^3*d^8*e^{19}*z^6 + 2270822400*a^6*b^{11}*c^{10}*d^{22}*e^5*z^6 + 23677108224*a^{14}*b^8*c^5*d^9*e^{18}*z^6 + 23677108224*a^8*b^8*c^{11}*d^{21}*e^6*z^6 + 212600881152*a^{15}*b^2*c^{10}*d^{13}*e^{14}*z^6 + 212600881152*a^{13}*b^2*c^{12}*d^{17}*e^{10}*z^6 + 75157733376*a^{15}*b^5*c^7*d^{10}*e^{17}*z^6 + 75157733376*a^{10}*b^5*c^{12}*d^{20}*e^7*z^6 - 251217838080*a^{13}*b^6*c^8*d^{13}*e^{14}*z^6 - 251217838080*a^{11}*b^6*c^{10}*d^{17}*e^{10}*z^6 - 1952907264*a^{14}*b^{10}*c^3*d^7*e^{20}*z^6 - 1952907264*a^6*b^{10}*c^{11}*d^{23}*e^4*z^6 - 27691057152*a^{13}*b^9*c^5*d^{10}*e^{17}*z^6 - 27691057152*a^8*b^9*c^{10}*d^{20}*e^7*z^6 - 1902673920*a^8*b^{15}*c^4*d^{14}*e^{13}*z^6 - 1902673920*a^7*b^{15}*c^5*d^{16}*e^{11}*z^6 + 10465050624*a^{10}*b^{11}*c^6*d^{14}*e^{13}*z^6 + 10465050624*a^9*b^{11}*c^7*d^{16}*e^{11}*z^6 + 1613905920*a^9*b^{14}*c^4*d^{13}*e^{14}*z^6 + 1613905920*a^7*b^{14}*c^6*d^{17}*e^{10}*z^6 - 33218887680*a^{17}*b*c^9*d^{10}*e^{17}*z^6 - 33218887680*a^{12}*b*c^{14}*d^{20}*e^7*z^6 + 1524695040*a^{10}*b^{14}*c^3*d^{11}*e^{16}*z^6 + 1524695040*a^6*b^{14}*c^7*d^{19}*e^8*z^6 - 1472200704*a^{18}*b^4*c^5*d^5*e^{22}*z^6 - 1472200704*a^8*b^4*c^{15}*d^{25}*e^2*z^6 - 83047219200*a^{16}*b^3*c^8*d^{10}*e^{17}*z^6 - 83047219200*a^{11}*b^3*c^{13}*d^{20}*e^7*z^6 + 44291850240*a^{17}*b^2*c^8*d^9*e^{18}*z^6 + 44291850240*a^{11}*b^2*c^{14}*d^{21}*e^6*z^6 + 1308131328*a^8*b^{14}*c^5*d^{15}*e^{12}*z^6 - 201326592*a^9*b*c^{17}*d^{26}*e*z^6 + 48530718720*a^{12}*b^8*c^7*d^{13}*e^{14}*z^6 + 48530718720*a^{10}*b^8*c^9*d^{17}*e^{10}*z^6 - 1242644480*a^{12}*b^{12}*c^3*d^9*e^{18}*z^6 - 1242644480*a^6*b^{12}*c^9*d^{21}*e^6*z^6 + 9813196800*a^{12}*b^{10}*c^5*d^{11}*e^{16}*z^6 + 9813196800*a^8*b^{10}*c^9*d^{19}*e^8*z^6 - 93012885504*a^{15}*b*c^{11}*d^{14}*e^{13}*z^6 - 93012885504*a^{14}*b*c^{12}*d^{16}*e^{11}*z^6 + 17730581
\end{aligned}$$

$$\begin{aligned}
& 2992a^{13}b^4c^{10}d^{15}e^{12}z^6 + 52730658816a^{10}b^{10}c^7d^{15}e^{12}z^6 \\
& - 1180106752a^9b^{15}c^3d^{12}e^{15}z^6 - 1180106752a^6b^{15}c^6d^{18}e^9z^6 + 1023672320a^{15}b^9c^3d^6e^{21}z^6 + 1023672320a^6b^9c^{12}d^{24}e^3z^6 \\
& + 975175680a^{17}b^6c^4d^5e^{22}z^6 + 975175680a^7b^6c^{14}d^{25}e^2z^6 - 11072962560a^{18}b^6c^8d^8e^{19}z^6 - 11072962560a^{11}b^6c^{15}d^22e^5z^6 \\
& + 9412018176a^{18}b^2c^7d^7e^{20}z^6 + 9412018176a^{10}b^2c^{15}d^{23}e^4z^6 + 805306368a^{19}b^2c^6d^5e^{22}z^6 + 805306368a^9b^2c^16d^{25}e^2z^6 \\
& - 133809831936a^{14}b^6c^7d^{11}e^{16}z^6 - 133809831936a^{10}b^6c^{11}d^{19}e^8z^6 - 2214592512a^{19}b^6c^7d^6e^{21}z^6 - 2214592512a^{10}b^6c^{16}d^{24}e^3z^6 \\
& + 82216747008a^{13}b^7c^7d^{12}e^{15}z^6 + 82216747008a^{10}b^7c^{10}d^{18}e^9z^6 - 586629120a^{12}b^{13}c^2d^8e^{19}z^6 - 586629120a^5b^{13}c^9d^{22}e^5z^6 \\
& + 568565760a^7b^{16}c^4d^{15}e^{12}z^6 - 4844421120a^{16}b^4c^7d^9e^{18}z^6 - 4844421120a^{10}b^4c^{13}d^{21}e^6z^6 + 531210240a^{11}b^{14}c^2d^9e^{18}z^6 \\
& + 531210240a^5b^{14}c^8d^{21}e^6z^6 - 527155200a^{11}b^{13}c^3d^{10}e^{17}z^6 - 527155200a^6b^{13}c^8d^{20}e^7z^6 \\
& + 43470028800a^{11}b^8c^8d^{15}e^{12}z^6 - 107874877440a^{11}b^9c^7d^{14}e^{13}z^6 - 107874877440a^{10}b^9c^8d^{16}e^{11}z^6 \\
& + 9018408960a^{12}b^{11}c^4d^{10}e^{17}z^6 + 9018408960a^7b^{11}c^9d^{20}e^7z^6 + 421994496a^{13}b^{12}c^2d^7e^{20}z^6 \\
& + 421994496a^5b^{12}c^{10}d^{23}e^4z^6 - 66437775360a^{16}b^6c^{10}d^{12}e^{15}z^6 - 66437775360a^{13}b^6c^{13}d^{18}e^9z^6 \\
& + 26159874048a^{16}b^5c^6d^8e^{19}z^6 + 26159874048a^9b^5c^{13}d^{22}e^5z^6 - 369098752a^{18}b^3c^6d^6e^{21}z^6 \\
& - 369098752a^9b^3c^{15}d^{24}e^3z^6 + 351436800a^8b^{16}c^3d^{13}e^{14}z^6 + 351436800a^6b^{16}c^5d^{17}e^{10}z^6 \\
& - 334233600a^{16}b^8c^3d^5e^{22}z^6 - 334233600a^6b^8c^{13}d^{25}e^2z^6 + 301989888a^{19}b^3c^5d^4e^{23}z^6 \\
& - 266010624a^{10}b^{15}c^2d^{10}e^{17}z^6 - 266010624a^5b^{15}c^7d^{20}e^7z^6 - 305198530560a^{12}b^6c^9d^{15}e^{12}z^6 \\
& - 203292672a^{14}b^{11}c^2d^6e^{21}z^6 - 203292672a^5b^{11}c^{11}d^{24}e^3z^6 - 188743680a^{18}b^5c^4d^4e^{23}z^6 \\
& + 120418467840a^{16}b^2c^9d^{11}e^{16}z^6 + 120418467840a^{12}b^2c^{13}d^{19}e^8z^6 - 17293934592a^{10}b^{12}c^5d^{13}e^{14}z^6 \\
& - 17293934592a^8b^{12}c^7d^{17}e^{10}z^6 + 104890368a^8b^{17}c^2d^{12}e^{15}z^6 + 104890368a^5b^{17}c^5d^{18}e^9z^6 \\
& + 4390256640a^{15}b^8c^4d^7e^{20}z^6 + 4390256640a^7b^8c^{12}d^{23}e^4z^6 - 91750400a^6b^{18}c^3d^{15}e^{12}z^6 \\
& + 79134720a^7b^{17}c^3d^{14}e^{13}z^6 + 79134720a^6b^{17}c^4d^{16}e^{11}z^6 - 74612736a^4b^{16}c^7d^{21}e^6z^6 \\
& - 72990720a^7b^{18}c^2d^{13}e^{14}z^6 - 72990720a^5b^{18}c^4d^{17}e^{10}z^6 + 69746688a^4b^{15}c^8d^{22}e^5z^6 \\
& + 63700992a^{15}b^{10}c^2d^5e^{22}z^6 + 63700992a^5b^{10}c^{12}d^{25}e^2z^6 + 62914560a^{17}b^7c^3d^4e^{23}z^6 \\
& + 55148544a^4b^{17}c^6d^{20}e^7z^6 - 45957120a^4b^{14}c^9d^{23}e^4z^6 - 25952256a^4b^{18}c^5d^{19}e^8z^6 \\
& - 25165824a^{20}b^2c^5d^3e^{24}z^6 + 21086208a^4b^{13}c^{10}d^{24}e^3z^6 + 20643840a^6b^{19}c^2d^{14}e^{13}z^6 \\
& + 20643840a^5b^{19}c^3d^{16}e^{11}z^6 + 15728640a^{19}b^4c^4d^3e^{24}z^6 - 11796480a^{16}b^9c^2d^4e^{23}z^6 \\
& - 6438912a^4b^{12}c^{11}d^{25}e^2z^6 + 5406720a^4b^{19}c^4d^{18}e^9z^6 - 5242880a^{18}b^6c^3d^3e^{24}z^6 + 3784704a^3b^{18}c^6d^{21}e^6z^6 \\
& - 3244032a^3b^{19}c^5d^{20}e^7z^6 - 3244032a^3b^{17}c^7d^{22}e^5z^6 + 2027520a^3b^{20}c^4d^{19}e^8z^6 + 2027520a^3b^{17}c^7d^{22}e^5z^6 \\
& + 2027520a^3b^{20}c^4d^{19}e^8z^6 + 2027520a^3b^{17}c^7d^{22}e^5z^6
\end{aligned}$$

$$\begin{aligned}
& a^3b^{16}c^8d^{23}e^4z^6 - 1622016a^9b^{16}c^2d^{11}e^{16}z^6 - 1622016a^5b^{16}c^6d^{19}e^8z^6 + 1622016a^4b^{20}c^3d^{17}e^{10}z^6 - 1523712a^4b^{21}c^2d^{16}e^{11}z^6 + 983040a^17b^8c^2d^3e^{24}z^6 - 901120a^3b^{21}c^3d^{18}e^9z^6 - 901120a^3b^{15}c^9d^{24}e^3z^6 + 270336a^3b^{22}c^2d^{17}e^{10}z^6 + 270336a^3b^{14}c^{10}d^{25}e^2z^6 + 172032a^5b^{20}c^2d^{15}e^{12}z^6 - 38593888256a^{15}b^6c^6d^9e^{18}z^6 - 38593888256a^9b^6c^{12}d^{21}e^6z^6 - 210386288640a^{15}b^3c^9d^{12}e^{15}z^6 - 210386288640a^{12}b^3c^{12}d^{18}e^9z^6 + 15502147584a^{15}c^{12}d^{15}e^{12}z^6 + 1107296256a^{19}c^8d^7e^{20}z^6 + 1107296256a^{11}c^{16}d^{23}e^4z^6 + 13287555072a^{16}c^{11}d^{13}e^{14}z^6 + 13287555072a^{14}c^{13}d^{17}e^{10}z^6 + 201326592a^20c^7d^5e^{22}z^6 + 201326592a^{10}c^{17}d^{25}e^2z^6 + 16777216a^{21}c^6d^3e^{24}z^6 + 3784704a^9b^{18}d^9e^{18}z^6 - 3244032a^{10}b^{17}d^8e^{19}z^6 - 3244032a^8b^{19}d^{10}e^{17}z^6 + 2027520a^{11}b^{16}d^7e^{20}z^6 + 2027520a^7b^{20}d^{11}e^{16}z^6 - 901120a^{12}b^{15}d^6e^{21}z^6 - 901120a^6b^{21}d^{12}e^{15}z^6 + 270336a^{13}b^{14}d^5e^{22}z^6 + 270336a^5b^{22}d^{13}e^{14}z^6 - 49152a^{14}b^{13}d^4e^{23}z^6 - 49152a^4b^{23}d^{14}e^{13}z^6 + 4096a^{15}b^{12}d^3e^{24}z^6 + 4096a^3b^{24}d^{15}e^{12}z^6 - 25165824a^8b^2c^{17}d^{27}z^6 + 15728640a^7b^4c^{16}d^{27}z^6 - 5242880a^6b^6c^{15}d^{27}z^6 + 983040a^5b^8c^{14}d^{27}z^6 - 98304a^4b^{10}c^{13}d^{27}z^6 + 4096a^3b^{12}c^{12}d^{27}z^6 + 8304721920a^{17}c^{10}d^{11}e^{16}z^6 + 8304721920a^{13}c^{14}d^{19}e^8z^6 + 3690987520a^{18}c^9d^9e^{18}z^6 + 3690987520a^{12}c^{15}d^21e^6z^6 + 16777216a^9c^{18}d^{27}z^6 - 8493371392a^6b^8c^9d^{14}e^9z^4 + 1458044928a^8b^3c^{14}d^{17}e^6z^4 - 12604538880a^{11}b^4c^8d^8e^{15}z^4 - 8303067136a^9b^5c^9d^{11}e^{12}z^4 - 5588058112a^{13}b^3c^9d^7e^{16}z^4 - 3892838400a^8b^2c^{13}d^{16}e^7z^4 - 3611713536a^8b^8c^7d^{10}e^{13}z^4 + 7819006464a^7b^9c^7d^{11}e^{12}z^4 - 7782137856a^8b^7c^8d^{11}e^{12}z^4 + 7780433920a^{12}b^2c^9d^8e^{15}z^4 - 12020465664a^7b^5c^{11}d^{15}e^8z^4 + 3176792064a^8b^3c^{12}d^{15}e^8z^4 - 322633728a^{15}b^3c^7d^3e^{20}z^4 + 210829312a^7b^3c^{15}d^{19}e^4z^4 + 15623258112a^9b^6c^8d^{10}e^{13}z^4 + 25165824a^{15}b^3c^5d^6e^{22}z^4 - 15728640a^{14}b^5c^4d^6e^{22}z^4 + 12582912a^5b^2c^{16}d^{22}e^3z^4 - 11730944a^4b^4c^{15}d^{22}e^3z^4 + 5242880a^{13}b^7c^3d^6e^{22}z^4 - 4561920a^6b^{15}c^7d^{17}e^6z^4 + 4521984a^3b^6c^{14}d^{22}e^3z^4 + 4460544a^6b^{14}c^8d^{18}e^5z^4 + 3538944a^6b^3c^{16}d^{21}e^2z^4 + 3108864a^6b^{16}c^6d^{16}e^7z^4 - 3027200a^6b^{13}c^9d^{19}e^4z^4 - 2345472a^5b^{17}c^4d^7e^{16}z^4 - 2307072a^8b^{14}c^4d^4e^{19}z^4 + 1824768a^6b^{16}c^4d^6e^{17}z^4 + 1734912a^9b^{13}c^3d^3e^{20}z^4 + 1419264a^6b^{12}c^{10}d^{20}e^3z^4 - 1191168a^6b^{17}c^5d^{15}e^8z^4 - 983040a^{12}b^9c^2d^6e^{22}z^4 + 964608a^4b^{18}c^4d^8e^{15}z^4 - 866304a^2b^8c^{13}d^{22}e^3z^4 + 703488a^7b^{15}c^4d^5e^{18}z^4 - 608256a^{10}b^{12}c^4d^2e^{21}z^4 - 440832a^6b^{11}c^{11}d^{21}e^2z^4 + 275968a^6b^{19}c^3d^{13}e^{10}z^4 - 159744a^2b^{20}c^4d^{10}e^{13}z^4 - 153600a^6b^{20}c^2d^{12}e^{11}z^4 + 64512a^3b^{19}c^4d^9e^{14}z^4 + 19746062336a^8b^6c^9d^{12}e^{11}z^4 - 15333588992a^{10}b^4c^9d^{10}e^{13}z^4 + 6702170112a^7b^4c^{12}d^{16}e^7z^4 + 15167913984a^{10}b^3c^{10}d^{11}e^{12}z^4 - 2256638976a^5b^{11}c^7d^{13}e^{10}z^4 + 2254307328a^5b^7c^{11}d^{17}e^6z^4 - 2200633344a^6b^5c^{12}
\end{aligned}$$

$$\begin{aligned}
& d^{17}e^6z^4 + 6457131008a^{11}b^3c^9d^9e^{14}z^4 - 2128785408a^5b^8c^{10}d^{16}e^7z^4 - 2126057472a^6b^{11}c^6d^{11}e^{12}z^4 + 2038349824a^{12}b^5c^6d^5e^{18}z^4 + 2037841920a^5b^{10}c^8d^{14}e^9z^4 + 3615621120a^9b^3c^{13}d^{15}e^8z^4 + 1900019712a^{11}b^2c^{10}d^{10}e^{13}z^4 + 1867698432a^9b^9c^5d^7e^{16}z^4 - 6157369344a^9b^4c^{10}d^{12}e^{11}z^4 - 1856913408a^7b^{10}c^6d^{10}e^{13}z^4 + 1789132800a^6b^4c^{13}d^{18}e^5z^4 + 6082658304a^8b^4c^{11}d^{14}e^9z^4 + 6029549568a^{11}b^5c^7d^7e^{16}z^4 + 6010159104a^6b^7c^{10}d^{15}e^8z^4 + 1703182336a^7b^7c^9d^{13}e^{10}z^4 + 1658388480a^{11}b^6c^6d^6e^{17}z^4 + 5917114368a^{10}b^6c^7d^8e^{15}z^4 - 1591197696a^{11}b^7c^5d^5e^{18}z^4 - 1526464512a^8b^{10}c^5d^8e^{15}z^4 - 5772607488a^{12}b^4c^7d^6e^{17}z^4 - 1423507456a^{13}b^4c^6d^4e^{19}z^4 - 1387266048a^7b^3c^{13}d^{17}e^6z^4 + 2976120832a^{10}b^3c^{12}d^{13}e^{10}z^4 - 9906946048a^9b^2c^{12}d^{14}e^9z^4 - 18421874688a^8b^5c^{10}d^{13}e^{10}z^4 + 1141217280a^6b^{12}c^5d^{10}e^{13}z^4 - 9714364416a^7b^8c^8d^{12}e^{11}z^4 - 16777216a^{16}b^3c^6d^6e^{22}z^4 + 98304a^{11}b^{11}c^4d^4e^{22}z^4 + 81920a^8b^{10}c^{12}d^{22}e^5z^4 + 39168a^8b^{21}c^4d^{11}e^{12}z^4 - 1091829760a^5b^6c^{12}d^{18}e^5z^4 + 1046740992a^{14}b^2c^7d^4e^{19}z^4 - 6884425728a^{12}b^3c^{10}d^9e^{14}z^4 + 987445248a^4b^{10}c^9d^{16}e^7z^4 + 984087552a^5b^{12}c^6d^{12}e^{11}z^4 - 9564585984a^9b^7c^7d^9e^{14}z^4 - 5266857984a^{10}b^7c^6d^7e^{16}z^4 - 892145664a^7b^{11}c^5d^9e^{14}z^4 - 2444623872a^{11}b^3c^{11}d^{11}e^{12}z^4 + 768540672a^{12}b^3c^8d^7e^{16}z^4 + 5048322048a^8b^9c^6d^9e^{14}z^4 + 5047612416a^6b^9c^8d^{13}e^{10}z^4 - 732492288a^4b^{11}c^8d^{15}e^8z^4 + 9266921472a^7b^6c^{10}d^{14}e^9z^4 - 645857280a^6b^6c^{11}d^{16}e^7z^4 - 623867904a^4b^9c^{10}d^{17}e^6z^4 - 622067712a^6b^3c^{14}d^{19}e^4z^4 + 582617088a^{10}b^8c^5d^6e^{17}z^4 + 577119744a^7b^{12}c^4d^8e^{15}z^4 + 552566784a^{12}b^6c^5d^4e^{19}z^4 + 549224448a^9b^8c^6d^8e^{15}z^4 - 526565376a^9b^{10}c^4d^6e^{17}z^4 + 511520256a^{10}b^9c^4d^5e^{18}z^4 + 13393723392a^9b^3c^{11}d^{13}e^{10}z^4 - 2066350080a^{14}b^3c^8d^5e^{18}z^4 + 4718592000a^{13}b^2c^8d^6e^{17}z^4 - 314572800a^7b^2c^{14}d^{18}e^5z^4 + 287250432a^4b^{13}c^6d^{13}e^{10}z^4 + 4565827584a^{10}b^5c^8d^9e^{14}z^4 - 250785792a^4b^{14}c^5d^{12}e^{11}z^4 + 235536384a^{13}b^3c^7d^5e^{18}z^4 - 232683264a^8b^{11}c^4d^7e^{16}z^4 - 199627776a^5b^{14}c^4d^{10}e^{13}z^4 - 190267392a^{12}b^7c^4d^3e^{20}z^4 + 184891392a^6b^{10}c^7d^{12}e^{11}z^4 + 180502528a^4b^7c^{12}d^{19}e^4z^4 + 178877952a^3b^{13}c^7d^{15}e^8z^4 + 172490752a^{14}b^3c^6d^3e^{20}z^4 + 163946496a^{13}b^5c^5d^3e^{20}z^4 + 155839488a^8b^{12}c^3d^6e^{17}z^4 + 155000832a^5b^5c^{13}d^{19}e^4z^4 - 152076288a^4b^6c^{13}d^{20}e^3z^4 - 137592576a^3b^{12}c^8d^{16}e^7z^4 - 133693440a^{14}b^4c^5d^2e^{21}z^4 - 116767488a^3b^9c^{11}d^{19}e^4z^4 - 108985344a^3b^{14}c^6d^{14}e^9z^4 - 106223616a^6b^{13}c^4d^9e^{14}z^4 + 106119168a^3b^{10}c^{10}d^{18}e^5z^4 + 102432768a^5b^4c^{14}d^{20}e^3z^4 + 102113280a^4b^{12}c^7d^{14}e^9z^4 + 100674048a^5b^9c^9d^{15}e^8z^4 + 90439680a^{13}b^6c^4d^2e^{21}z^4 - 86808576a^6b^{14}c^3d^8e^{15}z^4 + 86245376a^6b^2c^{15}d^{20}e^3z^4 + 79011840a^4b^8c^{11}d^{18}e^5z^4 + 78345216a^4b^{15}c^4d^{11}e^{12}z^4 + 78006528a^{11}b^9c^3d^3e^{20}z^4 - 7
\end{aligned}$$

$3253376a^9b^{11}c^3d^5e^{18}z^4 + 67524608a^3b^8c^{12}d^{20}e^3z^4 + 67$
 $108864a^{15}b^2c^6d^2e^{21}z^4 - 61590528a^{10}b^{10}c^3d^4e^{19}z^4 + 61$
 $559808a^5b^{15}c^3d^9e^{14}z^4 - 59637760a^5b^3c^{15}d^{21}e^2z^4 + 586$
 $38336a^4b^5c^{14}d^{21}e^2z^4 - 40828416a^7b^{13}c^3d^7e^{16}z^4 - 3563$
 $9296a^2b^{12}c^9d^{18}e^5z^4 - 31293440a^{12}b^8c^3d^2e^{21}z^4 + 29933$
 $568a^5b^{13}c^5d^{11}e^{12}z^4 + 27793920a^2b^{11}c^{10}d^{19}e^4z^4 + 2716$
 $8768a^2b^{13}c^8d^{17}e^6z^4 - 23602176a^7b^{14}c^2d^6e^{17}z^4 - 23248$
 $896a^3b^7c^{13}d^{21}e^2z^4 + 20929536a^3b^{15}c^5d^{13}e^{10}z^4 + 18428$
 $928a^9b^{12}c^2d^4e^{19}z^4 + 18026496a^6b^{15}c^2d^7e^{16}z^4 - 162616$
 $32a^{10}b^{11}c^2d^3e^{20}z^4 + 15128064a^3b^{16}c^4d^{12}e^{11}z^4 - 14060$
 $544a^2b^{10}c^{11}d^{20}e^3z^4 + 13178880a^2b^{16}c^5d^{14}e^9z^4 - 11244$
 $288a^3b^{17}c^3d^{11}e^{12}z^4 - 10509312a^2b^{15}c^6d^{15}e^8z^4 - 72622$
 $08a^4b^{17}c^2d^9e^{14}z^4 - 7045632a^2b^{17}c^4d^{13}e^{10}z^4 - 6285312$
 $a^2b^{14}c^7d^{16}e^7z^4 + 5996544a^{11}b^{10}c^2d^2e^{21}z^4 + 4558336a$
 $^2b^9c^{12}d^{21}e^2z^4 + 4478976a^{11}b^8c^4d^4e^{19}z^4 + 2850816a^4b$
 $^{16}c^3d^{10}e^{13}z^4 + 2629632a^3b^{11}c^9d^{17}e^6z^4 + 2503680a^3b^{18}$
 $c^2d^{10}e^{13}z^4 + 1627136a^2b^{18}c^3d^{12}e^{11}z^4 + 1605120a^8b^1$
 $3c^2d^5e^{18}z^4 + 1483776a^5b^{16}c^2d^8e^{15}z^4 + 139776a^2b^{19}c^$
 $2d^{11}e^{12}z^4 - 8542224384a^{10}b^2c^{11}d^{12}e^{11}z^4 - 3072b^{22}c^d^{12}$
 $e^{11}z^4 - 3072b^{12}c^{11}d^{22}e^*z^4 - 1572864a^6c^{17}d^{22}e^*z^4 - 4096*$
 $a^{10}b^{13}d^e^{22}z^4 - 4096a*b^{22}d^{10}e^{13}z^4 - 6144a^{12}b^{10}c^e^{23}z^$
 $4 - 983040a^5b*c^{17}d^{23}z^4 - 6912a*b^9c^{13}d^{23}z^4 + 1824522240a^{13}$
 $c^{10}d^8e^{15}z^4 + 1730150400a^{12}c^{11}d^{10}e^{13}z^4 + 958922752a^{14}c^$
 $9d^6e^{17}z^4 - 537919488a^9c^{14}d^{16}e^7z^4 + 508559360a^{11}c^{12}d^{12}$
 $e^{11}z^4 - 500170752a^{10}c^{13}d^{14}e^9z^4 + 246939648a^{15}c^8d^4e^{19}$
 $z^4 - 199229440a^8c^{15}d^{18}e^5z^4 - 29884416a^7c^{16}d^{20}e^3z^4 + 25$
 $165824a^{16}c^7d^2e^{21}z^4 + 236544b^{17}c^6d^{17}e^6z^4 - 202752b^{18}c$
 $^5d^{16}e^7z^4 - 202752b^{16}c^7d^{18}e^5z^4 + 126720b^{19}c^4d^{15}e^8z$
 $^4 + 126720b^{15}c^8d^{19}e^4z^4 - 56320b^{20}c^3d^{14}e^9z^4 - 56320b^{1$
 $4c^9d^{20}e^3z^4 + 16896b^{21}c^2d^{13}e^{10}z^4 + 16896b^{13}c^{10}d^{21}e^$
 $2z^4 + 110080a^7b^{16}d^4e^{19}z^4 + 110080a^4b^{19}d^7e^{16}z^4 - 75520$
 $a^8b^{15}d^3e^{20}z^4 - 75520a^3b^{20}d^8e^{15}z^4 - 56320a^6b^{17}d^5e$
 $^{18}z^4 - 56320a^5b^{18}d^6e^{17}z^4 + 25600a^9b^{14}d^2e^{21}z^4 + 25600$
 $a^2b^{21}d^9e^{14}z^4 - 1572864a^{16}b^2c^5e^{23}z^4 + 983040a^{15}b^4c^$
 $4e^{23}z^4 - 327680a^{14}b^6c^3e^{23}z^4 + 61440a^{13}b^8c^2e^{23}z^4 + 9$
 $83040a^4b^3c^{16}d^{23}z^4 - 385024a^3b^5c^{15}d^{23}z^4 + 73728a^2b^7*$
 $c^{14}d^{23}z^4 + 256b^{23}d^{11}e^{12}z^4 + 1048576a^{17}c^6e^{23}z^4 + 256b^{11}$
 $c^{12}d^{23}z^4 + 256a^{11}b^{12}e^{23}z^4 + 948695040a^8b*c^{10}d^6e^{13}z$
 $^2 + 348917760a^7b*c^{11}d^8e^{11}z^2 - 125030400a^9b*c^9d^4e^{15}z^2 -$
 $50728960a^6b*c^{12}d^{10}e^9z^2 - 44298240a^5b*c^{13}d^{12}e^7z^2 - 3649$
 $5360a^{10}b*c^8d^2e^{17}z^2 + 29675520a^8b^6c^5d^e^{18}z^2 - 24170496a$
 $^9b^4c^6d^e^{18}z^2 - 17202816a^7b^8c^4d^e^{18}z^2 - 14561280a^4b*c^$
 $14d^{14}e^5z^2 + 5532416a^6b^{10}c^3d^e^{18}z^2 + 4128768a^{10}b^2c^7d*$
 $e^{18}z^2 - 2662400a^3b*c^{15}d^{16}e^3z^2 + 1184512a*b^{12}c^6d^9e^{10}z^$
 $2 - 1136160a*b^{13}c^5d^8e^{11}z^2 - 1017600a^5b^{12}c^2d^e^{18}z^2 - 744$

$$\begin{aligned}
& 768*a*b^{11}*c^7*d^{10}*e^9*z^2 + 607872*a*b^{14}*c^4*d^7*e^{12}*z^2 - 424064*a*b^6 \\
& *c^{12}*d^{15}*e^4*z^2 + 408576*a*b^5*c^{13}*d^{16}*e^3*z^2 + 361152*a*b^{10}*c^8*d^{11} \\
& *e^8*z^2 - 287408*a*b^9*c^9*d^{12}*e^7*z^2 - 260448*a^3*b^{15}*c*d^2*e^{17}*z^2 \\
& - 203904*a*b^4*c^{14}*d^{17}*e^2*z^2 + 200832*a*b^8*c^{10}*d^{13}*e^6*z^2 + 126720* \\
& a*b^7*c^{11}*d^{14}*e^5*z^2 - 123968*a*b^{15}*c^3*d^6*e^{13}*z^2 - 39168*a*b^{16}*c^2 \\
& *d^5*e^{14}*z^2 + 11904*a^2*b^{16}*c*d^3*e^{16}*z^2 + 1824135552*a^7*b^4*c^8*d^5* \\
& e^{14}*z^2 - 1457252352*a^8*b^2*c^9*d^5*e^{14}*z^2 - 1405209600*a^7*b^5*c^7*d^4 \\
& *e^{15}*z^2 - 184320*a^2*b*c^{16}*d^{18}*e*z^2 + 100608*a^4*b^{14}*c*d*e^{18}*z^2 + 5 \\
& 3248*a*b^3*c^{15}*d^{18}*e*z^2 + 26448*a*b^{17}*c*d^4*e^{15}*z^2 + 1067599872*a^8*b \\
& ^3*c^8*d^4*e^{15}*z^2 - 930828288*a^7*b^3*c^9*d^6*e^{13}*z^2 + 920760000*a^6*b^4 \\
& *c^9*d^7*e^{12}*z^2 - 806639616*a^6*b^3*c^{10}*d^8*e^{11}*z^2 - 791052480*a^6*b^6 \\
& *c^7*d^5*e^{14}*z^2 + 772237824*a^6*b^7*c^6*d^4*e^{15}*z^2 - 701025408*a^5*b^6 \\
& *c^8*d^7*e^{12}*z^2 + 443340288*a^5*b^5*c^9*d^8*e^{11}*z^2 + 433047552*a^7*b^6* \\
& c^6*d^3*e^{16}*z^2 + 405741312*a^5*b^7*c^7*d^6*e^{13}*z^2 + 293652480*a^6*b^2*c^{11} \\
& *d^9*e^{10}*z^2 - 276962688*a^6*b^8*c^5*d^3*e^{16}*z^2 - 247804272*a^8*b^4*c^7 \\
& *d^3*e^{16}*z^2 + 213564384*a^4*b^8*c^7*d^7*e^{12}*z^2 - 202596816*a^5*b^9*c^5 \\
& *d^4*e^{15}*z^2 - 182520896*a^4*b^9*c^6*d^6*e^{13}*z^2 - 153489408*a^5*b^3*c^{11} \\
& *d^{10}*e^9*z^2 - 152151552*a^7*b^2*c^{10}*d^7*e^{12}*z^2 + 115859712*a^5*b^2*c^{12} \\
& *d^{11}*e^8*z^2 + 108085248*a^9*b^3*c^7*d^2*e^{17}*z^2 + 105536256*a^4*b^5*c^{10} \\
& *d^{10}*e^9*z^2 - 98323200*a^6*b^5*c^8*d^6*e^{13}*z^2 - 93564992*a^4*b^6*c^9*d^9 \\
& *e^{10}*z^2 + 89464512*a^5*b^{10}*c^4*d^3*e^{16}*z^2 - 75930624*a^8*b^5*c^6*d^2 \\
& *e^{17}*z^2 + 68315904*a^5*b^8*c^6*d^5*e^{14}*z^2 - 64157184*a^4*b^7*c^8*d^8*e^{11} \\
& *z^2 - 62951040*a^9*b^2*c^8*d^3*e^{16}*z^2 + 49056768*a^4*b^{10}*c^5*d^5*e^{14} \\
& *z^2 + 47614464*a^3*b^8*c^8*d^9*e^{10}*z^2 + 35604480*a^4*b^2*c^{13}*d^{13}*e^6* \\
& z^2 + 33983040*a^3*b^{11}*c^5*d^6*e^{13}*z^2 - 33515520*a^4*b^3*c^{12}*d^{12}*e^7* \\
& z^2 - 33463808*a^3*b^7*c^9*d^{10}*e^9*z^2 - 25128864*a^4*b^4*c^{11}*d^{11}*e^8* \\
& z^2 - 23193728*a^3*b^{10}*c^6*d^7*e^{12}*z^2 + 21015456*a^6*b^9*c^4*d^2*e^{17}*z^2 + \\
& 19924176*a^4*b^{11}*c^4*d^4*e^{15}*z^2 - 19251216*a^3*b^9*c^7*d^8*e^{11}*z^2 - 1 \\
& 6434048*a^5*b^4*c^{10}*d^9*e^{10}*z^2 - 16289664*a^3*b^{12}*c^4*d^5*e^{14}*z^2 - 15 \\
& 059328*a^4*b^{12}*c^3*d^3*e^{16}*z^2 - 10766016*a^2*b^{10}*c^7*d^9*e^{10}*z^2 - 104 \\
& 53632*a^5*b^{11}*c^3*d^2*e^{17}*z^2 - 9940992*a^3*b^3*c^{13}*d^{14}*e^5*z^2 + 83736 \\
& 96*a^2*b^{11}*c^6*d^8*e^{11}*z^2 + 7776768*a^3*b^2*c^{14}*d^{15}*e^4*z^2 + 7077888* \\
& a^3*b^5*c^{11}*d^{12}*e^7*z^2 + 6798240*a^2*b^9*c^8*d^{10}*e^9*z^2 - 3589440*a^2* \\
& b^6*c^{11}*d^{13}*e^6*z^2 + 3544320*a^3*b^6*c^{10}*d^{11}*e^8*z^2 + 3128064*a^2*b^5 \\
& *c^{12}*d^{14}*e^5*z^2 + 2346336*a^4*b^{13}*c^2*d^2*e^{17}*z^2 - 2261568*a^2*b^8*c^9 \\
& *d^{11}*e^8*z^2 - 2125824*a^2*b^{13}*c^4*d^6*e^{13}*z^2 + 2002560*a^3*b^4*c^{12}*d^{13} \\
& *e^6*z^2 + 1927680*a^2*b^7*c^{10}*d^{12}*e^7*z^2 + 1814784*a^2*b^{14}*c^3*d^5* \\
& e^{14}*z^2 - 1807104*a^2*b^{12}*c^5*d^7*e^{12}*z^2 + 1637808*a^3*b^{13}*c^3*d^4*e^{11} \\
& *z^2 + 1083456*a^3*b^{14}*c^2*d^3*e^{16}*z^2 - 792384*a^2*b^4*c^{13}*d^{15}*e^4*z^2 \\
& - 657408*a^2*b^3*c^{14}*d^{16}*e^3*z^2 + 608256*a^7*b^7*c^5*d^2*e^{17}*z^2 + 59 \\
& 5968*a^2*b^2*c^{15}*d^{17}*e^2*z^2 - 498624*a^2*b^{15}*c^2*d^4*e^{15}*z^2 - 3840*b^8 \\
& *c^5*d^5*e^{14}*z^2 - 3840*b^5*c^{14}*d^{18}*e*z^2 + 2064384*a^{11}*c^8*d*e^{18}*z^2 \\
& - 4160*a^3*b^{16}*d*e^{18}*z^2 - 4160*a*b^{18}*d^3*e^{16}*z^2 - 1290240*a^{11}*b*c^7* \\
& e^{19}*z^2 - 9840*a^5*b^{13}*c*e^{19}*z^2 - 5760*a*b^2*c^{16}*d^{19}*z^2 - 280581120* \\
& a^8*c^{11}*d^7*e^{12}*z^2 + 110278656*a^9*c^{10}*d^5*e^{14}*z^2 - 89479168*a^7*c^{12}
\end{aligned}$$

$$\begin{aligned}
& *d^9e^{10}z^2 + 34464000a^{10}c^9d^3e^{16}z^2 + 54240b^{15}c^4d^8e^{11}z^2 \\
& + 54240b^8c^{11}d^{15}e^4z^2 - 49920b^{14}c^5d^9e^{10}z^2 - 49920b^9c^{10}d^{14}e^5z^2 \\
& - 37376b^{16}c^3d^7e^{12}z^2 - 37376b^7c^{12}d^{16}e^3z^2 + 28480b^{13}c^6d^{10}e^9z^2 \\
& + 28480b^{10}c^9d^{13}e^6z^2 + 15936b^{17}c^2d^6e^{13}z^2 + 15936b^6c^{13}d^{17}e^2z^2 - 7920b^{12}c^7d^{11}e^8z^2 \\
& - 7920b^{11}c^8d^{12}e^7z^2 + 7489536a^5c^{14}d^{13}e^6z^2 + 6084096a^6c^{13}d^{11}e^8z^2 \\
& + 2280448a^4c^{15}d^{15}e^4z^2 + 350208a^3c^{16}d^{17}e^2z^2 + 11616a^2b^{17}d^2e^{17}z^2 \\
& - 3515904a^9b^5c^5e^{19}z^2 + 3440640a^{10}b^3c^6e^{19}z^2 + 1870848a^8b^7c^4e^{19}z^2 - 572272a^7b^9c^3e^{19}z^2 \\
& + 101856a^6b^{11}c^2e^{19}z^2 + 400b^{19}d^4e^{15}z^2 + 400b^4c^{15}d^{19}z^2 + 20736a^2c^{17}d^{19}z^2 \\
& + 400a^4b^{15}e^{19}z^2 - 3969216a^4b^3c^{10}d^3e^{12} - 3001536a^3b^3c^{11}d^5e^{10} - 419904a^2b^3c^{12}d^7e^8 \\
& + 184608a^4b^3c^8d^4e^{14} - 153036a^4b^4c^{10}d^6e^9 + 127008a^3c^{11}d^7e^8 \\
& + 63108a^3b^6c^8d^4e^{11} - 29160a^2b^2c^{12}d^8e^7 - 21060a^3b^5c^7d^4e^{14} \\
& - 21060a^2b^7c^7d^3e^{12} + 5460a^2b^5c^9d^5e^{10} - 404544a^5b^3c^9d^4e^{14} \\
& + 1251872a^3b^3c^9d^3e^{12} + 844224a^4b^2c^9d^2e^{13} + 820512a^2b^3c^{10}d^5e^{10} \\
& + 750672a^3b^2c^{10}d^4e^{11} - 657498a^2b^4c^9d^4e^{11} - 487116a^3b^4c^8d^2e^{13} \\
& + 160704a^2b^2c^11d^6e^9 + 58806a^2b^6c^7d^2e^{13} + 13140a^2b^5c^8d^3e^{12} \\
& + 15286b^6c^9d^6e^9 - 9540b^7c^8d^5e^{10} - 9540b^5c^{10}d^7e^8 + 2025b^8c^7d^4e^{11} \\
& + 2025b^4c^{11}d^8e^7 + 3367008a^4c^{11}d^4e^{11} + 1166400a^3c^{12}d^6e^9 \\
& + 705600a^5c^{10}d^2e^{13} + 104976a^2c^{13}d^8e^7 - 17640a^5b^2c^8e^{15} \\
& + 2025a^4b^4c^7e^{15} + 38416a^6c^9e^{15}, z, k) * ((1048576a^{17}c^8d^4e^{24} \\
& - 393216a^6c^{19}d^{23}e^2 - 3407872a^7c^{18}d^{21}e^4 - 5636096a^8c^{17}d^{19}e^6 \\
& + 31457280a^9c^{16}d^{17}e^8 + 175374336a^{10}c^{15}d^{15}e^{10} + 407371776a^{11}c^{14}d^{13}e^{12} \\
& + 556007424a^{12}c^{13}d^{11}e^{14} + 481296384a^{13}c^{12}d^9e^{16} + 265420800a^{14}c^{11}d^7e^{18} \\
& + 88866816a^{15}c^{10}d^5e^{20} + 15859712a^{16}c^9d^3e^{22} - 5632a^2b^8c^{15}d^{23}e^2 \\
& + 67584a^2b^9c^{14}d^{22}e^3 - 368640a^2b^{10}c^{13}d^{21}e^4 + 1205248a^2b^{11}c^{12}d^{20}e^5 \\
& - 2618880a^2b^{12}c^{11}d^{19}e^6 + 3953664a^2b^{13}c^{10}d^{18}e^7 - 4190208a^2b^{14}c^9d^{17}e^8 \\
& + 3041280a^2b^{15}c^8d^{16}e^9 - 1368576a^2b^{16}c^7d^{15}e^{10} + 225280a^2b^{17}c^6d^{14}e^{11} \\
& + 135168a^2b^{18}c^5d^{13}e^{12} - 101376a^2b^{19}c^4d^{12}e^{13} + 28160a^2b^{20}c^3d^{11}e^{14} \\
& - 3072a^2b^{21}c^2d^{10}e^{15} + 49152a^3b^6c^{16}d^{23}e^2 - 589824a^3b^7c^{15}d^{22}e^3 \\
& + 3181568a^3b^8c^{14}d^{21}e^4 - 10121216a^3b^9c^{13}d^{20}e^5 + 20854016a^3b^{10}c^{12}d^{19}e^6 \\
& - 28504064a^3b^{11}c^{11}d^{18}e^7 + 24727808a^3b^{12}c^{10}d^{17}e^8 - 10510336a^3b^{13}c^9d^{16}e^9 \\
& - 3040768a^3b^{14}c^8d^{15}e^{10} + 7405568a^3b^{15}c^7d^{14}e^{11} - 4684288a^3b^{16}c^6d^{13}e^{12} \\
& + 1314816a^3b^{17}c^5d^{12}e^{13} - 12032a^3b^{18}c^4d^{11}e^{14} - 86016a^3b^{19}c^3d^{10}e^{15} \\
& + 15616a^3b^{20}c^2d^9e^{16} - 212992a^4b^4c^{17}d^{23}e^2 + 2555904a^4b^5c^{16}d^{22}e^3 \\
& - 13549568a^4b^6c^{15}d^{21}e^4 + 41189376a^4b^7c^{14}d^{20}e^5 - 76867072a^4b^8c^{13}d^{19}e^6 \\
& + 83304448a^4b^9c^{12}d^{18}e^7 - 29710336a^4b^{10}c^{11}d^{17}e^8 - 53473280a^4b^{11}c^{10}d^{16}e^9 \\
& + 94751744a^4b^{12}c^9d^{15}e^{10} - 68968448a^4b^{13}c^8d^{14}e^{11} + 20899840a^4b^{14}c^7d^{13}e^{12} + 4
\end{aligned}$$

$$\begin{aligned}
& 022272a^4b^{15}c^6d^{12}e^{13} - 5248512a^4b^{16}c^5d^{11}e^{14} + 1310720a^4b^{17}c^4d^{10}e^{15} + 40960a^4b^{18}c^3d^9e^{16} - 45056a^4b^{19}c^2d^8e^{17} + 458752a^5b^2c^{18}d^{23}e^2 - 5505024a^5b^3c^{17}d^{22}e^3 + 28213248a^5b^4c^{16}d^{21}e^4 - 77725696a^5b^5c^{15}d^{20}e^5 + 109985792a^5b^6c^{14}d^{19}e^6 - 16252928a^5b^7c^{13}d^{18}e^7 - 236929024a^5b^8c^{12}d^{17}e^8 + 460423168a^5b^9c^{11}d^{16}e^9 - 412556800a^5b^{10}c^{10}d^{15}e^{10} + 137754624a^5b^{11}c^9d^{14}e^{11} + 80635904a^5b^{12}c^8d^{13}e^{12} - 102774784a^5b^{13}c^7d^{12}e^{13} + 36015104a^5b^{14}c^6d^{11}e^{14} + 1345536a^5b^{15}c^5d^{10}e^{15} - 3577856a^5b^{16}c^4d^9e^{16} + 407552a^5b^{17}c^3d^8e^{17} + 82432a^5b^{18}c^2d^7e^{18} - 21757952a^6b^2c^{17}d^{21}e^4 + 39059456a^6b^3c^{16}d^{20}e^5 + 44351488a^6b^4c^{15}d^{19}e^6 - 381681664a^6b^5c^{14}d^{18}e^7 + 872808448a^6b^6c^{13}d^{17}e^8 - 981073920a^6b^7c^{12}d^{16}e^9 + 329307136a^6b^8c^{11}d^{15}e^{10} + 558870528a^6b^9c^{10}d^{14}e^{11} - 809418752a^6b^{10}c^9d^{13}e^{12} + 394459136a^6b^{11}c^8d^{12}e^{13} + 10594304a^6b^{12}c^7d^{11}e^{14} - 84887552a^6b^{13}c^6d^{10}e^{15} + 23650304a^6b^{14}c^5d^9e^{16} + 2762752a^6b^{15}c^4d^8e^{17} - 1268736a^6b^{16}c^3d^7e^{18} - 100352a^6b^{17}c^2d^6e^{19} - 192217088a^7b^2c^{16}d^{19}e^6 + 514850816a^7b^3c^{15}d^{18}e^7 - 691208192a^7b^4c^{14}d^{17}e^8 + 8388608a^7b^5c^{13}d^{16}e^9 + 1583054848a^7b^6c^{12}d^{15}e^{10} - 2597715968a^7b^7c^{11}d^{14}e^{11} + 1705592832a^7b^8c^{10}d^{13}e^{12} + 65314816a^7b^9c^9d^{12}e^{13} - 792112640a^7b^{10}c^8d^{11}e^{14} + 396832768a^7b^{11}c^7d^{10}e^{15} + 5305856a^7b^{12}c^6d^9e^{16} - 47955968a^7b^{13}c^5d^8e^{17} + 4476416a^7b^{14}c^4d^7e^{18} + 1921024a^7b^{15}c^3d^6e^{19} + 82432a^7b^{16}c^2d^5e^{20} - 472383488a^8b^2c^{15}d^{17}e^8 + 1552941056a^8b^3c^{14}d^{16}e^9 - 2815066112a^8b^4c^{13}d^{15}e^{10} + 2329542656a^8b^5c^{12}d^{14}e^{11} + 631472128a^8b^6c^{11}d^{13}e^{12} - 3123511296a^8b^7c^{10}d^{12}e^{13} + 2406024192a^8b^8c^9d^{11}e^{14} - 253763584a^8b^9c^8d^{10}e^{15} - 535957504a^8b^{10}c^7d^9e^{16} + 196169728a^8b^{11}c^6d^8e^{17} + 27567104a^8b^{12}c^5d^7e^{18} - 13180928a^8b^{13}c^4d^6e^{19} - 1767424a^8b^{14}c^3d^5e^{20} - 45056a^8b^{15}c^2d^4e^{21} - 26345472a^9b^2c^{14}d^{15}e^{10} + 1757937664a^9b^3c^{13}d^{14}e^{11} - 4680646656a^9b^4c^{12}d^{13}e^{12} + 4978376704a^9b^5c^{11}d^{12}e^{13} - 1037008896a^9b^6c^{10}d^{11}e^{14} - 2360082432a^9b^7c^9d^{10}e^{15} + 1791750144a^9b^8c^8d^9e^{16} - 76677120a^9b^9c^7d^8e^{17} - 263758592a^9b^{10}c^6d^7e^{18} + 28357632a^9b^{11}c^5d^6e^{19} + 14978560a^9b^{12}c^4d^5e^{20} + 1029120a^9b^{13}c^3d^4e^{21} + 15616a^9b^{14}c^2d^3e^{22} + 1853358080a^{10}b^2c^{13}d^{13}e^{12} + 106430464a^{10}b^3c^{12}d^{12}e^{13} - 4433149952a^{10}b^4c^{11}d^{11}e^{14} + 5213257728a^{10}b^5c^{10}d^{10}e^{15} - 1239613440a^{10}b^6c^9d^9e^{16} - 1399455744a^{10}b^7c^8d^8e^{17} + 721519104a^{10}b^8c^7d^7e^{18} + 92768256a^{10}b^9c^6d^6e^{19} - 60235776a^{10}b^{10}c^5d^5e^{20} - 9616384a^{10}b^{11}c^4d^4e^{21} - 369152a^{10}b^{12}c^3d^3e^{22} - 3072a^{10}b^{13}c^2d^2e^{23} + 3744333824a^{11}b^2c^{12}d^{11}e^{14} - 1445986304a^{11}b^3c^{11}d^{10}e^{15} - 2945974272a^{11}b^4c^{10}d^9e^{16} + 3180331008a^{11}b^5c^9d^8e^{17} - 344997888a^{11}b^6c^8d^7e^{18} - 607715328a^{11}b^7c^7d^6e^{19} + 91261952a^{11}b^8c^6d^5e^{20} + 46288896a^{11}b^9c^5d^4e^{21} + 36
\end{aligned}$$

$$\begin{aligned}
& 19072a^{11}b^{10}c^4d^3e^{22} + 73728a^{11}b^{11}c^3d^2e^{23} + 356725552a^{12}b^2c^{11}d^9e^{16} - 1152385024a^{12}b^3c^{10}d^8e^{17} - 1550467072a^{12}b^4c^9d^7e^{18} + 1052180480a^{12}b^5c^8d^6e^{19} + 114114560a^{12}b^6c^7d^5e^{20} - 115572736a^{12}b^7c^6d^4e^{21} - 18767360a^{12}b^8c^5d^3e^{22} - 737280a^{12}b^9c^4d^2e^{23} + 1821048832a^{13}b^2c^{10}d^7e^{18} - 236191744a^{13}b^3c^9d^6e^{19} - 544571392a^{13}b^4c^8d^5e^{20} + 114688000a^{13}b^5c^7d^4e^{21} + 53821440a^{13}b^6c^6d^3e^{22} + 3932160a^{13}b^7c^5d^2e^{23} + 460587008a^{14}b^2c^9d^5e^{20} + 57933824a^{14}b^3c^8d^4e^{21} - 78659584a^{14}b^4c^7d^3e^{22} - 11796480a^{14}b^5c^6d^2e^{23} + 38207488a^{15}b^2c^8d^3e^{22} + 18874368a^{15}b^3c^7d^2e^{23} + 256a^*b^{10}c^{14}d^{23}e^2 - 3072a^*b^{11}c^{13}d^{22}e^3 + 16896a^*b^{12}c^{12}d^{21}e^4 - 56320a^*b^{13}c^{11}d^{20}e^5 + 126720a^*b^{14}c^{10}d^{19}e^6 - 202752a^*b^{15}c^9d^{18}e^7 + 236544a^*b^{16}c^8d^{17}e^8 - 202752a^*b^{17}c^7d^{16}e^9 + 126720a^*b^{18}c^6d^{15}e^{10} - 56320a^*b^{19}c^5d^{14}e^{11} + 16896a^*b^{20}c^4d^{13}e^{12} - 3072a^*b^{21}c^3d^{12}e^{13} + 256a^*b^{22}c^2d^{11}e^{14} + 4718592a^6b^*c^{18}d^{22}e^3 + 38797312a^7b^*c^{17}d^{20}e^5 + 77594624a^8b^*c^{16}d^{18}e^7 - 159383552a^9b^*c^{15}d^{16}e^9 - 1020264448a^{10}b^*c^{14}d^{14}e^{11} - 2128609280a^{11}b^*c^{13}d^{12}e^{13} + 256a^{11}b^{12}c^2d^*e^{24} - 2451570688a^{12}b^*c^{12}d^{10}e^{15} - 6144a^{12}b^{10}c^3d^*e^{24} - 1694498816a^{13}b^*c^{11}d^8e^{17} + 61440a^{13}b^8c^4d^*e^{24} - 691535872a^{14}b^*c^{10}d^6e^{19} - 327680a^{14}b^6c^5d^*e^{24} - 149946368a^{15}b^*c^9d^4e^{21} + 983040a^{15}b^4c^6d^*e^{24} - 12582912a^{16}b^*c^8d^2e^{23} - 1572864a^{16}b^2c^7d^*e^{24}) / (32*(16a^3b^6c^9d^{18} - a^2b^8c^8d^{18} - 256a^6c^{12}d^{18} - 96a^4b^4c^{10}d^{18} + 256a^5b^2c^{11}d^{18} - a^2b^{16}d^{10}e^8 + 8a^3b^{15}d^9e^9 - 28a^4b^{14}d^8e^{10} + 56a^5b^{13}d^7e^{11} - 70a^6b^{12}d^6e^{12} + 56a^7b^{11}d^5e^{13} - 28a^8b^{10}d^4e^{14} + 8a^9b^9d^3e^{15} - a^{10}b^8d^2e^{16} - 2048a^7c^{11}d^{16}e^2 - 7168a^8c^{10}d^{14}e^4 - 14336a^9c^9d^{12}e^6 - 17920a^{10}c^8d^{10}e^8 - 14336a^{11}c^7d^8e^{10} - 7168a^{12}c^6d^6e^{12} - 2048a^{13}c^5d^4e^{14} - 256a^{14}c^4d^2e^{16} - 28a^2b^{10}c^6d^{16}e^2 + 56a^2b^{11}c^5d^{15}e^3 - 70a^2b^{12}c^4d^{14}e^4 + 56a^2b^{13}c^3d^{13}e^5 - 28a^2b^{14}c^2d^{12}e^6 + 440a^3b^8c^7d^{16}e^2 - 840a^3b^9c^6d^{15}e^3 + 952a^3b^{10}c^5d^{14}e^4 - 616a^3b^{11}c^4d^{13}e^5 + 168a^3b^{12}c^3d^{12}e^6 + 40a^3b^{13}c^2d^{11}e^7 - 2560a^4b^6c^8d^{16}e^2 + 4480a^4b^7c^7d^{15}e^3 - 4060a^4b^8c^6d^{14}e^4 + 1064a^4b^9c^5d^{13}e^5 + 1372a^4b^{10}c^4d^{12}e^6 - 1360a^4b^{11}c^3d^{11}e^7 + 380a^4b^{12}c^2d^{10}e^8 + 6400a^5b^4c^9d^{16}e^2 - 8960a^5b^5c^8d^{15}e^3 + 2240a^5b^6c^7d^{14}e^4 + 9856a^5b^7c^6d^{13}e^5 - 13048a^5b^8c^5d^{12}e^6 + 5400a^5b^9c^4d^{11}e^7 + 1040a^5b^{10}c^3d^{10}e^8 - 1360a^5b^{11}c^2d^9e^9 - 5120a^6b^2c^{10}d^{16}e^2 + 22400a^6b^4c^8d^{14}e^4 - 41216a^6b^5c^7d^{13}e^5 + 25088a^6b^6c^6d^{12}e^6 + 8320a^6b^7c^5d^{11}e^7 - 17350a^6b^8c^4d^{10}e^8 + 5400a^6b^9c^3d^9e^9 + 1372a^6b^{10}c^2d^8e^{10} - 35840a^7b^2c^9d^{14}e^4 + 28672a^7b^3c^8d^{13}e^5 + 30464a^7b^4c^7d^{12}e^6 - 73472a^7b^5c^6d^{11}e^7 + 40544a^7b^6c^5d^{10}e^8 + 8320a^7b^7c^4d^9e^9 - 13048a^7b^8c^3d^8e^{10} + 1064a^7b^9c^2d^7e^{11} - 93184a^8b^2c^8d^{12}e^6 + 71680a^8b^3
\end{aligned}$$

$$\begin{aligned}
& *c^7*d^{11}*e^7 + 29120*a^8*b^4*c^6*d^{10}*e^8 - 73472*a^8*b^5*c^5*d^9*e^9 + 25 \\
& 088*a^8*b^6*c^4*d^8*e^{10} + 9856*a^8*b^7*c^3*d^7*e^{11} - 4060*a^8*b^8*c^2*d^6 \\
& *e^{12} - 125440*a^9*b^2*c^7*d^{10}*e^8 + 71680*a^9*b^3*c^6*d^9*e^9 + 30464*a^9 \\
& *b^4*c^5*d^8*e^{10} - 41216*a^9*b^5*c^4*d^7*e^{11} + 2240*a^9*b^6*c^3*d^6*e^{12} \\
& + 4480*a^9*b^7*c^2*d^5*e^{13} - 93184*a^{10}*b^2*c^6*d^8*e^{10} + 28672*a^{10}*b^3* \\
& c^5*d^7*e^{11} + 22400*a^{10}*b^4*c^4*d^6*e^{12} - 8960*a^{10}*b^5*c^3*d^5*e^{13} - 2 \\
& 560*a^{10}*b^6*c^2*d^4*e^{14} - 35840*a^{11}*b^2*c^5*d^6*e^{12} + 6400*a^{11}*b^4*c^3 \\
& *d^4*e^{14} + 768*a^{11}*b^5*c^2*d^3*e^{15} - 5120*a^{12}*b^2*c^4*d^4*e^{14} - 2048*a \\
& ^{12}*b^3*c^3*d^3*e^{15} - 96*a^{12}*b^4*c^2*d^2*e^{16} + 256*a^{13}*b^2*c^3*d^2*e^{16} \\
& + 2048*a^6*b*c^{11}*d^{17}*e + 8*a^2*b^9*c^7*d^{17}*e + 8*a^2*b^{15}*c*d^{11}*e^7 - \\
& 128*a^3*b^7*c^8*d^{17}*e - 40*a^3*b^{14}*c*d^{10}*e^8 + 768*a^4*b^5*c^9*d^{17}*e + \\
& 40*a^4*b^{13}*c*d^9*e^9 - 2048*a^5*b^3*c^{10}*d^{17}*e + 168*a^5*b^{12}*c*d^8*e^{10} \\
& - 616*a^6*b^{11}*c*d^7*e^{11} + 14336*a^7*b*c^{10}*d^{15}*e^3 + 952*a^7*b^{10}*c*d^6* \\
& e^{12} + 43008*a^8*b*c^9*d^{13}*e^5 - 840*a^8*b^9*c*d^5*e^{13} + 71680*a^9*b*c^8* \\
& d^{11}*e^7 + 440*a^9*b^8*c*d^4*e^{14} + 71680*a^{10}*b*c^7*d^9*e^9 - 128*a^{10}*b^7 \\
& *c*d^3*e^{15} + 43008*a^{11}*b*c^6*d^7*e^{11} + 16*a^{11}*b^6*c*d^2*e^{16} + 14336*a^ \\
& ^{12}*b*c^5*d^5*e^{13} + 2048*a^{13}*b*c^4*d^3*e^{15})) + (\text{root}(128723189760*a^{14}*b^ \\
& ^4*c^9*d^{13}*e^{14}*z^6 + 128723189760*a^{12}*b^4*c^{11}*d^{17}*e^{10}*z^6 - 8432455680 \\
& *a^{11}*b^{12}*c^4*d^{11}*e^{16}*z^6 - 8432455680*a^7*b^{12}*c^8*d^{19}*e^8*z^6 + 12673 \\
& 351680*a^{11}*b^{11}*c^5*d^{12}*e^{15}*z^6 + 12673351680*a^8*b^{11}*c^8*d^{18}*e^9*z^6 \\
& - 72637480960*a^{12}*b^9*c^6*d^{12}*e^{15}*z^6 - 72637480960*a^9*b^9*c^9*d^{18}*e^9 \\
& *z^6 - 21048344576*a^9*b^{12}*c^6*d^{15}*e^{12}*z^6 - 16609443840*a^{17}*b^3*c^7*d^ \\
& ^8*e^{19}*z^6 - 16609443840*a^{10}*b^3*c^{14}*d^{22}*e^5*z^6 + 145332633600*a^{13}*b^5 \\
& *c^9*d^{14}*e^{13}*z^6 + 145332633600*a^{12}*b^5*c^{10}*d^{16}*e^{11}*z^6 + 12374035660 \\
& 8*a^{14}*b^5*c^8*d^{12}*e^{15}*z^6 + 123740356608*a^{11}*b^5*c^{11}*d^{18}*e^9*z^6 + 34 \\
& 60300800*a^{17}*b^5*c^5*d^6*e^{21}*z^6 + 3460300800*a^8*b^5*c^{14}*d^{24}*e^3*z^6 - \\
& 7751073792*a^{15}*b^7*c^5*d^8*e^{19}*z^6 - 7751073792*a^8*b^7*c^{12}*d^{22}*e^5*z^ \\
& ^6 + 12041846784*a^{14}*b^7*c^6*d^{10}*e^{17}*z^6 + 12041846784*a^9*b^7*c^{11}*d^{20} \\
& e^7*z^6 - 325545099264*a^{14}*b^3*c^{10}*d^{14}*e^{13}*z^6 - 325545099264*a^{13}*b^3* \\
& c^{11}*d^{16}*e^{11}*z^6 - 3330539520*a^{13}*b^{10}*c^4*d^9*e^{18}*z^6 - 3330539520*a^7 \\
& *b^{10}*c^{10}*d^{21}*e^6*z^6 + 157789716480*a^{12}*b^7*c^8*d^{14}*e^{13}*z^6 + 1577897 \\
& 16480*a^{11}*b^7*c^9*d^{16}*e^{11}*z^6 + 37492359168*a^{11}*b^{10}*c^6*d^{13}*e^{14}*z^6 \\
& + 37492359168*a^9*b^{10}*c^8*d^{17}*e^{10}*z^6 + 301989888*a^8*b^3*c^{16}*d^{26}*e*z^ \\
& ^6 - 7266631680*a^{17}*b^4*c^6*d^7*e^{20}*z^6 - 7266631680*a^9*b^4*c^{14}*d^{23}*e^4 \\
& *z^6 - 201326592*a^{20}*b*c^6*d^4*e^{23}*z^6 - 188743680*a^7*b^5*c^{15}*d^{26}*e*z^ \\
& ^6 + 45747339264*a^{13}*b^8*c^6*d^{11}*e^{16}*z^6 + 45747339264*a^9*b^8*c^{10}*d^{19} \\
& e^8*z^6 - 74612736*a^{10}*b^{16}*c*d^9*e^{18}*z^6 - 2768240640*a^{16}*b^7*c^4*d^6*e \\
& ^{21}*z^6 - 2768240640*a^7*b^7*c^{13}*d^{24}*e^3*z^6 + 69746688*a^{11}*b^{15}*c*d^8*e \\
& ^{19}*z^6 + 62914560*a^6*b^7*c^{14}*d^{26}*e*z^6 + 2752020480*a^{10}*b^{13}*c^4*d^{12} \\
& e^{15}*z^6 + 2752020480*a^7*b^{13}*c^7*d^{18}*e^9*z^6 + 55148544*a^9*b^{17}*c*d^{10} \\
& e^{17}*z^6 - 45957120*a^{12}*b^{14}*c*d^7*e^{20}*z^6 - 2724986880*a^{14}*b^9*c^4*d^8* \\
& e^{19}*z^6 - 2724986880*a^7*b^9*c^{11}*d^{22}*e^5*z^6 - 25952256*a^8*b^{18}*c*d^{11} \\
& e^{16}*z^6 + 21086208*a^{13}*b^{13}*c*d^6*e^{21}*z^6 - 11796480*a^5*b^9*c^{13}*d^{26}*e \\
& *z^6 - 6438912*a^{14}*b^{12}*c*d^5*e^{22}*z^6 + 5406720*a^7*b^{19}*c*d^{12}*e^{15}*z^6 \\
& + 1622016*a^6*b^{20}*c*d^{13}*e^{14}*z^6 - 1523712*a^5*b^{21}*c*d^{14}*e^{13}*z^6 + 117
\end{aligned}$$

$$\begin{aligned}
& 9648a^{15}b^{11}c^4d^4e^{23}z^6 + 1179648a^4b^{11}c^{12}d^{26}e^*z^6 + 442368a^4b^{22}c^4d^{15}e^{12}z^6 - 98304a^{16}b^{10}c^4d^3e^{24}z^6 - 49152a^3b^{23}c^4d^{16}e^{11}z^6 - 49152a^3b^{13}c^{11}d^{26}e^*z^6 + 6897106944a^9b^{13}c^5d^{14}e^{13}z^6 + 6897106944a^8b^{13}c^6d^{16}e^{11}z^6 - 2422210560a^{16}b^6c^5d^7e^{20}z^6 - 2422210560a^8b^6c^{13}d^{23}e^4z^6 + 255785435136a^{14}b^2c^{11}d^{15}e^{12}z^6 + 41004564480a^{15}b^4c^8d^{11}e^{16}z^6 + 41004564480a^{11}b^4c^{12}d^{19}e^8z^6 + 2270822400a^{13}b^{11}c^3d^8e^{19}z^6 + 2270822400a^6b^{11}c^{10}d^{22}e^5z^6 + 23677108224a^{14}b^8c^5d^9e^{18}z^6 + 23677108224a^8b^8c^{11}d^{21}e^6z^6 + 212600881152a^{15}b^2c^{10}d^{13}e^{14}z^6 + 212600881152a^{13}b^2c^{12}d^{17}e^{10}z^6 + 75157733376a^{15}b^5c^7d^{10}e^{17}z^6 + 75157733376a^{10}b^5c^{12}d^{20}e^7z^6 - 251217838080a^{13}b^6c^8d^{13}e^{14}z^6 - 251217838080a^{11}b^6c^{10}d^{17}e^{10}z^6 - 1952907264a^{14}b^{10}c^3d^7e^{20}z^6 - 1952907264a^6b^{10}c^{11}d^{23}e^4z^6 - 27691057152a^{13}b^9c^5d^{10}e^{17}z^6 - 27691057152a^8b^9c^{10}d^{20}e^7z^6 - 1902673920a^8b^{15}c^4d^{14}e^{13}z^6 - 1902673920a^7b^{15}c^5d^{16}e^{11}z^6 + 10465050624a^{10}b^{11}c^6d^{14}e^{13}z^6 + 10465050624a^9b^{11}c^7d^{16}e^{11}z^6 + 1613905920a^9b^{14}c^4d^{13}e^{14}z^6 + 1613905920a^7b^{14}c^6d^{17}e^{10}z^6 - 33218887680a^{17}b^3c^9d^{10}e^{17}z^6 - 33218887680a^{12}b^3c^{14}d^{20}e^7z^6 + 1524695040a^{10}b^{14}c^3d^{11}e^{16}z^6 + 1524695040a^6b^{14}c^7d^{19}e^8z^6 - 1472200704a^{18}b^4c^5d^5e^{22}z^6 - 1472200704a^8b^4c^{15}d^{25}e^2z^6 - 83047219200a^{16}b^3c^8d^{10}e^{17}z^6 - 83047219200a^{11}b^3c^{13}d^{20}e^7z^6 + 44291850240a^{17}b^2c^8d^9e^{18}z^6 + 44291850240a^{11}b^2c^{14}d^{21}e^6z^6 + 1308131328a^8b^{14}c^5d^{15}e^{12}z^6 - 201326592a^9b^3c^{17}d^{26}e^*z^6 + 48530718720a^{12}b^8c^7d^{13}e^{14}z^6 + 48530718720a^{10}b^8c^9d^{17}e^{10}z^6 - 1242644480a^{12}b^{12}c^3d^9e^{18}z^6 - 1242644480a^6b^{12}c^9d^{21}e^6z^6 + 9813196800a^{12}b^{10}c^5d^{11}e^{16}z^6 + 9813196800a^8b^{10}c^9d^{19}e^8z^6 - 93012885504a^{15}b^3c^{11}d^{14}e^{13}z^6 - 93012885504a^{14}b^3c^{12}d^{16}e^{11}z^6 + 177305812992a^{13}b^4c^{10}d^{15}e^{12}z^6 + 52730658816a^{10}b^{10}c^7d^{15}e^{12}z^6 - 1180106752a^9b^{15}c^3d^{12}e^{15}z^6 - 1180106752a^6b^{15}c^6d^{18}e^9z^6 + 1023672320a^{15}b^9c^3d^6e^{21}z^6 + 1023672320a^6b^9c^{12}d^{24}e^3z^6 + 975175680a^{17}b^6c^4d^5e^{22}z^6 + 975175680a^7b^6c^{14}d^25e^2z^6 - 11072962560a^{18}b^3c^8d^8e^{19}z^6 - 11072962560a^{11}b^3c^{15}d^{22}e^5z^6 + 9412018176a^{18}b^2c^7d^7e^{20}z^6 + 9412018176a^{10}b^2c^{15}d^{23}e^4z^6 + 805306368a^{19}b^2c^6d^5e^{22}z^6 + 805306368a^9b^2c^{16}d^{25}e^2z^6 - 133809831936a^{14}b^6c^7d^{11}e^{16}z^6 - 133809831936a^{10}b^6c^{11}d^{19}e^8z^6 - 2214592512a^{19}b^3c^7d^6e^{21}z^6 - 2214592512a^{10}b^3c^{16}d^{24}e^3z^6 + 82216747008a^{13}b^7c^7d^{12}e^{15}z^6 + 82216747008a^{10}b^7c^{10}d^{18}e^9z^6 - 586629120a^{12}b^{13}c^2d^8e^{19}z^6 - 586629120a^5b^{13}c^9d^{22}e^5z^6 + 568565760a^7b^{16}c^4d^{15}e^{12}z^6 - 4844421120a^{16}b^4c^7d^9e^{18}z^6 - 4844421120a^{10}b^4c^{13}d^{21}e^6z^6 + 531210240a^{11}b^{14}c^2d^9e^{18}z^6 + 531210240a^5b^{14}c^8d^{21}e^6z^6 - 527155200a^{11}b^{13}c^3d^{10}e^{17}z^6 - 527155200a^6b^{13}c^8d^{20}e^7z^6 + 43470028800a^{11}b^8c^8d^{15}e^{12}z^6 - 107874877440a^{11}b^9c^7d^{14}e^{13}z^6 - 107874877440a^{10}b^9c^8d^{16}e^{11}z^6 + 9018408960a^{12}
\end{aligned}$$

$$\begin{aligned}
& *b^{11}c^4d^{10}e^{17}z^6 + 9018408960*a^7b^{11}c^9d^{20}e^{7}z^6 + 421994496* \\
& a^{13}b^{12}c^2d^7e^{20}z^6 + 421994496*a^5b^{12}c^{10}d^{23}e^4z^6 - 6643777 \\
& 5360*a^{16}b*c^{10}d^{12}e^{15}z^6 - 66437775360*a^{13}b*c^{13}d^{18}e^9z^6 + 261 \\
& 59874048*a^{16}b^5c^6d^8e^{19}z^6 + 26159874048*a^9b^5c^{13}d^{22}e^5z^6 \\
& - 369098752*a^{18}b^3c^6d^6e^{21}z^6 - 369098752*a^9b^3c^{15}d^{24}e^3z^6 \\
& + 351436800*a^8b^{16}c^3d^{13}e^{14}z^6 + 351436800*a^6b^{16}c^5d^{17}e^{10} \\
& z^6 - 334233600*a^{16}b^8c^3d^5e^{22}z^6 - 334233600*a^6b^8c^{13}d^{25}e^2 \\
& *z^6 + 301989888*a^{19}b^3c^5d^4e^{23}z^6 - 266010624*a^{10}b^{15}c^2d^{10}e \\
& ^{17}z^6 - 266010624*a^5b^{15}c^7d^{20}e^7z^6 - 305198530560*a^{12}b^6c^9d \\
& ^{15}e^{12}z^6 - 203292672*a^{14}b^{11}c^2d^6e^{21}z^6 - 203292672*a^5b^{11}c^ \\
& 11d^{24}e^3z^6 - 188743680*a^{18}b^5c^4d^4e^{23}z^6 + 120418467840*a^{16}b \\
& ^2c^9d^{11}e^{16}z^6 + 120418467840*a^{12}b^2c^{13}d^{19}e^8z^6 - 1729393459 \\
& 2*a^{10}b^{12}c^5d^{13}e^{14}z^6 - 17293934592*a^8b^{12}c^7d^{17}e^{10}z^6 + 10 \\
& 4890368*a^8b^{17}c^2d^{12}e^{15}z^6 + 104890368*a^5b^{17}c^5d^{18}e^9z^6 + \\
& 4390256640*a^{15}b^8c^4d^7e^{20}z^6 + 4390256640*a^7b^8c^{12}d^{23}e^4z^6 \\
& - 91750400*a^6b^{18}c^3d^{15}e^{12}z^6 + 79134720*a^7b^{17}c^3d^{14}e^{13}z^ \\
& 6 + 79134720*a^6b^{17}c^4d^{16}e^{11}z^6 - 74612736*a^4b^{16}c^7d^{21}e^6z^ \\
& 6 - 72990720*a^7b^{18}c^2d^{13}e^{14}z^6 - 72990720*a^5b^{18}c^4d^{17}e^{10}z \\
& ^6 + 69746688*a^4b^{15}c^8d^{22}e^5z^6 + 63700992*a^{15}b^{10}c^2d^5e^{22}z \\
& ^6 + 63700992*a^5b^{10}c^{12}d^{25}e^2z^6 + 62914560*a^{17}b^7c^3d^4e^{23}z \\
& ^6 + 55148544*a^4b^{17}c^6d^{20}e^7z^6 - 45957120*a^4b^{14}c^9d^{23}e^4z^ \\
& 6 - 25952256*a^4b^{18}c^5d^{19}e^8z^6 - 25165824*a^{20}b^2c^5d^3e^{24}z^6 \\
& + 21086208*a^4b^{13}c^{10}d^{24}e^3z^6 + 20643840*a^6b^{19}c^2d^{14}e^{13}z^ \\
& 6 + 20643840*a^5b^{19}c^3d^{16}e^{11}z^6 + 15728640*a^{19}b^4c^4d^3e^{24}z^ \\
& 6 - 11796480*a^{16}b^9c^2d^4e^{23}z^6 - 6438912*a^4b^{12}c^{11}d^{25}e^2z^6 \\
& + 5406720*a^4b^{19}c^4d^{18}e^9z^6 - 5242880*a^{18}b^6c^3d^3e^{24}z^6 + \\
& 3784704*a^3b^{18}c^6d^{21}e^6z^6 - 3244032*a^3b^{19}c^5d^{20}e^7z^6 - 324 \\
& 4032*a^3b^{17}c^7d^{22}e^5z^6 + 2027520*a^3b^{20}c^4d^{19}e^8z^6 + 202752 \\
& 0*a^3b^{16}c^8d^{23}e^4z^6 - 1622016*a^9b^{16}c^2d^{11}e^{16}z^6 - 1622016* \\
& a^5b^{16}c^6d^{19}e^8z^6 + 1622016*a^4b^{20}c^3d^{17}e^{10}z^6 - 1523712*a^ \\
& 4b^{21}c^2d^{16}e^{11}z^6 + 983040*a^{17}b^8c^2d^3e^{24}z^6 - 901120*a^3b^ \\
& 21c^3d^{18}e^9z^6 - 901120*a^3b^{15}c^9d^{24}e^3z^6 + 270336*a^3b^{22}c^ \\
& 2d^{17}e^{10}z^6 + 270336*a^3b^{14}c^{10}d^{25}e^2z^6 + 172032*a^5b^{20}c^2d \\
& ^{15}e^{12}z^6 - 38593888256*a^{15}b^6c^6d^9e^{18}z^6 - 38593888256*a^9b^6c \\
& ^{12}d^{21}e^6z^6 - 210386288640*a^{15}b^3c^9d^{12}e^{15}z^6 - 210386288640* \\
& a^{12}b^3c^{12}d^{18}e^9z^6 + 15502147584*a^{15}c^{12}d^{15}e^{12}z^6 + 11072962 \\
& 56*a^{19}c^8d^7e^{20}z^6 + 1107296256*a^{11}c^{16}d^{23}e^4z^6 + 13287555072* \\
& a^{16}c^{11}d^{13}e^{14}z^6 + 13287555072*a^{14}c^{13}d^{17}e^{10}z^6 + 201326592*a \\
& ^{20}c^7d^5e^{22}z^6 + 201326592*a^{10}c^{17}d^{25}e^2z^6 + 16777216*a^{21}c^6 \\
& *d^3e^{24}z^6 + 3784704*a^9b^{18}d^9e^{18}z^6 - 3244032*a^{10}b^{17}d^8e^{19} \\
& z^6 - 3244032*a^8b^{19}d^{10}e^{17}z^6 + 2027520*a^{11}b^{16}d^7e^{20}z^6 + 202 \\
& 7520*a^7b^{20}d^{11}e^{16}z^6 - 901120*a^{12}b^{15}d^6e^{21}z^6 - 901120*a^6b^ \\
& 21d^{12}e^{15}z^6 + 270336*a^{13}b^{14}d^5e^{22}z^6 + 270336*a^5b^{22}d^{13}e^1 \\
& 4z^6 - 49152*a^{14}b^{13}d^4e^{23}z^6 - 49152*a^4b^{23}d^{14}e^{13}z^6 + 4096* \\
& a^{15}b^{12}d^3e^{24}z^6 + 4096*a^3b^{24}d^{15}e^{12}z^6 - 25165824*a^8b^2c^1
\end{aligned}$$

$$\begin{aligned}
& 7*d^{27}*z^6 + 15728640*a^7*b^4*c^{16}*d^{27}*z^6 - 5242880*a^6*b^6*c^{15}*d^{27}*z^6 \\
& + 983040*a^5*b^8*c^{14}*d^{27}*z^6 - 98304*a^4*b^{10}*c^{13}*d^{27}*z^6 + 4096*a^3*b^{12}*c^{12}*d^{27}*z^6 + 8304721920*a^{17}*c^{10}*d^{11}*e^{16}*z^6 + 8304721920*a^{13}*c^{14}*d^{19}*e^8*z^6 + 3690987520*a^{18}*c^9*d^9*e^{18}*z^6 + 3690987520*a^{12}*c^{15}*d^{21}*e^6*z^6 + 16777216*a^9*c^{18}*d^{27}*z^6 - 8493371392*a^6*b^8*c^9*d^{14}*e^9*z^4 + 1458044928*a^8*b*c^{14}*d^{17}*e^6*z^4 - 12604538880*a^{11}*b^4*c^8*d^8*e^{15}*z^4 - 8303067136*a^9*b^5*c^9*d^{11}*e^{12}*z^4 - 5588058112*a^{13}*b*c^9*d^7*e^{16}*z^4 - 3892838400*a^8*b^2*c^{13}*d^{16}*e^7*z^4 - 3611713536*a^8*b^8*c^7*d^{10}*e^{13}*z^4 + 7819006464*a^7*b^9*c^7*d^{11}*e^{12}*z^4 - 7782137856*a^8*b^7*c^8*d^{11}*e^{12}*z^4 + 7780433920*a^{12}*b^2*c^9*d^8*e^{15}*z^4 - 12020465664*a^7*b^5*c^{11}*d^{15}*e^8*z^4 + 3176792064*a^8*b^3*c^{12}*d^{15}*e^8*z^4 - 322633728*a^{15}*b*c^7*d^3*e^{20}*z^4 + 210829312*a^7*b*c^{15}*d^{19}*e^4*z^4 + 15623258112*a^9*b^6*c^8*d^{10}*e^{13}*z^4 + 25165824*a^{15}*b^3*c^5*d*e^{22}*z^4 - 15728640*a^{14}*b^5*c^4*d*e^{22}*z^4 + 12582912*a^5*b^2*c^{16}*d^{22}*e*z^4 - 11730944*a^4*b^4*c^{15}*d^2*e*z^4 + 5242880*a^{13}*b^7*c^3*d*e^{22}*z^4 - 4561920*a*b^{15}*c^7*d^{17}*e^6*z^4 + 4521984*a^3*b^6*c^{14}*d^{22}*e*z^4 + 4460544*a*b^{14}*c^8*d^{18}*e^5*z^4 + 3538944*a^6*b*c^{16}*d^{21}*e^2*z^4 + 3108864*a*b^{16}*c^6*d^{16}*e^7*z^4 - 3027200*a*b^{13}*c^9*d^{19}*e^4*z^4 - 2345472*a^5*b^{17}*c*d^7*e^{16}*z^4 - 2307072*a^8*b^{14}*c*d^4*e^{19}*z^4 + 1824768*a^6*b^{16}*c*d^6*e^{17}*z^4 + 1734912*a^9*b^{13}*c*d^3*e^{20}*z^4 + 1419264*a*b^{12}*c^{10}*d^{20}*e^3*z^4 - 1191168*a*b^{17}*c^5*d^{15}*e^8*z^4 - 983040*a^{12}*b^9*c^2*d*e^{22}*z^4 + 964608*a^4*b^{18}*c*d^8*e^{15}*z^4 - 866304*a^2*b^8*c^{13}*d^{22}*e*z^4 + 703488*a^7*b^{15}*c*d^5*e^{18}*z^4 - 608256*a^{10}*b^{12}*c*d^2*e^{21}*z^4 - 440832*a*b^{11}*c^{11}*d^{21}*e^2*z^4 + 275968*a*b^{19}*c^3*d^{13}*e^{10}*z^4 - 159744*a^2*b^{20}*c*d^{10}*e^{13}*z^4 - 153600*a*b^{20}*c^2*d^{12}*e^{11}*z^4 + 64512*a^3*b^{19}*c*d^9*e^{14}*z^4 + 19746062336*a^8*b^6*c^9*d^{12}*e^{11}*z^4 - 15333588992*a^{10}*b^4*c^9*d^{10}*e^{13}*z^4 + 6702170112*a^7*b^4*c^{12}*d^{16}*e^7*z^4 + 15167913984*a^{10}*b^3*c^{10}*d^{11}*e^{12}*z^4 - 2256638976*a^5*b^{11}*c^7*d^{13}*e^{10}*z^4 + 2254307328*a^5*b^7*c^{11}*d^{17}*e^6*z^4 - 2200633344*a^6*b^5*c^{12}*d^{17}*e^6*z^4 + 6457131008*a^{11}*b^3*c^9*d^9*e^{14}*z^4 - 2128785408*a^5*b^8*c^{10}*d^{16}*e^7*z^4 - 2126057472*a^6*b^{11}*c^6*d^{11}*e^{12}*z^4 + 2038349824*a^{12}*b^5*c^6*d^5*e^{18}*z^4 + 2037841920*a^5*b^{10}*c^8*d^{14}*e^9*z^4 + 3615621120*a^9*b*c^{13}*d^{15}*e^8*z^4 + 1900019712*a^{11}*b^2*c^{10}*d^{10}*e^{13}*z^4 + 1867698432*a^9*b^9*c^5*d^7*e^{16}*z^4 - 6157369344*a^9*b^4*c^{10}*d^{12}*e^{11}*z^4 - 1856913408*a^7*b^{10}*c^6*d^{10}*e^{13}*z^4 + 1789132800*a^6*b^4*c^{13}*d^{18}*e^5*z^4 + 6082658304*a^8*b^4*c^{11}*d^{14}*e^9*z^4 + 6029549568*a^{11}*b^5*c^7*d^7*e^{16}*z^4 + 6010159104*a^6*b^7*c^{10}*d^{15}*e^8*z^4 + 1703182336*a^7*b^7*c^9*d^{13}*e^{10}*z^4 + 1658388480*a^{11}*b^6*c^6*d^6*e^{17}*z^4 + 5917114368*a^{10}*b^6*c^7*d^8*e^{15}*z^4 - 1591197696*a^{11}*b^7*c^5*d^5*e^{18}*z^4 - 1526464512*a^8*b^{10}*c^5*d^8*e^{15}*z^4 - 5772607488*a^{12}*b^4*c^7*d^6*e^{17}*z^4 - 1423507456*a^{13}*b^4*c^6*d^4*e^{19}*z^4 - 1387266048*a^7*b^3*c^{13}*d^{17}*e^6*z^4 + 2976120832*a^{10}*b*c^{12}*d^{13}*e^{10}*z^4 - 9906946048*a^9*b^2*c^{12}*d^{14}*e^9*z^4 - 18421874688*a^8*b^5*c^{10}*d^{13}*e^{10}*z^4 + 1141217280*a^6*b^{12}*c^5*d^{10}*e^{13}*z^4 - 9714364416*a^7*b^8*c^8*d^{12}*e^{11}*z^4 - 16777216*a^{16}*b*c^6*d*e^{22}*z^4 + 98304*a^{11}*b^{11}*c*d*e^{22}*z^4 + 81920*a*b^{10}*c^{12}*d^{22}*e*z^4 + 39168*a*b^{21}*c*d^{11}*e^{12}*z^4 - 1091829760*a^5*b^6*c^{12}*d^{18}*e^5*z^4 + 1046740992*a^{14}*b^2*c^7*d^4*e^{19}*z^4
\end{aligned}$$

$$\begin{aligned}
& 4 - 6884425728*a^{12}*b*c^{10}*d^9*e^{14}*z^4 + 987445248*a^4*b^{10}*c^9*d^{16}*e^7*z^4 + 984087552*a^5*b^{12}*c^6*d^{12}*e^{11}*z^4 - 9564585984*a^9*b^7*c^7*d^9*e^{14} \\
& *z^4 - 5266857984*a^{10}*b^7*c^6*d^7*e^{16}*z^4 - 892145664*a^7*b^{11}*c^5*d^9*e^{14} \\
& *z^4 - 2444623872*a^{11}*b*c^{11}*d^{11}*e^{12}*z^4 + 768540672*a^{12}*b^3*c^8*d^7* \\
& e^{16}*z^4 + 5048322048*a^8*b^9*c^6*d^9*e^{14}*z^4 + 5047612416*a^6*b^9*c^8*d^{11} \\
& *e^{10}*z^4 - 732492288*a^4*b^{11}*c^8*d^{15}*e^8*z^4 + 9266921472*a^7*b^6*c^{10} \\
& *d^{14}*e^9*z^4 - 645857280*a^6*b^6*c^{11}*d^{16}*e^7*z^4 - 623867904*a^4*b^9*c^{10} \\
& *d^{17}*e^6*z^4 - 622067712*a^6*b^3*c^{14}*d^{19}*e^4*z^4 + 582617088*a^{10}*b^8*c^5 \\
& *d^6*e^{17}*z^4 + 577119744*a^7*b^{12}*c^4*d^8*e^{15}*z^4 + 552566784*a^{12}*b^6*c^5 \\
& *d^4*e^{19}*z^4 + 549224448*a^9*b^8*c^6*d^8*e^{15}*z^4 - 526565376*a^9*b^{10}*c^4 \\
& *d^6*e^{17}*z^4 + 511520256*a^{10}*b^9*c^4*d^5*e^{18}*z^4 + 13393723392*a^9*b^3 \\
& *c^{11}*d^{13}*e^{10}*z^4 - 2066350080*a^{14}*b*c^8*d^5*e^{18}*z^4 + 4718592000*a^{13} \\
& *b^2*c^8*d^6*e^{17}*z^4 - 314572800*a^7*b^2*c^{14}*d^{18}*e^5*z^4 + 287250432*a^4* \\
& b^{13}*c^6*d^{13}*e^{10}*z^4 + 4565827584*a^{10}*b^5*c^8*d^9*e^{14}*z^4 - 250785792*a^4 \\
& *b^{14}*c^5*d^{12}*e^{11}*z^4 + 235536384*a^{13}*b^3*c^7*d^5*e^{18}*z^4 - 232683264 \\
& *a^8*b^{11}*c^4*d^7*e^{16}*z^4 - 199627776*a^5*b^{14}*c^4*d^{10}*e^{13}*z^4 - 1902673 \\
& 92*a^{12}*b^7*c^4*d^3*e^{20}*z^4 + 184891392*a^6*b^{10}*c^7*d^{12}*e^{11}*z^4 + 18050 \\
& 2528*a^4*b^7*c^{12}*d^{19}*e^4*z^4 + 178877952*a^3*b^{13}*c^7*d^{15}*e^8*z^4 + 1724 \\
& 90752*a^{14}*b^3*c^6*d^3*e^{20}*z^4 + 163946496*a^{13}*b^5*c^5*d^3*e^{20}*z^4 + 155 \\
& 839488*a^8*b^{12}*c^3*d^6*e^{17}*z^4 + 155000832*a^5*b^5*c^{13}*d^{19}*e^4*z^4 - 15 \\
& 2076288*a^4*b^6*c^{13}*d^{20}*e^3*z^4 - 137592576*a^3*b^{12}*c^8*d^{16}*e^7*z^4 - 1 \\
& 33693440*a^{14}*b^4*c^5*d^2*e^{21}*z^4 - 116767488*a^3*b^9*c^{11}*d^{19}*e^4*z^4 - \\
& 108985344*a^3*b^{14}*c^6*d^{14}*e^9*z^4 - 106223616*a^6*b^{13}*c^4*d^9*e^{14}*z^4 + \\
& 106119168*a^3*b^{10}*c^{10}*d^{18}*e^5*z^4 + 102432768*a^5*b^4*c^{14}*d^{20}*e^3*z^4 \\
& + 102113280*a^4*b^{12}*c^7*d^{14}*e^9*z^4 + 100674048*a^5*b^9*c^9*d^{15}*e^8*z^4 \\
& + 90439680*a^{13}*b^6*c^4*d^2*e^{21}*z^4 - 86808576*a^6*b^{14}*c^3*d^8*e^{15}*z^4 \\
& + 86245376*a^6*b^2*c^{15}*d^{20}*e^3*z^4 + 79011840*a^4*b^8*c^{11}*d^{18}*e^5*z^4 + \\
& 78345216*a^4*b^{15}*c^4*d^{11}*e^{12}*z^4 + 78006528*a^{11}*b^9*c^3*d^3*e^{20}*z^4 - \\
& 73253376*a^9*b^{11}*c^3*d^5*e^{18}*z^4 + 67524608*a^3*b^8*c^{12}*d^{20}*e^3*z^4 + \\
& 67108864*a^{15}*b^2*c^6*d^2*e^{21}*z^4 - 61590528*a^{10}*b^{10}*c^3*d^4*e^{19}*z^4 + \\
& 61559808*a^5*b^{15}*c^3*d^9*e^{14}*z^4 - 59637760*a^5*b^3*c^{15}*d^{21}*e^2*z^4 + 5 \\
& 8638336*a^4*b^5*c^{14}*d^{21}*e^2*z^4 - 40828416*a^7*b^{13}*c^3*d^7*e^{16}*z^4 - 35 \\
& 639296*a^2*b^{12}*c^9*d^{18}*e^5*z^4 - 31293440*a^{12}*b^8*c^3*d^2*e^{21}*z^4 + 299 \\
& 33568*a^5*b^{13}*c^5*d^{11}*e^{12}*z^4 + 27793920*a^2*b^{11}*c^{10}*d^{19}*e^4*z^4 + 27 \\
& 168768*a^2*b^{13}*c^8*d^{17}*e^6*z^4 - 23602176*a^7*b^{14}*c^2*d^6*e^{17}*z^4 - 232 \\
& 48896*a^3*b^7*c^{13}*d^{21}*e^2*z^4 + 20929536*a^3*b^{15}*c^5*d^{13}*e^{10}*z^4 + 184 \\
& 28928*a^9*b^{12}*c^2*d^4*e^{19}*z^4 + 18026496*a^6*b^{15}*c^2*d^7*e^{16}*z^4 - 1626 \\
& 1632*a^{10}*b^{11}*c^2*d^3*e^{20}*z^4 + 15128064*a^3*b^{16}*c^4*d^{12}*e^{11}*z^4 - 140 \\
& 60544*a^2*b^{10}*c^{11}*d^{20}*e^3*z^4 + 13178880*a^2*b^{16}*c^5*d^{14}*e^9*z^4 - 112 \\
& 44288*a^3*b^{17}*c^3*d^{11}*e^{12}*z^4 - 10509312*a^2*b^{15}*c^6*d^{15}*e^8*z^4 - 726 \\
& 2208*a^4*b^{17}*c^2*d^9*e^{14}*z^4 - 7045632*a^2*b^{17}*c^4*d^{13}*e^{10}*z^4 - 62853 \\
& 12*a^2*b^{14}*c^7*d^{16}*e^7*z^4 + 5996544*a^{11}*b^{10}*c^2*d^2*e^{21}*z^4 + 4558336 \\
& *a^2*b^9*c^{12}*d^{21}*e^2*z^4 + 4478976*a^{11}*b^8*c^4*d^4*e^{19}*z^4 + 2850816*a^4 \\
& *b^{16}*c^3*d^{10}*e^{13}*z^4 + 2629632*a^3*b^{11}*c^9*d^{17}*e^6*z^4 + 2503680*a^3* \\
& b^{18}*c^2*d^{10}*e^{13}*z^4 + 1627136*a^2*b^{18}*c^3*d^{12}*e^{11}*z^4 + 1605120*a^8*b
\end{aligned}$$

$$\begin{aligned}
& ^{13}c^2d^5e^{18}z^4 + 1483776a^5b^{16}c^2d^8e^{15}z^4 + 139776a^2b^{19}c^2d^{11}e^{12}z^4 - 8542224384a^{10}b^2c^{11}d^{12}e^{11}z^4 - 3072b^{22}c^2d^{12}e^{11}z^4 - 3072b^{12}c^{11}d^{22}e^*z^4 - 1572864a^6c^{17}d^{22}e^*z^4 - 4096a^{10}b^{13}d^e^{22}z^4 - 4096a^*b^{22}d^{10}e^{13}z^4 - 6144a^{12}b^{10}c^*e^{23}z^4 - 983040a^5b^*c^{17}d^{23}z^4 - 6912a^*b^9c^{13}d^{23}z^4 + 1824522240a^{13}c^{10}d^8e^{15}z^4 + 1730150400a^{12}c^{11}d^{10}e^{13}z^4 + 958922752a^{14}c^9d^6e^{17}z^4 - 537919488a^9c^{14}d^{16}e^7z^4 + 508559360a^{11}c^{12}d^{12}e^{11}z^4 - 500170752a^{10}c^{13}d^{14}e^9z^4 + 246939648a^{15}c^8d^4e^{19}z^4 - 199229440a^8c^{15}d^{18}e^5z^4 - 29884416a^7c^{16}d^{20}e^3z^4 + 25165824a^{16}c^7d^2e^{21}z^4 + 236544b^{17}c^6d^{17}e^6z^4 - 202752b^{18}c^5d^{16}e^7z^4 - 202752b^{16}c^7d^{18}e^5z^4 + 126720b^{19}c^4d^{15}e^8z^4 + 126720b^{15}c^8d^{19}e^4z^4 - 56320b^{20}c^3d^{14}e^9z^4 - 56320b^{14}c^9d^{20}e^3z^4 + 16896b^{21}c^2d^{13}e^{10}z^4 + 16896b^{13}c^{10}d^{21}e^2z^4 + 110080a^7b^{16}d^4e^{19}z^4 + 110080a^4b^{19}d^7e^{16}z^4 - 75520a^8b^{15}d^3e^{20}z^4 - 75520a^3b^{20}d^8e^{15}z^4 - 56320a^6b^{17}d^5e^{18}z^4 - 56320a^5b^{18}d^6e^{17}z^4 + 25600a^9b^{14}d^2e^{21}z^4 + 25600a^2b^{21}d^9e^{14}z^4 - 1572864a^{16}b^2c^5e^{23}z^4 + 983040a^{15}b^4c^4e^{23}z^4 - 327680a^{14}b^6c^3e^{23}z^4 + 61440a^{13}b^8c^2e^{23}z^4 + 983040a^4b^3c^{16}d^{23}z^4 - 385024a^3b^5c^{15}d^{23}z^4 + 73728a^2b^7c^{14}d^{23}z^4 + 256b^{23}d^{11}e^{12}z^4 + 1048576a^{17}c^6e^{23}z^4 + 256b^{11}c^{12}d^{23}z^4 + 256a^{11}b^{12}e^{23}z^4 + 948695040a^8b^*c^{10}d^6e^{13}z^2 + 348917760a^7b^*c^{11}d^8e^{11}z^2 - 125030400a^9b^*c^9d^4e^{15}z^2 - 50728960a^6b^*c^{12}d^{10}e^9z^2 - 44298240a^5b^*c^{13}d^{12}e^7z^2 - 36495360a^{10}b^*c^8d^2e^{17}z^2 + 29675520a^8b^6c^5d^e^{18}z^2 - 24170496a^9b^4c^6d^e^{18}z^2 - 17202816a^7b^8c^4d^e^{18}z^2 - 14561280a^4b^*c^{14}d^{14}e^5z^2 + 5532416a^6b^{10}c^3d^e^{18}z^2 + 4128768a^{10}b^2c^7d^e^{18}z^2 - 2662400a^3b^*c^{15}d^{16}e^3z^2 + 1184512a^*b^{12}c^6d^9e^{10}z^2 - 1136160a^*b^{13}c^5d^8e^{11}z^2 - 1017600a^5b^{12}c^2d^e^{18}z^2 - 744768a^*b^{11}c^7d^{10}e^9z^2 + 607872a^*b^{14}c^4d^7e^{12}z^2 - 424064a^*b^6c^{12}d^{15}e^4z^2 + 408576a^*b^5c^{13}d^{16}e^3z^2 + 361152a^*b^{10}c^8d^{11}e^8z^2 - 287408a^*b^9c^9d^{12}e^7z^2 - 260448a^3b^{15}c^d^2e^{17}z^2 - 203904a^*b^4c^{14}d^{17}e^2z^2 + 200832a^*b^8c^{10}d^{13}e^6z^2 + 126720a^*b^7c^{11}d^{14}e^5z^2 - 123968a^*b^{15}c^3d^6e^{13}z^2 - 39168a^*b^{16}c^2d^5e^{14}z^2 + 11904a^2b^{16}c^d^3e^{16}z^2 + 1824135552a^7b^4c^8d^5e^{14}z^2 - 1457252352a^8b^2c^9d^5e^{14}z^2 - 1405209600a^7b^5c^7d^4e^{15}z^2 - 184320a^2b^*c^{16}d^{18}e^*z^2 + 100608a^4b^{14}c^*d^e^{18}z^2 + 53248a^*b^3c^{15}d^{18}e^*z^2 + 26448a^*b^{17}c^*d^4e^{15}z^2 + 1067599872a^8b^3c^8d^4e^{15}z^2 - 930828288a^7b^3c^9d^6e^{13}z^2 + 920760000a^6b^4c^9d^7e^{12}z^2 - 806639616a^6b^3c^{10}d^8e^{11}z^2 - 791052480a^6b^6c^7d^5e^{14}z^2 + 772237824a^6b^7c^6d^4e^{15}z^2 - 701025408a^5b^6c^8d^7e^{12}z^2 + 443340288a^5b^5c^9d^8e^{11}z^2 + 433047552a^7b^6c^6d^3e^{16}z^2 + 405741312a^5b^7c^7d^6e^{13}z^2 + 293652480a^6b^2c^{11}d^9e^{10}z^2 - 276962688a^6b^8c^5d^3e^{16}z^2 - 247804272a^8b^4c^7d^3e^{16}z^2 + 213564384a^4b^8c^7d^7e^{12}z^2 - 202596816a^5b^9c^5d^4e^{15}z^2 - 182520896a^4b^9c^6d^6e^{13}z^2 - 153489408a^5b^3c
\end{aligned}$$

$$\begin{aligned}
& ^{11}d^{10}e^9z^2 - 152151552a^7b^2c^{10}d^7e^{12}z^2 + 115859712a^5b^2c^{12}d^{11}e^8z^2 + 108085248a^9b^3c^7d^2e^{17}z^2 + 105536256a^4b^5c^{10}d^{10}e^9z^2 - 98323200a^6b^5c^8d^6e^{13}z^2 - 93564992a^4b^6c^9d^9e^{10}z^2 + 89464512a^5b^{10}c^4d^3e^{16}z^2 - 75930624a^8b^5c^6d^2e^{17}z^2 + 68315904a^5b^8c^6d^5e^{14}z^2 - 64157184a^4b^7c^8d^8e^{11}z^2 - 62951040a^9b^2c^8d^3e^{16}z^2 + 49056768a^4b^{10}c^5d^5e^{14}z^2 + 47614464a^3b^8c^8d^9e^{10}z^2 + 35604480a^4b^2c^{13}d^{13}e^6z^2 + 33983040a^3b^{11}c^5d^6e^{13}z^2 - 33515520a^4b^3c^{12}d^{12}e^7z^2 - 33463808a^3b^7c^9d^{10}e^9z^2 - 25128864a^4b^4c^{11}d^{11}e^8z^2 - 23193728a^3b^{10}c^6d^7e^{12}z^2 + 21015456a^6b^9c^4d^2e^{17}z^2 + 19924176a^4b^{11}c^4d^4e^{15}z^2 - 19251216a^3b^9c^7d^8e^{11}z^2 - 16434048a^5b^4c^{10}d^9e^{10}z^2 - 16289664a^3b^{12}c^4d^5e^{14}z^2 - 15059328a^4b^{12}c^3d^3e^{16}z^2 - 10766016a^2b^{10}c^7d^9e^{10}z^2 - 10453632a^5b^{11}c^3d^2e^{17}z^2 - 9940992a^3b^3c^{13}d^{14}e^5z^2 + 8373696a^2b^{11}c^6d^8e^{11}z^2 + 7776768a^3b^2c^{14}d^{15}e^4z^2 + 7077888a^3b^5c^{11}d^{12}e^7z^2 + 6798240a^2b^9c^8d^{10}e^9z^2 - 3589440a^2b^6c^{11}d^{13}e^6z^2 + 3544320a^3b^6c^{10}d^{11}e^8z^2 + 3128064a^2b^5c^{12}d^{14}e^5z^2 + 2346336a^4b^{13}c^2d^2e^{17}z^2 - 2261568a^2b^8c^9d^{11}e^8z^2 - 2125824a^2b^{13}c^4d^6e^{13}z^2 + 2002560a^3b^4c^{12}d^{13}e^6z^2 + 1927680a^2b^7c^{10}d^{12}e^7z^2 + 1814784a^2b^{14}c^3d^5e^{14}z^2 - 1807104a^2b^{12}c^5d^7e^{12}z^2 + 1637808a^3b^{13}c^3d^4e^{15}z^2 + 1083456a^3b^{14}c^2d^3e^{16}z^2 - 792384a^2b^4c^{13}d^{15}e^4z^2 - 657408a^2b^3c^{14}d^{16}e^3z^2 + 608256a^7b^7c^5d^2e^{17}z^2 + 595968a^2b^2c^{15}d^{17}e^2z^2 - 498624a^2b^{15}c^2d^4e^{15}z^2 - 3840b^{18}c^d^5e^{14}z^2 - 3840b^5c^{14}d^{18}e^z^2 + 2064384a^{11}c^8d^e^{18}z^2 - 4160a^3b^{16}d^e^{18}z^2 - 4160a^b^{18}d^3e^{16}z^2 - 1290240a^{11}b^c^7e^{19}z^2 - 9840a^5b^{13}c^e^{19}z^2 - 5760a^b^2c^{16}d^{19}z^2 - 280581120a^8c^{11}d^7e^{12}z^2 + 110278656a^9c^{10}d^5e^{14}z^2 - 89479168a^7c^{12}d^9e^{10}z^2 + 34464000a^{10}c^9d^3e^{16}z^2 + 54240b^{15}c^4d^8e^{11}z^2 + 54240b^8c^{11}d^{15}e^4z^2 - 49920b^{14}c^5d^9e^{10}z^2 - 49920b^9c^{10}d^{14}e^5z^2 - 37376b^{16}c^3d^7e^{12}z^2 - 37376b^7c^{12}d^{16}e^3z^2 + 28480b^{13}c^6d^{10}e^9z^2 + 28480b^{10}c^9d^{13}e^6z^2 + 15936b^{17}c^2d^6e^{13}z^2 + 15936b^6c^{13}d^{17}e^2z^2 - 7920b^{12}c^7d^{11}e^8z^2 - 7920b^{11}c^8d^{12}e^7z^2 + 7489536a^5c^{14}d^{13}e^6z^2 + 6084096a^6c^{13}d^{11}e^8z^2 + 2280448a^4c^{15}d^{15}e^4z^2 + 350208a^3c^{16}d^{17}e^2z^2 + 11616a^2b^{17}d^2e^{17}z^2 - 3515904a^9b^5c^5e^{19}z^2 + 3440640a^{10}b^3c^6e^{19}z^2 + 1870848a^8b^7c^4e^{19}z^2 - 572272a^7b^9c^3e^{19}z^2 + 101856a^6b^{11}c^2e^{19}z^2 + 400b^{19}d^4e^{15}z^2 + 400b^4c^{15}d^{19}z^2 + 20736a^2c^{17}d^{19}z^2 + 400a^4b^{15}e^{19}z^2 - 3969216a^4b^c^{10}d^3e^{12} - 3001536a^3b^c^{11}d^5e^{10} - 419904a^2b^c^{12}d^7e^8 + 184608a^4b^3c^8d^e^{14} - 153036a^b^4c^{10}d^6e^9 + 127008a^b^3c^{11}d^7e^8 + 63108a^b^6c^8d^4e^{11} - 29160a^b^2c^{12}d^8e^7 - 21060a^3b^5c^7d^e^{14} - 21060a^b^7c^7d^3e^{12} + 5460a^b^5c^9d^5e^{10} - 404544a^5b^c^9d^e^{14} + 1251872a^3b^3c^9d^3e^{12} + 844224a^4b^2c^9d^2e^{13} + 820512a^2b^3c^{10}d^5e^{10} + 750672a^3b^2c^{10}d^4e^{11} - 6
\end{aligned}$$

$$\begin{aligned}
& 57498a^2b^4c^9d^4e^{11} - 487116a^3b^4c^8d^2e^{13} + 160704a^2b^2c^{11}d^6e^9 + 58806a^2b^6c^7d^2e^{13} + 13140a^2b^5c^8d^3e^{12} + 15286b^6c^9d^6e^9 - 9540b^7c^8d^5e^{10} - 9540b^5c^{10}d^7e^8 + 2025b^8c^7d^4e^{11} + 2025b^4c^{11}d^8e^7 + 3367008a^4c^{11}d^4e^{11} + 1166400a^3c^{12}d^6e^9 + 705600a^5c^{10}d^2e^{13} + 104976a^2c^{13}d^8e^7 - 17640a^5b^2c^8e^{15} + 2025a^4b^4c^7e^{15} + 38416a^6c^9e^{15}, z, k) * \\
& x * (1048576a^8c^{19}d^{24}e^3 + 9437184a^9c^{18}d^{22}e^5 + 36700160a^{10}c^{17}d^{20}e^7 + 78643200a^{11}c^{16}d^{18}e^9 + 94371840a^{12}c^{15}d^{16}e^{11} + 44040192a^{13}c^{14}d^{14}e^{13} - 44040192a^{14}c^{13}d^{12}e^{15} - 94371840a^{15}c^{12}d^{10}e^{17} - 78643200a^{16}c^{11}d^8e^{19} - 36700160a^{17}c^{10}d^6e^{21} - 9437184a^{18}c^9d^4e^{23} - 1048576a^{19}c^8d^2e^{25} - 256a^2b^{11}c^{14}d^{25}e^2 + 3072a^2b^{12}c^{13}d^{24}e^3 - 16896a^2b^{13}c^{12}d^{23}e^4 + 56320a^2b^{14}c^{11}d^{22}e^5 - 126720a^2b^{15}c^{10}d^{21}e^6 + 202752a^2b^{16}c^9d^{20}e^7 - 236544a^2b^{17}c^8d^{19}e^8 + 202752a^2b^{18}c^7d^{18}e^9 - 126720a^2b^{19}c^6d^{17}e^{10} + 56320a^2b^{20}c^5d^{16}e^{11} - 16896a^2b^{21}c^4d^{15}e^{12} + 3072a^2b^{22}c^3d^{14}e^{13} - 256a^2b^{23}c^2d^{13}e^{14} + 5120a^3b^9c^{15}d^{25}e^2 - 62464a^3b^{10}c^{14}d^{24}e^3 + 346368a^3b^{11}c^{13}d^{23}e^4 - 1152256a^3b^{12}c^{12}d^{22}e^5 + 2553600a^3b^{13}c^{11}d^{21}e^6 - 3951360a^3b^{14}c^{10}d^{20}e^7 + 4336128a^3b^{15}c^9d^{19}e^8 - 3334656a^3b^{16}c^8d^{18}e^9 + 1700352a^3b^{17}c^7d^{17}e^{10} - 473600a^3b^{18}c^6d^{16}e^{11} - 8960a^3b^{19}c^5d^{15}e^{12} + 59136a^3b^{20}c^4d^{14}e^{13} - 19712a^3b^{21}c^3d^{13}e^{14} + 2304a^3b^{22}c^2d^{12}e^{15} - 40960a^4b^7c^{16}d^{25}e^2 + 512000a^4b^8c^{15}d^{24}e^3 - 2872320a^4b^9c^{14}d^{23}e^4 + 9519104a^4b^{10}c^{13}d^{22}e^5 - 20581120a^4b^{11}c^{12}d^{21}e^6 + 30087680a^4b^{12}c^{11}d^{20}e^7 - 29433600a^4b^{13}c^{10}d^{19}e^8 + 17602560a^4b^{14}c^9d^{18}e^9 - 3798528a^4b^{15}c^8d^{17}e^{10} - 3077120a^4b^{16}c^7d^{16}e^{11} + 3028480a^4b^{17}c^6d^{15}e^{12} - 1075200a^4b^{18}c^5d^{14}e^{13} + 98560a^4b^{19}c^4d^{13}e^{14} + 39424a^4b^{20}c^3d^{12}e^{15} - 8960a^4b^{21}c^2d^{11}e^{16} + 163840a^5b^5c^{17}d^{25}e^2 - 2129920a^5b^6c^{16}d^{24}e^3 + 12165120a^5b^7c^{15}d^{23}e^4 - 39997440a^5b^8c^{14}d^{22}e^5 + 82611200a^5b^9c^{13}d^{21}e^6 - 107627520a^5b^{10}c^{12}d^{20}e^7 + 78140160a^5b^{11}c^{11}d^{19}e^8 - 6831360a^5b^{12}c^{10}d^{18}e^9 - 46586880a^5b^{13}c^9d^{17}e^{10} + 47436800a^5b^{14}c^8d^{16}e^{11} - 20088320a^5b^{15}c^7d^{15}e^{12} + 1128960a^5b^{16}c^6d^{14}e^{13} + 2365440a^5b^{17}c^5d^{13}e^{14} - 788480a^5b^{18}c^4d^{12}e^{15} + 19200a^5b^{19}c^3d^{11}e^{16} + 19200a^5b^{20}c^2d^{10}e^{17} - 327680a^6b^3c^{18}d^{25}e^2 + 4587520a^6b^4c^{17}d^{24}e^3 - 27033600a^6b^5c^{16}d^{23}e^4 + 87162880a^6b^6c^{15}d^{22}e^5 - 161996800a^6b^7c^{14}d^{21}e^6 + 149237760a^6b^8c^{13}d^{20}e^7 + 27202560a^6b^9c^{12}d^{19}e^8 - 251750400a^6b^{10}c^{11}d^{18}e^9 + 305948160a^6b^{11}c^{10}d^{17}e^{10} - 160153600a^6b^{12}c^9d^{16}e^{11} + 143360a^6b^{13}c^8d^{15}e^{12} + 46018560a^6b^{14}c^7d^{14}e^{13} - 21683200a^6b^{15}c^6d^{13}e^{14} + 1576960a^6b^{16}c^5d^{12}e^{15} + 1305600a^6b^{17}c^4d^{11}e^{16} - 215040a^6b^{18}c^3d^{10}e^{17} - 23040a^6b^{19}c^2d^9e^{18} - 4456448a^7b^2c^{18}d^{24}e^3 + 28114944a^7b^3c^{17}d^{23}e^4 - 84869120a^7b^4c^{16}d^{22}e^5 + 104366080a^7b^5c^{15}d^{21}e^6 + 97943552a^7b^6c
\end{aligned}$$

$$\begin{aligned}
& ^{14}d^{20}e^7 - 549986304a^7b^7c^{13}d^{19}e^8 + 841961472a^7b^8c^{12}d^{18}e^9 - 549795840a^7b^9c^{11}d^{17}e^{10} - 68823040a^7b^{10}c^{10}d^{16}e^{11} \\
& + 375613952a^7b^{11}c^9d^{15}e^{12} - 240167424a^7b^{12}c^8d^{14}e^{13} + 32840192a^7b^{13}c^7d^{13}e^{14} + 27399680a^7b^{14}c^6d^{12}e^{15} - 10703360a^7b^{15}c^5d^{11}e^{16} \\
& - 81408a^7b^{16}c^4d^{10}e^{17} + 370176a^7b^{17}c^3d^9e^{18} + 10752a^7b^{18}c^2d^8e^{19} + 14680064a^8b^2c^{17}d^{22}e^5 + \\
& 80281600a^8b^3c^{16}d^{21}e^6 - 440401920a^8b^4c^{15}d^{20}e^7 + 888373248a^8b^5c^{14}d^{19}e^8 - 703266816a^8b^6c^{13}d^{18}e^9 - 394149888a^8b^7c^{12}d^{17}e^{10} \\
& + 1358438400a^8b^8c^{11}d^{16}e^{11} - 1129891840a^8b^9c^{10}d^{15}e^{12} + 225189888a^8b^{10}c^9d^{14}e^{13} + 246045184a^8b^{11}c^8d^{13}e^{14} \\
& - 164082688a^8b^{12}c^7d^{12}e^{15} + 18009600a^8b^{13}c^6d^{11}e^{16} + 10659840a^8b^{14}c^5d^{10}e^{17} - 2099712a^8b^{15}c^4d^9e^{18} - 193536a^8b^{16}c^3d^8e^{19} \\
& + 10752a^8b^{17}c^2d^7e^{20} + 239861760a^9b^2c^{16}d^{20}e^7 - 172032000a^9b^3c^{15}d^{19}e^8 - 704839680a^9b^4c^{14}d^{18}e^9 \\
& + 2013069312a^9b^5c^{13}d^{17}e^{10} - 2086993920a^9b^6c^{12}d^{16}e^{11} + 424427520a^9b^7c^{11}d^{15}e^{12} + 1074585600a^9b^8c^{10}d^{14}e^{13} \\
& - 997877760a^9b^9c^9d^{13}e^{14} + 234493952a^9b^{10}c^8d^{12}e^{15} + 95761920a^9b^{11}c^7d^{11}e^{16} - 55288320a^9b^{12}c^6d^{10}e^{17} + 3916800a^9b^{13}c^5d^9e^{18} \\
& + 1704960a^9b^{14}c^4d^8e^{19} - 250368a^9b^{15}c^3d^7e^{20} - 23040a^9b^{16}c^2d^6e^{21} + 857210880a^{10}b^2c^{15}d^{18}e^9 - \\
& 1036124160a^{10}b^3c^{14}d^{17}e^{10} - 255590400a^{10}b^4c^{13}d^{16}e^{11} + 2195128320a^{10}b^5c^{12}d^{15}e^{12} - 2422210560a^{10}b^6c^{11}d^{14}e^{13} + 813711360a^{10}b^7c^{10}d^{13}e^{14} \\
& + 420372480a^{10}b^8c^9d^{12}e^{15} - 428595200a^{10}b^9c^8d^{11}e^{16} + 106106880a^{10}b^{10}c^7d^{10}e^{17} + 8866560a^{10}b^{11}c^6d^9e^{18} \\
& - 11074560a^{10}b^{12}c^5d^8e^{19} + 1989120a^{10}b^{13}c^4d^7e^{20} + 537600a^{10}b^{14}c^3d^6e^{21} + 19200a^{10}b^{15}c^2d^5e^{22} \\
& + 1454899200a^{11}b^2c^{14}d^{16}e^{11} - 1747845120a^{11}b^3c^{13}d^{15}e^{12} + 454164480a^{11}b^4c^{12}d^{14}e^{13} + 1135411200a^{11}b^5c^{11}d^{13}e^{14} - 1286799360a^{11}b^6c^{10}d^{12}e^{15} \\
& + 527155200a^{11}b^7c^9d^{11}e^{16} - 41902080a^{11}b^8c^8d^{10}e^{17} - 74849280a^{11}b^9c^7d^9e^{18} + 53222400a^{11}b^{10}c^6d^8e^{19} - 4023040a^{11}b^{11}c^5d^7e^{20} - 4972800a^{11}b^{12}c^4d^6e^{21} \\
& - 456960a^{11}b^{13}c^3d^5e^{22} - 8960a^{11}b^{14}c^2d^4e^{23} + 1189085184a^{12}b^2c^{13}d^{14}e^{13} - 1241382912a^{12}b^3c^{12}d^{13}e^{14} + 605552640a^{12}b^4c^{11}d^{12}e^{15} - 97320960a^{12}b^5c^{10}d^{11}e^{16} - 142737408a^{12}b^6c^9d^{10}e^{17} \\
& + 278716416a^{12}b^7c^8d^9e^{18} - 144764928a^{12}b^8c^7d^8e^{19} - 28779520a^{12}b^9c^6d^7e^{20} + 22077440a^{12}b^{10}c^5d^6e^{21} + 4456704a^{12}b^{11}c^4d^5e^{22} + 215552a^{12}b^{12}c^3d^4e^{23} \\
& + 2304a^{12}b^{13}c^2d^3e^{24} + 121110528a^{13}b^2c^{12}d^{12}e^{15} - 108134400a^{13}b^3c^{11}d^{11}e^{16} + 454164480a^{13}b^4c^{10}d^{10}e^{17} - 587169792a^{13}b^5c^9d^9e^{18} + 98402304a^{13}b^6c^8d^8e^{19} + 184819712a^{13}b^7c^7d^7e^{20} \\
& - 39424000a^{13}b^8c^6d^6e^{21} - 22471680a^{13}b^9c^5d^5e^{22} - 2151424a^{13}b^{10}c^4d^4e^{23} - 55552a^{13}b^{11}c^3d^3e^{24} - 256a^{13}b^{12}c^2d^2e^{25} - 644874240a^{14}b^2c^{11}d^{10}e^{17} + 339148800a^{14}b^3c^{10}d^9e^{18} \\
& + 371589120a^{14}b^4c^9d^8e^{19} - 367689728a^{14}b^5c^8d^7e^{20} - 32112640a^{14}b^6c^7d^6e^{21} + 59351040a^{14}b^7c^6d^5e^{22}
\end{aligned}$$

$$\begin{aligned}
& *e^{22} + 11366400*a^{14}*b^8*c^5*d^4*e^{23} + 558080*a^{14}*b^9*c^4*d^3*e^{24} + 614 \\
& 4*a^{14}*b^{10}*c^3*d^2*e^{25} - 578027520*a^{15}*b^2*c^{10}*d^8*e^{19} + 135331840*a^{15} \\
& 5*b^3*c^9*d^7*e^{20} + 217907200*a^{15}*b^4*c^8*d^6*e^{21} - 65372160*a^{15}*b^5*c^7 \\
& 7*d^5*e^{22} - 33259520*a^{15}*b^6*c^6*d^4*e^{23} - 2990080*a^{15}*b^7*c^5*d^3*e^{24} \\
& - 61440*a^{15}*b^8*c^4*d^2*e^{25} - 209715200*a^{16}*b^2*c^9*d^6*e^{21} - 20643840 \\
& *a^{16}*b^3*c^8*d^5*e^{22} + 49807360*a^{16}*b^4*c^7*d^4*e^{23} + 9011200*a^{16}*b^5* \\
& c^6*d^3*e^{24} + 327680*a^{16}*b^6*c^5*d^2*e^{25} - 25427968*a^{17}*b^2*c^8*d^4*e^2 \\
& 3 - 14483456*a^{17}*b^3*c^7*d^3*e^{24} - 983040*a^{17}*b^4*c^6*d^2*e^{25} + 1572864 \\
& *a^{18}*b^2*c^7*d^2*e^{25} + 262144*a^{17}*b*c^{19}*d^{25}*e^2 - 8650752*a^{18}*b*c^{18}*d^ \\
& 23*e^4 - 79953920*a^{19}*b*c^{17}*d^{21}*e^6 - 287047680*a^{10}*b*c^{16}*d^{19}*e^8 - 54 \\
& 2638080*a^{11}*b*c^{15}*d^{17}*e^{10} - 539492352*a^{12}*b*c^{14}*d^{15}*e^{12} - 143130624 \\
& *a^{13}*b*c^{13}*d^{13}*e^{14} + 306708480*a^{14}*b*c^{12}*d^{11}*e^{16} + 420741120*a^{15}*b \\
& *c^{11}*d^9*e^{18} + 250347520*a^{16}*b*c^{10}*d^7*e^{20} + 76283904*a^{17}*b*c^9*d^5*e \\
& ^{22} + 9699328*a^{18}*b*c^8*d^3*e^{24}))/((8*(16*a^3*b^6*c^9*d^18 - a^2*b^8*c^8*d \\
& ^18 - 256*a^6*c^12*d^18 - 96*a^4*b^4*c^10*d^18 + 256*a^5*b^2*c^11*d^18 - a^ \\
& 2*b^16*d^10*e^8 + 8*a^3*b^15*d^9*e^9 - 28*a^4*b^14*d^8*e^10 + 56*a^5*b^13*d \\
& ^7*e^11 - 70*a^6*b^12*d^6*e^12 + 56*a^7*b^11*d^5*e^13 - 28*a^8*b^10*d^4*e^1 \\
& 4 + 8*a^9*b^9*d^3*e^15 - a^10*b^8*d^2*e^16 - 2048*a^7*c^11*d^16*e^2 - 7168* \\
& a^8*c^10*d^14*e^4 - 14336*a^9*c^9*d^12*e^6 - 17920*a^10*c^8*d^10*e^8 - 1433 \\
& 6*a^11*c^7*d^8*e^10 - 7168*a^12*c^6*d^6*e^12 - 2048*a^13*c^5*d^4*e^14 - 256 \\
& *a^14*c^4*d^2*e^16 - 28*a^2*b^10*c^6*d^16*e^2 + 56*a^2*b^11*c^5*d^15*e^3 - \\
& 70*a^2*b^12*c^4*d^14*e^4 + 56*a^2*b^13*c^3*d^13*e^5 - 28*a^2*b^14*c^2*d^12* \\
& e^6 + 440*a^3*b^8*c^7*d^16*e^2 - 840*a^3*b^9*c^6*d^15*e^3 + 952*a^3*b^10*c^ \\
& 5*d^14*e^4 - 616*a^3*b^11*c^4*d^13*e^5 + 168*a^3*b^12*c^3*d^12*e^6 + 40*a^3 \\
& *b^13*c^2*d^11*e^7 - 2560*a^4*b^6*c^8*d^16*e^2 + 4480*a^4*b^7*c^7*d^15*e^3 \\
& - 4060*a^4*b^8*c^6*d^14*e^4 + 1064*a^4*b^9*c^5*d^13*e^5 + 1372*a^4*b^10*c^4 \\
& *d^12*e^6 - 1360*a^4*b^11*c^3*d^11*e^7 + 380*a^4*b^12*c^2*d^10*e^8 + 6400*a \\
& ^5*b^4*c^9*d^16*e^2 - 8960*a^5*b^5*c^8*d^15*e^3 + 2240*a^5*b^6*c^7*d^14*e^4 \\
& + 9856*a^5*b^7*c^6*d^13*e^5 - 13048*a^5*b^8*c^5*d^12*e^6 + 5400*a^5*b^9*c^ \\
& 4*d^11*e^7 + 1040*a^5*b^10*c^3*d^10*e^8 - 1360*a^5*b^11*c^2*d^9*e^9 - 5120* \\
& a^6*b^2*c^10*d^16*e^2 + 22400*a^6*b^4*c^8*d^14*e^4 - 41216*a^6*b^5*c^7*d^13 \\
& *e^5 + 25088*a^6*b^6*c^6*d^12*e^6 + 8320*a^6*b^7*c^5*d^11*e^7 - 17350*a^6*b \\
& ^8*c^4*d^10*e^8 + 5400*a^6*b^9*c^3*d^9*e^9 + 1372*a^6*b^10*c^2*d^8*e^10 - 3 \\
& 5840*a^7*b^2*c^9*d^14*e^4 + 28672*a^7*b^3*c^8*d^13*e^5 + 30464*a^7*b^4*c^7* \\
& d^12*e^6 - 73472*a^7*b^5*c^6*d^11*e^7 + 40544*a^7*b^6*c^5*d^10*e^8 + 8320*a \\
& ^7*b^7*c^4*d^9*e^9 - 13048*a^7*b^8*c^3*d^8*e^10 + 1064*a^7*b^9*c^2*d^7*e^11 \\
& - 93184*a^8*b^2*c^8*d^12*e^6 + 71680*a^8*b^3*c^7*d^11*e^7 + 29120*a^8*b^4* \\
& c^6*d^10*e^8 - 73472*a^8*b^5*c^5*d^9*e^9 + 25088*a^8*b^6*c^4*d^8*e^10 + 985 \\
& 6*a^8*b^7*c^3*d^7*e^11 - 4060*a^8*b^8*c^2*d^6*e^12 - 125440*a^9*b^2*c^7*d^1 \\
& 0*e^8 + 71680*a^9*b^3*c^6*d^9*e^9 + 30464*a^9*b^4*c^5*d^8*e^10 - 41216*a^9* \\
& b^5*c^4*d^7*e^11 + 2240*a^9*b^6*c^3*d^6*e^12 + 4480*a^9*b^7*c^2*d^5*e^13 - \\
& 93184*a^10*b^2*c^6*d^8*e^10 + 28672*a^10*b^3*c^5*d^7*e^11 + 22400*a^10*b^4* \\
& c^4*d^6*e^12 - 8960*a^10*b^5*c^3*d^5*e^13 - 2560*a^10*b^6*c^2*d^4*e^14 - 35 \\
& 840*a^11*b^2*c^5*d^6*e^12 + 6400*a^11*b^4*c^3*d^4*e^14 + 768*a^11*b^5*c^2*d \\
& ^3*e^15 - 5120*a^12*b^2*c^4*d^4*e^14 - 2048*a^12*b^3*c^3*d^3*e^15 - 96*a^12
\end{aligned}$$

$$\begin{aligned}
& b^4c^2d^2e^{16} + 256a^{13}b^2c^3d^2e^{16} + 2048a^6b^6c^{11}d^{17}e + 8a^2b^9c^7d^{17}e + 8a^2b^{15}c^4d^{11}e^7 - 128a^3b^7c^8d^{17}e - 40a^3b^{14}c^4d^{10}e^8 + 768a^4b^5c^9d^{17}e + 40a^4b^{13}c^4d^9e^9 - 2048a^5b^3c^{10}d^{17}e + 168a^5b^{12}c^4d^8e^{10} - 616a^6b^{11}c^4d^7e^{11} + 14336a^7b^6c^{10}d^{15}e^3 + 952a^7b^{10}c^4d^6e^{12} + 43008a^8b^6c^9d^{13}e^5 - 840a^8b^9c^4d^5e^{13} + 71680a^9b^6c^8d^{11}e^7 + 440a^9b^8c^4d^4e^{14} + 71680a^{10}b^6c^7d^9e^9 - 128a^{10}b^7c^4d^3e^{15} + 43008a^{11}b^6c^6d^7e^{11} + 16a^{11}b^6c^4d^2e^{16} + 14336a^{12}b^6c^5d^5e^{13} + 2048a^{13}b^6c^4d^3e^{15})) - (x(49152a^{14}b^6c^8e^{23} - 65536a^{14}c^9d^6e^{22} + 16a^8b^{13}c^2e^{23} - 368a^9b^{11}c^3e^{23} + 3520a^{10}b^9c^4e^{23} - 17920a^{11}b^7c^5e^{23} + 51200a^{12}b^5c^6e^{23} - 77824a^{13}b^3c^7e^{23} + 18432a^4c^{19}d^{21}e^2 + 243712a^5c^{18}d^{19}e^4 + 1253376a^6c^{17}d^{17}e^6 + 2252800a^7c^{16}d^{15}e^8 - 7835648a^8c^{15}d^{13}e^{10} - 35516416a^9c^{14}d^{11}e^{12} - 50487296a^{10}c^{13}d^9e^{14} - 30416896a^{11}c^{12}d^7e^{16} - 5797888a^{12}c^{11}d^5e^{18} + 522240a^{13}c^{10}d^3e^{20} + 16b^8c^{15}d^{21}e^2 - 160b^9c^{14}d^{20}e^3 + 720b^{10}c^{13}d^{19}e^4 - 1904b^{11}c^{12}d^{18}e^5 + 3200b^{12}c^{11}d^{17}e^6 - 3312b^{13}c^{10}d^{16}e^7 + 1440b^{14}c^9d^{15}e^8 + 1440b^{15}c^8d^{14}e^9 - 3312b^{16}c^7d^{13}e^{10} + 3200b^{17}c^6d^{12}e^{11} - 1904b^{18}c^5d^{11}e^{12} + 720b^{19}c^4d^{10}e^{13} - 160b^{20}c^3d^9e^{14} + 16b^{21}c^2d^8e^{15} + 3200a^2b^4c^{17}d^{21}e^2 - 30336a^2b^5c^{16}d^{20}e^3 + 123296a^2b^6c^{15}d^{19}e^4 - 269568a^2b^7c^{14}d^{18}e^5 + 295872a^2b^8c^{13}d^{17}e^6 + 16576a^2b^9c^{12}d^{16}e^7 - 582688a^2b^{10}c^{11}d^{15}e^8 + 944640a^2b^{11}c^{10}d^{14}e^9 - 761856a^2b^{12}c^9d^{13}e^{10} + 243456a^2b^{13}c^8d^{12}e^{11} + 126048a^2b^{14}c^7d^{11}e^{12} - 164096a^2b^{15}c^6d^{10}e^{13} + 58304a^2b^{16}c^5d^9e^{14} + 3264a^2b^{17}c^4d^8e^{15} - 7648a^2b^{18}c^3d^7e^{16} + 1536a^2b^{19}c^2d^6e^{17} - 12800a^3b^2c^{18}d^{21}e^2 + 119296a^3b^3c^{17}d^{20}e^3 - 448896a^3b^4c^{16}d^{19}e^4 + 783872a^3b^5c^{15}d^{18}e^5 - 197504a^3b^6c^{14}d^{17}e^6 - 1977216a^3b^7c^{13}d^{16}e^7 + 4413568a^3b^8c^{12}d^{15}e^8 - 4435520a^3b^9c^{11}d^{14}e^9 + 1422432a^3b^{10}c^{10}d^{13}e^{10} + 1795872a^3b^{11}c^9d^{12}e^{11} - 2349888a^3b^{12}c^8d^{11}e^{12} + 800352a^3b^{13}c^7d^{10}e^{13} + 426688a^3b^{14}c^6d^9e^{14} - 478112a^3b^{15}c^5d^8e^{15} + 145344a^3b^{16}c^4d^7e^{16} - 3104a^3b^{17}c^3d^6e^{17} - 4384a^3b^{18}c^2d^5e^{18} + 519680a^4b^2c^{17}d^{19}e^4 - 122880a^4b^3c^{16}d^{18}e^5 - 3229184a^4b^4c^{15}d^{17}e^6 + 9323008a^4b^5c^{14}d^{16}e^7 - 11702656a^4b^6c^{13}d^{15}e^8 + 3460864a^4b^7c^{12}d^{14}e^9 + 10917472a^4b^8c^{11}d^{13}e^{10} - 16615488a^4b^9c^{10}d^{12}e^{11} + 7102272a^4b^{10}c^9d^{11}e^{12} + 5842272a^4b^{11}c^8d^{10}e^{13} - 8942080a^4b^{12}c^7d^9e^{14} + 4203232a^4b^{13}c^6d^8e^{15} - 364736a^4b^{14}c^5d^7e^{16} - 309472a^4b^{15}c^4d^6e^{17} + 63136a^4b^{16}c^3d^5e^{18} + 6112a^4b^{17}c^2d^4e^{19} + 6961152a^5b^2c^{16}d^{17}e^6 - 10246144a^5b^3c^{15}d^{16}e^7 - 747008a^5b^4c^{14}d^{15}e^8 + 29979648a^5b^5c^{13}d^{14}e^9 - 52869952a^5b^6c^{12}d^{13}e^{10} + 32791616a^5b^7c^{11}d^{12}e^{11} + 25176960a^5b^8c^{10}d^{11}e^{12} - 6295552a^5b^9c^9d^{10}e^{13} + 45989472a^5b^{10}c^8d^9e^{14} - 9362688a^5b^{11}c^7d^8e^{15} - 5824480a^5b^{12}c^6d^7e^{16} + 3196768a^5b^{13}c^5d^
\end{aligned}$$

$$\begin{aligned}
& 6e^{17} - 132768a^5b^{14}c^4d^5e^{18} - 119680a^5b^{15}c^3d^4e^{19} - 4384 \\
& a^5b^{16}c^2d^3e^{20} + 32086016a^6b^2c^{15}d^{15}e^8 - 57880576a^6b^3c^{14}d^{14}e^9 + 44683008a^6b^4c^{13}d^{13}e^{10} + 49481984a^6b^5c^{12}d^{12}e^{11} \\
& - 175788864a^6b^6c^{11}d^{11}e^{12} + 194611968a^6b^7c^{10}d^{10}e^{13} - 73867584a^6b^8c^9d^9e^{14} - 38225280a^6b^9c^8d^8e^{15} + 4545014 \\
& 4a^6b^{10}c^7d^7e^{16} - 10588672a^6b^{11}c^6d^6e^{17} - 2519296a^6b^{12}c^5d^5e^{18} + 864384a^6b^{13}c^4d^4e^{19} + 96224a^6b^{14}c^3d^3e^{20} \\
& + 1536a^6b^{15}c^2d^2e^{21} + 67527680a^7b^2c^{14}d^{13}e^{10} - 181466112a^7b^3c^{13}d^{12}e^{11} + 278696704a^7b^4c^{12}d^{11}e^{12} - 171431936a^7b^5c^{11}d^{10}e^{13} \\
& - 104909184a^7b^6c^{10}d^9e^{14} + 231100032a^7b^7c^9d^8e^{15} - 116105856a^7b^8c^8d^7e^{16} - 5653568a^7b^9c^7d^6e^{17} + \\
& 19556768a^7b^{10}c^6d^5e^{18} - 2291488a^7b^{11}c^5d^4e^{19} - 855936a^7b^{12}c^4d^3e^{20} - 35168a^7b^{13}c^3d^2e^{21} - 40418304a^8b^2c^{13}d^{11}e^{12} \\
& - 155127808a^8b^3c^{12}d^{10}e^{13} + 421659136a^8b^4c^{11}d^9e^{14} - 366294528a^8b^5c^{10}d^8e^{15} + 42953856a^8b^6c^9d^7e^{16} + 1158 \\
& 41280a^8b^7c^8d^6e^{17} - 54301680a^8b^8c^7d^5e^{18} - 3139616a^8b^9c^6d^4e^{19} + 3850352a^8b^{10}c^5d^3e^{20} + 333840a^8b^{11}c^4d^2e^{21} \\
& - 262465536a^9b^2c^{12}d^9e^{14} + 49444864a^9b^3c^{11}d^8e^{15} + 255840768a^9b^4c^{10}d^7e^{16} - 241492992a^9b^5c^9d^6e^{17} + 41574816a^9b^6c^8d^5e^{18} \\
& + 32344416a^9b^7c^7d^4e^{19} - 8542208a^9b^8c^6d^3e^{20} - 1677872a^9b^9c^5d^2e^{21} - 270632960a^{10}b^2c^{11}d^7e^{16} + \\
& 105492480a^{10}b^3c^{10}d^6e^{17} + 71796864a^{10}b^4c^9d^5e^{18} - 66791040a^{10}b^5c^8d^4e^{19} + 5437088a^{10}b^6c^7d^3e^{20} + 4684288a^{10}b^7c^6d^2e^{21} \\
& - 105693696a^{11}b^2c^{10}d^5e^{18} + 38220288a^{11}b^3c^9d^4e^{19} + 10967680a^{11}b^4c^8d^3e^{20} - 6778368a^{11}b^5c^7d^2e^{21} - 15 \\
& 811072a^{12}b^2c^9d^3e^{20} + 3633152a^{12}b^3c^8d^2e^{21} - 352a^ab^6c^{16}d^{21}e^2 + 3424a^ab^7c^{15}d^{20}e^3 - 14720a^ab^8c^{14}d^{19}e^4 + 36048a^ab^9c^{13}d^{18}e^5 \\
& - 52384a^ab^{10}c^{12}d^{17}e^6 + 36464a^ab^{11}c^{11}d^{16}e^7 + 17952a^ab^{12}c^{10}d^{15}e^8 - 75360a^ab^{13}c^9d^{14}e^9 + 91104a^ab^{14}c^8d^{13}e^{10} \\
& - 60992a^ab^{15}c^7d^{12}e^{11} + 20288a^ab^{16}c^6d^{11}e^{12} + 1424a^ab^{17}c^5d^{10}e^{13} - 4320a^ab^{18}c^4d^9e^{14} + 1648a^ab^{19}c^3d^8e^{15} \\
& - 224a^ab^{20}c^2d^7e^{16} - 169984a^4b^*c^{18}d^{20}e^3 - 2076672a^5b^*c^{17}d^{18}e^5 - 9658368a^6b^*c^{16}d^{16}e^7 - 16384000a^7b^*c^{15}d^{14}e^9 \\
& - 224a^7b^{14}c^2d^*e^{22} + 42463232a^8b^*c^{14}d^{12}e^{11} + 5120a^8b^{12}c^3d^*e^{22} + 170631168a^9b^*c^{13}d^{10}e^{13} - 48576a^9b^{10}c^4d^*e^{22} + 19 \\
& 9843840a^{10}b^*c^{12}d^8e^{15} + 244480a^{10}b^8c^5d^*e^{22} + 95387648a^{11}b^*c^{11}d^6e^{17} - 686080a^{11}b^6c^6d^*e^{22} + 15722496a^{12}b^*c^{10}d^4e^{19} \\
& + 1007616a^{12}b^4c^7d^*e^{22} + 692224a^{13}b^*c^9d^2e^{21} - 573440a^{13}b^2c^8d^*e^{22}) / (8(16a^3b^6c^9d^{18} - a^2b^8c^8d^{18} - 256a^6c^{12}d^{18} \\
& - 96a^4b^4c^{10}d^{18} + 256a^5b^2c^{11}d^{18} - a^2b^{16}d^{10}e^8 + 8a^3b^{15}d^9e^9 - 28a^4b^{14}d^8e^{10} + 56a^5b^{13}d^7e^{11} - 70a^6b^{12}d^6e^{12} \\
& + 56a^7b^{11}d^5e^{13} - 28a^8b^{10}d^4e^{14} + 8a^9b^9d^3e^{15} - a^{10}b^8d^2e^{16} - 2048a^7c^{11}d^{16}e^2 - 7168a^8c^{10}d^{14}e^4 - 14336a^9c^9d^{12}e^6 \\
& - 17920a^{10}c^8d^{10}e^8 - 14336a^{11}c^7d^8e^{10} - 7168a^{12}c^6d^6e^{12} - 2048a^{13}c^5d^4e^{14} - 256a^{14}c^4d^2e^{16} -
\end{aligned}$$

$$\begin{aligned}
& 28a^2b^{10}c^6d^{16}e^2 + 56a^2b^{11}c^5d^{15}e^3 - 70a^2b^{12}c^4d^{14} \\
& e^4 + 56a^2b^{13}c^3d^{13}e^5 - 28a^2b^{14}c^2d^{12}e^6 + 440a^3b^8c^7 \\
& d^{16}e^2 - 840a^3b^9c^6d^{15}e^3 + 952a^3b^{10}c^5d^{14}e^4 - 616a^3 \\
& b^{11}c^4d^{13}e^5 + 168a^3b^{12}c^3d^{12}e^6 + 40a^3b^{13}c^2d^{11}e^7 - \\
& 2560a^4b^6c^8d^{16}e^2 + 4480a^4b^7c^7d^{15}e^3 - 4060a^4b^8c^6d \\
& ^{14}e^4 + 1064a^4b^9c^5d^{13}e^5 + 1372a^4b^{10}c^4d^{12}e^6 - 1360a^4 \\
& b^{11}c^3d^{11}e^7 + 380a^4b^{12}c^2d^{10}e^8 + 6400a^5b^4c^9d^{16}e^2 \\
& - 8960a^5b^5c^8d^{15}e^3 + 2240a^5b^6c^7d^{14}e^4 + 9856a^5b^7c^6 \\
& d^{13}e^5 - 13048a^5b^8c^5d^{12}e^6 + 5400a^5b^9c^4d^{11}e^7 + 1040a^ \\
& 5b^{10}c^3d^{10}e^8 - 1360a^5b^{11}c^2d^9e^9 - 5120a^6b^2c^{10}d^{16}e^ \\
& 2 + 22400a^6b^4c^8d^{14}e^4 - 41216a^6b^5c^7d^{13}e^5 + 25088a^6b^6 \\
& c^6d^{12}e^6 + 8320a^6b^7c^5d^{11}e^7 - 17350a^6b^8c^4d^{10}e^8 + 54 \\
& 00a^6b^9c^3d^9e^9 + 1372a^6b^{10}c^2d^8e^{10} - 35840a^7b^2c^9d^{1 \\
& 4}e^4 + 28672a^7b^3c^8d^{13}e^5 + 30464a^7b^4c^7d^{12}e^6 - 73472a^7 \\
& b^5c^6d^{11}e^7 + 40544a^7b^6c^5d^{10}e^8 + 8320a^7b^7c^4d^9e^9 - \\
& 13048a^7b^8c^3d^8e^{10} + 1064a^7b^9c^2d^7e^{11} - 93184a^8b^2c^8 \\
& d^{12}e^6 + 71680a^8b^3c^7d^{11}e^7 + 29120a^8b^4c^6d^{10}e^8 - 73472 \\
& a^8b^5c^5d^9e^9 + 25088a^8b^6c^4d^8e^{10} + 9856a^8b^7c^3d^7e^ \\
& 11 - 4060a^8b^8c^2d^6e^{12} - 125440a^9b^2c^7d^{10}e^8 + 71680a^9b^ \\
& 3c^6d^9e^9 + 30464a^9b^4c^5d^8e^{10} - 41216a^9b^5c^4d^7e^{11} + 2 \\
& 240a^9b^6c^3d^6e^{12} + 4480a^9b^7c^2d^5e^{13} - 93184a^{10}b^2c^6d \\
& ^8e^{10} + 28672a^{10}b^3c^5d^7e^{11} + 22400a^{10}b^4c^4d^6e^{12} - 8960 \\
& a^{10}b^5c^3d^5e^{13} - 2560a^{10}b^6c^2d^4e^{14} - 35840a^{11}b^2c^5d^6 \\
& e^{12} + 6400a^{11}b^4c^3d^4e^{14} + 768a^{11}b^5c^2d^3e^{15} - 5120a^{12} \\
& b^2c^4d^4e^{14} - 2048a^{12}b^3c^3d^3e^{15} - 96a^{12}b^4c^2d^2e^{16} + \\
& 256a^{13}b^2c^3d^2e^{16} + 2048a^6b^6c^{11}d^{17}e + 8a^2b^9c^7d^{17}e + \\
& 8a^2b^{15}c^d^{11}e^7 - 128a^3b^7c^8d^{17}e - 40a^3b^{14}c^d^{10}e^8 + \\
& 768a^4b^5c^9d^{17}e + 40a^4b^{13}c^d^9e^9 - 2048a^5b^3c^{10}d^{17}e + \\
& 168a^5b^{12}c^d^8e^{10} - 616a^6b^{11}c^d^7e^{11} + 14336a^7b^6c^{10}d^{15} \\
& e^3 + 952a^7b^{10}c^d^6e^{12} + 43008a^8b^6c^9d^{13}e^5 - 840a^8b^9c^d^ \\
& 5e^{13} + 71680a^9b^6c^8d^{11}e^7 + 440a^9b^8c^d^4e^{14} + 71680a^{10}b^6c \\
& ^7d^9e^9 - 128a^{10}b^7c^d^3e^{15} + 43008a^{11}b^6c^6d^7e^{11} + 16a^{11} \\
& b^6c^d^2e^{16} + 14336a^{12}b^6c^5d^5e^{13} + 2048a^{13}b^6c^4d^3e^{15})) + \\
& (x*(25a^4b^{10}c^5e^{19} - 6272a^9c^{10}e^{19} - 440a^5b^8c^6e^{19} + 298 \\
& 6a^6b^6c^7e^{19} - 9560a^7b^4c^8e^{19} + 13792a^8b^2c^9e^{19} + 1296 \\
& a^2c^{17}d^{14}e^5 + 19296a^3c^{16}d^{12}e^7 + 195952a^4c^{15}d^{10}e^9 + 93 \\
& 8176a^5c^{14}d^8e^{11} + 1838832a^6c^{13}d^6e^{13} - 20896a^7c^{12}d^4e^{1 \\
& 5} - 57200a^8c^{11}d^2e^{17} + 25b^4c^{15}d^{14}e^5 - 190b^5c^{14}d^{13}e^6 \\
& + 591b^6c^{13}d^{12}e^7 - 964b^7c^{12}d^{11}e^8 + 952b^8c^{11}d^{10}e^9 - 8 \\
& 28b^9c^{10}d^9e^{10} + 952b^{10}c^9d^8e^{11} - 964b^{11}c^8d^7e^{12} + 591 \\
& b^{12}c^7d^6e^{13} - 190b^{13}c^6d^5e^{14} + 25b^{14}c^5d^4e^{15} + 18816a^ \\
& 2b^2c^{15}d^{12}e^7 - 464a^2b^3c^{14}d^{11}e^8 - 33441a^2b^4c^{13}d^{10}e \\
& ^9 - 9780a^2b^5c^{12}d^9e^{10} + 98620a^2b^6c^{11}d^8e^{11} - 74420a^2b \\
& ^7c^{10}d^7e^{12} - 25327a^2b^8c^9d^6e^{13} + 51944a^2b^9c^8d^5e^{14} \\
& - 19162a^2b^{10}c^7d^4e^{15} + 376a^2b^{11}c^6d^3e^{16} + 726a^2b^{12}c^
\end{aligned}$$

$$\begin{aligned}
& 5*d^2*e^{17} + 132104*a^3*b^2*c^{14}*d^{10}*e^9 + 202944*a^3*b^3*c^{13}*d^9*e^{10} - \\
& 496916*a^3*b^4*c^{12}*d^8*e^{11} + 62420*a^3*b^5*c^{11}*d^7*e^{12} + 477560*a^3*b^6 \\
& *c^{10}*d^6*e^{13} - 367184*a^3*b^7*c^9*d^5*e^{14} + 42920*a^3*b^8*c^8*d^4*e^{15} + \\
& 41584*a^3*b^9*c^7*d^3*e^{16} - 11716*a^3*b^{10}*c^6*d^2*e^{17} + 774624*a^4*b^2* \\
& c^{13}*d^8*e^{11} + 1091488*a^4*b^3*c^{12}*d^7*e^{12} - 2078409*a^4*b^4*c^{11}*d^6*e^{13} \\
& + 759546*a^4*b^5*c^{10}*d^5*e^{14} + 436579*a^4*b^6*c^9*d^4*e^{15} - 373848*a^4 \\
& *b^7*c^8*d^3*e^{16} + 68053*a^4*b^8*c^7*d^2*e^{17} + 2519400*a^5*b^2*c^{12}*d^6* \\
& e^{13} + 1051760*a^5*b^3*c^{11}*d^5*e^{14} - 2494242*a^5*b^4*c^{10}*d^4*e^{15} + 1223 \\
& 634*a^5*b^5*c^9*d^3*e^{16} - 153022*a^5*b^6*c^8*d^2*e^{17} + 3717952*a^6*b^2*c^{11} \\
& *d^4*e^{15} - 1366224*a^6*b^3*c^{10}*d^3*e^{16} + 23697*a^6*b^4*c^9*d^2*e^{17} + \\
& 268408*a^7*b^2*c^{10}*d^2*e^{17} + 43136*a^8*b*c^{10}*d*e^{18} - 360*a*b^2*c^{16}*d^1 \\
& 4*e^5 + 2608*a*b^3*c^{15}*d^{13}*e^6 - 7218*a*b^4*c^{14}*d^{12}*e^7 + 8922*a*b^5*c^{13} \\
& *d^{11}*e^8 - 4786*a*b^6*c^{12}*d^{10}*e^9 + 4722*a*b^7*c^{11}*d^9*e^{10} - 12250*a \\
& *b^8*c^{10}*d^8*e^{11} + 13434*a*b^9*c^9*d^7*e^{12} - 4918*a*b^{10}*c^8*d^6*e^{13} - \\
& 1202*a*b^{11}*c^7*d^5*e^{14} + 1308*a*b^{12}*c^6*d^4*e^{15} - 260*a*b^{13}*c^5*d^3*e^{16} \\
& - 8928*a^2*b*c^{16}*d^{13}*e^6 - 107360*a^3*b*c^{15}*d^{11}*e^8 - 260*a^3*b^{11}*c \\
& ^5*d*e^{18} - 846912*a^4*b*c^{14}*d^9*e^{10} + 4518*a^4*b^9*c^6*d*e^{18} - 3155136* \\
& a^5*b*c^{13}*d^7*e^{12} - 30034*a^5*b^7*c^7*d*e^{18} - 4176736*a^6*b*c^{12}*d^5*e^{14} \\
& + 92664*a^6*b^5*c^8*d*e^{18} - 154080*a^7*b*c^{11}*d^3*e^{16} - 123488*a^7*b^3* \\
& c^9*d*e^{18})) / (8*(16*a^3*b^6*c^9*d^{18} - a^2*b^8*c^8*d^{18} - 256*a^6*c^{12}*d^{18} \\
& - 96*a^4*b^4*c^{10}*d^{18} + 256*a^5*b^2*c^{11}*d^{18} - a^2*b^{16}*d^{10}*e^8 + 8*a^3 \\
& *b^{15}*d^9*e^9 - 28*a^4*b^{14}*d^8*e^{10} + 56*a^5*b^{13}*d^7*e^{11} - 70*a^6*b^{12}*d^6 \\
& *e^{12} + 56*a^7*b^{11}*d^5*e^{13} - 28*a^8*b^{10}*d^4*e^{14} + 8*a^9*b^9*d^3*e^{15} \\
& - a^{10}*b^8*d^2*e^{16} - 2048*a^7*c^{11}*d^{16}*e^2 - 7168*a^8*c^{10}*d^{14}*e^4 - 143 \\
& 36*a^9*c^9*d^{12}*e^6 - 17920*a^{10}*c^8*d^{10}*e^8 - 14336*a^{11}*c^7*d^8*e^{10} - 7 \\
& 168*a^{12}*c^6*d^6*e^{12} - 2048*a^{13}*c^5*d^4*e^{14} - 256*a^{14}*c^4*d^2*e^{16} - 28 \\
& *a^2*b^{10}*c^6*d^{16}*e^2 + 56*a^2*b^{11}*c^5*d^{15}*e^3 - 70*a^2*b^{12}*c^4*d^{14}*e^4 \\
& + 56*a^2*b^{13}*c^3*d^{13}*e^5 - 28*a^2*b^{14}*c^2*d^{12}*e^6 + 440*a^3*b^8*c^7*d^{16} \\
& *e^2 - 840*a^3*b^9*c^6*d^{15}*e^3 + 952*a^3*b^{10}*c^5*d^{14}*e^4 - 616*a^3*b^{11} \\
& *c^4*d^{13}*e^5 + 168*a^3*b^{12}*c^3*d^{12}*e^6 + 40*a^3*b^{13}*c^2*d^{11}*e^7 - 25 \\
& 60*a^4*b^6*c^8*d^{16}*e^2 + 4480*a^4*b^7*c^7*d^{15}*e^3 - 4060*a^4*b^8*c^6*d^{14} \\
& *e^4 + 1064*a^4*b^9*c^5*d^{13}*e^5 + 1372*a^4*b^{10}*c^4*d^{12}*e^6 - 1360*a^4*b^{11} \\
& *c^3*d^{11}*e^7 + 380*a^4*b^{12}*c^2*d^{10}*e^8 + 6400*a^5*b^4*c^9*d^{16}*e^2 - 8 \\
& 960*a^5*b^5*c^8*d^{15}*e^3 + 2240*a^5*b^6*c^7*d^{14}*e^4 + 9856*a^5*b^7*c^6*d^{13} \\
& *e^5 - 13048*a^5*b^8*c^5*d^{12}*e^6 + 5400*a^5*b^9*c^4*d^{11}*e^7 + 1040*a^5*b^{10} \\
& *c^3*d^{10}*e^8 - 1360*a^5*b^{11}*c^2*d^9*e^9 - 5120*a^6*b^2*c^{10}*d^{16}*e^2 + \\
& 22400*a^6*b^4*c^8*d^{14}*e^4 - 41216*a^6*b^5*c^7*d^{13}*e^5 + 25088*a^6*b^6*c^6 \\
& *d^{12}*e^6 + 8320*a^6*b^7*c^5*d^{11}*e^7 - 17350*a^6*b^8*c^4*d^{10}*e^8 + 5400* \\
& a^6*b^9*c^3*d^9*e^9 + 1372*a^6*b^{10}*c^2*d^8*e^{10} - 35840*a^7*b^2*c^9*d^{14}*e^4 \\
& + 28672*a^7*b^3*c^8*d^{13}*e^5 + 30464*a^7*b^4*c^7*d^{12}*e^6 - 73472*a^7*b^5 \\
& *c^6*d^{11}*e^7 + 40544*a^7*b^6*c^5*d^{10}*e^8 + 8320*a^7*b^7*c^4*d^9*e^9 - 13 \\
& 048*a^7*b^8*c^3*d^8*e^{10} + 1064*a^7*b^9*c^2*d^7*e^{11} - 93184*a^8*b^2*c^8*d^{12} \\
& *e^6 + 71680*a^8*b^3*c^7*d^{11}*e^7 + 29120*a^8*b^4*c^6*d^{10}*e^8 - 73472*a^8 \\
& *b^5*c^5*d^9*e^9 + 25088*a^8*b^6*c^4*d^8*e^{10} + 9856*a^8*b^7*c^3*d^7*e^{11} \\
& - 4060*a^8*b^8*c^2*d^6*e^{12} - 125440*a^9*b^2*c^7*d^{10}*e^8 + 71680*a^9*b^3*c
\end{aligned}$$

$$\begin{aligned}
&^6d^9e^9 + 30464a^9b^4c^5d^8e^{10} - 41216a^9b^5c^4d^7e^{11} + 2240 \\
&a^9b^6c^3d^6e^{12} + 4480a^9b^7c^2d^5e^{13} - 93184a^{10}b^2c^6d^8e^{10} + 28672a^{10}b^3c^5d^7e^{11} + 22400a^{10}b^4c^4d^6e^{12} - 8960a^{10}b^5c^3d^5e^{13} - 2560a^{10}b^6c^2d^4e^{14} - 35840a^{11}b^2c^5d^6e^{12} + 6400a^{11}b^4c^3d^4e^{14} + 768a^{11}b^5c^2d^3e^{15} - 5120a^{12}b^2c^4d^4e^{14} - 2048a^{12}b^3c^3d^3e^{15} - 96a^{12}b^4c^2d^2e^{16} + 256a^{13}b^2c^3d^2e^{16} + 2048a^6b^6c^{11}d^{17}e + 8a^2b^9c^7d^{17}e + 8a^2b^{15}c^d^{11}e^7 - 128a^3b^7c^8d^{17}e - 40a^3b^{14}c^d^{10}e^8 + 768a^4b^5c^9d^{17}e + 40a^4b^{13}c^d^9e^9 - 2048a^5b^3c^{10}d^{17}e + 168a^5b^{12}c^d^8e^{10} - 616a^6b^{11}c^d^7e^{11} + 14336a^7b^6c^{10}d^{15}e^3 + 952a^7b^{10}c^d^6e^{12} + 43008a^8b^6c^9d^{13}e^5 - 840a^8b^9c^d^5e^{13} + 71680a^9b^6c^8d^{11}e^7 + 440a^9b^8c^d^4e^{14} + 71680a^{10}b^6c^7d^9e^9 - 128a^{10}b^7c^d^3e^{15} + 43008a^{11}b^6c^6d^7e^{11} + 16a^{11}b^6c^d^2e^{16} + 14336a^{12}b^6c^5d^5e^{13} + 2048a^{13}b^6c^4d^3e^{15})) - (3920a^6b^6c^{10}e^{17} + 32144a^6c^{11}d^6e^{16} + 225a^4b^5c^8e^{17} - 1880a^5b^3c^9e^{17} + 11664a^2c^{15}d^9e^8 + 46656a^3c^{14}d^7e^{10} - 40608a^4c^{13}d^5e^{12} + 284224a^5c^{12}d^3e^{14} + 225b^4c^{13}d^9e^8 - 755b^5c^{12}d^8e^9 + 530b^6c^{11}d^7e^{10} + 530b^7c^{10}d^6e^{11} - 755b^8c^9d^5e^{12} + 225b^9c^8d^4e^{13} + 27648a^2b^2c^{13}d^7e^{10} + 4576a^2b^3c^{12}d^6e^{11} + 24438a^2b^4c^{11}d^5e^{12} - 44262a^2b^5c^{10}d^4e^{13} + 4042a^2b^6c^9d^3e^{14} + 6534a^2b^7c^8d^2e^{15} - 23408a^3b^2c^{12}d^5e^{12} + 41872a^3b^3c^{11}d^4e^{13} + 100948a^3b^4c^{10}d^3e^{14} - 60416a^3b^5c^9d^2e^{15} - 384384a^4b^2c^{11}d^3e^{14} + 165216a^4b^3c^{10}d^2e^{15} - 3240a^4b^2c^{14}d^9e^8 + 11016a^4b^3c^{13}d^8e^9 - 8812a^4b^4c^{12}d^7e^{10} - 1992a^4b^5c^{11}d^6e^{11} + 408a^4b^6c^{10}d^5e^{12} + 5216a^4b^7c^9d^4e^{13} - 2340a^4b^8c^8d^3e^{14} - 40176a^2b^6c^{14}d^8e^9 - 63360a^3b^6c^{13}d^6e^{11} - 2340a^3b^6c^8d^6e^{16} + 120608a^4b^6c^12d^4e^{13} + 21281a^4b^4c^9d^6e^{16} - 114432a^5b^6c^{11}d^2e^{15} - 55656a^5b^2c^{10}d^6e^{16}) / (32*(16a^3b^6c^9d^{18} - a^2b^8c^8d^{18} - 256a^6c^{12}d^{18} - 96a^4b^4c^{10}d^{18} + 256a^5b^2c^{11}d^{18} - a^2b^{16}d^{10}e^8 + 8a^3b^{15}d^9e^9 - 28a^4b^{14}d^8e^{10} + 56a^5b^{13}d^7e^{11} - 70a^6b^{12}d^6e^{12} + 56a^7b^{11}d^5e^{13} - 28a^8b^{10}d^4e^{14} + 8a^9b^9d^3e^{15} - a^{10}b^8d^2e^{16} - 2048a^7c^{11}d^{16}e^2 - 7168a^8c^{10}d^{14}e^4 - 14336a^9c^9d^{12}e^6 - 17920a^{10}c^8d^{10}e^8 - 14336a^{11}c^7d^8e^{10} - 7168a^{12}c^6d^6e^{12} - 2048a^{13}c^5d^4e^{14} - 256a^{14}c^4d^2e^{16} - 28a^2b^{10}c^6d^{16}e^2 + 56a^2b^{11}c^5d^{15}e^3 - 70a^2b^{12}c^4d^{14}e^4 + 56a^2b^{13}c^3d^{13}e^5 - 28a^2b^{14}c^2d^{12}e^6 + 440a^3b^8c^7d^{16}e^2 - 840a^3b^9c^6d^{15}e^3 + 952a^3b^{10}c^5d^{14}e^4 - 616a^3b^{11}c^4d^{13}e^5 + 168a^3b^{12}c^3d^{12}e^6 + 40a^3b^{13}c^2d^{11}e^7 - 2560a^4b^6c^8d^{16}e^2 + 4480a^4b^7c^7d^{15}e^3 - 4060a^4b^8c^6d^{14}e^4 + 1064a^4b^9c^5d^{13}e^5 + 1372a^4b^{10}c^4d^{12}e^6 - 1360a^4b^{11}c^3d^{11}e^7 + 380a^4b^{12}c^2d^{10}e^8 + 6400a^5b^4c^9d^{16}e^2 - 8960a^5b^5c^8d^{15}e^3 + 2240a^5b^6c^7d^{14}e^4 + 9856a^5b^7c^6d^{13}e^5 - 13048a^5b^8c^5d^{12}e^6 + 5400a^5b^9c^4d^{11}e^7 + 1040a^5b^{10}c^3d^{10}e^8 - 1360a^5b^{11}c^2d^9e^9 - 5120a^6b^2c^{10}d
\end{aligned}$$

$$\begin{aligned}
& ^{16}e^2 + 22400a^6b^4c^8d^{14}e^4 - 41216a^6b^5c^7d^{13}e^5 + 25088a^6b^6c^6d^{12}e^6 + 8320a^6b^7c^5d^{11}e^7 - 17350a^6b^8c^4d^{10}e^8 \\
& + 5400a^6b^9c^3d^9e^9 + 1372a^6b^{10}c^2d^8e^{10} - 35840a^7b^2c^9d^{14}e^4 + 28672a^7b^3c^8d^{13}e^5 + 30464a^7b^4c^7d^{12}e^6 - 734 \\
& 72a^7b^5c^6d^{11}e^7 + 40544a^7b^6c^5d^{10}e^8 + 8320a^7b^7c^4d^9e^9 - 13048a^7b^8c^3d^8e^{10} + 1064a^7b^9c^2d^7e^{11} - 93184a^8b^2c^8d^{12}e^6 \\
& + 71680a^8b^3c^7d^{11}e^7 + 29120a^8b^4c^6d^{10}e^8 - 73472a^8b^5c^5d^9e^9 + 25088a^8b^6c^4d^8e^{10} + 9856a^8b^7c^3d^7e^{11} - 4060a^8b^8c^2d^6e^{12} \\
& - 125440a^9b^2c^7d^{10}e^8 + 71680a^9b^3c^6d^9e^9 + 30464a^9b^4c^5d^8e^{10} - 41216a^9b^5c^4d^7e^{11} + 2240a^9b^6c^3d^6e^{12} \\
& + 4480a^9b^7c^2d^5e^{13} - 93184a^{10}b^2c^6d^8e^{10} + 28672a^{10}b^3c^5d^7e^{11} + 22400a^{10}b^4c^4d^6e^{12} - 8960a^{10}b^5c^3d^5e^{13} \\
& - 2560a^{10}b^6c^2d^4e^{14} - 35840a^{11}b^2c^5d^6e^{12} + 6400a^{11}b^4c^3d^4e^{14} + 768a^{11}b^5c^2d^3e^{15} - 5120a^{12}b^2c^4d^4e^{14} \\
& - 2048a^{12}b^3c^3d^3e^{15} - 96a^{12}b^4c^2d^2e^{16} + 256a^{13}b^2c^3d^2e^{16} + 2048a^6b^6c^{11}d^{17}e + 8a^2b^9c^7d^{17}e + 8a^2b^{15}c^d^{11}e^7 \\
& - 128a^3b^7c^8d^{17}e - 40a^3b^{14}c^d^{10}e^8 + 768a^4b^5c^9d^{17}e + 40a^4b^{13}c^d^9e^9 - 2048a^5b^3c^{10}d^{17}e + 168a^5b^{12}c^d^8e^{10} \\
& - 616a^6b^{11}c^d^7e^{11} + 14336a^7b^6c^{10}d^{15}e^3 + 952a^7b^{10}c^d^6e^{12} + 43008a^8b^6c^9d^{13}e^5 - 840a^8b^9c^d^5e^{13} \\
& + 71680a^9b^6c^8d^{11}e^7 + 440a^9b^8c^d^4e^{14} + 71680a^{10}b^6c^7d^9e^9 - 128a^{10}b^7c^d^3e^{15} + 43008a^{11}b^6c^6d^7e^{11} + 16 \\
& a^{11}b^6c^d^2e^{16} + 14336a^{12}b^6c^5d^5e^{13} + 2048a^{13}b^6c^4d^3e^{15} \\
&))\text{root}(128723189760a^{14}b^4c^9d^{13}e^{14}z^6 + 128723189760a^{12}b^4c^{11}d^{17}e^{10}z^6 - 8432455680a^{11}b^{12}c^4d^{11}e^{16}z^6 - 8432455680a^7b^{12}c^8d^{19}e^8z^6 \\
& + 12673351680a^{11}b^{11}c^5d^{12}e^{15}z^6 + 12673351680a^8b^{11}c^8d^{18}e^9z^6 - 72637480960a^{12}b^9c^6d^{12}e^{15}z^6 - 72637480960a^9b^9c^9d^{18}e^9z^6 \\
& - 21048344576a^9b^{12}c^6d^{15}e^{12}z^6 - 16609443840a^{17}b^3c^7d^8e^{19}z^6 - 16609443840a^{10}b^3c^{14}d^{22}e^5z^6 + 145332633600a^{13}b^5c^9d^{14}e^{13}z^6 \\
& + 145332633600a^{12}b^5c^{10}d^{16}e^{11}z^6 + 123740356608a^{14}b^5c^8d^{12}e^{15}z^6 + 123740356608a^{11}b^5c^{11}d^{18}e^9z^6 + 3460300800a^{17}b^5c^5d^6e^{21}z^6 \\
& + 3460300800a^8b^5c^{14}d^{24}e^3z^6 - 7751073792a^{15}b^7c^5d^8e^{19}z^6 - 7751073792a^8b^7c^{12}d^{22}e^5z^6 + 12041846784a^{14}b^7c^6d^{10}e^{17}z^6 + 12041846784a^9b^7c^{11}d^{20}e^7z^6 \\
& - 325545099264a^{14}b^3c^{10}d^{14}e^{13}z^6 - 325545099264a^{13}b^3c^{11}d^{16}e^{11}z^6 - 3330539520a^{13}b^{10}c^4d^9e^{18}z^6 - 3330539520a^7b^{10}c^{10}d^{21}e^6z^6 \\
& + 157789716480a^{12}b^7c^8d^{14}e^{13}z^6 + 157789716480a^{11}b^7c^9d^{16}e^{11}z^6 + 37492359168a^{11}b^{10}c^6d^{13}e^{14}z^6 + 37492359168a^9b^{10}c^8d^{17}e^{10}z^6 \\
& + 301989888a^8b^3c^{16}d^{26}e^4z^6 - 7266631680a^{17}b^4c^6d^7e^{20}z^6 - 7266631680a^9b^4c^{14}d^{23}e^4z^6 - 201326592a^{20}b^6c^6d^4e^{23}z^6 - 188743680a^7b^5c^{15}d^{26}e^4z^6 \\
& + 45747339264a^{13}b^8c^6d^{11}e^{16}z^6 + 45747339264a^9b^8c^{10}d^{19}e^8z^6 - 74612736a^{10}b^{16}c^d^9e^{18}z^6 - 2768240640a^{16}b^7c^4d^6e^{21}z^6 - 2768240640a^7b^7c^{13}d^{24}e^3z^6 \\
& + 69746688a^{11}b^{15}c^d^8e^{19}z^6 + 62914560a^6b^7c^{14}d^{26}e^4z^6 + 2
\end{aligned}$$

$$\begin{aligned}
& 752020480a^{10}b^{13}c^4d^{12}e^{15}z^6 + 2752020480a^7b^{13}c^7d^{18}e^9z^6 + 55148544a^9b^{17}c^4d^{10}e^{17}z^6 - 45957120a^{12}b^{14}c^4d^7e^{20}z^6 - \\
& 2724986880a^{14}b^9c^4d^8e^{19}z^6 - 2724986880a^7b^9c^{11}d^{22}e^5z^6 - 25952256a^8b^{18}c^4d^{11}e^{16}z^6 + 21086208a^{13}b^{13}c^4d^6e^{21}z^6 - \\
& 11796480a^5b^9c^{13}d^{26}e^4z^6 - 6438912a^{14}b^{12}c^4d^5e^{22}z^6 + 5406720a^7b^{19}c^4d^{12}e^{15}z^6 + 1622016a^6b^{20}c^4d^{13}e^{14}z^6 - 1523712a^5b^{21}c^4d^{14}e^{13}z^6 + 1179648a^{15}b^{11}c^4d^4e^{23}z^6 + 1179648a^4b^{11}c^{12}d^{26}e^4z^6 + 442368a^4b^{22}c^4d^{15}e^{12}z^6 - 98304a^{16}b^{10}c^4d^3e^{24}z^6 - 49152a^3b^{23}c^4d^{16}e^{11}z^6 - 49152a^3b^{13}c^{11}d^{26}e^4z^6 + 6897106944a^9b^{13}c^5d^{14}e^{13}z^6 + 6897106944a^8b^{13}c^6d^{16}e^{11}z^6 - 2422210560a^{16}b^6c^5d^7e^{20}z^6 - 2422210560a^8b^6c^{13}d^{23}e^4z^6 + 255785435136a^{14}b^2c^{11}d^{15}e^{12}z^6 + 41004564480a^{15}b^4c^8d^{11}e^{16}z^6 + 41004564480a^{11}b^4c^{12}d^{19}e^8z^6 + 2270822400a^{13}b^{11}c^3d^8e^{19}z^6 + 2270822400a^6b^{11}c^{10}d^{22}e^5z^6 + 23677108224a^{14}b^8c^5d^9e^{18}z^6 + 23677108224a^8b^8c^{11}d^{21}e^6z^6 + 212600881152a^{15}b^2c^{10}d^{13}e^{14}z^6 + 212600881152a^{13}b^2c^{12}d^{17}e^{10}z^6 + 75157733376a^{15}b^5c^7d^{10}e^{17}z^6 + 75157733376a^{10}b^5c^{12}d^{20}e^7z^6 - 251217838080a^{13}b^6c^8d^{13}e^{14}z^6 - 251217838080a^{11}b^6c^{10}d^{17}e^{10}z^6 - 1952907264a^{14}b^{10}c^3d^7e^{20}z^6 - 1952907264a^6b^{10}c^{11}d^{23}e^4z^6 - 27691057152a^{13}b^9c^5d^{10}e^{17}z^6 - 27691057152a^8b^9c^{10}d^{20}e^7z^6 - 1902673920a^8b^{15}c^4d^{14}e^{13}z^6 - 1902673920a^7b^{15}c^5d^{16}e^{11}z^6 + 10465050624a^{10}b^{11}c^6d^{14}e^{13}z^6 + 10465050624a^9b^{11}c^7d^{16}e^{11}z^6 + 1613905920a^9b^{14}c^4d^{13}e^{14}z^6 + 1613905920a^7b^{14}c^6d^{17}e^{10}z^6 - 33218887680a^{17}b^3c^9d^{10}e^{17}z^6 - 33218887680a^{12}b^3c^{14}d^{20}e^7z^6 + 1524695040a^{10}b^{14}c^3d^{11}e^{16}z^6 + 1524695040a^6b^{14}c^7d^{19}e^8z^6 - 1472200704a^{18}b^4c^5d^5e^{22}z^6 - 1472200704a^8b^4c^{15}d^{25}e^2z^6 - 8304721920a^{16}b^3c^8d^{10}e^{17}z^6 - 8304721920a^{11}b^3c^{13}d^{20}e^7z^6 + 44291850240a^{17}b^2c^8d^9e^{18}z^6 + 44291850240a^{11}b^2c^{14}d^{21}e^6z^6 + 1308131328a^8b^{14}c^5d^{15}e^{12}z^6 - 201326592a^9b^3c^{17}d^{26}e^4z^6 + 48530718720a^{12}b^8c^7d^{13}e^{14}z^6 + 48530718720a^{10}b^8c^9d^{17}e^{10}z^6 - 1242644480a^{12}b^{12}c^3d^9e^{18}z^6 - 1242644480a^6b^{12}c^9d^{21}e^6z^6 + 9813196800a^{12}b^{10}c^5d^{11}e^{16}z^6 + 9813196800a^8b^{10}c^9d^{19}e^8z^6 - 93012885504a^{15}b^3c^{11}d^{14}e^{13}z^6 - 93012885504a^{14}b^3c^{12}d^{16}e^{11}z^6 + 177305812992a^{13}b^4c^{10}d^{15}e^{12}z^6 + 52730658816a^{10}b^{10}c^7d^{15}e^{12}z^6 - 1180106752a^9b^{15}c^3d^{12}e^{15}z^6 - 1180106752a^6b^{15}c^6d^{18}e^9z^6 + 1023672320a^{15}b^9c^3d^6e^{21}z^6 + 1023672320a^6b^9c^{12}d^{24}e^3z^6 + 975175680a^{17}b^6c^4d^5e^{22}z^6 + 975175680a^7b^6c^{14}d^{25}e^2z^6 - 11072962560a^{18}b^3c^8d^8e^{19}z^6 - 11072962560a^{11}b^3c^{15}d^{22}e^5z^6 + 9412018176a^{18}b^2c^7d^7e^{20}z^6 + 9412018176a^{10}b^2c^{15}d^{23}e^4z^6 + 805306368a^{19}b^2c^6d^5e^{22}z^6 + 805306368a^9b^2c^{16}d^{25}e^2z^6 - 133809831936a^{14}b^6c^7d^{11}e^{16}z^6 - 133809831936a^{10}b^6c^{11}d^{19}e^8z^6 - 2214592512a^{19}b^3c^7d^6e^{21}z^6 - 2214592512a^{10}b^3c^{16}d^{24}e^3z^6 + 82216747008a^{13}b^7c^7d^{12}e^{15}z^6 + 82216747008a^{10}b^7c^{10}d^{18}e^9z^6 - 586629120a
\end{aligned}$$

$$\begin{aligned}
& ^{12}b^{13}c^2d^8e^{19}z^6 - 586629120a^5b^{13}c^9d^{22}e^5z^6 + 568565760 \\
& a^7b^{16}c^4d^{15}e^{12}z^6 - 4844421120a^{16}b^4c^7d^9e^{18}z^6 - 484442 \\
& 1120a^{10}b^4c^{13}d^{21}e^6z^6 + 531210240a^{11}b^{14}c^2d^9e^{18}z^6 + 53 \\
& 1210240a^5b^{14}c^8d^{21}e^6z^6 - 527155200a^{11}b^{13}c^3d^{10}e^{17}z^6 - \\
& 527155200a^6b^{13}c^8d^{20}e^7z^6 + 43470028800a^{11}b^8c^8d^{15}e^{12}z^ \\
& ^6 - 107874877440a^{11}b^9c^7d^{14}e^{13}z^6 - 107874877440a^{10}b^9c^8d^{ \\
& 16}e^{11}z^6 + 9018408960a^{12}b^{11}c^4d^{10}e^{17}z^6 + 9018408960a^7b^{11} \\
& c^9d^{20}e^7z^6 + 421994496a^{13}b^{12}c^2d^7e^{20}z^6 + 421994496a^5b^{1 \\
& 2}c^{10}d^{23}e^4z^6 - 6643775360a^{16}b^3c^{10}d^{12}e^{15}z^6 - 6643775360a \\
& ^{13}b^3c^{13}d^{18}e^9z^6 + 26159874048a^{16}b^5c^6d^8e^{19}z^6 + 261598740 \\
& 48a^9b^5c^{13}d^{22}e^5z^6 - 369098752a^{18}b^3c^6d^6e^{21}z^6 - 369098 \\
& 752a^9b^3c^{15}d^{24}e^3z^6 + 351436800a^8b^{16}c^3d^{13}e^{14}z^6 + 3514 \\
& 36800a^6b^{16}c^5d^{17}e^{10}z^6 - 334233600a^{16}b^8c^3d^5e^{22}z^6 - 33 \\
& 4233600a^6b^8c^{13}d^{25}e^2z^6 + 301989888a^{19}b^3c^5d^4e^{23}z^6 - 2 \\
& 66010624a^{10}b^{15}c^2d^{10}e^{17}z^6 - 266010624a^5b^{15}c^7d^{20}e^7z^6 \\
& - 305198530560a^{12}b^6c^9d^{15}e^{12}z^6 - 203292672a^{14}b^{11}c^2d^6e^2 \\
& 1z^6 - 203292672a^5b^{11}c^{11}d^{24}e^3z^6 - 188743680a^{18}b^5c^4d^4e \\
& ^{23}z^6 + 120418467840a^{16}b^2c^9d^{11}e^{16}z^6 + 120418467840a^{12}b^2c \\
& ^{13}d^{19}e^8z^6 - 17293934592a^{10}b^{12}c^5d^{13}e^{14}z^6 - 17293934592a^ \\
& 8b^{12}c^7d^{17}e^{10}z^6 + 104890368a^8b^{17}c^2d^{12}e^{15}z^6 + 104890368 \\
& a^5b^{17}c^5d^{18}e^9z^6 + 4390256640a^{15}b^8c^4d^7e^{20}z^6 + 4390256 \\
& 640a^7b^8c^{12}d^{23}e^4z^6 - 91750400a^6b^{18}c^3d^{15}e^{12}z^6 + 79134 \\
& 720a^7b^{17}c^3d^{14}e^{13}z^6 + 79134720a^6b^{17}c^4d^{16}e^{11}z^6 - 7461 \\
& 2736a^4b^{16}c^7d^{21}e^6z^6 - 72990720a^7b^{18}c^2d^{13}e^{14}z^6 - 7299 \\
& 0720a^5b^{18}c^4d^{17}e^{10}z^6 + 69746688a^4b^{15}c^8d^{22}e^5z^6 + 6370 \\
& 0992a^{15}b^{10}c^2d^5e^{22}z^6 + 63700992a^5b^{10}c^{12}d^{25}e^2z^6 + 629 \\
& 14560a^{17}b^7c^3d^4e^{23}z^6 + 55148544a^4b^{17}c^6d^{20}e^7z^6 - 4595 \\
& 7120a^4b^{14}c^9d^{23}e^4z^6 - 25952256a^4b^{18}c^5d^{19}e^8z^6 - 25165 \\
& 824a^{20}b^2c^5d^3e^{24}z^6 + 21086208a^4b^{13}c^{10}d^{24}e^3z^6 + 20643 \\
& 840a^6b^{19}c^2d^{14}e^{13}z^6 + 20643840a^5b^{19}c^3d^{16}e^{11}z^6 + 1572 \\
& 8640a^{19}b^4c^4d^3e^{24}z^6 - 11796480a^{16}b^9c^2d^4e^{23}z^6 - 64389 \\
& 12a^4b^{12}c^{11}d^{25}e^2z^6 + 5406720a^4b^{19}c^4d^{18}e^9z^6 - 5242880 \\
& a^{18}b^6c^3d^3e^{24}z^6 + 3784704a^3b^{18}c^6d^{21}e^6z^6 - 3244032a^ \\
& 3b^{19}c^5d^{20}e^7z^6 - 3244032a^3b^{17}c^7d^{22}e^5z^6 + 2027520a^3b \\
& ^{20}c^4d^{19}e^8z^6 + 2027520a^3b^{16}c^8d^{23}e^4z^6 - 1622016a^9b^{16} \\
& c^2d^{11}e^{16}z^6 - 1622016a^5b^{16}c^6d^{19}e^8z^6 + 1622016a^4b^{20}c \\
& ^3d^{17}e^{10}z^6 - 1523712a^4b^{21}c^2d^{16}e^{11}z^6 + 983040a^{17}b^8c^2 \\
& d^3e^{24}z^6 - 901120a^3b^{21}c^3d^{18}e^9z^6 - 901120a^3b^{15}c^9d^{24} \\
& e^3z^6 + 270336a^3b^{22}c^2d^{17}e^{10}z^6 + 270336a^3b^{14}c^{10}d^{25}e^ \\
& 2z^6 + 172032a^5b^{20}c^2d^{15}e^{12}z^6 - 38593888256a^{15}b^6c^6d^9e^ \\
& 18z^6 - 38593888256a^9b^6c^{12}d^{21}e^6z^6 - 210386288640a^{15}b^3c^9 \\
& d^{12}e^{15}z^6 - 210386288640a^{12}b^3c^{12}d^{18}e^9z^6 + 15502147584a^{15} \\
& c^{12}d^{15}e^{12}z^6 + 1107296256a^{19}c^8d^7e^{20}z^6 + 1107296256a^{11}c^1 \\
& 6d^{23}e^4z^6 + 13287555072a^{16}c^{11}d^{13}e^{14}z^6 + 13287555072a^{14}c^1 \\
& 3d^{17}e^{10}z^6 + 201326592a^{20}c^7d^5e^{22}z^6 + 201326592a^{10}c^{17}d^2
\end{aligned}$$

$$\begin{aligned}
& 5e^{2z^6} + 16777216a^{21}c^6d^3e^{24z^6} + 3784704a^9b^{18}d^9e^{18z^6} \\
& - 3244032a^{10}b^{17}d^8e^{19z^6} - 3244032a^8b^{19}d^{10}e^{17z^6} + 2027520 \\
& *a^{11}b^{16}d^7e^{20z^6} + 2027520a^7b^{20}d^{11}e^{16z^6} - 901120a^{12}b^{15} \\
& *d^6e^{21z^6} - 901120a^6b^{21}d^{12}e^{15z^6} + 270336a^{13}b^{14}d^5e^{22z^6} \\
& + 270336a^5b^{22}d^{13}e^{14z^6} - 49152a^{14}b^{13}d^4e^{23z^6} - 49152a \\
& ^4b^{23}d^{14}e^{13z^6} + 4096a^{15}b^{12}d^3e^{24z^6} + 4096a^3b^{24}d^{15}e^{12z^6} \\
& - 25165824a^8b^2c^{17}d^{27z^6} + 15728640a^7b^4c^{16}d^{27z^6} - \\
& 5242880a^6b^6c^{15}d^{27z^6} + 983040a^5b^8c^{14}d^{27z^6} - 98304a^4b^ \\
& 10c^{13}d^{27z^6} + 4096a^3b^{12}c^{12}d^{27z^6} + 8304721920a^{17}c^{10}d^{11}e \\
& ^{16z^6} + 8304721920a^{13}c^{14}d^{19}e^8z^6 + 3690987520a^{18}c^9d^9e^{18} \\
& *z^6 + 3690987520a^{12}c^{15}d^{21}e^6z^6 + 16777216a^9c^{18}d^{27z^6} - 849 \\
& 3371392a^6b^8c^9d^{14}e^9z^4 + 1458044928a^8b^c^{14}d^{17}e^6z^4 - 126 \\
& 04538880a^{11}b^4c^8d^8e^{15z^4} - 8303067136a^9b^5c^9d^{11}e^{12z^4} - \\
& 5588058112a^{13}b^c^9d^7e^{16z^4} - 3892838400a^8b^2c^{13}d^{16}e^7z^4 \\
& - 3611713536a^8b^8c^7d^{10}e^{13z^4} + 7819006464a^7b^9c^7d^{11}e^{12z^4} \\
& ^4 - 7782137856a^8b^7c^8d^{11}e^{12z^4} + 7780433920a^{12}b^2c^9d^8e^1 \\
& 5z^4 - 12020465664a^7b^5c^{11}d^{15}e^8z^4 + 3176792064a^8b^3c^{12}d^{15} \\
& e^8z^4 - 322633728a^{15}b^c^7d^3e^{20z^4} + 210829312a^7b^c^{15}d^{19}e \\
& ^4z^4 + 15623258112a^9b^6c^8d^{10}e^{13z^4} + 25165824a^{15}b^3c^5d^e^{22z^4} \\
& - 15728640a^{14}b^5c^4d^e^{22z^4} + 12582912a^5b^2c^{16}d^{22}e^z^4 \\
& - 11730944a^4b^4c^{15}d^{22}e^z^4 + 5242880a^{13}b^7c^3d^e^{22z^4} - 45 \\
& 61920a^b^{15}c^7d^{17}e^6z^4 + 4521984a^3b^6c^{14}d^{22}e^z^4 + 4460544a \\
& *b^{14}c^8d^{18}e^5z^4 + 3538944a^6b^c^{16}d^{21}e^2z^4 + 3108864a^b^{16}c \\
& ^6d^{16}e^7z^4 - 3027200a^b^{13}c^9d^{19}e^4z^4 - 2345472a^5b^{17}c^d^7e \\
& ^{16z^4} - 2307072a^8b^{14}c^d^4e^{19z^4} + 1824768a^6b^{16}c^d^6e^{17z^4} \\
& + 1734912a^9b^{13}c^d^3e^{20z^4} + 1419264a^b^{12}c^{10}d^{20}e^3z^4 - 11 \\
& 91168a^b^{17}c^5d^{15}e^8z^4 - 983040a^{12}b^9c^2d^e^{22z^4} + 964608a^4 \\
& *b^{18}c^d^8e^{15z^4} - 866304a^2b^8c^{13}d^{22}e^z^4 + 703488a^7b^{15}c^d \\
& ^5e^{18z^4} - 608256a^{10}b^{12}c^d^2e^{21z^4} - 440832a^b^{11}c^{11}d^{21}e^2 \\
& *z^4 + 275968a^b^{19}c^3d^{13}e^{10z^4} - 159744a^2b^{20}c^d^{10}e^{13z^4} - \\
& 153600a^b^{20}c^2d^{12}e^{11z^4} + 64512a^3b^{19}c^d^9e^{14z^4} + 197460623 \\
& 36a^8b^6c^9d^{12}e^{11z^4} - 15333588992a^{10}b^4c^9d^{10}e^{13z^4} + 670 \\
& 2170112a^7b^4c^{12}d^{16}e^7z^4 + 15167913984a^{10}b^3c^{10}d^{11}e^{12z^4} \\
& - 2256638976a^5b^{11}c^7d^{13}e^{10z^4} + 2254307328a^5b^7c^{11}d^{17}e^6 \\
& *z^4 - 2200633344a^6b^5c^{12}d^{17}e^6z^4 + 6457131008a^{11}b^3c^9d^9e \\
& ^{14z^4} - 2128785408a^5b^8c^{10}d^{16}e^7z^4 - 2126057472a^6b^{11}c^6d^ \\
& 11e^{12z^4} + 2038349824a^{12}b^5c^6d^5e^{18z^4} + 2037841920a^5b^{10}c^ \\
& 8d^{14}e^9z^4 + 3615621120a^9b^c^{13}d^{15}e^8z^4 + 1900019712a^{11}b^2c^ \\
& ^{10}d^{10}e^{13z^4} + 1867698432a^9b^9c^5d^7e^{16z^4} - 6157369344a^9b^ \\
& 4c^{10}d^{12}e^{11z^4} - 1856913408a^7b^{10}c^6d^{10}e^{13z^4} + 1789132800a \\
& ^6b^4c^{13}d^{18}e^5z^4 + 6082658304a^8b^4c^{11}d^{14}e^9z^4 + 602954956 \\
& 8a^{11}b^5c^7d^7e^{16z^4} + 6010159104a^6b^7c^{10}d^{15}e^8z^4 + 170318 \\
& 2336a^7b^7c^9d^{13}e^{10z^4} + 1658388480a^{11}b^6c^6d^6e^{17z^4} + 591 \\
& 7114368a^{10}b^6c^7d^8e^{15z^4} - 1591197696a^{11}b^7c^5d^5e^{18z^4} - \\
& 1526464512a^8b^{10}c^5d^8e^{15z^4} - 5772607488a^{12}b^4c^7d^6e^{17z^4}
\end{aligned}$$

$$\begin{aligned}
& - 1423507456*a^{13}*b^4*c^6*d^4*e^{19}*z^4 - 1387266048*a^7*b^3*c^{13}*d^{17}*e^6* \\
& z^4 + 2976120832*a^{10}*b*c^{12}*d^{13}*e^{10}*z^4 - 9906946048*a^9*b^2*c^{12}*d^{14}*e \\
& ^9*z^4 - 18421874688*a^8*b^5*c^{10}*d^{13}*e^{10}*z^4 + 1141217280*a^6*b^{12}*c^5*d \\
& ^{10}*e^{13}*z^4 - 9714364416*a^7*b^8*c^8*d^{12}*e^{11}*z^4 - 16777216*a^{16}*b*c^6*d \\
& *e^{22}*z^4 + 98304*a^{11}*b^{11}*c*d*e^{22}*z^4 + 81920*a*b^{10}*c^{12}*d^{22}*e*z^4 + 3 \\
& 9168*a*b^{21}*c*d^{11}*e^{12}*z^4 - 1091829760*a^5*b^6*c^{12}*d^{18}*e^5*z^4 + 104674 \\
& 0992*a^{14}*b^2*c^7*d^4*e^{19}*z^4 - 6884425728*a^{12}*b*c^{10}*d^9*e^{14}*z^4 + 9874 \\
& 45248*a^4*b^{10}*c^9*d^{16}*e^7*z^4 + 984087552*a^5*b^{12}*c^6*d^{12}*e^{11}*z^4 - 95 \\
& 64585984*a^9*b^7*c^7*d^9*e^{14}*z^4 - 5266857984*a^{10}*b^7*c^6*d^7*e^{16}*z^4 - \\
& 892145664*a^7*b^{11}*c^5*d^9*e^{14}*z^4 - 2444623872*a^{11}*b*c^{11}*d^{11}*e^{12}*z^4 \\
& + 768540672*a^{12}*b^3*c^8*d^7*e^{16}*z^4 + 5048322048*a^8*b^9*c^6*d^9*e^{14}*z^4 \\
& + 5047612416*a^6*b^9*c^8*d^{13}*e^{10}*z^4 - 732492288*a^4*b^{11}*c^8*d^{15}*e^8*z \\
& ^4 + 9266921472*a^7*b^6*c^{10}*d^{14}*e^9*z^4 - 645857280*a^6*b^6*c^{11}*d^{16}*e^7 \\
& *z^4 - 623867904*a^4*b^9*c^{10}*d^{17}*e^6*z^4 - 622067712*a^6*b^3*c^{14}*d^{19}*e^ \\
& 4*z^4 + 582617088*a^{10}*b^8*c^5*d^6*e^{17}*z^4 + 577119744*a^7*b^{12}*c^4*d^8*e^ \\
& 15*z^4 + 552566784*a^{12}*b^6*c^5*d^4*e^{19}*z^4 + 549224448*a^9*b^8*c^6*d^8*e^ \\
& 15*z^4 - 526565376*a^9*b^{10}*c^4*d^6*e^{17}*z^4 + 511520256*a^{10}*b^9*c^4*d^5*e \\
& ^{18}*z^4 + 13393723392*a^9*b^3*c^{11}*d^{13}*e^{10}*z^4 - 2066350080*a^{14}*b*c^8*d^ \\
& 5*e^{18}*z^4 + 4718592000*a^{13}*b^2*c^8*d^6*e^{17}*z^4 - 314572800*a^7*b^2*c^{14}* \\
& d^{18}*e^5*z^4 + 287250432*a^4*b^{13}*c^6*d^{13}*e^{10}*z^4 + 4565827584*a^{10}*b^5*c \\
& ^8*d^9*e^{14}*z^4 - 250785792*a^4*b^{14}*c^5*d^{12}*e^{11}*z^4 + 235536384*a^{13}*b^3 \\
& *c^7*d^5*e^{18}*z^4 - 232683264*a^8*b^{11}*c^4*d^7*e^{16}*z^4 - 199627776*a^5*b^1 \\
& 4*c^4*d^{10}*e^{13}*z^4 - 190267392*a^{12}*b^7*c^4*d^3*e^{20}*z^4 + 184891392*a^6*b \\
& ^{10}*c^7*d^{12}*e^{11}*z^4 + 180502528*a^4*b^7*c^{12}*d^{19}*e^4*z^4 + 178877952*a^3 \\
& *b^{13}*c^7*d^{15}*e^8*z^4 + 172490752*a^{14}*b^3*c^6*d^3*e^{20}*z^4 + 163946496*a^ \\
& 13*b^5*c^5*d^3*e^{20}*z^4 + 155839488*a^8*b^{12}*c^3*d^6*e^{17}*z^4 + 155000832*a \\
& ^5*b^5*c^{13}*d^{19}*e^4*z^4 - 152076288*a^4*b^6*c^{13}*d^{20}*e^3*z^4 - 137592576* \\
& a^3*b^{12}*c^8*d^{16}*e^7*z^4 - 133693440*a^{14}*b^4*c^5*d^2*e^{21}*z^4 - 116767488 \\
& *a^3*b^9*c^{11}*d^{19}*e^4*z^4 - 108985344*a^3*b^{14}*c^6*d^{14}*e^9*z^4 - 10622361 \\
& 6*a^6*b^{13}*c^4*d^9*e^{14}*z^4 + 106119168*a^3*b^{10}*c^{10}*d^{18}*e^5*z^4 + 102432 \\
& 768*a^5*b^4*c^{14}*d^{20}*e^3*z^4 + 102113280*a^4*b^{12}*c^7*d^{14}*e^9*z^4 + 10067 \\
& 4048*a^5*b^9*c^9*d^{15}*e^8*z^4 + 90439680*a^{13}*b^6*c^4*d^2*e^{21}*z^4 - 868085 \\
& 76*a^6*b^{14}*c^3*d^8*e^{15}*z^4 + 86245376*a^6*b^2*c^{15}*d^{20}*e^3*z^4 + 7901184 \\
& 0*a^4*b^8*c^{11}*d^{18}*e^5*z^4 + 78345216*a^4*b^{15}*c^4*d^{11}*e^{12}*z^4 + 7800652 \\
& 8*a^{11}*b^9*c^3*d^3*e^{20}*z^4 - 73253376*a^9*b^{11}*c^3*d^5*e^{18}*z^4 + 67524608 \\
& *a^3*b^8*c^{12}*d^{20}*e^3*z^4 + 67108864*a^{15}*b^2*c^6*d^2*e^{21}*z^4 - 61590528* \\
& a^{10}*b^{10}*c^3*d^4*e^{19}*z^4 + 61559808*a^5*b^{15}*c^3*d^9*e^{14}*z^4 - 59637760* \\
& a^5*b^3*c^{15}*d^{21}*e^2*z^4 + 58638336*a^4*b^5*c^{14}*d^{21}*e^2*z^4 - 40828416*a \\
& ^7*b^{13}*c^3*d^7*e^{16}*z^4 - 35639296*a^2*b^{12}*c^9*d^{18}*e^5*z^4 - 31293440*a^ \\
& 12*b^8*c^3*d^2*e^{21}*z^4 + 29933568*a^5*b^{13}*c^5*d^{11}*e^{12}*z^4 + 27793920*a^ \\
& 2*b^{11}*c^{10}*d^{19}*e^4*z^4 + 27168768*a^2*b^{13}*c^8*d^{17}*e^6*z^4 - 23602176*a^ \\
& 7*b^{14}*c^2*d^6*e^{17}*z^4 - 23248896*a^3*b^7*c^{13}*d^{21}*e^2*z^4 + 20929536*a^3 \\
& *b^{15}*c^5*d^{13}*e^{10}*z^4 + 18428928*a^9*b^{12}*c^2*d^4*e^{19}*z^4 + 18026496*a^6 \\
& *b^{15}*c^2*d^7*e^{16}*z^4 - 16261632*a^{10}*b^{11}*c^2*d^3*e^{20}*z^4 + 15128064*a^3 \\
& *b^{16}*c^4*d^{12}*e^{11}*z^4 - 14060544*a^2*b^{10}*c^{11}*d^{20}*e^3*z^4 + 13178880*a^
\end{aligned}$$

$$\begin{aligned}
& 2*b^{16}*c^5*d^{14}*e^9*z^4 - 11244288*a^3*b^{17}*c^3*d^{11}*e^{12}*z^4 - 10509312*a^2*b^{15}*c^6*d^{15}*e^8*z^4 - 7262208*a^4*b^{17}*c^2*d^9*e^{14}*z^4 - 7045632*a^2*b^{17}*c^4*d^{13}*e^{10}*z^4 - 6285312*a^2*b^{14}*c^7*d^{16}*e^7*z^4 + 5996544*a^{11}*b^{10}*c^2*d^2*e^{21}*z^4 + 4558336*a^2*b^9*c^{12}*d^{21}*e^2*z^4 + 4478976*a^{11}*b^8*c^4*d^4*e^{19}*z^4 + 2850816*a^4*b^{16}*c^3*d^{10}*e^{13}*z^4 + 2629632*a^3*b^{11}*c^9*d^{17}*e^6*z^4 + 2503680*a^3*b^{18}*c^2*d^{10}*e^{13}*z^4 + 1627136*a^2*b^{18}*c^3*d^{12}*e^{11}*z^4 + 1605120*a^8*b^{13}*c^2*d^5*e^{18}*z^4 + 1483776*a^5*b^{16}*c^2*d^8*e^{15}*z^4 + 139776*a^2*b^{19}*c^2*d^{11}*e^{12}*z^4 - 8542224384*a^{10}*b^2*c^{11}*d^{12}*e^{11}*z^4 - 3072*b^{22}*c*d^{12}*e^{11}*z^4 - 3072*b^{12}*c^{11}*d^{22}*e*z^4 - 1572864*a^6*c^{17}*d^{22}*e*z^4 - 4096*a^{10}*b^{13}*d*e^{22}*z^4 - 4096*a*b^{22}*d^{10}*e^{13}*z^4 - 6144*a^{12}*b^{10}*c*e^{23}*z^4 - 983040*a^5*b*c^{17}*d^{23}*z^4 - 6912*a*b^9*c^{13}*d^{23}*z^4 + 1824522240*a^{13}*c^{10}*d^8*e^{15}*z^4 + 1730150400*a^{12}*c^{11}*d^{10}*e^{13}*z^4 + 958922752*a^{14}*c^9*d^6*e^{17}*z^4 - 537919488*a^9*c^{14}*d^{16}*e^7*z^4 + 508559360*a^{11}*c^{12}*d^{12}*e^{11}*z^4 - 500170752*a^{10}*c^{13}*d^{14}*e^9*z^4 + 246939648*a^{15}*c^8*d^4*e^{19}*z^4 - 199229440*a^8*c^{15}*d^{18}*e^5*z^4 - 29884416*a^7*c^{16}*d^{20}*e^3*z^4 + 25165824*a^{16}*c^7*d^2*e^{21}*z^4 + 236544*b^{17}*c^6*d^{17}*e^6*z^4 - 202752*b^{18}*c^5*d^{16}*e^7*z^4 - 202752*b^{16}*c^7*d^{18}*e^5*z^4 + 126720*b^{19}*c^4*d^{15}*e^8*z^4 + 126720*b^{15}*c^8*d^{19}*e^4*z^4 - 56320*b^{20}*c^3*d^{14}*e^9*z^4 - 56320*b^{14}*c^9*d^{20}*e^3*z^4 + 16896*b^{21}*c^2*d^{13}*e^{10}*z^4 + 16896*b^{13}*c^{10}*d^{21}*e^2*z^4 + 110080*a^7*b^{16}*d^4*e^{19}*z^4 + 110080*a^4*b^{19}*d^7*e^{16}*z^4 - 75520*a^8*b^{15}*d^3*e^{20}*z^4 - 75520*a^3*b^{20}*d^8*e^{15}*z^4 - 56320*a^6*b^{17}*d^5*e^{18}*z^4 - 56320*a^5*b^{18}*d^6*e^{17}*z^4 + 25600*a^9*b^{14}*d^2*e^{21}*z^4 + 25600*a^2*b^{21}*d^9*e^{14}*z^4 - 1572864*a^{16}*b^2*c^5*e^{23}*z^4 + 983040*a^{15}*b^4*c^4*e^{23}*z^4 - 327680*a^{14}*b^6*c^3*e^{23}*z^4 + 61440*a^{13}*b^8*c^2*e^{23}*z^4 + 983040*a^4*b^3*c^{16}*d^{23}*z^4 - 385024*a^3*b^5*c^{15}*d^{23}*z^4 + 73728*a^2*b^7*c^{14}*d^{23}*z^4 + 256*b^{23}*d^{11}*e^{12}*z^4 + 1048576*a^{17}*c^6*e^{23}*z^4 + 256*b^{11}*c^{12}*d^{23}*z^4 + 256*a^{11}*b^{12}*e^{23}*z^4 + 948695040*a^8*b*c^{10}*d^6*e^{13}*z^2 + 348917760*a^7*b*c^{11}*d^8*e^{11}*z^2 - 125030400*a^9*b*c^9*d^4*e^{15}*z^2 - 50728960*a^6*b*c^{12}*d^{10}*e^9*z^2 - 44298240*a^5*b*c^{13}*d^{12}*e^7*z^2 - 36495360*a^{10}*b*c^8*d^2*e^{17}*z^2 + 29675520*a^8*b^6*c^5*d*e^{18}*z^2 - 24170496*a^9*b^4*c^6*d*e^{18}*z^2 - 17202816*a^7*b^8*c^4*d*e^{18}*z^2 - 14561280*a^4*b*c^{14}*d^{14}*e^5*z^2 + 5532416*a^6*b^{10}*c^3*d*e^{18}*z^2 + 4128768*a^{10}*b^2*c^7*d*e^{18}*z^2 - 2662400*a^3*b*c^{15}*d^{16}*e^3*z^2 + 1184512*a*b^{12}*c^6*d^9*e^{10}*z^2 - 1136160*a*b^{13}*c^5*d^8*e^{11}*z^2 - 1017600*a^5*b^{12}*c^2*d*e^{18}*z^2 - 744768*a*b^{11}*c^7*d^{10}*e^9*z^2 + 607872*a*b^{14}*c^4*d^7*e^{12}*z^2 - 424064*a*b^6*c^{12}*d^{15}*e^4*z^2 + 408576*a*b^5*c^{13}*d^{16}*e^3*z^2 + 361152*a*b^{10}*c^8*d^{11}*e^8*z^2 - 287408*a*b^9*c^9*d^{12}*e^7*z^2 - 260448*a^3*b^{15}*c*d^2*e^{17}*z^2 - 203904*a*b^4*c^{14}*d^{17}*e^2*z^2 + 200832*a*b^8*c^{10}*d^{13}*e^6*z^2 + 126720*a*b^7*c^{11}*d^{14}*e^5*z^2 - 123968*a*b^{15}*c^3*d^6*e^{13}*z^2 - 39168*a*b^{16}*c^2*d^5*e^{14}*z^2 + 11904*a^2*b^{16}*c*d^3*e^{16}*z^2 + 1824135552*a^7*b^4*c^8*d^5*e^{14}*z^2 - 1457252352*a^8*b^2*c^9*d^5*e^{14}*z^2 - 1405209600*a^7*b^5*c^7*d^4*e^{15}*z^2 - 184320*a^2*b*c^{16}*d^{18}*e*z^2 + 100608*a^4*b^{14}*c*d*e^{18}*z^2 + 53248*a*b^3*c^{15}*d^{18}*e*z^2 + 26448*a*b^{17}*c^4*d^4*e^{15}*z^2 + 1067599872*a^8*b^3*c^8*d^4*e^{15}*z^2 - 930828288*a^7*b^3*c^9*d^6*e^{13}*z^2 + 920760000*a^6*b^4*c^9*d^7*e^{12}*z^2 - 806639616*a^6*b^3*c^{10}*
\end{aligned}$$

$$\begin{aligned}
& d^8 e^{11} z^2 - 791052480 a^6 b^6 c^7 d^5 e^{14} z^2 + 772237824 a^6 b^7 c^6 d^4 e^{15} z^2 - 701025408 a^5 b^6 c^8 d^7 e^{12} z^2 + 443340288 a^5 b^5 c^9 d^8 e^{11} z^2 + 433047552 a^7 b^6 c^6 d^3 e^{16} z^2 + 405741312 a^5 b^7 c^7 d^6 e^{13} z^2 + 293652480 a^6 b^2 c^{11} d^9 e^{10} z^2 - 276962688 a^6 b^8 c^5 d^3 e^{16} z^2 - 247804272 a^8 b^4 c^7 d^3 e^{16} z^2 + 213564384 a^4 b^8 c^7 d^7 e^{12} z^2 - 202596816 a^5 b^9 c^5 d^4 e^{15} z^2 - 182520896 a^4 b^9 c^6 d^6 e^{13} z^2 - 153489408 a^5 b^3 c^{11} d^{10} e^9 z^2 - 152151552 a^7 b^2 c^{10} d^7 e^{12} z^2 + 115859712 a^5 b^2 c^{12} d^{11} e^8 z^2 + 108085248 a^9 b^3 c^7 d^2 e^{17} z^2 + 105536256 a^4 b^5 c^{10} d^{10} e^9 z^2 - 98323200 a^6 b^5 c^8 d^6 e^{13} z^2 - 93564992 a^4 b^6 c^9 d^9 e^{10} z^2 + 89464512 a^5 b^{10} c^4 d^3 e^{16} z^2 - 75930624 a^8 b^5 c^6 d^2 e^{17} z^2 + 68315904 a^5 b^8 c^6 d^5 e^{14} z^2 - 64157184 a^4 b^7 c^8 d^8 e^{11} z^2 - 62951040 a^9 b^2 c^8 d^3 e^{16} z^2 + 49056768 a^4 b^{10} c^5 d^5 e^{14} z^2 + 47614464 a^3 b^8 c^8 d^9 e^{10} z^2 + 35604480 a^4 b^2 c^{13} d^{13} e^6 z^2 + 33983040 a^3 b^{11} c^5 d^6 e^{13} z^2 - 3515520 a^4 b^3 c^{12} d^{12} e^7 z^2 - 33463808 a^3 b^7 c^9 d^{10} e^9 z^2 - 25128864 a^4 b^4 c^{11} d^{11} e^8 z^2 - 23193728 a^3 b^{10} c^6 d^7 e^{12} z^2 + 21015456 a^6 b^9 c^4 d^2 e^{17} z^2 + 19924176 a^4 b^{11} c^4 d^4 e^{15} z^2 - 19251216 a^3 b^9 c^7 d^8 e^{11} z^2 - 16434048 a^5 b^4 c^{10} d^9 e^{10} z^2 - 16289664 a^3 b^{12} c^4 d^5 e^{14} z^2 - 15059328 a^4 b^{12} c^3 d^3 e^{16} z^2 - 10766016 a^2 b^{10} c^7 d^9 e^{10} z^2 - 10453632 a^5 b^{11} c^3 d^2 e^{17} z^2 - 9940992 a^3 b^3 c^{13} d^{14} e^5 z^2 + 8373696 a^2 b^{11} c^6 d^8 e^{11} z^2 + 7776768 a^3 b^2 c^{14} d^{15} e^4 z^2 + 7077888 a^3 b^5 c^{11} d^{12} e^7 z^2 + 6798240 a^2 b^9 c^8 d^{10} e^9 z^2 - 3589440 a^2 b^6 c^{11} d^{13} e^6 z^2 + 3544320 a^3 b^6 c^{10} d^{11} e^8 z^2 + 3128064 a^2 b^5 c^{12} d^{14} e^5 z^2 + 2346336 a^4 b^{13} c^2 d^2 e^{17} z^2 - 2261568 a^2 b^8 c^9 d^{11} e^8 z^2 - 2125824 a^2 b^{13} c^4 d^6 e^{13} z^2 + 2002560 a^3 b^4 c^{12} d^{13} e^6 z^2 + 1927680 a^2 b^7 c^{10} d^{12} e^7 z^2 + 1814784 a^2 b^{14} c^3 d^5 e^{14} z^2 - 1807104 a^2 b^{12} c^5 d^7 e^{12} z^2 + 1637808 a^3 b^{13} c^3 d^4 e^{15} z^2 + 1083456 a^3 b^{14} c^2 d^3 e^{16} z^2 - 792384 a^2 b^4 c^{13} d^{15} e^4 z^2 - 657408 a^2 b^3 c^{14} d^{16} e^3 z^2 + 608256 a^7 b^7 c^5 d^2 e^{17} z^2 + 595968 a^2 b^2 c^{15} d^{17} e^2 z^2 - 498624 a^2 b^{15} c^2 d^4 e^{15} z^2 - 3840 b^{18} c^d^5 e^{14} z^2 - 3840 b^5 c^{14} d^{18} e^z^2 + 2064384 a^{11} c^8 d^e^{18} z^2 - 4160 a^3 b^{16} d^e^{18} z^2 - 4160 a^* b^{18} d^3 e^{16} z^2 - 1290240 a^{11} b^* c^7 e^{19} z^2 - 9840 a^5 b^{13} c^* e^{19} z^2 - 5760 a^* b^2 c^{16} d^{19} z^2 - 280581120 a^8 c^{11} d^7 e^{12} z^2 + 110278656 a^9 c^{10} d^5 e^{14} z^2 - 89479168 a^7 c^{12} d^9 e^{10} z^2 + 34464000 a^{10} c^9 d^3 e^{16} z^2 + 54240 b^{15} c^4 d^8 e^{11} z^2 + 54240 b^8 c^{11} d^{15} e^4 z^2 - 49920 b^{14} c^5 d^9 e^{10} z^2 - 49920 b^9 c^{10} d^{14} e^5 z^2 - 37376 b^{16} c^3 d^7 e^{12} z^2 - 37376 b^7 c^{12} d^{16} e^3 z^2 + 28480 b^{13} c^6 d^{10} e^9 z^2 + 28480 b^{10} c^9 d^{13} e^6 z^2 + 15936 b^{17} c^2 d^6 e^{13} z^2 + 15936 b^6 c^{13} d^{17} e^2 z^2 - 7920 b^{12} c^7 d^{11} e^8 z^2 - 7920 b^{11} c^8 d^{12} e^7 z^2 + 7489536 a^5 c^{14} d^{13} e^6 z^2 + 6084096 a^6 c^{13} d^{11} e^8 z^2 + 2280448 a^4 c^{15} d^{15} e^4 z^2 + 350208 a^3 c^{16} d^{17} e^2 z^2 + 11616 a^2 b^{17} d^2 e^{17} z^2 - 3515904 a^9 b^5 c^5 e^{19} z^2 + 3440640 a^{10} b^3 c^6 e^{19} z^2 + 1870848 a^8 b^7 c^4 e^{19} z^2 - 572272 a^7 b^9 c^3 e^{19} z^2 + 101856 a^6 b^{11} c^2 e^{19} z^2 + 400 b^{19} d^4 e^{15} z^2 + 400 b^4 c^{15} d^{19} z^2 + 20736 a^2 c^{17} d^{19} z^2 + 4
\end{aligned}$$


```

00*a^4*b^15*e^19*z^2 - 3969216*a^4*b*c^10*d^3*e^12 - 3001536*a^3*b*c^11*d^5
*e^10 - 419904*a^2*b*c^12*d^7*e^8 + 184608*a^4*b^3*c^8*d*e^14 - 153036*a*b^
4*c^10*d^6*e^9 + 127008*a*b^3*c^11*d^7*e^8 + 63108*a*b^6*c^8*d^4*e^11 - 291
60*a*b^2*c^12*d^8*e^7 - 21060*a^3*b^5*c^7*d*e^14 - 21060*a*b^7*c^7*d^3*e^12
+ 5460*a*b^5*c^9*d^5*e^10 - 404544*a^5*b*c^9*d*e^14 + 1251872*a^3*b^3*c^9*
d^3*e^12 + 844224*a^4*b^2*c^9*d^2*e^13 + 820512*a^2*b^3*c^10*d^5*e^10 + 750
672*a^3*b^2*c^10*d^4*e^11 - 657498*a^2*b^4*c^9*d^4*e^11 - 487116*a^3*b^4*c^
8*d^2*e^13 + 160704*a^2*b^2*c^11*d^6*e^9 + 58806*a^2*b^6*c^7*d^2*e^13 + 131
40*a^2*b^5*c^8*d^3*e^12 + 15286*b^6*c^9*d^6*e^9 - 9540*b^7*c^8*d^5*e^10 - 9
540*b^5*c^10*d^7*e^8 + 2025*b^8*c^7*d^4*e^11 + 2025*b^4*c^11*d^8*e^7 + 3367
008*a^4*c^11*d^4*e^11 + 1166400*a^3*c^12*d^6*e^9 + 705600*a^5*c^10*d^2*e^13
+ 104976*a^2*c^13*d^8*e^7 - 17640*a^5*b^2*c^8*e^15 + 2025*a^4*b^4*c^7*e^15
+ 38416*a^6*c^9*e^15, z, k), k, 1, 6) - ((x*(a^2*b^2*e^4 - 4*a^3*c*e^4 - 2
*a*c^3*d^4 + b^2*c^2*d^4 + b^4*d^2*e^2 + 2*a^2*c^2*d^2*e^2 - 2*b^3*c*d^3*e
+ 6*a*b*c^2*d^3*e - 4*a*b^2*c*d^2*e^2))/(2*a*d*(4*a*c^3*d^4 + 4*a^3*c*e^4 -
a^2*b^2*e^4 - b^2*c^2*d^4 - b^4*d^2*e^2 + 8*a^2*c^2*d^2*e^2 + 2*a*b^3*d*e^
3 + 2*b^3*c*d^3*e - 8*a*b*c^2*d^3*e - 8*a^2*b*c*d*e^3 + 2*a*b^2*c*d^2*e^2))
+ (x^3*(a*b^3*e^4 + b*c^3*d^4 + b^4*d*e^3 + 2*a^2*c^2*d*e^3 - b^2*c^2*d^3*
e - b^3*c*d^2*e^2 - 4*a^2*b*c*e^4 + 2*a*c^3*d^3*e - 4*a*b^2*c*d*e^3 + 3*a*b
*c^2*d^2*e^2))/(2*a*d*(4*a*c^3*d^4 + 4*a^3*c*e^4 - a^2*b^2*e^4 - b^2*c^2*d^
4 - b^4*d^2*e^2 + 8*a^2*c^2*d^2*e^2 + 2*a*b^3*d*e^3 + 2*b^3*c*d^3*e - 8*a*b
*c^2*d^3*e - 8*a^2*b*c*d*e^3 + 2*a*b^2*c*d^2*e^2)) + (c*e*x^5*(a*b^2*e^3 +
b*c^2*d^3 - 4*a^2*c*e^3 + b^3*d*e^2 + 4*a*c^2*d^2*e - 2*b^2*c*d^2*e - 3*a*b
*c*d*e^2))/(2*a*d*(4*a*c^3*d^4 + 4*a^3*c*e^4 - a^2*b^2*e^4 - b^2*c^2*d^4 -
b^4*d^2*e^2 + 8*a^2*c^2*d^2*e^2 + 2*a*b^3*d*e^3 + 2*b^3*c*d^3*e - 8*a*b*c^2
*d^3*e - 8*a^2*b*c*d*e^3 + 2*a*b^2*c*d^2*e^2)))/(a*d + x^2*(a*e + b*d) + x^
4*(b*e + c*d) + c*e*x^6)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)**2/(c*x**4+b*x**2+a)**2,x)

[Out] Timed out

$$3.276 \quad \int (d + ex^2)^{5/2} (a + bx^2 + cx^4) dx$$

Optimal. Leaf size=215

$$\frac{x(d + ex^2)^{5/2} (80ae^2 - 10bde + 3cd^2)}{480e^2} + \frac{dx(d + ex^2)^{3/2} (80ae^2 - 10bde + 3cd^2)}{384e^2} + \frac{d^2x\sqrt{d + ex^2} (80ae^2 - 10bde + 3cd^2)}{256e^2}$$

[Out] 1/384*d*(80*a*e^2-10*b*d*e+3*c*d^2)*x*(e*x^2+d)^(3/2)/e^2+1/480*(80*a*e^2-10*b*d*e+3*c*d^2)*x*(e*x^2+d)^(5/2)/e^2-1/80*(-10*b*e+3*c*d)*x*(e*x^2+d)^(7/2)/e^2+1/10*c*x^3*(e*x^2+d)^(7/2)/e+1/256*d^3*(80*a*e^2-10*b*d*e+3*c*d^2)*arctanh(x*e^(1/2)/(e*x^2+d)^(1/2))/e^(5/2)+1/256*d^2*(80*a*e^2-10*b*d*e+3*c*d^2)*x*(e*x^2+d)^(1/2)/e^2

Rubi [A] time = 0.16, antiderivative size = 215, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1159, 388, 195, 217, 206}

$$\frac{x(d + ex^2)^{5/2} (80ae^2 - 10bde + 3cd^2)}{480e^2} + \frac{dx(d + ex^2)^{3/2} (80ae^2 - 10bde + 3cd^2)}{384e^2} + \frac{d^2x\sqrt{d + ex^2} (80ae^2 - 10bde + 3cd^2)}{256e^2}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^(5/2)*(a + b*x^2 + c*x^4), x]

[Out] (d^2*(3*c*d^2 - 10*b*d*e + 80*a*e^2)*x*sqrt[d + e*x^2])/(256*e^2) + (d*(3*c*d^2 - 10*b*d*e + 80*a*e^2)*x*(d + e*x^2)^(3/2))/(384*e^2) + ((3*c*d^2 - 10*b*d*e + 80*a*e^2)*x*(d + e*x^2)^(5/2))/(480*e^2) - ((3*c*d - 10*b*e)*x*(d + e*x^2)^(7/2))/(80*e^2) + (c*x^3*(d + e*x^2)^(7/2))/(10*e) + (d^3*(3*c*d^2 - 10*b*d*e + 80*a*e^2)*ArcTanh[(sqrt[e]*x)/sqrt[d + e*x^2]])/(256*e^(5/2))

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Si
mp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 1159

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := Simp[(c^p*x^(4*p - 1)*(d + e*x^2)^(q + 1))/(e*(4*p + 2*q + 1))
, x] + Dist[1/(e*(4*p + 2*q + 1)), Int[(d + e*x^2)^q*ExpandToSum[e*(4*p + 2
*q + 1)*(a + b*x^2 + c*x^4)^p - d*c^p*(4*p - 1)*x^(4*p - 2) - e*c^p*(4*p +
2*q + 1)*x^(4*p), x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4
*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && !LtQ[q, -1]
```

Rubi steps

$$\begin{aligned}
\int (d + ex^2)^{5/2} (a + bx^2 + cx^4) dx &= \frac{cx^3 (d + ex^2)^{7/2}}{10e} + \frac{\int (d + ex^2)^{5/2} (10ae - (3cd - 10be)x^2) dx}{10e} \\
&= -\frac{(3cd - 10be)x (d + ex^2)^{7/2}}{80e^2} + \frac{cx^3 (d + ex^2)^{7/2}}{10e} - \frac{1}{80} \left(-80a - \frac{d(3cd - 10be)}{e^2} \right) \\
&= \frac{1}{480} \left(80a + \frac{d(3cd - 10be)}{e^2} \right) x (d + ex^2)^{5/2} - \frac{(3cd - 10be)x (d + ex^2)^{7/2}}{80e^2} + \frac{cx^3 (d + ex^2)^{7/2}}{10e} \\
&= \frac{1}{384} d \left(80a + \frac{d(3cd - 10be)}{e^2} \right) x (d + ex^2)^{3/2} + \frac{1}{480} \left(80a + \frac{d(3cd - 10be)}{e^2} \right) x (d + ex^2)^{5/2} \\
&= \frac{1}{256} d^2 \left(80a + \frac{d(3cd - 10be)}{e^2} \right) x \sqrt{d + ex^2} + \frac{1}{384} d \left(80a + \frac{d(3cd - 10be)}{e^2} \right) x (d + ex^2)^{3/2} \\
&= \frac{1}{256} d^2 \left(80a + \frac{d(3cd - 10be)}{e^2} \right) x \sqrt{d + ex^2} + \frac{1}{384} d \left(80a + \frac{d(3cd - 10be)}{e^2} \right) x (d + ex^2)^{3/2} \\
&= \frac{1}{256} d^2 \left(80a + \frac{d(3cd - 10be)}{e^2} \right) x \sqrt{d + ex^2} + \frac{1}{384} d \left(80a + \frac{d(3cd - 10be)}{e^2} \right) x (d + ex^2)^{3/2}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 190, normalized size = 0.88

$$\frac{\sqrt{d + ex^2} \left(\frac{15d^{5/2} \sinh^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right) (10e(8ae - bd) + 3cd^2)}{\sqrt{\frac{ex^2}{d} + 1}} + \sqrt{e} x (10e (8ae (33d^2 + 26dex^2 + 8e^2x^4) + b (15d^3 + 118d^2ex^2 + 136d^2ex^2 + 48e^3x^6))) + (15d^{5/2} + 118d^2ex^2 + 136d^2ex^2 + 48e^3x^6) \right)}{3840e^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^(5/2)*(a + b*x^2 + c*x^4), x]

[Out] (Sqrt[d + e*x^2]*(Sqrt[e]*x*(c*(-45*d^4 + 30*d^3*e*x^2 + 744*d^2*e^2*x^4 + 1008*d*e^3*x^6 + 384*e^4*x^8) + 10*e*(8*a*e*(33*d^2 + 26*d*e*x^2 + 8*e^2*x^4) + b*(15*d^3 + 118*d^2*e*x^2 + 136*d*e^2*x^4 + 48*e^3*x^6))) + (15*d^(5/2) + 118*d^2*e*x^2 + 136*d^2*e*x^2 + 48*e^3*x^6))*ArcSinh[(Sqrt[e]*x)/Sqrt[d]])/Sqrt[1 + (e*x^2)/d])/(3840*e^(5/2))

fricas [A] time = 1.13, size = 370, normalized size = 1.72

$$\frac{15(3cd^5 - 10bd^4e + 80ad^3e^2)\sqrt{e} \log\left(-2ex^2 - 2\sqrt{ex^2 + d}\sqrt{e}x - d\right) + 2(384ce^5x^9 + 48(21cde^4 + 10be^5)x^7 + \dots)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(5/2)*(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] [1/7680*(15*(3*c*d^5 - 10*b*d^4*e + 80*a*d^3*e^2)*sqrt(e)*log(-2*e*x^2 - 2*sqrt(e*x^2 + d)*sqrt(e)*x - d) + 2*(384*c*e^5*x^9 + 48*(21*c*d*e^4 + 10*b*e^5)*x^7 + 8*(93*c*d^2*e^3 + 170*b*d*e^4 + 80*a*e^5)*x^5 + 10*(3*c*d^3*e^2 + 118*b*d^2*e^3 + 208*a*d*e^4)*x^3 - 15*(3*c*d^4*e - 10*b*d^3*e^2 - 176*a*d^2*e^3)*x)*sqrt(e*x^2 + d))/e^3, -1/3840*(15*(3*c*d^5 - 10*b*d^4*e + 80*a*d^3*e^2)*sqrt(-e)*arctan(sqrt(-e)*x/sqrt(e*x^2 + d)) - (384*c*e^5*x^9 + 48*(21*c*d*e^4 + 10*b*e^5)*x^7 + 8*(93*c*d^2*e^3 + 170*b*d*e^4 + 80*a*e^5)*x^5 + 10*(3*c*d^3*e^2 + 118*b*d^2*e^3 + 208*a*d*e^4)*x^3 - 15*(3*c*d^4*e - 10*b*d^3*e^2 - 176*a*d^2*e^3)*x)*sqrt(e*x^2 + d))/e^3]

giac [A] time = 0.23, size = 180, normalized size = 0.84

$$-\frac{1}{256} (3cd^5 - 10bd^4e + 80ad^3e^2) e^{\left(-\frac{5}{2}\right)} \log\left(\left|-xe^{\frac{1}{2}} + \sqrt{x^2e + d}\right|\right) + \frac{1}{3840} \left(2\left(4\left(6\left(8cx^2e^2 + (21cde^9 + 10be^{10})e^{\left(-\frac{5}{2}\right)}\right)\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(5/2)*(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] -1/256*(3*c*d^5 - 10*b*d^4*e + 80*a*d^3*e^2)*e^(-5/2)*log(abs(-x*e^(1/2) + sqrt(x^2*e + d))) + 1/3840*(2*(4*(6*(8*c*x^2*e^2 + (21*c*d*e^9 + 10*b*e^10)*e^(-8))*x^2 + (93*c*d^2*e^8 + 170*b*d*e^9 + 80*a*e^10)*e^(-8))*x^2 + 5*(3*c*d^3*e^7 + 118*b*d^2*e^8 + 208*a*d*e^9)*e^(-8))*x^2 - 15*(3*c*d^4*e^6 - 10*b*d^3*e^7 - 176*a*d^2*e^8)*e^(-8))*sqrt(x^2*e + d)*x

maple [A] time = 0.01, size = 283, normalized size = 1.32

$$\frac{5ad^3 \ln\left(\sqrt{e}x + \sqrt{ex^2 + d}\right)}{16\sqrt{e}} - \frac{5bd^4 \ln\left(\sqrt{e}x + \sqrt{ex^2 + d}\right)}{128e^{\frac{3}{2}}} + \frac{3cd^5 \ln\left(\sqrt{e}x + \sqrt{ex^2 + d}\right)}{256e^{\frac{5}{2}}} + \frac{5\sqrt{ex^2 + d}ad^2x}{16} - \frac{5\sqrt{ex^2 + d}ad^2x}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(5/2)*(c*x^4+b*x^2+a),x)

[Out] 1/10*c*x^3*(e*x^2+d)^(7/2)/e-3/80*c*d/e^2*x*(e*x^2+d)^(7/2)+1/160*c*d^2/e^2*x*(e*x^2+d)^(5/2)+1/128*c*d^3/e^2*x*(e*x^2+d)^(3/2)+3/256*c*d^4/e^2*x*(e*x^2+d)^(1/2)+3/256*c*d^5/e^(5/2)*ln(x*e^(1/2)+(e*x^2+d)^(1/2))+1/8*b*x*(e*x^2+d)^(7/2)/e-1/48*b*d/e*x*(e*x^2+d)^(5/2)-5/192*b*d^2/e*x*(e*x^2+d)^(3/2)-5/128*b*d^3/e*x*(e*x^2+d)^(1/2)-5/128*b*d^4/e^(3/2)*ln(x*e^(1/2)+(e*x^2+d)^(1/2))+1/6*a*x*(e*x^2+d)^(5/2)+5/24*a*d*x*(e*x^2+d)^(3/2)+5/16*a*d^2*x*(e*x^2+d)^(1/2)+5/16*a*d^3/e^(1/2)*ln(x*e^(1/2)+(e*x^2+d)^(1/2))

maxima [A] time = 1.12, size = 261, normalized size = 1.21

$$\frac{(ex^2 + d)^{\frac{7}{2}} cx^3}{10e} + \frac{1}{6} (ex^2 + d)^{\frac{5}{2}} ax + \frac{5}{24} (ex^2 + d)^{\frac{3}{2}} adx + \frac{5}{16} \sqrt{ex^2 + d} ad^2 x - \frac{3(ex^2 + d)^{\frac{7}{2}} cdx}{80e^2} + \frac{(ex^2 + d)^{\frac{5}{2}} cd^2 x}{160e^2} + \frac{(ex^2 + d)^{\frac{3}{2}} cd^3 x}{120e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(5/2)*(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] 1/10*(e*x^2 + d)^(7/2)*c*x^3/e + 1/6*(e*x^2 + d)^(5/2)*a*x + 5/24*(e*x^2 + d)^(3/2)*a*d*x + 5/16*sqrt(e*x^2 + d)*a*d^2*x - 3/80*(e*x^2 + d)^(7/2)*c*d*x/e^2 + 1/160*(e*x^2 + d)^(5/2)*c*d^2*x/e^2 + 1/128*(e*x^2 + d)^(3/2)*c*d^3*x/e^2 + 3/256*sqrt(e*x^2 + d)*c*d^4*x/e^2 + 1/8*(e*x^2 + d)^(7/2)*b*x/e - 1/48*(e*x^2 + d)^(5/2)*b*d*x/e - 5/192*(e*x^2 + d)^(3/2)*b*d^2*x/e - 5/128*sqrt(e*x^2 + d)*b*d^3*x/e + 3/256*c*d^5*arcsinh(e*x/sqrt(d*e))/e^(5/2) - 5/128*b*d^4*arcsinh(e*x/sqrt(d*e))/e^(3/2) + 5/16*a*d^3*arcsinh(e*x/sqrt(d*e))/sqrt(e)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (ex^2 + d)^{5/2} (cx^4 + bx^2 + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(5/2)*(a + b*x^2 + c*x^4),x)

[Out] int((d + e*x^2)^(5/2)*(a + b*x^2 + c*x^4), x)

sympy [B] time = 63.83, size = 505, normalized size = 2.35

$$\frac{ad^{\frac{5}{2}}x\sqrt{1+\frac{ex^2}{d}}}{2} + \frac{3ad^{\frac{5}{2}}x}{16\sqrt{1+\frac{ex^2}{d}}} + \frac{35ad^{\frac{3}{2}}ex^3}{48\sqrt{1+\frac{ex^2}{d}}} + \frac{17a\sqrt{d}e^2x^5}{24\sqrt{1+\frac{ex^2}{d}}} + \frac{5ad^3\operatorname{asinh}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{16\sqrt{e}} + \frac{ae^3x^7}{6\sqrt{d}\sqrt{1+\frac{ex^2}{d}}} + \frac{5bd^{\frac{7}{2}}x}{128e\sqrt{1+\frac{ex^2}{d}}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(5/2)*(c*x**4+b*x**2+a),x)

[Out] a*d**(5/2)*x*sqrt(1 + e*x**2/d)/2 + 3*a*d**(5/2)*x/(16*sqrt(1 + e*x**2/d)) + 35*a*d**(3/2)*e*x**3/(48*sqrt(1 + e*x**2/d)) + 17*a*sqrt(d)*e**2*x**5/(24*sqrt(1 + e*x**2/d)) + 5*a*d**3*asinh(sqrt(e)*x/sqrt(d))/(16*sqrt(e)) + a*e**3*x**7/(6*sqrt(d)*sqrt(1 + e*x**2/d)) + 5*b*d**(7/2)*x/(128*e*sqrt(1 + e*x**2/d)) + 133*b*d**(5/2)*x**3/(384*sqrt(1 + e*x**2/d)) + 127*b*d**(3/2)*e*x**5/(192*sqrt(1 + e*x**2/d)) + 23*b*sqrt(d)*e**2*x**7/(48*sqrt(1 + e*x**2/d))

$$\begin{aligned}
& d)) - 5*b*d^{**4}*asinh(sqrt(e)*x/sqrt(d))/(128*e^{**3/2}) + b*e^{**3}*x^{**9}/(8*sqrt(d)*sqrt(1 + e*x^{**2}/d)) - 3*c*d^{**9/2}*x/(256*e^{**2}*sqrt(1 + e*x^{**2}/d)) - c*d^{**7/2}*x^{**3}/(256*e*sqrt(1 + e*x^{**2}/d)) + 129*c*d^{**5/2}*x^{**5}/(640*sqrt(1 + e*x^{**2}/d)) + 73*c*d^{**3/2}*e*x^{**7}/(160*sqrt(1 + e*x^{**2}/d)) + 29*c*sqrt(d)*e^{**2}*x^{**9}/(80*sqrt(1 + e*x^{**2}/d)) + 3*c*d^{**5}*asinh(sqrt(e)*x/sqrt(d))/(256*e^{**5/2}) + c*e^{**3}*x^{**11}/(10*sqrt(d)*sqrt(1 + e*x^{**2}/d))
\end{aligned}$$

$$3.277 \quad \int (d + ex^2)^{3/2} (a + bx^2 + cx^4) dx$$

Optimal. Leaf size=175

$$\frac{x(d + ex^2)^{3/2} (48ae^2 - 8bde + 3cd^2)}{192e^2} + \frac{dx\sqrt{d + ex^2} (48ae^2 - 8bde + 3cd^2)}{128e^2} + \frac{d^2 \tanh^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d+ex^2}}\right) (48ae^2 - 8bde + 3cd^2)}{128e^{5/2}}$$

[Out] 1/192*(48*a*e^2-8*b*d*e+3*c*d^2)*x*(e*x^2+d)^(3/2)/e^2-1/48*(-8*b*e+3*c*d)*x*(e*x^2+d)^(5/2)/e^2+1/8*c*x^3*(e*x^2+d)^(5/2)/e+1/128*d^2*(48*a*e^2-8*b*d*e+3*c*d^2)*arctanh(x*e^(1/2)/(e*x^2+d)^(1/2))/e^(5/2)+1/128*d*(48*a*e^2-8*b*d*e+3*c*d^2)*x*(e*x^2+d)^(1/2)/e^2

Rubi [A] time = 0.12, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1159, 388, 195, 217, 206}

$$\frac{x(d + ex^2)^{3/2} (48ae^2 - 8bde + 3cd^2)}{192e^2} + \frac{dx\sqrt{d + ex^2} (48ae^2 - 8bde + 3cd^2)}{128e^2} + \frac{d^2 \tanh^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d+ex^2}}\right) (48ae^2 - 8bde + 3cd^2)}{128e^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4), x]

[Out] (d*(3*c*d^2 - 8*b*d*e + 48*a*e^2)*x*sqrt[d + e*x^2])/(128*e^2) + ((3*c*d^2 - 8*b*d*e + 48*a*e^2)*x*(d + e*x^2)^(3/2))/(192*e^2) - ((3*c*d - 8*b*e)*x*(d + e*x^2)^(5/2))/(48*e^2) + (c*x^3*(d + e*x^2)^(5/2))/(8*e) + (d^2*(3*c*d^2 - 8*b*d*e + 48*a*e^2)*ArcTanh[(sqrt[e]*x)/sqrt[d + e*x^2]])/(128*e^(5/2))

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 1159

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(c^p*x^(4*p - 1)*(d + e*x^2)^(q + 1))/(e*(4*p + 2*q + 1)), x] + Dist[1/(e*(4*p + 2*q + 1)), Int[(d + e*x^2)^q*ExpandToSum[e*(4*p + 2*q + 1)*(a + b*x^2 + c*x^4)^p - d*c^p*(4*p - 1)*x^(4*p - 2) - e*c^p*(4*p + 2*q + 1)*x^(4*p), x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && !LtQ[q, -1]

Rubi steps

$$\begin{aligned}
 \int (d + ex^2)^{3/2} (a + bx^2 + cx^4) dx &= \frac{cx^3 (d + ex^2)^{5/2}}{8e} + \frac{\int (d + ex^2)^{3/2} (8ae - (3cd - 8be)x^2) dx}{8e} \\
 &= -\frac{(3cd - 8be)x (d + ex^2)^{5/2}}{48e^2} + \frac{cx^3 (d + ex^2)^{5/2}}{8e} - \frac{1}{48} \left(-48a - \frac{d(3cd - 8be)}{e^2} \right) \\
 &= \frac{1}{192} \left(48a + \frac{d(3cd - 8be)}{e^2} \right) x (d + ex^2)^{3/2} - \frac{(3cd - 8be)x (d + ex^2)^{5/2}}{48e^2} + \frac{cx^3}{48e} \\
 &= \frac{1}{128} d \left(48a + \frac{d(3cd - 8be)}{e^2} \right) x \sqrt{d + ex^2} + \frac{1}{192} \left(48a + \frac{d(3cd - 8be)}{e^2} \right) x (d + ex^2) \\
 &= \frac{1}{128} d \left(48a + \frac{d(3cd - 8be)}{e^2} \right) x \sqrt{d + ex^2} + \frac{1}{192} \left(48a + \frac{d(3cd - 8be)}{e^2} \right) x (d + ex^2) \\
 &= \frac{1}{128} d \left(48a + \frac{d(3cd - 8be)}{e^2} \right) x \sqrt{d + ex^2} + \frac{1}{192} \left(48a + \frac{d(3cd - 8be)}{e^2} \right) x (d + ex^2)
 \end{aligned}$$

Mathematica [A] time = 0.32, size = 157, normalized size = 0.90

$$\frac{\sqrt{d+ex^2} \left(\frac{3d^{3/2} \sinh^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right) (8e(6ae-bd)+3cd^2)}{\sqrt{\frac{ex^2}{d}+1}} + \sqrt{ex} (8e(6ae(5d+2ex^2)+b(3d^2+14dex^2+8e^2x^4))) + c(-9d^3+6d^2) \right)}{384e^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4), x]

[Out] (Sqrt[d + e*x^2]*(Sqrt[e]*x*(c*(-9*d^3 + 6*d^2*e*x^2 + 72*d*e^2*x^4 + 48*e^3*x^6) + 8*e*(6*a*e*(5*d + 2*e*x^2) + b*(3*d^2 + 14*d*e*x^2 + 8*e^2*x^4))) + (3*d^(3/2)*(3*c*d^2 + 8*e*(-(b*d) + 6*a*e))*ArcSinh[(Sqrt[e]*x)/Sqrt[d]])/Sqrt[1 + (e*x^2)/d])/(384*e^(5/2))

fricas [A] time = 1.13, size = 304, normalized size = 1.74

$$\frac{3(3cd^4 - 8bd^3e + 48ad^2e^2)\sqrt{e} \log\left(-2ex^2 - 2\sqrt{ex^2 + d}\sqrt{ex - d}\right) + 2(48ce^4x^7 + 8(9cde^3 + 8be^4)x^5 + 2(3cd^4 - 8bd^3e + 48ad^2e^2)\sqrt{e} \log\left(-2ex^2 - 2\sqrt{ex^2 + d}\sqrt{ex - d}\right))}{768e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] [1/768*(3*(3*c*d^4 - 8*b*d^3*e + 48*a*d^2*e^2)*sqrt(e)*log(-2*e*x^2 - 2*sqrt(e*x^2 + d)*sqrt(e)*x - d) + 2*(48*c*e^4*x^7 + 8*(9*c*d*e^3 + 8*b*e^4)*x^5 + 2*(3*c*d^2*e^2 + 56*b*d*e^3 + 48*a*e^4)*x^3 - 3*(3*c*d^3*e - 8*b*d^2*e^2 - 80*a*d*e^3)*x)*sqrt(e*x^2 + d))/e^3, -1/384*(3*(3*c*d^4 - 8*b*d^3*e + 48*a*d^2*e^2)*sqrt(-e)*arctan(sqrt(-e)*x/sqrt(e*x^2 + d)) - (48*c*e^4*x^7 + 8*(9*c*d*e^3 + 8*b*e^4)*x^5 + 2*(3*c*d^2*e^2 + 56*b*d*e^3 + 48*a*e^4)*x^3 - 3*(3*c*d^3*e - 8*b*d^2*e^2 - 80*a*d*e^3)*x)*sqrt(e*x^2 + d))/e^3]

giac [A] time = 0.22, size = 145, normalized size = 0.83

$$-\frac{1}{128} (3cd^4 - 8bd^3e + 48ad^2e^2)e^{\left(-\frac{5}{2}\right)} \log\left(\left|-xe^{\frac{1}{2}} + \sqrt{x^2e + d}\right|\right) + \frac{1}{384} (2(4(6cx^2e + (9cde^6 + 8be^7)e^{(-6)})x^2 + (3cd^4 - 8bd^3e + 48ad^2e^2)\sqrt{e} \log\left(-2ex^2 - 2\sqrt{ex^2 + d}\sqrt{ex - d}\right)))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)*(c*x^4+b*x^2+a), x, algorithm="giac")

[Out] -1/128*(3*c*d^4 - 8*b*d^3*e + 48*a*d^2*e^2)*e^(-5/2)*log(abs(-x*e^(1/2) + sqrt(x^2*e + d))) + 1/384*(2*(4*(6*c*x^2*e + (9*c*d*e^6 + 8*b*e^7)*e^(-6))*x^2 + (3*c*d^4 - 8*b*d^3*e + 48*a*d^2*e^2)*sqrt(e) * log(-2*e*x^2 - 2*sqrt(e*x^2 + d)*sqrt(e)*x - d)))

$e^{-2} + (3cd^2e^5 + 56bd^2e^6 + 48a^2e^7)e^{-6})x^2 - 3(3cd^3e^4 - 8bd^2e^5 - 80ad^2e^6)e^{-6})\sqrt{e x^2 + d}x$

maple [A] time = 0.01, size = 229, normalized size = 1.31

$$\frac{3ad^2 \ln\left(\sqrt{e}x + \sqrt{ex^2 + d}\right)}{8\sqrt{e}} - \frac{bd^3 \ln\left(\sqrt{e}x + \sqrt{ex^2 + d}\right)}{16e^{\frac{3}{2}}} + \frac{3cd^4 \ln\left(\sqrt{e}x + \sqrt{ex^2 + d}\right)}{128e^{\frac{5}{2}}} + \frac{3\sqrt{ex^2 + d} \, dx}{8} - \frac{\sqrt{ex^2 + d}}{6e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(3/2)*(c*x^4+b*x^2+a), x)`

[Out] $\frac{1}{8}cxe^{3/2}(ex^2+d)^{5/2}/e - \frac{1}{16}cd^2e^{3/2}(ex^2+d)^{5/2} + \frac{1}{64}cd^2e^{3/2}(ex^2+d)^{5/2} + \frac{3}{128}cd^3e^{3/2}(ex^2+d)^{1/2} + \frac{3}{128}cd^4e^{5/2}\ln(e^{1/2}x + (ex^2+d)^{1/2}) + \frac{1}{6}bd^2e^{5/2}(ex^2+d)^{5/2} - \frac{1}{24}bd^2e^{5/2}(ex^2+d)^{5/2} - \frac{1}{16}bd^3e^{3/2}\ln(e^{1/2}x + (ex^2+d)^{1/2}) + \frac{1}{4}a^2e^{3/2}(ex^2+d)^{3/2} + \frac{3}{8}ad^2e^{1/2}(ex^2+d)^{1/2} + \frac{3}{8}ad^2e^{1/2}\ln(e^{1/2}x + (ex^2+d)^{1/2})$

maxima [A] time = 1.02, size = 207, normalized size = 1.18

$$\frac{(ex^2 + d)^{\frac{5}{2}}cx^3}{8e} + \frac{1}{4}(ex^2 + d)^{\frac{3}{2}}ax + \frac{3}{8}\sqrt{ex^2 + d} \, dx - \frac{(ex^2 + d)^{\frac{5}{2}}cdx}{16e^2} + \frac{(ex^2 + d)^{\frac{3}{2}}cd^2x}{64e^2} + \frac{3\sqrt{ex^2 + d}cd^3x}{128e^2} + \frac{(ex^2 + d)^{\frac{5}{2}}}{6e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(3/2)*(c*x^4+b*x^2+a), x, algorithm="maxima")`

[Out] $\frac{1}{8}(ex^2+d)^{5/2}cx^3/e + \frac{1}{4}(ex^2+d)^{3/2}ax + \frac{3}{8}\sqrt{ex^2+d} \, dx - \frac{1}{16}(ex^2+d)^{5/2}cdx/e^2 + \frac{1}{64}(ex^2+d)^{3/2}cd^2x/e^2 + \frac{3}{128}\sqrt{ex^2+d}cd^3x/e^2 + \frac{1}{6}(ex^2+d)^{5/2}bd^2x/e - \frac{1}{24}(ex^2+d)^{3/2}bd^2x/e - \frac{1}{16}\sqrt{ex^2+d}bd^2x/e + \frac{3}{128}cd^4\operatorname{arcsinh}(ex/\sqrt{de})/e^{5/2} - \frac{1}{16}bd^3\operatorname{arcsinh}(ex/\sqrt{de})/e^{3/2} + \frac{3}{8}ad^2\operatorname{arcsinh}(ex/\sqrt{de})/\sqrt{e}$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (ex^2 + d)^{3/2} (cx^4 + bx^2 + a) \, dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4), x)`

[Out] `int((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4), x)`

sympy [B] time = 31.10, size = 413, normalized size = 2.36

$$\frac{ad^{\frac{3}{2}}x\sqrt{1+\frac{ex^2}{d}}}{2} + \frac{ad^{\frac{3}{2}}x}{8\sqrt{1+\frac{ex^2}{d}}} + \frac{3a\sqrt{d}ex^3}{8\sqrt{1+\frac{ex^2}{d}}} + \frac{3ad^2 \operatorname{asinh}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{8\sqrt{e}} + \frac{ae^2x^5}{4\sqrt{d}\sqrt{1+\frac{ex^2}{d}}} + \frac{bd^{\frac{5}{2}}x}{16e\sqrt{1+\frac{ex^2}{d}}} + \frac{17bd^{\frac{3}{2}}x^3}{48\sqrt{1+\frac{ex^2}{d}}} + \frac{11b\sqrt{d}ex^5}{24\sqrt{1+\frac{ex^2}{d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(3/2)*(c*x**4+b*x**2+a), x)

[Out] a*d**(3/2)*x*sqrt(1 + e*x**2/d)/2 + a*d**(3/2)*x/(8*sqrt(1 + e*x**2/d)) + 3*a*sqrt(d)*e*x**3/(8*sqrt(1 + e*x**2/d)) + 3*a*d**2*asinh(sqrt(e)*x/sqrt(d))/(8*sqrt(e)) + a*e**2*x**5/(4*sqrt(d)*sqrt(1 + e*x**2/d)) + b*d**(5/2)*x/(16*e*sqrt(1 + e*x**2/d)) + 17*b*d**(3/2)*x**3/(48*sqrt(1 + e*x**2/d)) + 11*b*sqrt(d)*e*x**5/(24*sqrt(1 + e*x**2/d)) - b*d**3*asinh(sqrt(e)*x/sqrt(d))/(16*e**(3/2)) + b*e**2*x**7/(6*sqrt(d)*sqrt(1 + e*x**2/d)) - 3*c*d**(7/2)*x/(128*e**2*sqrt(1 + e*x**2/d)) - c*d**(5/2)*x**3/(128*e*sqrt(1 + e*x**2/d)) + 13*c*d**(3/2)*x**5/(64*sqrt(1 + e*x**2/d)) + 5*c*sqrt(d)*e*x**7/(16*sqrt(1 + e*x**2/d)) + 3*c*d**4*asinh(sqrt(e)*x/sqrt(d))/(128*e**(5/2)) + c*e**2*x**9/(8*sqrt(d)*sqrt(1 + e*x**2/d))

3.278 $\int \sqrt{d + ex^2} (a + bx^2 + cx^4) dx$

Optimal. Leaf size=132

$$\frac{x\sqrt{d+ex^2}(8ae^2-2bde+cd^2)}{16e^2} + \frac{d \tanh^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d+ex^2}}\right)(8ae^2-2bde+cd^2)}{16e^{5/2}} - \frac{x(d+ex^2)^{3/2}(cd-2be)}{8e^2} + \frac{cx^3(d+ex^2)}{6e}$$

[Out] $-1/8*(-2*b*e+c*d)*x*(e*x^2+d)^{(3/2)}/e^2+1/6*c*x^3*(e*x^2+d)^{(3/2)}/e+1/16*d*(8*a*e^2-2*b*d*e+c*d^2)*\operatorname{arctanh}(x*e^{(1/2)}/(e*x^2+d)^{(1/2)})/e^{(5/2)}+1/16*(8*a*e^2-2*b*d*e+c*d^2)*x*(e*x^2+d)^{(1/2)}/e^2$

Rubi [A] time = 0.11, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1159, 388, 195, 217, 206}

$$\frac{x\sqrt{d+ex^2}(8ae^2-2bde+cd^2)}{16e^2} + \frac{d \tanh^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d+ex^2}}\right)(8ae^2-2bde+cd^2)}{16e^{5/2}} - \frac{x(d+ex^2)^{3/2}(cd-2be)}{8e^2} + \frac{cx^3(d+ex^2)}{6e}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sqrt}[d + e*x^2]*(a + b*x^2 + c*x^4), x]$

[Out] $((c*d^2 - 2*b*d*e + 8*a*e^2)*x*\operatorname{Sqrt}[d + e*x^2])/(16*e^2) - ((c*d - 2*b*e)*x*(d + e*x^2)^{(3/2)})/(8*e^2) + (c*x^3*(d + e*x^2)^{(3/2)})/(6*e) + (d*(c*d^2 - 2*b*d*e + 8*a*e^2)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[d + e*x^2]])/(16*e^{(5/2)})$

Rule 195

$\operatorname{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[(x*(a + b*x^n)^p)/(n*p + 1), x] + \operatorname{Dist}[(a*n*p)/(n*p + 1), \operatorname{Int}[(a + b*x^n)^{(p-1)}, x], x] /;$ Free Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_ + (b_)*(x_)^2)], x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(1 - b*x^2), x], x, x/\operatorname{Sqrt}[a + b*x^2]] /;$ FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 388

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

Rule 1159

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(c^p*x^(4*p - 1)*(d + e*x^2)^(q + 1))/(e*(4*p + 2*q + 1)), x] + Dist[1/(e*(4*p + 2*q + 1)), Int[(d + e*x^2)^q*ExpandToSum[e*(4*p + 2*q + 1)*(a + b*x^2 + c*x^4)^p - d*c^p*(4*p - 1)*x^(4*p - 2) - e*c^p*(4*p + 2*q + 1)*x^(4*p), x], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && !LtQ[q, -1]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{d+ex^2} (a+bx^2+cx^4) dx &= \frac{cx^3(d+ex^2)^{3/2}}{6e} + \frac{\int \sqrt{d+ex^2} (6ae-3(cd-2be)x^2) dx}{6e} \\
&= -\frac{(cd-2be)x(d+ex^2)^{3/2}}{8e^2} + \frac{cx^3(d+ex^2)^{3/2}}{6e} + \frac{1}{8} \left(8a + \frac{d(cd-2be)}{e^2} \right) \int \sqrt{d+ex^2} dx \\
&= \frac{1}{16} \left(8a + \frac{d(cd-2be)}{e^2} \right) x\sqrt{d+ex^2} - \frac{(cd-2be)x(d+ex^2)^{3/2}}{8e^2} + \frac{cx^3(d+ex^2)^{3/2}}{6e} \\
&= \frac{1}{16} \left(8a + \frac{d(cd-2be)}{e^2} \right) x\sqrt{d+ex^2} - \frac{(cd-2be)x(d+ex^2)^{3/2}}{8e^2} + \frac{cx^3(d+ex^2)^{3/2}}{6e} \\
&= \frac{1}{16} \left(8a + \frac{d(cd-2be)}{e^2} \right) x\sqrt{d+ex^2} - \frac{(cd-2be)x(d+ex^2)^{3/2}}{8e^2} + \frac{cx^3(d+ex^2)^{3/2}}{6e}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 121, normalized size = 0.92

$$\frac{\sqrt{d+ex^2} \left(\frac{3\sqrt{d} \sinh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(8ae^2-2bde+cd^2)}{\sqrt{\frac{ex^2}{d}+1}} + \sqrt{e}x(6e(4ae+b(d+2ex^2))+c(-3d^2+2dex^2+8e^2x^4)) \right)}{48e^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e*x^2]*(a + b*x^2 + c*x^4),x]

[Out] (Sqrt[d + e*x^2]*(Sqrt[e]*x*(c*(-3*d^2 + 2*d*e*x^2 + 8*e^2*x^4) + 6*e*(4*a*e + b*(d + 2*e*x^2))) + (3*Sqrt[d]*(c*d^2 - 2*b*d*e + 8*a*e^2)*ArcSinh[(Sqrt[e]*x)/Sqrt[d]])/Sqrt[1 + (e*x^2)/d]))/(48*e^(5/2))

fricas [A] time = 0.99, size = 232, normalized size = 1.76

$$\frac{3(cd^3 - 2bd^2e + 8ade^2)\sqrt{e} \log\left(-2ex^2 - 2\sqrt{ex^2 + d}\sqrt{e}x - d\right) + 2(8ce^3x^5 + 2(cde^2 + 6be^3)x^3 - 3(cd^2e - 2bde^2))}{96e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)*(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] [1/96*(3*(c*d^3 - 2*b*d^2*e + 8*a*d*e^2)*sqrt(e)*log(-2*e*x^2 - 2*sqrt(e*x^2 + d)*sqrt(e)*x - d) + 2*(8*c*e^3*x^5 + 2*(c*d*e^2 + 6*b*e^3)*x^3 - 3*(c*d^2*e - 2*b*d*e^2 - 8*a*e^3)*x)*sqrt(e*x^2 + d))/e^3, -1/48*(3*(c*d^3 - 2*b*d^2*e + 8*a*d*e^2)*sqrt(-e)*arctan(sqrt(-e)*x/sqrt(e*x^2 + d)) - (8*c*e^3*x^5 + 2*(c*d*e^2 + 6*b*e^3)*x^3 - 3*(c*d^2*e - 2*b*d*e^2 - 8*a*e^3)*x)*sqrt(e*x^2 + d))/e^3]

giac [A] time = 0.22, size = 106, normalized size = 0.80

$$-\frac{1}{16}(cd^3 - 2bd^2e + 8ade^2)e^{\left(-\frac{5}{2}\right)} \log\left(\left|-xe^{\frac{1}{2}} + \sqrt{x^2e + d}\right|\right) + \frac{1}{48}\left(2(4cx^2 + (cde^3 + 6be^4)e^{(-4)})x^2 - 3(cd^2e^2 - 2bde^2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)*(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] -1/16*(c*d^3 - 2*b*d^2*e + 8*a*d*e^2)*e^(-5/2)*log(abs(-x*e^(1/2) + sqrt(x^2*e + d))) + 1/48*(2*(4*c*x^2 + (c*d*e^3 + 6*b*e^4)*e^(-4))*x^2 - 3*(c*d^2*e^2 - 2*b*d*e^3 - 8*a*e^4)*e^(-4))*sqrt(x^2*e + d)*x

maple [A] time = 0.01, size = 175, normalized size = 1.33

$$\frac{(ex^2 + d)^{\frac{3}{2}}cx^3}{6e} + \frac{ad \ln\left(\sqrt{e}x + \sqrt{ex^2 + d}\right)}{2\sqrt{e}} - \frac{bd^2 \ln\left(\sqrt{e}x + \sqrt{ex^2 + d}\right)}{8e^{\frac{3}{2}}} + \frac{cd^3 \ln\left(\sqrt{e}x + \sqrt{ex^2 + d}\right)}{16e^{\frac{5}{2}}} + \frac{\sqrt{ex^2 + d}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(1/2)*(c*x^4+b*x^2+a),x)

[Out] 1/6*c*x^3*(e*x^2+d)^(3/2)/e-1/8*c*d/e^2*x*(e*x^2+d)^(3/2)+1/16*c*d^2/e^2*x*(e*x^2+d)^(1/2)+1/16*c*d^3/e^(5/2)*ln(e^(1/2)*x+(e*x^2+d)^(1/2))+1/4*b*x*(e

$(ex^2+d)^{3/2}/e-1/8*b*d/ e*x*(ex^2+d)^{(1/2)}-1/8*b*d^2/e^{(3/2)}*\ln(e^{(1/2)}*x+(ex^2+d)^{(1/2)})+1/2*a*x*(ex^2+d)^{(1/2)}+1/2*a*d/e^{(1/2)}*\ln(e^{(1/2)}*x+(ex^2+d)^{(1/2)})$

maxima [A] time = 0.98, size = 153, normalized size = 1.16

$$\frac{(ex^2+d)^{\frac{3}{2}}cx^3}{6e} + \frac{1}{2}\sqrt{ex^2+d}ax - \frac{(ex^2+d)^{\frac{3}{2}}cdx}{8e^2} + \frac{\sqrt{ex^2+d}cd^2x}{16e^2} + \frac{(ex^2+d)^{\frac{3}{2}}bx}{4e} - \frac{\sqrt{ex^2+d}bdx}{8e} + \frac{cd^3 \operatorname{arsinh}\left(\frac{ex}{\sqrt{de}}\right)}{16e^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)*(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] $1/6*(ex^2+d)^{3/2}*cx^3/e + 1/2*\sqrt{ex^2+d}*ax - 1/8*(ex^2+d)^{3/2}*c*d*x/e^2 + 1/16*\sqrt{ex^2+d}*c*d^2*x/e^2 + 1/4*(ex^2+d)^{3/2}*b*x/e - 1/8*\sqrt{ex^2+d}*b*d*x/e + 1/16*c*d^3*\operatorname{arcsinh}(ex/\sqrt{de})/e^{5/2} - 1/8*b*d^2*\operatorname{arcsinh}(ex/\sqrt{de})/e^{3/2} + 1/2*a*d*\operatorname{arcsinh}(ex/\sqrt{de})/\sqrt{e}$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{ex^2+d} (cx^4 + bx^2 + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4),x)

[Out] int((d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4), x)

sympy [B] time = 12.27, size = 272, normalized size = 2.06

$$\frac{a\sqrt{d}x\sqrt{1+\frac{ex^2}{d}}}{2} + \frac{ad \operatorname{asinh}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2\sqrt{e}} + \frac{bd^{\frac{3}{2}}x}{8e\sqrt{1+\frac{ex^2}{d}}} + \frac{3b\sqrt{d}x^3}{8\sqrt{1+\frac{ex^2}{d}}} - \frac{bd^2 \operatorname{asinh}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{8e^{\frac{3}{2}}} + \frac{bex^5}{4\sqrt{d}\sqrt{1+\frac{ex^2}{d}}} - \frac{cd^{\frac{5}{2}}x}{16e^2\sqrt{1+\frac{ex^2}{d}}} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(1/2)*(c*x**4+b*x**2+a),x)

[Out] $a*\sqrt{d}*x*\sqrt{1+e*x**2/d}/2 + a*d*asinh(\sqrt{e}*x/\sqrt{d})/(2*\sqrt{e}) + b*d**(3/2)*x/(8*e*\sqrt{1+e*x**2/d}) + 3*b*\sqrt{d}*x**3/(8*\sqrt{1+e*x**2/d}) - b*d**2*asinh(\sqrt{e}*x/\sqrt{d})/(8*e**(3/2)) + b*e*x**5/(4*\sqrt{d}*\sqrt{1+e*x**2/d}) - c*d**(5/2)*x/(16*e**2*\sqrt{1+e*x**2/d}) - c*d**(3/2)*x**3/(48*e*\sqrt{1+e*x**2/d}) + 5*c*\sqrt{d}*x**5/(24*\sqrt{1+e*x**2/d}) + c*d**3*asinh(\sqrt{e}*x/\sqrt{d})/(16*e**(5/2)) + c*e*x**7/(6*\sqrt{d}*\sqrt{1+e*x**2/d})$

$$3.279 \quad \int \frac{a+bx^2+cx^4}{\sqrt{d+ex^2}} dx$$

Optimal. Leaf size=97

$$\frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)(8ae^2 - 4bde + 3cd^2)}{8e^{5/2}} - \frac{x\sqrt{d+ex^2}(3cd - 4be)}{8e^2} + \frac{cx^3\sqrt{d+ex^2}}{4e}$$

[Out] 1/8*(8*a*e^2-4*b*d*e+3*c*d^2)*arctanh(x*e^(1/2)/(e*x^2+d)^(1/2))/e^(5/2)-1/8*(-4*b*e+3*c*d)*x*(e*x^2+d)^(1/2)/e^2+1/4*c*x^3*(e*x^2+d)^(1/2)/e

Rubi [A] time = 0.06, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1159, 388, 217, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)(8ae^2 - 4bde + 3cd^2)}{8e^{5/2}} - \frac{x\sqrt{d+ex^2}(3cd - 4be)}{8e^2} + \frac{cx^3\sqrt{d+ex^2}}{4e}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/Sqrt[d + e*x^2], x]

[Out] -((3*c*d - 4*b*e)*x*Sqrt[d + e*x^2])/(8*e^2) + (c*x^3*Sqrt[d + e*x^2])/(4*e) + ((3*c*d^2 - 4*b*d*e + 8*a*e^2)*ArcTanh[(Sqrt[e]*x)/Sqrt[d + e*x^2]])/(8*e^(5/2))

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 1159

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := Simp[(c^p*x^(4*p - 1)*(d + e*x^2)^(q + 1))/(e*(4*p + 2*q + 1))
, x] + Dist[1/(e*(4*p + 2*q + 1)), Int[(d + e*x^2)^q*ExpandToSum[e*(4*p + 2
*q + 1)*(a + b*x^2 + c*x^4)^p - d*c^p*(4*p - 1)*x^(4*p - 2) - e*c^p*(4*p +
2*q + 1)*x^(4*p), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4
*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && !LtQ[q, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{\sqrt{d + ex^2}} dx &= \frac{cx^3\sqrt{d + ex^2}}{4e} + \frac{\int \frac{4ae - (3cd - 4be)x^2}{\sqrt{d + ex^2}} dx}{4e} \\ &= -\frac{(3cd - 4be)x\sqrt{d + ex^2}}{8e^2} + \frac{cx^3\sqrt{d + ex^2}}{4e} - \frac{1}{8} \left(-8a - \frac{d(3cd - 4be)}{e^2} \right) \int \frac{1}{\sqrt{d + ex^2}} dx \\ &= -\frac{(3cd - 4be)x\sqrt{d + ex^2}}{8e^2} + \frac{cx^3\sqrt{d + ex^2}}{4e} - \frac{1}{8} \left(-8a - \frac{d(3cd - 4be)}{e^2} \right) \text{Subst} \left(\int \frac{1}{1 - ex^2} dx, x \right) \\ &= -\frac{(3cd - 4be)x\sqrt{d + ex^2}}{8e^2} + \frac{cx^3\sqrt{d + ex^2}}{4e} + \frac{(3cd^2 - 4bde + 8ae^2) \tanh^{-1} \left(\frac{\sqrt{ex}}{\sqrt{d + ex^2}} \right)}{8e^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 82, normalized size = 0.85

$$\frac{\tanh^{-1} \left(\frac{\sqrt{ex}}{\sqrt{d + ex^2}} \right) (8ae^2 - 4bde + 3cd^2) + \sqrt{ex}\sqrt{d + ex^2} (4be - 3cd + 2cex^2)}{8e^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/Sqrt[d + e*x^2], x]

[Out] (Sqrt[e]*x*Sqrt[d + e*x^2]*(-3*c*d + 4*b*e + 2*c*e*x^2) + (3*c*d^2 - 4*b*d*e + 8*a*e^2)*ArcTanh[(Sqrt[e]*x)/Sqrt[d + e*x^2]])/(8*e^(5/2))

fricas [A] time = 1.07, size = 174, normalized size = 1.79

$$\left[\frac{(3cd^2 - 4bde + 8ae^2)\sqrt{e} \log(-2ex^2 - 2\sqrt{ex^2 + d}\sqrt{ex} - d) + 2(2ce^2x^3 - (3cde - 4be^2)x)\sqrt{ex^2 + d}}{16e^3}, \dots \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out] [1/16*((3*c*d^2 - 4*b*d*e + 8*a*e^2)*sqrt(e)*log(-2*e*x^2 - 2*sqrt(e*x^2 + d)*sqrt(e)*x - d) + 2*(2*c*e^2*x^3 - (3*c*d*e - 4*b*e^2)*x)*sqrt(e*x^2 + d))/e^3, -1/8*((3*c*d^2 - 4*b*d*e + 8*a*e^2)*sqrt(-e)*arctan(sqrt(-e)*x/sqrt(e*x^2 + d)) - (2*c*e^2*x^3 - (3*c*d*e - 4*b*e^2)*x)*sqrt(e*x^2 + d))/e^3]

giac [A] time = 0.19, size = 79, normalized size = 0.81

$$-\frac{1}{8}(3cd^2 - 4bde + 8ae^2)e^{\left(-\frac{5}{2}\right)} \log\left(\left|-xe^{\frac{1}{2}} + \sqrt{x^2e + d}\right|\right) + \frac{1}{8}(2cx^2e^{(-1)} - (3cde - 4be^2)e^{(-3)})\sqrt{x^2e + d}x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] -1/8*(3*c*d^2 - 4*b*d*e + 8*a*e^2)*e^(-5/2)*log(abs(-x*e^(1/2) + sqrt(x^2*e + d))) + 1/8*(2*c*x^2*e^(-1) - (3*c*d*e - 4*b*e^2)*e^(-3))*sqrt(x^2*e + d)*x

maple [A] time = 0.01, size = 122, normalized size = 1.26

$$\frac{\sqrt{ex^2 + d} cx^3}{4e} + \frac{a \ln\left(\sqrt{e} x + \sqrt{ex^2 + d}\right)}{\sqrt{e}} - \frac{bd \ln\left(\sqrt{e} x + \sqrt{ex^2 + d}\right)}{2e^{\frac{3}{2}}} + \frac{3cd^2 \ln\left(\sqrt{e} x + \sqrt{ex^2 + d}\right)}{8e^{\frac{5}{2}}} + \frac{\sqrt{ex^2 + d} b}{2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x)

[Out] 1/4*c*x^3*(e*x^2+d)^(1/2)/e-3/8*c*d/e^2*x*(e*x^2+d)^(1/2)+3/8*c*d^2/e^(5/2)*ln(e^(1/2)*x+(e*x^2+d)^(1/2))+1/2*b*x/e*(e*x^2+d)^(1/2)-1/2*b*d/e^(3/2)*ln(e^(1/2)*x+(e*x^2+d)^(1/2))+a*ln(e^(1/2)*x+(e*x^2+d)^(1/2))/e^(1/2)

maxima [A] time = 1.07, size = 100, normalized size = 1.03

$$\frac{\sqrt{ex^2 + d} cx^3}{4e} - \frac{3\sqrt{ex^2 + d} cdx}{8e^2} + \frac{\sqrt{ex^2 + d} bx}{2e} + \frac{3cd^2 \operatorname{arsinh}\left(\frac{ex}{\sqrt{de}}\right)}{8e^{\frac{5}{2}}} - \frac{bd \operatorname{arsinh}\left(\frac{ex}{\sqrt{de}}\right)}{2e^{\frac{3}{2}}} + \frac{a \operatorname{arsinh}\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] 1/4*sqrt(e*x^2 + d)*c*x^3/e - 3/8*sqrt(e*x^2 + d)*c*d*x/e^2 + 1/2*sqrt(e*x^2 + d)*b*x/e + 3/8*c*d^2*arcsinh(e*x/sqrt(d*e))/e^(5/2) - 1/2*b*d*arcsinh(e*x/sqrt(d*e))/e^(3/2) + a*arcsinh(e*x/sqrt(d*e))/sqrt(e)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{cx^4 + bx^2 + a}{\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)/(d + e*x^2)^(1/2), x)

[Out] int((a + b*x^2 + c*x^4)/(d + e*x^2)^(1/2), x)

sympy [A] time = 7.05, size = 230, normalized size = 2.37

$$a \left(\begin{array}{l} \frac{\sqrt{-\frac{d}{e}} \operatorname{asin}\left(x\sqrt{-\frac{e}{d}}\right)}{\sqrt{d}} \quad \text{for } d > 0 \wedge e < 0 \\ \frac{\sqrt{\frac{d}{e}} \operatorname{asinh}\left(x\sqrt{\frac{e}{d}}\right)}{\sqrt{d}} \quad \text{for } d > 0 \wedge e > 0 \\ \frac{\sqrt{-\frac{d}{e}} \operatorname{acosh}\left(x\sqrt{-\frac{e}{d}}\right)}{\sqrt{-d}} \quad \text{for } e > 0 \wedge d < 0 \end{array} \right) + \frac{b\sqrt{d}x\sqrt{1+\frac{ex^2}{d}}}{2e} - \frac{bd \operatorname{asinh}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{2e^{\frac{3}{2}}} - \frac{3cd^{\frac{3}{2}}x}{8e^2\sqrt{1+\frac{ex^2}{d}}} - \frac{c\sqrt{d}x^3}{8e\sqrt{1+\frac{ex^2}{d}}} + \frac{3cd^2a}{8e^2\sqrt{1+\frac{ex^2}{d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)/(e*x**2+d)**(1/2), x)

[Out] a*Piecewise((sqrt(-d/e)*asin(x*sqrt(-e/d))/sqrt(d), (d > 0) & (e < 0)), (sqrt(d/e)*asinh(x*sqrt(e/d))/sqrt(d), (d > 0) & (e > 0)), (sqrt(-d/e)*acosh(x*sqrt(-e/d))/sqrt(-d), (e > 0) & (d < 0))) + b*sqrt(d)*x*sqrt(1 + e*x**2/d)/(2*e) - b*d*asinh(sqrt(e)*x/sqrt(d))/(2*e**(3/2)) - 3*c*d**(3/2)*x/(8*e**2*sqrt(1 + e*x**2/d)) - c*sqrt(d)*x**3/(8*e*sqrt(1 + e*x**2/d)) + 3*c*d**2*a*sinh(sqrt(e)*x/sqrt(d))/(8*e**(5/2)) + c*x**5/(4*sqrt(d)*sqrt(1 + e*x**2/d))

$$3.280 \quad \int \frac{a+bx^2+cx^4}{(d+ex^2)^{3/2}} dx$$

Optimal. Leaf size=89

$$\frac{x \left(a + \frac{d(cd-be)}{e^2} \right)}{d\sqrt{d+ex^2}} - \frac{(3cd-2be) \tanh^{-1} \left(\frac{\sqrt{ex}}{\sqrt{d+ex^2}} \right)}{2e^{5/2}} + \frac{cx\sqrt{d+ex^2}}{2e^2}$$

[Out] $-1/2*(-2*b*e+3*c*d)*\operatorname{arctanh}(x*e^{1/2}/(e*x^2+d)^{1/2})/e^{5/2}+(a+d*(-b*e+c*d)/e^2)*x/d/(e*x^2+d)^{1/2}+1/2*c*x*(e*x^2+d)^{1/2}/e^2$

Rubi [A] time = 0.07, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1157, 388, 217, 206}

$$\frac{x \left(a + \frac{d(cd-be)}{e^2} \right)}{d\sqrt{d+ex^2}} - \frac{(3cd-2be) \tanh^{-1} \left(\frac{\sqrt{ex}}{\sqrt{d+ex^2}} \right)}{2e^{5/2}} + \frac{cx\sqrt{d+ex^2}}{2e^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(d + e*x^2)^(3/2), x]

[Out] $((a + (d*(c*d - b*e))/e^2)*x)/(d*\operatorname{Sqrt}[d + e*x^2]) + (c*x*\operatorname{Sqrt}[d + e*x^2])/(2*e^2) - ((3*c*d - 2*b*e)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[e]*x)/\operatorname{Sqrt}[d + e*x^2]])/(2*e^{5/2})$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p+1)/(b*(n*(p+1)+1)), x] - Dist[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p+1)+1, 0]

Rule 1157

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2
, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x
, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{(d + ex^2)^{3/2}} dx &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{d\sqrt{d + ex^2}} - \int \frac{\frac{d(cd-be) - cd^2}{e^2} \frac{e}{\sqrt{d+ex^2}} dx}{d} \\ &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{d\sqrt{d + ex^2}} + \frac{cx\sqrt{d + ex^2}}{2e^2} - \frac{(3cd - 2be) \int \frac{1}{\sqrt{d+ex^2}} dx}{2e^2} \\ &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{d\sqrt{d + ex^2}} + \frac{cx\sqrt{d + ex^2}}{2e^2} - \frac{(3cd - 2be) \operatorname{Subst}\left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{2e^2} \\ &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{d\sqrt{d + ex^2}} + \frac{cx\sqrt{d + ex^2}}{2e^2} - \frac{(3cd - 2be) \tanh^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d+ex^2}}\right)}{2e^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.11, size = 98, normalized size = 1.10

$$\frac{\sqrt{e}x \left(2e(ae - bd) + cd(3d + ex^2)\right) - d^{3/2} \sqrt{\frac{ex^2}{d} + 1} (3cd - 2be) \sinh^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{2de^{5/2} \sqrt{d + ex^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*x^2 + c*x^4)/(d + e*x^2)^(3/2), x]
```

```
[Out] (Sqrt[e]*x*(2*e*(-(b*d) + a*e) + c*d*(3*d + e*x^2)) - d^(3/2)*(3*c*d - 2*b*
e)*Sqrt[1 + (e*x^2)/d]*ArcSinh[(Sqrt[e]*x)/Sqrt[d]])/(2*d*e^(5/2)*Sqrt[d +
e*x^2])
```

fricas [A] time = 0.88, size = 249, normalized size = 2.80

$$\left[\frac{(3cd^3 - 2bd^2e + (3cd^2e - 2bde^2)x^2)\sqrt{e} \log\left(-2ex^2 - 2\sqrt{ex^2 + d}\sqrt{e}x - d\right) - 2(cde^2x^3 + (3cd^2e - 2bde^2 + 2ae^3)x)\sqrt{e}}{4(de^4x^2 + d^2e^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(3/2),x, algorithm="fricas")

[Out] [-1/4*((3*c*d^3 - 2*b*d^2*e + (3*c*d^2*e - 2*b*d*e^2)*x^2)*sqrt(e)*log(-2*e*x^2 - 2*sqrt(e*x^2 + d)*sqrt(e)*x - d) - 2*(c*d*e^2*x^3 + (3*c*d^2*e - 2*b*d*e^2 + 2*a*e^3)*x)*sqrt(e*x^2 + d))/(d*e^4*x^2 + d^2*e^3), 1/2*((3*c*d^3 - 2*b*d^2*e + (3*c*d^2*e - 2*b*d*e^2)*x^2)*sqrt(-e)*arctan(sqrt(-e)*x/sqrt(e*x^2 + d)) + (c*d*e^2*x^3 + (3*c*d^2*e - 2*b*d*e^2 + 2*a*e^3)*x)*sqrt(e*x^2 + d))/(d*e^4*x^2 + d^2*e^3)]

giac [A] time = 0.20, size = 80, normalized size = 0.90

$$\frac{1}{2}(3cd - 2be)e^{\left(-\frac{5}{2}\right)} \log\left(\left|-xe^{\frac{1}{2}} + \sqrt{x^2e + d}\right|\right) + \frac{\left(cx^2e^{(-1)} + \frac{(3cd^2e - 2bde^2 + 2ae^3)e^{(-3)}}{d}\right)x}{2\sqrt{x^2e + d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(3/2),x, algorithm="giac")

[Out] 1/2*(3*c*d - 2*b*e)*e^(-5/2)*log(abs(-x*e^(1/2) + sqrt(x^2*e + d))) + 1/2*(c*x^2*e^(-1) + (3*c*d^2*e - 2*b*d*e^2 + 2*a*e^3)*e^(-3)/d)*x/sqrt(x^2*e + d)

maple [A] time = 0.01, size = 112, normalized size = 1.26

$$\frac{cx^3}{2\sqrt{ex^2 + d}e} + \frac{ax}{\sqrt{ex^2 + d}d} - \frac{bx}{\sqrt{ex^2 + d}e} + \frac{3cdx}{2\sqrt{ex^2 + d}e^2} + \frac{b \ln\left(\sqrt{e}x + \sqrt{ex^2 + d}\right)}{e^{\frac{3}{2}}} - \frac{3cd \ln\left(\sqrt{e}x + \sqrt{ex^2 + d}\right)}{2e^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/(e*x^2+d)^(3/2),x)

[Out] 1/2*c*x^3/e/(e*x^2+d)^(1/2)+3/2*c*d/e^2*x/(e*x^2+d)^(1/2)-3/2*c*d/e^(5/2)*ln(e^(1/2)*x+(e*x^2+d)^(1/2))-b*x/e/(e*x^2+d)^(1/2)+b/e^(3/2)*ln(e^(1/2)*x+(e*x^2+d)^(1/2))+a*x/d/(e*x^2+d)^(1/2)

maxima [A] time = 1.13, size = 97, normalized size = 1.09

$$\frac{cx^3}{2\sqrt{ex^2+d}e} + \frac{ax}{\sqrt{ex^2+d}d} + \frac{3cdx}{2\sqrt{ex^2+d}e^2} - \frac{bx}{\sqrt{ex^2+d}e} - \frac{3cd \operatorname{arsinh}\left(\frac{ex}{\sqrt{de}}\right)}{2e^{\frac{5}{2}}} + \frac{b \operatorname{arsinh}\left(\frac{ex}{\sqrt{de}}\right)}{e^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(3/2),x, algorithm="maxima")

[Out] 1/2*c*x^3/(sqrt(e*x^2 + d)*e) + a*x/(sqrt(e*x^2 + d)*d) + 3/2*c*d*x/(sqrt(e*x^2 + d)*e^2) - b*x/(sqrt(e*x^2 + d)*e) - 3/2*c*d*arcsinh(e*x/sqrt(d*e))/e^(5/2) + b*arcsinh(e*x/sqrt(d*e))/e^(3/2)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{cx^4 + bx^2 + a}{(ex^2 + d)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)/(d + e*x^2)^(3/2),x)

[Out] int((a + b*x^2 + c*x^4)/(d + e*x^2)^(3/2), x)

sympy [A] time = 9.98, size = 134, normalized size = 1.51

$$\frac{ax}{d^{\frac{3}{2}}\sqrt{1+\frac{ex^2}{d}}} + b \left(\frac{\operatorname{asinh}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{e^{\frac{3}{2}}} - \frac{x}{\sqrt{d}e\sqrt{1+\frac{ex^2}{d}}} \right) + c \left(\frac{3\sqrt{d}x}{2e^2\sqrt{1+\frac{ex^2}{d}}} - \frac{3d \operatorname{asinh}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2e^{\frac{5}{2}}} + \frac{x^3}{2\sqrt{d}e\sqrt{1+\frac{ex^2}{d}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)/(e*x**2+d)**(3/2),x)

[Out] a*x/(d**(3/2)*sqrt(1 + e*x**2/d)) + b*(asinh(sqrt(e)*x/sqrt(d))/e**(3/2) - x/(sqrt(d)*e*sqrt(1 + e*x**2/d))) + c*(3*sqrt(d)*x/(2*e**2*sqrt(1 + e*x**2/d)) - 3*d*asinh(sqrt(e)*x/sqrt(d))/(2*e**(5/2)) + x**3/(2*sqrt(d)*e*sqrt(1 + e*x**2/d)))

$$3.281 \quad \int \frac{a+bx^2+cx^4}{(d+ex^2)^{5/2}} dx$$

Optimal. Leaf size=101

$$-\frac{x(4cd^2 - e(2ae + bd))}{3d^2e^2\sqrt{d+ex^2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{3d(d+ex^2)^{3/2}} + \frac{c \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{e^{5/2}}$$

[Out] 1/3*(a+d*(-b*e+c*d)/e^2)*x/d/(e*x^2+d)^(3/2)+c*arctanh(x*e^(1/2)/(e*x^2+d)^(1/2))/e^(5/2)-1/3*(4*c*d^2-e*(2*a*e+b*d))*x/d^2/e^2/(e*x^2+d)^(1/2)

Rubi [A] time = 0.07, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1157, 385, 217, 206}

$$-\frac{x(4cd^2 - e(2ae + bd))}{3d^2e^2\sqrt{d+ex^2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{3d(d+ex^2)^{3/2}} + \frac{c \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{e^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(d + e*x^2)^(5/2), x]

[Out] ((a + (d*(c*d - b*e))/e^2)*x)/(3*d*(d + e*x^2)^(3/2)) - ((4*c*d^2 - e*(b*d + 2*a*e))*x)/(3*d^2*e^2*sqrt[d + e*x^2]) + (c*ArcTanh[(sqrt[e]*x)/sqrt[d + e*x^2]])/e^(5/2)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +

p, 0])

Rule 1157

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2,
x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x,
0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{(d + ex^2)^{5/2}} dx &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{3d(d + ex^2)^{3/2}} - \frac{\int \frac{-2a + \frac{d(cd-be)}{e^2} - \frac{3cdx^2}{e}}{(d+ex^2)^{3/2}} dx}{3d} \\ &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{3d(d + ex^2)^{3/2}} - \frac{(4cd^2 - e(bd + 2ae))x}{3d^2e^2\sqrt{d + ex^2}} + \frac{c \int \frac{1}{\sqrt{d+ex^2}} dx}{e^2} \\ &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{3d(d + ex^2)^{3/2}} - \frac{(4cd^2 - e(bd + 2ae))x}{3d^2e^2\sqrt{d + ex^2}} + \frac{c \operatorname{Subst}\left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{e^2} \\ &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{3d(d + ex^2)^{3/2}} - \frac{(4cd^2 - e(bd + 2ae))x}{3d^2e^2\sqrt{d + ex^2}} + \frac{c \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{e^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.19, size = 112, normalized size = 1.11

$$\frac{\sqrt{e}x(e^2(3ad + 2aex^2 + bdx^2) - cd^2(3d + 4ex^2)) + 3cd^{5/2}(d + ex^2)\sqrt{\frac{ex^2}{d} + 1} \sinh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{3d^2e^{5/2}(d + ex^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(d + e*x^2)^(5/2), x]

[Out] (Sqrt[e]*x*(-(c*d^2*(3*d + 4*e*x^2)) + e^2*(3*a*d + b*d*x^2 + 2*a*e*x^2)) + 3*c*d^(5/2)*(d + e*x^2)*Sqrt[1 + (e*x^2)/d]*ArcSinh[(Sqrt[e]*x)/Sqrt[d]])/(3*d^2*e^(5/2)*(d + e*x^2)^(3/2))

fricas [A] time = 0.75, size = 289, normalized size = 2.86

$$\left[\frac{3 \left(cd^2 e^2 x^4 + 2 cd^3 e x^2 + cd^4 \right) \sqrt{e} \log \left(-2 e x^2 - 2 \sqrt{e x^2 + d} \sqrt{e} x - d \right) - 2 \left((4 cd^2 e^2 - b d e^3 - 2 a e^4) x^3 + 3 (cd^3 e - a d e^3) x \right) \sqrt{e} \arctan \left(\frac{\sqrt{e} x}{\sqrt{e x^2 + d}} \right)}{6 \left(d^2 e^5 x^4 + 2 d^3 e^4 x^2 + d^4 e^3 \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(5/2),x, algorithm="fricas")

[Out] [1/6*(3*(c*d^2*e^2*x^4 + 2*c*d^3*e*x^2 + c*d^4)*sqrt(e)*log(-2*e*x^2 - 2*sqrt(e*x^2 + d)*sqrt(e)*x - d) - 2*((4*c*d^2*e^2 - b*d*e^3 - 2*a*e^4)*x^3 + 3*(c*d^3*e - a*d*e^3)*x)*sqrt(e*x^2 + d))/(d^2*e^5*x^4 + 2*d^3*e^4*x^2 + d^4*e^3), -1/3*(3*(c*d^2*e^2*x^4 + 2*c*d^3*e*x^2 + c*d^4)*sqrt(-e)*arctan(sqrt(-e)*x/sqrt(e*x^2 + d)) + ((4*c*d^2*e^2 - b*d*e^3 - 2*a*e^4)*x^3 + 3*(c*d^3*e - a*d*e^3)*x)*sqrt(e*x^2 + d))/(d^2*e^5*x^4 + 2*d^3*e^4*x^2 + d^4*e^3)]

giac [A] time = 0.23, size = 88, normalized size = 0.87

$$-c e^{\left(-\frac{5}{2}\right)} \log \left(\left| -x e^{\frac{1}{2}} + \sqrt{x^2 e + d} \right| \right) - \frac{\left(\frac{(4 c d^2 e^2 - b d e^3 - 2 a e^4) x^2 e^{(-3)}}{d^2} + \frac{3 (c d^3 e - a d e^3) e^{(-3)}}{d^2} \right) x}{3 \left(x^2 e + d \right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(5/2),x, algorithm="giac")

[Out] -c*e^(-5/2)*log(abs(-x*e^(1/2) + sqrt(x^2*e + d))) - 1/3*((4*c*d^2*e^2 - b*d*e^3 - 2*a*e^4)*x^2*e^(-3)/d^2 + 3*(c*d^3*e - a*d*e^3)*e^(-3)/d^2)*x/(x^2*e + d)^(3/2)

maple [A] time = 0.01, size = 124, normalized size = 1.23

$$-\frac{c x^3}{3 \left(e x^2 + d \right)^{\frac{3}{2}} e} + \frac{a x}{3 \left(e x^2 + d \right)^{\frac{3}{2}} d} - \frac{b x}{3 \left(e x^2 + d \right)^{\frac{3}{2}} e} + \frac{2 a x}{3 \sqrt{e x^2 + d} d^2} + \frac{b x}{3 \sqrt{e x^2 + d} d e} - \frac{c x}{\sqrt{e x^2 + d} e^2} + \frac{c \ln \left(\sqrt{e} x + \sqrt{e x^2 + d} \right)}{e^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/(e*x^2+d)^(5/2),x)

[Out] -1/3*c*x^3/e/(e*x^2+d)^(3/2)-c/e^2*x/(e*x^2+d)^(1/2)+c/e^(5/2)*ln(e^(1/2)*x+(e*x^2+d)^(1/2))-1/3*b/e*x/(e*x^2+d)^(3/2)+1/3*b/d/e*x/(e*x^2+d)^(1/2)+1/3*a*x/d/(e*x^2+d)^(3/2)+2/3*a/d^2*x/(e*x^2+d)^(1/2)

maxima [A] time = 1.01, size = 135, normalized size = 1.34

$$-\frac{1}{3} cx \left(\frac{3x^2}{(ex^2+d)^{\frac{3}{2}}e} + \frac{2d}{(ex^2+d)^{\frac{3}{2}}e^2} \right) + \frac{2ax}{3\sqrt{ex^2+d}d^2} + \frac{ax}{3(ex^2+d)^{\frac{3}{2}}d} - \frac{cx}{3\sqrt{ex^2+d}e^2} - \frac{bx}{3(ex^2+d)^{\frac{3}{2}}e} + \frac{bx}{3\sqrt{ex^2+d}de}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(5/2),x, algorithm="maxima")

[Out] $-1/3*c*x*(3*x^2/((e*x^2+d)^{(3/2)}*e) + 2*d/((e*x^2+d)^{(3/2)}*e^2)) + 2/3*a*x/(sqrt(e*x^2+d)*d^2) + 1/3*a*x/((e*x^2+d)^{(3/2)}*d) - 1/3*c*x/(sqrt(e*x^2+d)*e^2) - 1/3*b*x/((e*x^2+d)^{(3/2)}*e) + 1/3*b*x/(sqrt(e*x^2+d)*d*e) + c*arcsinh(e*x/sqrt(d*e))/e^{(5/2)}$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{cx^4 + bx^2 + a}{(ex^2 + d)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)/(d + e*x^2)^(5/2),x)

[Out] int((a + b*x^2 + c*x^4)/(d + e*x^2)^(5/2), x)

sympy [B] time = 18.95, size = 450, normalized size = 4.46

$$a \left(\frac{3dx}{3d^{\frac{7}{2}}\sqrt{1+\frac{ex^2}{d}} + 3d^{\frac{5}{2}}ex^2\sqrt{1+\frac{ex^2}{d}}} + \frac{2ex^3}{3d^{\frac{7}{2}}\sqrt{1+\frac{ex^2}{d}} + 3d^{\frac{5}{2}}ex^2\sqrt{1+\frac{ex^2}{d}}} \right) + \frac{bx^3}{3d^{\frac{5}{2}}\sqrt{1+\frac{ex^2}{d}} + 3d^{\frac{3}{2}}ex^2\sqrt{1+\frac{ex^2}{d}}} + c \left(\frac{3d^{\frac{7}{2}}\sqrt{1+\frac{ex^2}{d}} + 3d^{\frac{5}{2}}ex^2\sqrt{1+\frac{ex^2}{d}}}{3d^{\frac{7}{2}}\sqrt{1+\frac{ex^2}{d}} + 3d^{\frac{5}{2}}ex^2\sqrt{1+\frac{ex^2}{d}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)/(e*x**2+d)**(5/2),x)

[Out] $a*(3*d*x/(3*d**(7/2)*sqrt(1 + e*x**2/d) + 3*d**(5/2)*e*x**2*sqrt(1 + e*x**2/d)) + 2*e*x**3/(3*d**(7/2)*sqrt(1 + e*x**2/d) + 3*d**(5/2)*e*x**2*sqrt(1 + e*x**2/d))) + b*x**3/(3*d**(5/2)*sqrt(1 + e*x**2/d) + 3*d**(3/2)*e*x**2*sqrt(1 + e*x**2/d)) + c*(3*d**(39/2)*e**11*sqrt(1 + e*x**2/d)*asinh(sqrt(e)*x/sqrt(d))/(3*d**(39/2)*e**(27/2)*sqrt(1 + e*x**2/d) + 3*d**(37/2)*e**(29/2)*x**2*sqrt(1 + e*x**2/d)) + 3*d**(37/2)*e**12*x**2*sqrt(1 + e*x**2/d)*asinh(sqrt(e)*x/sqrt(d))/(3*d**(39/2)*e**(27/2)*sqrt(1 + e*x**2/d) + 3*d**(37/2)*e**(29/2)*x**2*sqrt(1 + e*x**2/d)) - 3*d**19*e**(23/2)*x/(3*d**(39/2)*e**(27/2)*sqrt(1 + e*x**2/d) + 3*d**(37/2)*e**(29/2)*x**2*sqrt(1 + e*x**2/d)) - 4*d**18*e**(25/2)*x**3/(3*d**(39/2)*e**(27/2)*sqrt(1 + e*x**2/d) + 3*d**(37/2)*e**(29/2)*x**2*sqrt(1 + e*x**2/d)))$

$$3.282 \quad \int \frac{a+bx^2+cx^4}{(d+ex^2)^{7/2}} dx$$

Optimal. Leaf size=86

$$\frac{x^5 (2e(4ae + bd) + 3cd^2)}{15d^3 (d + ex^2)^{5/2}} + \frac{x^3(4ae + bd)}{3d^2 (d + ex^2)^{5/2}} + \frac{ax}{d (d + ex^2)^{5/2}}$$

[Out] a*x/d/(e*x^2+d)^(5/2)+1/3*(4*a*e+b*d)*x^3/d^2/(e*x^2+d)^(5/2)+1/15*(3*c*d^2+2*e*(4*a*e+b*d))*x^5/d^3/(e*x^2+d)^(5/2)

Rubi [A] time = 0.11, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1155, 1803, 12, 264}

$$\frac{x^5 (2e(4ae + bd) + 3cd^2)}{15d^3 (d + ex^2)^{5/2}} + \frac{x^3(4ae + bd)}{3d^2 (d + ex^2)^{5/2}} + \frac{ax}{d (d + ex^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(d + e*x^2)^(7/2), x]

[Out] (a*x)/(d*(d + e*x^2)^(5/2)) + ((b*d + 4*a*e)*x^3)/(3*d^2*(d + e*x^2)^(5/2)) + ((3*c*d^2 + 2*e*(b*d + 4*a*e))*x^5)/(15*d^3*(d + e*x^2)^(5/2))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 264

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 1155

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(a^p*x*(d + e*x^2)^(q + 1))/d, x] + Dist[1/d, Int[x^2*(d + e*x^2)^q*(d*PolynomialQuotient[(a + b*x^2 + c*x^4)^p - a^p, x^2, x] - e*a^p*(2*q + 3)), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && ILtQ[q + 1/2, 0] && LtQ[4*

$p + 2q + 1, 0]$

Rule 1803

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{A = Coef
f[Pq, x, 0], Q = PolynomialQuotient[Pq - Coeff[Pq, x, 0], x^2, x]}, Simp[(A
*x^(m + 1)*(a + b*x^2)^(p + 1))/(a*(m + 1)), x] + Dist[1/(a*(m + 1)), Int[x
^(m + 2)*(a + b*x^2)^p*(a*(m + 1)*Q - A*b*(m + 2*(p + 1) + 1)), x], x]] /;
FreeQ[{a, b}, x] && PolyQ[Pq, x^2] && IntegerQ[m/2] && ILtQ[(m + 1)/2 + p,
0] && LtQ[m + Expon[Pq, x] + 2*p + 1, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{(d + ex^2)^{7/2}} dx &= \frac{ax}{d(d + ex^2)^{5/2}} + \frac{\int \frac{x^2(4ae + d(b + cx^2))}{(d + ex^2)^{7/2}} dx}{d} \\ &= \frac{ax}{d(d + ex^2)^{5/2}} + \frac{(bd + 4ae)x^3}{3d^2(d + ex^2)^{5/2}} + \frac{\int \frac{(3cd^2 + 2e(bd + 4ae))x^4}{(d + ex^2)^{7/2}} dx}{3d^2} \\ &= \frac{ax}{d(d + ex^2)^{5/2}} + \frac{(bd + 4ae)x^3}{3d^2(d + ex^2)^{5/2}} + \frac{1}{3} \left(3c + \frac{2e(bd + 4ae)}{d^2} \right) \int \frac{x^4}{(d + ex^2)^{7/2}} dx \\ &= \frac{ax}{d(d + ex^2)^{5/2}} + \frac{(bd + 4ae)x^3}{3d^2(d + ex^2)^{5/2}} + \frac{(3cd^2 + 2e(bd + 4ae))x^5}{15d^3(d + ex^2)^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 67, normalized size = 0.78

$$\frac{a(15d^2x + 20dex^3 + 8e^2x^5) + dx^3(5bd + 2bex^2 + 3cdx^2)}{15d^3(d + ex^2)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*x^2 + c*x^4)/(d + e*x^2)^(7/2), x]
```

```
[Out] (d*x^3*(5*b*d + 3*c*d*x^2 + 2*b*e*x^2) + a*(15*d^2*x + 20*d*e*x^3 + 8*e^2*x
^5))/(15*d^3*(d + e*x^2)^(5/2))
```

fricas [A] time = 0.67, size = 93, normalized size = 1.08

$$\frac{\left(\left(3cd^2 + 2bde + 8ae^2\right)x^5 + 15ad^2x + 5\left(bd^2 + 4ade\right)x^3\right)\sqrt{ex^2 + d}}{15\left(d^3e^3x^6 + 3d^4e^2x^4 + 3d^5ex^2 + d^6\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(7/2),x, algorithm="fricas")

[Out] 1/15*((3*c*d^2 + 2*b*d*e + 8*a*e^2)*x^5 + 15*a*d^2*x + 5*(b*d^2 + 4*a*d*e)*x^3)*sqrt(e*x^2 + d)/(d^3*e^3*x^6 + 3*d^4*e^2*x^4 + 3*d^5*e*x^2 + d^6)

giac [A] time = 0.21, size = 75, normalized size = 0.87

$$\frac{\left(x^2\left(\frac{\left(3cd^2e^2+2bde^3+8ae^4\right)x^2e^{(-2)}}{d^3} + \frac{5\left(bd^2e^2+4ade^3\right)e^{(-2)}}{d^3}\right) + \frac{15a}{d}\right)x}{15\left(x^2e + d\right)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(7/2),x, algorithm="giac")

[Out] 1/15*(x^2*((3*c*d^2*e^2 + 2*b*d*e^3 + 8*a*e^4)*x^2*e^(-2)/d^3 + 5*(b*d^2*e^2 + 4*a*d*e^3)*e^(-2)/d^3) + 15*a/d)*x/(x^2*e + d)^(5/2)

maple [A] time = 0.00, size = 66, normalized size = 0.77

$$\frac{\left(8ae^2x^4 + 2bde^3x^4 + 3cd^2x^4 + 20ade^2x^2 + 5bd^2x^2 + 15ad^2\right)x}{15\left(ex^2 + d\right)^{\frac{5}{2}}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/(e*x^2+d)^(7/2),x)

[Out] 1/15*x*(8*a*e^2*x^4+2*b*d*e*x^4+3*c*d^2*x^4+20*a*d*e*x^2+5*b*d^2*x^2+15*a*d^2)/(e*x^2+d)^(5/2)/d^3

maxima [B] time = 1.16, size = 173, normalized size = 2.01

$$-\frac{cx^3}{2\left(ex^2 + d\right)^{\frac{5}{2}}e} + \frac{8ax}{15\sqrt{ex^2 + d}d^3} + \frac{4ax}{15\left(ex^2 + d\right)^{\frac{3}{2}}d^2} + \frac{ax}{5\left(ex^2 + d\right)^{\frac{5}{2}}d} + \frac{cx}{10\left(ex^2 + d\right)^{\frac{3}{2}}e^2} + \frac{cx}{5\sqrt{ex^2 + d}de^2} - \frac{3cdx}{10\left(ex^2 + d\right)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(7/2),x, algorithm="maxima")

[Out]
$$-1/2*c*x^3/((e*x^2 + d)^{(5/2)}*e) + 8/15*a*x/(\text{sqrt}(e*x^2 + d)*d^3) + 4/15*a*x/((e*x^2 + d)^{(3/2)}*d^2) + 1/5*a*x/((e*x^2 + d)^{(5/2)}*d) + 1/10*c*x/((e*x^2 + d)^{(3/2)}*e^2) + 1/5*c*x/(\text{sqrt}(e*x^2 + d)*d*e^2) - 3/10*c*d*x/((e*x^2 + d)^{(5/2)}*e^2) - 1/5*b*x/((e*x^2 + d)^{(5/2)}*e) + 2/15*b*x/(\text{sqrt}(e*x^2 + d)*d^2*e) + 1/15*b*x/((e*x^2 + d)^{(3/2)}*d*e)$$

mupad [B] time = 4.70, size = 133, normalized size = 1.55

$$\frac{3cd^4x - 6cd^3x(ex^2 + d) - 3bd^3ex + 8ae^2x(ex^2 + d)^2 + 3cd^2x(ex^2 + d)^2 + 3ad^2e^2x + 4ade^2x(ex^2 + d)}{15d^3e^2(ex^2 + d)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)/(d + e*x^2)^(7/2),x)

[Out]
$$(3*c*d^4*x - 6*c*d^3*x*(d + e*x^2) - 3*b*d^3*e*x + 8*a*e^2*x*(d + e*x^2)^2 + 3*c*d^2*x*(d + e*x^2)^2 + 3*a*d^2*e^2*x + 4*a*d*e^2*x*(d + e*x^2) + 2*b*d*e*x*(d + e*x^2)^2 + b*d^2*e*x*(d + e*x^2))/(15*d^3*e^2*(d + e*x^2)^{(5/2)})$$

sympy [B] time = 45.98, size = 639, normalized size = 7.43

$$a \left(\frac{15d^5x}{15d^{\frac{17}{2}}\sqrt{1 + \frac{ex^2}{d}} + 45d^{\frac{15}{2}}ex^2\sqrt{1 + \frac{ex^2}{d}} + 45d^{\frac{13}{2}}e^2x^4\sqrt{1 + \frac{ex^2}{d}} + 15d^{\frac{11}{2}}e^3x^6\sqrt{1 + \frac{ex^2}{d}}} + \frac{15d^5x}{15d^{\frac{17}{2}}\sqrt{1 + \frac{ex^2}{d}} + 45d^{\frac{15}{2}}ex^2\sqrt{1 + \frac{ex^2}{d}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)/(e*x**2+d)**(7/2),x)

[Out]
$$a*(15*d**5*x/(15*d**(17/2)*\text{sqrt}(1 + e*x**2/d) + 45*d**(15/2)*e*x**2*\text{sqrt}(1 + e*x**2/d) + 45*d**(13/2)*e**2*x**4*\text{sqrt}(1 + e*x**2/d) + 15*d**(11/2)*e**3*x**6*\text{sqrt}(1 + e*x**2/d)) + 35*d**4*e*x**3/(15*d**(17/2)*\text{sqrt}(1 + e*x**2/d) + 45*d**(15/2)*e*x**2*\text{sqrt}(1 + e*x**2/d) + 45*d**(13/2)*e**2*x**4*\text{sqrt}(1 + e*x**2/d) + 15*d**(11/2)*e**3*x**6*\text{sqrt}(1 + e*x**2/d)) + 28*d**3*e**2*x**5/(15*d**(17/2)*\text{sqrt}(1 + e*x**2/d) + 45*d**(15/2)*e*x**2*\text{sqrt}(1 + e*x**2/d) + 45*d**(13/2)*e**2*x**4*\text{sqrt}(1 + e*x**2/d) + 15*d**(11/2)*e**3*x**6*\text{sqrt}(1 + e*x**2/d)) + 8*d**2*e**3*x**7/(15*d**(17/2)*\text{sqrt}(1 + e*x**2/d) + 45*d**(15/2)*e*x**2*\text{sqrt}(1 + e*x**2/d) + 45*d**(13/2)*e**2*x**4*\text{sqrt}(1 + e*x**2/d) + 15*d**(11/2)*e**3*x**6*\text{sqrt}(1 + e*x**2/d)) + b*(5*d*x**3/(15*d**(9/2)*\text{sqrt}(1 + e*x**2/d) + 30*d**(7/2)*e*x**2*\text{sqrt}(1 + e*x**2/d) + 15*d**(5/2)*e**2*x**4*\text{sqrt}(1 + e*x**2/d)) + 2*e*x**5/(15*d**(9/2)*\text{sqrt}(1 + e*x**2/d) + 30*d**(7/2)*e*x**2*\text{sqrt}(1 + e*x**2/d) + 15*d**(5/2)*e**2*x**4*\text{sqrt}(1 + e*x**2/d)) + c*x**5/(5*d**(7/2)*\text{sqrt}(1 + e*x**2/d) + 10*d**(5/2)*e*x**2*\text{sqrt}(1 + e*x**2/d) + 5*d**(3/2)*e**2*x**4*\text{sqrt}(1 + e*x**2/d))$$

$$3.283 \quad \int \frac{a+bx^2+cx^4}{(d+ex^2)^{9/2}} dx$$

Optimal. Leaf size=126

$$\frac{2ex^7(4e(6ae+bd)+3cd^2)}{105d^4(d+ex^2)^{7/2}} + \frac{x^5(4e(6ae+bd)+3cd^2)}{15d^3(d+ex^2)^{7/2}} + \frac{x^3(6ae+bd)}{3d^2(d+ex^2)^{7/2}} + \frac{ax}{d(d+ex^2)^{7/2}}$$

[Out] a*x/d/(e*x^2+d)^(7/2)+1/3*(6*a*e+b*d)*x^3/d^2/(e*x^2+d)^(7/2)+1/15*(3*c*d^2+4*e*(6*a*e+b*d))*x^5/d^3/(e*x^2+d)^(7/2)+2/105*e*(3*c*d^2+4*e*(6*a*e+b*d))*x^7/d^4/(e*x^2+d)^(7/2)

Rubi [A] time = 0.15, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1155, 1803, 12, 271, 264}

$$\frac{2ex^7(4e(6ae+bd)+3cd^2)}{105d^4(d+ex^2)^{7/2}} + \frac{x^5(4e(6ae+bd)+3cd^2)}{15d^3(d+ex^2)^{7/2}} + \frac{x^3(6ae+bd)}{3d^2(d+ex^2)^{7/2}} + \frac{ax}{d(d+ex^2)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(d + e*x^2)^(9/2), x]

[Out] (a*x)/(d*(d + e*x^2)^(7/2)) + ((b*d + 6*a*e)*x^3)/(3*d^2*(d + e*x^2)^(7/2)) + ((3*c*d^2 + 4*e*(b*d + 6*a*e))*x^5)/(15*d^3*(d + e*x^2)^(7/2)) + (2*e*(3*c*d^2 + 4*e*(b*d + 6*a*e))*x^7)/(105*d^4*(d + e*x^2)^(7/2))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 264

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m+1)*(a+b*x^n)^(p+1))/(a*c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n+p+1, 0] && NeQ[m, -1]

Rule 271

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m+1)*(a+b*x^n)^(p+1))/(a*(m+1)), x] - Dist[(b*(m+n*(p+1)+1))/(a*(m+1)), Int[x^(m+n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL

tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

Rule 1155

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(a^p*x*(d + e*x^2)^(q + 1))/d, x] + Dist[1/d, Int[x^2*(d + e*x^2)^q*(d*PolynomialQuotient[(a + b*x^2 + c*x^4)^p - a^p, x^2, x] - e*a^p*(2*q + 3)), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && ILtQ[q + 1/2, 0] && LtQ[4*p + 2*q + 1, 0]

Rule 1803

Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{A = Coeff[Pq, x, 0], Q = PolynomialQuotient[Pq - Coeff[Pq, x, 0], x^2, x]}, Simp[(A*x^(m + 1)*(a + b*x^2)^(p + 1))/(a*(m + 1)), x] + Dist[1/(a*(m + 1)), Int[x^(m + 2)*(a + b*x^2)^p*(a*(m + 1)*Q - A*b*(m + 2*(p + 1) + 1)), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x^2] && IntegerQ[m/2] && ILtQ[(m + 1)/2 + p, 0] && LtQ[m + Expon[Pq, x] + 2*p + 1, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{a + bx^2 + cx^4}{(d + ex^2)^{9/2}} dx &= \frac{ax}{d(d + ex^2)^{7/2}} + \frac{\int \frac{x^2(6ae + d(b + cx^2))}{(d + ex^2)^{9/2}} dx}{d} \\
 &= \frac{ax}{d(d + ex^2)^{7/2}} + \frac{(bd + 6ae)x^3}{3d^2(d + ex^2)^{7/2}} + \frac{\int \frac{(3cd^2 + 4e(bd + 6ae))x^4}{(d + ex^2)^{9/2}} dx}{3d^2} \\
 &= \frac{ax}{d(d + ex^2)^{7/2}} + \frac{(bd + 6ae)x^3}{3d^2(d + ex^2)^{7/2}} + \frac{1}{3} \left(3c + \frac{4e(bd + 6ae)}{d^2} \right) \int \frac{x^4}{(d + ex^2)^{9/2}} dx \\
 &= \frac{ax}{d(d + ex^2)^{7/2}} + \frac{(bd + 6ae)x^3}{3d^2(d + ex^2)^{7/2}} + \frac{(3cd^2 + 4e(bd + 6ae))x^5}{15d^3(d + ex^2)^{7/2}} + \frac{(2e(3cd^2 + 4e(bd + 6ae)))}{15d^3} \\
 &= \frac{ax}{d(d + ex^2)^{7/2}} + \frac{(bd + 6ae)x^3}{3d^2(d + ex^2)^{7/2}} + \frac{(3cd^2 + 4e(bd + 6ae))x^5}{15d^3(d + ex^2)^{7/2}} + \frac{2e(3cd^2 + 4e(bd + 6ae))x^7}{105d^4(d + ex^2)^{7/2}}
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 101, normalized size = 0.80

$$\frac{3a(35d^3x + 70d^2ex^3 + 56de^2x^5 + 16e^3x^7) + dx^3(b(35d^2 + 28dex^2 + 8e^2x^4) + 3cdx^2(7d + 2ex^2))}{105d^4(d + ex^2)^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(d + e*x^2)^(9/2), x]

[Out] (3*a*(35*d^3*x + 70*d^2*e*x^3 + 56*d*e^2*x^5 + 16*e^3*x^7) + d*x^3*(3*c*d*x^2*(7*d + 2*e*x^2) + b*(35*d^2 + 28*d*e*x^2 + 8*e^2*x^4)))/(105*d^4*(d + e*x^2)^(7/2))

fricas [A] time = 0.90, size = 136, normalized size = 1.08

$$\frac{(2(3cd^2e + 4bde^2 + 24ae^3)x^7 + 7(3cd^3 + 4bd^2e + 24ade^2)x^5 + 105ad^3x + 35(bd^3 + 6ad^2e)x^3)\sqrt{ex^2 + d}}{105(d^4e^4x^8 + 4d^5e^3x^6 + 6d^6e^2x^4 + 4d^7ex^2 + d^8)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(9/2), x, algorithm="fricas")

[Out] 1/105*(2*(3*c*d^2*e + 4*b*d*e^2 + 24*a*e^3)*x^7 + 7*(3*c*d^3 + 4*b*d^2*e + 24*a*d*e^2)*x^5 + 105*a*d^3*x + 35*(b*d^3 + 6*a*d^2*e)*x^3)*sqrt(e*x^2 + d)/(d^4*e^4*x^8 + 4*d^5*e^3*x^6 + 6*d^6*e^2*x^4 + 4*d^7*e*x^2 + d^8)

giac [A] time = 0.27, size = 113, normalized size = 0.90

$$\frac{\left(\left(x^2\left(\frac{2(3cd^2e^4+4bde^5+24ae^6)x^2e^{(-3)}}{d^4} + \frac{7(3cd^3e^3+4bd^2e^4+24ade^5)e^{(-3)}}{d^4}\right) + \frac{35(bd^3e^3+6ad^2e^4)e^{(-3)}}{d^4}\right)x^2 + \frac{105a}{d}\right)x}{105(x^2e + d)^{7/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(9/2), x, algorithm="giac")

[Out] 1/105*((x^2*(2*(3*c*d^2*e^4 + 4*b*d*e^5 + 24*a*e^6)*x^2*e^(-3)/d^4 + 7*(3*c*d^3*e^3 + 4*b*d^2*e^4 + 24*a*d*e^5)*e^(-3)/d^4) + 35*(b*d^3*e^3 + 6*a*d^2*e^4)*e^(-3)/d^4)*x^2 + 105*a/d)*x/(x^2*e + d)^(7/2)

maple [A] time = 0.00, size = 100, normalized size = 0.79

$$\frac{(48ae^3x^6 + 8bd^2e^2x^6 + 6cd^2ex^6 + 168ad^2e^2x^4 + 28bd^2ex^4 + 21cd^3x^4 + 210ad^2ex^2 + 35bd^3x^2 + 105ad^3)x}{105(ex^2 + d)^{7/2}d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^4+b*x^2+a)/(e*x^2+d)^(9/2),x)`

[Out] $\frac{1}{105}x(48ae^3x^6+8bde^2x^6+6cd^2e^2x^6+168ad^2e^2x^4+28bd^2e^2x^4+21cd^3x^4+210ad^2e^2x^2+35bde^3x^2+105ad^3)/(e^2x^2+d)^{7/2}/d^4$

maxima [B] time = 1.20, size = 227, normalized size = 1.80

$$-\frac{cx^3}{4(e^2x^2+d)^{7/2}e} + \frac{16ax}{35\sqrt{e^2x^2+d}d^4} + \frac{8ax}{35(e^2x^2+d)^{3/2}d^3} + \frac{6ax}{35(e^2x^2+d)^{5/2}d^2} + \frac{ax}{7(e^2x^2+d)^{7/2}d} + \frac{3cx}{140(e^2x^2+d)^{5/2}e^2} + \frac{2c}{35\sqrt{e^2x^2+d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(9/2),x, algorithm="maxima")`

[Out] $-\frac{1}{4}cx^3/((e^2x^2+d)^{7/2}e) + \frac{16}{35}ax/(\sqrt{e^2x^2+d}d^4) + \frac{8}{35}ax/((e^2x^2+d)^{3/2}d^3) + \frac{6}{35}ax/((e^2x^2+d)^{5/2}d^2) + \frac{1}{7}ax/((e^2x^2+d)^{7/2}d) + \frac{3}{140}cx/((e^2x^2+d)^{5/2}e^2) + \frac{2}{35}cx/(\sqrt{e^2x^2+d}d^2e^2) + \frac{1}{35}cx/((e^2x^2+d)^{3/2}de^2) - \frac{3}{28}cdx/((e^2x^2+d)^{7/2}e^2) - \frac{1}{7}bx/((e^2x^2+d)^{7/2}e) + \frac{8}{105}bx/(\sqrt{e^2x^2+d}d^3e) + \frac{4}{105}bx/((e^2x^2+d)^{3/2}d^2e) + \frac{1}{35}bx/((e^2x^2+d)^{5/2}de)$

mupad [B] time = 4.67, size = 154, normalized size = 1.22

$$\frac{x\left(\frac{a}{7d} - \frac{d\left(\frac{b}{7d} - \frac{c}{7e}\right)}{e}\right)}{(e^2x^2+d)^{7/2}} - \frac{x\left(\frac{c}{5e^2} - \frac{-cd^2+bde+6ae^2}{35d^2e^2}\right)}{(e^2x^2+d)^{5/2}} + \frac{x(3cd^2+4bde+24ae^2)}{105d^3e^2(e^2x^2+d)^{3/2}} + \frac{x(6cd^2+8bde+48ae^2)}{105d^4e^2\sqrt{e^2x^2+d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2 + c*x^4)/(d + e*x^2)^(9/2),x)`

[Out] $(x(a/(7d) - (d(b/(7d) - c/(7e)))/e))/(d + e^2x^2)^{7/2} - (x(c/(5e^2) - (6ae^2 - cd^2 + bde)/(35d^2e^2)))/(d + e^2x^2)^{5/2} + (x(24ae^2 + 3cd^2 + 4bde))/(105d^3e^2(d + e^2x^2)^{3/2}) + (x(48ae^2 + 6cd^2 + 8bde))/(105d^4e^2(d + e^2x^2)^{1/2})$

sympy [B] time = 119.19, size = 1989, normalized size = 15.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)/(e*x**2+d)**(9/2),x)

[Out] a*(35*d**14*x/(35*d**(37/2)*sqrt(1 + e*x**2/d) + 210*d**(35/2)*e*x**2*sqrt(1 + e*x**2/d) + 525*d**(33/2)*e**2*x**4*sqrt(1 + e*x**2/d) + 700*d**(31/2)*e**3*x**6*sqrt(1 + e*x**2/d) + 525*d**(29/2)*e**4*x**8*sqrt(1 + e*x**2/d) + 210*d**(27/2)*e**5*x**10*sqrt(1 + e*x**2/d) + 35*d**(25/2)*e**6*x**12*sqrt(1 + e*x**2/d)) + 175*d**13*e*x**3/(35*d**(37/2)*sqrt(1 + e*x**2/d) + 210*d**(35/2)*e*x**2*sqrt(1 + e*x**2/d) + 525*d**(33/2)*e**2*x**4*sqrt(1 + e*x**2/d) + 700*d**(31/2)*e**3*x**6*sqrt(1 + e*x**2/d) + 525*d**(29/2)*e**4*x**8*sqrt(1 + e*x**2/d) + 210*d**(27/2)*e**5*x**10*sqrt(1 + e*x**2/d) + 35*d**(25/2)*e**6*x**12*sqrt(1 + e*x**2/d)) + 371*d**12*e**2*x**5/(35*d**(37/2)*sqrt(1 + e*x**2/d) + 210*d**(35/2)*e*x**2*sqrt(1 + e*x**2/d) + 525*d**(33/2)*e**2*x**4*sqrt(1 + e*x**2/d) + 700*d**(31/2)*e**3*x**6*sqrt(1 + e*x**2/d) + 525*d**(29/2)*e**4*x**8*sqrt(1 + e*x**2/d) + 210*d**(27/2)*e**5*x**10*sqrt(1 + e*x**2/d) + 35*d**(25/2)*e**6*x**12*sqrt(1 + e*x**2/d)) + 429*d**11*e**3*x**7/(35*d**(37/2)*sqrt(1 + e*x**2/d) + 210*d**(35/2)*e*x**2*sqrt(1 + e*x**2/d) + 525*d**(33/2)*e**2*x**4*sqrt(1 + e*x**2/d) + 700*d**(31/2)*e**3*x**6*sqrt(1 + e*x**2/d) + 525*d**(29/2)*e**4*x**8*sqrt(1 + e*x**2/d) + 210*d**(27/2)*e**5*x**10*sqrt(1 + e*x**2/d) + 35*d**(25/2)*e**6*x**12*sqrt(1 + e*x**2/d)) + 286*d**10*e**4*x**9/(35*d**(37/2)*sqrt(1 + e*x**2/d) + 210*d**(35/2)*e*x**2*sqrt(1 + e*x**2/d) + 525*d**(33/2)*e**2*x**4*sqrt(1 + e*x**2/d) + 700*d**(31/2)*e**3*x**6*sqrt(1 + e*x**2/d) + 525*d**(29/2)*e**4*x**8*sqrt(1 + e*x**2/d) + 210*d**(27/2)*e**5*x**10*sqrt(1 + e*x**2/d) + 35*d**(25/2)*e**6*x**12*sqrt(1 + e*x**2/d)) + 104*d**9*e**5*x**11/(35*d**(37/2)*sqrt(1 + e*x**2/d) + 210*d**(35/2)*e*x**2*sqrt(1 + e*x**2/d) + 525*d**(33/2)*e**2*x**4*sqrt(1 + e*x**2/d) + 700*d**(31/2)*e**3*x**6*sqrt(1 + e*x**2/d) + 525*d**(29/2)*e**4*x**8*sqrt(1 + e*x**2/d) + 210*d**(27/2)*e**5*x**10*sqrt(1 + e*x**2/d) + 35*d**(25/2)*e**6*x**12*sqrt(1 + e*x**2/d)) + 16*d**8*e**6*x**13/(35*d**(37/2)*sqrt(1 + e*x**2/d) + 210*d**(35/2)*e*x**2*sqrt(1 + e*x**2/d) + 525*d**(33/2)*e**2*x**4*sqrt(1 + e*x**2/d) + 700*d**(31/2)*e**3*x**6*sqrt(1 + e*x**2/d) + 525*d**(29/2)*e**4*x**8*sqrt(1 + e*x**2/d) + 210*d**(27/2)*e**5*x**10*sqrt(1 + e*x**2/d) + 35*d**(25/2)*e**6*x**12*sqrt(1 + e*x**2/d)) + b*(35*d**5*x**3/(105*d**(19/2)*sqrt(1 + e*x**2/d) + 420*d**(17/2)*e*x**2*sqrt(1 + e*x**2/d) + 630*d**(15/2)*e**2*x**4*sqrt(1 + e*x**2/d) + 420*d**(13/2)*e**3*x**6*sqrt(1 + e*x**2/d) + 105*d**(11/2)*e**4*x**8*sqrt(1 + e*x**2/d)) + 63*d**4*e*x**5/(105*d**(19/2)*sqrt(1 + e*x**2/d) + 420*d**(17/2)*e*x**2*sqrt(1 + e*x**2/d) + 630*d**(15/2)*e**2*x**4*sqrt(1 + e*x**2/d) + 420*d**(13/2)*e**3*x**6*sqrt(1 + e*x**2/d) + 105*d**(11/2)*e**4*x**8*sqrt(1 + e*x**2/d)) + 36*d**3*e**2*x**7/(105*d**(19/2)*sqrt(1 + e*x**2/d) + 420*d**(17/2)*e*x**2*sqrt(1 + e*x**2/d) + 630*d**(15/2)*e**2*x**4*sqrt(1 + e*x**2/d) + 420*d**(13/2)*e**3*x**6*sqrt(1 + e*x**2/d) + 105*d**(11/2)*e**4*x**8*sqrt(1 + e*x**2/d)) + 8*d**2*e**3*x**9/(105*d**(19/2)*sqrt(1 + e*x**2/d) + 420*d**(17/2)*e*x**2*sqrt(1 + e*x**2/d) + 630*d**(15/2)*e**2*x**4*sqrt(1 + e*x**2/d) + 420*d**(13/2)*e**3*x**6*sqrt(1 + e*x**2/d) + 105*d**(11/2)*e**4*x**8*sqrt(1 + e*x**2/d)) + c*(7*d*x**5/(35*d**(11/2)*sqrt(1 + e*x**2/d

) + 105*d**(9/2)*e*x**2*sqrt(1 + e*x**2/d) + 105*d**(7/2)*e**2*x**4*sqrt(1 + e*x**2/d) + 35*d**(5/2)*e**3*x**6*sqrt(1 + e*x**2/d)) + 2*e*x**7/(35*d**(11/2)*sqrt(1 + e*x**2/d) + 105*d**(9/2)*e*x**2*sqrt(1 + e*x**2/d) + 105*d**(7/2)*e**2*x**4*sqrt(1 + e*x**2/d) + 35*d**(5/2)*e**3*x**6*sqrt(1 + e*x**2/d))

$$3.284 \quad \int \frac{a+bx^2+cx^4}{(d+ex^2)^{11/2}} dx$$

Optimal. Leaf size=165

$$\frac{8e^2x^9(2e(8ae+bd)+cd^2)}{315d^5(d+ex^2)^{9/2}} + \frac{4ex^7(2e(8ae+bd)+cd^2)}{35d^4(d+ex^2)^{9/2}} + \frac{x^5(2e(8ae+bd)+cd^2)}{5d^3(d+ex^2)^{9/2}} + \frac{x^3(8ae+bd)}{3d^2(d+ex^2)^{9/2}} + \frac{ax}{d(d+ex^2)^{9/2}}$$

[Out] a*x/d/(e*x^2+d)^(9/2)+1/3*(8*a*e+b*d)*x^3/d^2/(e*x^2+d)^(9/2)+1/5*(c*d^2+2*e*(8*a*e+b*d))*x^5/d^3/(e*x^2+d)^(9/2)+4/35*e*(c*d^2+2*e*(8*a*e+b*d))*x^7/d^4/(e*x^2+d)^(9/2)+8/315*e^2*(c*d^2+2*e*(8*a*e+b*d))*x^9/d^5/(e*x^2+d)^(9/2)

Rubi [A] time = 0.21, antiderivative size = 164, normalized size of antiderivative = 0.99, number of steps used = 6, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1155, 1803, 12, 271, 264}

$$\frac{8e^2x^9(2e(8ae+bd)+cd^2)}{315d^5(d+ex^2)^{9/2}} + \frac{4ex^7(2e(8ae+bd)+cd^2)}{35d^4(d+ex^2)^{9/2}} + \frac{x^5\left(\frac{2e(8ae+bd)}{d^2}+c\right)}{5d(d+ex^2)^{9/2}} + \frac{x^3(8ae+bd)}{3d^2(d+ex^2)^{9/2}} + \frac{ax}{d(d+ex^2)^{9/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(d + e*x^2)^(11/2), x]

[Out] (a*x)/(d*(d + e*x^2)^(9/2)) + ((b*d + 8*a*e)*x^3)/(3*d^2*(d + e*x^2)^(9/2)) + ((c + (2*e*(b*d + 8*a*e))/d^2)*x^5)/(5*d*(d + e*x^2)^(9/2)) + (4*e*(c*d^2 + 2*e*(b*d + 8*a*e))*x^7)/(35*d^4*(d + e*x^2)^(9/2)) + (8*e^2*(c*d^2 + 2*e*(b*d + 8*a*e))*x^9)/(315*d^5*(d + e*x^2)^(9/2))

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 264

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c*x)^(m+1)*(a + b*x^n)^(p+1))/(a*c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n + p + 1, 0] && NeQ[m, -1]

Rule 271

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(x^(m+1)*(a + b*x^n)^(p+1))/(a*(m+1)), x] - Dist[(b*(m+n*(p+1)+1))/(a*(m+

1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]

Rule 1155

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(a^p*x*(d + e*x^2)^(q + 1))/d, x] + Dist[1/d, Int[x^2*(d + e*x^2)^q*(d*PolynomialQuotient[(a + b*x^2 + c*x^4)^p - a^p, x^2, x] - e*a^p*(2*q + 3)), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && ILtQ[q + 1/2, 0] && LtQ[4*p + 2*q + 1, 0]

Rule 1803

Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{A = Coeff[Pq, x, 0], Q = PolynomialQuotient[Pq - Coeff[Pq, x, 0], x^2, x]}, Simp[(A*x^(m + 1)*(a + b*x^2)^(p + 1))/(a*(m + 1)), x] + Dist[1/(a*(m + 1)), Int[x^(m + 2)*(a + b*x^2)^p*(a*(m + 1)*Q - A*b*(m + 2*(p + 1) + 1)), x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x^2] && IntegerQ[m/2] && ILtQ[(m + 1)/2 + p, 0] && LtQ[m + Expon[Pq, x] + 2*p + 1, 0]

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2 + cx^4}{(d + ex^2)^{11/2}} dx &= \frac{ax}{d(d + ex^2)^{9/2}} + \frac{\int \frac{x^2(8ae + d(b + cx^2))}{(d + ex^2)^{11/2}} dx}{d} \\
&= \frac{ax}{d(d + ex^2)^{9/2}} + \frac{(bd + 8ae)x^3}{3d^2(d + ex^2)^{9/2}} + \frac{\int \frac{(3cd^2 + 6e(bd + 8ae))x^4}{(d + ex^2)^{11/2}} dx}{3d^2} \\
&= \frac{ax}{d(d + ex^2)^{9/2}} + \frac{(bd + 8ae)x^3}{3d^2(d + ex^2)^{9/2}} + \left(c + \frac{2e(bd + 8ae)}{d^2}\right) \int \frac{x^4}{(d + ex^2)^{11/2}} dx \\
&= \frac{ax}{d(d + ex^2)^{9/2}} + \frac{(bd + 8ae)x^3}{3d^2(d + ex^2)^{9/2}} + \frac{\left(c + \frac{2e(bd + 8ae)}{d^2}\right)x^5}{5d(d + ex^2)^{9/2}} + \frac{\left(4e\left(c + \frac{2e(bd + 8ae)}{d^2}\right)\right) \int \frac{x^6}{(d + ex^2)^{11/2}} dx}{5d} \\
&= \frac{ax}{d(d + ex^2)^{9/2}} + \frac{(bd + 8ae)x^3}{3d^2(d + ex^2)^{9/2}} + \frac{\left(c + \frac{2e(bd + 8ae)}{d^2}\right)x^5}{5d(d + ex^2)^{9/2}} + \frac{4e\left(c + \frac{2e(bd + 8ae)}{d^2}\right)x^7}{35d^2(d + ex^2)^{9/2}} + \frac{\left(8e^2\left(c + \frac{2e(bd + 8ae)}{d^2}\right)\right) \int \frac{x^8}{(d + ex^2)^{11/2}} dx}{315d^3} \\
&= \frac{ax}{d(d + ex^2)^{9/2}} + \frac{(bd + 8ae)x^3}{3d^2(d + ex^2)^{9/2}} + \frac{\left(c + \frac{2e(bd + 8ae)}{d^2}\right)x^5}{5d(d + ex^2)^{9/2}} + \frac{4e\left(c + \frac{2e(bd + 8ae)}{d^2}\right)x^7}{35d^2(d + ex^2)^{9/2}} + \frac{8e^2\left(c + \frac{2e(bd + 8ae)}{d^2}\right) \int \frac{x^9}{(d + ex^2)^{11/2}} dx}{315d^3}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 132, normalized size = 0.80

$$\frac{a(315d^4x + 840d^3ex^3 + 1008d^2e^2x^5 + 576de^3x^7 + 128e^4x^9) + dx^3(b(105d^3 + 126d^2ex^2 + 72de^2x^4 + 16e^3x^6) + 315d^5(d + ex^2)^{9/2}}{315d^5(d + ex^2)^{9/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(d + e*x^2)^(11/2), x]

[Out] (a*(315*d^4*x + 840*d^3*e*x^3 + 1008*d^2*e^2*x^5 + 576*d*e^3*x^7 + 128*e^4*x^9) + d*x^3*(c*d*x^2*(63*d^2 + 36*d*e*x^2 + 8*e^2*x^4) + b*(105*d^3 + 126*d^2*e*x^2 + 72*d*e^2*x^4 + 16*e^3*x^6)))/(315*d^5*(d + e*x^2)^(9/2))

fricas [A] time = 0.73, size = 177, normalized size = 1.07

$$\frac{(8(cd^2e^2 + 2bde^3 + 16ae^4)x^9 + 36(cd^3e + 2bd^2e^2 + 16ade^3)x^7 + 315ad^4x + 63(cd^4 + 2bd^3e + 16ad^2e^2)x^5 + 315d^5e^5x^{10} + 5d^6e^4x^8 + 10d^7e^3x^6 + 10d^8e^2x^4 + 5d^9ex^2 + d^{10})}{315(d^5e^5x^{10} + 5d^6e^4x^8 + 10d^7e^3x^6 + 10d^8e^2x^4 + 5d^9ex^2 + d^{10})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(11/2),x, algorithm="fricas")

[Out] 1/315*(8*(c*d^2*e^2 + 2*b*d*e^3 + 16*a*e^4)*x^9 + 36*(c*d^3*e + 2*b*d^2*e^2 + 16*a*d*e^3)*x^7 + 315*a*d^4*x + 63*(c*d^4 + 2*b*d^3*e + 16*a*d^2*e^2)*x^5 + 105*(b*d^4 + 8*a*d^3*e)*x^3)*sqrt(e*x^2 + d)/(d^5*e^5*x^10 + 5*d^6*e^4*x^8 + 10*d^7*e^3*x^6 + 10*d^8*e^2*x^4 + 5*d^9*e*x^2 + d^10)

giac [A] time = 0.23, size = 148, normalized size = 0.90

$$\frac{\left(\left(4x^2\left(\frac{2(cd^2e^6+2bde^7+16ae^8)x^2e^{(-4)}}{d^5} + \frac{9(cd^3e^5+2bd^2e^6+16ade^7)e^{(-4)}}{d^5}\right) + \frac{63(cd^4e^4+2bd^3e^5+16ad^2e^6)e^{(-4)}}{d^5}\right)x^2 + \frac{105(bd^4e^4+8ad^3e^5)e^{(-4)}}{d^5}\right)}{315(x^2e+d)^{\frac{9}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(11/2),x, algorithm="giac")

[Out] 1/315*(((4*x^2*(2*(c*d^2*e^6 + 2*b*d*e^7 + 16*a*e^8)*x^2*e^(-4)/d^5 + 9*(c*d^3*e^5 + 2*b*d^2*e^6 + 16*a*d*e^7)*e^(-4)/d^5) + 63*(c*d^4*e^4 + 2*b*d^3*e^5 + 16*a*d^2*e^6)*e^(-4)/d^5)*x^2 + 105*(b*d^4*e^4 + 8*a*d^3*e^5)*e^(-4)/d^5)*x^2 + 315*a/d)*x/(x^2*e + d)^(9/2)

maple [A] time = 0.01, size = 136, normalized size = 0.82

$$\frac{(128ae^4x^8 + 16bde^3x^8 + 8cd^2e^2x^8 + 576ade^3x^6 + 72bd^2e^2x^6 + 36cd^3e^3x^6 + 1008ad^2e^2x^4 + 126bd^3e^3x^4 + 63cd^4e^4x^4 + 840ad^3e^3x^2 + 105bd^4e^4x^2 + 315a^2d^4)}{315(ex^2+d)^{\frac{9}{2}}d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/(e*x^2+d)^(11/2),x)

[Out] 1/315*x*(128*a*e^4*x^8+16*b*d*e^3*x^8+8*c*d^2*e^2*x^8+576*a*d*e^3*x^6+72*b*d^2*e^2*x^6+36*c*d^3*e*x^6+1008*a*d^2*e^2*x^4+126*b*d^3*e*x^4+63*c*d^4*x^4+840*a*d^3*e*x^2+105*b*d^4*x^2+315*a*d^4)/(e*x^2+d)^(9/2)/d^5

maxima [A] time = 1.20, size = 281, normalized size = 1.70

$$-\frac{cx^3}{6(ex^2+d)^{\frac{9}{2}}e} + \frac{128ax}{315\sqrt{ex^2+d}d^5} + \frac{64ax}{315(ex^2+d)^{\frac{3}{2}}d^4} + \frac{16ax}{105(ex^2+d)^{\frac{5}{2}}d^3} + \frac{8ax}{63(ex^2+d)^{\frac{7}{2}}d^2} + \frac{ax}{9(ex^2+d)^{\frac{9}{2}}d} + \frac{1}{126(e^5x^2+d^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(11/2),x, algorithm="maxima")

[Out]
$$-1/6*c*x^3/((e*x^2 + d)^{(9/2)}*e) + 128/315*a*x/(\text{sqrt}(e*x^2 + d)*d^5) + 64/315*a*x/((e*x^2 + d)^{(3/2)}*d^4) + 16/105*a*x/((e*x^2 + d)^{(5/2)}*d^3) + 8/63*a*x/((e*x^2 + d)^{(7/2)}*d^2) + 1/9*a*x/((e*x^2 + d)^{(9/2)}*d) + 1/126*c*x/((e*x^2 + d)^{(7/2)}*e^2) + 8/315*c*x/(\text{sqrt}(e*x^2 + d)*d^3*e^2) + 4/315*c*x/((e*x^2 + d)^{(3/2)}*d^2*e^2) + 1/105*c*x/((e*x^2 + d)^{(5/2)}*d*e^2) - 1/18*c*d*x/((e*x^2 + d)^{(9/2)}*e^2) - 1/9*b*x/((e*x^2 + d)^{(9/2)}*e) + 16/315*b*x/(\text{sqrt}(e*x^2 + d)*d^4*e) + 8/315*b*x/((e*x^2 + d)^{(3/2)}*d^3*e) + 2/105*b*x/((e*x^2 + d)^{(5/2)}*d^2*e) + 1/63*b*x/((e*x^2 + d)^{(7/2)}*d*e)$$

mupad [B] time = 4.75, size = 189, normalized size = 1.15

$$\frac{x \left(\frac{a}{9d} - \frac{d \left(\frac{b}{9d} - \frac{c}{9e} \right)}{e} \right)}{(ex^2 + d)^{9/2}} - \frac{x \left(\frac{c}{7e^2} - \frac{-cd^2 + bde + 8ae^2}{63d^2e^2} \right)}{(ex^2 + d)^{7/2}} + \frac{x (cd^2 + 2bde + 16ae^2)}{105d^3e^2(ex^2 + d)^{5/2}} + \frac{x (4cd^2 + 8bde + 64ae^2)}{315d^4e^2(ex^2 + d)^{3/2}} + \frac{x (8cd^2 + 8bde + 16ae^2)}{315d^4e^2(ex^2 + d)^{1/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)/(d + e*x^2)^(11/2),x)

[Out]
$$\frac{(x*(a/(9*d) - (d*(b/(9*d) - c/(9*e)))/e))}{(d + e*x^2)^{(9/2)}} - \frac{(x*(c/(7*e^2) - (8*a*e^2 - c*d^2 + b*d*e)/(63*d^2*e^2)))}{(d + e*x^2)^{(7/2)}} + \frac{(x*(16*a*e^2 + c*d^2 + 2*b*d*e))}{(105*d^3*e^2*(d + e*x^2)^{(5/2)})} + \frac{(x*(64*a*e^2 + 4*c*d^2 + 8*b*d*e))}{(315*d^4*e^2*(d + e*x^2)^{(3/2)})} + \frac{(x*(128*a*e^2 + 8*c*d^2 + 16*b*d*e))}{(315*d^5*e^2*(d + e*x^2)^{(1/2)})}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)/(e*x**2+d)**(11/2),x)

[Out] Timed out

$$3.285 \quad \int \frac{a+bx^2+cx^4}{(d+ex^2)^{13/2}} dx$$

Optimal. Leaf size=210

$$\frac{16e^3x^{11} (8e(10ae + bd) + 3cd^2)}{3465d^6 (d + ex^2)^{11/2}} + \frac{8e^2x^9 (8e(10ae + bd) + 3cd^2)}{315d^5 (d + ex^2)^{11/2}} + \frac{2ex^7 (8e(10ae + bd) + 3cd^2)}{35d^4 (d + ex^2)^{11/2}} + \frac{x^5 (8e(10ae + bd) + 3cd^2)}{15d^3 (d + ex^2)^{11/2}}$$

[Out] a*x/d/(e*x^2+d)^(11/2)+1/3*(10*a*e+b*d)*x^3/d^2/(e*x^2+d)^(11/2)+1/15*(3*c*d^2+8*e*(10*a*e+b*d))*x^5/d^3/(e*x^2+d)^(11/2)+2/35*e*(3*c*d^2+8*e*(10*a*e+b*d))*x^7/d^4/(e*x^2+d)^(11/2)+8/315*e^2*(3*c*d^2+8*e*(10*a*e+b*d))*x^9/d^5/(e*x^2+d)^(11/2)+16/3465*e^3*(3*c*d^2+8*e*(10*a*e+b*d))*x^11/d^6/(e*x^2+d)^(11/2)

Rubi [A] time = 0.22, antiderivative size = 210, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1155, 1803, 12, 271, 264}

$$\frac{16e^3x^{11} (8e(10ae + bd) + 3cd^2)}{3465d^6 (d + ex^2)^{11/2}} + \frac{8e^2x^9 (8e(10ae + bd) + 3cd^2)}{315d^5 (d + ex^2)^{11/2}} + \frac{2ex^7 (8e(10ae + bd) + 3cd^2)}{35d^4 (d + ex^2)^{11/2}} + \frac{x^5 (8e(10ae + bd) + 3cd^2)}{15d^3 (d + ex^2)^{11/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(d + e*x^2)^(13/2), x]

[Out] (a*x)/(d*(d + e*x^2)^(11/2)) + ((b*d + 10*a*e)*x^3)/(3*d^2*(d + e*x^2)^(11/2)) + ((3*c*d^2 + 8*e*(b*d + 10*a*e))*x^5)/(15*d^3*(d + e*x^2)^(11/2)) + (2*e*(3*c*d^2 + 8*e*(b*d + 10*a*e))*x^7)/(35*d^4*(d + e*x^2)^(11/2)) + (8*e^2*(3*c*d^2 + 8*e*(b*d + 10*a*e))*x^9)/(315*d^5*(d + e*x^2)^(11/2)) + (16*e^3*(3*c*d^2 + 8*e*(b*d + 10*a*e))*x^11)/(3465*d^6*(d + e*x^2)^(11/2))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 264

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 271

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m + 1)*(
a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m +
1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IL
tQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 1155

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := Simp[(a^p*x*(d + e*x^2)^(q + 1))/d, x] + Dist[1/d, Int[x^2*(d
+ e*x^2)^q*(d*PolynomialQuotient[(a + b*x^2 + c*x^4)^p - a^p, x^2, x] - e*a
^p*(2*q + 3)), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] &
& NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && ILtQ[q + 1/2, 0] && LtQ[4*
p + 2*q + 1, 0]
```

Rule 1803

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := With[{A = Coef
f[Pq, x, 0], Q = PolynomialQuotient[Pq - Coeff[Pq, x, 0], x^2, x]}, Simp[(A
*x^(m + 1)*(a + b*x^2)^(p + 1))/(a*(m + 1)), x] + Dist[1/(a*(m + 1)), Int[x
^(m + 2)*(a + b*x^2)^p*(a*(m + 1)*Q - A*b*(m + 2*(p + 1) + 1)), x], x]] /;
FreeQ[{a, b}, x] && PolyQ[Pq, x^2] && IntegerQ[m/2] && ILtQ[(m + 1)/2 + p,
0] && LtQ[m + Expon[Pq, x] + 2*p + 1, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2 + cx^4}{(d + ex^2)^{13/2}} dx &= \frac{ax}{d(d + ex^2)^{11/2}} + \frac{\int \frac{x^2(10ae + d(b + cx^2))}{(d + ex^2)^{13/2}} dx}{d} \\
&= \frac{ax}{d(d + ex^2)^{11/2}} + \frac{(bd + 10ae)x^3}{3d^2(d + ex^2)^{11/2}} + \frac{\int \frac{(3cd^2 + 8e(bd + 10ae))x^4}{(d + ex^2)^{13/2}} dx}{3d^2} \\
&= \frac{ax}{d(d + ex^2)^{11/2}} + \frac{(bd + 10ae)x^3}{3d^2(d + ex^2)^{11/2}} + \frac{1}{3} \left(3c + \frac{8e(bd + 10ae)}{d^2} \right) \int \frac{x^4}{(d + ex^2)^{13/2}} dx \\
&= \frac{ax}{d(d + ex^2)^{11/2}} + \frac{(bd + 10ae)x^3}{3d^2(d + ex^2)^{11/2}} + \frac{(3cd^2 + 8e(bd + 10ae))x^5}{15d^3(d + ex^2)^{11/2}} + \frac{(2e(3cd^2 + 8e(bd + 10ae)))x^7}{5d^3} \\
&= \frac{ax}{d(d + ex^2)^{11/2}} + \frac{(bd + 10ae)x^3}{3d^2(d + ex^2)^{11/2}} + \frac{(3cd^2 + 8e(bd + 10ae))x^5}{15d^3(d + ex^2)^{11/2}} + \frac{2e(3cd^2 + 8e(bd + 10ae))x^7}{35d^4(d + ex^2)^{11/2}} \\
&= \frac{ax}{d(d + ex^2)^{11/2}} + \frac{(bd + 10ae)x^3}{3d^2(d + ex^2)^{11/2}} + \frac{(3cd^2 + 8e(bd + 10ae))x^5}{15d^3(d + ex^2)^{11/2}} + \frac{2e(3cd^2 + 8e(bd + 10ae))x^7}{35d^4(d + ex^2)^{11/2}} \\
&= \frac{ax}{d(d + ex^2)^{11/2}} + \frac{(bd + 10ae)x^3}{3d^2(d + ex^2)^{11/2}} + \frac{(3cd^2 + 8e(bd + 10ae))x^5}{15d^3(d + ex^2)^{11/2}} + \frac{2e(3cd^2 + 8e(bd + 10ae))x^7}{35d^4(d + ex^2)^{11/2}}
\end{aligned}$$

Mathematica [A] time = 0.14, size = 167, normalized size = 0.80

$$\frac{5a(693d^5x + 2310d^4ex^3 + 3696d^3e^2x^5 + 3168d^2e^3x^7 + 1408de^4x^9 + 256e^5x^{11}) + dx^3(b(1155d^4 + 1848d^3ex^2 + 1584d^2e^2x^4 + 704de^3x^6 + 128e^4x^8))}{3465d^6(d + ex^2)^{11/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(d + e*x^2)^(13/2), x]

[Out] (5*a*(693*d^5*x + 2310*d^4*e*x^3 + 3696*d^3*e^2*x^5 + 3168*d^2*e^3*x^7 + 1408*d*e^4*x^9 + 256*e^5*x^11) + d*x^3*(3*c*d*x^2*(231*d^3 + 198*d^2*e*x^2 + 88*d*e^2*x^4 + 16*e^3*x^6) + b*(1155*d^4 + 1848*d^3*e*x^2 + 1584*d^2*e^2*x^4 + 704*d*e^3*x^6 + 128*e^4*x^8)))/(3465*d^6*(d + e*x^2)^(11/2))

fricas [A] time = 1.10, size = 224, normalized size = 1.07

$$\frac{(16(3cd^2e^3 + 8bde^4 + 80ae^5)x^{11} + 88(3cd^3e^2 + 8bd^2e^3 + 80ade^4)x^9 + 198(3cd^4e + 8bd^3e^2 + 80ad^2e^3)x^7 + 3465(d^6e^6x^{12} + 6d^7e^5x^{10} + 15d^8e^4x^8 + 20d^9e^3x^6 + 15d^{10}e^2x^4 + 6d^{11}e^2x^2 + d^{12}))}{3465(d^6e^6x^{12} + 6d^7e^5x^{10} + 15d^8e^4x^8 + 20d^9e^3x^6 + 15d^{10}e^2x^4 + 6d^{11}e^2x^2 + d^{12})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(13/2),x, algorithm="fricas")

[Out] 1/3465*(16*(3*c*d^2*e^3 + 8*b*d*e^4 + 80*a*e^5)*x^11 + 88*(3*c*d^3*e^2 + 8*b*d^2*e^3 + 80*a*d*e^4)*x^9 + 198*(3*c*d^4*e + 8*b*d^3*e^2 + 80*a*d^2*e^3)*x^7 + 3465*a*d^5*x + 231*(3*c*d^5 + 8*b*d^4*e + 80*a*d^3*e^2)*x^5 + 1155*(b*d^5 + 10*a*d^4*e)*x^3)*sqrt(e*x^2 + d)/(d^6*e^6*x^12 + 6*d^7*e^5*x^10 + 15*d^8*e^4*x^8 + 20*d^9*e^3*x^6 + 15*d^10*e^2*x^4 + 6*d^11*e*x^2 + d^12)

giac [A] time = 0.23, size = 189, normalized size = 0.90

$$\frac{\left(\left(\left(2\left(4x^2\left(\frac{2(3cd^2e^8+8bde^9+80ae^{10})x^2e^{(-5)}}{d^6} + \frac{11(3cd^3e^7+8bd^2e^8+80ade^9)e^{(-5)}}{d^6}\right) + \frac{99(3cd^4e^6+8bd^3e^7+80ad^2e^8)e^{(-5)}}{d^6}\right)\right)\right)x^2 + \frac{231(3cd^5e^5)}{3465(x^2e+d)^{\frac{11}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(13/2),x, algorithm="giac")

[Out] 1/3465*(((2*(4*x^2*(2*(3*c*d^2*e^8 + 8*b*d*e^9 + 80*a*e^10)*x^2*e^(-5))/d^6 + 11*(3*c*d^3*e^7 + 8*b*d^2*e^8 + 80*a*d*e^9)*e^(-5))/d^6) + 99*(3*c*d^4*e^6 + 8*b*d^3*e^7 + 80*a*d^2*e^8)*e^(-5))/d^6)*x^2 + 231*(3*c*d^5*e^5 + 8*b*d^4*e^6 + 80*a*d^3*e^7)*e^(-5))/d^6)*x^2 + 1155*(b*d^5*e^5 + 10*a*d^4*e^6)*e^(-5))/d^6)*x^2 + 3465*a/d)*x/(x^2*e + d)^(11/2)

maple [A] time = 0.01, size = 172, normalized size = 0.82

$$\frac{(1280ae^5x^{10} + 128bd^4e^4x^{10} + 48cd^2e^3x^{10} + 7040ad^4e^4x^8 + 704bd^2e^3x^8 + 264cd^3e^2x^8 + 15840ad^2e^3x^6 + 1584bd^4e^4x^6 + 1584bd^3e^2x^6 + 594cd^4e^4x^6 + 18480ad^3e^2x^4 + 1848bd^4e^4x^4 + 693cd^5e^5x^4 + 11550a^2d^4e^4x^2 + 1155bd^5e^5x^2 + 3465a^2d^5)/(e*x^2 + d)^(11/2)/d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/(e*x^2+d)^(13/2),x)

[Out] 1/3465*x*(1280*a*e^5*x^10+128*b*d*e^4*x^10+48*c*d^2*e^3*x^10+7040*a*d*e^4*x^8+704*b*d^2*e^3*x^8+264*c*d^3*e^2*x^8+15840*a*d^2*e^3*x^6+1584*b*d^3*e^2*x^6+594*c*d^4*e*x^6+18480*a*d^3*e^2*x^4+1848*b*d^4*e*x^4+693*c*d^5*x^4+11550*a*d^4*e*x^2+1155*b*d^5*x^2+3465*a*d^5)/(e*x^2+d)^(11/2)/d^6

maxima [A] time = 1.11, size = 335, normalized size = 1.60

$$-\frac{cx^3}{8(ex^2+d)^{\frac{11}{2}}e} + \frac{256ax}{693\sqrt{ex^2+d}d^6} + \frac{128ax}{693(ex^2+d)^{\frac{3}{2}}d^5} + \frac{32ax}{231(ex^2+d)^{\frac{5}{2}}d^4} + \frac{80ax}{693(ex^2+d)^{\frac{7}{2}}d^3} + \frac{10ax}{99(ex^2+d)^{\frac{9}{2}}d^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^(13/2),x, algorithm="maxima")

[Out]
$$-1/8*c*x^3/((e*x^2+d)^{(11/2)}*e) + 256/693*a*x/(\text{sqrt}(e*x^2+d)*d^6) + 128/693*a*x/((e*x^2+d)^{(3/2)}*d^5) + 32/231*a*x/((e*x^2+d)^{(5/2)}*d^4) + 80/693*a*x/((e*x^2+d)^{(7/2)}*d^3) + 10/99*a*x/((e*x^2+d)^{(9/2)}*d^2) + 1/11*a*x/((e*x^2+d)^{(11/2)}*d) + 1/264*c*x/((e*x^2+d)^{(9/2)}*e^2) + 16/1155*c*x/(\text{sqrt}(e*x^2+d)*d^4*e^2) + 8/1155*c*x/((e*x^2+d)^{(3/2)}*d^3*e^2) + 2/385*c*x/((e*x^2+d)^{(5/2)}*d^2*e^2) + 1/231*c*x/((e*x^2+d)^{(7/2)}*d*e^2) - 3/88*c*d*x/((e*x^2+d)^{(11/2)}*e^2) - 1/11*b*x/((e*x^2+d)^{(11/2)}*e) + 128/3465*b*x/(\text{sqrt}(e*x^2+d)*d^5*e) + 64/3465*b*x/((e*x^2+d)^{(3/2)}*d^4*e) + 16/1155*b*x/((e*x^2+d)^{(5/2)}*d^3*e) + 8/693*b*x/((e*x^2+d)^{(7/2)}*d^2*e) + 1/99*b*x/((e*x^2+d)^{(9/2)}*d*e)$$

mupad [B] time = 4.76, size = 226, normalized size = 1.08

$$x \left(\frac{a}{11d} - \frac{d \left(\frac{b}{11d} - \frac{c}{11e} \right)}{e} \right) \frac{x \left(\frac{c}{9e^2} - \frac{-cd^2 + bde + 10ae^2}{99d^2e^2} \right)}{(ex^2+d)^{11/2}} + \frac{x \left(3cd^2 + 8bde + 80ae^2 \right)}{(ex^2+d)^{9/2}} + \frac{x \left(6cd^2 + 16bde + 160ae^2 \right)}{693d^3e^2(ex^2+d)^{7/2}} + \frac{x \left(6cd^2 + 16bde + 160ae^2 \right)}{1155d^4e^2(ex^2+d)^{5/2}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)/(d + e*x^2)^(13/2),x)

[Out]
$$(x*(a/(11*d) - (d*(b/(11*d) - c/(11*e)))/e))/((d + e*x^2)^{(11/2)}) - (x*(c/(9*e^2) - (10*a*e^2 - c*d^2 + b*d*e)/(99*d^2*e^2)))/((d + e*x^2)^{(9/2)}) + (x*(80*a*e^2 + 3*c*d^2 + 8*b*d*e))/(693*d^3*e^2*(d + e*x^2)^{(7/2)}) + (x*(160*a*e^2 + 6*c*d^2 + 16*b*d*e))/(1155*d^4*e^2*(d + e*x^2)^{(5/2)}) + (x*(640*a*e^2 + 24*c*d^2 + 64*b*d*e))/(3465*d^5*e^2*(d + e*x^2)^{(3/2)}) + (x*(1280*a*e^2 + 48*c*d^2 + 128*b*d*e))/(3465*d^6*e^2*(d + e*x^2)^{(1/2)})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)/(e*x**2+d)**(13/2),x)

[Out] Timed out

$$3.286 \quad \int (7 + 5x^2)^3 \sqrt{2 + 3x^2 + x^4} dx$$

Optimal. Leaf size=193

$$\frac{275}{7} (x^4 + 3x^2 + 2)^{3/2} x + \frac{1}{21} (757x^2 + 2608) \sqrt{x^4 + 3x^2 + 2} x + \frac{577(x^2 + 2)x}{3\sqrt{x^4 + 3x^2 + 2}} + \frac{2945\sqrt{2}(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}\left(\frac{x}{\sqrt{x^2+1}}\right), \frac{1}{2}\sqrt{2}\right)}{21\sqrt{x^4 + 3x^2 + 2}}$$

[Out] 275/7*x*(x^4+3*x^2+2)^(3/2)+125/9*x^3*(x^4+3*x^2+2)^(3/2)+577/3*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)-577/3*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1))^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+2945/21*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+1/21*x*(757*x^2+2608)*(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.10, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1206, 1679, 1176, 1189, 1099, 1135}

$$\frac{125}{9} (x^4 + 3x^2 + 2)^{3/2} x^3 + \frac{275}{7} (x^4 + 3x^2 + 2)^{3/2} x + \frac{1}{21} (757x^2 + 2608) \sqrt{x^4 + 3x^2 + 2} x + \frac{577(x^2 + 2)x}{3\sqrt{x^4 + 3x^2 + 2}} + \frac{2945\sqrt{2}(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}\left(\frac{x}{\sqrt{x^2+1}}\right), \frac{1}{2}\sqrt{2}\right)}{21\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^3*Sqrt[2 + 3*x^2 + x^4], x]

[Out] (577*x*(2 + x^2))/(3*Sqrt[2 + 3*x^2 + x^4]) + (x*(2608 + 757*x^2)*Sqrt[2 + 3*x^2 + x^4])/21 + (275*x*(2 + 3*x^2 + x^4)^(3/2))/7 + (125*x^3*(2 + 3*x^2 + x^4)^(3/2))/9 - (577*Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/(3*Sqrt[2 + 3*x^2 + x^4]) + (2945*Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(21*Sqrt[2 + 3*x^2 + x^4])

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

```
4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1176

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1189

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1206

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]
```

Rule 1679

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{q = Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*x^(2*q), x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2)^3 \sqrt{2 + 3x^2 + x^4} dx &= \frac{125}{9}x^3 (2 + 3x^2 + x^4)^{3/2} + \frac{1}{9} \int \sqrt{2 + 3x^2 + x^4} (3087 + 5865x^2 + 2475x^4) dx \\
&= \frac{275}{7}x (2 + 3x^2 + x^4)^{3/2} + \frac{125}{9}x^3 (2 + 3x^2 + x^4)^{3/2} + \frac{1}{63} \int (16659 + 11355x^2 \\
&= \frac{1}{21}x (2608 + 757x^2) \sqrt{2 + 3x^2 + x^4} + \frac{275}{7}x (2 + 3x^2 + x^4)^{3/2} + \frac{125}{9}x^3 (2 + 3x^2 + x^4)^{3/2} \\
&= \frac{1}{21}x (2608 + 757x^2) \sqrt{2 + 3x^2 + x^4} + \frac{275}{7}x (2 + 3x^2 + x^4)^{3/2} + \frac{125}{9}x^3 (2 + 3x^2 + x^4)^{3/2} \\
&= \frac{577x(2 + x^2)}{3\sqrt{2 + 3x^2 + x^4}} + \frac{1}{21}x(2608 + 757x^2) \sqrt{2 + 3x^2 + x^4} + \frac{275}{7}x(2 + 3x^2 + x^4)^{3/2}
\end{aligned}$$

Mathematica [C] time = 0.10, size = 119, normalized size = 0.62

$$\frac{875x^{11} + 7725x^9 + 28496x^7 + 57312x^5 + 61214x^3 - 5553i\sqrt{x^2 + 1} \sqrt{x^2 + 2} F\left(i \sinh^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| 2\right) - 12117i\sqrt{x^2 + 1} \sqrt{x^2 + 2}}{63\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^3*Sqrt[2 + 3*x^2 + x^4],x]

[Out] (25548*x + 61214*x^3 + 57312*x^5 + 28496*x^7 + 7725*x^9 + 875*x^11 - (12117*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticE[I*ArcSinh[x/Sqrt[2]], 2] - (5553*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticF[I*ArcSinh[x/Sqrt[2]], 2])/(63*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(125x^6 + 525x^4 + 735x^2 + 343\right)\sqrt{x^4 + 3x^2 + 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(x^4+3*x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral((125*x^6 + 525*x^4 + 735*x^2 + 343)*sqrt(x^4 + 3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 2} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(x^4+3*x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 3*x^2 + 2)*(5*x^2 + 7)^3, x)

maple [C] time = 0.02, size = 172, normalized size = 0.89

$$\frac{125\sqrt{x^4 + 3x^2 + 2} x^7}{9} + \frac{1700\sqrt{x^4 + 3x^2 + 2} x^5}{21} + \frac{11446\sqrt{x^4 + 3x^2 + 2} x^3}{63} + \frac{4258\sqrt{x^4 + 3x^2 + 2} x}{21} - \frac{2945i\sqrt{2} \sqrt{2x^2}}{21}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^3*(x^4+3*x^2+2)^(1/2),x)

[Out] 125/9*x^7*(x^4+3*x^2+2)^(1/2)+1700/21*x^5*(x^4+3*x^2+2)^(1/2)+11446/63*x^3*(x^4+3*x^2+2)^(1/2)+4258/21*x*(x^4+3*x^2+2)^(1/2)-2945/21*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))+577/6*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-EllipticE(1/2*I*2^(1/2)*x,2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 2} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 3*x^2 + 2)*(5*x^2 + 7)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (5x^2 + 7)^3 \sqrt{x^4 + 3x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^3*(3*x^2 + x^4 + 2)^(1/2),x)

[Out] int((5*x^2 + 7)^3*(3*x^2 + x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{(x^2 + 1)(x^2 + 2)} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**3*(x**4+3*x**2+2)**(1/2),x)

[Out] Integral(sqrt((x**2 + 1)*(x**2 + 2))*(5*x**2 + 7)**3, x)

$$3.287 \quad \int (7 + 5x^2)^2 \sqrt{2 + 3x^2 + x^4} dx$$

Optimal. Leaf size=168

$$\frac{25}{7}x(x^4 + 3x^2 + 2)^{3/2} + \frac{1}{21}x(114x^2 + 407)\sqrt{x^4 + 3x^2 + 2} + \frac{31x(x^2 + 2)}{\sqrt{x^4 + 3x^2 + 2}} + \frac{472\sqrt{2}(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}}F(\tan^{-1}(x))}{21\sqrt{x^4 + 3x^2 + 2}}$$

[Out] 25/7*x*(x^4+3*x^2+2)^(3/2)+31*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)-31*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+472/21*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+1/21*x*(114*x^2+407)*(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.07, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1206, 1176, 1189, 1099, 1135}

$$\frac{25}{7}x(x^4 + 3x^2 + 2)^{3/2} + \frac{1}{21}x(114x^2 + 407)\sqrt{x^4 + 3x^2 + 2} + \frac{31x(x^2 + 2)}{\sqrt{x^4 + 3x^2 + 2}} + \frac{472\sqrt{2}(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}}F(\tan^{-1}(x))}{21\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^2*Sqrt[2 + 3*x^2 + x^4], x]

[Out] (31*x*(2 + x^2))/Sqrt[2 + 3*x^2 + x^4] + (x*(407 + 114*x^2)*Sqrt[2 + 3*x^2 + x^4])/21 + (25*x*(2 + 3*x^2 + x^4)^(3/2))/7 - (31*Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/Sqrt[2 + 3*x^2 + x^4] + (472*Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(21*Sqrt[2 + 3*x^2 + x^4])

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x]

```
4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)]]) /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1176

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1189

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1206

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]
```

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2)^2 \sqrt{2 + 3x^2 + x^4} dx &= \frac{25}{7}x(2 + 3x^2 + x^4)^{3/2} + \frac{1}{7} \int (293 + 190x^2) \sqrt{2 + 3x^2 + x^4} dx \\
&= \frac{1}{21}x(407 + 114x^2) \sqrt{2 + 3x^2 + x^4} + \frac{25}{7}x(2 + 3x^2 + x^4)^{3/2} + \frac{1}{105} \int \frac{4720 + 3x^2}{\sqrt{2 + 3x^2 + x^4}} dx \\
&= \frac{1}{21}x(407 + 114x^2) \sqrt{2 + 3x^2 + x^4} + \frac{25}{7}x(2 + 3x^2 + x^4)^{3/2} + 31 \int \frac{x^2}{\sqrt{2 + 3x^2 + x^4}} dx \\
&= \frac{31x(2 + x^2)}{\sqrt{2 + 3x^2 + x^4}} + \frac{1}{21}x(407 + 114x^2) \sqrt{2 + 3x^2 + x^4} + \frac{25}{7}x(2 + 3x^2 + x^4)^{3/2}
\end{aligned}$$

Mathematica [C] time = 0.08, size = 114, normalized size = 0.68

$$\frac{75x^9 + 564x^7 + 1724x^5 + 2349x^3 - 293i\sqrt{x^2 + 1} \sqrt{x^2 + 2} F\left(i \sinh^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| 2\right) - 651i\sqrt{x^2 + 1} \sqrt{x^2 + 2} E\left(i \sinh^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| 2\right)}{21\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^2*Sqrt[2 + 3*x^2 + x^4],x]

[Out] (1114*x + 2349*x^3 + 1724*x^5 + 564*x^7 + 75*x^9 - (651*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticE[I*ArcSinh[x/Sqrt[2]], 2] - (293*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticF[I*ArcSinh[x/Sqrt[2]], 2])/(21*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(25x^4 + 70x^2 + 49\right)\sqrt{x^4 + 3x^2 + 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(x^4+3*x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral((25*x^4 + 70*x^2 + 49)*sqrt(x^4 + 3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 2} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(x^4+3*x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 3*x^2 + 2)*(5*x^2 + 7)^2, x)

maple [C] time = 0.01, size = 155, normalized size = 0.92

$$\frac{25\sqrt{x^4 + 3x^2 + 2} x^5}{7} + \frac{113\sqrt{x^4 + 3x^2 + 2} x^3}{7} + \frac{557\sqrt{x^4 + 3x^2 + 2} x}{21} - \frac{472i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{x^4 + 3x^2 + 2}\right)}{21\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^2*(x^4+3*x^2+2)^(1/2),x)

[Out] 25/7*(x^4+3*x^2+2)^(1/2)*x^5+113/7*(x^4+3*x^2+2)^(1/2)*x^3+557/21*(x^4+3*x^2+2)^(1/2)*x-472/21*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))+31/2*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-EllipticE(1/2*I*2^(1/2)*x,2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 2} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 3*x^2 + 2)*(5*x^2 + 7)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (5x^2 + 7)^2 \sqrt{x^4 + 3x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^2*(3*x^2 + x^4 + 2)^(1/2),x)

[Out] int((5*x^2 + 7)^2*(3*x^2 + x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{(x^2 + 1)(x^2 + 2)} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**2*(x**4+3*x**2+2)**(1/2),x)

[Out] Integral(sqrt((x**2 + 1)*(x**2 + 2))*(5*x**2 + 7)**2, x)

3.288 $\int (7 + 5x^2) \sqrt{2 + 3x^2 + x^4} dx$

Optimal. Leaf size=149

$$\frac{5x(x^2+2)}{\sqrt{x^4+3x^2+2}} + \frac{1}{3}x(3x^2+10)\sqrt{x^4+3x^2+2} + \frac{11\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{3\sqrt{x^4+3x^2+2}} - \frac{5\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4+3x^2+2}}$$

[Out] 5*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)-5*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+11/3*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+1/3*x*(3*x^2+10)*(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.05, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1176, 1189, 1099, 1135}

$$\frac{5x(x^2+2)}{\sqrt{x^4+3x^2+2}} + \frac{1}{3}x(3x^2+10)\sqrt{x^4+3x^2+2} + \frac{11\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{3\sqrt{x^4+3x^2+2}} - \frac{5\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)*Sqrt[2 + 3*x^2 + x^4], x]

[Out] (5*x*(2 + x^2))/Sqrt[2 + 3*x^2 + x^4] + (x*(10 + 3*x^2)*Sqrt[2 + 3*x^2 + x^4])/3 - (5*Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/Sqrt[2 + 3*x^2 + x^4] + (11*Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(3*Sqrt[2 + 3*x^2 + x^4])

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)

```
/(b + q)]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b,
c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1176

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symb
ol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 +
c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a
] || PosQ[(b - q)/a]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rubi steps

$$\begin{aligned} \int (7 + 5x^2) \sqrt{2 + 3x^2 + x^4} dx &= \frac{1}{3}x(10 + 3x^2) \sqrt{2 + 3x^2 + x^4} + \frac{1}{15} \int \frac{110 + 75x^2}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{1}{3}x(10 + 3x^2) \sqrt{2 + 3x^2 + x^4} + 5 \int \frac{x^2}{\sqrt{2 + 3x^2 + x^4}} dx + \frac{22}{3} \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{5x(2 + x^2)}{\sqrt{2 + 3x^2 + x^4}} + \frac{1}{3}x(10 + 3x^2) \sqrt{2 + 3x^2 + x^4} - \frac{5\sqrt{2}(1 + x^2) \sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}\left(\frac{x}{\sqrt{2+x^2}}\right)\right)}{\sqrt{2 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.06, size = 109, normalized size = 0.73

$$\frac{3x^7 + 19x^5 + 36x^3 - 7i\sqrt{x^2 + 1} \sqrt{x^2 + 2} F\left(i \sinh^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| 2\right) - 15i\sqrt{x^2 + 1} \sqrt{x^2 + 2} E\left(i \sinh^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| 2\right) + 20x}{3\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(7 + 5*x^2)*Sqrt[2 + 3*x^2 + x^4], x]
```

[Out] $(20*x + 36*x^3 + 19*x^5 + 3*x^7 - (15*I)*\text{Sqrt}[1 + x^2]*\text{Sqrt}[2 + x^2]*\text{EllipticE}[I*\text{ArcSinh}[x/\text{Sqrt}[2]], 2] - (7*I)*\text{Sqrt}[1 + x^2]*\text{Sqrt}[2 + x^2]*\text{EllipticF}[I*\text{ArcSinh}[x/\text{Sqrt}[2]], 2]) / (3*\text{Sqrt}[2 + 3*x^2 + x^4])$

fricas [F] time = 0.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{x^4 + 3x^2 + 2}(5x^2 + 7), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^2+7)*(x^4+3*x^2+2)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^4 + 3*x^2 + 2)*(5*x^2 + 7), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 2}(5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^2+7)*(x^4+3*x^2+2)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(x^4 + 3*x^2 + 2)*(5*x^2 + 7), x)`

maple [C] time = 0.01, size = 137, normalized size = 0.92

$$\sqrt{x^4 + 3x^2 + 2} x^3 + \frac{10\sqrt{x^4 + 3x^2 + 2} x}{3} - \frac{11i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{3\sqrt{x^4 + 3x^2 + 2}} + \frac{5i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{3\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^2+7)*(x^4+3*x^2+2)^(1/2),x)`

[Out] $(x^4+3*x^2+2)^{(1/2)}*x^3+10/3*(x^4+3*x^2+2)^{(1/2)}*x-11/3*I*2^{(1/2)}*(2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}*\text{EllipticF}(1/2*I*2^{(1/2)}*x,2^{(1/2)})+5/2*I*2^{(1/2)}*(2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}*(\text{EllipticF}(1/2*I*2^{(1/2)}*x,2^{(1/2)})-\text{EllipticE}(1/2*I*2^{(1/2)}*x,2^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 2}(5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^2+7)*(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")`

[Out] integrate(sqrt(x^4 + 3*x^2 + 2)*(5*x^2 + 7), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (5x^2 + 7) \sqrt{x^4 + 3x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)*(3*x^2 + x^4 + 2)^(1/2), x)

[Out] int((5*x^2 + 7)*(3*x^2 + x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{(x^2 + 1)(x^2 + 2)} (5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)*(x**4+3*x**2+2)**(1/2), x)

[Out] Integral(sqrt((x**2 + 1)*(x**2 + 2))*(5*x**2 + 7), x)

3.289 $\int \sqrt{2 + 3x^2 + x^4} dx$

Optimal. Leaf size=141

$$\frac{1}{3} \sqrt{x^4 + 3x^2 + 2} x + \frac{(x^2 + 2)x}{\sqrt{x^4 + 3x^2 + 2}} + \frac{2\sqrt{2}(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{3\sqrt{x^4 + 3x^2 + 2}} - \frac{\sqrt{2}(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4 + 3x^2 + 2}}$$

[Out] $x*(x^2+2)/(x^4+3*x^2+2)^{(1/2)}-(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticE(x/(x^2+1)^{(1/2)}, 1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+2/3*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)}, 1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+1/3*x*(x^4+3*x^2+2)^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1091, 1189, 1099, 1135}

$$\frac{1}{3} \sqrt{x^4 + 3x^2 + 2} x + \frac{(x^2 + 2)x}{\sqrt{x^4 + 3x^2 + 2}} + \frac{2\sqrt{2}(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{3\sqrt{x^4 + 3x^2 + 2}} - \frac{\sqrt{2}(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[2 + 3*x^2 + x^4], x]

[Out] $(x*(2 + x^2))/\text{Sqrt}[2 + 3*x^2 + x^4] + (x*\text{Sqrt}[2 + 3*x^2 + x^4])/3 - (\text{Sqrt}[2]*(1 + x^2)*\text{Sqrt}[(2 + x^2)/(1 + x^2)]*EllipticE[\text{ArcTan}[x], 1/2])/(\text{Sqrt}[2 + 3*x^2 + x^4]) + (2*\text{Sqrt}[2]*(1 + x^2)*\text{Sqrt}[(2 + x^2)/(1 + x^2)]*EllipticF[\text{ArcTan}[x], 1/2])/(3*\text{Sqrt}[2 + 3*x^2 + x^4])$

Rule 1091

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a + b*x^2 + c*x^4)^p)/(4*p + 1), x] + Dist[(2*p)/(4*p + 1), Int[(2*a + b*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && IntegerQ[2*p]

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[

{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
  4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q
  )*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
  /(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
  (b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b,
  c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
  x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a
  ] || PosQ[(b - q)/a]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rubi steps

$$\begin{aligned} \int \sqrt{2 + 3x^2 + x^4} dx &= \frac{1}{3}x\sqrt{2 + 3x^2 + x^4} + \frac{1}{3} \int \frac{4 + 3x^2}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{1}{3}x\sqrt{2 + 3x^2 + x^4} + \frac{4}{3} \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx + \int \frac{x^2}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{x(2 + x^2)}{\sqrt{2 + 3x^2 + x^4}} + \frac{1}{3}x\sqrt{2 + 3x^2 + x^4} - \frac{\sqrt{2}(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}}E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2 + 3x^2 + x^4}} + \frac{2\sqrt{2}(1 + x^2)}{3\sqrt{2 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.04, size = 102, normalized size = 0.72

$$\frac{x^5 + 3x^3 - i\sqrt{x^2 + 1}\sqrt{x^2 + 2}F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) - 3i\sqrt{x^2 + 1}\sqrt{x^2 + 2}E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) + 2x}{3\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[2 + 3*x^2 + x^4], x]

[Out] (2*x + 3*x^3 + x^5 - (3*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticE[I*ArcSinh[x/Sqrt[2]], 2] - I*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticF[I*ArcSinh[x/Sqrt[2]], 2])/(3*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{x^4 + 3x^2 + 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 3*x^2 + 2), x)

maple [C] time = 0.00, size = 121, normalized size = 0.86

$$\frac{\sqrt{x^4 + 3x^2 + 2} x}{3} - \frac{2i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{3\sqrt{x^4 + 3x^2 + 2}} + \frac{i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \left(-\text{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)\right)}{2\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+3*x^2+2)^(1/2),x)

[Out] 1/3*(x^4+3*x^2+2)^(1/2)*x-2/3*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))+1/2*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-EllipticE(1/2*I*2^(1/2)*x,2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 3*x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{x^4 + 3x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + x^4 + 2)^(1/2), x)`

[Out] `int((3*x^2 + x^4 + 2)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**4+3*x**2+2)**(1/2), x)`

[Out] `Integral(sqrt(x**4 + 3*x**2 + 2), x)`

$$3.290 \quad \int \frac{\sqrt{2+3x^2+x^4}}{7+5x^2} dx$$

Optimal. Leaf size=178

$$\frac{x(x^2+2)}{5\sqrt{x^4+3x^2+2}} + \frac{(x^2+1)\sqrt{\frac{x^2+2}{2x^2+2}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{5\sqrt{x^4+3x^2+2}} - \frac{\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{5\sqrt{x^4+3x^2+2}} + \frac{3(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} \Pi\left(\frac{2}{7}; \tan^{-1}(x)\middle|\frac{1}{2}\right)}{35\sqrt{2}\sqrt{x^4+3x^2+2}}$$

[Out] 1/5*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)+3/70*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticPi(x/(x^2+1)^(1/2),2/7,1/2*2^(1/2))*((x^2+2)/(x^2+1))^(1/2)*2^(1/2)/(x^4+3*x^2+2)^(1/2)-1/5*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+1/5*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*((x^2+2)/(2*x^2+2))^(1/2)/(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.12, antiderivative size = 232, normalized size of antiderivative = 1.30, number of steps used = 8, number of rules used = 7, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$, Rules used = {1208, 1189, 1099, 1135, 1214, 1456, 539}

$$\frac{x(x^2+2)}{5\sqrt{x^4+3x^2+2}} + \frac{4\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{25\sqrt{x^4+3x^2+2}} - \frac{3(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{25\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{5\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[2 + 3*x^2 + x^4]/(7 + 5*x^2), x]

[Out] (x*(2 + x^2))/(5*Sqrt[2 + 3*x^2 + x^4]) - (Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/(5*Sqrt[2 + 3*x^2 + x^4]) - (3*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(25*Sqrt[2]*Sqrt[2 + 3*x^2 + x^4]) + (4*Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(25*Sqrt[2 + 3*x^2 + x^4]) + (3*(2 + x^2)*EllipticPi[2/7, ArcTan[x], 1/2])/(35*Sqrt[2]*Sqrt[(2 + x^2)/(1 + x^2)]*Sqrt[2 + 3*x^2 + x^4])

Rule 539

Int[Sqrt[(c_) + (d_.)*(x_)^2]/(((a_) + (b_.)*(x_)^2)*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Simp[(c*Sqrt[e + f*x^2]*EllipticPi[1 - (b*c)/(a*d), ArcTan[Rt[d/c, 2]*x], 1 - (c*f)/(d*e)])/(a*e*Rt[d/c, 2]*Sqrt[c + d*x^2]*Sqrt[(c*(e + f*x^2))/(e*(c + d*x^2)]), x] /; FreeQ[{a, b, c, d, e, f}, x] && PosQ[d/c]

Rule 1099

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1208

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_)/((d_) + (e_.)*(x_)^2), x_Symbol] := -Dist[(e^2)^(-1), Int[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] + Dist[(c*d^2 - b*d*e + a*e^2)/e^2, Int[(a + b*x^2 + c*x^4)^(p - 1)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p + 1/2, 0]
```

Rule 1214

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/(2*c*d - e*(b - q)), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/(2*c*d - e*(b - q)), Int[(b - q + 2*c*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && !LtQ[c, 0]
```

Rule 1456

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_.)*((f_) + (g_.)*(x_)^(n_))^(r_.)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Dist[(a + b*x^n + c*x^(2*n))^FracPart[p]/((d + e*x^n)^FracPart[p]*(a/d + (c*x^n)/e)^FracPart[p])
```

, Int[(d + e*x^n)^(p + q)*(f + g*x^n)^r*(a/d + (c*x^n)/e)^p, x], x] /; Free Q[{a, b, c, d, e, f, g, n, p, q, r}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{2+3x^2+x^4}}{7+5x^2} dx &= -\left(\frac{1}{25} \int \frac{-8-5x^2}{\sqrt{2+3x^2+x^4}} dx\right) - \frac{6}{25} \int \frac{1}{(7+5x^2)\sqrt{2+3x^2+x^4}} dx \\ &= -\left(\frac{3}{25} \int \frac{1}{\sqrt{2+3x^2+x^4}} dx\right) + \frac{1}{5} \int \frac{x^2}{\sqrt{2+3x^2+x^4}} dx + \frac{3}{10} \int \frac{2+2x^2}{(7+5x^2)\sqrt{2+3x^2+x^4}} dx \\ &= \frac{x(2+x^2)}{5\sqrt{2+3x^2+x^4}} - \frac{\sqrt{2}(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{5\sqrt{2+3x^2+x^4}} - \frac{3(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{25\sqrt{2}\sqrt{2+3x^2+x^4}} \\ &= \frac{x(2+x^2)}{5\sqrt{2+3x^2+x^4}} - \frac{\sqrt{2}(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{5\sqrt{2+3x^2+x^4}} - \frac{3(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{25\sqrt{2}\sqrt{2+3x^2+x^4}} \end{aligned}$$

Mathematica [C] time = 0.15, size = 90, normalized size = 0.51

$$\frac{i\sqrt{x^2+1}\sqrt{x^2+2}\left(21F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)+35E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)-6\Pi\left(\frac{10}{7};i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)\right)}{175\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[2 + 3*x^2 + x^4]/(7 + 5*x^2), x]

[Out] ((-1/175*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(35*EllipticE[I*ArcSinh[x/Sqrt[2]]], 2) + 21*EllipticF[I*ArcSinh[x/Sqrt[2]]], 2) - 6*EllipticPi[10/7, I*ArcSinh[x/Sqrt[2]], 2])/Sqrt[2 + 3*x^2 + x^4]

fricas [F] time = 0.88, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4+3x^2+2}}{5x^2+7}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(1/2)/(5*x^2+7), x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 2)/(5*x^2 + 7), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 2}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(1/2)/(5*x^2+7),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 3*x^2 + 2)/(5*x^2 + 7), x)

maple [C] time = 0.04, size = 138, normalized size = 0.78

$$\frac{i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{10\sqrt{x^4 + 3x^2 + 2}} - \frac{3i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{50\sqrt{x^4 + 3x^2 + 2}} + \frac{6i\sqrt{2} \sqrt{\frac{x^2}{2} + 1}}{50\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+3*x^2+2)^(1/2)/(5*x^2+7),x)

[Out] -3/50*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-1/10*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticE(1/2*I*2^(1/2)*x,2^(1/2))+6/175*I*2^(1/2)*(1+1/2*x^2)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticPi(1/2*I*2^(1/2)*x,10/7,2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 2}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(1/2)/(5*x^2+7),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 3*x^2 + 2)/(5*x^2 + 7), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{x^4 + 3x^2 + 2}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + x^4 + 2)^(1/2)/(5*x^2 + 7), x)`

[Out] `int((3*x^2 + x^4 + 2)^(1/2)/(5*x^2 + 7), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(x^2 + 1)(x^2 + 2)}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**4+3*x**2+2)**(1/2)/(5*x**2+7), x)`

[Out] `Integral(sqrt((x**2 + 1)*(x**2 + 2))/(5*x**2 + 7), x)`

$$3.291 \quad \int \frac{\sqrt{2+3x^2+x^4}}{(7+5x^2)^2} dx$$

Optimal. Leaf size=209

$$\frac{\sqrt{x^4 + 3x^2 + 2} x}{14(5x^2 + 7)} - \frac{(x^2 + 2)x}{70\sqrt{x^4 + 3x^2 + 2}} + \frac{3(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{140\sqrt{2}\sqrt{x^4 + 3x^2 + 2}} + \frac{(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{35\sqrt{2}\sqrt{x^4 + 3x^2 + 2}} - \frac{(x^2 + 2)}{980\sqrt{2}\sqrt{x^4 + 3x^2 + 2}}$$

[Out] $-1/70*x*(x^2+2)/(x^4+3*x^2+2)^{(1/2)}-1/1960*(x^2+2)*(1/(x^2+1))^{(1/2)}*(x^2+1)^{(1/2)}*EllipticPi(x/(x^2+1)^{(1/2)}, 2/7, 1/2*2^{(1/2)})*2^{(1/2)}/((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+1/70*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticE(x/(x^2+1)^{(1/2)}, 1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+3/280*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)}, 1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+1/14*x*(x^4+3*x^2+2)^{(1/2)}/(5*x^2+7)$

Rubi [A] time = 0.12, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$, Rules used = {1226, 1189, 1099, 1135, 1214, 1456, 539}

$$\frac{\sqrt{x^4 + 3x^2 + 2} x}{14(5x^2 + 7)} - \frac{(x^2 + 2)x}{70\sqrt{x^4 + 3x^2 + 2}} + \frac{3(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{140\sqrt{2}\sqrt{x^4 + 3x^2 + 2}} + \frac{(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{35\sqrt{2}\sqrt{x^4 + 3x^2 + 2}} - \frac{(x^2 + 2)}{980\sqrt{2}\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[2 + 3*x^2 + x^4]/(7 + 5*x^2)^2,x]

[Out] $-(x*(2 + x^2))/(70*\text{Sqrt}[2 + 3*x^2 + x^4]) + (x*\text{Sqrt}[2 + 3*x^2 + x^4])/(14*(7 + 5*x^2)) + ((1 + x^2)*\text{Sqrt}[(2 + x^2)/(1 + x^2)]*EllipticE[\text{ArcTan}[x], 1/2])/((35*\text{Sqrt}[2]*\text{Sqrt}[2 + 3*x^2 + x^4]) + (3*(1 + x^2)*\text{Sqrt}[(2 + x^2)/(1 + x^2)]*EllipticF[\text{ArcTan}[x], 1/2]))/(140*\text{Sqrt}[2]*\text{Sqrt}[2 + 3*x^2 + x^4]) - ((2 + x^2)*EllipticPi[2/7, \text{ArcTan}[x], 1/2])/(980*\text{Sqrt}[2]*\text{Sqrt}[(2 + x^2)/(1 + x^2)]*\text{Sqrt}[2 + 3*x^2 + x^4])$

Rule 539

Int[Sqrt[(c_) + (d_)*(x_)^2]/(((a_) + (b_)*(x_)^2)*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Simp[(c*Sqrt[e + f*x^2]*EllipticPi[1 - (b*c)/(a*d), ArcTan[Rt[d/c, 2]*x], 1 - (c*f)/(d*e)]/(a*e*Rt[d/c, 2]*Sqrt[c + d*x^2]*Sqrt[(c*(e + f*x^2))/(e*(c + d*x^2))]), x] /; FreeQ[{a, b, c, d, e, f}, x] && PosQ[d/c]

Rule 1099

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplifierSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplifierSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1214

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/(2*c*d - e*(b - q)), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/(2*c*d - e*(b - q)), Int[(b - q + 2*c*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && !LtQ[c, 0]
```

Rule 1226

```
Int[Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]/((d_) + (e_.)*(x_)^2)^2, x_Symbol] := Simp[(x*Sqrt[a + b*x^2 + c*x^4])/(2*d*(d + e*x^2)), x] + (Dist[c/(2*d*e^2), Int[(d - e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(c*d^2 - a*e^2)/(2*d*e^2), Int[1/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0]
```

Rule 1456

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_.)*((f_) + (g_.)*(x_)^(n_))^(r_.)*((a_) + (
b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Dist[(a + b*x^n + c*x
^(2*n))^FracPart[p]/((d + e*x^n)^FracPart[p]*(a/d + (c*x^n)/e)^FracPart[p])
, Int[(d + e*x^n)^(p + q)*(f + g*x^n)^r*(a/d + (c*x^n)/e)^p, x], x] /; Free
Q[{a, b, c, d, e, f, g, n, p, q, r}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c,
0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{2+3x^2+x^4}}{(7+5x^2)^2} dx &= \frac{x\sqrt{2+3x^2+x^4}}{14(7+5x^2)} + \frac{1}{350} \int \frac{7-5x^2}{\sqrt{2+3x^2+x^4}} dx + \frac{1}{350} \int \frac{1}{(7+5x^2)\sqrt{2+3x^2+x^4}} dx \\ &= \frac{x\sqrt{2+3x^2+x^4}}{14(7+5x^2)} + \frac{1}{700} \int \frac{1}{\sqrt{2+3x^2+x^4}} dx - \frac{1}{280} \int \frac{2+2x^2}{(7+5x^2)\sqrt{2+3x^2+x^4}} dx - \frac{1}{70} \int \frac{1}{\sqrt{2+3x^2+x^4}} dx \\ &= -\frac{x(2+x^2)}{70\sqrt{2+3x^2+x^4}} + \frac{x\sqrt{2+3x^2+x^4}}{14(7+5x^2)} + \frac{(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{35\sqrt{2}\sqrt{2+3x^2+x^4}} + \frac{3(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}}}{140\sqrt{2}\sqrt{2+3x^2+x^4}} \\ &= -\frac{x(2+x^2)}{70\sqrt{2+3x^2+x^4}} + \frac{x\sqrt{2+3x^2+x^4}}{14(7+5x^2)} + \frac{(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{35\sqrt{2}\sqrt{2+3x^2+x^4}} + \frac{3(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}}}{140\sqrt{2}\sqrt{2+3x^2+x^4}} \end{aligned}$$

Mathematica [C] time = 0.28, size = 208, normalized size = 1.00

$$\frac{175x^5 + 525x^3 - 84i\sqrt{x^2+1}\sqrt{x^2+2}(5x^2+7)F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) + 35i\sqrt{x^2+1}\sqrt{x^2+2}(5x^2+7)E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)}{2450(5x^2+7)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[2 + 3*x^2 + x^4]/(7 + 5*x^2)^2,x]
```

```
[Out] (350*x + 525*x^3 + 175*x^5 + (35*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(7 + 5*x^2)
*EllipticE[I*ArcSinh[x/Sqrt[2]], 2] - (84*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(7
+ 5*x^2)*EllipticF[I*ArcSinh[x/Sqrt[2]], 2] - (7*I)*Sqrt[1 + x^2]*Sqrt[2 +
x^2]*EllipticPi[10/7, I*ArcSinh[x/Sqrt[2]], 2] - (5*I)*x^2*Sqrt[1 + x^2]*S
qrt[2 + x^2]*EllipticPi[10/7, I*ArcSinh[x/Sqrt[2]], 2])/(2450*(7 + 5*x^2)*S
qrt[2 + 3*x^2 + x^4])
```


fricas [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{x^4 + 3x^2 + 2}}{25x^4 + 70x^2 + 49}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(1/2)/(5*x^2+7)^2,x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 2)/(25*x^4 + 70*x^2 + 49), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 2}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(1/2)/(5*x^2+7)^2,x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 3*x^2 + 2)/(5*x^2 + 7)^2, x)

maple [C] time = 0.02, size = 162, normalized size = 0.78

$$\frac{\sqrt{x^4 + 3x^2 + 2} x}{70x^2 + 98} + \frac{i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{140\sqrt{x^4 + 3x^2 + 2}} - \frac{3i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{175\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+3*x^2+2)^(1/2)/(5*x^2+7)^2,x)

[Out] 1/14*x*(x^4+3*x^2+2)^(1/2)/(5*x^2+7)-3/175*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))+1/140*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticE(1/2*I*2^(1/2)*x,2^(1/2))-1/2450*I*2^(1/2)*(1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticPi(1/2*I*2^(1/2)*x,10/7,2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 2}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(1/2)/(5*x^2+7)^2,x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 3*x^2 + 2)/(5*x^2 + 7)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 2}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + x^4 + 2)^(1/2)/(5*x^2 + 7)^2,x)

[Out] int((3*x^2 + x^4 + 2)^(1/2)/(5*x^2 + 7)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(x^2 + 1)(x^2 + 2)}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+3*x**2+2)**(1/2)/(5*x**2+7)**2,x)

[Out] Integral(sqrt((x**2 + 1)*(x**2 + 2))/(5*x**2 + 7)**2, x)

$$3.292 \quad \int \frac{\sqrt{2+3x^2+x^4}}{(7+5x^2)^3} dx$$

Optimal. Leaf size=237

$$\frac{11\sqrt{x^4+3x^2+2}x}{2352(5x^2+7)} + \frac{\sqrt{x^4+3x^2+2}x}{28(5x^2+7)^2} - \frac{11(x^2+2)x}{11760\sqrt{x^4+3x^2+2}} + \frac{81(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{7840\sqrt{2}\sqrt{x^4+3x^2+2}} + \frac{11(x^2+1)\sqrt{\frac{x}{x^2+1}}}{5880\sqrt{2}\sqrt{x^4+3x^2+2}}$$

[Out] $-11/11760*x*(x^2+2)/(x^4+3*x^2+2)^{(1/2)}-1201/329280*(x^2+2)*(1/(x^2+1))^{(1/2)}*(x^2+1)^{(1/2)}*EllipticPi(x/(x^2+1)^{(1/2)},2/7,1/2*2^{(1/2)})*2^{(1/2)}/((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+11/11760*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticE(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+81/15680*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+1/28*x*(x^4+3*x^2+2)^{(1/2)}/(5*x^2+7)^2+11/2352*x*(x^4+3*x^2+2)^{(1/2)}/(5*x^2+7)$

Rubi [A] time = 0.60, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 25, number of rules used = 10, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {1228, 1223, 1696, 1716, 1189, 1099, 1135, 1214, 1456, 539}

$$\frac{11\sqrt{x^4+3x^2+2}x}{2352(5x^2+7)} + \frac{\sqrt{x^4+3x^2+2}x}{28(5x^2+7)^2} - \frac{11(x^2+2)x}{11760\sqrt{x^4+3x^2+2}} + \frac{81(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{7840\sqrt{2}\sqrt{x^4+3x^2+2}} + \frac{11(x^2+1)\sqrt{\frac{x}{x^2+1}}}{5880\sqrt{2}\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[2 + 3*x^2 + x^4]/(7 + 5*x^2)^3,x]

[Out] $(-11*x*(2+x^2))/(11760*\text{Sqrt}[2+3*x^2+x^4])+(x*\text{Sqrt}[2+3*x^2+x^4])/(28*(7+5*x^2)^2)+(11*x*\text{Sqrt}[2+3*x^2+x^4])/(2352*(7+5*x^2))+(11*(1+x^2)*\text{Sqrt}[(2+x^2)/(1+x^2)]*EllipticE[\text{ArcTan}[x],1/2])/(5880*\text{Sqrt}[2]*\text{Sqrt}[2+3*x^2+x^4])+(81*(1+x^2)*\text{Sqrt}[(2+x^2)/(1+x^2)]*EllipticF[\text{ArcTan}[x],1/2])/(7840*\text{Sqrt}[2]*\text{Sqrt}[2+3*x^2+x^4])-(1201*(2+x^2)*EllipticPi[2/7,\text{ArcTan}[x],1/2])/(164640*\text{Sqrt}[2]*\text{Sqrt}[(2+x^2)/(1+x^2)]*\text{Sqrt}[2+3*x^2+x^4])$

Rule 539

Int[Sqrt[(c_) + (d_.)*(x_)^2]/(((a_) + (b_.)*(x_)^2)*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Simp[(c*Sqrt[e + f*x^2]*EllipticPi[1 - (b*c)/(a*d), ArcTan[Rt[d/c, 2]*x], 1 - (c*f)/(d*e)])/(a*e*Rt[d/c, 2]*Sqrt[c + d*x^2]*Sqrt[(c

$\int \frac{(e + f x^2)}{(e(c + d x^2))} dx /; \text{FreeQ}\{a, b, c, d, e, f\}, x \} \&\& \text{PosQ}[d/c]$

Rule 1099

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)(x_)^2 + (c_)(x_)^4], x_Symbol] := \text{With}\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Simp}[(2a + (b + q)x^2)\text{Sqrt}[(2a + (b - q)x^2)/(2a + (b + q)x^2)]\text{EllipticF}[\text{ArcTan}[\text{Rt}[(b + q)/(2a), 2]x], (2q)/(b + q)]/(2a\text{Rt}[(b + q)/(2a), 2]\text{Sqrt}[a + b x^2 + c x^4]), x] /; \text{PosQ}[(b + q)/a] \&\& \text{!(PosQ}[(b - q)/a] \&\& \text{SimplerSqrtQ}[(b - q)/(2a), (b + q)/(2a)])] /; \text{FreeQ}\{a, b, c\}, x \} \&\& \text{GtQ}[b^2 - 4ac, 0]$

Rule 1135

$\text{Int}[(x_)^2/\text{Sqrt}[(a_) + (b_)(x_)^2 + (c_)(x_)^4], x_Symbol] := \text{With}\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Simp}[(x(b + q + 2c x^2))/(2c\text{Sqrt}[a + b x^2 + c x^4]), x] - \text{Simp}[(\text{Rt}[(b + q)/(2a), 2](2a + (b + q)x^2)\text{Sqrt}[(2a + (b - q)x^2)/(2a + (b + q)x^2)]\text{EllipticE}[\text{ArcTan}[\text{Rt}[(b + q)/(2a), 2]x], (2q)/(b + q)]/(2c\text{Sqrt}[a + b x^2 + c x^4]), x] /; \text{PosQ}[(b + q)/a] \&\& \text{!(PosQ}[(b - q)/a] \&\& \text{SimplerSqrtQ}[(b - q)/(2a), (b + q)/(2a)])] /; \text{FreeQ}\{a, b, c\}, x \} \&\& \text{GtQ}[b^2 - 4ac, 0]$

Rule 1189

$\text{Int}[(d_ + (e_)(x_)^2)/\text{Sqrt}[(a_) + (b_)(x_)^2 + (c_)(x_)^4], x_Symbol] := \text{With}\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Dist}[d, \text{Int}[1/\text{Sqrt}[a + b x^2 + c x^4], x], x] + \text{Dist}[e, \text{Int}[x^2/\text{Sqrt}[a + b x^2 + c x^4], x], x] /; \text{PosQ}[(b + q)/a] \&\& \text{PosQ}[(b - q)/a] /; \text{FreeQ}\{a, b, c, d, e\}, x \} \&\& \text{GtQ}[b^2 - 4ac, 0]$

Rule 1214

$\text{Int}[1/((d_ + (e_)(x_)^2)\text{Sqrt}[(a_) + (b_)(x_)^2 + (c_)(x_)^4]), x_Symbol] := \text{With}\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Dist}[(2c)/(2cd - e(b - q)), \text{Int}[1/\text{Sqrt}[a + b x^2 + c x^4], x], x] - \text{Dist}[e/(2cd - e(b - q)), \text{Int}[(b - q + 2c x^2)/((d + e x^2)\text{Sqrt}[a + b x^2 + c x^4]), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x \} \&\& \text{GtQ}[b^2 - 4ac, 0] \&\& \text{!LtQ}[c, 0]$

Rule 1223

$\text{Int}[(d_ + (e_)(x_)^2)^q/\text{Sqrt}[(a_) + (b_)(x_)^2 + (c_)(x_)^4], x_Symbol] := -\text{Simp}[(e^2 x^2 (d + e x^2)^{q+1} \text{Sqrt}[a + b x^2 + c x^4])/(2d^*(q+1)(c d^2 - b d e + a e^2)), x] + \text{Dist}[1/(2d^*(q+1)(c d^2 - b d e + a e^2)), \text{Int}[(d + e x^2)^{q+1} \text{Simp}[a e^2 (2q+3) + 2d^*(c d - b e)(q+1) - 2e^*(c d (q+1) - b e (q+2)) x^2 + c e^2 (2q+5) x^4], x)]/\text{Sqrt}[a + b x^2 + c x^4], x] /; \text{FreeQ}\{a, b, c, d, e\}, x \} \&\& \text{NeQ}[b^2 - 4ac,$

, 0] && ILtQ[q, -1]

Rule 1228

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + c*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb -> b, cc -> c}, x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]

Rule 1456

Int[((d_) + (e_.)*(x_)^(n_))^(q_.)*((f_) + (g_.)*(x_)^(n_))^(r_.)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Dist[(a + b*x^n + c*x^(2*n))^FracPart[p]/((d + e*x^n)^FracPart[p]*(a/d + (c*x^n)/e)^FracPart[p]), Int[(d + e*x^n)^(p + q)*(f + g*x^n)^r*(a/d + (c*x^n)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q, r}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p]

Rule 1696

Int[(P4x_)*((d_) + (e_.)*(x_)^2)^(q_)]/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d - B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b*e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e + A*e^2)*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, -1]

Rule 1716

Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{2+3x^2+x^4}}{(7+5x^2)^3} dx &= \int \left(-\frac{6}{25(7+5x^2)^3 \sqrt{2+3x^2+x^4}} + \frac{1}{25(7+5x^2)^2 \sqrt{2+3x^2+x^4}} + \frac{1}{25(7+5x^2) \sqrt{2+3x^2+x^4}} \right) dx \\
&= \frac{1}{25} \int \frac{1}{(7+5x^2)^2 \sqrt{2+3x^2+x^4}} dx + \frac{1}{25} \int \frac{1}{(7+5x^2) \sqrt{2+3x^2+x^4}} dx - \frac{6}{25} \int \frac{1}{(7+5x^2) \sqrt{2+3x^2+x^4}} dx \\
&= \frac{x\sqrt{2+3x^2+x^4}}{28(7+5x^2)^2} - \frac{x\sqrt{2+3x^2+x^4}}{84(7+5x^2)} + \frac{\int \frac{62+70x^2+25x^4}{(7+5x^2)\sqrt{2+3x^2+x^4}} dx}{2100} - \frac{1}{700} \int \frac{74-10x^2-2}{(7+5x^2)^2 \sqrt{2+3x^2+x^4}} dx \\
&= \frac{x\sqrt{2+3x^2+x^4}}{28(7+5x^2)^2} + \frac{11x\sqrt{2+3x^2+x^4}}{2352(7+5x^2)} + \frac{(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{50\sqrt{2}\sqrt{2+3x^2+x^4}} - \frac{\int \frac{2838+2310x^2+5}{(7+5x^2)\sqrt{2+3x^2+x^4}} dx}{58800} \\
&= \frac{x\sqrt{2+3x^2+x^4}}{28(7+5x^2)^2} + \frac{11x\sqrt{2+3x^2+x^4}}{2352(7+5x^2)} + \frac{(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{50\sqrt{2}\sqrt{2+3x^2+x^4}} - \frac{(2+x^2)\Pi\left(\frac{2}{7}\right)}{70\sqrt{2}\sqrt{\frac{2+x^2}{1+x^2}}} \\
&= \frac{x(2+x^2)}{420\sqrt{2+3x^2+x^4}} + \frac{x\sqrt{2+3x^2+x^4}}{28(7+5x^2)^2} + \frac{11x\sqrt{2+3x^2+x^4}}{2352(7+5x^2)} - \frac{(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{210\sqrt{2}\sqrt{2+3x^2+x^4}} \\
&= -\frac{11x(2+x^2)}{11760\sqrt{2+3x^2+x^4}} + \frac{x\sqrt{2+3x^2+x^4}}{28(7+5x^2)^2} + \frac{11x\sqrt{2+3x^2+x^4}}{2352(7+5x^2)} + \frac{11(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{5880\sqrt{2}\sqrt{2+3x^2+x^4}} \\
&= -\frac{11x(2+x^2)}{11760\sqrt{2+3x^2+x^4}} + \frac{x\sqrt{2+3x^2+x^4}}{28(7+5x^2)^2} + \frac{11x\sqrt{2+3x^2+x^4}}{2352(7+5x^2)} + \frac{11(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{5880\sqrt{2}\sqrt{2+3x^2+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.35, size = 174, normalized size = 0.73

$$\frac{-434i\sqrt{x^2+1}\sqrt{x^2+2}F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)+385i\sqrt{x^2+1}\sqrt{x^2+2}E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)-1201i\sqrt{x^2+1}\sqrt{x^2+2}}{411600\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[2 + 3*x^2 + x^4]/(7 + 5*x^2)^3, x]

[Out] $((14700*x*(2 + 3*x^2 + x^4))/(7 + 5*x^2)^2 + (1925*x*(2 + 3*x^2 + x^4))/(7 + 5*x^2) + (385*I)*\text{Sqrt}[1 + x^2]*\text{Sqrt}[2 + x^2]*\text{EllipticE}[I*\text{ArcSinh}[x/\text{Sqrt}[2]], 2] - (434*I)*\text{Sqrt}[1 + x^2]*\text{Sqrt}[2 + x^2]*\text{EllipticF}[I*\text{ArcSinh}[x/\text{Sqrt}[2]], 2] - (1201*I)*\text{Sqrt}[1 + x^2]*\text{Sqrt}[2 + x^2]*\text{EllipticPi}[10/7, I*\text{ArcSinh}[x/\text{Sqrt}[2]], 2])/ (411600*\text{Sqrt}[2 + 3*x^2 + x^4])$

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 2}}{125x^6 + 525x^4 + 735x^2 + 343}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+3*x^2+2)^(1/2)/(5*x^2+7)^3,x, algorithm="fricas")`

[Out] `integral(sqrt(x^4 + 3*x^2 + 2)/(125*x^6 + 525*x^4 + 735*x^2 + 343), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 2}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+3*x^2+2)^(1/2)/(5*x^2+7)^3,x, algorithm="giac")`

[Out] `integrate(sqrt(x^4 + 3*x^2 + 2)/(5*x^2 + 7)^3, x)`

maple [C] time = 0.02, size = 186, normalized size = 0.78

$$\frac{\sqrt{x^4 + 3x^2 + 2} x}{28(5x^2 + 7)^2} + \frac{11\sqrt{x^4 + 3x^2 + 2} x}{2352(5x^2 + 7)} + \frac{11i\sqrt{2}\sqrt{2x^2 + 4}\sqrt{x^2 + 1}\text{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{23520\sqrt{x^4 + 3x^2 + 2}} - \frac{31i\sqrt{2}\sqrt{2x^2 + 4}\sqrt{x^2}}{58800\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4+3*x^2+2)^(1/2)/(5*x^2+7)^3,x)`

[Out] `1/28*x*(x^4+3*x^2+2)^(1/2)/(5*x^2+7)^2+11/2352*(x^4+3*x^2+2)^(1/2)/(5*x^2+7)*x-31/58800*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))+11/23520*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticE(1/2*I*2^(1/2)*x,2^(1/2))-1201/411600*I*2^(1/2)*(1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticPi(1/2*I*2^(1/2)*x,10/7,2^(1/2))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 2}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(1/2)/(5*x^2+7)^3,x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 3*x^2 + 2)/(5*x^2 + 7)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 2}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + x^4 + 2)^(1/2)/(5*x^2 + 7)^3,x)

[Out] int((3*x^2 + x^4 + 2)^(1/2)/(5*x^2 + 7)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(x^2 + 1)(x^2 + 2)}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+3*x**2+2)**(1/2)/(5*x**2+7)**3,x)

[Out] Integral(sqrt((x**2 + 1)*(x**2 + 2))/(5*x**2 + 7)**3, x)

$$3.293 \quad \int (7 + 5x^2)^3 (2 + 3x^2 + x^4)^{3/2} dx$$

Optimal. Leaf size=219

$$\frac{3825}{143} (x^4 + 3x^2 + 2)^{5/2} x + \frac{(65345x^2 + 208212)(x^4 + 3x^2 + 2)^{3/2} x}{3003} + \frac{(297911x^2 + 1032541)\sqrt{x^4 + 3x^2 + 2} x}{5005} + \frac{2}{6}$$

[Out] 1/3003*x*(65345*x^2+208212)*(x^4+3*x^2+2)^(3/2)+3825/143*x*(x^4+3*x^2+2)^(5/2)+125/13*x^3*(x^4+3*x^2+2)^(5/2)+20884/65*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)-20884/65*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+1171349/5005*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+1/5005*x*(297911*x^2+1032541)*(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.12, antiderivative size = 219, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1206, 1679, 1176, 1189, 1099, 1135}

$$\frac{125}{13} (x^4 + 3x^2 + 2)^{5/2} x^3 + \frac{3825}{143} (x^4 + 3x^2 + 2)^{5/2} x + \frac{(65345x^2 + 208212)(x^4 + 3x^2 + 2)^{3/2} x}{3003} + \frac{(297911x^2 + 1032541)\sqrt{x^4 + 3x^2 + 2} x}{5005}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^3*(2 + 3*x^2 + x^4)^(3/2),x]

[Out] (20884*x*(2 + x^2))/(65*Sqrt[2 + 3*x^2 + x^4]) + (x*(1032541 + 297911*x^2)*Sqrt[2 + 3*x^2 + x^4])/5005 + (x*(208212 + 65345*x^2)*(2 + 3*x^2 + x^4)^(3/2))/3003 + (3825*x*(2 + 3*x^2 + x^4)^(5/2))/143 + (125*x^3*(2 + 3*x^2 + x^4)^(5/2))/13 - (20884*Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/(65*Sqrt[2 + 3*x^2 + x^4]) + (1171349*Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(5005*Sqrt[2 + 3*x^2 + x^4])

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q
)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
/(b + q))]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b,
c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1176

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symb
ol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c
*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1)*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1206

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]
```

Rule 1679

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{q = Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*x^(2*q), x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[P
```

$q, x^2] > 1 \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{!LtQ}[p, -1]$

Rubi steps

$$\begin{aligned}
 \int (7 + 5x^2)^3 (2 + 3x^2 + x^4)^{3/2} dx &= \frac{125}{13} x^3 (2 + 3x^2 + x^4)^{5/2} + \frac{1}{13} \int (2 + 3x^2 + x^4)^{3/2} (4459 + 8805x^2 + 3825x^4) dx \\
 &= \frac{3825}{143} x (2 + 3x^2 + x^4)^{5/2} + \frac{125}{13} x^3 (2 + 3x^2 + x^4)^{5/2} + \frac{1}{143} \int (41399 + 28035x^2 + 125x^4) (2 + 3x^2 + x^4)^{3/2} dx \\
 &= \frac{x(208212 + 65345x^2)(2 + 3x^2 + x^4)^{3/2}}{3003} + \frac{3825}{143} x (2 + 3x^2 + x^4)^{5/2} + \frac{125}{13} x^3 (2 + 3x^2 + x^4)^{5/2} \\
 &= \frac{x(1032541 + 297911x^2)\sqrt{2 + 3x^2 + x^4}}{5005} + \frac{x(208212 + 65345x^2)(2 + 3x^2 + x^4)^{3/2}}{3003} \\
 &= \frac{x(1032541 + 297911x^2)\sqrt{2 + 3x^2 + x^4}}{5005} + \frac{x(208212 + 65345x^2)(2 + 3x^2 + x^4)^{3/2}}{3003} \\
 &= \frac{20884x(2 + x^2)}{65\sqrt{2 + 3x^2 + x^4}} + \frac{x(1032541 + 297911x^2)\sqrt{2 + 3x^2 + x^4}}{5005} + \frac{x(208212 + 65345x^2)(2 + 3x^2 + x^4)^{3/2}}{3003}
 \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^3*(2 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(125x^{10} + 900x^8 + 2560x^6 + 3598x^4 + 2499x^2 + 686\right)\sqrt{x^4 + 3x^2 + 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(x^4+3*x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral((125*x^10 + 900*x^8 + 2560*x^6 + 3598*x^4 + 2499*x^2 + 686)*sqrt(x^4 + 3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 2)^{\frac{3}{2}} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(x^4+3*x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 2)^(3/2)*(5*x^2 + 7)^3, x)

maple [C] time = 0.02, size = 206, normalized size = 0.94

$$\frac{125\sqrt{x^4 + 3x^2 + 2} x^{11}}{13} + \frac{12075\sqrt{x^4 + 3x^2 + 2} x^9}{143} + \frac{131810\sqrt{x^4 + 3x^2 + 2} x^7}{429} + \frac{598324\sqrt{x^4 + 3x^2 + 2} x^5}{1001} + \frac{1006736}{1001}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^3*(x^4+3*x^2+2)^(3/2),x)

[Out] 2262081/5005*(x^4+3*x^2+2)^(1/2)*x+10067363/15015*(x^4+3*x^2+2)^(1/2)*x^3+598324/1001*(x^4+3*x^2+2)^(1/2)*x^5+131810/429*(x^4+3*x^2+2)^(1/2)*x^7+125/13*x^11*(x^4+3*x^2+2)^(1/2)+12075/143*x^9*(x^4+3*x^2+2)^(1/2)-1171349/5005*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))+10442/65*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-EllipticE(1/2*I*2^(1/2)*x,2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 2)^{\frac{3}{2}} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(x^4+3*x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((x^4 + 3*x^2 + 2)^(3/2)*(5*x^2 + 7)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (5x^2 + 7)^3 (x^4 + 3x^2 + 2)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^3*(3*x^2 + x^4 + 2)^(3/2),x)

[Out] `int((5*x^2 + 7)^3*(3*x^2 + x^4 + 2)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int ((x^2 + 1)(x^2 + 2))^{\frac{3}{2}} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**2+7)**3*(x**4+3*x**2+2)**(3/2), x)`

[Out] `Integral(((x**2 + 1)*(x**2 + 2))**(3/2)*(5*x**2 + 7)**3, x)`

$$3.294 \quad \int (7 + 5x^2)^2 (2 + 3x^2 + x^4)^{3/2} dx$$

Optimal. Leaf size=198

$$\frac{25}{11}x(x^4 + 3x^2 + 2)^{5/2} + \frac{1}{693}x(2240x^2 + 7281)(x^4 + 3x^2 + 2)^{3/2} + \frac{x(10643x^2 + 36783)\sqrt{x^4 + 3x^2 + 2}}{1155} + \frac{742x(x^4 + 3x^2 + 2)^{5/2}}{15\sqrt{x^4 + 3x^2 + 2}}$$

[Out] 1/693*x*(2240*x^2+7281)*(x^4+3*x^2+2)^(3/2)+25/11*x*(x^4+3*x^2+2)^(5/2)+742/15*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)-742/15*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+13879/385*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+1/155*x*(10643*x^2+36783)*(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.09, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1206, 1176, 1189, 1099, 1135}

$$\frac{25}{11}x(x^4 + 3x^2 + 2)^{5/2} + \frac{1}{693}x(2240x^2 + 7281)(x^4 + 3x^2 + 2)^{3/2} + \frac{x(10643x^2 + 36783)\sqrt{x^4 + 3x^2 + 2}}{1155} + \frac{742x(x^4 + 3x^2 + 2)^{5/2}}{15\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^2*(2 + 3*x^2 + x^4)^(3/2),x]

[Out] (742*x*(2 + x^2))/(15*sqrt[2 + 3*x^2 + x^4]) + (x*(36783 + 10643*x^2)*sqrt[2 + 3*x^2 + x^4])/1155 + (x*(7281 + 2240*x^2)*(2 + 3*x^2 + x^4)^(3/2))/693 + (25*x*(2 + 3*x^2 + x^4)^(5/2))/11 - (742*sqrt[2]*(1 + x^2)*sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/(15*sqrt[2 + 3*x^2 + x^4]) + (13879*sqrt[2]*(1 + x^2)*sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(385*sqrt[2 + 3*x^2 + x^4])

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
  4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q
  )*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
  /(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
  (b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b,
  c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1176

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symb
ol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c
*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a
] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1206

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x
_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*
q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandT
oSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p
+ 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /;
FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e +
a*e^2, 0] && IGtQ[q, 1]
```

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2)^2 (2 + 3x^2 + x^4)^{3/2} dx &= \frac{25}{11}x(2 + 3x^2 + x^4)^{5/2} + \frac{1}{11} \int (489 + 320x^2)(2 + 3x^2 + x^4)^{3/2} dx \\
&= \frac{1}{693}x(7281 + 2240x^2)(2 + 3x^2 + x^4)^{3/2} + \frac{25}{11}x(2 + 3x^2 + x^4)^{5/2} + \frac{1}{231} \int (\\
&= \frac{x(36783 + 10643x^2)\sqrt{2 + 3x^2 + x^4}}{1155} + \frac{1}{693}x(7281 + 2240x^2)(2 + 3x^2 + x^4)^{3/2} \\
&= \frac{x(36783 + 10643x^2)\sqrt{2 + 3x^2 + x^4}}{1155} + \frac{1}{693}x(7281 + 2240x^2)(2 + 3x^2 + x^4)^{3/2} \\
&= \frac{742x(2 + x^2)}{15\sqrt{2 + 3x^2 + x^4}} + \frac{x(36783 + 10643x^2)\sqrt{2 + 3x^2 + x^4}}{1155} + \frac{1}{693}x(7281 + 2240x^2)(2 + 3x^2 + x^4)^{3/2}
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^2*(2 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(25x^8 + 145x^6 + 309x^4 + 287x^2 + 98\right)\sqrt{x^4 + 3x^2 + 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(x^4+3*x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral((25*x^8 + 145*x^6 + 309*x^4 + 287*x^2 + 98)*sqrt(x^4 + 3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 2)^{\frac{3}{2}} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(x^4+3*x^2+2)^(3/2), x, algorithm="giac")

[Out] integrate((x⁴ + 3*x² + 2)^(3/2)*(5*x² + 7)², x)

maple [C] time = 0.01, size = 189, normalized size = 0.95

$$\frac{25\sqrt{x^4 + 3x^2 + 2} x^9}{11} + \frac{1670\sqrt{x^4 + 3x^2 + 2} x^7}{99} + \frac{11492\sqrt{x^4 + 3x^2 + 2} x^5}{231} + \frac{258044\sqrt{x^4 + 3x^2 + 2} x^3}{3465} + \frac{23851\sqrt{x^4 + 3x^2 + 2}}{385}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x²+7)²*(x⁴+3*x²+2)^(3/2), x)

[Out] 25/11*(x⁴+3*x²+2)^(1/2)*x⁹+1670/99*(x⁴+3*x²+2)^(1/2)*x⁷+11492/231*(x⁴+3*x²+2)^(1/2)*x⁵+258044/3465*(x⁴+3*x²+2)^(1/2)*x³+23851/385*(x⁴+3*x²+2)^(1/2)*x-13879/385*I²^(1/2)*(2*x²+4)^(1/2)*(x²+1)^(1/2)/(x⁴+3*x²+2)^(1/2)*EllipticF(1/2*I²^(1/2)*x, 2^(1/2))+371/15*I²^(1/2)*(2*x²+4)^(1/2)*(x²+1)^(1/2)/(x⁴+3*x²+2)^(1/2)*(EllipticF(1/2*I²^(1/2)*x, 2^(1/2))-EllipticE(1/2*I²^(1/2)*x, 2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 2)^{\frac{3}{2}} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x²+7)²*(x⁴+3*x²+2)^(3/2), x, algorithm="maxima")

[Out] integrate((x⁴ + 3*x² + 2)^(3/2)*(5*x² + 7)², x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (5x^2 + 7)^2 (x^4 + 3x^2 + 2)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x² + 7)²*(3*x² + x⁴ + 2)^(3/2), x)

[Out] int((5*x² + 7)²*(3*x² + x⁴ + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int ((x^2 + 1)(x^2 + 2))^{\frac{3}{2}} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**2*(x**4+3*x**2+2)**(3/2), x)

[Out] Integral(((x**2 + 1)*(x**2 + 2))**(3/2)*(5*x**2 + 7)**2, x)

$$3.295 \quad \int (7 + 5x^2) (2 + 3x^2 + x^4)^{3/2} dx$$

Optimal. Leaf size=179

$$\frac{1}{63}x(35x^2 + 108)(x^4 + 3x^2 + 2)^{3/2} + \frac{1}{105}x(149x^2 + 519)\sqrt{x^4 + 3x^2 + 2} + \frac{116x(x^2 + 2)}{15\sqrt{x^4 + 3x^2 + 2}} + \frac{197\sqrt{2}(x^2 + 1)\sqrt{\frac{x}{x^2 + 1}}}{35\sqrt{x^4 + 3x^2 + 2}}$$

[Out] 1/63*x*(35*x^2+108)*(x^4+3*x^2+2)^(3/2)+116/15*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)-116/15*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+197/35*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+1/105*x*(149*x^2+519)*(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.06, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1176, 1189, 1099, 1135}

$$\frac{1}{63}x(35x^2 + 108)(x^4 + 3x^2 + 2)^{3/2} + \frac{1}{105}x(149x^2 + 519)\sqrt{x^4 + 3x^2 + 2} + \frac{116x(x^2 + 2)}{15\sqrt{x^4 + 3x^2 + 2}} + \frac{197\sqrt{2}(x^2 + 1)\sqrt{\frac{x}{x^2 + 1}}}{35\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)*(2 + 3*x^2 + x^4)^(3/2),x]

[Out] (116*x*(2 + x^2))/(15*Sqrt[2 + 3*x^2 + x^4]) + (x*(519 + 149*x^2)*Sqrt[2 + 3*x^2 + x^4])/105 + (x*(108 + 35*x^2)*(2 + 3*x^2 + x^4)^(3/2))/63 - (116*Sqrt[2]*sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/(15*Sqrt[2 + 3*x^2 + x^4]) + (197*Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(35*Sqrt[2 + 3*x^2 + x^4])

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x]

```
4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)
)*x^2]/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
/(b + q)]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b,
c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1176

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symb
ol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c
*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1189

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol
] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a
] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2)(2 + 3x^2 + x^4)^{3/2} dx &= \frac{1}{63}x(108 + 35x^2)(2 + 3x^2 + x^4)^{3/2} + \frac{1}{21} \int (222 + 149x^2) \sqrt{2 + 3x^2 + x^4} dx \\
&= \frac{1}{105}x(519 + 149x^2) \sqrt{2 + 3x^2 + x^4} + \frac{1}{63}x(108 + 35x^2)(2 + 3x^2 + x^4)^{3/2} + \frac{1}{21} \int (222 + 149x^2) \sqrt{2 + 3x^2 + x^4} dx \\
&= \frac{1}{105}x(519 + 149x^2) \sqrt{2 + 3x^2 + x^4} + \frac{1}{63}x(108 + 35x^2)(2 + 3x^2 + x^4)^{3/2} + \frac{1}{21} \int (222 + 149x^2) \sqrt{2 + 3x^2 + x^4} dx \\
&= \frac{116x(2 + x^2)}{15\sqrt{2 + 3x^2 + x^4}} + \frac{1}{105}x(519 + 149x^2) \sqrt{2 + 3x^2 + x^4} + \frac{1}{63}x(108 + 35x^2)(2 + 3x^2 + x^4)^{3/2}
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)*(2 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(5x^6 + 22x^4 + 31x^2 + 14\right)\sqrt{x^4 + 3x^2 + 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)*(x^4+3*x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral((5*x^6 + 22*x^4 + 31*x^2 + 14)*sqrt(x^4 + 3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 2)^{\frac{3}{2}}(5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)*(x^4+3*x^2+2)^(3/2), x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 2)^(3/2)*(5*x^2 + 7), x)

maple [C] time = 0.00, size = 172, normalized size = 0.96

$$\frac{5\sqrt{x^4 + 3x^2 + 2} x^7}{9} + \frac{71\sqrt{x^4 + 3x^2 + 2} x^5}{21} + \frac{2417\sqrt{x^4 + 3x^2 + 2} x^3}{315} + \frac{293\sqrt{x^4 + 3x^2 + 2} x}{35} - \frac{197i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2}}{35\sqrt{x^4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)*(x^4+3*x^2+2)^(3/2), x)

[Out] 5/9*(x^4+3*x^2+2)^(1/2)*x^7+71/21*(x^4+3*x^2+2)^(1/2)*x^5+2417/315*(x^4+3*x^2+2)^(1/2)*x^3+293/35*(x^4+3*x^2+2)^(1/2)*x-197/35*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x, 2^(1/2))+58/15*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x, 2^(1/2))-EllipticE(1/2*I*2^(1/2)*x, 2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 2)^{\frac{3}{2}}(5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)*(x^4+3*x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((x^4 + 3*x^2 + 2)^(3/2)*(5*x^2 + 7), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (5x^2 + 7) (x^4 + 3x^2 + 2)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)*(3*x^2 + x^4 + 2)^(3/2),x)

[Out] int((5*x^2 + 7)*(3*x^2 + x^4 + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int ((x^2 + 1)(x^2 + 2))^{\frac{3}{2}} (5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)*(x**4+3*x**2+2)**(3/2),x)

[Out] Integral(((x**2 + 1)*(x**2 + 2))**(3/2)*(5*x**2 + 7), x)

$$3.296 \quad \int (2 + 3x^2 + x^4)^{3/2} dx$$

Optimal. Leaf size=172

$$\frac{1}{7}x(x^4 + 3x^2 + 2)^{3/2} + \frac{1}{35}x(9x^2 + 29)\sqrt{x^4 + 3x^2 + 2} + \frac{6x(x^2 + 2)}{5\sqrt{x^4 + 3x^2 + 2}} + \frac{31\sqrt{2}(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{35\sqrt{x^4 + 3x^2 + 2}}$$

[Out] 1/7*x*(x^4+3*x^2+2)^(3/2)+6/5*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)-6/5*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+31/35*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+1/35*x*(9*x^2+29)*(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.06, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {1091, 1176, 1189, 1099, 1135}

$$\frac{1}{7}x(x^4 + 3x^2 + 2)^{3/2} + \frac{1}{35}x(9x^2 + 29)\sqrt{x^4 + 3x^2 + 2} + \frac{6x(x^2 + 2)}{5\sqrt{x^4 + 3x^2 + 2}} + \frac{31\sqrt{2}(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{35\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2 + x^4)^(3/2), x]

[Out] (6*x*(2 + x^2))/(5*sqrt[2 + 3*x^2 + x^4]) + (x*(29 + 9*x^2)*sqrt[2 + 3*x^2 + x^4])/35 + (x*(2 + 3*x^2 + x^4)^(3/2))/7 - (6*sqrt[2]*(1 + x^2)*sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/(5*sqrt[2 + 3*x^2 + x^4]) + (31*sqrt[2]*(1 + x^2)*sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(35*sqrt[2 + 3*x^2 + x^4])

Rule 1091

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a + b*x^2 + c*x^4)^p)/(4*p + 1), x] + Dist[(2*p)/(4*p + 1), Int[(2*a + b*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && IntegerQ[2*p]

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] &&

!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

Int[(x_)^2/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1176

Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1189

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\begin{aligned}
 \int (2 + 3x^2 + x^4)^{3/2} dx &= \frac{1}{7}x(2 + 3x^2 + x^4)^{3/2} + \frac{3}{7} \int (4 + 3x^2) \sqrt{2 + 3x^2 + x^4} dx \\
 &= \frac{1}{35}x(29 + 9x^2) \sqrt{2 + 3x^2 + x^4} + \frac{1}{7}x(2 + 3x^2 + x^4)^{3/2} + \frac{1}{35} \int \frac{62 + 42x^2}{\sqrt{2 + 3x^2 + x^4}} dx \\
 &= \frac{1}{35}x(29 + 9x^2) \sqrt{2 + 3x^2 + x^4} + \frac{1}{7}x(2 + 3x^2 + x^4)^{3/2} + \frac{6}{5} \int \frac{x^2}{\sqrt{2 + 3x^2 + x^4}} dx + \frac{62}{35} \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx \\
 &= \frac{6x(2 + x^2)}{5\sqrt{2 + 3x^2 + x^4}} + \frac{1}{35}x(29 + 9x^2) \sqrt{2 + 3x^2 + x^4} + \frac{1}{7}x(2 + 3x^2 + x^4)^{3/2} - \frac{6\sqrt{2}(1 + 3x^2)}{5\sqrt{2 + 3x^2 + x^4}}
 \end{aligned}$$

Mathematica [C] time = 0.04, size = 114, normalized size = 0.66

$$\frac{5x^9 + 39x^7 + 121x^5 + 165x^3 - 20i\sqrt{x^2+1}\sqrt{x^2+2}F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) - 42i\sqrt{x^2+1}\sqrt{x^2+2}E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)}{35\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2 + x^4)^(3/2),x]

[Out] (78*x + 165*x^3 + 121*x^5 + 39*x^7 + 5*x^9 - (42*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticE[I*ArcSinh[x/Sqrt[2]]], 2) - (20*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticF[I*ArcSinh[x/Sqrt[2]]], 2)/(35*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(x^4 + 3x^2 + 2\right)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(3/2),x, algorithm="fricas")

[Out] integral((x^4 + 3*x^2 + 2)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 2)^(3/2), x)

maple [C] time = 0.00, size = 155, normalized size = 0.90

$$\frac{\sqrt{x^4+3x^2+2}x^5}{7} + \frac{24\sqrt{x^4+3x^2+2}x^3}{35} + \frac{39\sqrt{x^4+3x^2+2}x}{35} - \frac{31i\sqrt{2}\sqrt{2x^2+4}\sqrt{x^2+1}\text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{35\sqrt{x^4+3x^2+2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+3*x^2+2)^(3/2),x)

[Out] 1/7*(x^4+3*x^2+2)^(1/2)*x^5+24/35*(x^4+3*x^2+2)^(1/2)*x^3+39/35*(x^4+3*x^2+2)^(1/2)*x-31/35*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)

) * EllipticF(1/2 * I * 2^(1/2) * x, 2^(1/2)) + 3/5 * I * 2^(1/2) * (2 * x^2 + 4)^(1/2) * (x^2 + 1)^(1/2) / (x^4 + 3 * x^2 + 2)^(1/2) * (EllipticF(1/2 * I * 2^(1/2) * x, 2^(1/2)) - EllipticE(1/2 * I * 2^(1/2) * x, 2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((x^4 + 3*x^2 + 2)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (x^4 + 3x^2 + 2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + x^4 + 2)^(3/2),x)

[Out] int((3*x^2 + x^4 + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+3*x**2+2)**(3/2),x)

[Out] Integral((x**4 + 3*x**2 + 2)**(3/2), x)

$$3.297 \quad \int \frac{(2+3x^2+x^4)^{3/2}}{7+5x^2} dx$$

Optimal. Leaf size=207

$$\frac{24x(x^2+2)}{125\sqrt{x^4+3x^2+2}} + \frac{1}{75}x(3x^2+11)\sqrt{x^4+3x^2+2} + \frac{56\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{375\sqrt{x^4+3x^2+2}} - \frac{24\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}}{125\sqrt{x^4+3x^2+2}}$$

[Out] 24/125*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)-9/875*(x^2+2)*(1/(x^2+1))^(1/2)*(x^2+1)^(1/2)*EllipticPi(x/(x^2+1)^(1/2),2/7,1/2*2^(1/2))*2^(1/2)/((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)-24/125*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+56/375*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+1/75*x*(3*x^2+11)*(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.20, antiderivative size = 207, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 8, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1208, 1176, 1189, 1099, 1135, 1214, 1456, 539}

$$\frac{24x(x^2+2)}{125\sqrt{x^4+3x^2+2}} + \frac{1}{75}x(3x^2+11)\sqrt{x^4+3x^2+2} + \frac{56\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{375\sqrt{x^4+3x^2+2}} - \frac{24\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}}{125\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2 + x^4)^(3/2)/(7 + 5*x^2), x]

[Out] (24*x*(2 + x^2))/(125*sqrt[2 + 3*x^2 + x^4]) + (x*(11 + 3*x^2)*sqrt[2 + 3*x^2 + x^4])/75 - (24*sqrt[2]*(1 + x^2)*sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/(125*sqrt[2 + 3*x^2 + x^4]) + (56*sqrt[2]*(1 + x^2)*sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(375*sqrt[2 + 3*x^2 + x^4]) - (9*sqrt[2]*(2 + x^2)*EllipticPi[2/7, ArcTan[x], 1/2])/(875*sqrt[(2 + x^2)/(1 + x^2)]*sqrt[2 + 3*x^2 + x^4])

Rule 539

Int[Sqrt[(c_) + (d_)*(x_)^2]/(((a_) + (b_)*(x_)^2)*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Simp[(c*Sqrt[e + f*x^2]*EllipticPi[1 - (b*c)/(a*d), ArcTan[Rt[d/c, 2]*x], 1 - (c*f)/(d*e)])/(a*e*Rt[d/c, 2]*Sqrt[c + d*x^2]*Sqrt[(c*(e + f*x^2))/(e*(c + d*x^2))]), x] /; FreeQ[{a, b, c, d, e, f}, x] && PosQ[d/c]

Rule 1099

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1176

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1208

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_)/((d_) + (e_.)*(x_)^2), x_Symbol] := -Dist[(e^2)^(-1), Int[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] + Dist[(c*d^2 - b*d*e + a*e^2)/e^2, Int[(a + b*x^2 + c*x^4)^(p - 1)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p + 1/2, 0]
```

Rule 1214

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/(2*c*d - e*(b - q)), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/(2*c*d - e*(b - q)), Int[(b - q + 2*c*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && !LtQ[c, 0]
```

Rule 1456

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_.)*((f_) + (g_.)*(x_)^(n_))^(r_.)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(2*n_))^(p_), x_Symbol] := Dist[(a + b*x^n + c*x^(2*n))^FracPart[p]/((d + e*x^n)^FracPart[p]*(a/d + (c*x^n)/e)^FracPart[p]), Int[(d + e*x^n)^(p + q)*(f + g*x^n)^r*(a/d + (c*x^n)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q, r}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(2 + 3x^2 + x^4)^{3/2}}{7 + 5x^2} dx &= -\left(\frac{1}{25} \int (-8 - 5x^2) \sqrt{2 + 3x^2 + x^4} dx\right) - \frac{6}{25} \int \frac{\sqrt{2 + 3x^2 + x^4}}{7 + 5x^2} dx \\
 &= \frac{1}{75} x (11 + 3x^2) \sqrt{2 + 3x^2 + x^4} - \frac{1}{375} \int \frac{-130 - 90x^2}{\sqrt{2 + 3x^2 + x^4}} dx + \frac{6}{625} \int \frac{-8 - 5x^2}{\sqrt{2 + 3x^2 + x^4}} dx \\
 &= \frac{1}{75} x (11 + 3x^2) \sqrt{2 + 3x^2 + x^4} + \frac{18}{625} \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx - \frac{6}{125} \int \frac{x^2}{\sqrt{2 + 3x^2 + x^4}} dx \\
 &= \frac{24x(2 + x^2)}{125\sqrt{2 + 3x^2 + x^4}} + \frac{1}{75} x (11 + 3x^2) \sqrt{2 + 3x^2 + x^4} - \frac{24\sqrt{2}(1 + x^2) \sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}\left(\frac{x}{\sqrt{2+x^2}}\right)\right)}{125\sqrt{2 + 3x^2 + x^4}} \\
 &= \frac{24x(2 + x^2)}{125\sqrt{2 + 3x^2 + x^4}} + \frac{1}{75} x (11 + 3x^2) \sqrt{2 + 3x^2 + x^4} - \frac{24\sqrt{2}(1 + x^2) \sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}\left(\frac{x}{\sqrt{2+x^2}}\right)\right)}{125\sqrt{2 + 3x^2 + x^4}}
 \end{aligned}$$

Mathematica [C] time = 0.18, size = 148, normalized size = 0.71

$$\frac{525x^7 + 3500x^5 + 6825x^3 - 1022i\sqrt{x^2 + 1}\sqrt{x^2 + 2}F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2520i\sqrt{x^2 + 1}\sqrt{x^2 + 2}E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)}{13125\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2 + x^4)^(3/2)/(7 + 5*x^2),x]

[Out] (3850*x + 6825*x^3 + 3500*x^5 + 525*x^7 - (2520*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticE[I*ArcSinh[x/Sqrt[2]], 2] - (1022*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticF[I*ArcSinh[x/Sqrt[2]], 2] - (108*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticPi[10/7, I*ArcSinh[x/Sqrt[2]], 2])/(13125*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(x^4 + 3x^2 + 2)^{\frac{3}{2}}}{5x^2 + 7}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(3/2)/(5*x^2+7),x, algorithm="fricas")

[Out] integral((x^4 + 3*x^2 + 2)^(3/2)/(5*x^2 + 7), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 3x^2 + 2)^{\frac{3}{2}}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(3/2)/(5*x^2+7),x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 2)^(3/2)/(5*x^2 + 7), x)

maple [C] time = 0.02, size = 170, normalized size = 0.82

$$\frac{\sqrt{x^4 + 3x^2 + 2} x^3}{25} + \frac{11\sqrt{x^4 + 3x^2 + 2} x}{75} - \frac{12i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{125\sqrt{x^4 + 3x^2 + 2}} - \frac{73i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{1875\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+3*x^2+2)^(3/2)/(5*x^2+7),x)

[Out] 1/25*(x^4+3*x^2+2)^(1/2)*x^3+11/75*(x^4+3*x^2+2)^(1/2)*x-73/1875*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x, 2^(1/2))-12/125*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticE(1/2*I*2^(1/2)*x, 2^(1/2))-36/4375*I*2^(1/2)*(1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticPi(1/2*I*2^(1/2)*x, 10/7, 2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 3x^2 + 2)^{\frac{3}{2}}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(3/2)/(5*x^2+7),x, algorithm="maxima")

[Out] integrate((x^4 + 3*x^2 + 2)^(3/2)/(5*x^2 + 7), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(x^4 + 3x^2 + 2)^{3/2}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + x^4 + 2)^(3/2)/(5*x^2 + 7),x)

[Out] int((3*x^2 + x^4 + 2)^(3/2)/(5*x^2 + 7), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((x^2 + 1)(x^2 + 2))^{\frac{3}{2}}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+3*x**2+2)**(3/2)/(5*x**2+7),x)

[Out] Integral(((x**2 + 1)*(x**2 + 2))**(3/2)/(5*x**2 + 7), x)

$$3.298 \quad \int \frac{(2+3x^2+x^4)^{3/2}}{(7+5x^2)^2} dx$$

Optimal. Leaf size=222

$$-\frac{3\sqrt{x^4+3x^2+2}x}{175(5x^2+7)} + \frac{1}{75}\sqrt{x^4+3x^2+2}x + \frac{9(x^2+2)x}{175\sqrt{x^4+3x^2+2}} + \frac{59(x^2+1)\sqrt{\frac{x^2+2}{2x^2+2}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{1050\sqrt{x^4+3x^2+2}} - \frac{9\sqrt{2}(x^2+1)}{175\sqrt{x^4+3x^2+2}}$$

[Out] $9/175*x*(x^2+2)/(x^4+3*x^2+2)^{(1/2)}-9/175*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*E$
 $llipticE(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+$
 $3*x^2+2)^{(1/2)}+59/1050*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)}$
 $(1/2),1/2*2^{(1/2)})*((x^2+2)/(2*x^2+2))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+9/2450*(x^$
 $2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticPi(x/(x^2+1)^{(1/2)},2/7,1/2*2^{(1/2)})*(($
 $x^2+2)/(2*x^2+2))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+1/75*x*(x^4+3*x^2+2)^{(1/2)}-3/17$
 $5*x*(x^4+3*x^2+2)^{(1/2)}/(5*x^2+7)$

Rubi [A] time = 0.44, antiderivative size = 333, normalized size of antiderivative = 1.50, number of steps used = 21, number of rules used = 10, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {1228, 1099, 1135, 1122, 1189, 1223, 1716, 1214, 1456, 539}

$$-\frac{3\sqrt{x^4+3x^2+2}x}{175(5x^2+7)} + \frac{1}{75}\sqrt{x^4+3x^2+2}x + \frac{9(x^2+2)x}{175\sqrt{x^4+3x^2+2}} + \frac{44\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{1875\sqrt{x^4+3x^2+2}} + \frac{81(x^2+1)}{875\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2 + x^4)^(3/2)/(7 + 5*x^2)^2,x]

[Out] $(9*x*(2+x^2))/(175*\text{Sqrt}[2+3*x^2+x^4])+(x*\text{Sqrt}[2+3*x^2+x^4])/75$
 $-(3*x*\text{Sqrt}[2+3*x^2+x^4])/(175*(7+5*x^2))-(9*\text{Sqrt}[2]*(1+x^2)*\text{Sqrt}$
 $[(2+x^2)/(1+x^2)]*EllipticE[\text{ArcTan}[x],1/2])/(175*\text{Sqrt}[2+3*x^2+x^4])$
 $+(81*(1+x^2)*\text{Sqrt}[(2+x^2)/(1+x^2)]*EllipticF[\text{ArcTan}[x],1/2])/(875$
 $0*\text{Sqrt}[2]*\text{Sqrt}[2+3*x^2+x^4])+(44*\text{Sqrt}[2]*(1+x^2)*\text{Sqrt}[(2+x^2)/(1$
 $+x^2)]*EllipticF[\text{ArcTan}[x],1/2])/(1875*\text{Sqrt}[2+3*x^2+x^4])-(39*(2+$
 $x^2)*EllipticPi[2/7,\text{ArcTan}[x],1/2])/(12250*\text{Sqrt}[2]*\text{Sqrt}[(2+x^2)/(1+x^$
 $2)]*\text{Sqrt}[2+3*x^2+x^4])+(3*\text{Sqrt}[2]*(2+x^2)*EllipticPi[2/7,\text{ArcTan}[x]$
 $,1/2])/(875*\text{Sqrt}[(2+x^2)/(1+x^2)]*\text{Sqrt}[2+3*x^2+x^4])$

Rule 539

Int[Sqrt[(c_) + (d_.)*(x_)^2]/(((a_) + (b_.)*(x_)^2)*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Simp[(c*Sqrt[e + f*x^2]*EllipticPi[1 - (b*c)/(a*d), ArcT

$\text{an}[\text{Rt}[d/c, 2]*x], 1 - (c*f)/(d*e)]/(a*e*\text{Rt}[d/c, 2]*\text{Sqrt}[c + d*x^2]*\text{Sqrt}[(c*(e + f*x^2))/(e*(c + d*x^2))], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{PosQ}[d/c]$

Rule 1099

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Simp}[(2*a + (b + q)*x^2)*\text{Sqrt}[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*\text{EllipticF}[\text{ArcTan}[\text{Rt}[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*\text{Rt}[(b + q)/(2*a), 2]*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{PosQ}[(b + q)/a] \&\& !(\text{PosQ}[(b - q)/a] \&\& \text{SimplerSqrtQ}[(b - q)/(2*a), (b + q)/(2*a)])] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{GtQ}[b^2 - 4*a*c, 0]$

Rule 1122

$\text{Int}[(d_)*(x_)^{(m_)}*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}, x_Symbol] :> \text{Simp}[(d^3*(d*x)^{(m - 3)}*(a + b*x^2 + c*x^4)^{(p + 1)})/(c*(m + 4*p + 1)), x] - \text{Dist}[d^4/(c*(m + 4*p + 1)), \text{Int}[(d*x)^{(m - 4)}*\text{Simp}[a*(m - 3) + b*(m + 2*p - 1)*x^2, x]*(a + b*x^2 + c*x^4)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, p\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{GtQ}[m, 3] \&\& \text{NeQ}[m + 4*p + 1, 0] \&\& \text{IntegerQ}[2*p] \&\& (\text{IntegerQ}[p] \|\| \text{IntegerQ}[m])$

Rule 1135

$\text{Int}[(x_)^2/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Simp}[(x*(b + q + 2*c*x^2))/(2*c*\text{Sqrt}[a + b*x^2 + c*x^4]), x] - \text{Simp}[(\text{Rt}[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*\text{Sqrt}[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*\text{EllipticE}[\text{ArcTan}[\text{Rt}[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{PosQ}[(b + q)/a] \&\& !(\text{PosQ}[(b - q)/a] \&\& \text{SimplerSqrtQ}[(b - q)/(2*a), (b + q)/(2*a)])] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{GtQ}[b^2 - 4*a*c, 0]$

Rule 1189

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[d, \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] + \text{Dist}[e, \text{Int}[x^2/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] /; \text{PosQ}[(b + q)/a] \|\| \text{PosQ}[(b - q)/a] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{GtQ}[b^2 - 4*a*c, 0]$

Rule 1214

$\text{Int}[1/(((d_) + (e_)*(x_)^2)*\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(2*c)/(2*c*d - e*(b - q)), \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] - \text{Dist}[e/(2*c*d - e*(b - q)), \text{Int}[(b - q + 2*c*x^2)/((d + e*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4]), x], x]] /; \text{FreeQ}[\{a, b,$

c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && !LtQ[c, 0]

Rule 1223

Int[((d_) + (e_)*(x_)^2)^(q_)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]

Rule 1228

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + cc*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb -> b, cc -> c}, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]

Rule 1456

Int[((d_) + (e_)*(x_)^(n_))^(q_)*((f_) + (g_)*(x_)^(n_))^(r_)*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] :> Dist[(a + b*x^n + c*x^(2*n))^FracPart[p]/((d + e*x^n)^FracPart[p]*(a/d + (c*x^n)/e)^FracPart[p]), Int[(d + e*x^n)^(p + q)*(f + g*x^n)^r*(a/d + (c*x^n)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q, r}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p]

Rule 1716

Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(2 + 3x^2 + x^4)^{3/2}}{(7 + 5x^2)^2} dx &= \int \left(\frac{52}{625\sqrt{2 + 3x^2 + x^4}} + \frac{16x^2}{125\sqrt{2 + 3x^2 + x^4}} + \frac{x^4}{25\sqrt{2 + 3x^2 + x^4}} + \frac{36}{625(7 + 5x^2)^2\sqrt{2 + 3x^2 + x^4}} \right) dx \\
&= -\left(\frac{12}{625} \int \frac{1}{(7 + 5x^2)\sqrt{2 + 3x^2 + x^4}} dx \right) + \frac{1}{25} \int \frac{x^4}{\sqrt{2 + 3x^2 + x^4}} dx + \frac{36}{625} \int \frac{1}{(7 + 5x^2)\sqrt{2 + 3x^2 + x^4}} dx \\
&= \frac{16x(2 + x^2)}{125\sqrt{2 + 3x^2 + x^4}} + \frac{1}{75}x\sqrt{2 + 3x^2 + x^4} - \frac{3x\sqrt{2 + 3x^2 + x^4}}{175(7 + 5x^2)} - \frac{16\sqrt{2}(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}}}{125\sqrt{2 + 3x^2 + x^4}} \\
&= \frac{16x(2 + x^2)}{125\sqrt{2 + 3x^2 + x^4}} + \frac{1}{75}x\sqrt{2 + 3x^2 + x^4} - \frac{3x\sqrt{2 + 3x^2 + x^4}}{175(7 + 5x^2)} - \frac{16\sqrt{2}(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}}}{125\sqrt{2 + 3x^2 + x^4}} \\
&= \frac{6x(2 + x^2)}{125\sqrt{2 + 3x^2 + x^4}} + \frac{1}{75}x\sqrt{2 + 3x^2 + x^4} - \frac{3x\sqrt{2 + 3x^2 + x^4}}{175(7 + 5x^2)} - \frac{6\sqrt{2}(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}}}{125\sqrt{2 + 3x^2 + x^4}} \\
&= \frac{9x(2 + x^2)}{175\sqrt{2 + 3x^2 + x^4}} + \frac{1}{75}x\sqrt{2 + 3x^2 + x^4} - \frac{3x\sqrt{2 + 3x^2 + x^4}}{175(7 + 5x^2)} - \frac{9\sqrt{2}(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}}}{175\sqrt{2 + 3x^2 + x^4}} \\
&= \frac{9x(2 + x^2)}{175\sqrt{2 + 3x^2 + x^4}} + \frac{1}{75}x\sqrt{2 + 3x^2 + x^4} - \frac{3x\sqrt{2 + 3x^2 + x^4}}{175(7 + 5x^2)} - \frac{9\sqrt{2}(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}}}{175\sqrt{2 + 3x^2 + x^4}}
\end{aligned}$$

Mathematica [C] time = 0.29, size = 213, normalized size = 0.96

$$\frac{1225x^7 + 5075x^5 + 6650x^3 - 182i\sqrt{x^2 + 1}\sqrt{x^2 + 2}(5x^2 + 7)F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) - 945i\sqrt{x^2 + 1}\sqrt{x^2 + 2}(5x^2 + 7)}{18375}$$

18375

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2 + x^4)^(3/2)/(7 + 5*x^2)^2,x]

[Out] (2800*x + 6650*x^3 + 5075*x^5 + 1225*x^7 - (945*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(7 + 5*x^2)*EllipticE[I*ArcSinh[x/Sqrt[2]]], 2) - (182*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(7 + 5*x^2)*EllipticF[I*ArcSinh[x/Sqrt[2]]], 2) + (189*I)*Sqrt[2 + x^2]

$[1 + x^2] \cdot \text{Sqrt}[2 + x^2] \cdot \text{EllipticPi}[10/7, I \cdot \text{ArcSinh}[x/\text{Sqrt}[2]], 2] + (135 \cdot I) \cdot x^2 \cdot \text{Sqrt}[1 + x^2] \cdot \text{Sqrt}[2 + x^2] \cdot \text{EllipticPi}[10/7, I \cdot \text{ArcSinh}[x/\text{Sqrt}[2]], 2] / (18375 \cdot (7 + 5 \cdot x^2) \cdot \text{Sqrt}[2 + 3 \cdot x^2 + x^4])$

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(x^4 + 3x^2 + 2)^{\frac{3}{2}}}{25x^4 + 70x^2 + 49}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(3/2)/(5*x^2+7)^2,x, algorithm="fricas")

[Out] integral((x^4 + 3*x^2 + 2)^(3/2)/(25*x^4 + 70*x^2 + 49), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 3x^2 + 2)^{\frac{3}{2}}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(3/2)/(5*x^2+7)^2,x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 2)^(3/2)/(5*x^2 + 7)^2, x)

maple [C] time = 0.02, size = 177, normalized size = 0.80

$$\frac{3\sqrt{x^4 + 3x^2 + 2} x}{175(5x^2 + 7)} + \frac{\sqrt{x^4 + 3x^2 + 2} x}{75} - \frac{9i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{350\sqrt{x^4 + 3x^2 + 2}} - \frac{13i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2}}{2625\sqrt{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+3*x^2+2)^(3/2)/(5*x^2+7)^2,x)

[Out] $-3/175 \cdot (x^4 + 3x^2 + 2)^{1/2} / (5x^2 + 7) \cdot x + 1/75 \cdot (x^4 + 3x^2 + 2)^{1/2} \cdot x - 13/2625 \cdot I \cdot 2^{1/2} \cdot (2x^2 + 4)^{1/2} \cdot (x^2 + 1)^{1/2} / (x^4 + 3x^2 + 2)^{1/2} \cdot \text{EllipticF}(1/2 \cdot I \cdot 2^{1/2} \cdot x, 2^{1/2}) - 9/350 \cdot I \cdot 2^{1/2} \cdot (2x^2 + 4)^{1/2} \cdot (x^2 + 1)^{1/2} / (x^4 + 3x^2 + 2)^{1/2} \cdot \text{EllipticE}(1/2 \cdot I \cdot 2^{1/2} \cdot x, 2^{1/2}) + 9/6125 \cdot I \cdot 2^{1/2} \cdot (1/2 \cdot x^2 + 1)^{1/2} \cdot (x^2 + 1)^{1/2} / (x^4 + 3x^2 + 2)^{1/2} \cdot \text{EllipticPi}(1/2 \cdot I \cdot 2^{1/2} \cdot x, 10/7, 2^{1/2})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 3x^2 + 2)^{\frac{3}{2}}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(3/2)/(5*x^2+7)^2,x, algorithm="maxima")

[Out] integrate((x^4 + 3*x^2 + 2)^(3/2)/(5*x^2 + 7)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(x^4 + 3x^2 + 2)^{3/2}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + x^4 + 2)^(3/2)/(5*x^2 + 7)^2,x)

[Out] int((3*x^2 + x^4 + 2)^(3/2)/(5*x^2 + 7)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((x^2 + 1)(x^2 + 2))^{\frac{3}{2}}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+3*x**2+2)**(3/2)/(5*x**2+7)**2,x)

[Out] Integral(((x**2 + 1)*(x**2 + 2))**(3/2)/(5*x**2 + 7)**2, x)

$$3.299 \quad \int \frac{(2+3x^2+x^4)^{3/2}}{(7+5x^2)^3} dx$$

Optimal. Leaf size=231

$$\frac{17\sqrt{x^4+3x^2+2}x}{9800(5x^2+7)} - \frac{3\sqrt{x^4+3x^2+2}x}{350(5x^2+7)^2} + \frac{3(x^2+2)x}{392\sqrt{x^4+3x^2+2}} + \frac{5(x^2+1)\sqrt{\frac{x^2+2}{2x^2+2}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{784\sqrt{x^4+3x^2+2}} - \frac{3(x^2+1)\sqrt{\frac{x^2+2}{2x^2+2}}}{196\sqrt{x^4+3x^2+2}}$$

[Out] $3/392*x*(x^2+2)/(x^4+3*x^2+2)^{(1/2)}+141/54880*(x^2+2)*(1/(x^2+1))^{(1/2)}*(x^2+1)^{(1/2)}*EllipticPi(x/(x^2+1)^{(1/2)},2/7,1/2*2^{(1/2)})*2^{(1/2)}/((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}-3/196*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticE(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*((x^2+2)/(2*x^2+2))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+5/784*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*((x^2+2)/(2*x^2+2))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}-3/350*x*(x^4+3*x^2+2)^{(1/2)}/(5*x^2+7)^2+17/9800*x*(x^4+3*x^2+2)^{(1/2)}/(5*x^2+7)$

Rubi [A] time = 0.67, antiderivative size = 288, normalized size of antiderivative = 1.25, number of steps used = 27, number of rules used = 10, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {1228, 1099, 1135, 1223, 1696, 1716, 1189, 1214, 1456, 539}

$$\frac{17\sqrt{x^4+3x^2+2}x}{9800(5x^2+7)} - \frac{3\sqrt{x^4+3x^2+2}x}{350(5x^2+7)^2} + \frac{3(x^2+2)x}{392\sqrt{x^4+3x^2+2}} + \frac{5(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{784\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{6\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}}{875\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2 + x^4)^(3/2)/(7 + 5*x^2)^3,x]

[Out] $(3*x*(2+x^2))/(392*sqrt[2+3*x^2+x^4]) - (3*x*sqrt[2+3*x^2+x^4])/(350*(7+5*x^2)^2) + (17*x*sqrt[2+3*x^2+x^4])/(9800*(7+5*x^2)) - (39*(1+x^2)*sqrt[(2+x^2)/(1+x^2)]*EllipticE[ArcTan[x],1/2])/(24500*sqrt[2]*sqrt[2+3*x^2+x^4]) - (6*sqrt[2]*(1+x^2)*sqrt[(2+x^2)/(1+x^2)]*EllipticE[ArcTan[x],1/2])/(875*sqrt[2+3*x^2+x^4]) + (5*(1+x^2)*sqrt[(2+x^2)/(1+x^2)]*EllipticF[ArcTan[x],1/2])/(784*sqrt[2]*sqrt[2+3*x^2+x^4]) + (141*(2+x^2)*EllipticPi[2/7,ArcTan[x],1/2])/(27440*sqrt[2]*sqrt[(2+x^2)/(1+x^2)]*sqrt[2+3*x^2+x^4])$

Rule 539

Int[Sqrt[(c_) + (d_.)*(x_)^2]/(((a_) + (b_.)*(x_)^2)*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Simp[(c*Sqrt[e + f*x^2]*EllipticPi[1 - (b*c)/(a*d), ArcT

$\text{an}[\text{Rt}[d/c, 2]*x], 1 - (c*f)/(d*e)]/(a*e*\text{Rt}[d/c, 2]*\text{Sqrt}[c + d*x^2]*\text{Sqrt}[(c*(e + f*x^2))/(e*(c + d*x^2))], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{PosQ}[d/c]$

Rule 1099

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \text{ :> } \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Simp}[(2*a + (b + q)*x^2)*\text{Sqrt}[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*\text{EllipticF}[\text{ArcTan}[\text{Rt}[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*a*\text{Rt}[(b + q)/(2*a), 2]*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{PosQ}[(b + q)/a] \ \&\& \ !(\text{PosQ}[(b - q)/a] \ \&\& \ \text{SimplerSqrtQ}[(b - q)/(2*a), (b + q)/(2*a)])] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{GtQ}[b^2 - 4*a*c, 0]$

Rule 1135

$\text{Int}[(x_)^2/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \text{ :> } \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Simp}[(x*(b + q + 2*c*x^2))/(2*c*\text{Sqrt}[a + b*x^2 + c*x^4]), x] - \text{Simp}[(\text{Rt}[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*\text{Sqrt}[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*\text{EllipticE}[\text{ArcTan}[\text{Rt}[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*c*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{PosQ}[(b + q)/a] \ \&\& \ !(\text{PosQ}[(b - q)/a] \ \&\& \ \text{SimplerSqrtQ}[(b - q)/(2*a), (b + q)/(2*a)])] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{GtQ}[b^2 - 4*a*c, 0]$

Rule 1189

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \text{ :> } \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[d, \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] + \text{Dist}[e, \text{Int}[x^2/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] /; \text{PosQ}[(b + q)/a] \ \&\& \ \text{PosQ}[(b - q)/a]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{GtQ}[b^2 - 4*a*c, 0]$

Rule 1214

$\text{Int}[1/((d_) + (e_)*(x_)^2)*\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \text{ :> } \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(2*c)/(2*c*d - e*(b - q)), \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] - \text{Dist}[e/(2*c*d - e*(b - q)), \text{Int}[(b - q + 2*c*x^2)/((d + e*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4]), x], x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{GtQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{LtQ}[c, 0]$

Rule 1223

$\text{Int}[(d_) + (e_)*(x_)^2]^(q_)/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \text{ :> } -\text{Simp}[(e^2*x*(d + e*x^2)^(q + 1)*\text{Sqrt}[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + \text{Dist}[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), \text{Int}[(d + e*x^2)^(q + 1)*\text{Simp}[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x]]/\text{Sqrt}$

$[a + b*x^2 + c*x^4], x], x] /;$ FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]

Rule 1228

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + c*c*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb -> b, cc -> c}, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]

Rule 1456

Int[((d_) + (e_)*(x_)^(n_))^(q_)*((f_) + (g_)*(x_)^(n_))^(r_)*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := Dist[(a + b*x^n + c*x^(2*n))^FracPart[p]/((d + e*x^n)^FracPart[p]*(a/d + (c*x^n)/e)^FracPart[p]), Int[(d + e*x^n)^(p + q)*(f + g*x^n)^r*(a/d + (c*x^n)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q, r}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p]

Rule 1696

Int[((P4x_)*((d_) + (e_)*(x_)^2)^(q_))/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d - B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b*e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e + A*e^2)*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, -1]

Rule 1716

Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2+x^4)^{3/2}}{(7+5x^2)^3} dx &= \int \left(\frac{9}{625\sqrt{2+3x^2+x^4}} + \frac{x^2}{125\sqrt{2+3x^2+x^4}} + \frac{36}{625(7+5x^2)^3\sqrt{2+3x^2+x^4}} - \frac{1}{625(7+5x^2)^3\sqrt{2+3x^2+x^4}} \right) dx \\
&= \frac{1}{125} \int \frac{x^2}{\sqrt{2+3x^2+x^4}} dx + \frac{9}{625} \int \frac{1}{\sqrt{2+3x^2+x^4}} dx - \frac{11}{625} \int \frac{1}{(7+5x^2)\sqrt{2+3x^2+x^4}} dx \\
&= \frac{x(2+x^2)}{125\sqrt{2+3x^2+x^4}} - \frac{3x\sqrt{2+3x^2+x^4}}{350(7+5x^2)^2} + \frac{x\sqrt{2+3x^2+x^4}}{175(7+5x^2)} - \frac{\sqrt{2}(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\arctan\left(\frac{x}{\sqrt{2+x^2}}\right)\right)}{125\sqrt{2+3x^2+x^4}} \\
&= \frac{x(2+x^2)}{125\sqrt{2+3x^2+x^4}} - \frac{3x\sqrt{2+3x^2+x^4}}{350(7+5x^2)^2} + \frac{17x\sqrt{2+3x^2+x^4}}{9800(7+5x^2)} - \frac{\sqrt{2}(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\arctan\left(\frac{x}{\sqrt{2+x^2}}\right)\right)}{125\sqrt{2+3x^2+x^4}} \\
&= \frac{x(2+x^2)}{125\sqrt{2+3x^2+x^4}} - \frac{3x\sqrt{2+3x^2+x^4}}{350(7+5x^2)^2} + \frac{17x\sqrt{2+3x^2+x^4}}{9800(7+5x^2)} - \frac{\sqrt{2}(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\arctan\left(\frac{x}{\sqrt{2+x^2}}\right)\right)}{125\sqrt{2+3x^2+x^4}} \\
&= \frac{6x(2+x^2)}{875\sqrt{2+3x^2+x^4}} - \frac{3x\sqrt{2+3x^2+x^4}}{350(7+5x^2)^2} + \frac{17x\sqrt{2+3x^2+x^4}}{9800(7+5x^2)} - \frac{6\sqrt{2}(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\arctan\left(\frac{x}{\sqrt{2+x^2}}\right)\right)}{875\sqrt{2+3x^2+x^4}} \\
&= \frac{3x(2+x^2)}{392\sqrt{2+3x^2+x^4}} - \frac{3x\sqrt{2+3x^2+x^4}}{350(7+5x^2)^2} + \frac{17x\sqrt{2+3x^2+x^4}}{9800(7+5x^2)} - \frac{39(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\arctan\left(\frac{x}{\sqrt{2+x^2}}\right)\right)}{24500\sqrt{2+3x^2+x^4}} \\
&= \frac{3x(2+x^2)}{392\sqrt{2+3x^2+x^4}} - \frac{3x\sqrt{2+3x^2+x^4}}{350(7+5x^2)^2} + \frac{17x\sqrt{2+3x^2+x^4}}{9800(7+5x^2)} - \frac{39(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\arctan\left(\frac{x}{\sqrt{2+x^2}}\right)\right)}{24500\sqrt{2+3x^2+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.38, size = 174, normalized size = 0.75

$$\frac{-406i\sqrt{x^2+1}\sqrt{x^2+2}F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) - 525i\sqrt{x^2+1}\sqrt{x^2+2}E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) + 141i\sqrt{x^2+1}\sqrt{x^2+2}E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)}{68600\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2 + x^4)^(3/2)/(7 + 5*x^2)^3,x]

[Out] ((-588*x*(2 + 3*x^2 + x^4))/(7 + 5*x^2)^2 + (119*x*(2 + 3*x^2 + x^4))/(7 + 5*x^2) - (525*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticE[I*ArcSinh[x/Sqrt[2]], 2] - (406*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticF[I*ArcSinh[x/Sqrt[2]], 2] + (141*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticPi[10/7, I*ArcSinh[x/Sqrt[2]], 2])/(68600*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(x^4 + 3x^2 + 2)^{\frac{3}{2}}}{125x^6 + 525x^4 + 735x^2 + 343}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(3/2)/(5*x^2+7)^3,x, algorithm="fricas")

[Out] integral((x^4 + 3*x^2 + 2)^(3/2)/(125*x^6 + 525*x^4 + 735*x^2 + 343), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 3x^2 + 2)^{\frac{3}{2}}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(3/2)/(5*x^2+7)^3,x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 2)^(3/2)/(5*x^2 + 7)^3, x)

maple [C] time = 0.02, size = 186, normalized size = 0.81

$$\frac{3\sqrt{x^4 + 3x^2 + 2} x}{350(5x^2 + 7)^2} + \frac{17\sqrt{x^4 + 3x^2 + 2} x}{9800(5x^2 + 7)} - \frac{3i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{784\sqrt{x^4 + 3x^2 + 2}} - \frac{29i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{9800(5x^2 + 7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+3*x^2+2)^(3/2)/(5*x^2+7)^3,x)

[Out] -3/350*(x^4+3*x^2+2)^(1/2)/(5*x^2+7)^2*x+17/9800*(x^4+3*x^2+2)^(1/2)/(5*x^2+7)*x-29/9800*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x, 2^(1/2))-3/784*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticE(1/2*I*2^(1/2)*x, 2^(1/2))+141/68600*I*2^(1/2)

$1/2)*(1/2*x^2+1)^{(1/2)}*(x^2+1)^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}*EllipticPi(1/2*I*2^{(1/2)}*x,10/7,2^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 3x^2 + 2)^{\frac{3}{2}}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+2)^(3/2)/(5*x^2+7)^3,x, algorithm="maxima")

[Out] integrate((x^4 + 3*x^2 + 2)^(3/2)/(5*x^2 + 7)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(x^4 + 3x^2 + 2)^{3/2}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + x^4 + 2)^(3/2)/(5*x^2 + 7)^3,x)

[Out] int((3*x^2 + x^4 + 2)^(3/2)/(5*x^2 + 7)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((x^2 + 1)(x^2 + 2))^{\frac{3}{2}}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+3*x**2+2)**(3/2)/(5*x**2+7)**3,x)

[Out] Integral(((x**2 + 1)*(x**2 + 2))**(3/2)/(5*x**2 + 7)**3, x)

$$3.300 \quad \int \frac{(7+5x^2)^3}{\sqrt{2+3x^2+x^4}} dx$$

Optimal. Leaf size=157

$$75\sqrt{x^4+3x^2+2}x + \frac{135(x^2+2)x}{\sqrt{x^4+3x^2+2}} + \frac{193(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{135\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4+3x^2+2}}$$

[Out] 135*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)+193/2*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)-135*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+75*x*(x^4+3*x^2+2)^(1/2)+25*x^3*(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1206, 1679, 1189, 1099, 1135}

$$25\sqrt{x^4+3x^2+2}x^3+75\sqrt{x^4+3x^2+2}x + \frac{135(x^2+2)x}{\sqrt{x^4+3x^2+2}} + \frac{193(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{135\sqrt{2}(x^2+1)}{\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^3/Sqrt[2 + 3*x^2 + x^4], x]

[Out] (135*x*(2 + x^2))/Sqrt[2 + 3*x^2 + x^4] + 75*x*Sqrt[2 + 3*x^2 + x^4] + 25*x^3*Sqrt[2 + 3*x^2 + x^4] - (135*Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/Sqrt[2 + 3*x^2 + x^4] + (193*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(Sqrt[2]*Sqrt[2 + 3*x^2 + x^4])

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x]

```
4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1206

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]
```

Rule 1679

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{q = Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*x^(2*q), x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(7+5x^2)^3}{\sqrt{2+3x^2+x^4}} dx &= 25x^3\sqrt{2+3x^2+x^4} + \frac{1}{5} \int \frac{1715+2925x^2+1125x^4}{\sqrt{2+3x^2+x^4}} dx \\
&= 75x\sqrt{2+3x^2+x^4} + 25x^3\sqrt{2+3x^2+x^4} + \frac{1}{15} \int \frac{2895+2025x^2}{\sqrt{2+3x^2+x^4}} dx \\
&= 75x\sqrt{2+3x^2+x^4} + 25x^3\sqrt{2+3x^2+x^4} + 135 \int \frac{x^2}{\sqrt{2+3x^2+x^4}} dx + 193 \int \frac{1}{\sqrt{2+3x^2+x^4}} dx \\
&= \frac{135x(2+x^2)}{\sqrt{2+3x^2+x^4}} + 75x\sqrt{2+3x^2+x^4} + 25x^3\sqrt{2+3x^2+x^4} - \frac{135\sqrt{2}(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E}{\sqrt{2+3x^2+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.10, size = 106, normalized size = 0.68

$$\frac{-58i\sqrt{x^2+1}\sqrt{x^2+2}F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) - 135i\sqrt{x^2+1}\sqrt{x^2+2}E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) + 25x(x^6+6x^4+11x^2)}{\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^3/Sqrt[2 + 3*x^2 + x^4], x]

[Out] (25*x*(6 + 11*x^2 + 6*x^4 + x^6) - (135*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticE[I*ArcSinh[x/Sqrt[2]], 2] - (58*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticF[I*ArcSinh[x/Sqrt[2]], 2])/Sqrt[2 + 3*x^2 + x^4]

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{125x^6 + 525x^4 + 735x^2 + 343}{\sqrt{x^4 + 3x^2 + 2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(x^4+3*x^2+2)^(1/2), x, algorithm="fricas")

[Out] integral((125*x^6 + 525*x^4 + 735*x^2 + 343)/sqrt(x^4 + 3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2+7)^3}{\sqrt{x^4+3x^2+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(x^4+3*x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^3/sqrt(x^4 + 3*x^2 + 2), x)

maple [C] time = 0.02, size = 138, normalized size = 0.88

$$25\sqrt{x^4 + 3x^2 + 2} x^3 + 75\sqrt{x^4 + 3x^2 + 2} x - \frac{193i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{2\sqrt{x^4 + 3x^2 + 2}} + \frac{135i\sqrt{2} \sqrt{2x^2 + 4}}{2\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^3/(x^4+3*x^2+2)^(1/2),x)

[Out] 25*(x^4+3*x^2+2)^(1/2)*x^3+75*(x^4+3*x^2+2)^(1/2)*x-193/2*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))+135/2*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-EllipticE(1/2*I*2^(1/2)*x,2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^3/sqrt(x^4 + 3*x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(5x^2 + 7)^3}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^3/(3*x^2 + x^4 + 2)^(1/2),x)

[Out] int((5*x^2 + 7)^3/(3*x^2 + x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{\sqrt{(x^2 + 1)(x^2 + 2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((5*x**2+7)**3/(x**4+3*x**2+2)**(1/2),x)
```

```
[Out] Integral((5*x**2 + 7)**3/sqrt((x**2 + 1)*(x**2 + 2)), x)
```

$$3.301 \quad \int \frac{(7+5x^2)^2}{\sqrt{2+3x^2+x^4}} dx$$

Optimal. Leaf size=142

$$\frac{25}{3} \sqrt{x^4 + 3x^2 + 2} x + \frac{20(x^2 + 2)x}{\sqrt{x^4 + 3x^2 + 2}} + \frac{97(x^2 + 1) \sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x) \middle| \frac{1}{2}\right)}{3\sqrt{2} \sqrt{x^4 + 3x^2 + 2}} - \frac{20\sqrt{2} (x^2 + 1) \sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x) \middle| \frac{1}{2}\right)}{\sqrt{x^4 + 3x^2 + 2}}$$

[Out] 20*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)+97/6*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)-20*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+25/3*x*(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.05, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1206, 1189, 1099, 1135}

$$\frac{25}{3} \sqrt{x^4 + 3x^2 + 2} x + \frac{20(x^2 + 2)x}{\sqrt{x^4 + 3x^2 + 2}} + \frac{97(x^2 + 1) \sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x) \middle| \frac{1}{2}\right)}{3\sqrt{2} \sqrt{x^4 + 3x^2 + 2}} - \frac{20\sqrt{2} (x^2 + 1) \sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x) \middle| \frac{1}{2}\right)}{\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^2/Sqrt[2 + 3*x^2 + x^4], x]

[Out] (20*x*(2 + x^2))/Sqrt[2 + 3*x^2 + x^4] + (25*x*Sqrt[2 + 3*x^2 + x^4])/3 - (20*Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/Sqrt[2 + 3*x^2 + x^4] + (97*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(3*Sqrt[2]*Sqrt[2 + 3*x^2 + x^4])

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4])]


```
4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)
)*x^2]/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
/(b + q)]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b,
c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol
] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a
] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1206

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x
_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*
q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandT
oSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p
+ 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /;
FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e +
a*e^2, 0] && IGtQ[q, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{(7 + 5x^2)^2}{\sqrt{2 + 3x^2 + x^4}} dx &= \frac{25}{3}x\sqrt{2 + 3x^2 + x^4} + \frac{1}{3} \int \frac{97 + 60x^2}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{25}{3}x\sqrt{2 + 3x^2 + x^4} + 20 \int \frac{x^2}{\sqrt{2 + 3x^2 + x^4}} dx + \frac{97}{3} \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{20x(2 + x^2)}{\sqrt{2 + 3x^2 + x^4}} + \frac{25}{3}x\sqrt{2 + 3x^2 + x^4} - \frac{20\sqrt{2}(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}}E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2 + 3x^2 + x^4}} + \frac{97(1 + \dots)}{3} \end{aligned}$$

Mathematica [C] time = 0.09, size = 104, normalized size = 0.73

$$\frac{-37i\sqrt{x^2 + 1}\sqrt{x^2 + 2}F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) - 60i\sqrt{x^2 + 1}\sqrt{x^2 + 2}E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) + 25x(x^4 + 3x^2 + 2)}{3\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^2/Sqrt[2 + 3*x^2 + x^4],x]

[Out] (25*x*(2 + 3*x^2 + x^4) - (60*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticE[I*ArcSinh[x/Sqrt[2]], 2] - (37*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticF[I*ArcSinh[x/Sqrt[2]], 2])/(3*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{25x^4 + 70x^2 + 49}{\sqrt{x^4 + 3x^2 + 2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(x^4+3*x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral((25*x^4 + 70*x^2 + 49)/sqrt(x^4 + 3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(x^4+3*x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^2/sqrt(x^4 + 3*x^2 + 2), x)

maple [C] time = 0.01, size = 121, normalized size = 0.85

$$\frac{25\sqrt{x^4 + 3x^2 + 2} x}{3} - \frac{97i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{6\sqrt{x^4 + 3x^2 + 2}} + \frac{10i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \left(-\text{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)\right)}{\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^2/(x^4+3*x^2+2)^(1/2),x)

[Out] 25/3*(x^4+3*x^2+2)^(1/2)*x-97/6*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))+10*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-EllipticE(1/2*I*2^(1/2)*x,2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^2/sqrt(x^4 + 3*x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(5x^2 + 7)^2}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^2/(3*x^2 + x^4 + 2)^(1/2),x)

[Out] int((5*x^2 + 7)^2/(3*x^2 + x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{\sqrt{(x^2 + 1)(x^2 + 2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**2/(x**4+3*x**2+2)**(1/2),x)

[Out] Integral((5*x**2 + 7)**2/sqrt((x**2 + 1)*(x**2 + 2)), x)

$$3.302 \quad \int \frac{7+5x^2}{\sqrt{2+3x^2+x^4}} dx$$

Optimal. Leaf size=121

$$\frac{5x(x^2+2)}{\sqrt{x^4+3x^2+2}} + \frac{7(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{5\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4+3x^2+2}}$$

[Out] 5*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)+7/2*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)-5*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.03, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1189, 1099, 1135}

$$\frac{5x(x^2+2)}{\sqrt{x^4+3x^2+2}} + \frac{7(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{5\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)/Sqrt[2 + 3*x^2 + x^4],x]

[Out] (5*x*(2 + x^2))/Sqrt[2 + 3*x^2 + x^4] - (5*Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/Sqrt[2 + 3*x^2 + x^4] + (7*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(Sqrt[2]*Sqrt[2 + 3*x^2 + x^4])

Rule 1099

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
```

$$\frac{1}{(b+q)} \int \frac{dx}{\sqrt{2cx^2 + bx^4 + a}}$$
 ; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1189

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{7 + 5x^2}{\sqrt{2 + 3x^2 + x^4}} dx = 5 \int \frac{x^2}{\sqrt{2 + 3x^2 + x^4}} dx + 7 \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx$$

$$= \frac{5x(2 + x^2)}{\sqrt{2 + 3x^2 + x^4}} - \frac{5\sqrt{2}(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2 + 3x^2 + x^4}} + \frac{7(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{2 + 3x^2 + x^4}}$$

Mathematica [C] time = 0.06, size = 69, normalized size = 0.57

$$\frac{i\sqrt{x^2+1}\sqrt{x^2+2}\left(2F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)+5E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)\right)}{\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)/Sqrt[2 + 3*x^2 + x^4], x]

[Out] ((-I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(5*EllipticE[I*ArcSinh[x/Sqrt[2]], 2] + 2*EllipticF[I*ArcSinh[x/Sqrt[2]], 2]))/Sqrt[2 + 3*x^2 + x^4]

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{5x^2 + 7}{\sqrt{x^4 + 3x^2 + 2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(x^4+3*x^2+2)^(1/2), x, algorithm="fricas")

[Out] integral((5*x^2 + 7)/sqrt(x^4 + 3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(x^4+3*x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)/sqrt(x^4 + 3*x^2 + 2), x)

maple [C] time = 0.00, size = 106, normalized size = 0.88

$$\frac{7i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{2\sqrt{x^4 + 3x^2 + 2}} + \frac{5i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \left(-\operatorname{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right) + \operatorname{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)\right)}{2\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)/(x^4+3*x^2+2)^(1/2),x)

[Out] 5/2*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-EllipticE(1/2*I*2^(1/2)*x,2^(1/2)))-7/2*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)/sqrt(x^4 + 3*x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{5x^2 + 7}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)/(3*x^2 + x^4 + 2)^(1/2),x)

[Out] int((5*x^2 + 7)/(3*x^2 + x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{\sqrt{(x^2 + 1)(x^2 + 2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)/(x**4+3*x**2+2)**(1/2),x)

[Out] Integral((5*x**2 + 7)/sqrt((x**2 + 1)*(x**2 + 2)), x)

$$3.303 \quad \int \frac{1}{\sqrt{2+3x^2+x^4}} dx$$

Optimal. Leaf size=48

$$\frac{(x^2 + 1) \sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x) \middle| \frac{1}{2}\right)}{\sqrt{2} \sqrt{x^4 + 3x^2 + 2}}$$

[Out] $1/2*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)}, 1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}$

Rubi [A] time = 0.01, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1099}

$$\frac{(x^2 + 1) \sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x) \middle| \frac{1}{2}\right)}{\sqrt{2} \sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[2 + 3*x^2 + x^4], x]

[Out] $((1 + x^2)*\text{Sqrt}[(2 + x^2)/(1 + x^2)]*EllipticF[\text{ArcTan}[x], 1/2]) / (\text{Sqrt}[2]*\text{Sqrt}[2 + 3*x^2 + x^4])$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx = \frac{(1 + x^2) \sqrt{\frac{2+x^2}{1+x^2}} F\left(\tan^{-1}(x) \middle| \frac{1}{2}\right)}{\sqrt{2} \sqrt{2 + 3x^2 + x^4}}$$

Mathematica [C] time = 0.01, size = 50, normalized size = 1.04

$$\frac{i\sqrt{x^2+1}\sqrt{x^2+2}F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)}{\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[2 + 3*x^2 + x^4], x]

[Out] ((-I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticF[I*ArcSinh[x/Sqrt[2]], 2])/Sqrt[2 + 3*x^2 + x^4]

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{\sqrt{x^4+3x^2+2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^4+3*x^2+2)^(1/2), x, algorithm="fricas")

[Out] integral(1/sqrt(x^4 + 3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4+3x^2+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^4+3*x^2+2)^(1/2), x, algorithm="giac")

[Out] integrate(1/sqrt(x^4 + 3*x^2 + 2), x)

maple [C] time = 0.00, size = 46, normalized size = 0.96

$$\frac{i\sqrt{2}\sqrt{2x^2+4}\sqrt{x^2+1}\text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{2\sqrt{x^4+3x^2+2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4+3*x^2+2)^(1/2), x)

[Out] -1/2*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x, 2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(x^4 + 3*x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(3*x^2 + x^4 + 2)^(1/2),x)

[Out] int(1/(3*x^2 + x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x**4+3*x**2+2)**(1/2),x)

[Out] Integral(1/sqrt(x**4 + 3*x**2 + 2), x)

$$3.304 \quad \int \frac{1}{(7+5x^2)\sqrt{2+3x^2+x^4}} dx$$

Optimal. Leaf size=106

$$\frac{(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{2\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{5(x^2+2)\Pi\left(\frac{2}{7};\tan^{-1}(x)\middle|\frac{1}{2}\right)}{14\sqrt{2}\sqrt{\frac{x^2+2}{x^2+1}}\sqrt{x^4+3x^2+2}}$$

[Out] $-5/28*(x^2+2)*(1/(x^2+1))^{(1/2)}*(x^2+1)^{(1/2)}*\text{EllipticPi}(x/(x^2+1)^{(1/2)}, 2/7, 1/2*2^{(1/2)})*2^{(1/2)}/((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+1/4*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*\text{EllipticF}(x/(x^2+1)^{(1/2)}, 1/2*2^{(1/2)})*2^{(1/2)}/((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1214, 1099, 1456, 539}

$$\frac{(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{2\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{5(x^2+2)\Pi\left(\frac{2}{7};\tan^{-1}(x)\middle|\frac{1}{2}\right)}{14\sqrt{2}\sqrt{\frac{x^2+2}{x^2+1}}\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)*Sqrt[2 + 3*x^2 + x^4]), x]

[Out] $((1+x^2)*\text{Sqrt}[(2+x^2)/(1+x^2)]*\text{EllipticF}[\text{ArcTan}[x], 1/2])/(2*\text{Sqrt}[2]*\text{Sqrt}[2+3*x^2+x^4]) - (5*(2+x^2)*\text{EllipticPi}[2/7, \text{ArcTan}[x], 1/2])/(14*\text{Sqrt}[2]*\text{Sqrt}[(2+x^2)/(1+x^2)]*\text{Sqrt}[2+3*x^2+x^4])$

Rule 539

Int[Sqrt[(c_) + (d_.)*(x_)^2]/((a_) + (b_.)*(x_)^2)*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Simp[(c*Sqrt[e + f*x^2]*EllipticPi[1 - (b*c)/(a*d), ArcTan[Rt[d/c, 2]*x], 1 - (c*f)/(d*e)])/(a*e*Rt[d/c, 2]*Sqrt[c + d*x^2]*Sqrt[(c*(e + f*x^2))/(e*(c + d*x^2)]), x] /; FreeQ[{a, b, c, d, e, f}, x] && PosQ[d/c]

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] &&

!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1214

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/(2*c*d - e*(b - q)), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/(2*c*d - e*(b - q)), Int[(b - q + 2*c*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && !LtQ[c, 0]

Rule 1456

Int[((d_) + (e_.)*(x_)^(n_))^(q_.)*((f_) + (g_.)*(x_)^(n_))^(r_.)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Dist[(a + b*x^n + c*x^(2*n))^FracPart[p]/((d + e*x^n)^FracPart[p]*(a/d + (c*x^n)/e)^FracPart[p]), Int[(d + e*x^n)^(p + q)*(f + g*x^n)^r*(a/d + (c*x^n)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q, r}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{1}{(7 + 5x^2)\sqrt{2 + 3x^2 + x^4}} dx &= \frac{1}{2} \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx - \frac{5}{4} \int \frac{2 + 2x^2}{(7 + 5x^2)\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{2\sqrt{2}\sqrt{2 + 3x^2 + x^4}} - \frac{\left(5\sqrt{1 + \frac{x^2}{2}}\sqrt{2 + 2x^2}\right) \int \frac{\sqrt{2+2x^2}}{\sqrt{1+\frac{x^2}{2}}(7+5x^2)} dx}{4\sqrt{2 + 3x^2 + x^4}} \\ &= \frac{(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{2\sqrt{2}\sqrt{2 + 3x^2 + x^4}} - \frac{5(2 + x^2)\Pi\left(\frac{2}{7}; \tan^{-1}(x)\middle|\frac{1}{2}\right)}{14\sqrt{2}\sqrt{\frac{2+x^2}{1+x^2}}\sqrt{2 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.10, size = 55, normalized size = 0.52

$$\frac{i\sqrt{x^2 + 1}\sqrt{x^2 + 2}\Pi\left(\frac{10}{7}; i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)}{7\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((7 + 5*x^2)*Sqrt[2 + 3*x^2 + x^4]),x]

[Out] ((-1/7*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticPi[10/7, I*ArcSinh[x/Sqrt[2]], 2])/Sqrt[2 + 3*x^2 + x^4]

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 2}}{5x^6 + 22x^4 + 31x^2 + 14}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(x^4+3*x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 2)/(5*x^6 + 22*x^4 + 31*x^2 + 14), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 2}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(x^4+3*x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 2)*(5*x^2 + 7)), x)

maple [C] time = 0.01, size = 47, normalized size = 0.44

$$\frac{i\sqrt{2} \sqrt{\frac{x^2}{2} + 1} \sqrt{x^2 + 1} \text{EllipticPi}\left(\frac{i\sqrt{2}x}{2}, \frac{10}{7}, \sqrt{2}\right)}{7\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5*x^2+7)/(x^4+3*x^2+2)^(1/2),x)

[Out] -1/7*I*2^(1/2)*(1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticPi(1/2*I*2^(1/2)*x, 10/7, 2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 2}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 2)*(5*x^2 + 7)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(5x^2 + 7) \sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((5*x^2 + 7)*(3*x^2 + x^4 + 2)^(1/2)),x)

[Out] int(1/((5*x^2 + 7)*(3*x^2 + x^4 + 2)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{(x^2 + 1)(x^2 + 2)} (5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x**2+7)/(x**4+3*x**2+2)**(1/2),x)

[Out] Integral(1/(sqrt((x**2 + 1)*(x**2 + 2))*(5*x**2 + 7)), x)

$$3.305 \quad \int \frac{1}{(7+5x^2)^2 \sqrt{2+3x^2+x^4}} dx$$

Optimal. Leaf size=209

$$\frac{25\sqrt{x^4+3x^2+2}x}{84(5x^2+7)} + \frac{5(x^2+2)x}{84\sqrt{x^4+3x^2+2}} + \frac{9(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{56\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{5(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{42\sqrt{2}\sqrt{x^4+3x^2+2}} \quad 6$$

[Out] 5/84*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)-65/2352*(x^2+2)*(1/(x^2+1))^(1/2)*(x^2+1)^(1/2)*EllipticPi(x/(x^2+1)^(1/2),2/7,1/2*2^(1/2))*2^(1/2)/((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)-5/84*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+9/112*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)-25/84*x*(x^4+3*x^2+2)^(1/2)/(5*x^2+7)

Rubi [A] time = 0.19, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1223, 1716, 1189, 1099, 1135, 1214, 1456, 539}

$$\frac{25\sqrt{x^4+3x^2+2}x}{84(5x^2+7)} + \frac{5(x^2+2)x}{84\sqrt{x^4+3x^2+2}} + \frac{9(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{56\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{5(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{42\sqrt{2}\sqrt{x^4+3x^2+2}} \quad 6$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)^2*Sqrt[2 + 3*x^2 + x^4]),x]

[Out] (5*x*(2 + x^2))/(84*Sqrt[2 + 3*x^2 + x^4]) - (25*x*Sqrt[2 + 3*x^2 + x^4])/(84*(7 + 5*x^2)) - (5*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/(42*Sqrt[2]*Sqrt[2 + 3*x^2 + x^4]) + (9*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(56*Sqrt[2]*Sqrt[2 + 3*x^2 + x^4]) - (65*(2 + x^2)*EllipticPi[2/7, ArcTan[x], 1/2])/(1176*Sqrt[2]*Sqrt[(2 + x^2)/(1 + x^2)]*Sqrt[2 + 3*x^2 + x^4])

Rule 539

Int[Sqrt[(c_) + (d_)*(x_)^2]/(((a_) + (b_)*(x_)^2)*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Simp[(c*Sqrt[e + f*x^2]*EllipticPi[1 - (b*c)/(a*d), ArcTan[Rt[d/c, 2]*x], 1 - (c*f)/(d*e)]/(a*e*Rt[d/c, 2]*Sqrt[c + d*x^2]*Sqrt[(c*(e + f*x^2))/(e*(c + d*x^2)])), x] /; FreeQ[{a, b, c, d, e, f}, x] && PosQ[d/c]

Rule 1099

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1214

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/(2*c*d - e*(b - q)), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/(2*c*d - e*(b - q)), Int[(b - q + 2*c*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && !LtQ[c, 0]
```

Rule 1223

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x]/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]
```

Rule 1456


```
Int[((d_) + (e_)*(x_)^(n_))^(q_)*((f_) + (g_)*(x_)^(n_))^(r_)*((a_) + (
b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := Dist[(a + b*x^n + c*x
^(2*n))^FracPart[p]/((d + e*x^n)^FracPart[p]*(a/d + (c*x^n)/e)^FracPart[p])
, Int[(d + e*x^n)^(p + q)*(f + g*x^n)^r*(a/d + (c*x^n)/e)^p, x], x] /; Free
Q[{a, b, c, d, e, f, g, n, p, q, r}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c,
0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p]
```

Rule 1716

```
Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4])
, x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[
P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c
*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a
+ b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2,
2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 -
a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(7+5x^2)^2 \sqrt{2+3x^2+x^4}} dx &= -\frac{25x\sqrt{2+3x^2+x^4}}{84(7+5x^2)} + \frac{1}{84} \int \frac{62+70x^2+25x^4}{(7+5x^2)\sqrt{2+3x^2+x^4}} dx \\
&= -\frac{25x\sqrt{2+3x^2+x^4}}{84(7+5x^2)} - \frac{\int \frac{-175-125x^2}{\sqrt{2+3x^2+x^4}} dx}{2100} + \frac{13}{84} \int \frac{1}{(7+5x^2)\sqrt{2+3x^2+x^4}} dx \\
&= -\frac{25x\sqrt{2+3x^2+x^4}}{84(7+5x^2)} + \frac{5}{84} \int \frac{x^2}{\sqrt{2+3x^2+x^4}} dx + \frac{13}{168} \int \frac{1}{\sqrt{2+3x^2+x^4}} dx \\
&= \frac{5x(2+x^2)}{84\sqrt{2+3x^2+x^4}} - \frac{25x\sqrt{2+3x^2+x^4}}{84(7+5x^2)} - \frac{5(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{42\sqrt{2}\sqrt{2+3x^2+x^4}} + \\
&= \frac{5x(2+x^2)}{84\sqrt{2+3x^2+x^4}} - \frac{25x\sqrt{2+3x^2+x^4}}{84(7+5x^2)} - \frac{5(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{42\sqrt{2}\sqrt{2+3x^2+x^4}} +
\end{aligned}$$

Mathematica [C] time = 0.26, size = 208, normalized size = 1.00

$$-175x^5 - 525x^3 - 14i\sqrt{x^2+1}\sqrt{x^2+2}(5x^2+7)F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) - 35i\sqrt{x^2+1}\sqrt{x^2+2}(5x^2+7)E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((7 + 5*x^2)^2*Sqrt[2 + 3*x^2 + x^4]),x]

[Out] (-350*x - 525*x^3 - 175*x^5 - (35*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(7 + 5*x^2)*EllipticE[I*ArcSinh[x/Sqrt[2]], 2] - (14*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(7 + 5*x^2)*EllipticF[I*ArcSinh[x/Sqrt[2]], 2] - (91*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticPi[10/7, I*ArcSinh[x/Sqrt[2]], 2] - (65*I)*x^2*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticPi[10/7, I*ArcSinh[x/Sqrt[2]], 2])/(588*(7 + 5*x^2)*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{x^4 + 3x^2 + 2}}{25x^8 + 145x^6 + 309x^4 + 287x^2 + 98}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^2/(x^4+3*x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 2)/(25*x^8 + 145*x^6 + 309*x^4 + 287*x^2 + 98), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 2} (5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^2/(x^4+3*x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 2)*(5*x^2 + 7)^2), x)

maple [C] time = 0.02, size = 162, normalized size = 0.78

$$\frac{25\sqrt{x^4 + 3x^2 + 2} x}{84(5x^2 + 7)} - \frac{5i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{168\sqrt{x^4 + 3x^2 + 2}} - \frac{i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{84\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5*x^2+7)^2/(x^4+3*x^2+2)^(1/2),x)

[Out] -25/84*(x^4+3*x^2+2)^(1/2)/(5*x^2+7)*x-1/84*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-5/168*I*2^(1/2)*

$\frac{1}{2}*(2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}*EllipticE(1/2*I*2^{(1/2)}*x, 2^{(1/2)})-13/588*I*2^{(1/2)}*(1/2*x^2+1)^{(1/2)}*(x^2+1)^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}*EllipticPi(1/2*I*2^{(1/2)}*x, 10/7, 2^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 2} (5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^2/(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 2)*(5*x^2 + 7)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(5x^2 + 7)^2 \sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((5*x^2 + 7)^2*(3*x^2 + x^4 + 2)^(1/2)),x)

[Out] int(1/((5*x^2 + 7)^2*(3*x^2 + x^4 + 2)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{(x^2 + 1)(x^2 + 2)} (5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x**2+7)**2/(x**4+3*x**2+2)**(1/2),x)

[Out] Integral(1/(sqrt((x**2 + 1)*(x**2 + 2))*(5*x**2 + 7)**2), x)

$$3.306 \quad \int \frac{1}{(7+5x^2)^3 \sqrt{2+3x^2+x^4}} dx$$

Optimal. Leaf size=237

$$\frac{325\sqrt{x^4+3x^2+2}x}{4704(5x^2+7)} - \frac{25\sqrt{x^4+3x^2+2}x}{168(5x^2+7)^2} + \frac{65(x^2+2)x}{4704\sqrt{x^4+3x^2+2}} + \frac{631(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{9408\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{65(x^2+1)}{2352}$$

[Out] 65/4704*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)-2525/131712*(x^2+2)*(1/(x^2+1))^(1/2)*
*(x^2+1)^(1/2)*EllipticPi(x/(x^2+1)^(1/2),2/7,1/2*2^(1/2))*2^(1/2)/((x^2+2)
/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)-65/4704*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)
*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)+631/18816*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)-25/168*x*(x^4+3*x^2+2)^(1/2)/(5*x^2+7)^2-325/4704*x*(x^4+3*x^2+2)^(1/2)/(5*x^2+7)

Rubi [A] time = 0.25, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1223, 1696, 1716, 1189, 1099, 1135, 1214, 1456, 539}

$$\frac{325\sqrt{x^4+3x^2+2}x}{4704(5x^2+7)} - \frac{25\sqrt{x^4+3x^2+2}x}{168(5x^2+7)^2} + \frac{65(x^2+2)x}{4704\sqrt{x^4+3x^2+2}} + \frac{631(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{9408\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{65(x^2+1)}{2352}$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)^3*Sqrt[2 + 3*x^2 + x^4]),x]

[Out] (65*x*(2 + x^2))/(4704*Sqrt[2 + 3*x^2 + x^4]) - (25*x*Sqrt[2 + 3*x^2 + x^4])/(168*(7 + 5*x^2)^2) - (325*x*Sqrt[2 + 3*x^2 + x^4])/(4704*(7 + 5*x^2)) - (65*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/(2352*Sqrt[2]*Sqrt[2 + 3*x^2 + x^4]) + (631*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(9408*Sqrt[2]*Sqrt[2 + 3*x^2 + x^4]) - (2525*(2 + x^2)*EllipticPi[2/7, ArcTan[x], 1/2])/(65856*Sqrt[2]*Sqrt[(2 + x^2)/(1 + x^2)])*Sqrt[2 + 3*x^2 + x^4])

Rule 539

Int[Sqrt[(c_) + (d_.)*(x_)^2]/(((a_) + (b_.)*(x_)^2)*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Simp[(c*Sqrt[e + f*x^2]*EllipticPi[1 - (b*c)/(a*d), ArcTan[Rt[d/c, 2]*x], 1 - (c*f)/(d*e)])/(a*e*Rt[d/c, 2]*Sqrt[c + d*x^2]*Sqrt[(c*(e + f*x^2))/(e*(c + d*x^2))]), x] /; FreeQ[{a, b, c, d, e, f}, x] && PosQ

[d/c]

Rule 1099

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1214

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/(2*c*d - e*(b - q)), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/(2*c*d - e*(b - q)), Int[(b - q + 2*c*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && !LtQ[c, 0]
```

Rule 1223

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c
```

, 0] && ILtQ[q, -1]

Rule 1456

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_.)*((f_) + (g_.)*(x_)^(n_))^(r_.)*((a_) + (
b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Dist[(a + b*x^n + c*x
^(2*n))^FracPart[p]/((d + e*x^n)^FracPart[p]*(a/d + (c*x^n)/e)^FracPart[p])
, Int[(d + e*x^n)^(p + q)*(f + g*x^n)^r*(a/d + (c*x^n)/e)^p, x], x] /; Free
Q[{a, b, c, d, e, f, g, n, p, q, r}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c,
0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p]
```

Rule 1696

```
Int[((P4x_)*((d_) + (e_.)*(x_)^2)^(q_))/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x
_)^4], x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = C
oeff[P4x, x, 4]}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt
[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*
d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d
- B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b*
e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e
+ A*e^2)*(2*q + 5)*x^4, x)]/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b
, c, d, e}, x] && PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[b^2 - 4*a
*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, -1]
```

Rule 1716

```
Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4])
, x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[
P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c
*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a
+ b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2,
2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 -
a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(7+5x^2)^3 \sqrt{2+3x^2+x^4}} dx &= -\frac{25x\sqrt{2+3x^2+x^4}}{168(7+5x^2)^2} + \frac{1}{168} \int \frac{74-10x^2-25x^4}{(7+5x^2)^2 \sqrt{2+3x^2+x^4}} dx \\
&= -\frac{25x\sqrt{2+3x^2+x^4}}{168(7+5x^2)^2} - \frac{325x\sqrt{2+3x^2+x^4}}{4704(7+5x^2)} + \frac{\int \frac{2838+2310x^2+975x^4}{(7+5x^2)\sqrt{2+3x^2+x^4}} dx}{14112} \\
&= -\frac{25x\sqrt{2+3x^2+x^4}}{168(7+5x^2)^2} - \frac{325x\sqrt{2+3x^2+x^4}}{4704(7+5x^2)} - \frac{\int \frac{-4725-4875x^2}{\sqrt{2+3x^2+x^4}} dx}{352800} + \frac{505 \int \frac{1}{(7+5x^2)^2} dx}{14112} \\
&= -\frac{25x\sqrt{2+3x^2+x^4}}{168(7+5x^2)^2} - \frac{325x\sqrt{2+3x^2+x^4}}{4704(7+5x^2)} + \frac{3}{224} \int \frac{1}{\sqrt{2+3x^2+x^4}} dx + \frac{65(1+x^2)}{2352\sqrt{2+3x^2+x^4}} \\
&= \frac{65x(2+x^2)}{4704\sqrt{2+3x^2+x^4}} - \frac{25x\sqrt{2+3x^2+x^4}}{168(7+5x^2)^2} - \frac{325x\sqrt{2+3x^2+x^4}}{4704(7+5x^2)} - \frac{65(1+x^2)}{2352\sqrt{2+3x^2+x^4}} \\
&= \frac{65x(2+x^2)}{4704\sqrt{2+3x^2+x^4}} - \frac{25x\sqrt{2+3x^2+x^4}}{168(7+5x^2)^2} - \frac{325x\sqrt{2+3x^2+x^4}}{4704(7+5x^2)} - \frac{65(1+x^2)}{2352\sqrt{2+3x^2+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.34, size = 186, normalized size = 0.78

$$\frac{14i\sqrt{x^2+1}\sqrt{x^2+2}(5x^2+7)^2 F\left(i \sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) - 455i\sqrt{x^2+1}\sqrt{x^2+2}(5x^2+7)^2 E\left(i \sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) - 505 \int \frac{1}{(7+5x^2)^2} dx}{32928(5x^2+7)^2 \sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((7 + 5*x^2)^3*Sqrt[2 + 3*x^2 + x^4]),x]

[Out] (-175*x*(238 + 487*x^2 + 314*x^4 + 65*x^6) - (455*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(7 + 5*x^2)^2*EllipticE[I*ArcSinh[x/Sqrt[2]]], 2] + (14*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(7 + 5*x^2)^2*EllipticF[I*ArcSinh[x/Sqrt[2]]], 2] - (505*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(7 + 5*x^2)^2*EllipticPi[10/7, I*ArcSinh[x/Sqrt[2]]], 2))/(32928*(7 + 5*x^2)^2*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4+3x^2+2}}{125x^{10}+900x^8+2560x^6+3598x^4+2499x^2+686}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(x^4+3*x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 2)/(125*x^10 + 900*x^8 + 2560*x^6 + 3598*x^4 + 2499*x^2 + 686), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 2} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(x^4+3*x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 2)*(5*x^2 + 7)^3), x)

maple [C] time = 0.02, size = 186, normalized size = 0.78

$$-\frac{25\sqrt{x^4 + 3x^2 + 2} x}{168(5x^2 + 7)^2} - \frac{325\sqrt{x^4 + 3x^2 + 2} x}{4704(5x^2 + 7)} - \frac{65i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{9408\sqrt{x^4 + 3x^2 + 2}} + \frac{i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{4704\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5*x^2+7)^3/(x^4+3*x^2+2)^(1/2),x)

[Out] -25/168*(x^4+3*x^2+2)^(1/2)/(5*x^2+7)^2*x-325/4704*(x^4+3*x^2+2)^(1/2)/(5*x^2+7)*x+1/4704*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-65/9408*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticE(1/2*I*2^(1/2)*x,2^(1/2))-505/32928*I*2^(1/2)*(1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticPi(1/2*I*2^(1/2)*x,10/7,2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 2} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 2)*(5*x^2 + 7)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(5x^2 + 7)^3 \sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((5*x^2 + 7)^3*(3*x^2 + x^4 + 2)^(1/2)), x)`

[Out] `int(1/((5*x^2 + 7)^3*(3*x^2 + x^4 + 2)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{(x^2 + 1)(x^2 + 2)} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(5*x**2+7)**3/(x**4+3*x**2+2)**(1/2), x)`

[Out] `Integral(1/(sqrt((x**2 + 1)*(x**2 + 2))*(5*x**2 + 7)**3), x)`

$$3.307 \quad \int \frac{(7+5x^2)^5}{(2+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=189

$$\frac{5000}{3} \sqrt{x^4 + 3x^2 + 2} x + \frac{7679(x^2 + 2)x}{2\sqrt{x^4 + 3x^2 + 2}} - \frac{(179x^2 + 115)x}{2\sqrt{x^4 + 3x^2 + 2}} + \frac{15383(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x) \middle| \frac{1}{2}\right)}{3\sqrt{2}\sqrt{x^4 + 3x^2 + 2}} - \frac{7679(x^2 + 1)}{\sqrt{2}\sqrt{x^4 + 3x^2 + 2}}$$

[Out] $7679/2*x*(x^2+2)/(x^4+3*x^2+2)^{(1/2)}-1/2*x*(179*x^2+115)/(x^4+3*x^2+2)^{(1/2)}-7679/2*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticE(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+15383/6*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+5000/3*x*(x^4+3*x^2+2)^{(1/2)}+625*x^3*(x^4+3*x^2+2)^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1205, 1679, 1189, 1099, 1135}

$$625\sqrt{x^4 + 3x^2 + 2} x^3 + \frac{5000}{3} \sqrt{x^4 + 3x^2 + 2} x + \frac{7679(x^2 + 2)x}{2\sqrt{x^4 + 3x^2 + 2}} - \frac{(179x^2 + 115)x}{2\sqrt{x^4 + 3x^2 + 2}} + \frac{15383(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x) \middle| \frac{1}{2}\right)}{3\sqrt{2}\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^5/(2 + 3*x^2 + x^4)^(3/2), x]

[Out] $(7679*x*(2 + x^2))/(2*\text{Sqrt}[2 + 3*x^2 + x^4]) - (x*(115 + 179*x^2))/(2*\text{Sqrt}[2 + 3*x^2 + x^4]) + (5000*x*\text{Sqrt}[2 + 3*x^2 + x^4])/3 + 625*x^3*\text{Sqrt}[2 + 3*x^2 + x^4] - (7679*(1 + x^2)*\text{Sqrt}[(2 + x^2)/(1 + x^2)]*EllipticE[\text{ArcTan}[x], 1/2])/(Sqrt[2]*\text{Sqrt}[2 + 3*x^2 + x^4]) + (15383*(1 + x^2)*\text{Sqrt}[(2 + x^2)/(1 + x^2)]*EllipticF[\text{ArcTan}[x], 1/2])/(3*\text{Sqrt}[2]*\text{Sqrt}[2 + 3*x^2 + x^4])$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
  4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q
  )*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
  /(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
  (b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b,
  c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1205

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{f = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*g - f*(b^2 - 2*a*c) - c*(b*f - 2*a*g)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[(d + e*x^2)^q, a + b*x^2 + c*x^4, x] + b^2*f*(2*p + 3) - 2*a*c*f*(4*p + 5) - a*b*g + c*(4*p + 7)*(b*f - 2*a*g)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1] && LtQ[p, -1]
```

Rule 1679

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{q = Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*x^(2*q), x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(7+5x^2)^5}{(2+3x^2+x^4)^{3/2}} dx &= -\frac{x(115+179x^2)}{2\sqrt{2+3x^2+x^4}} - \frac{1}{2} \int \frac{-16922-35179x^2-25000x^4-6250x^6}{\sqrt{2+3x^2+x^4}} dx \\
&= -\frac{x(115+179x^2)}{2\sqrt{2+3x^2+x^4}} + 625x^3\sqrt{2+3x^2+x^4} - \frac{1}{10} \int \frac{-84610-138395x^2-50000x^4}{\sqrt{2+3x^2+x^4}} dx \\
&= -\frac{x(115+179x^2)}{2\sqrt{2+3x^2+x^4}} + \frac{5000}{3}x\sqrt{2+3x^2+x^4} + 625x^3\sqrt{2+3x^2+x^4} - \frac{1}{30} \int \frac{-153830-}{\sqrt{2+3x^2+x^4}} dx \\
&= -\frac{x(115+179x^2)}{2\sqrt{2+3x^2+x^4}} + \frac{5000}{3}x\sqrt{2+3x^2+x^4} + 625x^3\sqrt{2+3x^2+x^4} + \frac{7679}{2} \int \frac{x^2}{\sqrt{2+3x^2+x^4}} dx \\
&= \frac{7679x(2+x^2)}{2\sqrt{2+3x^2+x^4}} - \frac{x(115+179x^2)}{2\sqrt{2+3x^2+x^4}} + \frac{5000}{3}x\sqrt{2+3x^2+x^4} + 625x^3\sqrt{2+3x^2+x^4} -
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^5/(2 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(3125x^{10} + 21875x^8 + 61250x^6 + 85750x^4 + 60025x^2 + 16807)\sqrt{x^4 + 3x^2 + 2}}{x^8 + 6x^6 + 13x^4 + 12x^2 + 4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^5/(x^4+3*x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral((3125*x^10 + 21875*x^8 + 61250*x^6 + 85750*x^4 + 60025*x^2 + 16807)*sqrt(x^4 + 3*x^2 + 2)/(x^8 + 6*x^6 + 13*x^4 + 12*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2+7)^5}{(x^4+3x^2+2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^5/(x^4+3*x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^5/(x^4 + 3*x^2 + 2)^(3/2), x)

maple [C] time = 0.04, size = 274, normalized size = 1.45

$$625\sqrt{x^4 + 3x^2 + 2} x^3 + \frac{5000\sqrt{x^4 + 3x^2 + 2} x}{3} - \frac{15383i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{6\sqrt{x^4 + 3x^2 + 2}} - \frac{6250\left(\frac{17}{2}x^3\right)}{\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^5/(x^4+3*x^2+2)^(3/2),x)

[Out] $-6250*(17/2*x^3+9*x)/(x^4+3*x^2+2)^{(1/2)}+625*(x^4+3*x^2+2)^{(1/2)}*x^3+5000/3$
 $* (x^4+3*x^2+2)^{(1/2)}*x+7679/4*I*2^{(1/2)}*(2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)}/(x^4+$
 $3*x^2+2)^{(1/2)}*(\operatorname{EllipticF}(1/2*I*2^{(1/2)}*x, 2^{(1/2)})-\operatorname{EllipticE}(1/2*I*2^{(1/2)}*$
 $x, 2^{(1/2)}))-15383/6*I*2^{(1/2)}*(2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)}/(x^4+3*x^2+2)^{($
 $1/2)*\operatorname{EllipticF}(1/2*I*2^{(1/2)}*x, 2^{(1/2)})-43750*(-9/2*x^3-5*x)/(x^4+3*x^2+2)^{($
 $1/2)-122500*(5/2*x^3+3*x)/(x^4+3*x^2+2)^{(1/2)}-171500*(-3/2*x^3-2*x)/(x^4+3$
 $*x^2+2)^{(1/2)}-120050*(x^3+3/2*x)/(x^4+3*x^2+2)^{(1/2)}-33614*(-3/4*x^3-5/4*x)$
 $/(x^4+3*x^2+2)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^5}{(x^4 + 3x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^5/(x^4+3*x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^5/(x^4 + 3*x^2 + 2)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(5x^2 + 7)^5}{(x^4 + 3x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^5/(3*x^2 + x^4 + 2)^(3/2),x)

```
[Out] int((5*x^2 + 7)^5/(3*x^2 + x^4 + 2)^(3/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{(5x^2 + 7)^5}{((x^2 + 1)(x^2 + 2))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((5*x**2+7)**5/(x**4+3*x**2+2)**(3/2), x)
```

```
[Out] Integral((5*x**2 + 7)**5/((x**2 + 1)*(x**2 + 2))**(3/2), x)
```

$$3.308 \quad \int \frac{(7+5x^2)^4}{(2+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=170

$$\frac{625}{3} \sqrt{x^4 + 3x^2 + 2} x + \frac{637(x^2 + 2)x}{2\sqrt{x^4 + 3x^2 + 2}} + \frac{(113x^2 + 145)x}{2\sqrt{x^4 + 3x^2 + 2}} + \frac{1067\sqrt{2}(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{3\sqrt{x^4 + 3x^2 + 2}} - \frac{637(x^2 + 1)}{\sqrt{2}}$$

[Out] 637/2*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)+1/2*x*(113*x^2+145)/(x^4+3*x^2+2)^(1/2)
-637/2*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))
) * 2^(1/2) * ((x^2+2)/(x^2+1))^(1/2) / (x^4+3*x^2+2)^(1/2) + 1067/3*(x^2+1)^(3/2)
*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2)) * 2^(1/2) * ((x^2+2)/
(x^2+1))^(1/2) / (x^4+3*x^2+2)^(1/2) + 625/3*x*(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1205, 1679, 1189, 1099, 1135}

$$\frac{625}{3} \sqrt{x^4 + 3x^2 + 2} x + \frac{637(x^2 + 2)x}{2\sqrt{x^4 + 3x^2 + 2}} + \frac{(113x^2 + 145)x}{2\sqrt{x^4 + 3x^2 + 2}} + \frac{1067\sqrt{2}(x^2 + 1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{3\sqrt{x^4 + 3x^2 + 2}} - \frac{637(x^2 + 1)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^4/(2 + 3*x^2 + x^4)^(3/2), x]

[Out] (637*x*(2 + x^2))/(2*Sqrt[2 + 3*x^2 + x^4]) + (x*(145 + 113*x^2))/(2*Sqrt[2 + 3*x^2 + x^4]) + (625*x*Sqrt[2 + 3*x^2 + x^4])/3 - (637*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/(Sqrt[2]*Sqrt[2 + 3*x^2 + x^4]) + (1067*Sqrt[2]*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(3*Sqrt[2 + 3*x^2 + x^4])

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
  4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q
  )*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
  /(b + q))]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
  (b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b,
  c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
  x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a
] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1205

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x
_Symbol] := With[{f = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 +
c*x^4, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 +
c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*g - f*(b^2 - 2*
a*c) - c*(b*f - 2*a*g)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*
(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p
+ 1)*(b^2 - 4*a*c)*PolynomialQuotient[(d + e*x^2)^q, a + b*x^2 + c*x^4, x]
+ b^2*f*(2*p + 3) - 2*a*c*f*(4*p + 5) - a*b*g + c*(4*p + 7)*(b*f - 2*a*g)*x
^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[
c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1] && LtQ[p, -1]
```

Rule 1679

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{q =
  Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(
  a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p
  + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*
  q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*
  x^(2*q), x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[P
  q, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(7+5x^2)^4}{(2+3x^2+x^4)^{3/2}} dx &= \frac{x(145+113x^2)}{2\sqrt{2+3x^2+x^4}} - \frac{1}{2} \int \frac{-2256-3137x^2-1250x^4}{\sqrt{2+3x^2+x^4}} dx \\
&= \frac{x(145+113x^2)}{2\sqrt{2+3x^2+x^4}} + \frac{625}{3}x\sqrt{2+3x^2+x^4} - \frac{1}{6} \int \frac{-4268-1911x^2}{\sqrt{2+3x^2+x^4}} dx \\
&= \frac{x(145+113x^2)}{2\sqrt{2+3x^2+x^4}} + \frac{625}{3}x\sqrt{2+3x^2+x^4} + \frac{637}{2} \int \frac{x^2}{\sqrt{2+3x^2+x^4}} dx + \frac{2134}{3} \int \frac{1}{\sqrt{2+3x^2+x^4}} dx \\
&= \frac{637x(2+x^2)}{2\sqrt{2+3x^2+x^4}} + \frac{x(145+113x^2)}{2\sqrt{2+3x^2+x^4}} + \frac{625}{3}x\sqrt{2+3x^2+x^4} - \frac{637(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\sqrt{\frac{2+x^2}{1+x^2}}\right)}{\sqrt{2}\sqrt{2+3x^2+x^4}}
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^4/(2 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(625x^8 + 3500x^6 + 7350x^4 + 6860x^2 + 2401)\sqrt{x^4 + 3x^2 + 2}}{x^8 + 6x^6 + 13x^4 + 12x^2 + 4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4/(x^4+3*x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral((625*x^8 + 3500*x^6 + 7350*x^4 + 6860*x^2 + 2401)*sqrt(x^4 + 3*x^2 + 2)/(x^8 + 6*x^6 + 13*x^4 + 12*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2+7)^4}{(x^4+3x^2+2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4/(x^4+3*x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^4/(x^4 + 3*x^2 + 2)^(3/2), x)

maple [C] time = 0.01, size = 234, normalized size = 1.38

$$\frac{625\sqrt{x^4 + 3x^2 + 2} x}{3} - \frac{1067i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{3\sqrt{x^4 + 3x^2 + 2}} - \frac{1250\left(-\frac{9}{2}x^3 - 5x\right)}{\sqrt{x^4 + 3x^2 + 2}} + \frac{637i\sqrt{2} \sqrt{2x^2 + 4}}{\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^4/(x^4+3*x^2+2)^(3/2),x)

[Out] -1250*(-9/2*x^3-5*x)/(x^4+3*x^2+2)^(1/2)+625/3*(x^4+3*x^2+2)^(1/2)*x+637/4*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-EllipticE(1/2*I*2^(1/2)*x,2^(1/2)))-1067/3*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-7000*(5/2*x^3+3*x)/(x^4+3*x^2+2)^(1/2)-14700*(-3/2*x^3-2*x)/(x^4+3*x^2+2)^(1/2)-13720*(x^3+3/2*x)/(x^4+3*x^2+2)^(1/2)-4802*(-3/4*x^3-5/4*x)/(x^4+3*x^2+2)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^4}{(x^4 + 3x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4/(x^4+3*x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^4/(x^4 + 3*x^2 + 2)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(5x^2 + 7)^4}{(x^4 + 3x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^4/(3*x^2 + x^4 + 2)^(3/2),x)

[Out] int((5*x^2 + 7)^4/(3*x^2 + x^4 + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^4}{((x^2 + 1)(x^2 + 2))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**4/(x**4+3*x**2+2)**(3/2), x)

[Out] Integral((5*x**2 + 7)**4/((x**2 + 1)*(x**2 + 2))**(3/2), x)

$$3.309 \quad \int \frac{(7+5x^2)^3}{(2+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=149

$$\frac{x(5-11x^2)}{2\sqrt{x^4+3x^2+2}} + \frac{261x(x^2+2)}{2\sqrt{x^4+3x^2+2}} + \frac{169(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{261(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}}$$

[Out] $1/2*x*(-11*x^2+5)/(x^4+3*x^2+2)^{(1/2)}+261/2*x*(x^2+2)/(x^4+3*x^2+2)^{(1/2)}-261/2*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticE(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+169/2*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1205, 1189, 1099, 1135}

$$\frac{x(5-11x^2)}{2\sqrt{x^4+3x^2+2}} + \frac{261x(x^2+2)}{2\sqrt{x^4+3x^2+2}} + \frac{169(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{261(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^3/(2 + 3*x^2 + x^4)^(3/2), x]

[Out] $(x*(5-11*x^2))/(2*\text{Sqrt}[2+3*x^2+x^4])+(261*x*(2+x^2))/(2*\text{Sqrt}[2+3*x^2+x^4])-(261*(1+x^2)*\text{Sqrt}[(2+x^2)/(1+x^2)]*EllipticE[\text{ArcTan}[x],1/2])/(Sqrt[2]*\text{Sqrt}[2+3*x^2+x^4])+(169*(1+x^2)*\text{Sqrt}[(2+x^2)/(1+x^2)]*EllipticF[\text{ArcTan}[x],1/2])/(Sqrt[2]*\text{Sqrt}[2+3*x^2+x^4])$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4])]

4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1189

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1205

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{f = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*g - f*(b^2 - 2*a*c) - c*(b*f - 2*a*g)*x^2)/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[(d + e*x^2)^q, a + b*x^2 + c*x^4, x] + b^2*f*(2*p + 3) - 2*a*c*f*(4*p + 5) - a*b*g + c*(4*p + 7)*(b*f - 2*a*g)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1] && LtQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{(7 + 5x^2)^3}{(2 + 3x^2 + x^4)^{3/2}} dx &= \frac{x(5 - 11x^2)}{2\sqrt{2 + 3x^2 + x^4}} - \frac{1}{2} \int \frac{-338 - 261x^2}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{x(5 - 11x^2)}{2\sqrt{2 + 3x^2 + x^4}} + \frac{261}{2} \int \frac{x^2}{\sqrt{2 + 3x^2 + x^4}} dx + 169 \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{x(5 - 11x^2)}{2\sqrt{2 + 3x^2 + x^4}} + \frac{261x(2 + x^2)}{2\sqrt{2 + 3x^2 + x^4}} - \frac{261(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{2 + 3x^2 + x^4}} + \frac{169(1 + \sqrt{2 + 3x^2 + x^4})}{\sqrt{2}\sqrt{2 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^3/(2 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(125x^6 + 525x^4 + 735x^2 + 343)\sqrt{x^4 + 3x^2 + 2}}{x^8 + 6x^6 + 13x^4 + 12x^2 + 4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(x^4+3*x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral((125*x^6 + 525*x^4 + 735*x^2 + 343)*sqrt(x^4 + 3*x^2 + 2)/(x^8 + 6*x^6 + 13*x^4 + 12*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{(x^4 + 3x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(x^4+3*x^2+2)^(3/2), x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^3/(x^4 + 3*x^2 + 2)^(3/2), x)

maple [C] time = 0.01, size = 196, normalized size = 1.32

$$-\frac{169i\sqrt{2}\sqrt{2x^2+4}\sqrt{x^2+1}\text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{2\sqrt{x^4+3x^2+2}} - \frac{250\left(\frac{5}{2}x^3+3x\right)}{\sqrt{x^4+3x^2+2}} + \frac{261i\sqrt{2}\sqrt{2x^2+4}\sqrt{x^2+1}\left(-\text{EllipticE}\left(\frac{i}{2}\right)\right)}{4\sqrt{x^4+3x^2+2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^3/(x^4+3*x^2+2)^(3/2), x)

[Out] -250*(5/2*x^3+3*x)/(x^4+3*x^2+2)^(1/2)-169/2*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x, 2^(1/2))+261/4*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x, 2^(1/2))-EllipticE(1/2*I*2^(1/2)*x, 2^(1/2)))-1050*(-3/2*x^3-2*x)/(x^4+3*x^2+2)^(1/2)-1470*(x^3+3/2*x)/(x^4+3*x^2+2)^(1/2)-686*(-3/4*x^3-5/4*x)/(x^4+3*x^2+2)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{(x^4 + 3x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(x^4+3*x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^3/(x^4 + 3*x^2 + 2)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(5x^2 + 7)^3}{(x^4 + 3x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^3/(3*x^2 + x^4 + 2)^(3/2), x)

[Out] int((5*x^2 + 7)^3/(3*x^2 + x^4 + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{((x^2 + 1)(x^2 + 2))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**3/(x**4+3*x**2+2)**(3/2), x)

[Out] Integral((5*x**2 + 7)**3/((x**2 + 1)*(x**2 + 2))**(3/2), x)

$$3.310 \quad \int \frac{(7+5x^2)^2}{(2+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=149

$$-\frac{17x(x^2+2)}{2\sqrt{x^4+3x^2+2}} + \frac{x(17x^2+25)}{2\sqrt{x^4+3x^2+2}} + \frac{6\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4+3x^2+2}} + \frac{17(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}}$$

[Out] $-17/2*x*(x^2+2)/(x^4+3*x^2+2)^{(1/2)}+1/2*x*(17*x^2+25)/(x^4+3*x^2+2)^{(1/2)}+17/2*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticE(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+6*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1205, 1189, 1099, 1135}

$$-\frac{17x(x^2+2)}{2\sqrt{x^4+3x^2+2}} + \frac{x(17x^2+25)}{2\sqrt{x^4+3x^2+2}} + \frac{6\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4+3x^2+2}} + \frac{17(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^2/(2 + 3*x^2 + x^4)^(3/2), x]

[Out] $(-17*x*(2+x^2))/(2*\text{Sqrt}[2+3*x^2+x^4])+(x*(25+17*x^2))/(2*\text{Sqrt}[2+3*x^2+x^4])+(17*(1+x^2)*\text{Sqrt}[(2+x^2)/(1+x^2)]*EllipticE[\text{ArcTan}[x],1/2])/(Sqrt[2]*\text{Sqrt}[2+3*x^2+x^4])+(6*\text{Sqrt}[2]*(1+x^2)*\text{Sqrt}[(2+x^2)/(1+x^2)]*EllipticF[\text{ArcTan}[x],1/2])/Sqrt[2+3*x^2+x^4]$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)]) /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^2])]

4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1189

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1205

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{f = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*g - f*(b^2 - 2*a*c) - c*(b*f - 2*a*g)*x^2)/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[(d + e*x^2)^q, a + b*x^2 + c*x^4, x] + b^2*f*(2*p + 3) - 2*a*c*f*(4*p + 5) - a*b*g + c*(4*p + 7)*(b*f - 2*a*g)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1] && LtQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{(7 + 5x^2)^2}{(2 + 3x^2 + x^4)^{3/2}} dx &= \frac{x(25 + 17x^2)}{2\sqrt{2 + 3x^2 + x^4}} - \frac{1}{2} \int \frac{-24 + 17x^2}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{x(25 + 17x^2)}{2\sqrt{2 + 3x^2 + x^4}} - \frac{17}{2} \int \frac{x^2}{\sqrt{2 + 3x^2 + x^4}} dx + 12 \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= -\frac{17x(2 + x^2)}{2\sqrt{2 + 3x^2 + x^4}} + \frac{x(25 + 17x^2)}{2\sqrt{2 + 3x^2 + x^4}} + \frac{17(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{2 + 3x^2 + x^4}} + \frac{6\sqrt{2}}{1} \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^2/(2 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(25x^4 + 70x^2 + 49)\sqrt{x^4 + 3x^2 + 2}}{x^8 + 6x^6 + 13x^4 + 12x^2 + 4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(x^4+3*x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral((25*x^4 + 70*x^2 + 49)*sqrt(x^4 + 3*x^2 + 2)/(x^8 + 6*x^6 + 13*x^4 + 12*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{(x^4 + 3x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(x^4+3*x^2+2)^(3/2), x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^2/(x^4 + 3*x^2 + 2)^(3/2), x)

maple [C] time = 0.01, size = 173, normalized size = 1.16

$$\frac{6i\sqrt{2}\sqrt{2x^2+4}\sqrt{x^2+1}\text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{\sqrt{x^4+3x^2+2}} - \frac{50\left(-\frac{3}{2}x^3-2x\right)}{\sqrt{x^4+3x^2+2}} - \frac{17i\sqrt{2}\sqrt{2x^2+4}\sqrt{x^2+1}\left(-\text{EllipticE}\left(\frac{i\sqrt{2}x}{2}\right)\right)}{4\sqrt{x^4+3x^2+2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^2/(x^4+3*x^2+2)^(3/2), x)

[Out] -50*(-3/2*x^3-2*x)/(x^4+3*x^2+2)^(1/2)-6*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x, 2^(1/2))-17/4*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x, 2^(1/2))-EllipticE(1/2*I*2^(1/2)*x, 2^(1/2)))-140*(x^3+3/2*x)/(x^4+3*x^2+2)^(1/2)-98*(-3/4*x^3-5/4*x)/(x^4+3*x^2+2)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{(x^4 + 3x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(x^4+3*x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^2/(x^4 + 3*x^2 + 2)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(5x^2 + 7)^2}{(x^4 + 3x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^2/(3*x^2 + x^4 + 2)^(3/2), x)

[Out] int((5*x^2 + 7)^2/(3*x^2 + x^4 + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{((x^2 + 1)(x^2 + 2))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**2/(x**4+3*x**2+2)**(3/2), x)

[Out] Integral((5*x**2 + 7)**2/((x**2 + 1)*(x**2 + 2))**(3/2), x)

$$3.311 \quad \int \frac{7+5x^2}{(2+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=145

$$-\frac{x(x^2+2)}{2\sqrt{x^4+3x^2+2}} + \frac{x(x^2+5)}{2\sqrt{x^4+3x^2+2}} + \frac{(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}} + \frac{(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}}$$

[Out] $-1/2*x*(x^2+2)/(x^4+3*x^2+2)^{(1/2)}+1/2*x*(x^2+5)/(x^4+3*x^2+2)^{(1/2)}+1/2*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticE(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+1/2*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1178, 1189, 1099, 1135}

$$-\frac{x(x^2+2)}{2\sqrt{x^4+3x^2+2}} + \frac{x(x^2+5)}{2\sqrt{x^4+3x^2+2}} + \frac{(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}} + \frac{(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)/(2 + 3*x^2 + x^4)^(3/2), x]

[Out] $-(x*(2+x^2))/(2*\text{Sqrt}[2+3*x^2+x^4])+(x*(5+x^2))/(2*\text{Sqrt}[2+3*x^2+x^4])+((1+x^2)*\text{Sqrt}[(2+x^2)/(1+x^2)]*EllipticE[\text{ArcTan}[x],1/2])/(\text{Sqrt}[2]*\text{Sqrt}[2+3*x^2+x^4])+((1+x^2)*\text{Sqrt}[(2+x^2)/(1+x^2)]*EllipticF[\text{ArcTan}[x],1/2])/(\text{Sqrt}[2]*\text{Sqrt}[2+3*x^2+x^4])$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4])]

```
4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)]]) /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1178

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1189

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{7 + 5x^2}{(2 + 3x^2 + x^4)^{3/2}} dx &= \frac{x(5 + x^2)}{2\sqrt{2 + 3x^2 + x^4}} - \frac{1}{2} \int \frac{-2 + x^2}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{x(5 + x^2)}{2\sqrt{2 + 3x^2 + x^4}} - \frac{1}{2} \int \frac{x^2}{\sqrt{2 + 3x^2 + x^4}} dx + \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= -\frac{x(2 + x^2)}{2\sqrt{2 + 3x^2 + x^4}} + \frac{x(5 + x^2)}{2\sqrt{2 + 3x^2 + x^4}} + \frac{(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{2 + 3x^2 + x^4}} + \frac{(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}}}{\sqrt{2}\sqrt{2 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)/(2 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 2}(5x^2 + 7)}{x^8 + 6x^6 + 13x^4 + 12x^2 + 4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(x^4+3*x^2+2)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 2)*(5*x^2 + 7)/(x^8 + 6*x^6 + 13*x^4 + 12*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{(x^4 + 3x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(x^4+3*x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)/(x^4 + 3*x^2 + 2)^(3/2), x)

maple [C] time = 0.01, size = 150, normalized size = 1.03

$$\frac{i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right) - 10\left(x^3 + \frac{3}{2}x\right)}{2\sqrt{x^4 + 3x^2 + 2}} - \frac{i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \left(-\text{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)\right)}{4\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)/(x^4+3*x^2+2)^(3/2),x)

[Out]
$$-10*(x^3+3/2*x)/(x^4+3*x^2+2)^{(1/2)}-1/2*I*2^{(1/2)}*(2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}*\text{EllipticF}(1/2*I*2^{(1/2)}*x,2^{(1/2)})-1/4*I*2^{(1/2)}*(2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}*(\text{EllipticF}(1/2*I*2^{(1/2)}*x,2^{(1/2)})-\text{EllipticE}(1/2*I*2^{(1/2)}*x,2^{(1/2)}))-14*(-3/4*x^3-5/4*x)/(x^4+3*x^2+2)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{(x^4 + 3x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(x^4+3*x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)/(x^4 + 3*x^2 + 2)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{5x^2 + 7}{(x^4 + 3x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)/(3*x^2 + x^4 + 2)^(3/2), x)

[Out] int((5*x^2 + 7)/(3*x^2 + x^4 + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{((x^2 + 1)(x^2 + 2))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)/(x**4+3*x**2+2)**(3/2),x)

[Out] Integral((5*x**2 + 7)/((x**2 + 1)*(x**2 + 2))**(3/2), x)

$$3.312 \quad \int \frac{1}{(2+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=149

$$\frac{3x(x^2+2)}{2\sqrt{x^4+3x^2+2}} + \frac{x(3x^2+5)}{2\sqrt{x^4+3x^2+2}} - \frac{\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4+3x^2+2}} + \frac{3(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}}$$

[Out] $-3/2*x*(x^2+2)/(x^4+3*x^2+2)^{(1/2)}+1/2*x*(3*x^2+5)/(x^4+3*x^2+2)^{(1/2)}+3/2*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticE(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}-(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1092, 1189, 1099, 1135}

$$\frac{3x(x^2+2)}{2\sqrt{x^4+3x^2+2}} + \frac{x(3x^2+5)}{2\sqrt{x^4+3x^2+2}} - \frac{\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4+3x^2+2}} + \frac{3(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2 + x^4)^(-3/2), x]

[Out] $(-3*x*(2+x^2))/(2*\text{Sqrt}[2+3*x^2+x^4])+(x*(5+3*x^2))/(2*\text{Sqrt}[2+3*x^2+x^4])+(3*(1+x^2)*\text{Sqrt}[(2+x^2)/(1+x^2)]*EllipticE[ArcTan[x],1/2])/(Sqrt[2]*\text{Sqrt}[2+3*x^2+x^4])-(Sqrt[2]*(1+x^2)*\text{Sqrt}[(2+x^2)/(1+x^2)]*EllipticF[ArcTan[x],1/2])/Sqrt[2+3*x^2+x^4]$

Rule 1092

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> -Simp[(x*(b^2 - 2*a*c + b*c*x^2)*(a + b*x^2 + c*x^4)^(p+1))/(2*a*(p+1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p+1)*(b^2 - 4*a*c)), Int[(b^2 - 2*a*c + 2*(p+1)*(b^2 - 4*a*c) + b*c*(4*p+7)*x^2)*(a + b*x^2 + c*x^4)^(p+1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && IntegerQ[2*p]

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*


```
a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4], x] /; PosQ[(b + q)/a] &&
!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[
{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
  4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)
  )*x^2]/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
  /(b + q)]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
  (b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b,
  c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
  x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a
  ] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(2 + 3x^2 + x^4)^{3/2}} dx &= \frac{x(5 + 3x^2)}{2\sqrt{2 + 3x^2 + x^4}} - \frac{1}{2} \int \frac{4 + 3x^2}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{x(5 + 3x^2)}{2\sqrt{2 + 3x^2 + x^4}} - \frac{3}{2} \int \frac{x^2}{\sqrt{2 + 3x^2 + x^4}} dx - 2 \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= -\frac{3x(2 + x^2)}{2\sqrt{2 + 3x^2 + x^4}} + \frac{x(5 + 3x^2)}{2\sqrt{2 + 3x^2 + x^4}} + \frac{3(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{2 + 3x^2 + x^4}} - \frac{\sqrt{2}(1 + x^2)}{\sqrt{2}\sqrt{2 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.04, size = 99, normalized size = 0.66

$$\frac{3x^3 + i\sqrt{x^2 + 1}\sqrt{x^2 + 2}F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) + 3i\sqrt{x^2 + 1}\sqrt{x^2 + 2}E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) + 5x}{2\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(2 + 3*x^2 + x^4)^(-3/2), x]
```

[Out] $(5x + 3x^3 + (3I)\sqrt{1+x^2}\sqrt{2+x^2}\text{EllipticE}[I\text{ArcSinh}[x/\sqrt{2}]], 2) + I\sqrt{1+x^2}\sqrt{2+x^2}\text{EllipticF}[I\text{ArcSinh}[x/\sqrt{2}]], 2) / (2\sqrt{2+3x^2+x^4})$

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 2}}{x^8 + 6x^6 + 13x^4 + 12x^2 + 4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x^4+3*x^2+2)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^4 + 3*x^2 + 2)/(x^8 + 6*x^6 + 13*x^4 + 12*x^2 + 4), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x^4+3*x^2+2)^(3/2),x, algorithm="giac")`

[Out] `integrate((x^4 + 3*x^2 + 2)^(-3/2), x)`

maple [C] time = 0.00, size = 129, normalized size = 0.87

$$\frac{i\sqrt{2}\sqrt{2x^2+4}\sqrt{x^2+1}\text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{\sqrt{x^4+3x^2+2}} - \frac{2\left(-\frac{3}{4}x^3 - \frac{5}{4}x\right)}{\sqrt{x^4+3x^2+2}} - \frac{3i\sqrt{2}\sqrt{2x^2+4}\sqrt{x^2+1}\left(-\text{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)\right)}{4\sqrt{x^4+3x^2+2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^4+3*x^2+2)^(3/2),x)`

[Out] $-2*(-3/4*x^3-5/4*x)/(x^4+3*x^2+2)^{(1/2)}+I*2^{(1/2)}*(2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}*\text{EllipticF}(1/2*I*2^{(1/2)}*x,2^{(1/2)})-3/4*I*2^{(1/2)}*(2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}*(\text{EllipticF}(1/2*I*2^{(1/2)}*x,2^{(1/2)})-\text{EllipticE}(1/2*I*2^{(1/2)}*x,2^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x^4+3*x^2+2)^(3/2),x, algorithm="maxima")`

[Out] `integrate((x^4 + 3*x^2 + 2)^(-3/2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(x^4 + 3x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(3*x^2 + x^4 + 2)^(3/2),x)`

[Out] `int(1/(3*x^2 + x^4 + 2)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x**4+3*x**2+2)**(3/2),x)`

[Out] `Integral((x**4 + 3*x**2 + 2)**(-3/2), x)`

$$3.313 \quad \int \frac{1}{(7+5x^2)(2+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=173

$$\frac{x}{6\sqrt{x^4+3x^2+2}} - \frac{9(x^2+1)\sqrt{\frac{x^2+2}{2x^2+2}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{4\sqrt{x^4+3x^2+2}} + \frac{\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{3\sqrt{x^4+3x^2+2}} + \frac{125(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} \Pi\left(\frac{2}{7}\right)}{84\sqrt{2}\sqrt{x^4+3x^2+2}}$$

[Out] 1/6*x/(x^4+3*x^2+2)^(1/2)+125/168*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticPi(x/(x^2+1)^(1/2),2/7,1/2*2^(1/2))*((x^2+2)/(x^2+1))^(1/2)*2^(1/2)/(x^4+3*x^2+2)^(1/2)+1/3*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)-9/4*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*((x^2+2)/(2*x^2+2))^(1/2)/(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.14, antiderivative size = 207, normalized size of antiderivative = 1.20, number of steps used = 9, number of rules used = 8, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1221, 1178, 1189, 1099, 1135, 1214, 1456, 539}

$$-\frac{x(x^2+2)}{3\sqrt{x^4+3x^2+2}} + \frac{x(2x^2+5)}{6\sqrt{x^4+3x^2+2}} - \frac{9(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{4\sqrt{2}\sqrt{x^4+3x^2+2}} + \frac{\sqrt{2}(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{3\sqrt{x^4+3x^2+2}} + \frac{125}{84\sqrt{2}\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)*(2 + 3*x^2 + x^4)^(3/2)),x]

[Out] -(x*(2 + x^2))/(3*sqrt[2 + 3*x^2 + x^4]) + (x*(5 + 2*x^2))/(6*sqrt[2 + 3*x^2 + x^4]) + (sqrt[2]*(1 + x^2)*sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/(3*sqrt[2 + 3*x^2 + x^4]) - (9*(1 + x^2)*sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(4*sqrt[2]*sqrt[2 + 3*x^2 + x^4]) + (125*(2 + x^2)*EllipticPi[2/7, ArcTan[x], 1/2])/(84*sqrt[2]*sqrt[(2 + x^2)/(1 + x^2)]*sqrt[2 + 3*x^2 + x^4])

Rule 539

Int[Sqrt[(c_) + (d_.)*(x_)^2]/(((a_) + (b_.)*(x_)^2)*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Simp[(c*sqrt[e + f*x^2]*EllipticPi[1 - (b*c)/(a*d), ArcTan[Rt[d/c, 2]*x], 1 - (c*f)/(d*e)]/(a*e*Rt[d/c, 2]*sqrt[c + d*x^2]*sqrt[(c*(e + f*x^2))/(e*(c + d*x^2))]), x] /; FreeQ[{a, b, c, d, e, f}, x] && PosQ[d/c]

Rule 1099

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1178

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1214

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/(2*c*d - e*(b - q)), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/(2*c*d - e*(b - q)), Int[(b - q + 2*c*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && !LtQ[c, 0]
```

Rule 1221

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_)/((d_) + (e_.)*(x_)^2), x_Symbol]
```

```
ol] := Dist[1/(c*d^2 - b*d*e + a*e^2), Int[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^p, x], x] + Dist[e^2/(c*d^2 - b*d*e + a*e^2), Int[(a + b*x^2 + c*x^4)^(p + 1)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[p + 1/2, 0]
```

Rule 1456

```
Int[((d_) + (e_)*(x_)^(n_))^(q_)*((f_) + (g_)*(x_)^(n_))^(r_)*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := Dist[(a + b*x^n + c*x^(2*n))^FracPart[p]/((d + e*x^n)^FracPart[p]*(a/d + (c*x^n)/e)^FracPart[p]), Int[(d + e*x^n)^(p + q)*(f + g*x^n)^r*(a/d + (c*x^n)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q, r}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(7 + 5x^2)(2 + 3x^2 + x^4)^{3/2}} dx &= -\left(\frac{1}{6} \int \frac{-8 - 5x^2}{(2 + 3x^2 + x^4)^{3/2}} dx\right) - \frac{25}{6} \int \frac{1}{(7 + 5x^2)\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{x(5 + 2x^2)}{6\sqrt{2 + 3x^2 + x^4}} + \frac{1}{12} \int \frac{-2 - 4x^2}{\sqrt{2 + 3x^2 + x^4}} dx - \frac{25}{12} \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx + \frac{12}{24} \\ &= \frac{x(5 + 2x^2)}{6\sqrt{2 + 3x^2 + x^4}} - \frac{25(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}} F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{12\sqrt{2}\sqrt{2 + 3x^2 + x^4}} - \frac{1}{6} \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= -\frac{x(2 + x^2)}{3\sqrt{2 + 3x^2 + x^4}} + \frac{x(5 + 2x^2)}{6\sqrt{2 + 3x^2 + x^4}} + \frac{\sqrt{2}(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}} E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{3\sqrt{2 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.17, size = 138, normalized size = 0.80

$$\frac{14x^3 - 7i\sqrt{x^2 + 1}\sqrt{x^2 + 2}F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) + 14i\sqrt{x^2 + 1}\sqrt{x^2 + 2}E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right) + 25i\sqrt{x^2 + 1}\sqrt{x^2 + 2}}{42\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((7 + 5*x^2)*(2 + 3*x^2 + x^4)^(3/2)), x]
```

```
[Out] (35*x + 14*x^3 + (14*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticE[I*ArcSinh[x/Sqrt[2]]], 2) - (7*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticF[I*ArcSinh[x/Sqrt[2]]], 2)
```

2]], 2] + (25*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticPi[10/7, I*ArcSinh[x/Sqrt[2]], 2])/(42*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 2}}{5x^{10} + 37x^8 + 107x^6 + 151x^4 + 104x^2 + 28}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(x^4+3*x^2+2)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 2)/(5*x^10 + 37*x^8 + 107*x^6 + 151*x^4 + 104*x^2 + 28), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 2)^{\frac{3}{2}}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(x^4+3*x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate(1/((x^4 + 3*x^2 + 2)^(3/2)*(5*x^2 + 7)), x)

maple [C] time = 0.02, size = 161, normalized size = 0.93

$$\frac{i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right) - i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right) + 25i\sqrt{2} \sqrt{\frac{x^2}{2} + 1}}{6\sqrt{x^4 + 3x^2 + 2} - 12\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5*x^2+7)/(x^4+3*x^2+2)^(3/2),x)

[Out] -2*(-1/6*x^3-5/12*x)/(x^4+3*x^2+2)^(1/2)-1/12*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))+1/6*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticE(1/2*I*2^(1/2)*x,2^(1/2))+25/42*I*2^(1/2)*(1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticPi(1/2*I*2^(1/2)*x,10/7,2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 2)^{\frac{3}{2}}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(x^4+3*x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((x^4 + 3*x^2 + 2)^(3/2)*(5*x^2 + 7)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(5x^2 + 7)(x^4 + 3x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((5*x^2 + 7)*(3*x^2 + x^4 + 2)^(3/2)),x)

[Out] int(1/((5*x^2 + 7)*(3*x^2 + x^4 + 2)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{((x^2 + 1)(x^2 + 2))^{\frac{3}{2}}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x**2+7)/(x**4+3*x**2+2)**(3/2),x)

[Out] Integral(1/(((x**2 + 1)*(x**2 + 2))**(3/2)*(5*x**2 + 7)), x)

$$3.314 \quad \int \frac{1}{(7+5x^2)^2 (2+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=235

$$\frac{625\sqrt{x^4+3x^2+2}x}{504(5x^2+7)} - \frac{31(x^2+2)x}{56\sqrt{x^4+3x^2+2}} + \frac{(11x^2+20)x}{36\sqrt{x^4+3x^2+2}} - \frac{463(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{336\sqrt{2}\sqrt{x^4+3x^2+2}} + \frac{31(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}}{28\sqrt{2}\sqrt{x^4+3x^2+2}}$$

[Out] $-31/56*x*(x^2+2)/(x^4+3*x^2+2)^{(1/2)}+1/36*x*(11*x^2+20)/(x^4+3*x^2+2)^{(1/2)}$
 $+375/1568*(x^2+2)*(1/(x^2+1))^{(1/2)}*(x^2+1)^{(1/2)}*EllipticPi(x/(x^2+1)^{(1/2)}$
 $),2/7,1/2*2^{(1/2)})*2^{(1/2)}/((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+31/5$
 $6*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticE(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}$
 $((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}-463/672*(x^2+1)^{(3/2)}*(1/$
 $(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2$
 $+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+625/504*x*(x^4+3*x^2+2)^{(1/2)}/(5*x^2+7)$

Rubi [A] time = 0.43, antiderivative size = 235, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 10, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {1228, 1178, 1189, 1099, 1135, 1223, 1716, 1214, 1456, 539}

$$\frac{625\sqrt{x^4+3x^2+2}x}{504(5x^2+7)} - \frac{31(x^2+2)x}{56\sqrt{x^4+3x^2+2}} + \frac{(11x^2+20)x}{36\sqrt{x^4+3x^2+2}} - \frac{463(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{336\sqrt{2}\sqrt{x^4+3x^2+2}} + \frac{31(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}}{28\sqrt{2}\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)^2*(2 + 3*x^2 + x^4)^(3/2)),x]

[Out] $(-31*x*(2 + x^2))/(56*sqrt[2 + 3*x^2 + x^4]) + (x*(20 + 11*x^2))/(36*sqrt[2$
 $+ 3*x^2 + x^4]) + (625*x*sqrt[2 + 3*x^2 + x^4])/(504*(7 + 5*x^2)) + (31*(1$
 $+ x^2)*sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/(28*sqrt[2]*sqrt[2 + 3*x^2 + x^4]) - (463*(1 + x^2)*sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[A$
 $rcTan[x], 1/2])/(336*sqrt[2]*sqrt[2 + 3*x^2 + x^4]) + (375*(2 + x^2)*Ellipt$
 $icPi[2/7, ArcTan[x], 1/2])/(784*sqrt[2]*sqrt[(2 + x^2)/(1 + x^2)]*sqrt[2 +$
 $3*x^2 + x^4])$

Rule 539

Int[Sqrt[(c_) + (d_)*(x_)^2]/(((a_) + (b_)*(x_)^2)*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Simp[(c*Sqrt[e + f*x^2]*EllipticPi[1 - (b*c)/(a*d), ArcTan[Rt[d/c, 2]*x], 1 - (c*f)/(d*e)])/((a*e*Rt[d/c, 2]*Sqrt[c + d*x^2]*Sqrt[(c*(e + f*x^2))/(e*(c + d*x^2)])), x] /; FreeQ[{a, b, c, d, e, f}, x] && PosQ

[d/c]

Rule 1099

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1178

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1214

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/(2*c*d - e*(b - q)), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/(2*c*d - e*(b - q)), Int[(b - q + 2*c*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b,
```

c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && !LtQ[c, 0]

Rule 1223

Int[((d_) + (e_)*(x_)^2)^(q_)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]

Rule 1228

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + cc*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb -> b, cc -> c}, x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]

Rule 1456

Int[((d_) + (e_)*(x_)^(n_))^(q_)*((f_) + (g_)*(x_)^(n_))^(r_)*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := Dist[(a + b*x^n + c*x^(2*n))^FracPart[p]/((d + e*x^n)^FracPart[p]*(a/d + (c*x^n)/e)^FracPart[p]), Int[(d + e*x^n)^(p + q)*(f + g*x^n)^r*(a/d + (c*x^n)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q, r}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p]

Rule 1716

Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(7+5x^2)^2(2+3x^2+x^4)^{3/2}} dx &= \int \left(\frac{14+5x^2}{36(2+3x^2+x^4)^{3/2}} - \frac{25}{6(7+5x^2)^2\sqrt{2+3x^2+x^4}} - \frac{25}{36(7+5x^2)\sqrt{2+3x^2+x^4}} \right) dx \\
&= \frac{1}{36} \int \frac{14+5x^2}{(2+3x^2+x^4)^{3/2}} dx - \frac{25}{36} \int \frac{1}{(7+5x^2)\sqrt{2+3x^2+x^4}} dx - \frac{25}{6} \int \frac{1}{(7+5x^2)\sqrt{2+3x^2+x^4}} dx \\
&= \frac{x(20+11x^2)}{36\sqrt{2+3x^2+x^4}} + \frac{625x\sqrt{2+3x^2+x^4}}{504(7+5x^2)} - \frac{1}{72} \int \frac{26+22x^2}{\sqrt{2+3x^2+x^4}} dx - \frac{25}{504} \int \frac{1}{\sqrt{2+3x^2+x^4}} dx \\
&= \frac{x(20+11x^2)}{36\sqrt{2+3x^2+x^4}} + \frac{625x\sqrt{2+3x^2+x^4}}{504(7+5x^2)} - \frac{25(1+x^2)\sqrt{\frac{2+x^2}{1+x^2}} F\left(\tan^{-1}(x)\right)}{72\sqrt{2}\sqrt{2+3x^2+x^4}} \\
&= -\frac{11x(2+x^2)}{36\sqrt{2+3x^2+x^4}} + \frac{x(20+11x^2)}{36\sqrt{2+3x^2+x^4}} + \frac{625x\sqrt{2+3x^2+x^4}}{504(7+5x^2)} + \frac{11(1+x^2)}{18\sqrt{2+3x^2+x^4}} \\
&= -\frac{31x(2+x^2)}{56\sqrt{2+3x^2+x^4}} + \frac{x(20+11x^2)}{36\sqrt{2+3x^2+x^4}} + \frac{625x\sqrt{2+3x^2+x^4}}{504(7+5x^2)} + \frac{31(1+x^2)}{28\sqrt{2+3x^2+x^4}} \\
&= -\frac{31x(2+x^2)}{56\sqrt{2+3x^2+x^4}} + \frac{x(20+11x^2)}{36\sqrt{2+3x^2+x^4}} + \frac{625x\sqrt{2+3x^2+x^4}}{504(7+5x^2)} + \frac{31(1+x^2)}{28\sqrt{2+3x^2+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.28, size = 208, normalized size = 0.89

$$\frac{3255x^5 + 10157x^3 + 182i\sqrt{x^2+1}\sqrt{x^2+2}(5x^2+7)F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) + 651i\sqrt{x^2+1}\sqrt{x^2+2}(5x^2+7)E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)}{1176(5x^2+7)\sqrt{2+3x^2+x^4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((7 + 5*x^2)^2*(2 + 3*x^2 + x^4)^(3/2)), x]

[Out] (7490*x + 10157*x^3 + 3255*x^5 + (651*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(7 + 5*x^2)*EllipticE[I*ArcSinh[x/Sqrt[2]], 2] + (182*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(7 + 5*x^2)*EllipticF[I*ArcSinh[x/Sqrt[2]], 2] + (1575*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticPi[10/7, I*ArcSinh[x/Sqrt[2]], 2] + (1125*I)*x^2*Sqr

$t[1 + x^2] * \text{Sqrt}[2 + x^2] * \text{EllipticPi}[10/7, I * \text{ArcSinh}[x/\text{Sqrt}[2]], 2]) / (1176 * (7 + 5 * x^2) * \text{Sqrt}[2 + 3 * x^2 + x^4])$

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{x^4 + 3x^2 + 2}}{25x^{12} + 220x^{10} + 794x^8 + 1504x^6 + 1577x^4 + 868x^2 + 196}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(5*x^2+7)^2/(x^4+3*x^2+2)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^4 + 3*x^2 + 2)/(25*x^12 + 220*x^10 + 794*x^8 + 1504*x^6 + 1577*x^4 + 868*x^2 + 196), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 2)^{\frac{3}{2}} (5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(5*x^2+7)^2/(x^4+3*x^2+2)^(3/2),x, algorithm="giac")`

[Out] `integrate(1/((x^4 + 3*x^2 + 2)^(3/2)*(5*x^2 + 7)^2), x)`

maple [C] time = 0.02, size = 185, normalized size = 0.79

$$\frac{625\sqrt{x^4 + 3x^2 + 2} x}{504(5x^2 + 7)} + \frac{31i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{112\sqrt{x^4 + 3x^2 + 2}} + \frac{13i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{168\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(5*x^2+7)^2/(x^4+3*x^2+2)^(3/2),x)`

[Out] `-2*(-11/72*x^3-5/18*x)/(x^4+3*x^2+2)^(1/2)+625/504*(x^4+3*x^2+2)^(1/2)/(5*x^2+7)*x+13/168*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))+31/112*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticE(1/2*I*2^(1/2)*x,2^(1/2))+75/392*I*2^(1/2)*(1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticPi(1/2*I*2^(1/2)*x,10/7,2^(1/2))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 2)^{\frac{3}{2}} (5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^2/(x^4+3*x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((x^4 + 3*x^2 + 2)^(3/2)*(5*x^2 + 7)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(5x^2 + 7)^2 (x^4 + 3x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((5*x^2 + 7)^2*(3*x^2 + x^4 + 2)^(3/2)),x)

[Out] int(1/((5*x^2 + 7)^2*(3*x^2 + x^4 + 2)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{((x^2 + 1)(x^2 + 2))^{\frac{3}{2}} (5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x**2+7)**2/(x**4+3*x**2+2)**(3/2),x)

[Out] Integral(1/(((x**2 + 1)*(x**2 + 2))**(3/2)*(5*x**2 + 7)**2), x)

$$3.315 \quad \int \frac{1}{(7+5x^2)^3 (2+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=263

$$\frac{41875\sqrt{x^4+3x^2+2}x}{84672(5x^2+7)} + \frac{625\sqrt{x^4+3x^2+2}x}{1008(5x^2+7)^2} - \frac{5797(x^2+2)x}{28224\sqrt{x^4+3x^2+2}} + \frac{(23x^2+50)x}{216\sqrt{x^4+3x^2+2}} - \frac{49907(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}}{56448\sqrt{2}\sqrt{x^4+3x^2+2}}$$

[Out] $-5797/28224*x*(x^2+2)/(x^4+3*x^2+2)^{(1/2)}+1/216*x*(23*x^2+50)/(x^4+3*x^2+2)^{(1/2)}+192625/790272*(x^2+2)*(1/(x^2+1))^{(1/2)}*(x^2+1)^{(1/2)}*EllipticPi(x/(x^2+1)^{(1/2)}, 2/7, 1/2*2^{(1/2)})*2^{(1/2)}/((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+5797/28224*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticE(x/(x^2+1)^{(1/2)}, 1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}-49907/112896*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)}, 1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+625/1008*x*(x^4+3*x^2+2)^{(1/2)}/(5*x^2+7)^2+41875/84672*x*(x^4+3*x^2+2)^{(1/2)}/(5*x^2+7)$

Rubi [A] time = 0.76, antiderivative size = 263, normalized size of antiderivative = 1.00, number of steps used = 29, number of rules used = 11, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.458$, Rules used = {1228, 1178, 1189, 1099, 1135, 1223, 1696, 1716, 1214, 1456, 539}

$$\frac{41875\sqrt{x^4+3x^2+2}x}{84672(5x^2+7)} + \frac{625\sqrt{x^4+3x^2+2}x}{1008(5x^2+7)^2} - \frac{5797(x^2+2)x}{28224\sqrt{x^4+3x^2+2}} + \frac{(23x^2+50)x}{216\sqrt{x^4+3x^2+2}} - \frac{49907(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}}{56448\sqrt{2}\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)^3*(2 + 3*x^2 + x^4)^(3/2)),x]

[Out] $(-5797*x*(2+x^2))/(28224*sqrt[2+3*x^2+x^4])+(x*(50+23*x^2))/(216*sqrt[2+3*x^2+x^4])+(625*x*sqrt[2+3*x^2+x^4])/(1008*(7+5*x^2)^2)+(41875*x*sqrt[2+3*x^2+x^4])/(84672*(7+5*x^2))+(5797*(1+x^2)*sqrt[(2+x^2)/(1+x^2)]*EllipticE[ArcTan[x], 1/2])/(14112*sqrt[2]*sqrt[2+3*x^2+x^4])-(49907*(1+x^2)*sqrt[(2+x^2)/(1+x^2)]*EllipticF[ArcTan[x], 1/2])/(56448*sqrt[2]*sqrt[2+3*x^2+x^4])+(192625*(2+x^2)*EllipticPi[2/7, ArcTan[x], 1/2])/(395136*sqrt[2]*sqrt[(2+x^2)/(1+x^2)]*sqrt[2+3*x^2+x^4])$

Rule 539

Int[Sqrt[(c_) + (d_.)*(x_)^2]/(((a_) + (b_.)*(x_)^2)*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Simp[(c*Sqrt[e + f*x^2]*EllipticPi[1 - (b*c)/(a*d), ArcT

$\text{an}[\text{Rt}[d/c, 2]*x], 1 - (c*f)/(d*e)]/(a*e*\text{Rt}[d/c, 2]*\text{Sqrt}[c + d*x^2]*\text{Sqrt}[(c*(e + f*x^2))/(e*(c + d*x^2))], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{PosQ}[d/c]$

Rule 1099

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \text{ :> With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Simp}[(2*a + (b + q)*x^2)*\text{Sqrt}[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*\text{EllipticF}[\text{ArcTan}[\text{Rt}[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*a*\text{Rt}[(b + q)/(2*a), 2]*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{PosQ}[(b + q)/a] \&\& !(\text{PosQ}[(b - q)/a] \&\& \text{SimplerSqrtQ}[(b - q)/(2*a), (b + q)/(2*a)])] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{GtQ}[b^2 - 4*a*c, 0]$

Rule 1135

$\text{Int}[(x_)^2/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \text{ :> With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Simp}[(x*(b + q + 2*c*x^2))/(2*c*\text{Sqrt}[a + b*x^2 + c*x^4]), x] - \text{Simp}[(\text{Rt}[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*\text{Sqrt}[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*\text{EllipticE}[\text{ArcTan}[\text{Rt}[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*c*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{PosQ}[(b + q)/a] \&\& !(\text{PosQ}[(b - q)/a] \&\& \text{SimplerSqrtQ}[(b - q)/(2*a), (b + q)/(2*a)])] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{GtQ}[b^2 - 4*a*c, 0]$

Rule 1178

$\text{Int}[(d_) + (e_)*(x_)^2]*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}, x_Symbol] \text{ :> Simp}[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^{(p + 1)})/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + \text{Dist}[1/(2*a*(p + 1)*(b^2 - 4*a*c)), \text{Int}[\text{Simp}[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^{(p + 1)}, x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{LtQ}[p, -1] \&\& \text{IntegerQ}[2*p]$

Rule 1189

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \text{ :> With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[d, \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] + \text{Dist}[e, \text{Int}[x^2/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] /; \text{PosQ}[(b + q)/a] || \text{PosQ}[(b - q)/a]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{GtQ}[b^2 - 4*a*c, 0]$

Rule 1214

$\text{Int}[1/(((d_) + (e_)*(x_)^2)*\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] \text{ :> With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(2*c)/(2*c*d - e*(b - q)), \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] - \text{Dist}[e/(2*c*d - e*(b - q)), \text{Int}[(b -$

$q + 2*c*x^2)/((d + e*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4]), x], x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{GtQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{!LtQ}[c, 0]$

Rule 1223

$\text{Int}[\text{((d_)} + \text{(e_)}*(x_)^2)^{\text{(q_)}}/\text{Sqrt}[\text{(a_)} + \text{(b_)}*(x_)^2 + \text{(c_)}*(x_)^4], x_ \text{Symbol}] \text{:>} -\text{Simp}[\text{(e^2*x*(d + e*x^2)^{(q + 1)}*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2))}, x] + \text{Dist}[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), \text{Int}[\text{((d + e*x^2)^{(q + 1)}*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x]}/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{ILtQ}[q, -1]$

Rule 1228

$\text{Int}[\text{((d_)} + \text{(e_)}*(x_)^2)^{\text{(q_)}}*\text{((a_)} + \text{(b_)}*(x_)^2 + \text{(c_)}*(x_)^4)^{\text{(p_)}}, x_ \text{Symbol}] \text{:>} \text{Module}[\{aa, bb, cc\}, \text{Int}[\text{ExpandIntegrand}[1/\text{Sqrt}[aa + bb*x^2 + c*c*x^4], \text{(d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^{(p + 1/2)}, x] / \{aa \to a, bb \to b, cc \to c\}, x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{ILtQ}[q, 0] \ \&\& \ \text{IntegerQ}[p + 1/2]$

Rule 1456

$\text{Int}[\text{((d_)} + \text{(e_)}*(x_)^{\text{(n_)}})^{\text{(q_)}}*\text{((f_)} + \text{(g_)}*(x_)^{\text{(n_)}})^{\text{(r_)}}*\text{((a_)} + \text{(b_)}*(x_)^{\text{(n_)}} + \text{(c_)}*(x_)^{\text{(n2_)}})^{\text{(p_)}}, x_ \text{Symbol}] \text{:>} \text{Dist}[\text{(a + b*x^n + c*x^(2*n))^FracPart[p]/((d + e*x^n)^FracPart[p]*(a/d + (c*x^n)/e)^FracPart[p])}, \text{Int}[\text{(d + e*x^n)^{(p + q)}*(f + g*x^n)^r*(a/d + (c*x^n)/e)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, p, q, r\}, x] \ \&\& \ \text{EqQ}[n2, 2*n] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{EqQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{!IntegerQ}[p]$

Rule 1696

$\text{Int}[\text{((P4x_)*((d_)} + \text{(e_)}*(x_)^2)^{\text{(q_)}}/\text{Sqrt}[\text{(a_)} + \text{(b_)}*(x_)^2 + \text{(c_)}*(x_)^4], x_ \text{Symbol}] \text{:>} \text{With}[\{A = \text{Coeff}[P4x, x, 0], B = \text{Coeff}[P4x, x, 2], C = \text{Coeff}[P4x, x, 4]\}, -\text{Simp}[\text{((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^{(q + 1)}*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2))}, x] + \text{Dist}[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), \text{Int}[\text{((d + e*x^2)^{(q + 1)}*Simp[a*d*(C*d - B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b*e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e + A*e^2)*(2*q + 5)*x^4, x]}/\text{Sqrt}[a + b*x^2 + c*x^4], x], x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{PolyQ}[P4x, x^2] \ \&\& \ \text{LeQ}[\text{Expon}[P4x, x], 4] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{ILtQ}[q, -1]$

Rule 1716

```

Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4])
, x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[
P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c
*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a
+ b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2,
2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 -
a*e^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(7+5x^2)^3 (2+3x^2+x^4)^{3/2}} dx &= \int \left(-\frac{-62-35x^2}{216(2+3x^2+x^4)^{3/2}} - \frac{25}{6(7+5x^2)^3 \sqrt{2+3x^2+x^4}} - \frac{1}{36(7+5x^2)^2} \right) dx \\
&= -\left(\frac{1}{216} \int \frac{-62-35x^2}{(2+3x^2+x^4)^{3/2}} dx \right) - \frac{25}{36} \int \frac{1}{(7+5x^2)^2 \sqrt{2+3x^2+x^4}} dx - \frac{1}{36} \int \frac{1}{(7+5x^2)^2} dx \\
&= \frac{x(50+23x^2)}{216\sqrt{2+3x^2+x^4}} + \frac{625x\sqrt{2+3x^2+x^4}}{1008(7+5x^2)^2} + \frac{625x\sqrt{2+3x^2+x^4}}{3024(7+5x^2)} + \frac{1}{432} \int \frac{1}{(7+5x^2)^2} dx \\
&= \frac{x(50+23x^2)}{216\sqrt{2+3x^2+x^4}} + \frac{625x\sqrt{2+3x^2+x^4}}{1008(7+5x^2)^2} + \frac{41875x\sqrt{2+3x^2+x^4}}{84672(7+5x^2)} - \frac{175}{84672} \int \frac{1}{(7+5x^2)^2} dx \\
&= -\frac{23x(2+x^2)}{216\sqrt{2+3x^2+x^4}} + \frac{x(50+23x^2)}{216\sqrt{2+3x^2+x^4}} + \frac{625x\sqrt{2+3x^2+x^4}}{1008(7+5x^2)^2} + \frac{41875}{84672} \int \frac{1}{(7+5x^2)^2} dx \\
&= -\frac{149x(2+x^2)}{1008\sqrt{2+3x^2+x^4}} + \frac{x(50+23x^2)}{216\sqrt{2+3x^2+x^4}} + \frac{625x\sqrt{2+3x^2+x^4}}{1008(7+5x^2)^2} + \frac{41875}{84672} \int \frac{1}{(7+5x^2)^2} dx \\
&= -\frac{5797x(2+x^2)}{28224\sqrt{2+3x^2+x^4}} + \frac{x(50+23x^2)}{216\sqrt{2+3x^2+x^4}} + \frac{625x\sqrt{2+3x^2+x^4}}{1008(7+5x^2)^2} + \frac{41875}{84672} \int \frac{1}{(7+5x^2)^2} dx \\
&= -\frac{5797x(2+x^2)}{28224\sqrt{2+3x^2+x^4}} + \frac{x(50+23x^2)}{216\sqrt{2+3x^2+x^4}} + \frac{625x\sqrt{2+3x^2+x^4}}{1008(7+5x^2)^2} + \frac{41875}{84672} \int \frac{1}{(7+5x^2)^2} dx
\end{aligned}$$

Mathematica [C] time = 0.50, size = 159, normalized size = 0.60

$$\frac{-742i\sqrt{x^2+1}\sqrt{x^2+2}F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)+40579i\sqrt{x^2+1}\sqrt{x^2+2}E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)+38525i\sqrt{x^2+1}\sqrt{x^2+2}}{197568\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((7 + 5*x^2)^3*(2 + 3*x^2 + x^4)^(3/2)),x]

[Out] ((7*x*(550550 + 1089803*x^2 + 698290*x^4 + 144925*x^6))/(7 + 5*x^2)^2 + (40579*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticE[I*ArcSinh[x/Sqrt[2]], 2] - (742*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticF[I*ArcSinh[x/Sqrt[2]], 2] + (38525*I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticPi[10/7, I*ArcSinh[x/Sqrt[2]], 2])/(197568*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 2}}{125x^{14} + 1275x^{12} + 5510x^{10} + 13078x^8 + 18413x^6 + 15379x^4 + 7056x^2 + 1372}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(x^4+3*x^2+2)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 2)/(125*x^14 + 1275*x^12 + 5510*x^10 + 13078*x^8 + 18413*x^6 + 15379*x^4 + 7056*x^2 + 1372), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 2)^{\frac{3}{2}}(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(x^4+3*x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate(1/((x^4 + 3*x^2 + 2)^(3/2)*(5*x^2 + 7)^3), x)

maple [C] time = 0.02, size = 209, normalized size = 0.79

$$\frac{625\sqrt{x^4 + 3x^2 + 2} x}{1008(5x^2 + 7)^2} + \frac{41875\sqrt{x^4 + 3x^2 + 2} x}{84672(5x^2 + 7)} + \frac{5797i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right) - 53i\sqrt{2} \sqrt{2x^2}}{56448\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5*x^2+7)^3/(x^4+3*x^2+2)^(3/2),x)

[Out] -2*(-23/432*x^3-25/216*x)/(x^4+3*x^2+2)^(1/2)+625/1008*(x^4+3*x^2+2)^(1/2)/(5*x^2+7)^2*x+41875/84672*(x^4+3*x^2+2)^(1/2)/(5*x^2+7)*x-53/28224*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))+5797/56448*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticE(1/2*I*2^(1/2)*x,2^(1/2))+38525/197568*I*2^(1/2)*(1/2*x^2+

$1)^{(1/2)} * (x^2+1)^{(1/2)} / (x^4+3*x^2+2)^{(1/2)} * \text{EllipticPi}(1/2 * I * 2^{(1/2)} * x, 10/7, 2^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 2)^{\frac{3}{2}} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(x^4+3*x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((x^4 + 3*x^2 + 2)^(3/2)*(5*x^2 + 7)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(5x^2 + 7)^3 (x^4 + 3x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((5*x^2 + 7)^3*(3*x^2 + x^4 + 2)^(3/2)),x)

[Out] int(1/((5*x^2 + 7)^3*(3*x^2 + x^4 + 2)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{((x^2 + 1)(x^2 + 2))^{\frac{3}{2}} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x**2+7)**3/(x**4+3*x**2+2)**(3/2),x)

[Out] Integral(1/(((x**2 + 1)*(x**2 + 2))**(3/2)*(5*x**2 + 7)**3), x)

$$3.316 \quad \int (7 + 5x^2)^4 \sqrt{2 + x^2 - x^4} dx$$

Optimal. Leaf size=116

$$-\frac{116100}{77} (-x^4 + x^2 + 2)^{3/2} x + \frac{1}{231} (717372x^2 + 177953) \sqrt{-x^4 + x^2 + 2} x - \frac{625}{11} (-x^4 + x^2 + 2)^{3/2} x^5 - \frac{14500}{33} (-x^4 + x^2 + 2)^{3/2} x^3 - \frac{116100}{77} (-x^4 + x^2 + 2)^{3/2} x + \frac{1}{231} (717372x^2 + 177953) \sqrt{-x^4 + x^2 + 2}$$

[Out] -116100/77*x*(-x^4+x^2+2)^(3/2)-14500/33*x^3*(-x^4+x^2+2)^(3/2)-625/11*x^5*(-x^4+x^2+2)^(3/2)+3764813/231*EllipticE(1/2*x*2^(1/2),I*2^(1/2))-539419/77*EllipticF(1/2*x*2^(1/2),I*2^(1/2))+1/231*x*(717372*x^2+177953)*(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.11, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$, Rules used = {1206, 1679, 1176, 1180, 524, 424, 419}

$$-\frac{625}{11} (-x^4 + x^2 + 2)^{3/2} x^5 - \frac{14500}{33} (-x^4 + x^2 + 2)^{3/2} x^3 - \frac{116100}{77} (-x^4 + x^2 + 2)^{3/2} x + \frac{1}{231} (717372x^2 + 177953) \sqrt{-x^4 + x^2 + 2}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^4*Sqrt[2 + x^2 - x^4],x]

[Out] (x*(177953 + 717372*x^2)*Sqrt[2 + x^2 - x^4])/231 - (116100*x*(2 + x^2 - x^4)^(3/2))/77 - (14500*x^3*(2 + x^2 - x^4)^(3/2))/33 - (625*x^5*(2 + x^2 - x^4)^(3/2))/11 + (3764813*EllipticE[ArcSin[x/Sqrt[2]], -2])/231 - (539419*EllipticF[ArcSin[x/Sqrt[2]], -2])/77

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],

```
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x]
]; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simplifier
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 1176

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symb
ol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c
*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1180

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt
[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}
, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1206

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x
_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*
q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandT
oSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p
+ 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /;
FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e +
a*e^2, 0] && IGtQ[q, 1]
```

Rule 1679

```
Int[(Pq)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{q =
Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(
a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p
+ 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*
q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*
x^(2*q), x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[P
q, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2)^4 \sqrt{2 + x^2 - x^4} dx &= -\frac{625}{11}x^5 (2 + x^2 - x^4)^{3/2} - \frac{1}{11} \int \sqrt{2 + x^2 - x^4} (-26411 - 75460x^2 - 87100x^4 - \\
&= -\frac{14500}{33}x^3 (2 + x^2 - x^4)^{3/2} - \frac{625}{11}x^5 (2 + x^2 - x^4)^{3/2} + \frac{1}{99} \int \sqrt{2 + x^2 - x^4} (237 \\
&= -\frac{116100}{77}x (2 + x^2 - x^4)^{3/2} - \frac{14500}{33}x^3 (2 + x^2 - x^4)^{3/2} - \frac{625}{11}x^5 (2 + x^2 - x^4)^{3/2} \\
&= \frac{1}{231}x (177953 + 717372x^2) \sqrt{2 + x^2 - x^4} - \frac{116100}{77}x (2 + x^2 - x^4)^{3/2} - \frac{14500}{33}x^3 \\
&= \frac{1}{231}x (177953 + 717372x^2) \sqrt{2 + x^2 - x^4} - \frac{116100}{77}x (2 + x^2 - x^4)^{3/2} - \frac{14500}{33}x^3 \\
&= \frac{1}{231}x (177953 + 717372x^2) \sqrt{2 + x^2 - x^4} - \frac{116100}{77}x (2 + x^2 - x^4)^{3/2} - \frac{14500}{33}x^3 \\
&= \frac{1}{231}x (177953 + 717372x^2) \sqrt{2 + x^2 - x^4} - \frac{116100}{77}x (2 + x^2 - x^4)^{3/2} - \frac{14500}{33}x^3
\end{aligned}$$

Mathematica [C] time = 0.13, size = 112, normalized size = 0.97

$$\frac{-13125x^{13} - 75250x^{11} - 105925x^9 + 231228x^7 + 1125819x^5 - 186503x^3 - 4838091i\sqrt{-2x^4 + 2x^2 + 4} F\left(i \sinh^{-1}\left(\frac{x\sqrt{-x^4 + x^2 + 2}}{231\sqrt{-x^4 + x^2 + 2}}\right)\right)}{231\sqrt{-x^4 + x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^4*Sqrt[2 + x^2 - x^4], x]

[Out] (-1037294*x - 186503*x^3 + 1125819*x^5 + 231228*x^7 - 105925*x^9 - 75250*x^11 - 13125*x^13 + (3764813*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticE[I*ArcSinh[x], -1/2] - (4838091*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticF[I*ArcSinh[x], -1/2])/ (231*Sqrt[2 + x^2 - x^4])

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(625x^8 + 3500x^6 + 7350x^4 + 6860x^2 + 2401\right)\sqrt{-x^4 + x^2 + 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4*(-x^4+x^2+2)^(1/2), x, algorithm="fricas")

[Out] integral((625*x^8 + 3500*x^6 + 7350*x^4 + 6860*x^2 + 2401)*sqrt(-x^4 + x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-x^4 + x^2 + 2} (5x^2 + 7)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4*(-x^4+x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7)^4, x)

maple [A] time = 0.02, size = 193, normalized size = 1.66

$$\frac{625\sqrt{-x^4 + x^2 + 2} x^9}{11} + \frac{12625\sqrt{-x^4 + x^2 + 2} x^7}{33} + \frac{20050\sqrt{-x^4 + x^2 + 2} x^5}{21} + \frac{166072\sqrt{-x^4 + x^2 + 2} x^3}{231} - \frac{518647}{231}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^4*(-x^4+x^2+2)^(1/2),x)

[Out] 166072/231*x^3*(-x^4+x^2+2)^(1/2)-518647/231*x*(-x^4+x^2+2)^(1/2)+20050/21*x^5*(-x^4+x^2+2)^(1/2)+12625/33*x^7*(-x^4+x^2+2)^(1/2)+625/11*x^9*(-x^4+x^2+2)^(1/2)-3764813/462*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))+1073278/231*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-x^4 + x^2 + 2} (5x^2 + 7)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4*(-x^4+x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7)^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (5x^2 + 7)^4 \sqrt{-x^4 + x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^4*(x^2 - x^4 + 2)^(1/2),x)

[Out] int((5*x^2 + 7)^4*(x^2 - x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-(x^2 - 2)(x^2 + 1)} (5x^2 + 7)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**4*(-x**4+x**2+2)**(1/2), x)

[Out] Integral(sqrt(-(x**2 - 2)*(x**2 + 1))*(5*x**2 + 7)**4, x)

$$3.317 \quad \int (7 + 5x^2)^3 \sqrt{2 + x^2 - x^4} dx$$

Optimal. Leaf size=95

$$-\frac{1825}{21} (-x^4 + x^2 + 2)^{3/2} x + \frac{1}{63} (14691x^2 + 5956) \sqrt{-x^4 + x^2 + 2} x - \frac{125}{9} (-x^4 + x^2 + 2)^{3/2} x^3 - \frac{8735}{21} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2+x^2-x^4}}\right)\right)$$

[Out] -1825/21*x*(-x^4+x^2+2)^(3/2)-125/9*x^3*(-x^4+x^2+2)^(3/2)+79411/63*EllipticE(1/2*x*2^(1/2),I*2^(1/2))-8735/21*EllipticF(1/2*x*2^(1/2),I*2^(1/2))+1/63*x*(14691*x^2+5956)*(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.09, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$, Rules used = {1206, 1679, 1176, 1180, 524, 424, 419}

$$-\frac{125}{9} (-x^4 + x^2 + 2)^{3/2} x^3 - \frac{1825}{21} (-x^4 + x^2 + 2)^{3/2} x + \frac{1}{63} (14691x^2 + 5956) \sqrt{-x^4 + x^2 + 2} x - \frac{8735}{21} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2+x^2-x^4}}\right)\right)$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^3*Sqrt[2 + x^2 - x^4],x]

[Out] (x*(5956 + 14691*x^2)*Sqrt[2 + x^2 - x^4])/63 - (1825*x*(2 + x^2 - x^4)^(3/2))/21 - (125*x^3*(2 + x^2 - x^4)^(3/2))/9 + (79411*EllipticE[ArcSin[x/Sqrt[2]], -2])/63 - (8735*EllipticF[ArcSin[x/Sqrt[2]], -2])/21

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[Imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])]

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ

[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simplifier SqrtQ[-(b/a), -(d/c)]))))))

Rule 1176

Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1)*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1180

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rule 1206

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]

Rule 1679

Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> With[{q = Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*x^(2*q), x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2)^3 \sqrt{2 + x^2 - x^4} dx &= -\frac{125}{9}x^3 (2 + x^2 - x^4)^{3/2} - \frac{1}{9} \int (-3087 - 7365x^2 - 5475x^4) \sqrt{2 + x^2 - x^4} dx \\
&= -\frac{1825}{21}x (2 + x^2 - x^4)^{3/2} - \frac{125}{9}x^3 (2 + x^2 - x^4)^{3/2} + \frac{1}{63} \int (32559 + 73455x^2) \\
&= \frac{1}{63}x (5956 + 14691x^2) \sqrt{2 + x^2 - x^4} - \frac{1825}{21}x (2 + x^2 - x^4)^{3/2} - \frac{125}{9}x^3 (2 + x^2 - x^4)^{3/2} \\
&= \frac{1}{63}x (5956 + 14691x^2) \sqrt{2 + x^2 - x^4} - \frac{1825}{21}x (2 + x^2 - x^4)^{3/2} - \frac{125}{9}x^3 (2 + x^2 - x^4)^{3/2} \\
&= \frac{1}{63}x (5956 + 14691x^2) \sqrt{2 + x^2 - x^4} - \frac{1825}{21}x (2 + x^2 - x^4)^{3/2} - \frac{125}{9}x^3 (2 + x^2 - x^4)^{3/2} \\
&= \frac{1}{63}x (5956 + 14691x^2) \sqrt{2 + x^2 - x^4} - \frac{1825}{21}x (2 + x^2 - x^4)^{3/2} - \frac{125}{9}x^3 (2 + x^2 - x^4)^{3/2}
\end{aligned}$$

Mathematica [C] time = 0.10, size = 107, normalized size = 1.13

$$\frac{-875x^{11} - 3725x^9 - 1116x^7 + 21660x^5 + 9938x^3 - 106014i\sqrt{-2x^4 + 2x^2 + 4}F\left(i\sinh^{-1}(x)\middle|-\frac{1}{2}\right) + 79411i\sqrt{-2x^4 + 2x^2 + 4}}{63\sqrt{-x^4 + x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^3*Sqrt[2 + x^2 - x^4], x]

[Out] (-9988*x + 9938*x^3 + 21660*x^5 - 1116*x^7 - 3725*x^9 - 875*x^11 + (79411*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticE[I*ArcSinh[x], -1/2] - (106014*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticF[I*ArcSinh[x], -1/2])/(63*Sqrt[2 + x^2 - x^4])

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(125x^6 + 525x^4 + 735x^2 + 343\right)\sqrt{-x^4 + x^2 + 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(-x^4+x^2+2)^(1/2), x, algorithm="fricas")

[Out] integral((125*x^6 + 525*x^4 + 735*x^2 + 343)*sqrt(-x^4 + x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-x^4 + x^2 + 2} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(-x^4+x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7)^3, x)

maple [B] time = 0.01, size = 176, normalized size = 1.85

$$\frac{125\sqrt{-x^4 + x^2 + 2} x^7}{9} + \frac{4600\sqrt{-x^4 + x^2 + 2} x^5}{63} + \frac{7466\sqrt{-x^4 + x^2 + 2} x^3}{63} - \frac{4994\sqrt{-x^4 + x^2 + 2} x}{63} + \frac{26603\sqrt{2} \sqrt{-2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^3*(-x^4+x^2+2)^(1/2),x)

[Out] 125/9*(-x^4+x^2+2)^(1/2)*x^7+4600/63*(-x^4+x^2+2)^(1/2)*x^5+7466/63*(-x^4+x^2+2)^(1/2)*x^3-4994/63*(-x^4+x^2+2)^(1/2)*x+26603/63*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-79411/126*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-x^4 + x^2 + 2} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(-x^4+x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (5x^2 + 7)^3 \sqrt{-x^4 + x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^3*(x^2 - x^4 + 2)^(1/2),x)

[Out] int((5*x^2 + 7)^3*(x^2 - x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-(x^2 - 2)(x^2 + 1)} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((5*x**2+7)**3*(-x**4+x**2+2)**(1/2),x)
```

```
[Out] Integral(sqrt(-(x**2 - 2)*(x**2 + 1))*(5*x**2 + 7)**3, x)
```

$$3.318 \quad \int (7 + 5x^2)^2 \sqrt{2 + x^2 - x^4} dx$$

Optimal. Leaf size=74

$$-\frac{25}{7}x(-x^4 + x^2 + 2)^{3/2} + \frac{1}{21}x(354x^2 + 275)\sqrt{-x^4 + x^2 + 2} - \frac{79}{7}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) + \frac{2045}{21}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

[Out] -25/7*x*(-x^4+x^2+2)^(3/2)+2045/21*EllipticE(1/2*x*2^(1/2),I*2^(1/2))-79/7*EllipticF(1/2*x*2^(1/2),I*2^(1/2))+1/21*x*(354*x^2+275)*(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.06, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1206, 1176, 1180, 524, 424, 419}

$$-\frac{25}{7}x(-x^4 + x^2 + 2)^{3/2} + \frac{1}{21}x(354x^2 + 275)\sqrt{-x^4 + x^2 + 2} - \frac{79}{7}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) + \frac{2045}{21}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^2*Sqrt[2 + x^2 - x^4],x]

[Out] (x*(275 + 354*x^2)*Sqrt[2 + x^2 - x^4])/21 - (25*x*(2 + x^2 - x^4)^(3/2))/7 + (2045*EllipticE[ArcSin[x/Sqrt[2]], -2])/21 - (79*EllipticF[ArcSin[x/Sqrt[2]], -2])/7

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler

SqrtQ[-(b/a), -(d/c)]))))))

Rule 1176

Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1180

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rule 1206

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2)^2 \sqrt{2 + x^2 - x^4} dx &= -\frac{25}{7}x(2 + x^2 - x^4)^{3/2} - \frac{1}{7} \int (-393 - 590x^2) \sqrt{2 + x^2 - x^4} dx \\
&= \frac{1}{21}x(275 + 354x^2) \sqrt{2 + x^2 - x^4} - \frac{25}{7}x(2 + x^2 - x^4)^{3/2} + \frac{1}{105} \int \frac{9040 + 10225x^2}{\sqrt{2 + x^2 - x^4}} dx \\
&= \frac{1}{21}x(275 + 354x^2) \sqrt{2 + x^2 - x^4} - \frac{25}{7}x(2 + x^2 - x^4)^{3/2} + \frac{2}{105} \int \frac{9040 + 10225x^2}{\sqrt{4 - 2x^2} \sqrt{2}} dx \\
&= \frac{1}{21}x(275 + 354x^2) \sqrt{2 + x^2 - x^4} - \frac{25}{7}x(2 + x^2 - x^4)^{3/2} - \frac{158}{7} \int \frac{1}{\sqrt{4 - 2x^2} \sqrt{2}} dx \\
&= \frac{1}{21}x(275 + 354x^2) \sqrt{2 + x^2 - x^4} - \frac{25}{7}x(2 + x^2 - x^4)^{3/2} + \frac{2045}{21}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)
\end{aligned}$$

Mathematica [C] time = 0.09, size = 102, normalized size = 1.38

$$\frac{-75x^9 - 204x^7 + 304x^5 + 683x^3 - 2949i\sqrt{-2x^4 + 2x^2 + 4}F\left(i \sinh^{-1}(x) \middle| -\frac{1}{2}\right) + 2045i\sqrt{-2x^4 + 2x^2 + 4}E\left(i \sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)}{21\sqrt{-x^4 + x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^2*Sqrt[2 + x^2 - x^4], x]

[Out] (250*x + 683*x^3 + 304*x^5 - 204*x^7 - 75*x^9 + (2045*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticE[I*ArcSinh[x], -1/2] - (2949*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticF[I*ArcSinh[x], -1/2])/(21*Sqrt[2 + x^2 - x^4])

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(25x^4 + 70x^2 + 49\right)\sqrt{-x^4 + x^2 + 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(-x^4+x^2+2)^(1/2), x, algorithm="fricas")

[Out] integral((25*x^4 + 70*x^2 + 49)*sqrt(-x^4 + x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-x^4 + x^2 + 2} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(-x^4+x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7)^2, x)

maple [B] time = 0.01, size = 159, normalized size = 2.15

$$\frac{25\sqrt{-x^4 + x^2 + 2} x^5}{7} + \frac{93\sqrt{-x^4 + x^2 + 2} x^3}{7} + \frac{125\sqrt{-x^4 + x^2 + 2} x}{21} + \frac{904\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{2} x}{2}\right)}{21\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^2*(-x^4+x^2+2)^(1/2),x)

[Out] 25/7*(-x^4+x^2+2)^(1/2)*x^5+93/7*(-x^4+x^2+2)^(1/2)*x^3+125/21*(-x^4+x^2+2)^(1/2)*x+904/21*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-2045/42*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-x^4 + x^2 + 2} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(-x^4+x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (5x^2 + 7)^2 \sqrt{-x^4 + x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^2*(x^2 - x^4 + 2)^(1/2),x)

[Out] int((5*x^2 + 7)^2*(x^2 - x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-(x^2 - 2)(x^2 + 1)} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**2*(-x**4+x**2+2)**(1/2),x)

[Out] Integral(sqrt(-(x**2 - 2)*(x**2 + 1))*(5*x**2 + 7)**2, x)

$$3.319 \quad \int (7 + 5x^2) \sqrt{2 + x^2 - x^4} dx$$

Optimal. Leaf size=46

$$x\sqrt{-x^4 + x^2 + 2} (x^2 + 2) + 3F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + 7E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2$$

[Out] 7*EllipticE(1/2*x*2^(1/2), I*2^(1/2))+3*EllipticF(1/2*x*2^(1/2), I*2^(1/2))+x*(x^2+2)*(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.05, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1176, 1180, 524, 424, 419}

$$x\sqrt{-x^4 + x^2 + 2} (x^2 + 2) + 3F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + 7E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)*Sqrt[2 + x^2 - x^4], x]

[Out] x*(2 + x^2)*Sqrt[2 + x^2 - x^4] + 7*EllipticE[ArcSin[x/Sqrt[2]], -2] + 3*EllipticF[ArcSin[x/Sqrt[2]], -2]

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])]

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))

Rule 1176

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
  Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
  b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
  b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
  GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
  := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2) \sqrt{2 + x^2 - x^4} dx &= x(2 + x^2) \sqrt{2 + x^2 - x^4} - \frac{1}{15} \int \frac{-150 - 105x^2}{\sqrt{2 + x^2 - x^4}} dx \\
&= x(2 + x^2) \sqrt{2 + x^2 - x^4} - \frac{2}{15} \int \frac{-150 - 105x^2}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx \\
&= x(2 + x^2) \sqrt{2 + x^2 - x^4} + 6 \int \frac{1}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx + 7 \int \frac{\sqrt{2 + 2x^2}}{\sqrt{4 - 2x^2}} dx \\
&= x(2 + x^2) \sqrt{2 + x^2 - x^4} + 7E \left(\sin^{-1} \left(\frac{x}{\sqrt{2}} \right) \right) - 2 + 3F \left(\sin^{-1} \left(\frac{x}{\sqrt{2}} \right) \right) - 2
\end{aligned}$$

Mathematica [C] time = 0.08, size = 94, normalized size = 2.04

$$\frac{-x^7 - x^5 + 4x^3 - 12i\sqrt{-2x^4 + 2x^2 + 4} F \left(i \sinh^{-1}(x) \middle| -\frac{1}{2} \right) + 7i\sqrt{-2x^4 + 2x^2 + 4} E \left(i \sinh^{-1}(x) \middle| -\frac{1}{2} \right) + 4x}{\sqrt{-x^4 + x^2 + 2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(7 + 5*x^2)*Sqrt[2 + x^2 - x^4], x]
```

```
[Out] (4*x + 4*x^3 - x^5 - x^7 + (7*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticE[I*ArcSinh[x], -1/2] - (12*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticF[I*ArcSinh[x], -1/2])/Sqrt[2 + x^2 - x^4]
```

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{-x^4 + x^2 + 2}(5x^2 + 7), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)*(-x^4+x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-x^4 + x^2 + 2}(5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)*(-x^4+x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7), x)

maple [B] time = 0.01, size = 141, normalized size = 3.07

$$\sqrt{-x^4 + x^2 + 2} x^3 + 2\sqrt{-x^4 + x^2 + 2} x + \frac{5\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{\sqrt{-x^4 + x^2 + 2}} - \frac{7\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1}}{\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)*(-x^4+x^2+2)^(1/2),x)

[Out] (-x^4+x^2+2)^(1/2)*x^3+2*(-x^4+x^2+2)^(1/2)*x+5*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-7/2*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-x^4 + x^2 + 2}(5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)*(-x^4+x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int (5x^2 + 7) \sqrt{-x^4 + x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^2 + 7)*(x^2 - x^4 + 2)^(1/2), x)`

[Out] `int((5*x^2 + 7)*(x^2 - x^4 + 2)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-(x^2 - 2)(x^2 + 1)} (5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**2+7)*(-x**4+x**2+2)**(1/2), x)`

[Out] `Integral(sqrt(-(x**2 - 2)*(x**2 + 1))*(5*x**2 + 7), x)`

$$3.320 \quad \int \sqrt{2 + x^2 - x^4} dx$$

Optimal. Leaf size=44

$$\frac{1}{3}\sqrt{-x^4 + x^2 + 2x} + F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + \frac{1}{3}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2$$

[Out] 1/3*EllipticE(1/2*x*2^(1/2),I*2^(1/2))+EllipticF(1/2*x*2^(1/2),I*2^(1/2))+1/3*x*(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.04, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {1091, 1180, 524, 424, 419}

$$\frac{1}{3}\sqrt{-x^4 + x^2 + 2x} + F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + \frac{1}{3}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2$$

Antiderivative was successfully verified.

[In] Int[Sqrt[2 + x^2 - x^4],x]

[Out] (x*Sqrt[2 + x^2 - x^4])/3 + EllipticE[ArcSin[x/Sqrt[2]], -2]/3 + EllipticF[ArcSin[x/Sqrt[2]], -2]

Rule 419

Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Simp[imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])]

Rule 424

Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))

Rule 1091

```
Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a + b*x^2 + c*x^4)^p)/(4*p + 1), x] + Dist[(2*p)/(4*p + 1), Int[(2*a + b*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && IntegerQ[2*p]
```

Rule 1180

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rubi steps

$$\begin{aligned} \int \sqrt{2 + x^2 - x^4} dx &= \frac{1}{3}x\sqrt{2 + x^2 - x^4} + \frac{1}{3} \int \frac{4 + x^2}{\sqrt{2 + x^2 - x^4}} dx \\ &= \frac{1}{3}x\sqrt{2 + x^2 - x^4} + \frac{2}{3} \int \frac{4 + x^2}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx \\ &= \frac{1}{3}x\sqrt{2 + x^2 - x^4} + \frac{1}{3} \int \frac{\sqrt{2 + 2x^2}}{\sqrt{4 - 2x^2}} dx + 2 \int \frac{1}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx \\ &= \frac{1}{3}x\sqrt{2 + x^2 - x^4} + \frac{1}{3}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 \end{aligned}$$

Mathematica [C] time = 0.05, size = 90, normalized size = 2.05

$$\frac{-x^5 + x^3 - 3i\sqrt{-2x^4 + 2x^2 + 4}F\left(i\sinh^{-1}(x)\middle| -\frac{1}{2}\right) + i\sqrt{-2x^4 + 2x^2 + 4}E\left(i\sinh^{-1}(x)\middle| -\frac{1}{2}\right) + 2x}{3\sqrt{-x^4 + x^2 + 2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[2 + x^2 - x^4], x]
```

```
[Out] (2*x + x^3 - x^5 + I*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticE[I*ArcSinh[x], -1/2] - (3*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticF[I*ArcSinh[x], -1/2])/(3*Sqrt[2 + x^2 - x^4])
```

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{-x^4 + x^2 + 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^4 + x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-x^4 + x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-x^4 + x^2 + 2), x)

maple [B] time = 0.00, size = 125, normalized size = 2.84

$$\frac{\sqrt{-x^4 + x^2 + 2} x}{3} + \frac{2\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{3\sqrt{-x^4 + x^2 + 2}} - \frac{\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \left(-\operatorname{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)\right)}{6\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+x^2+2)^(1/2),x)

[Out] 1/3*(-x^4+x^2+2)^(1/2)*x+2/3*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-1/6*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-x^4 + x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-x^4 + x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \sqrt{-x^4 + x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^2 - x^4 + 2)^(1/2),x)
```

```
[Out] int((x^2 - x^4 + 2)^(1/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \sqrt{-x^4 + x^2 + 2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x**4+x**2+2)**(1/2),x)
```

```
[Out] Integral(sqrt(-x**4 + x**2 + 2), x)
```

$$3.321 \quad \int \frac{\sqrt{2+x^2-x^4}}{7+5x^2} dx$$

Optimal. Leaf size=46

$$\frac{17}{25}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - \frac{1}{5}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - \frac{34}{175}\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

[Out] $-1/5*\text{EllipticE}(1/2*x*2^{(1/2)}, I*2^{(1/2)})+17/25*\text{EllipticF}(1/2*x*2^{(1/2)}, I*2^{(1/2)})-34/175*\text{EllipticPi}(1/2*x*2^{(1/2)}, -10/7, I*2^{(1/2)})$

Rubi [A] time = 0.08, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$, Rules used = {1208, 1180, 524, 424, 419, 1212, 537}

$$\frac{17}{25}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - \frac{1}{5}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - \frac{34}{175}\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[2 + x^2 - x^4]/(7 + 5*x^2), x]`

[Out] $-\text{EllipticE}[\text{ArcSin}[x/\text{Sqrt}[2]], -2]/5 + (17*\text{EllipticF}[\text{ArcSin}[x/\text{Sqrt}[2]], -2])/25 - (34*\text{EllipticPi}[-10/7, \text{ArcSin}[x/\text{Sqrt}[2]], -2])/175$

Rule 419

`Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplersqrtQ[-(b/a), -(d/c)])]`

Rule 424

`Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]`

Rule 524

`Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplersqrtQ[a, c]))))`

SqrtQ[-(b/a), -(d/c)])))))

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1208

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_)/((d_) + (e_.)*(x_)^2), x_Symbol] := -Dist[(e^2)^(-1), Int[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] + Dist[(c*d^2 - b*d*e + a*e^2)/e^2, Int[(a + b*x^2 + c*x^4)^(p - 1)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p + 1/2, 0]
```

Rule 1212

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[1/((d + e*x^2)*Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{2+x^2-x^4}}{7+5x^2} dx &= -\left(\frac{1}{25} \int \frac{-12+5x^2}{\sqrt{2+x^2-x^4}} dx\right) - \frac{34}{25} \int \frac{1}{(7+5x^2)\sqrt{2+x^2-x^4}} dx \\
&= -\left(\frac{2}{25} \int \frac{-12+5x^2}{\sqrt{4-2x^2}\sqrt{2+2x^2}} dx\right) - \frac{68}{25} \int \frac{1}{\sqrt{4-2x^2}\sqrt{2+2x^2}(7+5x^2)} dx \\
&= -\frac{34}{175} \Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) - \frac{1}{5} \int \frac{\sqrt{2+2x^2}}{\sqrt{4-2x^2}} dx + \frac{34}{25} \int \frac{1}{\sqrt{4-2x^2}\sqrt{2+2x^2}} dx \\
&= -\frac{1}{5} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{17}{25} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) - \frac{34}{175} \Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)
\end{aligned}$$

Mathematica [C] time = 0.13, size = 51, normalized size = 1.11

$$-\frac{1}{175}i\sqrt{2} \left(7F\left(i\sinh^{-1}(x) \middle| -\frac{1}{2}\right) + 35E\left(i\sinh^{-1}(x) \middle| -\frac{1}{2}\right) - 17\Pi\left(\frac{5}{7}; i\sinh^{-1}(x) \middle| -\frac{1}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[2 + x^2 - x^4]/(7 + 5*x^2),x]

[Out] (-1/175*I)*Sqrt[2]*(35*EllipticE[I*ArcSinh[x], -1/2] + 7*EllipticF[I*ArcSinh[x], -1/2] - 17*EllipticPi[5/7, I*ArcSinh[x], -1/2])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^4+x^2+2}}{5x^2+7}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(1/2)/(5*x^2+7),x, algorithm="fricas")

[Out] integral(sqrt(-x^4 + x^2 + 2)/(5*x^2 + 7), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^4+x^2+2}}{5x^2+7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(1/2)/(5*x^2+7),x, algorithm="giac")

[Out] integrate(sqrt(-x⁴ + x² + 2)/(5*x² + 7), x)

maple [B] time = 0.02, size = 141, normalized size = 3.07

$$\frac{\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{10\sqrt{-x^4 + x^2 + 2}} + \frac{17\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{50\sqrt{-x^4 + x^2 + 2}} - \frac{34\sqrt{2} \sqrt{-x^4 + x^2 + 2}}{50\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x⁴+x²+2)^(1/2)/(5*x²+7), x)

[Out] 17/50*2^(1/2)*(-2*x²+4)^(1/2)*(x²+1)^(1/2)/(-x⁴+x²+2)^(1/2)*EllipticF(1/2*2^(1/2)*x, I*2^(1/2))-1/10*2^(1/2)*(-2*x²+4)^(1/2)*(x²+1)^(1/2)/(-x⁴+x²+2)^(1/2)*EllipticE(1/2*2^(1/2)*x, I*2^(1/2))-34/175*2^(1/2)*(1-1/2*x²)^(1/2)*(x²+1)^(1/2)/(-x⁴+x²+2)^(1/2)*EllipticPi(1/2*2^(1/2)*x, -10/7, I*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^4 + x^2 + 2}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x⁴+x²+2)^(1/2)/(5*x²+7), x, algorithm="maxima")

[Out] integrate(sqrt(-x⁴ + x² + 2)/(5*x² + 7), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{-x^4 + x^2 + 2}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x² - x⁴ + 2)^(1/2)/(5*x² + 7), x)

[Out] int((x² - x⁴ + 2)^(1/2)/(5*x² + 7), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(x^2 - 2)(x^2 + 1)}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**4+x**2+2)**(1/2)/(5*x**2+7), x)

[Out] Integral(sqrt(-(x**2 - 2)*(x**2 + 1))/(5*x**2 + 7), x)

$$3.322 \quad \int \frac{\sqrt{2+x^2-x^4}}{(7+5x^2)^2} dx$$

Optimal. Leaf size=74

$$\frac{\sqrt{-x^4+x^2+2x}}{14(5x^2+7)} - \frac{6}{175} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{1}{70} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{99\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)}{2450}$$

[Out] 1/70*EllipticE(1/2*x*2^(1/2), I*2^(1/2))-6/175*EllipticF(1/2*x*2^(1/2), I*2^(1/2))+99/2450*EllipticPi(1/2*x*2^(1/2), -10/7, I*2^(1/2))+1/14*x*(-x^4+x^2+2)^(1/2)/(5*x^2+7)

Rubi [A] time = 0.08, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$, Rules used = {1226, 1180, 524, 424, 419, 1212, 537}

$$\frac{\sqrt{-x^4+x^2+2x}}{14(5x^2+7)} - \frac{6}{175} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{1}{70} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{99\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)}{2450}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[2 + x^2 - x^4]/(7 + 5*x^2)^2, x]

[Out] (x*Sqrt[2 + x^2 - x^4])/(14*(7 + 5*x^2)) + EllipticE[ArcSin[x/Sqrt[2]], -2]/70 - (6*EllipticF[ArcSin[x/Sqrt[2]], -2])/175 + (99*EllipticPi[-10/7, ArcSin[x/Sqrt[2]], -2])/2450

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],


```
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x]
]; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplifierSqrtQ[-(b/a), -(d/c)]))))))
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)]/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplifierSqrtQ[-(f/e), -(d/c)])
```

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1212

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[1/((d + e*x^2)*Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1226

```
Int[Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]/((d_) + (e_.)*(x_)^2)^2, x_Symbol] := Simp[(x*Sqrt[a + b*x^2 + c*x^4]/(2*d*(d + e*x^2)), x] + (Dist[c/(2*d*e^2), Int[(d - e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(c*d^2 - a*e^2)/(2*d*e^2), Int[1/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{2+x^2-x^4}}{(7+5x^2)^2} dx &= \frac{x\sqrt{2+x^2-x^4}}{14(7+5x^2)} - \frac{1}{350} \int \frac{7-5x^2}{\sqrt{2+x^2-x^4}} dx + \frac{99}{350} \int \frac{1}{(7+5x^2)\sqrt{2+x^2-x^4}} dx \\
&= \frac{x\sqrt{2+x^2-x^4}}{14(7+5x^2)} - \frac{1}{175} \int \frac{7-5x^2}{\sqrt{4-2x^2}\sqrt{2+2x^2}} dx + \frac{99}{175} \int \frac{1}{\sqrt{4-2x^2}\sqrt{2+2x^2}(7+5x^2)} dx \\
&= \frac{x\sqrt{2+x^2-x^4}}{14(7+5x^2)} + \frac{99\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2}{2450} + \frac{1}{70} \int \frac{\sqrt{2+2x^2}}{\sqrt{4-2x^2}} dx - \frac{12}{175} \int \frac{1}{\sqrt{4-2x^2}} dx \\
&= \frac{x\sqrt{2+x^2-x^4}}{14(7+5x^2)} + \frac{1}{70} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 - \frac{6}{175} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + \frac{99\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2}{2450}
\end{aligned}$$

Mathematica [C] time = 0.28, size = 196, normalized size = 2.65

$$\frac{-350x^5 + 350x^3 - 21i\sqrt{2}(5x^2 + 7)\sqrt{-x^4 + x^2 + 2}F\left(i\sinh^{-1}(x)\right) - \frac{1}{2} + 70i\sqrt{2}(5x^2 + 7)\sqrt{-x^4 + x^2 + 2}E\left(i\sinh^{-1}(x)\right)}{4900(5x^2 + 7)\sqrt{-x^4 + x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[2 + x^2 - x^4]/(7 + 5*x^2)^2,x]

[Out] (700*x + 350*x^3 - 350*x^5 + (70*I)*Sqrt[2]*(7 + 5*x^2)*Sqrt[2 + x^2 - x^4]*EllipticE[I*ArcSinh[x], -1/2] - (21*I)*Sqrt[2]*(7 + 5*x^2)*Sqrt[2 + x^2 - x^4]*EllipticF[I*ArcSinh[x], -1/2] - (693*I)*Sqrt[2]*Sqrt[2 + x^2 - x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2] - (495*I)*Sqrt[2]*x^2*Sqrt[2 + x^2 - x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2])/(4900*(7 + 5*x^2)*Sqrt[2 + x^2 - x^4])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^4 + x^2 + 2}}{25x^4 + 70x^2 + 49}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(1/2)/(5*x^2+7)^2,x, algorithm="fricas")

[Out] integral(sqrt(-x^4 + x^2 + 2)/(25*x^4 + 70*x^2 + 49), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^4 + x^2 + 2}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(1/2)/(5*x^2+7)^2,x, algorithm="giac")

[Out] integrate(sqrt(-x^4 + x^2 + 2)/(5*x^2 + 7)^2, x)

maple [B] time = 0.02, size = 165, normalized size = 2.23

$$\frac{\sqrt{-x^4 + x^2 + 2} x}{70x^2 + 98} + \frac{\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{140\sqrt{-x^4 + x^2 + 2}} - \frac{3\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\right)}{175\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+x^2+2)^(1/2)/(5*x^2+7)^2,x)

[Out] 1/14*x*(-x^4+x^2+2)^(1/2)/(5*x^2+7)-3/175*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))+1/140*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticE(1/2*2^(1/2)*x,I*2^(1/2))+99/2450*2^(1/2)*(-1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticPi(1/2*2^(1/2)*x,-10/7,I*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^4 + x^2 + 2}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(1/2)/(5*x^2+7)^2,x, algorithm="maxima")

[Out] integrate(sqrt(-x^4 + x^2 + 2)/(5*x^2 + 7)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{-x^4 + x^2 + 2}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2 - x^4 + 2)^(1/2)/(5*x^2 + 7)^2,x)`

[Out] `int((x^2 - x^4 + 2)^(1/2)/(5*x^2 + 7)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(x^2 - 2)(x^2 + 1)}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**4+x**2+2)**(1/2)/(5*x**2+7)**2,x)`

[Out] `Integral(sqrt(-(x**2 - 2)*(x**2 + 1))/(5*x**2 + 7)**2, x)`

$$3.323 \quad \int \frac{\sqrt{2+x^2-x^4}}{(7+5x^2)^3} dx$$

Optimal. Leaf size=102

$$-\frac{31\sqrt{-x^4+x^2+2x}}{13328(5x^2+7)} + \frac{\sqrt{-x^4+x^2+2x}}{28(5x^2+7)^2} - \frac{269F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{166600} - \frac{31E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{66640} + \frac{16601\Pi\left(-\frac{10}{7}; \sin^{-1}\right)}{2332400}$$

[Out] -31/66640*EllipticE(1/2*x*2^(1/2), I*2^(1/2))-269/166600*EllipticF(1/2*x*2^(1/2), I*2^(1/2))+16601/2332400*EllipticPi(1/2*x*2^(1/2), -10/7, I*2^(1/2))+1/28*x*(-x^4+x^2+2)^(1/2)/(5*x^2+7)^2-31/13328*x*(-x^4+x^2+2)^(1/2)/(5*x^2+7)

Rubi [A] time = 0.41, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 21, number of rules used = 10, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {1228, 1223, 1696, 1716, 1180, 524, 424, 419, 1212, 537}

$$-\frac{31\sqrt{-x^4+x^2+2x}}{13328(5x^2+7)} + \frac{\sqrt{-x^4+x^2+2x}}{28(5x^2+7)^2} - \frac{269F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{166600} - \frac{31E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{66640} + \frac{16601\Pi\left(-\frac{10}{7}; \sin^{-1}\right)}{2332400}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[2 + x^2 - x^4]/(7 + 5*x^2)^3, x]

[Out] (x*Sqrt[2 + x^2 - x^4])/(28*(7 + 5*x^2)^2) - (31*x*Sqrt[2 + x^2 - x^4])/(13328*(7 + 5*x^2)) - (31*EllipticE[ArcSin[x/Sqrt[2]], -2])/66640 - (269*EllipticF[ArcSin[x/Sqrt[2]], -2])/166600 + (16601*EllipticPi[-10/7, ArcSin[x/Sqrt[2]], -2])/2332400

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simplr
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x
], (c*f)/(d*e)]/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d
, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !(!GtQ[f/e, 0]
&& SimplrSqrtQ[-(f/e), -(d/c)])
```

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt
[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}
, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1212

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_S
ymbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[1/((d + e*x^2
)*Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c,
d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1223

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_
Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(
q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e +
a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q
+ 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt
[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c
, 0] && ILtQ[q, -1]
```

Rule 1228

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x
_Symbol] := Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + c
c*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb
-> b, cc -> c}, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] &&
```

NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]

Rule 1696

```
Int[((P4x_)*((d_) + (e_)*(x_)^2)^(q_))/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d - B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b*e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e + A*e^2)*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, -1]
```

Rule 1716

```
Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{2+x^2-x^4}}{(7+5x^2)^3} dx &= \int \left(-\frac{34}{25(7+5x^2)^3 \sqrt{2+x^2-x^4}} + \frac{19}{25(7+5x^2)^2 \sqrt{2+x^2-x^4}} - \frac{1}{25(7+5x^2) \sqrt{2+x^2-x^4}} \right) dx \\
&= -\left(\frac{1}{25} \int \frac{1}{(7+5x^2) \sqrt{2+x^2-x^4}} dx \right) + \frac{19}{25} \int \frac{1}{(7+5x^2)^2 \sqrt{2+x^2-x^4}} dx - \frac{34}{25} \int \frac{1}{(7+5x^2) \sqrt{2+x^2-x^4}} dx \\
&= \frac{x\sqrt{2+x^2-x^4}}{28(7+5x^2)^2} - \frac{19x\sqrt{2+x^2-x^4}}{476(7+5x^2)} - \frac{1}{700} \int \frac{186-190x^2+25x^4}{(7+5x^2)^2 \sqrt{2+x^2-x^4}} dx + \frac{19}{1190} \int \frac{118-70x^2}{(7+5x^2)\sqrt{2+x^2-x^4}} dx \\
&= \frac{x\sqrt{2+x^2-x^4}}{28(7+5x^2)^2} - \frac{31x\sqrt{2+x^2-x^4}}{13328(7+5x^2)} - \frac{1}{175} \Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) - \frac{\int \frac{37698-32690x^2-125x^4}{(7+5x^2)\sqrt{2+x^2-x^4}} dx}{333200} \\
&= \frac{x\sqrt{2+x^2-x^4}}{28(7+5x^2)^2} - \frac{31x\sqrt{2+x^2-x^4}}{13328(7+5x^2)} - \frac{1}{175} \Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{\int \frac{75775+62625x^2}{\sqrt{2+x^2-x^4}} dx}{8330000} \\
&= \frac{x\sqrt{2+x^2-x^4}}{28(7+5x^2)^2} - \frac{31x\sqrt{2+x^2-x^4}}{13328(7+5x^2)} + \frac{2697\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)}{83300} + \frac{\int \frac{75775+62625x^2}{\sqrt{4-2x^2}\sqrt{2+2x^2}} dx}{4165000} \\
&= \frac{x\sqrt{2+x^2-x^4}}{28(7+5x^2)^2} - \frac{31x\sqrt{2+x^2-x^4}}{13328(7+5x^2)} - \frac{19E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)}{2380} - \frac{19F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)}{5950} + \frac{1}{1190} \int \frac{118-70x^2}{(7+5x^2)\sqrt{2+x^2-x^4}} dx \\
&= \frac{x\sqrt{2+x^2-x^4}}{28(7+5x^2)^2} - \frac{31x\sqrt{2+x^2-x^4}}{13328(7+5x^2)} - \frac{31E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)}{66640} - \frac{269F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)}{166600} + \frac{1}{1190} \int \frac{118-70x^2}{(7+5x^2)\sqrt{2+x^2-x^4}} dx
\end{aligned}$$

Mathematica [C] time = 0.36, size = 244, normalized size = 2.39

$$54250x^7 - 144900x^5 - 17850x^3 + 7021i\sqrt{2} (5x^2 + 7)^2 \sqrt{-x^4 + x^2 + 2} F\left(i \sinh^{-1}(x) \middle| -\frac{1}{2}\right) - 2170i\sqrt{2} (5x^2 + 7)^2$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[2 + x^2 - x^4]/(7 + 5*x^2)^3,x]

[Out] (181300*x - 17850*x^3 - 144900*x^5 + 54250*x^7 - (2170*I)*Sqrt[2]*(7 + 5*x^2)^2*Sqrt[2 + x^2 - x^4]*EllipticE[I*ArcSinh[x], -1/2] + (7021*I)*Sqrt[2]*(

$(7 + 5x^2)^2 \sqrt{2 + x^2 - x^4} \operatorname{EllipticF}[I \operatorname{ArcSinh}[x], -1/2] - (813449 I) \sqrt{2} \sqrt{2 + x^2 - x^4} \operatorname{EllipticPi}[5/7, I \operatorname{ArcSinh}[x], -1/2] - (1162070 I) \sqrt{2} x^2 \sqrt{2 + x^2 - x^4} \operatorname{EllipticPi}[5/7, I \operatorname{ArcSinh}[x], -1/2] - (415025 I) \sqrt{2} x^4 \sqrt{2 + x^2 - x^4} \operatorname{EllipticPi}[5/7, I \operatorname{ArcSinh}[x], -1/2] / (4664800 (7 + 5x^2)^2 \sqrt{2 + x^2 - x^4})$

fricas [F] time = 0.47, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{\sqrt{-x^4 + x^2 + 2}}{125x^6 + 525x^4 + 735x^2 + 343}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^4+x^2+2)^(1/2)/(5*x^2+7)^3,x, algorithm="fricas")`

[Out] `integral(sqrt(-x^4 + x^2 + 2)/(125*x^6 + 525*x^4 + 735*x^2 + 343), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^4 + x^2 + 2}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^4+x^2+2)^(1/2)/(5*x^2+7)^3,x, algorithm="giac")`

[Out] `integrate(sqrt(-x^4 + x^2 + 2)/(5*x^2 + 7)^3, x)`

maple [A] time = 0.02, size = 189, normalized size = 1.85

$$\frac{\sqrt{-x^4 + x^2 + 2} x}{28(5x^2 + 7)^2} - \frac{31\sqrt{-x^4 + x^2 + 2} x}{13328(5x^2 + 7)} - \frac{31\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{133280\sqrt{-x^4 + x^2 + 2}} - \frac{269\sqrt{2} \sqrt{-2x^2 + 4}}{333200}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^4+x^2+2)^(1/2)/(5*x^2+7)^3,x)`

[Out] `1/28*x*(-x^4+x^2+2)^(1/2)/(5*x^2+7)^2-31/13328*(-x^4+x^2+2)^(1/2)/(5*x^2+7)*x-269/333200*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-31/133280*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticE(1/2*2^(1/2)*x,I*2^(1/2))+16601/2332400*2^(1/2)*(-1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticPi(1/2*2^(1/2)*x,-10/7,I*2^(1/2))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^4 + x^2 + 2}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(1/2)/(5*x^2+7)^3,x, algorithm="maxima")

[Out] integrate(sqrt(-x^4 + x^2 + 2)/(5*x^2 + 7)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{-x^4 + x^2 + 2}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 - x^4 + 2)^(1/2)/(5*x^2 + 7)^3,x)

[Out] int((x^2 - x^4 + 2)^(1/2)/(5*x^2 + 7)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(x^2 - 2)(x^2 + 1)}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**4+x**2+2)**(1/2)/(5*x**2+7)**3,x)

[Out] Integral(sqrt(-(x**2 - 2)*(x**2 + 1))/(5*x**2 + 7)**3, x)

$$3.324 \quad \int (7 + 5x^2)^4 (2 + x^2 - x^4)^{3/2} dx$$

Optimal. Leaf size=142

$$-\frac{132300}{143} (-x^4 + x^2 + 2)^{5/2} x - \frac{(69817 - 1581440x^2)(-x^4 + x^2 + 2)^{3/2} x}{1001} + \frac{3(7837383x^2 + 2193559)\sqrt{-x^4 + x^2}}{5005}$$

[Out] $-1/1001*x*(-1581440*x^2+69817)*(-x^4+x^2+2)^{(3/2)}-132300/143*x*(-x^4+x^2+2)^{(5/2)}-11750/39*x^3*(-x^4+x^2+2)^{(5/2)}-125/3*x^5*(-x^4+x^2+2)^{(5/2)}+124141422/5005*EllipticE(1/2*x*2^{(1/2)}, I*2^{(1/2)})-50794416/5005*EllipticF(1/2*x*2^{(1/2)}, I*2^{(1/2)})+3/5005*x*(7837383*x^2+2193559)*(-x^4+x^2+2)^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$, Rules used = {1206, 1679, 1176, 1180, 524, 424, 419}

$$-\frac{125}{3} (-x^4 + x^2 + 2)^{5/2} x^5 - \frac{11750}{39} (-x^4 + x^2 + 2)^{5/2} x^3 - \frac{132300}{143} (-x^4 + x^2 + 2)^{5/2} x - \frac{(69817 - 1581440x^2)(-x^4 + x^2 + 2)^{3/2} x}{1001}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^4*(2 + x^2 - x^4)^(3/2), x]

[Out] $(3*x*(2193559 + 7837383*x^2)*\text{Sqrt}[2 + x^2 - x^4])/5005 - (x*(69817 - 1581440*x^2)*(2 + x^2 - x^4)^{(3/2)})/1001 - (132300*x*(2 + x^2 - x^4)^{(5/2)})/143 - (11750*x^3*(2 + x^2 - x^4)^{(5/2)})/39 - (125*x^5*(2 + x^2 - x^4)^{(5/2)})/3 + (124141422*\text{EllipticE}[\text{ArcSin}[x/\text{Sqrt}[2]], -2])/5005 - (50794416*\text{EllipticF}[\text{ArcSin}[x/\text{Sqrt}[2]], -2])/5005$

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simplr
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 1176

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symb
ol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c
*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt
[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}
, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1206

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x
_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*
q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandT
oSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p
+ 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /;
FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e +
a*e^2, 0] && IGtQ[q, 1]
```

Rule 1679

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{q =
Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(
a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p
+ 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*
q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*
x^(2*q), x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[P
q, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2)^4 (2 + x^2 - x^4)^{3/2} dx &= -\frac{125}{3}x^5 (2 + x^2 - x^4)^{5/2} - \frac{1}{15} \int (2 + x^2 - x^4)^{3/2} (-36015 - 102900x^2 - 116 \\
&= -\frac{11750}{39}x^3 (2 + x^2 - x^4)^{5/2} - \frac{125}{3}x^5 (2 + x^2 - x^4)^{5/2} + \frac{1}{195} \int (2 + x^2 - x^4)^3 \\
&= -\frac{132300}{143}x (2 + x^2 - x^4)^{5/2} - \frac{11750}{39}x^3 (2 + x^2 - x^4)^{5/2} - \frac{125}{3}x^5 (2 + x^2 - x^4)^{5/2} \\
&= -\frac{x(69817 - 1581440x^2)(2 + x^2 - x^4)^{3/2}}{1001} - \frac{132300}{143}x (2 + x^2 - x^4)^{5/2} - \frac{11750}{39}x^3 (2 + x^2 - x^4)^{5/2} \\
&= \frac{3x(2193559 + 7837383x^2)\sqrt{2 + x^2 - x^4}}{5005} - \frac{x(69817 - 1581440x^2)(2 + x^2 - x^4)^{5/2}}{1001} \\
&= \frac{3x(2193559 + 7837383x^2)\sqrt{2 + x^2 - x^4}}{5005} - \frac{x(69817 - 1581440x^2)(2 + x^2 - x^4)^{5/2}}{1001} \\
&= \frac{3x(2193559 + 7837383x^2)\sqrt{2 + x^2 - x^4}}{5005} - \frac{x(69817 - 1581440x^2)(2 + x^2 - x^4)^{5/2}}{1001} \\
&= \frac{3x(2193559 + 7837383x^2)\sqrt{2 + x^2 - x^4}}{5005} - \frac{x(69817 - 1581440x^2)(2 + x^2 - x^4)^{5/2}}{1001}
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^4*(2 + x^2 - x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.41, size = 0, normalized size = 0.00

integral(-(625*x^12 + 2875*x^10 + 2600*x^8 - 7490*x^6 - 19159*x^4 - 16121*x^2 - 4802)*sqrt(-x^4 + x^2 + 2), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4*(-x^4+x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral(-(625*x^12 + 2875*x^10 + 2600*x^8 - 7490*x^6 - 19159*x^4 - 16121*x^2 - 4802)*sqrt(-x^4 + x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (-x^4 + x^2 + 2)^{\frac{3}{2}} (5x^2 + 7)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4*(-x^4+x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate((-x^4 + x^2 + 2)^(3/2)*(5*x^2 + 7)^4, x)

maple [A] time = 0.02, size = 227, normalized size = 1.60

$$-\frac{125\sqrt{-x^4+x^2+2}x^{13}}{3} - \frac{8500\sqrt{-x^4+x^2+2}x^{11}}{39} - \frac{84775\sqrt{-x^4+x^2+2}x^9}{429} + \frac{432290\sqrt{-x^4+x^2+2}x^7}{429} + \frac{833561}{429}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^4*(-x^4+x^2+2)^(3/2),x)

[Out] 43271392/15015*(-x^4+x^2+2)^(1/2)*x^3-12639493/5005*(-x^4+x^2+2)^(1/2)*x+833561/273*(-x^4+x^2+2)^(1/2)*x^5+432290/429*(-x^4+x^2+2)^(1/2)*x^7-84775/429*(-x^4+x^2+2)^(1/2)*x^9-8500/39*x^11*(-x^4+x^2+2)^(1/2)-125/3*x^13*(-x^4+x^2+2)^(1/2)-62070711/5005*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))+36673503/5005*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (-x^4 + x^2 + 2)^{\frac{3}{2}} (5x^2 + 7)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4*(-x^4+x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((-x^4 + x^2 + 2)^(3/2)*(5*x^2 + 7)^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (5x^2 + 7)^4 (-x^4 + x^2 + 2)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^4*(x^2 - x^4 + 2)^(3/2),x)

[Out] `int((5*x^2 + 7)^4*(x^2 - x^4 + 2)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -(x^2 - 2)(x^2 + 1)^{\frac{3}{2}}(5x^2 + 7)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**2+7)**4*(-x**4+x**2+2)**(3/2), x)`

[Out] `Integral((-x**2 - 2)*(x**2 + 1)**(3/2)*(5*x**2 + 7)**4, x)`

$$3.325 \quad \int (7 + 5x^2)^3 (2 + x^2 - x^4)^{3/2} dx$$

Optimal. Leaf size=121

$$-\frac{7825}{143} (-x^4 + x^2 + 2)^{5/2} x + \frac{(374045x^2 + 33792)(-x^4 + x^2 + 2)^{3/2} x}{3003} + \frac{(5712051x^2 + 2512273)\sqrt{-x^4 + x^2 + 2} x}{15015}$$

[Out] 1/3003*x*(374045*x^2+33792)*(-x^4+x^2+2)^(3/2)-7825/143*x*(-x^4+x^2+2)^(5/2)-125/13*x^3*(-x^4+x^2+2)^(5/2)+31072528/15015*EllipticE(1/2*x*2^(1/2), I*2^(1/2))-3199778/5005*EllipticF(1/2*x*2^(1/2), I*2^(1/2))+1/15015*x*(5712051*x^2+2512273)*(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.10, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$, Rules used = {1206, 1679, 1176, 1180, 524, 424, 419}

$$-\frac{125}{13} (-x^4 + x^2 + 2)^{5/2} x^3 - \frac{7825}{143} (-x^4 + x^2 + 2)^{5/2} x + \frac{(374045x^2 + 33792)(-x^4 + x^2 + 2)^{3/2} x}{3003} + \frac{(5712051x^2 + 2512273)\sqrt{-x^4 + x^2 + 2} x}{15015}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^3*(2 + x^2 - x^4)^(3/2), x]

[Out] (x*(2512273 + 5712051*x^2)*Sqrt[2 + x^2 - x^4])/15015 + (x*(33792 + 374045*x^2)*(2 + x^2 - x^4)^(3/2))/3003 - (7825*x*(2 + x^2 - x^4)^(5/2))/143 - (125*x^3*(2 + x^2 - x^4)^(5/2))/13 + (31072528*EllipticE[ArcSin[x/Sqrt[2]], -2])/15015 - (3199778*EllipticF[ArcSin[x/Sqrt[2]], -2])/5005

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],

$x], x] + \text{Dist}[(b*e - a*f)/b, \text{Int}[1/(\text{Sqrt}[a + b*x^n]*\text{Sqrt}[c + d*x^n]), x], x] /;$ FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simplifier SqrtQ[-(b/a), -(d/c)]))))))

Rule 1176

$\text{Int}[(d_ + (e_)*(x_)^2)*((a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^{p_}), x_Symbol] \rightarrow \text{Simp}[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + \text{Dist}[(2*p)/(c*(4*p + 1)*(4*p + 3)), \text{Int}[\text{Simp}[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^{p-1}, x], x] /;$ FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1180

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (b_)*(x_)^2 + (c_)*(x_)^4)], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[2*\text{Sqrt}[-c], \text{Int}[(d + e*x^2)/(\text{Sqrt}[b + q + 2*c*x^2]*\text{Sqrt}[-b + q - 2*c*x^2]), x], x]] /;$ FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rule 1206

$\text{Int}[(d_ + (e_)*(x_)^2)^{q_}*((a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^{p_}), x_Symbol] \rightarrow \text{Simp}[(e^q*x^{(2*q-3)}*(a + b*x^2 + c*x^4)^{p+1})/(c*(4*p + 2*q + 1)), x] + \text{Dist}[1/(c*(4*p + 2*q + 1)), \text{Int}[(a + b*x^2 + c*x^4)^p*\text{ExpandToSum}[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^{(2*q-4)} - b*(2*p + 2*q - 1)*e^q*x^{(2*q-2)} - c*(4*p + 2*q + 1)*e^q*x^{(2*q)}, x], x], x] /;$ FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]

Rule 1679

$\text{Int}[(Pq)*((a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^{p_}), x_Symbol] \rightarrow \text{With}[\{q = \text{Expon}[Pq, x^2], e = \text{Coeff}[Pq, x^2, \text{Expon}[Pq, x^2]]\}, \text{Simp}[(e*x^{(2*q-3)}*(a + b*x^2 + c*x^4)^{p+1})/(c*(2*q + 4*p + 1)), x] + \text{Dist}[1/(c*(2*q + 4*p + 1)), \text{Int}[(a + b*x^2 + c*x^4)^p*\text{ExpandToSum}[c*(2*q + 4*p + 1)*Pq - a*e*(2*q - 3)*x^{(2*q-4)} - b*e*(2*q + 2*p - 1)*x^{(2*q-2)} - c*e*(2*q + 4*p + 1)*x^{(2*q)}, x], x], x]] /;$ FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2)^3 (2 + x^2 - x^4)^{3/2} dx &= -\frac{125}{13}x^3(2 + x^2 - x^4)^{5/2} - \frac{1}{13} \int (-4459 - 10305x^2 - 7825x^4)(2 + x^2 - x^4)^{3/2} dx \\
&= -\frac{7825}{143}x(2 + x^2 - x^4)^{5/2} - \frac{125}{13}x^3(2 + x^2 - x^4)^{5/2} + \frac{1}{143} \int (64699 + 160305x^2 - 10305x^4 - 7825x^6)(2 + x^2 - x^4)^{3/2} dx \\
&= \frac{x(33792 + 374045x^2)(2 + x^2 - x^4)^{3/2}}{3003} - \frac{7825}{143}x(2 + x^2 - x^4)^{5/2} - \frac{125}{13}x^3(2 + x^2 - x^4)^{5/2} \\
&= \frac{x(2512273 + 5712051x^2)\sqrt{2 + x^2 - x^4}}{15015} + \frac{x(33792 + 374045x^2)(2 + x^2 - x^4)^{3/2}}{3003} \\
&= \frac{x(2512273 + 5712051x^2)\sqrt{2 + x^2 - x^4}}{15015} + \frac{x(33792 + 374045x^2)(2 + x^2 - x^4)^{3/2}}{3003} \\
&= \frac{x(2512273 + 5712051x^2)\sqrt{2 + x^2 - x^4}}{15015} + \frac{x(33792 + 374045x^2)(2 + x^2 - x^4)^{3/2}}{3003} \\
&= \frac{x(2512273 + 5712051x^2)\sqrt{2 + x^2 - x^4}}{15015} + \frac{x(33792 + 374045x^2)(2 + x^2 - x^4)^{3/2}}{3003}
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^3*(2 + x^2 - x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(-\left(125x^{10} + 400x^8 - 40x^6 - 1442x^4 - 1813x^2 - 686\right)\sqrt{-x^4 + x^2 + 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(-x^4+x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral(-(125*x^10 + 400*x^8 - 40*x^6 - 1442*x^4 - 1813*x^2 - 686)*sqrt(-x^4 + x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (-x^4 + x^2 + 2)^{\frac{3}{2}} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(-x^4+x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate((-x^4 + x^2 + 2)^(3/2)*(5*x^2 + 7)^3, x)

maple [A] time = 0.01, size = 210, normalized size = 1.74

$$\frac{125\sqrt{-x^4 + x^2 + 2} x^{11}}{13} - \frac{5075\sqrt{-x^4 + x^2 + 2} x^9}{143} + \frac{5890\sqrt{-x^4 + x^2 + 2} x^7}{429} + \frac{65248\sqrt{-x^4 + x^2 + 2} x^5}{273} + \frac{5757461}{273}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^3*(-x^4+x^2+2)^(3/2),x)

[Out] 5757461/15015*(-x^4+x^2+2)^(1/2)*x^3-436307/15015*(-x^4+x^2+2)^(1/2)*x+65248/273*(-x^4+x^2+2)^(1/2)*x^5+5890/429*(-x^4+x^2+2)^(1/2)*x^7-5075/143*(-x^4+x^2+2)^(1/2)*x^9-125/13*(-x^4+x^2+2)^(1/2)*x^11-15536264/15015*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))+10736597/15015*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (-x^4 + x^2 + 2)^{\frac{3}{2}} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(-x^4+x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((-x^4 + x^2 + 2)^(3/2)*(5*x^2 + 7)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (5x^2 + 7)^3 (-x^4 + x^2 + 2)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^3*(x^2 - x^4 + 2)^(3/2),x)

[Out] int((5*x^2 + 7)^3*(x^2 - x^4 + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (-(x^2 - 2)(x^2 + 1))^{\frac{3}{2}} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((5*x**2+7)**3*(-x**4+x**2+2)**(3/2), x)
```

```
[Out] Integral((-x**2 - 2)*(x**2 + 1)**(3/2)*(5*x**2 + 7)**3, x)
```

$$3.326 \quad \int (7 + 5x^2)^2 (2 + x^2 - x^4)^{3/2} dx$$

Optimal. Leaf size=100

$$-\frac{25}{11}x(-x^4 + x^2 + 2)^{5/2} + \frac{1}{99}x(920x^2 + 363)(-x^4 + x^2 + 2)^{3/2} + \frac{1}{495}x(14889x^2 + 11497)\sqrt{-x^4 + x^2 + 2} - \frac{3392}{165}$$

[Out] 1/99*x*(920*x^2+363)*(-x^4+x^2+2)^(3/2)-25/11*x*(-x^4+x^2+2)^(5/2)+85942/495*EllipticE(1/2*x*2^(1/2),I*2^(1/2))-3392/165*EllipticF(1/2*x*2^(1/2),I*2^(1/2))+1/495*x*(14889*x^2+11497)*(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.07, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1206, 1176, 1180, 524, 424, 419}

$$-\frac{25}{11}x(-x^4 + x^2 + 2)^{5/2} + \frac{1}{99}x(920x^2 + 363)(-x^4 + x^2 + 2)^{3/2} + \frac{1}{495}x(14889x^2 + 11497)\sqrt{-x^4 + x^2 + 2} - \frac{3392}{165}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^2*(2 + x^2 - x^4)^(3/2),x]

[Out] (x*(11497 + 14889*x^2)*Sqrt[2 + x^2 - x^4])/495 + (x*(363 + 920*x^2)*(2 + x^2 - x^4)^(3/2))/99 - (25*x*(2 + x^2 - x^4)^(5/2))/11 + (85942*EllipticE[ArcSin[x/Sqrt[2]], -2])/495 - (3392*EllipticF[ArcSin[x/Sqrt[2]], -2])/165

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ

[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-(b/a), -(d/c)]))))))

Rule 1176

Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1180

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rule 1206

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandTOSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2)^2 (2 + x^2 - x^4)^{3/2} dx &= -\frac{25}{11}x(2 + x^2 - x^4)^{5/2} - \frac{1}{11} \int (-589 - 920x^2)(2 + x^2 - x^4)^{3/2} dx \\
&= \frac{1}{99}x(363 + 920x^2)(2 + x^2 - x^4)^{3/2} - \frac{25}{11}x(2 + x^2 - x^4)^{5/2} + \frac{1}{231} \int (23044 \\
&= \frac{1}{495}x(11497 + 14889x^2)\sqrt{2 + x^2 - x^4} + \frac{1}{99}x(363 + 920x^2)(2 + x^2 - x^4)^3 \\
&= \frac{1}{495}x(11497 + 14889x^2)\sqrt{2 + x^2 - x^4} + \frac{1}{99}x(363 + 920x^2)(2 + x^2 - x^4)^3 \\
&= \frac{1}{495}x(11497 + 14889x^2)\sqrt{2 + x^2 - x^4} + \frac{1}{99}x(363 + 920x^2)(2 + x^2 - x^4)^3 \\
&= \frac{1}{495}x(11497 + 14889x^2)\sqrt{2 + x^2 - x^4} + \frac{1}{99}x(363 + 920x^2)(2 + x^2 - x^4)^3
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^2*(2 + x^2 - x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(-\left(25x^8 + 45x^6 - 71x^4 - 189x^2 - 98\right)\sqrt{-x^4 + x^2 + 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(-x^4+x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral(-(25*x^8 + 45*x^6 - 71*x^4 - 189*x^2 - 98)*sqrt(-x^4 + x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (-x^4 + x^2 + 2)^{\frac{3}{2}}(5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(-x^4+x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate((-x^4 + x^2 + 2)^(3/2)*(5*x^2 + 7)^2, x)

maple [B] time = 0.01, size = 193, normalized size = 1.93

$$\frac{25\sqrt{-x^4+x^2+2}x^9}{11} - \frac{470\sqrt{-x^4+x^2+2}x^7}{99} + \frac{112\sqrt{-x^4+x^2+2}x^5}{9} + \frac{21404\sqrt{-x^4+x^2+2}x^3}{495} + \frac{10627\sqrt{-x^4+x^2+2}}{495}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^2*(-x^4+x^2+2)^(3/2),x)

[Out] -25/11*(-x^4+x^2+2)^(1/2)*x^9-470/99*(-x^4+x^2+2)^(1/2)*x^7+112/9*(-x^4+x^2+2)^(1/2)*x^5+21404/495*(-x^4+x^2+2)^(1/2)*x^3+10627/495*(-x^4+x^2+2)^(1/2)*x+37883/495*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-42971/495*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (-x^4 + x^2 + 2)^{\frac{3}{2}} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(-x^4+x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((-x^4 + x^2 + 2)^(3/2)*(5*x^2 + 7)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (5x^2 + 7)^2 (-x^4 + x^2 + 2)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^2*(x^2 - x^4 + 2)^(3/2),x)

[Out] int((5*x^2 + 7)^2*(x^2 - x^4 + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -(x^2 - 2)(x^2 + 1)^{\frac{3}{2}} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((5*x**2+7)**2*(-x**4+x**2+2)**(3/2),x)
```

```
[Out] Integral((-x**2 - 2)*(x**2 + 1)**(3/2)*(5*x**2 + 7)**2, x)
```

$$3.327 \quad \int (7 + 5x^2) (2 + x^2 - x^4)^{3/2} dx$$

Optimal. Leaf size=81

$$\frac{1}{63}x(35x^2 + 48)(-x^4 + x^2 + 2)^{3/2} + \frac{1}{315}x(669x^2 + 1087)\sqrt{-x^4 + x^2 + 2} + \frac{418}{105}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + \frac{4432}{315}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)$$

[Out] 1/63*x*(35*x^2+48)*(-x^4+x^2+2)^(3/2)+4432/315*EllipticE(1/2*x*2^(1/2),I*2^(1/2))+418/105*EllipticF(1/2*x*2^(1/2),I*2^(1/2))+1/315*x*(669*x^2+1087)*(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.06, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1176, 1180, 524, 424, 419}

$$\frac{1}{63}x(35x^2 + 48)(-x^4 + x^2 + 2)^{3/2} + \frac{1}{315}x(669x^2 + 1087)\sqrt{-x^4 + x^2 + 2} + \frac{418}{105}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + \frac{4432}{315}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)*(2 + x^2 - x^4)^(3/2),x]

[Out] (x*(1087 + 669*x^2)*Sqrt[2 + x^2 - x^4])/315 + (x*(48 + 35*x^2)*(2 + x^2 - x^4)^(3/2))/63 + (4432*EllipticE[ArcSin[x/Sqrt[2]], -2])/315 + (418*EllipticF[ArcSin[x/Sqrt[2]], -2])/105

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ

[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simplifier SqrtQ[-(b/a), -(d/c)]))))))

Rule 1176

Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1180

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rubi steps

$$\begin{aligned}
 \int (7 + 5x^2)(2 + x^2 - x^4)^{3/2} dx &= \frac{1}{63}x(48 + 35x^2)(2 + x^2 - x^4)^{3/2} - \frac{1}{21} \int (-262 - 223x^2) \sqrt{2 + x^2 - x^4} dx \\
 &= \frac{1}{315}x(1087 + 669x^2) \sqrt{2 + x^2 - x^4} + \frac{1}{63}x(48 + 35x^2)(2 + x^2 - x^4)^{3/2} + \frac{1}{315} \int (-262 - 223x^2) \sqrt{2 + x^2 - x^4} dx \\
 &= \frac{1}{315}x(1087 + 669x^2) \sqrt{2 + x^2 - x^4} + \frac{1}{63}x(48 + 35x^2)(2 + x^2 - x^4)^{3/2} + \frac{2}{315} \int (-262 - 223x^2) \sqrt{2 + x^2 - x^4} dx \\
 &= \frac{1}{315}x(1087 + 669x^2) \sqrt{2 + x^2 - x^4} + \frac{1}{63}x(48 + 35x^2)(2 + x^2 - x^4)^{3/2} + \frac{83}{105} \int (-262 - 223x^2) \sqrt{2 + x^2 - x^4} dx \\
 &= \frac{1}{315}x(1087 + 669x^2) \sqrt{2 + x^2 - x^4} + \frac{1}{63}x(48 + 35x^2)(2 + x^2 - x^4)^{3/2} + \frac{44}{315} \int (-262 - 223x^2) \sqrt{2 + x^2 - x^4} dx
 \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)*(2 + x^2 - x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(-\left(5x^6 + 2x^4 - 17x^2 - 14\right)\sqrt{-x^4 + x^2 + 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)*(-x^4+x^2+2)^(3/2),x, algorithm="fricas")

[Out] integral(-(5*x^6 + 2*x^4 - 17*x^2 - 14)*sqrt(-x^4 + x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (-x^4 + x^2 + 2)^{\frac{3}{2}} (5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)*(-x^4+x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate((-x^4 + x^2 + 2)^(3/2)*(5*x^2 + 7), x)

maple [B] time = 0.01, size = 176, normalized size = 2.17

$$-\frac{5\sqrt{-x^4 + x^2 + 2} x^7}{9} - \frac{13\sqrt{-x^4 + x^2 + 2} x^5}{63} + \frac{1259\sqrt{-x^4 + x^2 + 2} x^3}{315} + \frac{1567\sqrt{-x^4 + x^2 + 2} x}{315} + \frac{2843\sqrt{2} \sqrt{-2x^2 + 4}}{315}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)*(-x^4+x^2+2)^(3/2),x)

[Out] -5/9*(-x^4+x^2+2)^(1/2)*x^7-13/63*(-x^4+x^2+2)^(1/2)*x^5+1259/315*(-x^4+x^2+2)^(1/2)*x^3+1567/315*(-x^4+x^2+2)^(1/2)*x+2843/315*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-2216/315*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (-x^4 + x^2 + 2)^{\frac{3}{2}} (5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)*(-x^4+x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((-x⁴ + x² + 2)^(3/2)*(5*x² + 7), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (5x^2 + 7) (-x^4 + x^2 + 2)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x² + 7)*(x² - x⁴ + 2)^(3/2), x)

[Out] int((5*x² + 7)*(x² - x⁴ + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(-(x^2 - 2)(x^2 + 1) \right)^{\frac{3}{2}} (5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)*(-x**4+x**2+2)**(3/2), x)

[Out] Integral((- (x**2 - 2)*(x**2 + 1))** (3/2)*(5*x**2 + 7), x)

$$3.328 \quad \int (2 + x^2 - x^4)^{3/2} dx$$

Optimal. Leaf size=74

$$\frac{1}{7}x(-x^4 + x^2 + 2)^{3/2} + \frac{1}{35}x(3x^2 + 19)\sqrt{-x^4 + x^2 + 2} + \frac{48}{35}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) + \frac{34}{35}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

[Out] 1/7*x*(-x^4+x^2+2)^(3/2)+34/35*EllipticE(1/2*x*2^(1/2),I*2^(1/2))+48/35*EllipticF(1/2*x*2^(1/2),I*2^(1/2))+1/35*x*(3*x^2+19)*(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.05, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {1091, 1176, 1180, 524, 424, 419}

$$\frac{1}{7}x(-x^4 + x^2 + 2)^{3/2} + \frac{1}{35}x(3x^2 + 19)\sqrt{-x^4 + x^2 + 2} + \frac{48}{35}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) + \frac{34}{35}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

Antiderivative was successfully verified.

[In] Int[(2 + x^2 - x^4)^(3/2), x]

[Out] (x*(19 + 3*x^2)*Sqrt[2 + x^2 - x^4])/35 + (x*(2 + x^2 - x^4)^(3/2))/7 + (34*EllipticE[ArcSin[x/Sqrt[2]], -2])/35 + (48*EllipticF[ArcSin[x/Sqrt[2]], -2])/35

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler

SqrtQ[-(b/a), -(d/c)]))))))

Rule 1091

Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a + b*x^2 + c*x^4)^p)/(4*p + 1), x] + Dist[(2*p)/(4*p + 1), Int[(2*a + b*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && IntegerQ[2*p]

Rule 1176

Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1180

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rubi steps

$$\begin{aligned}
 \int (2 + x^2 - x^4)^{3/2} dx &= \frac{1}{7}x(2 + x^2 - x^4)^{3/2} + \frac{3}{7} \int (4 + x^2) \sqrt{2 + x^2 - x^4} dx \\
 &= \frac{1}{35}x(19 + 3x^2) \sqrt{2 + x^2 - x^4} + \frac{1}{7}x(2 + x^2 - x^4)^{3/2} - \frac{1}{35} \int \frac{-82 - 34x^2}{\sqrt{2 + x^2 - x^4}} dx \\
 &= \frac{1}{35}x(19 + 3x^2) \sqrt{2 + x^2 - x^4} + \frac{1}{7}x(2 + x^2 - x^4)^{3/2} - \frac{2}{35} \int \frac{-82 - 34x^2}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx \\
 &= \frac{1}{35}x(19 + 3x^2) \sqrt{2 + x^2 - x^4} + \frac{1}{7}x(2 + x^2 - x^4)^{3/2} + \frac{34}{35} \int \frac{\sqrt{2 + 2x^2}}{\sqrt{4 - 2x^2}} dx + \frac{96}{35} \int \frac{1}{\sqrt{4}} dx \\
 &= \frac{1}{35}x(19 + 3x^2) \sqrt{2 + x^2 - x^4} + \frac{1}{7}x(2 + x^2 - x^4)^{3/2} + \frac{34}{35} E \left(\sin^{-1} \left(\frac{x}{\sqrt{2}} \right) \right) - 2 + \frac{48}{35} F \left(\frac{x}{\sqrt{2}} \right)
 \end{aligned}$$

Mathematica [C] time = 0.05, size = 102, normalized size = 1.38

$$\frac{5x^9 - 13x^7 - 31x^5 + 45x^3 - 75i\sqrt{-2x^4 + 2x^2 + 4} F\left(i \sinh^{-1}(x) \middle| -\frac{1}{2}\right) + 34i\sqrt{-2x^4 + 2x^2 + 4} E\left(i \sinh^{-1}(x) \middle| -\frac{1}{2}\right)}{35\sqrt{-x^4 + x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + x^2 - x^4)^(3/2), x]

[Out] (58*x + 45*x^3 - 31*x^5 - 13*x^7 + 5*x^9 + (34*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticE[I*ArcSinh[x], -1/2] - (75*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticF[I*ArcSinh[x], -1/2])/(35*Sqrt[2 + x^2 - x^4])

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(-x^4 + x^2 + 2\right)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral((-x^4 + x^2 + 2)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(-x^4 + x^2 + 2\right)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(3/2), x, algorithm="giac")

[Out] integrate((-x^4 + x^2 + 2)^(3/2), x)

maple [B] time = 0.00, size = 159, normalized size = 2.15

$$-\frac{\sqrt{-x^4 + x^2 + 2} x^5}{7} + \frac{8\sqrt{-x^4 + x^2 + 2} x^3}{35} + \frac{29\sqrt{-x^4 + x^2 + 2} x}{35} + \frac{41\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{35\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+x^2+2)^(3/2), x)

[Out] -1/7*(-x^4+x^2+2)^(1/2)*x^5+8/35*(-x^4+x^2+2)^(1/2)*x^3+29/35*(-x^4+x^2+2)^(1/2)*x+41/35*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*Ell


```
ipticF(1/2*2^(1/2)*x,I*2^(1/2))-17/35*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)
)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1
/2)*x,I*2^(1/2)))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (-x^4 + x^2 + 2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x^4+x^2+2)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((-x^4 + x^2 + 2)^(3/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (-x^4 + x^2 + 2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^2 - x^4 + 2)^(3/2),x)
```

```
[Out] int((x^2 - x^4 + 2)^(3/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (-x^4 + x^2 + 2)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x**4+x**2+2)**(3/2),x)
```

```
[Out] Integral((-x**4 + x**2 + 2)**(3/2), x)
```

$$3.329 \quad \int \frac{(2+x^2-x^4)^{3/2}}{7+5x^2} dx$$

Optimal. Leaf size=72

$$\frac{1}{75}x\sqrt{-x^4+x^2+2}(13-3x^2)-\frac{178}{625}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)+\frac{92}{375}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)+\frac{1156\Pi\left(-\frac{10}{7};\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{4375}$$

[Out] 92/375*EllipticE(1/2*x*2^(1/2),I*2^(1/2))-178/625*EllipticF(1/2*x*2^(1/2),I*2^(1/2))+1156/4375*EllipticPi(1/2*x*2^(1/2),-10/7,I*2^(1/2))+1/75*x*(-3*x^2+13)*(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.14, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 8, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1208, 1176, 1180, 524, 424, 419, 1212, 537}

$$\frac{1}{75}x\sqrt{-x^4+x^2+2}(13-3x^2)-\frac{178}{625}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)+\frac{92}{375}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)+\frac{1156\Pi\left(-\frac{10}{7};\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{4375}$$

Antiderivative was successfully verified.

[In] Int[(2 + x^2 - x^4)^(3/2)/(7 + 5*x^2),x]

[Out] (x*(13 - 3*x^2)*Sqrt[2 + x^2 - x^4])/75 + (92*EllipticE[ArcSin[x/Sqrt[2]], -2])/375 - (178*EllipticF[ArcSin[x/Sqrt[2]], -2])/625 + (1156*EllipticPi[-10/7, ArcSin[x/Sqrt[2]], -2])/4375

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],

$x], x] + \text{Dist}[(b*e - a*f)/b, \text{Int}[1/(\text{Sqrt}[a + b*x^n]*\text{Sqrt}[c + d*x^n]), x], x] /;$ FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplifierSqrtQ[-(b/a), -(d/c)]))))))

Rule 537

$\text{Int}[1/(((a_) + (b_)*(x_)^2)*\text{Sqrt}[(c_) + (d_)*(x_)^2]*\text{Sqrt}[(e_) + (f_)*(x_)^2]), x_Symbol] := \text{Simp}[(1*\text{EllipticPi}[(b*c)/(a*d), \text{ArcSin}[\text{Rt}[-(d/c), 2]*x], (c*f)/(d*e))]/(a*\text{Sqrt}[c]*\text{Sqrt}[e]*\text{Rt}[-(d/c), 2]), x] /;$ FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !(!GtQ[f/e, 0] && SimplifierSqrtQ[-(f/e), -(d/c)])

Rule 1176

$\text{Int}[(d_) + (e_)*(x_)^2]*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}, x_Symbol] := \text{Simp}[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + \text{Dist}[(2*p)/(c*(4*p + 1)*(4*p + 3)), \text{Int}[\text{Simp}[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1)]*x^2, x]*(a + b*x^2 + c*x^4)^{(p - 1)}, x], x] /;$ FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1180

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := \text{With}[{q = \text{Rt}[b^2 - 4*a*c, 2]}, \text{Dist}[2*\text{Sqrt}[-c], \text{Int}[(d + e*x^2)/(\text{Sqrt}[b + q + 2*c*x^2]*\text{Sqrt}[-b + q - 2*c*x^2]), x], x]] /;$ FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rule 1208

$\text{Int}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}/((d_) + (e_)*(x_)^2), x_Symbol] := -\text{Dist}[(e^2)^{-1}, \text{Int}[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^{(p - 1)}, x], x] + \text{Dist}[(c*d^2 - b*d*e + a*e^2)/e^2, \text{Int}[(a + b*x^2 + c*x^4)^{(p - 1)}/(d + e*x^2), x], x] /;$ FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p + 1/2, 0]

Rule 1212

$\text{Int}[1/(((d_) + (e_)*(x_)^2)*\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := \text{With}[{q = \text{Rt}[b^2 - 4*a*c, 2]}, \text{Dist}[2*\text{Sqrt}[-c], \text{Int}[1/((d + e*x^2)*\text{Sqrt}[b + q + 2*c*x^2]*\text{Sqrt}[-b + q - 2*c*x^2]), x], x]] /;$ FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(2+x^2-x^4)^{3/2}}{7+5x^2} dx &= -\left(\frac{1}{25} \int (-12+5x^2) \sqrt{2+x^2-x^4} dx\right) - \frac{34}{25} \int \frac{\sqrt{2+x^2-x^4}}{7+5x^2} dx \\
&= \frac{1}{75} x(13-3x^2) \sqrt{2+x^2-x^4} + \frac{1}{375} \int \frac{230-10x^2}{\sqrt{2+x^2-x^4}} dx + \frac{34}{625} \int \frac{-12+5x^2}{\sqrt{2+x^2-x^4}} dx + \frac{1}{6} \\
&= \frac{1}{75} x(13-3x^2) \sqrt{2+x^2-x^4} + \frac{2}{375} \int \frac{230-10x^2}{\sqrt{4-2x^2} \sqrt{2+2x^2}} dx + \frac{68}{625} \int \frac{-12+5x^2}{\sqrt{4-2x^2} \sqrt{2+2x^2}} dx + \frac{1}{6} \\
&= \frac{1}{75} x(13-3x^2) \sqrt{2+x^2-x^4} + \frac{1156\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)}{4375} - \frac{2}{75} \int \frac{\sqrt{2+2x^2}}{\sqrt{4-2x^2}} dx + \frac{1}{6} \\
&= \frac{1}{75} x(13-3x^2) \sqrt{2+x^2-x^4} + \frac{92}{375} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) - \frac{178}{625} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{1}{6}
\end{aligned}$$

Mathematica [C] time = 0.20, size = 130, normalized size = 1.81

$$\frac{525x^7 - 2800x^5 + 1225x^3 - 2961i\sqrt{-2x^4 + 2x^2 + 4} F\left(i \sinh^{-1}(x) \middle| -\frac{1}{2}\right) + 3220i\sqrt{-2x^4 + 2x^2 + 4} E\left(i \sinh^{-1}(x) \middle| -\frac{1}{2}\right) - 13125\sqrt{-x^4 + x^2 + 2}}{13125\sqrt{-x^4 + x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + x^2 - x^4)^(3/2)/(7 + 5*x^2), x]

[Out] (4550*x + 1225*x^3 - 2800*x^5 + 525*x^7 + (3220*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticE[I*ArcSinh[x], -1/2] - (2961*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticF[I*ArcSinh[x], -1/2] - (1734*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2])/(13125*Sqrt[2 + x^2 - x^4])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(-x^4 + x^2 + 2)^{\frac{3}{2}}}{5x^2 + 7}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(3/2)/(5*x^2+7), x, algorithm="fricas")

[Out] integral((-x^4 + x^2 + 2)^(3/2)/(5*x^2 + 7), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-x^4 + x^2 + 2)^{\frac{3}{2}}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(3/2)/(5*x^2+7),x, algorithm="giac")

[Out] integrate((-x^4 + x^2 + 2)^(3/2)/(5*x^2 + 7), x)

maple [B] time = 0.02, size = 173, normalized size = 2.40

$$-\frac{\sqrt{-x^4 + x^2 + 2} x^3}{25} + \frac{13\sqrt{-x^4 + x^2 + 2} x}{75} + \frac{46\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{375\sqrt{-x^4 + x^2 + 2}} - \frac{89\sqrt{2} \sqrt{-2x^2 + 4}}{625}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+x^2+2)^(3/2)/(5*x^2+7),x)

[Out] -1/25*(-x^4+x^2+2)^(1/2)*x^3+13/75*(-x^4+x^2+2)^(1/2)*x-89/625*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))+46/375*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticE(1/2*2^(1/2)*x,I*2^(1/2))+1156/4375*2^(1/2)*(-1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticPi(1/2*2^(1/2)*x,-10/7,I*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-x^4 + x^2 + 2)^{\frac{3}{2}}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(3/2)/(5*x^2+7),x, algorithm="maxima")

[Out] integrate((-x^4 + x^2 + 2)^(3/2)/(5*x^2 + 7), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(-x^4 + x^2 + 2)^{\frac{3}{2}}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 - x^4 + 2)^(3/2)/(5*x^2 + 7),x)

[Out] `int((x^2 - x^4 + 2)^(3/2)/(5*x^2 + 7), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(-\left(x^2 - 2\right)\left(x^2 + 1\right)\right)^{\frac{3}{2}}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**4+x**2+2)**(3/2)/(5*x**2+7),x)`

[Out] `Integral((-x**2 - 2)*(x**2 + 1)**(3/2)/(5*x**2 + 7), x)`

$$3.330 \quad \int \frac{(2+x^2-x^4)^{3/2}}{(7+5x^2)^2} dx$$

Optimal. Leaf size=93

$$-\frac{17\sqrt{-x^4+x^2+2x}}{175(5x^2+7)} - \frac{1}{75}\sqrt{-x^4+x^2+2x} + \frac{458}{875}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - \frac{97}{525}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - \frac{1241\Pi\left(-\frac{10}{7}; s\right)}{6125}$$

[Out] $-97/525*\text{EllipticE}(1/2*x*2^{(1/2)}, I*2^{(1/2)})+458/875*\text{EllipticF}(1/2*x*2^{(1/2)}, I*2^{(1/2)})-1241/6125*\text{EllipticPi}(1/2*x*2^{(1/2)}, -10/7, I*2^{(1/2)})-1/75*x*(-x^4+x^2+2)^{(1/2)}-17/175*x*(-x^4+x^2+2)^{(1/2)}/(5*x^2+7)$

Rubi [A] time = 0.32, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 21, number of rules used = 13, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.542$, Rules used = {1228, 1095, 419, 1132, 493, 424, 1122, 1180, 1223, 1716, 524, 1212, 537}

$$-\frac{17\sqrt{-x^4+x^2+2x}}{175(5x^2+7)} - \frac{1}{75}\sqrt{-x^4+x^2+2x} + \frac{458}{875}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - \frac{97}{525}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - \frac{1241\Pi\left(-\frac{10}{7}; s\right)}{6125}$$

Antiderivative was successfully verified.

[In] Int[(2 + x^2 - x^4)^(3/2)/(7 + 5*x^2)^2, x]

[Out] $-(x*\text{Sqrt}[2 + x^2 - x^4])/75 - (17*x*\text{Sqrt}[2 + x^2 - x^4])/(175*(7 + 5*x^2)) - (97*\text{EllipticE}[\text{ArcSin}[x/\text{Sqrt}[2]], -2])/525 + (458*\text{EllipticF}[\text{ArcSin}[x/\text{Sqrt}[2]], -2])/875 - (1241*\text{EllipticPi}[-10/7, \text{ArcSin}[x/\text{Sqrt}[2]], -2])/6125$

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 493

```
Int[(x_)^(n_)/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]),
x_Symbol] := Dist[1/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] - Dist[a
/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d},
x] && NeQ[b*c - a*d, 0] && (EqQ[n, 2] || EqQ[n, 4]) && !(EqQ[n, 2] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 524

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x
], (c*f)/(d*e))]/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d
, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0]
&& SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 1095

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b
^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[1/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q
- 2*c*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c
, 0]
```

Rule 1122

```
Int[((d_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:= Simp[(d^3*(d*x)^(m - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(m + 4*p + 1)),
x] - Dist[d^4/(c*(m + 4*p + 1)), Int[(d*x)^(m - 4)*Simp[a*(m - 3) + b*(m +
2*p - 1)*x^2, x]*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, p}, x
] && NeQ[b^2 - 4*a*c, 0] && GtQ[m, 3] && NeQ[m + 4*p + 1, 0] && IntegerQ[2*
p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1132

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[x^2/(Sqrt[b + q + 2*c*x^2]*Sqrt[
-b + q - 2*c*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0] &
```


& LtQ[c, 0]

Rule 1180

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rule 1212

Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[1/((d + e*x^2)*Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rule 1223

Int[((d_) + (e_)*(x_)^2)^(q_)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]

Rule 1228

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + c*c*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb -> b, cc -> c}, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]

Rule 1716

Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(2+x^2-x^4)^{3/2}}{(7+5x^2)^2} dx &= \int \left(\frac{212}{625\sqrt{2+x^2-x^4}} - \frac{24x^2}{125\sqrt{2+x^2-x^4}} + \frac{x^4}{25\sqrt{2+x^2-x^4}} + \frac{1156}{625(7+5x^2)^2\sqrt{2+x^2-x^4}} \right) dx \\
&= \frac{1}{25} \int \frac{x^4}{\sqrt{2+x^2-x^4}} dx - \frac{24}{125} \int \frac{x^2}{\sqrt{2+x^2-x^4}} dx + \frac{212}{625} \int \frac{1}{\sqrt{2+x^2-x^4}} dx + \frac{1156}{625} \int \frac{1}{(7+5x^2)^2\sqrt{2+x^2-x^4}} dx \\
&= -\frac{1}{75}x\sqrt{2+x^2-x^4} - \frac{17x\sqrt{2+x^2-x^4}}{175(7+5x^2)} + \frac{17}{4375} \int \frac{118-70x^2-25x^4}{(7+5x^2)\sqrt{2+x^2-x^4}} dx + \frac{1}{75} \int \frac{2+2x^2}{\sqrt{2+x^2-x^4}} dx \\
&= -\frac{1}{75}x\sqrt{2+x^2-x^4} - \frac{17x\sqrt{2+x^2-x^4}}{175(7+5x^2)} + \frac{212}{625} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) - \frac{1292\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)}{4375} \\
&= -\frac{1}{75}x\sqrt{2+x^2-x^4} - \frac{17x\sqrt{2+x^2-x^4}}{175(7+5x^2)} - \frac{62}{375} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{332}{625} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) \\
&= -\frac{1}{75}x\sqrt{2+x^2-x^4} - \frac{17x\sqrt{2+x^2-x^4}}{175(7+5x^2)} - \frac{62}{375} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{332}{625} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) \\
&= -\frac{1}{75}x\sqrt{2+x^2-x^4} - \frac{17x\sqrt{2+x^2-x^4}}{175(7+5x^2)} - \frac{97}{525} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{458}{875} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)
\end{aligned}$$

Mathematica [C] time = 0.31, size = 201, normalized size = 2.16

$$2450x^7 + 4550x^5 - 11900x^3 + 567i\sqrt{2}(5x^2 + 7)\sqrt{-x^4 + x^2} + 2F\left(i\sinh^{-1}(x) \middle| -\frac{1}{2}\right) - 6790i\sqrt{2}(5x^2 + 7)\sqrt{-x^4 + x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + x^2 - x^4)^(3/2)/(7 + 5*x^2)^2,x]

[Out] (-14000*x - 11900*x^3 + 4550*x^5 + 2450*x^7 - (6790*I)*Sqrt[2]*(7 + 5*x^2)*Sqrt[2 + x^2 - x^4]*EllipticE[I*ArcSinh[x], -1/2] + (567*I)*Sqrt[2]*(7 + 5*x^2)*Sqrt[2 + x^2 - x^4]*EllipticF[I*ArcSinh[x], -1/2] + (26061*I)*Sqrt[2]*Sqrt[2 + x^2 - x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2] + (18615*I)*Sqrt[2]*x^2*Sqrt[2 + x^2 - x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2])/(36750*(7 + 5*x^2)*Sqrt[2 + x^2 - x^4])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(-x^4 + x^2 + 2)^{\frac{3}{2}}}{25x^4 + 70x^2 + 49}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(3/2)/(5*x^2+7)^2,x, algorithm="fricas")

[Out] integral((-x^4 + x^2 + 2)^(3/2)/(25*x^4 + 70*x^2 + 49), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-x^4 + x^2 + 2)^{\frac{3}{2}}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(3/2)/(5*x^2+7)^2,x, algorithm="giac")

[Out] integrate((-x^4 + x^2 + 2)^(3/2)/(5*x^2 + 7)^2, x)

maple [B] time = 0.02, size = 180, normalized size = 1.94

$$\frac{17\sqrt{-x^4 + x^2 + 2} x}{175(5x^2 + 7)} - \frac{\sqrt{-x^4 + x^2 + 2} x}{75} - \frac{97\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{1050\sqrt{-x^4 + x^2 + 2}} + \frac{229\sqrt{2} \sqrt{-2x^2 + 4}}{875}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+x^2+2)^(3/2)/(5*x^2+7)^2,x)

[Out] -17/175*(-x^4+x^2+2)^(1/2)/(5*x^2+7)*x-1/75*(-x^4+x^2+2)^(1/2)*x+229/875*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-97/1050*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticE(1/2*2^(1/2)*x,I*2^(1/2))-1241/6125*2^(1/2)*(-1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticPi(1/2*2^(1/2)*x,-10/7,I*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-x^4 + x^2 + 2)^{\frac{3}{2}}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(3/2)/(5*x^2+7)^2,x, algorithm="maxima")

[Out] integrate((-x^4 + x^2 + 2)^(3/2)/(5*x^2 + 7)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(-x^4 + x^2 + 2)^{3/2}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 - x^4 + 2)^(3/2)/(5*x^2 + 7)^2,x)

[Out] int((x^2 - x^4 + 2)^(3/2)/(5*x^2 + 7)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-(x^2 - 2)(x^2 + 1))^{3/2}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**4+x**2+2)**(3/2)/(5*x**2+7)**2,x)

[Out] Integral((-x**2 - 2)*(x**2 + 1)**(3/2)/(5*x**2 + 7)**2, x)

$$3.331 \quad \int \frac{(2+x^2-x^4)^{3/2}}{(7+5x^2)^3} dx$$

Optimal. Leaf size=102

$$\frac{563\sqrt{-x^4+x^2+2}x}{9800(5x^2+7)} - \frac{17\sqrt{-x^4+x^2+2}x}{350(5x^2+7)^2} - \frac{1251F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right|-2)}{24500} + \frac{191E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right|-2)}{9800} + \frac{9879\Pi\left(-\frac{10}{7}; \sin\right)}{343000}$$

[Out] 191/9800*EllipticE(1/2*x*2^(1/2), I*2^(1/2))-1251/24500*EllipticF(1/2*x*2^(1/2), I*2^(1/2))+9879/343000*EllipticPi(1/2*x*2^(1/2), -10/7, I*2^(1/2))-17/350*x*(-x^4+x^2+2)^(1/2)/(5*x^2+7)^2+563/9800*x*(-x^4+x^2+2)^(1/2)/(5*x^2+7)

Rubi [A] time = 0.50, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 27, number of rules used = 13, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.542$, Rules used = {1228, 1095, 419, 1132, 493, 424, 1223, 1696, 1716, 1180, 524, 1212, 537}

$$\frac{563\sqrt{-x^4+x^2+2}x}{9800(5x^2+7)} - \frac{17\sqrt{-x^4+x^2+2}x}{350(5x^2+7)^2} - \frac{1251F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right|-2)}{24500} + \frac{191E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right|-2)}{9800} + \frac{9879\Pi\left(-\frac{10}{7}; \sin\right)}{343000}$$

Antiderivative was successfully verified.

[In] Int[(2 + x^2 - x^4)^(3/2)/(7 + 5*x^2)^3, x]

[Out] (-17*x*sqrt[2 + x^2 - x^4])/(350*(7 + 5*x^2)^2) + (563*x*sqrt[2 + x^2 - x^4])/(9800*(7 + 5*x^2)) + (191*EllipticE[ArcSin[x/Sqrt[2]], -2])/9800 - (1251*EllipticF[ArcSin[x/Sqrt[2]], -2])/24500 + (9879*EllipticPi[-10/7, ArcSin[x/Sqrt[2]], -2])/343000

Rule 419

Int[1/(sqrt[(a_) + (b_.)*(x_)^2]*sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(sqrt[a]*sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 493

```
Int[(x_)^(n_)/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]),
x_Symbol] := Dist[1/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] - Dist[a
/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d},
x] && NeQ[b*c - a*d, 0] && (EqQ[n, 2] || EqQ[n, 4]) && !(EqQ[n, 2] && Simp
lerSqrtQ[-(b/a), -(d/c)])
```

Rule 524

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x
], (c*f)/(d*e))]/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d
, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0]
&& SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 1095

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b
^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[1/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q
- 2*c*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c
, 0]
```

Rule 1132

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[x^2/(Sqrt[b + q + 2*c*x^2]*Sqrt[
-b + q - 2*c*x^2]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0] &
& LtQ[c, 0]
```

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt
[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x] /; FreeQ[{a, b, c, d, e}
```

, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rule 1212

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[1/((d + e*x^2)*Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rule 1223

Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]

Rule 1228

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + c*c*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb -> b, cc -> c}, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]

Rule 1696

Int[((P4x_)*((d_) + (e_.)*(x_)^2)^(q_))/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d - B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b*e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e + A*e^2)*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, -1]

Rule 1716

Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] :> With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c

```
*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a
+ b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2,
2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 -
a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+x^2-x^4)^{3/2}}{(7+5x^2)^3} dx &= \int \left(-\frac{31}{625\sqrt{2+x^2-x^4}} + \frac{x^2}{125\sqrt{2+x^2-x^4}} + \frac{1156}{625(7+5x^2)^3\sqrt{2+x^2-x^4}} - \frac{1}{625(7+5x^2)^2} \right) dx \\
&= \frac{1}{125} \int \frac{x^2}{\sqrt{2+x^2-x^4}} dx - \frac{31}{625} \int \frac{1}{\sqrt{2+x^2-x^4}} dx + \frac{429}{625} \int \frac{1}{(7+5x^2)\sqrt{2+x^2-x^4}} dx \\
&= -\frac{17x\sqrt{2+x^2-x^4}}{350(7+5x^2)^2} + \frac{19x\sqrt{2+x^2-x^4}}{175(7+5x^2)} + \frac{17}{8750} \int \frac{186-190x^2+25x^4}{(7+5x^2)^2\sqrt{2+x^2-x^4}} dx - \frac{19}{4375} \int \frac{118-70x^2-25x^4}{(7+5x^2)\sqrt{2+x^2-x^4}} dx \\
&= -\frac{17x\sqrt{2+x^2-x^4}}{350(7+5x^2)^2} + \frac{563x\sqrt{2+x^2-x^4}}{9800(7+5x^2)} - \frac{31}{625} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{429\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)}{4375} \\
&= -\frac{17x\sqrt{2+x^2-x^4}}{350(7+5x^2)^2} + \frac{563x\sqrt{2+x^2-x^4}}{9800(7+5x^2)} + \frac{1}{125} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) - \frac{36}{625} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) \\
&= -\frac{17x\sqrt{2+x^2-x^4}}{350(7+5x^2)^2} + \frac{563x\sqrt{2+x^2-x^4}}{9800(7+5x^2)} + \frac{1}{125} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) - \frac{36}{625} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) \\
&= -\frac{17x\sqrt{2+x^2-x^4}}{350(7+5x^2)^2} + \frac{563x\sqrt{2+x^2-x^4}}{9800(7+5x^2)} + \frac{26}{875} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) - \frac{214F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)}{4375} \\
&= -\frac{17x\sqrt{2+x^2-x^4}}{350(7+5x^2)^2} + \frac{563x\sqrt{2+x^2-x^4}}{9800(7+5x^2)} + \frac{191E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)}{9800} - \frac{1251F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)}{24500}
\end{aligned}$$

Mathematica [C] time = 0.41, size = 244, normalized size = 2.39

$$-197050x^7 - 45500x^5 + 636650x^3 - 2541i\sqrt{2} (5x^2 + 7)^2 \sqrt{-x^4 + x^2 + 2} F\left(i \sinh^{-1}(x) \middle| -\frac{1}{2}\right) + 13370i\sqrt{2} (5x^2 + 7)$$

Antiderivative was successfully verified.

[In] Integrate[(2 + x^2 - x^4)^(3/2)/(7 + 5*x^2)^3,x]

[Out] (485100*x + 636650*x^3 - 45500*x^5 - 197050*x^7 + (13370*I)*Sqrt[2]*(7 + 5*x^2)^2*Sqrt[2 + x^2 - x^4]*EllipticE[I*ArcSinh[x], -1/2] - (2541*I)*Sqrt[2]*(7 + 5*x^2)^2*Sqrt[2 + x^2 - x^4]*EllipticF[I*ArcSinh[x], -1/2] - (484071*I)*Sqrt[2]*Sqrt[2 + x^2 - x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2] - (691530*I)*Sqrt[2]*x^2*Sqrt[2 + x^2 - x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2] - (246975*I)*Sqrt[2]*x^4*Sqrt[2 + x^2 - x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2])/ (686000*(7 + 5*x^2)^2*Sqrt[2 + x^2 - x^4])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(-x^4 + x^2 + 2)^{\frac{3}{2}}}{125x^6 + 525x^4 + 735x^2 + 343}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(3/2)/(5*x^2+7)^3,x, algorithm="fricas")

[Out] integral((-x^4 + x^2 + 2)^(3/2)/(125*x^6 + 525*x^4 + 735*x^2 + 343), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-x^4 + x^2 + 2)^{\frac{3}{2}}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+x^2+2)^(3/2)/(5*x^2+7)^3,x, algorithm="giac")

[Out] integrate((-x^4 + x^2 + 2)^(3/2)/(5*x^2 + 7)^3, x)

maple [A] time = 0.02, size = 189, normalized size = 1.85

$$\frac{17\sqrt{-x^4 + x^2 + 2} x}{350(5x^2 + 7)^2} + \frac{563\sqrt{-x^4 + x^2 + 2} x}{9800(5x^2 + 7)} + \frac{191\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{19600\sqrt{-x^4 + x^2 + 2}} - \frac{1251\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{19600\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+x^2+2)^(3/2)/(5*x^2+7)^3,x)

[Out] $-17/350*(-x^4+x^2+2)^{(1/2)}/(5*x^2+7)^2*x+563/9800*(-x^4+x^2+2)^{(1/2)}/(5*x^2+7)*x-1251/49000*2^{(1/2)}*(-2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)}/(-x^4+x^2+2)^{(1/2)}*EllipticF(1/2*2^{(1/2)}*x,I*2^{(1/2)})+191/19600*2^{(1/2)}*(-2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)}/(-x^4+x^2+2)^{(1/2)}*EllipticE(1/2*2^{(1/2)}*x,I*2^{(1/2)})+9879/343000*2^{(1/2)}*(-1/2*x^2+1)^{(1/2)}*(x^2+1)^{(1/2)}/(-x^4+x^2+2)^{(1/2)}*EllipticPi(1/2*2^{(1/2)}*x,-10/7,I*2^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-x^4 + x^2 + 2)^{\frac{3}{2}}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^4+x^2+2)^(3/2)/(5*x^2+7)^3,x, algorithm="maxima")`

[Out] `integrate((-x^4 + x^2 + 2)^(3/2)/(5*x^2 + 7)^3, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(-x^4 + x^2 + 2)^{3/2}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2 - x^4 + 2)^(3/2)/(5*x^2 + 7)^3,x)`

[Out] `int((x^2 - x^4 + 2)^(3/2)/(5*x^2 + 7)^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(-(x^2 - 2)(x^2 + 1))^{\frac{3}{2}}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**4+x**2+2)**(3/2)/(5*x**2+7)**3,x)`

[Out] `Integral((-x**2 - 2)*(x**2 + 1)**(3/2)/(5*x**2 + 7)**3, x)`

$$3.332 \quad \int \frac{(7+5x^2)^3}{\sqrt{2+x^2-x^4}} dx$$

Optimal. Leaf size=65

$$-\frac{625}{3}\sqrt{-x^4+x^2+2x}-25\sqrt{-x^4+x^2+2x}x^3-542F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)+\frac{3905}{3}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

[Out] 3905/3*EllipticE(1/2*x*2^(1/2),I*2^(1/2))-542*EllipticF(1/2*x*2^(1/2),I*2^(1/2))-625/3*x*(-x^4+x^2+2)^(1/2)-25*x^3*(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1206, 1679, 1180, 524, 424, 419}

$$-25\sqrt{-x^4+x^2+2x}x^3-\frac{625}{3}\sqrt{-x^4+x^2+2x}-542F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)+\frac{3905}{3}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^3/Sqrt[2 + x^2 - x^4],x]

[Out] (-625*x*Sqrt[2 + x^2 - x^4])/3 - 25*x^3*Sqrt[2 + x^2 - x^4] + (3905*EllipticE[ArcSin[x/Sqrt[2]], -2])/3 - 542*EllipticF[ArcSin[x/Sqrt[2]], -2]

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[Imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])]

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler

SqrtQ[-(b/a), -(d/c)])))))

Rule 1180

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rule 1206

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]

Rule 1679

Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> With[{q = Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*x^(2*q), x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(7+5x^2)^3}{\sqrt{2+x^2-x^4}} dx &= -25x^3\sqrt{2+x^2-x^4} - \frac{1}{5} \int \frac{-1715-4425x^2-3125x^4}{\sqrt{2+x^2-x^4}} dx \\
&= -\frac{625}{3}x\sqrt{2+x^2-x^4} - 25x^3\sqrt{2+x^2-x^4} + \frac{1}{15} \int \frac{11395+19525x^2}{\sqrt{2+x^2-x^4}} dx \\
&= -\frac{625}{3}x\sqrt{2+x^2-x^4} - 25x^3\sqrt{2+x^2-x^4} + \frac{2}{15} \int \frac{11395+19525x^2}{\sqrt{4-2x^2}\sqrt{2+2x^2}} dx \\
&= -\frac{625}{3}x\sqrt{2+x^2-x^4} - 25x^3\sqrt{2+x^2-x^4} - 1084 \int \frac{1}{\sqrt{4-2x^2}\sqrt{2+2x^2}} dx + \frac{3905}{3} \int \frac{1}{\sqrt{2+2x^2}} dx \\
&= -\frac{625}{3}x\sqrt{2+x^2-x^4} - 25x^3\sqrt{2+x^2-x^4} + \frac{3905}{3} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 542F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)
\end{aligned}$$

Mathematica [C] time = 0.11, size = 97, normalized size = 1.49

$$\frac{150x^7 + 1100x^5 - 1550x^3 - 10089i\sqrt{-2x^4 + 2x^2 + 4} F\left(i \sinh^{-1}(x) \middle| -\frac{1}{2}\right) + 7810i\sqrt{-2x^4 + 2x^2 + 4} E\left(i \sinh^{-1}(x) \middle| -\frac{1}{2}\right)}{6\sqrt{-x^4 + x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^3/Sqrt[2 + x^2 - x^4], x]

[Out] (-2500*x - 1550*x^3 + 1100*x^5 + 150*x^7 + (7810*I)*Sqrt[4 + 2*x^2 - 2*x^4] *EllipticE[I*ArcSinh[x], -1/2] - (10089*I)*Sqrt[4 + 2*x^2 - 2*x^4]*EllipticF[I*ArcSinh[x], -1/2])/(6*Sqrt[2 + x^2 - x^4])

fricas [F] time = 0.40, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(125x^6 + 525x^4 + 735x^2 + 343)\sqrt{-x^4 + x^2 + 2}}{x^4 - x^2 - 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(-x^4+x^2+2)^(1/2), x, algorithm="fricas")

[Out] integral(-(125*x^6 + 525*x^4 + 735*x^2 + 343)*sqrt(-x^4 + x^2 + 2)/(x^4 - x^2 - 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{\sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(-x^4+x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^3/sqrt(-x^4 + x^2 + 2), x)

maple [B] time = 0.02, size = 142, normalized size = 2.18

$$-25\sqrt{-x^4 + x^2 + 2} x^3 - \frac{625\sqrt{-x^4 + x^2 + 2} x}{3} + \frac{2279\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right) - 3905\sqrt{2} \sqrt{-2x^2 + 4}}{6\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^3/(-x^4+x^2+2)^(1/2),x)

[Out] -25*(-x^4+x^2+2)^(1/2)*x^3-625/3*(-x^4+x^2+2)^(1/2)*x+2279/6*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-3905/6*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{\sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(-x^4+x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^3/sqrt(-x^4 + x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(5x^2 + 7)^3}{\sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^3/(x^2 - x^4 + 2)^(1/2),x)

[Out] int((5*x^2 + 7)^3/(x^2 - x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{\sqrt{-(x^2 - 2)(x^2 + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((5*x**2+7)**3/(-x**4+x**2+2)**(1/2),x)
```

```
[Out] Integral((5*x**2 + 7)**3/sqrt(-(x**2 - 2)*(x**2 + 1)), x)
```

$$3.333 \quad \int \frac{(7+5x^2)^2}{\sqrt{2+x^2-x^4}} dx$$

Optimal. Leaf size=46

$$-\frac{25}{3}\sqrt{-x^4+x^2+2}x - 21F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) + \frac{260}{3}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

[Out] 260/3*EllipticE(1/2*x*2^(1/2),I*2^(1/2))-21*EllipticF(1/2*x*2^(1/2),I*2^(1/2))-25/3*x*(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.05, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1206, 1180, 524, 424, 419}

$$-\frac{25}{3}\sqrt{-x^4+x^2+2}x - 21F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) + \frac{260}{3}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^2/Sqrt[2 + x^2 - x^4],x]

[Out] (-25*x*Sqrt[2 + x^2 - x^4])/3 + (260*EllipticE[ArcSin[x/Sqrt[2]], -2])/3 - 21*EllipticF[ArcSin[x/Sqrt[2]], -2]

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler

SqrtQ[-(b/a), -(d/c)])))))

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt
[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x] /; FreeQ[{a, b, c, d, e}
, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1206

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x
_Symbol] :> Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*
q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandT
oSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p
+ 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /;
FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e +
a*e^2, 0] && IGtQ[q, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{(7 + 5x^2)^2}{\sqrt{2 + x^2 - x^4}} dx &= -\frac{25}{3}x\sqrt{2 + x^2 - x^4} - \frac{1}{3} \int \frac{-197 - 260x^2}{\sqrt{2 + x^2 - x^4}} dx \\ &= -\frac{25}{3}x\sqrt{2 + x^2 - x^4} - \frac{2}{3} \int \frac{-197 - 260x^2}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx \\ &= -\frac{25}{3}x\sqrt{2 + x^2 - x^4} - 42 \int \frac{1}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx + \frac{260}{3} \int \frac{\sqrt{2 + 2x^2}}{\sqrt{4 - 2x^2}} dx \\ &= -\frac{25}{3}x\sqrt{2 + x^2 - x^4} + \frac{260}{3}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - 21F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) \end{aligned}$$

Mathematica [C] time = 0.10, size = 92, normalized size = 2.00

$$\frac{50x^5 - 50x^3 - 717i\sqrt{-2x^4 + 2x^2 + 4}F\left(i\sinh^{-1}(x)\middle| -\frac{1}{2}\right) + 520i\sqrt{-2x^4 + 2x^2 + 4}E\left(i\sinh^{-1}(x)\middle| -\frac{1}{2}\right) - 100x}{6\sqrt{-x^4 + x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^2/Sqrt[2 + x^2 - x^4], x]

[Out] $(-100x - 50x^3 + 50x^5 + (520I)\sqrt{4 + 2x^2 - 2x^4})\text{EllipticE}[I\text{ArcSinh}[x], -1/2] - (717I)\sqrt{4 + 2x^2 - 2x^4}\text{EllipticF}[I\text{ArcSinh}[x], -1/2]) / (6\sqrt{2 + x^2 - x^4})$

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(25x^4 + 70x^2 + 49)\sqrt{-x^4 + x^2 + 2}}{x^4 - x^2 - 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^2+7)^2/(-x^4+x^2+2)^(1/2),x, algorithm="fricas")`

[Out] `integral(-(25*x^4 + 70*x^2 + 49)*sqrt(-x^4 + x^2 + 2)/(x^4 - x^2 - 2), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{\sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^2+7)^2/(-x^4+x^2+2)^(1/2),x, algorithm="giac")`

[Out] `integrate((5*x^2 + 7)^2/sqrt(-x^4 + x^2 + 2), x)`

maple [B] time = 0.01, size = 125, normalized size = 2.72

$$-\frac{25\sqrt{-x^4 + x^2 + 2} x}{3} + \frac{197\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{6\sqrt{-x^4 + x^2 + 2}} - \frac{130\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \left(-\text{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)\right)}{3\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^2+7)^2/(-x^4+x^2+2)^(1/2),x)`

[Out] $-25/3*(-x^4+x^2+2)^{(1/2)}*x+197/6*2^{(1/2)}*(-2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)} / (-x^4+x^2+2)^{(1/2)}*\text{EllipticF}(1/2*2^{(1/2)}*x, I*2^{(1/2)})-130/3*2^{(1/2)}*(-2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)} / (-x^4+x^2+2)^{(1/2)}*(\text{EllipticF}(1/2*2^{(1/2)}*x, I*2^{(1/2)})-\text{EllipticE}(1/2*2^{(1/2)}*x, I*2^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{\sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(-x^4+x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^2/sqrt(-x^4 + x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(5x^2 + 7)^2}{\sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^2/(x^2 - x^4 + 2)^(1/2),x)

[Out] int((5*x^2 + 7)^2/(x^2 - x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{\sqrt{-(x^2 - 2)(x^2 + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**2/(-x**4+x**2+2)**(1/2),x)

[Out] Integral((5*x**2 + 7)**2/sqrt(-(x**2 - 2)*(x**2 + 1)), x)

$$3.334 \quad \int \frac{7+5x^2}{\sqrt{2+x^2-x^4}} dx$$

Optimal. Leaf size=25

$$2F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + 5E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2$$

[Out] 5*EllipticE(1/2*x*2^(1/2), I*2^(1/2))+2*EllipticF(1/2*x*2^(1/2), I*2^(1/2))

Rubi [A] time = 0.04, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1180, 524, 424, 419}

$$2F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + 5E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)/Sqrt[2 + x^2 - x^4], x]

[Out] 5*EllipticE[ArcSin[x/Sqrt[2]], -2] + 2*EllipticF[ArcSin[x/Sqrt[2]], -2]

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])]

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:=> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt
[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}
, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{7 + 5x^2}{\sqrt{2 + x^2 - x^4}} dx &= 2 \int \frac{7 + 5x^2}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx \\ &= 4 \int \frac{1}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx + 5 \int \frac{\sqrt{2 + 2x^2}}{\sqrt{4 - 2x^2}} dx \\ &= 5E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + 2F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 \end{aligned}$$

Mathematica [C] time = 0.06, size = 34, normalized size = 1.36

$$\frac{i\left(10E\left(i\sinh^{-1}(x)\right) - \frac{1}{2}\right) - 17F\left(i\sinh^{-1}(x)\right) - \frac{1}{2}}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)/Sqrt[2 + x^2 - x^4], x]

[Out] (I*(10*EllipticE[I*ArcSinh[x], -1/2] - 17*EllipticF[I*ArcSinh[x], -1/2]))/Sqrt[2]

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^4 + x^2 + 2}(5x^2 + 7)}{x^4 - x^2 - 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(-x^4+x^2+2)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7)/(x^4 - x^2 - 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{\sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(-x^4+x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)/sqrt(-x^4 + x^2 + 2), x)

maple [B] time = 0.00, size = 110, normalized size = 4.40

$$\frac{7\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{2\sqrt{-x^4 + x^2 + 2}} - \frac{5\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \left(-\operatorname{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right) + \operatorname{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)\right)}{2\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)/(-x^4+x^2+2)^(1/2),x)

[Out] -5/2*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))+7/2*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{\sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(-x^4+x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)/sqrt(-x^4 + x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{5x^2 + 7}{\sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)/(x^2 - x^4 + 2)^(1/2),x)

[Out] int((5*x^2 + 7)/(x^2 - x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{\sqrt{-(x^2 - 2)(x^2 + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((5*x**2+7)/(-x**4+x**2+2)**(1/2),x)
```

```
[Out] Integral((5*x**2 + 7)/sqrt(-(x**2 - 2)*(x**2 + 1)), x)
```

$$3.335 \quad \int \frac{1}{\sqrt{2+x^2-x^4}} dx$$

Optimal. Leaf size=10

$$F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

[Out] EllipticF(1/2*x*2^(1/2),I*2^(1/2))

Rubi [A] time = 0.01, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1095, 419}

$$F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[2 + x^2 - x^4],x]

[Out] EllipticF[ArcSin[x/Sqrt[2]], -2]

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 1095

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b
^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[1/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q
- 2*c*x^2]), x], x]] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c
, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{2+x^2-x^4}} dx &= 2 \int \frac{1}{\sqrt{4-2x^2}\sqrt{2+2x^2}} dx \\ &= F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) \end{aligned}$$

Mathematica [C] time = 0.02, size = 19, normalized size = 1.90

$$-\frac{iF\left(i\sinh^{-1}(x)\middle|-\frac{1}{2}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[2 + x^2 - x^4], x]

[Out] ((-I)*EllipticF[I*ArcSinh[x], -1/2])/Sqrt[2]

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^4 + x^2 + 2}}{x^4 - x^2 - 2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-x^4+x^2+2)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-x^4 + x^2 + 2)/(x^4 - x^2 - 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-x^4+x^2+2)^(1/2), x, algorithm="giac")

[Out] integrate(1/sqrt(-x^4 + x^2 + 2), x)

maple [B] time = 0.00, size = 47, normalized size = 4.70

$$\frac{\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{2\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-x^4+x^2+2)^(1/2), x)

[Out] 1/2*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x, I*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-x^4+x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(-x^4 + x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.10

$$\int \frac{1}{\sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2 - x^4 + 2)^(1/2),x)

[Out] int(1/(x^2 - x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-x**4+x**2+2)**(1/2),x)

[Out] Integral(1/sqrt(-x**4 + x**2 + 2), x)

$$3.336 \quad \int \frac{1}{(7+5x^2)\sqrt{2+x^2-x^4}} dx$$

Optimal. Leaf size=17

$$\frac{1}{7}\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2$$

[Out] 1/7*EllipticPi(1/2*x*2^(1/2), -10/7, I*2^(1/2))

Rubi [A] time = 0.03, antiderivative size = 17, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {1212, 537}

$$\frac{1}{7}\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)*Sqrt[2 + x^2 - x^4]), x]

[Out] EllipticPi[-10/7, ArcSin[x/Sqrt[2]], -2]/7

Rule 537

Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/ (a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !(!GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])

Rule 1212

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[1/((d + e*x^2)*Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rubi steps

$$\begin{aligned} \int \frac{1}{(7+5x^2)\sqrt{2+x^2-x^4}} dx &= 2 \int \frac{1}{\sqrt{4-2x^2}\sqrt{2+2x^2}(7+5x^2)} dx \\ &= \frac{1}{7}\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 \end{aligned}$$

Mathematica [C] time = 0.10, size = 24, normalized size = 1.41

$$\frac{i\Pi\left(\frac{5}{7}; i \sinh^{-1}(x) \middle| -\frac{1}{2}\right)}{7\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((7 + 5*x^2)*Sqrt[2 + x^2 - x^4]),x]

[Out] ((-1/7*I)*EllipticPi[5/7, I*ArcSinh[x], -1/2])/Sqrt[2]

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^4 + x^2 + 2}}{5x^6 + 2x^4 - 17x^2 - 14}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(-x^4+x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-x^4 + x^2 + 2)/(5*x^6 + 2*x^4 - 17*x^2 - 14), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-x^4 + x^2 + 2}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(-x^4+x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7)), x)

maple [B] time = 0.02, size = 48, normalized size = 2.82

$$\frac{\sqrt{2} \sqrt{-\frac{x^2}{2} + 1} \sqrt{x^2 + 1} \text{EllipticPi}\left(\frac{\sqrt{2}x}{2}, -\frac{10}{7}, i\sqrt{2}\right)}{7\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5*x^2+7)/(-x^4+x^2+2)^(1/2),x)

[Out] 1/7*2^(1/2)*(-1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticPi(1/2*2^(1/2)*x,-10/7,I*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-x^4 + x^2 + 2}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(-x^4+x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{(5x^2 + 7)\sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((5*x^2 + 7)*(x^2 - x^4 + 2)^(1/2)),x)

[Out] int(1/((5*x^2 + 7)*(x^2 - x^4 + 2)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-(x^2 - 2)(x^2 + 1)}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x**2+7)/(-x**4+x**2+2)**(1/2),x)

[Out] Integral(1/(sqrt(-(x**2 - 2)*(x**2 + 1))*(5*x**2 + 7)), x)

$$3.337 \quad \int \frac{1}{(7+5x^2)^2 \sqrt{2+x^2-x^4}} dx$$

Optimal. Leaf size=74

$$-\frac{25\sqrt{-x^4+x^2+2x}}{476(5x^2+7)} - \frac{1}{238}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 - \frac{5}{476}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + \frac{167\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2}{3332}$$

[Out] -5/476*EllipticE(1/2*x*2^(1/2), I*2^(1/2))-1/238*EllipticF(1/2*x*2^(1/2), I*2^(1/2))+167/3332*EllipticPi(1/2*x*2^(1/2), -10/7, I*2^(1/2))-25/476*x*(-x^4+x^2+2)^(1/2)/(5*x^2+7)

Rubi [A] time = 0.13, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1223, 1716, 1180, 524, 424, 419, 1212, 537}

$$-\frac{25\sqrt{-x^4+x^2+2x}}{476(5x^2+7)} - \frac{1}{238}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 - \frac{5}{476}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + \frac{167\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2}{3332}$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)^2*Sqrt[2 + x^2 - x^4]),x]

[Out] (-25*x*Sqrt[2 + x^2 - x^4])/(476*(7 + 5*x^2)) - (5*EllipticE[ArcSin[x/Sqrt[2]], -2])/476 - EllipticF[ArcSin[x/Sqrt[2]], -2]/238 + (167*EllipticPi[-10/7, ArcSin[x/Sqrt[2]], -2])/3332

Rule 419

Int[1/(Sqrt[(a_) + (b_)*(x_)^2]*Sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_)*(x_)^2]/Sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],

```
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x
], (c*f)/(d*e)]/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d
, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0]
&& SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt
[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}
, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1212

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_S
ymbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[1/((d + e*x^2
)*Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c,
d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1223

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_
Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4]/(2*d*(
q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e +
a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q
+ 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt
[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c
, 0] && ILtQ[q, -1]
```

Rule 1716

```
Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4])
, x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[
P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c
*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a
+ b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2,
2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 -
```

$a \cdot e^2, 0]$

Rubi steps

$$\begin{aligned}
 \int \frac{1}{(7+5x^2)^2 \sqrt{2+x^2-x^4}} dx &= -\frac{25x\sqrt{2+x^2-x^4}}{476(7+5x^2)} + \frac{1}{476} \int \frac{118-70x^2-25x^4}{(7+5x^2)\sqrt{2+x^2-x^4}} dx \\
 &= -\frac{25x\sqrt{2+x^2-x^4}}{476(7+5x^2)} - \frac{\int \frac{175+125x^2}{\sqrt{2+x^2-x^4}} dx}{11900} + \frac{167}{476} \int \frac{1}{(7+5x^2)\sqrt{2+x^2-x^4}} dx \\
 &= -\frac{25x\sqrt{2+x^2-x^4}}{476(7+5x^2)} - \frac{\int \frac{175+125x^2}{\sqrt{4-2x^2}\sqrt{2+2x^2}} dx}{5950} + \frac{167}{238} \int \frac{1}{\sqrt{4-2x^2}\sqrt{2+2x^2}(7+5x^2)} dx \\
 &= -\frac{25x\sqrt{2+x^2-x^4}}{476(7+5x^2)} + \frac{167\pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2}{3332} - \frac{1}{119} \int \frac{1}{\sqrt{4-2x^2}\sqrt{2+2x^2}} dx \\
 &= -\frac{25x\sqrt{2+x^2-x^4}}{476(7+5x^2)} - \frac{5}{476} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 - \frac{1}{238} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + \frac{1}{6664} \int \frac{1}{\sqrt{4-2x^2}\sqrt{2+2x^2}} dx
 \end{aligned}$$

Mathematica [C] time = 0.29, size = 196, normalized size = 2.65

$$\frac{350x^5 - 350x^3 + 119i\sqrt{2}(5x^2 + 7)\sqrt{-x^4 + x^2 + 2} F\left(i \sinh^{-1}(x) \middle| -\frac{1}{2}\right) - 70i\sqrt{2}(5x^2 + 7)\sqrt{-x^4 + x^2 + 2} E\left(i \sinh^{-1}(x) \middle| -\frac{1}{2}\right) - \frac{1}{6664} \int \frac{1}{\sqrt{4-2x^2}\sqrt{2+2x^2}} dx}{6664(5x^2 + 7)\sqrt{2+x^2-x^4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((7 + 5*x^2)^2*Sqrt[2 + x^2 - x^4]),x]

[Out] (-700*x - 350*x^3 + 350*x^5 - (70*I)*Sqrt[2]*(7 + 5*x^2)*Sqrt[2 + x^2 - x^4])*EllipticE[I*ArcSinh[x], -1/2] + (119*I)*Sqrt[2]*(7 + 5*x^2)*Sqrt[2 + x^2 - x^4]*EllipticF[I*ArcSinh[x], -1/2] - (1169*I)*Sqrt[2]*Sqrt[2 + x^2 - x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2] - (835*I)*Sqrt[2]*x^2*Sqrt[2 + x^2 - x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2])/(6664*(7 + 5*x^2)*Sqrt[2 + x^2 - x^4])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^4 + x^2 + 2}}{25x^8 + 45x^6 - 71x^4 - 189x^2 - 98}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^2/(-x^4+x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-x^4 + x^2 + 2)/(25*x^8 + 45*x^6 - 71*x^4 - 189*x^2 - 98), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-x^4 + x^2 + 2} (5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^2/(-x^4+x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7)^2), x)

maple [B] time = 0.02, size = 165, normalized size = 2.23

$$\frac{25\sqrt{-x^4 + x^2 + 2} x}{476(5x^2 + 7)} - \frac{5\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{952\sqrt{-x^4 + x^2 + 2}} - \frac{\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{2}}{2}\right)}{476\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5*x^2+7)^2/(-x^4+x^2+2)^(1/2),x)

[Out] -25/476*(-x^4+x^2+2)^(1/2)/(5*x^2+7)*x-1/476*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-5/952*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticE(1/2*2^(1/2)*x,I*2^(1/2))+167/3332*2^(1/2)*(-1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticPi(1/2*2^(1/2)*x,-10/7,I*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-x^4 + x^2 + 2} (5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^2/(-x^4+x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(5x^2 + 7)^2 \sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((5*x^2 + 7)^2*(x^2 - x^4 + 2)^(1/2)), x)`

[Out] `int(1/((5*x^2 + 7)^2*(x^2 - x^4 + 2)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-(x^2 - 2)(x^2 + 1)} (5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(5*x**2+7)**2/(-x**4+x**2+2)**(1/2), x)`

[Out] `Integral(1/(sqrt(-(x**2 - 2)*(x**2 + 1))*(5*x**2 + 7)**2), x)`

$$3.338 \quad \int \frac{1}{(7+5x^2)^3 \sqrt{2+x^2-x^4}} dx$$

Optimal. Leaf size=102

$$\frac{12525\sqrt{-x^4+x^2+2}x}{453152(5x^2+7)} - \frac{25\sqrt{-x^4+x^2+2}x}{952(5x^2+7)^2} - \frac{263F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{226576} - \frac{2505E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{453152} + \frac{58915\Pi\left(-\right)}{3172064}$$

[Out] -2505/453152*EllipticE(1/2*x*2^(1/2), I*2^(1/2))-263/226576*EllipticF(1/2*x*2^(1/2), I*2^(1/2))+58915/3172064*EllipticPi(1/2*x*2^(1/2), -10/7, I*2^(1/2))-25/952*x*(-x^4+x^2+2)^(1/2)/(5*x^2+7)^2-12525/453152*x*(-x^4+x^2+2)^(1/2)/(5*x^2+7)

Rubi [A] time = 0.19, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1223, 1696, 1716, 1180, 524, 424, 419, 1212, 537}

$$\frac{12525\sqrt{-x^4+x^2+2}x}{453152(5x^2+7)} - \frac{25\sqrt{-x^4+x^2+2}x}{952(5x^2+7)^2} - \frac{263F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{226576} - \frac{2505E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{453152} + \frac{58915\Pi\left(-\right)}{3172064}$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)^3*Sqrt[2 + x^2 - x^4]), x]

[Out] (-25*x*Sqrt[2 + x^2 - x^4])/(952*(7 + 5*x^2)^2) - (12525*x*Sqrt[2 + x^2 - x^4])/(453152*(7 + 5*x^2)) - (2505*EllipticE[ArcSin[x/Sqrt[2]], -2])/453152 - (263*EllipticF[ArcSin[x/Sqrt[2]], -2])/226576 + (58915*EllipticPi[-10/7, ArcSin[x/Sqrt[2]], -2])/3172064

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x
], (c*f)/(d*e)]/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d
, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !(!GtQ[f/e, 0]
&& SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt
[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}
, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1212

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_S
ymbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[1/((d + e*x^2
)*Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c,
d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1223

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_
Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(
q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e +
a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q
+ 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt
[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c
, 0] && ILtQ[q, -1]
```

Rule 1696

```
Int[((P4x_)*((d_) + (e_.)*(x_)^2)^(q_))/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x
_)^4], x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = C
oeff[P4x, x, 4]}, -Simp[(C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt
[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*
```

$d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), \text{Int}[\left(\frac{(d + e*x^2)^{(q + 1)*\text{Simp}[a*d*(C*d - B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b*e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e + A*e^2)*(2*q + 5)*x^4, x]}{\text{Sqrt}[a + b*x^2 + c*x^4], x}\right) /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{PolyQ}[P4x, x^2] \&\& \text{LeQ}[\text{Expon}[P4x, x], 4] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{ILtQ}[q, -1]$

Rule 1716

$\text{Int}[(P4x_)/(((d_) + (e_)*(x_)^2)*\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> \text{With}\{A = \text{Coeff}[P4x, x, 0], B = \text{Coeff}[P4x, x, 2], C = \text{Coeff}[P4x, x, 4]\}, -\text{Dist}[(e^2)^{-1}, \text{Int}[(C*d - B*e - C*e*x^2)/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] + \text{Dist}[(C*d^2 - B*d*e + A*e^2)/e^2, \text{Int}[1/((d + e*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4]), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{PolyQ}[P4x, x^2, 2] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{1}{(7 + 5x^2)^3 \sqrt{2 + x^2 - x^4}} dx &= -\frac{25x\sqrt{2 + x^2 - x^4}}{952(7 + 5x^2)^2} + \frac{1}{952} \int \frac{186 - 190x^2 + 25x^4}{(7 + 5x^2)^2 \sqrt{2 + x^2 - x^4}} dx \\ &= -\frac{25x\sqrt{2 + x^2 - x^4}}{952(7 + 5x^2)^2} - \frac{12525x\sqrt{2 + x^2 - x^4}}{453152(7 + 5x^2)} + \frac{\int \frac{37698 - 32690x^2 - 12525x^4}{(7 + 5x^2)\sqrt{2 + x^2 - x^4}} dx}{453152} \\ &= -\frac{25x\sqrt{2 + x^2 - x^4}}{952(7 + 5x^2)^2} - \frac{12525x\sqrt{2 + x^2 - x^4}}{453152(7 + 5x^2)} - \frac{\int \frac{75775 + 62625x^2}{\sqrt{2 + x^2 - x^4}} dx}{11328800} + \frac{58915 \int \frac{1}{7 + 5x^2} dx}{4} \\ &= -\frac{25x\sqrt{2 + x^2 - x^4}}{952(7 + 5x^2)^2} - \frac{12525x\sqrt{2 + x^2 - x^4}}{453152(7 + 5x^2)} - \frac{\int \frac{75775 + 62625x^2}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx}{5664400} + \frac{58915 \int \frac{1}{7 + 5x^2} dx}{4} \\ &= -\frac{25x\sqrt{2 + x^2 - x^4}}{952(7 + 5x^2)^2} - \frac{12525x\sqrt{2 + x^2 - x^4}}{453152(7 + 5x^2)} + \frac{58915 \Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2}{3172064} \\ &= -\frac{25x\sqrt{2 + x^2 - x^4}}{952(7 + 5x^2)^2} - \frac{12525x\sqrt{2 + x^2 - x^4}}{453152(7 + 5x^2)} - \frac{2505E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2}{453152} - \frac{263}{4} \end{aligned}$$

Mathematica [C] time = 0.42, size = 108, normalized size = 1.06

$$\frac{350x(2505x^6+1478x^4-8993x^2-7966)}{(5x^2+7)^2\sqrt{-x^4+x^2+2}} + 56287i\sqrt{2}F\left(i\sinh^{-1}(x)\middle|-\frac{1}{2}\right) - 35070i\sqrt{2}E\left(i\sinh^{-1}(x)\middle|-\frac{1}{2}\right) - 58915i\sqrt{2}\Pi\left(\frac{5}{7};\right)$$

6344128

Antiderivative was successfully verified.

[In] Integrate[1/((7 + 5*x^2)^3*Sqrt[2 + x^2 - x^4]),x]

[Out] ((350*x*(-7966 - 8993*x^2 + 1478*x^4 + 2505*x^6))/((7 + 5*x^2)^2*Sqrt[2 + x^2 - x^4]) - (35070*I)*Sqrt[2]*EllipticE[I*ArcSinh[x], -1/2] + (56287*I)*Sqrt[2]*EllipticF[I*ArcSinh[x], -1/2] - (58915*I)*Sqrt[2]*EllipticPi[5/7, I*ArcSinh[x], -1/2])/6344128

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-x^4+x^2+2}}{125x^{10}+400x^8-40x^6-1442x^4-1813x^2-686},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(-x^4+x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-x^4 + x^2 + 2)/(125*x^10 + 400*x^8 - 40*x^6 - 1442*x^4 - 1813*x^2 - 686), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-x^4+x^2+2}(5x^2+7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(-x^4+x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7)^3), x)

maple [A] time = 0.02, size = 189, normalized size = 1.85

$$\frac{25\sqrt{-x^4+x^2+2}x}{952(5x^2+7)^2} - \frac{12525\sqrt{-x^4+x^2+2}x}{453152(5x^2+7)} - \frac{2505\sqrt{2}\sqrt{-2x^2+4}\sqrt{x^2+1}\text{EllipticE}\left(\frac{\sqrt{2}x}{2},i\sqrt{2}\right)}{906304\sqrt{-x^4+x^2+2}} - \frac{263\sqrt{2}\sqrt{-x^4+x^2+2}}{906304\sqrt{-x^4+x^2+2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5*x^2+7)^3/(-x^4+x^2+2)^(1/2),x)

[Out]
$$-25/952*(-x^4+x^2+2)^{(1/2)}/(5*x^2+7)^2*x-12525/453152*(-x^4+x^2+2)^{(1/2)}/(5*x^2+7)*x-263/453152*2^{(1/2)}*(-2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)}/(-x^4+x^2+2)^{(1/2)}*EllipticF(1/2*2^{(1/2)}*x,I*2^{(1/2)})-2505/906304*2^{(1/2)}*(-2*x^2+4)^{(1/2)}*(x^2+1)^{(1/2)}/(-x^4+x^2+2)^{(1/2)}*EllipticE(1/2*2^{(1/2)}*x,I*2^{(1/2)})+58915/3172064*2^{(1/2)}*(-1/2*x^2+1)^{(1/2)}*(x^2+1)^{(1/2)}/(-x^4+x^2+2)^{(1/2)}*EllipticPi(1/2*2^{(1/2)}*x,-10/7,I*2^{(1/2)})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-x^4 + x^2 + 2} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(-x^4+x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(5x^2 + 7)^3 \sqrt{-x^4 + x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((5*x^2 + 7)^3*(x^2 - x^4 + 2)^(1/2)),x)

[Out] int(1/((5*x^2 + 7)^3*(x^2 - x^4 + 2)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-(x^2 - 2)(x^2 + 1)} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x**2+7)**3/(-x**4+x**2+2)**(1/2),x)

[Out] Integral(1/(sqrt(-(x**2 - 2)*(x**2 + 1))*(5*x**2 + 7)**3), x)

$$3.339 \quad \int \frac{(7+5x^2)^5}{(2+x^2-x^4)^{3/2}} dx$$

Optimal. Leaf size=93

$$\frac{27500}{3} \sqrt{-x^4 + x^2 + 2} x + \frac{(1419793x^2 + 1419985)x}{18\sqrt{-x^4 + x^2 + 2}} + 625\sqrt{-x^4 + x^2 + 2} x^3 + \frac{627857}{6} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) - \frac{3482293}{18}$$

[Out] -3482293/18*EllipticE(1/2*x*2^(1/2), I*2^(1/2))+627857/6*EllipticF(1/2*x*2^(1/2), I*2^(1/2))+1/18*x*(1419793*x^2+1419985)/(-x^4+x^2+2)^(1/2)+27500/3*x*(-x^4+x^2+2)^(1/2)+625*x^3*(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.10, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1205, 1679, 1180, 524, 424, 419}

$$625\sqrt{-x^4 + x^2 + 2} x^3 + \frac{27500}{3} \sqrt{-x^4 + x^2 + 2} x + \frac{(1419793x^2 + 1419985)x}{18\sqrt{-x^4 + x^2 + 2}} + \frac{627857}{6} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) - \frac{3482293}{18}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^5/(2 + x^2 - x^4)^(3/2), x]

[Out] (x*(1419985 + 1419793*x^2))/(18*sqrt[2 + x^2 - x^4]) + (27500*x*sqrt[2 + x^2 - x^4])/3 + 625*x^3*sqrt[2 + x^2 - x^4] - (3482293*EllipticE[ArcSin[x/Sqrt[2]], -2])/18 + (627857*EllipticF[ArcSin[x/Sqrt[2]], -2])/6

Rule 419

Int[1/(sqrt[(a_) + (b_)*(x_)^2]*sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] := Simp[1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(sqrt[a]*sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[sqrt[(a_) + (b_)*(x_)^2]/sqrt[(c_) + (d_)*(x_)^2], x_Symbol] := Simp[(sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_)*(x_)^(n_))/(sqrt[(a_) + (b_)*(x_)^(n_)]*sqrt[(c_) + (d_)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[sqrt[a + b*x^n]/sqrt[c + d*x^n],


```
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 1180

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol
] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt
[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}
, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1205

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x
_Symbol] := With[{f = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 +
c*x^4, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 +
c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*g - f*(b^2 - 2*
a*c) - c*(b*f - 2*a*g)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*
(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p
+ 1)*(b^2 - 4*a*c)*PolynomialQuotient[(d + e*x^2)^q, a + b*x^2 + c*x^4, x]
+ b^2*f*(2*p + 3) - 2*a*c*f*(4*p + 5) - a*b*g + c*(4*p + 7)*(b*f - 2*a*g)*x
^2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[
c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1] && LtQ[p, -1]
```

Rule 1679

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{q =
Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(
a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p
+ 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*
q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*
x^(2*q), x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[P
q, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(7+5x^2)^5}{(2+x^2-x^4)^{3/2}} dx &= \frac{x(1419985+1419793x^2)}{18\sqrt{2+x^2-x^4}} - \frac{1}{18} \int \frac{1268722+3084793x^2+450000x^4+56250x^6}{\sqrt{2+x^2-x^4}} dx \\
&= \frac{x(1419985+1419793x^2)}{18\sqrt{2+x^2-x^4}} + 625x^3\sqrt{2+x^2-x^4} + \frac{1}{90} \int \frac{-6343610-15761465x^2-24}{\sqrt{2+x^2-x^4}} dx \\
&= \frac{x(1419985+1419793x^2)}{18\sqrt{2+x^2-x^4}} + \frac{27500}{3}x\sqrt{2+x^2-x^4} + 625x^3\sqrt{2+x^2-x^4} - \frac{1}{270} \int \frac{2398}{\sqrt{2+x^2-x^4}} dx \\
&= \frac{x(1419985+1419793x^2)}{18\sqrt{2+x^2-x^4}} + \frac{27500}{3}x\sqrt{2+x^2-x^4} + 625x^3\sqrt{2+x^2-x^4} - \frac{1}{135} \int \frac{2398}{\sqrt{2+x^2-x^4}} dx \\
&= \frac{x(1419985+1419793x^2)}{18\sqrt{2+x^2-x^4}} + \frac{27500}{3}x\sqrt{2+x^2-x^4} + 625x^3\sqrt{2+x^2-x^4} - \frac{3482293}{18} \int \frac{1}{\sqrt{2+x^2-x^4}} dx \\
&= \frac{x(1419985+1419793x^2)}{18\sqrt{2+x^2-x^4}} + \frac{27500}{3}x\sqrt{2+x^2-x^4} + 625x^3\sqrt{2+x^2-x^4} - \frac{3482293}{18} E \left(\frac{x}{\sqrt{2+x^2-x^4}} \right)
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^5/(2 + x^2 - x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\left((3125x^{10} + 21875x^8 + 61250x^6 + 85750x^4 + 60025x^2 + 16807)\sqrt{-x^4 + x^2 + 2} \right)}{x^8 - 2x^6 - 3x^4 + 4x^2 + 4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^5/(-x^4+x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral((3125*x^10 + 21875*x^8 + 61250*x^6 + 85750*x^4 + 60025*x^2 + 16807)*sqrt(-x^4 + x^2 + 2)/(x^8 - 2*x^6 - 3*x^4 + 4*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2+7)^5}{(-x^4+x^2+2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^5/(-x^4+x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^5/(-x^4 + x^2 + 2)^(3/2), x)

maple [B] time = 0.04, size = 280, normalized size = 3.01

$$625\sqrt{-x^4 + x^2 + 2} x^3 + \frac{27500\sqrt{-x^4 + x^2 + 2} x}{3} - \frac{799361\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{18\sqrt{-x^4 + x^2 + 2}} + \frac{53125}{9} \frac{x^5}{\sqrt{-x^4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^5/(-x^4+x^2+2)^(3/2),x)

[Out] 6250*(17/18*x^3+7/9*x)/(-x^4+x^2+2)^(1/2)+625*(-x^4+x^2+2)^(1/2)*x^3+27500/3*(-x^4+x^2+2)^(1/2)*x-799361/18*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))+3482293/36*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))+43750*(7/18*x^3+5/9*x)/(-x^4+x^2+2)^(1/2)+122500*(5/18*x^3+1/9*x)/(-x^4+x^2+2)^(1/2)+171500*(1/18*x^3+2/9*x)/(-x^4+x^2+2)^(1/2)+120050*(1/9*x^3-1/18*x)/(-x^4+x^2+2)^(1/2)+33614*(5/36*x-1/36*x^3)/(-x^4+x^2+2)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^5}{(-x^4 + x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^5/(-x^4+x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^5/(-x^4 + x^2 + 2)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(5x^2 + 7)^5}{(-x^4 + x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^5/(x^2 - x^4 + 2)^(3/2),x)

[Out] `int((5*x^2 + 7)^5/(x^2 - x^4 + 2)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^5}{\left(- (x^2 - 2)(x^2 + 1)\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**2+7)**5/(-x**4+x**2+2)**(3/2), x)`

[Out] `Integral((5*x**2 + 7)**5/(-(x**2 - 2)*(x**2 + 1))**(3/2), x)`

$$3.340 \quad \int \frac{(7+5x^2)^4}{(2+x^2-x^4)^{3/2}} dx$$

Optimal. Leaf size=74

$$\frac{625}{3} \sqrt{-x^4 + x^2 + 2} x + \frac{(83489x^2 + 83585)x}{18\sqrt{-x^4 + x^2 + 2}} + \frac{31921}{6} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) - \frac{165239}{18} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)$$

[Out] -165239/18*EllipticE(1/2*x*2^(1/2), I*2^(1/2))+31921/6*EllipticF(1/2*x*2^(1/2), I*2^(1/2))+1/18*x*(83489*x^2+83585)/(-x^4+x^2+2)^(1/2)+625/3*x*(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1205, 1679, 1180, 524, 424, 419}

$$\frac{625}{3} \sqrt{-x^4 + x^2 + 2} x + \frac{(83489x^2 + 83585)x}{18\sqrt{-x^4 + x^2 + 2}} + \frac{31921}{6} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) - \frac{165239}{18} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^4/(2 + x^2 - x^4)^(3/2), x]

[Out] (x*(83585 + 83489*x^2))/(18*sqrt[2 + x^2 - x^4]) + (625*x*sqrt[2 + x^2 - x^4])/3 - (165239*EllipticE[ArcSin[x/sqrt[2]], -2])/18 + (31921*EllipticF[ArcSin[x/sqrt[2]], -2])/6

Rule 419

Int[1/(sqrt[(a_) + (b_.)*(x_)^2]*sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(sqrt[a]*sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[sqrt[(a_) + (b_.)*(x_)^2]/sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(sqrt[(a_) + (b_.)*(x_)^(n_)]*sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[sqrt[a + b*x^n]/sqrt[c + d*x^n],

$x], x] + \text{Dist}[(b*e - a*f)/b, \text{Int}[1/(\text{Sqrt}[a + b*x^n]*\text{Sqrt}[c + d*x^n]), x], x] /;$ FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler SqrtQ[-(b/a), -(d/c)]))))))

Rule 1180

$\text{Int}[(d + e*x^2)/\text{Sqrt}[a + b*x^2 + c*x^4], x_Symbol] :> \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[2*\text{Sqrt}[-c], \text{Int}[(d + e*x^2)/(\text{Sqrt}[b + q + 2*c*x^2]*\text{Sqrt}[-b + q - 2*c*x^2]), x], x]] /;$ FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rule 1205

$\text{Int}[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x_Symbol] :> \text{With}[\{f = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 2]\}, \text{Simp}[(x*(a + b*x^2 + c*x^4)^{p+1}*(a*b*g - f*(b^2 - 2*a*c) - c*(b*f - 2*a*g)*x^2)/(2*a*(p+1)*(b^2 - 4*a*c)), x] + \text{Dist}[1/(2*a*(p+1)*(b^2 - 4*a*c)), \text{Int}[(a + b*x^2 + c*x^4)^{p+1}*\text{ExpandToSum}[2*a*(p+1)*(b^2 - 4*a*c)*\text{PolynomialQuotient}[(d + e*x^2)^q, a + b*x^2 + c*x^4, x] + b^2*f*(2*p+3) - 2*a*c*f*(4*p+5) - a*b*g + c*(4*p+7)*(b*f - 2*a*g)*x^2, x], x], x]] /;$ FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1] && LtQ[p, -1]

Rule 1679

$\text{Int}[(Pq)*(a + b*x^2 + c*x^4)^p, x_Symbol] :> \text{With}[\{q = \text{Expon}[Pq, x^2], e = \text{Coeff}[Pq, x^2, \text{Expon}[Pq, x^2]]\}, \text{Simp}[(e*x^{2*q-3}*(a + b*x^2 + c*x^4)^{p+1})/(c*(2*q+4*p+1)), x] + \text{Dist}[1/(c*(2*q+4*p+1)), \text{Int}[(a + b*x^2 + c*x^4)^p*\text{ExpandToSum}[c*(2*q+4*p+1)*Pq - a*e*(2*q-3)*x^{2*q-4} - b*e*(2*q+2*p-1)*x^{2*q-2} - c*e*(2*q+4*p+1)*x^{2*q}, x], x], x]] /;$ FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(7+5x^2)^4}{(2+x^2-x^4)^{3/2}} dx &= \frac{x(83585+83489x^2)}{18\sqrt{2+x^2-x^4}} - \frac{1}{18} \int \frac{61976+157739x^2+11250x^4}{\sqrt{2+x^2-x^4}} dx \\
&= \frac{x(83585+83489x^2)}{18\sqrt{2+x^2-x^4}} + \frac{625}{3}x\sqrt{2+x^2-x^4} + \frac{1}{54} \int \frac{-208428-495717x^2}{\sqrt{2+x^2-x^4}} dx \\
&= \frac{x(83585+83489x^2)}{18\sqrt{2+x^2-x^4}} + \frac{625}{3}x\sqrt{2+x^2-x^4} + \frac{1}{27} \int \frac{-208428-495717x^2}{\sqrt{4-2x^2}\sqrt{2+2x^2}} dx \\
&= \frac{x(83585+83489x^2)}{18\sqrt{2+x^2-x^4}} + \frac{625}{3}x\sqrt{2+x^2-x^4} - \frac{165239}{18} \int \frac{\sqrt{2+2x^2}}{\sqrt{4-2x^2}} dx + \frac{31921}{3} \int \frac{1}{\sqrt{4-2x^2}} dx \\
&= \frac{x(83585+83489x^2)}{18\sqrt{2+x^2-x^4}} + \frac{625}{3}x\sqrt{2+x^2-x^4} - \frac{165239}{18} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 + \frac{31921}{6} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^4/(2 + x^2 - x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(625x^8 + 3500x^6 + 7350x^4 + 6860x^2 + 2401)\sqrt{-x^4 + x^2 + 2}}{x^8 - 2x^6 - 3x^4 + 4x^2 + 4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4/(-x^4+x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral((625*x^8 + 3500*x^6 + 7350*x^4 + 6860*x^2 + 2401)*sqrt(-x^4 + x^2 + 2)/(x^8 - 2*x^6 - 3*x^4 + 4*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2+7)^4}{(-x^4+x^2+2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4/(-x^4+x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^4/(-x^4 + x^2 + 2)^(3/2), x)

maple [B] time = 0.01, size = 240, normalized size = 3.24

$$\frac{625\sqrt{-x^4 + x^2 + 2} x}{3} - \frac{17369\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{9\sqrt{-x^4 + x^2 + 2}} + \frac{\frac{4375}{9}x^3 + \frac{6250}{9}x}{\sqrt{-x^4 + x^2 + 2}} + \frac{165239\sqrt{2} \sqrt{-2x^2 + 4}}{\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^4/(-x^4+x^2+2)^(3/2),x)

[Out] 1250*(7/18*x^3+5/9*x)/(-x^4+x^2+2)^(1/2)+625/3*(-x^4+x^2+2)^(1/2)*x-17369/9*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))+165239/36*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))+7000*(5/18*x^3+1/9*x)/(-x^4+x^2+2)^(1/2)+14700*(1/18*x^3+2/9*x)/(-x^4+x^2+2)^(1/2)+13720*(1/9*x^3-1/18*x)/(-x^4+x^2+2)^(1/2)+4802*(-1/36*x^3+5/36*x)/(-x^4+x^2+2)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^4}{(-x^4 + x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4/(-x^4+x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^4/(-x^4 + x^2 + 2)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(5x^2 + 7)^4}{(-x^4 + x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^4/(x^2 - x^4 + 2)^(3/2),x)

[Out] int((5*x^2 + 7)^4/(x^2 - x^4 + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^4}{(-(x^2 - 2)(x^2 + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**4/(-x**4+x**2+2)**(3/2), x)

[Out] Integral((5*x**2 + 7)**4/(-(x**2 - 2)*(x**2 + 1))**3/2, x)

$$3.341 \quad \int \frac{(7+5x^2)^3}{(2+x^2-x^4)^{3/2}} dx$$

Optimal. Leaf size=55

$$\frac{x(4897x^2 + 4945)}{18\sqrt{-x^4 + x^2 + 2}} + \frac{1763}{6}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 - \frac{7147}{18}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2$$

[Out] -7147/18*EllipticE(1/2*x*2^(1/2), I*2^(1/2))+1763/6*EllipticF(1/2*x*2^(1/2), I*2^(1/2))+1/18*x*(4897*x^2+4945)/(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.05, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1205, 1180, 524, 424, 419}

$$\frac{x(4897x^2 + 4945)}{18\sqrt{-x^4 + x^2 + 2}} + \frac{1763}{6}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2 - \frac{7147}{18}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^3/(2 + x^2 - x^4)^(3/2), x]

[Out] (x*(4945 + 4897*x^2))/(18*sqrt[2 + x^2 - x^4]) - (7147*EllipticE[ArcSin[x/sqrt[2]], -2])/18 + (1763*EllipticF[ArcSin[x/sqrt[2]], -2])/6

Rule 419

Int[1/(sqrt[(a_) + (b_.)*(x_)^2]*sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(sqrt[a]*sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])]

Rule 424

Int[sqrt[(a_) + (b_.)*(x_)^2]/sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(sqrt[(a_) + (b_.)*(x_)^(n_)]*sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[sqrt[a + b*x^n]/sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(sqrt[a + b*x^n]*sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ

$[d/c] \mid \mid (\text{NegQ}[b/a] \ \&\& (\text{PosQ}[d/c] \mid \mid (\text{GtQ}[a, 0] \ \&\& (!\text{GtQ}[c, 0] \mid \mid \text{Simpler} \text{SqrtQ}[-(b/a), -(d/c)]))))))$

Rule 1180

$\text{Int}[\frac{(d + (e \cdot x^2))}{\sqrt{(a + (b \cdot x^2 + c \cdot x^4))}}, x_{\text{Symbol}}] \rightarrow \text{With}[\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Dist}[2\sqrt{-c}, \text{Int}[(d + e x^2)/(\sqrt{b + q + 2c x^2} \sqrt{-b + q - 2c x^2})], x] \text{ /; } \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{GtQ}[b^2 - 4ac, 0] \ \&\& \ \text{LtQ}[c, 0]$

Rule 1205

$\text{Int}[\frac{(d + (e \cdot x^2))^q \cdot (a + (b \cdot x^2 + c \cdot x^4))^p}{x_{\text{Symbol}}}] \rightarrow \text{With}[\{f = \text{Coeff}[\text{PolynomialRemainder}[(d + e x^2)^q, a + b x^2 + c x^4, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[(d + e x^2)^q, a + b x^2 + c x^4, x], x, 2]\}, \text{Simp}[(x(a + b x^2 + c x^4))^{p+1} \cdot (a b g - f(b^2 - 2ac) - c(b f - 2a g) x^2)] / (2a(p+1)(b^2 - 4ac)), x] + \text{Dist}[1/(2a(p+1)(b^2 - 4ac)), \text{Int}[(a + b x^2 + c x^4)^{p+1} \cdot \text{ExpandToSum}[2a(p+1)(b^2 - 4ac) \cdot \text{PolynomialQuotient}[(d + e x^2)^q, a + b x^2 + c x^4, x] + b^2 f(2p+3) - 2a c f(4p+5) - a b g + c(4p+7)(b f - 2a g) x^2, x], x]] \text{ /; } \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{NeQ}[c d^2 - b d e + a e^2, 0] \ \&\& \ \text{IGtQ}[q, 1] \ \&\& \ \text{LtQ}[p, -1]$

Rubi steps

$$\begin{aligned} \int \frac{(7 + 5x^2)^3}{(2 + x^2 - x^4)^{3/2}} dx &= \frac{x(4945 + 4897x^2)}{18\sqrt{2 + x^2 - x^4}} - \frac{1}{18} \int \frac{1858 + 7147x^2}{\sqrt{2 + x^2 - x^4}} dx \\ &= \frac{x(4945 + 4897x^2)}{18\sqrt{2 + x^2 - x^4}} - \frac{1}{9} \int \frac{1858 + 7147x^2}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx \\ &= \frac{x(4945 + 4897x^2)}{18\sqrt{2 + x^2 - x^4}} - \frac{7147}{18} \int \frac{\sqrt{2 + 2x^2}}{\sqrt{4 - 2x^2}} dx + \frac{1763}{3} \int \frac{1}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx \\ &= \frac{x(4945 + 4897x^2)}{18\sqrt{2 + x^2 - x^4}} - \frac{7147}{18} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{1763}{6} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^3/(2 + x^2 - x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(125x^6 + 525x^4 + 735x^2 + 343)\sqrt{-x^4 + x^2 + 2}}{x^8 - 2x^6 - 3x^4 + 4x^2 + 4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(-x^4+x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral((125*x^6 + 525*x^4 + 735*x^2 + 343)*sqrt(-x^4 + x^2 + 2)/(x^8 - 2*x^6 - 3*x^4 + 4*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{(-x^4 + x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(-x^4+x^2+2)^(3/2), x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^3/(-x^4 + x^2 + 2)^(3/2), x)

maple [B] time = 0.01, size = 202, normalized size = 3.67

$$\frac{929\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{18\sqrt{-x^4 + x^2 + 2}} + \frac{\frac{625}{9}x^3 + \frac{250}{9}x}{\sqrt{-x^4 + x^2 + 2}} + \frac{7147\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \left(-\text{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)\right)}{36\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^3/(-x^4+x^2+2)^(3/2), x)

[Out] 250*(5/18*x^3+1/9*x)/(-x^4+x^2+2)^(1/2)-929/18*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))+7147/36*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))+1050*(1/18*x^3+2/9*x)/(-x^4+x^2+2)^(1/2)+1470*(1/9*x^3-1/18*x)/(-x^4+x^2+2)^(1/2)+686*(-1/36*x^3+5/36*x)/(-x^4+x^2+2)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{(-x^4 + x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(-x^4+x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^3/(-x^4 + x^2 + 2)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(5x^2 + 7)^3}{(-x^4 + x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^3/(x^2 - x^4 + 2)^(3/2),x)

[Out] int((5*x^2 + 7)^3/(x^2 - x^4 + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{(-(x^2 - 2)(x^2 + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**3/(-x**4+x**2+2)**(3/2),x)

[Out] Integral((5*x**2 + 7)**3/(-(x**2 - 2)*(x**2 + 1))**3/2, x)

$$3.342 \quad \int \frac{(7+5x^2)^2}{(2+x^2-x^4)^{3/2}} dx$$

Optimal. Leaf size=55

$$\frac{x(281x^2 + 305)}{18\sqrt{-x^4 + x^2 + 2}} + \frac{139}{6}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - \frac{281}{18}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

[Out] -281/18*EllipticE(1/2*x*2^(1/2),I*2^(1/2))+139/6*EllipticF(1/2*x*2^(1/2),I*2^(1/2))+1/18*x*(281*x^2+305)/(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.05, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1205, 1180, 524, 424, 419}

$$\frac{x(281x^2 + 305)}{18\sqrt{-x^4 + x^2 + 2}} + \frac{139}{6}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - \frac{281}{18}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^2/(2 + x^2 - x^4)^(3/2),x]

[Out] (x*(305 + 281*x^2))/(18*sqrt[2 + x^2 - x^4]) - (281*EllipticE[ArcSin[x/Sqrt[2]], -2])/18 + (139*EllipticF[ArcSin[x/Sqrt[2]], -2])/6

Rule 419

Int[1/(sqrt[(a_) + (b_.)*(x_)^2]*sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(sqrt[a]*sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])]

Rule 424

Int[sqrt[(a_) + (b_.)*(x_)^2]/sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(sqrt[(a_) + (b_.)*(x_)^(n_)]*sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[sqrt[a + b*x^n]/sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(sqrt[a + b*x^n]*sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ

$[d/c] \text{ || (NegQ}[b/a] \ \&\& \ (\text{PosQ}[d/c] \ \text{||} \ (\text{GtQ}[a, 0] \ \&\& \ (\text{!GtQ}[c, 0] \ \text{||} \ \text{Simpler} \ \text{SqrtQ}[-(b/a), -(d/c)])))))$

Rule 1180

$\text{Int}[\frac{(d + (e \cdot x^2)) \sqrt{a + (b \cdot x^2 + c \cdot x^4)}}{x}, x_{\text{Symbol}}] \text{ :> With}[\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Dist}[2\sqrt{-c}, \text{Int}[(d + ex^2)/(\sqrt{b + q + 2cx^2} \sqrt{-b + q - 2cx^2})], x], x] \text{ /; FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{GtQ}[b^2 - 4ac, 0] \ \&\& \ \text{LtQ}[c, 0]$

Rule 1205

$\text{Int}[\frac{(d + (e \cdot x^2))^q (a + (b \cdot x^2 + c \cdot x^4))^p}{x_{\text{Symbol}}], x] \text{ :> With}[\{f = \text{Coeff}[\text{PolynomialRemainder}[(d + ex^2)^q, a + bx^2 + cx^4, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[(d + ex^2)^q, a + bx^2 + cx^4, x], x, 2]\}, \text{Simp}[(x(a + bx^2 + cx^4))^{p+1} (abg - f(b^2 - 2ac) - c(bf - 2ag)x^2) / (2a(p+1)(b^2 - 4ac)), x] + \text{Dist}[1/(2a(p+1)(b^2 - 4ac)), \text{Int}[(a + bx^2 + cx^4)^{p+1} \text{ExpandToSum}[2a(p+1)(b^2 - 4ac) \text{PolynomialQuotient}[(d + ex^2)^q, a + bx^2 + cx^4, x] + b^2 f(2p+3) - 2ac f(4p+5) - abg + c(4p+7)(bf - 2ag)x^2, x], x], x] \text{ /; FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{NeQ}[c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2, 0] \ \&\& \ \text{IGtQ}[q, 1] \ \&\& \ \text{LtQ}[p, -1]$

Rubi steps

$$\begin{aligned} \int \frac{(7 + 5x^2)^2}{(2 + x^2 - x^4)^{3/2}} dx &= \frac{x(305 + 281x^2)}{18\sqrt{2 + x^2 - x^4}} - \frac{1}{18} \int \frac{-136 + 281x^2}{\sqrt{2 + x^2 - x^4}} dx \\ &= \frac{x(305 + 281x^2)}{18\sqrt{2 + x^2 - x^4}} - \frac{1}{9} \int \frac{-136 + 281x^2}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx \\ &= \frac{x(305 + 281x^2)}{18\sqrt{2 + x^2 - x^4}} - \frac{281}{18} \int \frac{\sqrt{2 + 2x^2}}{\sqrt{4 - 2x^2}} dx + \frac{139}{3} \int \frac{1}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx \\ &= \frac{x(305 + 281x^2)}{18\sqrt{2 + x^2 - x^4}} - \frac{281}{18} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{139}{6} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^2/(2 + x^2 - x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(25x^4 + 70x^2 + 49)\sqrt{-x^4 + x^2 + 2}}{x^8 - 2x^6 - 3x^4 + 4x^2 + 4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(-x^4+x^2+2)^(3/2), x, algorithm="fricas")

[Out] integral((25*x^4 + 70*x^2 + 49)*sqrt(-x^4 + x^2 + 2)/(x^8 - 2*x^6 - 3*x^4 + 4*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{(-x^4 + x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(-x^4+x^2+2)^(3/2), x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^2/(-x^4 + x^2 + 2)^(3/2), x)

maple [B] time = 0.01, size = 179, normalized size = 3.25

$$\frac{34\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{9\sqrt{-x^4 + x^2 + 2}} + \frac{\frac{25}{9}x^3 + \frac{100}{9}x}{\sqrt{-x^4 + x^2 + 2}} + \frac{281\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \left(-\text{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)\right)}{36\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^2/(-x^4+x^2+2)^(3/2), x)

[Out] 50*(1/18*x^3+2/9*x)/(-x^4+x^2+2)^(1/2)+34/9*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x, I*2^(1/2))+281/36*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x, I*2^(1/2))-EllipticE(1/2*2^(1/2)*x, I*2^(1/2)))+140*(1/9*x^3-1/18*x)/(-x^4+x^2+2)^(1/2)+98*(-1/36*x^3+5/36*x)/(-x^4+x^2+2)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{(-x^4 + x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(-x^4+x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^2/(-x^4 + x^2 + 2)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(5x^2 + 7)^2}{(-x^4 + x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^2/(x^2 - x^4 + 2)^(3/2),x)

[Out] int((5*x^2 + 7)^2/(x^2 - x^4 + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{(-(x^2 - 2)(x^2 + 1))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**2/(-x**4+x**2+2)**(3/2),x)

[Out] Integral((5*x**2 + 7)**2/(-(x**2 - 2)*(x**2 + 1))**3/2, x)

$$3.343 \quad \int \frac{7+5x^2}{(2+x^2-x^4)^{3/2}} dx$$

Optimal. Leaf size=55

$$\frac{x(13x^2+25)}{18\sqrt{-x^4+x^2+2}} + \frac{17}{6}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - \frac{13}{18}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

[Out] -13/18*EllipticE(1/2*x*2^(1/2), I*2^(1/2))+17/6*EllipticF(1/2*x*2^(1/2), I*2^(1/2))+1/18*x*(13*x^2+25)/(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.05, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1178, 1180, 524, 424, 419}

$$\frac{x(13x^2+25)}{18\sqrt{-x^4+x^2+2}} + \frac{17}{6}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - \frac{13}{18}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)/(2 + x^2 - x^4)^(3/2), x]

[Out] (x*(25 + 13*x^2))/(18*sqrt[2 + x^2 - x^4]) - (13*EllipticE[ArcSin[x/sqrt[2]], -2])/18 + (17*EllipticF[ArcSin[x/sqrt[2]], -2])/6

Rule 419

Int[1/(sqrt[(a_) + (b_)*(x_)^2]*sqrt[(c_) + (d_)*(x_)^2]), x_Symbol] :> Simp[imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(sqrt[a]*sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])]

Rule 424

Int[sqrt[(a_) + (b_)*(x_)^2]/sqrt[(c_) + (d_)*(x_)^2], x_Symbol] :> Simp[(sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_)*(x_)^(n_))/(sqrt[(a_) + (b_)*(x_)^(n_)]*sqrt[(c_) + (d_)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[sqrt[a + b*x^n]/sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(sqrt[a + b*x^n]*sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ

[d/c] || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simplify SqrtQ[-(b/a), -(d/c)]))))))

Rule 1178

Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]

Rule 1180

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rubi steps

$$\begin{aligned} \int \frac{7 + 5x^2}{(2 + x^2 - x^4)^{3/2}} dx &= \frac{x(25 + 13x^2)}{18\sqrt{2 + x^2 - x^4}} - \frac{1}{18} \int \frac{-38 + 13x^2}{\sqrt{2 + x^2 - x^4}} dx \\ &= \frac{x(25 + 13x^2)}{18\sqrt{2 + x^2 - x^4}} - \frac{1}{9} \int \frac{-38 + 13x^2}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx \\ &= \frac{x(25 + 13x^2)}{18\sqrt{2 + x^2 - x^4}} - \frac{13}{18} \int \frac{\sqrt{2 + 2x^2}}{\sqrt{4 - 2x^2}} dx + \frac{17}{3} \int \frac{1}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx \\ &= \frac{x(25 + 13x^2)}{18\sqrt{2 + x^2 - x^4}} - \frac{13}{18} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{17}{6} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)/(2 + x^2 - x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^4 + x^2 + 2}(5x^2 + 7)}{x^8 - 2x^6 - 3x^4 + 4x^2 + 4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(-x^4+x^2+2)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^4 + x^2 + 2)*(5*x^2 + 7)/(x^8 - 2*x^6 - 3*x^4 + 4*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{(-x^4 + x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(-x^4+x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)/(-x^4 + x^2 + 2)^(3/2), x)

maple [B] time = 0.01, size = 156, normalized size = 2.84

$$\frac{19\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{18\sqrt{-x^4 + x^2 + 2}} + \frac{\frac{10}{9}x^3 - \frac{5}{9}x}{\sqrt{-x^4 + x^2 + 2}} + \frac{13\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \left(-\text{EllipticE}\left(\frac{\sqrt{2}}{2}\right)\right)}{36\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)/(-x^4+x^2+2)^(3/2),x)

[Out] 10*(1/9*x^3-1/18*x)/(-x^4+x^2+2)^(1/2)+19/18*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))+13/36*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))+14*(-1/36*x^3+5/36*x)/(-x^4+x^2+2)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{(-x^4 + x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(-x^4+x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)/(-x^4 + x^2 + 2)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{5x^2 + 7}{(-x^4 + x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)/(x^2 - x^4 + 2)^(3/2),x)

[Out] int((5*x^2 + 7)/(x^2 - x^4 + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{(-(x^2 - 2)(x^2 + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)/(-x**4+x**2+2)**(3/2),x)

[Out] Integral((5*x**2 + 7)/(-(x**2 - 2)*(x**2 + 1))**(3/2), x)

$$3.344 \quad \int \frac{1}{(2+x^2-x^4)^{3/2}} dx$$

Optimal. Leaf size=55

$$\frac{x(5-x^2)}{18\sqrt{-x^4+x^2+2}} + \frac{1}{6}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) + \frac{1}{18}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

[Out] 1/18*EllipticE(1/2*x*2^(1/2),I*2^(1/2))+1/6*EllipticF(1/2*x*2^(1/2),I*2^(1/2))+1/18*x*(-x^2+5)/(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.04, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {1092, 1180, 524, 424, 419}

$$\frac{x(5-x^2)}{18\sqrt{-x^4+x^2+2}} + \frac{1}{6}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) + \frac{1}{18}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

Antiderivative was successfully verified.

[In] Int[(2 + x^2 - x^4)^(-3/2), x]

[Out] (x*(5 - x^2))/(18*Sqrt[2 + x^2 - x^4]) + EllipticE[ArcSin[x/Sqrt[2]], -2]/18 + EllipticF[ArcSin[x/Sqrt[2]], -2]/6

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])]

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler

SqrtQ[-(b/a), -(d/c)]))))))

Rule 1092

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := -Simp[(x*(b^2 - 2*a*c + b*c*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(b^2 - 2*a*c + 2*(p + 1)*(b^2 - 4*a*c) + b*c*(4*p + 7)*x^2)*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(2 + x^2 - x^4)^{3/2}} dx &= \frac{x(5 - x^2)}{18\sqrt{2 + x^2 - x^4}} - \frac{1}{18} \int \frac{-4 - x^2}{\sqrt{2 + x^2 - x^4}} dx \\ &= \frac{x(5 - x^2)}{18\sqrt{2 + x^2 - x^4}} - \frac{1}{9} \int \frac{-4 - x^2}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx \\ &= \frac{x(5 - x^2)}{18\sqrt{2 + x^2 - x^4}} + \frac{1}{18} \int \frac{\sqrt{2 + 2x^2}}{\sqrt{4 - 2x^2}} dx + \frac{1}{3} \int \frac{1}{\sqrt{4 - 2x^2} \sqrt{2 + 2x^2}} dx \\ &= \frac{x(5 - x^2)}{18\sqrt{2 + x^2 - x^4}} + \frac{1}{18} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{1}{6} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(2 + x^2 - x^4)^(-3/2), x]

[Out] \$Aborted

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^4 + x^2 + 2}}{x^8 - 2x^6 - 3x^4 + 4x^2 + 4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-x^4+x^2+2)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^4 + x^2 + 2)/(x^8 - 2*x^6 - 3*x^4 + 4*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-x^4 + x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-x^4+x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate((-x^4 + x^2 + 2)^(-3/2), x)

maple [B] time = 0.00, size = 133, normalized size = 2.42

$$\frac{\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{9\sqrt{-x^4 + x^2 + 2}} + \frac{-\frac{1}{18}x^3 + \frac{5}{18}x}{\sqrt{-x^4 + x^2 + 2}} - \frac{\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \left(-\text{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)\right)}{36\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-x^4+x^2+2)^(3/2),x)

[Out] 2*(-1/36*x^3+5/36*x)/(-x^4+x^2+2)^(1/2)+1/9*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-1/36*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*(EllipticF(1/2*2^(1/2)*x,I*2^(1/2))-EllipticE(1/2*2^(1/2)*x,I*2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-x^4 + x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-x^4+x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate((-x⁴ + x² + 2)^(-3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{(-x^4 + x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x² - x⁴ + 2)^(3/2), x)

[Out] int(1/(x² - x⁴ + 2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-x^4 + x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-x**4+x**2+2)**(3/2), x)

[Out] Integral((-x**4 + x**2 + 2)**(-3/2), x)

$$3.345 \quad \int \frac{1}{(7+5x^2)(2+x^2-x^4)^{3/2}} dx$$

Optimal. Leaf size=72

$$\frac{x(35-16x^2)}{306\sqrt{-x^4+x^2+2}} + \frac{1}{102}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) + \frac{8}{153}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - \frac{25}{238}\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

[Out] 8/153*EllipticE(1/2*x*2^(1/2), I*2^(1/2))+1/102*EllipticF(1/2*x*2^(1/2), I*2^(1/2))-25/238*EllipticPi(1/2*x*2^(1/2), -10/7, I*2^(1/2))+1/306*x*(-16*x^2+35)/(-x^4+x^2+2)^(1/2)

Rubi [A] time = 0.09, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1221, 1178, 1180, 524, 424, 419, 1212, 537}

$$\frac{x(35-16x^2)}{306\sqrt{-x^4+x^2+2}} + \frac{1}{102}F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) + \frac{8}{153}E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right) - \frac{25}{238}\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)*(2 + x^2 - x^4)^(3/2)), x]

[Out] (x*(35 - 16*x^2))/(306*sqrt[2 + x^2 - x^4]) + (8*EllipticE[ArcSin[x/Sqrt[2]], -2])/153 + EllipticF[ArcSin[x/Sqrt[2]], -2]/102 - (25*EllipticPi[-10/7, ArcSin[x/Sqrt[2]], -2])/238

Rule 419

Int[1/(sqrt[(a_) + (b_.)*(x_)^2]*sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(sqrt[a]*sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplersqrtQ[-(b/a), -(d/c)])

Rule 424

Int[sqrt[(a_) + (b_.)*(x_)^2]/sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_.)*(x_)^(n_))/(sqrt[(a_) + (b_.)*(x_)^(n_)]*sqrt[(c_) + (d_.)*(x_)^(n_)]), x_Symbol] :> Dist[f/b, Int[sqrt[a + b*x^n]/sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(sqrt[a + b*x^n]*sqrt[c + d*x^n]), x], x

```
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 1178

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1212

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[1/((d + e*x^2)*Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1221

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_)/((d_) + (e_.)*(x_)^2), x_Symbol] := Dist[1/(c*d^2 - b*d*e + a*e^2), Int[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^p, x], x] + Dist[e^2/(c*d^2 - b*d*e + a*e^2), Int[(a + b*x^2 + c*x^4)^(p + 1)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[p + 1/2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(7+5x^2)(2+x^2-x^4)^{3/2}} dx &= -\left(\frac{1}{34} \int \frac{-12+5x^2}{(2+x^2-x^4)^{3/2}} dx\right) - \frac{25}{34} \int \frac{1}{(7+5x^2)\sqrt{2+x^2-x^4}} dx \\
&= \frac{x(35-16x^2)}{306\sqrt{2+x^2-x^4}} + \frac{1}{612} \int \frac{38+32x^2}{\sqrt{2+x^2-x^4}} dx - \frac{25}{17} \int \frac{1}{\sqrt{4-2x^2}\sqrt{2+2x^2}(7+5x^2)} dx \\
&= \frac{x(35-16x^2)}{306\sqrt{2+x^2-x^4}} - \frac{25}{238} \Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{1}{306} \int \frac{38+32x^2}{\sqrt{4-2x^2}\sqrt{2+2x^2}(7+5x^2)} dx \\
&= \frac{x(35-16x^2)}{306\sqrt{2+x^2-x^4}} - \frac{25}{238} \Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{1}{51} \int \frac{1}{\sqrt{4-2x^2}\sqrt{2+2x^2}(7+5x^2)} dx \\
&= \frac{x(35-16x^2)}{306\sqrt{2+x^2-x^4}} + \frac{8}{153} E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) + \frac{1}{102} F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right) - \frac{2}{238} \Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| -2\right)
\end{aligned}$$

Mathematica [C] time = 0.22, size = 101, normalized size = 1.40

$$\frac{\frac{490x}{\sqrt{-x^4+x^2+2}} - \frac{224x^3}{\sqrt{-x^4+x^2+2}} - 357i\sqrt{2}F\left(i\sinh^{-1}(x) \middle| -\frac{1}{2}\right) + 224i\sqrt{2}E\left(i\sinh^{-1}(x) \middle| -\frac{1}{2}\right) + 225i\sqrt{2}\Pi\left(\frac{5}{7}; i\sinh^{-1}(x) \middle| -\frac{1}{2}\right)}{4284}$$

Antiderivative was successfully verified.

[In] Integrate[1/((7 + 5*x^2)*(2 + x^2 - x^4)^(3/2)),x]

[Out] ((490*x)/Sqrt[2 + x^2 - x^4] - (224*x^3)/Sqrt[2 + x^2 - x^4] + (224*I)*Sqrt[2]*EllipticE[I*ArcSinh[x], -1/2] - (357*I)*Sqrt[2]*EllipticF[I*ArcSinh[x], -1/2] + (225*I)*Sqrt[2]*EllipticPi[5/7, I*ArcSinh[x], -1/2])/4284

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^4+x^2+2}}{5x^{10}-3x^8-29x^6-x^4+48x^2+28}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(-x^4+x^2+2)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^4 + x^2 + 2)/(5*x^10 - 3*x^8 - 29*x^6 - x^4 + 48*x^2 + 28), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-x^4 + x^2 + 2)^{\frac{3}{2}}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(-x^4+x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate(1/((-x^4 + x^2 + 2)^(3/2)*(5*x^2 + 7)), x)

maple [B] time = 0.02, size = 164, normalized size = 2.28

$$\frac{4\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{153\sqrt{-x^4 + x^2 + 2}} + \frac{\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{204\sqrt{-x^4 + x^2 + 2}} - \frac{25\sqrt{2} \sqrt{-\frac{x^2}{2}}}{153\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5*x^2+7)/(-x^4+x^2+2)^(3/2),x)

[Out] 2*(-4/153*x^3+35/612*x)/(-x^4+x^2+2)^(1/2)+1/204*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))+4/153*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticE(1/2*2^(1/2)*x,I*2^(1/2))-25/238*2^(1/2)*(-1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticPi(1/2*2^(1/2)*x,-10/7,I*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-x^4 + x^2 + 2)^{\frac{3}{2}}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(-x^4+x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((-x^4 + x^2 + 2)^(3/2)*(5*x^2 + 7)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(5x^2 + 7)(-x^4 + x^2 + 2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((5*x^2 + 7)*(x^2 - x^4 + 2)^(3/2)),x)`

[Out] `int(1/((5*x^2 + 7)*(x^2 - x^4 + 2)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(- (x^2 - 2) (x^2 + 1))^{\frac{3}{2}} (5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(5*x**2+7)/(-x**4+x**2+2)**(3/2),x)`

[Out] `Integral(1/((- (x**2 - 2) * (x**2 + 1))** (3/2) * (5*x**2 + 7)), x)`

$$3.346 \quad \int \frac{1}{(7+5x^2)^2 (2+x^2-x^4)^{3/2}} dx$$

Optimal. Leaf size=100

$$\frac{625\sqrt{-x^4+x^2+2}x}{16184(5x^2+7)} + \frac{(580-287x^2)x}{10404\sqrt{-x^4+x^2+2}} + \frac{89F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{24276} + \frac{5143E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{145656} - \frac{10825\Pi\left(-\frac{10}{7};\right)}{113288}$$

[Out] 5143/145656*EllipticE(1/2*x*2^(1/2), I*2^(1/2))+89/24276*EllipticF(1/2*x*2^(1/2), I*2^(1/2))-10825/113288*EllipticPi(1/2*x*2^(1/2), -10/7, I*2^(1/2))+1/10404*x*(-287*x^2+580)/(-x^4+x^2+2)^(1/2)+625/16184*x*(-x^4+x^2+2)^(1/2)/(5*x^2+7)

Rubi [A] time = 0.30, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 10, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {1228, 1178, 1180, 524, 424, 419, 1223, 1716, 1212, 537}

$$\frac{625\sqrt{-x^4+x^2+2}x}{16184(5x^2+7)} + \frac{(580-287x^2)x}{10404\sqrt{-x^4+x^2+2}} + \frac{89F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{24276} + \frac{5143E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{145656} - \frac{10825\Pi\left(-\frac{10}{7};\right)}{113288}$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)^2*(2 + x^2 - x^4)^(3/2)), x]

[Out] (x*(580 - 287*x^2))/(10404*Sqrt[2 + x^2 - x^4]) + (625*x*Sqrt[2 + x^2 - x^4])/(16184*(7 + 5*x^2)) + (5143*EllipticE[ArcSin[x/Sqrt[2]], -2])/145656 + (89*EllipticF[ArcSin[x/Sqrt[2]], -2])/24276 - (10825*EllipticPi[-10/7, ArcSin[x/Sqrt[2]], -2])/113288

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simplr
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x
], (c*f)/(d*e))]/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d
, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !(GtQ[f/e, 0]
&& SimplrSqrtQ[-(f/e), -(d/c)])
```

Rule 1178

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symb
ol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 +
c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2
- 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7
)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1180

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol
] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt
[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e},
x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1212

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_S
ymbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[1/((d + e*x^2
)*Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c,
d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]
```

Rule 1223

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_
Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(
q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e +
a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q
```



```
+ 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt
[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c
, 0] && ILtQ[q, -1]
```

Rule 1228

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x
_Symbol] := Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + c
c*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb
-> b, cc -> c}, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]
```

Rule 1716

```
Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4])
, x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[
P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c
*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a
+ b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2,
2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 -
a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(7+5x^2)^2(2+x^2-x^4)^{3/2}} dx &= \int \left(\frac{194-95x^2}{1156(2+x^2-x^4)^{3/2}} - \frac{25}{34(7+5x^2)^2\sqrt{2+x^2-x^4}} - \frac{475}{1156(7+5x^2)\sqrt{2+x^2-x^4}} \right) dx \\
&= \frac{\int \frac{194-95x^2}{(2+x^2-x^4)^{3/2}} dx}{1156} - \frac{475 \int \frac{1}{(7+5x^2)\sqrt{2+x^2-x^4}} dx}{1156} - \frac{25}{34} \int \frac{1}{(7+5x^2)^2\sqrt{2+x^2-x^4}} dx \\
&= \frac{x(580-287x^2)}{10404\sqrt{2+x^2-x^4}} + \frac{625x\sqrt{2+x^2-x^4}}{16184(7+5x^2)} - \frac{\int \frac{-586-574x^2}{\sqrt{2+x^2-x^4}} dx}{20808} - \frac{25 \int \frac{118-70x^2}{(7+5x^2)\sqrt{2+x^2-x^4}} dx}{16184} \\
&= \frac{x(580-287x^2)}{10404\sqrt{2+x^2-x^4}} + \frac{625x\sqrt{2+x^2-x^4}}{16184(7+5x^2)} - \frac{475\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2}{8092} + \\
&= \frac{x(580-287x^2)}{10404\sqrt{2+x^2-x^4}} + \frac{625x\sqrt{2+x^2-x^4}}{16184(7+5x^2)} - \frac{475\Pi\left(-\frac{10}{7}; \sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2}{8092} + \\
&= \frac{x(580-287x^2)}{10404\sqrt{2+x^2-x^4}} + \frac{625x\sqrt{2+x^2-x^4}}{16184(7+5x^2)} + \frac{287E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2}{10404} + \frac{F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)}{10404} \\
&= \frac{x(580-287x^2)}{10404\sqrt{2+x^2-x^4}} + \frac{625x\sqrt{2+x^2-x^4}}{16184(7+5x^2)} + \frac{5143E\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) - 2}{145656} + \frac{89F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)}{145656}
\end{aligned}$$

Mathematica [C] time = 0.33, size = 196, normalized size = 1.96

$$-360010x^5 + 253386x^3 - 111741i\sqrt{2}(5x^2+7)\sqrt{-x^4+x^2+2}F\left(i\sinh^{-1}(x)\right) - \frac{1}{2} + 72002i\sqrt{2}(5x^2+7)\sqrt{-x^4+2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((7+5*x^2)^2*(2+x^2-x^4)^(3/2)),x]

[Out] (953260*x + 253386*x^3 - 360010*x^5 + (72002*I)*Sqrt[2]*(7+5*x^2)*Sqrt[2+x^2-x^4]*EllipticE[I*ArcSinh[x], -1/2] - (111741*I)*Sqrt[2]*(7+5*x^2)*Sqrt[2+x^2-x^4]*EllipticF[I*ArcSinh[x], -1/2] + (681975*I)*Sqrt[2]*Sqrt[2+x^2-x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2] + (487125*I)*Sqrt[2]*x^2*Sqrt[2+x^2-x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2])/(2039184*(7+5*x^2)*Sqrt[2+x^2-x^4])

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^4 + x^2 + 2}}{25x^{12} + 20x^{10} - 166x^8 - 208x^6 + 233x^4 + 476x^2 + 196}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^2/(-x^4+x^2+2)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^4 + x^2 + 2)/(25*x^12 + 20*x^10 - 166*x^8 - 208*x^6 + 233*x^4 + 476*x^2 + 196), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-x^4 + x^2 + 2)^{\frac{3}{2}}(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^2/(-x^4+x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate(1/((-x^4 + x^2 + 2)^(3/2)*(5*x^2 + 7)^2), x)

maple [B] time = 0.02, size = 188, normalized size = 1.88

$$\frac{625\sqrt{-x^4 + x^2 + 2} x}{16184(5x^2 + 7)} + \frac{5143\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{291312\sqrt{-x^4 + x^2 + 2}} + \frac{89\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{48552\sqrt{-x^4 + x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5*x^2+7)^2/(-x^4+x^2+2)^(3/2),x)

[Out] 2*(-287/20808*x^3+145/5202*x)/(-x^4+x^2+2)^(1/2)+625/16184*(-x^4+x^2+2)^(1/2)/(5*x^2+7)*x+89/48552*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))+5143/291312*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticE(1/2*2^(1/2)*x,I*2^(1/2))-10825/113288*2^(1/2)*(-1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticPi(1/2*2^(1/2)*x,-10/7,I*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-x^4 + x^2 + 2)^{\frac{3}{2}}(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^2/(-x^4+x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((-x^4 + x^2 + 2)^(3/2)*(5*x^2 + 7)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(5x^2 + 7)^2 (-x^4 + x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((5*x^2 + 7)^2*(x^2 - x^4 + 2)^(3/2)),x)

[Out] int(1/((5*x^2 + 7)^2*(x^2 - x^4 + 2)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-(x^2 - 2)(x^2 + 1))^{\frac{3}{2}} (5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x**2+7)**2/(-x**4+x**2+2)**(3/2),x)

[Out] Integral(1/((-x**2 - 2)*(x**2 + 1))**(3/2)*(5*x**2 + 7)**2), x)

$$3.347 \quad \int \frac{1}{(7+5x^2)^3 (2+x^2-x^4)^{3/2}} dx$$

Optimal. Leaf size=128

$$\frac{645625\sqrt{-x^4+x^2+2}x}{15407168(5x^2+7)} + \frac{625\sqrt{-x^4+x^2+2}x}{32368(5x^2+7)^2} + \frac{(9830-4909x^2)x}{353736\sqrt{-x^4+x^2+2}} + \frac{60409F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{23110752} + \frac{3086453E}{1}$$

[Out] 3086453/138664512*EllipticE(1/2*x*2^(1/2), I*2^(1/2))+60409/23110752*EllipticF(1/2*x*2^(1/2), I*2^(1/2))-6898575/107850176*EllipticPi(1/2*x*2^(1/2), -10/7, I*2^(1/2))+1/353736*x*(-4909*x^2+9830)/(-x^4+x^2+2)^(1/2)+625/32368*x*(-x^4+x^2+2)^(1/2)/(5*x^2+7)^2+645625/15407168*x*(-x^4+x^2+2)^(1/2)/(5*x^2+7)

Rubi [A] time = 0.57, antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 26, number of rules used = 11, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.458$, Rules used = {1228, 1178, 1180, 524, 424, 419, 1223, 1696, 1716, 1212, 537}

$$\frac{645625\sqrt{-x^4+x^2+2}x}{15407168(5x^2+7)} + \frac{625\sqrt{-x^4+x^2+2}x}{32368(5x^2+7)^2} + \frac{(9830-4909x^2)x}{353736\sqrt{-x^4+x^2+2}} + \frac{60409F\left(\sin^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| -2\right)}{23110752} + \frac{3086453E}{1}$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)^3*(2 + x^2 - x^4)^(3/2)), x]

[Out] (x*(9830 - 4909*x^2))/(353736*Sqrt[2 + x^2 - x^4]) + (625*x*Sqrt[2 + x^2 - x^4])/(32368*(7 + 5*x^2)^2) + (645625*x*Sqrt[2 + x^2 - x^4])/(15407168*(7 + 5*x^2)) + (3086453*EllipticE[ArcSin[x/Sqrt[2]], -2])/138664512 + (60409*EllipticF[ArcSin[x/Sqrt[2]], -2])/23110752 - (6898575*EllipticPi[-10/7, ArcSin[x/Sqrt[2]], -2])/107850176

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c)

), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 524

Int[((e_) + (f_)*(x_)^(n_))/(Sqrt[(a_) + (b_)*(x_)^(n_)]*Sqrt[(c_) + (d_)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n], x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || SimplerSqrtQ[-(b/a), -(d/c)]))))))

Rule 537

Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e))]/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !(!GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])

Rule 1178

Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]

Rule 1180

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[(d + e*x^2)/(Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rule 1212

Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[2*Sqrt[-c], Int[1/((d + e*x^2)*Sqrt[b + q + 2*c*x^2]*Sqrt[-b + q - 2*c*x^2]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && LtQ[c, 0]

Rule 1223

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_
Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(
q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e +
a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q
+ 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt
[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c
, 0] && ILtQ[q, -1]
```

Rule 1228

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x
_Symbol] := Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + c
c*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb
-> b, cc -> c}, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]
```

Rule 1696

```
Int[((P4x_)*((d_) + (e_.)*(x_)^2)^(q_))/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x
_)^4], x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = C
oeff[P4x, x, 4]}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt
[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*
d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d
- B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b*
e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e
+ A*e^2)*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x]] /; FreeQ[{a, b
, c, d, e}, x] && PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[b^2 - 4*a
*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, -1]
```

Rule 1716

```
Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4])
, x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[
P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c
*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a
+ b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2,
2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 -
a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(7+5x^2)^3(2+x^2-x^4)^{3/2}} dx &= \int \left(\frac{-3278+1635x^2}{39304(2+x^2-x^4)^{3/2}} - \frac{25}{34(7+5x^2)^3\sqrt{2+x^2-x^4}} - \frac{47}{1156(7+5x^2)^2} \right) dx \\
&= -\frac{\int \frac{-3278+1635x^2}{(2+x^2-x^4)^{3/2}} dx}{39304} - \frac{8175 \int \frac{1}{(7+5x^2)\sqrt{2+x^2-x^4}} dx}{39304} - \frac{475 \int \frac{1}{(7+5x^2)^2\sqrt{2+x^2-x^4}} dx}{1156} \\
&= \frac{x(9830-4909x^2)}{353736\sqrt{2+x^2-x^4}} + \frac{625x\sqrt{2+x^2-x^4}}{32368(7+5x^2)^2} + \frac{11875x\sqrt{2+x^2-x^4}}{550256(7+5x^2)} + \frac{\int \frac{9842}{\sqrt{2+x^2-x^4}} dx}{70} \\
&= \frac{x(9830-4909x^2)}{353736\sqrt{2+x^2-x^4}} + \frac{625x\sqrt{2+x^2-x^4}}{32368(7+5x^2)^2} + \frac{645625x\sqrt{2+x^2-x^4}}{15407168(7+5x^2)} - \frac{8175}{70} \\
&= \frac{x(9830-4909x^2)}{353736\sqrt{2+x^2-x^4}} + \frac{625x\sqrt{2+x^2-x^4}}{32368(7+5x^2)^2} + \frac{645625x\sqrt{2+x^2-x^4}}{15407168(7+5x^2)} - \frac{8175}{70} \\
&= \frac{x(9830-4909x^2)}{353736\sqrt{2+x^2-x^4}} + \frac{625x\sqrt{2+x^2-x^4}}{32368(7+5x^2)^2} + \frac{645625x\sqrt{2+x^2-x^4}}{15407168(7+5x^2)} + \frac{4909}{70} \\
&= \frac{x(9830-4909x^2)}{353736\sqrt{2+x^2-x^4}} + \frac{625x\sqrt{2+x^2-x^4}}{32368(7+5x^2)^2} + \frac{645625x\sqrt{2+x^2-x^4}}{15407168(7+5x^2)} + \frac{9010}{70} \\
&= \frac{x(9830-4909x^2)}{353736\sqrt{2+x^2-x^4}} + \frac{625x\sqrt{2+x^2-x^4}}{32368(7+5x^2)^2} + \frac{645625x\sqrt{2+x^2-x^4}}{15407168(7+5x^2)} + \frac{3086}{70}
\end{aligned}$$

Mathematica [C] time = 0.40, size = 244, normalized size = 1.91

$$-1080258550x^7 - 737347940x^5 + 3876617542x^3 - 67352691i\sqrt{2}(5x^2+7)^2\sqrt{-x^4+x^2+2}F\left(i\sinh^{-1}(x)\middle|-\frac{1}{2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((7+5*x^2)^3*(2+x^2-x^4)^(3/2)),x]

[Out] (3857257460*x + 3876617542*x^3 - 737347940*x^5 - 1080258550*x^7 + (43210342*I)*Sqrt[2]*(7+5*x^2)^2*Sqrt[2+x^2-x^4]*EllipticE[I*ArcSinh[x], -1/2])

- (67352691*I)*Sqrt[2]*(7 + 5*x^2)^2*Sqrt[2 + x^2 - x^4]*EllipticF[I*ArcSinh[x], -1/2] + (3042271575*I)*Sqrt[2]*Sqrt[2 + x^2 - x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2] + (4346102250*I)*Sqrt[2]*x^2*Sqrt[2 + x^2 - x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2] + (1552179375*I)*Sqrt[2]*x^4*Sqrt[2 + x^2 - x^4]*EllipticPi[5/7, I*ArcSinh[x], -1/2])/(1941303168*(7 + 5*x^2)^2*Sqrt[2 + x^2 - x^4])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{-x^4 + x^2 + 2}}{125x^{14} + 275x^{12} - 690x^{10} - 2202x^8 - 291x^6 + 4011x^4 + 4312x^2 + 1372}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(-x^4+x^2+2)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(-x^4 + x^2 + 2)/(125*x^14 + 275*x^12 - 690*x^10 - 2202*x^8 - 291*x^6 + 4011*x^4 + 4312*x^2 + 1372), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-x^4 + x^2 + 2)^{\frac{3}{2}} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(-x^4+x^2+2)^(3/2),x, algorithm="giac")

[Out] integrate(1/((-x^4 + x^2 + 2)^(3/2)*(5*x^2 + 7)^3), x)

maple [A] time = 0.02, size = 212, normalized size = 1.66

$$\frac{625\sqrt{-x^4 + x^2 + 2} x}{32368 (5x^2 + 7)^2} + \frac{645625\sqrt{-x^4 + x^2 + 2} x}{15407168 (5x^2 + 7)} + \frac{3086453\sqrt{2} \sqrt{-2x^2 + 4} \sqrt{x^2 + 1} \text{EllipticE}\left(\frac{\sqrt{2}x}{2}, i\sqrt{2}\right)}{277329024\sqrt{-x^4 + x^2 + 2}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5*x^2+7)^3/(-x^4+x^2+2)^(3/2),x)

[Out] 2*(-4909/707472*x^3+4915/353736*x)/(-x^4+x^2+2)^(1/2)+625/32368*(-x^4+x^2+2)^(1/2)/(5*x^2+7)^2*x+645625/15407168*(-x^4+x^2+2)^(1/2)/(5*x^2+7)*x+60409/46221504*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticF(1/2*2^(1/2)*x,I*2^(1/2))+3086453/277329024*2^(1/2)*(-2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticE(1/2*2^(1/2)*x,I*2^(1/2))-6898575/1078

50176*2^(1/2)*(-1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(-x^4+x^2+2)^(1/2)*EllipticP
i(1/2*2^(1/2)*x,-10/7,I*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-x^4 + x^2 + 2)^{\frac{3}{2}} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(-x^4+x^2+2)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((-x^4 + x^2 + 2)^(3/2)*(5*x^2 + 7)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(5x^2 + 7)^3 (-x^4 + x^2 + 2)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((5*x^2 + 7)^3*(x^2 - x^4 + 2)^(3/2)),x)

[Out] int(1/((5*x^2 + 7)^3*(x^2 - x^4 + 2)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(-(x^2 - 2)(x^2 + 1))^{\frac{3}{2}} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x**2+7)**3/(-x**4+x**2+2)**(3/2),x)

[Out] Integral(1/((-x**2 - 2)*(x**2 + 1))**3/2*(5*x**2 + 7)**3), x)

$$3.348 \quad \int (7 + 5x^2)^4 \sqrt{4 + 3x^2 + x^4} dx$$

Optimal. Leaf size=242

$$\frac{3050}{11} (x^4 + 3x^2 + 4)^{3/2} x + \frac{1}{33} (4516x^2 + 18727) \sqrt{x^4 + 3x^2 + 4} x + \frac{51665\sqrt{x^4 + 3x^2 + 4} x}{33(x^2 + 2)} + \frac{33159(x^2 + 2) \sqrt{\frac{x^4 + 3x^2 + 4}{x^2 + 2}}}{11\sqrt{2} \sqrt{x}}$$

[Out] 3050/11*x*(x^4+3*x^2+4)^(3/2)+23500/99*x^3*(x^4+3*x^2+4)^(3/2)+625/11*x^5*(x^4+3*x^2+4)^(3/2)+51665/33*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+1/33*x*(4516*x^2+18727)*(x^4+3*x^2+4)^(1/2)+33159/22*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)-51665/33*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2))))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^(1/2)/(x^4+3*x^2+4)^(1/2))

Rubi [A] time = 0.15, antiderivative size = 242, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1206, 1679, 1176, 1197, 1103, 1195}

$$\frac{625}{11} (x^4 + 3x^2 + 4)^{3/2} x^5 + \frac{23500}{99} (x^4 + 3x^2 + 4)^{3/2} x^3 + \frac{3050}{11} (x^4 + 3x^2 + 4)^{3/2} x + \frac{1}{33} (4516x^2 + 18727) \sqrt{x^4 + 3x^2 + 4}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^4*Sqrt[4 + 3*x^2 + x^4], x]

[Out] (51665*x*Sqrt[4 + 3*x^2 + x^4])/(33*(2 + x^2)) + (x*(18727 + 4516*x^2)*Sqrt[4 + 3*x^2 + x^4])/33 + (3050*x*(4 + 3*x^2 + x^4)^(3/2))/11 + (23500*x^3*(4 + 3*x^2 + x^4)^(3/2))/99 + (625*x^5*(4 + 3*x^2 + x^4)^(3/2))/11 - (51665*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(33*Sqrt[4 + 3*x^2 + x^4]) + (33159*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(11*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1176

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:= Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol]
:= With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol]
:= With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1206

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:= Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]
```

Rule 1679

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{q = Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*x^(2*q), x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[P
```

$q, x^2] > 1 \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{LtQ}[p, -1]$

Rubi steps

$$\begin{aligned}
 \int (7 + 5x^2)^4 \sqrt{4 + 3x^2 + x^4} \, dx &= \frac{625}{11}x^5 (4 + 3x^2 + x^4)^{3/2} + \frac{1}{11} \int \sqrt{4 + 3x^2 + x^4} (26411 + 75460x^2 + 68350x^4) \, dx \\
 &= \frac{23500}{99}x^3 (4 + 3x^2 + x^4)^{3/2} + \frac{625}{11}x^5 (4 + 3x^2 + x^4)^{3/2} + \frac{1}{99} \int \sqrt{4 + 3x^2 + x^4} (26411 + 75460x^2 + 68350x^4) \, dx \\
 &= \frac{3050}{11}x (4 + 3x^2 + x^4)^{3/2} + \frac{23500}{99}x^3 (4 + 3x^2 + x^4)^{3/2} + \frac{625}{11}x^5 (4 + 3x^2 + x^4)^{3/2} \\
 &= \frac{1}{33}x (18727 + 4516x^2) \sqrt{4 + 3x^2 + x^4} + \frac{3050}{11}x (4 + 3x^2 + x^4)^{3/2} + \frac{23500}{99}x^3 (4 + 3x^2 + x^4)^{3/2} \\
 &= \frac{1}{33}x (18727 + 4516x^2) \sqrt{4 + 3x^2 + x^4} + \frac{3050}{11}x (4 + 3x^2 + x^4)^{3/2} + \frac{23500}{99}x^3 (4 + 3x^2 + x^4)^{3/2} \\
 &= \frac{51665x\sqrt{4 + 3x^2 + x^4}}{33(2 + x^2)} + \frac{1}{33}x (18727 + 4516x^2) \sqrt{4 + 3x^2 + x^4} + \frac{3050}{11}x (4 + 3x^2 + x^4)^{3/2} + \frac{23500}{99}x^3 (4 + 3x^2 + x^4)^{3/2}
 \end{aligned}$$

Mathematica [C] time = 0.59, size = 354, normalized size = 1.46

$$3\sqrt{2} (51665\sqrt{7} - 36253i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}} \sqrt{\frac{2ix^2 + \sqrt{7} + 3i}{\sqrt{7} + 3i}} F\left(i \sinh^{-1}\left(\sqrt{\frac{-2i}{-3i + \sqrt{7}}} x\right) \Big|_{\frac{3i - \sqrt{7}}{3i + \sqrt{7}}}\right) - 154995\sqrt{2} (\sqrt{7} + 3i)$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^4*Sqrt[4 + 3*x^2 + x^4],x]

[Out] (4*Sqrt[(-I)/(-3*I + Sqrt[7])]*x*(663924 + 1257535*x^2 + 1217475*x^4 + 712748*x^6 + 264075*x^8 + 57250*x^10 + 5625*x^12) - 154995*Sqrt[2]*(3*I + Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) + 3*Sqrt[2]*(-36253*I + 51665*Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])))/(396*Sqrt[(-I)/(-3*I + Sqrt[7])]*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(625x^8 + 3500x^6 + 7350x^4 + 6860x^2 + 2401\right)\sqrt{x^4 + 3x^2 + 4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4*(x^4+3*x^2+4)^(1/2),x, algorithm="fricas")

[Out] integral((625*x^8 + 3500*x^6 + 7350*x^4 + 6860*x^2 + 2401)*sqrt(x^4 + 3*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 4} (5x^2 + 7)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4*(x^4+3*x^2+4)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7)^4, x)

maple [C] time = 0.17, size = 292, normalized size = 1.21

$$\frac{625\sqrt{x^4 + 3x^2 + 4} x^9}{11} + \frac{40375\sqrt{x^4 + 3x^2 + 4} x^7}{99} + \frac{3650\sqrt{x^4 + 3x^2 + 4} x^5}{3} + \frac{189898\sqrt{x^4 + 3x^2 + 4} x^3}{99} + \frac{55327\sqrt{x^4 + 3x^2 + 4}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^4*(x^4+3*x^2+4)^(1/2),x)

[Out] 625/11*x^9*(x^4+3*x^2+4)^(1/2)+40375/99*x^7*(x^4+3*x^2+4)^(1/2)+189898/99*x^3*(x^4+3*x^2+4)^(1/2)+55327/33*x*(x^4+3*x^2+4)^(1/2)+382496/33/(-6+2*I*7^(1/2))^(1/2)*(1-(-3/8+1/8*I*7^(1/2))*x^2)^(1/2)*(1-(-3/8-1/8*I*7^(1/2))*x^2)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*x*(-6+2*I*7^(1/2))^(1/2),1/4*(2+6*I*7^(1/2))^(1/2))-1653280/33/(-6+2*I*7^(1/2))^(1/2)*(1-(-3/8+1/8*I*7^(1/2))*x^2)^(1/2)*(1-(-3/8-1/8*I*7^(1/2))*x^2)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*(EllipticF(1/4*x*(-6+2*I*7^(1/2))^(1/2),1/4*(2+6*I*7^(1/2))^(1/2))-EllipticE(1/4*x*(-6+2*I*7^(1/2))^(1/2),1/4*(2+6*I*7^(1/2))^(1/2)))+3650/3*x^5*(x^4+3*x^2+4)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 4} (5x^2 + 7)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4*(x^4+3*x^2+4)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7)^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (5x^2 + 7)^4 \sqrt{x^4 + 3x^2 + 4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^4*(3*x^2 + x^4 + 4)^(1/2),x)

[Out] int((5*x^2 + 7)^4*(3*x^2 + x^4 + 4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{(x^2 - x + 2)(x^2 + x + 2)} (5x^2 + 7)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**4*(x**4+3*x**2+4)**(1/2),x)

[Out] Integral(sqrt((x**2 - x + 2)*(x**2 + x + 2))*(5*x**2 + 7)**4, x)

$$3.349 \quad \int (7 + 5x^2)^3 \sqrt{4 + 3x^2 + x^4} dx$$

Optimal. Leaf size=221

$$\frac{275}{7} (x^4 + 3x^2 + 4)^{3/2} x + \frac{1}{21} (407x^2 + 1708) \sqrt{x^4 + 3x^2 + 4} x + \frac{4717\sqrt{x^4 + 3x^2 + 4} x}{21(x^2 + 2)} + \frac{1301(x^2 + 2) \sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}} F\left(\dots\right)}{3\sqrt{2} \sqrt{x^4 + 3x^2 + 4}}$$

[Out] 275/7*x*(x^4+3*x^2+4)^(3/2)+125/9*x^3*(x^4+3*x^2+4)^(3/2)+4717/21*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+1/21*x*(407*x^2+1708)*(x^4+3*x^2+4)^(1/2)+1301/6*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)-4717/21*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.11, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1206, 1679, 1176, 1197, 1103, 1195}

$$\frac{125}{9} (x^4 + 3x^2 + 4)^{3/2} x^3 + \frac{275}{7} (x^4 + 3x^2 + 4)^{3/2} x + \frac{1}{21} (407x^2 + 1708) \sqrt{x^4 + 3x^2 + 4} x + \frac{4717\sqrt{x^4 + 3x^2 + 4} x}{21(x^2 + 2)} + \dots$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^3*Sqrt[4 + 3*x^2 + x^4],x]

[Out] (4717*x*Sqrt[4 + 3*x^2 + x^4])/(21*(2 + x^2)) + (x*(1708 + 407*x^2)*Sqrt[4 + 3*x^2 + x^4])/21 + (275*x*(4 + 3*x^2 + x^4)^(3/2))/7 + (125*x^3*(4 + 3*x^2 + x^4)^(3/2))/9 - (4717*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(21*Sqrt[4 + 3*x^2 + x^4]) + (1301*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(3*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1176

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1206

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]
```

Rule 1679

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> With[{q = Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*x^(2*q), x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[P
```

$q, x^2 > 1 \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ !\text{LtQ}[p, -1]$

Rubi steps

$$\begin{aligned}
 \int (7 + 5x^2)^3 \sqrt{4 + 3x^2 + x^4} dx &= \frac{125}{9} x^3 (4 + 3x^2 + x^4)^{3/2} + \frac{1}{9} \int \sqrt{4 + 3x^2 + x^4} (3087 + 5115x^2 + 2475x^4) dx \\
 &= \frac{275}{7} x (4 + 3x^2 + x^4)^{3/2} + \frac{125}{9} x^3 (4 + 3x^2 + x^4)^{3/2} + \frac{1}{63} \int (11709 + 6105x^2) \sqrt{4 + 3x^2 + x^4} dx \\
 &= \frac{1}{21} x (1708 + 407x^2) \sqrt{4 + 3x^2 + x^4} + \frac{275}{7} x (4 + 3x^2 + x^4)^{3/2} + \frac{125}{9} x^3 (4 + 3x^2 + x^4)^{3/2} \\
 &= \frac{1}{21} x (1708 + 407x^2) \sqrt{4 + 3x^2 + x^4} + \frac{275}{7} x (4 + 3x^2 + x^4)^{3/2} + \frac{125}{9} x^3 (4 + 3x^2 + x^4)^{3/2} \\
 &= \frac{4717x\sqrt{4 + 3x^2 + x^4}}{21(2 + x^2)} + \frac{1}{21} x (1708 + 407x^2) \sqrt{4 + 3x^2 + x^4} + \frac{275}{7} x (4 + 3x^2 + x^4)^{3/2}
 \end{aligned}$$

Mathematica [C] time = 0.50, size = 349, normalized size = 1.58

$$3\sqrt{2} (4717\sqrt{7} - 3409i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}} \sqrt{\frac{2ix^2 + \sqrt{7} + 3i}{\sqrt{7} + 3i}} F\left(i \sinh^{-1}\left(\sqrt{\frac{2i}{-3i + \sqrt{7}}} x\right) \middle| \frac{3i - \sqrt{7}}{3i + \sqrt{7}}\right) - 14151\sqrt{2} (\sqrt{7} + 3i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}}$$

252

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^3*Sqrt[4 + 3*x^2 + x^4], x]

[Out] (4*Sqrt[(-I)/(-3*I + Sqrt[7])]*x*(60096 + 93656*x^2 + 71862*x^4 + 30946*x^6 + 7725*x^8 + 875*x^10) - 14151*Sqrt[2]*(3*I + Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])] + 3*Sqrt[2]*(-3409*I + 4717*Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])])/(252*Sqrt[(-I)/(-3*I + Sqrt[7])]*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(125x^6 + 525x^4 + 735x^2 + 343\right)\sqrt{x^4 + 3x^2 + 4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^2+7)^3*(x^4+3*x^2+4)^(1/2),x, algorithm="fricas")`

[Out] `integral((125*x^6 + 525*x^4 + 735*x^2 + 343)*sqrt(x^4 + 3*x^2 + 4), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 4} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^2+7)^3*(x^4+3*x^2+4)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7)^3, x)`

maple [C] time = 0.01, size = 275, normalized size = 1.24

$$\frac{125\sqrt{x^4 + 3x^2 + 4} x^7}{9} + \frac{1700\sqrt{x^4 + 3x^2 + 4} x^5}{21} + \frac{12146\sqrt{x^4 + 3x^2 + 4} x^3}{63} + \frac{5008\sqrt{x^4 + 3x^2 + 4} x}{21} + \frac{35120\sqrt{-\left(-\frac{3}{8}\right)}}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^2+7)^3*(x^4+3*x^2+4)^(1/2),x)`

[Out] `125/9*(x^4+3*x^2+4)^(1/2)*x^7+1700/21*(x^4+3*x^2+4)^(1/2)*x^5+12146/63*(x^4+3*x^2+4)^(1/2)*x^3+5008/21*(x^4+3*x^2+4)^(1/2)*x+35120/21/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-150944/21/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*(EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-EllipticE(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 4} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^2+7)^3*(x^4+3*x^2+4)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7)^3, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (5x^2 + 7)^3 \sqrt{x^4 + 3x^2 + 4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^2 + 7)^3*(3*x^2 + x^4 + 4)^(1/2), x)`

[Out] `int((5*x^2 + 7)^3*(3*x^2 + x^4 + 4)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{(x^2 - x + 2)(x^2 + x + 2)} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**2+7)**3*(x**4+3*x**2+4)**(1/2), x)`

[Out] `Integral(sqrt((x**2 - x + 2)*(x**2 + x + 2))*(5*x**2 + 7)**3, x)`

$$3.350 \quad \int (7 + 5x^2)^2 \sqrt{4 + 3x^2 + x^4} dx$$

Optimal. Leaf size=198

$$\frac{25}{7}x(x^4 + 3x^2 + 4)^{3/2} + \frac{1}{7}x(38x^2 + 119)\sqrt{x^4 + 3x^2 + 4} + \frac{319x\sqrt{x^4 + 3x^2 + 4}}{7(x^2 + 2)} + \frac{81(x^2 + 2)\sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}} F\left(2 \tan^{-1}\right)}{\sqrt{2}\sqrt{x^4 + 3x^2 + 4}}$$

[Out] 25/7*x*(x^4+3*x^2+4)^(3/2)+319/7*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+1/7*x*(38*x^2+119)*(x^4+3*x^2+4)^(1/2)+81/2*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^2^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)-319/7*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^2^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1206, 1176, 1197, 1103, 1195}

$$\frac{25}{7}x(x^4 + 3x^2 + 4)^{3/2} + \frac{1}{7}x(38x^2 + 119)\sqrt{x^4 + 3x^2 + 4} + \frac{319x\sqrt{x^4 + 3x^2 + 4}}{7(x^2 + 2)} + \frac{81(x^2 + 2)\sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}} F\left(2 \tan^{-1}\right)}{\sqrt{2}\sqrt{x^4 + 3x^2 + 4}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^2*Sqrt[4 + 3*x^2 + x^4],x]

[Out] (319*x*Sqrt[4 + 3*x^2 + x^4])/(7*(2 + x^2)) + (x*(119 + 38*x^2)*Sqrt[4 + 3*x^2 + x^4])/7 + (25*x*(4 + 3*x^2 + x^4)^(3/2))/7 - (319*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(7*Sqrt[4 + 3*x^2 + x^4]) + (81*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1176

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1206

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandTosum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]
```

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2)^2 \sqrt{4 + 3x^2 + x^4} dx &= \frac{25}{7}x(4 + 3x^2 + x^4)^{3/2} + \frac{1}{7} \int (243 + 190x^2) \sqrt{4 + 3x^2 + x^4} dx \\
&= \frac{1}{7}x(119 + 38x^2) \sqrt{4 + 3x^2 + x^4} + \frac{25}{7}x(4 + 3x^2 + x^4)^{3/2} + \frac{1}{105} \int \frac{7440 + 47x^2}{\sqrt{4 + 3x^2 + x^4}} dx \\
&= \frac{1}{7}x(119 + 38x^2) \sqrt{4 + 3x^2 + x^4} + \frac{25}{7}x(4 + 3x^2 + x^4)^{3/2} - \frac{638}{7} \int \frac{1 - \frac{x^2}{2}}{\sqrt{4 + 3x^2 + x^4}} dx \\
&= \frac{319x\sqrt{4 + 3x^2 + x^4}}{7(2 + x^2)} + \frac{1}{7}x(119 + 38x^2) \sqrt{4 + 3x^2 + x^4} + \frac{25}{7}x(4 + 3x^2 + x^4)^{3/2}
\end{aligned}$$

Mathematica [C] time = 0.47, size = 343, normalized size = 1.73

$$\frac{\sqrt{2} (319\sqrt{7} - 35i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}} \sqrt{\frac{2ix^2 + \sqrt{7} + 3i}{\sqrt{7} + 3i}} F\left(i \sinh^{-1}\left(\sqrt{\frac{-2i}{-3i + \sqrt{7}}} x\right) \Big| \frac{3i - \sqrt{7}}{3i + \sqrt{7}}\right) - 319\sqrt{2} (\sqrt{7} + 3i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}}}{28 \sqrt{-\frac{i}{\sqrt{7} - 3i}} \sqrt{x}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^2*Sqrt[4 + 3*x^2 + x^4],x]

[Out] (4*Sqrt[(-I)/(-3*I + Sqrt[7])]*x*(876 + 1109*x^2 + 658*x^4 + 188*x^6 + 25*x^8) - 319*Sqrt[2]*(3*I + Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])] + Sqrt[2]*(-35*I + 319*Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])])/(28*Sqrt[(-I)/(-3*I + Sqrt[7])]*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(25x^4 + 70x^2 + 49\right)\sqrt{x^4 + 3x^2 + 4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(x^4+3*x^2+4)^(1/2),x, algorithm="fricas")

[Out] integral((25*x^4 + 70*x^2 + 49)*sqrt(x^4 + 3*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 4} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(x^4+3*x^2+4)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7)^2, x)

maple [C] time = 0.01, size = 258, normalized size = 1.30

$$\frac{25\sqrt{x^4 + 3x^2 + 4} x^5}{7} + \frac{113\sqrt{x^4 + 3x^2 + 4} x^3}{7} + \frac{219\sqrt{x^4 + 3x^2 + 4} x}{7} + \frac{1984\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1} \sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1}}{7\sqrt{-6 + 2i\sqrt{7}} \sqrt{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^2*(x^4+3*x^2+4)^(1/2),x)

[Out] 25/7*(x^4+3*x^2+4)^(1/2)*x^5+113/7*(x^4+3*x^2+4)^(1/2)*x^3+219/7*(x^4+3*x^2+4)^(1/2)*x+1984/7/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-10208/7/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*(EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-EllipticE(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 4} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(x^4+3*x^2+4)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (5x^2 + 7)^2 \sqrt{x^4 + 3x^2 + 4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^2 + 7)^2*(3*x^2 + x^4 + 4)^(1/2), x)`

[Out] `int((5*x^2 + 7)^2*(3*x^2 + x^4 + 4)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{(x^2 - x + 2)(x^2 + x + 2)} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**2+7)**2*(x**4+3*x**2+4)**(1/2), x)`

[Out] `Integral(sqrt((x**2 - x + 2)*(x**2 + x + 2))*(5*x**2 + 7)**2, x)`

$$3.351 \quad \int (7 + 5x^2) \sqrt{4 + 3x^2 + x^4} dx$$

Optimal. Leaf size=177

$$\frac{1}{3} (3x^2 + 10) \sqrt{x^4 + 3x^2 + 4} x + \frac{9\sqrt{x^4 + 3x^2 + 4} x}{x^2 + 2} + \frac{49(x^2 + 2) \sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{3\sqrt{2} \sqrt{x^4 + 3x^2 + 4}} - \frac{9\sqrt{2} (x^2 + 2) \sqrt{\frac{x^4}{(x^2 + 2)^2}}}{\sqrt{x}}$$

```
[Out] 9*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+1/3*x*(3*x^2+10)*(x^4+3*x^2+4)^(1/2)+49/6*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)-9*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)
```

Rubi [A] time = 0.05, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1176, 1197, 1103, 1195}

$$\frac{1}{3} (3x^2 + 10) \sqrt{x^4 + 3x^2 + 4} x + \frac{9\sqrt{x^4 + 3x^2 + 4} x}{x^2 + 2} + \frac{49(x^2 + 2) \sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{3\sqrt{2} \sqrt{x^4 + 3x^2 + 4}} - \frac{9\sqrt{2} (x^2 + 2) \sqrt{\frac{x^4}{(x^2 + 2)^2}}}{\sqrt{x}}$$

Antiderivative was successfully verified.

```
[In] Int[(7 + 5*x^2)*Sqrt[4 + 3*x^2 + x^4], x]
```

```
[Out] (9*x*Sqrt[4 + 3*x^2 + x^4])/(2 + x^2) + (x*(10 + 3*x^2)*Sqrt[4 + 3*x^2 + x^4])/3 - (9*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/Sqrt[4 + 3*x^2 + x^4] + (49*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(3*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])
```

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1176

```

Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

```

Rule 1195

```

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

```

Rule 1197

```

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

```

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2) \sqrt{4 + 3x^2 + x^4} dx &= \frac{1}{3}x(10 + 3x^2) \sqrt{4 + 3x^2 + x^4} + \frac{1}{15} \int \frac{220 + 135x^2}{\sqrt{4 + 3x^2 + x^4}} dx \\
&= \frac{1}{3}x(10 + 3x^2) \sqrt{4 + 3x^2 + x^4} - 18 \int \frac{1 - \frac{x^2}{2}}{\sqrt{4 + 3x^2 + x^4}} dx + \frac{98}{3} \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx \\
&= \frac{9x\sqrt{4 + 3x^2 + x^4}}{2 + x^2} + \frac{1}{3}x(10 + 3x^2) \sqrt{4 + 3x^2 + x^4} - \frac{9\sqrt{2}(2 + x^2) \sqrt{\frac{4 + 3x^2 + x^4}{(2 + x^2)^2}}}{\sqrt{4 + 3x^2 + x^4}}
\end{aligned}$$

Mathematica [C] time = 0.43, size = 338, normalized size = 1.91

$$\frac{\sqrt{2} (27\sqrt{7} - 7i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}} \sqrt{\frac{2ix^2 + \sqrt{7} + 3i}{\sqrt{7} + 3i}} F\left(i \sinh^{-1}\left(\sqrt{\frac{-2i}{-3i + \sqrt{7}}} x\right) \middle| \frac{3i - \sqrt{7}}{3i + \sqrt{7}}\right) - 27\sqrt{2} (\sqrt{7} + 3i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}}}{12\sqrt{-\frac{i}{\sqrt{7} - 3i}} \sqrt{x^4 + 3x^2 + 4}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)*Sqrt[4 + 3*x^2 + x^4], x]

[Out] (4*Sqrt[(-I)/(-3*I + Sqrt[7])]*x*(40 + 42*x^2 + 19*x^4 + 3*x^6) - 27*Sqrt[2]*Sqrt[3*I + Sqrt[7]]*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])] + Sqrt[2]*(-7*I + 27*Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])]/(12*Sqrt[(-I)/(-3*I + Sqrt[7])])*Sqrt[4 + 3*x^2 + x^4)]

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{x^4 + 3x^2 + 4}(5x^2 + 7), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)*(x^4+3*x^2+4)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 4}(5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)*(x^4+3*x^2+4)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7), x)

maple [C] time = 0.01, size = 240, normalized size = 1.36

$$\frac{\sqrt{x^4 + 3x^2 + 4} x^3 + \frac{10\sqrt{x^4 + 3x^2 + 4} x}{3} + \frac{176\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1} \sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-6+2i\sqrt{7}} x}{4}\right)}{3\sqrt{-6+2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^2+7)*(x^4+3*x^2+4)^(1/2),x)`

[Out] $(x^4+3x^2+4)^{1/2}x^3+10/3(x^4+3x^2+4)^{1/2}x+176/3(-6+2i\sqrt{7})^{1/2}(-3/8+1/8i\sqrt{7})x^2+1)^{1/2}(-(-3/8-1/8i\sqrt{7})x^2+1)^{1/2})/(x^4+3x^2+4)^{1/2}EllipticF(1/4(-6+2i\sqrt{7})^{1/2}x,1/4(2+6i\sqrt{7})^{1/2})^{1/2}-288/(-6+2i\sqrt{7})^{1/2}(-(-3/8+1/8i\sqrt{7})x^2+1)^{1/2})*(-(-3/8-1/8i\sqrt{7})x^2+1)^{1/2})/(x^4+3x^2+4)^{1/2}/(i\sqrt{7}+3)*(EllipticF(1/4(-6+2i\sqrt{7})^{1/2}x,1/4(2+6i\sqrt{7})^{1/2})^{1/2}-EllipticE(1/4(-6+2i\sqrt{7})^{1/2}x,1/4(2+6i\sqrt{7})^{1/2})^{1/2}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 4} (5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^2+7)*(x^4+3*x^2+4)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (5x^2 + 7) \sqrt{x^4 + 3x^2 + 4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^2 + 7)*(3*x^2 + x^4 + 4)^(1/2),x)`

[Out] `int((5*x^2 + 7)*(3*x^2 + x^4 + 4)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{(x^2 - x + 2)(x^2 + x + 2)} (5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**2+7)*(x**4+3*x**2+4)**(1/2),x)`

[Out] `Integral(sqrt((x**2 - x + 2)*(x**2 + x + 2))*(5*x**2 + 7), x)`

3.352 $\int \sqrt{4 + 3x^2 + x^4} dx$

Optimal. Leaf size=169

$$\frac{\sqrt{x^4 + 3x^2 + 4}x}{x^2 + 2} + \frac{1}{3}\sqrt{x^4 + 3x^2 + 4}x + \frac{7(x^2 + 2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|\frac{1}{8}\right)}{3\sqrt{2}\sqrt{x^4 + 3x^2 + 4}} - \frac{\sqrt{2}(x^2 + 2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}E\left(2\tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)}{\sqrt{x^4 + 3x^2 + 4}}$$

[Out] $\frac{1}{3}x(x^4+3x^2+4)^{1/2} + x(x^4+3x^2+4)^{1/2}/(x^2+2) + \frac{7}{6}(x^2+2)(\cos(2\arctan(1/2*x^2^{1/2}))^2)^{1/2}/\cos(2\arctan(1/2*x^2^{1/2})) * \text{EllipticF}(\sin(2\arctan(1/2*x^2^{1/2})), 1/4*2^{1/2}) * ((x^4+3x^2+4)/(x^2+2)^2)^{1/2} * 2^{1/2}/(x^4+3x^2+4)^{1/2} - (x^2+2)(\cos(2\arctan(1/2*x^2^{1/2}))^2)^{1/2}/\cos(2\arctan(1/2*x^2^{1/2})) * \text{EllipticE}(\sin(2\arctan(1/2*x^2^{1/2})), 1/4*2^{1/2}) * 2^{1/2} * ((x^4+3x^2+4)/(x^2+2)^2)^{1/2}/(x^4+3x^2+4)^{1/2}$

Rubi [A] time = 0.05, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1091, 1197, 1103, 1195}

$$\frac{\sqrt{x^4 + 3x^2 + 4}x}{x^2 + 2} + \frac{1}{3}\sqrt{x^4 + 3x^2 + 4}x + \frac{7(x^2 + 2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|\frac{1}{8}\right)}{3\sqrt{2}\sqrt{x^4 + 3x^2 + 4}} - \frac{\sqrt{2}(x^2 + 2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}E\left(2\tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)}{\sqrt{x^4 + 3x^2 + 4}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[4 + 3*x^2 + x^4], x]

[Out] $(x*\text{Sqrt}[4 + 3*x^2 + x^4])/3 + (x*\text{Sqrt}[4 + 3*x^2 + x^4])/(2 + x^2) - (\text{Sqrt}[2]*(2 + x^2)*\text{Sqrt}[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/\text{Sqrt}[2]], 1/8])/\text{Sqrt}[4 + 3*x^2 + x^4] + (7*(2 + x^2)*\text{Sqrt}[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/\text{Sqrt}[2]], 1/8])/(3*\text{Sqrt}[2]*\text{Sqrt}[4 + 3*x^2 + x^4])$

Rule 1091

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a + b*x^2 + c*x^4)^p)/(4*p + 1), x] + Dist[(2*p)/(4*p + 1), Int[(2*a + b*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && IntegerQ[2*p]

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]]*

EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rubi steps

$$\begin{aligned} \int \sqrt{4 + 3x^2 + x^4} dx &= \frac{1}{3}x\sqrt{4 + 3x^2 + x^4} + \frac{1}{3} \int \frac{8 + 3x^2}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= \frac{1}{3}x\sqrt{4 + 3x^2 + x^4} - 2 \int \frac{1 - \frac{x^2}{2}}{\sqrt{4 + 3x^2 + x^4}} dx + \frac{14}{3} \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= \frac{1}{3}x\sqrt{4 + 3x^2 + x^4} + \frac{x\sqrt{4 + 3x^2 + x^4}}{2 + x^2} - \frac{\sqrt{2} (2 + x^2) \sqrt{\frac{4+3x^2+x^4}{(2+x^2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{\sqrt{4 + 3x^2 + x^4}} + \dots \end{aligned}$$

Mathematica [C] time = 0.35, size = 331, normalized size = 1.96

$$\frac{\sqrt{2} (3\sqrt{7} - 7i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}} \sqrt{\frac{2ix^2 + \sqrt{7} + 3i}{\sqrt{7} + 3i}} F\left(i \sinh^{-1}\left(\sqrt{\frac{-2i}{-3i + \sqrt{7}}} x\right) \middle| \frac{3i - \sqrt{7}}{3i + \sqrt{7}}\right) - 3\sqrt{2} (\sqrt{7} + 3i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}}}{12 \sqrt{-\frac{i}{\sqrt{7} - 3i}} \sqrt{x^4 + 3x^2 + 4}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[4 + 3*x^2 + x^4], x]

[Out] $(4\sqrt{-1}/(-3I + \sqrt{7}))x(4 + 3x^2 + x^4) - 3\sqrt{2}(3I + \sqrt{7})\sqrt{(-3I + \sqrt{7} - (2I)x^2)/(-3I + \sqrt{7})}\sqrt{(3I + \sqrt{7} + (2I)x^2)/(3I + \sqrt{7})}\text{EllipticE}[I\text{ArcSinh}[\sqrt{(-2I)/(-3I + \sqrt{7})}]]x, (3I - \sqrt{7})/(3I + \sqrt{7}) + \sqrt{2}(-7I + 3\sqrt{7})\sqrt{(-3I + \sqrt{7} - (2I)x^2)/(-3I + \sqrt{7})}\sqrt{(3I + \sqrt{7} + (2I)x^2)/(3I + \sqrt{7})}\text{EllipticF}[I\text{ArcSinh}[\sqrt{(-2I)/(-3I + \sqrt{7})}]]x, (3I - \sqrt{7})/(3I + \sqrt{7})]/(12\sqrt{-1}/(-3I + \sqrt{7}))\sqrt{4 + 3x^2 + x^4}$

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{x^4 + 3x^2 + 4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 3*x^2 + 4), x)

maple [C] time = 0.00, size = 224, normalized size = 1.33

$$\frac{\sqrt{x^4 + 3x^2 + 4} x}{3} + \frac{32\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1} \sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-6+2i\sqrt{7}} x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right)}{3\sqrt{-6+2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4}} - \frac{32\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1}}{3\sqrt{-6+2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+3*x^2+4)^(1/2), x)

[Out] $\frac{1}{3}(x^4+3x^2+4)^{1/2}x + \frac{32}{3}(-6+2I7^{1/2})^{1/2}(-(-3/8+1/8I7^{1/2})x^2+1)^{1/2}(-(-3/8-1/8I7^{1/2})x^2+1)^{1/2}/(x^4+3x^2+4)^{1/2}\text{EllipticF}(1/4(-6+2I7^{1/2})^{1/2}x, 1/4(2+6I7^{1/2})^{1/2}) - \frac{32}{3}(-6+2I7^{1/2})^{1/2}(-(-3/8+1/8I7^{1/2})x^2+1)^{1/2}(-(-3/8-1/8I7^{1/2})x^2+1)^{1/2}/(x^4+3x^2+4)^{1/2}$

$+1)^{(1/2)}/(x^4+3x^2+4)^{(1/2)}/(I*7^{(1/2)}+3)*(EllipticF(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x,1/4*(2+6*I*7^{(1/2)})^{(1/2)})-EllipticE(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x,1/4*(2+6*I*7^{(1/2)})^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 3*x^2 + 4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{x^4 + 3x^2 + 4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + x^4 + 4)^(1/2),x)

[Out] int((3*x^2 + x^4 + 4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 3x^2 + 4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+3*x**2+4)**(1/2),x)

[Out] Integral(sqrt(x**4 + 3*x**2 + 4), x)

$$3.353 \quad \int \frac{\sqrt{4+3x^2+x^4}}{7+5x^2} dx$$

Optimal. Leaf size=322

$$\frac{\sqrt{x^4+3x^2+4}x}{5(x^2+2)} + \frac{1}{5}\sqrt{\frac{11}{35}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right) - \frac{11\sqrt{2}(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|\frac{1}{8}\right)}{75\sqrt{x^4+3x^2+4}} + \frac{9(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}}{25\sqrt{x^4+3x^2+4}}$$

[Out] 1/175*arctan(2/35*x*385^(1/2)/(x^4+3*x^2+4)^(1/2))*385^(1/2)+1/5*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+1/30*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)+187/1050*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticPi(sin(2*arctan(1/2*x*2^(1/2))),-9/280,1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)-1/5*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.15, antiderivative size = 322, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1208, 1197, 1103, 1195, 1216, 1706}

$$\frac{\sqrt{x^4+3x^2+4}x}{5(x^2+2)} + \frac{1}{5}\sqrt{\frac{11}{35}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right) - \frac{11\sqrt{2}(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|\frac{1}{8}\right)}{75\sqrt{x^4+3x^2+4}} + \frac{9(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}}{25\sqrt{x^4+3x^2+4}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[4 + 3*x^2 + x^4]/(7 + 5*x^2),x]

[Out] (x*Sqrt[4 + 3*x^2 + x^4])/(5*(2 + x^2)) + (Sqrt[11/35]*ArcTan[(2*Sqrt[11/35]*x)/Sqrt[4 + 3*x^2 + x^4]])/5 - (Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(5*Sqrt[4 + 3*x^2 + x^4]) + (9*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(25*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) - (11*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(75*Sqrt[4 + 3*x^2 + x^4]) + (187*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticPi[-9/280, 2*ArcTan[x/Sqrt[2]], 1/8])/(525*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1208

```
Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_)/((d_) + (e_)*(x_)^2), x_Symbol] := -Dist[(e^2)^(-1), Int[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] + Dist[(c*d^2 - b*d*e + a*e^2)/e^2, Int[(a + b*x^2 + c*x^4)^(p - 1)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p + 1/2, 0]
```

Rule 1216

```
Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1706

```
Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a
```

+ b*x^2 + c*x^4)/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{4+3x^2+x^4}}{7+5x^2} dx &= -\left(\frac{1}{25} \int \frac{-8-5x^2}{\sqrt{4+3x^2+x^4}} dx\right) + \frac{44}{25} \int \frac{1}{(7+5x^2)\sqrt{4+3x^2+x^4}} dx \\ &= -\left(\frac{2}{5} \int \frac{1-\frac{x^2}{2}}{\sqrt{4+3x^2+x^4}} dx\right) - \frac{44}{75} \int \frac{1}{\sqrt{4+3x^2+x^4}} dx + \frac{18}{25} \int \frac{1}{\sqrt{4+3x^2+x^4}} dx + \frac{88}{15} \int \frac{1}{\sqrt{4+3x^2+x^4}} dx \\ &= \frac{x\sqrt{4+3x^2+x^4}}{5(2+x^2)} + \frac{1}{5}\sqrt{\frac{11}{35}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4+3x^2+x^4}}\right) - \frac{\sqrt{2}(2+x^2)\sqrt{\frac{4+3x^2+x^4}{(2+x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{4+3x^2+x^4}}\right)\right)}{5\sqrt{4+3x^2+x^4}} \end{aligned}$$

Mathematica [C] time = 0.25, size = 283, normalized size = 0.88

$$\frac{\sqrt{1-\frac{2ix^2}{\sqrt{7}-3i}} \sqrt{1+\frac{2ix^2}{\sqrt{7}+3i}} \left((-35\sqrt{7}+7i) F\left(i \sinh^{-1}\left(\sqrt{-\frac{2i}{-3i+\sqrt{7}}}x\right) \middle| \frac{3i-\sqrt{7}}{3i+\sqrt{7}}\right) + 35(\sqrt{7}+3i) E\left(i \sinh^{-1}\left(\sqrt{-\frac{2i}{-3i+\sqrt{7}}}x\right) \middle| \frac{3i-\sqrt{7}}{3i+\sqrt{7}}\right) \right)}{350\sqrt{2} \sqrt{-\frac{i}{\sqrt{7}-3i}} \sqrt{x^4+3x^2+4}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[4 + 3*x^2 + x^4]/(7 + 5*x^2), x]

[Out] -1/350*(Sqrt[1 - ((2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[1 + ((2*I)*x^2)/(3*I + Sqrt[7])]*(35*(3*I + Sqrt[7])*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) + (7*I - 35*Sqrt[7])*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) + (88*I)*EllipticPi[(5*(3 + I*Sqrt[7]))/14, I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])))/(Sqrt[2]*Sqrt[(-I)/(-3*I + Sqrt[7])])*Sqrt[4 + 3*x^2 + x^4]

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4+3x^2+4}}{5x^2+7}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(1/2)/(5*x^2+7),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 4)/(5*x^2 + 7), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 4}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(1/2)/(5*x^2+7),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 3*x^2 + 4)/(5*x^2 + 7), x)

maple [C] time = 0.12, size = 386, normalized size = 1.20

$$\frac{32\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1}\sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8} + 1}\operatorname{EllipticE}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right)}{5\sqrt{-6+2i\sqrt{7}}\sqrt{x^4+3x^2+4}(i\sqrt{7}+3)} + \frac{32\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1}\sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8}}}{25\sqrt{-6+2i\sqrt{7}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+3*x^2+4)^(1/2)/(5*x^2+7),x)

[Out] $32/25/(-6+2*I*7^{(1/2)})^{(1/2)}*(1+3/8*x^2-1/8*I*x^2*7^{(1/2)})^{(1/2)}*(1+3/8*x^2+1/8*I*x^2*7^{(1/2)})^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}*\operatorname{EllipticF}(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x, 1/4*(2+6*I*7^{(1/2)})^{(1/2)})-32/5/(-6+2*I*7^{(1/2)})^{(1/2)}*(1+3/8*x^2-1/8*I*x^2*7^{(1/2)})^{(1/2)}*(1+3/8*x^2+1/8*I*x^2*7^{(1/2)})^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}/(I*7^{(1/2)}+3)*\operatorname{EllipticF}(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x, 1/4*(2+6*I*7^{(1/2)})^{(1/2)})^{(1/2)}+32/5/(-6+2*I*7^{(1/2)})^{(1/2)}*(1+3/8*x^2-1/8*I*x^2*7^{(1/2)})^{(1/2)}*(1+3/8*x^2+1/8*I*x^2*7^{(1/2)})^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}/(I*7^{(1/2)}+3)*\operatorname{EllipticE}(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x, 1/4*(2+6*I*7^{(1/2)})^{(1/2)})^{(1/2)}+44/175/(-3/8+1/8*I*7^{(1/2)})^{(1/2)}*(1+3/8*x^2-1/8*I*x^2*7^{(1/2)})^{(1/2)}*(1+3/8*x^2+1/8*I*x^2*7^{(1/2)})^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}*\operatorname{EllipticPi}((-3/8+1/8*I*7^{(1/2)})^{(1/2)}*x, -5/7/(-3/8+1/8*I*7^{(1/2)}), (-3/8-1/8*I*7^{(1/2)})^{(1/2)}/(-3/8+1/8*I*7^{(1/2)})^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 4}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(1/2)/(5*x^2+7),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 3*x^2 + 4)/(5*x^2 + 7), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 4}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + x^4 + 4)^(1/2)/(5*x^2 + 7),x)

[Out] int((3*x^2 + x^4 + 4)^(1/2)/(5*x^2 + 7), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(x^2 - x + 2)(x^2 + x + 2)}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+3*x**2+4)**(1/2)/(5*x**2+7),x)

[Out] Integral(sqrt((x**2 - x + 2)*(x**2 + x + 2))/(5*x**2 + 7), x)

$$3.354 \quad \int \frac{\sqrt{4+3x^2+x^4}}{(7+5x^2)^2} dx$$

Optimal. Leaf size=284

$$\frac{\sqrt{x^4+3x^2+4}x}{70(x^2+2)} + \frac{\sqrt{x^4+3x^2+4}x}{14(5x^2+7)} + \frac{51 \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right)}{280\sqrt{385}} - \frac{(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|\frac{1}{8}\right)}{35\sqrt{2}\sqrt{x^4+3x^2+4}} + \frac{(x^2+2)}{35\sqrt{2}\sqrt{x^4+3x^2+4}}$$

[Out] 51/107800*arctan(2/35*x*385^(1/2)/(x^4+3*x^2+4)^(1/2))*385^(1/2)-1/70*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+1/14*x*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)+1/70*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)-1/70*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)+289/19600*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticPi(sin(2*arctan(1/2*x*2^(1/2))),-9/280,1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.15, antiderivative size = 284, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1226, 1197, 1103, 1195, 1216, 1706}

$$\frac{\sqrt{x^4+3x^2+4}x}{70(x^2+2)} + \frac{\sqrt{x^4+3x^2+4}x}{14(5x^2+7)} + \frac{51 \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right)}{280\sqrt{385}} - \frac{(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|\frac{1}{8}\right)}{35\sqrt{2}\sqrt{x^4+3x^2+4}} + \frac{(x^2+2)}{35\sqrt{2}\sqrt{x^4+3x^2+4}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[4 + 3*x^2 + x^4]/(7 + 5*x^2)^2,x]

[Out] -(x*Sqrt[4 + 3*x^2 + x^4])/(70*(2 + x^2)) + (x*Sqrt[4 + 3*x^2 + x^4])/(14*(7 + 5*x^2)) + (51*ArcTan[(2*Sqrt[11/35]*x)/Sqrt[4 + 3*x^2 + x^4]])/(280*Sqrt[385]) + ((2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(35*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) - ((2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(35*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) + (289*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticPi[-9/280, 2*ArcTan[x/Sqrt[2]], 1/8])/(9800*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[a + b*x^2 + c*x^4]/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + b*x^2 + c*x^4]/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1216

```
Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1226

```
Int[Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]/((d_) + (e_)*(x_)^2)^2, x_Symbol] := Simp[(x*Sqrt[a + b*x^2 + c*x^4])/(2*d*(d + e*x^2)), x] + (Dist[c/(2*d*e^2), Int[(d - e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(c*d^2 - a*e^2)/(2*d*e^2), Int[1/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0]
```

Rule 1706

```
Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-
```


$b + (c*d)/e + (a*e)/d, 2]), x] + \text{Simp}[(B*d + A*e)*(A + B*x^2)*\text{Sqrt}[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*\text{EllipticPi}[\text{Cancel}[-((B*d - A*e)^2/(4*d*e*A*B))], 2*\text{ArcTan}[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{FreeQ}\{a, b, c, d, e, A, B\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[c/a] \&\& \text{EqQ}[c*A^2 - a*B^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{4 + 3x^2 + x^4}}{(7 + 5x^2)^2} dx &= \frac{x\sqrt{4 + 3x^2 + x^4}}{14(7 + 5x^2)} + \frac{1}{350} \int \frac{7 - 5x^2}{\sqrt{4 + 3x^2 + x^4}} dx + \frac{51}{350} \int \frac{1}{(7 + 5x^2)\sqrt{4 + 3x^2 + x^4}} dx \\ &= \frac{x\sqrt{4 + 3x^2 + x^4}}{14(7 + 5x^2)} - \frac{3}{350} \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx + \frac{1}{35} \int \frac{1 - \frac{x^2}{2}}{\sqrt{4 + 3x^2 + x^4}} dx - \frac{17}{350} \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= -\frac{x\sqrt{4 + 3x^2 + x^4}}{70(2 + x^2)} + \frac{x\sqrt{4 + 3x^2 + x^4}}{14(7 + 5x^2)} + \frac{51 \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4 + 3x^2 + x^4}}\right)}{280\sqrt{385}} + \frac{(2 + x^2)\sqrt{\frac{4 + 3x^2 + x^4}{(2 + x^2)^2}} E\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4 + 3x^2 + x^4}}\right)}{35\sqrt{2}\sqrt{4 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.77, size = 481, normalized size = 1.69

$$-98i(5x^2 + 7)\sqrt{2 - \frac{4ix^2}{\sqrt{7} - 3i}}\sqrt{1 + \frac{2ix^2}{\sqrt{7} + 3i}}F\left(i \sinh^{-1}\left(\sqrt{-\frac{2i}{-3i + \sqrt{7}}}x\right)\middle|\frac{3i - \sqrt{7}}{3i + \sqrt{7}}\right) - 102i(5x^2 + 7)\sqrt{2 - \frac{4ix^2}{\sqrt{7} - 3i}}\sqrt{1 + \frac{2ix^2}{\sqrt{7} + 3i}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[4 + 3*x^2 + x^4]/(7 + 5*x^2)^2,x]

[Out] (700*Sqrt[(-I)/(-3*I + Sqrt[7])]*x*(4 + 3*x^2 + x^4) + 35*(3*I + Sqrt[7])*(7 + 5*x^2)*Sqrt[2 - ((4*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[1 + ((2*I)*x^2)/(3*I + Sqrt[7])])*(EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) - EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) - (98*I)*(7 + 5*x^2)*Sqrt[2 - ((4*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[1 + ((2*I)*x^2)/(3*I + Sqrt[7])]*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) - (102*I)*(7 + 5*x^2)*Sqrt[2 - ((4*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[1 + ((2*I)*x^2)/(3*I + Sqrt[7])]*EllipticPi[(5*(3 + I*Sqrt[7]))/14, I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7]))]/(9800*Sqrt[(-I)/(-3*I + Sqrt[7])]*(7 + 5*x^2)*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 4}}{25x^4 + 70x^2 + 49}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(1/2)/(5*x^2+7)^2,x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 4)/(25*x^4 + 70*x^2 + 49), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 4}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(1/2)/(5*x^2+7)^2,x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 3*x^2 + 4)/(5*x^2 + 7)^2, x)

maple [C] time = 0.02, size = 410, normalized size = 1.44

$$\frac{\sqrt{x^4 + 3x^2 + 4} x}{70x^2 + 98} - \frac{16\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8}} + 1 \sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8}} + 1 \text{EllipticE}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right)}{35\sqrt{-6+2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4} (i\sqrt{7} + 3)} + \frac{2\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8}} + 1}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+3*x^2+4)^(1/2)/(5*x^2+7)^2,x)

[Out] 1/14*x*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)+2/25/(-6+2*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x^2+1)^(1/2)*(3/8*x^2+1/8*I*7^(1/2)*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))+16/35/(-6+2*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x^2+1)^(1/2)*(3/8*x^2+1/8*I*7^(1/2)*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-16/35/(-6+2*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x^2+1)^(1/2)*(3/8*x^2+1/8*I*7^(1/2)*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*EllipticE(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))+51/2450/(-3/8+1/8*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x^2+1)^(1/2)*(3/8*x^2+1/8*I*7^(1/2)*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)

)*EllipticPi((-3/8+1/8*I*7^(1/2))^(1/2)*x,-5/7/(-3/8+1/8*I*7^(1/2)),(-3/8-1/8*I*7^(1/2))^(1/2)/(-3/8+1/8*I*7^(1/2))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 4}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(1/2)/(5*x^2+7)^2,x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 3*x^2 + 4)/(5*x^2 + 7)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 4}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + x^4 + 4)^(1/2)/(5*x^2 + 7)^2,x)

[Out] int((3*x^2 + x^4 + 4)^(1/2)/(5*x^2 + 7)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(x^2 - x + 2)(x^2 + x + 2)}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+3*x**2+4)**(1/2)/(5*x**2+7)**2,x)

[Out] Integral(sqrt((x**2 - x + 2)*(x**2 + x + 2))/(5*x**2 + 7)**2, x)

$$3.355 \quad \int \frac{\sqrt{4+3x^2+x^4}}{(7+5x^2)^3} dx$$

Optimal. Leaf size=312

$$\frac{139\sqrt{x^4+3x^2+4}x}{86240(x^2+2)} + \frac{139\sqrt{x^4+3x^2+4}x}{17248(5x^2+7)} + \frac{\sqrt{x^4+3x^2+4}x}{28(5x^2+7)^2} + \frac{14999 \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right)}{344960\sqrt{385}} - \frac{23(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}}{2940\sqrt{2}\sqrt{x^4}}$$

[Out] 14999/132809600*arctan(2/35*x*385^(1/2)/(x^4+3*x^2+4)^(1/2))*385^(1/2)-139/86240*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+1/28*x*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)^2+139/17248*x*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)+139/86240*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)-23/5880*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)+254983/72441600*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticPi(sin(2*arctan(1/2*x*2^(1/2))),-9/280,1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.71, antiderivative size = 312, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 9, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1228, 1223, 1696, 1714, 1195, 1708, 1103, 1706, 1216}

$$\frac{139\sqrt{x^4+3x^2+4}x}{86240(x^2+2)} + \frac{139\sqrt{x^4+3x^2+4}x}{17248(5x^2+7)} + \frac{\sqrt{x^4+3x^2+4}x}{28(5x^2+7)^2} + \frac{14999 \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right)}{344960\sqrt{385}} - \frac{23(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}}{2940\sqrt{2}\sqrt{x^4}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[4 + 3*x^2 + x^4]/(7 + 5*x^2)^3,x]

[Out] (-139*x*Sqrt[4 + 3*x^2 + x^4])/(86240*(2 + x^2)) + (x*Sqrt[4 + 3*x^2 + x^4])/(28*(7 + 5*x^2)^2) + (139*x*Sqrt[4 + 3*x^2 + x^4])/(17248*(7 + 5*x^2)) + (14999*ArcTan[(2*Sqrt[11/35]*x)/Sqrt[4 + 3*x^2 + x^4]])/(344960*Sqrt[385]) + (139*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(43120*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) - (23*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(2940*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) + (254983*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticPi[-9/280, 2*ArcTan[x/Sqrt[2]], 1/8])/(36220800*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1216

```
Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1223

```
Int[((d_) + (e_)*(x_)^2)^(q_)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]
```

Rule 1228

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + c*c*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb -> b, cc -> c}, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]
```

Rule 1696

```

Int[((P4x_)*((d_) + (e_)*(x_)^2)^(q_))/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d - B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b*e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e + A*e^2)*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, -1]

```

Rule 1706

```

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

```

Rule 1708

```

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(A*(c*d + a*e*q) - a*B*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(a*(B*d - A*e)*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]

```

Rule 1714

```

Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2], A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[C/(e*q), Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[1/(c*e), Int[(A*c*e + a*C*d*q + (B*c*e - C*(c*d - a*e*q))*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && !GtQ[b^2 - 4*a*c, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{4+3x^2+x^4}}{(7+5x^2)^3} dx &= \int \left(\frac{44}{25(7+5x^2)^3 \sqrt{4+3x^2+x^4}} + \frac{1}{25(7+5x^2)^2 \sqrt{4+3x^2+x^4}} + \frac{1}{25(7+5x^2) \sqrt{4+3x^2+x^4}} \right) dx \\
&= \frac{1}{25} \int \frac{1}{(7+5x^2)^2 \sqrt{4+3x^2+x^4}} dx + \frac{1}{25} \int \frac{1}{(7+5x^2) \sqrt{4+3x^2+x^4}} dx + \frac{44}{25} \int \frac{1}{(7+5x^2)^3 \sqrt{4+3x^2+x^4}} dx \\
&= \frac{x\sqrt{4+3x^2+x^4}}{28(7+5x^2)^2} + \frac{x\sqrt{4+3x^2+x^4}}{616(7+5x^2)} - \frac{\int \frac{12+70x^2+25x^4}{(7+5x^2)\sqrt{4+3x^2+x^4}} dx}{15400} - \frac{1}{700} \int \frac{-76-10x^2}{(7+5x^2)^2 \sqrt{4+3x^2+x^4}} dx \\
&= \frac{x\sqrt{4+3x^2+x^4}}{28(7+5x^2)^2} + \frac{139x\sqrt{4+3x^2+x^4}}{17248(7+5x^2)} + \frac{\tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4+3x^2+x^4}}\right)}{20\sqrt{385}} - \frac{(2+x^2)\sqrt{\frac{4+3x^2+x^4}{(2+x^2)^2}} F\left(2, \frac{4+3x^2+x^4}{(2+x^2)^2}\right)}{150\sqrt{2}\sqrt{4+3x^2+x^4}} \\
&= -\frac{x\sqrt{4+3x^2+x^4}}{3080(2+x^2)} + \frac{x\sqrt{4+3x^2+x^4}}{28(7+5x^2)^2} + \frac{139x\sqrt{4+3x^2+x^4}}{17248(7+5x^2)} + \frac{\tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4+3x^2+x^4}}\right)}{20\sqrt{385}} + \frac{(2+x^2)\sqrt{\frac{4+3x^2+x^4}{(2+x^2)^2}} F\left(2, \frac{4+3x^2+x^4}{(2+x^2)^2}\right)}{150\sqrt{2}\sqrt{4+3x^2+x^4}} \\
&= -\frac{139x\sqrt{4+3x^2+x^4}}{86240(2+x^2)} + \frac{x\sqrt{4+3x^2+x^4}}{28(7+5x^2)^2} + \frac{139x\sqrt{4+3x^2+x^4}}{17248(7+5x^2)} + \frac{653 \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4+3x^2+x^4}}\right)}{12320\sqrt{385}} + \frac{(2+x^2)\sqrt{\frac{4+3x^2+x^4}{(2+x^2)^2}} F\left(2, \frac{4+3x^2+x^4}{(2+x^2)^2}\right)}{150\sqrt{2}\sqrt{4+3x^2+x^4}} \\
&= -\frac{139x\sqrt{4+3x^2+x^4}}{86240(2+x^2)} + \frac{x\sqrt{4+3x^2+x^4}}{28(7+5x^2)^2} + \frac{139x\sqrt{4+3x^2+x^4}}{17248(7+5x^2)} + \frac{14999 \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4+3x^2+x^4}}\right)}{344960\sqrt{385}} + \frac{(2+x^2)\sqrt{\frac{4+3x^2+x^4}{(2+x^2)^2}} F\left(2, \frac{4+3x^2+x^4}{(2+x^2)^2}\right)}{150\sqrt{2}\sqrt{4+3x^2+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.68, size = 308, normalized size = 0.99

$$\frac{700x(695x^2+1589)(x^4+3x^2+4)}{(5x^2+7)^2} + i\sqrt{6+2i\sqrt{7}} \sqrt{1-\frac{2ix^2}{\sqrt{7}-3i}} \sqrt{1+\frac{2ix^2}{\sqrt{7}+3i}} \left((-9597+4865i\sqrt{7}) F\left(i \sinh^{-1}\left(\sqrt{-\frac{2i}{-3i+\sqrt{7}}}\right)\right) \right)$$

120736

Antiderivative was successfully verified.

[In] Integrate[Sqrt[4 + 3*x^2 + x^4]/(7 + 5*x^2)^3, x]

[Out] ((700*x*(1589 + 695*x^2)*(4 + 3*x^2 + x^4))/(7 + 5*x^2)^2 + I*Sqrt[6 + (2*I)*Sqrt[7]]*Sqrt[1 - ((2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[1 + ((2*I)*x^2)/(3*I

+ Sqrt[7]])*(4865*(3 - I*Sqrt[7])*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) + (-9597 + (4865*I)*Sqrt[7])*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) - 29998*EllipticPi[(5*(3 + I*Sqrt[7]))/14, I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])))/(12073600*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 4}}{125x^6 + 525x^4 + 735x^2 + 343}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(1/2)/(5*x^2+7)^3,x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 4)/(125*x^6 + 525*x^4 + 735*x^2 + 343), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 4}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(1/2)/(5*x^2+7)^3,x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 3*x^2 + 4)/(5*x^2 + 7)^3, x)

maple [C] time = 0.03, size = 434, normalized size = 1.39

$$\frac{\sqrt{x^4 + 3x^2 + 4} x}{28(5x^2 + 7)^2} + \frac{139\sqrt{x^4 + 3x^2 + 4} x}{17248(5x^2 + 7)} - \frac{139\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1} \sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8} + 1} \text{EllipticE}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right)}{2695\sqrt{-6+2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4} (i\sqrt{7} + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+3*x^2+4)^(1/2)/(5*x^2+7)^3,x)

[Out] 1/28*x*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)^2+139/17248*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)*x-51/15400/(-6+2*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x^2+1)^(1/2)*(3/8*x^2+1/8*I*7^(1/2)*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))+139/2695/(-6+2*I*7^(1/2))^(1/2)

$2) * (3/8 * x^2 - 1/8 * I * 7^{(1/2)} * x^2 + 1)^{(1/2)} * (3/8 * x^2 + 1/8 * I * 7^{(1/2)} * x^2 + 1)^{(1/2)} /$
 $(x^4 + 3 * x^2 + 4)^{(1/2)} / (I * 7^{(1/2)} + 3) * \text{EllipticF}(1/4 * (-6 + 2 * I * 7^{(1/2)})^{(1/2)} * x, 1/$
 $4 * (2 + 6 * I * 7^{(1/2)})^{(1/2)}) - 139/2695 / (-6 + 2 * I * 7^{(1/2)})^{(1/2)} * (3/8 * x^2 - 1/8 * I * 7^{(1/2)}$
 $(1/2) * x^2 + 1)^{(1/2)} * (3/8 * x^2 + 1/8 * I * 7^{(1/2)} * x^2 + 1)^{(1/2)} / (x^4 + 3 * x^2 + 4)^{(1/2)} / ($
 $I * 7^{(1/2)} + 3) * \text{EllipticE}(1/4 * (-6 + 2 * I * 7^{(1/2)})^{(1/2)} * x, 1/4 * (2 + 6 * I * 7^{(1/2)})^{(1/2)}$
 $(1/2)) + 14999/3018400 / (-3/8 + 1/8 * I * 7^{(1/2)})^{(1/2)} * (3/8 * x^2 - 1/8 * I * 7^{(1/2)} * x^2 + 1)^{(1/2)}$
 $* (3/8 * x^2 + 1/8 * I * 7^{(1/2)} * x^2 + 1)^{(1/2)} / (x^4 + 3 * x^2 + 4)^{(1/2)} * \text{EllipticPi}((-$
 $3/8 + 1/8 * I * 7^{(1/2)})^{(1/2)} * x, -5/7 / (-3/8 + 1/8 * I * 7^{(1/2)}), (-3/8 - 1/8 * I * 7^{(1/2)})^{(1/2)}$
 $(1/2) / (-3/8 + 1/8 * I * 7^{(1/2)})^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 4}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(1/2)/(5*x^2+7)^3,x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 3*x^2 + 4)/(5*x^2 + 7)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{x^4 + 3x^2 + 4}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + x^4 + 4)^(1/2)/(5*x^2 + 7)^3,x)

[Out] int((3*x^2 + x^4 + 4)^(1/2)/(5*x^2 + 7)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{(x^2 - x + 2)(x^2 + x + 2)}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+3*x**2+4)**(1/2)/(5*x**2+7)**3,x)

[Out] Integral(sqrt((x**2 - x + 2)*(x**2 + x + 2))/(5*x**2 + 7)**3, x)

$$3.356 \quad \int (7 + 5x^2)^4 (4 + 3x^2 + x^4)^{3/2} dx$$

Optimal. Leaf size=268

$$\frac{92150}{429} (x^4 + 3x^2 + 4)^{5/2} x + \frac{(131080x^2 + 452001)(x^4 + 3x^2 + 4)^{3/2} x}{1287} + \frac{7(174989x^2 + 661429)\sqrt{x^4 + 3x^2 + 4} x}{2145} + \dots$$

[Out] 1/1287*x*(131080*x^2+452001)*(x^4+3*x^2+4)^(3/2)+92150/429*x*(x^4+3*x^2+4)^(5/2)+2250/13*x^3*(x^4+3*x^2+4)^(5/2)+125/3*x^5*(x^4+3*x^2+4)^(5/2)+12665086/2145*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+7/2145*x*(174989*x^2+661429)*(x^4+3*x^2+4)^(1/2)-12665086/2145*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2))^2^(1/2)/(x^4+3*x^2+4)^(1/2)+2383556/429*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2))^2^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.17, antiderivative size = 268, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1206, 1679, 1176, 1197, 1103, 1195}

$$\frac{125}{3} (x^4 + 3x^2 + 4)^{5/2} x^5 + \frac{2250}{13} (x^4 + 3x^2 + 4)^{5/2} x^3 + \frac{92150}{429} (x^4 + 3x^2 + 4)^{5/2} x + \frac{(131080x^2 + 452001)(x^4 + 3x^2 + 4)^{3/2} x}{1287} + \dots$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^4*(4 + 3*x^2 + x^4)^(3/2), x]

[Out] (12665086*x*Sqrt[4 + 3*x^2 + x^4])/(2145*(2 + x^2)) + (7*x*(661429 + 174989*x^2)*Sqrt[4 + 3*x^2 + x^4])/2145 + (x*(452001 + 131080*x^2)*(4 + 3*x^2 + x^4)^(3/2))/1287 + (92150*x*(4 + 3*x^2 + x^4)^(5/2))/429 + (2250*x^3*(4 + 3*x^2 + x^4)^(5/2))/13 + (125*x^5*(4 + 3*x^2 + x^4)^(5/2))/3 - (12665086*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(2145*Sqrt[4 + 3*x^2 + x^4]) + (2383556*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(429*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]]*

EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1176

Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1206

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandTosum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]

Rule 1679

Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{q = Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p

```
+ 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*
q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*
x^(2*q), x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[P
q, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2)^4 (4 + 3x^2 + x^4)^{3/2} dx &= \frac{125}{3} x^5 (4 + 3x^2 + x^4)^{5/2} + \frac{1}{15} \int (4 + 3x^2 + x^4)^{3/2} (36015 + 102900x^2 + 97770x^4) dx \\
&= \frac{2250}{13} x^3 (4 + 3x^2 + x^4)^{5/2} + \frac{125}{3} x^5 (4 + 3x^2 + x^4)^{5/2} + \frac{1}{195} \int (4 + 3x^2 + x^4)^{3/2} (36015 + 102900x^2 + 97770x^4) dx \\
&= \frac{92150}{429} x (4 + 3x^2 + x^4)^{5/2} + \frac{2250}{13} x^3 (4 + 3x^2 + x^4)^{5/2} + \frac{125}{3} x^5 (4 + 3x^2 + x^4)^{5/2} \\
&= \frac{x(452001 + 131080x^2)(4 + 3x^2 + x^4)^{3/2}}{1287} + \frac{92150}{429} x (4 + 3x^2 + x^4)^{5/2} + \frac{2250}{13} x^3 (4 + 3x^2 + x^4)^{5/2} \\
&= \frac{7x(661429 + 174989x^2)\sqrt{4 + 3x^2 + x^4}}{2145} + \frac{x(452001 + 131080x^2)(4 + 3x^2 + x^4)^{3/2}}{1287} \\
&= \frac{7x(661429 + 174989x^2)\sqrt{4 + 3x^2 + x^4}}{2145} + \frac{x(452001 + 131080x^2)(4 + 3x^2 + x^4)^{3/2}}{1287} \\
&= \frac{12665086x\sqrt{4 + 3x^2 + x^4}}{2145(2 + x^2)} + \frac{7x(661429 + 174989x^2)\sqrt{4 + 3x^2 + x^4}}{2145} + \frac{x(452001 + 131080x^2)(4 + 3x^2 + x^4)^{3/2}}{1287}
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^4*(4 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.42, size = 0, normalized size = 0.00

integral((625x¹² + 5375x¹⁰ + 20350x⁸ + 42910x⁶ + 52381x⁴ + 34643x² + 9604)√(x⁴ + 3x² + 4), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4*(x^4+3*x^2+4)^(3/2),x, algorithm="fricas")

[Out] integral((625*x^12 + 5375*x^10 + 20350*x^8 + 42910*x^6 + 52381*x^4 + 34643*x^2 + 9604)*sqrt(x^4 + 3*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 4)^{\frac{3}{2}} (5x^2 + 7)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4*(x^4+3*x^2+4)^(3/2),x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 4)^(3/2)*(5*x^2 + 7)^4, x)

maple [C] time = 0.04, size = 326, normalized size = 1.22

$$\frac{125\sqrt{x^4 + 3x^2 + 4} x^{13}}{3} + \frac{5500\sqrt{x^4 + 3x^2 + 4} x^{11}}{13} + \frac{841525\sqrt{x^4 + 3x^2 + 4} x^9}{429} + \frac{6863530\sqrt{x^4 + 3x^2 + 4} x^7}{1287} + \frac{356027}{39}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^4*(x^4+3*x^2+4)^(3/2),x)

[Out] 15015343/2145*(x^4+3*x^2+4)^(1/2)*x+64070384/6435*(x^4+3*x^2+4)^(1/2)*x^3+6863530/1287*(x^4+3*x^2+4)^(1/2)*x^5+5500/13*x^7+356027/39*(x^4+3*x^2+4)^(1/2)*x^9-405282752/2145/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*(EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-EllipticE(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2)))+89363792/2145/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 4)^{\frac{3}{2}} (5x^2 + 7)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4*(x^4+3*x^2+4)^(3/2),x, algorithm="maxima")

[Out] integrate((x^4 + 3*x^2 + 4)^(3/2)*(5*x^2 + 7)^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (5x^2 + 7)^4 (x^4 + 3x^2 + 4)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^2 + 7)^4*(3*x^2 + x^4 + 4)^(3/2), x)`

[Out] `int((5*x^2 + 7)^4*(3*x^2 + x^4 + 4)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int ((x^2 - x + 2)(x^2 + x + 2))^{\frac{3}{2}} (5x^2 + 7)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**2+7)**4*(x**4+3*x**2+4)**(3/2), x)`

[Out] `Integral(((x**2 - x + 2)*(x**2 + x + 2))**(3/2)*(5*x**2 + 7)**4, x)`

$$3.357 \quad \int (7 + 5x^2)^3 (4 + 3x^2 + x^4)^{3/2} dx$$

Optimal. Leaf size=247

$$\frac{3825}{143} (x^4 + 3x^2 + 4)^{5/2} x + \frac{(15365x^2 + 53504)(x^4 + 3x^2 + 4)^{3/2} x}{1001} + \frac{(435441x^2 + 1653701)\sqrt{x^4 + 3x^2 + 4} x}{5005} + \dots$$

[Out] 1/1001*x*(15365*x^2+53504)*(x^4+3*x^2+4)^(3/2)+3825/143*x*(x^4+3*x^2+4)^(5/2)+125/13*x^3*(x^4+3*x^2+4)^(5/2)+4525662/5005*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+1/5005*x*(435441*x^2+1653701)*(x^4+3*x^2+4)^(1/2)-4525662/5005*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)+121826/143*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.13, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1206, 1679, 1176, 1197, 1103, 1195}

$$\frac{125}{13} (x^4 + 3x^2 + 4)^{5/2} x^3 + \frac{3825}{143} (x^4 + 3x^2 + 4)^{5/2} x + \frac{(15365x^2 + 53504)(x^4 + 3x^2 + 4)^{3/2} x}{1001} + \frac{(435441x^2 + 1653701)\sqrt{x^4 + 3x^2 + 4} x}{5005} + \dots$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^3*(4 + 3*x^2 + x^4)^(3/2), x]

[Out] (4525662*x*Sqrt[4 + 3*x^2 + x^4])/(5005*(2 + x^2)) + (x*(1653701 + 435441*x^2)*Sqrt[4 + 3*x^2 + x^4])/5005 + (x*(53504 + 15365*x^2)*(4 + 3*x^2 + x^4)^(3/2))/1001 + (3825*x*(4 + 3*x^2 + x^4)^(5/2))/143 + (125*x^3*(4 + 3*x^2 + x^4)^(5/2))/13 - (4525662*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(5005*Sqrt[4 + 3*x^2 + x^4]) + (121826*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(143*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4])

), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1176

Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1206

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]

Rule 1679

Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{q = Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*

$q - 3) * x^{(2*q - 4)} - b * e * (2*q + 2*p - 1) * x^{(2*q - 2)} - c * e * (2*q + 4*p + 1) * x^{(2*q)}$, x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int (7 + 5x^2)^3 (4 + 3x^2 + x^4)^{3/2} dx &= \frac{125}{13} x^3 (4 + 3x^2 + x^4)^{5/2} + \frac{1}{13} \int (4 + 3x^2 + x^4)^{3/2} (4459 + 8055x^2 + 3825x^4) dx \\
 &= \frac{3825}{143} x (4 + 3x^2 + x^4)^{5/2} + \frac{125}{13} x^3 (4 + 3x^2 + x^4)^{5/2} + \frac{1}{143} \int (33749 + 19710x^2 + 33749x^4 + 19710x^6 + 33749x^8) dx \\
 &= \frac{x(53504 + 15365x^2)(4 + 3x^2 + x^4)^{3/2}}{1001} + \frac{3825}{143} x (4 + 3x^2 + x^4)^{5/2} + \frac{125}{13} x^3 (4 + 3x^2 + x^4)^{5/2} \\
 &= \frac{x(1653701 + 435441x^2)\sqrt{4 + 3x^2 + x^4}}{5005} + \frac{x(53504 + 15365x^2)(4 + 3x^2 + x^4)^{3/2}}{1001} \\
 &= \frac{x(1653701 + 435441x^2)\sqrt{4 + 3x^2 + x^4}}{5005} + \frac{x(53504 + 15365x^2)(4 + 3x^2 + x^4)^{3/2}}{1001} \\
 &= \frac{4525662x\sqrt{4 + 3x^2 + x^4}}{5005(2 + x^2)} + \frac{x(1653701 + 435441x^2)\sqrt{4 + 3x^2 + x^4}}{5005} + \frac{x(53504 + 15365x^2)(4 + 3x^2 + x^4)^{3/2}}{1001}
 \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^3*(4 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(125x^{10} + 900x^8 + 2810x^6 + 4648x^4 + 3969x^2 + 1372\right)\sqrt{x^4 + 3x^2 + 4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(x^4+3*x^2+4)^(3/2), x, algorithm="fricas")

[Out] integral((125*x^10 + 900*x^8 + 2810*x^6 + 4648*x^4 + 3969*x^2 + 1372)*sqrt(x^4 + 3*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 4)^{\frac{3}{2}} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(x^4+3*x^2+4)^(3/2),x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 4)^(3/2)*(5*x^2 + 7)^3, x)

maple [C] time = 0.01, size = 309, normalized size = 1.25

$$\frac{125\sqrt{x^4 + 3x^2 + 4} x^{11}}{13} + \frac{12075\sqrt{x^4 + 3x^2 + 4} x^9}{143} + \frac{48520\sqrt{x^4 + 3x^2 + 4} x^7}{143} + \frac{71434\sqrt{x^4 + 3x^2 + 4} x^5}{91} + \frac{5528301\sqrt{x^4 + 3x^2 + 4}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^3*(x^4+3*x^2+4)^(3/2),x)

[Out] 4865781/5005*(x^4+3*x^2+4)^(1/2)*x+5528301/5005*(x^4+3*x^2+4)^(1/2)*x^3+48520/143*(x^4+3*x^2+4)^(1/2)*x^7+71434/91*(x^4+3*x^2+4)^(1/2)*x^5+125/13*(x^4+3*x^2+4)^(1/2)*x^11+12075/143*(x^4+3*x^2+4)^(1/2)*x^9-144821184/5005/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*(EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-EllipticE(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2)))+32017264/5005/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 4)^{\frac{3}{2}} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3*(x^4+3*x^2+4)^(3/2),x, algorithm="maxima")

[Out] integrate((x^4 + 3*x^2 + 4)^(3/2)*(5*x^2 + 7)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (5x^2 + 7)^3 (x^4 + 3x^2 + 4)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^3*(3*x^2 + x^4 + 4)^(3/2), x)

[Out] int((5*x^2 + 7)^3*(3*x^2 + x^4 + 4)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left((x^2 - x + 2)(x^2 + x + 2) \right)^{\frac{3}{2}} (5x^2 + 7)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**3*(x**4+3*x**2+4)**(3/2), x)

[Out] Integral(((x**2 - x + 2)*(x**2 + x + 2))**(3/2)*(5*x**2 + 7)**3, x)

$$3.358 \quad \int (7 + 5x^2)^2 (4 + 3x^2 + x^4)^{3/2} dx$$

Optimal. Leaf size=226

$$\frac{25}{11}x(x^4 + 3x^2 + 4)^{5/2} + \frac{1}{693}x(2240x^2 + 6831)(x^4 + 3x^2 + 4)^{3/2} + \frac{x(18253x^2 + 64533)\sqrt{x^4 + 3x^2 + 4}}{1155} + \frac{175346x}{1155}$$

[Out] 1/693*x*(2240*x^2+6831)*(x^4+3*x^2+4)^(3/2)+25/11*x*(x^4+3*x^2+4)^(5/2)+175346/1155*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+1/1155*x*(18253*x^2+64533)*(x^4+3*x^2+4)^(1/2)-175346/1155*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)+4628/33*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.10, antiderivative size = 226, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1206, 1176, 1197, 1103, 1195}

$$\frac{25}{11}x(x^4 + 3x^2 + 4)^{5/2} + \frac{1}{693}x(2240x^2 + 6831)(x^4 + 3x^2 + 4)^{3/2} + \frac{x(18253x^2 + 64533)\sqrt{x^4 + 3x^2 + 4}}{1155} + \frac{175346x}{1155}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^2*(4 + 3*x^2 + x^4)^(3/2),x]

[Out] (175346*x*Sqrt[4 + 3*x^2 + x^4])/(1155*(2 + x^2)) + (x*(64533 + 18253*x^2)*Sqrt[4 + 3*x^2 + x^4])/1155 + (x*(6831 + 2240*x^2)*(4 + 3*x^2 + x^4)^(3/2))/693 + (25*x*(4 + 3*x^2 + x^4)^(5/2))/11 - (175346*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(1155*Sqrt[4 + 3*x^2 + x^4]) + (4628*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(33*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1176

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
  := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
  Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol]
  := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol]
  := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1206

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
  := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]
```

Rubi steps

$$\begin{aligned}
\int (7 + 5x^2)^2 (4 + 3x^2 + x^4)^{3/2} dx &= \frac{25}{11}x(4 + 3x^2 + x^4)^{5/2} + \frac{1}{11} \int (439 + 320x^2)(4 + 3x^2 + x^4)^{3/2} dx \\
&= \frac{1}{693}x(6831 + 2240x^2)(4 + 3x^2 + x^4)^{3/2} + \frac{25}{11}x(4 + 3x^2 + x^4)^{5/2} + \frac{1}{231} \int (\\
&= \frac{x(64533 + 18253x^2)\sqrt{4 + 3x^2 + x^4}}{1155} + \frac{1}{693}x(6831 + 2240x^2)(4 + 3x^2 + x^4)^{3/2} \\
&= \frac{x(64533 + 18253x^2)\sqrt{4 + 3x^2 + x^4}}{1155} + \frac{1}{693}x(6831 + 2240x^2)(4 + 3x^2 + x^4)^{3/2} \\
&= \frac{175346x\sqrt{4 + 3x^2 + x^4}}{1155(2 + x^2)} + \frac{x(64533 + 18253x^2)\sqrt{4 + 3x^2 + x^4}}{1155} + \frac{1}{693}x(68
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^2*(4 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(25x^8 + 145x^6 + 359x^4 + 427x^2 + 196\right)\sqrt{x^4 + 3x^2 + 4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(x^4+3*x^2+4)^(3/2), x, algorithm="fricas")

[Out] integral((25*x^8 + 145*x^6 + 359*x^4 + 427*x^2 + 196)*sqrt(x^4 + 3*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 4)^{\frac{3}{2}}(5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(x^4+3*x^2+4)^(3/2),x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 4)^(3/2)*(5*x^2 + 7)^2, x)

maple [C] time = 0.01, size = 292, normalized size = 1.29

$$\frac{25\sqrt{x^4 + 3x^2 + 4} x^9}{11} + \frac{1670\sqrt{x^4 + 3x^2 + 4} x^7}{99} + \frac{1222\sqrt{x^4 + 3x^2 + 4} x^5}{21} + \frac{391024\sqrt{x^4 + 3x^2 + 4} x^3}{3465} + \frac{50691\sqrt{x^4 + 3x^2 + 4}}{385}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^2*(x^4+3*x^2+4)^(3/2),x)

[Out] 25/11*(x^4+3*x^2+4)^(1/2)*x^9+1670/99*(x^4+3*x^2+4)^(1/2)*x^7+1222/21*(x^4+3*x^2+4)^(1/2)*x^5+391024/3465*(x^4+3*x^2+4)^(1/2)*x^3+50691/385*(x^4+3*x^2+4)^(1/2)*x+396304/385/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-5611072/1155/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*(EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-EllipticE(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 4)^{\frac{3}{2}} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2*(x^4+3*x^2+4)^(3/2),x, algorithm="maxima")

[Out] integrate((x^4 + 3*x^2 + 4)^(3/2)*(5*x^2 + 7)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (5x^2 + 7)^2 (x^4 + 3x^2 + 4)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^2*(3*x^2 + x^4 + 4)^(3/2),x)

[Out] int((5*x^2 + 7)^2*(3*x^2 + x^4 + 4)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left((x^2 - x + 2)(x^2 + x + 2) \right)^{\frac{3}{2}} (5x^2 + 7)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**2*(x**4+3*x**2+4)**(3/2),x)

[Out] Integral(((x**2 - x + 2)*(x**2 + x + 2))**(3/2)*(5*x**2 + 7)**2, x)

$$3.359 \quad \int (7 + 5x^2) (4 + 3x^2 + x^4)^{3/2} dx$$

Optimal. Leaf size=207

$$\frac{1}{63}x(35x^2 + 108)(x^4 + 3x^2 + 4)^{3/2} + \frac{1}{105}x(289x^2 + 1029)\sqrt{x^4 + 3x^2 + 4} + \frac{2798x\sqrt{x^4 + 3x^2 + 4}}{105(x^2 + 2)} + \frac{74\sqrt{2}(x^2 + 2)}{105(x^2 + 2)}$$

[Out] 1/63*x*(35*x^2+108)*(x^4+3*x^2+4)^(3/2)+2798/105*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+1/105*x*(289*x^2+1029)*(x^4+3*x^2+4)^(1/2)-2798/105*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^(1/2)/(x^4+3*x^2+4)^(1/2)+74/3*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^(1/2))*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.07, antiderivative size = 207, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1176, 1197, 1103, 1195}

$$\frac{1}{63}x(35x^2 + 108)(x^4 + 3x^2 + 4)^{3/2} + \frac{1}{105}x(289x^2 + 1029)\sqrt{x^4 + 3x^2 + 4} + \frac{2798x\sqrt{x^4 + 3x^2 + 4}}{105(x^2 + 2)} + \frac{74\sqrt{2}(x^2 + 2)}{105(x^2 + 2)}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)*(4 + 3*x^2 + x^4)^(3/2), x]

[Out] (2798*x*Sqrt[4 + 3*x^2 + x^4])/(105*(2 + x^2)) + (x*(1029 + 289*x^2)*Sqrt[4 + 3*x^2 + x^4])/105 + (x*(108 + 35*x^2)*(4 + 3*x^2 + x^4)^(3/2))/63 - (2798*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(105*Sqrt[4 + 3*x^2 + x^4]) + (74*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(3*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1176

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + b*x^2 + c*x^4]/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rubi steps

$$\begin{aligned} \int (7 + 5x^2)(4 + 3x^2 + x^4)^{3/2} dx &= \frac{1}{63}x(108 + 35x^2)(4 + 3x^2 + x^4)^{3/2} + \frac{1}{21} \int (444 + 289x^2) \sqrt{4 + 3x^2 + x^4} dx \\ &= \frac{1}{105}x(1029 + 289x^2) \sqrt{4 + 3x^2 + x^4} + \frac{1}{63}x(108 + 35x^2)(4 + 3x^2 + x^4)^{3/2} + \dots \\ &= \frac{1}{105}x(1029 + 289x^2) \sqrt{4 + 3x^2 + x^4} + \frac{1}{63}x(108 + 35x^2)(4 + 3x^2 + x^4)^{3/2} - \dots \\ &= \frac{2798x\sqrt{4 + 3x^2 + x^4}}{105(2 + x^2)} + \frac{1}{105}x(1029 + 289x^2) \sqrt{4 + 3x^2 + x^4} + \frac{1}{63}x(108 + 35x^2)(4 + 3x^2 + x^4)^{3/2} \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)*(4 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.44, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(5x^6 + 22x^4 + 41x^2 + 28\right)\sqrt{x^4 + 3x^2 + 4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)*(x^4+3*x^2+4)^(3/2), x, algorithm="fricas")

[Out] integral((5*x^6 + 22*x^4 + 41*x^2 + 28)*sqrt(x^4 + 3*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 4)^{\frac{3}{2}} (5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)*(x^4+3*x^2+4)^(3/2), x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 4)^(3/2)*(5*x^2 + 7), x)

maple [C] time = 0.01, size = 275, normalized size = 1.33

$$\frac{5\sqrt{x^4 + 3x^2 + 4} x^7}{9} + \frac{71\sqrt{x^4 + 3x^2 + 4} x^5}{21} + \frac{3187\sqrt{x^4 + 3x^2 + 4} x^3}{315} + \frac{583\sqrt{x^4 + 3x^2 + 4} x}{35} + \frac{6352\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)}}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)*(x^4+3*x^2+4)^(3/2), x)

[Out] 5/9*(x^4+3*x^2+4)^(1/2)*x^7+71/21*(x^4+3*x^2+4)^(1/2)*x^5+3187/315*(x^4+3*x^2+4)^(1/2)*x^3+583/35*(x^4+3*x^2+4)^(1/2)*x+6352/35/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x, 1/4*(2+6*I*7^(1/2))^(1/2))-89536/105/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*(EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x, 1/4*(2+6*I*7^(1/2))^(1/2))-EllipticE(1/4*(-6+2*I*7^(1/2))^(1/2)*x, 1/4*(2+6*I*7^(1/2))^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 4)^{\frac{3}{2}} (5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)*(x^4+3*x^2+4)^(3/2),x, algorithm="maxima")

[Out] integrate((x^4 + 3*x^2 + 4)^(3/2)*(5*x^2 + 7), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (5x^2 + 7) (x^4 + 3x^2 + 4)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)*(3*x^2 + x^4 + 4)^(3/2),x)

[Out] int((5*x^2 + 7)*(3*x^2 + x^4 + 4)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int ((x^2 - x + 2)(x^2 + x + 2))^{\frac{3}{2}} (5x^2 + 7) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)*(x**4+3*x**2+4)**(3/2),x)

[Out] Integral(((x**2 - x + 2)*(x**2 + x + 2))**(3/2)*(5*x**2 + 7), x)

3.360 $\int (4 + 3x^2 + x^4)^{3/2} dx$

Optimal. Leaf size=198

$$\frac{1}{7}x(x^4 + 3x^2 + 4)^{3/2} + \frac{1}{35}x(9x^2 + 49)\sqrt{x^4 + 3x^2 + 4} + \frac{138x\sqrt{x^4 + 3x^2 + 4}}{35(x^2 + 2)} + \frac{4\sqrt{2}(x^2 + 2)\sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}}F\left(2\tan^{-1}\sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}}\right)}{\sqrt{x^4 + 3x^2 + 4}}$$

[Out] 1/7*x*(x^4+3*x^2+4)^(3/2)+138/35*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+1/35*x*(9*x^2+49)*(x^4+3*x^2+4)^(1/2)-138/35*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)+4*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.07, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {1091, 1176, 1197, 1103, 1195}

$$\frac{1}{7}x(x^4 + 3x^2 + 4)^{3/2} + \frac{1}{35}x(9x^2 + 49)\sqrt{x^4 + 3x^2 + 4} + \frac{138x\sqrt{x^4 + 3x^2 + 4}}{35(x^2 + 2)} + \frac{4\sqrt{2}(x^2 + 2)\sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}}F\left(2\tan^{-1}\sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}}\right)}{\sqrt{x^4 + 3x^2 + 4}}$$

Antiderivative was successfully verified.

[In] Int[(4 + 3*x^2 + x^4)^(3/2), x]

[Out] (138*x*Sqrt[4 + 3*x^2 + x^4])/(35*(2 + x^2)) + (x*(49 + 9*x^2)*Sqrt[4 + 3*x^2 + x^4])/35 + (x*(4 + 3*x^2 + x^4)^(3/2))/7 - (138*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(35*Sqrt[4 + 3*x^2 + x^4]) + (4*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/Sqrt[4 + 3*x^2 + x^4]

Rule 1091

Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a + b*x^2 + c*x^4)^p)/(4*p + 1), x] + Dist[(2*p)/(4*p + 1), Int[(2*a + b*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && IntegerQ[2*p]

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1176

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rubi steps

$$\begin{aligned}
\int (4 + 3x^2 + x^4)^{3/2} dx &= \frac{1}{7}x(4 + 3x^2 + x^4)^{3/2} + \frac{3}{7} \int (8 + 3x^2) \sqrt{4 + 3x^2 + x^4} dx \\
&= \frac{1}{35}x(49 + 9x^2) \sqrt{4 + 3x^2 + x^4} + \frac{1}{7}x(4 + 3x^2 + x^4)^{3/2} + \frac{1}{35} \int \frac{284 + 138x^2}{\sqrt{4 + 3x^2 + x^4}} dx \\
&= \frac{1}{35}x(49 + 9x^2) \sqrt{4 + 3x^2 + x^4} + \frac{1}{7}x(4 + 3x^2 + x^4)^{3/2} - \frac{276}{35} \int \frac{1 - \frac{x^2}{2}}{\sqrt{4 + 3x^2 + x^4}} dx + \\
&= \frac{138x\sqrt{4 + 3x^2 + x^4}}{35(2 + x^2)} + \frac{1}{35}x(49 + 9x^2) \sqrt{4 + 3x^2 + x^4} + \frac{1}{7}x(4 + 3x^2 + x^4)^{3/2} - \frac{138\sqrt{4 + 3x^2 + x^4}}{35}
\end{aligned}$$

Mathematica [C] time = 0.42, size = 343, normalized size = 1.73

$$\frac{\sqrt{2} (69\sqrt{7} - 77i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}} \sqrt{\frac{2ix^2 + \sqrt{7} + 3i}{\sqrt{7} + 3i}} F\left(i \sinh^{-1}\left(\sqrt{\frac{-2i}{-3i + \sqrt{7}}} x\right) \middle| \frac{3i - \sqrt{7}}{3i + \sqrt{7}}\right) - 69\sqrt{2} (\sqrt{7} + 3i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}}}{70 \sqrt{-\frac{i}{\sqrt{7} - 3i}} \sqrt{x^4 + 3x^2 + 4}}$$

Antiderivative was successfully verified.

[In] Integrate[(4 + 3*x^2 + x^4)^(3/2), x]

[Out] (2*Sqrt[(-1)/(-3*I + Sqrt[7])]*x*(276 + 303*x^2 + 161*x^4 + 39*x^6 + 5*x^8) - 69*Sqrt[2]*(3*I + Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])] + Sqrt[2]*(-77*I + 69*Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])])/(70*Sqrt[(-1)/(-3*I + Sqrt[7])]*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(x^4 + 3x^2 + 4\right)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(3/2), x, algorithm="fricas")

[Out] integral((x^4 + 3*x^2 + 4)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 4)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(3/2),x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 4)^(3/2), x)

maple [C] time = 0.00, size = 258, normalized size = 1.30

$$\frac{\sqrt{x^4 + 3x^2 + 4} x^5}{7} + \frac{24\sqrt{x^4 + 3x^2 + 4} x^3}{35} + \frac{69\sqrt{x^4 + 3x^2 + 4} x}{35} + \frac{1136\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1} \sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1}}{35\sqrt{-6 + 2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+3*x^2+4)^(3/2),x)

[Out] $1/7*(x^4+3*x^2+4)^{(1/2)}*x^5+24/35*(x^4+3*x^2+4)^{(1/2)}*x^3+69/35*(x^4+3*x^2+4)^{(1/2)}*x+1136/35/(-6+2*I*7^{(1/2)})^{(1/2)}*(-(-3/8+1/8*I*7^{(1/2)})*x^2+1)^{(1/2)}*(-(-3/8-1/8*I*7^{(1/2)})*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}*EllipticF(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x,1/4*(2+6*I*7^{(1/2)})^{(1/2)})-4416/35/(-6+2*I*7^{(1/2)})^{(1/2)}*(-(-3/8+1/8*I*7^{(1/2)})*x^2+1)^{(1/2)}*(-(-3/8-1/8*I*7^{(1/2)})*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}/(I*7^{(1/2)}+3)*(EllipticF(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x,1/4*(2+6*I*7^{(1/2)})^{(1/2)})-EllipticE(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x,1/4*(2+6*I*7^{(1/2)})^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 4)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(3/2),x, algorithm="maxima")

[Out] integrate((x^4 + 3*x^2 + 4)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (x^4 + 3x^2 + 4)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int((3*x^2 + x^4 + 4)^(3/2),x)
```

```
[Out] int((3*x^2 + x^4 + 4)^(3/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 3x^2 + 4)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**4+3*x**2+4)**(3/2),x)
```

```
[Out] Integral((x**4 + 3*x**2 + 4)**(3/2), x)
```

$$3.361 \quad \int \frac{(4+3x^2+x^4)^{3/2}}{7+5x^2} dx$$

Optimal. Leaf size=284

$$\frac{1}{75} (3x^2 + 11) \sqrt{x^4 + 3x^2 + 4} x + \frac{94\sqrt{x^4 + 3x^2 + 4} x}{125(x^2 + 2)} + \frac{44}{125} \sqrt{\frac{11}{35}} \tan^{-1} \left(\frac{2\sqrt{\frac{11}{35}} x}{\sqrt{x^4 + 3x^2 + 4}} \right) + \frac{54\sqrt{2} (x^2 + 2) \sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)}}}{125\sqrt{x^4 + 3x^2 + 4}}$$

[Out] 44/4375*arctan(2/35*x*385^(1/2)/(x^4+3*x^2+4)^(1/2))*385^(1/2)+94/125*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+1/75*x*(3*x^2+11)*(x^4+3*x^2+4)^(1/2)-94/125*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^(1/2)/(x^4+3*x^2+4)^(1/2)+54/125*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^(1/2))*2^(1/2)/(x^4+3*x^2+4)^(1/2)+4114/13125*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticPi(sin(2*arctan(1/2*x*2^(1/2))),-9/280,1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^(1/2))*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.24, antiderivative size = 284, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 7, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$, Rules used = {1208, 1176, 1197, 1103, 1195, 1216, 1706}

$$\frac{1}{75} (3x^2 + 11) \sqrt{x^4 + 3x^2 + 4} x + \frac{94\sqrt{x^4 + 3x^2 + 4} x}{125(x^2 + 2)} + \frac{44}{125} \sqrt{\frac{11}{35}} \tan^{-1} \left(\frac{2\sqrt{\frac{11}{35}} x}{\sqrt{x^4 + 3x^2 + 4}} \right) + \frac{54\sqrt{2} (x^2 + 2) \sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)}}}{125\sqrt{x^4 + 3x^2 + 4}}$$

Antiderivative was successfully verified.

[In] Int[(4 + 3*x^2 + x^4)^(3/2)/(7 + 5*x^2), x]

[Out] (94*x*Sqrt[4 + 3*x^2 + x^4])/(125*(2 + x^2)) + (x*(11 + 3*x^2)*Sqrt[4 + 3*x^2 + x^4])/75 + (44*Sqrt[11/35]*ArcTan[(2*Sqrt[11/35]*x)/Sqrt[4 + 3*x^2 + x^4]])/125 - (94*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(125*Sqrt[4 + 3*x^2 + x^4]) + (54*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(125*Sqrt[4 + 3*x^2 + x^4]) + (4114*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticPi[-9/280, 2*ArcTan[x/Sqrt[2]], 1/8])/(13125*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1176

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)), Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) - b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1208

```
Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_)/((d_) + (e_)*(x_)^2), x_Symbol] := -Dist[(e^2)^(-1), Int[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] + Dist[(c*d^2 - b*d*e + a*e^2)/e^2, Int[(a + b*x^2 + c*x^4)^(p - 1)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p + 1/2, 0]
```

Rule 1216

```
Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int
```

$[(1 + q*x^2)/((d + e*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4]), x], x]] /;$ FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]

Rule 1706

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]]/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(4 + 3x^2 + x^4)^{3/2}}{7 + 5x^2} dx &= -\left(\frac{1}{25} \int (-8 - 5x^2) \sqrt{4 + 3x^2 + x^4} dx\right) + \frac{44}{25} \int \frac{\sqrt{4 + 3x^2 + x^4}}{7 + 5x^2} dx \\ &= \frac{1}{75} x (11 + 3x^2) \sqrt{4 + 3x^2 + x^4} - \frac{1}{375} \int \frac{-260 - 150x^2}{\sqrt{4 + 3x^2 + x^4}} dx - \frac{44}{625} \int \frac{-8 - 5x^2}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= \frac{1}{75} x (11 + 3x^2) \sqrt{4 + 3x^2 + x^4} - \frac{88}{125} \int \frac{1 - \frac{x^2}{2}}{\sqrt{4 + 3x^2 + x^4}} dx - \frac{4}{5} \int \frac{1 - \frac{x^2}{2}}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= \frac{94x\sqrt{4 + 3x^2 + x^4}}{125(2 + x^2)} + \frac{1}{75} x (11 + 3x^2) \sqrt{4 + 3x^2 + x^4} + \frac{44}{125} \sqrt{\frac{11}{35}} \tan^{-1} \left(\frac{2\sqrt{\frac{11}{35}} x}{\sqrt{4 + 3x^2 + x^4}} \right) \end{aligned}$$

Mathematica [C] time = 0.72, size = 477, normalized size = 1.68

$$\frac{7\sqrt{2} (705\sqrt{7} - 241i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}} \sqrt{\frac{2ix^2 + \sqrt{7} + 3i}{\sqrt{7} + 3i}} F\left(i \sinh^{-1}\left(\sqrt{\frac{-2i}{-3i + \sqrt{7}}} x\right) \Big|_{\frac{3i - \sqrt{7}}{3i + \sqrt{7}}}\right) - 4935\sqrt{2} (\sqrt{7} + 3i) \sqrt{\frac{-2ix^2}{\sqrt{7}}}}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(4 + 3*x^2 + x^4)^(3/2)/(7 + 5*x^2),x]

[Out] (350*Sqrt[(-I)/(-3*I + Sqrt[7])]*x*(44 + 45*x^2 + 20*x^4 + 3*x^6) - 4935*Sqrt[2]*(3*I + Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])] + 7*Sqrt[2]*(-241*I + 705*Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])] - (5808*I)*Sqrt[2]*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticPi[(5*(3 + I*Sqrt[7]))/14, I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])]/(26250*Sqrt[(-I)/(-3*I + Sqrt[7])]*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(x^4 + 3x^2 + 4)^{\frac{3}{2}}}{5x^2 + 7}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(3/2)/(5*x^2+7),x, algorithm="fricas")

[Out] integral((x^4 + 3*x^2 + 4)^(3/2)/(5*x^2 + 7), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 3x^2 + 4)^{\frac{3}{2}}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(3/2)/(5*x^2+7),x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 4)^(3/2)/(5*x^2 + 7), x)

maple [C] time = 0.02, size = 418, normalized size = 1.47

$$\frac{\sqrt{x^4 + 3x^2 + 4} x^3}{25} + \frac{11\sqrt{x^4 + 3x^2 + 4} x}{75} + \frac{3008\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1}\sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8} + 1}\text{EllipticE}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+3i\sqrt{7}}}{4}\right)}{125\sqrt{-6+2i\sqrt{7}}\sqrt{x^4+3x^2+4}(i\sqrt{7}+3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4+3*x^2+4)^(3/2)/(5*x^2+7),x)`

[Out] $\frac{1}{25}(x^4+3x^2+4)^{1/2}x^3 + \frac{11}{75}(x^4+3x^2+4)^{1/2}x + \frac{9424}{1875}(-6+2i\sqrt{7})^{1/2}(3/8x^2-1/8i\sqrt{7})^{1/2}x^2 + \frac{1}{2}(3/8x^2+1/8i\sqrt{7})^{1/2}x^2 + \frac{1}{2}(x^4+3x^2+4)^{1/2}\text{EllipticF}\left(\frac{1}{4}(-6+2i\sqrt{7})^{1/2}x, \frac{1}{4}(2+6i\sqrt{7})^{1/2}\right) - \frac{3008}{125}(-6+2i\sqrt{7})^{1/2}(3/8x^2-1/8i\sqrt{7})^{1/2}x^2 + \frac{1}{2}(3/8x^2+1/8i\sqrt{7})^{1/2}x^2 + \frac{1}{2}(x^4+3x^2+4)^{1/2}(i\sqrt{7}+3)\text{EllipticF}\left(\frac{1}{4}(-6+2i\sqrt{7})^{1/2}x, \frac{1}{4}(2+6i\sqrt{7})^{1/2}\right) + \frac{3008}{125}(-6+2i\sqrt{7})^{1/2}(3/8x^2-1/8i\sqrt{7})^{1/2}x^2 + \frac{1}{2}(3/8x^2+1/8i\sqrt{7})^{1/2}x^2 + \frac{1}{2}(x^4+3x^2+4)^{1/2}(i\sqrt{7}+3)\text{EllipticE}\left(\frac{1}{4}(-6+2i\sqrt{7})^{1/2}x, \frac{1}{4}(2+6i\sqrt{7})^{1/2}\right) + \frac{1936}{4375}(-3/8+1/8i\sqrt{7})^{1/2}(3/8x^2-1/8i\sqrt{7})^{1/2}x^2 + \frac{1}{2}(3/8x^2+1/8i\sqrt{7})^{1/2}x^2 + \frac{1}{2}(x^4+3x^2+4)^{1/2}\text{EllipticPi}\left(\frac{-3/8+1/8i\sqrt{7}}{-3/8+1/8i\sqrt{7}}x, \frac{-5/7}{-3/8+1/8i\sqrt{7}}, \frac{-3/8-1/8i\sqrt{7}}{-3/8+1/8i\sqrt{7}}\right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 3x^2 + 4)^{3/2}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+3*x^2+4)^(3/2)/(5*x^2+7),x, algorithm="maxima")`

[Out] `integrate((x^4 + 3*x^2 + 4)^(3/2)/(5*x^2 + 7), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(x^4 + 3x^2 + 4)^{3/2}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + x^4 + 4)^(3/2)/(5*x^2 + 7),x)`

[Out] `int((3*x^2 + x^4 + 4)^(3/2)/(5*x^2 + 7), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{((x^2 - x + 2)(x^2 + x + 2))^{3/2}}{5x^2 + 7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**4+3*x**2+4)**(3/2)/(5*x**2+7),x)`

[Out] `Integral(((x**2 - x + 2)*(x**2 + x + 2))**(3/2)/(5*x**2 + 7), x)`

$$3.362 \quad \int \frac{(4+3x^2+x^4)^{3/2}}{(7+5x^2)^2} dx$$

Optimal. Leaf size=305

$$\frac{4\sqrt{x^4+3x^2+4}x}{175(x^2+2)} + \frac{22\sqrt{x^4+3x^2+4}x}{175(5x^2+7)} + \frac{1}{75}\sqrt{x^4+3x^2+4}x + \frac{13}{350}\sqrt{\frac{11}{35}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right) + \frac{4\sqrt{2}(x^2+2)}{1}$$

[Out] 13/12250*arctan(2/35*x*385^(1/2)/(x^4+3*x^2+4)^(1/2))*385^(1/2)+1/75*x*(x^4+3*x^2+4)^(1/2)+4/175*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+22/175*x*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)+2431/73500*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticPi(sin(2*arctan(1/2*x*2^(1/2))),-9/280,1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)-4/175*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)+4/175*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.53, antiderivative size = 372, normalized size of antiderivative = 1.22, number of steps used = 19, number of rules used = 11, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.458$, Rules used = {1228, 1103, 1139, 1195, 1122, 1197, 1223, 1714, 1708, 1706, 1216}

$$\frac{4\sqrt{x^4+3x^2+4}x}{175(x^2+2)} + \frac{22\sqrt{x^4+3x^2+4}x}{175(5x^2+7)} + \frac{1}{75}\sqrt{x^4+3x^2+4}x + \frac{13}{350}\sqrt{\frac{11}{35}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right) + \frac{4\sqrt{2}(x^2+2)}{1}$$

Antiderivative was successfully verified.

[In] Int[(4 + 3*x^2 + x^4)^(3/2)/(7 + 5*x^2)^2,x]

[Out] (x*Sqrt[4 + 3*x^2 + x^4])/75 + (4*x*Sqrt[4 + 3*x^2 + x^4])/(175*(2 + x^2)) + (22*x*Sqrt[4 + 3*x^2 + x^4])/(175*(7 + 5*x^2)) + (13*Sqrt[11/35]*ArcTan[(2*Sqrt[11/35]*x)/Sqrt[4 + 3*x^2 + x^4]])/350 - (4*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(175*Sqrt[4 + 3*x^2 + x^4]) + (4*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(175*Sqrt[4 + 3*x^2 + x^4]) + (6919*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticPi[-9/280, 2*ArcTan[

$x/\sqrt{2}], 1/8))/((183750*\sqrt{2}*\sqrt{4 + 3*x^2 + x^4}) + (187*\sqrt{2}*(2 + x^2)*\sqrt{(4 + 3*x^2 + x^4)/(2 + x^2)^2}*\text{EllipticPi}[-9/280, 2*\text{ArcTan}[x/\sqrt{2}], 1/8)]/(13125*\sqrt{4 + 3*x^2 + x^4}))$

Rule 1103

$\text{Int}[1/\sqrt{(a_) + (b_)*(x_)^2 + (c_)*(x_)^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, \text{Simp}[\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2 - (b*q^2)/(4*c)]/(2*q*\sqrt{a + b*x^2 + c*x^4}), x]] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$

Rule 1122

$\text{Int}[\text{((d_)*(x_))}^{(m_)}*\text{((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)}^{(p_)}, x_Symbol] \rightarrow \text{Simp}[\text{d}^3*\text{d}^{(m-3)}*(a + b*x^2 + c*x^4)^{(p+1)}/(c*(m + 4*p + 1)), x] - \text{Dist}[\text{d}^4/(c*(m + 4*p + 1)), \text{Int}[\text{d}^{(m-4)}*\text{Simp}[a*(m-3) + b*(m + 2*p - 1)*x^2, x]*(a + b*x^2 + c*x^4)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, p\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{GtQ}[m, 3] \&\& \text{NeQ}[m + 4*p + 1, 0] \&\& \text{IntegerQ}[2*p] \&\& (\text{IntegerQ}[p] \parallel \text{IntegerQ}[m])$

Rule 1139

$\text{Int}[(x_)^2/\sqrt{(a_) + (b_)*(x_)^2 + (c_)*(x_)^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[1/q, \text{Int}[1/\sqrt{a + b*x^2 + c*x^4}, x], x] - \text{Dist}[1/q, \text{Int}[(1 - q*x^2)/\sqrt{a + b*x^2 + c*x^4}, x], x]] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$

Rule 1195

$\text{Int}[\text{((d_) + (e_)*(x_)^2)/}\sqrt{(a_) + (b_)*(x_)^2 + (c_)*(x_)^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[\text{d}*x*\sqrt{a + b*x^2 + c*x^4}/(a*(1 + q^2*x^2)), x] + \text{Simp}[\text{d}*(1 + q^2*x^2)*\sqrt{a + b*x^2 + c*x^4}/(a*(1 + q^2*x^2)^2)*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2 - (b*q^2)/(4*c)]/(q*\sqrt{a + b*x^2 + c*x^4}), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$

Rule 1197

$\text{Int}[\text{((d_) + (e_)*(x_)^2)/}\sqrt{(a_) + (b_)*(x_)^2 + (c_)*(x_)^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\sqrt{a + b*x^2 + c*x^4}, x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\sqrt{a + b*x^2 + c*x^4}, x], x] /; \text{NeQ}[e + d*q, 0] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$

Rule 1216


```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1223

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:> -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]
```

Rule 1228

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + cc*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb -> b, cc -> c}, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]
```

Rule 1706

```
Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol]
:> With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)])/ (4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]
```

Rule 1708

```
Int[((A_.) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(A*(c*d + a*e*q) - a*B*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(a*(B*d - A*e)*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0]
```

] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]

Rule 1714

Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4])
, x_Symbol] :> With[{q = Rt[c/a, 2], A = Coeff[P4x, x, 0], B = Coeff[P4x, x
, 2], C = Coeff[P4x, x, 4]}, -Dist[C/(e*q), Int[(1 - q*x^2)/Sqrt[a + b*x^2
+ c*x^4], x], x] + Dist[1/(c*e), Int[(A*c*e + a*C*d*q + (B*c*e - C*(c*d - a
*e*q))*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b,
c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*
d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && !GtQ[b^2 - 4*a*c,
0]

Rubi steps

$$\begin{aligned}
 \int \frac{(4 + 3x^2 + x^4)^{3/2}}{(7 + 5x^2)^2} dx &= \int \left(\frac{152}{625\sqrt{4 + 3x^2 + x^4}} + \frac{16x^2}{125\sqrt{4 + 3x^2 + x^4}} + \frac{x^4}{25\sqrt{4 + 3x^2 + x^4}} + \frac{1936}{625(7 + 5x^2)^2\sqrt{4 + 3x^2 + x^4}} \right) dx \\
 &= \frac{1}{25} \int \frac{x^4}{\sqrt{4 + 3x^2 + x^4}} dx + \frac{16}{125} \int \frac{x^2}{\sqrt{4 + 3x^2 + x^4}} dx + \frac{88}{625} \int \frac{1}{(7 + 5x^2)\sqrt{4 + 3x^2 + x^4}} dx \\
 &= \frac{1}{75} x\sqrt{4 + 3x^2 + x^4} + \frac{22x\sqrt{4 + 3x^2 + x^4}}{175(7 + 5x^2)} + \frac{38\sqrt{2}(2 + x^2)\sqrt{\frac{4+3x^2+x^4}{(2+x^2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)}{625\sqrt{4 + 3x^2 + x^4}} \\
 &= \frac{1}{75} x\sqrt{4 + 3x^2 + x^4} + \frac{16x\sqrt{4 + 3x^2 + x^4}}{125(2 + x^2)} + \frac{22x\sqrt{4 + 3x^2 + x^4}}{175(7 + 5x^2)} + \frac{2}{125} \sqrt{\frac{11}{35}} \tan^{-1}\left(\frac{2}{\sqrt{4 + 3x^2 + x^4}}\right) \\
 &= \frac{1}{75} x\sqrt{4 + 3x^2 + x^4} + \frac{4x\sqrt{4 + 3x^2 + x^4}}{175(2 + x^2)} + \frac{22x\sqrt{4 + 3x^2 + x^4}}{175(7 + 5x^2)} + \frac{2}{125} \sqrt{\frac{11}{35}} \tan^{-1}\left(\frac{2}{\sqrt{4 + 3x^2 + x^4}}\right) \\
 &= \frac{1}{75} x\sqrt{4 + 3x^2 + x^4} + \frac{4x\sqrt{4 + 3x^2 + x^4}}{175(2 + x^2)} + \frac{22x\sqrt{4 + 3x^2 + x^4}}{175(7 + 5x^2)} + \frac{13}{350} \sqrt{\frac{11}{35}} \tan^{-1}\left(\frac{2}{\sqrt{4 + 3x^2 + x^4}}\right)
 \end{aligned}$$

Mathematica [C] time = 0.57, size = 309, normalized size = 1.01

$$\frac{175x(7x^2+23)(x^4+3x^2+4)}{5x^2+7} - i\sqrt{6+2i\sqrt{7}} \sqrt{1-\frac{2ix^2}{\sqrt{7}-3i}} \sqrt{1+\frac{2ix^2}{\sqrt{7}+3i}} \left(7(158+15i\sqrt{7}) F\left(i \sinh^{-1}\left(\sqrt{-\frac{2i}{-3i+\sqrt{7}}} x\right)\right) \frac{3i-\sqrt{7}}{3i+\sqrt{7}}\right)$$

$$18375\sqrt{x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(4 + 3*x^2 + x^4)^(3/2)/(7 + 5*x^2)^2,x]

[Out] ((175*x*(23 + 7*x^2)*(4 + 3*x^2 + x^4))/(7 + 5*x^2) - I*Sqrt[6 + (2*I)*Sqrt[7]]*Sqrt[1 - ((2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[1 + ((2*I)*x^2)/(3*I + Sqrt[7])])*(105*(3 - I*Sqrt[7])*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) + 7*(158 + (15*I)*Sqrt[7])*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) + 429*EllipticPi[(5*(3 + I*Sqrt[7]))/14, I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])))/(18375*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(x^4 + 3x^2 + 4)^{\frac{3}{2}}}{25x^4 + 70x^2 + 49}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(3/2)/(5*x^2+7)^2,x, algorithm="fricas")

[Out] integral((x^4 + 3*x^2 + 4)^(3/2)/(25*x^4 + 70*x^2 + 49), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 3x^2 + 4)^{\frac{3}{2}}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(3/2)/(5*x^2+7)^2,x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 4)^(3/2)/(5*x^2 + 7)^2, x)

maple [C] time = 0.03, size = 425, normalized size = 1.39

$$\frac{22\sqrt{x^4 + 3x^2 + 4} x}{175(5x^2 + 7)} + \frac{\sqrt{x^4 + 3x^2 + 4} x}{75} + \frac{128\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1} \sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8} + 1} \operatorname{EllipticE}\left(\frac{\sqrt{-6+2i\sqrt{7}} x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right)}{175\sqrt{-6+2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4} (i\sqrt{7} + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4+3*x^2+4)^(3/2)/(5*x^2+7)^2,x)`

[Out] `22/175*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)*x+1/75*(x^4+3*x^2+4)^(1/2)*x+232/375/(-6+2*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x^2+1)^(1/2)*(3/8*x^2+1/8*I*7^(1/2)*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-128/175/(-6+2*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x^2+1)^(1/2)*(3/8*x^2+1/8*I*7^(1/2)*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))+128/175/(-6+2*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x^2+1)^(1/2)*(3/8*x^2+1/8*I*7^(1/2)*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*EllipticE(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))+286/6125/(-3/8+1/8*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x^2+1)^(1/2)*(3/8*x^2+1/8*I*7^(1/2)*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticPi((-3/8+1/8*I*7^(1/2))^(1/2)*x,-5/7/(-3/8+1/8*I*7^(1/2)),(-3/8-1/8*I*7^(1/2))^(1/2)/(-3/8+1/8*I*7^(1/2)))^(1/2))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 3x^2 + 4)^{\frac{3}{2}}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+3*x^2+4)^(3/2)/(5*x^2+7)^2,x, algorithm="maxima")`

[Out] `integrate((x^4 + 3*x^2 + 4)^(3/2)/(5*x^2 + 7)^2, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(x^4 + 3x^2 + 4)^{\frac{3}{2}}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + x^4 + 4)^(3/2)/(5*x^2 + 7)^2, x)`

[Out] `int((3*x^2 + x^4 + 4)^(3/2)/(5*x^2 + 7)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left((x^2 - x + 2)(x^2 + x + 2)\right)^{\frac{3}{2}}}{(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**4+3*x**2+4)**(3/2)/(5*x**2+7)**2, x)`

[Out] `Integral(((x**2 - x + 2)*(x**2 + x + 2))**(3/2)/(5*x**2 + 7)**2, x)`

$$3.363 \quad \int \frac{(4+3x^2+x^4)^{3/2}}{(7+5x^2)^3} dx$$

Optimal. Leaf size=440

$$\frac{9\sqrt{x^4+3x^2+4}x}{1960(x^2+2)} + \frac{167\sqrt{x^4+3x^2+4}x}{9800(5x^2+7)} + \frac{11\sqrt{x^4+3x^2+4}x}{175(5x^2+7)^2} + \frac{1347 \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right)}{7840\sqrt{385}} - \frac{22\sqrt{2}(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}}{13125\sqrt{x^4+3x^2+4}}$$

[Out] 1347/3018400*arctan(2/35*x*385^(1/2)/(x^4+3*x^2+4)^(1/2))*385^(1/2)+9/1960*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+11/175*x*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)^2+167/9800*x*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)-9/1960*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^2^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)-3/490*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^2^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)+7633/548800*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^2^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticPi(sin(2*arctan(1/2*x*2^(1/2))),-9/280,1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.80, antiderivative size = 440, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 10, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {1228, 1103, 1139, 1195, 1223, 1696, 1714, 1708, 1706, 1216}

$$\frac{9\sqrt{x^4+3x^2+4}x}{1960(x^2+2)} + \frac{167\sqrt{x^4+3x^2+4}x}{9800(5x^2+7)} + \frac{11\sqrt{x^4+3x^2+4}x}{175(5x^2+7)^2} + \frac{1347 \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right)}{7840\sqrt{385}} - \frac{22\sqrt{2}(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}}{13125\sqrt{x^4+3x^2+4}}$$

Antiderivative was successfully verified.

[In] Int[(4 + 3*x^2 + x^4)^(3/2)/(7 + 5*x^2)^3,x]

[Out] (9*x*Sqrt[4 + 3*x^2 + x^4])/(1960*(2 + x^2)) + (11*x*Sqrt[4 + 3*x^2 + x^4])/(175*(7 + 5*x^2)^2) + (167*x*Sqrt[4 + 3*x^2 + x^4])/(9800*(7 + 5*x^2)) + (1347*ArcTan[(2*Sqrt[11/35]*x)/Sqrt[4 + 3*x^2 + x^4]])/(7840*Sqrt[385]) + (11*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(24500*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) - (6*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(875*Sqrt[4 + 3*x^2 + x^4]) - (817*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2])

$$\frac{\text{EllipticF}\left[2\text{ArcTan}\left[\frac{x}{\sqrt{2}}\right], \frac{1}{8}\right]}{(91875\sqrt{2}\sqrt{4+3x^2+x^4}) - (22\sqrt{2}(2+x^2)\sqrt{(4+3x^2+x^4)/(2+x^2)^2})\text{EllipticF}\left[2\text{ArcTan}\left[\frac{x}{\sqrt{2}}\right], \frac{1}{8}\right]}{(13125\sqrt{4+3x^2+x^4}) + (7633(2+x^2)\sqrt{(4+3x^2+x^4)/(2+x^2)^2})\text{EllipticPi}\left[-\frac{9}{280}, 2\text{ArcTan}\left[\frac{x}{\sqrt{2}}\right], \frac{1}{8}\right]}(274400\sqrt{2}\sqrt{4+3x^2+x^4})$$

Rule 1103

$$\text{Int}\left[\frac{1}{\sqrt{(a_)+(b_)(x_)^2+(c_)(x_)^4}}, x_Symbol\right] \rightarrow \text{With}\left[\{q = \text{Rt}\left[\frac{c}{a}, 4\right]\}, \text{Simp}\left[\left(\frac{(1+q^2x^2)\sqrt{(a+bx^2+cx^4)}}{(a(1+q^2x^2)^2)}\right) \text{EllipticF}\left[2\text{ArcTan}[qx], \frac{1}{2} - \frac{(bq^2)}{(4c)}\right]\right] / (2q\sqrt{a+bx^2+cx^4}), x\right] /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{NeQ}[b^2 - 4ac, 0] \&\& \text{PosQ}[c/a]$$

Rule 1139

$$\text{Int}\left[\frac{(x_)^2}{\sqrt{(a_)+(b_)(x_)^2+(c_)(x_)^4}}, x_Symbol\right] \rightarrow \text{With}\left[\{q = \text{Rt}\left[\frac{c}{a}, 2\right]\}, \text{Dist}\left[\frac{1}{q}, \text{Int}\left[\frac{1}{\sqrt{a+bx^2+cx^4}}, x\right], x\right] - \text{Dist}\left[\frac{1}{q}, \text{Int}\left[\frac{(1-qx^2)}{\sqrt{a+bx^2+cx^4}}, x\right], x\right]\right] /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{NeQ}[b^2 - 4ac, 0] \&\& \text{PosQ}[c/a]$$

Rule 1195

$$\text{Int}\left[\frac{(d_)+(e_)(x_)^2}{\sqrt{(a_)+(b_)(x_)^2+(c_)(x_)^4}}, x_Symbol\right] \rightarrow \text{With}\left[\{q = \text{Rt}\left[\frac{c}{a}, 4\right]\}, -\text{Simp}\left[\frac{d\sqrt{a+bx^2+cx^4}}{a(1+q^2x^2)}, x\right] + \text{Simp}\left[\frac{d(1+q^2x^2)\sqrt{(a+bx^2+cx^4)}}{a(1+q^2x^2)^2}\right] \text{EllipticE}\left[2\text{ArcTan}[qx], \frac{1}{2} - \frac{(bq^2)}{(4c)}\right] / (q\sqrt{a+bx^2+cx^4}), x\right] /; \text{EqQ}[e+dq^2, 0] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{NeQ}[b^2 - 4ac, 0] \&\& \text{PosQ}[c/a]$$

Rule 1216

$$\text{Int}\left[\frac{1}{((d_)+(e_)(x_)^2)\sqrt{(a_)+(b_)(x_)^2+(c_)(x_)^4}}, x_Symbol\right] \rightarrow \text{With}\left[\{q = \text{Rt}\left[\frac{c}{a}, 2\right]\}, \text{Dist}\left[\frac{(cd+aeq)}{(cd^2-ae^2)}, \text{Int}\left[\frac{1}{\sqrt{a+bx^2+cx^4}}, x\right], x\right] - \text{Dist}\left[\frac{(ae*(e+dq))}{(cd^2-ae^2)}, \text{Int}\left[\frac{(1+qx^2)}{(d+ex^2)\sqrt{a+bx^2+cx^4}}, x\right], x\right]\right] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{NeQ}[b^2 - 4ac, 0] \&\& \text{NeQ}[cd^2 - bde + ae^2, 0] \&\& \text{NeQ}[cd^2 - ae^2, 0] \&\& \text{PosQ}[c/a]$$

Rule 1223

$$\text{Int}\left[\frac{(d_)+(e_)(x_)^2)^{(q_)}}{\sqrt{(a_)+(b_)(x_)^2+(c_)(x_)^4}}, x_Symbol\right] \rightarrow -\text{Simp}\left[\frac{(e^2x(d+ex^2)^{(q+1})\sqrt{a+bx^2+cx^4})}{(2d*(q+1)(cd^2-bde+ae^2))}, x\right] + \text{Dist}\left[\frac{1}{(2d*(q+1)(cd^2-bde+ae^2))}, \text{Int}\left[\frac{(d+ex^2)^{(q+1})\text{Simp}[ae^2*(2q+3)+2d*(cd-bde)*(q+1)-2e*(cd*(q+1)-bde*(q+2))*x^2+ce^2*(2q+5)*x^4]}{\sqrt{a+bx^2+cx^4}}, x\right], x\right] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{NeQ}[b^2 - 4ac,$$

, 0] && ILtQ[q, -1]

Rule 1228

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x
_Symbol] := Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + c
*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb
-> b, cc -> c}, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]
```

Rule 1696

```
Int[((P4x_)*((d_) + (e_.)*(x_)^2)^(q_))/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x
_)^4], x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = C
oeff[P4x, x, 4]}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt
[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*
d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d
- B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b
e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e
+ A*e^2)*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x]] /; FreeQ[{a, b
, c, d, e}, x] && PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[b^2 - 4*a
*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, -1]
```

Rule 1706

```
Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[(B*d - A*e)*Arc
Tan[Rt[-b + (c*d)/e + (a*e)/d, 2]*x]/Sqrt[a + b*x^2 + c*x^4])/(2*d*e*Rt[-
b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a
+ b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*
d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2
+ c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ
[c*A^2 - a*B^2, 0]
```

Rule 1708

```
Int[((A_.) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2
+ (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(A*(c*d + a*e*q)
- a*B*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] +
Dist[(a*(B*d - A*e)*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2
)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && N
eQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0
] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]
```


Rule 1714

Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4])
, x_Symbol] :> With[{q = Rt[c/a, 2], A = Coeff[P4x, x, 0], B = Coeff[P4x, x
, 2], C = Coeff[P4x, x, 4]}, -Dist[C/(e*q), Int[(1 - q*x^2)/Sqrt[a + b*x^2
+ c*x^4], x], x] + Dist[1/(c*e), Int[(A*c*e + a*C*d*q + (B*c*e - C*(c*d - a
*e*q))*x^2]/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b,
c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*
d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && !GtQ[b^2 - 4*a*c,
0]

Rubi steps

$$\begin{aligned}
\int \frac{(4 + 3x^2 + x^4)^{3/2}}{(7 + 5x^2)^3} dx &= \int \left(\frac{9}{625\sqrt{4 + 3x^2 + x^4}} + \frac{x^2}{125\sqrt{4 + 3x^2 + x^4}} + \frac{1936}{625(7 + 5x^2)^3\sqrt{4 + 3x^2 + x^4}} + \frac{1}{625} \right. \\
&= \frac{1}{125} \int \frac{x^2}{\sqrt{4 + 3x^2 + x^4}} dx + \frac{9}{625} \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx + \frac{88}{625} \int \frac{1}{(7 + 5x^2)^2\sqrt{4 + 3x^2}} \\
&= \frac{11x\sqrt{4 + 3x^2 + x^4}}{175(7 + 5x^2)^2} + \frac{x\sqrt{4 + 3x^2 + x^4}}{175(7 + 5x^2)} + \frac{9(2 + x^2)\sqrt{4 + 3x^2 + x^4}}{1250\sqrt{2}\sqrt{4 + 3x^2 + x^4}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right) \\
&= \frac{x\sqrt{4 + 3x^2 + x^4}}{125(2 + x^2)} + \frac{11x\sqrt{4 + 3x^2 + x^4}}{175(7 + 5x^2)^2} + \frac{167x\sqrt{4 + 3x^2 + x^4}}{9800(7 + 5x^2)} + \frac{89 \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4 + 3x^2 + x^4}}\right)}{500\sqrt{385}} \\
&= \frac{6x\sqrt{4 + 3x^2 + x^4}}{875(2 + x^2)} + \frac{11x\sqrt{4 + 3x^2 + x^4}}{175(7 + 5x^2)^2} + \frac{167x\sqrt{4 + 3x^2 + x^4}}{9800(7 + 5x^2)} + \frac{89 \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4 + 3x^2 + x^4}}\right)}{500\sqrt{385}} \\
&= \frac{9x\sqrt{4 + 3x^2 + x^4}}{1960(2 + x^2)} + \frac{11x\sqrt{4 + 3x^2 + x^4}}{175(7 + 5x^2)^2} + \frac{167x\sqrt{4 + 3x^2 + x^4}}{9800(7 + 5x^2)} + \frac{3}{175}\sqrt{\frac{11}{35}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4 + 3x^2 + x^4}}\right) \\
&= \frac{9x\sqrt{4 + 3x^2 + x^4}}{1960(2 + x^2)} + \frac{11x\sqrt{4 + 3x^2 + x^4}}{175(7 + 5x^2)^2} + \frac{167x\sqrt{4 + 3x^2 + x^4}}{9800(7 + 5x^2)} + \frac{3}{175}\sqrt{\frac{11}{35}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4 + 3x^2 + x^4}}\right)
\end{aligned}$$

Mathematica [C] time = 0.69, size = 309, normalized size = 0.70

$$\frac{140x(167x^2+357)(x^4+3x^2+4)}{(5x^2+7)^2} - i\sqrt{6+2i\sqrt{7}} \sqrt{1-\frac{2ix^2}{\sqrt{7}-3i}} \sqrt{1+\frac{2ix^2}{\sqrt{7}+3i}} \left(7(103+45i\sqrt{7})F\left(i\sinh^{-1}\left(\sqrt{-\frac{2i}{-3i+\sqrt{7}}}x\right)\right)\right) \Big|_{3i+}$$

$$274400\sqrt{x^2+4}$$

Antiderivative was successfully verified.

[In] Integrate[(4 + 3*x^2 + x^4)^(3/2)/(7 + 5*x^2)^3,x]

[Out] ((140*x*(357 + 167*x^2)*(4 + 3*x^2 + x^4))/(7 + 5*x^2)^2 - I*Sqrt[6 + (2*I)*Sqrt[7]]*Sqrt[1 - ((2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[1 + ((2*I)*x^2)/(3*I + Sqrt[7])])*(315*(3 - I*Sqrt[7])*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) + 7*(103 + (45*I)*Sqrt[7])*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) + 2694*EllipticPi[(5*(3 + I*Sqrt[7]))/14, I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])))/(274400*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.52, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(x^4 + 3x^2 + 4)^{\frac{3}{2}}}{125x^6 + 525x^4 + 735x^2 + 343}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(3/2)/(5*x^2+7)^3,x, algorithm="fricas")

[Out] integral((x^4 + 3*x^2 + 4)^(3/2)/(125*x^6 + 525*x^4 + 735*x^2 + 343), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 3x^2 + 4)^{\frac{3}{2}}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+3*x^2+4)^(3/2)/(5*x^2+7)^3,x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 4)^(3/2)/(5*x^2 + 7)^3, x)

maple [C] time = 0.03, size = 434, normalized size = 0.99

$$\frac{11\sqrt{x^4 + 3x^2 + 4} x}{175(5x^2 + 7)^2} + \frac{167\sqrt{x^4 + 3x^2 + 4} x}{9800(5x^2 + 7)} + \frac{36\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1} \sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8} + 1} \operatorname{EllipticE}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+4i\sqrt{7}}x}{4}\right)}{245\sqrt{-6+2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4} (i\sqrt{7} + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4+3*x^2+4)^(3/2)/(5*x^2+7)^3,x)`

[Out] $11/175*(x^4+3*x^2+4)^{(1/2)}/(5*x^2+7)^2*x+167/9800*(x^4+3*x^2+4)^{(1/2)}/(5*x^2+7)*x+17/350/(-6+2*I*7^{(1/2)})^{(1/2)}*(3/8*x^2-1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}*(3/8*x^2+1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}*\operatorname{EllipticF}(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x, 1/4*(2+6*I*7^{(1/2)})^{(1/2)})-36/245/(-6+2*I*7^{(1/2)})^{(1/2)}*(3/8*x^2-1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}*(3/8*x^2+1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}/(I*7^{(1/2)}+3)*\operatorname{EllipticF}(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x, 1/4*(2+6*I*7^{(1/2)})^{(1/2)})+36/245/(-6+2*I*7^{(1/2)})^{(1/2)}*(3/8*x^2-1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}*(3/8*x^2+1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}/(I*7^{(1/2)}+3)*\operatorname{EllipticE}(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x, 1/4*(2+6*I*7^{(1/2)})^{(1/2)})+1347/68600/(-3/8+1/8*I*7^{(1/2)})^{(1/2)}*(3/8*x^2-1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}*(3/8*x^2+1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}*\operatorname{EllipticPi}((-3/8+1/8*I*7^{(1/2)})^{(1/2)}*x, -5/7/(-3/8+1/8*I*7^{(1/2)}), (-3/8-1/8*I*7^{(1/2)})^{(1/2)}/(-3/8+1/8*I*7^{(1/2)})^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 3x^2 + 4)^{3/2}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+3*x^2+4)^(3/2)/(5*x^2+7)^3,x, algorithm="maxima")`

[Out] `integrate((x^4 + 3*x^2 + 4)^(3/2)/(5*x^2 + 7)^3, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(x^4 + 3x^2 + 4)^{3/2}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + x^4 + 4)^(3/2)/(5*x^2 + 7)^3,x)`

[Out] `int((3*x^2 + x^4 + 4)^(3/2)/(5*x^2 + 7)^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left((x^2 - x + 2)(x^2 + x + 2)\right)^{\frac{3}{2}}}{(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**4+3*x**2+4)**(3/2)/(5*x**2+7)**3,x)`

[Out] `Integral(((x**2 - x + 2)*(x**2 + x + 2))**(3/2)/(5*x**2 + 7)**3, x)`

$$3.364 \quad \int \frac{(7+5x^2)^3}{\sqrt{4+3x^2+x^4}} dx$$

Optimal. Leaf size=187

$$-\frac{15\sqrt{x^4+3x^2+4}x}{x^2+2} + 75\sqrt{x^4+3x^2+4}x + \frac{13(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{2\sqrt{2}\sqrt{x^4+3x^2+4}} + \frac{15\sqrt{2}(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}}{\sqrt{x^4+3x^2+4}}$$

[Out] $75*x*(x^4+3*x^2+4)^{(1/2)}+25*x^3*(x^4+3*x^2+4)^{(1/2)}-15*x*(x^4+3*x^2+4)^{(1/2)}/(x^2+2)+13/4*(x^2+2)*(cos(2*arctan(1/2*x*2^{(1/2)}))^2)^{(1/2)}/cos(2*arctan(1/2*x*2^{(1/2)}))*EllipticF(sin(2*arctan(1/2*x*2^{(1/2)})),1/4*2^{(1/2)})*((x^4+3*x^2+4)/(x^2+2)^2)^{(1/2)}*2^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}+15*(x^2+2)*(cos(2*arctan(1/2*x*2^{(1/2)}))^2)^{(1/2)}/cos(2*arctan(1/2*x*2^{(1/2)}))*EllipticE(sin(2*arctan(1/2*x*2^{(1/2)})),1/4*2^{(1/2)})*2^{(1/2)}*((x^4+3*x^2+4)/(x^2+2)^2)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1206, 1679, 1197, 1103, 1195}

$$25\sqrt{x^4+3x^2+4}x^3 - \frac{15\sqrt{x^4+3x^2+4}x}{x^2+2} + 75\sqrt{x^4+3x^2+4}x + \frac{13(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{2\sqrt{2}\sqrt{x^4+3x^2+4}} + \frac{15\sqrt{2}(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}}{\sqrt{x^4+3x^2+4}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^3/Sqrt[4 + 3*x^2 + x^4], x]

[Out] $75*x*\text{Sqrt}[4 + 3*x^2 + x^4] + 25*x^3*\text{Sqrt}[4 + 3*x^2 + x^4] - (15*x*\text{Sqrt}[4 + 3*x^2 + x^4])/(2 + x^2) + (15*\text{Sqrt}[2]*(2 + x^2)*\text{Sqrt}[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/\text{Sqrt}[2]], 1/8])/\text{Sqrt}[4 + 3*x^2 + x^4] + (13*(2 + x^2)*\text{Sqrt}[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/\text{Sqrt}[2]], 1/8])/(2*\text{Sqrt}[2]*\text{Sqrt}[4 + 3*x^2 + x^4])$

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1206

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*q + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]
```

Rule 1679

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> With[{q = Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*x^(2*q), x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(7+5x^2)^3}{\sqrt{4+3x^2+x^4}} dx &= 25x^3\sqrt{4+3x^2+x^4} + \frac{1}{5} \int \frac{1715+2175x^2+1125x^4}{\sqrt{4+3x^2+x^4}} dx \\
&= 75x\sqrt{4+3x^2+x^4} + 25x^3\sqrt{4+3x^2+x^4} + \frac{1}{15} \int \frac{645-225x^2}{\sqrt{4+3x^2+x^4}} dx \\
&= 75x\sqrt{4+3x^2+x^4} + 25x^3\sqrt{4+3x^2+x^4} + 13 \int \frac{1}{\sqrt{4+3x^2+x^4}} dx + 30 \int \frac{1-\frac{x^2}{2}}{\sqrt{4+3x^2+x^4}} dx \\
&= 75x\sqrt{4+3x^2+x^4} + 25x^3\sqrt{4+3x^2+x^4} - \frac{15x\sqrt{4+3x^2+x^4}}{2+x^2} + \frac{15\sqrt{2}(2+x^2)\sqrt{\frac{4+3x^2+x^4}{2+x^2}}}{\sqrt{4+3x^2+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.48, size = 337, normalized size = 1.80

$$\frac{-\sqrt{2}(15\sqrt{7}+131i)\sqrt{\frac{-2ix^2+\sqrt{7}-3i}{\sqrt{7}-3i}}\sqrt{\frac{2ix^2+\sqrt{7}+3i}{\sqrt{7}+3i}}F\left(i\sinh^{-1}\left(\sqrt{-\frac{2i}{-3i+\sqrt{7}}}x\right)\middle|\frac{3i-\sqrt{7}}{3i+\sqrt{7}}\right)+15\sqrt{2}(\sqrt{7}+3i)\sqrt{\frac{-2ix^2+\sqrt{7}-3i}{\sqrt{7}-3i}}}{4\sqrt{-\frac{i}{\sqrt{7}-3i}}\sqrt{x^4+3x^2+4}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^3/Sqrt[4 + 3*x^2 + x^4],x]

[Out] (100*Sqrt[(-I)/(-3*I + Sqrt[7])]*x*(12 + 13*x^2 + 6*x^4 + x^6) + 15*Sqrt[2]*(3*I + Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])] - Sqrt[2]*(131*I + 15*Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])])/(4*Sqrt[(-I)/(-3*I + Sqrt[7])]*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{125x^6+525x^4+735x^2+343}{\sqrt{x^4+3x^2+4}},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(x^4+3*x^2+4)^(1/2),x, algorithm="fricas")

[Out] integral((125*x^6 + 525*x^4 + 735*x^2 + 343)/sqrt(x^4 + 3*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{\sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(x^4+3*x^2+4)^(1/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^3/sqrt(x^4 + 3*x^2 + 4), x)

maple [C] time = 0.03, size = 241, normalized size = 1.29

$$25\sqrt{x^4 + 3x^2 + 4} x^3 + 75\sqrt{x^4 + 3x^2 + 4} x + \frac{172\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1} \sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-6+2i\sqrt{7}}}{4}\right)}{\sqrt{-6+2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^3/(x^4+3*x^2+4)^(1/2),x)

[Out] 25*(x^4+3*x^2+4)^(1/2)*x^3+75*(x^4+3*x^2+4)^(1/2)*x+172/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))+480/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*(EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-EllipticE(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{\sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(x^4+3*x^2+4)^(1/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^3/sqrt(x^4 + 3*x^2 + 4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(5x^2 + 7)^3}{\sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^2 + 7)^3/(3*x^2 + x^4 + 4)^(1/2), x)`

[Out] `int((5*x^2 + 7)^3/(3*x^2 + x^4 + 4)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{\sqrt{(x^2 - x + 2)(x^2 + x + 2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**2+7)**3/(x**4+3*x**2+4)**(1/2), x)`

[Out] `Integral((5*x**2 + 7)**3/sqrt((x**2 - x + 2)*(x**2 + x + 2)), x)`

$$3.365 \quad \int \frac{(7+5x^2)^2}{\sqrt{4+3x^2+x^4}} dx$$

Optimal. Leaf size=170

$$\frac{20\sqrt{x^4+3x^2+4}x}{x^2+2} + \frac{25}{3}\sqrt{x^4+3x^2+4}x + \frac{167(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|\frac{1}{8}\right)}{6\sqrt{2}\sqrt{x^4+3x^2+4}} - \frac{20\sqrt{2}(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}}{\sqrt{x^4+3x^2}}$$

[Out] 25/3*x*(x^4+3*x^2+4)^(1/2)+20*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+167/12*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)-20*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.06, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1206, 1197, 1103, 1195}

$$\frac{20\sqrt{x^4+3x^2+4}x}{x^2+2} + \frac{25}{3}\sqrt{x^4+3x^2+4}x + \frac{167(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|\frac{1}{8}\right)}{6\sqrt{2}\sqrt{x^4+3x^2+4}} - \frac{20\sqrt{2}(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}}{\sqrt{x^4+3x^2}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^2/Sqrt[4 + 3*x^2 + x^4], x]

[Out] (25*x*Sqrt[4 + 3*x^2 + x^4])/3 + (20*x*Sqrt[4 + 3*x^2 + x^4])/(2 + x^2) - (20*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/Sqrt[4 + 3*x^2 + x^4] + (167*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(6*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:= With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] +
Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /;
EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:= With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] -
Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /;
FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1206

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:= Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] +
Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /;
FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{(7 + 5x^2)^2}{\sqrt{4 + 3x^2 + x^4}} dx &= \frac{25}{3}x\sqrt{4 + 3x^2 + x^4} + \frac{1}{3} \int \frac{47 + 60x^2}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= \frac{25}{3}x\sqrt{4 + 3x^2 + x^4} - 40 \int \frac{1 - \frac{x^2}{2}}{\sqrt{4 + 3x^2 + x^4}} dx + \frac{167}{3} \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= \frac{25}{3}x\sqrt{4 + 3x^2 + x^4} + \frac{20x\sqrt{4 + 3x^2 + x^4}}{2 + x^2} - \frac{20\sqrt{2} (2 + x^2) \sqrt{\frac{4+3x^2+x^4}{(2+x^2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)}{\sqrt{4 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.43, size = 331, normalized size = 1.95

$$\frac{\sqrt{2} (30\sqrt{7} + 43i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}} \sqrt{\frac{2ix^2 + \sqrt{7} + 3i}{\sqrt{7} + 3i}} F\left(i \sinh^{-1}\left(\sqrt{\frac{-2i}{-3i + \sqrt{7}}} x\right) \middle| \frac{3i - \sqrt{7}}{3i + \sqrt{7}}\right) - 30\sqrt{2} (\sqrt{7} + 3i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}}}{6\sqrt{\frac{i}{\sqrt{7} - 3i}} \sqrt{x^4 + 3x^2 + 4}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^2/Sqrt[4 + 3*x^2 + x^4], x]

[Out] (50*Sqrt[(-I)/(-3*I + Sqrt[7])]*x*(4 + 3*x^2 + x^4) - 30*Sqrt[2]*(3*I + Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) + Sqrt[2]*(43*I + 30*Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])))/(6*Sqrt[(-I)/(-3*I + Sqrt[7])]*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{25x^4 + 70x^2 + 49}{\sqrt{x^4 + 3x^2 + 4}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(x^4+3*x^2+4)^(1/2), x, algorithm="fricas")

[Out] integral((25*x^4 + 70*x^2 + 49)/sqrt(x^4 + 3*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{\sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(x^4+3*x^2+4)^(1/2), x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^2/sqrt(x^4 + 3*x^2 + 4), x)

maple [C] time = 0.01, size = 224, normalized size = 1.32

$$\frac{25\sqrt{x^4 + 3x^2 + 4} x}{3} + \frac{188\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1} \sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-6+2i\sqrt{7}} x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right) - 640\sqrt{x^4 + 3x^2 + 4}}{3\sqrt{-6 + 2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^2+7)^2/(x^4+3*x^2+4)^(1/2),x)`

[Out] $25/3*(x^4+3*x^2+4)^{(1/2)}*x+188/3/(-6+2*I*7^{(1/2)})^{(1/2)}*(-(-3/8+1/8*I*7^{(1/2)})^{(1/2)}*x^2+1)^{(1/2)}*(-(-3/8-1/8*I*7^{(1/2)})^{(1/2)}*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}*EllipticF(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x,1/4*(2+6*I*7^{(1/2)})^{(1/2)})-640/(-6+2*I*7^{(1/2)})^{(1/2)}*(-(-3/8+1/8*I*7^{(1/2)})^{(1/2)}*x^2+1)^{(1/2)}*(-(-3/8-1/8*I*7^{(1/2)})^{(1/2)}*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}/(I*7^{(1/2)}+3)*(EllipticF(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x,1/4*(2+6*I*7^{(1/2)})^{(1/2)})-EllipticE(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x,1/4*(2+6*I*7^{(1/2)})^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{\sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^2+7)^2/(x^4+3*x^2+4)^(1/2),x, algorithm="maxima")`

[Out] `integrate((5*x^2 + 7)^2/sqrt(x^4 + 3*x^2 + 4), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(5x^2 + 7)^2}{\sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^2 + 7)^2/(3*x^2 + x^4 + 4)^(1/2),x)`

[Out] `int((5*x^2 + 7)^2/(3*x^2 + x^4 + 4)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{\sqrt{(x^2 - x + 2)(x^2 + x + 2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**2+7)**2/(x**4+3*x**2+4)**(1/2),x)`

[Out] `Integral((5*x**2 + 7)**2/sqrt((x**2 - x + 2)*(x**2 + x + 2)), x)`

$$3.366 \quad \int \frac{7+5x^2}{\sqrt{4+3x^2+x^4}} dx$$

Optimal. Leaf size=151

$$\frac{5\sqrt{x^4+3x^2+4}x}{x^2+2} + \frac{17(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{2\sqrt{2}\sqrt{x^4+3x^2+4}} - \frac{5\sqrt{2}(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{\sqrt{x^4+3x^2+4}}$$

[Out] $5*x*(x^4+3*x^2+4)^{(1/2)}/(x^2+2)+17/4*(x^2+2)*(\cos(2*\arctan(1/2*x*2^{(1/2)}))^2)^{(1/2)}/\cos(2*\arctan(1/2*x*2^{(1/2)}))*\text{EllipticF}(\sin(2*\arctan(1/2*x*2^{(1/2)})),1/4*2^{(1/2)})*((x^4+3*x^2+4)/(x^2+2)^2)^{(1/2)*2^{(1/2)}}/(x^4+3*x^2+4)^{(1/2)}-5*(x^2+2)*(\cos(2*\arctan(1/2*x*2^{(1/2)}))^2)^{(1/2)}/\cos(2*\arctan(1/2*x*2^{(1/2)}))*\text{EllipticE}(\sin(2*\arctan(1/2*x*2^{(1/2)})),1/4*2^{(1/2)})*2^{(1/2)}*((x^4+3*x^2+4)/(x^2+2)^2)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1197, 1103, 1195}

$$\frac{5\sqrt{x^4+3x^2+4}x}{x^2+2} + \frac{17(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{2\sqrt{2}\sqrt{x^4+3x^2+4}} - \frac{5\sqrt{2}(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{\sqrt{x^4+3x^2+4}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)/Sqrt[4 + 3*x^2 + x^4],x]

[Out] $(5*x*\text{Sqrt}[4 + 3*x^2 + x^4])/(2 + x^2) - (5*\text{Sqrt}[2]*(2 + x^2)*\text{Sqrt}[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/\text{Sqrt}[2]], 1/8])/\text{Sqrt}[4 + 3*x^2 + x^4] + (17*(2 + x^2)*\text{Sqrt}[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/\text{Sqrt}[2]], 1/8])/(2*\text{Sqrt}[2]*\text{Sqrt}[4 + 3*x^2 + x^4])$

Rule 1103

Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2))]]

$2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2 - (b*q^2)/(4*c)])/(q*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$

Rule 1197

$\text{Int}[(d + (e_*)*(x_)^2)/\text{Sqrt}[(a_) + (b_*)*(x_)^2 + (c_*)*(x_)^4], x_Symbol] := \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$

Rubi steps

$$\int \frac{7 + 5x^2}{\sqrt{4 + 3x^2 + x^4}} dx = - \left(10 \int \frac{1 - \frac{x^2}{2}}{\sqrt{4 + 3x^2 + x^4}} dx \right) + 17 \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx$$

$$= \frac{5x\sqrt{4 + 3x^2 + x^4}}{2 + x^2} - \frac{5\sqrt{2}(2 + x^2) \sqrt{\frac{4+3x^2+x^4}{(2+x^2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{\sqrt{4 + 3x^2 + x^4}} + \frac{17(2 + x^2) \sqrt{\frac{4+3x^2+x^4}{(2+x^2)^2}}}{2\sqrt{2}\sqrt{4 + 3x^2 + x^4}}$$

Mathematica [C] time = 0.18, size = 214, normalized size = 1.42

$$\frac{\sqrt{1 - \frac{2ix^2}{\sqrt{7}-3i}} \sqrt{1 + \frac{2ix^2}{\sqrt{7}+3i}} \left((5\sqrt{7} + i) F\left(i \sinh^{-1}\left(\sqrt{-\frac{2i}{-3i+\sqrt{7}}} x\right) \middle| \frac{3i-\sqrt{7}}{3i+\sqrt{7}}\right) - 5(\sqrt{7} + 3i) E\left(i \sinh^{-1}\left(\sqrt{-\frac{2i}{-3i+\sqrt{7}}} x\right) \middle| \frac{3i-\sqrt{7}}{3i+\sqrt{7}}\right) \right)}{2\sqrt{2} \sqrt{-\frac{i}{\sqrt{7}-3i}} \sqrt{x^4 + 3x^2 + 4}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)/Sqrt[4 + 3*x^2 + x^4], x]

[Out] (Sqrt[1 - ((2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[1 + ((2*I)*x^2)/(3*I + Sqrt[7])])*(-5*(3*I + Sqrt[7])*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) + (I + 5*Sqrt[7])*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])))/(2*Sqrt[2]*Sqrt[(-I)/(-3*I + Sqrt[7])]*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{5x^2 + 7}{\sqrt{x^4 + 3x^2 + 4}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(x^4+3*x^2+4)^(1/2),x, algorithm="fricas")

[Out] integral((5*x^2 + 7)/sqrt(x^4 + 3*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{\sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(x^4+3*x^2+4)^(1/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)/sqrt(x^4 + 3*x^2 + 4), x)

maple [C] time = 0.00, size = 209, normalized size = 1.38

$$\frac{28\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1} \sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right) + 160\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1} \sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1}}{\sqrt{-6 + 2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)/(x^4+3*x^2+4)^(1/2),x)

[Out] -160/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*(EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x, 1/4*(2+6*I*7^(1/2))^(1/2))-EllipticE(1/4*(-6+2*I*7^(1/2))^(1/2)*x, 1/4*(2+6*I*7^(1/2))^(1/2)))+28/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x, 1/4*(2+6*I*7^(1/2))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{\sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(x^4+3*x^2+4)^(1/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)/sqrt(x^4 + 3*x^2 + 4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{5x^2 + 7}{\sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^2 + 7)/(3*x^2 + x^4 + 4)^(1/2), x)`

[Out] `int((5*x^2 + 7)/(3*x^2 + x^4 + 4)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{\sqrt{(x^2 - x + 2)(x^2 + x + 2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**2+7)/(x**4+3*x**2+4)**(1/2), x)`

[Out] `Integral((5*x**2 + 7)/sqrt((x**2 - x + 2)*(x**2 + x + 2)), x)`

$$3.367 \quad \int \frac{1}{\sqrt{4+3x^2+x^4}} dx$$

Optimal. Leaf size=64

$$\frac{(x^2 + 2) \sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{2\sqrt{2} \sqrt{x^4 + 3x^2 + 4}}$$

[Out] 1/4*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.01, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1103}

$$\frac{(x^2 + 2) \sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{2\sqrt{2} \sqrt{x^4 + 3x^2 + 4}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[4 + 3*x^2 + x^4],x]

[Out] ((2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(2*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rubi steps

$$\int \frac{1}{\sqrt{4+3x^2+x^4}} dx = \frac{(2+x^2) \sqrt{\frac{4+3x^2+x^4}{(2+x^2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{2\sqrt{2} \sqrt{4+3x^2+x^4}}$$

Mathematica [C] time = 0.05, size = 142, normalized size = 2.22

$$\frac{i\sqrt{1-\frac{2x^2}{-3-i\sqrt{7}}}\sqrt{1-\frac{2x^2}{-3+i\sqrt{7}}}F\left(i\sinh^{-1}\left(\sqrt{\frac{2}{-3-i\sqrt{7}}}x\right)\middle|\frac{-3-i\sqrt{7}}{-3+i\sqrt{7}}\right)}{\sqrt{2}\sqrt{-\frac{1}{-3-i\sqrt{7}}}\sqrt{x^4+3x^2+4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[4 + 3*x^2 + x^4], x]

[Out] ((-I)*Sqrt[1 - (2*x^2)/(-3 - I*Sqrt[7])]*Sqrt[1 - (2*x^2)/(-3 + I*Sqrt[7])]*EllipticF[I*ArcSinh[Sqrt[-2/(-3 - I*Sqrt[7])]*x], (-3 - I*Sqrt[7])/(-3 + I*Sqrt[7])])/(Sqrt[2]*Sqrt[-(-3 - I*Sqrt[7])^(-1)]*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{\sqrt{x^4+3x^2+4}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^4+3*x^2+4)^(1/2), x, algorithm="fricas")

[Out] integral(1/sqrt(x^4 + 3*x^2 + 4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4+3x^2+4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^4+3*x^2+4)^(1/2), x, algorithm="giac")

[Out] integrate(1/sqrt(x^4 + 3*x^2 + 4), x)

maple [C] time = 0.00, size = 85, normalized size = 1.33

$$\frac{4\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1}\sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1}\text{EllipticF}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right)}{\sqrt{-6+2i\sqrt{7}}\sqrt{x^4+3x^2+4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^4+3*x^2+4)^(1/2),x)`

[Out] $4/(-6+2i\sqrt{7})^{1/2} * (-(-3/8+1/8i\sqrt{7})x^2+1)^{1/2} * (-(-3/8-1/8i\sqrt{7})x^2+1)^{1/2} / (x^4+3x^2+4)^{1/2} * \text{EllipticF}(1/4*(-6+2i\sqrt{7})^{1/2})^{1/2} * x, 1/4*(2+6i\sqrt{7})^{1/2})^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x^4+3*x^2+4)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/sqrt(x^4 + 3*x^2 + 4), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(3*x^2 + x^4 + 4)^(1/2),x)`

[Out] `int(1/(3*x^2 + x^4 + 4)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(x**4+3*x**2+4)**(1/2),x)`

[Out] `Integral(1/sqrt(x**4 + 3*x**2 + 4), x)`

$$3.368 \quad \int \frac{1}{(7+5x^2)\sqrt{4+3x^2+x^4}} dx$$

Optimal. Leaf size=168

$$\frac{1}{4} \sqrt{\frac{5}{77}} \tan^{-1} \left(\frac{2\sqrt{\frac{11}{35}} x}{\sqrt{x^4 + 3x^2 + 4}} \right) - \frac{(x^2 + 2) \sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}} F \left(2 \tan^{-1} \left(\frac{x}{\sqrt{2}} \right) \middle| \frac{1}{8} \right)}{6\sqrt{2} \sqrt{x^4 + 3x^2 + 4}} + \frac{17(x^2 + 2) \sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}} \Pi \left(-\frac{9}{280}; 2 \tan^{-1} \left(\frac{x}{\sqrt{2}} \right) \right)}{84\sqrt{2} \sqrt{x^4 + 3x^2 + 4}}$$

[Out] 1/308*arctan(2/35*x*385^(1/2)/(x^4+3*x^2+4)^(1/2))*385^(1/2)-1/12*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)+17/168*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticPi(sin(2*arctan(1/2*x*2^(1/2))),-9/280,1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2))

Rubi [A] time = 0.08, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1216, 1103, 1706}

$$\frac{1}{4} \sqrt{\frac{5}{77}} \tan^{-1} \left(\frac{2\sqrt{\frac{11}{35}} x}{\sqrt{x^4 + 3x^2 + 4}} \right) - \frac{(x^2 + 2) \sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}} F \left(2 \tan^{-1} \left(\frac{x}{\sqrt{2}} \right) \middle| \frac{1}{8} \right)}{6\sqrt{2} \sqrt{x^4 + 3x^2 + 4}} + \frac{17(x^2 + 2) \sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}} \Pi \left(-\frac{9}{280}; 2 \tan^{-1} \left(\frac{x}{\sqrt{2}} \right) \right)}{84\sqrt{2} \sqrt{x^4 + 3x^2 + 4}}$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)*Sqrt[4 + 3*x^2 + x^4]),x]

[Out] (Sqrt[5/77]*ArcTan[(2*Sqrt[11/35]*x)/Sqrt[4 + 3*x^2 + x^4]])/4 - ((2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/((6*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) + (17*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticPi[-9/280, 2*ArcTan[x/Sqrt[2]], 1/8])/(84*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]))

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1216

```
Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1706

```
Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol]
:> With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]]/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]
```

Rubi steps

$$\int \frac{1}{(7 + 5x^2)\sqrt{4 + 3x^2 + x^4}} dx = -\left(\frac{1}{3} \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx\right) + \frac{10}{3} \int \frac{1 + \frac{x^2}{2}}{(7 + 5x^2)\sqrt{4 + 3x^2 + x^4}} dx$$

$$= \frac{1}{4} \sqrt{\frac{5}{77}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4 + 3x^2 + x^4}}\right) - \frac{(2 + x^2) \sqrt{\frac{4 + 3x^2 + x^4}{(2 + x^2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{6\sqrt{2} \sqrt{4 + 3x^2 + x^4}} + \dots$$

Mathematica [C] time = 0.14, size = 159, normalized size = 0.95

$$\frac{i \sqrt{1 - \frac{2x^2}{-3 - i\sqrt{7}}} \sqrt{1 - \frac{2x^2}{-3 + i\sqrt{7}}} \Pi\left(-\frac{5}{14}(-3 - i\sqrt{7}); i \sinh^{-1}\left(\sqrt{\frac{2}{-3 - i\sqrt{7}}}x\right) \middle| \frac{-3 - i\sqrt{7}}{-3 + i\sqrt{7}}\right)}{7\sqrt{2} \sqrt{-\frac{1}{-3 - i\sqrt{7}}} \sqrt{x^4 + 3x^2 + 4}}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((7 + 5*x^2)*Sqrt[4 + 3*x^2 + x^4]),x]
```

```
[Out] ((-1/7*I)*Sqrt[1 - (2*x^2)/(-3 - I*Sqrt[7])]*Sqrt[1 - (2*x^2)/(-3 + I*Sqrt[7])]*EllipticPi[(-5*(-3 - I*Sqrt[7]))/14, I*ArcSinh[Sqrt[-2/(-3 - I*Sqrt[7])]]
```

)]*x], (-3 - I*Sqrt[7])/(-3 + I*Sqrt[7]))/(Sqrt[2]*Sqrt[-(-3 - I*Sqrt[7])^(-1)]*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.48, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 4}}{5x^6 + 22x^4 + 41x^2 + 28}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(x^4+3*x^2+4)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 4)/(5*x^6 + 22*x^4 + 41*x^2 + 28), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 4}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(x^4+3*x^2+4)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7)), x)

maple [C] time = 0.02, size = 107, normalized size = 0.64

$$\frac{\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1} \sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8} + 1} \text{EllipticPi}\left(\sqrt{-\frac{3}{8} + \frac{i\sqrt{7}}{8}} x, -\frac{5}{7\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)}, \frac{\sqrt{-\frac{3}{8} - \frac{i\sqrt{7}}{8}}}{\sqrt{-\frac{3}{8} + \frac{i\sqrt{7}}{8}}}\right)}{7\sqrt{-\frac{3}{8} + \frac{i\sqrt{7}}{8}} \sqrt{x^4 + 3x^2 + 4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5*x^2+7)/(x^4+3*x^2+4)^(1/2),x)

[Out] 1/7/(-3/8+1/8*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x^2+1)^(1/2)*(3/8*x^2+1/8*I*7^(1/2)*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticPi((-3/8+1/8*I*7^(1/2))^(1/2)*x,-5/7/(-3/8+1/8*I*7^(1/2)),(-3/8-1/8*I*7^(1/2))^(1/2)/(-3/8+1/8*I*7^(1/2))^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 4}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(x^4+3*x^2+4)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(5x^2 + 7) \sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((5*x^2 + 7)*(3*x^2 + x^4 + 4)^(1/2)),x)

[Out] int(1/((5*x^2 + 7)*(3*x^2 + x^4 + 4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{(x^2 - x + 2)(x^2 + x + 2)} (5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x**2+7)/(x**4+3*x**2+4)**(1/2),x)

[Out] Integral(1/(sqrt((x**2 - x + 2)*(x**2 + x + 2))*(5*x**2 + 7)), x)

$$3.369 \quad \int \frac{1}{(7+5x^2)^2 \sqrt{4+3x^2+x^4}} dx$$

Optimal. Leaf size=286

$$\frac{5\sqrt{x^4+3x^2+4}x}{616(x^2+2)} + \frac{25\sqrt{x^4+3x^2+4}x}{616(5x^2+7)} + \frac{37\sqrt{\frac{5}{77}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right)}{2464} - \frac{(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{42\sqrt{2}\sqrt{x^4+3x^2+4}} +$$

[Out] 37/189728*arctan(2/35*x*385^(1/2)/(x^4+3*x^2+4)^(1/2))*385^(1/2)-5/616*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+25/616*x*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)+5/616*(x^2+2)*(cos(2*arctan(1/2*x*x^2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*x^2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*x^2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)-1/84*(x^2+2)*(cos(2*arctan(1/2*x*x^2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*x^2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*x^2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)+629/103488*(x^2+2)*(cos(2*arctan(1/2*x*x^2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*x^2^(1/2)))*EllipticPi(sin(2*arctan(1/2*x*x^2^(1/2))),-9/280,1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.22, antiderivative size = 286, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1223, 1714, 1195, 1708, 1103, 1706}

$$\frac{5\sqrt{x^4+3x^2+4}x}{616(x^2+2)} + \frac{25\sqrt{x^4+3x^2+4}x}{616(5x^2+7)} + \frac{37\sqrt{\frac{5}{77}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right)}{2464} - \frac{(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{42\sqrt{2}\sqrt{x^4+3x^2+4}} +$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)^2*Sqrt[4 + 3*x^2 + x^4]),x]

[Out] (-5*x*Sqrt[4 + 3*x^2 + x^4])/(616*(2 + x^2)) + (25*x*Sqrt[4 + 3*x^2 + x^4])/(616*(7 + 5*x^2)) + (37*Sqrt[5/77]*ArcTan[(2*Sqrt[11/35]*x)/Sqrt[4 + 3*x^2 + x^4]])/2464 + (5*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(308*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) - ((2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(42*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) + (629*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticPi[-9/280, 2*ArcTan[x/Sqrt[2]], 1/8])/(51744*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1223

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]
```

Rule 1706

```
Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2)/(4*d*e*A*B)], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)])/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]
```

Rule 1708

```
Int[((A_.) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(A*(c*d + a*e*q) - a*B*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(a*(B*d - A*e)*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0]
```

] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]

Rule 1714

Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4])
, x_Symbol] :> With[{q = Rt[c/a, 2], A = Coeff[P4x, x, 0], B = Coeff[P4x, x
, 2], C = Coeff[P4x, x, 4]}, -Dist[C/(e*q), Int[(1 - q*x^2)/Sqrt[a + b*x^2
+ c*x^4], x], x] + Dist[1/(c*e), Int[(A*c*e + a*C*d*q + (B*c*e - C*(c*d - a
*e*q))*x^2]/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b,
c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*
d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && !GtQ[b^2 - 4*a*c,
0]

Rubi steps

$$\begin{aligned} \int \frac{1}{(7+5x^2)^2 \sqrt{4+3x^2+x^4}} dx &= \frac{25x\sqrt{4+3x^2+x^4}}{616(7+5x^2)} - \frac{1}{616} \int \frac{12+70x^2+25x^4}{(7+5x^2)\sqrt{4+3x^2+x^4}} dx \\ &= \frac{25x\sqrt{4+3x^2+x^4}}{616(7+5x^2)} - \frac{\int \frac{410+425x^2}{(7+5x^2)\sqrt{4+3x^2+x^4}} dx}{3080} + \frac{5}{308} \int \frac{1-\frac{x^2}{2}}{\sqrt{4+3x^2+x^4}} dx \\ &= -\frac{5x\sqrt{4+3x^2+x^4}}{616(2+x^2)} + \frac{25x\sqrt{4+3x^2+x^4}}{616(7+5x^2)} + \frac{5(2+x^2)\sqrt{\frac{4+3x^2+x^4}{(2+x^2)^2}} E\left(2 \tan^{-1}\right)}{308\sqrt{2}\sqrt{4+3x^2+x^4}} \\ &= -\frac{5x\sqrt{4+3x^2+x^4}}{616(2+x^2)} + \frac{25x\sqrt{4+3x^2+x^4}}{616(7+5x^2)} + \frac{37\sqrt{\frac{5}{77}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4+3x^2+x^4}}\right)}{2464} + \dots \end{aligned}$$

Mathematica [C] time = 0.78, size = 481, normalized size = 1.68

$$98i(5x^2+7)\sqrt{2-\frac{4ix^2}{\sqrt{7}-3i}}\sqrt{1+\frac{2ix^2}{\sqrt{7}+3i}}F\left(i\sinh^{-1}\left(\sqrt{-\frac{2i}{-3i+\sqrt{7}}}x\right)\middle|\frac{3i-\sqrt{7}}{3i+\sqrt{7}}\right)-74i(5x^2+7)\sqrt{2-\frac{4ix^2}{\sqrt{7}-3i}}\sqrt{1+\frac{2ix^2}{\sqrt{7}+3i}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((7 + 5*x^2)^2*Sqrt[4 + 3*x^2 + x^4]),x]

```
[Out] (700*Sqrt[(-I)/(-3*I + Sqrt[7])]*x*(4 + 3*x^2 + x^4) + 35*(3*I + Sqrt[7])*(7 + 5*x^2)*Sqrt[2 - ((4*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[1 + ((2*I)*x^2)/(3*I + Sqrt[7])])*(EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) - EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])) + (98*I)*(7 + 5*x^2)*Sqrt[2 - ((4*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[1 + ((2*I)*x^2)/(3*I + Sqrt[7])]*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])] - (74*I)*(7 + 5*x^2)*Sqrt[2 - ((4*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[1 + ((2*I)*x^2)/(3*I + Sqrt[7])]*EllipticPi[(5*(3 + I*Sqrt[7]))/14, I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7]))/(17248*Sqrt[(-I)/(-3*I + Sqrt[7])]*(7 + 5*x^2)*Sqrt[4 + 3*x^2 + x^4])
```

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 4}}{25x^8 + 145x^6 + 359x^4 + 427x^2 + 196}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(5*x^2+7)^2/(x^4+3*x^2+4)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(x^4 + 3*x^2 + 4)/(25*x^8 + 145*x^6 + 359*x^4 + 427*x^2 + 196), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 4}(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(5*x^2+7)^2/(x^4+3*x^2+4)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7)^2), x)
```

maple [C] time = 0.02, size = 410, normalized size = 1.43

$$\frac{25\sqrt{x^4 + 3x^2 + 4} x}{616(5x^2 + 7)} - \frac{20\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1} \sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8} + 1} \text{EllipticE}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right) \sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1}}{77\sqrt{-6+2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4} (i\sqrt{7} + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(5*x^2+7)^2/(x^4+3*x^2+4)^(1/2),x)`

[Out] $25/616*(x^4+3*x^2+4)^{(1/2)}/(5*x^2+7)*x-1/22/(-6+2*I*7^{(1/2)})^{(1/2)}*(3/8*x^2-1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}*(3/8*x^2+1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}*EllipticF(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x,1/4*(2+6*I*7^{(1/2)})^{(1/2)})+20/77/(-6+2*I*7^{(1/2)})^{(1/2)}*(3/8*x^2-1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}*(3/8*x^2+1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}/(I*7^{(1/2)}+3)*EllipticF(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x,1/4*(2+6*I*7^{(1/2)})^{(1/2)})-20/77/(-6+2*I*7^{(1/2)})^{(1/2)}*(3/8*x^2-1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}*(3/8*x^2+1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}/(I*7^{(1/2)}+3)*EllipticE(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x,1/4*(2+6*I*7^{(1/2)})^{(1/2)})+37/4312/(-3/8+1/8*I*7^{(1/2)})^{(1/2)}*(3/8*x^2-1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}*(3/8*x^2+1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}*EllipticPi((-3/8+1/8*I*7^{(1/2)})^{(1/2)}*x,-5/7/(-3/8+1/8*I*7^{(1/2)}),(-3/8-1/8*I*7^{(1/2)})^{(1/2)}/(-3/8+1/8*I*7^{(1/2)})^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 4} (5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(5*x^2+7)^2/(x^4+3*x^2+4)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7)^2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(5x^2 + 7)^2 \sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((5*x^2 + 7)^2*(3*x^2 + x^4 + 4)^(1/2)),x)`

[Out] `int(1/((5*x^2 + 7)^2*(3*x^2 + x^4 + 4)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{(x^2 - x + 2)(x^2 + x + 2)} (5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(5*x**2+7)**2/(x**4+3*x**2+4)**(1/2),x)`

[Out] `Integral(1/(sqrt((x**2 - x + 2)*(x**2 + x + 2))*(5*x**2 + 7)**2), x)`

$$3.370 \quad \int \frac{1}{(7+5x^2)^3 \sqrt{4+3x^2+x^4}} dx$$

Optimal. Leaf size=314

$$\frac{555\sqrt{x^4+3x^2+4}x}{758912(x^2+2)} + \frac{2775\sqrt{x^4+3x^2+4}x}{758912(5x^2+7)} + \frac{25\sqrt{x^4+3x^2+4}x}{1232(5x^2+7)^2} - \frac{3285\sqrt{\frac{5}{77}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right)}{3035648} - \frac{(x^2+2)\sqrt{\frac{x^4+3x^2+4}{x^2}}}{8624\sqrt{x^2}}$$

[Out] -3285/233744896*arctan(2/35*x*385^(1/2)/(x^4+3*x^2+4)^(1/2))*385^(1/2)-555/758912*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+25/1232*x*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)^2+2775/758912*x*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)+555/758912*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)-1/17248*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)-18615/42499072*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticPi(sin(2*arctan(1/2*x*2^(1/2))),-9/280,1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.29, antiderivative size = 314, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$, Rules used = {1223, 1696, 1714, 1195, 1708, 1103, 1706}

$$\frac{555\sqrt{x^4+3x^2+4}x}{758912(x^2+2)} + \frac{2775\sqrt{x^4+3x^2+4}x}{758912(5x^2+7)} + \frac{25\sqrt{x^4+3x^2+4}x}{1232(5x^2+7)^2} - \frac{3285\sqrt{\frac{5}{77}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right)}{3035648} - \frac{(x^2+2)\sqrt{\frac{x^4+3x^2+4}{x^2}}}{8624\sqrt{x^2}}$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)^3*Sqrt[4 + 3*x^2 + x^4]),x]

[Out] (-555*x*Sqrt[4 + 3*x^2 + x^4])/(758912*(2 + x^2)) + (25*x*Sqrt[4 + 3*x^2 + x^4])/(1232*(7 + 5*x^2)^2) + (2775*x*Sqrt[4 + 3*x^2 + x^4])/(758912*(7 + 5*x^2)) - (3285*Sqrt[5/77]*ArcTan[(2*Sqrt[11/35]*x)/Sqrt[4 + 3*x^2 + x^4]])/3035648 + (555*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(379456*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) - ((2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(8624*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) - (18615*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticPi[-9/280, 2*ArcTan[x/Sqrt[2]], 1/8])/(21249536*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1223

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]
```

Rule 1696

```
Int[((P4x_)*((d_) + (e_.)*(x_)^2)^(q_))/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Simp[((C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*d*(C*d - B*e) + A*(a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1)) - 2*((B*d - A*e)*(b*e*(q + 2) - c*d*(q + 1)) - C*d*(b*d + a*e*(q + 1)))*x^2 + c*(C*d^2 - B*d*e + A*e^2)*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2] && LeQ[Expon[P4x, x], 4] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, -1]
```

Rule 1706

```
Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a
```

```

+ b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*
d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2
+ c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ
[c*A^2 - a*B^2, 0]

```

Rule 1708

```

Int[((A_.) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2
+ (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(A*(c*d + a*e*q)
- a*B*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] +
Dist[(a*(B*d - A*e)*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2
)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && N
eQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0
] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]

```

Rule 1714

```

Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4])
, x_Symbol] := With[{q = Rt[c/a, 2], A = Coeff[P4x, x, 0], B = Coeff[P4x, x
, 2], C = Coeff[P4x, x, 4]}, -Dist[C/(e*q), Int[(1 - q*x^2)/Sqrt[a + b*x^2
+ c*x^4], x], x] + Dist[1/(c*e), Int[(A*c*e + a*C*d*q + (B*c*e - C*(c*d - a
*e*q))*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b,
c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*
d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && !GtQ[b^2 - 4*a*c,
0]

```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(7+5x^2)^3 \sqrt{4+3x^2+x^4}} dx &= \frac{25x\sqrt{4+3x^2+x^4}}{1232(7+5x^2)^2} - \frac{\int \frac{-76-10x^2-25x^4}{(7+5x^2)^2 \sqrt{4+3x^2+x^4}} dx}{1232} \\
&= \frac{25x\sqrt{4+3x^2+x^4}}{1232(7+5x^2)^2} + \frac{2775x\sqrt{4+3x^2+x^4}}{758912(7+5x^2)} + \frac{\int \frac{-4412-4690x^2-2775x^4}{(7+5x^2)\sqrt{4+3x^2+x^4}} dx}{758912} \\
&= \frac{25x\sqrt{4+3x^2+x^4}}{1232(7+5x^2)^2} + \frac{2775x\sqrt{4+3x^2+x^4}}{758912(7+5x^2)} + \frac{\int \frac{-60910-31775x^2}{(7+5x^2)\sqrt{4+3x^2+x^4}} dx}{3794560} + \frac{555}{3794560} \\
&= -\frac{555x\sqrt{4+3x^2+x^4}}{758912(2+x^2)} + \frac{25x\sqrt{4+3x^2+x^4}}{1232(7+5x^2)^2} + \frac{2775x\sqrt{4+3x^2+x^4}}{758912(7+5x^2)} + \frac{555}{3794560} \\
&= -\frac{555x\sqrt{4+3x^2+x^4}}{758912(2+x^2)} + \frac{25x\sqrt{4+3x^2+x^4}}{1232(7+5x^2)^2} + \frac{2775x\sqrt{4+3x^2+x^4}}{758912(7+5x^2)} - \frac{3285}{3794560}
\end{aligned}$$

Mathematica [C] time = 0.89, size = 308, normalized size = 0.98

$$\frac{700x(555x^2+1393)(x^4+3x^2+4)}{(5x^2+7)^2} + i\sqrt{6+2i\sqrt{7}} \sqrt{1-\frac{2ix^2}{\sqrt{7}-3i}} \sqrt{1+\frac{2ix^2}{\sqrt{7}+3i}} \left((-9401+3885i\sqrt{7}) F\left(i \sinh^{-1}\left(\sqrt{-\frac{2i}{-3i+\sqrt{7}}}\right)\right) \right)$$

212495

Antiderivative was successfully verified.

[In] Integrate[1/((7 + 5*x^2)^3*Sqrt[4 + 3*x^2 + x^4]),x]

[Out] ((700*x*(1393 + 555*x^2)*(4 + 3*x^2 + x^4))/(7 + 5*x^2)^2 + I*Sqrt[6 + (2*I)*Sqrt[7]]*Sqrt[1 - ((2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[1 + ((2*I)*x^2)/(3*I + Sqrt[7])]*(3885*(3 - I*Sqrt[7])*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])]) + (-9401 + (3885*I)*Sqrt[7])*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])] + 6570*EllipticPi[(5*(3 + I*Sqrt[7]))/14, I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])])/(21249536*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 4}}{125x^{10} + 900x^8 + 2810x^6 + 4648x^4 + 3969x^2 + 1372}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(x^4+3*x^2+4)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 4)/(125*x^10 + 900*x^8 + 2810*x^6 + 4648*x^4 + 3969*x^2 + 1372), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 4} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(x^4+3*x^2+4)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7)^3), x)

maple [C] time = 0.02, size = 434, normalized size = 1.38

$$\frac{25\sqrt{x^4 + 3x^2 + 4} x}{1232(5x^2 + 7)^2} + \frac{2775\sqrt{x^4 + 3x^2 + 4} x}{758912(5x^2 + 7)} - \frac{555\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1} \sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8} + 1} \text{EllipticE}\left(\frac{\sqrt{-6+2i\sqrt{7}} x}{4}, \sqrt{2}\right)}{23716\sqrt{-6+2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4} (i\sqrt{7} + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(5*x^2+7)^3/(x^4+3*x^2+4)^(1/2),x)

[Out] 25/1232*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)^2*x+2775/758912*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)*x-23/27104/(-6+2*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x^2+1)^(1/2)*(3/8*x^2+1/8*I*7^(1/2)*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))+555/23716/(-6+2*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x^2+1)^(1/2)*(3/8*x^2+1/8*I*7^(1/2)*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-555/23716/(-6+2*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x^2+1)^(1/2)*(3/8*x^2+1/8*I*7^(1/2)*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*EllipticE(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-3285/5312384/(-3/8+1/8*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x

$(x^2+1)^{1/2} * (3/8*x^2+1/8*I*7^{1/2})*x^2+1)^{1/2} / (x^4+3*x^2+4)^{1/2} * \text{EllipticPi}((-3/8+1/8*I*7^{1/2})^{1/2}*x, -5/7/(-3/8+1/8*I*7^{1/2}), (-3/8-1/8*I*7^{1/2})^{1/2} / (-3/8+1/8*I*7^{1/2})^{1/2})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 4} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(x^4+3*x^2+4)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(5x^2 + 7)^3 \sqrt{x^4 + 3x^2 + 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((5*x^2 + 7)^3*(3*x^2 + x^4 + 4)^(1/2)),x)

[Out] int(1/((5*x^2 + 7)^3*(3*x^2 + x^4 + 4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{(x^2 - x + 2)(x^2 + x + 2)} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x**2+7)**3/(x**4+3*x**2+4)**(1/2),x)

[Out] Integral(1/(sqrt((x**2 - x + 2)*(x**2 + x + 2))*(5*x**2 + 7)**3), x)

$$3.371 \quad \int \frac{(7+5x^2)^5}{(4+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=219

$$-\frac{220779\sqrt{x^4+3x^2+4}x}{28(x^2+2)} + \frac{5000}{3}\sqrt{x^4+3x^2+4}x + \frac{(45779x^2+99493)x}{28\sqrt{x^4+3x^2+4}} - \frac{130729(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}F\left(2\tan^{-1}\left(\frac{x^2+2}{\sqrt{x^4+3x^2+4}}\right)\right)}{12\sqrt{2}\sqrt{x^4+3x^2+4}}$$

[Out] $1/28*x*(45779*x^2+99493)/(x^4+3*x^2+4)^{(1/2)}+5000/3*x*(x^4+3*x^2+4)^{(1/2)}+625*x^3*(x^4+3*x^2+4)^{(1/2)}-220779/28*x*(x^4+3*x^2+4)^{(1/2)}/(x^2+2)+220779/28*(x^2+2)*(cos(2*arctan(1/2*x*2^{(1/2)})))^{(1/2)}/cos(2*arctan(1/2*x*2^{(1/2)})))*EllipticE(sin(2*arctan(1/2*x*2^{(1/2)})),1/4*2^{(1/2)})*2^{(1/2)}*((x^4+3*x^2+4)/(x^2+2)^2)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}-130729/24*(x^2+2)*(cos(2*arctan(1/2*x*2^{(1/2)})))^{(1/2)}/cos(2*arctan(1/2*x*2^{(1/2)})))*EllipticF(sin(2*arctan(1/2*x*2^{(1/2)})),1/4*2^{(1/2)})*((x^4+3*x^2+4)/(x^2+2)^2)^{(1/2)}*2^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 219, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1205, 1679, 1197, 1103, 1195}

$$625\sqrt{x^4+3x^2+4}x^3 - \frac{220779\sqrt{x^4+3x^2+4}x}{28(x^2+2)} + \frac{5000}{3}\sqrt{x^4+3x^2+4}x + \frac{(45779x^2+99493)x}{28\sqrt{x^4+3x^2+4}} - \frac{130729(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}}{12\sqrt{2}\sqrt{x^4+3x^2+4}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^5/(4 + 3*x^2 + x^4)^(3/2), x]

[Out] $(x*(99493 + 45779*x^2))/(28*\text{Sqrt}[4 + 3*x^2 + x^4]) + (5000*x*\text{Sqrt}[4 + 3*x^2 + x^4])/3 + 625*x^3*\text{Sqrt}[4 + 3*x^2 + x^4] - (220779*x*\text{Sqrt}[4 + 3*x^2 + x^4])/((28*(2 + x^2)) + (220779*(2 + x^2)*\text{Sqrt}[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/\text{Sqrt}[2]], 1/8]))/(14*\text{Sqrt}[2]*\text{Sqrt}[4 + 3*x^2 + x^4]) - (130729*(2 + x^2)*\text{Sqrt}[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/\text{Sqrt}[2]], 1/8]))/(12*\text{Sqrt}[2]*\text{Sqrt}[4 + 3*x^2 + x^4])$

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4])

), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)^2)*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1205

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{f = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*g - f*(b^2 - 2*a*c) - c*(b*f - 2*a*g)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[(d + e*x^2)^q, a + b*x^2 + c*x^4, x] + b^2*f*(2*p + 3) - 2*a*c*f*(4*p + 5) - a*b*g + c*(4*p + 7)*(b*f - 2*a*g)*x^2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1] && LtQ[p, -1]

Rule 1679

Int[(Pq_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{q = Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*x^(2*q), x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{(7+5x^2)^5}{(4+3x^2+x^4)^{3/2}} dx &= \frac{x(99493+45779x^2)}{28\sqrt{4+3x^2+x^4}} + \frac{1}{28} \int \frac{18156+269221x^2+350000x^4+87500x^6}{\sqrt{4+3x^2+x^4}} dx \\
&= \frac{x(99493+45779x^2)}{28\sqrt{4+3x^2+x^4}} + 625x^3\sqrt{4+3x^2+x^4} + \frac{1}{140} \int \frac{90780+296105x^2+700000x^4}{\sqrt{4+3x^2+x^4}} \\
&= \frac{x(99493+45779x^2)}{28\sqrt{4+3x^2+x^4}} + \frac{5000}{3}x\sqrt{4+3x^2+x^4} + 625x^3\sqrt{4+3x^2+x^4} + \frac{1}{420} \int \frac{-2527}{\sqrt{4+3x^2+x^4}} \\
&= \frac{x(99493+45779x^2)}{28\sqrt{4+3x^2+x^4}} + \frac{5000}{3}x\sqrt{4+3x^2+x^4} + 625x^3\sqrt{4+3x^2+x^4} + \frac{220779}{14} \int \frac{1}{\sqrt{4+3x^2+x^4}} \\
&= \frac{x(99493+45779x^2)}{28\sqrt{4+3x^2+x^4}} + \frac{5000}{3}x\sqrt{4+3x^2+x^4} + 625x^3\sqrt{4+3x^2+x^4} - \frac{220779x\sqrt{4+3x^2+x^4}}{28(2+\sqrt{7})}
\end{aligned}$$

Mathematica [C] time = 0.52, size = 339, normalized size = 1.55

$$\frac{-\sqrt{2} (662337\sqrt{7} + 975947i) \sqrt{\frac{-2ix^2+\sqrt{7}-3i}{\sqrt{7}-3i}} \sqrt{\frac{2ix^2+\sqrt{7}+3i}{\sqrt{7}+3i}} F\left(i \sinh^{-1}\left(\sqrt{\frac{-2i}{-3i+\sqrt{7}}} x\right) \middle| \frac{3i-\sqrt{7}}{3i+\sqrt{7}}\right) + 662337\sqrt{2} (\sqrt{7} + 336\sqrt{-1})}{336\sqrt{-1}}$$

Antiderivative was successfully verified.

[In] Integrate[(7 + 5*x^2)^5/(4 + 3*x^2 + x^4)^(3/2), x]

[Out] (4*Sqrt[(-I)/(-3*I + Sqrt[7])]*x*(858479 + 767337*x^2 + 297500*x^4 + 52500*x^6) + 662337*Sqrt[2]*(3*I + Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticE[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])] - Sqrt[2]*(975947*I + 662337*Sqrt[7])*Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])]*Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])]*EllipticF[I*ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])]*x], (3*I - Sqrt[7])/(3*I + Sqrt[7])])/(336*Sqrt[(-I)/(-3*I + Sqrt[7])]*Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(3125x^{10} + 21875x^8 + 61250x^6 + 85750x^4 + 60025x^2 + 16807)\sqrt{x^4 + 3x^2 + 4}}{x^8 + 6x^6 + 17x^4 + 24x^2 + 16}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^5/(x^4+3*x^2+4)^(3/2),x, algorithm="fricas")

[Out] integral((3125*x^10 + 21875*x^8 + 61250*x^6 + 85750*x^4 + 60025*x^2 + 16807)*sqrt(x^4 + 3*x^2 + 4)/(x^8 + 6*x^6 + 17*x^4 + 24*x^2 + 16), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^5}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^5/(x^4+3*x^2+4)^(3/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^5/(x^4 + 3*x^2 + 4)^(3/2), x)

maple [C] time = 0.05, size = 379, normalized size = 1.73

$$625\sqrt{x^4 + 3x^2 + 4} x^3 + \frac{5000\sqrt{x^4 + 3x^2 + 4} x}{3} - \frac{505532\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1} \sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{1}{4}\sqrt{-6 + 2i\sqrt{7}}, \sqrt{x^4 + 3x^2 + 4}\right)}{21\sqrt{-6 + 2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^5/(x^4+3*x^2+4)^(3/2),x)

[Out] -6250*(31/14*x^3+18/7*x)/(x^4+3*x^2+4)^(1/2)+625*(x^4+3*x^2+4)^(1/2)*x^3+5000/3*(x^4+3*x^2+4)^(1/2)*x-505532/21/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))+1766232/7/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*(EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-EllipticE(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2)))-43750*(-9/14*x^3+2/7*x)/(x^4+3*x^2+4)^(1/2)-122500*(-1/14*x^3-6/7*x)/(x^4+3*x^2+4)^(1/2)-171500*(3/14*x^3+4/7*x)/(x^4+3*x^2+4)^(1/2)-120050*(-1/7*x^3-3/14*x)/(x^4+3*x^2+4)^(1/2)-33614*(1/56*x^3+3/56*x^3)/(x^4+3*x^2+4)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^5}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^5/(x^4+3*x^2+4)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^5/(x^4 + 3*x^2 + 4)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(5x^2 + 7)^5}{(x^4 + 3x^2 + 4)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^5/(3*x^2 + x^4 + 4)^(3/2),x)

[Out] int((5*x^2 + 7)^5/(3*x^2 + x^4 + 4)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^5}{((x^2 - x + 2)(x^2 + x + 2))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**5/(x**4+3*x**2+4)**(3/2),x)

[Out] Integral((5*x**2 + 7)**5/((x**2 - x + 2)*(x**2 + x + 2))**3/2, x)

$$3.372 \quad \int \frac{(7+5x^2)^4}{(4+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=200

$$\frac{14523\sqrt{x^4+3x^2+4}x}{28(x^2+2)} + \frac{625}{3}\sqrt{x^4+3x^2+4}x + \frac{(2719-4023x^2)x}{28\sqrt{x^4+3x^2+4}} + \frac{4243(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|\frac{1}{8}\right)}{12\sqrt{2}\sqrt{x^4+3x^2+4}}$$

[Out] 1/28*x*(-4023*x^2+2719)/(x^4+3*x^2+4)^(1/2)+625/3*x*(x^4+3*x^2+4)^(1/2)+14523/28*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)-14523/28*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)+4243/24*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.09, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1205, 1679, 1197, 1103, 1195}

$$\frac{14523\sqrt{x^4+3x^2+4}x}{28(x^2+2)} + \frac{625}{3}\sqrt{x^4+3x^2+4}x + \frac{(2719-4023x^2)x}{28\sqrt{x^4+3x^2+4}} + \frac{4243(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|\frac{1}{8}\right)}{12\sqrt{2}\sqrt{x^4+3x^2+4}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^4/(4 + 3*x^2 + x^4)^(3/2), x]

[Out] (x*(2719 - 4023*x^2))/(28*Sqrt[4 + 3*x^2 + x^4]) + (625*x*Sqrt[4 + 3*x^2 + x^4])/3 + (14523*x*Sqrt[4 + 3*x^2 + x^4])/(28*(2 + x^2)) - (14523*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(14*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) + (4243*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(12*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^
2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^
2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c
*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 -
4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4
], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; Ne
Q[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[
c/a]
```

Rule 1205

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x
_Symbol] :> With[{f = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 +
c*x^4, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 +
c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*g - f*(b^2 - 2*
a*c) - c*(b*f - 2*a*g)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*
(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p
+ 1)*(b^2 - 4*a*c)*PolynomialQuotient[(d + e*x^2)^q, a + b*x^2 + c*x^4, x]
+ b^2*f*(2*p + 3) - 2*a*c*f*(4*p + 5) - a*b*g + c*(4*p + 7)*(b*f - 2*a*g)*x
^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[
c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1] && LtQ[p, -1]
```

Rule 1679

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> With[{q =
Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(
a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p
+ 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*
q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*
x^(2*q), x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[P
q, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(7 + 5x^2)^4}{(4 + 3x^2 + x^4)^{3/2}} dx &= \frac{x(2719 - 4023x^2)}{28\sqrt{4 + 3x^2 + x^4}} + \frac{1}{28} \int \frac{14088 + 49523x^2 + 17500x^4}{\sqrt{4 + 3x^2 + x^4}} dx \\
&= \frac{x(2719 - 4023x^2)}{28\sqrt{4 + 3x^2 + x^4}} + \frac{625}{3} x\sqrt{4 + 3x^2 + x^4} + \frac{1}{84} \int \frac{-27736 + 43569x^2}{\sqrt{4 + 3x^2 + x^4}} dx \\
&= \frac{x(2719 - 4023x^2)}{28\sqrt{4 + 3x^2 + x^4}} + \frac{625}{3} x\sqrt{4 + 3x^2 + x^4} + \frac{4243}{6} \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx - \frac{14523}{14} \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx \\
&= \frac{x(2719 - 4023x^2)}{28\sqrt{4 + 3x^2 + x^4}} + \frac{625}{3} x\sqrt{4 + 3x^2 + x^4} + \frac{14523x\sqrt{4 + 3x^2 + x^4}}{28(2 + x^2)} - \frac{14523(2 + x^2)}{14} \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^4/(4 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(625x^8 + 3500x^6 + 7350x^4 + 6860x^2 + 2401)\sqrt{x^4 + 3x^2 + 4}}{x^8 + 6x^6 + 17x^4 + 24x^2 + 16}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4/(x^4+3*x^2+4)^(3/2), x, algorithm="fricas")

[Out] integral((625*x^8 + 3500*x^6 + 7350*x^4 + 6860*x^2 + 2401)*sqrt(x^4 + 3*x^2 + 4)/(x^8 + 6*x^6 + 17*x^4 + 24*x^2 + 16), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^4}{(x^4 + 3x^2 + 4)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4/(x^4+3*x^2+4)^(3/2),x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^4/(x^4 + 3*x^2 + 4)^(3/2), x)

maple [C] time = 0.01, size = 339, normalized size = 1.70

$$\frac{625\sqrt{x^4 + 3x^2 + 4} x}{3} - \frac{27736\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1} \sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-6+2i\sqrt{7}} x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right)}{21\sqrt{-6 + 2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4}} - 12$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^4/(x^4+3*x^2+4)^(3/2),x)

[Out] $-1250*(-9/14*x^3+2/7*x)/(x^4+3*x^2+4)^{(1/2)}+625/3*(x^4+3*x^2+4)^{(1/2)}*x-27736/21/(-6+2*I*7^{(1/2)})^{(1/2)}*(-(-3/8+1/8*I*7^{(1/2)})*x^2+1)^{(1/2)}*(-(-3/8-1/8*I*7^{(1/2)})*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}*\operatorname{EllipticF}(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x, 1/4*(2+6*I*7^{(1/2)})^{(1/2)})-116184/7/(-6+2*I*7^{(1/2)})^{(1/2)}*(-(-3/8+1/8*I*7^{(1/2)})*x^2+1)^{(1/2)}*(-(-3/8-1/8*I*7^{(1/2)})*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}/(I*7^{(1/2)}+3)*(\operatorname{EllipticF}(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x, 1/4*(2+6*I*7^{(1/2)})^{(1/2)})-\operatorname{EllipticE}(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x, 1/4*(2+6*I*7^{(1/2)})^{(1/2)})))-7000*(-1/14*x^3-6/7*x)/(x^4+3*x^2+4)^{(1/2)}-14700*(3/14*x^3+4/7*x)/(x^4+3*x^2+4)^{(1/2)}-13720*(-1/7*x^3-3/14*x)/(x^4+3*x^2+4)^{(1/2)}-4802*(3/56*x^3+1/56*x)/(x^4+3*x^2+4)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^4}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^4/(x^4+3*x^2+4)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^4/(x^4 + 3*x^2 + 4)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(5x^2 + 7)^4}{(x^4 + 3x^2 + 4)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^4/(3*x^2 + x^4 + 4)^(3/2),x)

[Out] `int((5*x^2 + 7)^4/(3*x^2 + x^4 + 4)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^4}{((x^2 - x + 2)(x^2 + x + 2))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**2+7)**4/(x**4+3*x**2+4)**(3/2), x)`

[Out] `Integral((5*x**2 + 7)**4/((x**2 - x + 2)*(x**2 + x + 2))**(3/2), x)`

$$3.373 \quad \int \frac{(7+5x^2)^3}{(4+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=181

$$\frac{4449\sqrt{x^4+3x^2+4}x}{28(x^2+2)} - \frac{(949x^2+2323)x}{28\sqrt{x^4+3x^2+4}} + \frac{973(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|\frac{1}{8}\right)}{4\sqrt{2}\sqrt{x^4+3x^2+4}} - \frac{4449(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}}{14\sqrt{2}\sqrt{x^4+3x^2+4}}$$

[Out] $-1/28*x*(949*x^2+2323)/(x^4+3*x^2+4)^{(1/2)}+4449/28*x*(x^4+3*x^2+4)^{(1/2)/(x^2+2)-4449/28*(x^2+2)*(cos(2*arctan(1/2*x*2^{(1/2)})))^2)^{(1/2)}/cos(2*arctan(1/2*x*2^{(1/2)}))*EllipticE(sin(2*arctan(1/2*x*2^{(1/2)})),1/4*2^{(1/2)})*2^{(1/2)}*((x^4+3*x^2+4)/(x^2+2)^2)^{(1/2)/(x^4+3*x^2+4)^{(1/2)}+973/8*(x^2+2)*(cos(2*arctan(1/2*x*2^{(1/2)})))^2)^{(1/2)}/cos(2*arctan(1/2*x*2^{(1/2)}))*EllipticF(sin(2*arctan(1/2*x*2^{(1/2)})),1/4*2^{(1/2)})*((x^4+3*x^2+4)/(x^2+2)^2)^{(1/2)}*2^{(1/2)/(x^4+3*x^2+4)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1205, 1197, 1103, 1195}

$$\frac{4449\sqrt{x^4+3x^2+4}x}{28(x^2+2)} - \frac{(949x^2+2323)x}{28\sqrt{x^4+3x^2+4}} + \frac{973(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|\frac{1}{8}\right)}{4\sqrt{2}\sqrt{x^4+3x^2+4}} - \frac{4449(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}}}{14\sqrt{2}\sqrt{x^4+3x^2+4}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^3/(4 + 3*x^2 + x^4)^(3/2), x]

[Out] $-(x*(2323+949*x^2))/(28*\text{Sqrt}[4+3*x^2+x^4])+(4449*x*\text{Sqrt}[4+3*x^2+x^4])/(28*(2+x^2))-(4449*(2+x^2)*\text{Sqrt}[(4+3*x^2+x^4)/(2+x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/\text{Sqrt}[2]],1/8])/(14*\text{Sqrt}[2]*\text{Sqrt}[4+3*x^2+x^4])+(973*(2+x^2)*\text{Sqrt}[(4+3*x^2+x^4)/(2+x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/\text{Sqrt}[2]],1/8])/(4*\text{Sqrt}[2]*\text{Sqrt}[4+3*x^2+x^4])$

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :=> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :=> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1205

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :=> With[{f = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*g - f*(b^2 - 2*a*c) - c*(b*f - 2*a*g)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[(d + e*x^2)^q, a + b*x^2 + c*x^4, x] + b^2*f*(2*p + 3) - 2*a*c*f*(4*p + 5) - a*b*g + c*(4*p + 7)*(b*f - 2*a*g)*x^2, x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1] && LtQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{(7 + 5x^2)^3}{(4 + 3x^2 + x^4)^{3/2}} dx &= -\frac{x(2323 + 949x^2)}{28\sqrt{4 + 3x^2 + x^4}} + \frac{1}{28} \int \frac{4724 + 4449x^2}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= -\frac{x(2323 + 949x^2)}{28\sqrt{4 + 3x^2 + x^4}} - \frac{4449}{14} \int \frac{1 - \frac{x^2}{2}}{\sqrt{4 + 3x^2 + x^4}} dx + \frac{973}{2} \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= -\frac{x(2323 + 949x^2)}{28\sqrt{4 + 3x^2 + x^4}} + \frac{4449x\sqrt{4 + 3x^2 + x^4}}{28(2 + x^2)} - \frac{4449(2 + x^2)\sqrt{\frac{4 + 3x^2 + x^4}{(2 + x^2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{4 + 3x^2 + x^4}}\right)\right)}{14\sqrt{2}\sqrt{4 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^3/(4 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(125x^6 + 525x^4 + 735x^2 + 343)\sqrt{x^4 + 3x^2 + 4}}{x^8 + 6x^6 + 17x^4 + 24x^2 + 16}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(x^4+3*x^2+4)^(3/2), x, algorithm="fricas")

[Out] integral((125*x^6 + 525*x^4 + 735*x^2 + 343)*sqrt(x^4 + 3*x^2 + 4)/(x^8 + 6*x^6 + 17*x^4 + 24*x^2 + 16), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(x^4+3*x^2+4)^(3/2), x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^3/(x^4 + 3*x^2 + 4)^(3/2), x)

maple [C] time = 0.01, size = 301, normalized size = 1.66

$$\frac{4724\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1}\sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1}\text{EllipticF}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right) + 250\left(-\frac{1}{14}x^3 - \frac{6}{7}x\right)}{7\sqrt{-6+2i\sqrt{7}}\sqrt{x^4+3x^2+4}\sqrt{x^4+3x^2+4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^3/(x^4+3*x^2+4)^(3/2), x)

[Out] -250*(-1/14*x^3-6/7*x)/(x^4+3*x^2+4)^(1/2)+4724/7/(-6+2*I*7^(1/2))^(1/2)*(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+

$3x^2+4)^{1/2} * \text{EllipticF}(1/4 * (-6+2i\sqrt{7})^{1/2})^{1/2} * x, 1/4 * (2+6i\sqrt{7})^{1/2})^{1/2}) - 35592/7 / (-6+2i\sqrt{7})^{1/2})^{1/2} * (-(-3/8+1/8i\sqrt{7})^{1/2}) * x^2+1)^{1/2} * (-(-3/8-1/8i\sqrt{7})^{1/2}) * x^2+1)^{1/2} / (x^4+3x^2+4)^{1/2} / (i\sqrt{7}+3) * (\text{EllipticF}(1/4 * (-6+2i\sqrt{7})^{1/2})^{1/2} * x, 1/4 * (2+6i\sqrt{7})^{1/2})^{1/2}) - \text{EllipticE}(1/4 * (-6+2i\sqrt{7})^{1/2})^{1/2} * x, 1/4 * (2+6i\sqrt{7})^{1/2})^{1/2})) - 1050 * (3/14 * x^3+4/7 * x) / (x^4+3x^2+4)^{1/2} - 1470 * (-1/7 * x^3-3/14 * x) / (x^4+3x^2+4)^{1/2} - 686 * (3/56 * x^3+1/56 * x) / (x^4+3x^2+4)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^3/(x^4+3*x^2+4)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^3/(x^4 + 3*x^2 + 4)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(5x^2 + 7)^3}{(x^4 + 3x^2 + 4)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^3/(3*x^2 + x^4 + 4)^(3/2), x)

[Out] int((5*x^2 + 7)^3/(3*x^2 + x^4 + 4)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^3}{((x^2 - x + 2)(x^2 + x + 2))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**3/(x**4+3*x**2+4)**(3/2), x)

[Out] Integral((5*x**2 + 7)**3/((x**2 - x + 2)*(x**2 + x + 2))**(3/2), x)

$$3.374 \quad \int \frac{(7+5x^2)^2}{(4+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=181

$$\frac{113\sqrt{x^4+3x^2+4}x}{28(x^2+2)} - \frac{(9-113x^2)x}{28\sqrt{x^4+3x^2+4}} + \frac{9(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{4\sqrt{2}\sqrt{x^4+3x^2+4}} + \frac{113(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{14\sqrt{2}\sqrt{x^4+3x^2+4}}$$

[Out] $-1/28*x*(-113*x^2+9)/(x^4+3*x^2+4)^{(1/2)}-113/28*x*(x^4+3*x^2+4)^{(1/2)}/(x^2+2)+113/28*(x^2+2)*(\cos(2*\arctan(1/2*x*2^{(1/2)})))^2)^{(1/2)}/\cos(2*\arctan(1/2*x*2^{(1/2)}))*\text{EllipticE}(\sin(2*\arctan(1/2*x*2^{(1/2)})),1/4*2^{(1/2)}*2^{(1/2)}*((x^4+3*x^2+4)/(x^2+2)^2)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}+9/8*(x^2+2)*(\cos(2*\arctan(1/2*x*2^{(1/2)})))^2)^{(1/2)}/\cos(2*\arctan(1/2*x*2^{(1/2)}))*\text{EllipticF}(\sin(2*\arctan(1/2*x*2^{(1/2)})),1/4*2^{(1/2)}*((x^4+3*x^2+4)/(x^2+2)^2)^{(1/2)}*2^{(1/2)}/(x^4+3*x^2+4)^{(1/2)})$

Rubi [A] time = 0.06, antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1205, 1197, 1103, 1195}

$$\frac{113\sqrt{x^4+3x^2+4}x}{28(x^2+2)} - \frac{(9-113x^2)x}{28\sqrt{x^4+3x^2+4}} + \frac{9(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{4\sqrt{2}\sqrt{x^4+3x^2+4}} + \frac{113(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{14\sqrt{2}\sqrt{x^4+3x^2+4}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)^2/(4 + 3*x^2 + x^4)^(3/2), x]

[Out] $-(x*(9-113*x^2))/(28*\text{Sqrt}[4+3*x^2+x^4])-(113*x*\text{Sqrt}[4+3*x^2+x^4])/((28*(2+x^2))+113*(2+x^2)*\text{Sqrt}[(4+3*x^2+x^4)/(2+x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/\text{Sqrt}[2]],1/8])/((14*\text{Sqrt}[2]*\text{Sqrt}[4+3*x^2+x^4])+9*(2+x^2)*\text{Sqrt}[(4+3*x^2+x^4)/(2+x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/\text{Sqrt}[2]],1/8])/((4*\text{Sqrt}[2]*\text{Sqrt}[4+3*x^2+x^4]))$

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1205

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{f = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x^2)^q, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*g - f*(b^2 - 2*a*c) - c*(b*f - 2*a*g)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[(d + e*x^2)^q, a + b*x^2 + c*x^4, x] + b^2*f*(2*p + 3) - 2*a*c*f*(4*p + 5) - a*b*g + c*(4*p + 7)*(b*f - 2*a*g)*x^2, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1] && LtQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{(7 + 5x^2)^2}{(4 + 3x^2 + x^4)^{3/2}} dx &= -\frac{x(9 - 113x^2)}{28\sqrt{4 + 3x^2 + x^4}} + \frac{1}{28} \int \frac{352 - 113x^2}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= -\frac{x(9 - 113x^2)}{28\sqrt{4 + 3x^2 + x^4}} + \frac{9}{2} \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx + \frac{113}{14} \int \frac{1 - \frac{x^2}{2}}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= -\frac{x(9 - 113x^2)}{28\sqrt{4 + 3x^2 + x^4}} - \frac{113x\sqrt{4 + 3x^2 + x^4}}{28(2 + x^2)} + \frac{113(2 + x^2)\sqrt{\frac{4 + 3x^2 + x^4}{(2 + x^2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\right)}{14\sqrt{2}\sqrt{4 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)^2/(4 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(25x^4 + 70x^2 + 49)\sqrt{x^4 + 3x^2 + 4}}{x^8 + 6x^6 + 17x^4 + 24x^2 + 16}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(x^4+3*x^2+4)^(3/2), x, algorithm="fricas")

[Out] integral((25*x^4 + 70*x^2 + 49)*sqrt(x^4 + 3*x^2 + 4)/(x^8 + 6*x^6 + 17*x^4 + 24*x^2 + 16), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(x^4+3*x^2+4)^(3/2), x, algorithm="giac")

[Out] integrate((5*x^2 + 7)^2/(x^4 + 3*x^2 + 4)^(3/2), x)

maple [C] time = 0.01, size = 278, normalized size = 1.54

$$\frac{352\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1} \sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right) - 50\left(\frac{3}{14}x^3 + \frac{4}{7}x\right) + 904\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1}}{7\sqrt{-6+2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4}} + \frac{904\sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1}}{7\sqrt{-6-2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)^2/(x^4+3*x^2+4)^(3/2), x)

[Out] -50*(3/14*x^3+4/7*x)/(x^4+3*x^2+4)^(1/2)+352/7/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x

$\sqrt{x^2+4} \cdot \text{EllipticF}\left(\frac{1}{4} \sqrt{-6+2\sqrt{7}}, \sqrt{x}, \frac{1}{4} \sqrt{2+6\sqrt{7}}\right) + 904/7 \sqrt{-6+2\sqrt{7}} \sqrt{-(-3/8+1/8\sqrt{7})x^2+1} \sqrt{-(-3/8-1/8\sqrt{7})x^2+1} / (\sqrt{x^4+3x^2+4}) / (\sqrt{7}+3) \cdot \text{EllipticF}\left(\frac{1}{4} \sqrt{-6+2\sqrt{7}}, \sqrt{x}, \frac{1}{4} \sqrt{2+6\sqrt{7}}\right) - \text{EllipticE}\left(\frac{1}{4} \sqrt{-6+2\sqrt{7}}, \sqrt{x}, \frac{1}{4} \sqrt{2+6\sqrt{7}}\right) - 140 \sqrt{-1/7x^3-3/14x} / (\sqrt{x^4+3x^2+4}) - 98 \sqrt{3/56x^3+1/56x} / (\sqrt{x^4+3x^2+4})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)^2/(x^4+3*x^2+4)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)^2/(x^4 + 3*x^2 + 4)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(5x^2 + 7)^2}{(x^4 + 3x^2 + 4)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)^2/(3*x^2 + x^4 + 4)^(3/2),x)

[Out] int((5*x^2 + 7)^2/(3*x^2 + x^4 + 4)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(5x^2 + 7)^2}{((x^2 - x + 2)(x^2 + x + 2))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)**2/(x**4+3*x**2+4)**(3/2),x)

[Out] Integral((5*x**2 + 7)**2/((x**2 - x + 2)*(x**2 + x + 2))**(3/2), x)

$$3.375 \quad \int \frac{7+5x^2}{(4+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=181

$$-\frac{19\sqrt{x^4+3x^2+4}x}{28(x^2+2)} + \frac{(19x^2+53)x}{28\sqrt{x^4+3x^2+4}} - \frac{3(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{4\sqrt{2}\sqrt{x^4+3x^2+4}} + \frac{19(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{14\sqrt{2}\sqrt{x^4+3x^2+4}}$$

[Out] $1/28*x*(19*x^2+53)/(x^4+3*x^2+4)^{(1/2)} - 19/28*x*(x^4+3*x^2+4)^{(1/2)}/(x^2+2) + 19/28*(x^2+2)*(cos(2*arctan(1/2*x*2^{(1/2)}))^2)^{(1/2)}/cos(2*arctan(1/2*x*2^{(1/2)}))*EllipticE(sin(2*arctan(1/2*x*2^{(1/2)})), 1/4*2^{(1/2)})*2^{(1/2)}*((x^4+3*x^2+4)/(x^2+2)^2)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)} - 3/8*(x^2+2)*(cos(2*arctan(1/2*x*2^{(1/2)}))^2)^{(1/2)}/cos(2*arctan(1/2*x*2^{(1/2)}))*EllipticF(sin(2*arctan(1/2*x*2^{(1/2)})), 1/4*2^{(1/2)}*((x^4+3*x^2+4)/(x^2+2)^2)^{(1/2)}*2^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1178, 1197, 1103, 1195}

$$-\frac{19\sqrt{x^4+3x^2+4}x}{28(x^2+2)} + \frac{(19x^2+53)x}{28\sqrt{x^4+3x^2+4}} - \frac{3(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{4\sqrt{2}\sqrt{x^4+3x^2+4}} + \frac{19(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{14\sqrt{2}\sqrt{x^4+3x^2+4}}$$

Antiderivative was successfully verified.

[In] Int[(7 + 5*x^2)/(4 + 3*x^2 + x^4)^(3/2), x]

[Out] $(x*(53 + 19*x^2))/(28*\text{Sqrt}[4 + 3*x^2 + x^4]) - (19*x*\text{Sqrt}[4 + 3*x^2 + x^4])/(28*(2 + x^2)) + (19*(2 + x^2)*\text{Sqrt}[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/\text{Sqrt}[2]], 1/8])/(14*\text{Sqrt}[2]*\text{Sqrt}[4 + 3*x^2 + x^4]) - (3*(2 + x^2)*\text{Sqrt}[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/\text{Sqrt}[2]], 1/8])/(4*\text{Sqrt}[2]*\text{Sqrt}[4 + 3*x^2 + x^4])$

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1178

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 +
c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2
- 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7
)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^
2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^
2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c
*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 -
4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4
], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; Ne
Q[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[
c/a]
```

Rubi steps

$$\begin{aligned} \int \frac{7 + 5x^2}{(4 + 3x^2 + x^4)^{3/2}} dx &= \frac{x(53 + 19x^2)}{28\sqrt{4 + 3x^2 + x^4}} + \frac{1}{28} \int \frac{-4 - 19x^2}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= \frac{x(53 + 19x^2)}{28\sqrt{4 + 3x^2 + x^4}} + \frac{19}{14} \int \frac{1 - \frac{x^2}{2}}{\sqrt{4 + 3x^2 + x^4}} dx - \frac{3}{2} \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= \frac{x(53 + 19x^2)}{28\sqrt{4 + 3x^2 + x^4}} - \frac{19x\sqrt{4 + 3x^2 + x^4}}{28(2 + x^2)} + \frac{19(2 + x^2) \sqrt{\frac{4 + 3x^2 + x^4}{(2 + x^2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{14\sqrt{2}\sqrt{4 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(7 + 5*x^2)/(4 + 3*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 4}(5x^2 + 7)}{x^8 + 6x^6 + 17x^4 + 24x^2 + 16}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(x^4+3*x^2+4)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 4)*(5*x^2 + 7)/(x^8 + 6*x^6 + 17*x^4 + 24*x^2 + 16), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(x^4+3*x^2+4)^(3/2), x, algorithm="giac")

[Out] integrate((5*x^2 + 7)/(x^4 + 3*x^2 + 4)^(3/2), x)

maple [C] time = 0.01, size = 255, normalized size = 1.41

$$\frac{4\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1} \sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right) + 10\left(-\frac{1}{7}x^3 - \frac{3}{14}x\right) + 152\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1}}{7\sqrt{-6+2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4} + \sqrt{x^4 + 3x^2 + 4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2+7)/(x^4+3*x^2+4)^(3/2), x)

[Out]
$$-10\left(-\frac{1}{7}x^3 - \frac{3}{14}x\right) / (x^4 + 3x^2 + 4)^{1/2} - 4/7 / (-6 + 2i\sqrt{7})^{1/2} * (-(-3/8 + 1/8i\sqrt{7})x^2 + 1)^{1/2} * (-(-3/8 - 1/8i\sqrt{7})x^2 + 1)^{1/2} / (x^4 + 3x^2 + 4)^{1/2} * \text{EllipticF}\left(\frac{1}{4} * (-6 + 2i\sqrt{7})^{1/2} * x, \frac{1}{4} * (2 + 6i\sqrt{7})^{1/2}\right) + 152/7 / (-6 + 2i\sqrt{7})^{1/2} * (-(-3/8 + 1/8i\sqrt{7})x^2 + 1)^{1/2} * (-(-3/8 - 1/8i\sqrt{7})x^2 + 1)^{1/2} / (x^4 + 3x^2 + 4)^{1/2} / (i\sqrt{7} + 3) * (\text{EllipticF}\left(\frac{1}{4} * (-6 + 2i\sqrt{7})^{1/2} * x, \frac{1}{4} * (2 + 6i\sqrt{7})^{1/2}\right) + 10\left(-\frac{1}{7}x^3 - \frac{3}{14}x\right) + 152\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1})$$

$4*(-6+2*I*7^{(1/2)})^{(1/2)}*x, 1/4*(2+6*I*7^{(1/2)})^{(1/2)})-EllipticE(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x, 1/4*(2+6*I*7^{(1/2)})^{(1/2)}))-14*(3/56*x^3+1/56*x)/(x^4+3*x^2+4)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x^2+7)/(x^4+3*x^2+4)^(3/2),x, algorithm="maxima")

[Out] integrate((5*x^2 + 7)/(x^4 + 3*x^2 + 4)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{5x^2 + 7}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5*x^2 + 7)/(3*x^2 + x^4 + 4)^(3/2), x)

[Out] int((5*x^2 + 7)/(3*x^2 + x^4 + 4)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{5x^2 + 7}{((x^2 - x + 2)(x^2 + x + 2))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5*x**2+7)/(x**4+3*x**2+4)**(3/2),x)

[Out] Integral((5*x**2 + 7)/((x**2 - x + 2)*(x**2 + x + 2))**(3/2), x)

$$3.376 \quad \int \frac{1}{(4+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=181

$$\frac{3\sqrt{x^4+3x^2+4}x}{28(x^2+2)} - \frac{(3x^2+1)x}{28\sqrt{x^4+3x^2+4}} + \frac{(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{4\sqrt{2}\sqrt{x^4+3x^2+4}} - \frac{3(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{14\sqrt{2}\sqrt{x^4+3x^2+4}}$$

[Out] $-1/28*x*(3*x^2+1)/(x^4+3*x^2+4)^{(1/2)}+3/28*x*(x^4+3*x^2+4)^{(1/2)}/(x^2+2)-3/28*(x^2+2)*(\cos(2*\arctan(1/2*x*2^{(1/2)}))^2)^{(1/2)}/\cos(2*\arctan(1/2*x*2^{(1/2)})))*\text{EllipticE}(\sin(2*\arctan(1/2*x*2^{(1/2)})),1/4*2^{(1/2)})*2^{(1/2)}*((x^4+3*x^2+4)/(x^2+2)^2)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}+1/8*(x^2+2)*(\cos(2*\arctan(1/2*x*2^{(1/2)}))^2)^{(1/2)}/\cos(2*\arctan(1/2*x*2^{(1/2)})))*\text{EllipticF}(\sin(2*\arctan(1/2*x*2^{(1/2)})),1/4*2^{(1/2)})*((x^4+3*x^2+4)/(x^2+2)^2)^{(1/2)}*2^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {1092, 1197, 1103, 1195}

$$\frac{3\sqrt{x^4+3x^2+4}x}{28(x^2+2)} - \frac{(3x^2+1)x}{28\sqrt{x^4+3x^2+4}} + \frac{(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{4\sqrt{2}\sqrt{x^4+3x^2+4}} - \frac{3(x^2+2)\sqrt{\frac{x^4+3x^2+4}{(x^2+2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{14\sqrt{2}\sqrt{x^4+3x^2+4}}$$

Antiderivative was successfully verified.

[In] Int[(4 + 3*x^2 + x^4)^(-3/2), x]

[Out] $-(x*(1+3*x^2))/(28*\text{Sqrt}[4+3*x^2+x^4])+(3*x*\text{Sqrt}[4+3*x^2+x^4])/(28*(2+x^2))-(3*(2+x^2)*\text{Sqrt}[(4+3*x^2+x^4)/(2+x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/\text{Sqrt}[2]],1/8])/(14*\text{Sqrt}[2]*\text{Sqrt}[4+3*x^2+x^4])+((2+x^2)*\text{Sqrt}[(4+3*x^2+x^4)/(2+x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/\text{Sqrt}[2]],1/8])/(4*\text{Sqrt}[2]*\text{Sqrt}[4+3*x^2+x^4])$

Rule 1092

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> -Simp[(x*(b^2 - 2*a*c + b*c*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(b^2 - 2*a*c + 2*(p + 1)*(b^2 - 4*a*c) + b*c*(4*p + 7)*x^2)*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && IntegerQ[2*p]

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(4 + 3x^2 + x^4)^{3/2}} dx &= -\frac{x(1 + 3x^2)}{28\sqrt{4 + 3x^2 + x^4}} + \frac{1}{28} \int \frac{8 + 3x^2}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= -\frac{x(1 + 3x^2)}{28\sqrt{4 + 3x^2 + x^4}} - \frac{3}{14} \int \frac{1 - \frac{x^2}{2}}{\sqrt{4 + 3x^2 + x^4}} dx + \frac{1}{2} \int \frac{1}{\sqrt{4 + 3x^2 + x^4}} dx \\ &= -\frac{x(1 + 3x^2)}{28\sqrt{4 + 3x^2 + x^4}} + \frac{3x\sqrt{4 + 3x^2 + x^4}}{28(2 + x^2)} - \frac{3(2 + x^2) \sqrt{\frac{4 + 3x^2 + x^4}{(2 + x^2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| \frac{1}{8}\right)}{14\sqrt{2} \sqrt{4 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.35, size = 328, normalized size = 1.81

$$\frac{-4\sqrt{-\frac{i}{\sqrt{7}-3i}} x(3x^2 + 1) + \sqrt{2} (3\sqrt{7} - 7i) \sqrt{\frac{-2ix^2 + \sqrt{7} - 3i}{\sqrt{7} - 3i}} \sqrt{\frac{2ix^2 + \sqrt{7} + 3i}{\sqrt{7} + 3i}} F\left(i \sinh^{-1}\left(\sqrt{-\frac{2i}{-3i + \sqrt{7}}} x\right) \middle| \frac{3i - \sqrt{7}}{3i + \sqrt{7}}\right) - 3\sqrt{2}}{112\sqrt{-\frac{i}{\sqrt{7}-3i}} \sqrt{x^4 + 3x^2 + 4}}$$

Antiderivative was successfully verified.

[In] Integrate[(4 + 3*x^2 + x^4)^(-3/2), x]

[Out] (-4*Sqrt[(-I)/(-3*I + Sqrt[7])] * x * (1 + 3*x^2) - 3*Sqrt[2] * (3*I + Sqrt[7]) * Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])] * Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])] * EllipticE[I * ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])] * x], (3*I - Sqrt[7])/(3*I + Sqrt[7])] + Sqrt[2] * (-7*I + 3*Sqrt[7]) * Sqrt[(-3*I + Sqrt[7] - (2*I)*x^2)/(-3*I + Sqrt[7])] * Sqrt[(3*I + Sqrt[7] + (2*I)*x^2)/(3*I + Sqrt[7])] * EllipticF[I * ArcSinh[Sqrt[(-2*I)/(-3*I + Sqrt[7])] * x], (3*I - Sqrt[7])/(3*I + Sqrt[7])]) / (112*Sqrt[(-I)/(-3*I + Sqrt[7])] * Sqrt[4 + 3*x^2 + x^4])

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 4}}{x^8 + 6x^6 + 17x^4 + 24x^2 + 16}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^4+3*x^2+4)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 4)/(x^8 + 6*x^6 + 17*x^4 + 24*x^2 + 16), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(x^4+3*x^2+4)^(3/2), x, algorithm="giac")

[Out] integrate((x^4 + 3*x^2 + 4)^(-3/2), x)

maple [C] time = 0.00, size = 232, normalized size = 1.28

$$\frac{8\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1} \sqrt{-\left(-\frac{3}{8} - \frac{i\sqrt{7}}{8}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right) - 2\left(\frac{3}{56}x^3 + \frac{1}{56}x\right) - 24\sqrt{-\left(-\frac{3}{8} + \frac{i\sqrt{7}}{8}\right)x^2 + 1}}{7\sqrt{-6+2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4+3*x^2+4)^(3/2), x)

```
[Out] -2*(3/56*x^3+1/56*x)/(x^4+3*x^2+4)^(1/2)+8/7/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)*EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-24/7/(-6+2*I*7^(1/2))^(1/2)*(-(-3/8+1/8*I*7^(1/2))*x^2+1)^(1/2)*(-(-3/8-1/8*I*7^(1/2))*x^2+1)^(1/2)/(x^4+3*x^2+4)^(1/2)/(I*7^(1/2)+3)*(EllipticF(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2))-EllipticE(1/4*(-6+2*I*7^(1/2))^(1/2)*x,1/4*(2+6*I*7^(1/2))^(1/2)))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(x^4+3*x^2+4)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((x^4 + 3*x^2 + 4)^(-3/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(3*x^2 + x^4 + 4)^(3/2),x)
```

```
[Out] int(1/(3*x^2 + x^4 + 4)^(3/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(x**4+3*x**2+4)**(3/2),x)
```

```
[Out] Integral((x**4 + 3*x**2 + 4)**(-3/2), x)
```

$$3.377 \quad \int \frac{1}{(7+5x^2)(4+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=284

$$\frac{\sqrt{x^4 + 3x^2 + 4}x}{77(x^2 + 2)} - \frac{(4x^2 + 13)x}{308\sqrt{x^4 + 3x^2 + 4}} + \frac{25}{176}\sqrt{\frac{5}{77}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4 + 3x^2 + 4}}\right) - \frac{(x^2 + 2)\sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) \frac{1}{8}}{12\sqrt{2}\sqrt{x^4 + 3x^2 + 4}}$$

[Out] 25/13552*arctan(2/35*x*385^(1/2)/(x^4+3*x^2+4)^(1/2))*385^(1/2)-1/308*x*(4*x^2+13)/(x^4+3*x^2+4)^(1/2)+1/77*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)-1/24*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)+425/7392*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticPi(sin(2*arctan(1/2*x*2^(1/2))),-9/280,1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)-1/77*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2))))^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.16, antiderivative size = 284, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$, Rules used = {1221, 1178, 1197, 1103, 1195, 1216, 1706}

$$\frac{\sqrt{x^4 + 3x^2 + 4}x}{77(x^2 + 2)} - \frac{(4x^2 + 13)x}{308\sqrt{x^4 + 3x^2 + 4}} + \frac{25}{176}\sqrt{\frac{5}{77}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4 + 3x^2 + 4}}\right) - \frac{(x^2 + 2)\sqrt{\frac{x^4 + 3x^2 + 4}{(x^2 + 2)^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)\right) \frac{1}{8}}{12\sqrt{2}\sqrt{x^4 + 3x^2 + 4}}$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)*(4 + 3*x^2 + x^4)^(3/2)),x]

[Out] -(x*(13 + 4*x^2))/(308*Sqrt[4 + 3*x^2 + x^4]) + (x*Sqrt[4 + 3*x^2 + x^4])/(77*(2 + x^2)) + (25*Sqrt[5/77]*ArcTan[(2*Sqrt[11/35]*x)/Sqrt[4 + 3*x^2 + x^4]])/176 - (Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(77*Sqrt[4 + 3*x^2 + x^4]) - ((2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(12*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) + (425*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticPi[-9/280, 2*ArcTan[x/Sqrt[2]], 1/8])/(3696*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1178

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1216

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1221

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_)/((d_) + (e_.)*(x_)^2), x_Symbol] := Dist[1/(c*d^2 - b*d*e + a*e^2), Int[(c*d - b*e - c*e*x^2)*(a + b*x^2
```

+ c*x^4)^p, x], x] + Dist[e^2/(c*d^2 - b*d*e + a*e^2), Int[(a + b*x^2 + c*x^4)^(p + 1)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[p + 1/2, 0]

Rule 1706

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]]/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{1}{(7+5x^2)(4+3x^2+x^4)^{3/2}} dx &= \frac{1}{44} \int \frac{-8-5x^2}{(4+3x^2+x^4)^{3/2}} dx + \frac{25}{44} \int \frac{1}{(7+5x^2)\sqrt{4+3x^2+x^4}} dx \\ &= -\frac{x(13+4x^2)}{308\sqrt{4+3x^2+x^4}} + \frac{\int \frac{-4+16x^2}{\sqrt{4+3x^2+x^4}} dx}{1232} - \frac{25}{132} \int \frac{1}{\sqrt{4+3x^2+x^4}} dx + \frac{125}{66} \int \frac{1}{7+5x^2} dx \\ &= -\frac{x(13+4x^2)}{308\sqrt{4+3x^2+x^4}} + \frac{25}{176} \sqrt{\frac{5}{77}} \tan^{-1} \left(\frac{2\sqrt{\frac{11}{35}} x}{\sqrt{4+3x^2+x^4}} \right) - \frac{25(2+x^2) \sqrt{\frac{4+3x^2+x^4}}{264\sqrt{2}}} \\ &= -\frac{x(13+4x^2)}{308\sqrt{4+3x^2+x^4}} + \frac{x\sqrt{4+3x^2+x^4}}{77(2+x^2)} + \frac{25}{176} \sqrt{\frac{5}{77}} \tan^{-1} \left(\frac{2\sqrt{\frac{11}{35}} x}{\sqrt{4+3x^2+x^4}} \right) \end{aligned}$$

Mathematica [C] time = 0.55, size = 483, normalized size = 1.70

$$-8\sqrt{-\frac{i}{\sqrt{7}-3i}} x^3 + \sqrt{2} (2\sqrt{7} + 7i) \sqrt{\frac{-2ix^2+\sqrt{7}-3i}{\sqrt{7}-3i}} \sqrt{\frac{2ix^2+\sqrt{7}+3i}{\sqrt{7}+3i}} F\left(i \sinh^{-1}\left(\sqrt{-\frac{2i}{-3i+\sqrt{7}}} x\right) \middle| \frac{3i-\sqrt{7}}{3i+\sqrt{7}}\right) - 2\sqrt{2} (\sqrt{7} + 3i)$$

Antiderivative was successfully verified.

[In] Integrate[1/((7 + 5*x^2)*(4 + 3*x^2 + x^4)^(3/2)),x]

[Out] $(-26\sqrt{-1}/(-3I + \sqrt{7}))x - 8\sqrt{-1}/(-3I + \sqrt{7})x^3 - 2\sqrt{2}(3I + \sqrt{7})\sqrt{(-3I + \sqrt{7} - (2I)x^2)/(-3I + \sqrt{7})} \sqrt{(3I + \sqrt{7} + (2I)x^2)/(3I + \sqrt{7})} \text{EllipticE}[I\text{ArcSinh}[\sqrt{(-2I)/(-3I + \sqrt{7})}]x], (3I - \sqrt{7})/(3I + \sqrt{7})] + \sqrt{2}(7I + 2\sqrt{7})\sqrt{(-3I + \sqrt{7} - (2I)x^2)/(-3I + \sqrt{7})} \sqrt{(3I + \sqrt{7} + (2I)x^2)/(3I + \sqrt{7})} \text{EllipticF}[I\text{ArcSinh}[\sqrt{(-2I)/(-3I + \sqrt{7})}]x], (3I - \sqrt{7})/(3I + \sqrt{7})] - (25I)\sqrt{2}\sqrt{(-3I + \sqrt{7} - (2I)x^2)/(-3I + \sqrt{7})} \sqrt{(3I + \sqrt{7} + (2I)x^2)/(3I + \sqrt{7})} \text{EllipticPi}[(5(3 + I\sqrt{7}))/14, I\text{ArcSinh}[\sqrt{(-2I)/(-3I + \sqrt{7})}]x], (3I - \sqrt{7})/(3I + \sqrt{7})]/(616\sqrt{-1}/(-3I + \sqrt{7}))\sqrt{4 + 3x^2 + x^4})$

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 4}}{5x^{10} + 37x^8 + 127x^6 + 239x^4 + 248x^2 + 112}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(x^4+3*x^2+4)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 4)/(5*x^10 + 37*x^8 + 127*x^6 + 239*x^4 + 248*x^2 + 112), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)/(x^4+3*x^2+4)^(3/2),x, algorithm="giac")

[Out] integrate(1/((x^4 + 3*x^2 + 4)^(3/2)*(5*x^2 + 7)), x)

maple [C] time = 0.02, size = 409, normalized size = 1.44

$$\frac{32\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1}\sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8} + 1}\text{EllipticE}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right)\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1}\sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8} + 1}}{77\sqrt{-6+2i\sqrt{7}}\sqrt{x^4+3x^2+4}(i\sqrt{7}+3)} - \frac{32\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1}\sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8} + 1}\text{EllipticE}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right)\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1}\sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8} + 1}}{77\sqrt{-6+2i\sqrt{7}}\sqrt{x^4+3x^2+4}(i\sqrt{7}+3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(5*x^2+7)/(x^4+3*x^2+4)^(3/2),x)`

[Out]
$$-2*(1/154*x^3+13/616*x)/(x^4+3*x^2+4)^{(1/2)}-1/77/(-6+2*I*7^{(1/2)})^{(1/2)}*(3/8*x^2-1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}*(3/8*x^2+1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}*EllipticF(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x,1/4*(2+6*I*7^{(1/2)})^{(1/2)})-32/77/(-6+2*I*7^{(1/2)})^{(1/2)}*(3/8*x^2-1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}*(3/8*x^2+1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}/(I*7^{(1/2)}+3)*EllipticF(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x,1/4*(2+6*I*7^{(1/2)})^{(1/2)})+32/77/(-6+2*I*7^{(1/2)})^{(1/2)}*(3/8*x^2-1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}*(3/8*x^2+1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}/(I*7^{(1/2)}+3)*EllipticE(1/4*(-6+2*I*7^{(1/2)})^{(1/2)}*x,1/4*(2+6*I*7^{(1/2)})^{(1/2)})+25/308/(-3/8+1/8*I*7^{(1/2)})^{(1/2)}*(3/8*x^2-1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}*(3/8*x^2+1/8*I*7^{(1/2)}*x^2+1)^{(1/2)}/(x^4+3*x^2+4)^{(1/2)}*EllipticPi((-3/8+1/8*I*7^{(1/2)})^{(1/2)}*x,-5/7/(-3/8+1/8*I*7^{(1/2)}),(-3/8-1/8*I*7^{(1/2)})^{(1/2)}/(-3/8+1/8*I*7^{(1/2)})^{(1/2)})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(5*x^2+7)/(x^4+3*x^2+4)^(3/2),x, algorithm="maxima")`

[Out] `integrate(1/((x^4 + 3*x^2 + 4)^(3/2)*(5*x^2 + 7)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(5x^2 + 7)(x^4 + 3x^2 + 4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((5*x^2 + 7)*(3*x^2 + x^4 + 4)^(3/2)),x)`

[Out] `int(1/((5*x^2 + 7)*(3*x^2 + x^4 + 4)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{((x^2 - x + 2)(x^2 + x + 2))^{\frac{3}{2}}(5x^2 + 7)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(5*x**2+7)/(x**4+3*x**2+4)**(3/2),x)
```

```
[Out] Integral(1/(((x**2 - x + 2)*(x**2 + x + 2))**(3/2)*(5*x**2 + 7)), x)
```

$$3.378 \quad \int \frac{1}{(7+5x^2)^2(4+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=312

$$\frac{199\sqrt{x^4+3x^2+4}x}{27104(x^2+2)} + \frac{625\sqrt{x^4+3x^2+4}x}{27104(5x^2+7)} + \frac{(37x^2+24)x}{13552\sqrt{x^4+3x^2+4}} + \frac{575\sqrt{\frac{5}{77}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right)}{108416} - \frac{2\sqrt{2}(x^2+2)}{23104}$$

[Out] 575/8348032*arctan(2/35*x*385^(1/2)/(x^4+3*x^2+4)^(1/2))*385^(1/2)+1/13552*x*(37*x^2+24)/(x^4+3*x^2+4)^(1/2)-199/27104*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+625/27104*x*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)+199/27104*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)+9775/4553472*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticPi(sin(2*arctan(1/2*x*2^(1/2))),-9/280,1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)-2/231*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.50, antiderivative size = 312, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 10, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {1228, 1178, 1197, 1103, 1195, 1223, 1714, 1708, 1706, 1216}

$$\frac{199\sqrt{x^4+3x^2+4}x}{27104(x^2+2)} + \frac{625\sqrt{x^4+3x^2+4}x}{27104(5x^2+7)} + \frac{(37x^2+24)x}{13552\sqrt{x^4+3x^2+4}} + \frac{575\sqrt{\frac{5}{77}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{x^4+3x^2+4}}\right)}{108416} - \frac{2\sqrt{2}(x^2+2)}{23104}$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)^2*(4 + 3*x^2 + x^4)^(3/2)),x]

[Out] (x*(24 + 37*x^2))/(13552*Sqrt[4 + 3*x^2 + x^4]) - (199*x*Sqrt[4 + 3*x^2 + x^4])/(27104*(2 + x^2)) + (625*x*Sqrt[4 + 3*x^2 + x^4])/(27104*(7 + 5*x^2)) + (575*Sqrt[5/77]*ArcTan[(2*Sqrt[11/35]*x)/Sqrt[4 + 3*x^2 + x^4]])/108416 + (199*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(13552*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) - (2*Sqrt[2]*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(231*Sqrt[4 + 3*x^2 + x^4]) + (9775*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticPi[-9/280, 2*ArcTan[x/Sqrt[2]], 1/8])/(2276736*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1178

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1216

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1223

```

Int[((d_) + (e_)*(x_)^2)^(q_)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_
_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(
q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e +
a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q
+ 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt
[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c
, 0] && ILtQ[q, -1]

```

Rule 1228

```

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x
_Symbol] := Module[{aa, bb, cc}, Int[ExpandIntegrand[1/Sqrt[aa + bb*x^2 + c
c*x^4], (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^(p + 1/2), x] /. {aa -> a, bb
-> b, cc -> c}, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[q, 0] && IntegerQ[p + 1/2]

```

Rule 1706

```

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 +
(c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*Arc
Tan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-
b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a
+ b*x^2 + c*x^4))/(a*(A + B*x^2)^2])*EllipticPi[Cancel[-((B*d - A*e)^2/(4*
d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)])/ (4*d*e*A*q*Sqrt[a + b*x^2
+ c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ
[c*A^2 - a*B^2, 0]

```

Rule 1708

```

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 +
(c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(A*(c*d + a*e*q)
- a*B*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] +
Dist[(a*(B*d - A*e)*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2
)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && N
eQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0
] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]

```

Rule 1714

```

Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4])
, x_Symbol] := With[{q = Rt[c/a, 2], A = Coeff[P4x, x, 0], B = Coeff[P4x, x
, 2], C = Coeff[P4x, x, 4]}, -Dist[C/(e*q), Int[(1 - q*x^2)/Sqrt[a + b*x^2
+ c*x^4], x], x] + Dist[1/(c*e), Int[(A*c*e + a*C*d*q + (B*c*e - C*(c*d - a
*e*q))*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b,

```

c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{(7+5x^2)^2 (4+3x^2+x^4)^{3/2}} dx &= \int \left(\frac{-36+5x^2}{1936(4+3x^2+x^4)^{3/2}} + \frac{25}{44(7+5x^2)^2 \sqrt{4+3x^2+x^4}} - \frac{1}{1936(7+5x^2)^2} \right) dx \\
 &= \frac{\int \frac{-36+5x^2}{(4+3x^2+x^4)^{3/2}} dx}{1936} - \frac{25 \int \frac{1}{(7+5x^2)\sqrt{4+3x^2+x^4}} dx}{1936} + \frac{25}{44} \int \frac{1}{(7+5x^2)^2 \sqrt{4+3x^2+x^4}} dx \\
 &= \frac{x(24+37x^2)}{13552\sqrt{4+3x^2+x^4}} + \frac{625x\sqrt{4+3x^2+x^4}}{27104(7+5x^2)} + \frac{\int \frac{-348-148x^2}{\sqrt{4+3x^2+x^4}} dx}{54208} - \frac{25 \int \frac{1}{(7+5x^2)\sqrt{4+3x^2+x^4}} dx}{1936} \\
 &= \frac{x(24+37x^2)}{13552\sqrt{4+3x^2+x^4}} + \frac{625x\sqrt{4+3x^2+x^4}}{27104(7+5x^2)} - \frac{25\sqrt{\frac{5}{77}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4+3x^2+x^4}}\right)}{7744} \\
 &= \frac{x(24+37x^2)}{13552\sqrt{4+3x^2+x^4}} - \frac{199x\sqrt{4+3x^2+x^4}}{27104(2+x^2)} + \frac{625x\sqrt{4+3x^2+x^4}}{27104(7+5x^2)} - \frac{25\sqrt{\frac{5}{77}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4+3x^2+x^4}}\right)}{7744} \\
 &= \frac{x(24+37x^2)}{13552\sqrt{4+3x^2+x^4}} - \frac{199x\sqrt{4+3x^2+x^4}}{27104(2+x^2)} + \frac{625x\sqrt{4+3x^2+x^4}}{27104(7+5x^2)} + \frac{575\sqrt{\frac{5}{77}} \tan^{-1}\left(\frac{2\sqrt{\frac{11}{35}}x}{\sqrt{4+3x^2+x^4}}\right)}{7744}
 \end{aligned}$$

Mathematica [C] time = 0.60, size = 311, normalized size = 1.00

$$28x(995x^4 + 2633x^2 + 2836) + i\sqrt{6+2i\sqrt{7}}(5x^2+7)\sqrt{1-\frac{2ix^2}{\sqrt{7}-3i}}\sqrt{1+\frac{2ix^2}{\sqrt{7}+3i}}\left(7(101+199i\sqrt{7})F\left(i\sinh^{-1}\left(\frac{x\sqrt{4+3x^2+x^4}}{\sqrt{4+3x^2+x^4}}\right)\right)\right)$$

7589

Antiderivative was successfully verified.

[In] Integrate[1/((7+5*x^2)^2*(4+3*x^2+x^4)^(3/2)),x]

[Out] $(28*x*(2836 + 2633*x^2 + 995*x^4) + I*\text{Sqrt}[6 + (2*I)*\text{Sqrt}[7]]*(7 + 5*x^2)*\text{Sqrt}[1 - ((2*I)*x^2)/(-3*I + \text{Sqrt}[7])]*\text{Sqrt}[1 + ((2*I)*x^2)/(3*I + \text{Sqrt}[7])]$
 $*(1393*(3 - I*\text{Sqrt}[7])*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[(-2*I)/(-3*I + \text{Sqrt}[7])]]*x$
 $, (3*I - \text{Sqrt}[7])/(3*I + \text{Sqrt}[7])] + 7*(101 + (199*I)*\text{Sqrt}[7])*\text{EllipticF}[I*$
 $\text{ArcSinh}[\text{Sqrt}[(-2*I)/(-3*I + \text{Sqrt}[7])]]*x, (3*I - \text{Sqrt}[7])/(3*I + \text{Sqrt}[7])]$
 $- 1150*\text{EllipticPi}[(5*(3 + I*\text{Sqrt}[7]))/14, I*\text{ArcSinh}[\text{Sqrt}[(-2*I)/(-3*I + \text{Sqrt}[7])]]*x,$
 $(3*I - \text{Sqrt}[7])/(3*I + \text{Sqrt}[7])])]/(758912*(7 + 5*x^2)*\text{Sqrt}[4 + 3*x^2 + x^4])$

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 4}}{25x^{12} + 220x^{10} + 894x^8 + 2084x^6 + 2913x^4 + 2296x^2 + 784}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(5*x^2+7)^2/(x^4+3*x^2+4)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^4 + 3*x^2 + 4)/(25*x^12 + 220*x^10 + 894*x^8 + 2084*x^6 + 2913*x^4 + 2296*x^2 + 784), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}(5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(5*x^2+7)^2/(x^4+3*x^2+4)^(3/2),x, algorithm="giac")`

[Out] `integrate(1/((x^4 + 3*x^2 + 4)^(3/2)*(5*x^2 + 7)^2), x)`

maple [C] time = 0.03, size = 433, normalized size = 1.39

$$\frac{625\sqrt{x^4 + 3x^2 + 4} x}{27104(5x^2 + 7)} \frac{199\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1} \sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8} + 1} \text{EllipticE}\left(\frac{\sqrt{-6+2i\sqrt{7}}x}{4}, \frac{\sqrt{2+6i\sqrt{7}}}{4}\right)}{847\sqrt{-6+2i\sqrt{7}} \sqrt{x^4 + 3x^2 + 4} (i\sqrt{7} + 3)} - 349\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(5*x^2+7)^2/(x^4+3*x^2+4)^(3/2),x)`

[Out] `-2*(-37/27104*x^3-3/3388*x)/(x^4+3*x^2+4)^(1/2)+625/27104*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)*x-349/6776/(-6+2*I*7^(1/2))^(1/2)*(3/8*x^2-1/8*I*7^(1/2)*x^2+1`

$$\begin{aligned} &)^{(1/2)} * (3/8 * x^2 + 1/8 * I * 7^{(1/2)} * x^2 + 1)^{(1/2)} / (x^4 + 3 * x^2 + 4)^{(1/2)} * \text{EllipticF}(1/4 * (-6 + 2 * I * 7^{(1/2)})^{(1/2)} * x, 1/4 * (2 + 6 * I * 7^{(1/2)})^{(1/2)} + 199/847 / (-6 + 2 * I * 7^{(1/2)})^{(1/2)})^{(1/2)} * (3/8 * x^2 - 1/8 * I * 7^{(1/2)} * x^2 + 1)^{(1/2)} * (3/8 * x^2 + 1/8 * I * 7^{(1/2)} * x^2 + 1)^{(1/2)} / (x^4 + 3 * x^2 + 4)^{(1/2)} / (I * 7^{(1/2)} + 3) * \text{EllipticF}(1/4 * (-6 + 2 * I * 7^{(1/2)})^{(1/2)} * x, 1/4 * (2 + 6 * I * 7^{(1/2)})^{(1/2)}) - 199/847 / (-6 + 2 * I * 7^{(1/2)})^{(1/2)} * (3/8 * x^2 - 1/8 * I * 7^{(1/2)} * x^2 + 1)^{(1/2)} * (3/8 * x^2 + 1/8 * I * 7^{(1/2)} * x^2 + 1)^{(1/2)} / (x^4 + 3 * x^2 + 4)^{(1/2)} / (I * 7^{(1/2)} + 3) * \text{EllipticE}(1/4 * (-6 + 2 * I * 7^{(1/2)})^{(1/2)} * x, 1/4 * (2 + 6 * I * 7^{(1/2)})^{(1/2)}) + 575/189728 / (-3/8 + 1/8 * I * 7^{(1/2)})^{(1/2)} * (3/8 * x^2 - 1/8 * I * 7^{(1/2)} * x^2 + 1)^{(1/2)} * (3/8 * x^2 + 1/8 * I * 7^{(1/2)} * x^2 + 1)^{(1/2)} / (x^4 + 3 * x^2 + 4)^{(1/2)} * \text{EllipticPi}((-3/8 + 1/8 * I * 7^{(1/2)})^{(1/2)} * x, -5/7 / (-3/8 + 1/8 * I * 7^{(1/2)}), (-3/8 - 1/8 * I * 7^{(1/2)})^{(1/2)} / (-3/8 + 1/8 * I * 7^{(1/2)})^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 4)^{\frac{3}{2}} (5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^2/(x^4+3*x^2+4)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((x^4 + 3*x^2 + 4)^(3/2)*(5*x^2 + 7)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(5x^2 + 7)^2 (x^4 + 3x^2 + 4)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((5*x^2 + 7)^2*(3*x^2 + x^4 + 4)^(3/2)),x)

[Out] int(1/((5*x^2 + 7)^2*(3*x^2 + x^4 + 4)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{((x^2 - x + 2)(x^2 + x + 2))^{\frac{3}{2}} (5x^2 + 7)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x**2+7)**2/(x**4+3*x**2+4)**(3/2),x)

[Out] Integral(1/(((x**2 - x + 2)*(x**2 + x + 2))**(3/2)*(5*x**2 + 7)**2), x)

$$3.379 \quad \int \frac{1}{(7+5x^2)^3(4+3x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=340

$$-\frac{18159\sqrt{x^4+3x^2+4}x}{33392128(x^2+2)} + \frac{51875\sqrt{x^4+3x^2+4}x}{33392128(5x^2+7)} + \frac{625\sqrt{x^4+3x^2+4}x}{54208(5x^2+7)^2} + \frac{(139x^2+548)x}{596288\sqrt{x^4+3x^2+4}} - \frac{529425\sqrt{\frac{5}{77}}\tan^{-1}\left(\frac{x\sqrt{4+3x^2+x^4}}{x^2+2}\right)}{13356}$$

[Out] -529425/10284775424*arctan(2/35*x*385^(1/2)/(x^4+3*x^2+4)^(1/2))*385^(1/2)+1/596288*x*(139*x^2+548)/(x^4+3*x^2+4)^(1/2)-18159/33392128*x*(x^4+3*x^2+4)^(1/2)/(x^2+2)+625/54208*x*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)^2+51875/33392128*x*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)+18159/33392128*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticE(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*2^(1/2)*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)/(x^4+3*x^2+4)^(1/2)+843/758912*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticF(sin(2*arctan(1/2*x*2^(1/2))),1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)-3000075/186995916*8*(x^2+2)*(cos(2*arctan(1/2*x*2^(1/2)))^2)^(1/2)/cos(2*arctan(1/2*x*2^(1/2)))*EllipticPi(sin(2*arctan(1/2*x*2^(1/2))),-9/280,1/4*2^(1/2))*((x^4+3*x^2+4)/(x^2+2)^2)^(1/2)*2^(1/2)/(x^4+3*x^2+4)^(1/2)

Rubi [A] time = 0.87, antiderivative size = 340, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 11, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.458$, Rules used = {1228, 1178, 1197, 1103, 1195, 1223, 1696, 1714, 1708, 1706, 1216}

$$-\frac{18159\sqrt{x^4+3x^2+4}x}{33392128(x^2+2)} + \frac{51875\sqrt{x^4+3x^2+4}x}{33392128(5x^2+7)} + \frac{625\sqrt{x^4+3x^2+4}x}{54208(5x^2+7)^2} + \frac{(139x^2+548)x}{596288\sqrt{x^4+3x^2+4}} - \frac{529425\sqrt{\frac{5}{77}}\tan^{-1}\left(\frac{x\sqrt{4+3x^2+x^4}}{x^2+2}\right)}{13356}$$

Antiderivative was successfully verified.

[In] Int[1/((7 + 5*x^2)^3*(4 + 3*x^2 + x^4)^(3/2)), x]

[Out] (x*(548 + 139*x^2))/(596288*Sqrt[4 + 3*x^2 + x^4]) - (18159*x*Sqrt[4 + 3*x^2 + x^4])/(33392128*(2 + x^2)) + (625*x*Sqrt[4 + 3*x^2 + x^4])/(54208*(7 + 5*x^2)^2) + (51875*x*Sqrt[4 + 3*x^2 + x^4])/(33392128*(7 + 5*x^2)) - (529425*Sqrt[5/77]*ArcTan[(2*Sqrt[11/35]*x)/Sqrt[4 + 3*x^2 + x^4]])/133568512 + (18159*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticE[2*ArcTan[x/Sqrt[2]], 1/8])/(16696064*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) + (843*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticF[2*ArcTan[x/Sqrt[2]], 1/8])/(3794

56*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4]) - (3000075*(2 + x^2)*Sqrt[(4 + 3*x^2 + x^4)/(2 + x^2)^2]*EllipticPi[-9/280, 2*ArcTan[x/Sqrt[2]], 1/8])/(934979584*Sqrt[2]*Sqrt[4 + 3*x^2 + x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1178

Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]

Rule 1195

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1216

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && Ne

$Q[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[c/a]$

Rule 1223

$\text{Int}[\frac{(d + e*x^2)^q}{\sqrt{a + b*x^2 + c*x^4}}, x_Symbol] \rightarrow -\text{Simp}[\frac{e^2*x*(d + e*x^2)^{q+1}*\sqrt{a + b*x^2 + c*x^4}}{2*d*(q+1)*(c*d^2 - b*d*e + a*e^2)}, x] + \text{Dist}[\frac{1}{2*d*(q+1)*(c*d^2 - b*d*e + a*e^2)}, \text{Int}[\frac{(d + e*x^2)^{q+1}*\text{Simp}[a*e^2*(2*q+3) + 2*d*(c*d - b*e)*(q+1) - 2*e*(c*d*(q+1) - b*e*(q+2))*x^2 + c*e^2*(2*q+5)*x^4, x]}{\sqrt{a + b*x^2 + c*x^4}}, x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{ILtQ}[q, -1]$

Rule 1228

$\text{Int}[\frac{(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p}{\sqrt{aa + bb*x^2 + cc*x^4}}, x_Symbol] \rightarrow \text{Module}[\{aa, bb, cc\}, \text{Int}[\text{ExpandIntegrand}[\frac{1}{\sqrt{aa + bb*x^2 + cc*x^4}}, (d + e*x^2)^q*(aa + bb*x^2 + cc*x^4)^{p+1/2}, x] /. \{aa \rightarrow a, bb \rightarrow b, cc \rightarrow c\}, x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{ILtQ}[q, 0] \ \&\& \ \text{IntegerQ}[p + 1/2]$

Rule 1696

$\text{Int}[\frac{(P4x)*(d + e*x^2)^q}{\sqrt{a + b*x^2 + c*x^4}}, x_Symbol] \rightarrow \text{With}[\{A = \text{Coeff}[P4x, x, 0], B = \text{Coeff}[P4x, x, 2], C = \text{Coeff}[P4x, x, 4]\}, -\text{Simp}[\frac{(C*d^2 - B*d*e + A*e^2)*x*(d + e*x^2)^{q+1}*\sqrt{a + b*x^2 + c*x^4}}{2*d*(q+1)*(c*d^2 - b*d*e + a*e^2)}, x] + \text{Dist}[\frac{1}{2*d*(q+1)*(c*d^2 - b*d*e + a*e^2)}, \text{Int}[\frac{(d + e*x^2)^{q+1}*\text{Simp}[a*d*(C*d - B*e) + A*(a*e^2*(2*q+3) + 2*d*(c*d - b*e)*(q+1)) - 2*((B*d - A*e)*(b*e*(q+2) - c*d*(q+1)) - C*d*(b*d + a*e*(q+1)))*x^2 + c*(C*d^2 - B*d*e + A*e^2)*(2*q+5)*x^4, x]}{\sqrt{a + b*x^2 + c*x^4}}, x], x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{PolyQ}[P4x, x^2] \ \&\& \ \text{LeQ}[\text{Expon}[P4x, x], 4] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{ILtQ}[q, -1]$

Rule 1706

$\text{Int}[\frac{(A + B*x^2)/((d + e*x^2)*\sqrt{a + b*x^2 + c*x^4})}{(d + e*x^2)*\sqrt{a + b*x^2 + c*x^4}}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[B/A, 2]\}, -\text{Simp}[\frac{(B*d - A*e)*\text{ArcTan}[\frac{\text{Rt}[-b + (c*d)/e + (a*e)/d, 2]*x]}{\sqrt{a + b*x^2 + c*x^4}}], x] + \text{Simp}[\frac{(B*d + A*e)*(A + B*x^2)*\sqrt{(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)}}{a*(A + B*x^2)^2}*\text{EllipticPi}[\text{Cancel}[\frac{-(B*d - A*e)^2}{4*d*e*A*B}], 2*\text{ArcTan}[q*x], \frac{1}{2} - \frac{(b*A)}{4*a*B}]/(4*d*e*A*q*\sqrt{a + b*x^2 + c*x^4}), x]] /; \text{FreeQ}[\{a, b, c, d, e, A, B\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[c/a] \ \&\& \ \text{EqQ}[c*A^2 - a*B^2, 0]$

Rule 1708

```
Int[((A_.) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(A*(c*d + a*e*q) - a*B*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(a*(B*d - A*e)*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]
```

Rule 1714

```
Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2], A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[C/(e*q), Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[1/(c*e), Int[(A*c*e + a*C*d*q + (B*c*e - C*(c*d - a*e*q))*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && !GtQ[b^2 - 4*a*c, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(7+5x^2)^3(4+3x^2+x^4)^{3/2}} dx &= \int \left(\frac{388+215x^2}{85184(4+3x^2+x^4)^{3/2}} + \frac{25}{44(7+5x^2)^3\sqrt{4+3x^2+x^4}} - \frac{1}{1936(7+5x^2)} \right) dx \\
&= \frac{\int \frac{388+215x^2}{(4+3x^2+x^4)^{3/2}} dx}{85184} - \frac{1075 \int \frac{1}{(7+5x^2)\sqrt{4+3x^2+x^4}} dx}{85184} - \frac{25 \int \frac{1}{(7+5x^2)^2\sqrt{4+3x^2+x^4}} dx}{1936} \\
&= \frac{x(548+139x^2)}{596288\sqrt{4+3x^2+x^4}} + \frac{625x\sqrt{4+3x^2+x^4}}{54208(7+5x^2)^2} - \frac{625x\sqrt{4+3x^2+x^4}}{1192576(7+5x^2)} + \frac{5}{33392128} \int \frac{1}{\sqrt{4+3x^2+x^4}} dx \\
&= \frac{x(548+139x^2)}{596288\sqrt{4+3x^2+x^4}} + \frac{625x\sqrt{4+3x^2+x^4}}{54208(7+5x^2)^2} + \frac{51875x\sqrt{4+3x^2+x^4}}{33392128(7+5x^2)} - \frac{1}{33392128} \int \frac{1}{\sqrt{4+3x^2+x^4}} dx \\
&= \frac{x(548+139x^2)}{596288\sqrt{4+3x^2+x^4}} - \frac{153x\sqrt{4+3x^2+x^4}}{1192576(2+x^2)} + \frac{625x\sqrt{4+3x^2+x^4}}{54208(7+5x^2)^2} + \frac{51875}{33392128} \int \frac{1}{\sqrt{4+3x^2+x^4}} dx \\
&= \frac{x(548+139x^2)}{596288\sqrt{4+3x^2+x^4}} - \frac{18159x\sqrt{4+3x^2+x^4}}{33392128(2+x^2)} + \frac{625x\sqrt{4+3x^2+x^4}}{54208(7+5x^2)^2} + \frac{51875}{33392128} \int \frac{1}{\sqrt{4+3x^2+x^4}} dx \\
&= \frac{x(548+139x^2)}{596288\sqrt{4+3x^2+x^4}} - \frac{18159x\sqrt{4+3x^2+x^4}}{33392128(2+x^2)} + \frac{625x\sqrt{4+3x^2+x^4}}{54208(7+5x^2)^2} + \frac{51875}{33392128} \int \frac{1}{\sqrt{4+3x^2+x^4}} dx
\end{aligned}$$

Mathematica [C] time = 0.75, size = 320, normalized size = 0.94

$$28x(453975x^6 + 2838330x^4 + 5811451x^2 + 4496212) + 3i\sqrt{6+2i\sqrt{7}}\sqrt{1-\frac{2ix^2}{\sqrt{7}-3i}}\sqrt{1+\frac{2ix^2}{\sqrt{7}+3i}}(5x^2+7)^2\left(7i(6+2i\sqrt{7})\sqrt{1-\frac{2ix^2}{\sqrt{7}-3i}}\sqrt{1+\frac{2ix^2}{\sqrt{7}+3i}}(5x^2+7)^2\right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((7 + 5*x^2)^3*(4 + 3*x^2 + x^4)^(3/2)), x]

[Out] $(28*x*(4496212 + 5811451*x^2 + 2838330*x^4 + 453975*x^6) + (3*I)*\text{Sqrt}[6 + (2*I)*\text{Sqrt}[7]]*(7 + 5*x^2)^2*\text{Sqrt}[1 - ((2*I)*x^2)/(-3*I + \text{Sqrt}[7])]*\text{Sqrt}[1 + ((2*I)*x^2)/(3*I + \text{Sqrt}[7])]*(42371*(3 - I*\text{Sqrt}[7])*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[(-2*I)/(-3*I + \text{Sqrt}[7])]*x], (3*I - \text{Sqrt}[7])/(3*I + \text{Sqrt}[7])] + (7*I)*(23633*I + 6053*\text{Sqrt}[7])*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[(-2*I)/(-3*I + \text{Sqrt}[7])]*x], (3*I - \text{Sqrt}[7])/(3*I + \text{Sqrt}[7])] + 352950*\text{EllipticPi}[(5*(3 + I*\text{Sqrt}[7]))/14, I*\text{ArcSinh}[\text{Sqrt}[(-2*I)/(-3*I + \text{Sqrt}[7])]*x], (3*I - \text{Sqrt}[7])/(3*I + \text{Sqrt}[7])))/(934979584*(7 + 5*x^2)^2*\text{Sqrt}[4 + 3*x^2 + x^4])$

fricas [F] time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 3x^2 + 4}}{125x^{14} + 1275x^{12} + 6010x^{10} + 16678x^8 + 29153x^6 + 31871x^4 + 19992x^2 + 5488}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(5*x^2+7)^3/(x^4+3*x^2+4)^(3/2),x, algorithm="fricas")`

[Out] `integral(sqrt(x^4 + 3*x^2 + 4)/(125*x^14 + 1275*x^12 + 6010*x^10 + 16678*x^8 + 29153*x^6 + 31871*x^4 + 19992*x^2 + 5488), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 4)^{\frac{3}{2}}(5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(5*x^2+7)^3/(x^4+3*x^2+4)^(3/2),x, algorithm="giac")`

[Out] `integrate(1/((x^4 + 3*x^2 + 4)^(3/2)*(5*x^2 + 7)^3), x)`

maple [C] time = 0.03, size = 457, normalized size = 1.34

$$\frac{625\sqrt{x^4 + 3x^2 + 4} x}{54208(5x^2 + 7)^2} + \frac{51875\sqrt{x^4 + 3x^2 + 4} x}{33392128(5x^2 + 7)} - \frac{18159\sqrt{\frac{3x^2}{8} - \frac{i\sqrt{7}x^2}{8} + 1}\sqrt{\frac{3x^2}{8} + \frac{i\sqrt{7}x^2}{8} + 1}\text{EllipticE}\left(\frac{\sqrt{-6+2i\sqrt{7}}}{4}\right)}{1043504\sqrt{-6 + 2i\sqrt{7}}\sqrt{x^4 + 3x^2 + 4}(i\sqrt{7} + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(5*x^2+7)^3/(x^4+3*x^2+4)^(3/2),x)`

[Out] `625/54208*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)^2*x+51875/33392128*(x^4+3*x^2+4)^(1/2)/(5*x^2+7)*x-2*(-139/1192576*x^3-137/298144*x)/(x^4+3*x^2+4)^(1/2)+1173/`

$$\frac{1192576}{(-6+2\sqrt{7})^{1/2}} \cdot \frac{(3/8x^2-1/8\sqrt{7})^{1/2} (x^2+1)^{1/2}}{(x^4+3x^2+4)^{1/2}} \cdot \frac{(3/8x^2+1/8\sqrt{7})^{1/2} (x^2+1)^{1/2}}{(x^4+3x^2+4)^{1/2}} / \text{EllipticF}\left(\frac{1}{4}(-6+2\sqrt{7})^{1/2}, x, \frac{1}{4}(2+6\sqrt{7})^{1/2}\right) + \frac{18159}{1043504} \frac{(3/8x^2-1/8\sqrt{7})^{1/2} (x^2+1)^{1/2}}{(x^4+3x^2+4)^{1/2}} \cdot \frac{(3/8x^2+1/8\sqrt{7})^{1/2} (x^2+1)^{1/2}}{(x^4+3x^2+4)^{1/2}} / \text{EllipticF}\left(\frac{1}{4}(-6+2\sqrt{7})^{1/2}, x, \frac{1}{4}(2+6\sqrt{7})^{1/2}\right) - \frac{18159}{1043504} \frac{(3/8x^2-1/8\sqrt{7})^{1/2} (x^2+1)^{1/2}}{(x^4+3x^2+4)^{1/2}} \cdot \frac{(3/8x^2+1/8\sqrt{7})^{1/2} (x^2+1)^{1/2}}{(x^4+3x^2+4)^{1/2}} / \text{EllipticE}\left(\frac{1}{4}(-6+2\sqrt{7})^{1/2}, x, \frac{1}{4}(2+6\sqrt{7})^{1/2}\right) - \frac{529425}{233744896} \frac{(3/8x^2-1/8\sqrt{7})^{1/2} (x^2+1)^{1/2}}{(x^4+3x^2+4)^{1/2}} \cdot \frac{(3/8x^2+1/8\sqrt{7})^{1/2} (x^2+1)^{1/2}}{(x^4+3x^2+4)^{1/2}} / \text{EllipticPi}\left(\frac{-3/8+1/8\sqrt{7}}{(x^4+3x^2+4)^{1/2}}, x, \frac{-5/7}{(-3/8+1/8\sqrt{7})^{1/2}}, \frac{-3/8-1/8\sqrt{7}}{(x^4+3x^2+4)^{1/2}}\right)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(x^4 + 3x^2 + 4)^{\frac{3}{2}} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x^2+7)^3/(x^4+3*x^2+4)^(3/2), x, algorithm="maxima")

[Out] integrate(1/((x^4 + 3*x^2 + 4)^(3/2)*(5*x^2 + 7)^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(5x^2 + 7)^3 (x^4 + 3x^2 + 4)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((5*x^2 + 7)^3*(3*x^2 + x^4 + 4)^(3/2)), x)

[Out] int(1/((5*x^2 + 7)^3*(3*x^2 + x^4 + 4)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{((x^2 - x + 2)(x^2 + x + 2))^{\frac{3}{2}} (5x^2 + 7)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(5*x**2+7)**3/(x**4+3*x**2+4)**(3/2), x)

[Out] Integral(1/(((x**2 - x + 2)*(x**2 + x + 2))**3/2)*(5*x**2 + 7)**3), x)

$$3.380 \quad \int \frac{(d+ex^2)^3}{\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=467

$$\frac{ex\sqrt{a+bx^2+cx^4}(-3ce(3ae+10bd)+8b^2e^2+45c^2d^2)}{15c^{5/2}(\sqrt{a}+\sqrt{c}x^2)} + \frac{\sqrt[4]{a}e(\sqrt{a}+\sqrt{c}x^2)\sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}}(-3ce(3ae+10bd)+8b^2e^2+45c^2d^2)}{15c^{11/4}\sqrt{a+bx^2+cx^4}}$$

[Out] $1/15*e^2*(-4*b*e+15*c*d)*x*(c*x^4+b*x^2+a)^{(1/2)}/c^2+1/5*e^3*x^3*(c*x^4+b*x^2+a)^{(1/2)}/c+1/15*e*(45*c^2*d^2+8*b^2*e^2-3*c*e*(3*a*e+10*b*d))*x*(c*x^4+b*x^2+a)^{(1/2)}/c^{(5/2)}/(a^{(1/2)}+x^2*c^{(1/2)})-1/15*a^{(1/4)}*e*(45*c^2*d^2+8*b^2*e^2-3*c*e*(3*a*e+10*b*d))*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*(2-b/a^{(1/2)}/c^{(1/2)})^{(1/2)}*(a^{(1/2)}+x^2*c^{(1/2)}))*((c*x^4+b*x^2+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/c^{(11/4)}/(c*x^4+b*x^2+a)^{(1/2)}+1/30*a^{(1/4)}*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*(2-b/a^{(1/2)}/c^{(1/2)})^{(1/2)}*(a^{(1/2)}+x^2*c^{(1/2)}))*e*(45*c^2*d^2+8*b^2*e^2-3*c*e*(3*a*e+10*b*d))+4*a*b*e^3-15*a*c*d*e^2+15*c^2*d^3*c^{(1/2)}/a^{(1/2)}*((c*x^4+b*x^2+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/c^{(11/4)}/(c*x^4+b*x^2+a)^{(1/2)}$

Rubi [A] time = 0.42, antiderivative size = 467, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {1206, 1679, 1197, 1103, 1195}

$$\frac{ex\sqrt{a+bx^2+cx^4}(-3ce(3ae+10bd)+8b^2e^2+45c^2d^2)}{15c^{5/2}(\sqrt{a}+\sqrt{c}x^2)} + \frac{\sqrt[4]{a}(\sqrt{a}+\sqrt{c}x^2)\sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}}(e(-3ce(3ae+10bd)+8b^2e^2+45c^2d^2))}{15c^{11/4}\sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^3/Sqrt[a + b*x^2 + c*x^4], x]

[Out] $(e^2*(15*c*d-4*b*e)*x*\text{Sqrt}[a+b*x^2+c*x^4]/(15*c^2)+(e^3*x^3*\text{Sqrt}[a+b*x^2+c*x^4]/(5*c)+(e*(45*c^2*d^2+8*b^2*e^2-3*c*e*(10*b*d+3*a*e))*x*\text{Sqrt}[a+b*x^2+c*x^4]/(15*c^{(5/2)}*(\text{Sqrt}[a]+\text{Sqrt}[c]*x^2))-(a^{(1/4)}*e*(45*c^2*d^2+8*b^2*e^2-3*c*e*(10*b*d+3*a*e))*(\text{Sqrt}[a]+\text{Sqrt}[c]*x^2)*\text{Sqrt}[(a+b*x^2+c*x^4)/(\text{Sqrt}[a]+\text{Sqrt}[c]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}],(2-b/(\text{Sqrt}[a]*\text{Sqrt}[c]))/4]/(15*c^{(11/4)}*\text{Sqrt}[a+b*x^2+c*x^4])+(a^{(1/4)}*((\text{Sqrt}[c]*(15*c^2*d^3-15*a*c*d*e^2+4*a*b*e^3))/\text{Sqrt}[a]+e*(45*c^2*d^2+8*b^2*e^2-3*c*e*(10*b*d+3*a*e)))*(\text{Sqrt}[a]$

+ Sqrt[c]*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(Sqrt[a] + Sqrt[c]*x^2)^2]*EllipticF[2*ArcTan[(c^(1/4)*x)/a^(1/4)], (2 - b/(Sqrt[a]*Sqrt[c]))/4]/(30*c^(11/4)*Sqrt[a + b*x^2 + c*x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1206

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*q + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]

Rule 1679

Int[(Pq_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{q = Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*x^(2*q), x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[P

$q, x^2] > 1 \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{LtQ}[p, -1]$

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^3}{\sqrt{a + bx^2 + cx^4}} dx &= \frac{e^3 x^3 \sqrt{a + bx^2 + cx^4}}{5c} + \frac{\int \frac{5cd^3 + 3e(5cd^2 - ae^2)x^2 + e^2(15cd - 4be)x^4}{\sqrt{a + bx^2 + cx^4}} dx}{5c} \\ &= \frac{e^2(15cd - 4be)x\sqrt{a + bx^2 + cx^4}}{15c^2} + \frac{e^3 x^3 \sqrt{a + bx^2 + cx^4}}{5c} + \frac{\int \frac{15c^2 d^3 - 15acde^2 + 4abe^3 + e(45c^2 d^2 - 3ce(10bd + 3ae))}{\sqrt{a + bx^2 + cx^4}} dx}{15c^2} \\ &= \frac{e^2(15cd - 4be)x\sqrt{a + bx^2 + cx^4}}{15c^2} + \frac{e^3 x^3 \sqrt{a + bx^2 + cx^4}}{5c} - \frac{(\sqrt{a} e (45c^2 d^2 + 8b^2 e^2 - 3ce(10bd + 3ae)))}{15c^2} \\ &= \frac{e^2(15cd - 4be)x\sqrt{a + bx^2 + cx^4}}{15c^2} + \frac{e^3 x^3 \sqrt{a + bx^2 + cx^4}}{5c} + \frac{e(45c^2 d^2 + 8b^2 e^2 - 3ce(10bd + 3ae))}{15c^{5/2} (\sqrt{a})} \end{aligned}$$

Mathematica [C] time = 2.87, size = 584, normalized size = 1.25

$$ie \left(\sqrt{b^2 - 4ac} - b \right) \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^2}{\sqrt{b^2 - 4ac} + b}} \sqrt{\frac{-2\sqrt{b^2 - 4ac} + 2b + 4cx^2}{b - \sqrt{b^2 - 4ac}}} \left(-3ce(3ae + 10bd) + 8b^2 e^2 + 45c^2 d^2 \right) E \left(i \sinh^{-1} \left(\sqrt{2} \sqrt{\frac{b + \sqrt{b^2 - 4ac}}{b - \sqrt{b^2 - 4ac}}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^3/Sqrt[a + b*x^2 + c*x^4],x]

[Out] (4*c*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])])*e^2*x*(a + b*x^2 + c*x^4)*(-4*b*e + 3*c*(5*d + e*x^2)) + I*(-b + Sqrt[b^2 - 4*a*c])*e*(45*c^2*d^2 + 8*b^2*e^2 - 3*c*e*(10*b*d + 3*a*e))*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[(2*b - 2*Sqrt[b^2 - 4*a*c] + 4*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*EllipticE[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]]*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c]) - I*(30*c^3*d^3 + 8*b^2*(-b + Sqrt[b^2 - 4*a*c])*e^3 + 15*c^2*d*e*(-3*b*d + 3*Sqrt[b^2 - 4*a*c]*d - 2*a*e) + c*e^2*(30*b^2*d - 30*b*Sqrt[b^2 - 4*a*c]*d + 17*a*b*e - 9*a*Sqrt[b^2 - 4*a*c]*e))*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[(2*b - 2*Sqrt[b^2 - 4*a*c] + 4*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]]*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c])


```
[In] integrate((e*x**2+d)**3/(c*x**4+b*x**2+a)**(1/2),x)
```

```
[Out] Integral((d + e*x**2)**3/sqrt(a + b*x**2 + c*x**4), x)
```

$$3.381 \quad \int \frac{(d+ex^2)^2}{\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=356

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{c}(3cd^2-ae^2)}{\sqrt{a}} + 2e(3cd-be) \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{4} \left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right)}{6c^{7/4}\sqrt{a+bx^2+cx^4}} + \frac{2ex\sqrt{a+bx^2+cx^4}}{3c^{3/2}(\sqrt{a})}$$

[Out] $\frac{1}{3}e^2x^2(c^2x^4+b^2x^2+a)^{1/2}/c+2/3e(-b^2e+3c^2d)x^2(c^2x^4+b^2x^2+a)^{1/2}/c^{3/2}/(a^{1/2}+x^2c^{1/2})-2/3a^{1/4}e(-b^2e+3c^2d)(\cos(2\arctan(c^{1/4}x/a^{1/4}))^2)^{1/2}/\cos(2\arctan(c^{1/4}x/a^{1/4}))\text{EllipticE}(\sin(2\arctan(c^{1/4}x/a^{1/4})),1/2*(2-b/a^{1/2}/c^{1/2}))^{1/2}*(a^{1/2}+x^2c^{1/2})^{1/2}*((c^2x^4+b^2x^2+a)/(a^{1/2}+x^2c^{1/2}))^{1/2}/c^{7/4}/(c^2x^4+b^2x^2+a)^{1/2}+1/6a^{1/4}(\cos(2\arctan(c^{1/4}x/a^{1/4}))^2)^{1/2}/\cos(2\arctan(c^{1/4}x/a^{1/4}))\text{EllipticF}(\sin(2\arctan(c^{1/4}x/a^{1/4})),1/2*(2-b/a^{1/2}/c^{1/2}))^{1/2}*(a^{1/2}+x^2c^{1/2})^{1/2}*(2e(-b^2e+3c^2d)+(-a^2e^2+3c^2d^2)c^{1/2}/a^{1/2})*((c^2x^4+b^2x^2+a)/(a^{1/2}+x^2c^{1/2}))^{1/2}/c^{7/4}/(c^2x^4+b^2x^2+a)^{1/2}$

Rubi [A] time = 0.19, antiderivative size = 356, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1206, 1197, 1103, 1195}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{c}(3cd^2-ae^2)}{\sqrt{a}} + 2e(3cd-be) \right) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{4} \left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right)}{6c^{7/4}\sqrt{a+bx^2+cx^4}} + \frac{2ex\sqrt{a+bx^2+cx^4}}{3c^{3/2}(\sqrt{a})}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^2/Sqrt[a + b*x^2 + c*x^4], x]

[Out] $(e^2x^2\text{Sqrt}[a + b^2x^2 + c^2x^4])/(3c) + (2e(3cd - b^2e)x\text{Sqrt}[a + b^2x^2 + c^2x^4])/(3c^{3/2}(\text{Sqrt}[a] + \text{Sqrt}[c]x^2)) - (2a^{1/4}e(3cd - b^2e)(\text{Sqrt}[a] + \text{Sqrt}[c]x^2)\text{Sqrt}[(a + b^2x^2 + c^2x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]x^2)]^2)\text{EllipticE}[2\text{ArcTan}[(c^{1/4}x)/a^{1/4}], (2 - b/(\text{Sqrt}[a]\text{Sqrt}[c]))/4]/(3c^{7/4}\text{Sqrt}[a + b^2x^2 + c^2x^4]) + (a^{1/4}(2e(3cd - b^2e) + (\text{Sqrt}[c](3cd^2 - a^2e^2))/\text{Sqrt}[a])(\text{Sqrt}[a] + \text{Sqrt}[c]x^2)\text{Sqrt}[(a + b^2x^2 + c^2x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]x^2)]^2)\text{EllipticF}[2\text{ArcTan}[(c^{1/4}x)/a^{1/4}], (2 - b/(\text{Sqrt}[a]\text{Sqrt}[c]))/4]/(6c^{7/4}\text{Sqrt}[a + b^2x^2 + c^2x^4])$

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1206

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2}{\sqrt{a + bx^2 + cx^4}} dx &= \frac{e^2 x \sqrt{a + bx^2 + cx^4}}{3c} + \frac{\int \frac{3cd^2 - ae^2 + 2e(3cd - be)x^2}{\sqrt{a + bx^2 + cx^4}} dx}{3c} \\
&= \frac{e^2 x \sqrt{a + bx^2 + cx^4}}{3c} - \frac{(2\sqrt{a} e(3cd - be)) \int \frac{1 - \sqrt{c}x^2}{\sqrt{a + bx^2 + cx^4}} dx}{3c^{3/2}} + \frac{\left(3cd^2 - ae^2 + \frac{2\sqrt{a} e(3cd - be)}{\sqrt{c}}\right)}{3c} \\
&= \frac{e^2 x \sqrt{a + bx^2 + cx^4}}{3c} + \frac{2e(3cd - be)x \sqrt{a + bx^2 + cx^4}}{3c^{3/2}(\sqrt{a} + \sqrt{c}x^2)} - \frac{2^4 \sqrt{a} e(3cd - be)(\sqrt{a} + \sqrt{c}x^2)}{3c^7}
\end{aligned}$$

Mathematica [C] time = 1.62, size = 488, normalized size = 1.37

$$i \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^2}{\sqrt{b^2 - 4ac} + b}} \sqrt{\frac{-2\sqrt{b^2 - 4ac} + 2b + 4cx^2}{b - \sqrt{b^2 - 4ac}}} \left(ce \left(-3d\sqrt{b^2 - 4ac} + ae + 3bd \right) + be^2 \left(\sqrt{b^2 - 4ac} - b \right) - 3c^2 d^2 \right) F \left(i \sinh \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2/Sqrt[a + b*x^2 + c*x^4],x]

[Out] (2*c*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])])*e^2*x*(a + b*x^2 + c*x^4) - I*(-b + Sqrt[b^2 - 4*a*c])*e*(-3*c*d + b*e)*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[(2*b - 2*Sqrt[b^2 - 4*a*c] + 4*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*EllipticE[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]]*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c])] + I*(-3*c^2*d^2 + b*(-b + Sqrt[b^2 - 4*a*c])*e^2 + c*e*(3*b*d - 3*Sqrt[b^2 - 4*a*c]*d + a*e))*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[(2*b - 2*Sqrt[b^2 - 4*a*c] + 4*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]]*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c]))/(6*c^2*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])])*Sqrt[a + b*x^2 + c*x^4])

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{e^2 x^4 + 2 d e x^2 + d^2}{\sqrt{c x^4 + b x^2 + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] integral((e^2*x^4 + 2*d*e*x^2 + d^2)/sqrt(c*x^4 + b*x^2 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^2}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2/sqrt(c*x^4 + b*x^2 + a), x)

maple [B] time = 0.01, size = 756, normalized size = 2.12

$$\frac{\sqrt{2} \sqrt{-\frac{2(-b+\sqrt{-4ac+b^2})x^2}{a}} + 4 \sqrt{\frac{2(b+\sqrt{-4ac+b^2})x^2}{a}} + 4 \left(-\text{EllipticE} \left(\frac{\sqrt{2} \sqrt{-\frac{b+\sqrt{-4ac+b^2}}{a}} x}{2}, \sqrt{\frac{2(b+\sqrt{-4ac+b^2})b}{ac}} \right) \right) + \text{EllipticE} \left(\frac{\sqrt{2} \sqrt{-\frac{b+\sqrt{-4ac+b^2}}{a}} x}{2}, \sqrt{\frac{2(b+\sqrt{-4ac+b^2})b}{ac}} \right)}{\sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}} \sqrt{cx^4 + bx^2 + a} (b + \sqrt{-4ac + b^2})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2/(c*x^4+b*x^2+a)^(1/2),x)

[Out] e^2*(1/3*(c*x^4+b*x^2+a)^(1/2)/c*x-1/12/c*a*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(c*x^4+b*x^2+a)^(1/2)*EllipticF(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))+1/3*b/c*a*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(c*x^4+b*x^2+a)^(1/2)/(b+(-4*a*c+b^2)^(1/2))*(EllipticF(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))-EllipticE(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))))-d*e*a*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(c*x^4+b*x^2+a)^(1/2)/(b+(-4*a*c+b^2)^(1/2))*(EllipticF(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))-EllipticE(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))))+1/4*d^2*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(c*x^4+b*x^2+a)^(1/2)*EllipticF(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^2}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^2/sqrt(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^2}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^2/(a + b*x^2 + c*x^4)^(1/2),x)

[Out] int((d + e*x^2)^2/(a + b*x^2 + c*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^2)^2}{\sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2/(c*x**4+b*x**2+a)**(1/2),x)

[Out] Integral((d + e*x**2)**2/sqrt(a + b*x**2 + c*x**4), x)

$$3.382 \quad \int \frac{d+ex^2}{\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=283

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{cd}}{\sqrt{a}} + e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right) \middle| \frac{1}{4} \left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right) + \sqrt[4]{a} e (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} E\left(\frac{2 \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)}{2} \middle| \frac{1}{4} \left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right)}{2c^{3/4}\sqrt{a+bx^2+cx^4} + c^{3/4}\sqrt{a+bx^2+cx^4}}$$

[Out] e*x*(c*x^4+b*x^2+a)^(1/2)/c^(1/2)/(a^(1/2)+x^2*c^(1/2))-a^(1/4)*e*(cos(2*arctan(c^(1/4)*x/a^(1/4)))^2)^(1/2)/cos(2*arctan(c^(1/4)*x/a^(1/4)))*EllipticE(sin(2*arctan(c^(1/4)*x/a^(1/4))),1/2*(2-b/a^(1/2)/c^(1/2))^(1/2))*(a^(1/2)+x^2*c^(1/2))*((c*x^4+b*x^2+a)/(a^(1/2)+x^2*c^(1/2)))^(1/2)/c^(3/4)/(c*x^4+b*x^2+a)^(1/2)+1/2*a^(1/4)*(cos(2*arctan(c^(1/4)*x/a^(1/4)))^2)^(1/2)/cos(2*arctan(c^(1/4)*x/a^(1/4)))*EllipticF(sin(2*arctan(c^(1/4)*x/a^(1/4))),1/2*(2-b/a^(1/2)/c^(1/2))^(1/2))*(a^(1/2)+x^2*c^(1/2))*(e+d*c^(1/2)/a^(1/2))*((c*x^4+b*x^2+a)/(a^(1/2)+x^2*c^(1/2)))^(1/2)/c^(3/4)/(c*x^4+b*x^2+a)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 283, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1197, 1103, 1195}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{cd}}{\sqrt{a}} + e \right) F\left(2 \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right) \middle| \frac{1}{4} \left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right) + \sqrt[4]{a} e (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} E\left(\frac{2 \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)}{2} \middle| \frac{1}{4} \left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right)}{2c^{3/4}\sqrt{a+bx^2+cx^4} + c^{3/4}\sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/Sqrt[a + b*x^2 + c*x^4], x]

[Out] (e*x*Sqrt[a + b*x^2 + c*x^4])/(Sqrt[c]*(Sqrt[a] + Sqrt[c]*x^2)) - (a^(1/4)*e*(Sqrt[a] + Sqrt[c]*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(Sqrt[a] + Sqrt[c]*x^2)^2]*EllipticE[2*ArcTan[(c^(1/4)*x)/a^(1/4)], (2 - b/(Sqrt[a]*Sqrt[c]))/4])/(c^(3/4)*Sqrt[a + b*x^2 + c*x^4]) + (a^(1/4)*((Sqrt[c]*d)/Sqrt[a] + e)*(Sqrt[a] + Sqrt[c]*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(Sqrt[a] + Sqrt[c]*x^2)^2]*EllipticF[2*ArcTan[(c^(1/4)*x)/a^(1/4)], (2 - b/(Sqrt[a]*Sqrt[c]))/4])/(2*c^(3/4)*Sqrt[a + b*x^2 + c*x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4])

), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rubi steps

$$\int \frac{d + ex^2}{\sqrt{a + bx^2 + cx^4}} dx = -\frac{(\sqrt{a}e) \int \frac{1 - \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{a+bx^2+cx^4}} dx}{\sqrt{c}} + \left(d + \frac{\sqrt{a}e}{\sqrt{c}}\right) \int \frac{1}{\sqrt{a + bx^2 + cx^4}} dx$$

$$= \frac{ex\sqrt{a + bx^2 + cx^4}}{\sqrt{c}(\sqrt{a} + \sqrt{c}x^2)} - \frac{\sqrt[4]{a}e(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{4}\left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right)}{c^{3/4}\sqrt{a + bx^2 + cx^4}}$$

Mathematica [C] time = 0.26, size = 302, normalized size = 1.07

$$\frac{i\sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \left(\left(e \left(b - \sqrt{b^2 - 4ac} \right) - 2cd \right) F \left(i \sinh^{-1} \left(\sqrt{2} \sqrt{\frac{c}{b + \sqrt{b^2 - 4ac}}} x \right) \middle| \frac{b + \sqrt{b^2 - 4ac}}{b - \sqrt{b^2 - 4ac}} \right) + e \left(\sqrt{a + bx^2 + cx^4} \right) \right)}{2\sqrt{2}c\sqrt{\frac{c}{\sqrt{b^2-4ac}+b}} \sqrt{a + bx^2 + cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/Sqrt[a + b*x^2 + c*x^4], x]

[Out] ((I/2)*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]])*((-b + Sqrt[b^2 - 4*a*c])*e*Ellipti

$cE[I*\text{ArcSinh}[\text{Sqrt}[2]*\text{Sqrt}[c/(b + \text{Sqrt}[b^2 - 4*a*c])]]*x], (b + \text{Sqrt}[b^2 - 4*a*c])/(b - \text{Sqrt}[b^2 - 4*a*c])] + (-2*c*d + (b - \text{Sqrt}[b^2 - 4*a*c])*e)*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[2]*\text{Sqrt}[c/(b + \text{Sqrt}[b^2 - 4*a*c])]]*x], (b + \text{Sqrt}[b^2 - 4*a*c])/(b - \text{Sqrt}[b^2 - 4*a*c])]/(\text{Sqrt}[2]*c*\text{Sqrt}[c/(b + \text{Sqrt}[b^2 - 4*a*c])])*\text{Sqrt}[a + b*x^2 + c*x^4])$

fricas [F] time = 0.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^2 + d}{\sqrt{cx^4 + bx^2 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] integral((e*x^2 + d)/sqrt(c*x^4 + b*x^2 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)/sqrt(c*x^4 + b*x^2 + a), x)

maple [A] time = 0.00, size = 362, normalized size = 1.28

$$\frac{\sqrt{2} \sqrt{-\frac{2(-b+\sqrt{-4ac+b^2})x^2}{a}} + 4 \sqrt{\frac{2(b+\sqrt{-4ac+b^2})x^2}{a}} + 4 \left(-\text{EllipticE}\left(\frac{\sqrt{2} \sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}} x}{2}, \sqrt{\frac{2(b+\sqrt{-4ac+b^2})b}{ac}-4}\right) \right) + \text{EllipticE}\left(\frac{\sqrt{2} \sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}} x}{2}, \sqrt{\frac{2(b+\sqrt{-4ac+b^2})b}{ac}-4}\right)}{2\sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}} \sqrt{cx^4 + bx^2 + a} (b + \sqrt{-4ac + b^2})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x)

[Out] $-1/2*e*a^2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*(-2*(-b+(-4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})*(\text{EllipticF}(1/2*2^{(1/2)}*((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})-\text{EllipticE}(1/2*2^{(1/2)}*((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(2*(b+(-4*a*c+b^2)^{(1/2)})/a$

$b/c-4)^{(1/2)})+1/4*d*2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*(-2*(-b+(-4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)/(c*x^4+b*x^2+a)^{(1/2)}*EllipticF(1/2*2^{(1/2)*((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x,1/2*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)/sqrt(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(a + b*x^2 + c*x^4)^(1/2),x)

[Out] int((d + e*x^2)/(a + b*x^2 + c*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + ex^2}{\sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(c*x**4+b*x**2+a)**(1/2),x)

[Out] Integral((d + e*x**2)/sqrt(a + b*x**2 + c*x**4), x)

$$3.383 \quad \int \frac{1}{(d+ex^2)\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=401

$$\frac{a^{3/4} (\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{c}d}{\sqrt{a}} + e\right)^2 \Pi\left(-\frac{(\sqrt{c}d-\sqrt{a}e)^2}{4\sqrt{a}\sqrt{c}de}; 2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \Big| \frac{1}{4} \left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right) \sqrt{e} \tan^{-1}\left(\frac{x\sqrt{ae^2-bd}}{\sqrt{d}\sqrt{e}\sqrt{a}}\right)}{4\sqrt[4]{c}d\sqrt{a+bx^2+cx^4}(cd^2-ae^2)} + \frac{\sqrt{e} \tan^{-1}\left(\frac{x\sqrt{ae^2-bd}}{\sqrt{d}\sqrt{e}\sqrt{a}}\right)}{2\sqrt{d}\sqrt{ae^2-bd}}$$

[Out] $\frac{1}{2} \arctan\left(\frac{x(ae^2-bde+cd^2)^{1/2}/d^{1/2}/e^{1/2}/(cx^4+bx^2+a)^{1/2}}{e^{1/2}/d^{1/2}/(ae^2-bde+cd^2)^{1/2}+1/2c^{1/4}(\cos(2\arctan(c^{1/4}x/a^{1/4}))^2)^{1/2}/\cos(2\arctan(c^{1/4}x/a^{1/4}))}\right) * \text{EllipticF}\left(\sin(2\arctan(c^{1/4}x/a^{1/4})), 1/2(2-b/a^{1/2}/c^{1/2})^{1/2}\right) * (a^{1/2}+x^2c^{1/2}) * ((cx^4+bx^2+a)/(a^{1/2}+x^2c^{1/2}))^{1/2}/a^{1/4}/(-ea^{1/2}+dc^{1/2})/(cx^4+bx^2+a)^{1/2}-1/4a^{3/4}(\cos(2\arctan(c^{1/4}x/a^{1/4}))^2)^{1/2}/\cos(2\arctan(c^{1/4}x/a^{1/4})) * \text{EllipticPi}\left(\sin(2\arctan(c^{1/4}x/a^{1/4})), -1/4(-ea^{1/2}+dc^{1/2})^2/d/e/a^{1/2}/c^{1/2}, 1/2(2-b/a^{1/2}/c^{1/2})^{1/2}\right) * (a^{1/2}+x^2c^{1/2}) * (e+dc^{1/2}/a^{1/2})^2 * ((cx^4+bx^2+a)/(a^{1/2}+x^2c^{1/2}))^{1/2}/c^{1/4}/d/(-ae^2+cd^2)/(cx^4+bx^2+a)^{1/2}$

Rubi [A] time = 0.35, antiderivative size = 401, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {1216, 1103, 1706}

$$\frac{a^{3/4} (\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{c}d}{\sqrt{a}} + e\right)^2 \Pi\left(-\frac{(\sqrt{c}d-\sqrt{a}e)^2}{4\sqrt{a}\sqrt{c}de}; 2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \Big| \frac{1}{4} \left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right) \sqrt{e} \tan^{-1}\left(\frac{x\sqrt{ae^2-bd}}{\sqrt{d}\sqrt{e}\sqrt{a}}\right)}{4\sqrt[4]{c}d\sqrt{a+bx^2+cx^4}(cd^2-ae^2)} + \frac{\sqrt{e} \tan^{-1}\left(\frac{x\sqrt{ae^2-bd}}{\sqrt{d}\sqrt{e}\sqrt{a}}\right)}{2\sqrt{d}\sqrt{ae^2-bd}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] $(\text{Sqrt}[e] * \text{ArcTan}[(\text{Sqrt}[c*d^2 - b*d*e + a*e^2]*x)/(\text{Sqrt}[d]*\text{Sqrt}[e]*\text{Sqrt}[a + b*x^2 + c*x^4])]) / (2*\text{Sqrt}[d]*\text{Sqrt}[c*d^2 - b*d*e + a*e^2]) + (c^{1/4} * (\text{Sqrt}[a] + \text{Sqrt}[c]*x^2) * \text{Sqrt}[(a + b*x^2 + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2] * \text{EllipticF}[2*\text{ArcTan}[(c^{1/4}*x)/a^{1/4}], (2 - b/(\text{Sqrt}[a]*\text{Sqrt}[c]))/4]) / (2*a^{1/4} * (\text{Sqrt}[c]*d - \text{Sqrt}[a]*e) * \text{Sqrt}[a + b*x^2 + c*x^4]) - (a^{3/4} * ((\text{Sqrt}[c]*d)/\text{Sqrt}[a] + e)^2 * (\text{Sqrt}[a] + \text{Sqrt}[c]*x^2) * \text{Sqrt}[(a + b*x^2 + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2] * \text{EllipticPi}[-(\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)^2/(4*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e), 2*\text{ArcTan}[(c^{1/4}*x)/a^{1/4}], (2 - b/(\text{Sqrt}[a]*\text{Sqrt}[c]))/4]) / (4*c^{1/4} * d*(c*d^2 - a*e^2)*\text{Sqrt}[a + b*x^2 + c*x^4])$

Rule 1103

Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1216

Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]

Rule 1706

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

Rubi steps

$$\int \frac{1}{(d + ex^2)\sqrt{a + bx^2 + cx^4}} dx = \frac{\sqrt{c} \int \frac{1}{\sqrt{a + bx^2 + cx^4}} dx}{\sqrt{c}d - \sqrt{a}e} - \frac{(\sqrt{a}e) \int \frac{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}{(d + ex^2)\sqrt{a + bx^2 + cx^4}} dx}{\sqrt{c}d - \sqrt{a}e}$$

$$= \frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{cd^2 - bde + ae^2}x}{\sqrt{d}\sqrt{e}\sqrt{a + bx^2 + cx^4}}\right)}{2\sqrt{d}\sqrt{cd^2 - bde + ae^2}} + \frac{\sqrt[4]{c}(\sqrt{a} + \sqrt{c}x^2)\sqrt{\frac{a + bx^2 + cx^4}{(\sqrt{a} + \sqrt{c}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a} + \sqrt{c}x^2}\right)\right)}{2\sqrt[4]{a}(\sqrt{c}d - \sqrt{a}e)\sqrt{a + bx^2 + cx^4}}$$

Mathematica [C] time = 0.22, size = 214, normalized size = 0.53

$$\frac{i \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \Pi \left(\frac{(b+\sqrt{b^2-4ac})e}{2cd}; i \sinh^{-1} \left(\sqrt{2} \sqrt{\frac{c}{b+\sqrt{b^2-4ac}}} x \right) \Big|_{\frac{b+\sqrt{b^2-4ac}}{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2} d \sqrt{\frac{c}{\sqrt{b^2-4ac}+b}} \sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] ((-1)*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]])*EllipticPi[((b + Sqrt[b^2 - 4*a*c])*e)/(2*c*d), I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c]))/(Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])])*d*Sqrt[a + b*x^2 + c*x^4])

fricas [F] time = 45.98, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{cx^4 + bx^2 + a}}{cex^6 + (cd + be)x^4 + (bd + ae)x^2 + ad}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(c*x^4 + b*x^2 + a)/(c*e*x^6 + (c*d + b*e)*x^4 + (b*d + a*e)*x^2 + a*d), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4 + bx^2 + a} (ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)), x)

maple [A] time = 0.04, size = 200, normalized size = 0.50

$$\frac{\sqrt{2} \sqrt{\frac{bx^2}{2a} - \frac{\sqrt{-4ac+b^2}x^2}{2a}} + 1 \sqrt{\frac{bx^2}{2a} + \frac{\sqrt{-4ac+b^2}x^2}{2a}} + 1 \text{EllipticPi} \left(\frac{\sqrt{2} \sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}} x}{2}, -\frac{2ae}{(-b+\sqrt{-4ac+b^2})d}, \frac{\sqrt{\frac{-b+\sqrt{-4ac+b^2}}{2a}}}{\sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}}} \right)}{\sqrt{-\frac{b}{a} + \frac{\sqrt{-4ac+b^2}}{a}} \sqrt{cx^4 + bx^2 + a} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x)`

[Out] $\frac{1/d^{2^{1/2}}/(-b/a+1/a*(-4*a*c+b^2)^{1/2})^{1/2}*(1+1/2*b*x^2/a-1/2/a*x^2*(-4*a*c+b^2)^{1/2})^{1/2}*(1+1/2*b*x^2/a+1/2/a*x^2*(-4*a*c+b^2)^{1/2})^{1/2}}{(c*x^4+b*x^2+a)^{1/2}*EllipticPi(1/2*2^{1/2}*((-b+(-4*a*c+b^2)^{1/2}))/a)^{1/2}*x,-2/(-b+(-4*a*c+b^2)^{1/2})*a/d*e,(-1/2*(b+(-4*a*c+b^2)^{1/2}))/a)^{1/2}}*2^{1/2}/((-b+(-4*a*c+b^2)^{1/2}))/a)^{1/2}}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4 + bx^2 + a}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(ex^2 + d)\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2)),x)`

[Out] `int(1/((d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex^2)\sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x**2+d)/(c*x**4+b*x**2+a)**(1/2),x)`

[Out] `Integral(1/((d + e*x**2)*sqrt(a + b*x**2 + c*x**4)), x)`

$$3.384 \quad \int \frac{1}{(d+ex^2)^2 \sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=718

$$\frac{e^2 x \sqrt{a+bx^2+cx^4}}{2d(d+ex^2)(ae^2-bde+cd^2)} - \frac{\sqrt{c} ex \sqrt{a+bx^2+cx^4}}{2d(\sqrt{a} + \sqrt{c} x^2)(ae^2-bde+cd^2)} + \frac{\sqrt[4]{a} \sqrt[4]{c} e (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a} + \sqrt{c} x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt{c} x}{\sqrt{a}}\right)\right)}{2d\sqrt{a+bx^2+cx^4}(ae^2-bde+cd^2)}$$

[Out] $\frac{1}{4} (3cd^2 - e(-ae + 2bd)) \arctan\left(\frac{x(ae^2 - bde + cd^2)^{1/2}}{d^{1/2} e^{1/2}}\right) / (c^2 x^4 + b^2 x^2 + a)^{1/2} e^{1/2} / d^{3/2} / (ae^2 - bde + cd^2)^{3/2} + \frac{1}{2} e^2 x (c^2 x^4 + b^2 x^2 + a)^{1/2} / d / (ae^2 - bde + cd^2) / (e^2 x^2 + d)^{-1/2} e x c^{1/2} (c^2 x^4 + b^2 x^2 + a)^{1/2} / d / (ae^2 - bde + cd^2) / (a^{1/2} + x^2 c^{1/2}) + \frac{1}{2} a^{1/4} c^{1/4} e (\cos(2 \arctan(c^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \arctan(c^{1/4} x / a^{1/4})) x / a^{1/4} \text{EllipticE}(\sin(2 \arctan(c^{1/4} x / a^{1/4})), 1/2 (2 - b/a^{1/2}) / c^{1/2})^{1/2}) (a^{1/2} + x^2 c^{1/2}) * ((c^2 x^4 + b^2 x^2 + a) / (a^{1/2} + x^2 c^{1/2}))^{1/2} / d / (ae^2 - bde + cd^2) / (c^2 x^4 + b^2 x^2 + a)^{1/2} + \frac{1}{2} c^{1/4} (\cos(2 \arctan(c^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \arctan(c^{1/4} x / a^{1/4})) \text{EllipticF}(\sin(2 \arctan(c^{1/4} x / a^{1/4})), 1/2 (2 - b/a^{1/2}) / c^{1/2})^{1/2}) (a^{1/2} + x^2 c^{1/2}) * ((c^2 x^4 + b^2 x^2 + a) / (a^{1/2} + x^2 c^{1/2}))^{1/2} / a^{1/4} / d / (-e a^{1/2} + d c^{1/2}) / (c^2 x^4 + b^2 x^2 + a)^{1/2} - \frac{1}{8} (3cd^2 - e(-ae + 2bd)) (\cos(2 \arctan(c^{1/4} x / a^{1/4}))^2)^{1/2} / \cos(2 \arctan(c^{1/4} x / a^{1/4})) \text{EllipticPi}(\sin(2 \arctan(c^{1/4} x / a^{1/4})), -1/4 (-e a^{1/2} + d c^{1/2})^2 / d e / a^{1/2} / c^{1/2}, 1/2 (2 - b/a^{1/2}) / c^{1/2})^{1/2}) (e a^{1/2} + d c^{1/2}) (a^{1/2} + x^2 c^{1/2}) * ((c^2 x^4 + b^2 x^2 + a) / (a^{1/2} + x^2 c^{1/2}))^{1/2} / a^{1/4} / c^{1/4} / d^2 / (ae^2 - bde + cd^2) / (-e a^{1/2} + d c^{1/2}) / (c^2 x^4 + b^2 x^2 + a)^{1/2}$

Rubi [A] time = 1.08, antiderivative size = 718, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1223, 1714, 1195, 1708, 1103, 1706}

$$\frac{e^2 x \sqrt{a+bx^2+cx^4}}{2d(d+ex^2)(ae^2-bde+cd^2)} - \frac{\sqrt{c} ex \sqrt{a+bx^2+cx^4}}{2d(\sqrt{a} + \sqrt{c} x^2)(ae^2-bde+cd^2)} + \frac{\sqrt{e} (3cd^2 - e(2bd - ae)) \tan^{-1}\left(\frac{x\sqrt{ae^2-bde+cd^2}}{\sqrt{d}\sqrt{e}\sqrt{a+bx^2+cx^4}}\right)}{4d^{3/2}(ae^2-bde+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^2*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] $-(\text{Sqrt}[c] e x \text{Sqrt}[a + b x^2 + c x^4]) / (2 d (c d^2 - b d e + a e^2) (\text{Sqrt}[a] + \text{Sqrt}[c] x^2)) + (e^2 x \text{Sqrt}[a + b x^2 + c x^4]) / (2 d (c d^2 - b d e + a$

$e^2(d + ex^2) + (\sqrt{e}(3cd^2 - e(2bd - ae))\text{ArcTan}[(\sqrt{cd^2 - bde + ae^2}x)/(\sqrt{d}\sqrt{e}\sqrt{a + bx^2 + cx^4})])/(4d^{3/2}(cd^2 - bde + ae^2)^{3/2}) + (a^{1/4}c^{1/4}e(\sqrt{a} + \sqrt{c}x^2)\sqrt{(a + bx^2 + cx^4)/(\sqrt{a} + \sqrt{c}x^2)^2}\text{EllipticE}[2\text{ArcTan}[(c^{1/4}x)/a^{1/4}], (2 - b/(\sqrt{a}\sqrt{c}))/4])/(2d(cd^2 - bde + ae^2)\sqrt{a + bx^2 + cx^4}) + (c^{1/4}(\sqrt{a} + \sqrt{c}x^2)\sqrt{(a + bx^2 + cx^4)/(\sqrt{a} + \sqrt{c}x^2)^2}\text{EllipticF}[2\text{ArcTan}[(c^{1/4}x)/a^{1/4}], (2 - b/(\sqrt{a}\sqrt{c}))/4])/(2a^{1/4}d(\sqrt{c}d - \sqrt{a}e)\sqrt{a + bx^2 + cx^4}) - ((\sqrt{c}d + \sqrt{a}e)(3cd^2 - e(2bd - ae))(\sqrt{a} + \sqrt{c}x^2)\sqrt{(a + bx^2 + cx^4)/(\sqrt{a} + \sqrt{c}x^2)^2}\text{EllipticPi}[-(\sqrt{c}d - \sqrt{a}e)^2/(4\sqrt{a}\sqrt{c}de), 2\text{ArcTan}[(c^{1/4}x)/a^{1/4}], (2 - b/(\sqrt{a}\sqrt{c}))/4])/(8a^{1/4}c^{1/4}d^2(\sqrt{c}d - \sqrt{a}e)(cd^2 - bde + ae^2)\sqrt{a + bx^2 + cx^4})$

Rule 1103

$\text{Int}[1/\sqrt{(a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, \text{Simp}[(1 + q^2x^2)\sqrt{(a + bx^2 + cx^4)/(a(1 + q^2x^2)^2)}\text{EllipticF}[2\text{ArcTan}[qx], 1/2 - (bq^2)/(4c)]]/(2q\sqrt{a + bx^2 + cx^4}), x] \text{ /; } \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{PosQ}[c/a]$

Rule 1195

$\text{Int}[(d_+) + (e_+)(x_+)^2]/\sqrt{(a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d_+x_+\sqrt{a + bx^2 + cx^4})/(a(1 + q^2x^2)), x] + \text{Simp}[(d_+(1 + q^2x^2)\sqrt{(a + bx^2 + cx^4)/(a(1 + q^2x^2)^2)}\text{EllipticE}[2\text{ArcTan}[qx], 1/2 - (bq^2)/(4c)]]/(q\sqrt{a + bx^2 + cx^4}), x] \text{ /; } \text{EqQ}[e + dq^2, 0] \text{ /; } \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{PosQ}[c/a]$

Rule 1223

$\text{Int}[(d_+) + (e_+)(x_+)^2]^{(q_+)}/\sqrt{(a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4}, x_Symbol] \rightarrow -\text{Simp}[(e^2x^{2q}(d + ex^2)^{(q+1)}\sqrt{a + bx^2 + cx^4})/(2d(q+1)(cd^2 - bde + ae^2)), x] + \text{Dist}[1/(2d(q+1)(cd^2 - bde + ae^2)), \text{Int}[(d + ex^2)^{(q+1)}\text{Simp}[a^{1/2}(2q+3) + 2d(c-d-b)(q+1) - 2e(c(d(q+1) - b(e(q+2))x^2 + ce^2(2q+5)x^4), x)]/\sqrt{a + bx^2 + cx^4}, x], x] \text{ /; } \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{ILtQ}[q, -1]$

Rule 1706

$\text{Int}[(A_+) + (B_+)(x_+)^2]/((d_+) + (e_+)(x_+)^2)\sqrt{(a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[B/A, 2]\}, -\text{Simp}[(Bd - Ae)\text{ArcTan}[(\text{Rt}[-b + (cd)/e + (ae)/d, 2]x)/\sqrt{a + bx^2 + cx^4}]]/(2de\text{Rt}[-b + (cd)/e + (ae)/d, 2]), x] + \text{Simp}[(Bd + Ae)(A + Bx^2)\sqrt{(A^2(a$

```

+ b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*
d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2
+ c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ
[c*A^2 - a*B^2, 0]

```

Rule 1708

```

Int[((A_.) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2
+ (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(A*(c*d + a*e*q)
- a*B*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] +
Dist[(a*(B*d - A*e)*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2
)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && N
eQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0
] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]

```

Rule 1714

```

Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4])
, x_Symbol] := With[{q = Rt[c/a, 2], A = Coeff[P4x, x, 0], B = Coeff[P4x, x
, 2], C = Coeff[P4x, x, 4]}, -Dist[C/(e*q), Int[(1 - q*x^2)/Sqrt[a + b*x^2
+ c*x^4], x], x] + Dist[1/(c*e), Int[(A*c*e + a*C*d*q + (B*c*e - C*(c*d - a
*e*q))*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b,
c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*
d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && !GtQ[b^2 - 4*a*c,
0]

```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)^2 \sqrt{a+bx^2+cx^4}} dx &= \frac{e^2 x \sqrt{a+bx^2+cx^4}}{2d(cd^2-bde+ae^2)(d+ex^2)} - \frac{\int \frac{-2cd^2+e(2bd-ae)+2cdex^2+ce^2x^4}{(d+ex^2)\sqrt{a+bx^2+cx^4}} dx}{2d(cd^2-bde+ae^2)} \\
&= \frac{e^2 x \sqrt{a+bx^2+cx^4}}{2d(cd^2-bde+ae^2)(d+ex^2)} - \frac{\int \frac{\sqrt{a}c^{3/2}de^2+ce(-2cd^2+e(2bd-ae))+2c^2de^2-ce^2(cd-\sqrt{a})}{(d+ex^2)\sqrt{a+bx^2+cx^4}}}{2cde(cd^2-bde+ae^2)} \\
&= -\frac{\sqrt{c}ex\sqrt{a+bx^2+cx^4}}{2d(cd^2-bde+ae^2)(\sqrt{a}+\sqrt{c}x^2)} + \frac{e^2x\sqrt{a+bx^2+cx^4}}{2d(cd^2-bde+ae^2)(d+ex^2)} + \frac{\sqrt[4]{a}}{\sqrt{e}} \\
&= -\frac{\sqrt{c}ex\sqrt{a+bx^2+cx^4}}{2d(cd^2-bde+ae^2)(\sqrt{a}+\sqrt{c}x^2)} + \frac{e^2x\sqrt{a+bx^2+cx^4}}{2d(cd^2-bde+ae^2)(d+ex^2)} + \frac{\sqrt{e}}{\sqrt[4]{a}}
\end{aligned}$$

Mathematica [C] time = 1.86, size = 1069, normalized size = 1.49

$$2i\sqrt{2}c\sqrt{\frac{2cx^2+b+\sqrt{b^2-4ac}}{b+\sqrt{b^2-4ac}}}\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}(ex^2+d)F\left(i\sinh^{-1}\left(\sqrt{2}\sqrt{\frac{c}{b+\sqrt{b^2-4ac}}}x\right)\middle|\frac{b+\sqrt{b^2-4ac}}{b-\sqrt{b^2-4ac}}\right)d^2-6i\sqrt{2}c\sqrt{\frac{2cx^2+b+\sqrt{b^2-4ac}}{b+\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)^2*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] (4*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*d*e^2*x*(a + b*x^2 + c*x^4) + I*Sqrt[2]*(b - Sqrt[b^2 - 4*a*c])*d*e*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*(d + e*x^2)*(EllipticE[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c])]) - EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c])]) + (2*I)*Sqrt[2]*c*d^2*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*(d + e*x^2)*EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c])]) - (6*I)*Sqrt[2]*c*d^2*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*(d + e*x^2)*EllipticPi[((b + Sqrt[b^2 - 4*a*c])*e)/(2*c*d), I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*x], (b + Sqrt[b^2 - 4*a*c])

$$\frac{1}{(b - \sqrt{b^2 - 4ac})} + (4I)\sqrt{2}bde\sqrt{(b + \sqrt{b^2 - 4ac} + 2cx^2)/(b + \sqrt{b^2 - 4ac})} \sqrt{1 + (2cx^2)/(b - \sqrt{b^2 - 4ac})} * (d + e^2x^2) \text{EllipticPi}[\frac{(b + \sqrt{b^2 - 4ac})e}{2cd}, I \text{ArcSinh}[\frac{\sqrt{2}\sqrt{c/(b + \sqrt{b^2 - 4ac})}x}{(b + \sqrt{b^2 - 4ac})/(b - \sqrt{b^2 - 4ac})}] - (2I)\sqrt{2}ae^2\sqrt{(b + \sqrt{b^2 - 4ac} + 2cx^2)/(b + \sqrt{b^2 - 4ac})} \sqrt{1 + (2cx^2)/(b - \sqrt{b^2 - 4ac})}] * (d + e^2x^2) \text{EllipticPi}[\frac{(b + \sqrt{b^2 - 4ac})e}{2cd}, I \text{ArcSinh}[\frac{\sqrt{2}\sqrt{c/(b + \sqrt{b^2 - 4ac})}x}{(b + \sqrt{b^2 - 4ac})/(b - \sqrt{b^2 - 4ac})}]] / (8\sqrt{c/(b + \sqrt{b^2 - 4ac})}) * d * (cd^3 + d * e * (-bd + ae)) * (d + e^2x^2) \sqrt{a + bx^2 + cx^4}$$

fricas [F] time = 125.49, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{cx^4 + bx^2 + a}}{ce^2x^8 + (2cde + be^2)x^6 + (cd^2 + 2bde + ae^2)x^4 + ad^2 + (bd^2 + 2ade)x^2} x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(c*x^4 + b*x^2 + a)/(c*e^2*x^8 + (2*c*d*e + b*e^2)*x^6 + (c*d^2 + 2*b*d*e + a*e^2)*x^4 + a*d^2 + (b*d^2 + 2*a*d*e)*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4 + bx^2 + a} (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)^2), x)

maple [A] time = 0.04, size = 1279, normalized size = 1.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)^2/(c*x^4+b*x^2+a)^(1/2),x)

[Out] $\frac{1}{2}e^2x(c^2x^4 + b^2x^2 + a)^{1/2}/d/(ae^2 - bde + cd^2)/(e^2x^2 + d) - \frac{1}{8}c/(ae^2 - bde + cd^2)^{1/2}/(-1/ab + (-4ac + b^2)^{1/2}/a)^{1/2} * (4 + 2/abx^2 - 2(-4ac + b^2)^{1/2}/ax^2)^{1/2} * (4 + 2/abx^2 + 2(-4ac + b^2)^{1/2}/ax^2)^{1/2} / (c^2x^4 + b^2x^2 + a)^{1/2} * \text{EllipticF}(1/2, 2^{1/2} * ((-b + (-4ac + b^2)^{1/2})/a)^{1/2})$

$(1/2)*x, 1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))+1/4*c*e/(a*e^2-b*d*e+c*d^2)/d*a*2^(1/2)/(-1/a*b+(-4*a*c+b^2)^(1/2)/a)^(1/2)*(4+2/a*b*x^2-2*(-4*a*c+b^2)^(1/2)/a*x^2)^(1/2)*(4+2/a*b*x^2+2*(-4*a*c+b^2)^(1/2)/a*x^2)^(1/2)/(c*x^4+b*x^2+a)^(1/2)/(b+(-4*a*c+b^2)^(1/2))*EllipticF(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x, 1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))-1/4*c*e/(a*e^2-b*d*e+c*d^2)/d*a*2^(1/2)/(-1/a*b+(-4*a*c+b^2)^(1/2)/a)^(1/2)*(4+2/a*b*x^2-2*(-4*a*c+b^2)^(1/2)/a*x^2)^(1/2)*(4+2/a*b*x^2+2*(-4*a*c+b^2)^(1/2)/a*x^2)^(1/2)/(c*x^4+b*x^2+a)^(1/2)/(b+(-4*a*c+b^2)^(1/2))*EllipticE(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x, 1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))+1/2/(a*e^2-b*d*e+c*d^2)/d^2*e^2*2^(1/2)/(-1/a*b+(-4*a*c+b^2)^(1/2)/a)^(1/2)*(1/2/a*b*x^2-1/2*(-4*a*c+b^2)^(1/2)/a*x^2+1)^(1/2)*(1/2/a*b*x^2+1/2*(-4*a*c+b^2)^(1/2)/a*x^2+1)^(1/2)/(c*x^4+b*x^2+a)^(1/2)*EllipticPi(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x, -2/(-b+(-4*a*c+b^2)^(1/2))*a/d*e, (-1/2*(b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2))*a-1/(a*e^2-b*d*e+c*d^2)/d*e*2^(1/2)/(-1/a*b+(-4*a*c+b^2)^(1/2)/a)^(1/2)*(1/2/a*b*x^2-1/2*(-4*a*c+b^2)^(1/2)/a*x^2+1)^(1/2)*(1/2/a*b*x^2+1/2*(-4*a*c+b^2)^(1/2)/a*x^2+1)^(1/2)/(c*x^4+b*x^2+a)^(1/2)*EllipticPi(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x, -2/(-b+(-4*a*c+b^2)^(1/2))*a/d*e, (-1/2*(b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2))*b+3/2/(a*e^2-b*d*e+c*d^2)*2^(1/2)/(-1/a*b+(-4*a*c+b^2)^(1/2)/a)^(1/2)*(1/2/a*b*x^2-1/2*(-4*a*c+b^2)^(1/2)/a*x^2+1)^(1/2)*(1/2/a*b*x^2+1/2*(-4*a*c+b^2)^(1/2)/a*x^2+1)^(1/2)/(c*x^4+b*x^2+a)^(1/2)*EllipticPi(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x, -2/(-b+(-4*a*c+b^2)^(1/2))*a/d*e, (-1/2*(b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2))*c$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4 + bx^2 + a} (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(ex^2 + d)^2 \sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^2)^2*(a + b*x^2 + c*x^4)^(1/2)),x)

[Out] `int(1/((d + e*x^2)^2*(a + b*x^2 + c*x^4)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex^2)^2 \sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x**2+d)**2/(c*x**4+b*x**2+a)**(1/2),x)`

[Out] `Integral(1/((d + e*x**2)**2*sqrt(a + b*x**2 + c*x**4)), x)`

$$3.385 \quad \int \frac{(d+ex^2)^3}{\sqrt{a+bx^2-cx^4}} dx$$

Optimal. Leaf size=553

$$\frac{e\left(b - \sqrt{4ac + b^2}\right) \sqrt{\sqrt{4ac + b^2} + b} \sqrt{1 - \frac{2cx^2}{b - \sqrt{4ac + b^2}}} \sqrt{1 - \frac{2cx^2}{\sqrt{4ac + b^2} + b}} \left(3ce(3ae + 10bd) + 8b^2e^2 + 45c^2d^2\right) E\left(\operatorname{si}\right)}{30\sqrt{2}c^{7/2}\sqrt{a + bx^2 - cx^4}}$$

[Out] $-1/15*e^2*(4*b*e+15*c*d)*x*(-c*x^4+b*x^2+a)^{(1/2)}/c^2-1/5*e^3*x^3*(-c*x^4+b*x^2+a)^{(1/2)}/c-1/60*e*(45*c^2*d^2+8*b^2*e^2+3*c*e*(3*a*e+10*b*d))*\operatorname{Elliptic}E(x^2^{(1/2)}*c^{(1/2)}/(b+(4*a*c+b^2)^{(1/2)})^{(1/2)},((b+(4*a*c+b^2)^{(1/2)})/(b-(4*a*c+b^2)^{(1/2)}))^{(1/2)}*(b-(4*a*c+b^2)^{(1/2)}*(1-2*c*x^2/(b-(4*a*c+b^2)^{(1/2)}))^{(1/2)}))^{(1/2)}*(b+(4*a*c+b^2)^{(1/2)})^{(1/2)}*(1-2*c*x^2/(b+(4*a*c+b^2)^{(1/2)}))^{(1/2)}/c^{(7/2)}*2^{(1/2)}/(-c*x^4+b*x^2+a)^{(1/2)}+1/60*\operatorname{Elliptic}F(x^2^{(1/2)}*c^{(1/2)}/(b+(4*a*c+b^2)^{(1/2)})^{(1/2)},((b+(4*a*c+b^2)^{(1/2)})/(b-(4*a*c+b^2)^{(1/2)}))^{(1/2)}*(e*(45*c^2*d^2+8*b^2*e^2+3*c*e*(3*a*e+10*b*d))+2*c*(4*a*b*e^3+15*a*c*d*e^2+15*c^2*d^3)/(b-(4*a*c+b^2)^{(1/2)}))*(b-(4*a*c+b^2)^{(1/2)}*(1-2*c*x^2/(b-(4*a*c+b^2)^{(1/2)}))^{(1/2)}*(b+(4*a*c+b^2)^{(1/2)})^{(1/2)}*(1-2*c*x^2/(b+(4*a*c+b^2)^{(1/2)}))^{(1/2)}/c^{(7/2)}*2^{(1/2)}/(-c*x^4+b*x^2+a)^{(1/2)}$

Rubi [A] time = 1.28, antiderivative size = 553, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1206, 1679, 1202, 524, 424, 419}

$$\frac{\left(b - \sqrt{4ac + b^2}\right) \sqrt{\sqrt{4ac + b^2} + b} \sqrt{1 - \frac{2cx^2}{b - \sqrt{4ac + b^2}}} \sqrt{1 - \frac{2cx^2}{\sqrt{4ac + b^2} + b}} \left(\frac{2c(4abe^3 + 15acde^2 + 15c^2d^3)}{b - \sqrt{4ac + b^2}} + e(3ce(3ae + 10bd)\right)}{30\sqrt{2}c^{7/2}\sqrt{a + bx^2 - cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^3/Sqrt[a + b*x^2 - c*x^4], x]

[Out] $-(e^2*(15*c*d + 4*b*e)*x*\operatorname{Sqrt}[a + b*x^2 - c*x^4])/(15*c^2) - (e^3*x^3*\operatorname{Sqrt}[a + b*x^2 - c*x^4])/(5*c) - ((b - \operatorname{Sqrt}[b^2 + 4*a*c])*\operatorname{Sqrt}[b + \operatorname{Sqrt}[b^2 + 4*a*c]])*e*(45*c^2*d^2 + 8*b^2*e^2 + 3*c*e*(10*b*d + 3*a*e))*\operatorname{Sqrt}[1 - (2*c*x^2)/(b - \operatorname{Sqrt}[b^2 + 4*a*c])]*\operatorname{Sqrt}[1 - (2*c*x^2)/(b + \operatorname{Sqrt}[b^2 + 4*a*c])]*\operatorname{Elliptic}E[\operatorname{ArcSin}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*x)/\operatorname{Sqrt}[b + \operatorname{Sqrt}[b^2 + 4*a*c]]], (b + \operatorname{Sqrt}[b^2 + 4*a*c])/(b - \operatorname{Sqrt}[b^2 + 4*a*c])]/(30*\operatorname{Sqrt}[2]*c^{(7/2)}*\operatorname{Sqrt}[a + b*x^2 - c*x^4]) + ((b - \operatorname{Sqrt}[b^2 + 4*a*c])*\operatorname{Sqrt}[b + \operatorname{Sqrt}[b^2 + 4*a*c]])*((2*c*(15*c^2*d^3 + 15*a*c*d*e^2 + 4*a*b*e^3))/(b - \operatorname{Sqrt}[b^2 + 4*a*c]) + e*(45*c^2*d^2 + 8*b^2*e^2 + 3*c*e*(10*b*d + 3*a*e)))*\operatorname{Sqrt}[1 - (2*c*x^2)/(b - \operatorname{Sqrt}[b^2 + 4*a*c])]*\operatorname{Sqrt}[1 - (2*c*x^2)/(b + \operatorname{Sqrt}[b^2 + 4*a*c])]*\operatorname{Elliptic}F[\operatorname{ArcSin}[(\operatorname{Sqrt}[$

$2] \cdot \text{Sqrt}[c] \cdot x) / \text{Sqrt}[b + \text{Sqrt}[b^2 + 4 \cdot a \cdot c]]], (b + \text{Sqrt}[b^2 + 4 \cdot a \cdot c]) / (b - \text{Sqrt}[b^2 + 4 \cdot a \cdot c])]] / (30 \cdot \text{Sqrt}[2] \cdot c^{(7/2)} \cdot \text{Sqrt}[a + b \cdot x^2 - c \cdot x^4])$

Rule 419

$\text{Int}[1 / (\text{Sqrt}[a] + (b \cdot x) \cdot \text{Sqrt}[c + (d \cdot x)^2]), x_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{EllipticF}[\text{ArcSin}[\text{Rt}[-(d/c), 2] \cdot x], (b \cdot c) / (a \cdot d)]) / (\text{Sqrt}[a] \cdot \text{Sqrt}[c] \cdot \text{Rt}[-(d/c), 2]), x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NegQ}[d/c] \&\& \text{GtQ}[c, 0] \&\& \text{GtQ}[a, 0] \&\& \text{!(NegQ}[b/a] \&\& \text{SimplerSqrtQ}[-(b/a), -(d/c)])]$

Rule 424

$\text{Int}[\text{Sqrt}[a + (b \cdot x)^2] / \text{Sqrt}[c + (d \cdot x)^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[a] \cdot \text{EllipticE}[\text{ArcSin}[\text{Rt}[-(d/c), 2] \cdot x], (b \cdot c) / (a \cdot d)]) / (\text{Sqrt}[c] \cdot \text{Rt}[-(d/c), 2]), x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NegQ}[d/c] \&\& \text{GtQ}[c, 0] \&\& \text{GtQ}[a, 0]$

Rule 524

$\text{Int}[(e + (f \cdot x)^n) / (\text{Sqrt}[a + (b \cdot x)^n] \cdot \text{Sqrt}[c + (d \cdot x)^n]), x_Symbol] \rightarrow \text{Dist}[f/b, \text{Int}[\text{Sqrt}[a + b \cdot x^n] / \text{Sqrt}[c + d \cdot x^n], x], x] + \text{Dist}[(b \cdot e - a \cdot f) / b, \text{Int}[1 / (\text{Sqrt}[a + b \cdot x^n] \cdot \text{Sqrt}[c + d \cdot x^n]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{!(EqQ}[n, 2] \&\& ((\text{PosQ}[b/a] \&\& \text{PosQ}[d/c]) \|\| (\text{NegQ}[b/a] \&\& (\text{PosQ}[d/c] \|\| (\text{GtQ}[a, 0] \&\& (\text{!GtQ}[c, 0] \|\| \text{SimplerSqrtQ}[-(b/a), -(d/c)]))))))])]$

Rule 1202

$\text{Int}[(d + (e \cdot x)^2) / \text{Sqrt}[a + (b \cdot x)^2 + (c \cdot x)^4], x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b^2 - 4 \cdot a \cdot c, 2]\}, \text{Dist}[(\text{Sqrt}[1 + (2 \cdot c \cdot x^2) / (b - q)] \cdot \text{Sqrt}[1 + (2 \cdot c \cdot x^2) / (b + q)]) / \text{Sqrt}[a + b \cdot x^2 + c \cdot x^4], \text{Int}[(d + e \cdot x^2) / (\text{Sqrt}[1 + (2 \cdot c \cdot x^2) / (b - q)] \cdot \text{Sqrt}[1 + (2 \cdot c \cdot x^2) / (b + q)]), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0] \&\& \text{NegQ}[c/a]$

Rule 1206

$\text{Int}[(d + (e \cdot x)^2)^q \cdot (a + (b \cdot x)^2 + (c \cdot x)^4)^p, x_Symbol] \rightarrow \text{Simp}[(e^q \cdot x^{(2q-3)} \cdot (a + b \cdot x^2 + c \cdot x^4)^{(p+1)}) / (c \cdot (4p + 2q + 1)), x] + \text{Dist}[1 / (c \cdot (4p + 2q + 1)), \text{Int}[(a + b \cdot x^2 + c \cdot x^4)^p \cdot \text{ExpandTOSum}[c \cdot (4p + 2q + 1) \cdot (d + e \cdot x^2)^q - a \cdot (2q - 3) \cdot e^q \cdot x^{(2q-4)} - b \cdot (2q + 2q - 1) \cdot e^q \cdot x^{(2q-2)} - c \cdot (4p + 2q + 1) \cdot e^q \cdot x^{(2q)}, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, p\}, x] \&\& \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0] \&\& \text{NeQ}[c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2, 0] \&\& \text{IGtQ}[q, 1]$

Rule 1679

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{q =
  Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(
  a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p
  + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*
  q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*
  x^(2*q), x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[P
  q, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^3}{\sqrt{a + bx^2 - cx^4}} dx &= -\frac{e^3 x^3 \sqrt{a + bx^2 - cx^4}}{5c} - \frac{\int \frac{-5cd^3 - 3e(5cd^2 + ae^2)x^2 - e^2(15cd + 4be)x^4}{\sqrt{a + bx^2 - cx^4}} dx}{5c} \\ &= -\frac{e^2(15cd + 4be)x\sqrt{a + bx^2 - cx^4}}{15c^2} - \frac{e^3 x^3 \sqrt{a + bx^2 - cx^4}}{5c} + \frac{\int \frac{15c^2 d^3 + 15acde^2 + 4abe^3 + e(45c^2 d^2 + 2cd^2 + 2e^2 d^2)}{\sqrt{a + bx^2 - cx^4}} dx}{15c^2} \\ &= -\frac{e^2(15cd + 4be)x\sqrt{a + bx^2 - cx^4}}{15c^2} - \frac{e^3 x^3 \sqrt{a + bx^2 - cx^4}}{5c} + \frac{\left(\sqrt{1 - \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}}\sqrt{1 - \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}}\right) \int \frac{15c^2 d^3 + 15acde^2 + 4abe^3 + e(45c^2 d^2 + 2cd^2 + 2e^2 d^2)}{\sqrt{a + bx^2 - cx^4}} dx}{15c^2} \\ &= -\frac{e^2(15cd + 4be)x\sqrt{a + bx^2 - cx^4}}{15c^2} - \frac{e^3 x^3 \sqrt{a + bx^2 - cx^4}}{5c} - \frac{\left((b - \sqrt{b^2 + 4ac})e(45c^2 d^2 + 2cd^2 + 2e^2 d^2)\right) \int \frac{15c^2 d^3 + 15acde^2 + 4abe^3 + e(45c^2 d^2 + 2cd^2 + 2e^2 d^2)}{\sqrt{a + bx^2 - cx^4}} dx}{15c^2} \\ &= -\frac{e^2(15cd + 4be)x\sqrt{a + bx^2 - cx^4}}{15c^2} - \frac{e^3 x^3 \sqrt{a + bx^2 - cx^4}}{5c} - \frac{(b - \sqrt{b^2 + 4ac})\sqrt{b + \sqrt{b^2 + 4ac}} \int \frac{15c^2 d^3 + 15acde^2 + 4abe^3 + e(45c^2 d^2 + 2cd^2 + 2e^2 d^2)}{\sqrt{a + bx^2 - cx^4}} dx}{15c^2} \end{aligned}$$

Mathematica [C] time = 2.47, size = 596, normalized size = 1.08

$$\frac{-i\sqrt{2}e\left(\sqrt{4ac + b^2} - b\right)\sqrt{\frac{\sqrt{4ac + b^2} + b - 2cx^2}{\sqrt{4ac + b^2} + b}}\sqrt{\frac{\sqrt{4ac + b^2} - b + 2cx^2}{\sqrt{4ac + b^2} - b}}(3ce(3ae + 10bd) + 8b^2e^2 + 45c^2d^2)E\left(i\sinh^{-1}\left(\sqrt{2}\right)\right)}{15c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^3/Sqrt[a + b*x^2 - c*x^4], x]

```
[Out] (-4*c*Sqrt[-(c/(b + Sqrt[b^2 + 4*a*c]))])*e^2*x*(a + b*x^2 - c*x^4)*(4*b*e +
3*c*(5*d + e*x^2)) - I*Sqrt[2]*(-b + Sqrt[b^2 + 4*a*c])*e*(45*c^2*d^2 + 8*
b^2*e^2 + 3*c*e*(10*b*d + 3*a*e))*Sqrt[(b + Sqrt[b^2 + 4*a*c] - 2*c*x^2)/(b
+ Sqrt[b^2 + 4*a*c])]*Sqrt[(-b + Sqrt[b^2 + 4*a*c] + 2*c*x^2)/(-b + Sqrt[b
^2 + 4*a*c])]*EllipticE[I*ArcSinh[Sqrt[2]*Sqrt[-(c/(b + Sqrt[b^2 + 4*a*c]))
]*x], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c])] + I*Sqrt[2]*(-30*c^3
*d^3 + 8*b^2*(-b + Sqrt[b^2 + 4*a*c])*e^3 + 15*c^2*d*e*(-3*b*d + 3*Sqrt[b^2
+ 4*a*c]*d - 2*a*e) + c*e^2*(-30*b^2*d + 30*b*Sqrt[b^2 + 4*a*c]*d - 17*a*b
*e + 9*a*Sqrt[b^2 + 4*a*c]*e))*Sqrt[(b + Sqrt[b^2 + 4*a*c] - 2*c*x^2)/(b +
Sqrt[b^2 + 4*a*c])]*Sqrt[(-b + Sqrt[b^2 + 4*a*c] + 2*c*x^2)/(-b + Sqrt[b^2
+ 4*a*c])]*EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[-(c/(b + Sqrt[b^2 + 4*a*c]))]*x
], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c])])]/(60*c^3*Sqrt[-(c/(b +
Sqrt[b^2 + 4*a*c]))])*Sqrt[a + b*x^2 - c*x^4])
```

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(e^3x^6 + 3de^2x^4 + 3d^2ex^2 + d^3)\sqrt{-cx^4 + bx^2 + a}}{cx^4 - bx^2 - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^3/(-c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(-(e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3)*sqrt(-c*x^4 + b*x^2 +
a)/(c*x^4 - b*x^2 - a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^3}{\sqrt{-cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^3/(-c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)^3/sqrt(-c*x^4 + b*x^2 + a), x)
```

maple [B] time = 0.02, size = 1195, normalized size = 2.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d)^3/(-c*x^4+b*x^2+a)^(1/2),x)
```

```
[Out] e^3*(-1/5/c*x^3*(-c*x^4+b*x^2+a)^(1/2)-4/15*b/c^2*x*(-c*x^4+b*x^2+a)^(1/2)+
1/15*b/c^2*a^(1/2)/((-b+(4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(4*a*c+b^2)^(1/2)
```

$$\frac{1}{2})/a*x^2+4)^{(1/2)}*(2*(b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}/(-c*x^4+b*x^2+a)^{(1/2)}*EllipticF(1/2*2^{(1/2)}*((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(-2*(b+(4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})-1/2*(3/5*a/c+8/15*b^2/c^2)*a*2^{(1/2)}/((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*(-2*(-b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}*(2*(b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}/(-c*x^4+b*x^2+a)^{(1/2)}/(b+(4*a*c+b^2)^{(1/2)})*(EllipticF(1/2*2^{(1/2)}*((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(-2*(b+(4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})-EllipticE(1/2*2^{(1/2)}*((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(-2*(b+(4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})))+3*d*e^2*(-1/3*(-c*x^4+b*x^2+a)^{(1/2)}/c*x+1/12/c*a*2^{(1/2)}/((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*(-2*(-b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}*(2*(b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}/(-c*x^4+b*x^2+a)^{(1/2)}*EllipticF(1/2*2^{(1/2)}*((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(-2*(b+(4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})-1/3*b/c*a*2^{(1/2)}/((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*(-2*(-b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}*(2*(b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}/(-c*x^4+b*x^2+a)^{(1/2)}/(b+(4*a*c+b^2)^{(1/2)})*(EllipticF(1/2*2^{(1/2)}*((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(-2*(b+(4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})-EllipticE(1/2*2^{(1/2)}*((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(-2*(b+(4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})))-3/2*d^2*e*a*2^{(1/2)}/((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*(-2*(-b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}*(2*(b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}/(-c*x^4+b*x^2+a)^{(1/2)}/(b+(4*a*c+b^2)^{(1/2)})*(EllipticF(1/2*2^{(1/2)}*((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(-2*(b+(4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})-EllipticE(1/2*2^{(1/2)}*((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(-2*(b+(4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})))+1/4*d^3*2^{(1/2)}/((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*(-2*(-b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}*(2*(b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}/(-c*x^4+b*x^2+a)^{(1/2)}*EllipticF(1/2*2^{(1/2)}*((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(-2*(b+(4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^3}{\sqrt{-cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(-c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^3/sqrt(-c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^3}{\sqrt{-cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)^3/(a + b*x^2 - c*x^4)^(1/2), x)`

[Out] `int((d + e*x^2)^3/(a + b*x^2 - c*x^4)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^2)^3}{\sqrt{a + bx^2 - cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**3/(-c*x**4+b*x**2+a)**(1/2), x)`

[Out] `Integral((d + e*x**2)**3/sqrt(a + b*x**2 - c*x**4), x)`

$$3.386 \quad \int \frac{(d+ex^2)^2}{\sqrt{a+bx^2-cx^4}} dx$$

Optimal. Leaf size=454

$$\frac{e \left(b - \sqrt{4ac + b^2} \right) \sqrt{\sqrt{4ac + b^2} + b} \sqrt{1 - \frac{2cx^2}{b - \sqrt{4ac + b^2}}} \sqrt{1 - \frac{2cx^2}{\sqrt{4ac + b^2} + b}} (be + 3cd) E \left(\sin^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b + \sqrt{b^2 + 4ac}}} \right) \right) \Big|_{\frac{b + \sqrt{b^2 + 4ac}}{b - \sqrt{b^2 + 4ac}}} \right)}{3\sqrt{2} c^{5/2} \sqrt{a + bx^2 - cx^4}}$$

[Out] $-1/3 * e^2 * x * (-c * x^4 + b * x^2 + a)^{(1/2)} / c - 1/6 * e * (b * e + 3 * c * d) * \text{EllipticE}(x^2^{(1/2)} * c^{(1/2)} / (b + (4 * a * c + b^2)^{(1/2}))^{(1/2)}, ((b + (4 * a * c + b^2)^{(1/2)}) / (b - (4 * a * c + b^2)^{(1/2})))^{(1/2)})^{(1/2)} * (b - (4 * a * c + b^2)^{(1/2)}) * (1 - 2 * c * x^2 / (b - (4 * a * c + b^2)^{(1/2})))^{(1/2)} * (b + (4 * a * c + b^2)^{(1/2}))^{(1/2)} * (1 - 2 * c * x^2 / (b + (4 * a * c + b^2)^{(1/2})))^{(1/2)} / c^{(5/2)} * 2^{(1/2)} / (-c * x^4 + b * x^2 + a)^{(1/2)} + 1/6 * \text{EllipticF}(x^2^{(1/2)} * c^{(1/2)} / (b + (4 * a * c + b^2)^{(1/2}))^{(1/2)}, ((b + (4 * a * c + b^2)^{(1/2)}) / (b - (4 * a * c + b^2)^{(1/2})))^{(1/2)})^{(1/2)} * (3 * c^2 * d^2 + b * e^2 * (b - (4 * a * c + b^2)^{(1/2})) + c * e * (3 * b * d + a * e - 3 * d * (4 * a * c + b^2)^{(1/2}))) * (1 - 2 * c * x^2 / (b - (4 * a * c + b^2)^{(1/2})))^{(1/2)} * (b + (4 * a * c + b^2)^{(1/2}))^{(1/2)} * (1 - 2 * c * x^2 / (b + (4 * a * c + b^2)^{(1/2})))^{(1/2)} / c^{(5/2)} * 2^{(1/2)} / (-c * x^4 + b * x^2 + a)^{(1/2)}$

Rubi [A] time = 0.79, antiderivative size = 454, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {1206, 1202, 524, 424, 419}

$$\frac{\sqrt{\sqrt{4ac + b^2} + b} \sqrt{1 - \frac{2cx^2}{b - \sqrt{4ac + b^2}}} \sqrt{1 - \frac{2cx^2}{\sqrt{4ac + b^2} + b}} \left(ce \left(-3d\sqrt{4ac + b^2} + ae + 3bd \right) + be^2 \left(b - \sqrt{4ac + b^2} \right) + 3c^2 \right)}{3\sqrt{2} c^{5/2} \sqrt{a + bx^2 - cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^2/Sqrt[a + b*x^2 - c*x^4], x]

[Out] $-(e^2 * x * \text{Sqrt}[a + b * x^2 - c * x^4]) / (3 * c) - ((b - \text{Sqrt}[b^2 + 4 * a * c]) * \text{Sqrt}[b + \text{Sqrt}[b^2 + 4 * a * c]] * e * (3 * c * d + b * e) * \text{Sqrt}[1 - (2 * c * x^2) / (b - \text{Sqrt}[b^2 + 4 * a * c])]) * \text{Sqrt}[1 - (2 * c * x^2) / (b + \text{Sqrt}[b^2 + 4 * a * c])]) * \text{EllipticE}[\text{ArcSin}[(\text{Sqrt}[2] * \text{Sqrt}[c] * x) / \text{Sqrt}[b + \text{Sqrt}[b^2 + 4 * a * c]]], (b + \text{Sqrt}[b^2 + 4 * a * c]) / (b - \text{Sqrt}[b^2 + 4 * a * c])]) / (3 * \text{Sqrt}[2] * c^{(5/2)} * \text{Sqrt}[a + b * x^2 - c * x^4]) + (\text{Sqrt}[b + \text{Sqrt}[b^2 + 4 * a * c]] * (3 * c^2 * d^2 + b * (b - \text{Sqrt}[b^2 + 4 * a * c]) * e^2 + c * e * (3 * b * d - 3 * \text{Sqrt}[b^2 + 4 * a * c] * d + a * e)) * \text{Sqrt}[1 - (2 * c * x^2) / (b - \text{Sqrt}[b^2 + 4 * a * c])]) * \text{Sqrt}[1 - (2 * c * x^2) / (b + \text{Sqrt}[b^2 + 4 * a * c])]) * \text{EllipticF}[\text{ArcSin}[(\text{Sqrt}[2] * \text{Sqrt}[c] * x) / \text{Sqrt}[b + \text{Sqrt}[b^2 + 4 * a * c]]], (b + \text{Sqrt}[b^2 + 4 * a * c]) / (b - \text{Sqrt}[b^2 + 4 * a * c])]) / (3 * \text{Sqrt}[2] * c^{(5/2)} * \text{Sqrt}[a + b * x^2 - c * x^4])$

Rule 419

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 524

```
Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-(b/a), -(d/c)]))))))
```

Rule 1202

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(Sqrt[1 + (2*c*x^2)/(b - q)]*Sqrt
[1 + (2*c*x^2)/(b + q)]/Sqrt[a + b*x^2 + c*x^4], Int[(d + e*x^2)/(Sqrt[1 +
(2*c*x^2)/(b - q)]*Sqrt[1 + (2*c*x^2)/(b + q)]), x], x] /; FreeQ[{a, b, c
, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[c/a]
```

Rule 1206

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x
_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*
q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandT
oSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p
+ 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /;
FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e +
a*e^2, 0] && IGtQ[q, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^2}{\sqrt{a + bx^2 - cx^4}} dx &= -\frac{e^2 x \sqrt{a + bx^2 - cx^4}}{3c} - \frac{\int \frac{-3cd^2 - ae^2 - 2e(3cd + be)x^2}{\sqrt{a + bx^2 - cx^4}} dx}{3c} \\
&= -\frac{e^2 x \sqrt{a + bx^2 - cx^4}}{3c} - \frac{\left(\sqrt{1 - \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}} \sqrt{1 - \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}} \right) \int \frac{-3cd^2 - ae^2 - 2e(3cd + be)x^2}{\sqrt{1 - \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}} \sqrt{1 - \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}}}{3c \sqrt{a + bx^2 - cx^4}} \\
&= -\frac{e^2 x \sqrt{a + bx^2 - cx^4}}{3c} - \frac{\left((b - \sqrt{b^2 + 4ac}) e(3cd + be) \sqrt{1 - \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}} \sqrt{1 - \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}} \right)}{3c^2 \sqrt{a + bx^2 - cx^4}} \\
&= -\frac{e^2 x \sqrt{a + bx^2 - cx^4}}{3c} - \frac{(b - \sqrt{b^2 + 4ac}) \sqrt{b + \sqrt{b^2 + 4ac}} e(3cd + be) \sqrt{1 - \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}}}{3\sqrt{2} c^{5/2} \sqrt{a + bx^2}}
\end{aligned}$$

Mathematica [C] time = 1.39, size = 503, normalized size = 1.11

$$i\sqrt{2} \sqrt{\frac{\sqrt{4ac+b^2}+b-2cx^2}{\sqrt{4ac+b^2}+b}} \sqrt{\frac{\sqrt{4ac+b^2}-b+2cx^2}{\sqrt{4ac+b^2}-b}} \left(-ce \left(-3d\sqrt{4ac+b^2} + ae + 3bd \right) + be^2 \left(\sqrt{4ac+b^2} - b \right) - 3c^2 d^2 \right) F \left(i \sin^{-1} \left(\frac{\sqrt{4ac+b^2}+b-2cx^2}{\sqrt{4ac+b^2}+b} \right), \frac{\sqrt{4ac+b^2}-b+2cx^2}{\sqrt{4ac+b^2}-b} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2/Sqrt[a + b*x^2 - c*x^4], x]

[Out] (2*c*Sqrt[-(c/(b + Sqrt[b^2 + 4*a*c]))]*e^2*x*(-a - b*x^2 + c*x^4) - I*Sqrt[2]*(-b + Sqrt[b^2 + 4*a*c])*e*(3*c*d + b*e)*Sqrt[(b + Sqrt[b^2 + 4*a*c] - 2*c*x^2)/(b + Sqrt[b^2 + 4*a*c])]*Sqrt[(-b + Sqrt[b^2 + 4*a*c] + 2*c*x^2)/(-b + Sqrt[b^2 + 4*a*c])]*EllipticE[I*ArcSinh[Sqrt[2]*Sqrt[-(c/(b + Sqrt[b^2 + 4*a*c]))]]*x], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c])) + I*Sqrt[2]*(-3*c^2*d^2 + b*(-b + Sqrt[b^2 + 4*a*c])*e^2 - c*e*(3*b*d - 3*Sqrt[b^2 + 4*a*c]*d + a*e))*Sqrt[(b + Sqrt[b^2 + 4*a*c] - 2*c*x^2)/(b + Sqrt[b^2 + 4*a*c])]*Sqrt[(-b + Sqrt[b^2 + 4*a*c] + 2*c*x^2)/(-b + Sqrt[b^2 + 4*a*c])]*EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[-(c/(b + Sqrt[b^2 + 4*a*c]))]]*x], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c]))]/(6*c^2*Sqrt[-(c/(b + Sqrt[b^2 + 4*a*c]))])*Sqrt[a + b*x^2 - c*x^4])

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{(e^2 x^4 + 2 d e x^2 + d^2) \sqrt{-c x^4 + b x^2 + a}}{c x^4 - b x^2 - a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(-c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] integral(-(e^2*x^4 + 2*d*e*x^2 + d^2)*sqrt(-c*x^4 + b*x^2 + a)/(c*x^4 - b*x^2 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^2}{\sqrt{-cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(-c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2/sqrt(-c*x^4 + b*x^2 + a), x)

maple [A] time = 0.01, size = 761, normalized size = 1.68

$$\frac{\sqrt{2} \sqrt{-\frac{2(-b + \sqrt{4ac + b^2})x^2}{a}} + 4 \sqrt{\frac{2(b + \sqrt{4ac + b^2})x^2}{a}} + 4 \left(-\text{EllipticE} \left(\frac{\sqrt{2} \sqrt{\frac{-b + \sqrt{4ac + b^2}}{a}} x}{2}, \sqrt{\frac{2(b + \sqrt{4ac + b^2})b}{ac} - 4} \right) + \text{EllipticF} \left(\frac{\sqrt{2} \sqrt{\frac{-b + \sqrt{4ac + b^2}}{a}} x}{2}, \sqrt{\frac{2(b + \sqrt{4ac + b^2})b}{ac} - 4} \right) \right)}{\sqrt{\frac{-b + \sqrt{4ac + b^2}}{a}} \sqrt{-cx^4 + bx^2 + a} (b + \sqrt{4ac + b^2})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2/(-c*x^4+b*x^2+a)^(1/2),x)

[Out] e^2*(-1/3*(-c*x^4+b*x^2+a)^(1/2)/c*x+1/12/c*a*2^(1/2)/((-b+(4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(-c*x^4+b*x^2+a)^(1/2)*EllipticF(1/2*2^(1/2)*((-b+(4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(-2*(b+(4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))-1/3*b/c*a*2^(1/2)/((-b+(4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(-c*x^4+b*x^2+a)^(1/2)/(b+(4*a*c+b^2)^(1/2))*(EllipticF(1/2*2^(1/2)*((-b+(4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(-2*(b+(4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))-EllipticE(1/2*2^(1/2)*((-b+(4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(-2*(b+(4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))))-d*e*a*2^(1/2)/((-b+(4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(-c*x^4+b*x^2+a)^(1/2)/(b+(4*a*c+b^2)^(1/2))*(EllipticF(1/2*2^(1/2)*((-b+(4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(-2*(b+(4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))-EllipticE(1/2*2

$$\begin{aligned} &^{(1/2)} * ((-b + (4*a*c + b^2)^{(1/2)}) / a)^{(1/2)} * x, 1/2 * (-2 * (b + (4*a*c + b^2)^{(1/2)}) / a * b \\ &/ c - 4)^{(1/2)}) + 1/4 * d^2 * 2^{(1/2)} / ((-b + (4*a*c + b^2)^{(1/2)}) / a)^{(1/2)} * (-2 * (-b + (4*a \\ &* c + b^2)^{(1/2)}) / a * x^2 + 4)^{(1/2)} * (2 * (b + (4*a*c + b^2)^{(1/2)}) / a * x^2 + 4)^{(1/2)} / (-c * x \\ &^4 + b * x^2 + a)^{(1/2)} * \text{EllipticF}(1/2 * 2^{(1/2)} * ((-b + (4*a*c + b^2)^{(1/2)}) / a)^{(1/2)} * x, \\ &1/2 * (-2 * (b + (4*a*c + b^2)^{(1/2)}) / a * b / c - 4)^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^2}{\sqrt{-cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(-c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^2/sqrt(-c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^2}{\sqrt{-cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^2/(a + b*x^2 - c*x^4)^(1/2),x)

[Out] int((d + e*x^2)^2/(a + b*x^2 - c*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^2)^2}{\sqrt{a + bx^2 - cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2/(-c*x**4+b*x**2+a)**(1/2),x)

[Out] Integral((d + e*x**2)**2/sqrt(a + b*x**2 - c*x**4), x)

$$3.387 \quad \int \frac{d+ex^2}{\sqrt{a+bx^2-cx^4}} dx$$

Optimal. Leaf size=385

$$\frac{\sqrt{\sqrt{4ac+b^2}+b} \sqrt{1-\frac{2cx^2}{b-\sqrt{4ac+b^2}}} \sqrt{1-\frac{2cx^2}{\sqrt{4ac+b^2}+b}} \left(e \left(b - \sqrt{4ac+b^2} \right) + 2cd \right) F \left(\sin^{-1} \left(\frac{\sqrt{2} \sqrt{cx}}{\sqrt{b+\sqrt{b^2+4ac}}} \right) \middle| \frac{b+\sqrt{b^2+4ac}}{b-\sqrt{b^2+4ac}} \right)}{2\sqrt{2} c^{3/2} \sqrt{a+bx^2-cx^4}}$$

[Out] 1/4*EllipticF(x*2^(1/2)*c^(1/2)/(b+(4*a*c+b^2)^(1/2))^(1/2), ((b+(4*a*c+b^2)^(1/2))/(b-(4*a*c+b^2)^(1/2)))^(1/2))*(2*c*d+e*(b-(4*a*c+b^2)^(1/2)))*(1-2*c*x^2/(b-(4*a*c+b^2)^(1/2)))^(1/2)*(b+(4*a*c+b^2)^(1/2))^(1/2)*(1-2*c*x^2/(b+(4*a*c+b^2)^(1/2)))^(1/2)/c^(3/2)*2^(1/2)/(-c*x^4+b*x^2+a)^(1/2)-1/4*e*EllipticE(x*2^(1/2)*c^(1/2)/(b+(4*a*c+b^2)^(1/2))^(1/2), ((b+(4*a*c+b^2)^(1/2))/(b-(4*a*c+b^2)^(1/2)))^(1/2)*(b-(4*a*c+b^2)^(1/2))^(1/2)*(1-2*c*x^2/(b-(4*a*c+b^2)^(1/2)))^(1/2)*(b+(4*a*c+b^2)^(1/2))^(1/2)*(1-2*c*x^2/(b+(4*a*c+b^2)^(1/2)))^(1/2)/c^(3/2)*2^(1/2)/(-c*x^4+b*x^2+a)^(1/2)

Rubi [A] time = 0.34, antiderivative size = 385, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1202, 524, 424, 419}

$$\frac{\sqrt{\sqrt{4ac+b^2}+b} \sqrt{1-\frac{2cx^2}{b-\sqrt{4ac+b^2}}} \sqrt{1-\frac{2cx^2}{\sqrt{4ac+b^2}+b}} \left(e \left(b - \sqrt{4ac+b^2} \right) + 2cd \right) F \left(\sin^{-1} \left(\frac{\sqrt{2} \sqrt{cx}}{\sqrt{b+\sqrt{b^2+4ac}}} \right) \middle| \frac{b+\sqrt{b^2+4ac}}{b-\sqrt{b^2+4ac}} \right)}{2\sqrt{2} c^{3/2} \sqrt{a+bx^2-cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/Sqrt[a + b*x^2 - c*x^4], x]

[Out] -((b - Sqrt[b^2 + 4*a*c])*Sqrt[b + Sqrt[b^2 + 4*a*c]]*e*Sqrt[1 - (2*c*x^2)/(b - Sqrt[b^2 + 4*a*c]])*Sqrt[1 - (2*c*x^2)/(b + Sqrt[b^2 + 4*a*c]])*EllipticE[ArcSin[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 + 4*a*c]]], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c]))/(2*Sqrt[2]*c^(3/2)*Sqrt[a + b*x^2 - c*x^4]) + (Sqrt[b + Sqrt[b^2 + 4*a*c]]*(2*c*d + (b - Sqrt[b^2 + 4*a*c])*e)*Sqrt[1 - (2*c*x^2)/(b - Sqrt[b^2 + 4*a*c]])*Sqrt[1 - (2*c*x^2)/(b + Sqrt[b^2 + 4*a*c]])*EllipticF[ArcSin[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 + 4*a*c]]], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c]))/(2*Sqrt[2]*c^(3/2)*Sqrt[a + b*x^2 - c*x^4])

Rule 419

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[a]*Sqrt[c]*Rt

$[-(d/c), 2]), x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NegQ}[d/c] \ \&\& \ \text{GtQ}[c, 0] \ \&\& \ \text{GtQ}[a, 0] \ \&\& \ !(\text{NegQ}[b/a] \ \&\& \ \text{SimplerSqrtQ}[-(b/a), -(d/c)])$

Rule 424

$\text{Int}[\text{Sqrt}[(a_) + (b_)*(x_)^2]/\text{Sqrt}[(c_) + (d_)*(x_)^2], x_Symbol] \text{ :> } \text{Simp}[(\text{Sqrt}[a]*\text{EllipticE}[\text{ArcSin}[\text{Rt}[-(d/c), 2]*x], (b*c)/(a*d)])/(\text{Sqrt}[c]*\text{Rt}[-(d/c), 2]), x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NegQ}[d/c] \ \&\& \ \text{GtQ}[c, 0] \ \&\& \ \text{GtQ}[a, 0]$

Rule 524

$\text{Int}[(e_) + (f_)*(x_)^{(n_)}]/(\text{Sqrt}[(a_) + (b_)*(x_)^{(n_)}]*\text{Sqrt}[(c_) + (d_)*(x_)^{(n_)}]), x_Symbol] \text{ :> } \text{Dist}[f/b, \text{Int}[\text{Sqrt}[a + b*x^n]/\text{Sqrt}[c + d*x^n], x], x] + \text{Dist}[(b*e - a*f)/b, \text{Int}[1/(\text{Sqrt}[a + b*x^n]*\text{Sqrt}[c + d*x^n]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n\}, x] \ \&\& \ !(\text{EqQ}[n, 2] \ \&\& \ ((\text{PosQ}[b/a] \ \&\& \ \text{PosQ}[d/c]) \ || \ (\text{NegQ}[b/a] \ \&\& \ (\text{PosQ}[d/c] \ || \ (\text{GtQ}[a, 0] \ \&\& \ (!\text{GtQ}[c, 0] \ || \ \text{SimplerSqrtQ}[-(b/a), -(d/c)]))))))$

Rule 1202

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \text{ :> } \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(\text{Sqrt}[1 + (2*c*x^2)/(b - q)]*\text{Sqrt}[1 + (2*c*x^2)/(b + q)])/\text{Sqrt}[a + b*x^2 + c*x^4], \text{Int}[(d + e*x^2)/(\text{Sqrt}[1 + (2*c*x^2)/(b - q)]*\text{Sqrt}[1 + (2*c*x^2)/(b + q)]), x], x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NegQ}[c/a]$

Rubi steps

$$\int \frac{d + ex^2}{\sqrt{a + bx^2 - cx^4}} dx = \frac{\left(\sqrt{1 - \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}} \sqrt{1 - \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}} \right) \int \frac{d + ex^2}{\sqrt{1 - \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}} \sqrt{1 - \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}}} dx}{\sqrt{a + bx^2 - cx^4}}$$

$$= - \frac{\left((b - \sqrt{b^2 + 4ac}) \left(-\frac{2cd}{b - \sqrt{b^2 + 4ac}} - e \right) \sqrt{1 - \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}} \sqrt{1 - \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}} \right) \int \frac{1}{\sqrt{1 - \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}}} dx}{2c\sqrt{a + bx^2 - cx^4}}$$

$$= - \frac{(b - \sqrt{b^2 + 4ac}) \sqrt{b + \sqrt{b^2 + 4ac}} e \sqrt{1 - \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}} \sqrt{1 - \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}} E \left(\sin^{-1} \left(\frac{\sqrt{2} \sqrt{b + \sqrt{b^2 + 4ac}}}{\sqrt{a + bx^2 - cx^4}} \right) \right)}{2\sqrt{2} c^{3/2} \sqrt{a + bx^2 - cx^4}}$$

Mathematica [C] time = 0.26, size = 293, normalized size = 0.76

$$\frac{i\sqrt{\frac{2cx^2}{\sqrt{4ac+b^2}-b}} + 1\sqrt{1 - \frac{2cx^2}{\sqrt{4ac+b^2}+b}} \left(\left(e \left(b - \sqrt{4ac+b^2} \right) + 2cd \right) F \left(i \sinh^{-1} \left(\sqrt{2} \sqrt{\frac{c}{b+\sqrt{b^2+4ac}}} x \right) \middle| \frac{b+\sqrt{b^2+4ac}}{b-\sqrt{b^2+4ac}} \right) + e \left(\right. \right.}{2\sqrt{2}c\sqrt{\frac{c}{\sqrt{4ac+b^2}+b}}\sqrt{a+bx^2-cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/Sqrt[a + b*x^2 - c*x^4], x]

[Out] ((-1/2*I)*Sqrt[1 + (2*c*x^2)/(-b + Sqrt[b^2 + 4*a*c])]*Sqrt[1 - (2*c*x^2)/(b + Sqrt[b^2 + 4*a*c])]*((-b + Sqrt[b^2 + 4*a*c])*e*EllipticE[I*ArcSinh[Sqrt[2]*Sqrt[-(c/(b + Sqrt[b^2 + 4*a*c])])*x], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c])]) + (2*c*d + (b - Sqrt[b^2 + 4*a*c])*e)*EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[-(c/(b + Sqrt[b^2 + 4*a*c])])*x], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c])]))/(Sqrt[2]*c*Sqrt[-(c/(b + Sqrt[b^2 + 4*a*c])])*Sqrt[a + b*x^2 - c*x^4])

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{\sqrt{-cx^4 + bx^2 + a}(ex^2 + d)}{cx^4 - bx^2 - a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(-c*x^4+b*x^2+a)^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-c*x^4 + b*x^2 + a)*(e*x^2 + d)/(c*x^4 - b*x^2 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{-cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(-c*x^4+b*x^2+a)^(1/2), x, algorithm="giac")

[Out] integrate((e*x^2 + d)/sqrt(-c*x^4 + b*x^2 + a), x)

maple [A] time = 0.01, size = 364, normalized size = 0.95

$$\frac{\sqrt{2}\sqrt{-\frac{2(-b+\sqrt{4ac+b^2})x^2}{a}} + 4\sqrt{\frac{2(b+\sqrt{4ac+b^2})x^2}{a}} + 4 \left(-\text{EllipticE} \left(\frac{\sqrt{2}\sqrt{\frac{-b+\sqrt{4ac+b^2}}{a}}x}{2}, \frac{\sqrt{\frac{2(b+\sqrt{4ac+b^2})b}{ac}-4}}{2} \right) + \text{EllipticF} \left(\right. \right.}{2\sqrt{\frac{-b+\sqrt{4ac+b^2}}{a}}\sqrt{-cx^4+bx^2+a}\left(b+\sqrt{4ac+b^2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)/(-c*x^4+b*x^2+a)^(1/2),x)`

[Out]
$$-1/2*e*a*2^{(1/2)} / ((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)} * (-2*(-b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)} * (2*(b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)} / (-c*x^4+b*x^2+a)^{(1/2)} / (b+(4*a*c+b^2)^{(1/2)}) * (\text{EllipticF}(1/2*2^{(1/2)}*((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(-2*(b+(4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)}) - \text{EllipticE}(1/2*2^{(1/2)}*((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(-2*(b+(4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})) + 1/4*d*2^{(1/2)} / ((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)} * (-2*(-b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)} * (2*(b+(4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)} / (-c*x^4+b*x^2+a)^{(1/2)} * \text{EllipticF}(1/2*2^{(1/2)}*((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(-2*(b+(4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{-cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/(-c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d)/sqrt(-c*x^4 + b*x^2 + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + d}{\sqrt{-cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)/(a + b*x^2 - c*x^4)^(1/2),x)`

[Out] `int((d + e*x^2)/(a + b*x^2 - c*x^4)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + ex^2}{\sqrt{a + bx^2 - cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)/(-c*x**4+b*x**2+a)**(1/2),x)`

[Out] `Integral((d + e*x**2)/sqrt(a + b*x**2 - c*x**4), x)`

$$3.388 \quad \int \frac{1}{(d+ex^2)\sqrt{a+bx^2-cx^4}} dx$$

Optimal. Leaf size=197

$$\frac{\sqrt{\sqrt{4ac+b^2}+b} \sqrt{1-\frac{2cx^2}{b-\sqrt{4ac+b^2}}} \sqrt{1-\frac{2cx^2}{\sqrt{4ac+b^2}+b}} \Pi\left(-\frac{(b+\sqrt{b^2+4ac})e}{2cd}; \sin^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b+\sqrt{b^2+4ac}}}\right) \Big|_{\frac{b+\sqrt{b^2+4ac}}{b-\sqrt{b^2+4ac}}}\right)}{\sqrt{2}\sqrt{c}d\sqrt{a+bx^2-cx^4}}$$

[Out] 1/2*EllipticPi(x*2^(1/2)*c^(1/2)/(b+(4*a*c+b^2)^(1/2))^(1/2), -1/2*e*(b+(4*a*c+b^2)^(1/2))/c/d, ((b+(4*a*c+b^2)^(1/2))/(b-(4*a*c+b^2)^(1/2)))^(1/2))*(1-2*c*x^2/(b-(4*a*c+b^2)^(1/2)))^(1/2)*(b+(4*a*c+b^2)^(1/2))^(1/2)*(1-2*c*x^2/(b+(4*a*c+b^2)^(1/2)))^(1/2)/d*2^(1/2)/c^(1/2)/(-c*x^4+b*x^2+a)^(1/2)

Rubi [A] time = 0.16, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$, Rules used = {1220, 537}

$$\frac{\sqrt{\sqrt{4ac+b^2}+b} \sqrt{1-\frac{2cx^2}{b-\sqrt{4ac+b^2}}} \sqrt{1-\frac{2cx^2}{\sqrt{4ac+b^2}+b}} \Pi\left(-\frac{(b+\sqrt{b^2+4ac})e}{2cd}; \sin^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b+\sqrt{b^2+4ac}}}\right) \Big|_{\frac{b+\sqrt{b^2+4ac}}{b-\sqrt{b^2+4ac}}}\right)}{\sqrt{2}\sqrt{c}d\sqrt{a+bx^2-cx^4}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*Sqrt[a + b*x^2 - c*x^4]),x]

[Out] (Sqrt[b + Sqrt[b^2 + 4*a*c]]*Sqrt[1 - (2*c*x^2)/(b - Sqrt[b^2 + 4*a*c])])*Sqrt[1 - (2*c*x^2)/(b + Sqrt[b^2 + 4*a*c])]*EllipticPi[-((b + Sqrt[b^2 + 4*a*c])*e)/(2*c*d), ArcSin[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 + 4*a*c]]], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c])]/(Sqrt[2]*Sqrt[c]*d*Sqrt[a + b*x^2 - c*x^4])

Rule 537

Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !(GtQ[f/e, 0] && SimplifierSqrtQ[-(f/e), -(d/c)])

Rule 1220

Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(Sqrt[1 + (2*c*x^2)/(b - q)]*

$\text{Sqrt}[1 + (2*c*x^2)/(b + q)]/\text{Sqrt}[a + b*x^2 + c*x^4], \text{Int}[1/((d + e*x^2)*\text{Sqrt}[1 + (2*c*x^2)/(b - q)]*\text{Sqrt}[1 + (2*c*x^2)/(b + q)]), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NegQ}[c/a]$

Rubi steps

$$\int \frac{1}{(d + ex^2)\sqrt{a + bx^2 - cx^4}} dx = \frac{\left(\sqrt{1 - \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}}\sqrt{1 - \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}}\right) \int \frac{1}{\sqrt{1 - \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}}\sqrt{1 - \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}}(d + ex^2)} dx}{\sqrt{a + bx^2 - cx^4}}$$

$$= \frac{\sqrt{b + \sqrt{b^2 + 4ac}}\sqrt{1 - \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}}\sqrt{1 - \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}}\Pi\left(-\frac{(b + \sqrt{b^2 + 4ac})e}{2cd}; \sin^{-1}\left(\frac{\sqrt{2}\sqrt{-\frac{c}{\sqrt{4ac + b^2} + b}}x}{\sqrt{b^2 + 4ac} - b}\right)\right)}{\sqrt{2}\sqrt{c}d\sqrt{a + bx^2 - cx^4}}$$

Mathematica [C] time = 0.23, size = 205, normalized size = 1.04

$$\frac{i\sqrt{\frac{2cx^2}{\sqrt{4ac + b^2} - b}} + 1\sqrt{1 - \frac{2cx^2}{\sqrt{4ac + b^2} + b}}\Pi\left(-\frac{(b + \sqrt{b^2 + 4ac})e}{2cd}; i\sinh^{-1}\left(\sqrt{2}\sqrt{-\frac{c}{b + \sqrt{b^2 + 4ac}}}x\right) \middle| -\frac{b + \sqrt{b^2 + 4ac}}{\sqrt{b^2 + 4ac} - b}\right)}{\sqrt{2}d\sqrt{-\frac{c}{\sqrt{4ac + b^2} + b}}\sqrt{a + bx^2 - cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*Sqrt[a + b*x^2 - c*x^4]),x]

[Out] ((-I)*Sqrt[1 + (2*c*x^2)/(-b + Sqrt[b^2 + 4*a*c])]*Sqrt[1 - (2*c*x^2)/(b + Sqrt[b^2 + 4*a*c])]*EllipticPi[-1/2*((b + Sqrt[b^2 + 4*a*c])*e)/(c*d), I*ArcSinh[Sqrt[2]*Sqrt[-(c/(b + Sqrt[b^2 + 4*a*c])])*x], -(b + Sqrt[b^2 + 4*a*c])/(-b + Sqrt[b^2 + 4*a*c])])/(Sqrt[2]*Sqrt[-(c/(b + Sqrt[b^2 + 4*a*c])])*d*Sqrt[a + b*x^2 - c*x^4])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(-c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4 + bx^2 + a}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(-c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-c*x^4 + b*x^2 + a)*(e*x^2 + d)), x)

maple [A] time = 0.04, size = 201, normalized size = 1.02

$$\frac{\sqrt{2} \sqrt{\frac{bx^2}{2a} - \frac{\sqrt{4ac+b^2}x^2}{2a} + 1} \sqrt{\frac{bx^2}{2a} + \frac{\sqrt{4ac+b^2}x^2}{2a} + 1} \operatorname{EllipticPi}\left(\frac{\sqrt{2} \sqrt{\frac{-b+\sqrt{4ac+b^2}}{a}}x}{2}, -\frac{2ae}{(-b+\sqrt{4ac+b^2})d}, \frac{\sqrt{\frac{-b+\sqrt{4ac+b^2}}{2a}}\sqrt{2}}{\sqrt{\frac{-b+\sqrt{4ac+b^2}}{a}}}\right)}{\sqrt{-\frac{b}{a} + \frac{\sqrt{4ac+b^2}}{a}} \sqrt{-cx^4 + bx^2 + a} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)/(-c*x^4+b*x^2+a)^(1/2),x)

[Out] 1/d*2^(1/2)/(-1/a*b+1/a*(4*a*c+b^2)^(1/2))^(1/2)*(1+1/2/a*b*x^2-1/2/a*x^2*(4*a*c+b^2)^(1/2))^(1/2)*(1+1/2/a*b*x^2+1/2/a*x^2*(4*a*c+b^2)^(1/2))^(1/2)/(-c*x^4+b*x^2+a)^(1/2)*EllipticPi(1/2*2^(1/2)*((-b+(4*a*c+b^2)^(1/2))/a)^(1/2)*x,-2/(-b+(4*a*c+b^2)^(1/2))*a/d*e,(-1/2*(b+(4*a*c+b^2)^(1/2))/a)^(1/2)*2^(1/2)/((-b+(4*a*c+b^2)^(1/2))/a)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4 + bx^2 + a}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(-c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-c*x^4 + b*x^2 + a)*(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(ex^2 + d) \sqrt{-cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((d + e*x^2)*(a + b*x^2 - c*x^4)^(1/2)),x)`

[Out] `int(1/((d + e*x^2)*(a + b*x^2 - c*x^4)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex^2)\sqrt{a + bx^2 - cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x**2+d)/(-c*x**4+b*x**2+a)**(1/2),x)`

[Out] `Integral(1/((d + e*x**2)*sqrt(a + b*x**2 - c*x**4)), x)`

$$3.389 \quad \int \frac{1}{(d+ex^2)^2 \sqrt{a+bx^2-cx^4}} dx$$

Optimal. Leaf size=718

$$\frac{\sqrt{\sqrt{4ac+b^2}+b} \sqrt{1-\frac{2cx^2}{b-\sqrt{4ac+b^2}}} \sqrt{1-\frac{2cx^2}{\sqrt{4ac+b^2}+b}} \left(e \left(b - \sqrt{4ac+b^2} \right) + 2cd \right) F \left(\sin^{-1} \left(\frac{\sqrt{2} \sqrt{cx}}{\sqrt{b+\sqrt{b^2+4ac}}} \right) \middle| \frac{b+\sqrt{b^2+4ac}}{b-\sqrt{b^2+4ac}} \right)}{4\sqrt{2} \sqrt{c} d \sqrt{a+bx^2-cx^4} (e(bd-ae) + cd^2)}$$

[Out] $-1/2 * e^{2*x} * (-c*x^4 + b*x^2 + a)^{(1/2)} / d / (-a * e^{2*x} + b * d * e + c * d^2) / (e * x^2 + d) + 1/4 * (3 * c * d^2 + e * (-a * e^{2*x} + b * d)) * \text{EllipticPi}(x^2^{(1/2)} * c^{(1/2)} / (b + (4 * a * c + b^2)^{(1/2)})^{(1/2)}, -1/2 * e * (b + (4 * a * c + b^2)^{(1/2)}) / c / d, ((b + (4 * a * c + b^2)^{(1/2)}) / (b - (4 * a * c + b^2)^{(1/2)}))^{(1/2)})^{(1/2)} * (1 - 2 * c * x^2 / (b - (4 * a * c + b^2)^{(1/2)})^{(1/2)})^{(1/2)} * (b + (4 * a * c + b^2)^{(1/2)})^{(1/2)} * (1 - 2 * c * x^2 / (b + (4 * a * c + b^2)^{(1/2)})^{(1/2)})^{(1/2)} / d^2 / (c * d^2 + e * (-a * e^{2*x} + b * d)) * 2^{(1/2)} / c^{(1/2)} / (-c * x^4 + b * x^2 + a)^{(1/2)} - 1/8 * \text{EllipticF}(x^2^{(1/2)} * c^{(1/2)} / (b + (4 * a * c + b^2)^{(1/2)})^{(1/2)}, ((b + (4 * a * c + b^2)^{(1/2)}) / (b - (4 * a * c + b^2)^{(1/2)}))^{(1/2)})^{(1/2)} * (2 * c * d + e * (b - (4 * a * c + b^2)^{(1/2)})^{(1/2)}) * (1 - 2 * c * x^2 / (b - (4 * a * c + b^2)^{(1/2)})^{(1/2)})^{(1/2)} * (b + (4 * a * c + b^2)^{(1/2)})^{(1/2)} * (1 - 2 * c * x^2 / (b + (4 * a * c + b^2)^{(1/2)})^{(1/2)})^{(1/2)} / d / (c * d^2 + e * (-a * e^{2*x} + b * d)) * 2^{(1/2)} / c^{(1/2)} / (-c * x^4 + b * x^2 + a)^{(1/2)} + 1/8 * e * \text{EllipticE}(x^2^{(1/2)} * c^{(1/2)} / (b + (4 * a * c + b^2)^{(1/2)})^{(1/2)}, ((b + (4 * a * c + b^2)^{(1/2)}) / (b - (4 * a * c + b^2)^{(1/2)}))^{(1/2)})^{(1/2)} * (b - (4 * a * c + b^2)^{(1/2)})^{(1/2)} * (1 - 2 * c * x^2 / (b - (4 * a * c + b^2)^{(1/2)})^{(1/2)})^{(1/2)} * (b + (4 * a * c + b^2)^{(1/2)})^{(1/2)} * (1 - 2 * c * x^2 / (b + (4 * a * c + b^2)^{(1/2)})^{(1/2)})^{(1/2)} / d / (c * d^2 + e * (-a * e^{2*x} + b * d)) * 2^{(1/2)} / c^{(1/2)} / (-c * x^4 + b * x^2 + a)^{(1/2)}$

Rubi [A] time = 1.02, antiderivative size = 718, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$, Rules used = {1223, 1716, 1202, 524, 424, 419, 1220, 537}

$$\frac{\sqrt{\sqrt{4ac+b^2}+b} \sqrt{1-\frac{2cx^2}{b-\sqrt{4ac+b^2}}} \sqrt{1-\frac{2cx^2}{\sqrt{4ac+b^2}+b}} \left(e \left(b - \sqrt{4ac+b^2} \right) + 2cd \right) F \left(\sin^{-1} \left(\frac{\sqrt{2} \sqrt{cx}}{\sqrt{b+\sqrt{b^2+4ac}}} \right) \middle| \frac{b+\sqrt{b^2+4ac}}{b-\sqrt{b^2+4ac}} \right)}{4\sqrt{2} \sqrt{c} d \sqrt{a+bx^2-cx^4} (e(bd-ae) + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^2*Sqrt[a + b*x^2 - c*x^4]),x]

[Out] $-(e^{2*x} * \text{Sqrt}[a + b * x^2 - c * x^4]) / (2 * d * (c * d^2 + e * (b * d - a * e)) * (d + e * x^2)) + ((b - \text{Sqrt}[b^2 + 4 * a * c]) * \text{Sqrt}[b + \text{Sqrt}[b^2 + 4 * a * c]]) * e * \text{Sqrt}[1 - (2 * c * x^2) / (b - \text{Sqrt}[b^2 + 4 * a * c])] * \text{Sqrt}[1 - (2 * c * x^2) / (b + \text{Sqrt}[b^2 + 4 * a * c])] * \text{EllipticE}[\text{ArcSin}[(\text{Sqrt}[2] * \text{Sqrt}[c] * x) / \text{Sqrt}[b + \text{Sqrt}[b^2 + 4 * a * c]]], (b + \text{Sqrt}[b^2 + 4 * a * c]) / (b - \text{Sqrt}[b^2 + 4 * a * c])]) / (4 * \text{Sqrt}[2] * \text{Sqrt}[c] * d * (c * d^2 + e * (b * d - a * e)) * \text{Sqrt}[a + b * x^2 - c * x^4]) - (\text{Sqrt}[b + \text{Sqrt}[b^2 + 4 * a * c]]) * (2 * c * d + (b$

```

- Sqrt[b^2 + 4*a*c])*e)*Sqrt[1 - (2*c*x^2)/(b - Sqrt[b^2 + 4*a*c]])*Sqrt[1
- (2*c*x^2)/(b + Sqrt[b^2 + 4*a*c]])*EllipticF[ArcSin[(Sqrt[2]*Sqrt[c]*x)/S
qrt[b + Sqrt[b^2 + 4*a*c]]], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c
])]/(4*Sqrt[2]*Sqrt[c]*d*(c*d^2 + e*(b*d - a*e))*Sqrt[a + b*x^2 - c*x^4]) +
(Sqrt[b + Sqrt[b^2 + 4*a*c]]*(3*c*d^2 + e*(2*b*d - a*e))*Sqrt[1 - (2*c*x^2
)/(b - Sqrt[b^2 + 4*a*c]])*Sqrt[1 - (2*c*x^2)/(b + Sqrt[b^2 + 4*a*c]])*Elli
pticPi[-((b + Sqrt[b^2 + 4*a*c])*e)/(2*c*d), ArcSin[(Sqrt[2]*Sqrt[c]*x)/Sqr
t[b + Sqrt[b^2 + 4*a*c]]], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c])
]/(2*Sqrt[2]*Sqrt[c]*d^2*(c*d^2 + e*(b*d - a*e))*Sqrt[a + b*x^2 - c*x^4])

```

Rule 419

```

Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := S
imp[(1*EllipticF[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[a]*Sqrt[c]*Rt
[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ
[a, 0] && !(NegQ[b/a] && SimplerSqrtQ[-(b/a), -(d/c)])

```

Rule 424

```

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

```

Rule 524

```

Int[((e_) + (f_.)*(x_)^(n_))/(Sqrt[(a_) + (b_.)*(x_)^(n_)]*Sqrt[(c_) + (d_.
)*(x_)^(n_)]), x_Symbol] := Dist[f/b, Int[Sqrt[a + b*x^n]/Sqrt[c + d*x^n],
x], x] + Dist[(b*e - a*f)/b, Int[1/(Sqrt[a + b*x^n]*Sqrt[c + d*x^n]), x], x
] /; FreeQ[{a, b, c, d, e, f, n}, x] && !(EqQ[n, 2] && ((PosQ[b/a] && PosQ
[d/c]) || (NegQ[b/a] && (PosQ[d/c] || (GtQ[a, 0] && (!GtQ[c, 0] || Simpler
SqrtQ[-(b/a), -(d/c)]))))))

```

Rule 537

```

Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x
_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x
], (c*f)/(d*e)]/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d
, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0]
&& SimplerSqrtQ[-(f/e), -(d/c)])

```

Rule 1202

```

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(Sqrt[1 + (2*c*x^2)/(b - q)]*Sqrt
[1 + (2*c*x^2)/(b + q)]/Sqrt[a + b*x^2 + c*x^4], Int[(d + e*x^2)/(Sqrt[1 +
(2*c*x^2)/(b - q)]*Sqrt[1 + (2*c*x^2)/(b + q)]), x], x] /; FreeQ[{a, b, c

```

, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[c/a]

Rule 1220

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(Sqrt[1 + (2*c*x^2)/(b - q)]*Sqrt[1 + (2*c*x^2)/(b + q)])/Sqrt[a + b*x^2 + c*x^4], Int[1/((d + e*x^2)*Sqrt[1 + (2*c*x^2)/(b - q)]*Sqrt[1 + (2*c*x^2)/(b + q)]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[c/a]

Rule 1223

Int[((d_) + (e_.)*(x_)^2)^(q_)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := -Simp[(e^2*x*(d + e*x^2)^(q + 1)*Sqrt[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), Int[((d + e*x^2)^(q + 1)*Simp[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x])/Sqrt[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]

Rule 1716

Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)^2 \sqrt{a+bx^2-cx^4}} dx &= -\frac{e^2 x \sqrt{a+bx^2-cx^4}}{2d(cd^2+e(bd-ae))(d+ex^2)} + \frac{\int \frac{2cd^2+e(2bd-ae)-2cde x^2-ce^2 x^4}{(d+ex^2)\sqrt{a+bx^2-cx^4}} dx}{2d(cd^2+e(bd-ae))} \\
&= -\frac{e^2 x \sqrt{a+bx^2-cx^4}}{2d(cd^2+e(bd-ae))(d+ex^2)} - \frac{\int \frac{cde^2+ce^3 x^2}{\sqrt{a+bx^2-cx^4}} dx}{2de^2(cd^2+e(bd-ae))} + \frac{(3cd^2+e(2bd-ae))}{2d} \int \frac{1}{\sqrt{a+bx^2-cx^4}} dx \\
&= -\frac{e^2 x \sqrt{a+bx^2-cx^4}}{2d(cd^2+e(bd-ae))(d+ex^2)} - \frac{\left(\sqrt{1-\frac{2cx^2}{b-\sqrt{b^2+4ac}}}\sqrt{1-\frac{2cx^2}{b+\sqrt{b^2+4ac}}}\right) \int \frac{1}{\sqrt{a+bx^2-cx^4}} dx}{2de^2(cd^2+e(bd-ae))\sqrt{a+bx^2-cx^4}} \\
&= -\frac{e^2 x \sqrt{a+bx^2-cx^4}}{2d(cd^2+e(bd-ae))(d+ex^2)} + \frac{\sqrt{b+\sqrt{b^2+4ac}}(3cd^2+e(2bd-ae))}{2d\sqrt{a+bx^2-cx^4}} \\
&= -\frac{e^2 x \sqrt{a+bx^2-cx^4}}{2d(cd^2+e(bd-ae))(d+ex^2)} + \frac{(b-\sqrt{b^2+4ac})\sqrt{b+\sqrt{b^2+4ac}}e\sqrt{1-\frac{2cx^2}{b+\sqrt{b^2+4ac}}}}{4\sqrt{2}\sqrt{c}d}
\end{aligned}$$

Mathematica [C] time = 5.53, size = 464, normalized size = 0.65

$$\sqrt{a+bx^2-cx^4} \left(4de^2 x + \frac{i(d+ex^2)\sqrt{\frac{4cx^2}{\sqrt{4ac+b^2}-b}}\sqrt{1-\frac{2cx^2}{\sqrt{4ac+b^2}+b}}\left(2(e(ae-2bd)-3cd^2)\Pi\left(-\frac{(b+\sqrt{b^2+4ac})e}{2cd};i\sinh^{-1}\left(\sqrt{2}\sqrt{-\frac{c}{b+\sqrt{b^2+4ac}}}\right)x\right)\right)}{\sqrt{a+bx^2-cx^4}} \right)$$

$$8d^2(d+ex^2)$$

Antiderivative was successfully verified.

[In] Integrate[1/((d+e*x^2)^2*Sqrt[a+b*x^2-c*x^4]),x]

[Out] -1/8*(Sqrt[a+b*x^2-c*x^4]*(4*d*e^2*x+(I*Sqrt[2+(4*c*x^2)/(-b+Sqrt[b^2+4*a*c])]*Sqrt[1-(2*c*x^2)/(b+Sqrt[b^2+4*a*c])]*(d+e*x^2)*((-b+Sqrt[b^2+4*a*c])*d*e*EllipticE[I*ArcSinh[Sqrt[2]*Sqrt[-(c/(b+Sqrt[b^2+4*a*c])])]*x),(b+Sqrt[b^2+4*a*c])/(b-Sqrt[b^2+4*a*c]))+d*(2*c*d+(b-Sqrt[b^2+4*a*c])*e)*EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[-(c/(b+Sqrt[b^2+4*a*c])])]*x),(b+Sqrt[b^2+4*a*c])/(b-Sqrt[b^2+4*a*c]))+2*(-3*c*d^2+e*(-2*b*d+a*e))*EllipticPi[-1/2*((b+Sqrt[b^2+4*a*c])*e

)/(c*d), I*ArcSinh[Sqrt[2]*Sqrt[-(c/(b + Sqrt[b^2 + 4*a*c]))]*x], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c]))/(Sqrt[-(c/(b + Sqrt[b^2 + 4*a*c]))]*(-a - b*x^2 + c*x^4)))/(d^2*(c*d^2 + e*(b*d - a*e))*(d + e*x^2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(-c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4 + bx^2 + a} (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(-c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-c*x^4 + b*x^2 + a)*(e*x^2 + d)^2), x)

maple [B] time = 0.04, size = 1293, normalized size = 1.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)^2/(-c*x^4+b*x^2+a)^(1/2),x)

[Out] $\frac{1}{2}e^2/(a^2e^2 - b^2d^2) / d^2 x^2 (-c x^4 + b x^2 + a)^{1/2} / (e x^2 + d) + \frac{1}{8} c / (a^2 e^2 - b^2 d^2) * 2^{1/2} / (-1/a^2 b + (4 a^2 c + b^2)^{1/2} / a)^{1/2} * (4 + 2/a^2 b x^2 - 2 * (4 a^2 c + b^2)^{1/2} / a x^2)^{1/2} * (4 + 2/a^2 b x^2 + 2 * (4 a^2 c + b^2)^{1/2} / a x^2)^{1/2} / (-c x^4 + b x^2 + a)^{1/2} * \text{EllipticF}(1/2 * 2^{1/2} * ((-b + (4 a^2 c + b^2)^{1/2}) / a)^{1/2} * x, 1/2 * (-2 * (b + (4 a^2 c + b^2)^{1/2}) / a^2 b - 4)^{1/2}) - 1/4 * c * e / (a^2 e^2 - b^2 d^2) / d^2 a^2 * 2^{1/2} / (-1/a^2 b + (4 a^2 c + b^2)^{1/2} / a)^{1/2} * (4 + 2/a^2 b x^2 - 2 * (4 a^2 c + b^2)^{1/2} / a x^2)^{1/2} * (4 + 2/a^2 b x^2 + 2 * (4 a^2 c + b^2)^{1/2} / a x^2)^{1/2} / (-c x^4 + b x^2 + a)^{1/2} / (b + (4 a^2 c + b^2)^{1/2}) * \text{EllipticF}(1/2 * 2^{1/2} * ((-b + (4 a^2 c + b^2)^{1/2}) / a)^{1/2} * x, 1/2 * (-2 * (b + (4 a^2 c + b^2)^{1/2}) / a^2 b - 4)^{1/2}) + 1/4 * c * e / (a^2 e^2 - b^2 d^2) / d^2 a^2 * 2^{1/2} / (-1/a^2 b + (4 a^2 c + b^2)^{1/2} / a)^{1/2} * (4 + 2/a^2 b x^2 - 2 * (4 a^2 c + b^2)^{1/2} / a x^2)^{1/2} * (4 + 2/a^2 b x^2 + 2 * (4 a^2 c + b^2)^{1/2} / a x^2)^{1/2} / (-c x^4 + b x^2 + a)^{1/2} / (b + (4 a^2 c + b^2)^{1/2}) * \text{EllipticE}(1/2 * 2^{1/2} * ((-b + (4 a^2 c + b^2)^{1/2}) / a)^{1/2} * x, 1/2 * (-2 * (b + (4 a^2 c + b^2)^{1/2}) / a^2 b - 4)^{1/2}) + 1/2 / (a^2 e^2 - b^2 d^2) / d^2 e^2 * 2^{1/2} / (-1/a^2 b + (4 a^2 c + b^2)^{1/2} / a)$

$$\begin{aligned} &^{(1/2)} * (1/2/a*b*x^2 - 1/2*(4*a*c+b^2)^{(1/2)}/a*x^2+1)^{(1/2)} * (1/2/a*b*x^2+1/2*(4*a*c+b^2)^{(1/2)}/a*x^2+1)^{(1/2)} / (-c*x^4+b*x^2+a)^{(1/2)} * \text{EllipticPi}(1/2*2^{(1/2)} * ((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)} * x, -2/(-b+(4*a*c+b^2)^{(1/2)}) * a/d * e, (-1/2 * (b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)} * 2^{(1/2)} / ((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}) * a \\ &- 1/(a*e^2-b*d*e-c*d^2)/d*e*2^{(1/2)} / (-1/a*b+(4*a*c+b^2)^{(1/2)}/a)^{(1/2)} * (1/2/a*b*x^2-1/2*(4*a*c+b^2)^{(1/2)}/a*x^2+1)^{(1/2)} * (1/2/a*b*x^2+1/2*(4*a*c+b^2)^{(1/2)}/a*x^2+1)^{(1/2)} / (-c*x^4+b*x^2+a)^{(1/2)} * \text{EllipticPi}(1/2*2^{(1/2)} * ((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)} * x, -2/(-b+(4*a*c+b^2)^{(1/2)}) * a/d * e, (-1/2 * (b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)} * 2^{(1/2)} / ((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}) * b - 3/2/(a*e^2-b*d*e-c*d^2) * 2^{(1/2)} / (-1/a*b+(4*a*c+b^2)^{(1/2)}/a)^{(1/2)} * (1/2/a*b*x^2-1/2*(4*a*c+b^2)^{(1/2)}/a*x^2+1)^{(1/2)} * (1/2/a*b*x^2+1/2*(4*a*c+b^2)^{(1/2)}/a*x^2+1)^{(1/2)} / (-c*x^4+b*x^2+a)^{(1/2)} * \text{EllipticPi}(1/2*2^{(1/2)} * ((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)} * x, -2/(-b+(4*a*c+b^2)^{(1/2)}) * a/d * e, (-1/2 * (b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)} * 2^{(1/2)} / ((-b+(4*a*c+b^2)^{(1/2)})/a)^{(1/2)}) * c \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4 + bx^2 + a} (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(-c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-c*x^4 + b*x^2 + a)*(e*x^2 + d)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(ex^2 + d)^2 \sqrt{-cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^2)^2*(a + b*x^2 - c*x^4)^(1/2)),x)

[Out] int(1/((d + e*x^2)^2*(a + b*x^2 - c*x^4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex^2)^2 \sqrt{a + bx^2 - cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)**2/(-c*x**4+b*x**2+a)**(1/2),x)

[Out] Integral(1/((d + e*x**2)**2*sqrt(a + b*x**2 - c*x**4)), x)

$$3.390 \quad \int \frac{d+ex^2}{\sqrt{-a+bx^2+cx^4}} dx$$

Optimal. Leaf size=479

$$\frac{e \left(b - \sqrt{4ac + b^2} \right) \sqrt{\sqrt{4ac + b^2} + b} \left(\frac{2cx^2}{b - \sqrt{4ac + b^2}} + 1 \right) E \left(\tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b + \sqrt{b^2 + 4ac}}} \right) \middle| - \frac{2\sqrt{b^2 + 4ac}}{b - \sqrt{b^2 + 4ac}} \right) d \sqrt{\sqrt{4ac + b^2} + b}}{2\sqrt{2} c^{3/2} \sqrt{\frac{\frac{2cx^2}{b - \sqrt{4ac + b^2}} + 1}{\sqrt{4ac + b^2} + b}} \sqrt{-a + bx^2 + cx^4}}$$

[Out] $\frac{1}{2} e x \left(1 + 2 c x^2 / (b - (4 a c + b^2)^{1/2}) \right) (b - (4 a c + b^2)^{1/2}) / c / (c x^4 + b x^2 - a)^{1/2} + \frac{1}{2} d \left(1 / (1 + 2 c x^2 / (b + (4 a c + b^2)^{1/2})) \right)^{1/2} (1 + 2 c x^2 / (b + (4 a c + b^2)^{1/2}))^{1/2} \text{EllipticF} \left(x^2^{1/2} c^{1/2} / (b + (4 a c + b^2)^{1/2}) \right)^{1/2} / (1 + 2 c x^2 / (b + (4 a c + b^2)^{1/2}))^{1/2}, (-2 (4 a c + b^2)^{1/2} / (b - (4 a c + b^2)^{1/2}))^{1/2} \right) (1 + 2 c x^2 / (b - (4 a c + b^2)^{1/2})) (b + (4 a c + b^2)^{1/2})^{1/2} 2^{1/2} / c^{1/2} / (c x^4 + b x^2 - a)^{1/2} / ((1 + 2 c x^2 / (b - (4 a c + b^2)^{1/2})) / (1 + 2 c x^2 / (b + (4 a c + b^2)^{1/2})))^{1/2} - \frac{1}{4} e \left(1 / (1 + 2 c x^2 / (b + (4 a c + b^2)^{1/2})) \right)^{1/2} (1 + 2 c x^2 / (b + (4 a c + b^2)^{1/2}))^{1/2} \text{EllipticE} \left(x^2^{1/2} c^{1/2} / (b + (4 a c + b^2)^{1/2}) \right)^{1/2} / (1 + 2 c x^2 / (b + (4 a c + b^2)^{1/2}))^{1/2}, (-2 (4 a c + b^2)^{1/2} / (b - (4 a c + b^2)^{1/2}))^{1/2} \right) (1 + 2 c x^2 / (b - (4 a c + b^2)^{1/2})) (b - (4 a c + b^2)^{1/2}) (b + (4 a c + b^2)^{1/2})^{1/2} / c^{3/2} 2^{1/2} / (c x^4 + b x^2 - a)^{1/2} / ((1 + 2 c x^2 / (b - (4 a c + b^2)^{1/2})) / (1 + 2 c x^2 / (b + (4 a c + b^2)^{1/2})))^{1/2}$

Rubi [A] time = 0.48, antiderivative size = 479, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {1202, 531, 418, 492, 411}

$$\frac{e \left(b - \sqrt{4ac + b^2} \right) \sqrt{\sqrt{4ac + b^2} + b} \left(\frac{2cx^2}{b - \sqrt{4ac + b^2}} + 1 \right) E \left(\tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b + \sqrt{b^2 + 4ac}}} \right) \middle| - \frac{2\sqrt{b^2 + 4ac}}{b - \sqrt{b^2 + 4ac}} \right) d \sqrt{\sqrt{4ac + b^2} + b}}{2\sqrt{2} c^{3/2} \sqrt{\frac{\frac{2cx^2}{b - \sqrt{4ac + b^2}} + 1}{\sqrt{4ac + b^2} + b}} \sqrt{-a + bx^2 + cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/Sqrt[-a + b*x^2 + c*x^4], x]

[Out] $((b - \text{Sqrt}[b^2 + 4*a*c]) * e * x * (1 + (2*c*x^2)/(b - \text{Sqrt}[b^2 + 4*a*c]))) / (2*c*\text{Sqrt}[-a + b*x^2 + c*x^4]) - ((b - \text{Sqrt}[b^2 + 4*a*c]) * \text{Sqrt}[b + \text{Sqrt}[b^2 + 4*a*c]]) * e * (1 + (2*c*x^2)/(b - \text{Sqrt}[b^2 + 4*a*c])) * \text{EllipticE}[\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 + 4*a*c]]], (-2*\text{Sqrt}[b^2 + 4*a*c])/(b - \text{Sqrt}[b^2 + 4*a*c])]$

$$\frac{2 + 4ac}}{(2\sqrt{2}c^{3/2}\sqrt{(1 + (2cx^2)/(b - \sqrt{b^2 + 4ac}))})/(1 + (2cx^2)/(b + \sqrt{b^2 + 4ac}))}*\sqrt{-a + bx^2 + cx^4}) + (\sqrt{b + \sqrt{b^2 + 4ac}}*d*(1 + (2cx^2)/(b - \sqrt{b^2 + 4ac})))*\text{EllipticF}[\text{ArcTan}[(\sqrt{2}*\sqrt{c}*x)/\sqrt{b + \sqrt{b^2 + 4ac}}]], (-2*\sqrt{b^2 + 4ac})/(b - \sqrt{b^2 + 4ac})))/(\sqrt{2}*\sqrt{c}*\sqrt{(1 + (2cx^2)/(b - \sqrt{b^2 + 4ac}))})/(1 + (2cx^2)/(b + \sqrt{b^2 + 4ac}))})*\sqrt{-a + bx^2 + cx^4})$$
Rule 411

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/((c_) + (d_.)*(x_)^2)^(3/2), x_Symbol] := Simp[(Sqrt[a + b*x^2]*EllipticE[ArcTan[Rt[d/c, 2]*x], 1 - (b*c)/(a*d)])/(c*Rt[d/c, 2]*Sqrt[c + d*x^2]*Sqrt[(c*(a + b*x^2))/(a*(c + d*x^2))]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[b/a] && PosQ[d/c]
```

Rule 418

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(Sqrt[a + b*x^2]*EllipticF[ArcTan[Rt[d/c, 2]*x], 1 - (b*c)/(a*d)])/(a*Rt[d/c, 2]*Sqrt[c + d*x^2]*Sqrt[(c*(a + b*x^2))/(a*(c + d*x^2))]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[d/c] && PosQ[b/a] && !SimplerSqrtQ[b/a, d/c]
```

Rule 492

```
Int[(x_)^2/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(x*Sqrt[a + b*x^2])/(b*Sqrt[c + d*x^2]), x] - Dist[c/b, Int[Sqrt[a + b*x^2]/(c + d*x^2)^(3/2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && PosQ[b/a] && PosQ[d/c] && !SimplerSqrtQ[b/a, d/c]
```

Rule 531

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.)*((e_) + (f_.)*(x_)^(n_)), x_Symbol] := Dist[e, Int[(a + b*x^n)^p*(c + d*x^n)^q, x], x] + Dist[f, Int[x^n*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, f, n, p, q}, x]
```

Rule 1202

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(Sqrt[1 + (2*c*x^2)/(b - q)]*Sqrt[1 + (2*c*x^2)/(b + q)])/Sqrt[a + b*x^2 + c*x^4], Int[(d + e*x^2)/(Sqrt[1 + (2*c*x^2)/(b - q)]*Sqrt[1 + (2*c*x^2)/(b + q)]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[c/a]
```

Rubi steps

$$\begin{aligned}
\int \frac{d+ex^2}{\sqrt{-a+bx^2+cx^4}} dx &= \frac{\left(\sqrt{1+\frac{2cx^2}{b-\sqrt{b^2+4ac}}}\sqrt{1+\frac{2cx^2}{b+\sqrt{b^2+4ac}}}\right) \int \frac{d+ex^2}{\sqrt{1+\frac{2cx^2}{b-\sqrt{b^2+4ac}}}\sqrt{1+\frac{2cx^2}{b+\sqrt{b^2+4ac}}}} dx}{\sqrt{-a+bx^2+cx^4}} \\
&= \frac{\left(d\sqrt{1+\frac{2cx^2}{b-\sqrt{b^2+4ac}}}\sqrt{1+\frac{2cx^2}{b+\sqrt{b^2+4ac}}}\right) \int \frac{1}{\sqrt{1+\frac{2cx^2}{b-\sqrt{b^2+4ac}}}\sqrt{1+\frac{2cx^2}{b+\sqrt{b^2+4ac}}}} dx}{\sqrt{-a+bx^2+cx^4}} + \frac{\left(e\sqrt{1+\frac{2cx^2}{b-\sqrt{b^2+4ac}}}\sqrt{1+\frac{2cx^2}{b+\sqrt{b^2+4ac}}}\right) \int \frac{1}{\sqrt{1+\frac{2cx^2}{b-\sqrt{b^2+4ac}}}\sqrt{1+\frac{2cx^2}{b+\sqrt{b^2+4ac}}}} dx}{\sqrt{-a+bx^2+cx^4}} \\
&= \frac{\left(b-\sqrt{b^2+4ac}\right)ex\left(1+\frac{2cx^2}{b-\sqrt{b^2+4ac}}\right)}{2c\sqrt{-a+bx^2+cx^4}} + \frac{\sqrt{b+\sqrt{b^2+4ac}}d\left(1+\frac{2cx^2}{b-\sqrt{b^2+4ac}}\right)F\left(\tan^{-1}\left(\frac{\sqrt{1+\frac{2cx^2}{b-\sqrt{b^2+4ac}}}\sqrt{-a+bx^2+cx^4}}{\sqrt{1+\frac{2cx^2}{b+\sqrt{b^2+4ac}}}}\right)\right)}{\sqrt{2}\sqrt{c}} \\
&= \frac{\left(b-\sqrt{b^2+4ac}\right)ex\left(1+\frac{2cx^2}{b-\sqrt{b^2+4ac}}\right)}{2c\sqrt{-a+bx^2+cx^4}} - \frac{\left(b-\sqrt{b^2+4ac}\right)\sqrt{b+\sqrt{b^2+4ac}}e\left(1+\frac{2cx^2}{b-\sqrt{b^2+4ac}}\right)F\left(\tan^{-1}\left(\frac{\sqrt{1+\frac{2cx^2}{b-\sqrt{b^2+4ac}}}\sqrt{-a+bx^2+cx^4}}{\sqrt{1+\frac{2cx^2}{b+\sqrt{b^2+4ac}}}}\right)\right)}{2\sqrt{2}c^{3/2}}
\end{aligned}$$

Mathematica [C] time = 0.30, size = 304, normalized size = 0.63

$$\frac{i\sqrt{\frac{\sqrt{4ac+b^2}+b+2cx^2}{\sqrt{4ac+b^2}+b}}\sqrt{\frac{2cx^2}{b-\sqrt{4ac+b^2}}+1}\left(\left(e\left(b-\sqrt{4ac+b^2}\right)-2cd\right)F\left(i\sinh^{-1}\left(\sqrt{2}\sqrt{\frac{c}{b+\sqrt{b^2+4ac}}}\right)x\right)\right)\frac{b+\sqrt{b^2+4ac}}{b-\sqrt{b^2+4ac}}+e\left(\sqrt{1+\frac{2cx^2}{b-\sqrt{b^2+4ac}}}\sqrt{-a+bx^2+cx^4}\right)}{2\sqrt{2}c\sqrt{\frac{c}{\sqrt{4ac+b^2}+b}}\sqrt{-a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/Sqrt[-a + b*x^2 + c*x^4], x]

[Out] ((I/2)*Sqrt[(b + Sqrt[b^2 + 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 + 4*a*c]])*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 + 4*a*c])]*((-b + Sqrt[b^2 + 4*a*c])*e*EllipticE[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 + 4*a*c])]]*x], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c])) + (-2*c*d + (b - Sqrt[b^2 + 4*a*c])*e)*EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 + 4*a*c])]]*x], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c]))/(Sqrt[2]*c*Sqrt[c/(b + Sqrt[b^2 + 4*a*c])])*Sqrt[-a + b*x^2 + c*x^4])

fricas [F] time = 1.11, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^2 + d}{\sqrt{cx^4 + bx^2 - a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+b*x^2-a)^(1/2),x, algorithm="fricas")

[Out] integral((e*x^2 + d)/sqrt(c*x^4 + b*x^2 - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 + bx^2 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+b*x^2-a)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)/sqrt(c*x^4 + b*x^2 - a), x)

maple [A] time = 0.03, size = 355, normalized size = 0.74

$$\frac{\sqrt{\frac{2(-b+\sqrt{4ac+b^2})x^2}{a}} + 4\sqrt{-\frac{2(b+\sqrt{4ac+b^2})x^2}{a}} + 4\left(-\text{EllipticE}\left(\sqrt{\frac{2(-b+\sqrt{4ac+b^2})}{a}}x, \sqrt{\frac{2(b+\sqrt{4ac+b^2})b}{ac}-4}\right) + \text{EllipticF}\left(\sqrt{\frac{2(-b+\sqrt{4ac+b^2})}{a}}x, \sqrt{\frac{2(b+\sqrt{4ac+b^2})b}{ac}-4}\right)\right)}{\sqrt{-\frac{2(-b+\sqrt{4ac+b^2})}{a}}\sqrt{cx^4 + bx^2 - a}\left(b + \sqrt{4ac + b^2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(c*x^4+b*x^2-a)^(1/2),x)

[Out] e*a/(-2*(-b+(4*a*c+b^2)^(1/2))/a)^(1/2)*(4+2*(-b+(4*a*c+b^2)^(1/2))/a*x^2)^(1/2)*(4-2*(b+(4*a*c+b^2)^(1/2))/a*x^2)^(1/2)/(c*x^4+b*x^2-a)^(1/2)/(b+(4*a*c+b^2)^(1/2))*(EllipticF(1/2*x*(-2*(-b+(4*a*c+b^2)^(1/2))/a)^(1/2), 1/2*(-2*(b+(4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))-EllipticE(1/2*x*(-2*(-b+(4*a*c+b^2)^(1/2))/a)^(1/2), 1/2*(-2*(b+(4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2)))+1/2*d/(-2*(-b+(4*a*c+b^2)^(1/2))/a)^(1/2)*(4+2*(-b+(4*a*c+b^2)^(1/2))/a*x^2)^(1/2)*(4-2*(b+(4*a*c+b^2)^(1/2))/a*x^2)^(1/2)/(c*x^4+b*x^2-a)^(1/2)*EllipticF(1/2*x*(-2*(-b+(4*a*c+b^2)^(1/2))/a)^(1/2), 1/2*(-2*(b+(4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 + bx^2 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(c*x^4+b*x^2-a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)/sqrt(c*x^4 + b*x^2 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 + bx^2 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(b*x^2 - a + c*x^4)^(1/2),x)

[Out] int((d + e*x^2)/(b*x^2 - a + c*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + ex^2}{\sqrt{-a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(c*x**4+b*x**2-a)**(1/2),x)

[Out] Integral((d + e*x**2)/sqrt(-a + b*x**2 + c*x**4), x)

$$3.391 \quad \int \frac{1}{(d+ex^2)\sqrt{-a+bx^2+cx^4}} dx$$

Optimal. Leaf size=204

$$\frac{\sqrt{\sqrt{4ac+b^2}-b}\sqrt{\frac{2cx^2}{b-\sqrt{4ac+b^2}}}+1\sqrt{\frac{2cx^2}{\sqrt{4ac+b^2}+b}}+1\Pi\left(\frac{(b-\sqrt{b^2+4ac})e}{2cd};\sin^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2+4ac}-b}}\right)\Big|_{\frac{b-\sqrt{b^2+4ac}}{b+\sqrt{b^2+4ac}}}\right)}{\sqrt{2}\sqrt{c}d\sqrt{-a+bx^2+cx^4}}$$

[Out] $1/2*\text{EllipticPi}(x*2^{(1/2)}*c^{(1/2)/(-b+(4*a*c+b^2)^{(1/2)})^{(1/2)},1/2*e*(b-(4*a*c+b^2)^{(1/2)})/c/d,((b-(4*a*c+b^2)^{(1/2)})/(b+(4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^2/(b-(4*a*c+b^2)^{(1/2)}))^{(1/2)}*(-b+(4*a*c+b^2)^{(1/2)})^{(1/2)}*(1+2*c*x^2/(b+(4*a*c+b^2)^{(1/2)}))^{(1/2)}/d*2^{(1/2)}/c^{(1/2)}/(c*x^4+b*x^2-a)^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 204, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {1220, 537}

$$\frac{\sqrt{\sqrt{4ac+b^2}-b}\sqrt{\frac{2cx^2}{b-\sqrt{4ac+b^2}}}+1\sqrt{\frac{2cx^2}{\sqrt{4ac+b^2}+b}}+1\Pi\left(\frac{(b-\sqrt{b^2+4ac})e}{2cd};\sin^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2+4ac}-b}}\right)\Big|_{\frac{b-\sqrt{b^2+4ac}}{b+\sqrt{b^2+4ac}}}\right)}{\sqrt{2}\sqrt{c}d\sqrt{-a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*Sqrt[-a + b*x^2 + c*x^4]),x]

[Out] (Sqrt[-b + Sqrt[b^2 + 4*a*c]]*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 + 4*a*c]])*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 + 4*a*c]])*EllipticPi[((b - Sqrt[b^2 + 4*a*c])*e)/(2*c*d), ArcSin[(Sqrt[2]*Sqrt[c]*x)/Sqrt[-b + Sqrt[b^2 + 4*a*c]]], (b - Sqrt[b^2 + 4*a*c])/(b + Sqrt[b^2 + 4*a*c])]/(Sqrt[2]*Sqrt[c]*d*Sqrt[-a + b*x^2 + c*x^4])

Rule 537

Int[1/(((a_) + (b_)*(x_)^2)*Sqrt[(c_) + (d_)*(x_)^2]*Sqrt[(e_) + (f_)*(x_)^2]), x_Symbol] :> Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)]/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !(!GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])

Rule 1220

Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(Sqrt[1 + (2*c*x^2)/(b - q)]*Sqrt[1 + (2*c*x^2)/(b + q)]*EllipticPi[ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)], x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !(!GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])

$\text{Sqrt}[1 + (2*c*x^2)/(b + q)]/\text{Sqrt}[a + b*x^2 + c*x^4], \text{Int}[1/((d + e*x^2)*\text{Sqrt}[1 + (2*c*x^2)/(b - q)]*\text{Sqrt}[1 + (2*c*x^2)/(b + q)]), x], x]] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NegQ}[c/a]$

Rubi steps

$$\int \frac{1}{(d + ex^2) \sqrt{-a + bx^2 + cx^4}} dx = \frac{\left(\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}} \right) \int \frac{1}{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}} (d + ex^2)} dx}{\sqrt{-a + bx^2 + cx^4}}$$

$$= \frac{\sqrt{-b + \sqrt{b^2 + 4ac}} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}} \Pi\left(\frac{(b - \sqrt{b^2 + 4ac})e}{2cd}; \sin^{-1}\left(\frac{b + \sqrt{b^2 + 4ac}}{b - \sqrt{b^2 + 4ac}}\right)\right)}{\sqrt{2} \sqrt{c} d \sqrt{-a + bx^2 + cx^4}}$$

Mathematica [C] time = 0.22, size = 216, normalized size = 1.06

$$\frac{i \sqrt{\frac{\sqrt{4ac + b^2} + b + 2cx^2}{\sqrt{4ac + b^2} + b}} \sqrt{\frac{2cx^2}{b - \sqrt{4ac + b^2}}} + 1 \Pi\left(\frac{(b + \sqrt{b^2 + 4ac})e}{2cd}; i \sinh^{-1}\left(\sqrt{2} \sqrt{\frac{c}{b + \sqrt{b^2 + 4ac}}} x\right) \Big| \frac{b + \sqrt{b^2 + 4ac}}{b - \sqrt{b^2 + 4ac}}\right)}{\sqrt{2} d \sqrt{\frac{c}{\sqrt{4ac + b^2} + b}} \sqrt{-a + bx^2 + cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*Sqrt[-a + b*x^2 + c*x^4]),x]

[Out] ((-I)*Sqrt[(b + Sqrt[b^2 + 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 + 4*a*c]])*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 + 4*a*c]])*EllipticPi[((b + Sqrt[b^2 + 4*a*c])*e)/(2*c*d), I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 + 4*a*c])]*x], (b + Sqrt[b^2 + 4*a*c])/(b - Sqrt[b^2 + 4*a*c]))]/(Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 + 4*a*c])])*d*Sqrt[-a + b*x^2 + c*x^4])

fricas [F] time = 76.17, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{cx^4 + bx^2 - a}}{cex^6 + (cd + be)x^4 + (bd - ae)x^2 - ad}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+b*x^2-a)^(1/2),x, algorithm="fricas")

[Out] $\text{integral}(\sqrt{c*x^4 + b*x^2 - a}/(c*e*x^6 + (c*d + b*e)*x^4 + (b*d - a*e)*x^2 - a*d), x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4 + bx^2 - a}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(1/(e*x^2+d)/(c*x^4+b*x^2-a)^{(1/2)}, x, \text{algorithm}="giac")$

[Out] $\text{integrate}(1/(\sqrt{c*x^4 + b*x^2 - a}*(e*x^2 + d)), x)$

maple [A] time = 0.03, size = 198, normalized size = 0.97

$$\frac{\sqrt{-\frac{bx^2}{2a} + \frac{\sqrt{4ac+b^2}x^2}{2a} + 1} \sqrt{-\frac{bx^2}{2a} - \frac{\sqrt{4ac+b^2}x^2}{2a} + 1} \text{EllipticPi}\left(\sqrt{-\frac{-b+\sqrt{4ac+b^2}}{2a}} x, \frac{2ae}{(-b+\sqrt{4ac+b^2})d}, \frac{\sqrt{2} \sqrt{\frac{b+\sqrt{4ac+b^2}}{a}}}{2\sqrt{-\frac{-b+\sqrt{4ac+b^2}}{2a}}}\right)}{\sqrt{\frac{b}{2a} - \frac{\sqrt{4ac+b^2}}{2a}} \sqrt{cx^4 + bx^2 - a} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(1/(e*x^2+d)/(c*x^4+b*x^2-a)^{(1/2)}, x)$

[Out] $1/d/(1/2/a*b-1/2*(4*a*c+b^2)^{(1/2)}/a)^{(1/2)}*(1-1/2/a*b*x^2+1/2*(4*a*c+b^2)^{(1/2)}/a*x^2)^{(1/2)}*(1-1/2/a*b*x^2-1/2*(4*a*c+b^2)^{(1/2)}/a*x^2)^{(1/2)}/(c*x^4+b*x^2-a)^{(1/2)}*\text{EllipticPi}((-1/2*(-b+(4*a*c+b^2)^{(1/2)}/a)^{(1/2)}*x, 2/(-b+(4*a*c+b^2)^{(1/2)}/a)/d*e, 1/2*2^{(1/2)}*((b+(4*a*c+b^2)^{(1/2)}/a)^{(1/2)}/(-1/2*(-b+(4*a*c+b^2)^{(1/2)}/a)^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4 + bx^2 - a}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(1/(e*x^2+d)/(c*x^4+b*x^2-a)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out] $\text{integrate}(1/(\sqrt{c*x^4 + b*x^2 - a}*(e*x^2 + d)), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(ex^2 + d)\sqrt{cx^4 + bx^2 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((d + e*x^2)*(b*x^2 - a + c*x^4)^(1/2)), x)`

[Out] `int(1/((d + e*x^2)*(b*x^2 - a + c*x^4)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex^2)\sqrt{-a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x**2+d)/(c*x**4+b*x**2-a)**(1/2), x)`

[Out] `Integral(1/((d + e*x**2)*sqrt(-a + b*x**2 + c*x**4)), x)`

$$3.392 \quad \int \frac{d+ex^2}{\sqrt{-a+bx^2-cx^4}} dx$$

Optimal. Leaf size=293

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a-bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{cd}}{\sqrt{a}} + e \right) F \left(2 \tan^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}} \right) \middle| \frac{1}{4} \left(\frac{b}{\sqrt{a}\sqrt{c}} + 2 \right) \right) \sqrt[4]{a} e (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a-bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}}}{2c^{3/4} \sqrt{-a+bx^2-cx^4} \quad c^{3/4} \sqrt{-a+bx^2-cx^4}}$$

[Out] $-e*x*(-c*x^4+b*x^2-a)^{(1/2)}/c^{(1/2)}/(a^{(1/2)}+x^2*c^{(1/2)})-a^{(1/4)}*e*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*(2+b/a^{(1/2)}/c^{(1/2)})^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4-b*x^2+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/c^{(3/4)}/(-c*x^4+b*x^2-a)^{(1/2)}+1/2*a^{(1/4)}*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*(2+b/a^{(1/2)}/c^{(1/2)})^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*(e+d*c^{(1/2)}/a^{(1/2)})*((c*x^4-b*x^2+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/c^{(3/4)}/(-c*x^4+b*x^2-a)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 293, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1197, 1103, 1195}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a-bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{cd}}{\sqrt{a}} + e \right) F \left(2 \tan^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}} \right) \middle| \frac{1}{4} \left(\frac{b}{\sqrt{a}\sqrt{c}} + 2 \right) \right) \sqrt[4]{a} e (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a-bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}}}{2c^{3/4} \sqrt{-a+bx^2-cx^4} \quad c^{3/4} \sqrt{-a+bx^2-cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/Sqrt[-a + b*x^2 - c*x^4], x]

[Out] $-((e*x*\text{Sqrt}[-a + b*x^2 - c*x^4])/(\text{Sqrt}[c]*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2))) - (a^{(1/4)}*e*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a - b*x^2 + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)]^2*\text{EllipticE}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], (2 + b/(\text{Sqrt}[a]*\text{Sqrt}[c]))/4])/c^{(3/4)}*\text{Sqrt}[-a + b*x^2 - c*x^4]) + (a^{(1/4)}*((\text{Sqrt}[c]*d)/\text{Sqrt}[a] + e)*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a - b*x^2 + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)]^2*\text{EllipticF}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], (2 + b/(\text{Sqrt}[a]*\text{Sqrt}[c]))/4])/(2*c^{(3/4)}*\text{Sqrt}[-a + b*x^2 - c*x^4])$

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4])

), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rubi steps

$$\int \frac{d + ex^2}{\sqrt{-a + bx^2 - cx^4}} dx = -\frac{(\sqrt{a}e) \int \frac{1 - \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{-a + bx^2 - cx^4}} dx}{\sqrt{c}} + \left(d + \frac{\sqrt{a}e}{\sqrt{c}}\right) \int \frac{1}{\sqrt{-a + bx^2 - cx^4}} dx$$

$$= -\frac{ex\sqrt{-a + bx^2 - cx^4}}{\sqrt{c}(\sqrt{a} + \sqrt{c}x^2)} - \frac{\sqrt[4]{a}e(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a - bx^2 + cx^4}{(\sqrt{a} + \sqrt{c}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right)\right) \frac{1}{4} \left(2 + \frac{b}{\sqrt{a}\sqrt{c}}\right)}{c^{3/4}\sqrt{-a + bx^2 - cx^4}}$$

Mathematica [C] time = 0.31, size = 295, normalized size = 1.01

$$\frac{i\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}-b}} + 1 \sqrt{1 - \frac{2cx^2}{\sqrt{b^2-4ac}+b}} \left(\left(e \left(b - \sqrt{b^2 - 4ac} \right) + 2cd \right) F \left(i \sinh^{-1} \left(\sqrt{2} \sqrt{\frac{c}{b + \sqrt{b^2 - 4ac}}} x \right) \Big|_{\frac{b + \sqrt{b^2 - 4ac}}{b - \sqrt{b^2 - 4ac}}} \right) + e \left(b + \sqrt{b^2 - 4ac} \right) \right)}{2\sqrt{2}c\sqrt{-\frac{c}{\sqrt{b^2-4ac}+b}}\sqrt{-a + bx^2 - cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/Sqrt[-a + b*x^2 - c*x^4], x]

[Out] ((-1/2*I)*Sqrt[1 + (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])]*Sqrt[1 - (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*((-b + Sqrt[b^2 - 4*a*c])*e*EllipticE[I*ArcSinh[Sqr

$t[2]*\text{Sqrt}[-(c/(b + \text{Sqrt}[b^2 - 4*a*c]))]*x], (b + \text{Sqrt}[b^2 - 4*a*c])/(b - \text{Sqrt}[b^2 - 4*a*c]) + (2*c*d + (b - \text{Sqrt}[b^2 - 4*a*c])*e)*\text{EllipticF}[\text{I}*\text{ArcSinh}[\text{Sqrt}[2]*\text{Sqrt}[-(c/(b + \text{Sqrt}[b^2 - 4*a*c]))]*x], (b + \text{Sqrt}[b^2 - 4*a*c])/(b - \text{Sqrt}[b^2 - 4*a*c])]/(\text{Sqrt}[2]*c*\text{Sqrt}[-(c/(b + \text{Sqrt}[b^2 - 4*a*c]))])* \text{Sqrt}[-a + b*x^2 - c*x^4])$

fricas [F] time = 0.63, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-cx^4 + bx^2 - a}(ex^2 + d)}{cx^4 - bx^2 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/(-c*x^4+b*x^2-a)^(1/2),x, algorithm="fricas")`

[Out] `integral(-sqrt(-c*x^4 + b*x^2 - a)*(e*x^2 + d)/(c*x^4 - b*x^2 + a), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{-cx^4 + bx^2 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/(-c*x^4+b*x^2-a)^(1/2),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)/sqrt(-c*x^4 + b*x^2 - a), x)`

maple [A] time = 0.04, size = 357, normalized size = 1.22

$$\frac{\sqrt{\frac{2(-b+\sqrt{-4ac+b^2})x^2}{a}} + 4\sqrt{\frac{2(b+\sqrt{-4ac+b^2})x^2}{a}} \left(-\text{EllipticE}\left(\frac{\sqrt{-\frac{2(-b+\sqrt{-4ac+b^2})}{a}}x}{2}, \frac{\sqrt{\frac{2(b+\sqrt{-4ac+b^2})b}{ac}-4}}{2}\right) + \text{EllipticF}\left(\frac{\sqrt{\frac{2(-b+\sqrt{-4ac+b^2})}{a}}x}{2}, \frac{\sqrt{\frac{2(b+\sqrt{-4ac+b^2})b}{ac}-4}}{2}\right) \right)}{\sqrt{-\frac{2(-b+\sqrt{-4ac+b^2})}{a}} \sqrt{-cx^4 + bx^2 - a} (b + \sqrt{-4ac + b^2})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)/(-c*x^4+b*x^2-a)^(1/2),x)`

[Out] `e*a/(-2*(-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(4+2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2)^(1/2)*(4-2*(b+(-4*a*c+b^2)^(1/2))/a*x^2)^(1/2)/(-c*x^4+b*x^2-a)^(1/2)/(b+(-4*a*c+b^2)^(1/2))*(EllipticF(1/2*x*(-2*(-b+(-4*a*c+b^2)^(1/2))/a)^(1/2), 1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))-EllipticE(1/2*x*(-2*(-b+(-4*a*c+b^2)^(1/2))/a)^(1/2), 1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))`

$c+b^2)^{(1/2))/a)^{(1/2)}, 1/2*(2*(b+(-4*a*c+b^2)^{(1/2)))/a*b/c-4)^{(1/2)))+1/2*d$
 $/(-2*(-b+(-4*a*c+b^2)^{(1/2)))/a)^{(1/2)*(4+2*(-b+(-4*a*c+b^2)^{(1/2)))/a*x^2)^{(1/2)}$
 $*(4-2*(b+(-4*a*c+b^2)^{(1/2)))/a*x^2)^{(1/2)/(-c*x^4+b*x^2-a)^{(1/2)*Ellipt$
 $icF(1/2*x*(-2*(-b+(-4*a*c+b^2)^{(1/2)))/a)^{(1/2)}, 1/2*(2*(b+(-4*a*c+b^2)^{(1/2))$
 $)/a*b/c-4)^{(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{-cx^4 + bx^2 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(-c*x^4+b*x^2-a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)/sqrt(-c*x^4 + b*x^2 - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + d}{\sqrt{-cx^4 + bx^2 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(b*x^2 - a - c*x^4)^(1/2),x)

[Out] int((d + e*x^2)/(b*x^2 - a - c*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + ex^2}{\sqrt{-a + bx^2 - cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(-c*x**4+b*x**2-a)**(1/2),x)

[Out] Integral((d + e*x**2)/sqrt(-a + b*x**2 - c*x**4), x)

$$3.393 \quad \int \frac{1}{(d+ex^2)\sqrt{-a+bx^2-cx^4}} dx$$

Optimal. Leaf size=412

$$\frac{a^{3/4} (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a-bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{c}d}{\sqrt{a}} + e \right)^2 \Pi \left(-\frac{(\sqrt{c}d-\sqrt{a}e)^2}{4\sqrt{a}\sqrt{c}de}; 2 \tan^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt{a}} \right) \middle| \frac{1}{4} \left(\frac{b}{\sqrt{a}\sqrt{c}} + 2 \right) \right) \sqrt{e} \tan^{-1} \left(\frac{x\sqrt{-e}}{\sqrt{d}\sqrt{e}} \right)}{4\sqrt[4]{c}d\sqrt{-a+bx^2-cx^4} (cd^2 - ae^2)} + \frac{\sqrt{e} \tan^{-1} \left(\frac{x\sqrt{-e}}{\sqrt{d}\sqrt{e}} \right)}{2\sqrt{d}\sqrt{-e(ae + \dots)}}$$

[Out] $1/2*\arctan(x*(-a*e^2-b*d*e-c*d^2)^(1/2)/d^(1/2)/e^(1/2)/(-c*x^4+b*x^2-a)^(1/2)) * e^(1/2)/d^(1/2)/(-a*e^2-b*d*e-c*d^2)^(1/2) + 1/2*c^(1/4)*(cos(2*\arctan(c^(1/4)*x/a^(1/4)))^2)^(1/2)/cos(2*\arctan(c^(1/4)*x/a^(1/4)))*\text{EllipticF}(\sin(2*\arctan(c^(1/4)*x/a^(1/4))), 1/2*(2+b/a^(1/2)/c^(1/2))^(1/2))*(a^(1/2)+x^2*c^(1/2))*((c*x^4-b*x^2+a)/(a^(1/2)+x^2*c^(1/2))^2)^(1/2)/a^(1/4)/(-e*a^(1/2)+d*c^(1/2))/(-c*x^4+b*x^2-a)^(1/2) - 1/4*a^(3/4)*(cos(2*\arctan(c^(1/4)*x/a^(1/4)))^2)^(1/2)/cos(2*\arctan(c^(1/4)*x/a^(1/4)))*\text{EllipticPi}(\sin(2*\arctan(c^(1/4)*x/a^(1/4))), -1/4*(-e*a^(1/2)+d*c^(1/2))^2/d/e/a^(1/2)/c^(1/2), 1/2*(2+b/a^(1/2)/c^(1/2))^(1/2))*(a^(1/2)+x^2*c^(1/2))*(e+d*c^(1/2)/a^(1/2))^2*((c*x^4-b*x^2+a)/(a^(1/2)+x^2*c^(1/2))^2)^(1/2)/c^(1/4)/d/(-a*e^2+c*d^2)/(-c*x^4+b*x^2-a)^(1/2)$

Rubi [A] time = 0.36, antiderivative size = 412, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {1216, 1103, 1706}

$$\frac{a^{3/4} (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a-bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} \left(\frac{\sqrt{c}d}{\sqrt{a}} + e \right)^2 \Pi \left(-\frac{(\sqrt{c}d-\sqrt{a}e)^2}{4\sqrt{a}\sqrt{c}de}; 2 \tan^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt{a}} \right) \middle| \frac{1}{4} \left(\frac{b}{\sqrt{a}\sqrt{c}} + 2 \right) \right) \sqrt{e} \tan^{-1} \left(\frac{x\sqrt{-e}}{\sqrt{d}\sqrt{e}} \right)}{4\sqrt[4]{c}d\sqrt{-a+bx^2-cx^4} (cd^2 - ae^2)} + \frac{\sqrt{e} \tan^{-1} \left(\frac{x\sqrt{-e}}{\sqrt{d}\sqrt{e}} \right)}{2\sqrt{d}\sqrt{-e(ae + \dots)}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*Sqrt[-a + b*x^2 - c*x^4]),x]

[Out] $(\text{Sqrt}[e]*\text{ArcTan}[(\text{Sqrt}[-(c*d^2) - e*(b*d + a*e)]*x)/(\text{Sqrt}[d]*\text{Sqrt}[e]*\text{Sqrt}[-a + b*x^2 - c*x^4])])/(2*\text{Sqrt}[d]*\text{Sqrt}[-(c*d^2) - e*(b*d + a*e)]) + (c^(1/4)*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a - b*x^2 + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(c^(1/4)*x)/a^(1/4)], (2 + b/(\text{Sqrt}[a]*\text{Sqrt}[c]))/4])/(2*a^(1/4)*(\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{Sqrt}[-a + b*x^2 - c*x^4]) - (a^(3/4)*((\text{Sqrt}[c]*d)/\text{Sqrt}[a] + e)^2*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a - b*x^2 + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2]*\text{EllipticPi}[-(\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)^2/(4*\text{Sqrt}[a]*\text{Sqrt}[c]*d*e), 2*\text{ArcTan}[(c^(1/4)*x)/a^(1/4)], (2 + b/(\text{Sqrt}[a]*\text{Sqrt}[c]))/4])/(4*c^(1/4)*d*(c*d^2 - a*e^2)*\text{Sqrt}[-a + b*x^2 - c*x^4])$

Rule 1103

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1216

```
Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1706

```
Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[(B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x]/Sqrt[a + b*x^2 + c*x^4]]/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]
```

Rubi steps

$$\int \frac{1}{(d + ex^2)\sqrt{-a + bx^2 - cx^4}} dx = \frac{\sqrt{c} \int \frac{1}{\sqrt{-a + bx^2 - cx^4}} dx}{\sqrt{c}d - \sqrt{a}e} - \frac{(\sqrt{a}e) \int \frac{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}{(d+ex^2)\sqrt{-a+bx^2-cx^4}} dx}{\sqrt{c}d - \sqrt{a}e}$$

$$= \frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{-cd^2 - e(bd+ae)}x}{\sqrt{d}\sqrt{e}\sqrt{-a+bx^2-cx^4}}\right)}{2\sqrt{d}\sqrt{-cd^2 - e(bd+ae)}} + \frac{\sqrt[4]{c}(\sqrt{a} + \sqrt{c}x^2)\sqrt{\frac{a-bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a} + \sqrt{c}x^2}\right), \frac{2\sqrt{c}d - \sqrt{a}e}{2\sqrt{a}(\sqrt{c}d - \sqrt{a}e)}\right)}{2\sqrt[4]{a}(\sqrt{c}d - \sqrt{a}e)\sqrt{-a + bx^2}}$$

Mathematica [C] time = 0.22, size = 207, normalized size = 0.50

$$\frac{i\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}-b}} + 1\sqrt{1 - \frac{2cx^2}{\sqrt{b^2-4ac}+b}} \Pi\left(-\frac{(b+\sqrt{b^2-4ac})e}{2cd}; i \sinh^{-1}\left(\sqrt{2}\sqrt{\frac{c}{b+\sqrt{b^2-4ac}}}x\right) \middle| -\frac{b+\sqrt{b^2-4ac}}{\sqrt{b^2-4ac}-b}\right)}{\sqrt{2}d\sqrt{\frac{c}{\sqrt{b^2-4ac}+b}}\sqrt{-a+bx^2-cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*Sqrt[-a + b*x^2 - c*x^4]),x]

[Out] ((-I)*Sqrt[1 + (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])]*Sqrt[1 - (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*EllipticPi[-1/2*((b + Sqrt[b^2 - 4*a*c])*e)/(c*d), I*ArcSinh[Sqrt[2]*Sqrt[-(c/(b + Sqrt[b^2 - 4*a*c]))]]*x], -(b + Sqrt[b^2 - 4*a*c])/(-b + Sqrt[b^2 - 4*a*c]))/(Sqrt[2]*Sqrt[-(c/(b + Sqrt[b^2 - 4*a*c]))])*d*Sqrt[-a + b*x^2 - c*x^4])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(-c*x^4+b*x^2-a)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4 + bx^2 - a}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(-c*x^4+b*x^2-a)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-c*x^4 + b*x^2 - a)*(e*x^2 + d)), x)

maple [A] time = 0.03, size = 199, normalized size = 0.48

$$\frac{\sqrt{-\frac{bx^2}{2a} + \frac{\sqrt{-4ac+b^2}x^2}{2a}} + 1\sqrt{-\frac{bx^2}{2a} - \frac{\sqrt{-4ac+b^2}x^2}{2a}} + 1 \operatorname{EllipticPi}\left(\sqrt{-\frac{-b+\sqrt{-4ac+b^2}}{2a}}x, \frac{2ae}{(-b+\sqrt{-4ac+b^2})d}, \frac{\sqrt{2}\sqrt{\frac{b+\sqrt{-4ac+b^2}}{a}}}{2\sqrt{\frac{-b+\sqrt{-4ac+b^2}}{2a}}}\right)}{\sqrt{\frac{b}{2a} - \frac{\sqrt{-4ac+b^2}}{2a}}\sqrt{-cx^4 + bx^2 - a}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x^2+d)/(-c*x^4+b*x^2-a)^(1/2),x)`

[Out] $1/d/(1/2/a*b-1/2*(-4*a*c+b^2)^(1/2)/a)^(1/2)*(1-1/2/a*b*x^2+1/2*(-4*a*c+b^2)^(1/2)/a*x^2)^(1/2)*(1-1/2/a*b*x^2-1/2*(-4*a*c+b^2)^(1/2)/a*x^2)^(1/2)/(-c*x^4+b*x^2-a)^(1/2)*\text{EllipticPi}((-1/2*(-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,2/(-b+(-4*a*c+b^2)^(1/2))*a/d*e,1/2*2^(1/2)*((b+(-4*a*c+b^2)^(1/2))/a)^(1/2)/(-1/2*(-b+(-4*a*c+b^2)^(1/2))/a)^(1/2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-cx^4 + bx^2 - a}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x^2+d)/(-c*x^4+b*x^2-a)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(-c*x^4 + b*x^2 - a)*(e*x^2 + d)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(ex^2 + d)\sqrt{-cx^4 + bx^2 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((d + e*x^2)*(b*x^2 - a - c*x^4)^(1/2)),x)`

[Out] `int(1/((d + e*x^2)*(b*x^2 - a - c*x^4)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex^2)\sqrt{-a + bx^2 - cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(e*x**2+d)/(-c*x**4+b*x**2-a)**(1/2),x)`

[Out] `Integral(1/((d + e*x**2)*sqrt(-a + b*x**2 - c*x**4)), x)`

$$3.394 \quad \int \frac{(d+ex^2)^3}{\sqrt{2+3x^2+x^4}} dx$$

Optimal. Leaf size=229

$$\frac{(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}(5d^3-10de^2+8e^3)F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{5\sqrt{2}\sqrt{x^4+3x^2+2}} + \frac{3e(x^2+2)x(5d^2-10de+6e^2)}{5\sqrt{x^4+3x^2+2}} - \frac{3\sqrt{2}e(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}(5d^3-10de^2+8e^3)}{5\sqrt{x^4+3x^2+2}}$$

[Out] $3/5*e*(5*d^2-10*d*e+6*e^2)*x*(x^2+2)/(x^4+3*x^2+2)^{(1/2)}+1/10*(5*d^3-10*d*e^2+8*e^3)*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*((x^2+2)/(x^2+1))^{(1/2)}*2^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}-3/5*e*(5*d^2-10*d*e+6*e^2)*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticE(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+1/5*(5*d-4*e)*e^2*x*(x^4+3*x^2+2)^{(1/2)}+1/5*e^3*x^3*(x^4+3*x^2+2)^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1206, 1679, 1189, 1099, 1135}

$$\frac{3e(x^2+2)x(5d^2-10de+6e^2)}{5\sqrt{x^4+3x^2+2}} + \frac{(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}(5d^3-10de^2+8e^3)F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{5\sqrt{2}\sqrt{x^4+3x^2+2}} - \frac{3\sqrt{2}e(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}(5d^3-10de^2+8e^3)}{5\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^3/Sqrt[2 + 3*x^2 + x^4], x]

[Out] $(3*e*(5*d^2-10*d*e+6*e^2)*x*(2+x^2))/(5*\text{Sqrt}[2+3*x^2+x^4]) + ((5*d-4*e)*e^2*x*\text{Sqrt}[2+3*x^2+x^4])/5 + (e^3*x^3*\text{Sqrt}[2+3*x^2+x^4])/5 - (3*\text{Sqrt}[2]*e*(5*d^2-10*d*e+6*e^2)*(1+x^2)*\text{Sqrt}[(2+x^2)/(1+x^2)]*EllipticE[\text{ArcTan}[x], 1/2])/(5*\text{Sqrt}[2+3*x^2+x^4]) + ((5*d^3-10*d*e^2+8*e^3)*(1+x^2)*\text{Sqrt}[(2+x^2)/(1+x^2)]*EllipticF[\text{ArcTan}[x], 1/2])/(5*\text{Sqrt}[2]*\text{Sqrt}[2+3*x^2+x^4])$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

```

Int[(x_)^2/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q =
  Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
  4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q
  )*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
  /(b + q))]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
  (b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b,
  c}, x] && GtQ[b^2 - 4*a*c, 0]

```

Rule 1189

```

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]

```

Rule 1206

```

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]

```

Rule 1679

```

Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{q = Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*x^(2*q), x], x], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]

```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)^3}{\sqrt{2 + 3x^2 + x^4}} dx &= \frac{1}{5} e^3 x^3 \sqrt{2 + 3x^2 + x^4} + \frac{1}{5} \int \frac{5d^3 + 3e(5d^2 - 2e^2)x^2 + 3(5d - 4e)e^2 x^4}{\sqrt{2 + 3x^2 + x^4}} dx \\
&= \frac{1}{5} (5d - 4e) e^2 x \sqrt{2 + 3x^2 + x^4} + \frac{1}{5} e^3 x^3 \sqrt{2 + 3x^2 + x^4} + \frac{1}{15} \int \frac{3(5d^3 - 10de^2 + 8e^3) + 9}{\sqrt{2 + 3x^2 + x^4}} dx \\
&= \frac{1}{5} (5d - 4e) e^2 x \sqrt{2 + 3x^2 + x^4} + \frac{1}{5} e^3 x^3 \sqrt{2 + 3x^2 + x^4} + \frac{1}{5} (3e(5d^2 - 10de + 6e^2)) \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx \\
&= \frac{3e(5d^2 - 10de + 6e^2)x(2 + x^2)}{5\sqrt{2 + 3x^2 + x^4}} + \frac{1}{5} (5d - 4e) e^2 x \sqrt{2 + 3x^2 + x^4} + \frac{1}{5} e^3 x^3 \sqrt{2 + 3x^2 + x^4}
\end{aligned}$$

Mathematica [C] time = 0.23, size = 154, normalized size = 0.67

$$\frac{-3ie\sqrt{x^2+1}\sqrt{x^2+2}(5d^2-10de+6e^2)E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)-5i\sqrt{x^2+1}\sqrt{x^2+2}(d^3-3d^2e+4de^2-2e^3)F\left(\frac{x}{\sqrt{2}}\middle|2\right)}{5\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^3/Sqrt[2 + 3*x^2 + x^4], x]

[Out] (e^2*x*(2 + 3*x^2 + x^4)*(5*d + e*(-4 + x^2)) - (3*I)*e*(5*d^2 - 10*d*e + 6*e^2)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticE[I*ArcSinh[x/Sqrt[2]], 2] - (5*I)*(d^3 - 3*d^2*e + 4*d*e^2 - 2*e^3)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticF[I*ArcSinh[x/Sqrt[2]], 2])/(5*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 0.55, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^3x^6 + 3de^2x^4 + 3d^2ex^2 + d^3}{\sqrt{x^4 + 3x^2 + 2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(x^4+3*x^2+2)^(1/2), x, algorithm="fricas")

[Out] integral((e^3*x^6 + 3*d*e^2*x^4 + 3*d^2*e*x^2 + d^3)/sqrt(x^4 + 3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^3}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(x^4+3*x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^3/sqrt(x^4 + 3*x^2 + 2), x)

maple [C] time = 0.01, size = 380, normalized size = 1.66

$$\frac{i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} d^3 \operatorname{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{2\sqrt{x^4 + 3x^2 + 2}} + \frac{3i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \left(-\operatorname{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right) + \operatorname{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)\right)}{2\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^3/(x^4+3*x^2+2)^(1/2),x)

[Out] e^3*(1/5*(x^4+3*x^2+2)^(1/2)*x^3-4/5*(x^4+3*x^2+2)^(1/2)*x-4/5*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))+9/5*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-EllipticE(1/2*I*2^(1/2)*x,2^(1/2))))+3*d*e^2*(1/3*(x^4+3*x^2+2)^(1/2)*x+1/3*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-EllipticE(1/2*I*2^(1/2)*x,2^(1/2))))+3/2*I*d^2*e*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-EllipticE(1/2*I*2^(1/2)*x,2^(1/2))))-1/2*I*d^3*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^3}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^3/(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^3/sqrt(x^4 + 3*x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^3}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)^3/(3*x^2 + x^4 + 2)^(1/2), x)`

[Out] `int((d + e*x^2)^3/(3*x^2 + x^4 + 2)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^2)^3}{\sqrt{(x^2 + 1)(x^2 + 2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**3/(x**4+3*x**2+2)**(1/2), x)`

[Out] `Integral((d + e*x**2)**3/sqrt((x**2 + 1)*(x**2 + 2)), x)`

$$3.395 \quad \int \frac{(d+ex^2)^2}{\sqrt{2+3x^2+x^4}} dx$$

Optimal. Leaf size=168

$$\frac{(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}(3d^2-2e^2)F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{3\sqrt{2}\sqrt{x^4+3x^2+2}} + \frac{2ex(x^2+2)(d-e)}{\sqrt{x^4+3x^2+2}} - \frac{2\sqrt{2}e(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}(d-e)E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4+3x^2+2}} + \frac{1}{3}e$$

[Out] $2*(d-e)*e*x*(x^2+2)/(x^4+3*x^2+2)^{(1/2)}+1/6*(3*d^2-2*e^2)*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*((x^2+2)/(x^2+1))^{(1/2)}*2^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}-2*(d-e)*e*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticE(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*2^{(1/2)}*((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+1/3*e^2*x*(x^4+3*x^2+2)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1206, 1189, 1099, 1135}

$$\frac{(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}(3d^2-2e^2)F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{3\sqrt{2}\sqrt{x^4+3x^2+2}} + \frac{2ex(x^2+2)(d-e)}{\sqrt{x^4+3x^2+2}} - \frac{2\sqrt{2}e(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}(d-e)E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4+3x^2+2}} + \frac{1}{3}e$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^2/Sqrt[2 + 3*x^2 + x^4], x]

[Out] $(2*(d - e)*e*x*(2 + x^2))/\text{Sqrt}[2 + 3*x^2 + x^4] + (e^2*x*\text{Sqrt}[2 + 3*x^2 + x^4])/3 - (2*\text{Sqrt}[2]*(d - e)*e*(1 + x^2)*\text{Sqrt}[(2 + x^2)/(1 + x^2)]*EllipticE[\text{ArcTan}[x], 1/2])/3 - (2*\text{Sqrt}[2]*(d - e)*e*(1 + x^2)*\text{Sqrt}[(2 + x^2)/(1 + x^2)]*EllipticF[\text{ArcTan}[x], 1/2])/3 - (2*\text{Sqrt}[2]*(d - e)*e*(1 + x^2)*\text{Sqrt}[(2 + x^2)/(1 + x^2)]*EllipticE[\text{ArcTan}[x], 1/2])/3 - (2*\text{Sqrt}[2]*(d - e)*e*(1 + x^2)*\text{Sqrt}[(2 + x^2)/(1 + x^2)]*EllipticF[\text{ArcTan}[x], 1/2])/3$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x]

4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])) /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1189

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1206

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^2}{\sqrt{2 + 3x^2 + x^4}} dx &= \frac{1}{3}e^2x\sqrt{2 + 3x^2 + x^4} + \frac{1}{3} \int \frac{3d^2 - 2e^2 + 6(d - e)ex^2}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{1}{3}e^2x\sqrt{2 + 3x^2 + x^4} + (2(d - e)e) \int \frac{x^2}{\sqrt{2 + 3x^2 + x^4}} dx + \frac{1}{3}(3d^2 - 2e^2) \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{2(d - e)ex(2 + x^2)}{\sqrt{2 + 3x^2 + x^4}} + \frac{1}{3}e^2x\sqrt{2 + 3x^2 + x^4} - \frac{2\sqrt{2}(d - e)e(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}}E\left(\tan^{-1}(x)\middle| \frac{1}{2}\right)}{\sqrt{2 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.16, size = 127, normalized size = 0.76

$$\frac{-i\sqrt{x^2 + 1}\sqrt{x^2 + 2}(3d^2 - 6de + 4e^2)F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| 2\right) - 6ie\sqrt{x^2 + 1}\sqrt{x^2 + 2}(d - e)E\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle| 2\right) + e^2x\sqrt{2 + 3x^2 + x^4}}{3\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2/Sqrt[2 + 3*x^2 + x^4],x]

[Out] (e^2*x*(2 + 3*x^2 + x^4) - (6*I)*(d - e)*e*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticE[I*ArcSinh[x/Sqrt[2]], 2] - I*(3*d^2 - 6*d*e + 4*e^2)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticF[I*ArcSinh[x/Sqrt[2]], 2])/(3*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 0.55, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^2x^4 + 2dex^2 + d^2}{\sqrt{x^4 + 3x^2 + 2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(x^4+3*x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral((e^2*x^4 + 2*d*e*x^2 + d^2)/sqrt(x^4 + 3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^2}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(x^4+3*x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^2/sqrt(x^4 + 3*x^2 + 2), x)

maple [C] time = 0.01, size = 235, normalized size = 1.40

$$\frac{i\sqrt{2}\sqrt{2x^2+4}\sqrt{x^2+1}d^2\text{EllipticF}\left(\frac{i\sqrt{2}x}{2},\sqrt{2}\right)}{2\sqrt{x^4+3x^2+2}} + \frac{i\sqrt{2}\sqrt{2x^2+4}\sqrt{x^2+1}\left(-\text{EllipticE}\left(\frac{i\sqrt{2}x}{2},\sqrt{2}\right)+\text{EllipticF}\left(\frac{i\sqrt{2}x}{2},\sqrt{2}\right)\right)}{\sqrt{x^4+3x^2+2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2/(x^4+3*x^2+2)^(1/2),x)

[Out] e^2*(1/3*(x^4+3*x^2+2)^(1/2)*x+1/3*I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-I*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-EllipticE(1/2*I*2^(1/2)*x,2^(1/2))))+I*d*e*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-EllipticE(1/2*I*2^(1/2)*x,2^(1/2)))-1/2*I*d^2*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^2}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2/(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^2/sqrt(x^4 + 3*x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(ex^2 + d)^2}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^2/(3*x^2 + x^4 + 2)^(1/2),x)

[Out] int((d + e*x^2)^2/(3*x^2 + x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^2)^2}{\sqrt{(x^2 + 1)(x^2 + 2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2/(x**4+3*x**2+2)**(1/2),x)

[Out] Integral((d + e*x**2)**2/sqrt((x**2 + 1)*(x**2 + 2)), x)

$$3.396 \quad \int \frac{d+ex^2}{\sqrt{2+3x^2+x^4}} dx$$

Optimal. Leaf size=122

$$\frac{d(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}} + \frac{ex(x^2+2)}{\sqrt{x^4+3x^2+2}} - \frac{\sqrt{2}e(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4+3x^2+2}}$$

[Out] e*x*(x^2+2)/(x^4+3*x^2+2)^(1/2)+1/2*d*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticF(x/(x^2+1)^(1/2),1/2*2^(1/2))*((x^2+2)/(x^2+1))^(1/2)*2^(1/2)/(x^4+3*x^2+2)^(1/2)-e*(x^2+1)^(3/2)*(1/(x^2+1))^(1/2)*EllipticE(x/(x^2+1)^(1/2),1/2*2^(1/2))*2^(1/2)*((x^2+2)/(x^2+1))^(1/2)/(x^4+3*x^2+2)^(1/2)

Rubi [A] time = 0.03, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1189, 1099, 1135}

$$\frac{d(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}} + \frac{ex(x^2+2)}{\sqrt{x^4+3x^2+2}} - \frac{\sqrt{2}e(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/Sqrt[2 + 3*x^2 + x^4],x]

[Out] (e*x*(2 + x^2))/Sqrt[2 + 3*x^2 + x^4] - (Sqrt[2]*e*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/Sqrt[2 + 3*x^2 + x^4] + (d*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(Sqrt[2]*Sqrt[2 + 3*x^2 + x^4])

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1135

Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)

$$\frac{1}{(b+q)} \int \frac{dx}{\sqrt{2cx^2 + bx^4 + a}}$$
 ; PosQ[(b+q)/a] && !(PosQ[(b-q)/a] && SimplerSqrtQ[(b-q)/(2*a), (b+q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1189

$$\text{Int}[\frac{(d + e x^2)}{\sqrt{2 + 3x^2 + x^4}}, x] \text{ :> With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[d, \text{Int}[1/\sqrt{2 + 3x^2 + x^4}, x], x] + \text{Dist}[e, \text{Int}[x^2/\sqrt{2 + 3x^2 + x^4}, x], x] /; \text{PosQ}[(b + q)/a] \text{ || PosQ}[(b - q)/a] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \text{ \&\& GtQ}[b^2 - 4*a*c, 0]$$

Rubi steps

$$\begin{aligned} \int \frac{d + ex^2}{\sqrt{2 + 3x^2 + x^4}} dx &= d \int \frac{1}{\sqrt{2 + 3x^2 + x^4}} dx + e \int \frac{x^2}{\sqrt{2 + 3x^2 + x^4}} dx \\ &= \frac{ex(2 + x^2)}{\sqrt{2 + 3x^2 + x^4}} - \frac{\sqrt{2}e(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}}E\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2 + 3x^2 + x^4}} + \frac{d(1 + x^2)\sqrt{\frac{2+x^2}{1+x^2}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{2 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.07, size = 73, normalized size = 0.60

$$\frac{i\sqrt{x^2+1}\sqrt{x^2+2}\left((d-e)F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)+eE\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)\right)}{\sqrt{x^4+3x^2+2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/Sqrt[2 + 3*x^2 + x^4], x]

[Out] ((-I)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(e*EllipticE[I*ArcSinh[x/Sqrt[2]]], 2) + (d - e)*EllipticF[I*ArcSinh[x/Sqrt[2]], 2])/Sqrt[2 + 3*x^2 + x^4]

fricas [F] time = 0.83, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^2 + d}{\sqrt{x^4 + 3x^2 + 2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(x^4+3*x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral((e*x^2 + d)/sqrt(x^4 + 3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(x^4+3*x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)/sqrt(x^4 + 3*x^2 + 2), x)

maple [C] time = 0.00, size = 108, normalized size = 0.89

$$\frac{i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} d \operatorname{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{2\sqrt{x^4 + 3x^2 + 2}} + \frac{i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} \left(-\operatorname{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right) + \operatorname{EllipticF}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)\right)}{2\sqrt{x^4 + 3x^2 + 2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(x^4+3*x^2+2)^(1/2),x)

[Out] 1/2*I*e*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*(EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-EllipticE(1/2*I*2^(1/2)*x,2^(1/2)))-1/2*I*d*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)/sqrt(x^4 + 3*x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{ex^2 + d}{\sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(3*x^2 + x^4 + 2)^(1/2),x)

[Out] int((d + e*x^2)/(3*x^2 + x^4 + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + ex^2}{\sqrt{(x^2 + 1)(x^2 + 2)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(x**4+3*x**2+2)**(1/2),x)

[Out] Integral((d + e*x**2)/sqrt((x**2 + 1)*(x**2 + 2)), x)

$$3.397 \quad \int \frac{1}{(d+ex^2)\sqrt{2+3x^2+x^4}} dx$$

Optimal. Leaf size=124

$$\frac{(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}(d-e)} - \frac{e(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}\Pi\left(1-\frac{e}{d};\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}d\sqrt{x^4+3x^2+2}(d-e)}$$

[Out] $1/2*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)},1/2*2^{(1/2)})*((x^2+2)/(x^2+1))^{(1/2)}/(d-e)*2^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}-1/2*e*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticPi(x/(x^2+1)^{(1/2)},1-e/d,1/2*2^{(1/2)})*((x^2+2)/(x^2+1))^{(1/2)}/d/(d-e)*2^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1214, 1099, 1456, 539}

$$\frac{(x^2+1)\sqrt{\frac{x^2+2}{x^2+1}}F\left(\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4+3x^2+2}(d-e)} - \frac{e(x^2+2)\Pi\left(1-\frac{e}{d};\tan^{-1}(x)\middle|\frac{1}{2}\right)}{\sqrt{2}d\sqrt{\frac{x^2+2}{x^2+1}}\sqrt{x^4+3x^2+2}(d-e)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*Sqrt[2 + 3*x^2 + x^4]),x]

[Out] $((1+x^2)*Sqrt[(2+x^2)/(1+x^2)]*EllipticF[ArcTan[x],1/2])/(Sqrt[2]*(d-e)*Sqrt[2+3*x^2+x^4]) - (e*(2+x^2)*EllipticPi[1-e/d,ArcTan[x],1/2])/(Sqrt[2]*d*(d-e)*Sqrt[(2+x^2)/(1+x^2)]*Sqrt[2+3*x^2+x^4])$

Rule 539

Int[Sqrt[(c_) + (d_)*(x_)^2]/((a_) + (b_)*(x_)^2)*Sqrt[(e_) + (f_)*(x_)^2]], x_Symbol] := Simp[(c*Sqrt[e + f*x^2]*EllipticPi[1 - (b*c)/(a*d), ArcTan[Rt[d/c, 2]*x], 1 - (c*f)/(d*e)]/(a*e*Rt[d/c, 2]*Sqrt[c + d*x^2]*Sqrt[(c*(e + f*x^2))/(e*(c + d*x^2))]), x] /; FreeQ[{a, b, c, d, e, f}, x] && PosQ[d/c]

Rule 1099

Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[

{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]

Rule 1214

Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/(2*c*d - e*(b - q)), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/(2*c*d - e*(b - q)), Int[(b - q + 2*c*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0] && !LtQ[c, 0]

Rule 1456

Int[((d_) + (e_)*(x_)^(n_))^(q_)*((f_) + (g_)*(x_)^(n_))^(r_)*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] :> Dist[(a + b*x^n + c*x^(2*n))^FracPart[p]/((d + e*x^n)^FracPart[p]*(a/d + (c*x^n)/e)^FracPart[p]), Int[(d + e*x^n)^(p + q)*(f + g*x^n)^r*(a/d + (c*x^n)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q, r}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^2)\sqrt{2 + 3x^2 + x^4}} dx &= \frac{\int \frac{1}{\sqrt{2+3x^2+x^4}} dx}{d - e} - \frac{e \int \frac{2+2x^2}{(d+ex^2)\sqrt{2+3x^2+x^4}} dx}{2(d - e)} \\ &= \frac{(1 + x^2) \sqrt{\frac{2+x^2}{1+x^2}} F\left(\tan^{-1}(x) \middle| \frac{1}{2}\right)}{\sqrt{2}(d - e)\sqrt{2 + 3x^2 + x^4}} - \frac{\left(e\sqrt{1 + \frac{x^2}{2}} \sqrt{2 + 2x^2}\right) \int \frac{\sqrt{2+2x^2}}{\sqrt{1+\frac{x^2}{2}}(d+ex^2)} dx}{2(d - e)\sqrt{2 + 3x^2 + x^4}} \\ &= \frac{(1 + x^2) \sqrt{\frac{2+x^2}{1+x^2}} F\left(\tan^{-1}(x) \middle| \frac{1}{2}\right)}{\sqrt{2}(d - e)\sqrt{2 + 3x^2 + x^4}} - \frac{e(2 + x^2) \Pi\left(1 - \frac{e}{d}; \tan^{-1}(x) \middle| \frac{1}{2}\right)}{\sqrt{2}d(d - e)\sqrt{\frac{2+x^2}{1+x^2}} \sqrt{2 + 3x^2 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.11, size = 59, normalized size = 0.48

$$\frac{i\sqrt{x^2 + 1} \sqrt{x^2 + 2} \Pi\left(\frac{2e}{d}; i \sinh^{-1}\left(\frac{x}{\sqrt{2}}\right) \middle| 2\right)}{d\sqrt{x^4 + 3x^2 + 2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*Sqrt[2 + 3*x^2 + x^4]),x]

[Out] ((-1)*Sqrt[1 + x^2]*Sqrt[2 + x^2]*EllipticPi[(2*e)/d, I*ArcSinh[x/Sqrt[2]], 2])/(d*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 1.12, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{x^4 + 3x^2 + 2}}{ex^6 + (d + 3e)x^4 + (3d + 2e)x^2 + 2d}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(x^4+3*x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 2)/(e*x^6 + (d + 3*e)*x^4 + (3*d + 2*e)*x^2 + 2*d), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 2}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(x^4+3*x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 2)*(e*x^2 + d)), x)

maple [C] time = 0.02, size = 55, normalized size = 0.44

$$\frac{i\sqrt{2} \sqrt{\frac{x^2}{2} + 1} \sqrt{x^2 + 1} \text{EllipticPi}\left(\frac{i\sqrt{2}x}{2}, \frac{2e}{d}, \sqrt{2}\right)}{\sqrt{x^4 + 3x^2 + 2} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)/(x^4+3*x^2+2)^(1/2),x)

[Out] -I/d*2^(1/2)*(1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticPi(1/2*I*2^(1/2)*x, 2*e/d, 2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 2}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 2)*(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(ex^2 + d) \sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^2)*(3*x^2 + x^4 + 2)^(1/2)),x)

[Out] int(1/((d + e*x^2)*(3*x^2 + x^4 + 2)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{(x^2 + 1)(x^2 + 2)} (d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)/(x**4+3*x**2+2)**(1/2),x)

[Out] Integral(1/(sqrt((x**2 + 1)*(x**2 + 2))*(d + e*x**2)), x)

$$3.398 \quad \int \frac{1}{(d+ex^2)^2 \sqrt{2+3x^2+x^4}} dx$$

Optimal. Leaf size=316

$$\frac{e^2 x \sqrt{x^4 + 3x^2 + 2}}{2d(d^2 - 3de + 2e^2)(d + ex^2)} - \frac{ex(x^2 + 2)}{2d\sqrt{x^4 + 3x^2 + 2}(d^2 - 3de + 2e^2)} - \frac{e(x^2 + 2)(3d^2 - 6de + 2e^2) \Pi\left(1 - \frac{e}{d}; \tan^{-1}(x)\right)}{2\sqrt{2}d^2\sqrt{\frac{x^2+2}{x^2+1}}\sqrt{x^4 + 3x^2 + 2}(d - 2e)(d - e)}$$

[Out] $-1/2*e*x*(x^2+2)/d/(d^2-3*d*e+2*e^2)/(x^4+3*x^2+2)^{(1/2)}-1/4*e*(3*d^2-6*d*e+2*e^2)*(x^2+2)*(1/(x^2+1))^{(1/2)}*(x^2+1)^{(1/2)}*EllipticPi(x/(x^2+1)^{(1/2)}, 1-e/d, 1/2*2^{(1/2)})/d^2/(d-2*e)/(d-e)^2*2^{(1/2)}/((x^2+2)/(x^2+1))^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+1/2*e*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticE(x/(x^2+1)^{(1/2)}, 1/2*2^{(1/2)})*((x^2+2)/(x^2+1))^{(1/2)}/d/(d-2*e)/(d-e)*2^{(1/2)}/(x^4+3*x^2+2)^{(1/2)}+1/2*(2*d-e)*(x^2+1)^{(3/2)}*(1/(x^2+1))^{(1/2)}*EllipticF(x/(x^2+1)^{(1/2)}, 1/2*2^{(1/2)})*((x^2+2)/(2*x^2+2))^{(1/2)}/d/(d-e)^2/(x^4+3*x^2+2)^{(1/2)}+1/2*e^2*x*(x^4+3*x^2+2)^{(1/2)}/d/(d^2-3*d*e+2*e^2)/(e*x^2+d)$

Rubi [A] time = 0.33, antiderivative size = 399, normalized size of antiderivative = 1.26, number of steps used = 9, number of rules used = 8, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1223, 1716, 1189, 1099, 1135, 1214, 1456, 539}

$$\frac{e^2 x \sqrt{x^4 + 3x^2 + 2}}{2d(d^2 - 3de + 2e^2)(d + ex^2)} - \frac{ex(x^2 + 2)}{2d\sqrt{x^4 + 3x^2 + 2}(d^2 - 3de + 2e^2)} + \frac{(x^2 + 1) \sqrt{\frac{x^2+2}{x^2+1}} (3d^2 - 6de + 2e^2) F\left(\tan^{-1}(x)\right)}{2\sqrt{2}d\sqrt{x^4 + 3x^2 + 2}(d - 2e)(d - e)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^2*Sqrt[2 + 3*x^2 + x^4]),x]

[Out] $-(e*x*(2 + x^2))/(2*d*(d^2 - 3*d*e + 2*e^2)*Sqrt[2 + 3*x^2 + x^4]) + (e^2*x*Sqrt[2 + 3*x^2 + x^4])/(2*d*(d^2 - 3*d*e + 2*e^2)*(d + e*x^2)) + (e*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticE[ArcTan[x], 1/2])/(Sqrt[2]*d*(d - 2*e)*(d - e)*Sqrt[2 + 3*x^2 + x^4]) - ((1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(2*Sqrt[2]*(d - 2*e)*(d - e)*Sqrt[2 + 3*x^2 + x^4]) + ((3*d^2 - 6*d*e + 2*e^2)*(1 + x^2)*Sqrt[(2 + x^2)/(1 + x^2)]*EllipticF[ArcTan[x], 1/2])/(2*Sqrt[2]*d*(d - 2*e)*(d - e)^2*Sqrt[2 + 3*x^2 + x^4]) - (e*(3*d^2 - 6*d*e + 2*e^2)*(2 + x^2)*EllipticPi[1 - e/d, ArcTan[x], 1/2])/(2*Sqrt[2]*d^2*(d - 2*e)*(d - e)^2*Sqrt[(2 + x^2)/(1 + x^2)]*Sqrt[2 + 3*x^2 + x^4])$

Rule 539

Int[Sqrt[(c_) + (d_.)*(x_)^2]/(((a_) + (b_.)*(x_)^2)*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Simp[(c*Sqrt[e + f*x^2]*EllipticPi[1 - (b*c)/(a*d), ArcT

$\text{an}[\text{Rt}[d/c, 2]*x], 1 - (c*f)/(d*e)]/(a*e*\text{Rt}[d/c, 2]*\text{Sqrt}[c + d*x^2]*\text{Sqrt}[(c*(e + f*x^2))/(e*(c + d*x^2))], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{PosQ}[d/c]$

Rule 1099

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \text{ :> With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Simp}[(2*a + (b + q)*x^2)*\text{Sqrt}[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*\text{EllipticF}[\text{ArcTan}[\text{Rt}[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*a*\text{Rt}[(b + q)/(2*a), 2]*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{PosQ}[(b + q)/a] \&\& \text{!(PosQ}[(b - q)/a] \&\& \text{SimplerSqrtQ}[(b - q)/(2*a), (b + q)/(2*a)])] /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{GtQ}[b^2 - 4*a*c, 0]$

Rule 1135

$\text{Int}[(x_)^2/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \text{ :> With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Simp}[(x*(b + q + 2*c*x^2))/(2*c*\text{Sqrt}[a + b*x^2 + c*x^4]), x] - \text{Simp}[(\text{Rt}[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*\text{Sqrt}[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*\text{EllipticE}[\text{ArcTan}[\text{Rt}[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*c*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{PosQ}[(b + q)/a] \&\& \text{!(PosQ}[(b - q)/a] \&\& \text{SimplerSqrtQ}[(b - q)/(2*a), (b + q)/(2*a)])] /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{GtQ}[b^2 - 4*a*c, 0]$

Rule 1189

$\text{Int}[(d_) + (e_)*(x_)^2]/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \text{ :> With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[d, \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] + \text{Dist}[e, \text{Int}[x^2/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] /; \text{PosQ}[(b + q)/a] \&\& \text{PosQ}[(b - q)/a] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{GtQ}[b^2 - 4*a*c, 0]$

Rule 1214

$\text{Int}[1/(((d_) + (e_)*(x_)^2)*\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] \text{ :> With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(2*c)/(2*c*d - e*(b - q)), \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] - \text{Dist}[e/(2*c*d - e*(b - q)), \text{Int}[(b - q + 2*c*x^2)/((d + e*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4]), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{GtQ}[b^2 - 4*a*c, 0] \&\& \text{!LtQ}[c, 0]$

Rule 1223

$\text{Int}[(d_) + (e_)*(x_)^2]^(q_)/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \text{ :> -Simp}[(e^2*x*(d + e*x^2)^(q + 1)*\text{Sqrt}[a + b*x^2 + c*x^4])/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), x] + \text{Dist}[1/(2*d*(q + 1)*(c*d^2 - b*d*e + a*e^2)), \text{Int}[(d + e*x^2)^(q + 1)*\text{Simp}[a*e^2*(2*q + 3) + 2*d*(c*d - b*e)*(q + 1) - 2*e*(c*d*(q + 1) - b*e*(q + 2))*x^2 + c*e^2*(2*q + 5)*x^4, x]]/\text{Sqrt}$

```
[a + b*x^2 + c*x^4], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[q, -1]
```

Rule 1456

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_.)*((f_) + (g_.)*(x_)^(n_))^(r_.)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Dist[(a + b*x^n + c*x^(2*n))^FracPart[p]/((d + e*x^n)^FracPart[p]*(a/d + (c*x^n)/e)^FracPart[p]), Int[(d + e*x^n)^(p + q)*(f + g*x^n)^r*(a/d + (c*x^n)/e)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q, r}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[p]
```

Rule 1716

```
Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[(e^2)^(-1), Int[(C*d - B*e - C*e*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(C*d^2 - B*d*e + A*e^2)/e^2, Int[1/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)^2 \sqrt{2+3x^2+x^4}} dx &= \frac{e^2 x \sqrt{2+3x^2+x^4}}{2d(d^2-3de+2e^2)(d+ex^2)} - \frac{\int \frac{-2(d^2-3de+e^2)+2dex^2+e^2x^4}{(d+ex^2)\sqrt{2+3x^2+x^4}} dx}{2d(d-2e)(d-e)} \\
&= \frac{e^2 x \sqrt{2+3x^2+x^4}}{2d(d^2-3de+2e^2)(d+ex^2)} + \frac{\int \frac{-de^2-e^3x^2}{\sqrt{2+3x^2+x^4}} dx}{2d(d-2e)(d-e)e^2} + \frac{(3d^2-6de+2e^2) \int \frac{1}{d+ex^2} dx}{2d(d-2e)(d-e)} \\
&= \frac{e^2 x \sqrt{2+3x^2+x^4}}{2d(d^2-3de+2e^2)(d+ex^2)} - \frac{\int \frac{1}{\sqrt{2+3x^2+x^4}} dx}{2(d-2e)(d-e)} + \frac{(3d^2-6de+2e^2) \int \frac{1}{d+ex^2} dx}{2d(d-2e)(d-e)} \\
&= -\frac{ex(2+x^2)}{2d(d^2-3de+2e^2)\sqrt{2+3x^2+x^4}} + \frac{e^2 x \sqrt{2+3x^2+x^4}}{2d(d^2-3de+2e^2)(d+ex^2)} + \frac{e(1-\sqrt{2+3x^2+x^4})}{\sqrt{2d(d-2e)(d-e)}} \\
&= -\frac{ex(2+x^2)}{2d(d^2-3de+2e^2)\sqrt{2+3x^2+x^4}} + \frac{e^2 x \sqrt{2+3x^2+x^4}}{2d(d^2-3de+2e^2)(d+ex^2)} + \frac{e(1-\sqrt{2+3x^2+x^4})}{\sqrt{2d(d-2e)(d-e)}}
\end{aligned}$$

Mathematica [C] time = 0.60, size = 175, normalized size = 0.55

$$\frac{e^2 x (x^4 + 3x^2 + 2)}{(d^2 - 3de + 2e^2)(d + ex^2)} + \frac{i\sqrt{x^2+1}\sqrt{x^2+2}\left((-3d^2+6de-2e^2)\Pi\left(\frac{2e}{d}; i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)+d(d-e)F\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)+deE\left(i\sinh^{-1}\left(\frac{x}{\sqrt{2}}\right)\middle|2\right)\right)}{d(d-2e)(d-e)}$$

$$2d\sqrt{x^4+3x^2+2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)^2*Sqrt[2 + 3*x^2 + x^4]),x]

[Out] ((e^2*x*(2 + 3*x^2 + x^4))/((d^2 - 3*d*e + 2*e^2)*(d + e*x^2)) + (I*Sqrt[1 + x^2]*Sqrt[2 + x^2]*(d*e*EllipticE[I*ArcSinh[x/Sqrt[2]]], 2) + d*(d - e)*EllipticF[I*ArcSinh[x/Sqrt[2]]], 2) + (-3*d^2 + 6*d*e - 2*e^2)*EllipticPi[(2*e)/d, I*ArcSinh[x/Sqrt[2]], 2]))/(d*(d - 2*e)*(d - e)))/(2*d*Sqrt[2 + 3*x^2 + x^4])

fricas [F] time = 1.93, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4+3x^2+2}}{e^2x^8+(2de+3e^2)x^6+(d^2+6de+2e^2)x^4+(3d^2+4de)x^2+2d^2},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(x^4+3*x^2+2)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 3*x^2 + 2)/(e^2*x^8 + (2*d*e + 3*e^2)*x^6 + (d^2 + 6*d*e + 2*e^2)*x^4 + (3*d^2 + 4*d*e)*x^2 + 2*d^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 2} (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(x^4+3*x^2+2)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 2)*(e*x^2 + d)^2), x)

maple [C] time = 0.03, size = 443, normalized size = 1.40

$$\frac{\sqrt{x^4 + 3x^2 + 2} e^2 x}{2(d^2 - 3de + 2e^2)(ex^2 + d)d} + \frac{i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} e \operatorname{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{4(d^2 - 3de + 2e^2)\sqrt{x^4 + 3x^2 + 2}d} - \frac{i\sqrt{2} \sqrt{2x^2 + 4} \sqrt{x^2 + 1} e \operatorname{EllipticE}\left(\frac{i\sqrt{2}x}{2}, \sqrt{2}\right)}{4(d^2 - 3de + 2e^2)\sqrt{x^4 + 3x^2 + 2}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)^2/(x^4+3*x^2+2)^(1/2),x)

[Out] 1/2*e^2*x*(x^4+3*x^2+2)^(1/2)/d/(d^2-3*d*e+2*e^2)/(e*x^2+d)+1/4*I/(d^2-3*d*e+2*e^2)*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))-1/4*I*e/(d^2-3*d*e+2*e^2)/d*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticF(1/2*I*2^(1/2)*x,2^(1/2))+1/4*I*e/(d^2-3*d*e+2*e^2)/d*2^(1/2)*(2*x^2+4)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticE(1/2*I*2^(1/2)*x,2^(1/2))-3/2*I/(d^2-3*d*e+2*e^2)*2^(1/2)*(1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticPi(1/2*I*2^(1/2)*x,2/d*e,2^(1/2))+3*I/(d^2-3*d*e+2*e^2)/d*e*2^(1/2)*(1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticPi(1/2*I*2^(1/2)*x,2/d*e,2^(1/2))-I/(d^2-3*d*e+2*e^2)/d^2*e^2*2^(1/2)*(1/2*x^2+1)^(1/2)*(x^2+1)^(1/2)/(x^4+3*x^2+2)^(1/2)*EllipticPi(1/2*I*2^(1/2)*x,2/d*e,2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{x^4 + 3x^2 + 2} (ex^2 + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^2/(x^4+3*x^2+2)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(x^4 + 3*x^2 + 2)*(e*x^2 + d)^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(ex^2 + d)^2 \sqrt{x^4 + 3x^2 + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^2)^2*(3*x^2 + x^4 + 2)^(1/2)),x)

[Out] int(1/((d + e*x^2)^2*(3*x^2 + x^4 + 2)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{(x^2 + 1)(x^2 + 2)} (d + ex^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)**2/(x**4+3*x**2+2)**(1/2),x)

[Out] Integral(1/(sqrt((x**2 + 1)*(x**2 + 2))*(d + e*x**2)**2), x)

$$3.399 \quad \int (c + ex^2)^q (a + cx^2 + bx^4)^p dx$$

Optimal. Leaf size=27

$$\text{Int}\left((c + ex^2)^q (a + bx^4 + cx^2)^p, x\right)$$

[Out] Unintegrable((e*x^2+c)^q*(b*x^4+c*x^2+a)^p,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (c + ex^2)^q (a + cx^2 + bx^4)^p dx$$

Verification is Not applicable to the result.

[In] Int[(c + e*x^2)^q*(a + c*x^2 + b*x^4)^p,x]

[Out] Defer[Int][(c + e*x^2)^q*(a + c*x^2 + b*x^4)^p, x]

Rubi steps

$$\int (c + ex^2)^q (a + cx^2 + bx^4)^p dx = \int (c + ex^2)^q (a + cx^2 + bx^4)^p dx$$

Mathematica [A] time = 0.10, size = 0, normalized size = 0.00

$$\int (c + ex^2)^q (a + cx^2 + bx^4)^p dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + e*x^2)^q*(a + c*x^2 + b*x^4)^p,x]

[Out] Integrate[(c + e*x^2)^q*(a + c*x^2 + b*x^4)^p, x]

fricas [A] time = 1.22, size = 0, normalized size = 0.00

$$\text{integral}\left((bx^4 + cx^2 + a)^p (ex^2 + c)^q, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^q*(b*x^4+c*x^2+a)^p,x, algorithm="fricas")

[Out] integral((b*x^4 + c*x^2 + a)^p*(e*x^2 + c)^q, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + cx^2 + a)^p (ex^2 + c)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^q*(b*x^4+c*x^2+a)^p,x, algorithm="giac")

[Out] integrate((b*x^4 + c*x^2 + a)^p*(e*x^2 + c)^q, x)

maple [A] time = 0.10, size = 0, normalized size = 0.00

$$\int (ex^2 + c)^q (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+c)^q*(b*x^4+c*x^2+a)^p,x)

[Out] int((e*x^2+c)^q*(b*x^4+c*x^2+a)^p,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + cx^2 + a)^p (ex^2 + c)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^q*(b*x^4+c*x^2+a)^p,x, algorithm="maxima")

[Out] integrate((b*x^4 + c*x^2 + a)^p*(e*x^2 + c)^q, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int (ex^2 + c)^q (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + e*x^2)^q*(a + b*x^4 + c*x^2)^p,x)

[Out] int((c + e*x^2)^q*(a + b*x^4 + c*x^2)^p, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+c)**q*(b*x**4+c*x**2+a)**p,x)

[Out] Timed out

$$3.400 \quad \int (c + ex^2)^3 (a + cx^2 + bx^4)^p dx$$

Optimal. Leaf size=498

$$\frac{ex^3 \left(-3be \left(ae(4p + 5) + c^2(8p^2 + 26p + 21) \right) + 3b^2c^2(16p^2 + 48p + 35) + c^2e^2(4p^2 + 16p + 15) \right) \left(\frac{2bx^2}{c - \sqrt{c^2 - 4ab}} + 1 \right)}{3b^2(4p + 5)(4p + 7)}$$

[Out] $-c*e^{2*(e*(5+2*p)-3*b*(7+4*p))*x*(b*x^4+c*x^2+a)^{(1+p)}/b^2/(16*p^2+48*p+35)+e^3*x^3*(b*x^4+c*x^2+a)^{(1+p)}/b/(7+4*p)+c*(a*e^3*(5+2*p)-3*a*b*e^{2*(7+4*p)}+b^2*c^2*(16*p^2+48*p+35))*x*(b*x^4+c*x^2+a)^p*AppellF1(1/2,-p,-p,3/2,-2*b*x^2/(c-(-4*a*b+c^2)^{(1/2)}),-2*b*x^2/(c+(-4*a*b+c^2)^{(1/2)}))/b^2/(5+4*p)/(7+4*p)/((1+2*b*x^2/(c-(-4*a*b+c^2)^{(1/2)}))^p)/((1+2*b*x^2/(c+(-4*a*b+c^2)^{(1/2)}))^p)+1/3*e*(c^2*e^2*(4*p^2+16*p+15)+3*b^2*c^2*(16*p^2+48*p+35)-3*b*e*(a*e*(5+4*p)+c^2*(8*p^2+26*p+21)))*x^3*(b*x^4+c*x^2+a)^p*AppellF1(3/2,-p,-p,5/2,-2*b*x^2/(c-(-4*a*b+c^2)^{(1/2)}),-2*b*x^2/(c+(-4*a*b+c^2)^{(1/2)}))/b^2/(5+4*p)/(7+4*p)/((1+2*b*x^2/(c-(-4*a*b+c^2)^{(1/2)}))^p)/((1+2*b*x^2/(c+(-4*a*b+c^2)^{(1/2)}))^p)$

Rubi [A] time = 0.81, antiderivative size = 498, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$, Rules used = {1206, 1679, 1203, 1105, 429, 1141, 510}

$$\frac{cx \left(-3abe^2(4p + 7) + ae^3(2p + 5) + b^2c^2(16p^2 + 48p + 35) \right) \left(\frac{2bx^2}{c - \sqrt{c^2 - 4ab}} + 1 \right)^{-p} (a + bx^4 + cx^2)^p \left(\frac{2bx^2}{\sqrt{c^2 - 4ab} + c} + 1 \right)^{-p}}{b^2(4p + 5)(4p + 7)}$$

Antiderivative was successfully verified.

[In] Int[(c + e*x^2)^3*(a + c*x^2 + b*x^4)^p,x]

[Out] $(c*e^{2*(21*b - 5*e + 12*b*p - 2*e*p))*x*(a + c*x^2 + b*x^4)^{(1 + p)}/(b^2*(5 + 4*p)*(7 + 4*p)) + (e^3*x^3*(a + c*x^2 + b*x^4)^{(1 + p)}/(b*(7 + 4*p)) + (c*(a*e^3*(5 + 2*p) - 3*a*b*e^{2*(7 + 4*p)} + b^2*c^2*(35 + 48*p + 16*p^2))*x*(a + c*x^2 + b*x^4)^p*AppellF1[1/2, -p, -p, 3/2, (-2*b*x^2)/(c - Sqrt[-4*a*b + c^2]), (-2*b*x^2)/(c + Sqrt[-4*a*b + c^2])])/b^2*(5 + 4*p)*(7 + 4*p)*(1 + (2*b*x^2)/(c - Sqrt[-4*a*b + c^2]))^p*(1 + (2*b*x^2)/(c + Sqrt[-4*a*b + c^2]))^p) + (e*(c^2*e^2*(15 + 16*p + 4*p^2) + 3*b^2*c^2*(35 + 48*p + 16*p^2) - 3*b*e*(a*e*(5 + 4*p) + c^2*(21 + 26*p + 8*p^2)))*x^3*(a + c*x^2 + b*x^4)^p*AppellF1[3/2, -p, -p, 5/2, (-2*b*x^2)/(c - Sqrt[-4*a*b + c^2]), (-2*b*x^2)/(c + Sqrt[-4*a*b + c^2])])/3*b^2*(5 + 4*p)*(7 + 4*p)*(1 + (2*b*x^2)/(c - Sqrt[-4*a*b + c^2]))^p*(1 + (2*b*x^2)/(c + Sqrt[-4*a*b + c^2]))^p)$

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 510

```
Int[((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)])/
(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 1105

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b + q))^FracPart[p]*(1 + (2*c*x^2)/(b - q))^FracPart[p]), Int[(1 + (2*c*x^2)/(b + q))^p*(1 + (2*c*x^2)/(b - q))^p, x], x]] /; FreeQ[{a, b, c, p}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 1141

```
Int[((d_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1203

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Int[ExpandIntegrand[(d + e*x^2)*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0]
```

Rule 1206

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*q + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e +
```

$a*e^2, 0]$ && IGtQ[q, 1]

Rule 1679

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{q =
  Expon[Pq, x^2], e = Coeff[Pq, x^2, Expon[Pq, x^2]]}, Simp[(e*x^(2*q - 3)*
  a + b*x^2 + c*x^4)^(p + 1))/(c*(2*q + 4*p + 1)), x] + Dist[1/(c*(2*q + 4*p
  + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(2*q + 4*p + 1)*Pq - a*e*(2*
  q - 3)*x^(2*q - 4) - b*e*(2*q + 2*p - 1)*x^(2*q - 2) - c*e*(2*q + 4*p + 1)*
  x^(2*q), x], x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && Expon[P
  q, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && !LtQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int (c + ex^2)^3 (a + cx^2 + bx^4)^p dx &= \frac{e^3 x^3 (a + cx^2 + bx^4)^{1+p}}{b(7 + 4p)} + \frac{\int (a + cx^2 + bx^4)^p (bc^3(7 + 4p) - 3e(ae^2 - bc^2(7 - 4p))) dx}{b(7 + 4p)} \\ &= \frac{ce^2(21b - 5e + 12bp - 2ep)x (a + cx^2 + bx^4)^{1+p}}{b^2(5 + 4p)(7 + 4p)} + \frac{e^3 x^3 (a + cx^2 + bx^4)^{1+p}}{b(7 + 4p)} + \\ &= \frac{ce^2(21b - 5e + 12bp - 2ep)x (a + cx^2 + bx^4)^{1+p}}{b^2(5 + 4p)(7 + 4p)} + \frac{e^3 x^3 (a + cx^2 + bx^4)^{1+p}}{b(7 + 4p)} + \\ &= \frac{ce^2(21b - 5e + 12bp - 2ep)x (a + cx^2 + bx^4)^{1+p}}{b^2(5 + 4p)(7 + 4p)} + \frac{e^3 x^3 (a + cx^2 + bx^4)^{1+p}}{b(7 + 4p)} + \\ &= \frac{ce^2(21b - 5e + 12bp - 2ep)x (a + cx^2 + bx^4)^{1+p}}{b^2(5 + 4p)(7 + 4p)} + \frac{e^3 x^3 (a + cx^2 + bx^4)^{1+p}}{b(7 + 4p)} + \\ &= \frac{ce^2(21b - 5e + 12bp - 2ep)x (a + cx^2 + bx^4)^{1+p}}{b^2(5 + 4p)(7 + 4p)} + \frac{e^3 x^3 (a + cx^2 + bx^4)^{1+p}}{b(7 + 4p)} + \end{aligned}$$

Mathematica [A] time = 0.51, size = 373, normalized size = 0.75

$$\frac{1}{35} x \left(\frac{-\sqrt{c^2 - 4ab} + 2bx^2 + c}{c - \sqrt{c^2 - 4ab}} \right)^{-p} \left(\frac{\sqrt{c^2 - 4ab} + 2bx^2 + c}{\sqrt{c^2 - 4ab} + c} \right)^{-p} (a + bx^4 + cx^2)^p \left(ex^2 \left(ex^2 \left(5ex^2 F_1 \left(\frac{7}{2}; -p, -p; \frac{9}{2}; -\frac{9}{2c} \right) \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(c + e*x^2)^3*(a + c*x^2 + b*x^4)^p,x]


```
[Out] (x*(a + c*x^2 + b*x^4)^p*(35*c^3*AppellF1[1/2, -p, -p, 3/2, (-2*b*x^2)/(c + Sqrt[-4*a*b + c^2]), (2*b*x^2)/(-c + Sqrt[-4*a*b + c^2])] + e*x^2*(35*c^2*AppellF1[3/2, -p, -p, 5/2, (-2*b*x^2)/(c + Sqrt[-4*a*b + c^2]), (2*b*x^2)/(-c + Sqrt[-4*a*b + c^2])] + e*x^2*(21*c*AppellF1[5/2, -p, -p, 7/2, (-2*b*x^2)/(c + Sqrt[-4*a*b + c^2]), (2*b*x^2)/(-c + Sqrt[-4*a*b + c^2])] + 5*e*x^2*AppellF1[7/2, -p, -p, 9/2, (-2*b*x^2)/(c + Sqrt[-4*a*b + c^2]), (2*b*x^2)/(-c + Sqrt[-4*a*b + c^2])])))))/(35*((c - Sqrt[-4*a*b + c^2] + 2*b*x^2)/(c - Sqrt[-4*a*b + c^2]))^p*((c + Sqrt[-4*a*b + c^2] + 2*b*x^2)/(c + Sqrt[-4*a*b + c^2]))^p)
```

fricas [F] time = 0.63, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(e^3x^6 + 3ce^2x^4 + 3c^2ex^2 + c^3\right)\left(bx^4 + cx^2 + a\right)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+c)^3*(b*x^4+c*x^2+a)^p,x, algorithm="fricas")
```

```
[Out] integral((e^3*x^6 + 3*c*e^2*x^4 + 3*c^2*e*x^2 + c^3)*(b*x^4 + c*x^2 + a)^p, x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + c)^3 (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+c)^3*(b*x^4+c*x^2+a)^p,x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + c)^3*(b*x^4 + c*x^2 + a)^p, x)
```

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int (ex^2 + c)^3 (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+c)^3*(b*x^4+c*x^2+a)^p,x)
```

```
[Out] int((e*x^2+c)^3*(b*x^4+c*x^2+a)^p,x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + c)^3 (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^3*(b*x^4+c*x^2+a)^p,x, algorithm="maxima")

[Out] integrate((e*x^2 + c)^3*(b*x^4 + c*x^2 + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (ex^2 + c)^3 (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + e*x^2)^3*(a + b*x^4 + c*x^2)^p,x)

[Out] int((c + e*x^2)^3*(a + b*x^4 + c*x^2)^p, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+c)**3*(b*x**4+c*x**2+a)**p,x)

[Out] Timed out

$$3.401 \quad \int (c + ex^2)^2 (a + cx^2 + bx^4)^p dx$$

Optimal. Leaf size=358

$$\frac{x(ae^2 - bc^2(4p + 5)) \left(\frac{2bx^2}{c - \sqrt{c^2 - 4ab}} + 1\right)^{-p} (a + bx^4 + cx^2)^p \left(\frac{2bx^2}{\sqrt{c^2 - 4ab} + c} + 1\right)^{-p} F_1\left(\frac{1}{2}; -p, -p; \frac{3}{2}; -\frac{2bx^2}{c - \sqrt{c^2 - 4ab}}, -\frac{2bx^2}{c + \sqrt{c^2 - 4ab}}\right)}{b(4p + 5)}$$

[Out] $e^2 x (b x^4 + c x^2 + a)^{(1+p)} / b / (5+4*p) - (a * e^2 - b * c^2 * (5+4*p)) * x * (b x^4 + c x^2 + a)^p * \text{AppellF1}(1/2, -p, -p, 3/2, -2*b*x^2 / (c - (-4*a*b + c^2)^{(1/2)}), -2*b*x^2 / (c + (-4*a*b + c^2)^{(1/2)})) / b / (5+4*p) / ((1+2*b*x^2 / (c - (-4*a*b + c^2)^{(1/2)}))^p) / ((1+2*b*x^2 / (c + (-4*a*b + c^2)^{(1/2)}))^p) + 1/3 * c * e * (8*b*p - 2*e*p + 10*b - 3*e) * x^3 * (b x^4 + c x^2 + a)^p * \text{AppellF1}(3/2, -p, -p, 5/2, -2*b*x^2 / (c - (-4*a*b + c^2)^{(1/2)}), -2*b*x^2 / (c + (-4*a*b + c^2)^{(1/2)})) / b / (5+4*p) / ((1+2*b*x^2 / (c - (-4*a*b + c^2)^{(1/2)}))^p) / ((1+2*b*x^2 / (c + (-4*a*b + c^2)^{(1/2)}))^p)$

Rubi [A] time = 0.36, antiderivative size = 345, normalized size of antiderivative = 0.96, number of steps used = 7, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1206, 1203, 1105, 429, 1141, 510}

$$x \left(c^2 - \frac{ae^2}{4bp + 5b} \right) \left(\frac{2bx^2}{c - \sqrt{c^2 - 4ab}} + 1 \right)^{-p} (a + bx^4 + cx^2)^p \left(\frac{2bx^2}{\sqrt{c^2 - 4ab} + c} + 1 \right)^{-p} F_1 \left(\frac{1}{2}; -p, -p; \frac{3}{2}; -\frac{2bx^2}{c - \sqrt{c^2 - 4ab}}, -\frac{2bx^2}{c + \sqrt{c^2 - 4ab}} \right)$$

Antiderivative was successfully verified.

[In] Int[(c + e*x^2)^2*(a + c*x^2 + b*x^4)^p,x]

[Out] $(e^2 x (a + c x^2 + b x^4)^{(1+p)}) / (b (5 + 4*p)) + ((c^2 - (a * e^2) / (5*b + 4*b*p)) * x * (a + c x^2 + b x^4)^p * \text{AppellF1}[1/2, -p, -p, 3/2, (-2*b*x^2) / (c - \text{Sqrt}[-4*a*b + c^2]), (-2*b*x^2) / (c + \text{Sqrt}[-4*a*b + c^2])]) / ((1 + (2*b*x^2) / (c - \text{Sqrt}[-4*a*b + c^2]))^p * (1 + (2*b*x^2) / (c + \text{Sqrt}[-4*a*b + c^2]))^p) + (c * e * (2 - (e * (3 + 2*p)) / (b * (5 + 4*p))) * x^3 * (a + c x^2 + b x^4)^p * \text{AppellF1}[3/2, -p, -p, 5/2, (-2*b*x^2) / (c - \text{Sqrt}[-4*a*b + c^2]), (-2*b*x^2) / (c + \text{Sqrt}[-4*a*b + c^2])]) / (3 * (1 + (2*b*x^2) / (c - \text{Sqrt}[-4*a*b + c^2]))^p * (1 + (2*b*x^2) / (c + \text{Sqrt}[-4*a*b + c^2]))^p)$

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
 :> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -(b*x^n)/a, -(d*x^n)/c], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 510

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 1105

```
Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p]]/((1 + (2*c*x^2)/(b + q))^FracPart[p]*(1 + (2*c*x^2)/(b - q))^FracPart[p]), Int[(1 + (2*c*x^2)/(b + q))^p*(1 + (2*c*x^2)/(b - q))^p, x], x] /; FreeQ[{a, b, c, p}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 1141

```
Int[((d_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p]]/((1 + (2*c*x^2)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1203

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0]
```

Rule 1206

```
Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e^q*x^(2*q - 3)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(4*p + 2*q + 1)), x] + Dist[1/(c*(4*p + 2*q + 1)), Int[(a + b*x^2 + c*x^4)^p*ExpandToSum[c*(4*p + 2*q + 1)*(d + e*x^2)^q - a*(2*q - 3)*e^q*x^(2*q - 4) - b*(2*p + 2*q - 1)*e^q*x^(2*q - 2) - c*(4*p + 2*q + 1)*e^q*x^(2*q), x], x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 1]
```

Rubi steps

$$\begin{aligned}
\int (c + ex^2)^2 (a + cx^2 + bx^4)^p dx &= \frac{e^2 x (a + cx^2 + bx^4)^{1+p}}{b(5 + 4p)} + \frac{\int (-ae^2 + bc^2(5 + 4p) + ce(10b - 3e + 8bp - 2ep))}{b(5 + 4p)} \\
&= \frac{e^2 x (a + cx^2 + bx^4)^{1+p}}{b(5 + 4p)} + \frac{\int \left(-ae^2 \left(1 - \frac{bc^2(5+4p)}{ae^2}\right) (a + cx^2 + bx^4)^p - ce(-10b + 3e - 8bp + 2ep)\right)}{b(5 + 4p)} \\
&= \frac{e^2 x (a + cx^2 + bx^4)^{1+p}}{b(5 + 4p)} + \left(ce \left(2 - \frac{e(3 + 2p)}{b(5 + 4p)}\right)\right) \int x^2 (a + cx^2 + bx^4)^p dx - \left(\frac{ce(-10b + 3e - 8bp + 2ep)}{b(5 + 4p)}\right) \\
&= \frac{e^2 x (a + cx^2 + bx^4)^{1+p}}{b(5 + 4p)} + \left(ce \left(2 - \frac{e(3 + 2p)}{b(5 + 4p)}\right)\right) \left(1 + \frac{2bx^2}{c - \sqrt{-4ab + c^2}}\right)^{-p} \left(1 + \frac{2bx^2}{c + \sqrt{-4ab + c^2}}\right)^{-p} \\
&= \frac{e^2 x (a + cx^2 + bx^4)^{1+p}}{b(5 + 4p)} + \left(c^2 - \frac{ae^2}{5b + 4bp}\right) x \left(1 + \frac{2bx^2}{c - \sqrt{-4ab + c^2}}\right)^{-p} \left(1 + \frac{2bx^2}{c + \sqrt{-4ab + c^2}}\right)^{-p}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 303, normalized size = 0.85

$$\frac{1}{15} x \left(\frac{-\sqrt{c^2 - 4ab} + 2bx^2 + c}{c - \sqrt{c^2 - 4ab}} \right)^{-p} \left(\frac{\sqrt{c^2 - 4ab} + 2bx^2 + c}{\sqrt{c^2 - 4ab} + c} \right)^{-p} (a + bx^4 + cx^2)^p \left(ex^2 \left(3ex^2 F_1 \left(\frac{5}{2}; -p, -p; \frac{7}{2}; -\frac{2}{c + \sqrt{c^2 - 4ab}} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(c + e*x^2)^2*(a + c*x^2 + b*x^4)^p,x]

[Out] (x*(a + c*x^2 + b*x^4)^p*(15*c^2*AppellF1[1/2, -p, -p, 3/2, (-2*b*x^2)/(c + Sqrt[-4*a*b + c^2]), (2*b*x^2)/(-c + Sqrt[-4*a*b + c^2])]) + e*x^2*(10*c*AppellF1[3/2, -p, -p, 5/2, (-2*b*x^2)/(c + Sqrt[-4*a*b + c^2]), (2*b*x^2)/(-c + Sqrt[-4*a*b + c^2])]) + 3*e*x^2*AppellF1[5/2, -p, -p, 7/2, (-2*b*x^2)/(c + Sqrt[-4*a*b + c^2]), (2*b*x^2)/(-c + Sqrt[-4*a*b + c^2])]))/(15*((c - Sqrt[-4*a*b + c^2] + 2*b*x^2)/(c - Sqrt[-4*a*b + c^2]))^p*((c + Sqrt[-4*a*b + c^2] + 2*b*x^2)/(c + Sqrt[-4*a*b + c^2]))^p)

fricas [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(e^2 x^4 + 2 c e x^2 + c^2\right)\left(b x^4 + c x^2 + a\right)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^2*(b*x^4+c*x^2+a)^p,x, algorithm="fricas")

[Out] integral((e^2*x^4 + 2*c*e*x^2 + c^2)*(b*x^4 + c*x^2 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + c)^2 (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^2*(b*x^4+c*x^2+a)^p,x, algorithm="giac")

[Out] integrate((e*x^2 + c)^2*(b*x^4 + c*x^2 + a)^p, x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int (ex^2 + c)^2 (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+c)^2*(b*x^4+c*x^2+a)^p,x)

[Out] int((e*x^2+c)^2*(b*x^4+c*x^2+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + c)^2 (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)^2*(b*x^4+c*x^2+a)^p,x, algorithm="maxima")

[Out] integrate((e*x^2 + c)^2*(b*x^4 + c*x^2 + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (ex^2 + c)^2 (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + e*x^2)^2*(a + b*x^4 + c*x^2)^p,x)

[Out] int((c + e*x^2)^2*(a + b*x^4 + c*x^2)^p, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+c)**2*(b*x**4+c*x**2+a)**p,x)

[Out] Timed out

3.402 $\int (c + ex^2) (a + cx^2 + bx^4)^p dx$

Optimal. Leaf size=274

$$\frac{1}{3}ex^3 \left(\frac{2bx^2}{c - \sqrt{c^2 - 4ab}} + 1 \right)^{-p} (a + bx^4 + cx^2)^p \left(\frac{2bx^2}{\sqrt{c^2 - 4ab} + c} + 1 \right)^{-p} F_1 \left(\frac{3}{2}; -p, -p; \frac{5}{2}; -\frac{2bx^2}{c - \sqrt{c^2 - 4ab}}, -\frac{2bx^2}{c + \sqrt{c^2 - 4ab}} \right)$$

```
[Out] c*x*(b*x^4+c*x^2+a)^p*AppellF1(1/2,-p,-p,3/2,-2*b*x^2/(c-(-4*a*b+c^2)^(1/2)),
-2*b*x^2/(c+(-4*a*b+c^2)^(1/2)))/((1+2*b*x^2/(c-(-4*a*b+c^2)^(1/2)))^p)/
(1+2*b*x^2/(c+(-4*a*b+c^2)^(1/2)))^p)+1/3*e*x^3*(b*x^4+c*x^2+a)^p*AppellF1(
3/2,-p,-p,5/2,-2*b*x^2/(c-(-4*a*b+c^2)^(1/2)), -2*b*x^2/(c+(-4*a*b+c^2)^(1/2)
)))/((1+2*b*x^2/(c-(-4*a*b+c^2)^(1/2)))^p)/((1+2*b*x^2/(c+(-4*a*b+c^2)^(1/2)
)))^p)
```

Rubi [A] time = 0.22, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1203, 1105, 429, 1141, 510}

$$\frac{1}{3}ex^3 \left(\frac{2bx^2}{c - \sqrt{c^2 - 4ab}} + 1 \right)^{-p} (a + bx^4 + cx^2)^p \left(\frac{2bx^2}{\sqrt{c^2 - 4ab} + c} + 1 \right)^{-p} F_1 \left(\frac{3}{2}; -p, -p; \frac{5}{2}; -\frac{2bx^2}{c - \sqrt{c^2 - 4ab}}, -\frac{2bx^2}{c + \sqrt{c^2 - 4ab}} \right)$$

Antiderivative was successfully verified.

```
[In] Int[(c + e*x^2)*(a + c*x^2 + b*x^4)^p,x]
```

```
[Out] (c*x*(a + c*x^2 + b*x^4)^p*AppellF1[1/2, -p, -p, 3/2, (-2*b*x^2)/(c - Sqrt[-4*a*b + c^2]), (-2*b*x^2)/(c + Sqrt[-4*a*b + c^2])]/((1 + (2*b*x^2)/(c - Sqrt[-4*a*b + c^2]))^p*(1 + (2*b*x^2)/(c + Sqrt[-4*a*b + c^2]))^p) + (e*x^3*(a + c*x^2 + b*x^4)^p*AppellF1[3/2, -p, -p, 5/2, (-2*b*x^2)/(c - Sqrt[-4*a*b + c^2]), (-2*b*x^2)/(c + Sqrt[-4*a*b + c^2])]/(3*(1 + (2*b*x^2)/(c - Sqrt[-4*a*b + c^2]))^p*(1 + (2*b*x^2)/(c + Sqrt[-4*a*b + c^2]))^p)
```

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -(b*x^n)/a, -(d*x^n)/c], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 510

```
Int[((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -(b*x^n)/a, -(d*x^n)/c]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n]
```

- 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1105

Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b + q))^FracPart[p]*(1 + (2*c*x^2)/(b - q))^FracPart[p]), Int[(1 + (2*c*x^2)/(b + q))^p*(1 + (2*c*x^2)/(b - q))^p, x], x] /; FreeQ[{a, b, c, p}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1141

Int[((d_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]

Rule 1203

Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0]

Rubi steps

$$\begin{aligned} \int (c + ex^2)(a + cx^2 + bx^4)^p dx &= \int \left(c(a + cx^2 + bx^4)^p + ex^2(a + cx^2 + bx^4)^p \right) dx \\ &= c \int (a + cx^2 + bx^4)^p dx + e \int x^2(a + cx^2 + bx^4)^p dx \\ &= \left(c \left(1 + \frac{2bx^2}{c - \sqrt{-4ab + c^2}} \right)^{-p} \left(1 + \frac{2bx^2}{c + \sqrt{-4ab + c^2}} \right)^{-p} (a + cx^2 + bx^4)^p \right) \int \left(1 + \frac{2bx^2}{c - \sqrt{-4ab + c^2}} \right)^{-p} \left(1 + \frac{2bx^2}{c + \sqrt{-4ab + c^2}} \right)^{-p} (a + cx^2 + bx^4)^p dx \\ &= cx \left(1 + \frac{2bx^2}{c - \sqrt{-4ab + c^2}} \right)^{-p} \left(1 + \frac{2bx^2}{c + \sqrt{-4ab + c^2}} \right)^{-p} (a + cx^2 + bx^4)^p F_1 \left(\frac{1}{2}; - \right) \end{aligned}$$

Mathematica [A] time = 0.25, size = 232, normalized size = 0.85

$$\frac{1}{3}x \left(\frac{-\sqrt{c^2 - 4ab} + 2bx^2 + c}{c - \sqrt{c^2 - 4ab}} \right)^{-p} \left(\frac{\sqrt{c^2 - 4ab} + 2bx^2 + c}{\sqrt{c^2 - 4ab} + c} \right)^{-p} (a + bx^4 + cx^2)^p \left(ex^2 F_1 \left(\frac{3}{2}; -p, -p; \frac{5}{2}; -\frac{2bx^2}{c + \sqrt{c^2 - 4ab}} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(c + e*x^2)*(a + c*x^2 + b*x^4)^p,x]

[Out] (x*(a + c*x^2 + b*x^4)^p*(3*c*AppellF1[1/2, -p, -p, 3/2, (-2*b*x^2)/(c + Sqrt[-4*a*b + c^2]), (2*b*x^2)/(-c + Sqrt[-4*a*b + c^2])]) + e*x^2*AppellF1[3/2, -p, -p, 5/2, (-2*b*x^2)/(c + Sqrt[-4*a*b + c^2]), (2*b*x^2)/(-c + Sqrt[-4*a*b + c^2])]))/(3*((c - Sqrt[-4*a*b + c^2] + 2*b*x^2)/(c - Sqrt[-4*a*b + c^2]))^p*((c + Sqrt[-4*a*b + c^2] + 2*b*x^2)/(c + Sqrt[-4*a*b + c^2]))^p)

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\int (ex^2 + c)(bx^4 + cx^2 + a)^p, x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)*(b*x^4+c*x^2+a)^p,x, algorithm="fricas")

[Out] integral((e*x^2 + c)*(b*x^4 + c*x^2 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + c)(bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)*(b*x^4+c*x^2+a)^p,x, algorithm="giac")

[Out] integrate((e*x^2 + c)*(b*x^4 + c*x^2 + a)^p, x)

maple [F] time = 0.03, size = 0, normalized size = 0.00

$$\int (ex^2 + c)(bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+c)*(b*x^4+c*x^2+a)^p,x)

[Out] int((e*x^2+c)*(b*x^4+c*x^2+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^2 + c)(bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+c)*(b*x^4+c*x^2+a)^p,x, algorithm="maxima")

[Out] integrate((e*x^2 + c)*(b*x^4 + c*x^2 + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (ex^2 + c) (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + e*x^2)*(a + b*x^4 + c*x^2)^p,x)

[Out] int((c + e*x^2)*(a + b*x^4 + c*x^2)^p, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+c)*(b*x**4+c*x**2+a)**p,x)

[Out] Timed out

3.403 $\int (a + cx^2 + bx^4)^p dx$

Optimal. Leaf size=133

$$x \left(\frac{2bx^2}{c - \sqrt{c^2 - 4ab}} + 1 \right)^{-p} \left(\frac{2bx^2}{\sqrt{c^2 - 4ab} + c} + 1 \right)^{-p} (a + bx^4 + cx^2)^p F_1 \left(\frac{1}{2}; -p, -p; \frac{3}{2}; -\frac{2bx^2}{c - \sqrt{c^2 - 4ab}}, -\frac{2bx^2}{c + \sqrt{c^2 - 4ab}} \right)$$

[Out] $x*(b*x^4+c*x^2+a)^p*AppellF1(1/2,-p,-p,3/2,-2*b*x^2/(c-(-4*a*b+c^2)^(1/2)), -2*b*x^2/(c+(-4*a*b+c^2)^(1/2)))/((1+2*b*x^2/(c-(-4*a*b+c^2)^(1/2)))^p)/((1+2*b*x^2/(c+(-4*a*b+c^2)^(1/2)))^p)$

Rubi [A] time = 0.06, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1105, 429}

$$x \left(\frac{2bx^2}{c - \sqrt{c^2 - 4ab}} + 1 \right)^{-p} \left(\frac{2bx^2}{\sqrt{c^2 - 4ab} + c} + 1 \right)^{-p} (a + bx^4 + cx^2)^p F_1 \left(\frac{1}{2}; -p, -p; \frac{3}{2}; -\frac{2bx^2}{c - \sqrt{c^2 - 4ab}}, -\frac{2bx^2}{c + \sqrt{c^2 - 4ab}} \right)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + c*x^2 + b*x^4)^p, x]$

[Out] $(x*(a + c*x^2 + b*x^4)^p*AppellF1[1/2, -p, -p, 3/2, (-2*b*x^2)/(c - \text{Sqrt}[-4*a*b + c^2]), (-2*b*x^2)/(c + \text{Sqrt}[-4*a*b + c^2])]/((1 + (2*b*x^2)/(c - \text{Sqrt}[-4*a*b + c^2]))^p*(1 + (2*b*x^2)/(c + \text{Sqrt}[-4*a*b + c^2]))^p)$

Rule 429

$\text{Int}[(a_ + (b_)*(x_)^(n_))^(p_)*((c_ + (d_)*(x_)^(n_))^(q_)), x_Symbol]$
 $:= \text{Simp}[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /;$ $\text{FreeQ}\{a, b, c, d, n, p, q\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[n, -1] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{GtQ}[a, 0]) \ \&\& \ (\text{IntegerQ}[q] \ || \ \text{GtQ}[c, 0])$

Rule 1105

$\text{Int}[(a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(a^p*\text{IntPart}[p]*(a + b*x^2 + c*x^4)^{\text{FracPart}[p]})/((1 + (2*c*x^2)/(b + q))^{\text{FracPart}[p]}*(1 + (2*c*x^2)/(b - q))^{\text{FracPart}[p]})], \text{Int}[(1 + (2*c*x^2)/(b + q))^p*(1 + (2*c*x^2)/(b - q))^p, x], x] /;$ $\text{FreeQ}\{a, b, c, p\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rubi steps

$$\int (a + cx^2 + bx^4)^p dx = \left(\left(1 + \frac{2bx^2}{c - \sqrt{-4ab + c^2}} \right)^{-p} \left(1 + \frac{2bx^2}{c + \sqrt{-4ab + c^2}} \right)^{-p} (a + cx^2 + bx^4)^p \right) \int \left(1 + \frac{2bx^2}{c - \sqrt{-4ab + c^2}} \right)^{-p} \left(1 + \frac{2bx^2}{c + \sqrt{-4ab + c^2}} \right)^{-p} (a + cx^2 + bx^4)^p F_1 \left(\frac{1}{2}; -p, -p; \frac{3}{2}; -\frac{2bx^2}{c - \sqrt{-4ab + c^2}}, -\frac{2bx^2}{c + \sqrt{-4ab + c^2}} \right) dx$$

Mathematica [A] time = 0.16, size = 161, normalized size = 1.21

$$x \left(\frac{-\sqrt{c^2 - 4ab} + 2bx^2 + c}{c - \sqrt{c^2 - 4ab}} \right)^{-p} \left(\frac{\sqrt{c^2 - 4ab} + 2bx^2 + c}{\sqrt{c^2 - 4ab} + c} \right)^{-p} (a + bx^4 + cx^2)^p F_1 \left(\frac{1}{2}; -p, -p; \frac{3}{2}; -\frac{2bx^2}{c + \sqrt{c^2 - 4ab}}, \frac{2bx^2}{\sqrt{c^2 - 4ab}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + c*x^2 + b*x^4)^p, x]

[Out] (x*(a + c*x^2 + b*x^4)^p*AppellF1[1/2, -p, -p, 3/2, (-2*b*x^2)/(c + Sqrt[-4*a*b + c^2]), (2*b*x^2)/(-c + Sqrt[-4*a*b + c^2])]/(((c - Sqrt[-4*a*b + c^2]) + 2*b*x^2)/(c - Sqrt[-4*a*b + c^2]))^p*((c + Sqrt[-4*a*b + c^2]) + 2*b*x^2)/(c + Sqrt[-4*a*b + c^2]))^p)

fricas [F] time = 0.43, size = 0, normalized size = 0.00

$$\text{integral} \left((bx^4 + cx^2 + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+c*x^2+a)^p,x, algorithm="fricas")

[Out] integral((b*x^4 + c*x^2 + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+c*x^2+a)^p,x, algorithm="giac")

[Out] integrate((b*x^4 + c*x^2 + a)^p, x)

maple [F] time = 0.02, size = 0, normalized size = 0.00

$$\int (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x^4+c*x^2+a)^p,x)`

[Out] `int((b*x^4+c*x^2+a)^p,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^4+c*x^2+a)^p,x, algorithm="maxima")`

[Out] `integrate((b*x^4 + c*x^2 + a)^p, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (bx^4 + cx^2 + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^4 + c*x^2)^p,x)`

[Out] `int((a + b*x^4 + c*x^2)^p, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + bx^4 + cx^2)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**4+c*x**2+a)**p,x)`

[Out] `Integral((a + b*x**4 + c*x**2)**p, x)`

$$3.404 \quad \int \frac{(a+cx^2+bx^4)^p}{c+ex^2} dx$$

Optimal. Leaf size=27

$$\text{Int}\left(\frac{(a+bx^4+cx^2)^p}{c+ex^2}, x\right)$$

[Out] Unintegrable((b*x^4+c*x^2+a)^p/(e*x^2+c), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a+cx^2+bx^4)^p}{c+ex^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + c*x^2 + b*x^4)^p/(c + e*x^2), x]

[Out] Defer[Int][(a + c*x^2 + b*x^4)^p/(c + e*x^2), x]

Rubi steps

$$\int \frac{(a+cx^2+bx^4)^p}{c+ex^2} dx = \int \frac{(a+cx^2+bx^4)^p}{c+ex^2} dx$$

Mathematica [A] time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{(a+cx^2+bx^4)^p}{c+ex^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + c*x^2 + b*x^4)^p/(c + e*x^2), x]

[Out] Integrate[(a + c*x^2 + b*x^4)^p/(c + e*x^2), x]

fricas [A] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(bx^4+cx^2+a)^p}{ex^2+c}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+c*x^2+a)^p/(e*x^2+c),x, algorithm="fricas")

[Out] integral((b*x^4 + c*x^2 + a)^p/(e*x^2 + c), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + cx^2 + a)^p}{ex^2 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+c*x^2+a)^p/(e*x^2+c),x, algorithm="giac")

[Out] integrate((b*x^4 + c*x^2 + a)^p/(e*x^2 + c), x)

maple [A] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + cx^2 + a)^p}{ex^2 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+c*x^2+a)^p/(e*x^2+c),x)

[Out] int((b*x^4+c*x^2+a)^p/(e*x^2+c),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + cx^2 + a)^p}{ex^2 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+c*x^2+a)^p/(e*x^2+c),x, algorithm="maxima")

[Out] integrate((b*x^4 + c*x^2 + a)^p/(e*x^2 + c), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(bx^4 + cx^2 + a)^p}{ex^2 + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4 + c*x^2)^p/(c + e*x^2),x)

```
[Out] int((a + b*x^4 + c*x^2)^p/(c + e*x^2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**4+c*x**2+a)**p/(e*x**2+c),x)
```

```
[Out] Timed out
```


$$3.405 \quad \int \frac{(a+cx^2+bx^4)^p}{(c+ex^2)^2} dx$$

Optimal. Leaf size=27

$$\text{Int} \left(\frac{(a + bx^4 + cx^2)^p}{(c + ex^2)^2}, x \right)$$

[Out] Unintegrable((b*x^4+c*x^2+a)^p/(e*x^2+c)^2, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a + cx^2 + bx^4)^p}{(c + ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + c*x^2 + b*x^4)^p/(c + e*x^2)^2, x]

[Out] Defer[Int] [(a + c*x^2 + b*x^4)^p/(c + e*x^2)^2, x]

Rubi steps

$$\int \frac{(a + cx^2 + bx^4)^p}{(c + ex^2)^2} dx = \int \frac{(a + cx^2 + bx^4)^p}{(c + ex^2)^2} dx$$

Mathematica [A] time = 0.26, size = 0, normalized size = 0.00

$$\int \frac{(a + cx^2 + bx^4)^p}{(c + ex^2)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + c*x^2 + b*x^4)^p/(c + e*x^2)^2, x]

[Out] Integrate[(a + c*x^2 + b*x^4)^p/(c + e*x^2)^2, x]

fricas [A] time = 0.46, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(bx^4 + cx^2 + a)^p}{e^2x^4 + 2cex^2 + c^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+c*x^2+a)^p/(e*x^2+c)^2,x, algorithm="fricas")

[Out] integral((b*x^4 + c*x^2 + a)^p/(e^2*x^4 + 2*c*e*x^2 + c^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + cx^2 + a)^p}{(ex^2 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+c*x^2+a)^p/(e*x^2+c)^2,x, algorithm="giac")

[Out] integrate((b*x^4 + c*x^2 + a)^p/(e*x^2 + c)^2, x)

maple [A] time = 0.12, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + cx^2 + a)^p}{(ex^2 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^4+c*x^2+a)^p/(e*x^2+c)^2,x)

[Out] int((b*x^4+c*x^2+a)^p/(e*x^2+c)^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(bx^4 + cx^2 + a)^p}{(ex^2 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^4+c*x^2+a)^p/(e*x^2+c)^2,x, algorithm="maxima")

[Out] integrate((b*x^4 + c*x^2 + a)^p/(e*x^2 + c)^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(bx^4 + cx^2 + a)^p}{(ex^2 + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^4 + c*x^2)^p/(c + e*x^2)^2,x)

[Out] int((a + b*x^4 + c*x^2)^p/(c + e*x^2)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**4+c*x**2+a)**p/(e*x**2+c)**2,x)

[Out] Timed out

$$3.406 \quad \int \frac{f+gx}{(d+ex)\sqrt{a+cx^4}} dx$$

Optimal. Leaf size=446

$$\frac{(ef - dg) \tan^{-1} \left(\frac{x\sqrt{-ae^4 - cd^4}}{de\sqrt{a+cx^4}} \right)}{2\sqrt{-ae^4 - cd^4}} + \frac{(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a} + \sqrt{c}x^2)^2}} F \left(2 \tan^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}} \right) \middle| \frac{1}{2} \right) (\sqrt{a}eg + \sqrt{c}df) (\sqrt{a} + \sqrt{c}x^2)}{2\sqrt[4]{a} \sqrt[4]{c} \sqrt{a+cx^4} (\sqrt{a}e^2 + \sqrt{c}d^2)}$$

[Out] $\frac{1}{2}*(-d*g+e*f)*\arctan(x*(-a*e^4-c*d^4)^{(1/2)}/d/e/(c*x^4+a)^{(1/2)})/(-a*e^4-c*d^4)^{(1/2)}-1/2*(-d*g+e*f)*\operatorname{arctanh}((c*d^2*x^2+a*e^2)/(a*e^4+c*d^4)^{(1/2)/(c*x^4+a)^{(1/2)})/(a*e^4+c*d^4)^{(1/2)}-1/4*(-d*g+e*f)*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticPi}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/4*(e^2*a^{(1/2)}+d^2*c^{(1/2)})^2/d^2/e^2/a^{(1/2)}/c^{(1/2)},1/2*2^{(1/2)})*(-e^2*a^{(1/2)}+d^2*c^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/c^{(1/4)}/d/e/(e^2*a^{(1/2)}+d^2*c^{(1/2)})/(c*x^4+a)^{(1/2)}+1/2*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*2^{(1/2)})*(e*g*a^{(1/2)}+d*f*c^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/c^{(1/4)}/(e^2*a^{(1/2)}+d^2*c^{(1/2)})/(c*x^4+a)^{(1/2)}$

Rubi [A] time = 0.50, antiderivative size = 446, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1742, 12, 1248, 725, 206, 1709, 220, 1707}

$$\frac{(ef - dg) \tan^{-1} \left(\frac{x\sqrt{-ae^4 - cd^4}}{de\sqrt{a+cx^4}} \right)}{2\sqrt{-ae^4 - cd^4}} - \frac{(ef - dg) \tanh^{-1} \left(\frac{ae^2 + cd^2x^2}{\sqrt{a+cx^4} \sqrt{ae^4 + cd^4}} \right)}{2\sqrt{ae^4 + cd^4}} + \frac{(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+cx^4}{(\sqrt{a} + \sqrt{c}x^2)^2}} F \left(2 \tan^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}} \right) \middle| \frac{1}{2} \right) (\sqrt{a}eg + \sqrt{c}df) (\sqrt{a} + \sqrt{c}x^2)}{2\sqrt[4]{a} \sqrt[4]{c} \sqrt{a+cx^4} (\sqrt{a}e^2 + \sqrt{c}d^2)}$$

Antiderivative was successfully verified.

[In] Int[(f + g*x)/((d + e*x)*Sqrt[a + c*x^4]),x]

[Out] $((e*f - d*g)*\operatorname{ArcTan}[(\operatorname{Sqrt}[-(c*d^4) - a*e^4]*x)/((d*e*\operatorname{Sqrt}[a + c*x^4])])/(2*\operatorname{Sqrt}[-(c*d^4) - a*e^4]) - ((e*f - d*g)*\operatorname{ArcTanh}[(a*e^2 + c*d^2*x^2)/(\operatorname{Sqrt}[c*d^4 + a*e^4]*\operatorname{Sqrt}[a + c*x^4])])/(2*\operatorname{Sqrt}[c*d^4 + a*e^4]) + ((\operatorname{Sqrt}[c]*d*f + \operatorname{Sqrt}[a]*e*g)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[c]*x^2)*\operatorname{Sqrt}[(a + c*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[c]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], 1/2])/(2*a^{(1/4)}*c^{(1/4)}*(\operatorname{Sqrt}[c]*d^2 + \operatorname{Sqrt}[a]*e^2)*\operatorname{Sqrt}[a + c*x^4]) - ((\operatorname{Sqrt}[c]*d^2 - \operatorname{Sqrt}[a]*e^2)*(e*f - d*g)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[c]*x^2)*\operatorname{Sqrt}[(a + c*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[c]*x^2)^2]*\operatorname{EllipticPi}[(\operatorname{Sqrt}[c]*d^2 + \operatorname{Sqrt}[a]*e^2)^2/(4*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[c]*d^2*e^2), 2*\operatorname{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], 1/2])/(4*a^{(1/4)}*c^{(1/4)}*d*e*(\operatorname{Sqrt}[c]*d^2 + \operatorname{Sqrt}[a]*e^2)*\operatorname{Sqrt}[a + c*x^4])$

Rule 12

$\text{Int}[(a_)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{Match}[\text{Q}[u, (b_)(v_)] /; \text{FreeQ}[b, x]]$

Rule 206

$\text{Int}[(a_ + (b_)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 * \text{ArcTanh}[\text{Rt}[-b, 2] * x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2] * \text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[(1 + q^2 * x^2) * \text{Sqrt}[(a + b * x^4) / (a * (1 + q^2 * x^2)^2)] * \text{EllipticF}[2 * \text{ArcTan}[q * x], 1/2]) / (2 * q * \text{Sqrt}[a + b * x^4]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 725

$\text{Int}[1/(((d_ + (e_)(x_)) * \text{Sqrt}[(a_ + (c_)(x_)^2]), x_Symbol] \rightarrow -\text{Subst}[\text{Int}[1/(c * d^2 + a * e^2 - x^2), x], x, (a * e - c * d * x) / \text{Sqrt}[a + c * x^2]] /; \text{FreeQ}[\{a, c, d, e\}, x]$

Rule 1248

$\text{Int}[(x_)((d_ + (e_)(x_)^2)^{(q_)}((a_ + (c_)(x_)^4)^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e * x)^q * (a + c * x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, c, d, e, p, q\}, x]$

Rule 1707

$\text{Int}[(A_ + (B_)(x_)^2) / (((d_ + (e_)(x_)^2) * \text{Sqrt}[(a_ + (c_)(x_)^4]), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[B/A, 2]\}, -\text{Simp}[(B * d - A * e) * \text{ArcTan}[(\text{Rt}[(c * d) / e + (a * e) / d, 2] * x) / \text{Sqrt}[a + c * x^4]] / (2 * d * e * \text{Rt}[(c * d) / e + (a * e) / d, 2]), x] + \text{Simp}[(B * d + A * e) * (A + B * x^2) * \text{Sqrt}[(A^2 * (a + c * x^4)) / (a * (A + B * x^2)^2)] * \text{EllipticPi}[\text{Cancel}[-((B * d - A * e)^2 / (4 * d * e * A * B))], 2 * \text{ArcTan}[q * x], 1/2]) / (4 * d * e * A * q * \text{Sqrt}[a + c * x^4]), x] /; \text{FreeQ}[\{a, c, d, e, A, B\}, x] \ \&\& \ \text{NeQ}[c * d^2 + a * e^2, 0] \ \&\& \ \text{NeQ}[c * d^2 - a * e^2, 0] \ \&\& \ \text{PosQ}[c/a] \ \&\& \ \text{EqQ}[c * A^2 - a * B^2, 0]$

Rule 1709

$\text{Int}[(A_ + (B_)(x_)^2) / (((d_ + (e_)(x_)^2) * \text{Sqrt}[(a_ + (c_)(x_)^4]), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(A * (c * d + a * e * q) - a * B * (e + d * q)) / (c * d^2 - a * e^2), \text{Int}[1/\text{Sqrt}[a + c * x^4], x], x] + \text{Dist}[(a * (B * d - A * e) * (e + d * q)) / (c * d^2 - a * e^2), \text{Int}[(1 + q * x^2) / ((d + e * x^2) * \text{Sqrt}[a + c * x^4]), x],$

x]] /; FreeQ[{a, c, d, e, A, B}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]

Rule 1742

Int[(Px_)/(((d_) + (e_)*(x_))*Sqrt[(a_) + (c_)*(x_)^4]), x_Symbol] := With[{A = Coeff[Px, x, 0], B = Coeff[Px, x, 1], C = Coeff[Px, x, 2], D = Coeff[Px, x, 3]}, Int[(x*(B*d - A*e + (d*D - C*e)*x^2))/((d^2 - e^2*x^2)*Sqrt[a + c*x^4]), x] + Int[(A*d + (C*d - B*e)*x^2 - D*e*x^4)/((d^2 - e^2*x^2)*Sqrt[a + c*x^4]), x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[Px, x] && LeQ[Expon[Px, x], 3] && NeQ[c*d^4 + a*e^4, 0]

Rubi steps

$$\begin{aligned} \int \frac{f + gx}{(d + ex)\sqrt{a + cx^4}} dx &= \int \frac{(-ef + dg)x}{(d^2 - e^2x^2)\sqrt{a + cx^4}} dx + \int \frac{df - egx^2}{(d^2 - e^2x^2)\sqrt{a + cx^4}} dx \\ &= \frac{(\sqrt{a}de(ef - dg)) \int \frac{1 + \frac{\sqrt{c}x^2}{\sqrt{a}}}{(d^2 - e^2x^2)\sqrt{a + cx^4}} dx}{\sqrt{c}d^2 + \sqrt{a}e^2} + (-ef + dg) \int \frac{x}{(d^2 - e^2x^2)\sqrt{a + cx^4}} dx + \frac{(\sqrt{c}df + \sqrt{a}eg)(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a + cx^4}{(\sqrt{a} + \sqrt{c}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt{c}x^2 + \sqrt{a}}{\sqrt{a + cx^4}}\right)\right)}{2\sqrt[4]{a} \sqrt[4]{c} (\sqrt{c}d^2 + \sqrt{a}e^2) \sqrt{a + cx^4}} \\ &= \frac{(ef - dg) \tan^{-1}\left(\frac{\sqrt{-cd^4 - ae^4}x}{de\sqrt{a + cx^4}}\right)}{2\sqrt{-cd^4 - ae^4}} + \frac{(\sqrt{c}df + \sqrt{a}eg)(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a + cx^4}{(\sqrt{a} + \sqrt{c}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt{c}x^2 + \sqrt{a}}{\sqrt{a + cx^4}}\right)\right)}{2\sqrt[4]{a} \sqrt[4]{c} (\sqrt{c}d^2 + \sqrt{a}e^2) \sqrt{a + cx^4}} \\ &= \frac{(ef - dg) \tan^{-1}\left(\frac{\sqrt{-cd^4 - ae^4}x}{de\sqrt{a + cx^4}}\right)}{2\sqrt{-cd^4 - ae^4}} + \frac{(\sqrt{c}df + \sqrt{a}eg)(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a + cx^4}{(\sqrt{a} + \sqrt{c}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt{c}x^2 + \sqrt{a}}{\sqrt{a + cx^4}}\right)\right)}{2\sqrt[4]{a} \sqrt[4]{c} (\sqrt{c}d^2 + \sqrt{a}e^2) \sqrt{a + cx^4}} \\ &= \frac{(ef - dg) \tan^{-1}\left(\frac{\sqrt{-cd^4 - ae^4}x}{de\sqrt{a + cx^4}}\right)}{2\sqrt{-cd^4 - ae^4}} - \frac{(ef - dg) \tanh^{-1}\left(\frac{ae^2 + cd^2x^2}{\sqrt{cd^4 + ae^4}\sqrt{a + cx^4}}\right)}{2\sqrt{cd^4 + ae^4}} + \frac{(\sqrt{c}df + \sqrt{a}eg)}{2\sqrt[4]{a} \sqrt[4]{c} (\sqrt{c}d^2 + \sqrt{a}e^2) \sqrt{a + cx^4}} \end{aligned}$$

Mathematica [C] time = 0.68, size = 258, normalized size = 0.58

$$\frac{(dg - ef) \left(\sqrt[4]{c} de \sqrt{a + cx^4} \tanh^{-1} \left(\frac{ae^2 + cd^2x^2}{\sqrt{a + cx^4} \sqrt{ae^4 + cd^4}} \right) + 2\sqrt[4]{-1} \sqrt[4]{a} \sqrt{\frac{cx^4}{a}} + 1 \sqrt{ae^4 + cd^4} \Pi \left(\frac{i\sqrt{a}e^2}{\sqrt{c}d^2}; \sin^{-1} \left(\frac{(-1)^{3/4} \sqrt[4]{cx}}{\sqrt[4]{a}} \right) \right) \right)}{\sqrt[4]{c} d \sqrt{ae^4 + cd^4}} - \frac{2ig \sqrt{\frac{cx^4}{a}} + 1 F \left(i \sinh^{-1} \left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} \right) \right)}{\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}}$$

$$2e\sqrt{a + cx^4}$$

Antiderivative was successfully verified.

[In] Integrate[(f + g*x)/((d + e*x)*Sqrt[a + c*x^4]),x]

[Out] (((-2*I)*g*Sqrt[1 + (c*x^4)/a]*EllipticF[I*ArcSinh[Sqrt[(I*Sqrt[c])/Sqrt[a]]*x], -1])/Sqrt[(I*Sqrt[c])/Sqrt[a]] + ((-(e*f) + d*g)*(c^(1/4)*d*e*Sqrt[a + c*x^4]*ArcTanh[(a*e^2 + c*d^2*x^2)/(Sqrt[c*d^4 + a*e^4]*Sqrt[a + c*x^4])) + 2*(-1)^(1/4)*a^(1/4)*Sqrt[c*d^4 + a*e^4]*Sqrt[1 + (c*x^4)/a]*EllipticPi[(I*Sqrt[a]*e^2)/(Sqrt[c]*d^2), ArcSin[((-1)^(3/4)*c^(1/4)*x]/a^(1/4)], -1])/((c^(1/4)*d*Sqrt[c*d^4 + a*e^4]))/(2*e*Sqrt[a + c*x^4])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x+f)/(e*x+d)/(c*x^4+a)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx + f}{\sqrt{cx^4 + a}(ex + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x+f)/(e*x+d)/(c*x^4+a)^(1/2),x, algorithm="giac")

[Out] integrate((g*x + f)/(sqrt(c*x^4 + a)*(e*x + d)), x)

maple [C] time = 0.02, size = 251, normalized size = 0.56

$$\frac{\sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} g \operatorname{EllipticF}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} x, i\right)}{\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4 + a} e} + \frac{(-dg + ef) \left(\frac{\sqrt{-\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} \sqrt{\frac{i\sqrt{c}x^2}{\sqrt{a}}+1} e \operatorname{EllipticPi}\left(\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} x, -\frac{i\sqrt{a}e^2}{\sqrt{c}d^2}, \sqrt{\frac{i\sqrt{c}}{\sqrt{a}}}\right)}{\sqrt{\frac{i\sqrt{c}}{\sqrt{a}}} \sqrt{cx^4 + a} d} \right)}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x+f)/(e*x+d)/(c*x^4+a)^(1/2),x)

```
[Out] g/e/(I/a^(1/2)*c^(1/2))^(1/2)*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*EllipticF((I/a^(1/2)*c^(1/2))^(1/2)*x,I)+(-d*g+e*f)/e^2*(-1/2/(c*d^4/e^4+a)^(1/2)*arctanh(1/2*(2*c*x^2*d^2/e^2+2*a)/(c*d^4/e^4+a)^(1/2)/(c*x^4+a)^(1/2))+1/(I/a^(1/2)*c^(1/2))^(1/2)/d*e*(-I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)*(I/a^(1/2)*c^(1/2)*x^2+1)^(1/2)/(c*x^4+a)^(1/2)*EllipticPi((I/a^(1/2)*c^(1/2))^(1/2)*x,-I*a^(1/2)/c^(1/2)/d^2*e^2,(-I/a^(1/2)*c^(1/2))^(1/2)/(I/a^(1/2)*c^(1/2))^(1/2)))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx + f}{\sqrt{cx^4 + a}(ex + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)/(e*x+d)/(c*x^4+a)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((g*x + f)/(sqrt(c*x^4 + a)*(e*x + d)), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{f + gx}{\sqrt{cx^4 + a}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f + g*x)/((a + c*x^4)^(1/2)*(d + e*x)),x)
```

```
[Out] int((f + g*x)/((a + c*x^4)^(1/2)*(d + e*x)), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{f + gx}{\sqrt{a + cx^4}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)/(e*x+d)/(c*x**4+a)**(1/2),x)
```

```
[Out] Integral((f + g*x)/(sqrt(a + c*x**4)*(d + e*x)), x)
```


$$3.407 \quad \int \frac{f+gx}{(d+ex)\sqrt{-a+cx^4}} dx$$

Optimal. Leaf size=218

$$\frac{\sqrt[4]{a} \sqrt{1 - \frac{cx^4}{a}} (ef - dg) \Pi \left(\frac{\sqrt{a} e^2}{\sqrt{c} d^2}; \sin^{-1} \left(\frac{\sqrt[4]{c} x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{\sqrt[4]{c} d e \sqrt{cx^4 - a}} + \frac{(ef - dg) \tanh^{-1} \left(\frac{ae^2 - cd^2 x^2}{\sqrt{cx^4 - a} \sqrt{cd^4 - ae^4}} \right)}{2\sqrt{cd^4 - ae^4}} + \frac{\sqrt[4]{a} g \sqrt{1 - \frac{cx^4}{a}} F \left(\sin^{-1} \left(\frac{\sqrt[4]{c} x}{\sqrt[4]{a}} \right) \right)}{\sqrt[4]{c} e \sqrt{cx^4 - a}}$$

[Out] $1/2*(-d*g+e*f)*\operatorname{arctanh}((-c*d^2*x^2+a*e^2)/(-a*e^4+c*d^4)^{(1/2)/(c*x^4-a)^{(1/2)})/(-a*e^4+c*d^4)^{(1/2)+a^{(1/4)}*g*\operatorname{EllipticF}(c^{(1/4)}*x/a^{(1/4)},I)*(1-c*x^4/a)^{(1/2)/c^{(1/4)}/e/(c*x^4-a)^{(1/2)+a^{(1/4)}*(-d*g+e*f)*\operatorname{EllipticPi}(c^{(1/4)}*x/a^{(1/4)},e^2*a^{(1/2)/d^2/c^{(1/2)},I)*(1-c*x^4/a)^{(1/2)/c^{(1/4)}/d/e/(c*x^4-a)^{(1/2)}$

Rubi [A] time = 0.29, antiderivative size = 218, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {1742, 12, 1248, 725, 206, 1711, 224, 221, 1219, 1218}

$$\frac{(ef - dg) \tanh^{-1} \left(\frac{ae^2 - cd^2 x^2}{\sqrt{cx^4 - a} \sqrt{cd^4 - ae^4}} \right)}{2\sqrt{cd^4 - ae^4}} + \frac{\sqrt[4]{a} \sqrt{1 - \frac{cx^4}{a}} (ef - dg) \Pi \left(\frac{\sqrt{a} e^2}{\sqrt{c} d^2}; \sin^{-1} \left(\frac{\sqrt[4]{c} x}{\sqrt[4]{a}} \right) \middle| -1 \right)}{\sqrt[4]{c} d e \sqrt{cx^4 - a}} + \frac{\sqrt[4]{a} g \sqrt{1 - \frac{cx^4}{a}} F \left(\sin^{-1} \left(\frac{\sqrt[4]{c} x}{\sqrt[4]{a}} \right) \right)}{\sqrt[4]{c} e \sqrt{cx^4 - a}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(f + g*x)/((d + e*x)*\operatorname{Sqrt}[-a + c*x^4]), x]$

[Out] $((e*f - d*g)*\operatorname{ArcTanh}[(a*e^2 - c*d^2*x^2)/(\operatorname{Sqrt}[c*d^4 - a*e^4]*\operatorname{Sqrt}[-a + c*x^4])]/(2*\operatorname{Sqrt}[c*d^4 - a*e^4]) + (a^{(1/4)}*g*\operatorname{Sqrt}[1 - (c*x^4)/a]*\operatorname{EllipticF}[\operatorname{ArcSin}[(c^{(1/4)}*x)/a^{(1/4)}], -1])/(c^{(1/4)}*e*\operatorname{Sqrt}[-a + c*x^4]) + (a^{(1/4)}*(e*f - d*g)*\operatorname{Sqrt}[1 - (c*x^4)/a]*\operatorname{EllipticPi}[(\operatorname{Sqrt}[a]*e^2)/(\operatorname{Sqrt}[c]*d^2), \operatorname{ArcSin}[(c^{(1/4)}*x)/a^{(1/4)}], -1])/(c^{(1/4)}*d*e*\operatorname{Sqrt}[-a + c*x^4])$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{Match} Q[u, (b_)*(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 206

$\operatorname{Int}(((a_*) + (b_*)*(x_)^2)^{-1}, x_Symbol) \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}[\{a, b\}, x] \ \&\& \ \operatorname{NegQ}[a/b] \ \&\& \ (\operatorname{Gt} Q[a, 0] \ || \ \operatorname{Lt} Q[b, 0])$

Rule 221

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \text{ :> } \text{Simp}[\text{EllipticF}[\text{ArcSin}[(\text{Rt}[-b, 4]*x)/\text{Rt}[a, 4]], -1]/(\text{Rt}[a, 4]*\text{Rt}[-b, 4]), x] \text{ /; } \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{NegQ}[b/a] \ \&\& \ \text{GtQ}[a, 0]$

Rule 224

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] \text{ :> } \text{Dist}[\text{Sqrt}[1 + (b*x^4)/a]/\text{Sqrt}[a + b*x^4], \text{Int}[1/\text{Sqrt}[1 + (b*x^4)/a], x], x] \text{ /; } \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{NegQ}[b/a] \ \&\& \ \text{!GtQ}[a, 0]$

Rule 725

$\text{Int}[1/(((d_) + (e_)*(x_))*\text{Sqrt}[(a_) + (c_)*(x_)^2]), x_Symbol] \text{ :> } -\text{Subst}[\text{Int}[1/(c*d^2 + a*e^2 - x^2), x], x, (a*e - c*d*x)/\text{Sqrt}[a + c*x^2]] \text{ /; } \text{FreeQ}\{a, c, d, e\}, x\}$

Rule 1218

$\text{Int}[1/(((d_) + (e_)*(x_)^2)*\text{Sqrt}[(a_) + (c_)*(x_)^4]), x_Symbol] \text{ :> } \text{With}\{q = \text{Rt}[-(c/a), 4]\}, \text{Simp}[(1*\text{EllipticPi}[-(e/(d*q^2)), \text{ArcSin}[q*x], -1])/((d*\text{Sqrt}[a]*q)), x]] \text{ /; } \text{FreeQ}\{a, c, d, e\}, x\} \ \&\& \ \text{NegQ}[c/a] \ \&\& \ \text{GtQ}[a, 0]$

Rule 1219

$\text{Int}[1/(((d_) + (e_)*(x_)^2)*\text{Sqrt}[(a_) + (c_)*(x_)^4]), x_Symbol] \text{ :> } \text{Dist}[\text{Sqrt}[1 + (c*x^4)/a]/\text{Sqrt}[a + c*x^4], \text{Int}[1/((d + e*x^2)*\text{Sqrt}[1 + (c*x^4)/a]), x], x] \text{ /; } \text{FreeQ}\{a, c, d, e\}, x\} \ \&\& \ \text{NegQ}[c/a] \ \&\& \ \text{!GtQ}[a, 0]$

Rule 1248

$\text{Int}[(x_)*((d_) + (e_)*(x_)^2)^{(q_)}*((a_) + (c_)*(x_)^4)^{(p_)}, x_Symbol] \text{ :> } \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] \text{ /; } \text{FreeQ}\{a, c, d, e, p, q\}, x\}$

Rule 1711

$\text{Int}[(A_ + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*\text{Sqrt}[(a_) + (c_)*(x_)^4]), x_Symbol] \text{ :> } \text{Dist}[B/e, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] + \text{Dist}[(e*A - d*B)/e, \text{Int}[1/((d + e*x^2)*\text{Sqrt}[a + c*x^4]), x], x] \text{ /; } \text{FreeQ}\{a, c, d, e, A, B\}, x\} \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[c/a]$

Rule 1742

$\text{Int}[(P_x)/(((d_) + (e_)*(x_))*\text{Sqrt}[(a_) + (c_)*(x_)^4]), x_Symbol] \text{ :> } \text{With}\{A = \text{Coeff}[P_x, x, 0], B = \text{Coeff}[P_x, x, 1], C = \text{Coeff}[P_x, x, 2], D = \text{Coeff}$

[Px, x, 3]}, Int[(x*(B*d - A*e + (d*D - C*e)*x^2))/((d^2 - e^2*x^2)*Sqrt[a + c*x^4]), x] + Int[(A*d + (C*d - B*e)*x^2 - D*e*x^4)/((d^2 - e^2*x^2)*Sqrt[a + c*x^4]), x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[Px, x] && LeQ[Expon[Px, x], 3] && NeQ[c*d^4 + a*e^4, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{f + gx}{(d + ex)\sqrt{-a + cx^4}} dx &= \int \frac{(-ef + dg)x}{(d^2 - e^2x^2)\sqrt{-a + cx^4}} dx + \int \frac{df - egx^2}{(d^2 - e^2x^2)\sqrt{-a + cx^4}} dx \\
 &= \frac{g \int \frac{1}{\sqrt{-a+cx^4}} dx}{e} + \frac{(d(ef - dg)) \int \frac{1}{(d^2 - e^2x^2)\sqrt{-a+cx^4}} dx}{e} + (-ef + dg) \int \frac{x}{(d^2 - e^2x^2)\sqrt{-a+cx^4}} dx \\
 &= \frac{1}{2}(-ef + dg) \text{Subst} \left(\int \frac{1}{(d^2 - e^2x)\sqrt{-a + cx^2}} dx, x, x^2 \right) + \frac{\left(g\sqrt{1 - \frac{cx^4}{a}} \right) \int \frac{1}{\sqrt{1 - \frac{cx^4}{a}}} dx}{e\sqrt{-a + cx^4}} \\
 &= \frac{\sqrt[4]{a} g \sqrt{1 - \frac{cx^4}{a}} F \left(\sin^{-1} \left(\frac{\sqrt[4]{c} x}{\sqrt[4]{a}} \right) \right) - 1}{\sqrt[4]{c} e \sqrt{-a + cx^4}} + \frac{\sqrt[4]{a} (ef - dg) \sqrt{1 - \frac{cx^4}{a}} \Pi \left(\frac{\sqrt{a} e^2}{\sqrt{c} d^2}; \sin^{-1} \left(\frac{\sqrt[4]{c} x}{\sqrt[4]{a}} \right) \right)}{\sqrt[4]{c} d e \sqrt{-a + cx^4}} \\
 &= \frac{(ef - dg) \tanh^{-1} \left(\frac{ae^2 - cd^2 x^2}{\sqrt{cd^4 - ae^4} \sqrt{-a + cx^4}} \right)}{2\sqrt{cd^4 - ae^4}} + \frac{\sqrt[4]{a} g \sqrt{1 - \frac{cx^4}{a}} F \left(\sin^{-1} \left(\frac{\sqrt[4]{c} x}{\sqrt[4]{a}} \right) \right) - 1}{\sqrt[4]{c} e \sqrt{-a + cx^4}} + \frac{\sqrt[4]{a} (ef - dg) \sqrt{1 - \frac{cx^4}{a}} \Pi \left(\frac{\sqrt{a} e^2}{\sqrt{c} d^2}; \sin^{-1} \left(\frac{\sqrt[4]{c} x}{\sqrt[4]{a}} \right) \right)}{\sqrt[4]{c} d e \sqrt{-a + cx^4}}
 \end{aligned}$$

Mathematica [C] time = 1.26, size = 719, normalized size = 3.30

$$\frac{if \sqrt{-\frac{(1-i)(\sqrt[4]{a}-\sqrt[4]{c}x)}{\sqrt[4]{c}x+i\sqrt[4]{a}}}}{\sqrt{\frac{(1+i)(\sqrt[4]{a}+i\sqrt[4]{c}x)(\sqrt[4]{a}+\sqrt[4]{c}x)}{(\sqrt[4]{a}-i\sqrt[4]{c}x)^2}}}} \left(\sqrt[4]{a}-i\sqrt[4]{c}x \right)^2 \left(\sqrt[4]{a}e-\sqrt[4]{c}d \right) F \left(\sin^{-1} \left(\sqrt{\frac{(1+i)(\sqrt[4]{c}x+\sqrt[4]{a})}{2\sqrt[4]{c}x+2i\sqrt[4]{a}}} \right) \right) \Bigg|_2 - (1-i)\sqrt[4]{a}e \Pi \left(\frac{(1-i)(\sqrt[4]{c}d-i\sqrt[4]{a}e)}{\sqrt[4]{c}d-\sqrt[4]{a}e}; \sin^{-1} \left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}} \right) \right) \Bigg|_2$$

Antiderivative was successfully verified.

[In] Integrate[(f + g*x)/((d + e*x)*Sqrt[-a + c*x^4]), x]

[Out] (((-I)*g*Sqrt[1 - (c*x^4)/a]*EllipticF[I*ArcSinh[Sqrt[-(Sqrt[c]/Sqrt[a])]]*x], -1))/(Sqrt[-(Sqrt[c]/Sqrt[a])]*e) + (I*f*(a^(1/4) - I*c^(1/4)*x)^2*Sqrt[(-1 + I)*(a^(1/4) - c^(1/4)*x)]/(I*a^(1/4) + c^(1/4)*x)]*Sqrt[((1 + I)*(a^

$$\begin{aligned} & \left(\frac{1}{4} + I * c^{(1/4)} * x \right) * (a^{(1/4)} + c^{(1/4)} * x) / (a^{(1/4)} - I * c^{(1/4)} * x)^2 * ((- \\ & c^{(1/4)} * d) + a^{(1/4)} * e) * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{((1 + I) * (a^{(1/4)} + c^{(1/4)} * x))}{((2 * I) * a^{(1/4)} + 2 * c^{(1/4)} * x)}]], 2] - (1 - I) * a^{(1/4)} * e * \text{EllipticPi}[\frac{((1 - I) * (c^{(1/4)} * d - I * a^{(1/4)} * e))}{(c^{(1/4)} * d - a^{(1/4)} * e)}, \text{ArcSin}[\text{Sqrt}[\frac{((1 + I) * (a^{(1/4)} + c^{(1/4)} * x))}{((2 * I) * a^{(1/4)} + 2 * c^{(1/4)} * x)}]], 2]]) / (a^{(1/4)} * (- \\ & c^{(1/4)} * d) + a^{(1/4)} * e) * (I * c^{(1/4)} * d + a^{(1/4)} * e) + (d * g * (a^{(1/4)} - I * c^{(1/4)} * x)^2 * \text{Sqrt}[\frac{((-1 + I) * (a^{(1/4)} - c^{(1/4)} * x))}{(I * a^{(1/4)} + c^{(1/4)} * x)}] * \text{Sqrt} \\ & [\frac{((1 + I) * (a^{(1/4)} + I * c^{(1/4)} * x) * (a^{(1/4)} + c^{(1/4)} * x))}{(a^{(1/4)} - I * c^{(1/4)} * x)^2}] * (I * (c^{(1/4)} * d - a^{(1/4)} * e) * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{((1 + I) * (a^{(1/4)} + c^{(1/4)} * x))}{((2 * I) * a^{(1/4)} + 2 * c^{(1/4)} * x)}]], 2] + (1 + I) * a^{(1/4)} * e * \text{EllipticPi}[\frac{((1 - I) * (c^{(1/4)} * d - I * a^{(1/4)} * e))}{(c^{(1/4)} * d - a^{(1/4)} * e)}, \text{ArcSin}[\text{Sqrt}[\frac{((1 + I) * (a^{(1/4)} + c^{(1/4)} * x))}{((2 * I) * a^{(1/4)} + 2 * c^{(1/4)} * x)}]], 2])) \\ & / (a^{(1/4)} * e * (-c^{(1/4)} * d) + a^{(1/4)} * e) * (I * c^{(1/4)} * d + a^{(1/4)} * e)) / \text{Sqrt}[-a \\ & + c * x^4] \end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x+f)/(e*x+d)/(c*x^4-a)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx + f}{\sqrt{cx^4 - a}(ex + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x+f)/(e*x+d)/(c*x^4-a)^(1/2),x, algorithm="giac")

[Out] integrate((g*x + f)/(sqrt(c*x^4 - a)*(e*x + d)), x)

maple [A] time = 0.02, size = 247, normalized size = 1.13

$$\frac{\sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} g \text{EllipticF}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} x, i\right) + (-dg + ef) \left(\frac{\sqrt{\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} \sqrt{-\frac{\sqrt{c} x^2}{\sqrt{a}} + 1} e \text{EllipticPi}\left(\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} x, -\frac{\sqrt{a} e^2}{\sqrt{c} d^2}, \sqrt{\frac{\sqrt{c}}{\sqrt{a}}}\right)}{\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} \sqrt{c x^4 - a} d} \right)}{\sqrt{-\frac{\sqrt{c}}{\sqrt{a}}} \sqrt{c x^4 - a} e} e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g*x+f)/(e*x+d)/(c*x^4-a)^(1/2),x)`

[Out]
$$\frac{g/e/(-1/a^{1/2}*c^{1/2})^{1/2}*(1/a^{1/2}*c^{1/2}*x^2+1)^{1/2}*(-1/a^{1/2}*c^{1/2}*x^2+1)^{1/2}/(c*x^4-a)^{1/2}*EllipticF((-1/a^{1/2}*c^{1/2})^{1/2}*x, I)+(-d*g+e*f)/e^2*(-1/2/(c*d^4/e^4-a)^{1/2})*\operatorname{arctanh}(1/2*(2*c*d^2/e^2*x^2-2*a)/(c*d^4/e^4-a)^{1/2}/(c*x^4-a)^{1/2})+1/(-1/a^{1/2}*c^{1/2})^{1/2}/d*e*(1/a^{1/2}*c^{1/2}*x^2+1)^{1/2}*(-1/a^{1/2}*c^{1/2}*x^2+1)^{1/2}/(c*x^4-a)^{1/2}*EllipticPi((-1/a^{1/2}*c^{1/2})^{1/2}*x,-e^2*a^{1/2}/d^2/c^{1/2},(1/a^{1/2}*c^{1/2})^{1/2}/(-1/a^{1/2}*c^{1/2})^{1/2})}{1}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx + f}{\sqrt{cx^4 - a}(ex + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)/(e*x+d)/(c*x^4-a)^(1/2),x, algorithm="maxima")`

[Out] `integrate((g*x + f)/(sqrt(c*x^4 - a)*(e*x + d)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{f + gx}{\sqrt{cx^4 - a}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f + g*x)/((c*x^4 - a)^(1/2)*(d + e*x)),x)`

[Out] `int((f + g*x)/((c*x^4 - a)^(1/2)*(d + e*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{f + gx}{\sqrt{-a + cx^4}(d + ex)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)/(e*x+d)/(c*x**4-a)**(1/2),x)`

[Out] `Integral((f + g*x)/(sqrt(-a + c*x**4)*(d + e*x)), x)`

$$3.408 \quad \int \frac{1 - \sqrt{3} + x}{(1 + \sqrt{3} + x) \sqrt{-4 + 4\sqrt{3}x^2 + x^4}} dx$$

Optimal. Leaf size=65

$$\frac{1}{3} \sqrt{2\sqrt{3} - 3} \tanh^{-1} \left(\frac{(x - \sqrt{3} + 1)^2}{\sqrt{3(2\sqrt{3} - 3)} \sqrt{x^4 + 4\sqrt{3}x^2 - 4}} \right)$$

[Out] 1/3*arctanh(((1+x-3^(1/2))^2/(-9+6*3^(1/2))^(1/2)/(-4+x^4+4*3^(1/2)*x^2)^(1/2)))*(-3+2*3^(1/2))^(1/2)

Rubi [A] time = 0.15, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1740, 207}

$$\frac{1}{3} \sqrt{2\sqrt{3} - 3} \tanh^{-1} \left(\frac{(x - \sqrt{3} + 1)^2}{\sqrt{3(2\sqrt{3} - 3)} \sqrt{x^4 + 4\sqrt{3}x^2 - 4}} \right)$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] + x)/((1 + Sqrt[3] + x)*Sqrt[-4 + 4*Sqrt[3]*x^2 + x^4]),x]

[Out] (Sqrt[-3 + 2*Sqrt[3]]*ArcTanh[(1 - Sqrt[3] + x)^2/(Sqrt[3*(-3 + 2*Sqrt[3]])]*Sqrt[-4 + 4*Sqrt[3]*x^2 + x^4]))/3

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1740

Int[((A_) + (B_.)*(x_))/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] :> -Dist[(A^2*(B*d + A*e))/e, Subst[Int[1/(6*A^3*B*d + 3*A^4*e - a*e*x^2), x], x, (A + B*x)^2/Sqrt[a + b*x^2 + c*x^4]], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[B*d - A*e, 0] && EqQ[c^2*d^6 + a*e^4*(13*c*d^2 + b*e^2), 0] && EqQ[b^2*e^4 - 12*c*d^2*(c*d^2 - b*e^2), 0] && EqQ[4*A*c*d*e + B*(2*c*d^2 - b*e^2), 0]

Rubi steps

$$\int \frac{1 - \sqrt{3} + x}{(1 + \sqrt{3} + x)\sqrt{-4 + 4\sqrt{3}x^2 + x^4}} dx = - \left((4(2 - \sqrt{3})) \text{Subst} \left(\int \frac{1}{3(1 - \sqrt{3})^4 + 6(1 - \sqrt{3})^3(1 + \sqrt{3}) + 4} \right) \right. \\ \left. = \frac{1}{3} \sqrt{-3 + 2\sqrt{3}} \tanh^{-1} \left(\frac{(1 - \sqrt{3} + x)^2}{\sqrt{3(-3 + 2\sqrt{3})}\sqrt{-4 + 4\sqrt{3}x^2 + x^4}} \right) \right)$$

Mathematica [C] time = 3.07, size = 685, normalized size = 10.54

$$(x + \sqrt{3} - 1)^2 \sqrt{-x^3 + (\sqrt{3} - 1)x^2 - 2(2 + \sqrt{3})x + 2(1 + \sqrt{3})} \sqrt{\frac{-\frac{4}{x + \sqrt{3} - 1} + \sqrt{3} + 1}{3 + \sqrt{3} + i\sqrt{2(2 + \sqrt{3})}}} \left(2\sqrt{6} \sqrt{\frac{x^2 + 2\sqrt{3} + 4}{(x + \sqrt{3} - 1)^2}} \sqrt{\sqrt{2}(2 + \sqrt{3})} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(1 - Sqrt[3] + x)/((1 + Sqrt[3] + x)*Sqrt[-4 + 4*Sqrt[3]*x^2 + x^4]), x]

[Out] ((-1 + Sqrt[3] + x)^2*Sqrt[2*(1 + Sqrt[3]) - 2*(2 + Sqrt[3])*x + (-1 + Sqrt[3])*x^2 - x^3]*Sqrt[(1 + Sqrt[3] - 4/(-1 + Sqrt[3] + x))/(3 + Sqrt[3] + I*Sqrt[2*(2 + Sqrt[3])]])*((I*(-1 + Sqrt[3] + I*Sqrt[2*(2 + Sqrt[3])])) + (2*((2*I)*Sqrt[3] - Sqrt[2*(2 + Sqrt[3])]) + Sqrt[6*(2 + Sqrt[3])]))/(-1 + Sqrt[3] + x)*Sqrt[Sqrt[2*(2 + Sqrt[3])]] + I*(1 - Sqrt[3] + 8/(-1 + Sqrt[3] + x))*EllipticF[ArcSin[Sqrt[Sqrt[2*(2 + Sqrt[3])]] - I*(1 - Sqrt[3] + 8/(-1 + Sqrt[3] + x))]/(2^(3/4)*(2 + Sqrt[3])^(1/4))], ((2*I)*Sqrt[2*(2 + Sqrt[3])])/(3 + Sqrt[3] + I*Sqrt[2*(2 + Sqrt[3])]]) + 2*Sqrt[6]*Sqrt[(4 + 2*Sqrt[3] + x^2)/(-1 + Sqrt[3] + x)^2]*Sqrt[Sqrt[2*(2 + Sqrt[3])]] - I*(1 - Sqrt[3] + 8/(-1 + Sqrt[3] + x))*EllipticPi[(2*Sqrt[2*(2 + Sqrt[3])])/(Sqrt[2*(2 + Sqrt[3])]] + I*(3 + Sqrt[3]))], ArcSin[Sqrt[Sqrt[2*(2 + Sqrt[3])]] - I*(1 - Sqrt[3] + 8/(-1 + Sqrt[3] + x))]/(2^(3/4)*(2 + Sqrt[3])^(1/4))], ((2*I)*Sqrt[2*(2 + Sqrt[3])])/(3 + Sqrt[3] + I*Sqrt[2*(2 + Sqrt[3])]])/((Sqrt[2*(2 + Sqrt[3])]] + I*(3 + Sqrt[3]))*Sqrt[1 + Sqrt[3] - (2 + Sqrt[3])*x + ((-1 + Sqrt[3])*x^2)/2 - x^3/2]*Sqrt[-4 + 4*Sqrt[3]*x^2 + x^4]*Sqrt[Sqrt[2*(2 + Sqrt[3])]] - I*(1 - Sqrt[3] + 8/(-1 + Sqrt[3] + x)))]

fricas [B] time = 1.58, size = 323, normalized size = 4.97

$$\frac{1}{12} \sqrt{2\sqrt{3} - 3} \log \left(-\frac{37x^{12} - 204x^{11} + 804x^{10} - 2408x^9 + 3708x^8 - 5472x^7 + 6432x^6 + 10944x^5 + 14832x^4 + 10944x^3 - 2408x^2 - 204x + 37}{(1 + \sqrt{3} + x)\sqrt{-4 + 4\sqrt{3}x^2 + x^4}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((1+x-3^(1/2))/(1+x+3^(1/2)))/(-4+x^4+4*3^(1/2)*x^2)^(1/2),x, algorithm="fricas")

[Out] 1/12*sqrt(2*sqrt(3) - 3)*log(-(37*x^12 - 204*x^11 + 804*x^10 - 2408*x^9 + 3708*x^8 - 5472*x^7 + 6432*x^6 + 10944*x^5 + 14832*x^4 + 19264*x^3 + 12864*x^2 + (54*x^10 - 300*x^9 + 1026*x^8 - 2232*x^7 + 3024*x^6 - 3024*x^5 - 1008*x^4 - 2016*x^3 - 2592*x^2 + sqrt(3)*(31*x^10 - 176*x^9 + 576*x^8 - 1320*x^7 + 1848*x^6 - 1008*x^5 + 1344*x^4 + 1632*x^3 + 1008*x^2 + 832*x + 256) - 1152*x - 480)*sqrt(x^4 + 4*sqrt(3)*x^2 - 4)*sqrt(2*sqrt(3) - 3) + 3*sqrt(3)*(7*x^12 - 40*x^11 + 160*x^10 - 400*x^9 + 924*x^8 - 960*x^7 - 1920*x^5 - 3696*x^4 - 3200*x^3 - 2560*x^2 - 1280*x - 448) + 6528*x + 2368)/(x^12 + 12*x^11 + 48*x^10 + 40*x^9 - 180*x^8 - 288*x^7 + 384*x^6 + 576*x^5 - 720*x^4 - 320*x^3 + 768*x^2 - 384*x + 64))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x - \sqrt{3} + 1}{\sqrt{x^4 + 4\sqrt{3}x^2 - 4}(x + \sqrt{3} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((1+x-3^(1/2))/(1+x+3^(1/2)))/(-4+x^4+4*3^(1/2)*x^2)^(1/2),x, algorithm="giac")

[Out] integrate((x - sqrt(3) + 1)/(sqrt(x^4 + 4*sqrt(3)*x^2 - 4)*(x + sqrt(3) + 1)), x)

maple [C] time = 0.17, size = 327, normalized size = 5.03

$$\frac{\sqrt{-\left(\frac{\sqrt{3}}{2}-1\right)x^2+1} \sqrt{-\left(1+\frac{\sqrt{3}}{2}\right)x^2+1} \operatorname{EllipticF}\left(\left(\frac{i\sqrt{3}}{2}-\frac{i}{2}\right)x, i\sqrt{1+4\sqrt{3}\left(1+\frac{\sqrt{3}}{2}\right)}\right)}{\left(\frac{i\sqrt{3}}{2}-\frac{i}{2}\right)\sqrt{x^4+4\sqrt{3}x^2-4}} - 2\sqrt{3} \left(\frac{\sqrt{-\left(\frac{\sqrt{3}}{2}-1\right)}}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+x-3^(1/2))/(1+x+3^(1/2)))/(-4+x^4+4*x^2*3^(1/2))^(1/2),x)

[Out] 1/(1/2*I*3^(1/2)-1/2*I)*(1-(1/2*3^(1/2)-1)*x^2)^(1/2)*(1-(1+1/2*3^(1/2))*x^2)^(1/2)/(-4+x^4+4*x^2*3^(1/2))^(1/2)*EllipticF(x*(1/2*I*3^(1/2)-1/2*I),I*(1+4*3^(1/2)*(1+1/2*3^(1/2))))^(1/2))-2*3^(1/2)*(-1/2/((-1-3^(1/2))^4+4*3^(1/2))

$2) * (-1 - 3^{1/2})^{-2-4} \cdot \operatorname{arctanh}(1/2 * (4 * 3^{1/2}) * (-1 - 3^{1/2})^{-2-8+4 * x^2 * 3^{1/2}} + 2 * x^2 * (-1 - 3^{1/2})^{-2}) / ((-1 - 3^{1/2})^{-4+4 * 3^{1/2}} * (-1 - 3^{1/2})^{-2-4})^{1/2} / (-4 + x^4 + 4 * x^2 * 3^{1/2})^{1/2} - 1 / (1/2 * 3^{1/2} - 1)^{1/2} / (-1 - 3^{1/2}) * (1 - (1/2 * 3^{1/2} - 1) * x^2)^{1/2} * (1 - (1 + 1/2 * 3^{1/2}) * x^2)^{1/2} / (-4 + x^4 + 4 * x^2 * 3^{1/2})^{1/2} * \operatorname{EllipticPi}((1/2 * 3^{1/2} - 1)^{1/2} * x, 1 / (1/2 * 3^{1/2} - 1) / (-1 - 3^{1/2})^{-2}, (1 + 1/2 * 3^{1/2})^{1/2} / (1/2 * 3^{1/2} - 1)^{1/2}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x - \sqrt{3} + 1}{\sqrt{x^4 + 4\sqrt{3}x^2 - 4}(x + \sqrt{3} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x-3^(1/2))/(1+x+3^(1/2))/(-4+x^4+4*3^(1/2)*x^2)^(1/2),x, algorithm="maxima")

[Out] integrate((x - sqrt(3) + 1)/(sqrt(x^4 + 4*sqrt(3)*x^2 - 4)*(x + sqrt(3) + 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x - \sqrt{3} + 1}{(x + \sqrt{3} + 1) \sqrt{x^4 + 4\sqrt{3}x^2 - 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x - 3^(1/2) + 1)/((x + 3^(1/2) + 1)*(4*3^(1/2)*x^2 + x^4 - 4)^(1/2)),x)

[Out] int((x - 3^(1/2) + 1)/((x + 3^(1/2) + 1)*(4*3^(1/2)*x^2 + x^4 - 4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x - \sqrt{3} + 1}{(x + 1 + \sqrt{3}) \sqrt{x^4 + 4\sqrt{3}x^2 - 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x-3**(1/2))/(1+x+3**(1/2))/(-4+x**4+4*3**(1/2)*x**2)**(1/2),x)

[Out] Integral((x - sqrt(3) + 1)/((x + 1 + sqrt(3))*sqrt(x**4 + 4*sqrt(3)*x**2 - 4)), x)

$$3.409 \quad \int \frac{1 + \sqrt{3} + x}{(1 - \sqrt{3} + x) \sqrt{-4 - 4\sqrt{3}x^2 + x^4}} dx$$

Optimal. Leaf size=63

$$-\frac{1}{3} \sqrt{3 + 2\sqrt{3}} \tan^{-1} \left(\frac{(x + \sqrt{3} + 1)^2}{\sqrt{3(3 + 2\sqrt{3})} \sqrt{x^4 - 4\sqrt{3}x^2 - 4}} \right)$$

[Out] $-1/3 * \arctan((1+x+3^{(1/2)})^2 / (9+6*3^{(1/2)})^{(1/2)} / (-4+x^4-4*3^{(1/2)}*x^2)^{(1/2)}) * (3+2*3^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.14, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 40, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1740, 203}

$$-\frac{1}{3} \sqrt{3 + 2\sqrt{3}} \tan^{-1} \left(\frac{(x + \sqrt{3} + 1)^2}{\sqrt{3(3 + 2\sqrt{3})} \sqrt{x^4 - 4\sqrt{3}x^2 - 4}} \right)$$

Antiderivative was successfully verified.

[In] `Int[(1 + Sqrt[3] + x)/((1 - Sqrt[3] + x)*Sqrt[-4 - 4*Sqrt[3]*x^2 + x^4]),x]`

[Out] $-(\text{Sqrt}[3 + 2*\text{Sqrt}[3]] * \text{ArcTan}[(1 + \text{Sqrt}[3] + x)^2 / (\text{Sqrt}[3*(3 + 2*\text{Sqrt}[3])]) * \text{Sqrt}[-4 - 4*\text{Sqrt}[3]*x^2 + x^4]]) / 3$

Rule 203

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

Rule 1740

`Int[((A_) + (B_.)*(x_))/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := -Dist[(A^2*(B*d + A*e))/e, Subst[Int[1/(6*A^3*B*d + 3*A^4*e - a*e*x^2), x], x, (A + B*x)^2/Sqrt[a + b*x^2 + c*x^4]], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[B*d - A*e, 0] && EqQ[c^2*d^6 + a*e^4*(13*c*d^2 + b*e^2), 0] && EqQ[b^2*e^4 - 12*c*d^2*(c*d^2 - b*e^2), 0] && EqQ[4*A*c*d*e + B*(2*c*d^2 - b*e^2), 0]`

Rubi steps

$$\int \frac{1 + \sqrt{3} + x}{(1 - \sqrt{3} + x) \sqrt{-4 - 4\sqrt{3}x^2 + x^4}} dx = - \left(4(2 + \sqrt{3}) \right) \text{Subst} \left(\int \frac{1}{6(1 - \sqrt{3})(1 + \sqrt{3})^3 + 3(1 + \sqrt{3})^4 + 4} \right. \\ \left. = -\frac{1}{3} \sqrt{3 + 2\sqrt{3}} \tan^{-1} \left(\frac{(1 + \sqrt{3} + x)^2}{\sqrt{3(3 + 2\sqrt{3})} \sqrt{-4 - 4\sqrt{3}x^2 + x^4}} \right) \right)$$

Mathematica [C] time = 7.83, size = 876, normalized size = 13.90

$$\sqrt{2} \sqrt{\frac{\sqrt{3}-1-\frac{4}{-x+\sqrt{3}+1}}{-3+\sqrt{3}-i\sqrt{4-2\sqrt{3}}}} (-x + \sqrt{3} + 1)^2 \left(\frac{2 \left(2i\sqrt{3} \sqrt{i(\sqrt{3}+1-\frac{8}{-x+\sqrt{3}+1}) + \sqrt{4-2\sqrt{3}}} + \sqrt{6} \sqrt{2\sqrt{4-2\sqrt{3}} - \sqrt{12-6\sqrt{3}} + i\sqrt{3}-i + \frac{8i(-2+)}{-x+\sqrt{3}}} \right)}{x-\sqrt{3}-1} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(1 + Sqrt[3] + x)/((1 - Sqrt[3] + x)*Sqrt[-4 - 4*Sqrt[3]*x^2 + x^4]), x]

[Out] -((Sqrt[2]*Sqrt[(-1 + Sqrt[3] - 4/(1 + Sqrt[3] - x))]/(-3 + Sqrt[3] - I*Sqrt[4 - 2*Sqrt[3]])]*(1 + Sqrt[3] - x)^2*((I*Sqrt[Sqrt[4 - 2*Sqrt[3]]] + I*(1 + Sqrt[3] - 8/(1 + Sqrt[3] - x))) + I*Sqrt[3]*Sqrt[Sqrt[4 - 2*Sqrt[3]]] + I*(1 + Sqrt[3] - 8/(1 + Sqrt[3] - x))) + Sqrt[-2*Sqrt[12 - 6*Sqrt[3]] + 4*Sqrt[4 - 2*Sqrt[3]] - ((2*I)*(14 - 8*Sqrt[3] + (-1 + Sqrt[3])*x))]/(1 + Sqrt[3] - x)) + (2*((2*I)*Sqrt[3]*Sqrt[Sqrt[4 - 2*Sqrt[3]]] + I*(1 + Sqrt[3] - 8/(1 + Sqrt[3] - x))) + Sqrt[6]*Sqrt[-I + I*Sqrt[3] - Sqrt[12 - 6*Sqrt[3]] + 2*Sqrt[4 - 2*Sqrt[3]] + ((8*I)*(-2 + Sqrt[3]))]/(1 + Sqrt[3] - x)) + Sqrt[-2*Sqrt[12 - 6*Sqrt[3]] + 4*Sqrt[4 - 2*Sqrt[3]] - ((2*I)*(14 - 8*Sqrt[3] + (-1 + Sqrt[3])*x))]/(1 + Sqrt[3] - x)))/(-1 - Sqrt[3] + x))*EllipticF[ArcSin[Sqrt[Sqrt[4 - 2*Sqrt[3]] - I*(1 + Sqrt[3] - 8/(1 + Sqrt[3] - x))]/(2^(3/4)*(2 - Sqrt[3])^(1/4))], (2*Sqrt[4 - 2*Sqrt[3]])/(Sqrt[4 - 2*Sqrt[3]] + I*(-3 + Sqrt[3]))] + 2*Sqrt[6]*Sqrt[Sqrt[4 - 2*Sqrt[3]]] - I*(1 + Sqrt[3] - 8/(1 + Sqrt[3] - x))]*Sqrt[(4 - 2*Sqrt[3] + x^2)/(1 + Sqrt[3] - x)^2]*EllipticPi[(2*Sqrt[4 - 2*Sqrt[3]])/(Sqrt[4 - 2*Sqrt[3]] - I*(-3 + Sqrt[3]))], ArcSin[Sqrt[Sqrt[4 - 2*Sqrt[3]] - I*(1 + Sqrt[3] - 8/(1 + Sqrt[3] - x))]/(2^(3/4)*(2 - Sqrt[3])^(1/4))], (2*Sqrt[4 - 2*Sqrt[3]])/(Sqrt[4 - 2*Sqrt[3]] + I*(-3 + Sqrt[3])))]))/((Sqrt[4 - 2*Sqrt[3]] - I*(-3 + Sqrt[3]))*Sqrt[Sqrt[4 - 2*Sqrt[3]]] - I*(1 + Sqrt[3] - 8/(1 + Sqrt[3] - x)))*Sqrt[-4 - 4*Sqrt[3]*x^2 + x^4])

fricas [B] time = 1.27, size = 112, normalized size = 1.78

$$\frac{1}{6} \sqrt{2\sqrt{3} + 3} \arctan \left(-\frac{(9x^4 - 30x^3 + 18x^2 - 2\sqrt{3}(2x^4 - 10x^3 + 3x^2 - 10x + 2) + 24)\sqrt{x^4 - 4\sqrt{3}x^2 - 4}\sqrt{2}}{11x^6 - 42x^5 + 66x^4 - 176x^3 - 132x^2 - 168x - 88} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x+3^(1/2))/(1+x-3^(1/2))/(-4+x^4-4*3^(1/2)*x^2)^(1/2),x, algorith="fricas")

[Out] 1/6*sqrt(2*sqrt(3) + 3)*arctan(-(9*x^4 - 30*x^3 + 18*x^2 - 2*sqrt(3)*(2*x^4 - 10*x^3 + 3*x^2 - 10*x + 2) + 24)*sqrt(x^4 - 4*sqrt(3)*x^2 - 4)*sqrt(2*sqrt(3) + 3)/(11*x^6 - 42*x^5 + 66*x^4 - 176*x^3 - 132*x^2 - 168*x - 88))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} + 1}{\sqrt{x^4 - 4\sqrt{3}x^2 - 4}(x - \sqrt{3} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x+3^(1/2))/(1+x-3^(1/2))/(-4+x^4-4*3^(1/2)*x^2)^(1/2),x, algorith="giac")

[Out] integrate((x + sqrt(3) + 1)/(sqrt(x^4 - 4*sqrt(3)*x^2 - 4)*(x - sqrt(3) + 1)), x)

maple [C] time = 0.16, size = 311, normalized size = 4.94

$$\frac{\sqrt{-\left(-1 - \frac{\sqrt{3}}{2}\right)x^2 + 1} \sqrt{-\left(-\frac{\sqrt{3}}{2} + 1\right)x^2 + 1} \operatorname{EllipticF}\left(\left(\frac{i}{2} + \frac{i\sqrt{3}}{2}\right)x, i\sqrt{1 - 4\sqrt{3}\left(-\frac{\sqrt{3}}{2} + 1\right)}\right)}{\left(\frac{i}{2} + \frac{i\sqrt{3}}{2}\right)\sqrt{x^4 - 4\sqrt{3}x^2 - 4}} + 2\sqrt{3} \left(-\frac{\sqrt{-\left(-1 - \frac{\sqrt{3}}{2}\right)x^2 + 1}}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+x+3^(1/2))/(1+x-3^(1/2))/(-4+x^4-4*3^(1/2)*x^2)^(1/2),x)

[Out] 1/(1/2*I+1/2*I*3^(1/2))*(1-(-1-1/2*3^(1/2))*x^2)^(1/2)*(1-(-1/2*3^(1/2)+1)*x^2)^(1/2)/(-4+x^4-4*3^(1/2)*x^2)^(1/2)*EllipticF(x*(1/2*I+1/2*I*3^(1/2)),I*(1-4*3^(1/2)*(-1/2*3^(1/2)+1))^(1/2))+2*3^(1/2)*(-1/2/((3^(1/2)-1)^4-4*3^(1/2))

$$\frac{1}{2} * (3^{(1/2)} - 1)^{-2-4} * \operatorname{arctanh}\left(\frac{1}{2} * (-4 * 3^{(1/2)} * (3^{(1/2)} - 1)^{-2-8-4 * 3^{(1/2)}} * x^2 + 2 * x^2 * (3^{(1/2)} - 1)^{-2})}{(3^{(1/2)} - 1)^{-4-4 * 3^{(1/2)}} * (3^{(1/2)} - 1)^{-2-4} * (-4 + x^4 - 4 * 3^{(1/2)} * x^2)^{(1/2)} - 1 / (-1 - 1/2 * 3^{(1/2)})^{(1/2)} / (3^{(1/2)} - 1) * (1 - (-1 - 1/2 * 3^{(1/2)}) * x^2)^{(1/2)} * (1 - (-1/2 * 3^{(1/2)} + 1) * x^2)^{(1/2)} / (-4 + x^4 - 4 * 3^{(1/2)} * x^2)^{(1/2)} * \operatorname{EllipticPi}\left(\frac{(-1 - 1/2 * 3^{(1/2)})^{(1/2)} * x, 1 / (-1 - 1/2 * 3^{(1/2)})}{(3^{(1/2)} - 1)^2, (-1/2 * 3^{(1/2)} + 1)^{(1/2)} / (-1 - 1/2 * 3^{(1/2)})^{(1/2)}}\right)}\right) dx$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + \sqrt{3} + 1}{\sqrt{x^4 - 4\sqrt{3}x^2 - 4}(x - \sqrt{3} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x*3^(1/2))/(1+x*3^(1/2))/(-4+x^4-4*3^(1/2)*x^2)^(1/2),x, algorithm="maxima")

[Out] integrate((x + sqrt(3) + 1)/(sqrt(x^4 - 4*sqrt(3)*x^2 - 4)*(x - sqrt(3) + 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x + \sqrt{3} + 1}{\sqrt{x^4 - 4\sqrt{3}x^2 - 4}(x - \sqrt{3} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x + 3^(1/2) + 1)/((x^4 - 4*3^(1/2)*x^2 - 4)^(1/2)*(x - 3^(1/2) + 1)),x)

[Out] int((x + 3^(1/2) + 1)/((x^4 - 4*3^(1/2)*x^2 - 4)^(1/2)*(x - 3^(1/2) + 1)),x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x + 1 + \sqrt{3}}{(x - \sqrt{3} + 1)\sqrt{x^4 - 4\sqrt{3}x^2 - 4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x*3**(1/2))/(1+x*3**(1/2))/(-4+x**4-4*3**(1/2)*x**2)**(1/2),x)

[Out] Integral((x + 1 + sqrt(3))/((x - sqrt(3) + 1)*sqrt(x**4 - 4*sqrt(3)*x**2 - 4)), x)

$$3.410 \quad \int \frac{1 - \sqrt{3} + 2x}{(1 + \sqrt{3} + 2x)\sqrt{-1 + 4\sqrt{3}x^2 + 4x^4}} dx$$

Optimal. Leaf size=72

$$\frac{1}{3}\sqrt{2\sqrt{3}-3} \tanh^{-1}\left(\frac{(2x - \sqrt{3} + 1)^2}{2\sqrt{3}(2\sqrt{3}-3)\sqrt{4x^4 + 4\sqrt{3}x^2 - 1}}\right)$$

[Out] 1/3*arctanh(1/2*(1+2*x-3^(1/2))^2/(-9+6*3^(1/2))^(1/2)/(-1+4*x^4+4*3^(1/2)*x^2)^(1/2))*(-3+2*3^(1/2))^(1/2)

Rubi [A] time = 0.13, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1740, 207}

$$\frac{1}{3}\sqrt{2\sqrt{3}-3} \tanh^{-1}\left(\frac{(2x - \sqrt{3} + 1)^2}{2\sqrt{3}(2\sqrt{3}-3)\sqrt{4x^4 + 4\sqrt{3}x^2 - 1}}\right)$$

Antiderivative was successfully verified.

[In] Int[(1 - Sqrt[3] + 2*x)/((1 + Sqrt[3] + 2*x)*Sqrt[-1 + 4*Sqrt[3]*x^2 + 4*x^4]),x]

[Out] (Sqrt[-3 + 2*Sqrt[3]]*ArcTanh[(1 - Sqrt[3] + 2*x)^2/(2*Sqrt[3]*(-3 + 2*Sqrt[3]))*Sqrt[-1 + 4*Sqrt[3]*x^2 + 4*x^4]])/3

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1740

Int[((A_) + (B_.)*(x_))/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] :> -Dist[(A^2*(B*d + A*e))/e, Subst[Int[1/(6*A^3*B*d + 3*A^4*e - a*e*x^2), x], x, (A + B*x)^2/Sqrt[a + b*x^2 + c*x^4]], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[B*d - A*e, 0] && EqQ[c^2*d^6 + a*e^4*(13*c*d^2 + b*e^2), 0] && EqQ[b^2*e^4 - 12*c*d^2*(c*d^2 - b*e^2), 0] && EqQ[4*A*c*d*e + B*(2*c*d^2 - b*e^2), 0]

Rubi steps

$$\int \frac{1 - \sqrt{3} + 2x}{(1 + \sqrt{3} + 2x) \sqrt{-1 + 4\sqrt{3}x^2 + 4x^4}} dx = - \left((4(2 - \sqrt{3})) \text{Subst} \left(\int \frac{1}{6(1 - \sqrt{3})^4 + 12(1 - \sqrt{3})^3(1 + \sqrt{3})} \right) \right. \\ \left. = \frac{1}{3} \sqrt{-3 + 2\sqrt{3}} \tanh^{-1} \left(\frac{(1 - \sqrt{3} + 2x)^2}{2\sqrt{3}(-3 + 2\sqrt{3}) \sqrt{-1 + 4\sqrt{3}x^2 + 4x^4}} \right) \right)$$

Mathematica [C] time = 1.73, size = 623, normalized size = 8.65

$$(2x + \sqrt{3} - 1)^2 \sqrt{\frac{-\frac{4}{2x + \sqrt{3} - 1} + \sqrt{3} + 1}{3 + \sqrt{3} + i\sqrt{2(2 + \sqrt{3})}}} \left(4\sqrt{3} \sqrt{\frac{2x^2 + \sqrt{3} + 2}{(2x + \sqrt{3} - 1)^2}} \sqrt{\sqrt{2(2 + \sqrt{3})} - i\left(\frac{8}{2x + \sqrt{3} - 1} - \sqrt{3} + 1\right)} \Pi \left(\frac{2\sqrt{2(2 + \sqrt{3})}}{\sqrt{2(2 + \sqrt{3})} + i} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(1 - Sqrt[3] + 2*x)/((1 + Sqrt[3] + 2*x)*Sqrt[-1 + 4*Sqrt[3]*x^2 + 4*x^4]), x]

[Out] ((-1 + Sqrt[3] + 2*x)^2*Sqrt[(1 + Sqrt[3] - 4/(-1 + Sqrt[3] + 2*x))/(3 + Sqrt[3] + I*Sqrt[2*(2 + Sqrt[3])]])*((I*(-1 + Sqrt[3] + I*Sqrt[2*(2 + Sqrt[3])])) + (2*((2*I)*Sqrt[3] - Sqrt[2*(2 + Sqrt[3])]) + Sqrt[6*(2 + Sqrt[3])]))/((-1 + Sqrt[3] + 2*x))*Sqrt[Sqrt[2*(2 + Sqrt[3])]] + I*(1 - Sqrt[3] + 8/(-1 + Sqrt[3] + 2*x))*EllipticF[ArcSin[Sqrt[Sqrt[2*(2 + Sqrt[3])]] - I*(1 - Sqrt[3] + 8/(-1 + Sqrt[3] + 2*x))]/(2^(3/4)*(2 + Sqrt[3])^(1/4))], ((2*I)*Sqrt[2*(2 + Sqrt[3])])/(3 + Sqrt[3] + I*Sqrt[2*(2 + Sqrt[3])]]) + 4*Sqrt[3]*Sqrt[(2 + Sqrt[3] + 2*x^2)/(-1 + Sqrt[3] + 2*x)^2]*Sqrt[Sqrt[2*(2 + Sqrt[3])]] - I*(1 - Sqrt[3] + 8/(-1 + Sqrt[3] + 2*x))*EllipticPi[(2*Sqrt[2*(2 + Sqrt[3])])/(Sqrt[2*(2 + Sqrt[3])]] + I*(3 + Sqrt[3])), ArcSin[Sqrt[Sqrt[2*(2 + Sqrt[3])]] - I*(1 - Sqrt[3] + 8/(-1 + Sqrt[3] + 2*x))]/(2^(3/4)*(2 + Sqrt[3])^(1/4))], ((2*I)*Sqrt[2*(2 + Sqrt[3])])/(3 + Sqrt[3] + I*Sqrt[2*(2 + Sqrt[3])]]))]/((Sqrt[2*(2 + Sqrt[3])]] + I*(3 + Sqrt[3]))*Sqrt[-2 + 8*Sqrt[3]*x^2 + 8*x^4]*Sqrt[Sqrt[2*(2 + Sqrt[3])]] - I*(1 - Sqrt[3] + 8/(-1 + Sqrt[3] + 2*x))])

fricas [B] time = 1.55, size = 328, normalized size = 4.56

$$\frac{1}{12} \sqrt{2\sqrt{3} - 3} \log \left(-\frac{2368x^{12} - 6528x^{11} + 12864x^{10} - 19264x^9 + 14832x^8 - 10944x^7 + 6432x^6 + 5472x^5 + \dots}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+2*x-3^(1/2))/(1+2*x+3^(1/2))/(-1+4*x^4+4*3^(1/2)*x^2)^(1/2),x,
algorithm="fricas")
```

```
[Out] 1/12*sqrt(2*sqrt(3) - 3)*log(-(2368*x^12 - 6528*x^11 + 12864*x^10 - 19264*x^9 + 14832*x^8 - 10944*x^7 + 6432*x^6 + 5472*x^5 + 3708*x^4 + 2408*x^3 + 804*x^2 + (1728*x^10 - 4800*x^9 + 8208*x^8 - 8928*x^7 + 6048*x^6 - 3024*x^5 - 504*x^4 - 504*x^3 - 324*x^2 + 2*sqrt(3)*(496*x^10 - 1408*x^9 + 2304*x^8 - 2640*x^7 + 1848*x^6 - 504*x^5 + 336*x^4 + 204*x^3 + 63*x^2 + 26*x + 4) - 72*x - 15)*sqrt(4*x^4 + 4*sqrt(3)*x^2 - 1)*sqrt(2*sqrt(3) - 3) + 3*sqrt(3)*(448*x^12 - 1280*x^11 + 2560*x^10 - 3200*x^9 + 3696*x^8 - 1920*x^7 - 960*x^5 - 924*x^4 - 400*x^3 - 160*x^2 - 40*x - 7) + 204*x + 37)/(64*x^12 + 384*x^11 + 768*x^10 + 320*x^9 - 720*x^8 - 576*x^7 + 384*x^6 + 288*x^5 - 180*x^4 - 40*x^3 + 48*x^2 - 12*x + 1))
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x - \sqrt{3} + 1}{\sqrt{4x^4 + 4\sqrt{3}x^2 - 1}(2x + \sqrt{3} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+2*x-3^(1/2))/(1+2*x+3^(1/2))/(-1+4*x^4+4*3^(1/2)*x^2)^(1/2),x,
algorithm="giac")
```

```
[Out] integrate((2*x - sqrt(3) + 1)/(sqrt(4*x^4 + 4*sqrt(3)*x^2 - 1)*(2*x + sqrt(3) + 1)), x)
```

maple [C] time = 0.16, size = 336, normalized size = 4.67

$$\frac{\sqrt{-(2\sqrt{3}-4)x^2+1} \sqrt{-(4+2\sqrt{3})x^2+1} \operatorname{EllipticF}\left(\left(i\sqrt{3}-i\right)x, i\sqrt{1+\sqrt{3}(4+2\sqrt{3})}\right)}{(i\sqrt{3}-i)\sqrt{4x^4+4\sqrt{3}x^2-1}} - 2\sqrt{3} \left(\frac{\sqrt{-(2\sqrt{3}-4)x^2+1}}{\sqrt{-(4+2\sqrt{3})x^2+1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1+2*x-3^(1/2))/(1+2*x+3^(1/2))/(-1+4*x^4+4*3^(1/2)*x^2)^(1/2),x)
```

```
[Out] 1/(I*3^(1/2)-I)*(1-(2*3^(1/2)-4)*x^2)^(1/2)*(1-(4+2*3^(1/2))*x^2)^(1/2)/(-1+4*x^4+4*3^(1/2)*x^2)^(1/2)*EllipticF(x*(I*3^(1/2)-I),I*(1+3^(1/2)*(4+2*3^(1/2)))
```


$$\frac{1}{2})^{1/2}) - 2 \cdot 3^{1/2} \cdot (-1/4 / (4 \cdot (-1/2 - 1/2 \cdot 3^{1/2}))^4 + 4 \cdot 3^{1/2} \cdot (-1/2 - 1/2 \cdot 3^{1/2})^{1/2})^{2-1} \cdot \operatorname{arctanh}(1/2 \cdot (4 \cdot 3^{1/2} \cdot (-1/2 - 1/2 \cdot 3^{1/2}))^{1/2} - 2 + 4 \cdot 3^{1/2} \cdot x^2 + 8 \cdot x^2 \cdot (-1/2 - 1/2 \cdot 3^{1/2}))^{1/2}) / (4 \cdot (-1/2 - 1/2 \cdot 3^{1/2}))^4 + 4 \cdot 3^{1/2} \cdot (-1/2 - 1/2 \cdot 3^{1/2})^{1/2})^{2-1} \cdot (-1 + 4 \cdot x^4 + 4 \cdot 3^{1/2} \cdot x^2)^{1/2}) - 1/2 / (2 \cdot 3^{1/2} - 4)^{1/2}) / (-1/2 - 1/2 \cdot 3^{1/2}) \cdot (1 - (2 \cdot 3^{1/2} - 4) \cdot x^2)^{1/2} \cdot (1 - (4 + 2 \cdot 3^{1/2}) \cdot x^2)^{1/2}) / (-1 + 4 \cdot x^4 + 4 \cdot 3^{1/2} \cdot x^2)^{1/2} \cdot \operatorname{EllipticPi}((2 \cdot 3^{1/2} - 4)^{1/2} \cdot x, 1 / (2 \cdot 3^{1/2} - 4) / (-1/2 - 1/2 \cdot 3^{1/2}))^2, (4 + 2 \cdot 3^{1/2})^{1/2} / (2 \cdot 3^{1/2} - 4)^{1/2}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x - \sqrt{3} + 1}{\sqrt{4x^4 + 4\sqrt{3}x^2 - 1}(2x + \sqrt{3} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+2*x-3^(1/2))/(1+2*x+3^(1/2))/(-1+4*x^4+4*3^(1/2)*x^2)^(1/2), x, algorithm="maxima")

[Out] integrate((2*x - sqrt(3) + 1)/(sqrt(4*x^4 + 4*sqrt(3)*x^2 - 1)*(2*x + sqrt(3) + 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{2x - \sqrt{3} + 1}{\sqrt{4x^4 + 4\sqrt{3}x^2 - 1}(2x + \sqrt{3} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x - 3^(1/2) + 1)/((4*3^(1/2)*x^2 + 4*x^4 - 1)^(1/2)*(2*x + 3^(1/2) + 1)), x)

[Out] int((2*x - 3^(1/2) + 1)/((4*3^(1/2)*x^2 + 4*x^4 - 1)^(1/2)*(2*x + 3^(1/2) + 1)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x - \sqrt{3} + 1}{(2x + 1 + \sqrt{3})\sqrt{4x^4 + 4\sqrt{3}x^2 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+2*x-3**(1/2))/(1+2*x+3**(1/2))/(-1+4*x**4+4*3**(1/2)*x**2)**(1/2), x)

[Out] Integral((2*x - sqrt(3) + 1)/((2*x + 1 + sqrt(3))*sqrt(4*x**4 + 4*sqrt(3)*x**2 - 1)), x)

$$3.411 \quad \int \frac{1 + \sqrt{3} + 2x}{(1 - \sqrt{3} + 2x)\sqrt{-1 - 4\sqrt{3}x^2 + 4x^4}} dx$$

Optimal. Leaf size=70

$$-\frac{1}{3}\sqrt{3 + 2\sqrt{3}} \tan^{-1} \left(\frac{(2x + \sqrt{3} + 1)^2}{2\sqrt{3}(3 + 2\sqrt{3})\sqrt{4x^4 - 4\sqrt{3}x^2 - 1}} \right)$$

[Out] $-1/3*\arctan(1/2*(1+2*x+3^{(1/2)})^2/(9+6*3^{(1/2)})^{(1/2)/(-1+4*x^4-4*3^{(1/2)*x^2})^{(1/2)}*(3+2*3^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 46, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {1740, 203}

$$-\frac{1}{3}\sqrt{3 + 2\sqrt{3}} \tan^{-1} \left(\frac{(2x + \sqrt{3} + 1)^2}{2\sqrt{3}(3 + 2\sqrt{3})\sqrt{4x^4 - 4\sqrt{3}x^2 - 1}} \right)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 + \text{Sqrt}[3] + 2*x)/((1 - \text{Sqrt}[3] + 2*x)*\text{Sqrt}[-1 - 4*\text{Sqrt}[3]*x^2 + 4*x^4]), x]$

[Out] $-(\text{Sqrt}[3 + 2*\text{Sqrt}[3]]*\text{ArcTan}[(1 + \text{Sqrt}[3] + 2*x)^2/(2*\text{Sqrt}[3*(3 + 2*\text{Sqrt}[3]))*\text{Sqrt}[-1 - 4*\text{Sqrt}[3]*x^2 + 4*x^4])])/3$

Rule 203

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTan}[(\text{Rt}[b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

Rule 1740

$\text{Int}[(A_ + (B_)*(x_))/(((d_ + (e_)*(x_))*\text{Sqrt}[(a_ + (b_)*(x_)^2 + (c_)*(x_)^4])), x_Symbol] \rightarrow -\text{Dist}[(A^2*(B*d + A*e))/e, \text{Subst}[\text{Int}[1/(6*A^3*B*d + 3*A^4*e - a*e*x^2), x], x, (A + B*x)^2/\text{Sqrt}[a + b*x^2 + c*x^4]], x] /; \text{FreeQ}\{a, b, c, d, e, A, B\}, x] \ \&\& \ \text{NeQ}[B*d - A*e, 0] \ \&\& \ \text{EqQ}[c^2*d^6 + a*e^4*(13*c*d^2 + b*e^2), 0] \ \&\& \ \text{EqQ}[b^2*e^4 - 12*c*d^2*(c*d^2 - b*e^2), 0] \ \&\& \ \text{EqQ}[4*A*c*d*e + B*(2*c*d^2 - b*e^2), 0]$

Rubi steps

$$\int \frac{1 + \sqrt{3} + 2x}{(1 - \sqrt{3} + 2x)\sqrt{-1 - 4\sqrt{3}x^2 + 4x^4}} dx = -\left(4(2 + \sqrt{3})\right) \text{Subst} \left(\int \frac{1}{12(1 - \sqrt{3})(1 + \sqrt{3})^3 + 6(1 + \sqrt{3})^4} \right. \\ \left. = -\frac{1}{3}\sqrt{3 + 2\sqrt{3}} \tan^{-1} \left(\frac{(1 + \sqrt{3} + 2x)^2}{2\sqrt{3}(3 + 2\sqrt{3})\sqrt{-1 - 4\sqrt{3}x^2 + 4x^4}} \right) \right)$$

Mathematica [C] time = 6.39, size = 881, normalized size = 12.59

$$\sqrt{\frac{\sqrt{3}-1-\frac{4}{-2x+\sqrt{3}+1}}{-3+\sqrt{3}-i\sqrt{4-2\sqrt{3}}}} (-2x + \sqrt{3} + 1)^2 \left(\frac{2i\left(2\sqrt{3}\sqrt{i\left(\sqrt{3}+1-\frac{8}{-2x+\sqrt{3}+1}\right)+\sqrt{4-2\sqrt{3}}}-i\sqrt{6}\sqrt{-\frac{2i((-1+\sqrt{3})x-4\sqrt{3}+7)}{-2x+\sqrt{3}+1}+2\sqrt{4-2\sqrt{3}}-\sqrt{1}}}{-2x+\sqrt{3}+1}} \right)}{2i\left(2\sqrt{3}\sqrt{i\left(\sqrt{3}+1-\frac{8}{-2x+\sqrt{3}+1}\right)+\sqrt{4-2\sqrt{3}}}-i\sqrt{6}\sqrt{-\frac{2i((-1+\sqrt{3})x-4\sqrt{3}+7)}{-2x+\sqrt{3}+1}+2\sqrt{4-2\sqrt{3}}-\sqrt{1}}}{-2x+\sqrt{3}+1}} \right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(1 + Sqrt[3] + 2*x)/((1 - Sqrt[3] + 2*x)*Sqrt[-1 - 4*Sqrt[3]*x^2 + 4*x^4]), x]

[Out] -((Sqrt[(-1 + Sqrt[3] - 4/(1 + Sqrt[3] - 2*x))]/(-3 + Sqrt[3] - I*Sqrt[4 - 2*Sqrt[3]]))*(1 + Sqrt[3] - 2*x)^2*((I*Sqrt[Sqrt[4 - 2*Sqrt[3]]] + I*(1 + Sqrt[3] - 8/(1 + Sqrt[3] - 2*x))) + I*Sqrt[3]*Sqrt[Sqrt[4 - 2*Sqrt[3]]] + I*(1 + Sqrt[3] - 8/(1 + Sqrt[3] - 2*x))) + Sqrt[-2*Sqrt[12 - 6*Sqrt[3]]] + 4*Sqrt[4 - 2*Sqrt[3]] - ((4*I)*(7 - 4*Sqrt[3] + (-1 + Sqrt[3])*x))/(1 + Sqrt[3] - 2*x)] - ((2*I)*(2*Sqrt[3]*Sqrt[Sqrt[4 - 2*Sqrt[3]]] + I*(1 + Sqrt[3] - 8/(1 + Sqrt[3] - 2*x))) - I*Sqrt[6]*Sqrt[-Sqrt[12 - 6*Sqrt[3]]] + 2*Sqrt[4 - 2*Sqrt[3]] - ((2*I)*(7 - 4*Sqrt[3] + (-1 + Sqrt[3])*x))/(1 + Sqrt[3] - 2*x)] - I*Sqrt[-2*Sqrt[12 - 6*Sqrt[3]]] + 4*Sqrt[4 - 2*Sqrt[3]] - ((4*I)*(7 - 4*Sqrt[3] + (-1 + Sqrt[3])*x))/(1 + Sqrt[3] - 2*x)))/(1 + Sqrt[3] - 2*x))*EllipticF[ArcSin[Sqrt[Sqrt[4 - 2*Sqrt[3]]] - I*(1 + Sqrt[3] - 8/(1 + Sqrt[3] - 2*x))]/(2^(3/4)*(2 - Sqrt[3])^(1/4))], (2*Sqrt[4 - 2*Sqrt[3]])/(Sqrt[4 - 2*Sqrt[3]] + I*(-3 + Sqrt[3]))] + 4*Sqrt[Sqrt[4 - 2*Sqrt[3]]] - I*(1 + Sqrt[3] - 8/(1 + Sqrt[3] - 2*x))]*Sqrt[(6 - 3*Sqrt[3] + 6*x^2)/(1 + Sqrt[3] - 2*x)^2]*EllipticPi[(2*Sqrt[4 - 2*Sqrt[3]])/(Sqrt[4 - 2*Sqrt[3]] - I*(-3 + Sqrt[3])), ArcSin[Sqrt[Sqrt[4 - 2*Sqrt[3]]] - I*(1 + Sqrt[3] - 8/(1 + Sqrt[3] - 2*x))]/(2^(3/4)*(2 - Sqrt[3])^(1/4))], (2*Sqrt[4 - 2*Sqrt[3]])/(Sqrt[4 - 2*Sqrt[3]] + I*(-3 + Sqrt[3])))]/(Sqrt[2]*(Sqrt[4 - 2*Sqrt[3]] - I*(-3 + Sqrt[3]))*Sqrt[Sqrt[4 - 2*Sqrt[3]]] - I*(1 + Sqrt[3] - 8/(1 + Sqrt[3] - 2*x))]*Sqrt[-1 - 4*Sqrt[3]*x^2 + 4*x^4]))

fricas [B] time = 1.41, size = 114, normalized size = 1.63

$$\frac{1}{6} \sqrt{2\sqrt{3} + 3} \arctan \left(-\frac{(36x^4 - 60x^3 + 18x^2 - \sqrt{3}(16x^4 - 40x^3 + 6x^2 - 10x + 1) + 6)\sqrt{4x^4 - 4\sqrt{3}x^2 - 1}\sqrt{2}}{88x^6 - 168x^5 + 132x^4 - 176x^3 - 66x^2 - 42x - 11} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+2*x+3^(1/2))/(1+2*x-3^(1/2))/(-1+4*x^4-4*3^(1/2)*x^2)^(1/2), x,
algorithm="fricas")

[Out] 1/6*sqrt(2*sqrt(3) + 3)*arctan(-(36*x^4 - 60*x^3 + 18*x^2 - sqrt(3)*(16*x^4 - 40*x^3 + 6*x^2 - 10*x + 1) + 6)*sqrt(4*x^4 - 4*sqrt(3)*x^2 - 1)*sqrt(2*sqrt(3) + 3)/(88*x^6 - 168*x^5 + 132*x^4 - 176*x^3 - 66*x^2 - 42*x - 11))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x + \sqrt{3} + 1}{\sqrt{4x^4 - 4\sqrt{3}x^2 - 1}(2x - \sqrt{3} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+2*x+3^(1/2))/(1+2*x-3^(1/2))/(-1+4*x^4-4*3^(1/2)*x^2)^(1/2), x,
algorithm="giac")

[Out] integrate((2*x + sqrt(3) + 1)/(sqrt(4*x^4 - 4*sqrt(3)*x^2 - 1)*(2*x - sqrt(3) + 1)), x)

maple [C] time = 0.15, size = 337, normalized size = 4.81

$$\frac{\sqrt{-(-4 - 2\sqrt{3})x^2 + 1} \sqrt{-(-2\sqrt{3} + 4)x^2 + 1} \operatorname{EllipticF}\left((i + i\sqrt{3})x, i\sqrt{1 - \sqrt{3}(-2\sqrt{3} + 4)}\right)}{(i + i\sqrt{3})\sqrt{4x^4 - 4\sqrt{3}x^2 - 1}} + 2\sqrt{3} \left(-\frac{\sqrt{-(-4 - 2\sqrt{3})x^2 + 1}}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+2*x+3^(1/2))/(1+2*x-3^(1/2))/(-1+4*x^4-4*3^(1/2)*x^2)^(1/2), x)

[Out] 1/(I+I*3^(1/2))*(1-(-4-2*3^(1/2))*x^2)^(1/2)*(1-(-2*3^(1/2)+4)*x^2)^(1/2)/(-1+4*x^4-4*3^(1/2)*x^2)^(1/2)*EllipticF(x*(I+I*3^(1/2)), I*(1-3^(1/2)*(-2*3^(1/2)+4)))

$$\begin{aligned} & ((1/2)+4))^{(1/2)}+2*3^{(1/2)}*(-1/4/(4*(1/2*3^{(1/2)}-1/2)^4-4*3^{(1/2)}*(1/2*3^{(1/2)} \\ & /2)-1/2)^2-1)^{(1/2)}*\operatorname{arctanh}(1/2*(-4*3^{(1/2)}*(1/2*3^{(1/2)}-1/2)^2-2-4*3^{(1/2)} \\ & *x^2+8*x^2*(1/2*3^{(1/2)}-1/2)^2)/(4*(1/2*3^{(1/2)}-1/2)^4-4*3^{(1/2)}*(1/2*3^{(1/2)} \\ & /2)-1/2)^2-1)^{(1/2)} / (-1+4*x^4-4*3^{(1/2)}*x^2)^{(1/2)} - 1/2 / (-4-2*3^{(1/2)})^{(1/2)} \\ & / (1/2*3^{(1/2)}-1/2)*(1-(-4-2*3^{(1/2)})*x^2)^{(1/2)}*(1-(-2*3^{(1/2)}+4)*x^2)^{(1/2)} \\ &) / (-1+4*x^4-4*3^{(1/2)}*x^2)^{(1/2)} * \operatorname{EllipticPi}((-4-2*3^{(1/2)})^{(1/2)}*x, 1/(-4-2* \\ & 3^{(1/2)}) / (1/2*3^{(1/2)}-1/2)^2, (-2*3^{(1/2)}+4)^{(1/2)} / (-4-2*3^{(1/2)})^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x + \sqrt{3} + 1}{\sqrt{4x^4 - 4\sqrt{3}x^2 - 1}(2x - \sqrt{3} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+2*x+3^(1/2))/(1+2*x-3^(1/2))/(-1+4*x^4-4*3^(1/2)*x^2)^(1/2), x, algorithm="maxima")

[Out] integrate((2*x + sqrt(3) + 1)/(sqrt(4*x^4 - 4*sqrt(3)*x^2 - 1)*(2*x - sqrt(3) + 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{2x + \sqrt{3} + 1}{\sqrt{4x^4 - 4\sqrt{3}x^2 - 1}(2x - \sqrt{3} + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x + 3^(1/2) + 1)/((4*x^4 - 4*3^(1/2)*x^2 - 1)^(1/2)*(2*x - 3^(1/2) + 1)), x)

[Out] int((2*x + 3^(1/2) + 1)/((4*x^4 - 4*3^(1/2)*x^2 - 1)^(1/2)*(2*x - 3^(1/2) + 1)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x + 1 + \sqrt{3}}{(2x - \sqrt{3} + 1)\sqrt{4x^4 - 4\sqrt{3}x^2 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+2*x+3**(1/2))/(1+2*x-3**(1/2))/(-1+4*x**4-4*3**(1/2)*x**2)**(1/2), x)

[Out] Integral((2*x + 1 + sqrt(3))/((2*x - sqrt(3) + 1)*sqrt(4*x**4 - 4*sqrt(3)*x**2 - 1)), x)

$$3.412 \quad \int \frac{f+gx}{(d+ex)\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=560

$$\frac{(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{4}\left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right) (\sqrt{a}eg + \sqrt{c}df) (\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} (\sqrt{c}a)}{2\sqrt[4]{a}\sqrt[4]{c}\sqrt{a+bx^2+cx^4}(\sqrt{a}e^2 + \sqrt{c}d^2)} \quad 4\sqrt[4]{a}$$

[Out] $\frac{1}{2}*(-d*g+e*f)*\arctan(x*(-a*e^4-b*d^2*e^2-c*d^4)^{(1/2)}/d/e/(c*x^4+b*x^2+a)^{(1/2)})/(-a*e^4-b*d^2*e^2-c*d^4)^{(1/2)}-1/2*(-d*g+e*f)*\operatorname{arctanh}(1/2*(b*d^2+2*a*e^2+(b*e^2+2*c*d^2)*x^2)/(a*e^4+b*d^2*e^2+c*d^4)^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)})/(a*e^4+b*d^2*e^2+c*d^4)^{(1/2)}-1/4*(-d*g+e*f)*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticPi}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/4*(e^2*a^{(1/2)}+d^2*c^{(1/2)})^2/d^2/e^2/a^{(1/2)}/c^{(1/2)},1/2*(2-b/a^{(1/2)}/c^{(1/2)})^2)^{(1/2)})*(-e^2*a^{(1/2)}+d^2*c^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+b*x^2+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/c^{(1/4)}/d/e/(e^2*a^{(1/2)}+d^2*c^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)}+1/2*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\operatorname{EllipticF}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*(2-b/a^{(1/2)}/c^{(1/2)})^2)^{(1/2)})*(e*g*a^{(1/2)}+d*f*c^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+b*x^2+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/a^{(1/4)}/c^{(1/4)}/(e^2*a^{(1/2)}+d^2*c^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)}$

Rubi [A] time = 0.62, antiderivative size = 560, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$, Rules used = {1741, 12, 1247, 724, 206, 1708, 1103, 1706}

$$\frac{(ef - dg) \tan^{-1}\left(\frac{x\sqrt{-ae^4-bd^2e^2-cd^4}}{de\sqrt{a+bx^2+cx^4}}\right)}{2\sqrt{-e^2(ae^2 + bd^2) - cd^4}} - \frac{(ef - dg) \tanh^{-1}\left(\frac{2ae^2+x^2(be^2+2cd^2)+bd^2}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^4+bd^2e^2+cd^4}}\right)}{2\sqrt{ae^4 + bd^2e^2 + cd^4}} + \frac{(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \middle| \frac{1}{4}\left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right) (\sqrt{a}eg + \sqrt{c}df) (\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} (\sqrt{c}a)}{2\sqrt[4]{a}\sqrt[4]{c}\sqrt{a+bx^2+cx^4}(\sqrt{a}e^2 + \sqrt{c}d^2)}$$

Antiderivative was successfully verified.

[In] Int[(f + g*x)/((d + e*x)*Sqrt[a + b*x^2 + c*x^4]), x]

[Out] $((e*f - d*g)*\operatorname{ArcTan}[(\operatorname{Sqrt}[-(c*d^4) - b*d^2*e^2 - a*e^4]*x)/(d*e*\operatorname{Sqrt}[a + b*x^2 + c*x^4]])/(2*\operatorname{Sqrt}[-(c*d^4) - e^2*(b*d^2 + a*e^2)]) - ((e*f - d*g)*\operatorname{ArcTanh}[(b*d^2 + 2*a*e^2 + (2*c*d^2 + b*e^2)*x^2)/(2*\operatorname{Sqrt}[c*d^4 + b*d^2*e^2 + a*e^4]*\operatorname{Sqrt}[a + b*x^2 + c*x^4]])/(2*\operatorname{Sqrt}[c*d^4 + b*d^2*e^2 + a*e^4]) + ((\operatorname{Sqrt}[c]*d*f + \operatorname{Sqrt}[a]*e*g)*(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[c]*x^2)*\operatorname{Sqrt}[(a + b*x^2 + c*x^4)/(\operatorname{Sqrt}[a] + \operatorname{Sqrt}[c]*x^2)^2]*\operatorname{EllipticF}[2*\operatorname{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], (2 - b/(\operatorname{Sqrt}[a]*\operatorname{Sqrt}[c]))/4])/(2*a^{(1/4)}*c^{(1/4)}*(\operatorname{Sqrt}[c]*d^2 + \operatorname{Sqrt}[a]*e^2)*\operatorname{Sqrt}[$

$$a + b*x^2 + c*x^4) - ((\text{Sqrt}[c]*d^2 - \text{Sqrt}[a]*e^2)*(e*f - d*g)*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + b*x^2 + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2]*\text{EllipticPi}[(\text{Sqrt}[c]*d^2 + \text{Sqrt}[a]*e^2)^2/(4*\text{Sqrt}[a]*\text{Sqrt}[c]*d^2*e^2), 2*\text{ArcTan}[(c^{1/4})*x/a^{1/4}], (2 - b/(\text{Sqrt}[a]*\text{Sqrt}[c]))/4)]/(4*a^{1/4}*c^{1/4}*d*e*(\text{Sqrt}[c]*d^2 + \text{Sqrt}[a]*e^2)*\text{Sqrt}[a + b*x^2 + c*x^4])$$
Rule 12

$$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$$
Rule 206

$$\text{Int}[(a_*) + (b_*)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$$
Rule 724

$$\text{Int}[1/(((d_*) + (e_*)(x_))*\text{Sqrt}[(a_*) + (b_*)(x_) + (c_*)(x_)^2]), x_Symbol] \rightarrow \text{Dist}[-2, \text{Subst}[\text{Int}[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/\text{Sqrt}[a + b*x + c*x^2]], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[2*c*d - b*e, 0]$$
Rule 1103

$$\text{Int}[1/\text{Sqrt}[(a_*) + (b_*)(x_)^2 + (c_*)(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, \text{Simp}[(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2 - (b*q^2)/(4*c)]]/(2*q*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$$
Rule 1247

$$\text{Int}[(x_)*((d_*) + (e_*)(x_)^2)^{(q_*)}*((a_*) + (b_*)(x_)^2 + (c_*)(x_)^4)^{(p_*)}, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, d, e, p, q\}, x]$$
Rule 1706

$$\text{Int}[(A_*) + (B_*)(x_)^2)/(((d_*) + (e_*)(x_)^2)*\text{Sqrt}[(a_*) + (b_*)(x_)^2 + (c_*)(x_)^4]), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[B/A, 2]\}, -\text{Simp}[(B*d - A*e)*\text{ArcTan}[(\text{Rt}[-b + (c*d)/e + (a*e)/d, 2]*x)/\text{Sqrt}[a + b*x^2 + c*x^4]]/(2*d*e*\text{Rt}[-b + (c*d)/e + (a*e)/d, 2]), x] + \text{Simp}[(B*d + A*e)*(A + B*x^2)*\text{Sqrt}[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*\text{EllipticPi}[\text{Cancel}[-(B*d - A*e)^2/(4*d*e*A*B)], 2*\text{ArcTan}[q*x], 1/2 - (b*A)/(4*a*B)]]/(4*d*e*A*q*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{FreeQ}[\{a, b, c, d, e, A, B\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\&$$

NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

Rule 1708

Int[((A_.) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(A*(c*d + a*e*q) - a*B*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(a*(B*d - A*e)*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]

Rule 1741

Int[(Px_)/(((d_) + (e_.)*(x_))*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{A = Coeff[Px, x, 0], B = Coeff[Px, x, 1], C = Coeff[Px, x, 2], D = Coeff[Px, x, 3]}, Int[(x*(B*d - A*e + (d*D - C*e)*x^2))/((d^2 - e^2*x^2)*Sqrt[a + b*x^2 + c*x^4]), x] + Int[(A*d + (C*d - B*e)*x^2 - D*e*x^4)/((d^2 - e^2*x^2)*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[Px, x] && LeQ[Expon[Px, x], 3] && NeQ[c*d^4 + b*d^2*e^2 + a*e^4, 0]

Rubi steps

(Sqrt[-(b/c) - Sqrt[b^2 - 4*a*c]/c]*e)/Sqrt[2]), ArcSin[Sqrt[((Sqrt[(-b - Sqrt[b^2 - 4*a*c])/c] - Sqrt[(-b + Sqrt[b^2 - 4*a*c])/c])*(Sqrt[2]*Sqrt[(-b - Sqrt[b^2 - 4*a*c])/c] + 2*x))/((Sqrt[(-b - Sqrt[b^2 - 4*a*c])/c] + Sqrt[(-b + Sqrt[b^2 - 4*a*c])/c])*(Sqrt[2]*Sqrt[(-b - Sqrt[b^2 - 4*a*c])/c] - 2*x))], (Sqrt[(-b - Sqrt[b^2 - 4*a*c])/c] + Sqrt[(-b + Sqrt[b^2 - 4*a*c])/c])^2/(Sqrt[(-b - Sqrt[b^2 - 4*a*c])/c] - Sqrt[(-b + Sqrt[b^2 - 4*a*c])/c])^2)))/(Sqrt[(-b - Sqrt[b^2 - 4*a*c])/c]*(Sqrt[-(b/c) - Sqrt[b^2 - 4*a*c]/c]/Sqrt[2] - Sqrt[-(b/c) + Sqrt[b^2 - 4*a*c]/c]/Sqrt[2])*e*(-d - (Sqrt[-(b/c) - Sqrt[b^2 - 4*a*c]/c]*e)/Sqrt[2])*(d - (Sqrt[-(b/c) - Sqrt[b^2 - 4*a*c]/c]*e)/Sqrt[2])*Sqrt[a + b*x^2 + c*x^4])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x+f)/(e*x+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx + f}{\sqrt{cx^4 + bx^2 + a}(ex + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x+f)/(e*x+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] integrate((g*x + f)/(sqrt(c*x^4 + b*x^2 + a)*(e*x + d)), x)

maple [A] time = 0.02, size = 437, normalized size = 0.78

$$\frac{\sqrt{2} \sqrt{-\frac{2(-b + \sqrt{-4ac + b^2})x^2}{a}} + 4 \sqrt{\frac{2(b + \sqrt{-4ac + b^2})x^2}{a}} + 4 g \operatorname{EllipticF}\left(\frac{\sqrt{2} \sqrt{\frac{-b + \sqrt{-4ac + b^2}}{a}} x}{2}, \sqrt{\frac{2(b + \sqrt{-4ac + b^2})b}{ac} - 4}\right) (-dg + e)}{4 \sqrt{\frac{-b + \sqrt{-4ac + b^2}}{a}} \sqrt{cx^4 + bx^2 + a} e} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((g*x+f)/(e*x+d)/(c*x^4+b*x^2+a)^(1/2),x)

```
[Out] 1/4*g/e*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(-4*a*c+b^2)^(1/2)))/a*x^2+4)^(1/2)*(2*(b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(c*x^4+b*x^2+a)^(1/2)*EllipticF(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))+(-d*g+e*f)/e^2*(-1/2/(c*d^4/e^4+b*d^2/e^2+a)^(1/2)*arctanh(1/2*(2*c*d^2/e^2*x^2+b*x^2+b*d^2/e^2+2*a)/(c*d^4/e^4+b*d^2/e^2+a)^(1/2)/(c*x^4+b*x^2+a)^(1/2))+2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)/d*e*(1-1/2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2)^(1/2)*(1+1/2*(b+(-4*a*c+b^2)^(1/2))/a*x^2)^(1/2)/(c*x^4+b*x^2+a)^(1/2)*EllipticPi(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,2/(-b+(-4*a*c+b^2)^(1/2))*a/d^2*e^2,(-1/2*(b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx + f}{\sqrt{cx^4 + bx^2 + a}(ex + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)/(e*x+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((g*x + f)/(sqrt(c*x^4 + b*x^2 + a)*(e*x + d)), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{f + gx}{(d + ex) \sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f + g*x)/((d + e*x)*(a + b*x^2 + c*x^4)^(1/2)),x)
```

```
[Out] int((f + g*x)/((d + e*x)*(a + b*x^2 + c*x^4)^(1/2)), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{f + gx}{(d + ex) \sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x+f)/(e*x+d)/(c*x**4+b*x**2+a)**(1/2),x)
```

```
[Out] Integral((f + g*x)/((d + e*x)*sqrt(a + b*x**2 + c*x**4)), x)
```

$$3.413 \quad \int \frac{f+gx}{(d+ex)\sqrt{-a+bx^2+cx^4}} dx$$

Optimal. Leaf size=527

$$\frac{\sqrt{\sqrt{4ac+b^2}-b}\sqrt{\frac{2cx^2}{b-\sqrt{4ac+b^2}}+1}\sqrt{\frac{2cx^2}{\sqrt{4ac+b^2}+b}+1}(ef-dg)\Pi\left(-\frac{(b-\sqrt{b^2+4ac})e^2}{2cd^2}; \sin^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{\sqrt{b^2+4ac}-b}}\right)\middle|\frac{b-\sqrt{b^2+4ac}}{b+\sqrt{b^2+4ac}}\right)}{\sqrt{2}\sqrt{c}de\sqrt{-a+bx^2+cx^4}}$$

[Out] $-1/2*(-d*g+e*f)*\operatorname{arctanh}(1/2*(b*d^2-2*a*e^2+(b*e^2+2*c*d^2)*x^2)/(-a*e^4+b*d^2*e^2+c*d^4))^{(1/2)}/(c*x^4+b*x^2-a)^{(1/2)}/(-a*e^4+b*d^2*e^2+c*d^4)^{(1/2)}+1/2*g*(1/(1+2*c*x^2/(b+(4*a*c+b^2)^{(1/2)})))^{(1/2)}*(1+2*c*x^2/(b+(4*a*c+b^2)^{(1/2)}))^{(1/2)}*\operatorname{EllipticF}(x^{(1/2)}*c^{(1/2)}/(b+(4*a*c+b^2)^{(1/2)})^{(1/2)}/(1+2*c*x^2/(b+(4*a*c+b^2)^{(1/2)})))^{(1/2)}, (-2*(4*a*c+b^2)^{(1/2)}/(b-(4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^2/(b-(4*a*c+b^2)^{(1/2)}))^{(1/2)}/e^{(1/2)}/c^{(1/2)}/(c*x^4+b*x^2-a)^{(1/2)}/((1+2*c*x^2/(b-(4*a*c+b^2)^{(1/2)}))^{(1/2)})/(1+2*c*x^2/(b+(4*a*c+b^2)^{(1/2)})))^{(1/2)}+1/2*(-d*g+e*f)*\operatorname{EllipticPi}(x^{(1/2)}*c^{(1/2)}/(-b+(4*a*c+b^2)^{(1/2)})^{(1/2)}, -1/2*e^2*(b-(4*a*c+b^2)^{(1/2)})/c/d^2, ((b-(4*a*c+b^2)^{(1/2)})/(b+(4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^2/(b-(4*a*c+b^2)^{(1/2)}))^{(1/2)}*(-b+(4*a*c+b^2)^{(1/2)})^{(1/2)}*(1+2*c*x^2/(b+(4*a*c+b^2)^{(1/2)}))^{(1/2)})/d/e^{(1/2)}/c^{(1/2)}/(c*x^4+b*x^2-a)^{(1/2)}$

Rubi [A] time = 0.72, antiderivative size = 527, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.323$, Rules used = {1741, 12, 1247, 724, 206, 1710, 1104, 418, 1220, 537}

$$\frac{\sqrt{\sqrt{4ac+b^2}-b}\sqrt{\frac{2cx^2}{b-\sqrt{4ac+b^2}}+1}\sqrt{\frac{2cx^2}{\sqrt{4ac+b^2}+b}+1}(ef-dg)\Pi\left(-\frac{(b-\sqrt{b^2+4ac})e^2}{2cd^2}; \sin^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{\sqrt{b^2+4ac}-b}}\right)\middle|\frac{b-\sqrt{b^2+4ac}}{b+\sqrt{b^2+4ac}}\right)}{\sqrt{2}\sqrt{c}de\sqrt{-a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(f+g*x)/((d+e*x)*\operatorname{Sqrt}[-a+b*x^2+c*x^4]),x]$

[Out] $-((e*f-d*g)*\operatorname{ArcTan}[(b*d^2-2*a*e^2+(2*c*d^2+b*e^2)*x^2)/(2*\operatorname{Sqrt}[c*d^4+b*d^2*e^2-a*e^4]*\operatorname{Sqrt}[-a+b*x^2+c*x^4]])/(2*\operatorname{Sqrt}[c*d^4+b*d^2*e^2-a*e^4])+(\operatorname{Sqrt}[b+\operatorname{Sqrt}[b^2+4*a*c]]*g*(1+(2*c*x^2)/(b-\operatorname{Sqrt}[b^2+4*a*c]))*\operatorname{EllipticF}[\operatorname{ArcTan}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*x)/\operatorname{Sqrt}[b+\operatorname{Sqrt}[b^2+4*a*c]]], (-2*\operatorname{Sqrt}[b^2+4*a*c])/(b-\operatorname{Sqrt}[b^2+4*a*c])]/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*e*\operatorname{Sqrt}$

$$\frac{((1 + (2cx^2)/(b - \sqrt{b^2 + 4ac}))/((1 + (2cx^2)/(b + \sqrt{b^2 + 4ac})))) \sqrt{-a + bx^2 + cx^4} + (\sqrt{-b + \sqrt{b^2 + 4ac}})(ef - dg) \sqrt{1 + (2cx^2)/(b - \sqrt{b^2 + 4ac})} \sqrt{1 + (2cx^2)/(b + \sqrt{b^2 + 4ac})} \text{EllipticPi}[-((b - \sqrt{b^2 + 4ac})e^2)/(2cd^2), \text{ArcSin}[(\sqrt{2}\sqrt{c}x)/\sqrt{-b + \sqrt{b^2 + 4ac}}]], (b - \sqrt{b^2 + 4ac})/(b + \sqrt{b^2 + 4ac})})/(\sqrt{2}\sqrt{c}de\sqrt{-a + bx^2 + cx^4})$$
Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 418

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)^2]*Sqrt[(c_) + (d_.)*(x_)^2]), x_Symbol] := Simp[(Sqrt[a + b*x^2]*EllipticF[ArcTan[Rt[d/c, 2]*x], 1 - (b*c)/(a*d)])/(a*Rt[d/c, 2]*Sqrt[c + d*x^2]*Sqrt[(c*(a + b*x^2))/(a*(c + d*x^2))]), x] /; FreeQ[{a, b, c, d}, x] && PosQ[d/c] && PosQ[b/a] && !SimplerSqrtQ[b/a, d/c]
```

Rule 537

```
Int[1/(((a_) + (b_.)*(x_)^2)*Sqrt[(c_) + (d_.)*(x_)^2]*Sqrt[(e_) + (f_.)*(x_)^2]), x_Symbol] := Simp[(1*EllipticPi[(b*c)/(a*d), ArcSin[Rt[-(d/c), 2]*x], (c*f)/(d*e)])/(a*Sqrt[c]*Sqrt[e]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d, e, f}, x] && !GtQ[d/c, 0] && GtQ[c, 0] && GtQ[e, 0] && !( !GtQ[f/e, 0] && SimplerSqrtQ[-(f/e), -(d/c)])
```

Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 1104

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(Sqrt[1 + (2*c*x^2)/(b - q)]*Sqrt[1 + (2*c*x^2)/(b + q)])/Sqrt[a + b*x^2 + c*x^4], Int[1/(Sqrt[1 + (2*c*x^2)/(b - q)]*Sqrt[1 + (2*c*x^2)/(b + q)]), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] &
```

& NegQ[c/a]

Rule 1220

Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(Sqrt[1 + (2*c*x^2)/(b - q)]*Sqrt[1 + (2*c*x^2)/(b + q)])/Sqrt[a + b*x^2 + c*x^4], Int[1/((d + e*x^2)*Sqrt[1 + (2*c*x^2)/(b - q)]*Sqrt[1 + (2*c*x^2)/(b + q)]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[c/a]

Rule 1247

Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

Rule 1710

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := Dist[B/e, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(e*A - d*B)/e, Int[1/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[c/a]

Rule 1741

Int[(Px_)/(((d_) + (e_)*(x_))*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{A = Coeff[Px, x, 0], B = Coeff[Px, x, 1], C = Coeff[Px, x, 2], D = Coeff[Px, x, 3]}, Int[(x*(B*d - A*e + (d*D - C*e)*x^2))/((d^2 - e^2*x^2)*Sqrt[a + b*x^2 + c*x^4]), x] + Int[(A*d + (C*d - B*e)*x^2 - D*e*x^4)/((d^2 - e^2*x^2)*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[Px, x] && LeQ[Expon[Px, x], 3] && NeQ[c*d^4 + b*d^2*e^2 + a*e^4, 0]

Rubi steps

$$\begin{aligned}
\int \frac{f + gx}{(d + ex)\sqrt{-a + bx^2 + cx^4}} dx &= \int \frac{(-ef + dg)x}{(d^2 - e^2x^2)\sqrt{-a + bx^2 + cx^4}} dx + \int \frac{df - egx^2}{(d^2 - e^2x^2)\sqrt{-a + bx^2 + cx^4}} dx \\
&= \frac{g \int \frac{1}{\sqrt{-a + bx^2 + cx^4}} dx}{e} + \frac{(d(ef - dg)) \int \frac{1}{(d^2 - e^2x^2)\sqrt{-a + bx^2 + cx^4}} dx}{e} + (-ef + dg) \int \frac{1}{(d^2 - e^2x^2)\sqrt{-a + bx^2 + cx^4}} dx \\
&= \frac{1}{2}(-ef + dg) \text{Subst} \left(\int \frac{1}{(d^2 - e^2x)\sqrt{-a + bx + cx^2}} dx, x, x^2 \right) + \frac{\left(g\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}} \right)}{\sqrt{b + \sqrt{b^2 + 4ac}}} \\
&= \frac{\sqrt{b + \sqrt{b^2 + 4ac}} g \left(1 + \frac{2cx^2}{b - \sqrt{b^2 + 4ac}} \right) F \left(\tan^{-1} \left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 + 4ac}}} \right) \middle| -\frac{2\sqrt{b^2 + 4ac}}{b - \sqrt{b^2 + 4ac}} \right)}{\sqrt{2}\sqrt{c}e \sqrt{\frac{1 + \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}}{1 + \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}}} \sqrt{-a + bx^2 + cx^4}} + \frac{\sqrt{b + \sqrt{b^2 + 4ac}} g \left(1 + \frac{2cx^2}{b - \sqrt{b^2 + 4ac}} \right)}{\sqrt{2}\sqrt{c}e \sqrt{\frac{1 + \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}}{1 + \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}}}} \\
&= -\frac{(ef - dg) \tanh^{-1} \left(\frac{bd^2 - 2ae^2 + (2cd^2 + be^2)x^2}{2\sqrt{cd^4 + bd^2e^2 - ae^4} \sqrt{-a + bx^2 + cx^4}} \right)}{2\sqrt{cd^4 + bd^2e^2 - ae^4}} + \frac{\sqrt{b + \sqrt{b^2 + 4ac}} g \left(1 + \frac{2cx^2}{b - \sqrt{b^2 + 4ac}} \right)}{\sqrt{2}\sqrt{c}e \sqrt{\frac{1 + \frac{2cx^2}{b - \sqrt{b^2 + 4ac}}}{1 + \frac{2cx^2}{b + \sqrt{b^2 + 4ac}}}}}
\end{aligned}$$

Mathematica [C] time = 7.87, size = 3658, normalized size = 6.94

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[(f + g*x)/((d + e*x)*Sqrt[-a + b*x^2 + c*x^4]),x]

[Out] ((-I)*g*Sqrt[1 - (2*c*x^2)/(-b - Sqrt[b^2 + 4*a*c])]*Sqrt[1 - (2*c*x^2)/(-b + Sqrt[b^2 + 4*a*c])]*EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[-(c/(-b - Sqrt[b^2 + 4*a*c]))]*x], (-b - Sqrt[b^2 + 4*a*c])/(-b + Sqrt[b^2 + 4*a*c])]/(Sqrt[2]*Sqrt[-(c/(-b - Sqrt[b^2 + 4*a*c]))]*e*Sqrt[-a + b*x^2 + c*x^4]) + (2*(Sqrt[-(b/c) - Sqrt[b^2 + 4*a*c]/c]/Sqrt[2] + Sqrt[-(b/c) + Sqrt[b^2 + 4*a*c]/c]/Sqrt[2])*f*(-(Sqrt[-(b/c) - Sqrt[b^2 + 4*a*c]/c]/Sqrt[2]) + x)^2*Sqrt[(Sqrt[-(b - Sqrt[b^2 + 4*a*c])/c]*(-Sqrt[-(b/c) + Sqrt[b^2 + 4*a*c]/c]/Sqrt[2]) + x))/((Sqrt[-(b/c) - Sqrt[b^2 + 4*a*c]/c]/Sqrt[2] + Sqrt[-(b/c) + Sqrt[b^2 + 4*a*c]/c]/Sqrt[2])*(-Sqrt[-(b/c) - Sqrt[b^2 + 4*a*c]/c]/Sqrt[2]) + x))*Sqrt[(Sqrt[-(b - Sqrt[b^2 + 4*a*c])/c]*(Sqrt[-(b/c) + Sqrt[b^2 + 4*a*c]/c])

$$\begin{aligned}
& /c]/\text{Sqrt}[2] + x))/((\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2] - \text{Sqrt}[-(b/c) \\
&) + \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2]))*(-(\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqr} \\
& \text{t}[2]) + x))*\text{Sqrt}[(\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] - \text{Sqrt}[(-b + \text{Sqrt}[b^2 \\
& + 4*a*c])/c])*(\text{Sqrt}[2]*\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] + 2*x)))/((\text{Sqrt}[(-b \\
& - \text{Sqrt}[b^2 + 4*a*c])/c] + \text{Sqrt}[(-b + \text{Sqrt}[b^2 + 4*a*c])/c])*(\text{Sqrt}[2]*\text{Sqrt}[(\\
& -b - \text{Sqrt}[b^2 + 4*a*c])/c] - 2*x)))*((-d + (\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 + 4*a*c] \\
& /c]*e)/\text{Sqrt}[2])*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] - \\
& \text{Sqrt}[(-b + \text{Sqrt}[b^2 + 4*a*c])/c])*(\text{Sqrt}[2]*\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] \\
& + 2*x)))/((\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] + \text{Sqrt}[(-b + \text{Sqrt}[b^2 + 4*a*c]) \\
& /c])*(\text{Sqrt}[2]*\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] - 2*x))]], (\text{Sqrt}[(-b - \text{Sqrt}[\\
& b^2 + 4*a*c])/c] + \text{Sqrt}[(-b + \text{Sqrt}[b^2 + 4*a*c])/c])^2/(\text{Sqrt}[(-b - \text{Sqrt}[b^2 \\
& + 4*a*c])/c] - \text{Sqrt}[(-b + \text{Sqrt}[b^2 + 4*a*c])/c])^2] - \text{Sqrt}[2]*\text{Sqrt}[(-b - S \\
& \text{qrt}[b^2 + 4*a*c])/c]*e*\text{EllipticPi}[(\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt} \\
& [2] + \text{Sqrt}[-(b/c) + \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2])*(d + (\text{Sqrt}[-(b/c) - \text{Sqrt}[\\
& b^2 + 4*a*c]/c]*e)/\text{Sqrt}[2])))/((- (\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2] \\
&) + \text{Sqrt}[-(b/c) + \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2])*(d - (\text{Sqrt}[-(b/c) - \text{Sqrt}[b^ \\
& 2 + 4*a*c]/c]*e)/\text{Sqrt}[2])), \text{ArcSin}[\text{Sqrt}[(\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] \\
& - \text{Sqrt}[(-b + \text{Sqrt}[b^2 + 4*a*c])/c])*(\text{Sqrt}[2]*\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/ \\
& c] + 2*x)))/((\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] + \text{Sqrt}[(-b + \text{Sqrt}[b^2 + 4*a*c] \\
&])/c])*(\text{Sqrt}[2]*\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] - 2*x))]], (\text{Sqrt}[(-b - Sqr \\
& t[b^2 + 4*a*c])/c] + \text{Sqrt}[(-b + \text{Sqrt}[b^2 + 4*a*c])/c])^2/(\text{Sqrt}[(-b - \text{Sqrt}[b \\
& ^2 + 4*a*c])/c] - \text{Sqrt}[(-b + \text{Sqrt}[b^2 + 4*a*c])/c])^2)))/(\text{Sqrt}[(-b - \text{Sqrt}[b \\
& ^2 + 4*a*c])/c]*(\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2] - \text{Sqrt}[-(b/c) + \\
& \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2])*(-d - (\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 + 4*a*c]/c]*e) \\
& /\text{Sqrt}[2])*(d - (\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 + 4*a*c]/c]*e)/\text{Sqrt}[2])* \text{Sqrt}[-a + b* \\
& x^2 + c*x^4] - (2*(\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2] + \text{Sqrt}[-(b/c) \\
&) + \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2])*d*g*(-(\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 + 4*a*c]/c] \\
& /\text{Sqrt}[2]) + x)^2*\text{Sqrt}[(\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c]*(-(\text{Sqrt}[-(b/c) + Sq \\
& rt[b^2 + 4*a*c]/c]/\text{Sqrt}[2]) + x))/((\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt} \\
& [2] + \text{Sqrt}[-(b/c) + \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2])*(-(\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 \\
& + 4*a*c]/c]/\text{Sqrt}[2]) + x))]*\text{Sqrt}[(\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c]*(\text{Sqrt}[- \\
& (b/c) + \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2] + x))/((\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 + 4*a*c] \\
&])/c]/\text{Sqrt}[2] - \text{Sqrt}[-(b/c) + \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2])*(-(\text{Sqrt}[-(b/c) - \\
& \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2]) + x))*\text{Sqrt}[(\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/ \\
& c] - \text{Sqrt}[(-b + \text{Sqrt}[b^2 + 4*a*c])/c])*(\text{Sqrt}[2]*\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c] \\
&])/c] + 2*x)))/((\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] + \text{Sqrt}[(-b + \text{Sqrt}[b^2 + 4* \\
& a*c])/c])*(\text{Sqrt}[2]*\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] - 2*x)))*((-d + (\text{Sqrt}[- \\
& (b/c) - \text{Sqrt}[b^2 + 4*a*c]/c]*e)/\text{Sqrt}[2])*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(\text{Sqrt}[(-b - \\
& \text{Sqrt}[b^2 + 4*a*c])/c] - \text{Sqrt}[(-b + \text{Sqrt}[b^2 + 4*a*c])/c])*(\text{Sqrt}[2]*\text{Sqrt}[(- \\
& b - \text{Sqrt}[b^2 + 4*a*c])/c] + 2*x)))/((\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] + \text{Sqrt} \\
& [(-b + \text{Sqrt}[b^2 + 4*a*c])/c])*(\text{Sqrt}[2]*\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] - 2 \\
& *x))]], (\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] + \text{Sqrt}[(-b + \text{Sqrt}[b^2 + 4*a*c])/c] \\
&])^2/(\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c] - \text{Sqrt}[(-b + \text{Sqrt}[b^2 + 4*a*c])/c])^ \\
& 2] - \text{Sqrt}[2]*\text{Sqrt}[(-b - \text{Sqrt}[b^2 + 4*a*c])/c]*e*\text{EllipticPi}[(\text{Sqrt}[-(b/c) - \\
& \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2] + \text{Sqrt}[-(b/c) + \text{Sqrt}[b^2 + 4*a*c]/c]/\text{Sqrt}[2])*
\end{aligned}$$

$$\frac{(d + (\sqrt{-(b/c)} - \sqrt{b^2 + 4ac})/c)e/\sqrt{2}}{((-\sqrt{-(b/c)} - \sqrt{b^2 + 4ac})/c)/\sqrt{2} + \sqrt{-(b/c)} + \sqrt{b^2 + 4ac}/c/\sqrt{2}} \cdot (d - (\sqrt{-(b/c)} - \sqrt{b^2 + 4ac})/c)e/\sqrt{2})$$

$$+ \text{ArcSin}\left[\frac{\sqrt{((\sqrt{-(b/c)} - \sqrt{b^2 + 4ac})/c) - \sqrt{(-b + \sqrt{b^2 + 4ac})/c}} \cdot (\sqrt{2} \sqrt{(-b - \sqrt{b^2 + 4ac})/c} + 2x)}{((\sqrt{-(b/c)} - \sqrt{b^2 + 4ac})/c) + \sqrt{(-b + \sqrt{b^2 + 4ac})/c}}\right]$$

$$+ \frac{(\sqrt{(-b - \sqrt{b^2 + 4ac})/c} + \sqrt{(-b + \sqrt{b^2 + 4ac})/c})^2 / ((\sqrt{-(b/c)} - \sqrt{b^2 + 4ac})/c) - \sqrt{(-b + \sqrt{b^2 + 4ac})/c}}{(\sqrt{(-b - \sqrt{b^2 + 4ac})/c}) \cdot (\sqrt{-(b/c)} - \sqrt{b^2 + 4ac})/c/\sqrt{2} - \sqrt{-(b/c)} + \sqrt{b^2 + 4ac}/c/\sqrt{2}} \cdot e \cdot (d - (\sqrt{-(b/c)} - \sqrt{b^2 + 4ac})/c)e/\sqrt{2}} \cdot (d - (\sqrt{-(b/c)} - \sqrt{b^2 + 4ac})/c)e/\sqrt{2}} \cdot \sqrt{-a + bx^2 + cx^4}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x+f)/(e*x+d)/(c*x^4+b*x^2-a)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx + f}{\sqrt{cx^4 + bx^2 - a}(ex + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g*x+f)/(e*x+d)/(c*x^4+b*x^2-a)^(1/2),x, algorithm="giac")

[Out] integrate((g*x + f)/(sqrt(c*x^4 + b*x^2 - a)*(e*x + d)), x)

maple [A] time = 0.02, size = 439, normalized size = 0.83

$$\frac{\sqrt{\frac{2(-b + \sqrt{4ac + b^2})x^2}{a}} + 4\sqrt{-\frac{2(b + \sqrt{4ac + b^2})x^2}{a}} + 4g \text{EllipticF}\left(\frac{\sqrt{-\frac{2(-b + \sqrt{4ac + b^2})}{a}}x}{2}, \frac{\sqrt{\frac{2(b + \sqrt{4ac + b^2})b}{ac} - 4}}{2}\right) (-dg + ef)}{2\sqrt{-\frac{2(-b + \sqrt{4ac + b^2})}{a}} \sqrt{cx^4 + bx^2 - a} e} + \frac{\sqrt{\frac{2(-b + \sqrt{4ac + b^2})x^2}{a}}}{\sqrt{cx^4 + bx^2 - a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((g*x+f)/(e*x+d)/(c*x^4+b*x^2-a)^(1/2),x)`

[Out] $\frac{1}{2} \frac{g}{e} \frac{1}{(-2(-b+(4ac+b^2)^{1/2}))/a}^{1/2} \frac{(2(-b+(4ac+b^2)^{1/2}))/a}{x^2+4}^{1/2} \frac{1}{(cx^4+bx^2-a)^{1/2}} \text{EllipticF}\left(\frac{1}{2} \frac{(-2(-b+(4ac+b^2)^{1/2}))/a}^{1/2} x, \frac{1}{2} \frac{(-2(b+(4ac+b^2)^{1/2}))/a}{b/c-4}^{1/2}\right) + \frac{(-d*g+e*f)}{e^2} \frac{(-1/2/(c*d^4/e^4+b*d^2/e^2-a)^{1/2})}{\text{arc tanh}\left(\frac{1/2(2*c*d^2/e^2*x^2+b*x^2+b*d^2/e^2-2*a)}{(c*d^4/e^4+b*d^2/e^2-a)^{1/2}}\right)} \frac{1}{(cx^4+bx^2-a)^{1/2}} + \frac{1}{(-1/2(-b+(4ac+b^2)^{1/2}))/a}^{1/2} \frac{d*e*(1+1/2(-b+(4ac+b^2)^{1/2}))/a}{x^2}^{1/2} \frac{(1-1/2(b+(4ac+b^2)^{1/2}))/a}{x^2}^{1/2} \frac{1}{(cx^4+bx^2-a)^{1/2}} \text{EllipticPi}\left(\frac{(-1/2(-b+(4ac+b^2)^{1/2}))/a}^{1/2} x, \frac{-2/(-b+(4ac+b^2)^{1/2})*a/d^2*e^2, 1/2*2^{1/2}*(b+(4ac+b^2)^{1/2}))/a}{(-1/2(-b+(4ac+b^2)^{1/2}))/a}^{1/2}\right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{gx + f}{\sqrt{cx^4 + bx^2 - a}(ex + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)/(e*x+d)/(c*x^4+b*x^2-a)^(1/2),x, algorithm="maxima")`

[Out] `integrate((g*x + f)/(sqrt(c*x^4 + b*x^2 - a)*(e*x + d)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{f + gx}{(d + ex) \sqrt{cx^4 + bx^2 - a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f + g*x)/((d + e*x)*(b*x^2 - a + c*x^4)^(1/2)),x)`

[Out] `int((f + g*x)/((d + e*x)*(b*x^2 - a + c*x^4)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{f + gx}{(d + ex) \sqrt{-a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x+f)/(e*x+d)/(c*x**4+b*x**2-a)**(1/2),x)`

[Out] `Integral((f + g*x)/((d + e*x)*sqrt(-a + b*x**2 + c*x**4)), x)`

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
```

```

If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
  If[LeafCount[result]<=2*LeafCount[optimal],
    "A",
    "B"],
  "C"],
If[FreeQ[result,Integrate] && FreeQ[result,Int],
  "C",
"F"]]

```

```

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

```

```

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]===Plus || Head[expn]===Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
    If[AppellFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],

```

```

If[Head[expn]===RootSum,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
If[Head[expn]===Integrate || Head[expn]===Int,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
MemberQ[{
  Exp,Log,
  Sin,Cos,Tan,Cot,Sec,Csc,
  ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
  Sinh,Cosh,Tanh,Coth,Sech,Csch,
  ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
},func]

SpecialFunctionQ[func_] :=
MemberQ[{
  Erf, Erfc, Erfi,
  FresnelS, FresnelC,
  ExpIntegralE, ExpIntegralEi, LogIntegral,
  SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
  Gamma, LogGamma, PolyGamma,
  Zeta, PolyLog, ProductLog,
  EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
MemberQ[{AppellF1},func]

```

4.0.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000

```

```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;

    leaf_count_result:=leafcount(result);
    #do NOT call ExpnType() if leaf size is too large. Recursion problem
    if leaf_count_result > 500000 then
        return "B";
    fi;

    leaf_count_optimal:=leafcount(optimal);

    ExpnType_result:=ExpnType(result);
    ExpnType_optimal:=ExpnType(optimal);

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
            ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;

```



```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do not
as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false

```

```

#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  end if
end proc:

```

```

elif HypergeometricFunctionQ(op(0,expn)) then
  max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
  max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
  max(8,apply(max,map(ExpnType,[op(expn)]))) else
9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
    MmaTranslator[Mma][LeafCount](u);
end proc:
```

4.0.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
    ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
    ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]
```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'`^`')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+`') or type
(expn,'`*`')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:

```

```

        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```



```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print (">>>>Enter expnType, expn=", expn)
        print (">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```

```

    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
#is checked before calling the grading function that is passed.
#but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

```

```
#main function
```

```
def grade_antiderivative(result,optimal):
```

```

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```

```

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

```

```

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

```

```

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex

```

```
        if leaf_count_result <= 2*leaf_count_optimal:
            return "A"
        else:
            return "B"
    else: #result contains complex but optimal is not
        return "C"
else: # result do not contain complex, this assumes optimal do not as
well
    if leaf_count_result <= 2*leaf_count_optimal:
        return "A"
    else:
        return "B"
else:
    return "C"
```